

YEIP  
05-020  
2005

**GEOPHYSICAL – GEOCHEMICAL – TRENCHING**

**REPORT**

**BLACK FOX 1-52 CLAIMS**

**NTS # 115 O \ 3**

**LAT: 63° 03 N**

**LONG: 139° 05 W**

**DAWSON MINING DISTRICT**

**AUTHOR OF REPORT SHAWN RYAN**

**WORK PERFORMED OCTOBER 03, 2005 – OCTOBER 7, 2005**

**DATE OF REPORT JANUARY 31, 2006**

05-020

## TABLE OF CONTENT

<b>1.0</b>	<b>Summary</b>	<b>p.3</b>
<b>2.0</b>	<b>INTRODUCTION</b>	<b>p.3</b>
<b>3.0</b>	<b>PROJECT LOCATION</b>	<b>p.3</b>
<b>4.0</b>	<b>ACCESS</b>	<b>p.4</b>
<b>5.0</b>	<b>GEOLOGY</b>	<b>p.4</b>
<b>5.1</b>	<b>REGIONAL GEOLOGY</b>	<b>p.4</b>
<b>5.2</b>	<b>PROPERTY GEOLOGY</b>	<b>p.5</b>
<b>6.0</b>	<b>WORK PERFORMED / METHODS</b>	<b>p.5</b>
<b>6.1</b>	<b>Grid Work</b>	<b>p.5</b>
<b>6.2</b>	<b>Magnetic Survey</b>	<b>p.5</b>
<b>6.3</b>	<b>Soil Survey</b>	<b>p.5</b>
<b>6.4</b>	<b>Trenching</b>	<b>p.6</b>
<b>7.0</b>	<b>INTERPRETATION</b>	<b>p.6</b>
<b>7.1</b>	<b>Magnetic Survey</b>	<b>p.6</b>
<b>7.2</b>	<b>Soil Survey</b>	<b>p.6</b>
<b>7.3</b>	<b>Trenching</b>	<b>p.7</b>
<b>8.0</b>	<b>RECOMMENDATION</b>	<b>p.7</b>
<b>9.0</b>	<b>REFERENCES CITED</b>	<b>p.7</b>
	<b>Gold Soil geochemistry map</b>	<b>Figure 1</b>
	<b>Mercury Soil geochemistry map</b>	<b>Figure 2</b>
	<b>Copper Soil geochemistry map</b>	<b>Figure 3</b>
	<b>Magnetic Map</b>	<b>Figure 4</b>
	<b>Assay Data</b>	<b>Appendix</b>
	<b>GPS Soil Location Data</b>	<b>Appendix</b>

## **1.0 SUMMARY**

The Black Fox target was successful in uncovering a new quartz vein that average 50-80 centimeters wide and average 7-10 g/t gold.

## **2.0 INTRODUCTION**

The Black Fox project had 22.7 Kl of grid work established with 22.7 Kl of magnetic survey conducted. A total of 717 soil where collected on 25 soil spacing. Trenching was conducted and uncovered a new quartz vein. More prospecting around the quartz vein revealed the vein is running in float over a length of 185 meters. We staked an additional 10 units to cover the ground between the Black Fox new showing and the Kit Claims.

## **3.0 LOCATION**

The Black Fox project is located at the headwaters of Thistle Creek, it's in Dawson Mining Division, on NTS # 115 0/3. The latitude 63°03'N and longitude 139°05'W.

## **4.0 ACCESS**

The prospecting can be reached via helicopter from Dawson City or one can boat 100 miles up the Yukon River then take a four wheeler 25 kilometers up the Kirkman Creek road system to the headwaters of Kirkman and Thistle Creek.

## 5.0 REGIONAL AND PROPERTY GEOLOGY

### 5.1 REGIONAL GEOLOGY

#### Regional Geology GSC Description

#### Regional Geology

The Regional Soil Program covered six different rock units according to the new GSC geology map called the Southern Stewart River Area, Open File # 4641 by Jim Ryan and Steve Gordey.

Jurassic? Or Cretaceous

#### Unit 16

Granite: pink to grey, locally porphyritic, syenogranite to monzogranite plutons and dykes.

Mid? To Late Paleozoic

#### Orthogneissic Rocks

#### Unit 9

Comprise of Grey Gneiss: intermediate to mafic orthogneiss; generally grey; banded to layered; commonly veined; derived from intermediate granitoid (tonalite to diorite) sheets; usually interlayered with amphibolite schist and gneiss.

#### Unit 6 / 9

Comprise of undivided amphibolite and grey gneiss units.

#### Unit 10

Comprise of Felsic Gneiss: pink to orange felsic orthogneiss; banded to layered; veined and/or segregated; derived from felsic granitoid sheets

#### Metavolcanic? Volcaniclastic? Rocks

#### Unit 6

Comprise of an Amphibolite schist and gneiss; metabasite; possibly derived from mafic to intermediate volcanic or Volcaniclastic rocks.

#### Metasedimentary Rocks

#### Unit 3 /4

Comprise of a Quartz-Mica schist and Mica-Quartz schist.

## **5.2 PROPERTY GEOLOGY**

I did not have much time to evaluate the geology but I did bring Mike Burky and Chris Ash visited the property during the 2004 field season. Chris Ash noted meta gabbro, ultramafic and mafic volcanic. All are good potential host for mesothermal quartz vein.

## **6.0 WORK PERFORMED / METHODS**

### **6.1 Grid Work**

A total of 22.7 kilometers of grid was established using Garmin GPS 76 instruments. The beauty of Garmin 76 GPS are that they have a left right function and can keep you right on track within a  $\pm 5$  meters error. Station where flagged using Artic orange flagging tape and marked with black permanent markers as to the line and station co-ordinates. In total 908 station where established. The grid lines ran in a northeast direction with the intention to cross the quartz vein float and 2004 gold soil anomaly at a 90-degree angle.

### **6.2 Magnetic Survey**

The magnetic survey was conducted across the entire grid. The survey uses two Envi-Mag, Scintrex magnetometers. One is the portable field unit and the second is a base station magnetometer that records reading every 10 seconds at a stationary position for the entire survey. The base station monitors the earth daily magnetic drift. At the end of each daily survey both the field and base station magnetometers are plugged in together and the daily drift is corrected out of the field mag.

Only the corrected data is used to plot the survey results. The field survey took reading every 12.5 meters for a total of 1816 readings.

### **6.3 Soil Survey**

The Black Fox Project had 20 man days of soil work collecting 717 soils.

All soil sample where taken with one meter soil probes and sometime with a prospector pick. We carried both on rocky talus slope. Soil sample location where marked on the ground with orange flagging and recorded in Garmin GPS. About 400-500 grams of soil was collected and place in well mark kraft soil bags.

All sample where brought out to Dawson and air dried repacked in rice bags and sent to Acme Labs in Vancouver. Sample where process with Aqua Regia ICP-MS for 36 elements.

The GPS where downloaded every night and store in a personal computer.

## **6.4 Trenching**

The Black Fox project had 5 man days of hoe work. The hoe work was done with a Can Dig mini excavator. The excavator was mobilized up the Yukon River via river boat in two pieces then put together and transported by four wheeler up the Kirkman Creek road to the work site. Trenching was successful in uncovering 15 meters of quartz vein.

## **7.0 INTERPRETATION**

### **7.1 Magnetic Survey**

The magnetic survey was very helpful in delineating a regional structure pattern. From what we see is that the magnetic high is sitting over mapped Amphibolite and that the magnetic highs are trending on a general east west trend. A magnetic low trends right threw the middle of the grid on a north south trend. This distinct kind of magnetic low on a north south trend has being seen in other location in the district and they turn out to be felsic dikes.

### **7.2 Soil Survey**

The soil survey was very useful in demonstrating a nice gold, mercury and copper anomaly. The gold anomaly indicates that there should be more gold bearing rocks found east of the high grade quartz vein. The anomalous gold quartz vein found in the trench also has mercury and copper associated with it. Using these elements from the soil survey one can see how the anomalies values are moving in an easterly pattern. All being equal more work is needed in this direction.

### **7.3 Trenching**

The trench work uncovered a 50-80 cm wide quartz vein that moving in an east southeast direction. The hoe work help uncover about 10-15 meters of quartz vein. The vein had 2-3 % sulfides of copper and a dark material potentially lead or antimony. Quartz vein material was also found 160 meter on trend to the west northwest.

### **8.0 RECOMMENDATION**

I would recommend more trenching on the quartz vein and extending the soil grid towards the Kit claims to the south and extending the soil and magnetic survey to the east.

### **9.0 REFERENCES CITED**

Ryan,J.J. and Gordey,S.P. 2004: Geology, Stewart River Area, Yukon Territory; Geological Survey of Canada, Open File 4641



# BLACK FOX 2005 MAGNETIC and SOIL SURVEY





Figure 1



# BLACK FOX 2005 MAGNETIC and SOIL SURVEY





# BLACK FOX 2005 MAGNETIC and SOIL SURVEY





Figure 3









**Can Dig Excavator Digging Black Fox Trench**



**High Grade Quartz Vein running up to 25 g/t Gold**

# Black Fox Soil 2005

GPS ID	Datum	Easting	Northing	RW06556	NAD 83-7V	600367	6993266
RW02477	NAD 83-7V	597326	6988478	RW06565	NAD 83-7V	599393	6992768
RW04301	NAD 83-7V	597413	6988423	RW06566	NAD 83-7V	599498	6992614
RW04347	NAD 83-7V	597986	6989180	RW06567	NAD 83-7V	599521	6992580
RW04348	NAD 83-7V	597978	6989159	RW06568	NAD 83-7V	599531	6992554
RW04349	NAD 83-7V	597970	6989134	RW06569	NAD 83-7V	599539	6992517
RW04350	NAD 83-7V	597960	6989110	RW06570	NAD 83-7V	599917	6992061
RW04351	NAD 83-7V	597953	6989089	RW06571	NAD 83-7V	598119	6988634
RW04352	NAD 83-7V	597948	6989064	RW06572	NAD 83-7V	598115	6988615
RW04353	NAD 83-7V	597937	6989038	RW06573	NAD 83-7V	598107	6988588
RW04354	NAD 83-7V	597929	6989013	RW06574	NAD 83-7V	598096	6988567
RW04355	NAD 83-7V	597922	6988990	RW06575	NAD 83-7V	598088	6988543
RW04356	NAD 83-7V	597916	6988966	RW06576	NAD 83-7V	598083	6988517
RW04357	NAD 83-7V	597906	6988945	RW06577	NAD 83-7V	598074	6988494
RW04358	NAD 83-7V	597896	6988919	RW06578	NAD 83-7V	598067	6988469
RW04359	NAD 83-7V	597890	6988895	RW06579	NAD 83-7V	598058	6988443
RW04360	NAD 83-7V	597881	6988874	RW06580	NAD 83-7V	598051	6988423
RW04361	NAD 83-7V	597874	6988845	RW06581	NAD 83-7V	598045	6988399
RW04362	NAD 83-7V	597867	6988819	RW06582	NAD 83-7V	598038	6988374
RW04363	NAD 83-7V	597859	6988800	RW06583	NAD 83-7V	598021	6988326
RW04364	NAD 83-7V	597849	6988775	RW06584	NAD 83-7V	598007	6988278
RW04365	NAD 83-7V	597421	6988446	RW06585	NAD 83-7V	597989	6988231
RW04401	NAD 83-7V	597406	6988400	RW06586	NAD 83-7V	597979	6988209
RW04402	NAD 83-7V	597398	6988376	RW06587	NAD 83-7V	597873	6988218
RW04403	NAD 83-7V	597304	6988407	RW06588	NAD 83-7V	597880	6988240
RW04425	NAD 83-7V	598349	6989642	RW06589	NAD 83-7V	597886	6988264
RW04426	NAD 83-7V	598343	6989613	RW06590	NAD 83-7V	597894	6988289
RW04427	NAD 83-7V	598332	6989591	RW06591	NAD 83-7V	597910	6988337
RW04428	NAD 83-7V	598325	6989569	RW06592	NAD 83-7V	597917	6988361
RW04429	NAD 83-7V	598317	6989544	RW06593	NAD 83-7V	597927	6988383
RW04430	NAD 83-7V	598308	6989521	RW06594	NAD 83-7V	597938	6988406
RW04431	NAD 83-7V	598302	6989498	RW06595	NAD 83-7V	597947	6988432
RW04432	NAD 83-7V	598293	6989474	RW06596	NAD 83-7V	597953	6988454
RW05851	NAD 83-7V	597318	6988454	RW06597	NAD 83-7V	597961	6988477
RW06078	NAD 83-7V	597310	6988431	RW06598	NAD 83-7V	597968	6988502
RW06526	NAD 83-7V	596933	6989505	RW06599	NAD 83-7V	597973	6988527
RW06527	NAD 83-7V	596942	6989532	RW06600	NAD 83-7V	597983	6988551
RW06528	NAD 83-7V	596950	6989554	RW06601	NAD 83-7V	597990	6988574
RW06529	NAD 83-7V	596955	6989579	RW06602	NAD 83-7V	597997	6988598
RW06530	NAD 83-7V	596964	6989600	RW06603	NAD 83-7V	598004	6988624
RW06531	NAD 83-7V	596974	6989622	RW06604	NAD 83-7V	598013	6988648
RW06532	NAD 83-7V	597089	6989637	RW06605	NAD 83-7V	598020	6988669
RW06533	NAD 83-7V	597078	6989615	RW06613	NAD 83-7V	597514	6988706
RW06534	NAD 83-7V	597060	6989569	RW06614	NAD 83-7V	597651	6989452
RW06535	NAD 83-7V	597052	6989545	RW06615	NAD 83-7V	597636	6989405
RW06536	NAD 83-7V	597044	6989520	RW06616	NAD 83-7V	597627	6989380
RW06537	NAD 83-7V	597037	6989496	RW06617	NAD 83-7V	597551	6989142
RW06538	NAD 83-7V	597030	6989472	RW06618	NAD 83-7V	597526	6989071
RW06539	NAD 83-7V	597012	6989422	RW06619	NAD 83-7V	597517	6989049
RW06540	NAD 83-7V	597005	6989394	RW06620	NAD 83-7V	597510	6989025
RW06541	NAD 83-7V	596997	6989376	RW06621	NAD 83-7V	597504	6988999
RW06542	NAD 83-7V	596988	6989355	RW06622	NAD 83-7V	597495	6988977
RW06543	NAD 83-7V	596978	6989331	RW06623	NAD 83-7V	597487	6988953
RW06544	NAD 83-7V	596969	6989306	RW06624	NAD 83-7V	597479	6988930
RW06545	NAD 83-7V	596962	6989283	RW06625	NAD 83-7V	597472	6988906
RW06546	NAD 83-7V	596958	6989263	RW06626	NAD 83-7V	597464	6988882
RW06551	NAD 83-7V	600028	6991740	RW06627	NAD 83-7V	597455	6988859
RW06552	NAD 83-7V	600000	6991827	RW06628	NAD 83-7V	597446	6988835
RW06553	NAD 83-7V	599948	6991951	RW06629	NAD 83-7V	597436	6988811



RW06633	NAD 83-7V	597404	6988718	RW06711	NAD 83-7V	597533	6989727
RW06635	NAD 83-7V	597421	6988763	RW06712	NAD 83-7V	597528	6989704
RW06651	NAD 83-7V	597660	6989159	RW06713	NAD 83-7V	597519	6989681
RW06652	NAD 83-7V	597652	6989135	RW06714	NAD 83-7V	597512	6989658
RW06653	NAD 83-7V	597646	6989111	RW06715	NAD 83-7V	597505	6989631
RW06654	NAD 83-7V	597637	6989087	RW06716	NAD 83-7V	597495	6989613
RW06655	NAD 83-7V	597621	6989041	RW06717	NAD 83-7V	597483	6989580
RW06656	NAD 83-7V	597610	6989018	RW06718	NAD 83-7V	597474	6989559
RW06657	NAD 83-7V	597603	6988995	RW06719	NAD 83-7V	597473	6989531
RW06658	NAD 83-7V	597593	6988971	RW06720	NAD 83-7V	597466	6989516
RW06659	NAD 83-7V	597588	6988946	RW06721	NAD 83-7V	597442	6989442
RW06660	NAD 83-7V	597584	6988922	RW06722	NAD 83-7V	597434	6989416
RW06661	NAD 83-7V	597575	6988900	RW06723	NAD 83-7V	597423	6989393
RW06662	NAD 83-7V	597565	6988876	RW06724	NAD 83-7V	597413	6989378
RW06663	NAD 83-7V	597558	6988849	RW06725	NAD 83-7V	597403	6989349
RW06664	NAD 83-7V	597403	6989641	RW06726	NAD 83-7V	597401	6989322
RW06665	NAD 83-7V	597395	6989618	RW06727	NAD 83-7V	597395	6989295
RW06666	NAD 83-7V	597388	6989596	RW06728	NAD 83-7V	597384	6989273
RW06667	NAD 83-7V	597380	6989570	RW06729	NAD 83-7V	597371	6989257
RW06668	NAD 83-7V	597372	6989546	RW06730	NAD 83-7V	597370	6989227
RW06669	NAD 83-7V	597363	6989522	RW06731	NAD 83-7V	597358	6989202
RW06670	NAD 83-7V	597356	6989500	RW06732	NAD 83-7V	597351	6989182
RW06671	NAD 83-7V	597346	6989474	RW06733	NAD 83-7V	597343	6989160
RW06672	NAD 83-7V	597330	6989428	RW06734	NAD 83-7V	597333	6989138
RW06673	NAD 83-7V	597322	6989406	RW06735	NAD 83-7V	597327	6989118
RW06674	NAD 83-7V	597313	6989380	RW06736	NAD 83-7V	597320	6989092
RW06675	NAD 83-7V	597304	6989357	RW06737	NAD 83-7V	597311	6989063
RW06676	NAD 83-7V	597298	6989330	RW06738	NAD 83-7V	597305	6989040
RW06677	NAD 83-7V	597293	6989309	RW06739	NAD 83-7V	597298	6989019
RW06678	NAD 83-7V	597283	6989286	RW06740	NAD 83-7V	597287	6988995
RW06679	NAD 83-7V	597275	6989265	RW06741	NAD 83-7V	596980	6989646
RW06680	NAD 83-7V	597268	6989239	RW06742	NAD 83-7V	596987	6989671
RW06681	NAD 83-7V	597503	6988683	RW06743	NAD 83-7V	596993	6989696
RW06682	NAD 83-7V	597492	6988659	RW06744	NAD 83-7V	597004	6989718
RW06683	NAD 83-7V	597484	6988636	RW06745	NAD 83-7V	597012	6989742
RW06684	NAD 83-7V	597523	6988729	RW06746	NAD 83-7V	597021	6989768
RW06685	NAD 83-7V	597527	6988755	RW06747	NAD 83-7V	597118	6989738
RW06686	NAD 83-7V	597964	6989765	RW06748	NAD 83-7V	597108	6989712
RW06687	NAD 83-7V	597966	6989743	RW06749	NAD 83-7V	597100	6989690
RW06688	NAD 83-7V	597958	6989720	RW06750	NAD 83-7V	597091	6989663
RW06689	NAD 83-7V	597950	6989695	RW06751	NAD 83-7V	597683	6989863
RW06690	NAD 83-7V	597943	6989670	RW06752	NAD 83-7V	597677	6989840
RW06691	NAD 83-7V	597933	6989647	RW06753	NAD 83-7V	597669	6989817
RW06692	NAD 83-7V	597926	6989624	RW06754	NAD 83-7V	597661	6989791
RW06693	NAD 83-7V	597918	6989600	RW06755	NAD 83-7V	597653	6989769
RW06694	NAD 83-7V	597907	6989578	RW06756	NAD 83-7V	597646	6989744
RW06695	NAD 83-7V	597884	6989507	RW06757	NAD 83-7V	597636	6989719
RW06696	NAD 83-7V	597875	6989482	RW06758	NAD 83-7V	597629	6989697
RW06697	NAD 83-7V	597870	6989457	RW06759	NAD 83-7V	597617	6989674
RW06698	NAD 83-7V	597829	6989340	RW06760	NAD 83-7V	597609	6989649
RW06699	NAD 83-7V	597820	6989317	RW06761	NAD 83-7V	597598	6989625
RW06700	NAD 83-7V	597804	6989268	RW06762	NAD 83-7V	597595	6989600
RW06702	NAD 83-7V	597543	6988802	RW06763	NAD 83-7V	597590	6989578
RW06703	NAD 83-7V	597537	6988776	RW06764	NAD 83-7V	597582	6989554
RW06704	NAD 83-7V	597589	6989893	RW06765	NAD 83-7V	597574	6989531
RW06705	NAD 83-7V	597585	6989870	RW06766	NAD 83-7V	597564	6989504
RW06706	NAD 83-7V	597577	6989847	RW06767	NAD 83-7V	597543	6989435
RW06707	NAD 83-7V	597567	6989824	RW06768	NAD 83-7V	597536	6989411
RW06708	NAD 83-7V	597557	6989800	RW06769	NAD 83-7V	597526	6989388

RW06772	NAD 83-7V	597505	6989314	RW06841	NAD 83-7V	597211	6989072
RW06773	NAD 83-7V	597494	6989295	RW06842	NAD 83-7V	597204	6989048
RW06774	NAD 83-7V	597487	6989269	RW06843	NAD 83-7V	597194	6989025
RW06775	NAD 83-7V	597481	6989244	RW06844	NAD 83-7V	597188	6989002
RW06776	NAD 83-7V	597460	6989195	RW06845	NAD 83-7V	597179	6988977
RW06777	NAD 83-7V	597455	6989173	RW06846	NAD 83-7V	597173	6988954
RW06778	NAD 83-7V	597447	6989150	RW06847	NAD 83-7V	597165	6988927
RW06779	NAD 83-7V	597439	6989127	RW06848	NAD 83-7V	597156	6988905
RW06780	NAD 83-7V	597434	6989105	RW06849	NAD 83-7V	597147	6988884
RW06781	NAD 83-7V	597428	6989075	RW06850	NAD 83-7V	597137	6988859
RW06782	NAD 83-7V	597409	6989031	RW06851	NAD 83-7V	597750	6988785
RW06783	NAD 83-7V	597403	6989006	RW06852	NAD 83-7V	597742	6988762
RW06784	NAD 83-7V	597386	6988961	RW06853	NAD 83-7V	597733	6988738
RW06785	NAD 83-7V	597379	6988935	RW06854	NAD 83-7V	597725	6988715
RW06786	NAD 83-7V	597370	6988913	RW06855	NAD 83-7V	597718	6988691
RW06787	NAD 83-7V	597360	6988889	RW06856	NAD 83-7V	597709	6988668
RW06792	NAD 83-7V	597353	6988866	RW06857	NAD 83-7V	597702	6988643
RW06793	NAD 83-7V	597346	6988841	RW06858	NAD 83-7V	597693	6988620
RW06794	NAD 83-7V	597338	6988818	RW06859	NAD 83-7V	597684	6988596
RW06795	NAD 83-7V	597331	6988794	RW06860	NAD 83-7V	597677	6988573
RW06796	NAD 83-7V	597322	6988768	RW06861	NAD 83-7V	597669	6988549
RW06797	NAD 83-7V	597315	6988746	RW06862	NAD 83-7V	597660	6988524
RW06798	NAD 83-7V	597311	6988722	RW06863	NAD 83-7V	597656	6988499
RW06799	NAD 83-7V	597299	6988698	RW06864	NAD 83-7V	597644	6988477
RW06800	NAD 83-7V	597290	6988675	RW06865	NAD 83-7V	597635	6988455
RW06801	NAD 83-7V	597283	6988651	RW06866	NAD 83-7V	597626	6988430
RW06802	NAD 83-7V	597273	6988627	RW06867	NAD 83-7V	597617	6988406
RW06803	NAD 83-7V	597266	6988604	RW06868	NAD 83-7V	597614	6988383
RW06804	NAD 83-7V	597257	6988581	RW06869	NAD 83-7V	597602	6988360
RW06805	NAD 83-7V	597249	6988557	RW06870	NAD 83-7V	597595	6988337
RW06806	NAD 83-7V	597242	6988534	RW06871	NAD 83-7V	597586	6988313
RW06807	NAD 83-7V	597234	6988510	RW06872	NAD 83-7V	597495	6988344
RW06808	NAD 83-7V	597226	6988484	RW06873	NAD 83-7V	597502	6988366
RW06809	NAD 83-7V	597219	6988461	RW06874	NAD 83-7V	597511	6988389
RW06810	NAD 83-7V	597210	6988439	RW06875	NAD 83-7V	597528	6988410
RW06811	NAD 83-7V	597113	6988470	RW06876	NAD 83-7V	597530	6988438
RW06812	NAD 83-7V	597122	6988495	RW06877	NAD 83-7V	597538	6988461
RW06813	NAD 83-7V	597127	6988517	RW06878	NAD 83-7V	597543	6988484
RW06814	NAD 83-7V	597136	6988542	RW06879	NAD 83-7V	597549	6988509
RW06815	NAD 83-7V	597143	6988567	RW06880	NAD 83-7V	597558	6988529
RW06816	NAD 83-7V	597151	6988591	RW06881	NAD 83-7V	597568	6988558
RW06817	NAD 83-7V	597160	6988615	RW06882	NAD 83-7V	597574	6988580
RW06818	NAD 83-7V	597168	6988638	RW06883	NAD 83-7V	597583	6988603
RW06819	NAD 83-7V	597176	6988662	RW06884	NAD 83-7V	597590	6988626
RW06820	NAD 83-7V	597183	6988685	RW06885	NAD 83-7V	597606	6988649
RW06821	NAD 83-7V	597192	6988709	RW06886	NAD 83-7V	597606	6988675
RW06822	NAD 83-7V	597200	6988733	RW06887	NAD 83-7V	597614	6988697
RW06823	NAD 83-7V	597209	6988758	RW06888	NAD 83-7V	597622	6988723
RW06824	NAD 83-7V	597218	6988779	RW06890	NAD 83-7V	597631	6988747
RW06825	NAD 83-7V	597225	6988804	RW06891	NAD 83-7V	597639	6988768
RW06826	NAD 83-7V	597233	6988829	RW06892	NAD 83-7V	597647	6988793
RW06827	NAD 83-7V	597240	6988852	RW06893	NAD 83-7V	597308	6989671
RW06828	NAD 83-7V	597249	6988875	RW06894	NAD 83-7V	597305	6989651
RW06829	NAD 83-7V	597261	6988900	RW06895	NAD 83-7V	597287	6989627
RW06830	NAD 83-7V	597265	6988921	RW06896	NAD 83-7V	597282	6989603
RW06835	NAD 83-7V	597261	6989215	RW06897	NAD 83-7V	597277	6989578
RW06836	NAD 83-7V	597251	6989190	RW06898	NAD 83-7V	597269	6989553
RW06837	NAD 83-7V	597243	6989167	RW06899	NAD 83-7V	597261	6989529
RW06838	NAD 83-7V	597235	6989144	RW06900	NAD 83-7V	597253	6989508



RW06903	NAD 83-7V	597226	6989436	RW06974	NAD 83-7V	597005	6988768
RW06904	NAD 83-7V	597221	6989409	RW06987	NAD 83-7V	596935	6988872
RW06905	NAD 83-7V	597213	6989390	RW06988	NAD 83-7V	597027	6989159
RW06906	NAD 83-7V	597205	6989365	RW06989	NAD 83-7V	597131	6988834
RW06907	NAD 83-7V	597198	6989341	RW06990	NAD 83-7V	597121	6988813
RW06908	NAD 83-7V	597190	6989316	RW06991	NAD 83-7V	597104	6988763
RW06909	NAD 83-7V	597182	6989292	RW06992	NAD 83-7V	597096	6988740
RW06910	NAD 83-7V	597172	6989269	RW06993	NAD 83-7V	597090	6988716
RW06911	NAD 83-7V	597163	6989246	RW06994	NAD 83-7V	597083	6988692
RW06912	NAD 83-7V	597155	6989221	RW07054	NAD 83-7V	597373	6988621
RW06913	NAD 83-7V	597149	6989199	RW07055	NAD 83-7V	597382	6988645
RW06914	NAD 83-7V	597142	6989174	RW07056	NAD 83-7V	597389	6988668
RW06915	NAD 83-7V	597133	6989150	RW07059	NAD 83-7V	597429	6988470
RW06916	NAD 83-7V	597125	6989127	RW07129	NAD 83-7V	596932	6989189
RW06917	NAD 83-7V	597116	6989104	RW07130	NAD 83-7V	596941	6989214
RW06918	NAD 83-7V	597109	6989078	RW07131	NAD 83-7V	596948	6989237
RW06919	NAD 83-7V	597101	6989056	RW07348	NAD 83-7V	597447	6988517
RW06920	NAD 83-7V	597093	6989032	RW07349	NAD 83-7V	597439	6988495
RW06921	NAD 83-7V	597084	6989009	RW07373	NAD 83-7V	596859	6988975
RW06922	NAD 83-7V	597076	6988984	RW07374	NAD 83-7V	596877	6989025
RW06923	NAD 83-7V	597068	6988954	RW07375	NAD 83-7V	596885	6989049
RW06924	NAD 83-7V	597058	6988937	RW07376	NAD 83-7V	596893	6989074
RW06925	NAD 83-7V	597049	6988914	RW07377	NAD 83-7V	596900	6989095
RW06926	NAD 83-7V	597045	6988891	RW07378	NAD 83-7V	596907	6989120
RW06927	NAD 83-7V	597035	6988867	RW07379	NAD 83-7V	596918	6989141
RW06928	NAD 83-7V	597019	6988820	RW07380	NAD 83-7V	596927	6989166
RW06929	NAD 83-7V	597018	6988796	RW07472	NAD 83-7V	598283	6989449
RW06939	NAD 83-7V	597214	6989704	RW07473	NAD 83-7V	598276	6989426
RW06940	NAD 83-7V	597206	6989681	RW07474	NAD 83-7V	598270	6989403
RW06941	NAD 83-7V	597197	6989657	RW07475	NAD 83-7V	598262	6989378
RW06942	NAD 83-7V	597189	6989634	RW07476	NAD 83-7V	598253	6989355
RW06943	NAD 83-7V	597182	6989610	RW07477	NAD 83-7V	598246	6989332
RW06944	NAD 83-7V	597173	6989586	RW07478	NAD 83-7V	598235	6989309
RW06945	NAD 83-7V	597163	6989563	RW07479	NAD 83-7V	598227	6989284
RW06946	NAD 83-7V	597155	6989540	RW07480	NAD 83-7V	598220	6989261
RW06947	NAD 83-7V	597149	6989516	RW07481	NAD 83-7V	598213	6989238
RW06948	NAD 83-7V	597141	6989491	RW07482	NAD 83-7V	598207	6989212
RW06949	NAD 83-7V	597132	6989464	RW07483	NAD 83-7V	598200	6989189
RW06950	NAD 83-7V	597123	6989444	RW07484	NAD 83-7V	598192	6989166
RW06951	NAD 83-7V	597115	6989418	RW07485	NAD 83-7V	598183	6989144
RW06952	NAD 83-7V	597108	6989396	RW07486	NAD 83-7V	598174	6989119
RW06953	NAD 83-7V	597093	6989348	RW07487	NAD 83-7V	598166	6989094
RW06954	NAD 83-7V	597075	6989301	RW07488	NAD 83-7V	598159	6989071
RW06955	NAD 83-7V	597068	6989278	RW07489	NAD 83-7V	598151	6989047
RW06956	NAD 83-7V	597059	6989255	RW07490	NAD 83-7V	598145	6989023
RW06957	NAD 83-7V	597056	6989232	RW07491	NAD 83-7V	598136	6988999
RW06958	NAD 83-7V	597046	6989205	RW07492	NAD 83-7V	598129	6988976
RW06960	NAD 83-7V	597002	6989090	RW07493	NAD 83-7V	598119	6988952
RW06961	NAD 83-7V	596987	6989041	RW07494	NAD 83-7V	598114	6988927
RW06962	NAD 83-7V	596979	6989016	RW08597	NAD 83-7V	597341	6988527
RW06963	NAD 83-7V	596978	6988995	RW08598	NAD 83-7V	597349	6988550
RW06964	NAD 83-7V	596965	6988969	RW08599	NAD 83-7V	597358	6988575
RW06965	NAD 83-7V	596961	6988945	RW08600	NAD 83-7V	597365	6988597
RW06966	NAD 83-7V	596943	6988899	RW08700	NAD 83-7V	597333	6988502
RW06967	NAD 83-7V	596924	6988852	RW08795	NAD 83-7V	597659	6989476
RW06968	NAD 83-7V	596915	6988828	RW08796	NAD 83-7V	597666	6989498
RW06969	NAD 83-7V	596910	6988804	RW08797	NAD 83-7V	597673	6989524
RW06970	NAD 83-7V	596900	6988782	RW08798	NAD 83-7V	597681	6989545
RW06971	NAD 83-7V	596895	6988754	RW08799	NAD 83-7V	597688	6989570

RW08869	NAD 83-7V	597705	6989619	RW09320	NAD 83-7V	596807	6989127
RW08934	NAD 83-7V	597923	6989308	RW09321	NAD 83-7V	596801	6989102
RW08935	NAD 83-7V	597908	6989262	RW09322	NAD 83-7V	596793	6989077
RW08966	NAD 83-7V	598014	6989569	RW09323	NAD 83-7V	596784	6989053
RW08967	NAD 83-7V	597983	6989472	RW09324	NAD 83-7V	596773	6989032
RW09019	NAD 83-7V	598155	6989696	RW09325	NAD 83-7V	596765	6989010
RW09020	NAD 83-7V	598148	6989679	RW09326	NAD 83-7V	596760	6988983
RW09021	NAD 83-7V	598143	6989659	RW09327	NAD 83-7V	596748	6988962
RW09022	NAD 83-7V	598135	6989632	RW09328	NAD 83-7V	596744	6988935
RW09023	NAD 83-7V	598128	6989610	RW09329	NAD 83-7V	596738	6988911
RW09024	NAD 83-7V	598120	6989586	RW09334	NAD 83-7V	596795	6988783
RW09025	NAD 83-7V	598112	6989559	RW09335	NAD 83-7V	596811	6988833
RW09026	NAD 83-7V	598106	6989537	RW09336	NAD 83-7V	596819	6988857
RW09027	NAD 83-7V	598089	6989489	RW09337	NAD 83-7V	596827	6988883
RW09028	NAD 83-7V	598083	6989466	RW09338	NAD 83-7V	596835	6988906
RW09029	NAD 83-7V	598075	6989440	RW09339	NAD 83-7V	596845	6988930
RW09030	NAD 83-7V	598057	6989394	RW09340	NAD 83-7V	596854	6988952
RW09031	NAD 83-7V	598050	6989371	RW09341	NAD 83-7V	597841	6988753
RW09032	NAD 83-7V	598043	6989346	RW09342	NAD 83-7V	597836	6988735
RW09033	NAD 83-7V	598032	6989325	RW09343	NAD 83-7V	597826	6988709
RW09034	NAD 83-7V	598028	6989301	RW09344	NAD 83-7V	597819	6988684
RW09035	NAD 83-7V	598018	6989275	RW09345	NAD 83-7V	597810	6988660
RW09036	NAD 83-7V	598010	6989252	RW09346	NAD 83-7V	597804	6988637
RW09037	NAD 83-7V	597999	6989224	RW09347	NAD 83-7V	597795	6988613
RW09039	NAD 83-7V	597996	6989204	RW09348	NAD 83-7V	597789	6988589
RW09071	NAD 83-7V	597474	6988612	RW09349	NAD 83-7V	597778	6988568
RW09072	NAD 83-7V	597467	6988589	RW09350	NAD 83-7V	597772	6988540
RW09074	NAD 83-7V	597461	6988566	RW09351	NAD 83-7V	598442	6989608
RW09150	NAD 83-7V	598105	6988905	RW09352	NAD 83-7V	598432	6989586
RW09151	NAD 83-7V	598099	6988878	RW09353	NAD 83-7V	598426	6989563
RW09152	NAD 83-7V	598092	6988855	RW09354	NAD 83-7V	598416	6989539
RW09153	NAD 83-7V	598084	6988833	RW09355	NAD 83-7V	598409	6989516
RW09154	NAD 83-7V	598076	6988809	RW09356	NAD 83-7V	598402	6989491
RW09155	NAD 83-7V	598068	6988787	RW09357	NAD 83-7V	598394	6989467
RW09156	NAD 83-7V	598058	6988762	RW09358	NAD 83-7V	598386	6989444
RW09157	NAD 83-7V	598052	6988738	RW09359	NAD 83-7V	598380	6989420
RW09158	NAD 83-7V	598045	6988712	RW09360	NAD 83-7V	598371	6989397
RW09159	NAD 83-7V	598037	6988690	RW09361	NAD 83-7V	598363	6989372
RW09160	NAD 83-7V	597779	6989830	RW09362	NAD 83-7V	598355	6989348
RW09161	NAD 83-7V	597767	6989808	RW09363	NAD 83-7V	598347	6989326
RW09162	NAD 83-7V	597762	6989784	RW09364	NAD 83-7V	598339	6989302
RW09163	NAD 83-7V	597752	6989758	RW09365	NAD 83-7V	598330	6989277
RW09164	NAD 83-7V	597746	6989737	RW09366	NAD 83-7V	598323	6989254
RW09165	NAD 83-7V	597738	6989711	RW09367	NAD 83-7V	598315	6989231
RW09166	NAD 83-7V	597730	6989688	RW09368	NAD 83-7V	598307	6989208
RW09250	NAD 83-7V	597454	6988540	RW09369	NAD 83-7V	598292	6989158
RW09301	NAD 83-7V	597865	6988513	RW09370	NAD 83-7V	598284	6989137
RW09302	NAD 83-7V	597871	6988535	RW09371	NAD 83-7V	598268	6989087
RW09303	NAD 83-7V	597880	6988559	RW09372	NAD 83-7V	598260	6989063
RW09304	NAD 83-7V	597888	6988581	RW09373	NAD 83-7V	598252	6989039
RW09305	NAD 83-7V	597898	6988605	RW09374	NAD 83-7V	598236	6988992
RW09306	NAD 83-7V	597908	6988628	RW09375	NAD 83-7V	598229	6988968
RW09307	NAD 83-7V	597916	6988649	RW09376	NAD 83-7V	598213	6988920
RW09308	NAD 83-7V	597927	6988677	RW09377	NAD 83-7V	598204	6988898
RW09309	NAD 83-7V	597936	6988699	RW09378	NAD 83-7V	598196	6988873
RW09314	NAD 83-7V	596863	6989297	RW09379	NAD 83-7V	598191	6988851
RW09315	NAD 83-7V	596854	6989268	RW09380	NAD 83-7V	598180	6988826
RW09316	NAD 83-7V	596845	6989245	RW09381	NAD 83-7V	598174	6988803
RW09317	NAD 83-7V	596837	6989220	RW09382	NAD 83-7V	598168	6988779

RW09385	NAD 83-7V	598144	6988708	RW09447	NAD 83-7V	596886	6989362
RW09386	NAD 83-7V	598135	6988683	RW09448	NAD 83-7V	596893	6989387
RW09387	NAD 83-7V	598126	6988660	RW09449	NAD 83-7V	596900	6989407
RW09388	NAD 83-7V	597876	6989800	RW09450	NAD 83-7V	596907	6989434
RW09389	NAD 83-7V	597871	6989775	RW09451	NAD 83-7V	596915	6989459
RW09390	NAD 83-7V	597861	6989753	RW09452	NAD 83-7V	596923	6989483
RW09391	NAD 83-7V	597853	6989728	RW09453	NAD 83-7V	597782	6988881
RW09392	NAD 83-7V	597845	6989705	RW09454	NAD 83-7V	597791	6988904
RW09393	NAD 83-7V	597839	6989681	RW09455	NAD 83-7V	597811	6988977
RW09394	NAD 83-7V	597828	6989657	RW09456	NAD 83-7V	597822	6988998
RW09395	NAD 83-7V	597822	6989632	RW09457	NAD 83-7V	597853	6989096
RW09396	NAD 83-7V	597812	6989610	RW09458	NAD 83-7V	597900	6989236
RW09397	NAD 83-7V	597804	6989585	RW09459	NAD 83-7V	597893	6989214
RW09398	NAD 83-7V	597756	6989444	RW09460	NAD 83-7V	598249	6989670
RW09399	NAD 83-7V	597702	6989276	RW09461	NAD 83-7V	598240	6989649
RW09400	NAD 83-7V	597670	6989179	RW09462	NAD 83-7V	598232	6989624
RW09401	NAD 83-7V	597761	6988512	RW09463	NAD 83-7V	598226	6989601
RW09402	NAD 83-7V	597755	6988494	RW09464	NAD 83-7V	598218	6989578
RW09403	NAD 83-7V	597743	6988469	RW09465	NAD 83-7V	598211	6989554
RW09404	NAD 83-7V	597738	6988449	RW09466	NAD 83-7V	598203	6989530
RW09405	NAD 83-7V	597731	6988422	RW09467	NAD 83-7V	598198	6989505
RW09406	NAD 83-7V	597722	6988402	RW09468	NAD 83-7V	598191	6989480
RW09407	NAD 83-7V	597717	6988376	RW09469	NAD 83-7V	598183	6989456
RW09408	NAD 83-7V	597708	6988352	RW09470	NAD 83-7V	598178	6989431
RW09409	NAD 83-7V	597700	6988324	RW09471	NAD 83-7V	598164	6989409
RW09410	NAD 83-7V	597691	6988305	RW09472	NAD 83-7V	598159	6989387
RW09411	NAD 83-7V	597686	6988281	RW09473	NAD 83-7V	598151	6989362
RW09412	NAD 83-7V	597778	6988250	RW09474	NAD 83-7V	598140	6989341
RW09413	NAD 83-7V	597784	6988274	RW09475	NAD 83-7V	598132	6989316
RW09414	NAD 83-7V	597791	6988298	RW09476	NAD 83-7V	598123	6989293
RW09415	NAD 83-7V	597802	6988318	RW09477	NAD 83-7V	598113	6989264
RW09416	NAD 83-7V	597809	6988343	RW09478	NAD 83-7V	598110	6989243
RW09417	NAD 83-7V	597815	6988368	RW09479	NAD 83-7V	598098	6989221
RW09418	NAD 83-7V	597825	6988390	RW09480	NAD 83-7V	598093	6989199
RW09419	NAD 83-7V	597831	6988416	RW09481	NAD 83-7V	598087	6989172
RW09420	NAD 83-7V	597837	6988440	RW09482	NAD 83-7V	598075	6989149
RW09421	NAD 83-7V	597847	6988462	RW09483	NAD 83-7V	598045	6989052
RW09422	NAD 83-7V	597853	6988487	RW09484	NAD 83-7V	598039	6989027
RW09423	NAD 83-7V	597884	6989187	RW09485	NAD 83-7V	598031	6989004
RW09424	NAD 83-7V	597831	6989021	RW09486	NAD 83-7V	598007	6988935
RW09425	NAD 83-7V	597773	6988851	RW09487	NAD 83-7V	597992	6988888
RW09426	NAD 83-7V	597762	6988831	RW09488	NAD 83-7V	597985	6988864
RW09427	NAD 83-7V	597759	6988805	RW09489	NAD 83-7V	597976	6988840
RW09428	NAD 83-7V	597797	6989246	RW09490	NAD 83-7V	597950	6988743
RW09429	NAD 83-7V	597789	6989221	RW09491	NAD 83-7V	597944	6988721
RW09430	NAD 83-7V	597779	6989197	RW09498	NAD 83-7V	597723	6989666
RW09431	NAD 83-7V	597748	6989104				
RW09432	NAD 83-7V	597741	6989078				
RW09433	NAD 83-7V	597732	6989055				
RW09434	NAD 83-7V	597725	6989032				
RW09435	NAD 83-7V	597717	6989006				
RW09436	NAD 83-7V	597711	6988982				
RW09437	NAD 83-7V	597702	6988960				
RW09438	NAD 83-7V	597694	6988938				
RW09439	NAD 83-7V	597686	6988913				
RW09440	NAD 83-7V	597676	6988890				
RW09441	NAD 83-7V	597668	6988869				
RW09442	NAD 83-7V	597659	6988846				
RW09443	NAD 83-7V	597654	6988821				



GEOCHEMICAL ANALYSIS CERTIFICATE



Ryanwood Exploration Inc. PROJECT Black Fox File # A508305


Box 213, Dawson City YT Y0B 1G0 Submitted by: Ryanwood Exploration I

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au**
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppb	
G-1	.7	2.5	5.0	47	<.1	7.4	4.4	560	1.86	.8	1.9	.7	3.7	54	<.1	<.1	.1	40	.44	.074	7	75.7	.62	230	.133	1	.94	.058	.51	.1	<.01	2.1	.4	<.05	5	<.5	<.2
BF1005TR01	13.6	7.3	146.2	85	.9	3.0	2.5	189	1.38	.9	.3	2107.5	2.1	11	.3	.8	<.1	12	.13	.030	14	8.1	.04	615	.005	2	.23	.035	.06	.5	.20	3.8	<.1	<.05	1	<.5	3206
BF1005TR02	.5	20.6	64.8	37	<.1	.9	3.5	103	1.00	1.4	.5	22.5	6.9	8	.1	.2	<.1	11	.07	.010	15	7.2	.11	564	.027	3	.27	.046	.12	.3	.01	2.2	<.1	<.05	1	<.5	52
SRBFR001	2.1	8.6	45.4	80	.3	9.8	6.5	616	1.77	8.0	.5	6.6	.9	5	.2	.1	.2	25	1.27	.005	5	10.1	.04	120	<.001	4	.12	.003	.07	<.1	.03	2.1	<.1	<.05	1	<.5	9
SRBFR002	2.6	6.2	19.5	38	.3	.6	.4	43	2.05	3.3	.1	34.0	1.2	3	.1	.1	<.1	<.1	.02	.010	2	7.2	<.01	103	.001	2	.11	.039	.04	<.1	.01	.9	<.1	.31	<.1	<.5	42
SRBFR003	11.9	5.3	61.4	87	.4	5.4	6.2	931	3.12	1.6	.4	999.1	.8	9	.4	.2	<.1	11	4.20	.029	5	7.0	.10	813	.001	13	.21	.003	.14	.2	.62	5.7	.1	.10	<.1	<.5	2241
SRBFV001	1.0	5.7	31.5	18	<.1	1.1	.5	42	.37	1.3	<.1	2.0	<.1	1	.1	.1	<.1	3	.02	.001	<.1	14.3	.01	9	.001	2	.03	.005	.01	<.1	<.01	.2	<.1	.06	<.1	<.5	5
SRBFV002	.3	7.1	199.1	147	.8	6.1	10.2	1279	5.13	.6	<.1	12.4	.1	92	.3	.2	.1	59	10.34	.003	1	14.0	3.29	233	<.001	<.1	.05	.001	.04	<.1	.03	1.9	<.1	<.05	<.1	<.5	17
SRBFV003	.3	4.0	541.2	256	.2	1.5	1.4	109	.55	.5	<.1	<.5	.1	4	.7	.1	<.1	4	.13	.002	1	12.5	.06	87	<.001	<.1	.08	.012	.04	<.1	.05	.5	<.1	.12	<.1	<.5	2
SRBFV004	.2	6.6	11.3	10	<.1	1.2	.8	63	.42	.7	<.1	<.5	<.1	1	<.1	.1	<.1	4	.01	.001	<.1	14.8	.04	23	<.001	<.1	.08	.006	.02	<.1	<.01	.5	<.1	<.05	<.1	<.5	2
SRBFV005	.2	6.2	112.0	50	1.0	4.3	2.1	306	1.19	1.0	<.1	19.0	<.1	17	.1	.2	.1	18	1.81	.001	<.1	18.1	.49	34	<.001	<.1	.03	.001	.02	<.1	.01	.5	<.1	.06	<.1	<.5	25
SRBFV006	.8	7.6	46.2	40	1.7	4.8	4.5	387	1.37	1.6	.1	8.7	.5	15	.2	.2	<.1	14	1.63	.004	3	18.9	.50	152	<.001	1	.10	.009	.06	<.1	<.01	1.6	<.1	.09	<.1	<.5	14
SRBFV007	2.0	2.7	86.1	63	.5	1.3	.9	332	.80	.5	.1	26.9	<.1	2	.2	.1	<.1	<.1	.19	.001	1	11.0	.01	44	<.001	1	.06	.013	.02	.3	<.01	.7	<.1	<.05	<.1	<.5	116
SRBFV008	41.0	478.1	599.8	246	16.4	2.6	.9	41	.54	39.7	.1	10875.8	<.1	2	1.5	46.3	.4	<.1	.02	.001	<.1	26.0	<.01	114	<.001	<.1	.01	.004	<.01	<.1	11.37	.1	<.1	.15	<.1	1.2	5559
SRBFV009	54.3	307.3	265.7	148	13.9	3.9	2.4	39	.81	83.5	.1	10473.5	<.1	1	1.4	142.4	.5	<.1	.04	.001	<.1	19.1	<.01	39	<.001	<.1	.02	.006	.01	.1	8.51	.2	<.1	.40	<.1	2.1	7612
SRBFV010	48.9	336.6	820.7	46	7.3	1.6	.7	40	.47	65.3	.1	1466.8	<.1	2	.8	40.1	.6	<.1	<.01	.001	<.1	16.8	<.01	90	<.001	1	.01	.008	<.01	<.1	9.87	.1	<.1	.17	<.1	2.8	2226
SRBFV011	5.5	26.2	39.2	6	1.5	1.5	.5	37	.36	4.0	<.1	665.7	<.1	1	.1	4.3	.1	<.1	.01	.001	<.1	18.5	<.01	49	.001	<.1	.02	.008	.01	<.1	1.34	.1	<.1	<.05	<.1	<.5	764
SRBFV012	9.9	19.3	50.5	16	.8	2.4	1.3	93	.77	2.6	.1	1576.4	<.1	24	.1	8.0	.1	3	.20	.004	<.1	15.8	.01	952	<.001	1	.04	.007	.02	.5	1.12	.6	<.1	<.05	<.1	<.5	716
SRBFV013	58.7	18.4	49.0	18	4.1	1.9	1.1	31	.59	3.9	.1	2418.8	<.1	3	<.1	3.9	.1	2	.01	.001	<.1	14.1	<.01	321	<.001	3	.03	.007	.02	<.1	.56	.2	<.1	.11	<.1	<.5	3034
SRBFV014	9.9	29.7	17.2	9	2.8	1.6	1.1	52	.58	3.2	.1	784.3	<.1	1	.1	6.6	.2	1	.04	.001	<.1	16.1	<.01	17	<.001	3	.02	.007	.01	.1	.71	.2	<.1	<.05	<.1	<.5	1519
SRBFV015	1.1	7.8	36.1	19	<.1	2.8	2.5	110	.58	1.0	<.1	12.1	<.1	14	.1	.1	<.1	6	.14	.006	<.1	8.7	.01	116	.001	2	.16	.096	.04	<.1	.04	1.3	<.1	<.05	<.1	<.5	17
SRBFV016	3.1	4.7	7.3	4	<.1	1.1	.5	56	.41	.7	.1	4.5	<.1	30	<.1	.1	<.1	<.1	.01	.002	<.1	14.3	<.01	758	<.001	<.1	.03	.007	<.01	<.1	.01	.2	<.1	.07	<.1	<.5	10
RE SRBFV016	3.0	5.1	7.3	5	<.1	.9	.4	54	.40	.5	.1	5.1	<.1	29	<.1	.1	<.1	<.1	.01	.002	<.1	13.9	<.01	776	<.001	<.1	.03	.006	<.01	<.1	.01	.1	<.1	.06	<.1	<.5	9
SRBFV017	.8	4.5	18.4	14	1.1	1.7	1.7	56	.94	.5	.1	529.1	.2	2	<.1	.1	.1	<.1	.01	.002	1	14.2	<.01	126	.001	<.1	.08	.021	.03	<.1	<.01	.8	<.1	.21	<.1	<.5	1658
SRBFV018	.5	3.1	6.1	12	.5	2.0	.7	484	.98	.9	.2	79.6	.1	2	.1	.1	<.1	<.1	.01	.002	1	15.8	.01	72	.001	<.1	.08	.013	.03	.3	.01	1.0	<.1	.08	<.1	<.5	217
SRBFV019	.8	3.0	9.9	7	<.1	.9	.3	61	.29	<.5	<.1	4.2	.2	19	<.1	<.1	<.1	<.1	.07	.008	1	6.9	.01	359	.001	1	.19	.066	.07	<.1	<.01	.3	<.1	<.05	1	<.5	4
THMTR01	.2	1.9	5.9	4	<.1	.6	.5	74	.29	<.5	<.1	1.6	<.1	8	<.1	<.1	<.1	<.1	.16	.002	<.1	7.9	.01	55	.001	<.1	.16	.083	.04	<.1	<.01	.2	<.1	<.05	<.1	<.5	6
STANDARD DS6/Ox4F41	11.3	120.7	28.9	140	.3	24.1	10.6	692	2.80	21.2	6.5	44.9	2.4	40	6.0	2.9	4.9	56	.85	.077	13	179.7	.57	164	.084	17	1.90	.073	.14	3.4	.22	3.3	1.7	<.05	6	4.1	806

GROUP 1DX - 0.50 GM SAMPLE LEACHED WITH 3 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 10 ML, ANALYSED BY ICP-MS.  
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.  
- SAMPLE TYPE: ROCK R150 AU\*\* GROUP 3B - 30.00 GM SAMPLE ANALYSIS BY FA/ICP.  
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data FA

DATE RECEIVED: DEC 23 2005 DATE REPORT MAILED: Jan 24/06





GEOCHEMICAL ANALYSIS CERTIFICATE



Ryanwood Exploration Inc. PROJECT Black Fox File # A508110 Page 1  
Box 213, Dawson City YT Y0B 1G0 Submitted by: Ryanwood Exploration I

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B %	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
G-1	.2	2.5	3.0	43	<.1	3.6	3.7	512	1.87	<.5	2.1	<.5	4.1	66	<.1	.2	.1	38	.61	.079	8	8.4	.56	192	.131	1	.96	.077	.41	<.01	2.0	.3	<.05	5	<.5	
RW-02477	.7	38.0	10.3	75	<.1	23.7	13.7	615	3.41	6.6	.4	6.3	1.8	15	.1	.4	.2	90	.23	.046	7	48.6	.98	171	.116	3	1.95	.011	.08	.1	.02	5.3	<.05	7	<.5	
RW-04301	.6	37.6	6.8	65	<.1	21.9	14.2	564	3.21	5.2	.5	2.7	1.8	19	.1	.3	.1	75	.37	.076	9	41.8	.88	355	.106	2	1.70	.014	.18	.1	.02	5.1	<.05	6	<.5	
RW-04347	.9	58.9	9.6	77	.2	16.9	8.6	161	2.28	6.8	.9	14.1	3.4	21	.4	.5	.1	61	.31	.070	13	29.9	.55	240	.080	2	1.58	.011	.06	.2	.09	4.8	<.05	6	<.5	
RW-04348	.8	43.1	8.4	73	.2	16.7	9.7	411	2.49	5.3	.7	16.0	2.8	21	.2	.3	.1	57	.34	.081	11	27.7	.57	217	.081	3	1.49	.011	.06	.2	.07	3.7	<.05	5	<.5	
RW-04349	1.7	69.5	10.2	83	.2	17.8	14.6	553	4.06	10.5	1.0	27.1	3.3	20	.2	.5	.1	64	.31	.078	13	28.8	.55	208	.078	1	1.52	.010	.08	.2	.08	4.5	<.05	5	.6	
RW-04350	.9	126.6	9.3	118	.1	22.1	13.3	261	3.22	6.3	.8	57.8	3.6	23	.5	.4	.1	77	.44	.114	14	29.8	.62	180	.101	2	1.42	.014	.10	.3	.07	4.3	<.05	4	<.5	
RW-04351	1.3	108.2	12.7	100	.2	20.0	9.4	204	2.63	7.2	.9	165.2	3.1	19	.3	.4	.1	60	.32	.080	13	29.8	.59	174	.086	2	1.47	.010	.10	.1	.09	4.3	<.05	5	.6	
RW-04352	1.3	87.3	12.1	119	.2	22.1	15.3	421	3.18	14.6	1.0	145.0	3.3	21	.3	.5	.1	68	.35	.091	13	29.0	.63	192	.089	3	1.40	.012	.12	.2	.07	4.9	<.05	5	<.5	
RW-04353	1.6	102.9	9.1	177	.2	22.5	22.8	621	3.48	9.4	1.0	118.3	4.1	26	.5	.4	.1	71	.52	.133	16	30.6	.67	249	.094	2	1.49	.014	.13	.1	.07	5.0	<.05	5	.6	
RW-04354	1.3	78.9	13.7	104	.2	23.4	16.1	465	3.14	7.9	.8	103.7	3.5	21	.4	.4	.1	65	.38	.086	13	29.4	.63	267	.100	1	1.35	.015	.12	.1	.05	4.8	<.05	5	.5	
RE RW-04354	1.3	79.7	13.8	102	.2	22.9	15.7	445	3.08	7.8	.8	355.5	3.4	20	.3	.4	.1	61	.36	.086	13	28.1	.61	254	.093	2	1.29	.014	.11	.2	.05	4.7	<.05	4	<.5	
RW-04355	1.2	67.3	13.8	106	.1	24.3	13.9	520	3.39	8.3	1.0	35.8	3.2	22	.3	.4	.1	64	.36	.080	15	28.8	.62	270	.094	2	1.36	.014	.12	.1	.05	5.1	<.05	5	.6	
RW-04356	1.0	74.2	12.4	134	.2	20.7	12.3	326	3.21	7.8	.7	22.7	2.6	19	.4	.4	.2	65	.34	.086	11	28.8	.60	179	.085	1	1.40	.014	.10	.1	.05	4.1	<.05	5	.6	
RW-04357	1.6	57.4	15.3	141	.2	33.6	17.4	684	4.37	15.8	1.3	27.1	5.3	22	.3	.6	.2	90	.44	.084	21	50.0	.89	332	.103	2	1.58	.012	.19	.2	.06	7.9	<.05	6	<.5	
RW-04358	1.3	57.0	18.2	100	.1	27.0	15.6	618	3.81	17.2	1.2	42.3	5.2	18	.2	.8	.1	57	.33	.092	24	28.9	.53	272	.071	3	1.28	.009	.13	.1	.05	5.6	<.05	4	<.5	
RW-04359	1.7	49.2	21.1	105	.2	23.3	14.9	764	3.97	11.7	1.3	71.7	3.6	21	.2	.7	.1	60	.45	.092	23	28.4	.54	372	.068	1	1.35	.012	.13	.1	.07	7.1	<.05	4	<.5	
RW-04360	1.5	55.3	19.8	94	.2	24.6	15.2	623	3.98	11.8	1.4	40.4	5.0	20	.2	1.1	.1	61	.42	.102	28	25.0	.51	331	.070	2	1.21	.010	.11	.2	.10	6.4	<.05	4	<.5	
RW-04361	1.1	39.3	12.9	81	<.1	21.4	13.6	549	3.25	11.0	.6	54.5	3.5	17	.2	.5	.1	62	.35	.087	12	29.1	.54	241	.094	1	1.14	.012	.11	.1	.04	4.1	<.05	4	.5	
RW-04362	4.8	31.6	41.3	207	.2	15.2	9.8	658	4.14	14.8	.9	424.0	4.3	14	.5	.4	.2	42	.28	.073	13	24.2	.43	238	.072	1	1.04	.012	.11	.1	.08	4.3	<.05	4	<.5	
RW-04363	.9	44.3	18.1	66	<.1	20.6	14.0	419	2.89	5.9	.7	22.6	3.0	21	.2	.3	.2	70	.49	.076	11	37.5	.74	264	.109	1	1.68	.014	.12	.2	.06	5.1	<.05	5	<.5	
RW-04364	.8	34.7	12.9	70	.1	17.3	12.2	223	3.31	7.4	.8	6.2	3.4	16	.1	.7	.1	66	.37	.067	12	30.8	.67	223	.073	3	1.77	.010	.09	.2	.13	5.0	<.05	6	<.5	
RW-04365	.7	44.5	8.4	69	<.1	22.0	13.1	463	3.28	6.6	.6	21.8	1.8	20	.1	.4	.1	79	.32	.077	11	41.9	.80	281	.100	1	1.80	.014	.11	.2	.03	5.1	<.05	6	<.5	
RW-04401	.5	81.2	4.6	114	<.1	18.1	18.5	580	5.41	2.6	.4	2.6	2.3	17	.1	.1	<.1	101	.48	.163	8	44.6	1.50	519	.183	1	2.60	.014	.83	.1	.01	9.1	<.05	10	<.5	
RW-04402	.6	73.1	3.3	99	<.1	18.6	19.7	655	5.23	1.9	.4	3.8	2.2	19	.1	.1	<.1	74	.41	.154	9	41.7	1.41	577	.201	1	2.34	.019	.95	<.1	.01	7.8	.3	.08	10	<.5
RW-04403	1.0	33.3	17.8	77	.1	23.2	13.7	673	3.41	6.7	.5	9.4	1.7	17	.2	.3	.2	92	.24	.052	9	50.3	.88	364	.104	1	1.90	.011	.11	.1	.03	5.6	<.05	8	<.5	
RW-04425	.7	68.8	9.6	68	.3	20.7	14.6	212	3.22	8.4	.9	104.4	3.0	22	.2	.6	.1	68	.31	.075	11	31.8	.61	248	.084	1	1.93	.013	.06	.1	.08	6.0	<.05	6	.5	
RW-04426	.6	93.0	7.2	72	.1	20.7	20.8	363	3.72	6.6	.6	51.9	3.2	28	.1	.5	.1	75	.55	.171	12	36.3	.97	211	.126	1	1.97	.021	.19	.1	.03	6.5	<.05	7	.7	
RW-04427	.7	49.1	11.2	70	.1	17.2	10.2	204	3.57	10.1	.8	28.6	3.5	17	.1	.6	.1	65	.29	.086	13	33.2	.68	166	.100	1	1.98	.013	.11	.1	.04	5.6	<.05	6	<.5	
RW-04428	.9	46.5	11.1	72	.2	16.8	10.1	229	3.46	14.9	.8	40.2	3.2	19	.1	.5	.1	68	.28	.083	12	31.5	.65	235	.089	1	1.94	.010	.11	.1	.05	6.4	<.05	7	<.5	
RW-04429	.8	52.4	10.7	83	.2	20.1	10.8	299	3.55	9.9	.9	392.8	4.0	24	.1	.5	.1	68	.33	.070	14	33.0	.80	330	.118	1	1.98	.012	.16	.1	.09	7.5	<.05	6	.5	
RW-04430	.9	52.1	9.4	80	.2	19.2	10.0	226	3.66	25.3	1.0	5.2	4.0	19	.1	.6	.1	74	.25	.066	14	31.6	.78	224	.100	1	2.22	.012	.11	.1	.04	6.2	<.05	7	.8	
RW-04431	.8	53.9	10.8	79	.2	19.5	10.9	244	3.32	59.9	1.0	7.9	2.4	24	.2	.7	.1	71	.25	.068	13	31.5	.72	303	.085	1	2.03	.012	.10	.1	.05	6.2	<.05	7	.8	
RW-04432	.8	54.8	9.1	76	.1	18.3	11.5	294	3.23	15.3	.7	8.0	1.6	22	.2	.5	.2	77	.30	.105	12	35.8	.66	234	.081	2	1.89	.014	.11	.1	.05	5.5	<.05	7	.6	
RW-05851	.7	39.6	11.2	71	<.1	23.8	13.8	474	3.18	6.7	.5	4.7	2.2	17	.1	.4	.1	81	.25	.057	8	46.7	.95	179	.110	2	2.04	.012	.08	.1	.02	5.4	<.05	7	<.5	
STANDARD DS	11.5	121.5	29.7	140	.3	24.4	10.8	691	2.80	20.1	6.7	47.8	3.0	39	6.0	3.5	5.0	55	.83	.078	12	185.3	.57	163	.078	18	1.88	.072	.13	3.6	.23	3.2	1.8	<.05	6	3.8

Standard is STANDARD DS6.

GROUP 1DX - 15.0 GM SAMPLE LEACHED WITH 90 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DIL



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
G-1	.1	2.1	3.1	44	<.1	4.4	4.1	535	1.92	.7	2.3	.8	4.1	70	<.1	.2	.1	39	.60	.080	8	8.5	.56	194	.136	1	.99	.083	.43	.1	<.01	2.1	.3	<.05	4	<.5
RW-06078	1.3	28.0	18.9	56	.1	15.6	13.8	872	2.65	5.7	.5	3.3	1.2	14	.2	.3	.2	75	.15	.040	8	35.0	.59	245	.093	1	1.60	.012	.06	.1	.03	4.0	.1	<.05	7	<.5
RW-06526	3.4	45.3	27.3	146	.6	38.1	13.0	697	3.79	48.3	1.7	14.6	4.1	24	.5	2.1	.4	52	.38	.079	22	29.3	.51	444	.028	2	1.17	.009	.08	.1	.16	4.9	.2	<.05	3	1.6
RW-06527	2.1	33.3	20.5	99	.3	34.8	12.2	660	3.23	37.4	1.1	7.8	1.6	21	.3	1.2	.3	56	.36	.072	15	30.9	.53	458	.030	2	1.45	.010	.05	.1	.07	3.3	.2	<.05	4	1.0
RW-06528	2.1	39.8	25.9	111	.2	40.1	13.6	665	3.61	87.1	1.1	4.5	1.8	20	.4	3.4	.3	57	.23	.062	17	31.7	.48	351	.036	1	1.42	.008	.06	.2	.05	3.3	.2	<.05	4	.9
RW-06529	2.2	45.1	15.9	103	.3	43.7	13.1	652	3.41	102.2	1.2	8.6	1.9	21	.4	2.5	.3	61	.22	.061	17	41.4	.52	380	.053	1	1.53	.008	.07	.1	.15	4.3	.2	<.05	5	.9
RW-06530	3.4	41.9	14.0	86	.3	35.4	11.7	493	3.30	112.6	1.0	5.8	1.2	18	.3	3.7	.3	67	.16	.060	13	43.2	.51	294	.047	2	1.44	.007	.07	.1	.10	3.1	.3	<.05	5	1.0
RW-06531	4.1	38.2	16.5	95	.4	36.6	10.6	478	3.28	74.4	1.2	6.6	.8	18	.3	2.0	.2	64	.18	.077	13	38.2	.41	359	.035	1	1.43	.008	.06	.1	.09	2.7	.2	<.05	6	1.0
RW-06532	4.4	33.1	17.4	99	.3	31.5	11.4	623	3.18	49.4	1.2	8.6	1.4	19	.5	1.7	.2	63	.22	.062	15	36.3	.50	419	.043	1	1.42	.008	.06	.2	.09	3.4	.1	<.05	5	.6
RW-06533	1.7	35.4	12.4	71	.2	28.3	11.1	355	2.78	29.4	1.1	5.4	2.9	18	.1	1.2	.2	59	.25	.062	13	35.3	.56	244	.074	1	1.81	.009	.06	.1	.09	4.0	.2	<.05	5	1.0
RW-06534	1.6	32.0	13.9	76	.2	24.2	7.7	278	2.25	31.8	1.0	5.1	1.8	17	.3	1.4	.2	52	.21	.061	16	34.1	.51	352	.058	2	1.51	.010	.07	.2	.10	3.4	.2	<.05	5	.7
RW-06535	1.6	28.3	15.4	84	.1	25.9	10.2	554	3.01	43.1	1.0	5.3	1.1	19	.2	1.4	.2	61	.25	.066	21	34.7	.52	410	.045	2	1.53	.008	.05	.1	.06	3.1	.1	<.05	5	.6
RW-06536	1.8	21.5	13.9	70	<.1	22.4	11.2	526	2.93	17.8	1.0	3.8	1.4	19	.1	.7	.2	60	.27	.055	20	34.5	.55	275	.051	1	1.53	.008	.05	.2	.05	2.8	.1	<.05	5	.7
RW-06537	1.3	22.8	13.8	69	.1	22.7	8.7	342	2.86	15.8	1.1	7.7	2.7	20	.1	.6	.2	57	.27	.063	22	33.8	.55	250	.064	1	1.56	.009	.06	.1	.05	3.4	.1	<.05	5	.7
RW-06538	1.0	25.2	11.0	84	<.1	32.5	12.1	443	3.05	19.2	1.0	3.4	6.2	18	.2	.5	.1	57	.30	.069	21	46.0	.74	185	.118	1	1.57	.010	.24	.1	.02	3.4	.2	<.05	5	<.5
RW-06539	2.7	28.1	12.7	87	<.1	87.6	17.2	583	3.65	11.9	1.6	10.0	9.8	17	.1	.3	.2	56	.23	.045	29	119.2	.91	146	.105	2	1.64	.009	.19	.2	.03	4.2	.2	<.05	6	<.5
RW-06540	1.1	36.6	9.4	85	<.1	64.9	23.8	813	3.82	6.6	1.2	6.8	7.6	22	.1	.3	.1	75	.39	.125	36	82.2	1.07	253	.148	1	1.92	.011	.39	.1	.03	4.9	.3	<.05	7	<.5
RW-06541	.8	49.1	8.8	103	.1	153.2	35.1	880	4.26	4.4	.7	3.5	5.1	35	.2	.2	.1	76	.93	.290	25	130.3	1.53	450	.154	<.1	2.22	.010	.53	.1	.01	3.9	.3	<.05	8	<.5
RW-06542	.9	46.6	9.2	87	.1	128.0	32.6	944	4.32	4.5	.8	26.5	5.8	33	.1	.2	.1	82	.89	.259	29	144.5	1.47	399	.144	1	2.15	.012	.51	.1	.02	5.0	.3	<.05	8	<.5
RW-06543	1.8	27.7	9.8	62	.2	44.0	15.6	510	2.91	5.4	1.3	14.9	3.9	27	.1	.3	.2	61	.41	.093	31	68.7	.72	283	.093	1	1.57	.012	.21	.1	.04	3.8	.2	<.05	6	<.5
RW-06544	1.2	39.3	10.4	77	.1	54.7	19.8	651	3.55	7.1	1.2	9.2	5.4	24	.1	.4	.2	68	.38	.112	24	66.7	.89	259	.109	1	1.87	.010	.19	.1	.03	4.1	.2	<.05	7	<.5
RW-06545	1.3	27.5	11.4	63	.2	39.5	15.8	575	3.03	7.2	1.3	11.5	2.9	21	.1	.4	.2	60	.28	.095	23	53.8	.66	261	.075	1	1.76	.009	.11	.1	.05	3.6	.2	<.05	6	.5
RW-06546	1.6	33.9	11.0	71	.1	34.0	17.2	881	3.22	6.6	1.1	13.2	3.2	22	.2	.4	.2	62	.24	.076	19	45.9	.61	263	.078	<.1	1.56	.010	.13	.1	.04	3.4	.2	<.05	6	<.5
RW-06551	.3	34.5	18.1	85	<.1	17.3	22.7	763	4.56	2.0	.8	2.0	12.1	30	<.1	1.0	.1	96	.43	.058	48	45.3	1.97	412	.133	<.1	3.05	.008	.50	.5	.01	5.6	.3	<.05	9	<.5
RW-06552	.4	19.6	42.6	73	<.1	16.9	19.2	480	4.78	1.6	.8	.5	10.5	22	.1	1.1	.1	106	.36	.056	33	44.0	1.40	238	.051	<.1	2.71	.007	.21	1.0	.01	8.9	.1	<.05	9	<.5
RE RW-06552	.3	20.0	41.8	74	<.1	17.1	19.1	487	4.80	1.7	.8	1.1	10.3	21	<.1	1.1	.1	107	.37	.053	32	43.9	1.41	232	.052	<.1	2.68	.007	.21	.9	.01	8.8	.1	<.05	9	.5
RW-06553	.3	34.0	8.6	73	<.1	9.9	19.3	555	4.89	2.4	.8	.7	6.8	29	<.1	.5	<.1	104	.41	.046	18	19.9	1.52	458	.095	<.1	3.20	.007	.29	.2	.01	6.8	.2	<.05	9	<.5
RW-06554	.8	119.6	8.2	113	.3	12.2	39.1	2894	9.35	1.3	.6	.8	3.3	18	.4	.8	.1	147	.61	.084	15	6.6	.21	1041	.001	2	.66	.006	.12	.1	.03	33.2	.2	<.05	1	.5
RW-06555	1.0	29.3	11.4	172	.2	107.2	30.8	1451	7.29	6.8	.8	.7	3.2	39	.2	.2	.3	129	1.41	.098	9	213.7	.49	665	.002	4	.76	.008	.10	.1	.07	30.6	.2	<.05	3	<.5
RW-06556	1.4	33.0	15.6	160	.1	24.8	36.2	2195	9.85	3.6	1.5	38.5	10.4	16	.3	.3	1.0	67	.44	.080	23	20.4	.30	658	.004	<.1	.89	.005	.09	.1	.04	15.0	.1	<.05	2	<.5
RW-06565	2.4	112.7	70.1	122	1.1	27.0	36.9	1216	6.56	11.3	.7	12.8	3.2	19	.6	3.0	.3	50	.72	.038	7	11.9	.31	463	.001	1	.50	.004	.09	.1	.05	15.8	.1	<.05	1	1.2
RW-06566	.4	43.8	16.7	102	<.1	12.1	23.8	895	6.70	2.6	.6	<.5	3.0	16	.1	.6	.1	137	.46	.069	9	17.2	.68	428	.003	1	1.41	.008	.10	.1	.01	18.2	.1	<.05	4	<.5
RW-06567	.6	94.0	31.3	159	.3	11.5	28.3	1709	8.00	1.6	.5	3.0	2.1	17	.2	.3	<.1	90	.55	.147	10	7.1	.19	629	.001	<.1	.71	.004	.18	.1	.04	22.5	.2	<.05	1	<.5
RW-06568	.5	78.3	24.3	136	.4	9.2	25.6	1975	8.23	1.3	.5	20.8	2.8	21	.2	.3	.1	64	.64	.169	18	4.4	.23	466	.001	1	.82	.005	.20	<.1	.04	28.6	.3	<.05	2	.5
RW-06569	.9	31.9	19.1	74	<.1	21.3	15.8	260	3.67	5.6	.5	2.5	2.3	17	.2	.4	.1	72	.23	.046	7	28.1	1.19	243	.065	1	3.06	.012	.10	.1	.02	6.0	.1	<.05	8	<.5
STANDARD DS6	11.4	121.4	29.8	142	.3	24.7	10.6	690	2.79	18.5	6.7	45.5	3.1	39	6.0	3.6	4.9	55	.84	.077	12	184.0	.57	161	.078	16	1.88	.072	.14	3.4	.22	3.2	1.8	<.05	6	4.3

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
G-1	.3	2.2	3.4	44	<.1	4.2	4.1	522	1.90	1.2	2.2	<.5	4.1	62	<.1	.2	.1	37	.61	.079	8	8.9	.55	182	.124	1	.91	.071	.41	.1	<.01	2.1	.3	<.05	5	<.5
RW-06570	.8	14.6	5.9	58	<.1	7.4	9.9	675	3.72	2.4	1.2	.7	6.6	10	<.1	.2	.1	39	.17	.044	11	7.5	.29	185	.001	1	1.13	.005	.10	.1	.01	5.0	.1	<.05	3	<.5
RW-06571	1.1	48.7	11.7	71	.1	21.1	12.8	323	3.39	8.2	.6	7.8	2.7	17	.1	.6	.2	74	.28	.048	9	39.4	.72	419	.070	3	1.82	.010	.12	.1	.09	5.7	.1	<.05	6	.5
RW-06572	1.3	73.9	12.1	72	.2	22.1	15.7	338	3.39	12.3	.9	5.9	2.8	16	.2	1.8	.2	69	.27	.046	15	43.6	.67	487	.070	2	1.71	.010	.11	.1	.22	6.6	.1	<.05	5	.5
RW-06573	1.3	45.8	11.5	62	<.1	16.9	10.5	364	3.01	8.2	.7	6.1	2.0	17	.2	.7	.2	68	.29	.063	10	36.6	.61	313	.076	3	1.52	.011	.12	.1	.17	4.3	.1	<.05	5	.6
RW-06574	1.1	25.9	7.1	44	.1	12.4	6.8	218	2.10	5.6	.5	4.0	.7	17	.1	.4	.1	48	.23	.049	7	25.0	.39	287	.051	2	1.17	.014	.07	.1	.06	2.7	.1	<.05	4	.5
RW-06575	1.4	50.4	8.4	70	.1	18.9	12.6	391	3.28	9.1	.6	5.9	2.2	18	.1	.4	.2	75	.27	.062	10	37.7	.75	275	.095	2	1.85	.010	.12	.1	.05	4.6	.1	<.05	7	.5
RW-06576	1.0	56.4	7.9	75	.1	22.6	13.3	390	3.38	7.5	.8	14.3	2.8	19	.1	.4	.1	77	.29	.068	11	43.3	.84	322	.117	1	2.08	.011	.19	.1	.05	5.6	.2	<.05	7	.5
RW-06577	1.5	54.8	9.9	80	<.1	19.1	13.1	389	3.78	8.0	.6	26.9	2.4	15	.1	.3	.1	84	.24	.051	9	41.7	.92	243	.110	2	2.16	.010	.20	.1	.02	4.8	.2	<.05	7	.6
RW-06578	1.2	55.2	8.8	70	.2	20.6	11.4	277	3.34	7.3	.7	5.4	1.8	17	.1	.3	.1	81	.25	.057	10	38.1	.75	276	.094	1	2.13	.010	.13	.1	.04	4.8	.1	<.05	7	.6
RW-06579	1.1	50.0	8.5	71	<.1	18.2	12.8	397	3.64	6.7	.7	5.6	2.7	17	.1	.3	.1	80	.27	.060	11	35.2	.85	284	.113	1	2.04	.010	.18	.1	.03	5.0	.1	<.05	6	.6
RW-06580	.9	35.4	8.7	62	<.1	16.0	8.5	231	2.71	6.2	.7	3.6	1.5	17	.1	.3	.2	66	.23	.057	10	33.3	.69	217	.087	3	1.82	.010	.10	.1	.04	3.9	.1	<.05	6	.6
RW-06581	1.3	34.5	8.4	66	<.1	19.1	10.9	345	3.12	8.0	.7	7.1	2.0	17	.2	.3	.2	73	.26	.064	11	36.5	.70	195	.094	2	1.97	.009	.10	.1	.03	4.1	.1	<.05	6	.6
RW-06582	.8	37.7	7.7	65	.1	18.3	12.8	385	3.18	6.4	.6	5.6	2.8	18	.1	.3	.1	77	.27	.058	11	37.6	.82	267	.118	<1	1.84	.010	.16	.1	.02	4.5	.1	<.05	6	.6
RE RW-06582	.8	38.7	8.1	67	.1	18.6	13.4	383	3.21	6.8	.6	6.2	2.9	19	.1	.3	.1	77	.29	.060	11	38.2	.84	272	.123	1	1.89	.011	.16	.1	.02	4.5	.2	<.05	6	<.5
RW-06583	.8	41.7	7.9	86	.1	17.5	12.1	329	3.69	6.1	.7	5.1	2.8	18	.1	.2	.1	90	.26	.056	11	35.5	1.04	325	.150	1	2.15	.011	.35	.1	.03	5.4	.2	<.05	7	.6
RW-06584	.8	33.5	8.8	75	.1	17.6	11.8	344	3.26	6.1	.6	4.1	2.3	20	.1	.2	.1	79	.26	.052	10	34.8	.88	305	.124	1	1.93	.011	.21	.1	.04	5.0	.1	<.05	6	.5
RW-06585	.6	29.2	8.6	55	<.1	14.8	7.9	199	2.72	5.8	.7	6.2	1.1	16	.1	.3	.2	74	.21	.050	9	33.5	.70	188	.087	1	1.85	.011	.12	.1	.04	4.2	.1	<.05	7	.5
RW-06586	.7	24.3	8.4	60	<.1	16.8	9.9	292	2.85	5.7	.6	1.5	1.7	17	.1	.3	.1	74	.28	.070	9	33.6	.76	212	.104	2	1.82	.011	.19	.1	.03	4.5	.1	<.05	6	<.5
RW-06587	.9	29.5	7.3	47	<.1	16.3	9.9	265	2.79	7.3	.6	.7	.9	14	.1	.3	.1	72	.20	.061	9	33.1	.58	179	.070	1	1.76	.010	.09	.1	.03	3.5	.1	<.05	6	.5
RW-06588	1.6	51.5	6.0	63	.1	13.2	13.3	329	3.68	4.2	.9	3.9	1.7	18	.2	.2	.2	93	.18	.045	10	28.2	1.02	237	.111	1	2.20	.013	.25	.1	.02	5.3	.1	<.05	7	1.2
RW-06589	.9	47.4	7.7	85	<.1	14.1	12.2	411	4.17	4.2	.6	6.5	1.9	21	.1	.2	.1	105	.19	.044	8	32.2	1.12	326	.149	1	2.21	.020	.41	.1	.02	5.5	.2	.10	7	.8
RW-06590	1.3	43.4	7.7	75	<.1	12.7	10.2	365	4.04	3.6	.5	8.6	1.9	25	.1	.2	.1	95	.25	.051	7	31.9	1.09	404	.147	1	1.95	.026	.46	.1	.03	5.3	.2	.14	6	1.6
RW-06591	1.1	36.9	8.1	68	<.1	20.4	13.2	378	3.29	8.0	.6	3.3	2.7	15	.1	.4	.1	80	.24	.055	11	49.1	.80	221	.119	2	2.00	.010	.18	.1	.03	4.4	.1	<.05	6	.5
RW-06592	1.0	51.2	7.5	89	<.1	23.7	17.7	496	3.84	8.8	.7	4.8	3.8	14	.1	.2	.1	93	.32	.072	16	55.8	1.15	397	.166	1	2.05	.011	.48	.1	.02	6.1	.2	<.05	7	.5
RW-06593	1.4	55.3	10.2	86	.2	25.6	17.3	504	4.23	12.5	.9	7.1	4.1	16	.1	.3	.2	98	.25	.059	14	53.3	.93	363	.133	2	2.40	.009	.24	.1	.05	6.3	.2	<.05	7	<.5
RW-06594	.9	42.5	9.2	73	<.1	22.2	15.8	463	3.45	11.9	.6	3.4	3.4	14	.2	.3	.1	82	.26	.067	12	48.6	.86	236	.128	1	1.89	.010	.25	.1	.03	4.7	.2	<.05	6	<.5
RW-06595	1.0	35.7	7.9	65	<.1	18.1	12.0	357	3.15	8.3	.6	7.0	2.2	16	.1	.3	.1	73	.26	.068	10	36.4	.69	200	.089	1	1.76	.009	.10	.1	.02	4.2	.1	<.05	6	.5
RW-06596	1.2	49.8	8.6	71	.1	19.8	13.2	371	3.43	8.5	.9	7.5	3.1	17	.1	.3	.1	81	.28	.064	15	39.0	.83	329	.107	1	1.96	.011	.16	.1	.04	6.0	.2	<.05	6	.7
RW-06597	2.2	92.8	11.6	82	.4	20.4	13.7	433	4.26	9.9	1.4	15.9	2.6	18	.1	.3	.2	94	.24	.069	17	33.8	.93	479	.092	1	2.53	.012	.23	.1	.08	9.6	.2	<.05	8	1.1
RW-06598	2.8	81.0	11.9	80	.6	18.5	15.5	636	4.09	9.3	1.6	16.7	2.2	20	.2	.3	.3	96	.27	.085	17	33.1	.82	459	.081	1	2.25	.012	.23	.1	.09	7.4	.2	.07	8	1.0
RW-06599	1.3	79.3	9.5	68	.1	22.2	11.5	331	3.35	6.6	1.0	6.8	1.9	20	.2	.3	.2	81	.28	.057	14	35.6	.83	341	.097	2	2.18	.010	.13	.1	.04	5.5	.2	<.05	7	.7
RW-06600	2.1	100.4	12.8	86	.2	22.3	13.5	407	4.11	6.2	.9	60.7	1.7	17	.2	.3	.2	92	.25	.050	14	46.0	1.03	369	.089	1	2.45	.010	.19	.1	.06	7.0	.2	<.05	8	.8
RW-06601	1.1	59.1	10.6	67	.1	20.3	11.9	371	3.27	6.9	.6	5.1	1.6	18	.1	.4	.2	74	.29	.059	10	37.8	.73	243	.097	2	1.87	.010	.12	.1	.04	4.1	.1	<.05	6	<.5
RW-06602	1.2	69.8	9.3	63	.1	20.0	11.8	292	3.40	7.7	.9	15.2	2.1	16	.1	.6	.2	75	.23	.057	14	34.2	.75	330	.062	3	2.15	.009	.10	.1	.10	6.0	.1	<.05	6	.7
STANDARD DS6	11.5	122.4	29.3	142	.3	24.7	10.8	690	2.80	20.4	6.6	47.1	3.0	40	6.0	3.5	4.8	56	.83	.076	13	184.9	.57	163	.081	17	1.89	.072	.14	3.3	.23	3.2	1.7	<.05	6	3.8

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
G-1	.2	1.8	3.1	39	<.1	3.7	3.7	477	1.80	<.5	2.1	<.5	4.1	59	<.1	.2	.1	34	.55	.073	8	8.3	.53	179	.118	<.1	.86	.068	.39	.1	<.01	1.9	.3	<.05	4	<.5
RW-06603	1.1	38.0	10.5	51	<.1	18.5	9.6	282	2.98	7.9	.6	20.3	1.3	14	.1	.6	.2	61	.16	.043	9	31.2	.52	176	.048	2	1.76	.008	.05	.1	.09	3.4	.1	<.05	5	<.5
RW-06604	1.4	44.4	10.6	59	<.1	15.4	9.1	275	3.38	8.4	.6	6.9	1.5	12	.1	1.0	.2	67	.16	.035	9	29.2	.50	271	.043	3	1.74	.007	.09	.1	.40	4.0	.1	<.05	6	<.5
RW-06605	1.0	64.5	13.0	77	<.1	22.2	15.2	502	3.62	6.1	.5	6.1	2.5	16	.2	.8	.1	78	.26	.046	11	34.3	.77	488	.097	2	1.86	.008	.16	.1	.08	4.9	.1	<.05	6	<.5
RW-06613	.6	88.0	10.6	71	<.1	33.7	15.5	320	3.34	3.7	.6	18.5	2.4	16	.1	.3	.1	85	.31	.077	11	74.0	1.24	260	.118	1	2.08	.013	.18	.1	.03	6.4	.2	<.05	7	<.5
RW-06614	1.2	27.0	8.6	76	<.1	30.5	15.6	659	3.42	18.7	1.0	1.1	11.2	15	.1	.5	.1	54	.23	.052	35	47.9	.70	337	.111	1	1.58	.008	.32	.1	.02	4.0	.3	<.05	6	<.5
RW-06615	1.6	34.9	9.3	93	<.1	36.9	14.5	477	3.64	18.4	1.9	9.4	14.3	11	.3	.5	.1	42	.15	.057	60	38.6	.59	248	.094	<.1	1.56	.006	.41	.1	.02	5.2	.4	<.05	5	<.5
RW-06616	1.3	28.1	8.8	78	<.1	30.1	10.7	315	2.94	23.3	1.4	3.9	9.3	12	.2	.6	.1	44	.16	.051	49	36.2	.55	466	.084	<.1	1.37	.007	.26	.1	.03	3.5	.3	<.05	5	<.5
RW-06617	1.0	25.0	10.3	75	.1	17.0	13.6	371	2.94	3.4	.6	5.0	1.4	22	<.1	.3	.1	67	.42	.083	8	39.3	.90	371	.099	1	1.65	.016	.13	.1	.05	4.9	.1	<.05	7	<.5
RW-06618	1.3	40.7	30.9	95	.1	15.7	15.7	983	3.54	4.3	1.0	21.4	2.5	19	.1	.3	.1	83	.31	.073	16	34.8	1.00	572	.122	1	1.94	.015	.39	.1	.06	7.6	.2	<.05	8	<.5
RW-06619	.9	38.8	11.6	121	<.1	13.7	12.4	747	3.98	2.6	.7	7.6	3.5	16	.1	.3	.1	89	.32	.080	14	33.7	1.29	449	.169	<.1	1.91	.015	.66	.1	.02	8.4	.3	<.05	8	<.5
RW-06620	.8	36.0	9.4	122	<.1	14.1	14.0	711	4.22	3.2	.7	34.5	3.1	16	.1	.2	.1	109	.35	.078	15	42.0	1.39	374	.169	1	2.03	.012	.61	.1	.04	10.3	.2	<.05	9	<.5
RW-06621	1.2	32.9	13.4	91	.1	17.1	15.7	673	3.79	4.1	.7	18.1	2.8	18	.1	.3	.1	85	.34	.076	14	39.7	1.11	425	.124	1	2.05	.013	.37	.2	.07	7.3	.2	<.05	8	<.5
RW-06622	.6	36.2	8.4	102	<.1	15.4	15.8	699	3.85	3.4	.7	6.0	3.3	17	.1	.3	.1	89	.35	.084	15	39.2	1.31	427	.171	1	2.21	.013	.61	.1	.06	6.8	.3	<.05	8	<.5
RE RW-06622	.7	35.4	8.4	104	<.1	16.0	16.4	724	3.93	3.6	.7	11.3	3.5	18	.1	.4	.1	93	.35	.088	16	40.5	1.34	434	.175	2	2.26	.013	.63	.1	.06	7.0	.2	<.05	8	<.5
RW-06623	.9	32.8	7.5	96	<.1	18.9	14.3	685	3.76	5.2	.6	16.0	3.3	18	.1	.4	.1	85	.35	.083	13	47.0	1.01	288	.123	1	1.90	.013	.28	.1	.03	7.3	.2	<.05	7	<.5
RW-06624	.8	29.6	7.5	89	<.1	16.9	14.8	623	3.96	5.3	.6	12.5	3.1	19	.1	.4	.1	87	.34	.073	12	38.4	1.14	334	.142	1	2.04	.013	.34	.1	.07	5.7	.2	<.05	8	<.5
RW-06625	.9	27.6	6.3	70	<.1	17.6	13.6	550	3.12	4.8	.5	83.2	2.9	18	.1	.4	.1	72	.34	.070	10	37.0	.88	241	.109	1	1.63	.013	.16	.1	.06	5.2	.1	<.05	6	<.5
RW-06626	1.3	42.5	8.7	80	<.1	30.8	16.5	518	3.74	5.0	.6	10.6	3.3	22	.1	.5	.1	81	.40	.074	14	54.0	.99	291	.114	2	1.69	.015	.18	.2	.09	7.1	.2	<.05	6	<.5
RW-06627	.9	38.1	8.0	73	<.1	22.4	15.0	494	3.56	3.6	.5	21.9	2.4	21	.1	.3	.1	94	.41	.080	11	53.5	1.12	290	.146	1	1.85	.015	.26	.1	.29	7.0	.2	<.05	7	<.5
RW-06628	1.4	43.1	7.4	65	.2	22.6	17.9	685	3.50	6.2	.8	19.3	2.1	21	.1	.4	.1	80	.33	.074	13	45.8	.86	315	.095	1	2.14	.013	.11	.1	.10	7.5	.4	<.05	7	<.5
RW-06629	1.0	49.3	5.8	66	<.1	22.2	15.2	314	3.69	6.0	.7	11.7	2.8	21	<.1	.4	.1	89	.37	.059	13	47.2	.99	311	.123	2	2.09	.016	.12	.2	.08	8.2	.6	<.05	7	.5
RW-06630	1.2	18.9	6.3	43	<.1	12.8	7.7	278	2.62	7.0	.4	4.4	1.0	12	.1	.4	.1	72	.16	.034	7	27.7	.49	83	.093	1	1.37	.012	.05	.1	.03	3.1	.3	<.05	7	<.5
RW-06631	.9	50.4	8.1	74	<.1	22.6	15.2	488	3.39	5.7	.6	8.6	2.2	20	.1	.4	.1	88	.39	.098	11	43.1	1.00	253	.115	2	1.89	.016	.19	.1	.03	6.0	.1	<.05	6	.5
RW-06633	1.1	31.1	22.5	77	<.1	18.5	15.8	495	3.75	8.4	.5	13.0	1.9	14	.1	.4	.1	86	.22	.054	10	33.6	.69	192	.096	1	1.96	.013	.11	.1	.03	4.5	.4	<.05	7	<.5
RW-06635	1.1	22.1	7.2	49	<.1	17.2	10.1	248	3.01	8.7	.6	14.3	1.7	15	.1	.4	.1	72	.23	.047	15	34.6	.61	148	.081	2	1.88	.013	.06	.1	.07	4.7	.6	<.05	7	<.5
RW-06651	.9	21.3	17.7	82	.1	14.9	9.9	279	2.75	7.7	.6	10.0	1.7	18	.2	.4	.1	68	.27	.063	10	32.3	.60	231	.070	2	1.57	.013	.06	.1	.09	4.3	.1	<.05	6	<.5
RW-06652	1.5	22.5	17.6	92	<.1	14.1	28.6	1620	3.53	8.8	.4	28.5	3.1	16	.1	.4	.1	80	.29	.072	9	26.6	.81	250	.122	1	1.51	.013	.27	.3	.01	5.3	.2	<.05	7	<.5
RW-06653	.6	19.3	14.7	76	.1	16.4	7.7	202	2.35	6.3	.6	10.5	1.8	17	.2	.3	.1	59	.27	.064	9	33.2	.58	196	.065	1	1.50	.011	.05	.1	.09	3.8	.1	<.05	6	<.5
RW-06654	.8	22.2	14.1	80	.1	17.0	9.1	244	2.40	4.7	.7	12.1	1.2	19	.2	.3	.1	57	.28	.067	9	37.2	.63	232	.065	2	1.59	.014	.06	.1	.11	4.5	.1	<.05	6	<.5
RW-06655	1.5	35.8	10.1	87	.1	18.0	18.6	767	3.40	6.2	.6	11.8	2.0	18	.1	.4	.2	80	.36	.097	8	41.1	.78	249	.087	1	1.63	.016	.10	.1	.08	5.6	.1	<.05	6	<.5
RW-06656	1.7	44.7	9.1	85	<.1	21.3	32.1	909	3.53	6.3	.5	11.3	2.4	16	.1	.6	.1	85	.32	.083	8	45.0	.79	202	.073	2	1.75	.017	.08	.1	.11	5.6	.1	<.05	6	<.5
RW-06657	1.3	32.8	10.6	80	.1	20.2	16.9	781	3.41	7.4	.5	19.6	2.0	18	.1	.5	.2	81	.32	.088	8	44.0	.80	251	.075	3	1.77	.017	.08	.1	.29	6.0	.2	<.05	6	<.5
RW-06658	1.2	27.0	11.6	66	.2	16.5	11.3	360	2.86	4.6	.7	10.0	1.1	18	.1	.5	.1	72	.24	.087	8	38.2	.64	298	.055	3	1.60	.015	.05	.1	.10	5.9	.2	<.05	6	<.5
RW-06659	1.7	48.8	12.1	73	.1	22.9	21.5	384	4.28	8.8	.8	25.4	3.9	17	.1	.6	.1	92	.35	.099	14	45.7	.90	259	.083	2	1.99	.014	.09	.2	.11	8.0	.2	<.05	6	<.5
STANDARD DS6	11.5	123.7	29.5	143	.3	25.0	10.8	693	2.81	20.7	6.6	47.1	3.0	40	6.0	3.4	5.0	56	.84	.077	14	186.6	.58	162	.082	17	1.90	.072	.15	3.5	.23	3.3	1.8	<.05	6	4.1

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.





SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
G-1	.3	1.8	3.0	43	<.1	3.9	4.0	500	1.84	<.5	2.1	<.5	3.9	66	<.1	.2	.1	38	.60	.077	8	8.8	.54	185	.130	1	.92	.077	.40	.2	<.01	2.1	.3	<.05	4	<.5
RW-06660	1.4	35.9	10.2	65	.1	18.3	11.8	286	2.93	5.3	.7	18.2	2.4	19	.1	.5	.1	82	.37	.094	9	39.2	.79	328	.095	3	1.64	.016	.09	.1	.06	5.8	.1	<.05	6	<.5
RW-06661	2.4	43.3	17.2	82	.2	22.0	24.6	683	3.99	6.5	.8	29.5	1.8	22	.2	.7	.2	97	.37	.110	10	47.1	.85	418	.062	3	2.04	.014	.09	.1	.15	8.1	.2	<.05	7	.5
RW-06662	1.4	46.4	10.6	83	.1	21.5	15.3	658	3.53	5.1	.6	75.7	2.3	20	.2	.6	.1	79	.41	.094	10	40.9	.85	273	.091	1	1.77	.015	.13	.1	.06	6.4	.2	<.05	6	<.5
RW-06663	1.2	50.8	8.0	81	.1	24.6	19.2	680	4.03	3.8	.6	7.8	2.7	22	.1	.6	.1	91	.48	.104	12	55.5	1.03	321	.105	2	1.66	.016	.25	.1	.04	9.1	.2	<.05	6	<.5
RW-06664	1.2	25.7	11.5	63	.1	27.0	10.1	312	2.89	9.5	1.1	3.8	2.1	17	.2	.5	.2	61	.23	.061	16	42.2	.59	165	.077	1	1.71	.009	.10	.1	.04	3.0	.1	<.05	6	.5
RW-06665	1.1	30.1	9.9	68	<.1	38.8	12.3	405	3.21	10.7	1.1	2.5	4.9	18	.1	.4	.1	63	.28	.070	21	57.1	.75	193	.108	1	1.83	.010	.19	.1	.03	4.0	.2	<.05	6	<.5
RW-06666	1.3	28.4	10.7	67	.1	39.8	12.5	432	3.13	11.1	1.2	10.0	4.7	19	.1	.5	.2	64	.27	.065	20	56.8	.71	205	.097	2	1.77	.010	.14	.1	.04	4.0	.2	<.05	6	<.5
RW-06667	.8	37.4	6.3	84	<.1	122.4	26.0	809	4.79	4.7	.8	2.0	4.3	29	.1	.2	.1	96	.81	.245	28	196.8	1.89	412	.228	<.1	2.40	.009	.96	.1	.02	5.8	.5	<.05	11	<.5
RW-06668	1.7	29.1	13.8	65	.2	37.6	14.5	603	3.35	14.8	1.5	10.4	4.8	17	.1	.7	.2	64	.26	.085	26	59.7	.73	223	.086	1	1.77	.009	.22	.1	.05	4.1	.2	<.05	6	.5
RW-06669	2.1	32.1	13.9	71	.5	34.9	13.0	489	3.40	26.9	2.9	12.1	3.5	23	.1	.9	.2	64	.29	.072	40	50.2	.61	353	.060	2	1.71	.011	.12	.1	.18	5.2	.2	<.05	6	<.5
RW-06670	1.3	28.4	10.9	67	.3	29.2	12.2	541	2.91	12.6	1.8	4.7	3.7	18	.2	.5	.2	51	.24	.070	29	41.8	.56	278	.071	1	1.53	.010	.18	.1	.07	3.8	.2	<.05	5	<.5
RW-06671	1.1	38.2	11.6	83	.1	46.4	13.6	619	3.51	5.9	1.6	1.2	6.9	23	.1	.2	.2	61	.33	.087	34	72.8	1.01	217	.129	1	1.92	.008	.40	.1	.02	4.2	.3	<.05	7	<.5
RW-06672	.8	32.7	9.7	75	.1	38.9	14.7	548	3.24	5.0	1.1	9.1	5.7	30	.1	.2	.1	58	.47	.073	32	52.7	.82	173	.112	1	1.73	.009	.27	.1	.03	4.0	.2	<.05	6	<.5
RW-06673	.9	25.5	9.5	67	<.1	36.0	13.0	483	2.97	5.5	1.0	2.8	3.6	28	.1	.3	.1	60	.41	.076	22	48.8	.65	188	.089	1	1.68	.011	.10	.1	.03	3.5	.2	<.05	5	<.5
RW-06674	.9	28.3	7.3	54	<.1	38.2	11.8	393	2.77	4.4	.9	2.8	2.5	29	.1	.3	.1	59	.54	.140	22	47.3	.62	207	.092	1	1.48	.011	.18	.2	.02	3.0	.1	<.05	6	<.5
RW-06675	1.9	32.4	8.5	61	.1	34.4	12.4	413	3.22	4.9	1.4	1.9	3.3	27	.1	.2	.1	80	.42	.124	26	51.9	.76	188	.108	2	1.78	.010	.25	.1	.03	3.6	.2	<.05	7	<.5
RE RW-06675	1.7	32.8	8.2	60	.1	34.3	12.6	411	3.22	4.8	1.4	2.1	3.3	26	.1	.3	.1	77	.39	.118	26	51.1	.74	182	.101	1	1.71	.010	.25	.1	.02	3.4	.2	<.05	7	.5
RW-06676	.9	24.9	7.6	69	<.1	29.0	12.8	593	2.70	4.9	1.0	2.3	3.5	30	.2	.4	.1	53	.54	.067	41	38.3	.55	185	.081	1	1.46	.012	.10	.1	.03	3.6	.1	<.05	5	<.5
RW-06677	.8	25.4	8.2	62	<.1	25.0	11.4	611	2.66	5.3	.9	2.9	2.0	42	.1	.3	.1	54	.77	.075	28	36.6	.55	199	.068	2	1.55	.013	.07	.2	.04	3.3	.1	<.05	5	<.5
RW-06678	.9	23.9	9.5	63	<.1	27.1	11.8	377	2.87	5.6	1.0	6.9	3.1	28	.1	.3	.1	59	.52	.062	28	41.7	.60	167	.080	1	1.55	.010	.09	.1	.02	3.2	.1	<.05	5	<.5
RW-06679	.5	21.8	7.2	73	<.1	28.8	11.3	440	2.97	3.2	1.0	3.1	11.3	20	.1	.2	.1	44	.44	.088	27	53.9	.80	136	.148	1	1.59	.008	.50	.1	.01	2.8	.4	<.05	5	<.5
RW-06680	.8	22.0	8.4	57	<.1	27.0	10.0	318	2.72	4.6	.9	3.1	3.7	25	.1	.3	.2	54	.42	.065	22	40.1	.63	250	.096	1	1.56	.012	.13	.1	.02	3.2	.2	<.05	5	<.5
RW-06681	.9	48.3	10.6	86	<.1	35.6	18.5	615	4.08	5.1	.4	12.1	2.0	12	.2	.4	.2	105	.23	.059	8	94.7	1.50	167	.130	1	2.42	.011	.21	.1	.03	7.6	.2	<.05	8	<.5
RW-06682	1.0	45.5	25.5	83	<.1	30.0	15.8	534	3.76	4.3	.5	7.7	2.5	15	.1	.4	.1	106	.25	.054	10	74.1	1.30	216	.146	2	2.35	.012	.24	.1	.02	7.5	.2	<.05	8	<.5
RW-06683	.9	34.9	8.7	89	<.1	40.8	17.8	698	3.59	4.2	.4	13.1	1.9	13	.2	.3	.1	103	.28	.058	8	108.7	1.47	215	.127	1	2.09	.014	.18	.1	.03	6.6	.1	<.05	9	<.5
RW-06684	1.5	104.5	8.0	132	<.1	34.3	25.6	812	5.14	3.7	.6	22.2	3.2	21	.1	.4	.1	143	.51	.082	13	76.5	2.05	484	.190	3	2.73	.015	.51	.1	.05	16.0	.4	<.05	9	<.5
RW-06685	1.2	63.2	14.9	81	.1	30.0	18.2	434	3.67	4.9	.5	35.9	2.7	19	.1	.6	.1	97	.38	.085	10	66.2	1.20	265	.135	2	2.20	.015	.18	.1	.05	7.1	.2	<.05	7	<.5
RW-06686	1.0	15.9	8.3	51	.1	17.9	7.0	224	2.10	8.2	.9	3.1	3.2	28	.1	.3	.2	43	.47	.052	31	32.6	.45	286	.059	2	1.30	.012	.09	.1	.06	2.7	.1	<.05	5	<.5
RW-06687	1.1	20.9	8.8	67	<.1	24.9	11.7	413	2.73	8.5	.9	1.0	6.5	25	.1	.3	.1	51	.41	.057	24	37.3	.61	227	.092	2	1.56	.012	.16	.1	.03	3.1	.2	<.05	5	<.5
RW-06688	.8	21.9	8.7	71	.1	24.8	12.4	391	2.79	12.9	1.0	3.3	5.9	30	.2	.3	.1	49	.62	.060	30	37.5	.59	275	.090	2	1.57	.013	.18	.1	.04	3.9	.2	<.05	5	<.5
RW-06689	.8	23.0	9.0	71	.1	25.3	10.9	330	2.44	11.1	1.3	38.9	5.7	36	.1	.3	.1	45	.72	.058	36	37.4	.58	286	.078	2	1.57	.013	.16	.1	.04	3.8	.2	<.05	5	<.5
RW-06690	1.3	18.4	11.0	60	.1	22.8	8.1	153	3.15	18.4	1.2	2.7	6.0	21	.1	.3	.1	69	.28	.071	33	40.9	.60	192	.095	2	1.65	.012	.16	.1	.06	3.3	.2	<.05	6	<.5
RW-06691	.6	16.4	8.0	63	<.1	11.2	6.4	212	2.17	4.4	.5	12.8	1.6	17	.1	.2	.1	56	.27	.068	9	25.8	.44	103	.073	2	1.21	.015	.06	.1	.04	3.2	.1	<.05	4	<.5
RW-06692	.3	14.6	7.5	45	<.1	10.4	5.2	141	1.79	2.9	.5	6.0	1.2	15	.1	.2	.1	42	.24	.055	8	23.8	.41	96	.064	1	1.18	.014	.05	.1	.04	2.9	.1	<.05	5	<.5
STANDARD DS6	11.4	121.9	29.3	142	.3	25.0	10.7	685	2.79	17.6	6.6	45.0	3.0	39	6.0	3.5	4.9	56	.83	.077	13	184.0	.57	162	.079	16	1.88	.071	.14	3.4	.22	3.3	1.7	<.05	6	4.1

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
G-1	.3	1.8	3.0	42	<.1	3.7	3.8	522	1.94	.5	2.2	.5	4.4	67	<.1	.1	.1	40	.61	.077	8	8.6	.56	185	.134	<.1	.96	.076	.41	.1	<.01	2.1	.3	<.05	5	<.5
RW-06693	.5	15.9	6.6	44	<.1	10.5	5.3	204	1.93	3.6	.5	4.3	1.2	15	.1	.2	.1	41	.22	.056	8	22.2	.40	99	.066	<.1	1.27	.015	.05	.1	.02	3.1	.1	.06	5	<.5
RW-06694	.5	18.0	7.4	47	<.1	11.7	6.0	152	1.91	4.6	.5	5.1	1.1	17	.1	.3	.1	43	.22	.046	8	24.1	.41	122	.064	1	1.24	.013	.05	.1	.02	2.9	.1	<.05	5	<.5
RW-06695	.4	18.4	6.3	58	<.1	11.2	5.4	142	1.79	3.1	.4	17.4	1.3	16	.2	.2	.1	43	.25	.057	7	22.2	.43	113	.069	<.1	1.20	.016	.05	.1	.04	3.0	.1	<.05	4	<.5
RW-06696	.5	18.2	6.4	53	<.1	11.5	5.5	137	1.78	3.3	.4	5.5	1.3	16	.2	.2	.1	45	.26	.052	7	22.5	.43	103	.066	1	1.19	.014	.04	.2	.03	3.0	.1	<.05	5	<.5
RW-06697	.4	20.4	8.1	62	<.1	12.5	6.1	148	1.84	2.7	.4	5.6	1.2	17	.2	.2	.1	41	.26	.057	7	26.3	.50	127	.072	1	1.27	.013	.06	.1	.04	2.9	.1	<.05	5	<.5
RW-06698	.7	25.2	7.5	75	<.1	12.8	5.8	166	2.41	4.6	.5	19.4	1.9	18	.2	.3	.1	52	.30	.069	9	23.6	.44	144	.067	1	1.27	.013	.04	.2	.05	3.2	.1	<.05	4	<.5
RW-06699	.7	20.6	6.5	72	<.1	11.9	5.8	155	2.31	5.1	.4	4.4	1.6	18	.2	.2	.2	55	.32	.074	8	22.7	.45	139	.067	1	1.25	.013	.04	.1	.04	3.1	.1	<.05	4	<.5
RW-06700	.5	24.9	9.2	94	<.1	15.4	7.8	182	2.62	4.4	.5	15.9	2.3	18	.2	.3	.1	62	.33	.070	9	27.4	.56	162	.073	1	1.49	.014	.05	.1	.04	4.1	.1	<.05	5	<.5
RW-06702	1.1	55.1	9.5	74	.1	23.0	15.2	446	3.47	5.5	.6	15.8	2.3	21	.2	.4	.1	87	.38	.088	12	42.7	.97	303	.114	1	2.06	.015	.17	.1	.04	6.0	.1	<.05	7	<.5
RW-06703	.9	56.4	8.9	71	<.1	25.8	16.1	419	3.72	5.7	.6	8.2	2.6	19	.1	.4	.1	93	.37	.085	11	51.8	1.05	218	.126	2	2.08	.015	.18	.1	.04	6.0	.2	<.05	6	<.5
RE RW-06703	.8	56.3	8.6	74	<.1	26.0	16.1	405	3.64	5.5	.6	13.9	2.6	19	.1	.4	.1	89	.37	.083	10	50.0	1.03	215	.121	1	2.01	.015	.18	.1	.04	6.0	.2	<.05	6	<.5
RW-06704	1.5	27.2	11.9	69	<.1	30.7	14.7	629	3.41	15.0	.9	2.4	3.2	19	.1	.5	.2	66	.26	.062	19	45.3	.63	162	.064	2	1.79	.009	.09	.1	.03	3.7	.2	<.05	6	<.5
RW-06705	1.1	21.9	11.0	61	.1	27.1	12.9	541	3.09	12.3	.9	4.2	4.4	22	.1	.3	.2	60	.31	.067	22	40.0	.62	189	.079	1	1.76	.010	.10	.1	.05	3.8	.2	<.05	5	<.5
RW-06706	1.1	23.6	9.7	62	<.1	27.9	12.3	544	3.04	14.9	.9	2.4	4.2	22	.1	.4	.1	60	.32	.063	24	39.6	.59	216	.070	1	1.80	.010	.06	.1	.04	4.0	.1	<.05	5	<.5
RW-06707	.7	26.0	8.7	57	<.1	28.1	13.2	485	2.92	11.7	1.2	2.7	3.8	24	.1	.4	.1	60	.36	.058	25	38.5	.60	227	.081	1	1.90	.012	.06	.1	.03	4.4	.1	<.05	5	<.5
RW-06708	.8	31.0	8.4	59	<.1	30.2	12.6	450	2.94	12.6	1.5	3.1	4.9	27	.1	.4	.1	59	.41	.061	23	40.5	.66	241	.091	<.1	1.82	.012	.08	.1	.03	4.9	.2	<.05	5	<.5
RW-06709	1.0	35.9	12.3	73	<.1	41.8	17.4	721	3.69	20.4	1.0	1.3	7.2	24	.1	.4	.2	67	.40	.068	24	57.9	.94	229	.128	1	2.25	.011	.23	.1	.02	4.7	.3	<.05	6	<.5
RW-06710	.9	25.4	8.2	58	<.1	28.3	12.7	409	2.97	8.4	1.0	2.4	3.6	27	.1	.4	.1	63	.44	.053	20	44.6	.67	201	.098	1	1.93	.011	.10	.1	.02	4.2	.1	<.05	6	<.5
RW-06711	.7	53.7	9.3	64	<.1	133.0	33.9	689	3.85	6.4	.6	2.5	4.1	33	.1	.2	.1	74	.87	.270	15	96.5	1.04	195	.126	2	2.14	.014	.37	.1	.01	3.9	.2	<.05	6	<.5
RW-06712	.6	57.1	12.7	85	<.1	129.3	28.2	905	4.05	10.5	.7	2.3	7.2	46	.1	.2	.1	70	1.17	.324	23	112.7	1.28	184	.132	1	2.01	.010	.58	.1	<.01	4.7	.4	<.05	7	<.5
RW-06713	.8	27.9	8.1	59	<.1	30.1	12.9	489	2.93	10.1	.8	2.4	5.3	28	.1	.4	.1	63	.45	.060	19	44.3	.68	194	.112	1	1.67	.013	.09	.1	.02	4.6	.1	<.05	5	<.5
RW-06714	1.0	28.9	9.3	68	<.1	34.3	14.3	517	3.22	11.0	.7	2.3	4.7	28	.1	.4	.2	68	.49	.062	17	51.0	.73	174	.121	1	1.93	.012	.11	.1	.02	4.1	.2	<.05	5	<.5
RW-06715	.7	33.3	6.8	95	<.1	36.3	19.0	558	4.23	8.4	.8	1.9	3.7	87	<.1	.3	.2	68	1.51	.520	17	36.3	1.12	287	.098	1	2.09	.015	.65	.1	.01	3.6	.3	<.05	8	<.5
RW-06716	.7	28.3	8.0	69	<.1	33.5	13.6	458	3.15	10.0	.9	3.0	4.5	37	.1	.4	.1	63	.56	.149	19	44.6	.75	258	.103	1	1.80	.012	.18	.1	.02	4.3	.1	<.05	6	<.5
RW-06717	1.0	27.8	10.0	65	<.1	38.6	13.7	476	3.14	10.3	1.0	3.5	3.8	29	.1	.4	.2	63	.44	.087	20	53.6	.68	239	.094	1	1.84	.011	.11	.1	.03	4.0	.2	<.05	6	<.5
RW-06718	.7	26.0	6.0	87	<.1	40.4	18.9	541	4.15	8.0	.6	.7	3.9	92	.1	.2	.1	62	1.83	.646	14	38.3	1.04	187	.080	1	1.97	.015	.70	.1	.01	3.4	.3	<.05	8	<.5
RW-06719	.6	28.2	6.8	89	<.1	38.4	18.8	553	4.01	7.2	.8	.6	6.3	71	.1	.2	.1	61	1.42	.441	21	40.4	.97	251	.138	1	1.97	.013	.57	.1	.02	3.8	.3	<.05	7	<.5
RW-06720	.6	27.7	6.1	87	<.1	38.4	18.2	471	3.95	5.6	.9	.7	10.0	61	.1	.1	.1	57	1.02	.304	26	49.4	1.03	215	.162	1	2.01	.012	.66	<.1	.01	4.2	.4	<.05	7	<.5
RW-06721	.8	27.1	7.5	92	<.1	35.0	17.7	545	4.01	5.9	1.2	1.1	8.9	42	.1	.2	.1	59	.87	.280	34	43.3	.91	264	.142	2	2.03	.012	.51	.1	.02	4.2	.3	<.05	7	<.5
RW-06722	1.1	24.9	10.0	70	<.1	30.8	14.5	571	3.17	5.4	1.0	2.6	3.8	33	.1	.3	.1	59	.53	.133	24	39.8	.64	178	.087	2	1.55	.012	.13	.1	.03	3.6	.2	<.05	6	<.5
RW-06723	1.0	21.5	8.9	66	.1	28.2	12.6	447	2.95	5.1	1.2	6.0	4.9	22	.2	.2	.1	55	.35	.081	28	39.7	.58	184	.087	1	1.54	.010	.15	.1	.03	3.5	.2	<.05	6	<.5
RW-06724	.8	26.6	7.6	79	<.1	31.9	14.4	443	3.33	3.8	1.0	3.9	11.4	19	.2	.2	.1	51	.31	.075	30	40.7	.70	177	.134	1	1.70	.009	.41	.1	.02	4.1	.3	<.05	5	<.5
RW-06725	.9	25.1	5.4	59	<.1	34.5	14.3	483	3.17	3.5	.9	1.1	8.7	20	.1	.2	.1	46	.42	.082	26	47.6	.90	193	.158	<.1	1.78	.007	.57	.1	.01	2.8	.3	<.05	5	<.5
RW-06726	.9	27.5	8.0	69	<.1	33.7	13.7	502	3.03	5.3	1.3	3.0	7.6	23	.1	.3	.1	51	.44	.070	38	43.4	.70	212	.120	1	1.62	.009	.32	.1	.03	3.9	.3	<.05	5	<.5
STANDARD DS6	11.5	120.7	29.3	140	.3	24.7	10.6	687	2.79	17.0	6.6	46.5	3.0	39	6.0	3.5	4.9	55	.83	.077	13	183.7	.57	161	.079	16	1.88	.071	.14	3.5	.23	3.2	1.7	<.05	6	4.1

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
G-1	.2	1.9	2.9	43	<.1	3.8	3.7	519	1.88	<.5	2.1	.7	4.1	59	<.1	.1	.1	36	.58	.071	8	8.8	.54	186	.124	1	.90	.066	.39	.1	<.01	2.2	.3	<.05	5	<.5
RW-06727	1.3	26.4	7.7	86	<.1	32.7	12.4	471	2.88	13.7	1.4	8.1	6.3	27	.2	1.4	.2	56	.47	.075	29	41.0	.67	261	.093	1	1.45	.011	.17	.1	.02	3.9	.2	<.05	5	<.5
RW-06728	1.1	20.7	8.6	63	.1	27.3	11.9	486	2.61	8.2	1.0	11.5	3.6	26	.1	.4	.2	50	.45	.062	21	37.1	.55	328	.072	1	1.35	.010	.10	.1	.03	3.3	.2	<.05	5	<.5
RW-06729	1.2	25.4	9.4	69	.2	31.4	11.5	371	2.83	8.8	1.2	3.6	4.3	24	.2	.4	.1	56	.40	.070	21	44.6	.69	420	.081	2	1.57	.010	.12	.1	.04	3.6	.2	<.05	5	<.5
RW-06730	.8	27.8	7.8	82	.1	35.5	12.5	408	3.35	5.1	2.0	8.5	12.5	17	<.1	.3	.1	46	.33	.059	58	46.0	.85	425	.183	<1	1.77	.008	.65	.1	.02	4.1	.5	<.05	6	<.5
RW-06731	.4	35.4	5.6	97	<.1	38.6	15.9	359	3.72	1.5	1.4	1.9	19.0	11	<.1	.1	<.1	41	.24	.063	41	65.2	1.06	235	.204	<1	2.05	.006	.99	<.1	<.01	3.7	.7	<.05	6	<.5
RW-06732	.8	18.4	6.9	65	<.1	25.8	11.5	313	2.69	5.4	.8	7.7	8.4	18	<.1	.2	.1	45	.30	.074	21	36.9	.61	130	.102	1	1.38	.008	.23	.1	.02	2.9	.2	<.05	5	<.5
RW-06733	.6	20.0	7.3	70	<.1	25.5	11.8	318	2.93	5.5	1.0	3.1	9.3	15	.1	.2	.1	49	.23	.061	23	41.0	.70	136	.106	<1	1.58	.007	.28	.1	.02	3.3	.3	<.05	5	<.5
RW-06734	1.2	17.8	7.8	64	<.1	23.1	13.9	546	3.00	6.4	.9	2.3	8.1	14	.1	.3	.1	53	.20	.056	24	36.1	.60	146	.100	1	1.48	.007	.15	.1	.02	3.0	.2	<.05	5	<.5
RW-06735	.9	21.8	7.9	72	<.1	28.1	12.9	371	2.93	5.6	.9	1.4	10.4	14	<.1	.2	.1	46	.26	.070	29	38.2	.65	181	.106	1	1.51	.007	.30	.1	.01	2.9	.3	<.05	5	<.5
RW-06736	1.0	21.5	10.7	75	<.1	25.9	13.3	444	3.24	6.3	1.2	10.5	8.0	15	.1	.3	.1	56	.21	.056	39	44.2	.69	194	.101	2	1.71	.008	.24	.1	.02	3.3	.2	<.05	6	<.5
RW-06737	.8	25.7	11.0	75	<.1	27.8	13.1	405	3.24	5.6	1.3	4.8	9.5	14	.1	.3	.1	50	.21	.062	42	41.9	.68	200	.114	<1	1.72	.007	.31	.1	.01	3.6	.3	<.05	5	<.5
RW-06738	.7	22.9	9.6	65	<.1	25.0	10.7	278	2.78	7.2	1.1	6.1	6.5	17	.1	.3	.1	55	.24	.052	23	40.7	.64	195	.096	1	1.87	.009	.12	.1	.03	4.1	.2	<.05	5	<.5
RW-06739	.7	22.5	9.8	71	<.1	25.5	11.6	408	3.01	7.2	1.1	4.1	8.0	17	.1	.4	.1	52	.25	.056	29	41.5	.64	158	.101	1	1.69	.009	.21	.1	.01	3.6	.2	<.05	5	<.5
RW-06740	.9	21.8	10.5	60	<.1	25.2	11.3	264	2.84	6.1	1.1	10.8	5.6	16	.1	.3	.1	51	.23	.053	24	38.3	.57	169	.075	1	1.81	.009	.10	.1	.04	4.1	.2	<.05	5	<.5
RW-06741	4.3	44.2	16.4	116	.3	42.1	12.6	541	3.47	131.5	1.2	5.4	2.1	22	.4	3.9	.2	65	.20	.059	14	40.7	.50	321	.048	2	1.39	.008	.08	.1	.09	3.3	.2	<.05	5	1.2
RW-06742	4.8	41.8	16.2	112	.5	34.5	8.1	195	3.90	209.9	1.5	5.6	5.6	22	.3	8.2	.3	62	.22	.040	22	40.6	.46	317	.047	2	1.21	.008	.10	.2	.26	3.7	.3	<.05	4	1.3
RW-06743	2.5	28.5	13.7	79	.1	25.9	10.5	614	3.46	118.4	.8	1.9	2.6	14	.4	2.5	.2	75	.13	.044	13	34.0	.34	113	.074	1	1.12	.006	.05	.1	.05	2.6	.2	<.05	7	.6
RW-06744	3.1	44.8	14.1	105	.2	42.3	13.2	573	3.46	99.4	1.2	3.6	4.4	21	.4	3.3	.2	63	.15	.044	17	48.7	.54	189	.067	2	1.32	.010	.11	.1	.05	3.5	.3	.06	5	1.1
RW-06745	5.3	42.7	19.2	110	.8	33.7	11.3	356	3.48	272.4	1.6	6.0	2.5	25	.6	10.9	.3	59	.19	.057	15	38.4	.43	437	.034	3	1.19	.008	.08	.2	.26	3.4	.3	.06	4	1.4
RW-06746	3.7	34.6	14.6	77	.4	22.4	6.5	169	2.26	169.9	1.2	5.5	2.0	24	.4	19.6	.2	46	.15	.046	15	27.8	.34	261	.039	2	.95	.007	.06	.2	.26	2.4	.3	<.05	3	1.1
RW-06747	2.3	34.2	18.0	75	.2	34.6	11.3	421	3.10	44.5	1.0	8.4	2.1	15	.2	3.2	.2	58	.17	.045	16	33.3	.44	315	.043	<1	1.59	.008	.05	.1	.09	3.4	.1	<.05	5	.7
RW-06748	3.2	40.0	24.3	99	.2	39.7	13.1	604	3.51	64.2	1.3	12.3	6.2	19	.3	3.8	.2	56	.20	.055	19	34.2	.47	207	.065	2	1.37	.011	.08	.2	.06	3.7	.2	<.05	4	.7
RW-06749	2.5	37.7	19.7	97	<.1	41.0	12.9	609	3.30	71.4	1.2	7.9	5.6	22	.4	2.4	.2	56	.25	.058	20	35.9	.48	243	.072	1	1.23	.010	.09	.1	.05	3.6	.2	<.05	4	.5
RW-06750	3.0	38.6	15.8	92	.3	35.8	12.8	635	3.26	60.8	1.1	7.2	2.2	19	.4	2.0	.3	64	.22	.050	17	38.0	.46	374	.050	1	1.35	.008	.07	.2	.08	3.3	.1	<.05	5	<.5
RW-06751	1.2	24.5	10.5	58	.1	28.5	12.9	615	2.88	16.9	.9	3.5	3.3	31	.1	.4	.2	55	.65	.060	35	40.8	.55	251	.060	2	1.72	.011	.06	.1	.05	4.3	.1	<.05	5	<.5
RW-06752	1.1	16.7	9.8	61	<.1	20.2	10.7	612	2.62	17.0	.7	1.4	2.3	20	.1	.4	.2	59	.28	.045	20	34.8	.48	185	.062	1	1.59	.013	.06	.1	.04	3.3	.1	<.05	6	<.5
RW-06753	.6	25.8	11.5	80	.1	28.5	11.8	551	2.75	88.8	1.1	3.1	3.6	39	.3	.8	.1	47	.83	.060	24	34.9	.49	192	.064	1	1.43	.013	.09	.1	.06	4.0	.1	<.05	4	<.5
RW-06754	1.0	24.6	9.2	65	<.1	34.3	15.6	707	3.12	12.2	1.0	3.7	5.6	25	.1	.3	.1	59	.42	.073	22	43.4	.64	209	.084	<1	1.81	.011	.10	.1	.03	4.3	.2	<.05	5	<.5
RW-06755	.7	19.2	7.7	62	<.1	28.4	10.9	352	2.73	9.3	.7	1.9	4.7	22	<.1	.3	.1	58	.38	.052	16	40.2	.62	154	.096	1	1.65	.011	.10	.1	.03	3.4	.1	<.05	5	<.5
RW-06756	.8	21.9	7.9	61	<.1	30.9	11.2	369	2.86	9.3	.8	.9	4.7	28	.1	.3	.1	55	.46	.064	22	43.5	.64	191	.090	<1	1.63	.011	.13	.1	.03	3.5	.2	<.05	6	<.5
RW-06757	.8	22.3	7.5	65	<.1	31.5	12.8	398	2.87	7.4	.8	3.9	4.7	30	.1	.3	.1	56	.60	.060	15	42.4	.69	185	.102	1	1.66	.011	.16	.1	.02	3.7	.2	<.05	5	<.5
RE RW-06757	.7	21.7	7.6	64	<.1	30.0	13.0	405	2.87	7.2	.8	1.8	4.6	32	.1	.3	.1	56	.61	.060	15	42.2	.69	182	.104	1	1.70	.014	.15	.1	.01	3.6	.2	<.05	6	<.5
RW-06758	.8	24.9	8.3	68	<.1	34.2	14.8	533	2.96	9.5	.9	5.1	3.6	37	.2	.3	.1	57	.73	.106	18	42.7	.68	223	.087	2	1.76	.017	.10	.1	.03	3.8	.1	<.05	6	<.5
RW-06759	.9	21.7	6.8	50	.2	22.8	11.2	537	2.35	6.3	.9	2.4	2.1	49	.2	.3	.1	46	.97	.062	20	32.3	.48	261	.065	1	1.45	.013	.10	.1	.04	3.2	.1	<.05	5	<.5
STANDARD DS6	11.4	121.4	29.5	140	.3	24.3	10.7	685	2.78	19.7	6.7	52.1	3.0	40	5.9	3.4	4.9	55	.83	.069	13	185.5	.56	161	.081	16	1.88	.071	.14	3.4	.23	3.2	1.7	<.05	6	4.0

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
G-1	.4	1.9	2.9	43	<.1	4.5	3.9	504	1.90	.5	2.1	1.1	4.0	61	<.1	.2	.1	37	.57	.068	7	9.2	.54	178	.122	1	.90	.080	.39	.1	<.01	2.1	.3	<.05	4	<.5
RW-06760	.6	27.3	7.1	89	<.1	34.4	15.5	392	3.74	4.3	.8	.6	9.7	17	.1	.2	.1	48	.35	.080	16	49.0	.99	157	.186	1	2.01	.007	.70	.1	.01	3.4	.5	<.05	7	<.5
RW-06761	.8	25.3	7.4	67	<.1	30.3	13.0	392	3.02	9.0	.9	2.0	6.8	25	.1	.3	.1	53	.41	.084	18	42.6	.76	184	.101	2	1.73	.009	.21	.1	.01	3.4	.2	<.05	6	<.5
RW-06762	.8	22.4	7.4	62	<.1	29.9	12.4	376	2.86	8.1	.8	3.4	5.7	22	.1	.3	.1	54	.32	.051	17	41.9	.68	182	.088	1	1.69	.009	.17	.1	.03	3.6	.2	<.05	5	<.5
RW-06763	.9	24.2	7.1	65	<.1	31.0	12.1	357	2.86	7.1	.8	2.5	5.9	22	.1	.3	.1	51	.36	.049	17	42.6	.71	178	.092	1	1.68	.009	.21	.1	.02	3.4	.2	<.05	5	.5
RW-06764	.6	39.8	7.6	90	<.1	37.1	15.2	407	4.24	3.9	1.0	1.5	16.7	15	.1	.1	.1	49	.36	.114	33	55.5	1.12	187	.187	<1	2.24	.006	.90	.1	.01	4.1	.6	<.05	7	<.5
RW-06765	.9	22.3	8.0	60	<.1	24.5	10.2	311	2.66	7.1	.9	2.0	4.5	20	.1	.3	.1	53	.28	.049	25	38.1	.56	184	.076	1	1.62	.010	.10	.1	.04	3.6	.2	<.05	5	.5
RW-06766	1.3	29.0	10.5	55	.3	25.4	20.3	804	3.02	7.2	2.1	3.8	6.1	33	.1	.3	.2	55	.46	.059	66	38.1	.55	246	.071	1	1.57	.014	.15	.1	.08	4.3	.2	<.05	5	.6
RW-06767	1.9	48.9	14.0	149	.1	56.3	14.9	600	3.83	54.6	2.0	2.1	13.4	24	.6	1.5	.1	81	.35	.101	46	69.8	.95	1280	.138	1	1.82	.008	.48	.2	.03	5.2	.4	<.05	7	.6
RW-06768	1.9	37.9	12.3	110	.2	37.4	10.5	341	3.27	67.6	2.1	7.2	7.0	23	.4	2.3	.1	63	.28	.086	42	44.7	.59	1085	.087	1	1.63	.009	.18	.2	.07	4.9	.2	<.05	5	.5
RW-06769	4.1	55.6	10.5	221	.2	62.5	12.9	498	3.49	151.8	2.2	7.1	7.6	32	.8	3.8	.1	77	.40	.137	31	52.2	.63	1562	.078	1	1.45	.009	.17	.2	.04	4.7	.2	<.05	5	.8
RW-06770	3.1	25.8	14.1	100	.1	34.5	11.6	355	2.58	58.2	1.2	10.4	4.0	21	.4	2.1	.2	56	.25	.064	25	39.9	.49	648	.070	1	1.25	.010	.12	.1	.04	3.2	.2	<.05	5	.6
RW-06771	2.0	22.0	10.1	86	.2	31.8	12.1	538	2.66	28.6	1.3	3.7	4.9	23	.2	1.1	.2	54	.34	.062	36	42.4	.60	489	.071	<1	1.52	.010	.14	.1	.06	3.9	.2	<.05	6	<.5
RW-06772	2.0	29.5	9.3	86	.2	33.8	13.4	650	2.74	23.2	1.5	3.7	3.2	45	.4	.8	.1	56	.81	.078	52	43.2	.58	805	.074	1	1.49	.013	.14	.2	.06	3.7	.2	<.05	5	<.5
RW-06773	1.5	27.8	9.8	90	.1	31.6	14.2	448	3.19	9.9	1.4	3.7	8.2	25	.2	.6	.1	54	.45	.076	35	44.9	.73	357	.100	2	1.66	.010	.27	.1	.02	4.0	.2	<.05	5	.6
RW-06774	1.4	24.0	8.7	66	.2	26.4	12.3	393	2.81	6.4	1.4	6.1	4.5	32	.1	.3	.1	58	.54	.065	34	41.0	.65	486	.094	2	1.57	.011	.13	.1	.05	4.0	.2	<.05	5	<.5
RW-06775	1.0	17.9	8.5	72	.1	25.4	13.8	465	3.17	4.4	1.2	3.0	7.8	23	.1	.2	.1	52	.40	.054	30	40.8	.78	306	.141	1	1.78	.010	.27	.1	.04	3.8	.3	<.05	6	<.5
RW-06776	.8	26.3	9.7	77	<.1	26.8	14.5	332	3.04	3.5	1.2	3.4	9.4	15	.1	.2	.1	48	.21	.056	44	37.9	.71	171	.104	<1	1.69	.008	.26	.1	.02	3.4	.3	<.05	6	<.5
RW-06777	.8	13.3	8.9	59	.1	17.9	8.0	188	2.35	3.3	1.0	2.4	4.2	15	.1	.2	.1	41	.19	.049	29	30.7	.54	169	.087	<1	1.48	.009	.12	.1	.04	3.1	.2	<.05	5	<.5
RE RW-06777	.7	13.3	9.2	59	.1	18.7	8.0	186	2.39	3.3	1.0	2.3	4.1	15	.1	.2	.1	40	.20	.050	28	31.1	.54	165	.087	1	1.51	.009	.12	.1	.04	3.2	.2	<.05	6	<.5
RW-06778	.5	13.4	10.0	54	.1	19.0	6.6	135	2.14	2.5	1.4	4.6	4.7	15	.1	.1	.1	33	.17	.049	43	32.1	.55	205	.078	1	1.56	.010	.09	.1	.07	3.6	.2	<.05	5	<.5
RW-06779	.9	14.1	10.7	58	.2	18.4	7.1	146	2.40	2.6	1.5	5.5	4.5	16	.1	.1	.1	38	.18	.051	44	36.6	.56	222	.089	1	1.61	.009	.14	.1	.06	3.5	.2	<.05	6	<.5
RW-06780	1.0	28.2	13.0	86	.2	28.7	12.7	524	3.45	4.5	2.5	6.0	11.0	19	.1	.2	.1	49	.25	.052	59	49.4	.80	274	.147	1	1.75	.009	.48	.1	.05	4.5	.4	<.05	5	<.5
RW-06781	.9	27.8	9.1	84	<.1	41.2	16.0	408	3.53	5.2	1.4	3.5	9.1	19	.1	.2	.1	57	.31	.078	35	72.6	1.05	293	.164	<1	2.11	.009	.51	.1	.03	4.2	.4	<.05	7	<.5
RW-06782	.7	23.7	7.9	70	<.1	23.3	16.8	690	3.71	4.8	.8	5.0	8.4	16	.1	.3	.1	69	.29	.058	27	44.5	1.26	303	.193	<1	2.19	.008	.71	.1	.02	3.9	.3	<.05	6	<.5
RW-06783	.7	33.2	7.0	61	<.1	20.1	14.8	513	3.10	6.4	.9	4.1	2.5	18	.1	.3	.1	68	.29	.060	18	49.2	.87	314	.067	2	1.86	.013	.17	.1	.09	6.0	.2	<.05	6	<.5
RW-06784	.6	36.9	19.5	94	<.1	12.8	14.5	911	4.10	4.9	.4	1.5	1.0	14	.1	2.5	.1	93	.29	.066	8	35.5	.92	353	.079	1	1.93	.015	.27	.2	.03	9.7	.2	<.05	7	<.5
RW-06785	.7	34.5	6.4	75	<.1	16.9	14.0	500	3.53	4.6	.4	2.7	1.0	21	.1	.6	.1	85	.33	.063	7	41.3	.99	242	.119	1	2.15	.019	.19	.1	.03	5.2	.1	<.05	7	<.5
RW-06786	.5	38.2	4.9	70	<.1	21.0	16.7	501	3.55	4.8	.3	4.4	1.9	28	.1	.5	.1	63	.46	.105	7	51.2	1.22	243	.153	2	2.09	.012	.42	.1	.02	3.2	.2	<.05	5	<.5
RW-06787	.8	29.6	6.9	78	<.1	19.0	15.8	573	3.69	6.0	.4	4.1	2.0	21	.1	.5	.1	82	.32	.070	8	43.9	1.01	237	.133	1	2.29	.015	.19	.1	.02	4.6	.2	<.05	7	<.5
RW-06792	.6	40.4	5.1	73	<.1	26.3	17.4	530	3.45	4.1	.4	2.2	2.1	27	.1	.4	.1	68	.45	.103	9	53.0	1.29	280	.151	1	2.02	.014	.40	.1	.01	3.3	.2	<.05	6	<.5
RW-06793	.8	45.8	7.1	75	<.1	30.1	19.0	543	3.98	6.7	.4	5.1	2.1	21	.1	.7	.1	77	.32	.088	8	66.9	1.14	237	.133	1	2.66	.010	.18	.1	.03	4.1	.2	<.05	7	<.5
RW-06794	.8	24.1	6.0	61	<.1	18.4	11.6	436	3.05	6.6	.4	2.7	1.1	18	.1	1.5	.1	73	.28	.059	9	40.9	.80	147	.099	2	1.79	.012	.11	.1	.04	3.6	.1	<.05	6	<.5
RW-06795	1.0	31.0	7.1	71	<.1	17.7	13.6	526	3.62	6.8	.5	3.3	2.5	19	.1	4.8	.1	92	.31	.061	10	40.6	1.08	275	.153	1	2.13	.014	.31	.1	.05	4.2	.2	<.05	7	<.5
RW-06796	.6	36.5	6.0	94	<.1	15.6	14.0	806	4.02	3.7	.7	1.5	3.8	12	.1	41.9	.1	87	.24	.068	16	42.0	1.26	327	.162	1	2.23	.011	.50	.1	.04	7.2	.2	<.05	8	<.5
STANDARD DS6	11.3	120.8	29.1	140	.3	24.6	10.7	683	2.77	18.7	6.6	45.7	3.1	.40	5.9	3.5	4.7	55	.83	.068	13	184.2	.56	162	.080	17	1.88	.071	.14	3.4	.22	3.2	1.7	<.05	6	4.0

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
G-1	.1	1.7	2.8	45	<.1	3.9	4.3	513	1.93	<.5	2.1	.9	3.8	60	<.1	.2	.1	37	.56	.078	7	9.0	.55	185	.112	1	.92	.066	.40	.1	<.01	2.2	.3	<.05	5	<.5
RW-06797	.5	18.6	12.6	52	<.1	11.8	7.9	360	3.29	5.3	.7	4.2	2.5	11	.1	1.6	.2	69	.16	.042	8	27.1	.52	108	.080	1	1.60	.010	.07	.1	.03	5.4	.1	<.05	6	.5
RW-06798	1.2	23.7	10.5	62	<.1	17.3	10.1	416	3.49	7.0	.7	1.5	2.3	14	.2	.8	.3	88	.17	.050	11	37.4	.79	189	.089	1	2.21	.011	.14	.1	.03	4.3	.2	<.05	7	.5
RW-06799	.8	25.6	6.7	68	<.1	17.8	11.5	457	3.43	5.5	.6	2.5	2.5	14	.1	.6	.1	82	.22	.051	10	35.3	.92	143	.119	1	1.94	.012	.16	.1	.03	4.9	.1	<.05	6	<.5
RW-06800	1.2	21.4	7.4	59	<.1	12.1	9.6	398	3.04	5.9	.5	1.3	1.6	14	.1	.5	.1	99	.20	.051	8	28.4	.76	154	.154	2	1.58	.014	.18	.1	.01	3.1	.1	<.05	8	<.5
RW-06801	.6	30.1	7.6	65	<.1	24.4	13.6	456	3.27	6.2	.6	2.5	3.2	17	.1	.6	.1	80	.24	.048	11	40.5	.91	203	.121	2	2.09	.014	.13	.1	.02	5.0	.1	<.05	6	<.5
RW-06802	1.2	27.6	9.0	70	<.1	22.2	11.6	478	3.58	7.1	.7	3.3	3.0	15	.1	.5	.2	89	.20	.042	10	36.5	.84	165	.127	1	2.07	.013	.13	.1	.02	4.6	.2	<.05	7	<.5
RW-06803	1.2	23.3	8.8	42	.1	11.4	5.4	236	2.16	4.9	.5	3.4	.9	14	.2	.4	.2	73	.13	.034	8	22.6	.31	138	.095	1	1.01	.014	.06	.1	.02	2.3	.1	<.05	6	<.5
RW-06804	1.1	25.1	10.3	60	<.1	18.4	9.6	336	3.25	6.8	.7	1.7	2.5	15	.1	.5	.2	83	.18	.037	10	37.4	.67	169	.102	1	1.98	.011	.08	.1	.04	4.4	.1	<.05	7	<.5
RW-06805	1.1	21.5	8.9	49	.1	13.9	8.8	392	2.54	5.1	.4	2.0	1.0	15	.1	.4	.2	75	.18	.045	8	29.4	.50	152	.087	1	1.36	.013	.08	.1	.02	3.1	.1	<.05	6	<.5
RW-06806	1.0	30.2	8.5	65	<.1	24.6	13.9	493	3.37	7.0	.7	6.8	2.5	20	.1	.5	.2	85	.29	.055	11	43.1	.86	241	.114	2	2.10	.016	.12	.1	.03	5.2	.1	<.05	6	.5
RW-06807	1.1	27.4	8.2	68	<.1	21.1	11.8	439	3.13	7.1	.6	1.3	2.5	18	.1	.4	.1	80	.25	.052	10	38.5	.68	183	.102	2	1.94	.014	.08	.1	.02	4.2	.1	<.05	6	<.5
RW-06808	.9	31.6	8.0	68	<.1	23.0	12.5	469	3.28	6.6	.6	3.4	2.4	18	.1	.4	.1	82	.27	.055	9	40.2	.78	210	.104	2	2.01	.014	.10	.1	.02	4.7	.1	<.05	6	<.5
RW-06809	1.1	25.6	7.7	69	<.1	19.5	11.0	411	3.24	7.0	.6	1.6	2.0	17	.2	.4	.1	84	.20	.049	8	36.2	.69	167	.095	1	1.97	.012	.07	.1	.03	4.1	.1	<.05	6	<.5
RW-06810	1.1	27.3	7.8	74	<.1	21.1	13.1	483	3.54	6.9	.6	2.6	2.8	16	.1	.4	.1	86	.24	.047	9	40.0	.79	169	.111	1	2.19	.013	.08	.1	.02	4.6	.1	<.05	7	<.5
RW-06811	1.0	29.3	9.0	64	.2	17.4	11.0	423	2.96	5.3	.9	1.3	1.0	22	.2	.3	.1	74	.26	.067	12	36.6	.71	264	.093	2	1.81	.018	.11	.1	.02	4.3	.1	<.05	6	.5
RW-06812	.8	31.3	8.1	60	.1	17.4	10.0	354	3.04	5.6	.9	1.7	1.6	20	.1	.3	.1	76	.25	.056	12	36.9	.77	229	.113	1	1.79	.015	.11	.1	.03	4.5	.1	<.05	7	<.5
RW-06813	.9	30.7	8.0	71	<.1	19.6	13.3	569	3.34	6.1	.7	8.8	2.6	19	.1	.3	.1	79	.28	.062	12	40.4	.93	242	.128	<1	1.92	.014	.16	.1	.02	4.6	.1	<.05	6	<.5
RW-06814	.9	31.2	8.8	67	.1	16.3	11.8	493	3.08	5.8	.8	1.9	1.6	20	.2	.3	.1	79	.25	.059	11	38.1	.83	255	.117	1	1.73	.015	.15	.1	.02	3.7	.1	<.05	7	<.5
RW-06815	1.0	28.5	7.6	65	<.1	19.6	12.8	489	3.17	6.1	.5	1.9	2.2	19	.1	.4	.1	79	.27	.058	9	38.3	.91	175	.143	1	1.79	.015	.18	.1	.02	3.6	.1	<.05	6	<.5
RE RW-06815	1.0	29.1	7.3	65	<.1	19.8	12.8	502	3.28	6.4	.4	4.5	2.3	19	.2	.3	.1	81	.27	.058	8	39.7	.92	170	.145	1	1.80	.015	.19	.1	.01	3.6	.1	<.05	6	<.5
RW-06816	1.4	26.6	10.3	57	.1	17.3	10.9	457	3.25	7.2	.4	1.6	1.9	17	.2	.3	.2	89	.20	.057	9	39.1	.72	199	.135	2	1.60	.012	.13	.1	.02	3.2	.1	<.05	7	<.5
RW-06817	1.1	29.9	9.5	67	<.1	22.1	14.6	589	3.60	6.5	.4	.8	1.9	18	.1	.4	.1	85	.23	.060	7	47.8	1.00	164	.145	1	1.88	.013	.17	.1	.02	3.2	.1	<.05	7	<.5
RW-06818	.5	43.8	17.1	88	<.1	28.7	22.2	784	4.14	3.8	.3	.6	1.8	26	.1	.3	.1	88	.41	.105	7	62.6	1.66	228	.191	1	2.47	.012	.62	.1	.01	3.9	.3	<.05	7	<.5
RW-06819	1.3	26.9	9.4	68	<.1	20.2	12.5	485	3.66	7.0	.4	.5	1.7	20	.1	.4	.2	97	.24	.051	8	42.6	.88	208	.163	1	1.86	.012	.21	.1	.01	3.1	.2	<.05	8	<.5
RW-06820	1.1	25.4	9.3	64	<.1	20.7	15.5	682	3.39	7.7	.5	1.6	1.6	19	.1	.4	.2	84	.23	.050	10	43.1	.79	162	.115	2	2.00	.011	.13	.1	.02	3.4	.1	<.05	7	<.5
RW-06821	.6	29.3	9.3	66	<.1	24.6	15.0	494	3.50	7.3	.4	2.4	2.3	19	.2	.4	.1	81	.29	.055	8	43.9	.98	156	.139	2	2.21	.014	.19	.1	.03	3.7	.1	<.05	6	.5
RW-06822	.5	43.0	5.4	102	<.1	23.5	15.7	561	4.58	4.1	.4	.9	1.7	18	.1	.4	.1	102	.30	.044	7	57.7	1.49	238	.211	2	2.69	.019	.44	.1	.01	5.7	.3	<.05	9	<.5
RW-06823	1.0	24.3	7.7	51	<.1	17.5	10.8	329	3.07	6.6	.5	1.6	2.1	16	.1	.4	.1	82	.22	.050	8	36.7	.69	152	.122	1	2.08	.013	.16	.1	.03	3.1	.1	<.05	7	<.5
RW-06824	.7	19.8	3.4	41	<.1	8.6	11.5	420	2.33	2.9	.2	<.5	.5	13	.1	.2	.1	71	.30	.061	3	25.1	.81	191	.136	1	1.43	.028	.21	<.1	.01	2.1	.1	<.05	5	<.5
RW-06825	.6	31.9	4.5	77	<.1	17.8	15.4	474	3.78	4.3	.3	.7	2.1	21	.1	.4	.1	91	.37	.061	7	42.5	1.19	172	.148	1	2.31	.020	.22	.1	.01	4.4	.2	<.05	6	<.5
RW-06826	.9	26.3	7.1	70	<.1	23.7	13.1	425	3.32	7.4	.7	6.4	3.1	20	.1	.4	.1	78	.28	.053	15	46.7	.86	191	.109	2	2.21	.013	.13	.1	.03	4.4	.2	<.05	6	<.5
RW-06827	.7	30.6	12.7	76	<.1	31.6	16.7	442	3.54	5.8	.7	7.0	3.7	25	.1	.3	.1	88	.36	.057	18	77.4	1.23	210	.132	2	2.41	.014	.16	.1	.02	6.0	.2	<.05	7	<.5
RW-06828	.4	32.9	8.2	67	<.1	26.0	10.5	348	2.99	5.5	.8	5.7	4.9	30	.1	.3	.1	72	.45	.069	17	45.7	.88	240	.131	1	1.71	.016	.17	.1	.01	5.9	.1	<.05	5	<.5
RW-06829	.6	34.9	7.6	84	<.1	31.3	9.8	427	3.20	10.2	1.0	3.1	7.6	19	.1	.3	.1	70	.29	.061	29	65.8	1.10	360	.166	2	2.30	.011	.58	.1	.03	5.0	.3	<.05	7	<.5
STANDARD DS	11.4	121.5	29.4	139	.3	25.0	10.7	683	2.77	19.1	6.5	44.6	3.1	39	6.0	3.5	4.8	55	.83	.077	12	184.2	.56	161	.070	15	1.86	.070	.14	3.4	.23	3.2	1.7	<.05	5	3.8

Standard is STANDARD DS6. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
G-1	.2	1.6	3.0	40	<.1	3.6	3.8	505	1.88	<.5	2.2	<.5	4.4	60	<.1	.1	.1	38	.54	.071	7	8.5	.55	187	.122	<.1	.93	.081	.39	.1	<.01	2.0	.3	<.05	4	<.5
RW-06830	.6	17.3	8.2	55	<.1	20.4	8.6	179	2.44	8.0	.7	4.0	3.3	15	<.1	.3	.1	51	.22	.050	14	32.7	.56	149	.077	1	1.64	.009	.10	.1	.02	2.8	.1	<.05	5	<.5
RE-06835	1.0	62.2	5.3	79	<.1	41.1	17.9	417	3.64	2.0	1.7	1.4	10.7	40	.1	.2	.1	102	.53	.125	37	108.2	1.53	1096	.201	<.1	2.19	.012	.88	<.1	.01	5.4	.5	.13	7	1.4
RE-06835	1.2	64.8	5.3	76	<.1	40.9	17.6	431	3.76	2.5	1.7	1.5	10.7	40	.1	.2	.1	107	.51	.120	38	112.8	1.58	1167	.218	<.1	2.23	.011	.90	.1	.01	5.7	.5	.12	8	1.3
RW-06836	1.0	28.4	8.8	67	<.1	34.9	12.8	392	2.92	7.5	.8	.7	7.8	20	.2	.5	.1	59	.42	.095	16	47.6	.75	222	.116	1	1.41	.009	.26	.1	.01	3.4	.2	<.05	4	<.5
RW-06837	1.0	20.5	9.8	62	<.1	23.2	10.7	401	2.87	13.2	.8	3.8	2.3	22	.1	.7	.2	56	.33	.048	15	39.0	.55	162	.061	1	1.63	.009	.06	.1	.02	2.9	.2	<.05	5	<.5
RW-06838	.8	22.0	8.4	65	<.1	30.0	13.9	428	3.05	8.4	.8	2.6	6.4	24	.1	.4	.1	55	.38	.078	16	43.7	.72	139	.102	1	1.60	.010	.17	.1	.01	3.3	.2	<.05	5	<.5
RW-06839	1.5	22.9	11.1	69	.1	26.7	12.9	434	3.26	12.5	1.2	5.6	4.9	18	.1	.5	.2	62	.27	.056	22	40.2	.61	167	.080	1	1.69	.008	.10	.2	.03	3.4	.2	<.05	5	<.5
RW-06840	1.8	27.2	10.6	72	<.1	27.5	12.3	320	3.09	8.8	1.6	5.1	7.1	15	.1	.4	.2	57	.22	.060	36	42.1	.63	223	.094	1	1.80	.008	.18	.1	.03	4.1	.2	<.05	6	<.5
RW-06841	1.9	28.9	11.1	86	<.1	29.8	15.5	558	3.63	8.9	1.4	4.5	9.2	19	.1	.5	.2	63	.26	.065	32	46.7	.74	230	.112	1	1.86	.009	.22	.1	.02	4.0	.2	<.05	6	.5
RW-06842	1.0	26.8	9.6	66	<.1	25.7	11.1	404	3.07	7.6	1.0	3.2	5.9	14	.1	.4	.1	60	.19	.057	20	39.9	.56	126	.097	1	1.53	.009	.13	.1	.03	3.3	.2	<.05	5	<.5
RW-06843	1.1	21.8	8.6	71	<.1	26.9	13.2	440	3.18	7.8	.9	4.1	7.6	17	.1	.4	.1	57	.23	.057	25	45.3	.73	248	.108	1	1.90	.010	.19	.1	.02	3.6	.2	<.05	5	<.5
RW-06844	1.0	20.9	9.1	62	<.1	23.3	9.0	236	2.58	8.0	1.0	4.5	5.1	16	.1	.3	.2	50	.21	.051	27	39.1	.61	181	.095	1	1.72	.009	.14	.1	.03	3.2	.2	<.05	5	<.5
RW-06845	1.2	27.1	11.5	67	.1	24.6	10.8	368	3.21	9.2	1.2	3.7	5.7	17	.1	.3	.1	61	.21	.049	37	41.9	.62	185	.088	2	1.97	.010	.12	.1	.04	4.0	.2	<.05	6	<.5
RW-06846	2.0	25.7	11.3	59	<.1	23.7	11.6	369	3.16	9.2	1.3	10.7	5.1	15	.1	.3	.1	55	.17	.048	36	39.0	.54	189	.060	<.1	1.84	.008	.10	.1	.04	4.1	.2	<.05	5	<.5
RW-06847	1.0	19.5	6.8	36	.1	13.7	5.7	161	1.85	4.2	1.0	1.8	.6	15	.1	.3	.1	41	.15	.040	20	21.8	.30	107	.049	<.1	.94	.011	.07	.1	.04	1.3	.1	<.05	4	<.5
RW-06848	1.1	27.1	8.7	50	<.1	21.3	7.9	208	2.62	6.4	1.1	1.1	1.8	15	.1	.3	.1	54	.14	.046	21	31.4	.46	99	.068	<.1	1.61	.008	.08	.1	.03	2.5	.2	<.05	5	<.5
RW-06849	1.0	20.9	9.6	59	<.1	22.0	9.7	276	3.05	7.4	.8	4.4	3.3	14	.1	.4	.1	62	.16	.030	17	37.3	.55	111	.099	1	1.79	.008	.10	.1	.02	2.7	.2	<.05	7	<.5
RW-06850	1.2	34.5	9.3	62	.1	28.1	12.3	310	3.16	6.4	1.6	11.0	4.8	17	.1	.3	.1	58	.21	.044	31	42.3	.68	153	.109	<.1	1.99	.008	.17	.1	.04	3.8	.2	<.05	6	<.5
RW-06851	1.1	60.8	24.4	109	.3	18.0	12.4	215	3.52	12.7	.6	36.3	2.8	19	.4	.7	.2	72	.40	.097	9	30.6	.72	275	.090	<.1	1.53	.015	.09	.1	.46	4.7	.1	<.05	5	.5
RW-06852	1.2	70.9	26.8	83	.6	18.4	14.4	214	3.54	9.9	.8	33.3	3.2	23	.2	.4	.2	80	.44	.125	11	31.6	.78	297	.099	1	1.81	.015	.10	.1	.69	5.5	.2	<.05	6	1.2
RW-06853	1.9	134.3	79.6	101	.9	16.6	16.3	225	4.60	13.7	.5	35.3	2.5	24	.1	.9	.3	103	.40	.108	9	27.9	.95	286	.140	<.1	1.83	.020	.16	<.1	.65	5.5	.2	<.05	6	2.9
RW-06854	1.1	56.8	13.1	68	.2	19.3	12.3	197	3.39	6.2	.6	17.7	2.3	20	.1	.4	.1	80	.36	.110	12	34.7	.75	203	.082	<.1	1.76	.015	.10	.1	.08	5.7	.1	<.05	6	.8
RW-06855	.9	103.0	12.3	59	.5	20.0	12.7	180	3.79	5.8	.7	8.9	2.1	22	.2	.3	.1	101	.39	.101	10	33.5	.83	247	.095	<.1	1.98	.019	.12	.1	.07	5.8	.1	<.05	6	.6
RW-06856	1.1	162.6	25.5	93	.1	27.1	34.8	370	4.61	5.8	.4	8.8	2.6	19	.2	.4	.1	145	.35	.069	9	32.0	1.49	230	.156	<.1	2.28	.016	.44	<.1	.03	10.4	.3	<.05	7	.6
RW-06857	1.2	70.0	12.9	71	.1	25.7	18.1	280	4.01	8.0	.8	7.0	3.7	23	.1	.4	.2	88	.40	.091	15	40.5	.86	247	.080	1	2.13	.013	.12	.1	.05	7.0	.2	<.05	6	.6
RW-06858	1.3	78.5	9.3	84	.2	25.2	20.2	449	4.82	9.5	.7	23.5	2.7	22	.2	.4	.1	100	.45	.123	11	45.4	.96	313	.075	<.1	2.15	.017	.10	.1	.05	8.3	.1	<.05	8	.6
RW-06859	.9	51.7	13.4	61	.1	21.2	12.9	238	3.12	5.4	.7	21.1	2.0	23	.1	.3	.1	69	.33	.079	12	34.4	.71	315	.085	<.1	1.86	.013	.08	.1	.02	4.9	.1	<.05	6	<.5
RW-06860	.9	75.6	10.2	59	.2	17.4	13.1	222	3.19	4.6	.6	9.9	1.8	24	.1	.3	.1	77	.42	.111	10	33.3	.71	286	.085	<.1	1.71	.015	.11	<.1	.04	6.2	.1	<.05	6	.8
RW-06861	.6	34.2	8.6	63	<.1	20.6	10.6	223	2.52	4.4	.6	4.4	2.1	20	.1	.3	.1	61	.33	.072	11	32.4	.73	215	.091	1	1.86	.010	.08	.1	.03	4.2	.2	<.05	6	.5
RW-06862	.8	59.2	8.9	93	<.1	22.5	17.3	428	3.85	5.8	.6	8.5	3.2	23	.2	.3	.1	82	.39	.087	13	43.3	.89	272	.116	<.1	1.95	.014	.17	.1	.02	5.9	.1	<.05	6	.5
RW-06863	1.0	53.1	8.3	84	<.1	21.6	16.5	495	3.87	7.0	.5	2.4	2.4	19	.2	.4	.1	92	.31	.068	9	50.3	.88	197	.116	<.1	1.98	.012	.14	.1	.03	5.2	.2	<.05	7	.7
RW-06864	.9	36.5	7.9	58	<.1	17.7	10.7	302	3.00	6.5	.6	3.6	1.2	17	.1	.4	.2	71	.25	.061	10	38.2	.64	198	.078	<.1	1.78	.009	.07	.1	.04	4.0	.1	<.05	6	<.5
RW-06865	1.1	59.8	7.1	80	.1	21.0	18.0	510	3.71	7.0	.5	2.3	1.4	17	.2	.4	.1	88	.27	.067	9	42.8	.83	195	.109	<.1	1.84	.012	.12	.1	.03	4.4	.1	<.05	7	<.5
RW-06866	.8	51.3	7.8	69	.2	17.5	7.7	197	2.70	5.1	.7	4.8	.9	18	.2	.3	.2	64	.25	.057	10	36.3	.70	200	.078	<.1	1.79	.010	.10	.1	.06	4.0	.1	<.05	5	.6
STANDARD DS6	11.4	121.3	29.3	142	.3	24.5	10.6	687	2.79	19.2	6.6	45.6	2.9	39	6.0	3.4	4.9	55	.82	.068	12	184.3	.56	161	.079	15	1.87	.069	.14	3.4	.23	3.2	1.7	<.05	6	3.9

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
G-1	.4	1.8	2.8	43	<.1	4.8	4.1	494	1.82	.5	2.0	.9	3.8	56	<.1	.1	.1	37	.53	.077	6	8.8	.54	173	.121	<.1	.88	.068	.41	.1	<.01	2.0	.3	<.05	4	<.5
RW-06867	.9	64.9	18.2	69	.2	25.3	12.4	251	3.09	4.5	.6	5.3	2.0	16	.1	.3	.2	80	.23	.065	8	69.9	.90	188	.101	<.1	1.79	.011	.16	.1	.04	5.5	.2	<.05	6	1.1
RW-06868	1.2	72.7	11.4	81	.1	17.6	14.0	335	3.38	5.7	.7	5.8	2.4	15	.3	.3	.2	81	.23	.073	8	33.1	.87	192	.105	1	1.76	.011	.19	.1	.04	5.7	.1	<.05	6	1.3
RW-06869	1.0	61.3	6.8	76	.2	17.1	13.2	309	3.21	4.2	.6	26.4	2.2	16	.2	.3	.1	74	.26	.077	8	30.3	.83	214	.105	1	1.63	.014	.21	.1	.04	5.2	.1	<.05	5	1.2
RW-06870	1.1	70.3	7.0	80	<.1	17.9	15.2	374	3.78	4.7	.7	4.0	2.9	19	.1	.4	.1	86	.25	.082	12	34.2	1.00	260	.114	<.1	1.95	.014	.23	.1	.03	5.7	.1	.09	6	1.6
RW-06871	1.5	62.9	7.2	68	.1	19.0	13.1	308	3.52	11.2	.8	5.1	2.6	19	.2	.3	.2	79	.27	.078	11	32.6	.81	250	.099	1	1.79	.016	.17	.2	.02	5.9	.1	.08	5	1.3
RW-06872	.9	49.6	9.4	65	.1	19.5	11.4	228	2.90	5.6	.6	3.8	1.6	16	.1	.3	.1	70	.24	.072	9	41.1	.75	161	.082	1	1.74	.010	.09	.1	.05	4.4	.1	<.05	6	.7
RW-06873	1.1	56.6	9.5	73	.1	22.5	14.9	355	3.23	6.0	.5	2.3	1.5	18	.1	.3	.2	84	.28	.076	9	53.4	.83	194	.089	1	1.74	.012	.10	.1	.03	4.5	.1	<.05	6	.5
RW-06874	1.0	61.4	9.3	73	.2	22.0	15.9	494	3.43	7.1	.6	6.3	1.9	19	.2	.3	.2	87	.30	.089	11	43.0	.76	224	.090	1	1.84	.012	.10	.1	.02	5.1	.1	<.05	6	.6
RW-06875	1.2	48.0	11.3	69	.2	19.2	12.1	315	3.01	7.4	.7	5.9	1.8	18	.1	.3	.1	73	.28	.080	10	35.0	.65	182	.075	1	1.68	.010	.08	.1	.04	4.0	.1	<.05	6	.5
RW-06876	1.1	45.4	8.2	59	.1	18.4	11.7	302	2.87	6.0	.6	10.3	1.7	16	.1	.3	.1	69	.24	.067	9	31.7	.59	171	.079	<.1	1.56	.013	.08	.1	.03	3.9	.1	<.05	5	.5
RW-06877	.8	63.3	10.9	84	<.1	26.0	18.9	437	3.75	6.3	.5	6.3	2.5	20	.1	.3	.1	92	.39	.105	10	38.4	.96	217	.111	1	2.14	.015	.15	.1	.02	5.8	.1	<.05	6	<.5
RW-06878	1.1	70.6	16.9	75	.2	21.9	12.1	245	3.09	5.9	.8	12.1	1.4	17	.2	.3	.1	80	.28	.071	13	36.6	.74	265	.066	1	1.95	.011	.09	.1	.04	5.8	.1	<.05	6	.5
RW-06879	1.1	55.5	9.5	71	.1	22.6	15.3	454	3.86	6.2	.6	8.7	1.5	20	.1	.5	.1	91	.36	.099	11	36.4	.63	230	.048	3	1.91	.011	.08	.1	.03	6.3	.1	<.05	6	<.5
RW-06880	1.1	51.7	8.7	72	<.1	27.2	15.4	534	3.70	5.5	.6	5.6	2.6	21	.1	.4	.2	82	.39	.085	13	45.4	.84	328	.070	1	1.89	.012	.09	.1	.04	8.1	.1	<.05	5	.5
RW-06881	1.3	56.2	9.6	73	.1	22.1	14.8	427	3.57	6.5	.6	16.7	2.4	22	.1	.4	.2	78	.42	.129	10	34.6	.76	205	.079	1	1.81	.012	.10	.1	.09	5.7	.1	<.05	5	.5
RW-06882	1.3	50.7	12.2	72	<.1	25.2	15.5	419	3.55	7.3	.6	17.2	2.3	15	.1	.4	.1	76	.26	.085	10	43.6	.83	211	.085	2	2.04	.010	.10	.1	.03	5.9	.1	<.05	6	.5
RW-06883	1.0	53.2	9.0	62	<.1	22.8	12.0	312	3.26	6.6	.7	10.4	1.6	16	.1	.3	.1	76	.25	.069	10	37.3	.75	206	.077	1	1.91	.010	.08	.1	.03	4.8	.1	<.05	6	<.5
RW-06884	1.3	55.4	7.9	88	<.1	28.4	19.0	691	3.74	8.3	.6	32.3	2.3	18	.2	.4	.1	79	.31	.088	12	43.9	.85	285	.078	2	2.05	.011	.11	.1	.04	6.9	.1	<.05	6	<.5
RW-06885	1.7	31.1	5.0	40	.1	12.9	10.5	324	2.06	4.8	.4	114.6	.6	15	.1	.3	.1	48	.25	.064	7	24.5	.43	167	.052	<.1	1.14	.016	.06	.1	.04	3.5	.1	<.05	4	<.5
RW-06886	1.0	61.5	5.4	63	<.1	24.7	16.7	351	3.44	5.6	.5	11.6	2.7	18	<.1	.3	.1	80	.39	.104	10	46.5	1.02	192	.100	<.1	1.95	.014	.14	.1	.04	5.8	.1	<.05	6	<.5
RW-06887	.6	75.3	5.4	71	<.1	28.4	18.6	351	3.71	3.4	.6	4.1	2.9	21	.1	.3	.1	87	.39	.094	12	58.0	1.29	335	.141	<.1	2.11	.014	.32	.1	.03	8.2	.2	<.05	7	.5
RW-06888	.6	65.7	6.5	78	<.1	26.7	17.7	397	3.44	3.0	.6	7.0	3.0	22	.1	.3	.1	87	.42	.102	11	52.2	1.26	313	.138	<.1	2.00	.016	.29	.1	.03	7.7	.2	<.05	6	<.5
RW-06889	1.2	27.3	9.9	68	<.1	39.4	16.6	621	3.18	6.3	1.3	2.7	2.5	25	.1	.4	.1	64	.44	.072	19	60.2	.82	209	.084	<.1	1.94	.010	.08	.1	.03	4.5	.2	<.05	6	<.5
RW-06890	1.0	98.9	8.3	71	.2	21.4	14.5	271	3.80	7.4	.7	7.8	3.0	19	.1	.4	.1	85	.34	.099	10	38.6	.92	183	.106	1	1.97	.016	.12	.1	.07	6.3	.1	<.05	6	.7
RW-06891	.9	66.7	8.3	61	.3	16.4	10.9	232	3.57	5.1	.6	6.6	1.2	17	.2	.3	.1	77	.27	.087	8	34.8	.78	151	.074	1	1.63	.013	.06	.1	.05	4.5	.1	<.05	6	1.1
RW-06892	.7	77.7	7.0	87	<.1	23.7	17.4	373	3.87	3.4	.6	5.8	3.2	19	.2	.3	.1	93	.38	.101	13	50.9	1.24	271	.131	<.1	2.10	.015	.24	.1	.04	7.6	.2	<.05	7	.5
RW-06893	1.4	26.5	11.1	66	.1	28.8	10.8	366	2.87	15.0	1.1	6.0	3.4	18	.1	.6	.1	59	.24	.062	20	38.4	.59	168	.079	2	1.60	.010	.10	.1	.03	3.4	.1	<.05	5	<.5
RW-06894	2.2	29.0	14.9	76	.2	34.2	13.3	529	3.35	21.4	1.2	11.4	3.5	18	.2	.7	.2	64	.25	.081	21	46.1	.69	218	.084	<.1	1.64	.008	.15	.1	.04	3.3	.2	<.05	5	<.5
RW-06895	1.5	26.5	12.3	66	.2	27.4	10.4	391	2.98	28.5	1.2	5.1	3.1	17	.2	1.4	.2	58	.21	.060	21	37.1	.56	226	.067	1	1.56	.009	.09	.1	.05	3.6	.2	<.05	5	<.5
RW-06896	1.7	31.8	12.6	75	.2	36.5	12.9	451	3.25	31.0	1.4	10.0	4.4	22	.2	1.2	.2	62	.33	.104	21	48.7	.77	253	.092	1	1.70	.008	.13	.1	.05	3.7	.2	<.05	6	<.5
RW-06897	1.9	36.8	11.6	77	.3	35.4	11.7	536	3.21	34.7	2.3	7.7	3.7	22	.1	1.0	.2	62	.29	.079	35	44.2	.63	422	.069	1	1.64	.010	.12	.1	.08	4.8	.2	<.05	5	<.5
RW-06898	1.6	30.3	11.6	73	.3	32.5	11.0	417	3.05	23.6	1.9	6.7	4.3	22	.2	.6	.2	57	.31	.076	25	39.8	.60	283	.077	1	1.50	.010	.15	.1	.06	3.8	.2	<.05	6	<.5
RW-06899	1.5	33.5	10.9	76	.2	33.3	12.3	562	3.16	18.1	2.2	5.2	5.0	20	.1	.4	.1	51	.27	.077	39	45.0	.67	325	.086	<.1	1.56	.008	.26	.1	.05	4.2	.2	<.05	5	<.5
RE RW-06899	1.2	32.7	11.3	78	.2	34.3	11.9	564	3.17	18.2	2.3	7.9	5.0	19	.1	.4	.2	51	.28	.077	39	44.4	.69	324	.084	<.1	1.55	.008	.26	.1	.06	4.2	.2	.06	5	<.5
STANDARD DS	11.3	121.7	29.4	141	.3	24.6	10.7	683	2.77	19.5	6.5	46.6	3.0	39	5.9	3.5	4.9	55	.82	.077	12	180.2	.56	162	.078	16	1.86	.070	.14	3.5	.22	3.2	1.7	<.05	6	4.3

Standard is STANDARD DS6. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
G-1	.7	2.5	3.3	40	<.1	6.0	3.9	493	1.77	<.5	2.0	2.0	4.4	70	<.1	<.1	.1	36	.53	.086	7	83.6	.52	201	.119	1	.88	.065	.43	<.1	<.01	2.0	.3	<.05	4	<.5
RW-06900	1.0	28.4	11.3	69	.2	35.7	11.3	370	2.92	14.9	1.8	3.7	4.8	19	.1	.4	.2	50	.26	.067	33	48.9	.61	313	.080	1	1.54	.009	.21	.1	.05	3.9	.2	<.05	5	<.5
RW-06901	1.1	32.1	9.9	71	<.1	64.3	16.2	540	3.58	9.3	1.3	1.5	5.5	24	.1	.3	.1	63	.46	.161	28	85.9	.99	283	.123	1	1.84	.008	.50	.1	.01	4.1	.2	<.05	7	<.5
RW-06902	2.3	60.9	13.4	93	.2	48.3	16.1	443	3.77	11.1	1.7	18.3	6.3	20	.1	.4	.2	61	.22	.073	26	62.5	.82	231	.101	4	1.70	.009	.37	.1	.02	4.4	.3	<.05	6	.5
RW-06903	1.0	27.2	9.1	67	<.1	36.0	12.6	334	3.13	7.0	1.1	5.3	4.0	18	.2	.3	.2	62	.25	.076	23	54.6	.82	194	.108	1	1.80	.009	.29	.1	.03	3.2	.2	<.05	6	<.5
RW-06904	1.2	23.5	9.4	61	.1	37.9	12.0	416	2.83	6.3	1.0	4.7	2.4	19	.1	.3	.2	58	.28	.066	26	61.8	.70	227	.086	2	1.49	.010	.16	.2	.03	3.4	.2	<.05	5	<.5
RW-06905	1.2	26.6	8.5	73	<.1	40.0	13.5	410	3.29	5.5	1.0	7.7	4.9	19	.1	.3	.1	66	.36	.101	22	58.7	.83	194	.120	2	1.63	.009	.33	.2	.01	3.6	.2	<.05	6	<.5
RW-06906	1.6	24.0	10.0	53	<.1	24.7	9.3	307	2.63	8.1	1.1	2.8	1.3	17	.1	.4	.2	62	.19	.057	20	43.0	.52	171	.063	<.1	1.48	.010	.06	.1	.03	2.9	.2	<.05	6	<.5
RW-06907	1.4	24.6	9.3	65	<.1	31.5	13.1	652	2.77	6.7	1.1	2.1	2.7	16	.1	.3	.2	55	.21	.075	24	44.5	.55	143	.076	1	1.39	.010	.14	.1	.05	2.9	.1	<.05	6	.5
RW-06908	.9	25.1	9.5	66	<.1	30.0	12.8	457	2.98	7.6	.9	4.7	4.0	21	.1	.3	.1	63	.30	.073	22	41.3	.61	179	.096	2	1.63	.010	.10	.1	.02	3.3	.2	<.05	6	<.5
RW-06909	.7	28.6	9.3	66	<.1	37.5	14.3	560	3.10	5.9	.7	4.2	5.6	24	.1	.3	.1	59	.46	.088	19	47.9	.79	182	.113	<.1	1.77	.011	.19	.1	.01	3.6	.2	<.05	5	<.5
RW-06910	.9	60.4	17.7	109	.1	58.0	20.4	1029	4.28	4.6	1.0	2.0	10.1	31	.2	.2	.2	63	.57	.110	26	58.8	1.44	235	.111	1	2.24	.008	.55	.1	.01	5.1	.4	<.05	6	.6
RW-06911	.6	26.9	10.0	64	<.1	30.8	12.4	494	2.98	6.9	1.0	4.1	2.6	28	.1	.3	.1	63	.47	.063	22	42.3	.70	220	.071	1	1.85	.011	.06	.1	.02	3.9	.1	<.05	5	<.5
RW-06912	1.0	20.7	10.2	58	<.1	30.9	11.7	427	3.03	7.6	.8	3.4	2.3	25	.1	.3	.1	66	.40	.070	16	44.8	.63	170	.083	1	1.78	.009	.07	.2	.02	3.6	.1	<.05	6	<.5
RW-06913	.8	26.8	9.3	61	<.1	31.4	12.2	423	3.02	7.8	1.1	3.8	3.8	27	.1	.4	.1	57	.47	.077	26	39.9	.68	188	.086	1	1.68	.010	.13	.1	.03	3.7	.1	<.05	5	.5
RW-06914	.8	24.3	9.3	61	<.1	30.9	13.3	440	3.03	9.2	.8	2.0	4.9	22	.1	.3	.1	60	.40	.072	16	41.7	.73	144	.094	<.1	1.74	.010	.13	.1	.02	3.6	.2	<.05	5	<.5
RW-06915	1.0	23.2	11.0	67	<.1	30.4	13.0	581	3.20	11.7	.8	1.2	3.3	26	.1	.3	.1	67	.41	.063	15	44.6	.75	164	.086	1	2.01	.010	.08	.1	.02	3.7	.1	<.05	6	<.5
RW-06916	1.3	27.0	8.3	65	.1	26.8	12.0	377	3.07	6.5	1.2	.6	3.3	25	.1	.3	.1	64	.39	.080	25	38.1	.60	156	.084	<.1	1.66	.010	.13	.2	.01	3.0	.2	<.05	6	.5
RW-06917	1.3	49.8	8.8	73	<.1	49.3	18.2	516	3.63	5.8	1.2	6.2	8.8	23	.2	.4	.1	70	.36	.112	33	54.8	.75	250	.101	2	1.74	.009	.25	.1	.01	4.7	.2	<.05	5	<.5
RW-06918	1.3	34.6	8.0	79	.1	40.6	13.6	433	2.98	16.1	1.0	2.9	7.0	22	.4	.7	.1	69	.35	.089	24	46.1	.73	328	.110	2	1.60	.011	.17	.1	.01	4.0	.2	<.05	5	.6
RW-06919	1.5	32.0	10.1	71	.2	32.5	11.6	278	3.38	12.6	1.2	6.4	5.8	18	.2	1.0	.1	66	.25	.069	27	46.6	.71	296	.093	1	1.90	.008	.13	.1	.05	4.0	.2	<.05	6	.6
RW-06920	1.5	31.2	9.6	87	<.1	35.0	13.8	489	3.45	9.3	1.3	11.8	7.3	18	.2	.4	.1	61	.25	.073	29	44.9	.67	263	.103	1	1.72	.010	.24	.1	.02	4.0	.2	<.05	5	<.5
RW-06921	1.2	16.8	12.2	51	<.1	20.6	8.1	336	3.40	11.4	.7	25.8	4.7	11	.1	.4	.2	88	.12	.045	15	39.3	.48	95	.133	<.1	1.46	.006	.14	.1	.02	3.0	.2	<.05	8	<.5
RE RW-06921	1.5	17.9	12.4	53	<.1	19.6	8.3	331	3.36	11.6	.7	2.3	5.0	11	.1	.4	.2	85	.10	.045	15	37.8	.47	99	.125	<.1	1.42	.006	.13	.1	.02	3.0	.2	<.05	8	<.5
RW-06922	1.5	26.5	10.0	71	<.1	30.7	13.6	544	3.23	10.8	1.0	3.0	9.1	13	.1	.4	.1	59	.22	.066	27	43.4	.58	137	.111	1	1.62	.008	.19	.1	.02	3.8	.2	<.05	5	<.5
RW-06923	3.4	38.1	13.9	85	.1	36.0	16.4	787	3.87	14.6	1.7	85.7	10.0	17	.1	.3	.1	56	.22	.064	52	48.8	.61	220	.062	1	1.70	.008	.16	.1	.03	4.9	.2	<.05	5	<.5
RW-06924	3.9	27.8	12.0	86	<.1	36.9	18.5	818	3.69	5.9	1.0	9.4	9.3	13	.2	.4	.1	50	.16	.042	31	58.1	.62	119	.078	1	1.58	.007	.14	.1	.02	3.7	.2	<.05	5	<.5
RW-06925	.9	33.7	10.0	67	<.1	31.7	14.4	391	3.41	4.9	1.2	9.1	11.8	15	.1	.3	.1	54	.24	.056	42	43.3	.71	160	.104	1	1.81	.008	.26	.1	.02	3.3	.3	<.05	5	<.5
RW-06926	1.4	22.6	11.1	68	<.1	26.6	10.6	340	3.51	7.9	.8	82.2	5.1	15	.1	.4	.1	70	.19	.035	18	46.1	.63	101	.127	<.1	1.59	.008	.17	.1	.02	3.2	.2	<.05	7	<.5
RW-06927	1.2	29.3	8.6	59	.1	27.6	12.8	480	3.05	6.4	1.1	6.1	5.0	16	.1	.3	.1	61	.20	.053	30	42.2	.57	144	.091	<.1	1.78	.010	.12	.1	.03	3.5	.2	<.05	5	.5
RW-06928	1.2	18.8	9.7	54	<.1	23.3	9.3	326	3.08	7.6	.6	17.6	5.3	13	.1	.3	.1	68	.14	.032	17	35.5	.53	107	.120	1	1.40	.008	.13	.1	.02	2.8	.2	<.05	6	<.5
RW-06929	1.3	14.7	10.2	40	.1	11.9	5.6	197	2.55	6.4	.5	15.9	3.1	11	.1	.4	.2	68	.10	.032	9	26.3	.32	67	.114	<.1	1.17	.009	.09	.1	.03	2.1	.1	<.05	7	<.5
RW-06939	2.4	28.2	14.7	76	.3	27.9	8.5	370	2.91	30.9	.9	4.6	1.3	17	.3	1.2	.2	65	.18	.061	18	35.3	.44	252	.056	1	1.41	.011	.09	.1	.05	2.8	.2	<.05	6	.7
RW-06940	2.2	31.6	17.0	80	.2	32.5	15.1	807	3.67	38.6	1.2	7.8	4.8	19	.2	1.5	.2	69	.21	.048	30	40.4	.54	374	.064	2	1.82	.009	.08	.1	.04	4.2	.2	<.05	6	.6
RW-06941	2.1	31.1	14.2	77	.2	32.1	10.2	443	3.25	45.7	1.1	4.5	1.9	18	.3	3.2	.2	68	.19	.054	18	38.8	.51	292	.057	<.1	1.65	.008	.07	.1	.05	3.1	.2	<.05	6	.8
STANDARD DS6	11.4	121.3	29.3	140	.3	24.7	10.7	687	2.79	19.8	6.6	51.8	3.0	40	6.0	3.6	4.9	55	.83	.077	13	184.5	.56	162	.080	18	1.88	.072	.14	3.5	.23	3.2	1.7	<.05	6	4.1

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.





SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
G-1	.7	2.4	3.4	39	<.1	6.0	3.9	507	1.75	<.5	2.1	<.5	4.7	71	<.1	<.1	.2	37	.58	.087	7	86.4	.53	201	.126	2	.91	.072	.44	<.1	<.01	2.2	.3	<.05	4	<.5
RW-06942	2.1	32.9	13.6	67	.4	27.0	10.2	566	2.90	35.7	1.6	5.1	1.6	19	.2	1.1	.2	54	.23	.069	31	39.0	.46	467	.038	2	1.57	.011	.07	.1	.11	3.2	.2	<.05	5	<.5
RW-06943	2.5	28.7	14.9	72	.3	26.5	9.9	492	2.92	30.4	1.2	1.9	1.2	19	.3	1.1	.2	60	.23	.062	18	34.2	.47	408	.045	1	1.48	.009	.06	.2	.05	2.8	.1	<.05	5	.5
RW-06944	2.0	26.4	11.7	69	.1	27.0	9.8	446	2.93	34.6	.9	4.0	2.1	18	.1	1.0	.2	61	.24	.053	13	35.7	.53	340	.062	2	1.59	.009	.06	.2	.05	3.5	.1	<.05	5	.5
RW-06945	1.5	24.4	10.5	69	.2	24.1	9.7	503	2.68	29.3	1.4	1.1	1.7	17	.2	.8	.2	53	.24	.062	19	31.4	.47	286	.058	2	1.32	.010	.07	.1	.04	2.7	.1	<.05	5	<.5
RW-06946	1.1	35.1	10.9	96	<.1	42.3	17.0	581	3.54	25.1	1.5	1.8	9.0	17	.3	.7	.1	48	.26	.072	25	41.8	.77	270	.109	1	1.69	.010	.32	.1	.02	3.8	.3	<.05	5	.5
RW-06947	1.1	22.0	11.1	65	.2	23.7	7.9	303	2.57	11.8	1.3	3.1	1.9	20	.2	.4	.2	54	.27	.056	18	32.9	.50	205	.062	1	1.45	.009	.07	.1	.04	2.8	.1	<.05	5	<.5
RW-06948	.8	29.0	10.2	74	.2	36.2	10.6	406	3.01	8.8	1.8	4.1	5.1	18	.1	.3	.2	54	.28	.060	26	46.3	.82	277	.098	1	1.72	.009	.26	.1	.04	4.2	.2	<.05	6	<.5
RW-06949	1.2	23.1	13.2	65	.1	27.0	10.2	342	2.90	19.4	1.3	3.3	3.1	17	.1	.5	.2	55	.21	.059	26	38.7	.59	181	.060	1	1.67	.009	.08	.1	.03	3.4	.2	<.05	6	<.5
RW-06950	1.2	16.2	6.9	34	<.1	17.2	6.1	271	1.42	4.8	.9	<.5	.5	15	.2	.3	.2	32	.18	.072	18	27.8	.27	144	.042	1	.78	.014	.07	.1	.04	1.4	.1	<.05	4	<.5
RW-06951	1.8	22.8	10.1	60	.1	43.4	13.8	874	2.96	7.3	1.2	3.5	2.1	18	.1	.4	.2	60	.24	.075	25	67.2	.68	219	.070	2	1.64	.011	.08	.1	.03	2.9	.2	<.05	6	<.5
RW-06952	1.0	29.0	9.9	61	.1	42.1	12.2	361	3.01	6.4	1.3	13.2	3.5	20	.1	.3	.2	60	.31	.081	27	53.2	.73	242	.089	1	1.79	.011	.10	.1	.05	3.8	.1	<.05	6	<.5
RW-06953	1.3	18.8	9.1	49	<.1	25.0	9.6	450	2.79	7.3	.8	11.6	2.8	12	.2	.4	.2	61	.12	.047	16	42.1	.48	86	.087	1	1.44	.011	.09	.1	.04	2.5	.2	<.05	6	<.5
RW-06954	1.2	25.6	10.7	59	<.1	29.8	11.6	410	2.89	6.9	1.0	2.6	4.6	16	.1	.4	.2	55	.20	.055	20	40.2	.58	130	.090	2	1.54	.009	.13	.2	.03	3.3	.2	<.05	5	<.5
RW-06955	1.3	25.0	10.2	55	.2	29.7	14.0	532	2.51	5.3	1.1	14.4	1.4	18	.1	.3	.1	54	.24	.078	18	46.6	.59	193	.068	1	1.49	.012	.13	.1	.04	3.0	.2	<.05	5	<.5
RW-06956	1.1	27.1	11.1	63	<.1	27.6	12.3	469	3.04	7.0	1.0	6.4	2.6	20	.1	.4	.2	62	.34	.062	22	45.2	.61	209	.074	1	1.63	.010	.09	.1	.03	3.4	.2	<.05	6	<.5
RW-06957	1.1	30.0	10.1	60	.1	31.1	12.5	485	3.16	7.2	1.2	5.6	2.4	20	.1	.4	.2	65	.28	.066	28	48.6	.68	241	.074	1	1.79	.010	.09	.1	.03	3.8	.2	<.05	7	<.5
RW-06958	.8	23.8	10.0	61	<.1	29.5	11.5	322	2.72	6.1	.9	4.1	2.5	23	.1	.3	.2	55	.37	.054	18	45.1	.63	216	.076	1	1.65	.011	.08	.1	.02	3.6	.1	<.05	6	<.5
RW-06960	1.7	19.7	10.6	54	<.1	18.8	7.9	260	3.87	8.4	.6	1.3	3.1	11	.1	.4	.2	86	.11	.051	11	40.3	.47	66	.135	1	1.54	.007	.09	.1	.03	2.6	.1	<.05	9	<.5
RW-06961	1.4	16.4	9.2	31	<.1	13.1	5.1	156	2.49	6.9	.5	2.4	5.0	8	.1	.5	.2	89	.08	.022	14	22.0	.22	45	.131	1	.92	.005	.04	.1	.02	2.3	.1	<.05	9	<.5
RW-06962	1.1	18.3	8.8	46	<.1	17.8	7.1	205	2.51	5.5	.7	3.8	2.2	11	.1	.3	.1	56	.13	.035	15	28.7	.38	95	.070	<1	1.17	.006	.09	.1	.03	2.1	.1	<.05	6	<.5
RW-06963	1.8	16.9	11.4	40	<.1	16.5	6.5	240	3.24	14.1	.5	1.3	2.8	12	.1	.6	.2	87	.10	.031	12	34.8	.34	90	.098	1	1.27	.006	.06	.1	.02	2.5	.1	<.05	8	<.5
RE RW-06963	1.9	17.7	11.2	42	<.1	16.3	6.5	244	3.27	14.1	.5	3.2	2.8	12	.2	.5	.2	86	.10	.031	13	36.4	.35	91	.098	2	1.30	.006	.06	.1	.02	2.4	.1	<.05	8	<.5
RW-06964	.3	3.9	1.3	12	<.1	1.8	1.6	39	.67	.6	.1	<.5	<.1	6	<.1	.1	<.1	18	.04	.015	1	4.8	.04	12	.029	<1	.18	.016	.02	<.1	.01	.3	<.1	<.05	2	<.5
RW-06965	1.1	23.3	9.2	62	<.1	30.8	12.8	411	3.41	7.7	1.0	4.6	5.1	17	.2	.5	.1	62	.25	.063	22	44.3	.66	119	.097	1	1.99	.010	.12	.1	.03	3.8	.1	<.05	5	<.5
RW-06966	1.1	16.5	11.4	25	<.1	8.9	3.4	93	1.47	5.3	.6	4.9	.6	12	.1	.3	.2	56	.11	.026	20	20.2	.17	108	.068	1	.81	.006	.05	.1	.02	1.5	.1	<.05	6	<.5
RW-06967	.9	24.1	8.1	56	<.1	27.0	11.4	339	2.92	6.5	1.1	8.3	6.4	16	.1	.4	.1	58	.20	.045	28	42.1	.62	150	.107	2	1.62	.010	.13	.1	.02	3.4	.2	<.05	5	<.5
RW-06968	1.1	22.8	9.3	56	<.1	25.3	9.5	283	3.09	7.0	.9	19.9	6.3	16	.1	.4	.1	64	.20	.035	25	42.4	.62	138	.118	1	1.63	.009	.16	.1	.02	3.4	.2	<.05	6	<.5
RW-06969	1.1	22.2	9.4	56	<.1	23.4	10.3	321	2.97	7.0	.9	5.6	3.6	16	.1	.4	.1	63	.19	.051	28	41.2	.56	130	.098	1	1.59	.009	.14	.1	.02	3.0	.2	<.05	6	<.5
RW-06970	1.1	21.4	9.6	57	<.1	23.1	9.3	249	2.94	6.1	.8	2.2	5.2	15	.1	.3	.1	60	.18	.035	24	41.3	.59	131	.119	1	1.57	.010	.18	.1	.03	2.9	.2	<.05	7	<.5
RW-06971	1.0	19.8	10.3	60	<.1	23.4	11.0	329	3.21	6.5	.7	5.5	6.0	14	.1	.3	.1	64	.18	.041	17	40.7	.60	108	.134	2	1.57	.009	.19	.1	.02	2.9	.2	<.05	7	<.5
RW-06972	1.2	27.0	8.8	70	<.1	30.9	11.1	344	3.11	6.7	.9	11.5	6.7	17	.1	.4	.1	64	.22	.050	22	45.4	.70	152	.116	2	1.71	.010	.15	.1	.02	3.6	.2	<.05	6	<.5
RW-06973	1.4	29.7	9.3	73	<.1	36.8	14.2	403	3.27	6.1	1.0	16.4	6.9	18	.1	.3	.1	67	.25	.064	24	57.5	.85	186	.132	1	1.84	.010	.28	.1	.02	3.9	.2	<.05	7	<.5
RW-06974	1.2	19.5	7.9	49	<.1	19.7	8.4	253	2.51	5.4	.9	6.0	4.0	14	.1	.3	.1	52	.15	.038	20	32.6	.48	100	.088	1	1.41	.010	.10	.1	.02	2.7	.2	<.05	6	<.5
RW-06987	.9	14.1	6.6	31	<.1	11.9	4.5	138	1.85	3.9	.7	2.1	3.5	12	.1	.2	.1	39	.12	.027	18	23.0	.28	70	.068	1	.97	.012	.07	.1	.03	1.8	.1	<.05	5	<.5
STANDARD DS6	11.5	122.3	29.5	142	.3	24.9	10.7	690	2.82	19.1	6.7	47.5	3.0	40	6.0	3.5	5.0	56	.84	.077	13	185.1	.57	163	.081	17	1.90	.072	.14	3.7	.23	3.2	1.7	<.05	6	4.2

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
G-1	.7	2.4	3.3	41	<.1	6.9	4.2	514	1.80	.8	2.1	1.5	4.8	75	<.1	<.1	.1	39	.56	.094	7	88.0	.55	201	.130	<.1	.92	.065	.44	<.1	<.01	2.1	.3	<.05	4	<.5
RW-06988	1.1	25.4	11.2	71	<.1	30.8	14.4	454	3.03	11.0	.9	3.8	2.5	36	.1	.4	.2	62	.53	.073	16	50.5	.78	189	.072	1	1.94	.010	.06	.1	.04	3.8	.2	<.05	6	<.5
RW-06989	1.0	38.5	8.9	72	<.1	36.2	12.9	386	3.23	9.3	1.5	8.4	9.6	17	.1	.4	.1	60	.21	.059	35	49.2	.81	237	.112	1	2.08	.010	.17	.1	.05	5.9	.2	<.05	6	.6
RW-06990	.9	26.8	8.6	63	<.1	29.8	12.6	360	3.15	6.6	.8	3.3	8.2	16	.1	.4	.1	64	.23	.057	21	42.3	.72	166	.122	1	2.04	.009	.16	.2	.02	3.7	.2	<.05	6	<.5
RW-06991	1.5	23.3	10.4	64	<.1	25.9	16.9	829	3.47	11.8	.7	7.6	3.2	18	.1	.4	.2	67	.19	.064	16	46.0	.63	182	.086	1	1.79	.011	.13	.1	.02	3.7	.1	<.05	7	.5
RW-06992	1.1	16.4	7.5	39	<.1	13.6	6.0	237	2.23	5.5	.5	2.1	.6	12	.1	.3	.2	52	.13	.046	10	27.3	.39	99	.063	<.1	1.21	.017	.06	.1	.02	1.8	.1	<.05	5	<.5
RW-06993	1.5	21.3	9.4	61	<.1	19.0	11.6	526	3.44	8.2	.5	4.8	3.5	16	.2	.4	.2	74	.18	.047	11	39.8	.62	156	.099	1	1.72	.010	.10	.2	.04	3.1	.1	<.05	7	<.5
RW-06994	1.4	27.6	9.6	59	<.1	22.4	11.0	436	3.13	6.8	.6	4.1	.9	17	.2	.5	.2	71	.17	.046	12	38.6	.59	165	.076	1	1.85	.012	.08	.1	.02	2.6	.1	<.05	7	<.5
RW-07054	1.3	23.0	8.2	55	<.1	14.4	9.3	335	2.74	5.9	.5	3.3	.5	16	.2	.5	.1	66	.18	.049	8	26.8	.45	125	.063	2	1.33	.014	.06	<.1	.03	2.8	.1	<.05	6	<.5
RW-07055	1.1	33.0	8.1	79	<.1	23.5	14.0	544	3.54	9.4	.6	2.9	2.2	20	.2	.5	.1	76	.27	.070	11	41.5	.80	204	.098	2	2.21	.013	.08	.1	.04	5.1	.1	<.05	7	<.5
RW-07056	1.0	36.0	8.4	78	<.1	24.6	16.6	536	3.90	7.6	.5	2.7	2.0	19	.1	.4	.1	84	.29	.078	11	40.6	.98	194	.130	1	2.17	.015	.10	.1	.03	4.8	.2	<.05	7	<.5
RW-07059	.9	46.6	8.7	77	<.1	23.3	13.3	458	3.76	7.3	.6	3.5	2.6	18	.1	.5	.2	89	.29	.084	11	44.6	.90	235	.105	1	2.08	.012	.12	.1	.03	6.1	.1	<.05	7	<.5
RW-07129	1.4	33.9	11.4	69	.1	45.4	14.6	441	3.52	8.1	1.1	3.5	2.3	19	.1	.5	.2	71	.23	.071	21	67.8	.80	191	.084	1	1.82	.009	.14	.1	.04	3.8	.2	<.05	6	<.5
RW-07130	1.5	28.0	12.7	55	.2	33.5	14.6	572	3.29	9.1	1.5	10.5	2.1	24	.1	.4	.2	63	.31	.099	24	48.0	.59	255	.057	1	1.79	.012	.11	.1	.07	3.4	.2	.06	6	.5
RW-07131	.7	25.6	9.5	62	<.1	37.9	13.9	445	2.88	6.6	1.0	3.0	2.4	24	<.1	.4	.2	58	.34	.080	17	47.6	.63	264	.074	1	1.71	.011	.07	.1	.03	3.6	.2	<.05	6	<.5
RW-07348	.9	45.7	8.6	75	<.1	25.9	15.1	474	3.69	7.1	.7	4.5	2.6	22	.1	.4	.1	85	.33	.084	11	45.1	.90	230	.110	2	2.26	.014	.10	.1	.03	5.7	.1	<.05	7	<.5
RW-07349	1.0	44.8	9.6	73	<.1	22.8	12.8	419	3.44	6.7	.7	16.5	1.5	21	.1	.5	.1	79	.29	.076	11	42.1	.84	272	.085	1	2.07	.012	.10	.2	.04	4.7	.1	<.05	7	<.5
RE RW-07349	1.0	45.2	9.8	73	<.1	23.9	13.0	420	3.49	6.8	.7	11.1	1.5	22	.1	.4	.1	81	.29	.077	12	43.4	.84	270	.093	2	2.07	.013	.10	.1	.04	5.2	.1	<.05	7	<.5
RW-07373	1.2	14.5	10.7	51	<.1	20.3	9.1	282	3.88	9.1	.6	2.0	4.6	14	.2	.5	.2	70	.15	.041	13	43.9	.47	107	.091	2	1.70	.008	.06	.1	.03	3.2	.1	<.05	7	<.5
RW-07374	2.3	40.1	9.9	61	<.1	34.7	14.4	384	3.78	9.3	.9	2.8	1.8	19	.1	.5	.2	89	.21	.046	16	53.3	.74	330	.099	2	1.82	.010	.13	.1	.03	3.6	.1	<.05	8	<.5
RW-07375	1.3	20.7	8.8	64	<.1	23.6	9.8	368	3.38	8.4	.6	2.2	2.2	25	.1	.5	.2	72	.25	.047	10	37.0	.51	124	.094	1	1.58	.010	.08	.1	.04	2.5	.1	<.05	7	<.5
RW-07376	1.1	56.5	5.8	104	<.1	74.7	28.3	744	6.45	3.8	.7	<.5	3.2	19	.1	.2	.1	121	.37	.138	15	122.4	1.64	294	.300	1	3.18	.008	1.31	.2	.03	4.6	.5	<.05	11	<.5
RW-07377	2.0	36.0	5.1	83	<.1	177.2	65.7	601	4.90	2.7	.6	.8	1.3	69	.2	.2	.1	117	.91	.290	13	227.6	2.46	127	.105	1	2.26	.008	.31	.1	.02	3.7	.3	<.05	10	<.5
RW-07378	1.6	62.1	21.2	113	.1	52.0	23.7	1174	4.83	7.6	1.3	1.1	8.3	60	.2	.3	.3	66	.82	.080	27	58.5	1.31	150	.106	2	2.33	.013	.19	.1	.03	5.8	.3	.06	6	.6
RW-07379	1.4	52.5	10.6	109	<.1	53.5	18.2	1035	4.13	5.2	1.1	2.6	5.2	40	.3	.2	.1	83	.66	.082	22	85.0	1.77	232	.130	2	2.72	.013	.42	.2	.02	4.7	.3	<.05	7	.6
RW-07380	1.8	40.6	12.0	78	.1	52.9	18.0	764	3.70	42.9	1.1	4.9	4.5	29	.2	.7	.2	75	.49	.099	27	73.3	1.03	255	.104	1	1.95	.011	.20	.1	.03	4.8	.2	<.05	6	<.5
RW-07472	.8	27.2	8.7	79	<.1	17.0	7.5	201	3.19	18.2	.5	4.4	2.3	22	.1	.6	.1	75	.28	.083	9	28.8	.67	169	.087	2	1.88	.011	.07	.1	.05	4.5	.1	<.05	6	<.5
RW-07473	.7	38.6	9.9	73	.1	21.1	9.1	215	3.43	12.5	.8	8.0	3.3	23	.2	.5	.1	70	.28	.069	14	33.8	.62	253	.101	2	2.03	.012	.08	.1	.06	6.5	.1	<.05	7	<.5
RW-07474	.7	30.6	8.7	70	.1	21.7	10.1	244	3.60	9.4	.7	5.4	3.0	26	.2	.5	.1	60	.30	.077	12	31.0	.58	277	.103	1	1.87	.013	.08	.1	.05	5.5	.1	<.05	7	.5
RW-07475	.5	20.0	9.6	72	<.1	16.6	7.6	186	2.52	6.0	.7	6.9	3.4	19	.1	.5	.1	63	.25	.055	11	32.7	.54	192	.096	2	1.91	.010	.06	.2	.05	5.3	.1	<.05	6	<.5
RW-07476	.4	14.8	9.0	62	<.1	15.4	5.7	156	1.95	4.0	.5	9.2	2.7	19	.1	.5	.2	48	.25	.055	9	31.8	.48	203	.082	2	1.69	.010	.05	.2	.06	4.1	.1	<.05	6	<.5
RW-07477	.9	23.0	9.3	69	<.1	18.1	7.9	187	3.23	7.8	.7	13.5	3.6	19	.1	.6	.1	62	.27	.059	11	30.6	.54	234	.083	2	1.75	.011	.06	.1	.07	5.1	.1	<.05	6	<.5
RW-07478	.7	23.1	10.4	74	<.1	16.7	6.5	197	2.64	4.8	.8	17.7	3.6	20	.2	.5	.2	56	.28	.053	12	31.3	.55	235	.095	2	1.80	.012	.07	.1	.08	5.4	.1	<.05	6	<.5
RW-07479	4.1	66.7	15.5	92	.3	21.9	13.3	497	6.57	19.6	2.5	43.1	3.9	19	.3	.8	.2	86	.22	.130	42	37.3	.53	467	.071	2	2.27	.012	.10	.2	.19	12.9	.1	<.05	7	1.1
RW-07480	1.3	49.7	16.2	105	.2	20.8	11.9	532	3.54	7.7	1.3	22.8	3.2	20	.3	.6	.2	61	.26	.077	23	33.6	.57	368	.092	3	1.90	.014	.10	.1	.11	7.4	.1	<.05	6	.5
STANDARD DS6	11.7	125.5	30.4	145	.3	25.5	11.0	708	2.87	19.5	6.8	48.0	3.0	40	6.2	3.5	5.1	56	.80	.079	13	186.0	.58	162	.081	18	1.92	.073	.14	3.6	.24	3.3	1.8	<.05	6	4.3

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
G-1	.7	2.3	3.1	40	<.1	6.9	3.9	501	1.77	<.5	2.2	2.2	4.6	72	<.1	<.1	.1	37	.55	.087	8	90.1	.54	198	.124	1	.91	.067	.43	<.1	<.01	2.3	.3	<.05	4	<.5
RW-07481	.8	33.9	12.0	74	<.1	20.3	10.0	459	2.79	5.3	.8	44.1	3.2	18	.2	.4	.1	53	.23	.052	13	29.3	.55	235	.081	2	1.65	.013	.08	.1	.06	4.4	.1	<.05	5	<.5
RW-07482	1.2	16.4	8.6	38	<.1	8.9	4.9	259	2.77	5.7	.4	21.5	1.1	12	.1	.4	.2	62	.10	.035	7	21.1	.26	81	.068	2	1.23	.011	.05	.1	.04	2.4	.1	<.05	6	<.5
RW-07483	1.0	24.1	9.2	62	<.1	16.6	9.0	360	3.23	6.4	.5	6.9	2.0	19	.2	.4	.1	61	.22	.041	8	25.7	.50	125	.083	1	1.62	.012	.08	.1	.03	3.6	.1	<.05	6	<.5
RW-07484	1.2	29.5	12.8	81	<.1	16.7	11.7	453	3.49	6.6	.5	9.0	2.6	17	.2	.4	.1	65	.17	.049	8	27.0	.51	134	.097	1	1.87	.014	.10	.1	.02	4.0	.1	<.05	6	<.5
RW-07485	1.2	22.2	10.7	88	<.1	15.1	8.3	362	3.68	7.0	.6	9.6	2.4	18	.2	.4	.1	67	.19	.051	9	31.2	.49	149	.092	1	2.18	.012	.07	.1	.04	4.2	.1	<.05	7	<.5
RW-07486	1.9	29.3	10.0	86	.2	11.1	4.9	309	4.48	9.7	.7	6.4	2.9	24	.2	.4	.2	50	.12	.054	12	22.0	.45	206	.100	1	1.46	.044	.30	.1	.03	5.5	.1	.40	8	.5
RW-07487	1.8	21.9	13.4	67	<.1	11.0	6.8	481	3.41	9.4	.6	9.8	2.4	19	.2	.5	.1	53	.12	.049	10	24.9	.39	104	.077	1	1.53	.020	.12	.1	.04	3.6	.1	.11	6	<.5
RW-07488	1.0	25.9	9.9	79	<.1	18.5	11.5	503	3.06	5.4	.6	19.3	3.0	16	.3	.3	.1	51	.26	.068	10	26.2	.55	159	.090	1	1.68	.010	.13	.1	.03	4.4	.1	<.05	4	<.5
RW-07489	1.0	31.6	9.7	82	<.1	20.0	9.6	419	3.04	5.7	.8	31.3	3.9	19	.1	.4	.1	54	.27	.064	16	31.5	.58	218	.097	1	1.59	.012	.14	.1	.04	4.9	.1	<.05	4	<.5
RW-07490	1.6	33.2	10.5	82	<.1	24.7	13.5	482	3.29	7.9	.7	27.2	4.1	17	.2	.5	.1	64	.21	.057	12	34.4	.54	172	.091	2	2.09	.011	.09	.1	.04	4.3	.1	<.05	5	<.5
RE RW-07490	1.5	31.9	10.6	78	<.1	24.2	13.4	474	3.24	7.6	.7	42.3	4.0	16	.2	.5	.2	64	.22	.058	12	34.7	.53	167	.086	2	2.09	.011	.09	.2	.04	4.3	.1	<.05	6	<.5
RW-07491	1.7	40.1	13.4	82	.1	26.5	14.3	503	3.51	10.5	1.5	20.1	5.3	19	.2	.5	.2	71	.22	.056	33	41.1	.63	346	.083	2	2.27	.011	.09	.2	.06	6.5	.2	<.05	6	<.5
RW-07492	1.4	34.4	11.4	75	<.1	24.8	14.4	415	3.07	8.7	.9	21.8	4.3	16	.2	.4	.2	61	.21	.062	13	34.2	.55	204	.075	2	2.07	.009	.09	.1	.05	4.0	.1	<.05	5	<.5
RW-07493	2.1	44.4	13.4	78	.1	24.5	13.1	335	3.23	9.6	1.3	33.2	5.1	13	.1	.7	.3	53	.19	.062	24	22.5	.36	157	.045	3	1.22	.008	.10	.1	.08	4.2	.1	<.05	4	.6
RW-07494	1.1	32.9	9.2	60	<.1	19.1	9.7	251	3.84	8.2	.5	3.3	2.4	13	.1	.4	.2	83	.17	.042	8	32.4	.50	114	.102	1	2.06	.009	.08	.1	.04	3.2	.1	<.05	6	<.5
RW-08597	1.2	25.4	17.1	51	<.1	12.7	10.9	555	2.34	3.6	.4	5.5	.6	13	.1	.2	.2	66	.17	.049	7	28.6	.56	144	.076	1	1.20	.015	.10	.1	.03	3.3	.1	<.05	5	<.5
RW-08598	1.2	33.5	8.0	66	<.1	16.4	14.5	530	3.25	6.0	.6	4.2	1.6	21	.1	.4	.1	73	.33	.068	10	32.3	.73	248	.077	1	1.77	.013	.08	.1	.03	4.5	.1	<.05	6	<.5
RW-08599	1.0	28.0	8.7	70	<.1	19.4	12.4	457	3.16	5.5	.5	5.9	1.4	17	.2	.3	.1	78	.29	.077	8	38.2	.74	181	.091	<1	1.62	.014	.09	.1	.03	3.9	.1	<.05	6	<.5
RW-08600	1.2	43.8	16.0	74	<.1	21.5	13.7	511	3.33	6.7	.7	8.0	2.1	17	.2	.4	.1	77	.26	.063	12	41.2	.73	289	.083	2	1.88	.012	.08	.1	.04	5.2	.1	<.05	6	<.5
RW-08700	.9	41.8	22.3	81	<.1	20.1	16.4	752	3.46	5.3	.6	9.4	2.0	21	.1	.3	.2	87	.31	.059	9	43.2	.98	269	.104	1	2.04	.013	.12	.1	.04	5.6	.1	<.05	6	<.5
RW-08795	1.1	23.2	8.4	66	.1	27.9	9.8	265	3.00	18.6	.8	1.2	8.6	14	.2	.4	.1	58	.16	.036	28	40.4	.59	219	.117	<1	1.50	.009	.25	.1	.02	3.5	.2	<.05	6	<.5
RW-08796	1.2	26.9	8.9	75	<.1	33.7	13.7	481	3.20	23.2	.9	7.5	9.6	16	.2	.4	.1	62	.19	.052	29	46.1	.67	301	.124	1	1.59	.009	.28	.1	.02	3.8	.3	<.05	6	<.5
RW-08797	1.6	37.1	10.5	94	.1	43.5	14.7	501	3.39	60.6	1.1	3.8	8.4	20	.2	1.4	.1	72	.24	.071	30	57.2	.77	534	.102	<1	1.81	.009	.19	.2	.03	4.4	.2	<.05	6	<.5
RW-08798	1.4	27.6	10.0	75	.1	32.4	12.8	432	3.11	39.1	1.0	2.7	7.1	22	.2	.9	.1	64	.27	.059	26	46.1	.67	468	.096	1	1.72	.010	.17	.1	.04	3.9	.2	<.05	6	<.5
RW-08799	.9	21.8	8.4	66	<.1	27.1	11.5	354	2.89	15.2	.8	2.2	5.4	25	.1	.4	.1	58	.36	.054	22	40.6	.65	333	.106	1	1.62	.010	.16	.1	.02	3.4	.2	<.05	5	<.5
RW-08800	1.1	28.8	9.1	69	.2	29.0	13.8	479	3.06	16.2	1.1	3.2	5.7	29	.1	.5	.1	60	.46	.068	25	43.3	.63	539	.086	1	1.63	.012	.15	.1	.04	4.0	.2	<.05	6	<.5
RW-08868	.9	25.1	8.0	65	.1	29.3	14.1	571	2.93	9.3	1.0	2.4	3.8	37	.1	.3	.1	54	.68	.084	24	41.8	.63	540	.086	1	1.66	.013	.13	.1	.04	3.9	.2	<.05	5	<.5
RW-08869	1.0	30.9	8.4	76	.2	33.6	14.3	487	3.22	18.8	1.2	3.5	6.7	28	.1	.6	.1	62	.46	.086	31	50.5	.76	608	.098	1	1.86	.011	.17	.1	.03	4.6	.2	<.05	6	.5
RW-08934	.7	30.3	33.2	85	.1	16.3	8.6	203	2.47	5.3	.5	16.0	1.8	21	.2	.2	.1	54	.30	.087	8	26.6	.52	173	.066	<1	1.40	.013	.06	.1	.05	3.5	.1	<.05	5	<.5
RW-08935	.4	28.3	8.7	84	.1	16.2	7.7	175	2.10	5.6	.5	38.4	2.4	20	.2	.3	.1	54	.34	.070	10	27.8	.55	215	.069	1	1.51	.013	.05	.2	.05	3.7	.1	<.05	5	<.5
RW-08966	.8	15.7	7.7	53	<.1	12.3	7.2	197	2.28	4.5	.4	7.9	1.2	17	.1	.2	.1	54	.27	.079	7	26.0	.51	124	.053	2	1.24	.014	.06	.2	.03	3.4	.1	<.05	5	<.5
RW-08967	.4	15.6	8.2	57	<.1	13.2	5.5	195	2.13	5.7	.5	6.2	1.3	17	.1	.2	.1	50	.22	.059	9	27.0	.44	140	.057	1	1.34	.012	.05	.1	.04	3.3	.1	<.05	5	<.5
RW-09019	.8	38.6	8.8	73	.2	17.4	16.0	402	3.18	7.0	.7	35.9	2.2	18	.1	.4	.1	77	.28	.081	12	34.6	.71	180	.087	2	1.79	.018	.09	.1	.12	5.4	.1	<.05	6	<.5
RW-09020	.6	38.9	9.0	65	<.1	22.4	18.7	614	3.07	5.3	.5	78.5	2.3	21	.1	.4	.1	78	.41	.095	10	44.6	.88	186	.105	1	1.53	.021	.15	.1	.03	5.2	.1	<.05	5	<.5
STANDARD DS6	11.5	121.8	29.3	140	.3	24.6	10.6	688	2.80	19.5	6.7	45.3	3.1	39	5.9	3.5	4.8	55	.82	.073	13	184.4	.56	162	.080	16	1.88	.071	.14	3.6	.22	3.2	1.7	<.05	6	3.7

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
G-1	.7	2.2	2.8	39	<.1	7.3	3.6	478	1.64	1.9	2.0	1.7	4.0	60	<.1	<.1	.1	36	.49	.081	6	72.8	.51	193	.116	1	.81	.052	.41	.1	<.01	2.0	.3	<.05	4	<.5
RW-09021	1.1	55.2	31.2	74	.4	20.7	26.4	1064	3.75	8.8	.9	7.1	1.9	22	.1	.5	.2	87	.28	.079	12	44.4	.87	262	.074	2	1.83	.015	.09	.1	.06	7.3	.1	<.05	6	.5
RW-09022	.4	17.6	12.4	62	.1	16.2	7.4	159	2.40	6.0	.5	7.8	1.3	18	.1	.3	.1	58	.24	.063	8	27.9	.56	171	.059	2	1.49	.012	.05	.2	.05	4.2	.1	<.05	5	<.5
RW-09023	.4	14.9	8.7	63	<.1	13.6	6.9	159	1.98	4.9	.5	4.2	1.3	16	.1	.3	.1	38	.23	.060	7	27.3	.51	142	.051	1	1.48	.012	.05	.2	.05	3.6	.1	<.05	5	<.5
RW-09024	.3	10.9	6.7	50	<.1	12.1	4.9	129	1.56	4.8	.4	1.8	.8	17	.1	.3	.1	36	.22	.051	6	21.9	.40	155	.039	1	1.20	.013	.04	.1	.04	3.0	.1	<.05	4	<.5
RE RW-09024	.2	12.0	6.4	49	<.1	12.5	5.1	134	1.63	4.8	.4	4.7	.8	17	.1	.3	.1	39	.23	.052	7	22.5	.41	153	.044	2	1.25	.014	.04	.1	.04	3.1	.1	<.05	4	<.5
RW-09025	.4	15.0	8.4	60	<.1	13.2	6.3	187	2.26	5.4	.5	5.6	1.5	18	.2	.3	.1	46	.31	.082	8	26.5	.51	135	.061	2	1.48	.013	.05	.1	.05	3.5	.1	<.05	5	<.5
RW-09026	.6	18.2	7.8	63	<.1	14.3	7.9	207	2.60	6.1	.5	15.9	2.3	19	.1	.3	.1	54	.38	.109	9	26.1	.57	145	.075	2	1.49	.015	.06	.2	.03	4.1	.1	<.05	5	<.5
RW-09027	.5	17.9	8.3	56	<.1	15.4	6.5	150	2.23	7.5	.6	1.3	1.6	17	.1	.3	.1	56	.26	.077	9	26.3	.46	148	.062	1	1.45	.011	.05	.1	.04	3.5	.1	<.05	4	<.5
RW-09028	.5	24.0	8.3	67	<.1	16.9	9.5	225	2.44	6.1	.5	10.9	2.5	20	.2	.4	.1	54	.34	.095	8	27.8	.56	161	.075	1	1.44	.012	.06	.1	.03	3.8	.1	<.05	5	<.5
RW-09029	.5	12.5	8.0	52	<.1	13.3	5.5	136	2.04	4.9	.5	4.4	1.6	17	.1	.3	.1	43	.23	.052	8	27.0	.45	136	.072	1	1.35	.010	.05	.1	.04	3.0	.1	<.05	5	<.5
RW-09030	.7	17.8	7.9	61	<.1	16.0	6.9	158	2.36	9.8	.6	12.0	2.2	18	.1	.3	.1	59	.26	.063	10	28.6	.48	169	.070	1	1.48	.012	.05	.2	.04	3.8	.1	<.05	5	<.5
RW-09031	.6	15.1	7.2	57	<.1	15.3	6.7	194	2.39	8.8	.6	9.1	2.3	20	.1	.3	.1	55	.30	.072	9	26.0	.47	156	.071	2	1.29	.011	.05	.1	.03	3.2	.1	<.05	4	<.5
RW-09032	.8	14.3	7.9	67	<.1	15.9	7.5	233	2.72	9.5	.6	6.0	2.8	18	.1	.4	.1	60	.29	.075	9	28.2	.50	166	.073	2	1.43	.010	.05	.2	.02	3.6	.1	<.05	5	<.5
RW-09033	.6	17.0	7.6	57	<.1	13.1	5.9	134	2.39	6.6	.6	9.7	2.0	16	.1	.3	.1	45	.23	.064	8	25.1	.43	133	.059	1	1.29	.010	.05	.1	.04	2.9	.1	<.05	4	<.5
RW-09034	.7	28.2	8.6	70	<.1	16.2	7.7	160	2.82	11.2	.7	26.5	3.6	18	.1	.4	.1	60	.28	.083	12	27.9	.50	175	.072	2	1.47	.011	.06	.2	.03	4.1	.1	<.05	4	<.5
RW-09035	.6	24.9	9.0	69	<.1	16.3	7.0	159	2.30	9.7	.7	9.8	2.8	20	.1	.3	.1	53	.29	.066	10	28.6	.50	186	.081	2	1.50	.010	.06	.2	.05	4.0	.1	<.05	5	<.5
RW-09036	.9	45.6	9.5	73	.1	17.4	8.9	185	2.92	12.1	.8	13.3	3.7	20	.1	.5	.2	63	.30	.076	12	29.7	.55	191	.087	1	1.56	.011	.07	.2	.04	4.6	.1	<.05	5	.5
RW-09037	.9	42.8	8.0	66	.1	15.1	7.6	148	2.96	9.4	.8	13.2	2.6	18	.2	.4	.2	62	.25	.095	10	26.4	.46	186	.065	1	1.43	.011	.05	.1	.05	3.8	.1	<.05	4	.6
RW-09039	1.0	34.6	8.5	75	.1	16.1	7.9	216	2.52	7.0	.6	31.8	2.8	20	.2	.3	.1	60	.31	.089	10	27.1	.52	185	.073	1	1.46	.011	.06	.1	.07	3.7	.1	<.05	5	<.5
RW-09071	1.6	22.7	43.1	50	<.1	13.1	8.6	352	3.63	7.2	.5	32.6	1.7	11	.2	.6	.2	81	.14	.050	8	29.0	.48	132	.083	1	1.63	.010	.07	.1	.04	3.8	.1	<.05	8	<.5
RW-09072	1.0	24.6	18.6	59	<.1	19.7	10.1	352	3.78	8.9	.5	5.2	1.9	14	.1	.5	.2	87	.17	.050	8	36.2	.64	159	.092	2	1.88	.009	.07	.1	.02	4.1	.1	<.05	7	.5
RW-09074	1.1	52.2	9.1	87	<.1	26.5	15.7	571	4.15	7.8	.6	33.7	2.0	17	.1	.4	.1	105	.26	.085	10	56.5	1.08	297	.111	2	2.41	.013	.15	.1	.04	7.1	.1	<.05	8	<.5
RW-09150	1.0	59.6	8.1	72	.1	22.6	14.8	363	3.78	6.4	.6	4.3	1.6	16	.1	.3	.2	93	.20	.053	7	45.9	.78	330	.132	2	2.08	.014	.19	.1	.04	4.9	.5	<.05	7	<.5
RW-09151	1.0	60.0	7.4	71	<.1	22.3	16.3	453	3.56	6.6	.4	8.6	2.2	15	.1	.4	.1	91	.25	.057	7	41.4	.77	184	.141	1	1.93	.011	.17	.1	.02	4.3	.2	<.05	6	<.5
RW-09152	1.0	72.2	6.3	81	<.1	21.2	16.2	495	3.71	5.5	.5	3.4	2.0	16	.1	.3	.1	77	.29	.071	6	32.8	.93	198	.167	1	2.05	.010	.29	.1	.02	3.8	.1	<.05	6	<.5
RW-09153	1.1	34.3	7.2	52	<.1	13.0	8.2	329	3.01	5.2	.3	2.5	1.2	10	.1	.3	.2	130	.13	.037	5	22.2	.62	235	.181	<1	1.59	.009	.28	.1	.02	2.4	.1	<.05	9	<.5
RW-09154	.9	69.8	8.2	77	<.1	23.0	14.2	447	3.38	6.4	.7	42.2	3.0	18	.1	.3	.1	76	.27	.063	10	32.9	.89	340	.141	1	2.17	.012	.22	.1	.03	4.6	.1	<.05	6	<.5
RW-09155	1.1	58.8	23.4	80	.1	20.0	12.4	499	3.52	7.7	.6	5.9	2.7	17	.2	.4	.2	77	.24	.055	10	33.2	.79	343	.136	2	2.03	.011	.22	.1	.03	4.9	.1	<.05	7	<.5
RW-09156	.8	71.0	8.5	84	<.1	19.7	13.0	427	3.49	7.0	.5	2.3	2.5	14	.1	.4	.1	83	.22	.058	9	25.6	.88	251	.148	<1	2.07	.010	.29	.1	.03	3.7	.2	<.05	6	<.5
RW-09157	1.3	84.9	13.9	102	<.1	18.6	17.8	624	3.60	4.9	.5	3.7	2.6	15	.1	.2	.1	78	.20	.059	9	33.6	1.05	502	.158	1	1.86	.011	.46	.1	.02	3.9	.2	<.05	6	<.5
RW-09158	1.4	54.0	16.6	71	<.1	17.5	15.9	486	3.21	7.3	.5	3.1	2.5	16	.2	.9	.1	71	.17	.049	9	27.7	.62	620	.096	1	1.81	.008	.14	.1	.06	4.0	.1	<.05	5	<.5
RW-09159	1.3	54.1	14.0	72	<.1	25.2	18.4	532	3.73	7.2	.5	11.1	2.9	14	.2	.4	.1	77	.19	.048	8	49.4	.90	240	.109	1	2.15	.013	.16	.1	.05	4.7	.1	<.05	5	.5
RW-09160	.8	26.5	10.0	63	.1	28.9	15.8	527	2.95	12.1	.9	.9	3.1	37	.2	.4	.1	58	.68	.124	22	41.2	.61	240	.073	1	1.76	.013	.09	.1	.04	4.3	.1	<.05	5	<.5
RW-09161	1.0	26.5	8.9	71	<.1	29.7	15.0	592	3.20	12.8	.8	1.1	4.4	36	.1	.4	.1	55	.75	.130	21	39.7	.66	216	.075	<1	1.66	.011	.17	.1	.04	4.2	.1	<.05	5	<.5
STANDARD DS6	11.3	120.7	29.4	139	.3	24.1	10.5	683	2.76	19.9	6.5	47.1	3.0	39	5.9	3.5	4.9	55	.82	.077	13	182.0	.56	163	.079	16	1.87	.074	.14	3.8	.22	3.2	1.7	<.05	5	4.2

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
G-1	.6	2.6	3.1	41	<.1	6.1	3.8	501	1.68	<.5	2.0	2.2	4.0	62	<.1	<.1	.1	38	.50	.082	6	76.9	.53	196	.116	1	.83	.056	.42	<.1	<.01	2.0	.3	<.05	4	<.5
RW-09162	1.2	27.0	7.7	60	.1	26.7	12.8	564	3.02	16.4	1.4	2.5	5.7	32	.1	.4	.1	53	.53	.066	35	42.5	.65	364	.084	2	1.67	.012	.18	.1	.05	4.4	.2	<.05	5	<.5
RE RW-09162	1.2	27.7	7.6	64	.1	28.4	13.2	570	3.06	17.5	1.4	4.0	5.9	32	.1	.4	.1	54	.56	.065	35	43.3	.67	369	.083	1	1.73	.012	.19	.1	.04	4.3	.2	<.05	5	<.5
RW-09163	1.4	22.9	8.5	66	<.1	28.5	15.2	670	3.02	11.8	1.2	3.4	5.5	28	.1	.3	.2	55	.45	.072	27	44.1	.68	269	.090	1	1.76	.011	.14	.1	.05	4.4	.2	<.05	5	<.5
RW-09164	2.0	27.6	8.8	74	<.1	34.1	14.6	524	3.44	30.4	1.0	3.8	8.7	19	.1	.6	.1	60	.28	.068	23	46.1	.82	226	.133	1	1.84	.009	.29	.1	.01	4.0	.3	<.05	5	<.5
RW-09165	1.1	21.2	9.7	57	.1	24.4	10.8	389	2.79	10.5	1.0	5.1	3.8	23	.1	.3	.1	55	.34	.062	25	39.4	.62	289	.072	1	1.61	.010	.09	.1	.04	3.2	.1	<.05	5	<.5
RW-09166	1.0	29.9	8.0	95	<.1	35.4	15.9	444	3.87	9.9	1.3	1.9	11.7	15	.1	.2	.1	54	.33	.077	24	49.6	1.00	508	.207	1	2.07	.007	.75	.1	.02	4.1	.5	<.05	6	<.5
RW-09250	1.1	53.4	14.2	93	.1	28.4	16.5	631	3.99	7.7	.7	14.5	3.1	20	.2	.5	.1	95	.33	.081	13	53.1	1.02	325	.096	2	2.34	.013	.13	.1	.03	7.8	.2	<.05	7	<.5
RW-09301	.6	87.4	4.8	99	.1	4.7	3.1	329	5.15	2.1	.5	1.0	6.0	24	.1	.1	.3	44	.10	.063	12	15.3	1.84	404	.142	<.1	2.65	.045	.87	<.1	.01	7.5	.3	.44	10	3.1
RW-09302	7.4	90.5	8.9	95	<.1	8.9	3.7	384	5.01	1.0	.6	3.8	9.7	27	<.1	.1	.1	56	.23	.046	9	15.8	2.05	572	.149	1	2.53	.018	.99	<.1	.01	8.1	.3	.15	10	1.2
RW-09303	1.2	72.3	23.6	83	<.1	21.5	14.4	537	3.56	5.4	.6	18.8	3.5	15	.1	.4	.2	87	.29	.054	12	30.9	.96	403	.121	1	1.93	.010	.23	.1	.02	4.9	.2	<.05	6	<.5
RW-09304	.9	101.6	12.8	80	<.1	23.9	15.8	396	3.64	4.4	.7	24.5	2.9	15	.1	.3	.1	88	.25	.061	12	29.3	1.03	311	.136	1	2.17	.009	.26	.1	.03	4.6	.2	<.05	5	<.5
RW-09305	2.5	74.6	23.4	69	.3	20.3	11.3	422	3.70	6.2	.9	164.0	2.6	19	.1	.5	.2	67	.28	.053	16	33.0	.61	512	.047	1	2.06	.009	.11	.2	.08	6.8	.1	<.05	6	<.5
RW-09306	.8	91.5	21.9	78	<.1	23.1	15.8	373	3.52	4.2	.6	11.7	3.0	19	<.1	.3	.1	76	.32	.058	13	38.7	1.03	289	.150	1	2.01	.012	.28	.1	.06	4.9	.2	<.05	6	<.5
RW-09307	.8	53.5	10.2	60	<.1	21.4	10.8	263	2.91	6.8	.8	3.5	3.4	14	.1	.5	.2	61	.20	.044	14	35.7	.59	193	.077	3	2.13	.009	.09	.2	.05	4.8	.1	<.05	5	<.5
RW-09308	.7	75.8	19.6	80	<.1	21.0	15.9	621	3.81	5.0	.6	18.8	2.6	14	.1	.6	.1	68	.24	.046	11	28.3	.79	330	.107	1	1.72	.009	.27	.1	.07	5.3	.1	<.05	5	<.5
RW-09309	1.0	78.4	7.2	68	<.1	19.4	17.4	514	3.81	7.2	.5	7.2	2.1	11	.1	1.4	.1	55	.21	.059	7	21.7	.57	157	.053	3	1.86	.007	.16	.1	.20	3.9	.1	<.05	4	<.5
RW-09314	1.5	28.0	23.7	61	.3	24.9	7.9	243	2.68	11.7	2.1	18.8	2.0	21	.1	.5	.2	39	.21	.109	48	27.9	.40	264	.035	2	1.62	.009	.10	.1	.08	3.4	.2	.10	4	<.5
RW-09315	.7	46.6	11.5	66	.1	136.1	32.3	480	3.43	5.5	1.0	7.3	3.2	30	.2	.4	.2	64	.65	.142	24	91.1	.85	355	.067	1	1.77	.012	.10	.2	.07	4.8	.2	<.05	5	<.5
RW-09316	1.1	12.8	8.8	28	<.1	11.7	4.2	163	1.84	5.6	.5	7.1	1.3	9	.1	.4	.2	58	.06	.038	11	17.9	.16	48	.063	1	.67	.008	.05	.1	.02	1.4	.1	<.05	6	<.5
RW-09317	1.0	24.8	9.8	52	<.1	30.9	13.1	442	3.28	16.9	.8	3.1	4.1	19	.2	.7	.1	50	.19	.047	16	33.1	.44	123	.061	1	1.62	.010	.08	.1	.03	3.0	.1	<.05	4	<.5
RW-09318	1.6	21.8	9.1	44	<.1	16.4	5.7	302	2.17	6.8	.8	1.6	.5	15	.1	.5	.2	63	.14	.064	12	26.7	.24	96	.049	1	.90	.008	.10	<.1	.05	1.3	.1	<.05	6	<.5
RW-09319	3.2	36.9	17.6	81	<.1	41.2	18.2	670	3.97	11.7	1.0	8.7	4.4	19	.2	.6	.2	71	.18	.074	18	53.8	.91	163	.092	1	2.14	.009	.22	.1	.02	4.1	.2	<.05	6	<.5
RW-09320	1.3	24.9	9.3	47	<.1	62.2	15.4	492	2.72	2.8	.5	.9	1.9	28	.1	.2	.1	57	.63	.091	10	89.3	.95	196	.113	1	1.41	.018	.19	.1	.02	2.7	.2	<.05	6	<.5
RW-09321	1.2	35.4	16.3	91	<.1	68.6	23.1	1151	4.00	5.0	.8	1.0	6.3	30	.1	.2	.1	64	.45	.065	19	97.7	1.31	182	.166	<.1	2.30	.011	.38	.1	.01	4.0	.4	<.05	7	<.5
RW-09322	1.2	30.0	13.0	64	.1	36.7	19.0	1422	3.35	4.8	1.0	1.3	3.0	38	.1	.3	.2	61	.68	.072	20	62.5	.84	194	.100	1	1.83	.013	.09	.1	.03	3.4	.2	.06	6	<.5
RW-09323	.8	33.7	11.7	72	<.1	34.7	15.3	809	3.35	5.3	1.2	1.1	5.4	31	.1	.3	.1	62	.61	.065	28	44.5	.84	160	.112	1	1.85	.011	.14	.1	.03	4.3	.2	<.05	6	<.5
RW-09324	.9	28.8	10.3	67	.1	26.9	13.3	1031	2.93	5.4	1.1	.5	2.1	49	.1	.4	.2	55	.95	.084	21	41.2	.75	195	.071	1	1.79	.013	.08	.1	.04	2.9	.2	<.05	5	<.5
RW-09325	.8	30.0	11.8	72	<.1	33.8	15.6	733	3.35	7.9	1.1	2.4	3.8	30	<.1	.2	.2	63	.51	.069	22	44.3	.90	181	.097	1	2.05	.011	.08	.1	.03	4.6	.2	<.05	6	<.5
RW-09326	1.1	33.2	7.7	73	<.1	43.3	19.1	720	3.61	6.4	1.1	1.5	3.7	38	.1	.3	.1	78	.75	.141	19	52.5	.99	199	.123	2	2.04	.012	.13	.1	.02	4.5	.2	<.05	6	<.5
RW-09327	1.0	29.1	8.3	61	<.1	34.5	14.9	700	2.99	7.6	1.1	1.8	1.5	35	.1	.3	.2	63	.71	.125	19	47.0	.65	207	.068	2	1.73	.014	.06	.1	.03	3.2	.2	<.05	6	<.5
RW-09328	.6	43.4	9.2	109	<.1	34.4	14.9	507	4.42	2.8	1.0	<.5	13.4	25	<.1	.1	.1	55	.32	.087	41	52.8	1.26	198	.198	<.1	2.24	.009	.94	.1	.01	3.6	.6	.14	6	<.5
RW-09329	.9	43.6	9.3	83	<.1	52.7	20.4	697	3.75	5.4	1.3	.9	7.9	31	.1	.2	.1	70	.60	.135	36	53.5	1.01	214	.140	1	2.06	.010	.25	.1	.03	4.5	.2	<.05	6	<.5
RW-09334	1.0	22.9	8.7	59	<.1	24.2	10.7	267	3.15	14.0	1.0	1.0	5.9	14	.1	.4	.1	60	.18	.041	23	33.6	.59	109	.104	2	1.66	.011	.12	.1	.02	3.0	.2	<.05	6	<.5
RW-09335	1.2	77.4	11.5	89	.1	108.7	34.2	782	5.21	4.9	1.4	2.9	10.3	28	.1	.4	.1	144	.50	.105	55	213.2	1.97	572	.176	2	2.74	.011	.64	.1	.01	8.4	.4	<.05	9	.7
STANDARD DS6	11.7	124.0	30.6	143	.3	25.1	10.9	701	2.84	19.5	6.8	47.9	3.1	40	6.1	3.6	5.0	57	.81	.078	13	185.7	.58	164	.082	18	1.93	.071	.14	3.7	.23	3.3	1.8	<.05	6	3.7

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
G-1	.6	1.9	2.8	36	<.1	6.7	3.8	448	1.61	<.5	1.9	1.4	4.0	60	<.1	<.1	.1	34	.48	.081	6	72.6	.50	185	.110	1	.80	.055	.43	<.1	<.01	1.5	.3	<.05	4	<.5
RW-09336	2.6	72.8	14.1	85	.3	73.7	24.0	850	4.39	19.5	1.4	4.3	5.2	24	.2	.3	.2	126	.35	.094	32	138.2	1.37	678	.121	1	2.21	.010	.31	.1	.02	6.2	.4	<.05	9	1.1
RW-09337	1.8	35.0	10.6	75	.2	34.9	16.2	622	3.35	14.5	1.2	5.6	3.6	16	.2	.6	.2	63	.20	.064	25	45.4	.63	435	.056	2	1.68	.008	.13	.2	.04	3.8	.2	<.05	6	.7
RW-09338	.8	29.8	10.8	87	<.1	30.6	16.6	588	4.13	5.7	1.0	2.1	13.8	11	.1	.3	.1	49	.19	.055	25	49.2	.99	137	.150	1	2.09	.006	.54	.1	.01	3.4	.5	<.05	7	.5
RW-09339	1.0	24.4	9.5	56	<.1	26.1	11.7	335	3.19	7.9	.9	4.5	6.1	14	<.1	.4	.2	57	.16	.038	27	37.5	.62	169	.078	1	1.77	.009	.11	.1	.02	3.5	.2	<.05	6	.6
RW-09340	.8	25.2	9.6	57	<.1	25.9	12.0	345	3.20	8.2	.8	3.0	7.4	13	.1	.4	.1	59	.16	.039	24	39.1	.65	126	.090	1	1.84	.008	.11	.2	.03	3.5	.2	<.05	6	.5
RW-09341	1.2	45.8	15.6	82	.1	18.1	15.9	373	4.12	11.6	.6	14.4	2.4	16	<.1	.8	.1	79	.38	.065	9	33.4	.73	256	.081	2	1.84	.011	.12	.2	.13	4.9	.2	<.05	7	.5
RW-09342	.9	43.1	8.2	63	.1	20.2	25.6	884	3.53	8.4	.7	6.1	2.1	21	.1	.6	.1	70	.47	.066	9	44.1	.79	267	.094	2	1.72	.013	.10	.1	.06	4.6	.1	<.05	6	.7
RW-09343	1.1	59.8	9.8	67	<.1	24.1	15.1	248	3.35	7.8	.9	5.7	3.8	21	.2	.5	.1	84	.44	.071	13	45.7	.81	258	.112	1	1.82	.014	.12	.1	.06	6.3	.1	<.05	6	.7
RW-09344	1.0	53.8	8.7	73	.1	27.7	12.5	309	2.97	8.2	1.2	6.6	4.3	26	.2	.4	.2	67	.46	.080	17	44.9	.77	318	.104	1	1.62	.015	.12	.1	.05	5.6	.1	<.05	5	.7
RW-09345	1.3	62.8	17.4	85	.1	29.1	13.7	380	3.32	7.3	.9	28.0	5.7	26	.3	.6	.2	71	.50	.094	20	41.7	.71	303	.100	1	1.47	.019	.16	.2	.06	7.1	.2	<.05	5	.7
RW-09346	1.4	75.8	19.7	82	.2	26.7	17.8	384	3.66	4.5	.7	42.0	3.7	22	.2	.5	.1	77	.47	.097	13	40.4	.92	352	.127	1	1.81	.015	.23	.1	.10	6.8	.2	<.05	6	.8
RW-09347	1.3	73.1	15.5	94	.1	25.4	21.3	625	4.51	6.5	.6	14.2	2.8	18	.2	.4	.2	95	.30	.082	10	52.1	1.03	235	.134	1	2.35	.014	.25	.1	.02	5.5	.2	<.05	8	.8
RW-09348	1.2	44.6	8.1	65	<.1	26.4	18.8	670	3.97	7.4	.5	33.9	1.9	16	.2	.4	.1	93	.27	.085	8	74.0	.91	215	.116	2	1.91	.013	.15	.2	.05	5.2	.1	<.05	8	.7
RW-09349	2.1	42.7	8.1	73	<.1	18.8	19.4	639	4.35	6.6	.5	61.5	2.1	13	.2	.4	.1	101	.19	.072	7	30.0	.83	172	.128	1	2.20	.012	.20	.1	.03	4.4	.1	<.05	8	1.1
RW-09350	.9	60.0	9.6	76	<.1	19.9	15.7	596	4.01	5.3	.6	14.9	2.5	16	.2	.4	.1	86	.24	.046	12	29.5	.85	363	.085	1	1.93	.010	.19	.1	.03	6.7	.1	<.05	7	.7
RW-09351	1.5	25.0	18.5	68	.2	14.6	7.7	387	3.66	13.8	.5	31.1	2.3	13	.1	.5	.1	63	.14	.059	9	29.7	.44	97	.059	1	1.68	.012	.06	.2	.07	3.7	.1	.06	7	.8
RW-09352	1.6	25.8	13.4	79	<.1	17.9	13.1	633	3.75	10.1	.7	8.4	2.9	19	.1	.9	.1	66	.19	.057	11	28.3	.45	165	.046	3	1.84	.015	.09	.1	.03	6.3	.1	.06	6	.5
RE RW-09352	1.5	24.9	13.6	80	<.1	17.6	13.0	623	3.88	10.0	.7	11.6	2.9	18	.3	.8	.2	65	.18	.056	11	28.0	.45	173	.046	3	1.82	.016	.09	.1	.04	6.3	.1	<.05	6	.6
RW-09353	1.7	19.9	15.7	73	.1	14.2	7.5	290	3.59	12.8	.5	16.4	2.6	14	.1	.4	.1	35	.11	.043	8	20.6	.42	109	.053	1	1.71	.026	.11	.1	.04	3.1	.1	.17	5	.7
RW-09354	2.0	26.4	12.9	63	.2	11.4	6.1	279	4.28	12.7	.6	53.2	2.6	12	.1	.6	.2	61	.11	.056	10	24.2	.43	118	.077	1	1.78	.013	.09	.1	.05	4.0	.1	.06	8	.5
RW-09355	1.6	53.5	25.6	81	.2	10.8	8.8	352	4.14	12.9	1.0	22.4	3.4	14	.2	.4	.1	44	.16	.054	13	19.9	.53	165	.061	2	1.58	.014	.14	.1	.05	5.8	.1	.07	6	.7
RW-09356	2.0	31.4	33.4	73	.2	6.0	5.7	293	4.86	12.1	.5	14.1	3.2	26	.1	.2	.1	31	.07	.065	10	10.1	.46	186	.077	<.1	1.38	.072	.33	.1	.02	4.1	.1	.63	6	.9
RW-09357	2.9	26.8	107.0	81	.1	10.3	5.6	159	5.13	15.8	.7	15.6	5.3	10	.1	.5	.2	22	.07	.061	10	14.5	.28	109	.032	1	1.36	.026	.10	.1	.04	3.8	.1	.19	4	.7
RW-09358	1.1	28.5	12.9	55	.1	14.1	7.3	253	3.47	7.8	.7	27.7	2.2	13	.1	.4	.1	49	.14	.035	13	24.5	.47	189	.059	2	1.60	.012	.08	.1	.05	4.8	.1	<.05	6	.8
RW-09359	.9	23.4	10.1	55	<.1	18.0	8.3	286	3.09	8.3	.6	23.1	3.0	15	.1	.4	.1	57	.19	.039	10	31.8	.51	139	.073	1	1.88	.010	.08	.2	.04	4.0	.1	<.05	6	.5
RW-09360	1.1	19.1	7.5	59	<.1	13.5	8.6	416	2.68	6.0	.5	24.9	2.0	15	.2	.4	.1	52	.21	.049	10	27.4	.47	118	.080	2	1.57	.010	.09	.1	.03	4.1	.1	<.05	6	<.5
RW-09361	.6	17.3	8.1	56	<.1	13.8	5.8	163	2.40	6.1	.7	11.1	1.9	18	.1	.3	.1	44	.23	.068	11	24.6	.45	203	.073	2	1.45	.012	.07	.1	.05	4.4	.1	<.05	6	<.5
RW-09362	.9	20.0	10.3	64	.1	14.5	8.6	254	3.12	9.1	.9	34.9	3.1	21	.1	.5	.1	52	.30	.069	15	28.0	.49	230	.081	2	1.48	.013	.09	.1	.05	5.3	.1	<.05	5	<.5
RW-09363	1.0	23.7	9.4	63	.1	14.8	7.9	199	2.91	7.6	.8	8.3	2.4	19	.2	.4	.1	53	.23	.062	12	26.7	.51	198	.070	1	1.55	.012	.07	.1	.05	4.8	.1	<.05	6	<.5
RW-09364	.9	31.7	8.4	73	.1	17.5	11.4	277	2.92	5.5	.8	14.6	3.6	18	.1	.4	.1	62	.26	.062	14	31.0	.60	239	.089	2	1.54	.013	.07	.1	.04	6.0	.1	<.05	5	.5
RW-09365	1.1	25.5	8.7	65	.1	14.4	7.6	177	2.96	8.5	.9	11.7	4.2	17	.1	.5	.1	46	.21	.053	14	24.5	.50	173	.079	1	1.42	.011	.08	.1	.07	5.1	.1	<.05	5	.6
RW-09366	1.2	23.8	13.2	85	.1	17.7	7.0	195	2.97	8.0	1.0	10.7	3.2	20	.2	.5	.1	45	.24	.063	15	30.7	.52	160	.073	1	1.37	.012	.10	.1	.09	4.4	.1	<.05	5	<.5
RW-09367	1.1	23.9	8.9	91	.1	20.8	10.0	445	3.12	8.6	.9	23.8	2.8	18	.2	.4	.1	53	.23	.067	15	32.6	.54	171	.081	2	1.80	.011	.10	.1	.11	4.2	.1	<.05	6	<.5
RW-09368	1.2	15.4	8.3	70	.1	12.1	10.5	861	2.80	6.9	.5	9.4	1.7	13	.2	.5	.2	51	.16	.052	8	24.5	.45	110	.079	1	1.34	.010	.09	.1	.04	3.7	.1	<.05	7	<.5
STANDARD DS6	11.6	123.5	30.0	143	.3	24.7	10.8	704	2.83	20.4	6.8	46.1	3.1	41	6.1	3.6	5.1	56	.86	.078	14	185.4	.58	164	.084	18	1.93	.074	.16	3.5	.23	3.3	1.8	<.05	6	4.6

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
G-1	.7	2.2	3.2	42	<.1	6.3	3.8	496	1.81	<.5	1.9	1.3	4.0	69	<.1	<.1	.1	37	.54	.081	8	81.7	.53	204	.122	1	.87	.058	.43	<.1	<.01	2.0	.3	<.05	5	<.5
RW-09369	1.6	41.5	13.0	91	.3	19.9	11.0	522	3.41	8.6	1.4	25.5	3.7	21	.2	.5	.2	55	.29	.076	33	31.8	.53	396	.074	2	1.85	.012	.12	.1	.08	5.9	.1	<.05	6	.7
RW-09370	1.4	45.4	11.7	89	.2	20.6	9.8	498	3.27	7.2	1.4	34.9	4.5	22	.2	.5	.1	54	.32	.074	33	31.1	.56	373	.096	2	1.67	.013	.13	.1	.08	6.1	.1	<.05	6	.6
RW-09371	1.1	30.7	11.9	72	.2	23.4	10.9	391	3.14	9.7	1.4	14.9	4.2	21	.2	.5	.2	63	.26	.065	27	35.3	.53	302	.068	2	1.96	.011	.08	.1	.06	4.8	.1	<.05	6	<.5
RW-09372	1.1	30.2	9.6	92	.1	25.8	13.7	398	3.03	7.6	1.1	5.4	5.8	18	.2	.3	.2	62	.30	.069	18	35.2	.63	219	.092	2	1.61	.011	.17	.1	.03	3.8	.2	<.05	6	<.5
RW-09373	1.2	52.2	8.6	73	.1	21.9	15.7	448	2.88	6.6	1.2	6.8	4.0	20	.2	.3	.1	61	.33	.075	26	28.7	.55	386	.083	1	1.60	.012	.12	.2	.04	4.3	.1	<.05	5	<.5
RW-09374	.6	48.3	5.5	72	<.1	22.7	14.9	353	3.10	3.8	.5	8.2	2.5	20	.1	.3	.1	75	.35	.073	10	48.6	.85	235	.137	1	1.71	.016	.23	.1	.03	4.0	.2	<.05	6	<.5
RW-09375	.7	49.0	5.8	76	<.1	19.5	12.3	351	3.10	4.5	.4	4.1	2.0	20	.1	.2	.1	69	.32	.061	8	33.2	.85	223	.148	1	1.66	.013	.27	.1	.03	3.4	.2	<.05	7	<.5
RW-09376	.6	48.5	7.4	73	<.1	19.2	11.6	307	2.93	4.8	.6	5.7	2.7	20	.1	.3	.1	65	.34	.066	10	31.5	.82	225	.131	1	1.84	.013	.17	.2	.04	4.1	.1	<.05	6	<.5
RW-09377	1.0	37.3	7.4	63	.1	16.4	12.6	366	3.06	5.3	.6	7.0	1.9	16	.1	.3	.1	62	.25	.068	9	27.7	.68	208	.105	2	1.70	.013	.13	.1	.06	3.7	.1	<.05	6	.5
RE RW-09377	1.0	36.0	7.9	65	.2	16.5	13.1	399	3.13	4.9	.6	8.8	2.0	17	.1	.3	.1	65	.26	.069	9	28.8	.70	215	.109	1	1.74	.013	.14	.1	.04	3.8	.1	<.05	6	<.5
RW-09378	1.2	56.6	13.5	73	.3	19.5	12.5	315	4.01	7.3	1.0	13.3	2.3	19	.2	.4	.2	63	.26	.075	10	33.6	.66	273	.088	1	1.88	.013	.13	.2	.09	4.5	.1	<.05	6	.7
RW-09379	1.1	49.8	8.1	66	.2	12.7	8.8	334	2.50	4.1	.8	7.6	1.1	21	.1	.3	.1	54	.20	.062	7	23.9	.54	294	.082	2	1.33	.022	.17	<.1	.06	3.3	.1	.06	6	.5
RW-09380	1.2	72.5	11.7	92	.1	18.0	9.6	294	3.75	5.2	.9	12.2	2.4	18	.1	.4	.2	82	.22	.056	11	40.6	1.02	294	.132	1	2.27	.015	.27	.1	.05	4.9	.2	<.05	8	1.2
RW-09381	1.6	72.8	8.4	78	.1	16.9	11.8	339	3.96	6.4	.9	9.3	2.5	20	.2	.3	.2	91	.21	.054	11	33.1	.94	354	.122	2	2.24	.015	.23	.1	.05	6.1	.2	.06	8	1.2
RW-09382	1.2	37.4	6.8	47	<.1	10.7	6.1	231	2.50	4.9	.6	2.9	.8	16	.1	.3	.1	64	.15	.041	8	21.4	.51	233	.073	1	1.26	.016	.10	.1	.04	2.8	.1	<.05	6	.5
RW-09383	1.5	42.6	8.1	68	.2	19.2	12.1	348	3.38	7.1	.9	11.8	2.4	20	.1	.3	.2	77	.25	.063	12	33.2	.78	281	.108	1	2.02	.010	.14	.2	.06	4.7	.1	<.05	8	.6
RW-09384	1.4	45.7	8.8	74	<.1	17.2	10.4	289	3.05	5.5	.8	3.6	2.9	14	.1	.4	.2	80	.20	.045	14	30.3	.96	229	.111	1	2.06	.011	.24	.1	.04	5.0	.2	<.05	7	.7
RW-09385	1.1	41.9	8.1	67	<.1	19.7	13.7	348	2.98	6.6	.7	3.0	2.9	16	.1	.4	.1	71	.25	.054	15	37.4	.73	214	.103	2	1.89	.012	.11	.1	.03	4.9	.1	<.05	6	.5
RW-09386	1.8	74.8	16.3	74	.2	22.6	15.8	512	3.89	7.6	.7	12.1	2.3	15	.1	.5	.2	88	.23	.053	13	55.4	.94	378	.084	3	2.27	.011	.14	.1	.08	7.1	.2	<.05	8	.5
RW-09387	1.6	69.5	12.7	85	<.1	19.4	18.8	571	3.83	11.7	.7	10.2	3.2	17	.3	.4	.1	82	.27	.050	13	35.2	1.07	371	.130	1	1.75	.014	.25	.1	.03	5.1	.2	<.05	6	.9
RW-09388	1.0	24.9	8.4	63	<.1	27.0	10.0	362	2.80	20.6	.8	1.7	4.7	32	.2	.4	.1	57	.63	.078	23	39.6	.63	344	.090	1	1.50	.014	.14	.1	.02	3.4	.1	<.05	6	<.5
RW-09389	1.0	29.0	10.4	96	<.1	35.7	15.6	521	4.17	6.8	1.3	5.8	15.2	20	.1	.2	.1	56	.47	.071	32	52.5	1.07	373	.259	1	2.14	.010	.90	<.1	.02	4.8	.6	<.05	8	<.5
RW-09390	1.0	27.8	9.6	85	<.1	31.5	13.2	523	3.47	16.7	1.1	3.6	10.3	30	.2	.4	.1	48	.66	.087	38	37.1	.62	272	.114	1	1.56	.012	.36	.1	.04	4.1	.3	<.05	5	<.5
RW-09391	.9	24.6	8.2	82	<.1	31.6	13.1	346	3.23	19.1	.9	2.8	9.5	20	.1	.3	.1	52	.35	.056	20	41.3	.78	214	.123	1	1.66	.011	.31	.1	.02	3.3	.3	<.05	6	<.5
RW-09392	1.1	22.5	8.5	72	<.1	27.2	13.7	482	3.02	11.6	.9	4.0	7.4	20	.1	.3	.1	55	.31	.059	24	37.4	.65	359	.093	1	1.60	.010	.15	.1	.03	3.4	.2	<.05	6	.5
RW-09393	1.3	25.0	8.9	69	.1	23.6	10.4	362	2.76	9.5	.8	7.5	2.3	21	.2	.3	.1	55	.29	.056	27	35.3	.55	275	.079	2	1.41	.012	.12	.1	.03	2.7	.1	<.05	6	<.5
RW-09394	1.1	26.3	9.9	65	.1	28.3	9.2	313	2.92	13.5	1.2	3.1	5.8	27	.1	.3	.1	55	.40	.055	33	39.9	.61	394	.098	2	1.60	.014	.13	.1	.04	3.8	.2	<.05	7	.6
RW-09395	1.1	23.1	8.7	70	.1	26.7	10.6	318	2.95	13.4	.9	4.6	8.6	20	.1	.4	.1	55	.32	.052	33	39.6	.67	263	.123	2	1.63	.013	.26	.1	.03	3.8	.2	<.05	7	.5
RW-09396	1.2	22.5	7.9	50	.1	19.2	8.6	298	2.12	6.7	.9	4.0	3.8	19	.3	.3	.1	45	.24	.040	28	28.5	.44	253	.076	1	1.16	.012	.12	.2	.03	2.5	.2	<.05	6	.5
RW-09397	1.1	24.1	9.6	75	<.1	28.2	12.3	437	3.05	10.0	1.1	2.6	8.5	30	.1	.3	.1	58	.50	.053	34	39.4	.69	323	.117	1	1.64	.013	.23	.1	.04	3.6	.3	<.05	7	.6
RW-09398	.7	25.1	8.0	78	<.1	16.3	8.7	254	2.40	3.9	.6	5.1	2.0	20	.2	.2	.1	56	.32	.069	10	27.2	.57	156	.087	2	1.41	.019	.09	.1	.03	3.7	.1	<.05	5	<.5
RW-09399	.6	22.3	8.0	75	<.1	14.8	7.2	227	2.46	4.2	.5	16.9	1.6	19	.2	.2	.1	53	.34	.080	9	28.5	.60	147	.082	1	1.40	.017	.08	.1	.05	3.8	.1	.06	6	.9
RW-09400	.5	21.2	9.6	65	.1	14.4	6.2	173	2.11	4.1	.6	50.6	1.3	20	.1	.4	.1	43	.30	.063	11	27.3	.47	264	.060	1	1.27	.017	.05	.2	.08	3.8	.1	.07	5	.5
RW-09401	.9	114.7	5.8	88	.1	27.0	20.8	442	4.36	4.4	.7	11.5	2.8	24	.1	.3	.1	105	.44	.109	12	51.4	1.09	409	.159	1	2.12	.017	.38	.1	.04	6.3	.2	.06	8	.8
STANDARD DS	11.6	123.4	30.1	143	.3	24.6	10.8	703	2.81	20.7	6.8	45.8	3.1	41	6.1	3.6	5.1	57	.86	.078	14	187.4	.58	164	.082	17	1.93	.073	.15	3.4	.23	3.3	1.8	<.05	7	4.6

Standard is STANDARD DS6. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
G-1	.7	2.2	3.2	39	<.1	6.0	3.9	504	1.83	<.5	2.0	1.5	4.0	71	<.1	<.1	.1	38	.56	.085	8	81.3	.52	200	.122	<.1	.87	.066	.46	<.1	<.01	1.9	.3	<.05	5	<.5
RW-09402	1.1	66.0	9.2	77	<.1	21.2	13.3	445	3.78	6.5	.7	21.4	3.1	20	.2	.4	.1	82	.27	.056	12	39.8	.88	302	.117	2	2.21	.014	.21	.1	.02	4.6	.1	<.05	7	.6
RW-09403	1.1	113.0	6.0	127	<.1	23.2	21.0	604	4.56	5.6	.6	7.8	3.1	19	.2	.3	.1	96	.29	.098	10	37.5	1.09	348	.138	1	2.22	.019	.41	.1	.02	4.3	.2	.14	7	1.3
RW-09404	1.8	135.3	6.4	218	<.1	14.7	10.0	485	6.03	4.3	.7	21.5	4.6	22	.2	.2	.2	107	.11	.059	14	46.4	1.54	362	.138	1	2.94	.030	.64	.1	.02	6.9	.3	.40	11	2.8
RW-09405	1.7	219.0	6.5	382	.2	13.4	14.9	533	6.81	2.9	1.0	6.8	3.5	20	.5	.2	.2	136	.18	.066	15	44.0	1.94	260	.157	1	3.15	.030	.82	<.1	.05	9.9	.3	.49	12	4.2
RW-09406	1.8	53.2	8.8	68	<.1	17.3	13.5	369	3.73	7.5	.7	5.4	2.5	17	.2	.5	.2	93	.23	.047	9	30.8	.83	263	.129	1	2.01	.014	.18	.1	.03	5.2	.2	<.05	8	.9
RW-09407	2.0	87.9	8.0	95	<.1	9.3	22.8	557	5.53	3.3	.5	144.4	2.7	9	.1	.3	.3	171	.12	.057	6	14.3	1.78	368	.157	2	2.74	.016	.80	.1	.01	16.8	.4	<.05	13	1.7
RW-09408	2.2	51.4	11.9	67	.1	17.5	16.8	523	3.74	7.4	.8	16.6	3.6	19	.1	.4	.2	85	.29	.056	15	27.0	.90	432	.106	1	2.02	.014	.25	.1	.03	6.2	.2	<.05	7	.9
RW-09409	1.5	39.1	12.7	77	<.1	21.5	16.5	605	3.93	9.8	1.0	11.5	4.9	16	.1	.4	.2	84	.22	.041	20	44.3	.76	530	.093	2	1.97	.011	.18	.1	.04	8.1	.2	<.05	7	.6
RW-09410	1.3	36.5	13.4	67	<.1	20.8	12.8	362	3.29	13.4	1.1	7.7	3.8	18	.1	.4	.2	76	.24	.048	19	43.2	.70	319	.082	1	1.90	.012	.10	.1	.03	6.2	.2	<.05	6	.6
RW-09411	2.4	62.2	30.5	154	.1	35.8	17.3	549	4.23	24.5	2.2	8.6	10.4	17	.2	.4	.3	59	.33	.094	39	38.1	.56	320	.065	2	1.16	.010	.16	.1	.03	6.3	.2	<.05	4	1.2
RW-09412	.6	43.4	10.6	108	<.1	16.2	19.7	603	3.85	4.3	.5	4.8	2.6	19	.2	.3	.1	94	.19	.031	9	27.6	1.06	238	.150	1	2.07	.026	.42	.1	.01	5.4	.3	.08	7	.7
RW-09413	1.2	36.7	9.6	69	<.1	15.8	11.6	378	3.77	3.7	.7	10.4	2.1	29	.2	.3	.1	81	.25	.063	12	27.5	.92	425	.126	1	1.91	.033	.38	.1	.02	4.8	.2	.20	7	1.4
RW-09414	.8	48.2	8.2	87	<.1	21.5	16.6	615	3.72	4.0	.7	7.6	3.0	21	.1	.3	.1	86	.37	.079	22	47.8	1.03	440	.172	1	1.98	.018	.37	.1	.02	5.7	.2	<.05	7	.5
RE RW-09414	.8	48.7	7.9	84	<.1	20.7	16.7	617	3.76	3.8	.7	8.1	3.0	20	.1	.3	.1	85	.37	.082	21	48.2	1.04	436	.167	1	1.98	.017	.37	.2	.02	5.8	.2	<.05	7	<.5
RW-09415	1.2	39.4	11.2	65	<.1	24.7	14.1	339	3.50	7.6	.8	3.7	3.6	18	.2	.4	.2	78	.25	.065	14	51.9	.78	258	.120	2	2.17	.012	.14	.1	.02	4.4	.2	<.05	7	<.5
RW-09416	1.2	67.9	8.8	81	<.1	27.2	18.7	446	3.95	23.4	.9	3.4	3.5	23	.2	.4	.1	90	.38	.078	16	57.5	1.06	530	.154	1	2.24	.015	.35	.1	.01	6.4	.2	<.05	8	<.5
RW-09417	1.2	39.5	11.8	66	.1	26.2	12.4	351	3.26	7.9	1.0	4.6	3.7	23	.1	.4	.2	80	.41	.069	20	56.2	.82	399	.096	2	2.06	.013	.14	.1	.03	6.0	.2	<.05	7	.6
RW-09418	1.3	53.1	10.2	94	<.1	24.1	17.0	495	3.86	7.8	1.0	6.3	5.7	18	.1	.3	.1	87	.28	.052	24	47.3	1.08	434	.149	1	2.01	.014	.33	.1	.03	6.4	.2	<.05	7	.5
RW-09419	1.8	54.3	8.3	81	<.1	18.1	18.7	505	4.04	6.8	.7	6.4	3.5	15	.2	.3	.1	88	.25	.054	12	23.3	.99	229	.133	1	2.08	.015	.28	.1	.02	5.5	.1	<.05	7	1.0
RW-09420	2.0	71.5	8.3	111	<.1	7.9	28.3	1006	6.41	3.9	.8	54.1	3.9	11	.2	.3	.1	151	.22	.063	15	10.7	1.52	797	.196	2	2.45	.012	.94	.1	.01	13.1	.3	<.05	9	1.1
RW-09421	2.1	70.6	9.9	79	.1	18.8	22.0	557	4.01	7.2	.9	32.9	2.7	18	.3	.6	.2	89	.19	.057	14	32.3	.81	368	.085	1	2.39	.012	.20	.2	.04	6.8	.2	<.05	8	1.4
RW-09422	2.2	158.1	5.4	83	<.1	8.8	11.6	353	7.30	<.5	.9	1.4	3.9	19	.1	.2	.4	192	.12	.052	9	14.6	2.14	688	.188	<.1	3.52	.035	.84	<.1	.07	15.4	.3	.30	13	9.4
RW-09423	1.1	40.2	9.4	91	.2	13.5	8.8	243	2.52	7.2	.6	10.6	1.8	22	.5	.4	.1	58	.37	.094	10	27.4	.47	224	.072	1	1.28	.021	.07	.1	.06	4.0	.1	.06	5	.7
RW-09424	.6	30.4	12.3	72	.1	17.9	8.9	231	2.20	3.9	.7	10.1	2.4	24	.1	.3	.1	61	.35	.059	14	34.3	.62	305	.085	1	1.67	.017	.07	.1	.11	4.5	.1	.06	6	.5
RW-09425	1.3	42.1	19.5	101	.2	21.2	13.5	284	3.80	11.5	.8	56.2	3.3	21	.2	1.2	.1	75	.38	.066	13	43.6	.73	323	.083	2	1.75	.015	.11	.1	.20	5.6	.1	<.05	6	.6
RW-09426	1.4	34.7	37.6	74	.2	20.2	11.4	253	3.27	11.4	.9	113.2	3.5	22	.1	1.3	.2	69	.37	.072	15	36.6	.67	245	.092	1	1.79	.013	.09	.2	.13	5.0	.1	<.05	6	<.5
RW-09427	1.3	47.5	40.9	88	.1	22.6	15.1	282	3.47	10.0	1.0	51.1	4.5	23	.1	1.2	.2	83	.39	.078	17	41.7	.77	302	.116	2	1.97	.017	.11	.1	.14	6.6	.2	<.05	7	.5
RW-09428	.7	23.5	8.7	75	<.1	14.6	6.6	175	2.54	5.6	.6	8.4	1.8	19	.2	.3	.1	59	.29	.069	11	29.2	.50	163	.077	1	1.51	.015	.06	.1	.07	3.7	.1	<.05	6	.5
RW-09429	.6	22.7	8.8	68	<.1	15.4	6.7	186	2.47	5.6	.6	6.9	1.6	21	.2	.3	.1	57	.30	.071	12	28.9	.51	169	.078	2	1.49	.016	.07	.2	.05	3.5	.1	<.05	6	.5
RW-09430	.6	26.8	9.8	80	.1	15.9	6.7	197	2.35	5.2	.7	28.0	2.0	23	.2	.3	.1	61	.36	.070	12	30.3	.54	208	.076	1	1.53	.016	.06	.1	.07	4.8	.1	<.05	6	.5
RW-09431	1.1	22.6	11.9	76	.1	16.9	10.6	378	2.82	7.0	.5	32.5	2.0	23	.1	.4	.1	69	.38	.072	10	35.1	.63	266	.075	2	1.56	.018	.08	.2	.08	4.5	.1	<.05	6	.5
RW-09432	.9	21.5	11.9	82	.1	17.8	12.2	352	2.80	5.3	.6	12.2	2.3	24	.1	.4	.1	65	.41	.074	11	37.6	.66	295	.074	2	1.72	.017	.08	.1	.10	5.1	.1	<.05	6	<.5
RW-09433	.9	22.2	14.9	95	.1	19.7	16.1	622	2.63	4.8	.5	10.8	1.9	27	.1	.4	.2	65	.44	.063	10	38.4	.77	342	.077	2	1.82	.017	.09	.1	.10	5.4	.1	<.05	8	<.5
RW-09434	1.3	23.8	17.8	85	.2	16.1	16.2	588	2.81	7.4	.6	26.5	1.3	24	.1	.7	.2	68	.36	.081	9	36.0	.59	336	.054	2	1.56	.017	.07	.1	.09	4.7	.1	<.05	6	<.5
STANDARD DS6	11.7	125.0	30.3	145	.3	25.6	11.0	711	2.87	20.5	6.7	53.3	3.2	41	6.1	3.8	5.1	57	.87	.078	15	189.2	.59	165	.084	17	1.94	.074	.16	3.4	.23	3.3	1.8	<.05	7	4.2





SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
G-1	.7	2.3	3.1	41	<.1	6.3	4.0	521	1.82	<.5	2.0	.8	4.4	75	<.1	<.1	.1	39	.55	.081	8	80.7	.54	212	.133	<.1	.94	.072	.45	.1	<.01	2.0	.3	<.05	5	<.5
RW-09435	.6	13.6	13.3	55	<.1	11.4	7.1	299	1.76	5.0	.4	5.6	1.1	17	.1	.4	.1	44	.24	.056	6	23.2	.43	174	.059	1	1.10	.019	.05	.1	.06	2.6	.1	<.05	4	<.5
RW-09436	1.0	29.0	21.2	88	<.1	20.0	12.0	265	3.14	10.6	.7	10.9	4.7	21	.2	.7	.1	72	.36	.076	12	38.1	.71	228	.111	1	1.80	.013	.09	.2	.11	4.5	.1	<.05	6	.7
RW-09437	1.3	44.8	16.0	99	.1	20.8	18.0	442	3.62	10.2	.9	30.7	4.5	22	.2	.6	.1	74	.36	.096	15	39.3	.79	306	.093	2	1.78	.015	.10	.1	.10	5.9	.1	<.05	6	.8
RW-09438	1.0	24.8	14.1	87	.1	15.1	11.0	331	3.03	7.5	.5	22.7	2.5	20	.1	.5	.1	66	.35	.089	9	33.8	.70	211	.073	2	1.67	.016	.09	.1	.15	4.3	.2	<.05	6	<.5
RW-09439	1.7	42.0	18.6	100	.1	19.0	12.3	277	3.53	12.4	.6	34.3	3.5	20	.2	1.1	.2	79	.32	.095	12	39.0	.71	283	.070	4	1.89	.015	.09	.1	.24	5.4	.2	<.05	7	.5
RW-09440	2.0	48.1	16.2	116	.1	18.5	12.8	280	3.82	8.5	.7	91.3	4.1	17	.2	1.5	.1	79	.34	.091	12	38.4	.82	194	.075	4	1.94	.017	.11	.1	.29	5.6	.2	<.05	6	.5
RW-09441	1.6	52.3	13.7	126	.1	22.0	22.1	508	4.37	8.3	.7	28.3	3.8	19	.2	.7	.1	87	.34	.092	12	49.2	1.01	246	.088	2	1.99	.015	.11	.1	.18	6.6	.1	<.05	7	.7
RW-09442	1.2	52.5	10.2	114	<.1	23.0	17.2	360	3.87	6.3	.6	35.7	3.5	19	.2	.5	.1	82	.35	.085	11	48.0	1.08	210	.121	1	1.98	.017	.15	.1	.13	5.6	.1	<.05	8	<.5
RW-09443	1.1	44.8	8.1	69	.1	14.8	9.3	226	2.86	4.8	.5	8.2	1.1	15	.1	.3	.1	67	.23	.065	8	36.2	.71	137	.078	1	1.56	.018	.07	.1	.05	3.9	.1	<.05	6	.5
RE RW-09443	1.1	45.0	8.5	69	.1	15.0	9.5	225	2.85	5.3	.5	9.7	1.1	15	.1	.3	.1	66	.21	.068	8	36.3	.73	139	.079	1	1.60	.018	.06	.1	.08	3.8	.1	<.05	7	.5
RW-09445	1.8	16.5	13.1	46	.1	13.0	5.9	281	2.98	11.2	.8	2.7	3.4	12	.1	.7	.2	71	.09	.048	13	30.3	.32	71	.080	<.1	1.46	.009	.09	.1	.06	2.2	.2	<.05	8	<.5
RW-09446	1.4	20.0	13.2	58	<.1	22.7	11.6	446	3.65	12.5	.7	2.0	5.5	13	.2	.5	.2	65	.13	.045	13	39.0	.53	95	.096	1	2.00	.009	.10	.1	.04	3.0	.2	<.05	7	<.5
RW-09447	1.2	27.3	12.8	82	<.1	34.1	14.8	670	3.30	10.9	1.2	8.3	9.4	18	.1	.4	.2	55	.24	.074	26	44.3	.73	150	.110	1	1.77	.010	.25	.1	.04	3.3	.2	<.05	5	<.5
RW-09448	1.3	20.1	16.2	59	<.1	20.7	9.3	397	3.42	8.6	.9	11.4	4.9	12	.2	.5	.2	68	.12	.044	16	36.4	.44	78	.085	1	1.67	.009	.10	.1	.06	2.5	.2	<.05	7	<.5
RW-09449	1.3	32.1	15.4	94	.1	36.4	14.5	575	3.52	15.5	1.5	14.5	12.9	19	.1	.4	.2	47	.32	.065	38	42.3	.75	195	.123	1	1.59	.011	.35	.1	.02	3.8	.3	<.05	5	<.5
RW-09450	1.1	29.1	21.4	89	.1	33.7	14.4	651	3.65	13.3	1.5	1.7	9.5	21	.1	.4	.3	49	.34	.060	34	42.5	.67	215	.099	1	1.53	.011	.23	.1	.03	3.6	.3	<.05	5	<.5
RW-09451	1.9	31.2	28.1	89	.2	35.6	17.3	978	3.84	36.5	1.8	1.5	7.9	24	.2	.6	.3	53	.32	.083	34	44.7	.64	265	.090	1	1.58	.012	.25	.1	.04	3.7	.3	.08	6	<.5
RW-09452	3.1	43.7	24.0	120	.5	46.9	13.9	668	3.77	51.2	1.7	12.8	4.2	26	.3	1.6	.3	59	.27	.081	22	37.0	.52	430	.044	2	1.60	.010	.11	.1	.09	3.9	.2	<.05	4	1.1
RW-09453	1.2	43.4	12.6	116	.1	21.2	16.8	671	3.74	9.8	.6	19.4	2.9	24	.3	.8	.1	75	.51	.091	11	37.9	.81	328	.105	3	1.72	.017	.13	.1	.11	4.9	.1	<.05	6	.5
RW-09454	1.2	51.6	13.0	95	.1	21.9	13.6	494	3.37	7.4	.7	27.1	3.3	23	.3	.7	.1	72	.45	.082	12	38.2	.78	294	.100	2	1.75	.015	.15	.1	.10	5.3	.1	<.05	5	.6
RW-09455	1.3	27.6	13.4	67	.1	17.2	8.6	219	2.51	5.7	.7	24.9	1.7	21	.1	.3	.2	57	.36	.072	10	29.3	.55	298	.071	2	1.46	.015	.06	.1	.12	3.8	.1	<.05	5	.6
RW-09456	.7	31.2	13.4	80	.1	19.6	10.2	232	2.83	6.4	.9	20.0	3.4	21	.2	.4	.1	62	.34	.064	14	33.8	.59	289	.086	2	1.73	.014	.07	.2	.14	4.6	.1	<.05	6	.7
RW-09457	1.0	38.9	9.9	105	.1	18.6	12.7	422	2.90	7.1	.7	8.0	3.2	22	.2	.3	.1	62	.36	.071	11	31.4	.60	221	.093	1	1.56	.018	.07	.1	.06	4.0	.1	<.05	5	.6
RW-09458	.7	27.4	7.3	82	.1	13.9	5.9	168	2.33	5.3	.6	26.5	1.5	21	.3	.2	.1	51	.32	.078	8	24.9	.50	200	.069	1	1.34	.016	.05	.1	.06	3.3	.1	.08	6	.5
RW-09459	1.1	36.6	10.8	115	<.1	18.0	9.6	292	3.17	9.7	.5	12.0	2.7	20	.4	.4	.2	67	.35	.091	10	28.7	.59	221	.078	1	1.61	.013	.07	.1	.04	4.0	.1	<.05	6	<.5
RW-09460	1.2	49.2	10.9	85	.2	20.6	13.7	327	4.35	14.5	.9	27.6	3.8	22	.1	.5	.1	81	.34	.093	13	35.4	.77	332	.109	2	2.12	.015	.13	.1	.06	6.9	.1	<.05	8	<.5
RW-09461	.8	33.0	9.7	65	.2	16.8	8.4	191	3.48	13.6	.7	99.3	2.0	18	.1	.4	.1	78	.27	.081	10	33.1	.65	169	.088	2	1.92	.015	.10	.1	.07	4.7	.1	<.05	7	<.5
RW-09462	.7	48.2	9.6	72	.2	20.1	12.1	233	3.51	15.4	.7	213.8	2.3	19	.1	.5	.1	87	.31	.081	11	39.6	.86	183	.106	2	2.15	.018	.11	.1	.06	6.1	.2	<.05	7	<.5
RW-09463	.7	79.7	7.5	73	.1	20.6	18.8	299	3.71	7.8	.7	7.5	2.3	23	.2	.4	.1	101	.46	.102	10	35.3	.96	198	.133	1	2.04	.024	.14	.1	.04	5.8	.1	<.05	7	.6
RW-09464	.9	40.3	8.6	69	<.1	19.2	12.8	228	3.34	11.0	.5	7.8	1.8	19	.1	.4	.1	89	.35	.086	9	34.4	.77	168	.089	2	1.98	.019	.09	.1	.05	5.0	.1	<.05	7	<.5
RW-09465	.7	38.2	8.9	66	.1	19.4	9.5	198	3.26	7.8	.7	7.2	2.4	17	.1	.5	.1	81	.26	.082	10	34.2	.71	163	.085	3	2.00	.015	.08	.1	.05	5.4	.1	<.05	6	.5
RW-09466	.7	32.3	7.8	69	<.1	19.3	10.0	219	3.08	5.7	.6	2.4	2.6	18	.1	.4	.1	75	.30	.070	10	34.3	.69	201	.083	2	1.82	.017	.08	.1	.04	5.2	.1	<.05	6	<.5
RW-09467	.8	33.2	9.3	74	.1	22.5	16.0	405	3.21	6.3	.7	2.5	3.5	23	.2	.5	.1	73	.35	.085	12	36.7	.68	328	.095	2	1.99	.016	.09	.1	.05	6.2	.1	<.05	6	.5
RW-09468	.7	20.8	9.2	64	<.1	18.3	8.3	202	3.31	7.7	.6	3.9	2.8	18	.1	.4	.1	63	.26	.060	11	33.1	.56	170	.086	1	1.93	.011	.07	.1	.04	4.4	.1	<.05	7	<.5
STANDARD DS6	11.6	123.3	31.6	143	.3	25.2	10.9	701	2.85	19.5	6.9	46.2	3.1	41	6.1	3.5	5.2	56	.86	.078	13	186.1	.58	162	.080	16	1.90	.073	.15	3.5	.23	3.3	1.8	<.05	6	4.3

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
G-1	.7	2.4	2.9	42	<.1	6.5	3.9	497	1.77	<.5	1.9	3.3	4.8	73	<.1	<.1	.1	38	.54	.083	7	77.8	.53	215	.126	1	.85	.068	.46	<.1	.01	2.1	.3	<.05	4	<.5
RW-09469	.6	18.5	7.7	49	<.1	13.4	4.8	123	4.32	17.5	.7	5.1	2.2	18	.1	.6	.1	77	.23	.083	9	28.6	.40	214	.056	2	1.43	.011	.05	.1	.06	4.2	.1	.08	5	<.5
RW-09470	.4	11.2	8.4	53	<.1	12.4	5.1	137	1.71	2.7	.4	7.5	2.1	17	.1	.4	.1	37	.24	.045	7	28.8	.45	149	.071	1	1.50	.010	.06	.1	.05	3.6	.1	<.05	6	<.5
RW-09471	.6	11.2	6.1	47	.1	10.6	4.6	119	2.05	3.7	.5	12.6	.8	20	.1	.4	.1	33	.29	.068	7	23.0	.38	177	.051	1	1.10	.010	.05	.1	.05	2.6	.1	.06	5	<.5
RW-09472	.7	12.9	9.0	64	<.1	15.6	6.0	188	2.39	5.1	.5	9.8	2.6	20	<.1	.5	.1	49	.32	.059	9	29.3	.53	168	.085	2	1.62	.011	.06	.2	.06	3.8	.1	<.05	6	<.5
RW-09473	.8	13.8	10.2	52	.1	13.3	5.4	141	2.61	6.9	.6	19.3	1.9	22	.1	.5	.2	47	.31	.072	9	27.3	.43	239	.057	1	1.34	.012	.05	.1	.06	3.8	.1	<.05	4	<.5
RW-09474	.7	22.4	10.6	65	<.1	16.4	6.9	169	2.23	5.8	.7	5.3	3.4	20	.2	.6	.1	53	.30	.063	12	29.2	.52	241	.081	1	1.49	.013	.06	.2	.05	4.5	.1	<.05	5	<.5
RW-09475	.7	15.6	9.0	60	<.1	15.1	6.7	166	2.33	9.2	.5	6.4	2.8	18	.1	.5	.1	50	.25	.053	9	27.9	.49	191	.071	<1	1.46	.010	.05	.2	.05	3.7	.1	<.05	5	<.5
RW-09476	.5	17.0	8.9	59	<.1	16.0	6.1	162	1.96	4.8	.6	124.1	3.1	19	.1	.5	.1	46	.28	.050	10	29.9	.51	190	.083	1	1.54	.012	.06	.2	.06	3.8	.1	<.05	5	<.5
RW-09477	1.2	19.4	8.1	56	.1	15.3	6.4	158	4.91	7.4	.7	13.6	3.0	21	.1	.4	.1	53	.30	.073	11	27.5	.48	234	.072	2	1.42	.011	.07	.2	.05	4.3	.1	<.05	5	.5
RW-09478	.9	23.4	10.3	70	<.1	16.6	7.3	188	2.57	6.9	.7	14.9	3.6	20	.1	.4	.1	60	.30	.068	11	31.1	.59	194	.090	<1	1.59	.012	.09	.2	.06	4.2	.1	<.05	6	<.5
RW-09479	1.1	28.2	11.4	70	.1	15.3	7.4	181	3.01	8.4	.9	26.5	3.6	19	.1	.5	.2	56	.25	.078	11	30.9	.56	188	.078	1	1.56	.010	.08	.2	.07	4.3	.1	<.05	6	<.5
RW-09480	1.0	27.3	13.2	75	.1	17.3	8.9	248	3.10	7.6	.8	13.6	3.9	22	.1	.5	.1	60	.34	.077	12	31.2	.63	226	.102	1	1.56	.012	.11	.2	.05	4.4	.1	<.05	5	.6
RW-09481	1.5	42.0	17.0	79	.1	19.1	11.0	260	3.10	7.1	1.2	40.1	5.6	24	<.1	.4	.1	68	.42	.091	17	32.4	.71	264	.113	2	1.70	.015	.18	.2	.07	5.7	.2	<.05	6	.5
RW-09482	.7	32.4	8.5	60	<.1	19.3	8.3	252	2.55	5.7	.7	18.3	4.0	26	.1	.4	.1	60	.46	.090	12	30.9	.62	171	.106	1	1.24	.019	.11	.2	.03	3.8	.1	<.05	4	<.5
RW-09483	1.0	13.7	7.1	44	<.1	9.3	5.7	219	1.92	5.2	.4	33.7	.5	11	.2	.4	.1	38	.13	.044	7	15.3	.23	98	.052	<1	.80	.013	.06	.1	.04	1.6	.1	<.05	4	<.5
RW-09484	4.5	38.8	17.3	101	.2	14.5	9.1	517	4.22	11.2	1.5	164.2	4.3	25	.2	.8	.2	44	.22	.058	21	25.5	.48	292	.060	1	1.39	.041	.20	.1	.13	5.7	.1	.30	5	.8
RE RW-09484	4.2	37.2	16.7	101	.2	15.2	9.2	524	4.24	11.6	1.4	78.1	4.3	25	.2	.7	.2	44	.22	.058	21	25.6	.47	281	.063	1	1.37	.043	.20	.1	.13	5.7	.1	.31	5	.8
RW-09485	3.2	35.8	15.6	87	.2	11.2	8.0	382	3.17	21.9	.8	405.1	2.7	18	.2	2.7	.1	40	.17	.052	12	18.2	.33	181	.048	2	.97	.036	.15	.1	.18	3.9	.1	.22	4	.7
RW-09486	1.5	28.9	21.3	90	<.1	19.6	11.3	436	3.26	8.2	.7	32.3	3.6	15	.4	.5	.1	59	.22	.060	13	31.3	.51	133	.100	<1	1.45	.010	.13	.1	.08	4.1	.1	<.05	6	.5
RW-09487	2.0	17.4	13.9	75	<.1	18.5	8.7	373	3.60	14.8	.6	5.9	3.2	12	.3	.8	.2	77	.15	.036	9	37.0	.47	143	.090	1	1.87	.008	.06	.2	.05	3.3	.1	<.05	8	<.5
RW-09488	2.5	44.4	21.2	80	.2	26.4	15.0	407	3.59	13.1	1.0	22.4	5.9	16	.1	.7	.2	65	.30	.067	15	46.5	.65	164	.092	<1	1.54	.010	.14	.1	.06	4.6	.2	<.05	5	.8
RW-09489	1.7	71.5	10.2	89	.1	29.9	20.4	642	3.92	10.5	1.1	90.8	5.2	14	.1	.7	.1	70	.23	.065	15	54.5	.66	203	.080	<1	1.90	.009	.14	.1	.05	5.1	.2	<.05	6	<.5
RW-09490	1.9	60.6	12.2	95	.1	14.7	10.7	290	3.47	14.7	.5	27.3	2.2	15	.2	1.7	.1	54	.12	.040	7	26.8	.46	232	.066	1	1.44	.018	.15	.1	.10	4.0	.1	.15	5	.5
RW-09491	1.9	39.2	12.0	55	.3	17.3	8.6	453	2.81	10.3	.6	2.8	.4	13	.3	.6	.2	68	.12	.045	8	30.0	.32	171	.059	<1	1.57	.007	.08	.1	.06	2.7	.1	.06	6	<.5
RW-09498	1.4	27.2	8.7	69	.1	29.2	13.4	469	2.94	16.3	1.0	5.6	5.5	27	.2	.5	.1	60	.43	.070	20	43.4	.69	528	.092	1	1.66	.011	.15	.2	.02	3.5	.2	<.05	6	<.5
STANDARD DS6	11.5	122.8	29.9	141	.3	25.1	10.9	703	2.84	20.8	6.8	49.1	2.9	40	6.0	3.3	5.0	56	.85	.080	13	185.6	.59	162	.081	16	1.92	.075	.15	3.5	.22	3.3	1.8	<.05	7	4.5

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

# Black Fox 2005 magnetic survey

Line	Station	Gammas	Line	Station	Gammas
1500	-200	57541.6	1500	537.5	57411.5
1500	-187.5	57430.5	1500	550	57402.2
1500	-175	57392.5	1500	562.5	57374.5
1500	-162.5	57417.7	1500	575	57399.7
1500	-150	57417.9	1500	587.5	57394.4
1500	-137.5	57412.4	1500	600	57410.3
1500	-125	57421.3	1500	612.5	57405.4
1500	-112.5	57428.1	1500	625	57436
1500	-100	57436.8	1500	637.5	57473.1
1500	-87.5	57437.5	1500	650	57523.7
1500	-75	57432	1500	662.5	57512.9
1500	-62.5	57439.7	1500	675	57580
1500	-50	57435.8	1500	687.5	57493.2
1500	-37.5	57431.1	1500	700	57568.1
1500	-25	57435	1500	712.5	57617
1500	-12.5	57447	1500	725	57558.6
1500	0	57477.5	1500	737.5	57558.1
1500	12.5	57450.2	1500	750	57420.7
1500	25	57452.1	1500	762.5	57522.9
1500	37.5	57467.7	1500	775	57475.3
1500	50	57486.2	1500	787.5	57536.3
1500	62.5	57477.3	1500	800	57507.6
1500	75	57440.6	1400	800	57356.4
1500	87.5	57441.8	1400	787.5	57339.7
1500	100	57476.2	1400	775	57240.5
1500	112.5	57498.5	1400	762.5	57238
1500	125	57499.9	1400	750	57322.2
1500	137.5	57543.2	1400	737.5	57327.2
1500	150	57521.4	1400	725	57443.5
1500	162.5	57520.6	1400	712.5	57606.5
1500	175	57574.2	1400	700	57709.1
1500	187.5	57528.1	1400	687.5	58014.9
1500	200	57463	1400	675	57933.8
1500	212.5	57397	1400	662.5	57893.1
1500	225	57417	1400	650	57855.3
1500	237.5	57437.9	1400	637.5	57831.7
1500	250	57461.4	1400	625	57800
1500	262.5	57487.6	1400	612.5	57693
1500	275	57578.3	1400	600	57649.5
1500	287.5	57674.5	1400	587.5	57610.5
1500	300	57720.4	1400	575	57614.1
1500	312.5	57733.6	1400	562.5	57769.6
1500	325	57549.6	1400	550	57621.9
1500	337.5	57419.3	1400	537.5	58043.6
1500	350	57456	1400	525	58493.3
1500	362.5	57442	1400	512.5	58299
1500	375	57442	1400	500	57988.3
1500	387.5	57476.1	1400	487.5	58196.2
1500	400	57463.3	1400	475	58051.8
1500	412.5	57446.9	1400	462.5	57762.6
1500	425	57429.5	1400	450	57649.8
1500	437.5	57416.3	1400	437.5	57592.7
1500	450	57397.6	1400	425	57548
1500	462.5	57395.9	1400	412.5	57513.6

Line	Station	Gammas
1500	475	57393.7
1500	487.5	57383.9
1500	500	57384.4
1500	512.5	57380
1500	525	57397.3
1400	337.5	57458.7
1400	325	57442.1
1400	312.5	57504.5
1400	300	57519
1400	287.5	57517.5
1400	275	57555.2
1400	262.5	57562.2
1400	250	57560.7
1400	237.5	57578.1
1400	225	57452.4
1400	212.5	57418.8
1400	200	57418.4
1400	187.5	57449.5
1400	175	57485.3
1400	162.5	57592.7
1400	150	57601.7
1400	137.5	57666.9
1400	125	57760.4
1400	112.5	57698.3
1400	100	57569.1
1400	87.5	57477.2
1400	75	57443.7
1400	62.5	57461.8
1400	50	57455.7
1400	37.5	57448
1400	25	57538.6
1400	12.5	57540.3
1400	0	57604.4
1400	-12.5	57608.8
1400	-25	57576.9
1400	-37.5	57545.2
1400	-50	57542.9
1400	-62.5	57526.3
1400	-75	57554.8
1400	-87.5	57527.8
1400	-100	57526.6
1400	-112.5	57542
1400	-125	57523.5
1400	-137.5	57488
1400	-150	57480.9
1400	-162.5	57480.2
1400	-175	57462.8
1400	-187.5	57453.8
1400	-200	57446.8
1100	-200	57307.4
1100	-187.5	57378.5
1100	-175	57467
1100	-162.5	57441.8
1100	-150	57427.4

Line	Station	Gammas
1400	400	57508.6
1400	387.5	57500.3
1400	375	57512.7
1400	362.5	57545.4
1400	350	57500
1100	-12.5	57534
1100	0	57449.4
1100	12.5	57471
1100	25	57476.8
1100	37.5	57436.9
1100	50	57490.8
1100	62.5	57569.3
1100	75	57519.8
1100	87.5	57508.4
1100	100	57512.9
1100	112.5	57633.3
1100	125	57637.4
1100	137.5	57667.4
1100	150	57699.6
1100	162.5	57656.8
1100	175	57523.5
1100	187.5	57554.3
1100	200	57603.5
1100	212.5	57547
1100	225	57566.9
1100	237.5	57308.6
1100	250	57186.4
1100	262.5	57046.1
1100	275	57117.5
1100	287.5	57134.4
1100	300	57136.7
1100	312.5	57204.8
1100	325	57222.8
1100	337.5	57246.7
1100	350	57260.7
1100	362.5	57281.1
1100	375	57304.9
1100	387.5	57332
1100	400	57357.3
1100	412.5	57337
1100	425	57358.9
1100	437.5	57419.9
1100	450	57360.9
1100	462.5	57352.1
1100	475	57387.2
1100	487.5	57365.7
1100	500	57326.7
1100	512.5	57305.6
1100	525	57324.8
1100	537.5	57347.5
1100	550	57368.8
1100	562.5	57378.3
1100	575	57323.6
1100	587.5	57316.2

Line	Station	Gammas
1100	-137.5	57412.9
1100	-125	57428.2
1100	-112.5	57440.9
1100	-100	57406.6
1100	-87.5	57374.3
1100	-75	57377.5
1100	-62.5	57398.1
1100	-50	57420.9
1100	-37.5	57448
1100	-25	57463.7
1100	725	57292.2
1100	737.5	57306.2
1100	750	57310.7
1100	762.5	57304.6
1100	775	57294.9
1100	787.5	57304.3
1100	800	57298.4
1200	800	57406.8
1200	787.5	57433.6
1200	775	57430.2
1200	762.5	57363
1200	750	57301.2
1200	737.5	57343.6
1200	725	57295.8
1200	712.5	57289.5
1200	700	57303.3
1200	687.5	57325.9
1200	675	57287.8
1200	662.5	57255.1
1200	650	57347.1
1200	637.5	57442.9
1200	625	57305.6
1200	612.5	57278.6
1200	600	57262.6
1200	587.5	57202.6
1200	575	57144.9
1200	562.5	57084.8
1200	550	57113.1
1200	537.5	57413.6
1200	525	58029.2
1200	512.5	57996.7
1200	500	57485.1
1200	487.5	57611.5
1200	475	57717.8
1200	462.5	57629
1200	450	57590.7
1200	437.5	57832.8
1200	425	57661.6
1200	412.5	57574.9
1200	400	57501.9
1200	387.5	57379
1200	375	57347
1200	362.5	57271.9
1200	350	57361.9

Line	Station	Gammas
1100	600	57319.9
1100	612.5	57299.1
1100	625	57303.9
1100	637.5	57304.6
1100	650	57287.6
1100	662.5	57298.9
1100	675	57294.7
1100	687.5	57297
1100	700	57292.2
1100	712.5	57280.8
1200	150	57620.2
1200	137.5	57504.1
1200	125	57442.4
1200	112.5	57195.8
1200	100	57177.7
1200	87.5	57235.3
1200	75	57267.5
1200	62.5	57350.1
1200	50	57414.1
1200	37.5	57379
1200	25	57485.6
1200	12.5	57486.9
1200	0	57390.5
1200	-12.5	57933.3
1200	-25	58563.7
1200	-37.5	58292.6
1200	-50	58022.3
1200	-62.5	57977.9
1200	-75	57828.4
1200	-87.5	57791.4
1200	-100	57681.2
1200	-112.5	57611.9
1200	-125	57627.8
1200	-137.5	57722.4
1200	-150	57655.1
1200	-162.5	57533.2
1200	-175	57468.6
1200	-187.5	57676.9
1200	-200	57555.7
1300	-200	57587.2
1300	-187.5	57616.4
1300	-175	57662.8
1300	-162.5	57672.9
1300	-150	57510.8
1300	-137.5	57532.5
1300	-125	57472.9
1300	-112.5	57342
1300	-100	57388.2
1300	-87.5	57480.5
1300	-75	57519.3
1300	-62.5	57559.3
1300	-50	57722.6
1300	-37.5	57782
1300	-25	57841

Line	Station	Gammas
1200	337.5	57419.5
1200	325	57479.5
1200	312.5	57532.7
1200	300	57547.8
1200	287.5	57317.1
1200	275	57227.7
1200	262.5	57231.2
1200	250	57175
1200	237.5	57124.1
1200	225	57238.7
1200	212.5	57419
1200	200	58121.1
1200	187.5	58462
1200	175	58103.4
1200	162.5	57844.4
1300	175	57349.8
1300	187.5	57448.8
1300	200	57373.8
1300	212.5	57429.3
1300	225	57331.9
1300	237.5	57388
1300	250	57483.4
1300	262.5	57493.2
1300	275	57484.4
1300	287.5	57456.5
1300	300	57498.2
1300	312.5	57666.8
1300	325	57665.7
1300	337.5	57637
1300	350	57613
1300	362.5	57643.1
1300	375	57749.9
1300	387.5	57746.8
1300	400	57620.7
1300	412.5	57631.9
1300	425	57602.3
1300	437.5	57394.3
1300	450	57518.2
1300	462.5	57482.7
1300	475	57355.6
1300	487.5	57400.8
1300	500	57402.9
1300	512.5	57477.4
1300	525	57544.6
1300	537.5	57576.3
1300	550	57531.7
1300	562.5	57604.3
1300	575	57565.8
1300	587.5	57501.3
1300	600	57463.2
1300	612.5	57491.6
1300	625	57590.5
1300	637.5	57562.9
1300	650	57631.9

Line	Station	Gammas
1300	-12.5	57921.7
1300	0	57658.5
1300	12.5	57593.8
1300	25	57501.4
1300	37.5	57456.5
1300	50	57492.8
1300	62.5	57478.3
1300	75	57517.7
1300	87.5	57634.6
1300	100	57583.3
1300	112.5	57524.1
1300	125	57464.5
1300	137.5	57435.1
1300	150	57408.6
1300	162.5	57304.1
1200	-300	57599.5
1200	-312.5	57556.5
1200	-325	57533.6
1200	-337.5	57535.2
1200	-350	57546.4
1200	-362.5	57557.5
1200	-375	57550.5
1200	-387.5	57559.4
1200	-400	57652.3
1200	-412.5	57657.8
1200	-425	57620.7
1200	-437.5	57586.1
1200	-450	57633.7
1200	-462.5	57609.4
1200	-475	57578.7
1200	-487.5	57574.6
1200	-500	57569
1200	-512.5	57602.9
1200	-525	57625.6
1200	-537.5	57565.8
1200	-550	57546.9
1200	-562.5	57545.3
1200	-575	57529.9
1200	-587.5	57512.5
1200	-600	57502.3
1200	-612.5	57491
1200	-625	57483
1200	-637.5	57473.7
1200	-650	57474.4
1200	-662.5	57487.3
1200	-675	57485
1200	-687.5	57467.4
1200	-700	57451.6
1300	-700	57535.4
1300	-687.5	57599.6
1300	-675	57526.3
1300	-662.5	57581.1
1300	-650	57559.1
1300	-637.5	57568.7

Line	Station	Gammas
1300	662.5	57583.1
1300	675	57612.9
1300	687.5	57643.8
1300	700	57303.7
1300	712.5	57389.5
1300	725	57234.9
1300	737.5	56943
1300	750	56945.5
1300	762.5	57067.5
1300	775	57149.9
1300	787.5	57188.5
1300	800	57248.3
1200	-200	57564.7
1200	-212.5	57455.6
1200	-225	57542.6
1200	-237.5	57761.8
1200	-250	57820
1200	-262.5	57762
1200	-275	57652.4
1200	-287.5	57617.2
1300	-375	57553.5
1300	-362.5	57565.2
1300	-350	57572.1
1300	-337.5	57567.5
1300	-325	57561.4
1300	-312.5	57516
1300	-300	57522.2
1300	-287.5	57513.2
1300	-275	57535.3
1300	-262.5	57555.6
1300	-250	57562.2
1300	-237.5	57543.5
1300	-225	57536.9
1300	-212.5	57521.2
1400	-212.5	57445.5
1400	-225	57441.7
1400	-237.5	57444.2
1400	-250	57441.3
1400	-262.5	57449.4
1400	-275	57448.4
1400	-287.5	57437.2
1400	-300	57426.3
1400	-312.5	57416.9
1400	-325	57422.9
1400	-337.5	57430.8
1400	-350	57437.2
1400	-362.5	57435.1
1400	-375	57432.1
1400	-387.5	57434.8
1400	-400	57422.5
1400	-412.5	57465.6
1400	-425	57440.7
1400	-437.5	57465.7
1400	-450	57508.7

Line	Station	Gammas
1300	-625	57552.4
1300	-612.5	57569.1
1300	-600	57509.1
1300	-587.5	57494
1300	-575	57448.3
1300	-562.5	57445.5
1300	-550	57453.6
1300	-537.5	57469.3
1300	-525	57452
1300	-512.5	57446.5
1300	-500	57450.9
1300	-487.5	57477.1
1300	-475	57485.5
1300	-462.5	57497.9
1300	-450	57485.4
1300	-437.5	57497.4
1300	-425	57498.9
1300	-412.5	57507.7
1300	-400	57514.3
1300	-387.5	57544.7
1500	-637.5	57473.5
1500	-625	57456.5
1500	-612.5	57453.2
1500	-600	57466.6
1500	-587.5	57453.2
1500	-575	57454.9
1500	-562.5	57460
1500	-550	57453.2
1500	-537.5	57465.1
1500	-525	57470.2
1500	-512.5	57464.6
1500	-500	57515.1
1500	-487.5	57494.9
1500	-475	57511.9
1500	-462.5	57600.9
1500	-450	57469.5
1500	-437.5	57445.8
1500	-425	57441.6
1500	-412.5	57433
1500	-400	57438.5
1500	-387.5	57473.3
1500	-375	57580.4
1500	-362.5	57587
1500	-350	57550.4
1500	-337.5	57535.3
1500	-325	57583.6
1500	-312.5	57537.3
1500	-300	57720.6
1500	-287.5	57588.8
1500	-275	57521.6
1500	-262.5	57507
1500	-250	57545.4
1500	-237.5	57415.1
1500	-225	57380.6

Line	Station	Gammas
1400	-462.5	57500.6
1400	-475	57511.3
1400	-487.5	57501.2
1400	-500	57515.7
1400	-512.5	57565.2
1400	-525	57521.3
1400	-537.5	57480.3
1400	-550	57514.8
1400	-562.5	57474.4
1400	-575	57452
1400	-587.5	57448.2
1400	-600	57439.3
1400	-612.5	57435.7
1400	-625	57470.2
1400	-637.5	57449.9
1400	-650	57431.6
1400	-662.5	57427
1400	-675	57433.6
1400	-687.5	57454.2
1400	-700	57435.5
1500	-700	57458.9
1500	-687.5	57465.9
1500	-675	57447.6
1500	-662.5	57475.5
1500	-650	57463.7
1000	-112.5	57462.5
1000	-100	57412.3
1000	-87.5	57455.3
1000	-75	57398.7
1000	-62.5	57390.7
1000	-50	57380.2
1000	-37.5	57383.8
1000	-25	57398.9
1000	-12.5	57439.6
1000	0	57470.7
1000	12.5	57475.9
1000	25	57350.3
1000	37.5	57321
1000	50	57310.8
1000	62.5	57311.1
1000	75	57306.8
1000	87.5	57319.4
1000	100	57338.9
1000	112.5	57360.2
1000	125	57374.3
1000	137.5	57394.8
1000	150	57405.7
1000	162.5	57464.1
1000	175	57477.9
1000	187.5	57430.7
1000	200	57586
1000	212.5	57435.4
1000	225	57427.6
1000	237.5	57429.8

Line	Station	Gammas
1500	-212.5	57454.8
900	0	57341
900	-12.5	57327.5
900	-25	57324.3
900	-37.5	57310.7
900	-50	57315.1
900	-62.5	57305
900	-75	57297.1
900	-87.5	57309.3
900	-100	57300.5
900	-112.5	57324.4
900	-125	57404.5
900	-137.5	57386.6
900	-150	57421.7
900	-162.5	57502.8
900	-175	57568.3
900	-187.5	57485.9
900	-200	57339.2
1000	-200	57294.3
1000	-187.5	57327.2
1000	-175	57372.3
1000	-162.5	57406.9
1000	-150	57439
1000	-137.5	57436.6
1000	-125	57450.1
1000	625	57316.1
1000	637.5	57308.7
1000	650	57284.1
1000	662.5	57268
1000	675	57270.2
1000	687.5	57265.8
1000	700	57282.2
1000	712.5	57290.2
1000	725	57300.1
1000	737.5	57306.7
1000	750	57298.8
1000	762.5	57300.9
1000	775	57307
1000	787.5	57306.1
1000	800	57306.6
900	800	57342.9
900	787.5	57207.1
900	775	57289.1
900	762.5	57314.6
900	750	57326.5
900	737.5	57324.3
900	725	57322.7
900	712.5	57327.1
900	700	57323.3
900	687.5	57323.7
900	675	57321.4
900	662.5	57313.9
900	650	57317.5
900	637.5	57315.7



Line	Station	Gammas
1000	250	57358.2
1000	262.5	57481.8
1000	275	57338.5
1000	287.5	57317.8
1000	300	57304.9
1000	312.5	57314.9
1000	325	57314.5
1000	337.5	57328.5
1000	350	57340.8
1000	362.5	57339.4
1000	375	57329.5
1000	387.5	57349.7
1000	400	57340.7
1000	412.5	57321
1000	425	57328.4
1000	437.5	57336.8
1000	450	57321.8
1000	462.5	57317
1000	475	57316.8
1000	487.5	57294
1000	500	57312.7
1000	512.5	57317.7
1000	525	57311.1
1000	537.5	57307.6
1000	550	57304.1
1000	562.5	57315.9
1000	575	57319
1000	587.5	57321.2
1000	600	57327.2
1000	612.5	57313.8
900	250	57337.1
900	237.5	57306.7
900	225	57325.8
900	212.5	57338.9
900	200	57337.2
900	187.5	57372.4
900	175	57349.9
900	162.5	57334.9
900	150	57327.6
900	137.5	57316.1
900	125	57318.1
900	112.5	57319.4
900	100	57323.2
900	87.5	57319.1
900	75	57308.6
900	62.5	57307
900	50	57378.5
900	37.5	57381
900	25	57343.5
900	12.5	57350.8
900	0	57340.8
1100	-200	57317.2
1100	-212.5	57330.7
1100	-225	57635.8

Line	Station	Gammas
900	625	57315.2
900	612.5	57309.8
900	600	57312.4
900	587.5	57307.6
900	575	57305.7
900	562.5	57309.1
900	550	57310.5
900	537.5	57303.4
900	525	57300.3
900	512.5	57289.2
900	500	57293.5
900	487.5	57283.7
900	475	57281.3
900	462.5	57295.9
900	450	57293.4
900	437.5	57278.7
900	425	57282.9
900	412.5	57275.4
900	400	57273.5
900	387.5	57285.6
900	375	57314.8
900	362.5	57303.6
900	350	57327.1
900	337.5	57341.8
900	325	57369.1
900	312.5	57364.7
900	300	57349.7
900	287.5	57344.8
900	275	57334.4
900	262.5	57324.8
1100	-675	57521.3
1100	-687.5	57494.8
1100	-700	57504.7
1000	-700	57417.5
1000	-687.5	57367.5
1000	-675	57130.9
1000	-662.5	56879.7
1000	-650	57133.2
1000	-637.5	57268.9
1000	-625	57316
1000	-612.5	57275.8
1000	-600	57295.7
1000	-587.5	57295.9
1000	-575	57380.8
1000	-562.5	57458.2
1000	-550	57467.1
1000	-537.5	57530.1
1000	-525	57419.6
1000	-512.5	57414.4
1000	-500	57374
1000	-487.5	57401.6
1000	-475	57435.3
1000	-462.5	57441.5
1000	-450	57437.1

Line	Station	Gammas
1100	-237.5	57541.4
1100	-250	57553.7
1100	-262.5	57396.1
1100	-275	57341.3
1100	-287.5	57900.1
1100	-300	59303
1100	-312.5	58397.6
1100	-325	58551.3
1100	-337.5	58350.1
1100	-350	58262.3
1100	-362.5	58179.8
1100	-375	58334.1
1100	-387.5	57873.4
1100	-400	57808.4
1100	-412.5	57966.4
1100	-425	57942.3
1100	-437.5	58058.7
1100	-450	57998
1100	-462.5	58117.2
1100	-475	57977
1100	-487.5	57969.8
1100	-500	57799
1100	-512.5	57750.9
1100	-525	57770.6
1100	-537.5	57709.2
1100	-550	57729.4
1100	-562.5	57771.6
1100	-575	57625
1100	-587.5	57667.2
1100	-600	57630.7
1100	-612.5	57627.1
1100	-625	57617.5
1100	-637.5	57545.1
1100	-650	57537.4
1100	-662.5	57526.8
900	-387.5	57426.9
900	-400	57459.5
900	-412.5	57388.1
900	-425	57374.7
900	-437.5	57375.4
900	-450	57340.1
900	-462.5	57327.6
900	-475	57294.6
900	-487.5	57236
900	-500	57137.2
900	-512.5	56705.4
900	-525	57078.6
900	-537.5	57277.3
900	-550	57307.4
900	-562.5	57334.8
900	-575	57321.4
900	-587.5	57327.3
900	-600	57328.8
900	-612.5	57314.5

Line	Station	Gammas
1000	-437.5	57387
1000	-425	57365
1000	-412.5	57361.4
1000	-400	57384.7
1000	-387.5	57586.7
1000	-375	57468.5
1000	-362.5	57365
1000	-350	57356.9
1000	-337.5	57333.8
1000	-325	57319.1
1000	-312.5	57326.3
1000	-300	57332.6
1000	-287.5	57323.4
1000	-275	57340.6
1000	-262.5	57321.2
1000	-250	57359.5
1000	-237.5	57348.1
1000	-225	57366.7
1000	-212.5	57283.5
1000	-200	57299.9
900	-200	57340
900	-212.5	57307.2
900	-225	57303.3
900	-237.5	57349.9
900	-250	57512.9
900	-262.5	57525.2
900	-275	57518.7
900	-287.5	57405.2
900	-300	57395.2
900	-312.5	57359.2
900	-325	57362.4
900	-337.5	57364.5
900	-350	57380.1
900	-362.5	57383.5
900	-375	57390.1
800	-287.5	57145
800	-275	57066.9
800	-262.5	56973.6
800	-250	56883.2
800	-237.5	56942.7
800	-225	57154.4
800	-212.5	57208.8
800	-200	57254.6
800	-187.5	57298.4
800	-175	57331.2
800	-162.5	57377.2
800	-150	57297
800	-137.5	57321.2
800	-125	57326.1
800	-112.5	57295.1
800	-100	57286
800	-87.5	57304.3
800	-75	57308.9
800	-62.5	57321

Line	Station	Gammas
900	-625	57332.5
900	-637.5	57329.2
900	-650	57324.4
900	-662.5	57342.1
900	-675	57334.1
900	-687.5	57305
900	-700	57332.7
800	-700	57328.3
800	-687.5	57343.2
800	-675	57364.8
800	-662.5	57345.1
800	-650	57381.7
800	-637.5	57361.6
800	-625	57367.1
800	-612.5	57375.5
800	-600	57390.3
800	-587.5	57395.9
800	-575	57399.8
800	-562.5	57440.8
800	-550	57482.6
800	-537.5	57495.3
800	-525	57370.1
800	-512.5	57350.8
800	-500	57327.5
800	-487.5	57387.3
800	-475	57333.6
800	-462.5	57324.6
800	-450	57326.4
800	-437.5	57327.3
800	-425	57345.3
800	-412.5	57314
800	-400	57145.2
800	-387.5	57086.9
800	-375	57485.4
800	-362.5	57382.2
800	-350	57329.5
800	-337.5	57315.6
800	-325	57270.5
800	-312.5	57240
800	-300	57205.2
800	450	57327.9
800	462.5	57336.5
800	475	57333.9
800	487.5	57333.5
800	500	57335
800	512.5	57335
700	500	57356.4
700	487.5	57357.7
700	475	57355.2
700	462.5	57356.6
700	450	57353.7
700	437.5	57355.7
700	425	57353.7
700	412.5	57356.3

Line	Station	Gammas
800	-50	57329.4
800	-37.5	57344
800	-25	57337.8
800	-12.5	57343.9
800	0	57342
800	12.5	57326.8
800	25	57323.6
800	37.5	57313.7
800	50	57310.1
800	62.5	57312.5
800	75	57325.7
800	87.5	57326.7
800	100	57316.5
800	112.5	57320.1
800	125	57321.5
800	137.5	57311.2
800	150	57309.5
800	162.5	57302.7
800	175	57306.7
800	187.5	57303.3
800	200	57303.8
800	212.5	57299.6
800	225	57300
800	237.5	57299.5
800	250	57310.3
800	262.5	57300.3
800	275	57306
800	287.5	57304.9
800	300	57307.3
800	312.5	57310.9
800	325	57311.8
800	337.5	57319.6
800	350	57314.2
800	362.5	57312.5
800	375	57312.4
800	387.5	57323.3
800	400	57319.7
800	412.5	57321.2
800	425	57324
800	437.5	57329.6
700	-150	57344.7
700	-162.5	57350
700	-175	57335.3
700	-187.5	57308
700	-200	57304.1
700	-212.5	57317.8
700	-225	57332.3
700	-237.5	57342.5
700	-250	57323.6
700	-262.5	57326.8
700	-275	57323.6
700	-287.5	57331
700	-300	57331.9
700	-312.5	57329.9

Line	Station	Gammas
700	400	57353
700	387.5	57364.8
700	375	57360
700	362.5	57358.8
700	350	57356.3
700	337.5	57354.9
700	325	57352.8
700	312.5	57351.3
700	300	57349.5
700	287.5	57387.6
700	287.5	57349.3
700	275	57347.3
700	262.5	57344.2
700	250	57339.7
700	237.5	57336.7
700	225	57339.1
700	212.5	57342.4
700	200	57332.6
700	187.5	57331.6
700	175	57341.6
700	162.5	57325.2
700	150	57320.5
700	137.5	57325
700	125	57326.9
700	112.5	57323
700	100	57322.6
700	87.5	57320.8
700	75	57318.9
700	62.5	57317.3
700	50	57316.4
700	37.5	57308.2
700	25	57304.4
700	12.5	57292.7
700	0	57279.6
700	-12.5	57259.1
700	-25	57184.3
700	-37.5	57180.4
700	-50	57120.6
700	-62.5	57234.5
700	-75	57264
700	-87.5	57287.3
700	-100	57309.8
700	-112.5	57324
700	-125	57323.4
700	-137.5	57355.8
600	-525	57336
600	-512.5	57330.1
600	-500	57353.7
600	-487.5	57363.5
600	-475	57373.2
600	-462.5	57352.7
600	-450	57351.2
600	-437.5	57348.6
600	-425	57362.3

Line	Station	Gammas
700	-325	57306.1
700	-337.5	57414.2
700	-350	57463.9
700	-362.5	57493.2
700	-375	57511.7
700	-387.5	57498.4
700	-400	57429.9
700	-412.5	57405.2
700	-425	57397.7
700	-437.5	57385.3
700	-450	57392.2
700	-462.5	57400.8
700	-475	57371.4
700	-487.5	57371.1
700	-500	57366.7
700	-512.5	57347.4
700	-525	57350
700	-537.5	57363.7
700	-550	57364.7
700	-562.5	57378.3
700	-575	57445.3
700	-587.5	57566.5
700	-600	57552.1
700	-612.5	57536.9
700	-625	57484.7
700	-637.5	57427.1
700	-650	57390.7
700	-662.5	57357.4
700	-675	57355.9
700	-687.5	57479.4
700	-700	57506.5
600	-700	57354.6
600	-687.5	57333.9
600	-675	57391.9
600	-662.5	57377
600	-650	57436
600	-637.5	57476.4
600	-625	57443.3
600	-612.5	57442.3
600	-600	57411.1
600	-587.5	57349.3
600	-575	57352.1
600	-562.5	57325.4
600	-550	57364.3
600	-537.5	57384.4
600	212.5	57319.1
600	225	57322.3
600	237.5	57325.6
600	250	57327.2
600	262.5	57332.1
600	275	57334.6
600	287.5	57339.4
600	300	57343.4
600	312.5	57342.5

Line	Station	Gammas
600	-412.5	57366.1
600	-400	57364.1
600	-387.5	57367
600	-375	57374
600	-362.5	57389.7
600	-350	57374.6
600	-337.5	57386.1
600	-325	57366.5
600	-312.5	57361.5
600	-300	57343
600	-287.5	57313.4
600	-275	57318.6
600	-262.5	57350.2
600	-250	57321.9
600	-237.5	57315.6
600	-225	57318.2
600	-212.5	57317.8
600	-200	57321.6
600	-187.5	57325.4
600	-175	57323.8
600	-162.5	57327.1
600	-150	57329.5
600	-137.5	57334.6
600	-125	57331.5
600	-112.5	57329.4
600	-100	57334.9
600	-87.5	57339.7
600	-75	57336.3
600	-62.5	57325.4
600	-50	57326.1
600	-37.5	57327.9
600	-25	57335.1
600	-12.5	57326.2
600	0	57329.5
600	12.5	57316.9
600	25	57316
600	37.5	57312.6
600	50	57306.7
600	62.5	57280.9
600	75	57288.9
600	87.5	57289.9
600	100	57244.8
600	112.5	57205.7
600	125	57208
600	137.5	57243.7
600	150	57263.4
600	162.5	57292.2
600	175	57300.1
600	187.5	57308.5
600	200	57317.1
500	62.5	57342.4
500	50	57341.2
500	37.5	57351.1
500	25	57353.7

Line	Station	Gammas
600	325	57349.9
600	337.5	57348.7
600	350	57351.3
600	362.5	57352.1
600	375	57356.5
600	387.5	57359.6
600	400	57354.2
600	412.5	57358.9
600	425	57364.9
600	437.5	57368.6
600	450	57371.3
600	462.5	57369.7
600	475	57368.8
600	487.5	57368.4
600	500	57372.1
500	500	57386.3
500	487.5	57348.1
500	475	57311.7
500	462.5	56962.3
500	450	56936.3
500	437.5	57045
500	425	57188
500	412.5	57263.3
500	400	57233
500	387.5	57196.8
500	375	57246.4
500	362.5	57280.6
500	350	57290.9
500	337.5	57282.4
500	325	57287.4
500	312.5	57300.8
500	300	57302.6
500	287.5	57306.6
500	275	57309.7
500	262.5	57307.7
500	250	57322.9
500	237.5	57343.4
500	225	57357.5
500	212.5	57337.7
500	200	57338.3
500	187.5	57337.2
500	175	57337.8
500	162.5	57339.8
500	150	57337.3
500	137.5	57340.5
500	125	57345.1
500	112.5	57341.3
500	100	57345.4
500	87.5	57342.9
500	75	57345.3
400	-337.5	57361.5
400	-325	57364.1
400	-312.5	57364.2
400	-300	57361.7

Line	Station	Gammas
500	12.5	57353.9
500	0	57360.6
500	-12.5	57360.2
500	-25	57359.6
500	-37.5	57356.4
500	-50	57353.7
500	-62.5	57355.4
500	-75	57353
500	-87.5	57355.3
500	-100	57354.3
500	-112.5	57349.3
500	-125	57348.9
500	-137.5	57348.5
500	-150	57344.6
500	-162.5	57340.8
500	-175	57341.3
500	-187.5	57341.4
500	-200	57343.8
500	-212.5	57344.6
500	-225	57339.5
500	-237.5	57336.8
500	-250	57344.2
500	-262.5	57347.9
500	-275	57345.6
500	-287.5	57352.1
500	-300	57347.8
500	-312.5	57343.9
500	-325	57337.5
500	-337.5	57339.6
500	-350	57343.4
500	-362.5	57345.1
500	-375	57341.7
500	-387.5	57351.7
500	-400	57357.9
500	-412.5	57350.4
500	-425	57356.8
500	-437.5	57358.5
500	-450	57413.8
500	-462.5	57386.1
500	-475	57370.7
500	-487.5	57383.4
500	-500	57401.1
400	-500	57352.9
400	-487.5	57351.1
400	-475	57351.3
400	-462.5	57356.3
400	-450	57356.3
400	-437.5	57364
400	-425	57367.2
400	-412.5	57361
400	-400	57359.7
400	-387.5	57355.9
400	-375	57362.8
400	-362.5	57363.2

Line	Station	Gammas
400	-287.5	57365
400	-275	57354.6
400	-262.5	57355.7
400	-250	57351.5
400	-237.5	57346.9
400	-225	57358.1
400	-212.5	57352.4
400	-200	57343.5
400	-187.5	57349.9
400	-175	57354.1
400	-162.5	57357.2
400	-150	57350.7
400	-137.5	57350.3
400	-125	57348.1
400	-112.5	57348
400	-100	57350.6
400	-87.5	57348.5
400	-75	57347.2
400	-62.5	57356.6
400	-50	57353
400	-37.5	57358.2
400	-25	57358.3
400	-12.5	57357.7
400	0	57360.5
400	12.5	57362.7
400	25	57363.1
400	37.5	57357.3
400	50	57358.2
400	62.5	57351.7
400	75	57351.8
400	87.5	57347.6
400	100	57349.3
400	112.5	57343
400	125	57349.8
400	137.5	57355.5
400	150	57354.2
400	162.5	57347.5
400	175	57340.4
400	187.5	57340.3
400	200	57340.6
400	212.5	57347.9
400	225	57354.3
400	237.5	57337.2
400	250	57336
400	262.5	57347.5
400	275	57335.3
400	287.5	57335.5
400	300	57336.2
400	312.5	57336.9
400	325	57334.7
400	337.5	57353.2
400	350	57335.6
400	362.5	57338.2
400	375	57336.8

Line	Station	Gammas
400	-350	57352
400	400	57346.5
400	412.5	57349
400	425	57349.4
400	437.5	57344.7
400	450	57350.7
400	462.5	57352.6
400	475	57351.2
400	487.5	57356.8
400	500	57357.2
300	500	57366.3
300	487.5	57359.6
300	475	57362.7
300	462.5	57366.5
300	450	57365.7
300	437.5	57359.9
300	425	57357.7
300	412.5	57361.5
300	400	57363.7
300	387.5	57361.4
300	375	57363.2
300	362.5	57368.7
300	350	57367.4
300	337.5	57366.3
300	325	57364.8
300	312.5	57350.8
300	300	57355.7
300	287.5	57355.6
300	275	57368.9
300	262.5	57362.2
300	250	57372.9
300	237.5	57366.1
300	225	57364.2
300	212.5	57359.2
300	200	57358.3
300	187.5	57356.9
300	175	57355.3
300	162.5	57362.8
300	150	57360.6
300	137.5	57353.2
300	125	57349.2
300	112.5	57350.8
300	100	57353.7
300	87.5	57354
300	75	57360.5
300	62.5	57362.9
300	50	57364.9
300	37.5	57357.6

Line	Station	Gammas
400	387.5	57342.9
300	-125	57383.4
300	-137.5	57377.7
300	-150	57371.1
300	-162.5	57363.4
300	-175	57356.7
300	-187.5	57371.1
300	-200	57360.4
300	-212.5	57355.6
300	-225	57346.2
300	-237.5	57363.5
300	-250	57411.9
300	-262.5	57363.8
300	-275	57374.1
300	-287.5	57377.1
300	-300	57395.3
300	-312.5	57386
300	-325	57436
300	-337.5	57346.9
300	-350	57374.6
300	-362.5	57381.5
300	-375	57238.4
300	-387.5	57388.8
300	-400	57388.2
300	-412.5	57378.1
300	-425	57371.2
300	-437.5	57367.2
300	-450	57369.5
300	-462.5	57355.1
300	-475	57357.1
300	-487.5	57355.1
300	-500	57361.9
300	25	57361.1
300	12.5	57356.1
300	0	57359.8
300	-12.5	57356.4
300	-25	57359.1
300	-37.5	57364.3
300	-50	57364.8
300	-62.5	57377.1
300	-75	57371.3
300	-87.5	57383
300	-100	57386.2
300	-112.5	57374.1

Yukon Energy, Mines & Resources Library



1000762910

DATE DUE