

YEIP
05-022
2005

GEOCHEMICAL, GEOPHYSICAL, TRENCHING

REPORT

YMIP 05-022

ANTIMONY TARGET

LAT: 64° 18. N

Long: 138° 16. W

NTS 116 B / 8

DAWSON MINING DISTRICT

AUTHOR OF REPORT SHAWN RYAN

WORK PERFORMED AUG 11 – AUG 24, 2005

DATE OF REPORT JANUARY 31, 2006

TABLE OF CONTENT

1.0	SUMMARY	P.3
2.0	INTRODUCTION	P.3
3.0	ACCESS	p.3
4.0	REGIONAL GEOLOGY	p.3
4.1	PROPERTY GEOLOGY (Antimony) Regional Geology	p.4
5.0	WORK PERFORMED / METHODS	p.4
5.1	Grid Work	p.4
5.2	Magnetic Survey	p.4
5.3	Soil Survey	p.5
5.4	Trenching	p.5
6.0	INTERPRETATION	p.5
6.1	Magnetic Survey	p.6
6.2	Soil Survey	p.6
6.3	Trenching	p.6
7.0	RECOMMENDATION	p.7
8.0	REFERENCES	p.7
	Antimony Soil Location Map Gold	Figure 1
	Antimony Soil Location Map Bismuth	Figure 2
	Antimony Soil Location Map Arsenic	Figure 3
	Antimony Magnetic Map	Figure 4
	GPS Location Data	Appendix
	Assay data	Appendix

ANTIMONY PROJECT

1.0 SUMMARY

The Antimony Project had 57 man days of work, collecting 279 soils and 46 rocks. The soils targeted two different areas all related to Tombstone Intrusive gold targets. The Program was successful in identifying three different soil anomalies with values reaching up to 10,100 ppb Au. A new showing was found in outcrop with values reaching 61 g/t Au in outcrop. The Ant Project was option to Logan Resource Ltd shortly after the new showing was discovery.

2.0 INTRODUCTION

The Antimony Project work consist of soil sampling, a magnetic survey, hand trenching and prospecting. A new showing was discovered that turned out to be massive pyrrhotite with minor copper sporadically running in a cliff face for 400 meters.

3.0 ACCESS

The Access to the Ant Project is by helicopter from Dawson City. A staging area for fuel was established for the Antimony Area in a gravel pit about 39 kilometers up the Dempster Hwy.

4.0 Regional Geology

REGIONAL GEOLOGY (excerpt from Kennecott 1995 assessment report 093422)

The Antimony Regional Project Area is located on the western edge of the Selwyn Basin, south of the Mackenzie Platform. The Selwyn Basin was the site of Late Proterozoic to Jurassic deposition of clastic and minor volcanic rocks in a rift basin formed along the western continental margin of ancestral North America. The Dawson Fault separates the Selwyn Basin from the Mackenzie Platform, with north verging movement during the early to mid-Cretaceous. The McKenzie Platform is a continental shelf sequence comprising Middle Proterozoic to Middle Paleozoic carbonate and clastic sedimentary and volcanic rocks

During the Early Cretaceous, Cordilleran-aged north verging thrust imbricated Selwyn Basin stratigraphy. These complex structures are intruded in the Antimony Mountain area by Late Cretaceous, alkaline to slightly calc-alkaline, Tombstone Suite (89-92Ma) plutonic rocks. Tombstone Suite granitoid are reported to have A-type characteristics derived from partial melting of continental crust (Anderson, 1987).

To the southwest of Antimony Mountain area, the Tintina Fault separates the Selwyn Basin from metamorphosed rocks of the Paleozoic Yukon-Tanana Terrane (Mortensen, 1992). Up to 450Km of dextral strike slip movement is thought to have occurred during the late Cretaceous to early Tertiary along the Tintina Fault.

4.1 PROPERTY GEOLOGY (Antimony)

The Antimony Mountain area lies within a southeast-dipping sequence of rocks, located south of the Robert Service Thrust, and which are thickened by isoclinal folding and minor layer-parallel thrusts. The ANT claims are underlain largely by the Late Cretaceous Antimony Mountain stock, consisting of monzonite, diorite and syenite cut by aplite and lamprophyre dykes. The stock intrudes metasedimentary rocks consisting of siltstone, quartzite, argillite and mudstone. Phase within the stock are both porphyritic and equigranular, with locally developed trachytic textured bodies. Alteration assemblages are generally weakly developed to non-existent.

Quartzites at North Valley are interbedded with siltstone/argillite and minor cherty units. Disseminated pyrite and pyrrhotite mineralization, which is common in these rocks in North Valley, is in part stratigraphically controlled, and is typically concentrated in the siltstone units. Bedding is locally observed, and dips moderately to the south and southwest.

Numerous dykes occur on the Ant Property, and were mapped as diorite by Total Energold. They are closely related to vein mineralization in the Rainbow Vein area (Pelletier and Tucker, 1989)

5.0 WORK PERFORMED / METHODS

5.1 Grid Work

A total of 28.1 kilometers of grid was established using Garmin GPS 76 instruments. The beauties of Garmin 76 GPS are that they have a left right function and can keep you right on track within a ± 5 meters error. Station where flagged using Artic orange flagging tape and marked with black permanent markers as to the line and station co-ordinates. In total 1124 station where established. The grid lines ran in a northwest direction with the intension to cross the regional magnetic anomaly at a 90-degree angle.

5.2 Magnetic Survey

The magnetic survey was conducted across the entire grid. The survey uses two Envi-Mag, Scintrex magnetometers. One is the portable field unit and the second is a base station magnetometer that records reading every 10 seconds at a stationary position for the entire survey. The base station monitors the earth daily magnetic drift. At the end of each daily survey both the field and base station magnetometers are plugged in together and the daily drift is corrected out of the field mag.

Only the corrected data is used to plot the survey results. The field survey took reading every 12.5 meters for a total of 2248 readings.

5.3 Soil Survey

The Antimony Project had 8 man days of soil work collecting 279 soils.

All soil sample where taken with one meter soil probes and sometime with a prospector pick. We carried both on rocky talus slope. Soil sample location where marked on the ground with orange flagging and recorded in Garmin GPS. About 400-500 grams of soil was collected and place in well mark kraft soil bags.

All samples where brought out to Dawson and air dried repacked in rice bags and sent to Acme Labs in Vancouver. Sample where process with Aqua Regia ICP-MS for 36 elements.

The GPS where downloaded every night and store in a personal computer.

5.4 Trenching

The Ant project had 3 men hand trench with a Pionjar plugger. They worked in three location along massive pyrrhotite outcrop found during the initial evaluation of the 2004 high grade soil sample. The trenching crew worked for a total of five days.

6.0 Results / Interpretation

6.1 Magnetic Survey

The magnetic survey revealed patchy magnetic high running in a general east northeast direction. The magnetic high correlates to some of known showing on the surveyed grid area such as the TK and JC showing. A magnetic high appear where Total Energold mapped out some skarn alteration. Given that the magnetic highs are correlating very nicely with known showing I feel the other magnetic high should be carefully examined.

6.2 Soil Survey

The soil survey revealed a very nice gold, bismuth and arsenic anomaly. The largest gold anomaly found on western side of Figure 1. This soil anomaly has produce gold values in access of 10g/t gold. I perform some statistic and there is 120 acres of ground producing a average of .3 g/t gold and inner zone of 85 acres that average .45 g/t gold.

The regional south soil lines also produce a nice gold, bismuth and arsenic anomaly running across a area of 300 meters.

6.3 Trenching

The hand trenching worked on exposing rusty zone found along the large soil anomaly. The first trench was placed above the 2004 anomalous soil of 6.2 g/t gold. Here the crew found replacement style mineralization of semi massive pyrrhotite.

Trench #2 was located on another 2004 anomalous gold soil of 1.1 g/t Au. This trech found sighs of skarn with lots of garnets in a greenish cal silicate fine grain rock unit.

Trench # 3 targeted a massive pyrrhotite wall showing. The wall extends over 400 meters in length with a solid 120 meters of mineralization and it shows up at around 300 meters and again at 400 to 450 meters, the wall is mostly pyrrhotite with little stringers of chalcopyrite and some arsenopyrite.

Trench 1 location 629,670 E 7136060 N Depth 1 meter length 4 meters

Trench #2 629240 E 7135780 N Depth 1 meter length 5 meters

Trench # 3 629030 E 7135810 N Vertical wall blast 50 cm in by 1 meter wide

7.0 RECOMMENDATION

I recommended follow up work on all three soil anomalies. The priority targets would be the large soil anomaly to the west. I would follow this anomaly up with ground prospecting. The soils are so high that the source must be right on surface. The other soil anomalies need to be better defined with a systematic grid covering the entire slope.

8.0 REFERENCES

Kennecott Canada Inc. (1995) Assessment Report on 1995 Geological and Geochemical Work at the Am 1-120 Claims number # 093422.

Kennecott Canada Inc. 1998 1998 assessment Report on the Antimony Mountain Property, file # 093916

Kennecott Canada Inc., Physical Work report on 1995 Geochemical work at the Buz 1-6 and HUD 1-12 Claims, File # 093368

Anaconda Canada Exploration, 1980, Geology, Geochemistry and Geophysics of the Thor 1-192 Claim Group File #090552.

Homestake Canada Inc. 1998, Geological, geochemical and geophysical Program Mike Lake Property File # 093922

Homestake Canada Inc., 1997, Assessment Report 1997 Sampling and Trenching Program Java Property, File # 093829.


Placer Dome, 1991, Geological and Geochemical Report on the Lorrie Property, File # 093010.

Total Energold Corporation, 1989, Geological and Geochemical Report on the Buz 1-14, and HUD 1-6 and Tooth 1-180 Claims. Assessment # 092787.


ANTIMONY 2005 Survey MAGNETIC Survey Data.

Line	Station	Gammas						
0	-800	57592.1	0	-100	57454.4	-50	0	57598.3
0	-787.5	57605.5	0	-87.5	57479.2	-50	-12.5	57578.9
0	-775	57608.5	0	-75	57510.3	-50	-25	57533.3
0	-762.5	57736.7	0	-62.5	57616.8	-50	-37.5	57467.7
0	-750	57547.6	0	-50	57630	-50	-50	57482.9
0	-737.5	57418.2	0	-37.5	57531.6	-50	-62.5	57479.1
0	-725	57406.9	0	-25	57473.2	-50	-75	57603.3
0	-712.5	57420	0	-12.5	57476.8	-50	-87.5	57582.9
0	-700	57428.2	0	0	57479.4	-50	-100	57551.7
0	-687.5	57538.5	0	12.5	57501.6	-50	-112.5	57479.5
0	-675	57496.1	0	25	57477.9	-50	-125	57468.5
0	-662.5	57452.6	0	37.5	57491.1	-50	-137.5	57464.3
0	-650	57479.1	0	50	57629.1	-50	-150	57445.4
0	-637.5	57440.5	0	62.5	57733.1	-50	-162.5	57408.1
0	-625	57497	0	75	57616.3	-50	-175	57384.9
0	-612.5	57429.4	0	87.5	57490	-50	-187.5	57454.2
0	-600	57375.3	0	100	57516.1	-50	-200	57450.9
0	-587.5	57315	0	112.5	57556	-50	-212.5	57448.6
0	-575	57535.7	0	125	57584.2	-50	-225	57430.3
0	-562.5	57530.5	0	137.5	57566.7	-50	-237.5	57422.3
0	-550	57511.6	0	150	57570.4	-50	-250	57403.1
0	-537.5	57411.9	0	162.5	57612	-50	-262.5	57405.7
0	-525	57339.7	0	175	57573.2	-50	-275	57412.4
0	-512.5	57367.4	0	187.5	57448.1	-50	-287.5	57421.8
0	-500	57381.6	0	200	57367.5	-50	-300	57397.7
0	-487.5	57381.1	0	212.5	57417.7	-50	-312.5	57409.2
0	-475	57367.7	0	225	57497	-50	-325	57450.2
0	-462.5	57393.4	0	237.5	57628.5	-50	-337.5	57488.7
0	-450	57415.2	0	250	57665.2	-50	-350	57539.1
0	-437.5	57418.5	0	262.5	57645.9	-50	-362.5	57458.4
0	-425	57422	0	275	57728.6	-50	-375	57393.3
0	-412.5	57428	0	287.5	57748.4	-50	-387.5	57427
0	-400	57432.1	-50	300	57678.7	-50	-400	57453
0	-387.5	57459.8	-50	300	57852.1	-50	-412.5	57417.3
0	-375	57512	-50	287.5	57914.6	-50	-425	57410.2
0	-362.5	57495.2	-50	275	57695.2	-50	-437.5	57415.8
0	-350	57428.9	-50	262.5	57675.8	-50	-450	57413.3
0	-337.5	57413.6	-50	250	57646.9	-50	-462.5	57407.2
0	-325	57401.7	-50	237.5	57600.6	-50	-475	57400.5
0	-312.5	57414.3	-50	225	57384.4	-50	-487.5	57388.4
0	-300	57422	-50	212.5	57399.6	-50	-500	57383.2
0	-287.5	57435.2	-50	200	57458.8	-50	-512.5	57351.6
0	-275	57460.7	-50	187.5	57516.5	-50	-525	57335.4
0	-262.5	57441.5	-50	175	57571	-50	-537.5	57354.2
0	-250	57464	-50	162.5	57574.7	-50	-550	57399.5
0	-237.5	57450.4	-50	150	57590.5	-50	-562.5	57395.5
0	-225	57433.6	-50	137.5	57552.4	-50	-575	57401.1
0	-212.5	57504.6	-50	125	57513.3	-50	-587.5	57376.8
0	-200	57603.5	-50	112.5	57607.3	-50	-598.5	57302.7
0	-187.5	57772.8	-50	100	57835.9	-50	-600	57315.7
0	-175	57493.8	-50	87.5	57728.4	-50	-612.5	57315.7
0	-162.5	57458.8	-50	75	57494.4	-50	-625	57320.5
0	-150	57498.7	-50	62.5	57393.7	-50	-637.5	57327.6
0	-137.5	57521.1	-50	50	57437.4	-50	-650	57380.4
0	-125	57577.3	-50	37.5	57474.4	-50	-662.5	57407.5
0	-112.5	57516.4	-50	25	57448	-50	-675	57455.2
0			-50	12.5	57461.5	-50	-687.5	57551.7
0			-50			-50	-700	57529.4

Antimony 2005 Soil Survey




Antimony 2005 Soil Survey




Antimony 2005 Soil Survey

NTS 116 B / 8 Nad 83 1-20,000

Figure 3



Antimony 2005 Magnetic Survey



NTS 116 B / 8 Nad 83 1-12,500

Anaconda 1981
Drill Location

Figure 4

-50	-712.5	57499.1	-100	-187.5	57505.7	-150	87.5	57461.9
-50	-725	57630.2	-100	-175	57518.1	-150	75	57643.3
-50	-737.5	57531	-100	-162.5	57548.6	-150	62.5	57626.2
-50	-750	57536.7	-100	-150	57555.5	-150	50	57617.6
-50	-762.5	57517.9	-100	-137.5	57474.7	-150	37.5	57599.8
-50	-775	57522.1	-100	-125	57499	-150	25	57581.3
-50	-787.5	57424.6	-100	-112.5	57526.3	-150	12.5	57502.9
-50	-800	57434.9	-100	-100	57502	-150	0	57472.2
-100	-800	57460	-100	-87.5	57505.4	-150	-12.5	57522.4
-100	-787.5	57404.3	-100	-75	57506.3	-150	-25	57595.1
-100	-775	57341.1	-100	-62.5	57635.5	-150	-37.5	57526.2
-100	-762.5	57411.4	-100	-50	57630.7	-150	-50	57556.9
-100	-750	57492.3	-100	-37.5	57624	-150	-62.5	57583.7
-100	-737.5	57463.2	-100	-25	57748.9	-150	-75	57560.6
-100	-725	57398	-100	-12.5	57709.8	-150	-87.5	57514.4
-100	-712.5	57514.8	-100	0	57639.9	-150	-100	57477.6
-100	-700	57368.1	-100	12.5	57503.2	-150	-112.5	57465.7
-100	-687.5	57340.8	-100	25	57488	-150	-125	57500.3
-100	-675	57353.9	-100	37.5	57502.7	-150	-137.5	57508
-100	-662.5	57202.3	-100	50	57477.8	-150	-150	57583.6
-100	-650	57298.3	-100	62.5	57432.6	-150	-162.5	57682.8
-100	-637.5	57336.5	-100	75	57467.4	-150	-175	57531.7
-100	-625	57349.8	-100	87.5	57451.9	-150	-187.5	57490.2
-100	-612.5	57361.4	-100	100	57396.4	-150	-200	57482.7
-100	-600	57347.4	-100	112.5	57406.6	-150	-212.5	57531.1
-100	-587.5	57312.9	-100	125	57500.8	-150	-225	57495.2
-100	-575	57311.8	-100	137.5	57529.4	-150	-237.5	57442.8
-100	-562.5	57340.2	-100	150	57517.9	-150	-250	57453
-100	-550	57346.5	-100	162.5	57533.8	-150	-262.5	57461.6
-100	-537.5	57366	-100	175	57533.6	-150	-275	57447.3
-100	-525	57381.5	-100	187.5	57441	-150	-287.5	57467.6
-100	-512.5	57391.3	-100	200	57404.7	-150	-300	57456
-100	-500	57397.8	-100	212.5	57407.1	-150	-312.5	57488.3
-100	-487.5	57399.3	-100	225	57467.2	-150	-325	57452.2
-100	-475	57400.1	-100	237.5	58004.5	-150	-337.5	57448.1
-100	-462.5	57400.6	-100	250	57838	-150	-350	57414.4
-100	-450	57402.4	-100	262.5	57835.4	-150	-362.5	57433.5
-100	-437.5	57399	-100	275	57698.1	-150	-375	57431.2
-100	-425	57392.9	-100	287.5	57826.1	-150	-387.5	57398.8
-100	-412.5	57384.3	-100	300	57724.8	-150	-400	57402.6
-100	-400	57372.9	-150	300	57800.7	-150	-412.5	57400.4
-100	-387.5	57368.8	-150	287.5	57164.2	-150	-425	57406.7
-100	-375	57389.5	-150	275	57815.6	-150	-437.5	57400.6
-100	-362.5	57366.9	-150	262.5	57564.2	-150	-450	57405.6
-100	-350	57420.6	-150	250	57544.4	-150	-462.5	57404.2
-100	-337.5	57317	-150	237.5	57526.3	-150	-475	57404.9
-100	-325	57356.7	-150	225	57607.7	-150	-487.5	57402.4
-100	-312.5	57312.6	-150	212.5	57497.4	-150	-500	57402.9
-100	-300	57464.1	-150	200	57414.7	-150	-512.5	57405.8
-100	-287.5	57465.7	-150	187.5	57453.2	-150	-525	57400.2
-100	-275	57564.5	-150	175	57476.3	-150	-537.5	57394.5
-100	-262.5	57407.7	-150	162.5	57488.1	-150	-550	57394.6
-100	-250	57468.2	-150	150	57442.8	-150	-562.5	57398.4
-100	-237.5	57478.3	-150	137.5	57426.7	-150	-575	57374.8
-100	-225	57476.8	-150	125	57457.3	-150	-587.5	57360.4
-100	-212.5	57507.1	-150	112.5	57447.9	-150	-600	57333.9
-100	-200	57519.1	-150	100	57396.2	-150	-612.5	57290.2

-150	-625	57251.8	-200	-500	57416.7	-250	100	57446.2
-150	-637.5	57284.3	-200	-487.5	57410	-250	87.5	57521.5
-150	-650	57403	-200	-475	57404.8	-250	75	57656.4
-150	-662.5	57440.5	-200	-462.5	57407.9	-250	62.5	56859.8
-150	-675	57328.2	-200	-450	57406.6	-250	50	57016
-150	-687.5	57442.8	-200	-437.5	57407.2	-250	37.5	59557.2
-150	-700	57430.1	-200	-425	57405.3	-250	25	57424.9
-150	-712.5	57433.5	-200	-412.5	57405.1	-250	12.5	57701.9
-150	-725	57385.4	-200	-400	57418.7	-250	0	57767.7
-150	-737.5	57363.7	-200	-387.5	57477	-250	-12.5	57572.8
-150	-750	57316.7	-200	-375	57498.6	-250	-25	57502.6
-200	12.5	57819.8	-200	-362.5	57548.4	-250	-37.5	57561.1
-200	25	58311.8	-200	-350	57526.7	-250	-50	57561.5
-200	37.5	58171.2	-200	-337.5	57513.3	-250	-62.5	57512
-200	50	56831.5	-200	-325	57494.3	-250	-75	57486.1
-200	62.5	56879.7	-200	-312.5	57482.7	-250	-87.5	57471.2
-200	75	57490.9	-200	-300	57481.7	-250	-100	57455.9
-200	87.5	57548.6	-200	-287.5	57497	-250	-112.5	57506.9
-200	100	57604.7	-200	-275	57473.1	-250	-125	57464.3
-200	112.5	57397.8	-200	-262.5	57448.4	-250	-137.5	57474.3
-200	125	57372.4	-200	-250	57437	-250	-150	57492.9
-200	137.5	57458	-200	-237.5	57391.6	-250	-162.5	57536
-200	150	57467.3	-200	-225	57446	-250	-175	57539.4
-200	162.5	57450.8	-200	-212.5	57396.9	-250	-187.5	57548.2
-200	175	57412.7	-200	-200	57426.1	-250	-200	57508
-200	187.5	57377.4	-200	-187.5	57539.3	-250	-212.5	57505.9
-200	200	57381.1	-200	-175	57513	-250	-225	57482.5
-200	212.5	57459.2	-200	-162.5	57475.6	-250	-237.5	57448.8
-200	225	57542.1	-200	-150	57453.1	-250	-250	57436.7
-200	237.5	57735.8	-200	-137.5	57453.4	-250	-262.5	57524
-200	250	57831.3	-200	-125	57459.2	-250	-275	57537.4
-200	262.5	58192.8	-200	-112.5	57483.1	-250	-287.5	57570.5
-200	275	58402.1	-200	-100	57518.4	-250	-300	57558.7
-200	287.5	58174.3	-200	-87.5	57484.1	-250	-312.5	57536.6
-200	300	57539.2	-200	-75	57485.6	-250	-325	57567.8
-200	-775	57259.4	-200	-62.5	57506.9	-250	-337.5	57648.3
-200	-762.5	57284.5	-200	-50	57617.7	-250	-350	57481.4
-200	-750	57343.1	-200	-37.5	57556.8	-250	-362.5	57652.6
-200	-737.5	57157.9	-200	-25	57613.5	-250	-375	57613.7
-200	-725	57252.6	-200	-12.5	57582.3	-250	-387.5	57574.9
-200	-712.5	57313.9	-200	0	57673.6	-250	-400	57534.7
-200	-700	57350.2	-250	300	57735.7	-250	-412.5	57502.7
-200	-687.5	57287.7	-250	287.5	57444.3	-250	-425	57408.5
-200	-675	57366.4	-250	275	57635.1	-250	-437.5	57377.1
-200	-662.5	57185.1	-250	262.5	57629.6	-250	-450	57396.6
-200	-650	57318.6	-250	250	57413.5	-250	-462.5	57388.2
-200	-637.5	57347.4	-250	237.5	57401.9	-250	-475	57404
-200	-625	57362.7	-250	225	57366.4	-250	-487.5	57405
-200	-612.5	57381.9	-250	212.5	57360.6	-250	-500	57409.4
-200	-600	57394	-250	200	57355.3	-250	-512.5	57405.7
-200	-587.5	57386.3	-250	187.5	57409.7	-250	-525	57406.8
-200	-575	57385	-250	175	57442	-250	-537.5	57399.1
-200	-562.5	57389.1	-250	162.5	57491.7	-250	-550	57392.2
-200	-550	57398.2	-250	150	57514.5	-250	-562.5	57397.3
-200	-537.5	57412	-250	137.5	57536.3	-250	-575	57390
-200	-525	57405.4	-250	125	57565.2	-250	-587.5	57381.9
-200	-512.5	57409.2	-250	112.5	57653	-250	-600	57415.2

-250	-812.5	57370	-300	-287.5	57671.1	-350	187.5	57552
-250	-825	57371.5	-300	-275	57545.9	-350	175	57544.5
-250	-837.5	57385.5	-300	-262.5	57509.4	-350	162.5	57558.6
-250	-850	57381.9	-300	-250	57469	-350	150	57654.1
-250	-862.5	57382.9	-300	-237.5	57499.7	-350	137.5	57681.1
-250	-875	57389.4	-300	-225	57508.6	-350	125	57640
-250	-887.5	57401.2	-300	-212.5	57533.4	-350	112.5	57517.7
-250	-700	57411.7	-300	-200	57577.5	-350	100	57722.6
-250	-712.5	57432.4	-300	-187.5	57600.5	-350	87.5	57774.4
-250	-725	57400.4	-300	-175	57616.9	-350	75	57756.1
-250	-737.5	57309.7	-300	-162.5	57557.4	-350	62.5	57664
-250	-750	57100.6	-300	-150	57531	-350	50	57621.4
-250	-762.5	57242.8	-300	-137.5	57457.6	-350	37.5	57765.3
-250	-775	57244.7	-300	-125	57446.1	-350	25	57763.8
-250	-787.5	57339.1	-300	-112.5	57404.4	-350	12.5	57777.3
-250	-800	57339.1	-300	-100	57427.2	-350	0	57775.8
-300	-800	57477.5	-300	-87.5	57464.9	-350	-12.5	57752.7
-300	-787.5	57408	-300	-75	57476.2	-350	-25	57706.4
-300	-775	57411	-300	-62.5	57479.5	-350	-37.5	57684.5
-300	-762.5	57394.1	-300	-50	57530.1	-350	-50	57622.4
-300	-750	57395.7	-300	-37.5	57766.9	-350	-62.5	57557.7
-300	-737.5	57404	-300	-25	57433	-350	-75	57551.9
-300	-725	57406.4	-300	-12.5	57545.7	-350	-87.5	57649.4
-300	-712.5	57394.1	-300	0	57590	-350	-100	57552.7
-300	-700	57436.8	-300	12.5	57581.2	-350	-112.5	57563.5
-300	-687.5	57528.6	-300	25	57605.5	-350	-125	57688.2
-300	-675	57471.6	-300	37.5	57384.1	-350	-137.5	57986.5
-300	-662.5	57474.4	-300	50	57653.1	-350	-150	58322.2
-300	-650	57461.6	-300	62.5	57572.1	-350	-162.5	59186.2
-300	-637.5	57443.5	-300	75	57580.1	-350	-175	59527.7
-300	-625	57417.2	-300	87.5	57878.1	-350	-187.5	58766.3
-300	-612.5	57399.8	-300	100	57962	-350	-200	58303.2
-300	-800	57396.3	-300	112.5	57965.5	-350	-212.5	57854
-300	-587.5	57378.1	-300	125	57749.2	-350	-225	57728.4
-300	-575	57389.8	-300	137.5	57580.8	-350	-237.5	57573
-300	-562.5	57395	-300	150	57468.7	-350	-250	57339.6
-300	-550	57391.1	-300	162.5	57481	-350	-262.5	57937.6
-300	-537.5	57392.6	-300	175	57460.8	-350	-275	58060.1
-300	-525	57409.9	-300	187.5	57452.2	-350	-287.5	57990.1
-300	-512.5	57419.2	-300	200	57465.2	-350	-300	57951.2
-300	-500	57412.6	-300	212.5	57516.2	-350	-312.5	58605.1
-300	-487.5	57413.2	-300	225	57554.3	-350	-325	58565.7
-300	-475	57422.1	-300	237.5	57562.4	-350	-337.5	58060.4
-300	-462.5	57422.5	-300	250	57600.3	-350	-350	58051.1
-300	-450	57580	-300	262.5	57583.9	-350	-362.5	57670.2
-300	-437.5	58021.2	-300	275	57594	-350	-375	57734.1
-300	-425	58206.3	-300	287.5	57637	-350	-387.5	57786.4
-300	-412.5	57567.4	-300	300	57578.9	-350	-400	57840
-300	-400	58732.7	-350	300	57509.8	-350	-412.5	57703.7
-300	-387.5	58804.7	-350	287.5	57516.2	-350	-425	57593.9
-300	-375	57060.4	-350	275	57505.9	-350	-437.5	57496
-300	-362.5	57514.5	-350	262.5	57519.4	-350	-450	57445.1
-300	-350	57532.5	-350	250	57532.7	-350	-462.5	57437.5
-300	-337.5	57592.8	-350	237.5	57543.6	-350	-475	57431.8
-300	-325	57570.9	-350	225	57561.5	-350	-487.5	57399.5
-300	-312.5	57783	-350	212.5	57558	-350	-500	57395.1
-300	-300	57856.6	-350	200	57516.2	-350	-512.5	57390.9

-350	-525	57382.8	-400	-375	57617.9	-450	275	57705.2
-350	-537.5	57378	-400	-362.5	57628.1	-450	282.5	57707.4
-350	-550	57376.8	-400	-350	57611.1	-450	250	57713.1
-350	-562.5	57404.7	-400	-337.5	57579.4	-450	237.5	57707.1
-350	-575	57401.7	-400	-325	57762.7	-450	225	57688.8
-350	-587.5	57425	-400	-312.5	57774.4	-450	212.5	57604.1
-350	-600	57413.5	-400	-300	57653	-450	200	57657.2
-350	-612.5	57381.4	-400	-287.5	57674.9	-450	187.5	57707.5
-350	-625	57382.7	-400	-275	57541.7	-450	175	57595.6
-350	-637.5	57413.2	-400	-262.5	57469.6	-450	162.5	57521.4
-350	-650	57444.8	-400	-250	57463.6	-450	150	57529
-350	-662.5	57490.1	-400	-237.5	57426.4	-450	137.5	57570.1
-350	-675	57453.3	-400	-225	57414.1	-450	125	57554
-350	-687.5	57452.8	-400	-212.5	57470	-450	112.5	57574.1
-350	-700	57469.4	-400	-200	57606.6	-450	100	57568.9
-350	-712.5	57484.7	-400	-187.5	57780.8	-450	87.5	57723.8
-350	-725	57454.5	-400	-175	57310.7	-450	75	57990.8
-350	-737.5	57404	-400	-162.5	57431.9	-450	62.5	57835.5
-350	-750	57369.3	-400	-150	57428.8	-450	50	57601.1
-350	-762.5	57371.4	-400	-137.5	57359.4	-450	37.5	57407.8
-350	-775	57390.6	-400	-125	57410.4	-450	25	57389.7
-350	-787.5	57410	-400	-112.5	57411.4	-450	12.5	57396.7
-350	-800	57422.8	-400	-100	57408	-450	0	57398.9
-400	-800	57424.6	-400	-87.5	57470.7	-450	-12.5	57431.1
-400	-787.5	57408	-400	-75	57514.3	-450	-25	57389.7
-400	-775	57432.3	-400	-62.5	57528.4	-450	-37.5	57389.7
-400	-762.5	57437.3	-400	-50	57664.8	-450	-50	57389.6
-400	-750	57446.5	-400	-37.5	57619.9	-450	-62.5	57390.9
-400	-737.5	57447	-400	-25	57660.6	-450	-75	57385.6
-400	-725	57451.1	-400	-12.5	57675.7	-450	-87.5	57389.1
-400	-712.5	57440.2	-400	0	57594.6	-450	-100	57408.7
-400	-700	57440.8	-400	12.5	57618.6	-450	-112.5	57395.4
-400	-687.5	57430.4	-400	25	57626.9	-450	-125	57393.9
-400	-675	57423.3	-400	37.5	57582.8	-450	-137.5	57408.6
-400	-662.5	57412.9	-400	50	57494.3	-450	-150	57387.3
-400	-650	57414.7	-400	62.5	58328.5	-450	-162.5	57368.5
-400	-637.5	57427.8	-400	75	58000.5	-450	-175	57382.8
-400	-625	57443.3	-400	87.5	57846.1	-450	-187.5	57402.3
-400	-612.5	57466.7	-400	100	57771.8	-450	-200	57385.3
-400	-600	57348.3	-400	112.5	57773.5	-450	-212.5	57363.1
-400	-587.5	57400.8	-400	125	57717.6	-450	-225	57349.1
-400	-575	57409.7	-400	137.5	57513.6	-450	-237.5	57327.6
-400	-562.5	57394.5	-400	150	57478	-450	-250	57239.6
-400	-550	57397.8	-400	162.5	57518.3	-450	-262.5	57172
-400	-537.5	57437	-400	175	57653.1	-450	-275	57483.8
-400	-525	57476.1	-400	187.5	57593.6	-450	-287.5	57965.4
-400	-512.5	57482.6	-400	200	57597.5	-450	-300	57456.6
-400	-500	57488.5	-400	212.5	57627	-450	-312.5	57586.6
-400	-487.5	57459	-400	225	57592	-450	-325	57601.1
-400	-475	57504.7	-400	237.5	57566	-450	-337.5	57641.2
-400	-462.5	57289.1	-400	250	57574.9	-450	-350	57660.7
-400	-450	57377.7	-400	262.5	57579.1	-450	-362.5	57650.8
-400	-437.5	57456.7	-400	275	57588.6	-450	-375	57587.9
-400	-425	57511.8	-400	287.5	57600.4	-450	-387.5	57465.2
-400	-412.5	57579.6	-400	300	57596.4	-450	-400	57421.6
-400	-400	57672.7	-450	300	57644.8	-450	-412.5	57491.8
-400	-387.5	57664.3	-450	287.5	57665.9	-450	-425	57569

-450	-437.5	57544.3	-500	-462.5	57513.7	-500	250	57643.3
-450	-450	57507.4	-500	-450	57511.4	-500	262.5	57644.3
-450	-462.5	57511	-500	-437.5	57477.7	-500	275	57659.1
-450	-475	57477	-500	-425	57557.7	-500	287.5	57673.3
-450	-487.5	57493.6	-500	-412.5	57668.5	-500	300	57685.8
-450	-500	57539.3	-500	-400	57720.2	-550	300	57708.7
-450	-512.5	57548.7	-500	-387.5	57693.6	-550	287.5	57683.4
-450	-525	57564	-500	-375	57616.9	-550	275	57656.8
-450	-537.5	57535.1	-500	-362.5	57629.7	-550	262.5	57715.1
-450	-550	57578.9	-500	-350	57580.9	-550	250	57726
-450	-562.5	57576.7	-500	-337.5	57593.7	-550	237.5	57638.9
-450	-575	57614.4	-500	-325	57450.9	-550	225	57589.7
-450	-587.5	57510.1	-500	-312.5	57407.4	-550	212.5	57477.5
-450	-600	57501.4	-500	-300	57345.9	-550	200	57406.5
-450	-612.5	57481.3	-500	-287.5	57333.2	-550	187.5	57428.3
-450	-625	57490.9	-500	-275	57280.3	-550	175	57444.7
-450	-637.5	57482.3	-500	-262.5	57297.3	-550	162.5	57445.1
-450	-650	57483.6	-500	-250	57305.8	-550	150	57448.9
-450	-662.5	57470.8	-500	-237.5	57333.7	-550	137.5	57459.7
-450	-675	57500.2	-500	-225	57392.9	-550	125	57451.5
-450	-687.5	57443.2	-500	-212.5	57405.8	-550	112.5	57380.7
-450	-700	57447.8	-500	-200	57579.3	-550	100	57421.8
-450	-712.5	57442.7	-500	-187.5	57504.6	-550	87.5	57413.8
-450	-725	57438.8	-500	-175	57506.8	-550	75	57459.9
-450	-737.5	57440.6	-500	-162.5	57495.6	-550	62.5	57545.9
-450	-750	57436.3	-500	-150	57460.6	-550	50	57578.9
-450	-762.5	57436.9	-500	-137.5	57421	-550	37.5	57543.8
-450	-775	57433.7	-500	-125	57425.9	-550	25	57508.3
-450	-787.5	57437.2	-500	-112.5	57421.9	-550	12.5	57463
-450	-800	57451.4	-500	-100	57417.8	-550	0	57486.9
-500	-800	57438.5	-500	-87.5	57430	-550	-350	57610.7
-500	-787.5	57438.9	-500	-75	57449.6	-550	-362.5	57533.6
-500	-775	57438.8	-500	-62.5	57460.3	-550	-375	57486.4
-500	-762.5	57443.9	-500	-50	57452.9	-550	-387.5	57484.6
-500	-750	57442.3	-500	-37.5	57455	-550	-400	57462.4
-500	-737.5	57447.4	-500	-25	57461.6	-550	-412.5	57448.1
-500	-725	57453.3	-500	-12.5	57505.7	-550	-425	57431.1
-500	-712.5	57460.5	-500	0	57463.8	-550	-437.5	57432.8
-500	-700	57465.5	-500	12.5	57453.9	-550	-450	57422.1
-500	-687.5	57470.8	-500	25	57443.7	-550	-462.5	57425.2
-500	-675	57488	-500	37.5	57453.4	-550	-475	57456.2
-500	-662.5	57500.9	-500	50	57442.9	-550	-487.5	57488.4
-500	-650	57535.7	-500	62.5	57451.5	-550	-500	57500
-500	-637.5	57588.2	-500	75	57400.8	-550	-512.5	57524.8
-500	-625	57648	-500	87.5	57388.3	-550	-525	57483.8
-500	-612.5	57571.2	-500	100	57405.2	-550	-537.5	57434.9
-500	-600	57557.5	-500	112.5	57429	-550	-550	57449
-500	-587.5	57610.7	-500	125	57419	-550	-562.5	57455
-500	-575	57594.1	-500	137.5	57413.5	-550	-575	57458.1
-500	-562.5	57666.8	-500	150	57436.7	-550	-587.5	57474.6
-500	-550	57653.7	-500	162.5	57464.1	-550	-600	57481.3
-500	-537.5	57609.9	-500	175	57467.2	-550	-612.5	57485.6
-500	-525	57574.6	-500	187.5	57465.7	-550	-625	57471.7
-500	-512.5	57577.4	-500	200	57541.6	-550	-637.5	57458.8
-500	-500	57570.6	-500	212.5	57624	-550	-650	57454.3
-500	-487.5	57520.4	-500	225	57668.5	-550	-662.5	57451.7
-500	-475	57496.4	-500	237.5	57668.5	-550	-675	57450.3

-550	-687.5	57448.4	-600	25	57631.4	-600	-687.5	57439.1
-550	-700	57448.5	-600	12.5	57608.7	-600	-700	57439.4
-550	-712.5	57451.8	-600	0	57484.5	-600	-712.5	57438
-550	-725	57453.8	-600	-12.5	57528.8	-600	-725	57439.2
-550	-737.5	57453.3	-600	-25	57555.8	-600	-737.5	57444.6
-550	-750	57455.1	-600	-37.5	57557.7	-600	-750	57445.6
-550	-762.5	57460.6	-600	-50	57497.4	-600	-762.5	57443.3
-550	-775	57459.7	-600	-62.5	57529.1	-600	-775	57447.2
-550	-787.5	57456.1	-600	-75	57510.1	-600	-787.5	57447.6
-550	-800	57446.7	-600	-87.5	57516.5	-600	-800	57446.5
-550	0	57485.2	-600	-100	57538.8	-650	-800	57469.5
-550	-12.5	57562.5	-600	-112.5	57544.2	-650	-787.5	57468.9
-550	-25	57703.9	-600	-125	57550.5	-650	-775	57462.7
-550	-37.5	57534.6	-600	-137.5	57505.3	-650	-762.5	57457
-550	-50	57490.6	-600	-150	57427.3	-650	-750	57455.7
-550	-62.5	57485.5	-600	-162.5	57422.6	-650	-737.5	57475.1
-550	-75	57510.5	-600	-175	57459.9	-650	-725	57483.7
-550	-87.5	57554.7	-600	-187.5	57585.2	-650	-712.5	57486.2
-550	-100	57485.2	-600	-200	57637.7	-650	-700	57490
-550	-112.5	57436.8	-600	-212.5	57566.2	-650	-687.5	57495.2
-550	-125	57431.1	-600	-225	57396.8	-650	-675	57501
-550	-137.5	57426.1	-600	-237.5	57403.8	-650	-662.5	57489.5
-550	-150	57464	-600	-250	57443.5	-650	-650	57472.8
-550	-162.5	57535.6	-600	-262.5	57457.4	-650	-637.5	57461.4
-550	-175	57570.8	-600	-275	57485.8	-650	-625	57473.6
-550	-187.5	57570.5	-600	-287.5	57475.9	-650	-612.5	57496.3
-550	-200	57445.2	-600	-300	57444.8	-650	-600	57457.9
-550	-212.5	57509.5	-600	-312.5	57464.8	-650	-587.5	57424.3
-550	-225	57340	-600	-325	57478	-650	-575	57415.9
-550	-237.5	57289.8	-600	-337.5	57511.3	-650	-562.5	57418.9
-550	-250	57357.1	-600	-350	57529.3	-650	-550	57405.9
-550	-262.5	57378.8	-600	-362.5	57561.9	-650	-537.5	57387.4
-550	-275	57383.7	-600	-375	57537.7	-650	-525	57377
-550	-287.5	57343.5	-600	-387.5	57567.8	-650	-512.5	57376.5
-550	-300	57436.3	-600	-400	57494.5	-650	-500	57438.6
-600	300	57770.4	-600	-412.5	57504	-650	-487.5	57511.5
-600	287.5	57679.1	-600	-425	57457.2	-650	-475	57527.8
-600	275	57800	-600	-437.5	57487.4	-650	-462.5	57545.3
-600	262.5	57525.2	-600	-450	57479.8	-650	-450	57524.5
-600	250	57497	-600	-462.5	57442.7	-650	-437.5	57524.5
-600	237.5	57454.4	-600	-475	57436.1	-650	-425	57543.9
-600	225	57421.2	-600	-487.5	57437.4	-650	-412.5	57509.9
-600	212.5	57359.5	-600	-500	57436.9	-650	-400	57486.1
-600	200	57389.1	-600	-512.5	57426.9	-650	-387.5	57405.2
-600	187.5	57424	-600	-525	57424.4	-650	-375	57583.2
-600	175	57436.8	-600	-537.5	57434.5	-650	-362.5	57690.4
-600	162.5	57441.3	-600	-550	57448.8	-650	-350	57315
-600	150	57444	-600	-562.5	57386.8	-650	-337.5	57510.5
-600	137.5	57450.9	-600	-575	57385.6	-650	-325	57583.7
-600	125	57463.7	-600	-587.5	57408.8	-650	-312.5	57577.1
-600	112.5	57499.8	-600	-600	57428.9	-650	-300	57569.4
-600	100	57489.7	-600	-612.5	57436.9	-650	-287.5	57384.5
-600	87.5	57454.1	-600	-625	57432.4	-650	-275	57440
-600	75	57379	-600	-637.5	57433.4	-650	-262.5	57520.5
-600	62.5	57432.9	-600	-650	57436.4	-650	-250	57616.1
-600	50	57524.5	-600	-662.5	57436.9	-650	-237.5	57611.4
-600	37.5	57556.1	-600	-675	57438.1	-650	-225	57535.3

-650	-212.5	57566.7	-700	112.5	57601.8	-700	-600	57455.6
-650	-200	57705.8	-700	100	57618.9	-700	-612.5	57454.2
-650	-187.5	57527.5	-700	87.5	57595.4	-700	-625	57453
-650	-175	57443.9	-700	75	57663.6	-700	-637.5	57450.8
-650	-162.5	57395.1	-700	62.5	57563	-700	-650	57461.8
-650	-150	57392.2	-700	50	57520.4	-700	-662.5	57470.8
-650	-137.5	57418.8	-700	37.5	57444.6	-700	-675	57479.9
-650	-125	57445.3	-700	25	57435.6	-700	-687.5	57475.9
-650	-112.5	57456.7	-700	12.5	57430	-700	-700	57474.9
-650	-100	57466.4	-700	0	57457.1	-700	-712.5	57461.5
-650	-87.5	57478.1	-700	-12.5	57457.4	-700	-725	57451.6
-650	-75	57474.1	-700	-25	57454.6	-700	-737.5	57449.6
-650	-62.5	57508.7	-700	-37.5	57463.6	-700	-750	57461.2
-650	-50	57505.2	-700	-50	57461.8	-700	-762.5	57465.6
-650	-37.5	57515.1	-700	-62.5	57462.1	-700	-775	57475.2
-650	-25	57513.9	-700	-75	57483.3	-700	-787.5	57476.6
-650	-12.5	57513.3	-700	-87.5	57440.6	-700	-800	57502.3
-650	0	57489.4	-700	-100	57426.2	-800	-800	57489.1
-650	12.5	57462.1	-700	-112.5	57410.1	-800	-787.5	57466.3
-650	25	57426.8	-700	-125	57403	-800	-775	57469.5
-650	37.5	57404.3	-700	-137.5	57398.6	-800	-762.5	57478.3
-650	50	57414.6	-700	-150	57388.5	-800	-750	57475.5
-650	62.5	57450.9	-700	-162.5	57395.1	-800	-737.5	57479.3
-650	75	57531.9	-700	-175	57383.9	-800	-725	57490.6
-650	87.5	57507.3	-700	-187.5	57316	-800	-712.5	57491.6
-650	100	57499.9	-700	-200	57309.3	-800	-700	57492.2
-650	112.5	57506	-700	-212.5	57421.9	-800	-687.5	57493.6
-650	125	57492	-700	-225	57530.9	-800	-675	57495.3
-650	137.5	57476.3	-700	-237.5	57507.5	-800	-662.5	57487.4
-650	150	57541.5	-700	-250	57422.7	-800	-650	57479.7
-650	162.5	57477.4	-700	-262.5	57534.7	-800	-637.5	57476.9
-650	175	57421.5	-700	-275	57559.9	-800	-625	57483.6
-650	187.5	57394.7	-700	-287.5	57570.9	-800	-612.5	57485.3
-650	200	57379.7	-700	-300	57538.5	-800	-600	57508.3
-650	212.5	57295.9	-700	-312.5	57599.3	-800	-587.5	57561.8
-650	225	57451.4	-700	-325	57660.6	-800	-575	57628.3
-650	237.5	57799.1	-700	-337.5	57540.5	-800	-562.5	57686.4
-650	250	57843.1	-700	-350	57649	-800	-550	57660.7
-650	262.5	57846.4	-700	-362.5	57790.9	-800	-537.5	57658.4
-650	275	57639.8	-700	-375	57702.6	-800	-525	57619.7
-650	287.5	57642.4	-700	-387.5	57740.3	-800	-512.5	57489.8
-650	300	57709.7	-700	-400	57728.7	-800	-500	57558.3
-700	300	57789.6	-700	-412.5	57773.5	-800	-487.5	57655.9
-700	287.5	57875.6	-700	-425	57585.6	-800	-475	57382.8
-700	275	57674.5	-700	-437.5	57547.6	-800	-462.5	57453.3
-700	262.5	57601.3	-700	-450	57615.8	-800	-450	57729
-700	250	57441.1	-700	-462.5	57509	-800	-437.5	57705
-700	237.5	57343.5	-700	-475	57558.7	-800	-425	58015.4
-700	225	57532.3	-700	-487.5	57661.9	-800	-412.5	57768.3
-700	212.5	57611.2	-700	-500	57627.1	-800	-400	57784.5
-700	200	57462.7	-700	-512.5	57665.4	-800	-387.5	57815
-700	187.5	57652.3	-700	-525	57582.5	-800	-375	57584.2
-700	175	57684.2	-700	-537.5	57473.3	-800	-362.5	57573.1
-700	162.5	57570	-700	-550	57450.5	-800	-350	57567.5
-700	150	57526.9	-700	-562.5	57440.9	-800	-337.5	57503.1
-700	137.5	57573.1	-700	-575	57439.6	-800	-325	57352.3
-700	125	57577.1	-700	-587.5	57448.6	-800	-312.5	57378.7

-800	-300	57416.7	-900	-550	57834.6	-900	162.5	57910.2
-800	-287.5	57423.8	-900	-537.5	57608.6	-900	175	57868
-800	-275	57423.2	-900	-525	57560.4	-900	187.5	57670.5
-800	-262.5	57437.1	-900	-512.5	57721.2	-900	200	57624.3
-800	-250	57457.2	-900	-500	57702.5	-900	212.5	57454.4
-800	-237.5	57434.4	-900	-487.5	57685.4	-900	225	57428.8
-800	-225	57450.3	-900	-475	57477.8	-900	237.5	57320.9
-800	-212.5	57440.3	-900	-462.5	57400.6	-900	250	57478
-800	-200	57463	-900	-450	57360.2	-900	262.5	57595.8
-800	-187.5	57502.2	-900	-437.5	57288.4	-900	275	57488.4
-800	-175	57466.5	-900	-425	57284.7	-900	287.5	57498.5
-800	-162.5	57411.3	-900	-412.5	57313.6	-900	300	57468.5
-800	-150	57426.3	-900	-400	57383	-1000	300	57747.5
-800	-137.5	57450	-900	-387.5	57421.6	-1000	287.5	57595.1
-800	-125	57457.7	-900	-375	57435.6	-1000	275	57590.2
-800	-112.5	57466	-900	-362.5	57442.2	-1000	262.5	57603.8
-800	-100	57465.1	-900	-350	57443.4	-1000	250	57637.1
-800	-87.5	57484.8	-900	-337.5	57493	-1000	237.5	57743.9
-800	-75	57493	-900	-325	57454.8	-1000	225	57771.2
-800	-62.5	57499.2	-900	-312.5	57434.3	-1000	212.5	57779.6
-800	-50	57511	-900	-300	57472.4	-1000	200	57699.9
-800	-37.5	57513.6	-900	-287.5	57548.3	-1000	187.5	57629.9
-800	-25	57523	-900	-275	57597	-1000	175	57659.7
-800	-12.5	57493.9	-900	-262.5	57548.8	-1000	162.5	57615.1
-800	0	57477.5	-900	-250	57497.2	-1000	150	57655.9
-800	12.5	57470.3	-900	-237.5	57485.8	-1000	137.5	57761.3
-800	25	57461.2	-900	-225	57504.9	-1000	125	57610
-800	37.5	57473.3	-900	-212.5	57483.3	-1000	112.5	57567.3
-800	50	57507.2	-900	-200	57485.3	-1000	100	57747.3
-800	62.5	57569.4	-900	-187.5	57524	-1000	87.5	57628.6
-800	75	57514.4	-900	-175	57601.2	-1000	75	57479.5
-800	87.5	57444.7	-900	-162.5	57637.1	-1000	62.5	57445.2
-800	100	57422.5	-900	-150	57649.4	-1000	50	57491.8
-800	112.5	57502	-900	-137.5	57617.8	-1000	37.5	57525.5
-800	125	57462.8	-900	-125	57594.2	-1000	25	57540.4
-800	137.5	57455.8	-900	-112.5	57508.4	-1000	12.5	57584.3
-800	150	57437.3	-900	-100	57495.4	-1000	0	57586.7
-800	162.5	57361.6	-900	-87.5	57511.8	-1000	-12.5	57540.8
-800	175	57270.1	-900	-75	57536.9	-1000	-25	57494.9
-800	187.5	57299.7	-900	-62.5	57537.4	-1000	-37.5	57419.7
-800	200	57684.7	-900	-50	57580.7	-1000	-50	57424.2
-800	212.5	57896.2	-900	-37.5	57589.6	-1000	-62.5	57434.9
-800	225	57975	-900	-25	57597	-1000	-75	57478.1
-800	237.5	57951.9	-900	-12.5	57554.4	-1000	-87.5	57501.9
-800	250	57649.3	-900	0	57580.9	-1000	-100	57451
-800	262.5	57420.2	-900	12.5	57521.3	-1000	-112.5	57429.7
-800	275	57390.7	-900	25	57572.8	-1000	-125	57424.2
-800	287.5	57309.2	-900	37.5	57613.3	-1000	-137.5	57456.8
-800	300	57670.5	-900	50	57625.9	-1000	-150	57436.5
-900	-650	57564.4	-900	62.5	57608.1	-1000	-162.5	57412.6
-900	-637.5	57523.8	-900	75	57806.5	-1000	-175	57388.4
-900	-625	57483.8	-900	87.5	58083.1	-1000	-187.5	57449.5
-900	-612.5	57524.5	-900	100	58122.5	-1000	-200	57405.7
-900	-600	57717.7	-900	112.5	58115	-1000	-212.5	57407.7
-900	-587.5	57133.3	-900	125	57781.7	-1000	-225	57402.8
-900	-575	57907.4	-900	137.5	57883.4	-1000	-237.5	57385.1
-900	-562.5	58002.8	-900	150	57608.3	-1000	-250	57363.6

-1000	-262.5	57377.4	-1100	-12.5	57665.3	-1200	-387.5	57323
-1000	-275	57362.4	-1100	-25	57499.6	-1200	-375	57521
-1000	-287.5	57355.4	-1100	-37.5	57448.5	-1200	-362.5	57376.2
-1000	-300	57321.9	-1100	-50	57441.6	-1200	-350	57421.3
-1000	-312.5	57352.4	-1100	-62.5	57491.9	-1200	-337.5	57399.4
-1000	-325	57433	-1100	-75	57485.7	-1200	-325	57495.4
-1000	-337.5	57464.4	-1100	-87.5	57483.3	-1200	-312.5	57426.5
-1000	-350	57440.9	-1100	-100	57456.4	-1200	-300	57431.1
-1000	-362.5	57406.7	-1100	-112.5	57421.7	-1200	-287.5	57230.8
-1000	-375	57401.1	-1100	-125	57413.5	-1200	-275	57317.3
-1000	-387.5	57404.4	-1100	-137.5	57443.1	-1200	-262.5	57407.5
-1000	-400	57398.9	-1100	-150	57444.3	-1200	-250	57452.8
-1000	-412.5	57408.4	-1100	-162.5	57420.5	-1200	-237.5	57482.6
-1000	-425	57394	-1100	-175	57440.9	-1200	-225	57568.3
-1000	-437.5	57365.1	-1100	-187.5	57473.1	-1200	-212.5	57579.9
-1000	-450	57336.1	-1100	-200	57439.9	-1200	-200	57649.2
-1000	-462.5	57341.9	-1100	-212.5	57435	-1200	-187.5	57714
-1000	-475	57286.4	-1100	-225	57427.9	-1200	-175	57673.8
-1000	-487.5	57255.9	-1100	-237.5	57393.5	-1200	-162.5	57735.4
-1000	-500	57184	-1100	-250	57404.6	-1200	-150	57659.9
-1000	-512.5	57683.5	-1100	-262.5	57472	-1200	-137.5	57802.3
-1000	-525	57562.5	-1100	-275	57386.8	-1200	-125	57639.4
-1000	-537.5	57512.6	-1100	-287.5	57383	-1200	-112.5	57706.9
-1000	-550	57505.4	-1100	-300	57377.5	-1200	-100	57798.8
-1000	-562.5	57497.4	-1100	-312.5	57367	-1200	-87.5	57810.6
-1000	-575	57542.8	-1100	-325	57375.6	-1200	-75	57673.6
-1000	-587.5	57556.2	-1100	-337.5	57387.5	-1200	-62.5	57531.6
-1000	-600	57252	-1100	-350	57352.8	-1200	-50	57606.3
-1000	-612.5	57196.8	-1100	-362.5	57391.1	-1200	-37.5	57541.3
-1000	-625	58129.2	-1100	-375	57418.2	-1200	-25	57499.4
-1000	-637.5	57883	-1100	-387.5	57452.2	-1200	-12.5	57410
-1000	-650	56711.8	-1100	-400	57464.9	-1200	0	57346.1
-1100	300	57628.8	-1100	-412.5	57462.4	-1200	12.5	57372.2
-1100	287.5	57548.2	-1100	-425	57433.9	-1200	25	57372.3
-1100	275	57557.7	-1100	-437.5	57383.6	-1200	37.5	57366.1
-1100	262.5	57558	-1100	-450	57325.9	-1200	50	57477.1
-1100	250	57662.4	-1100	-462.5	57457.7	-1200	62.5	57460.5
-1100	237.5	57816.9	-1100	-475	57498.4	-1200	75	57439.9
-1100	225	57692.5	-1100	-487.5	57406.4	-1200	87.5	57454.5
-1100	212.5	57585.7	-1100	-500	57429.8	-1200	100	57472.1
-1100	200	57475.7	-1100	-512.5	57424.3	-1200	112.5	57522.6
-1100	187.5	57502.8	-1100	-525	57479.3	-1200	125	57584.3
-1100	175	57392.3	-1100	-537.5	57428.7	-1200	137.5	57613.2
-1100	162.5	57378	-1100	-550	56964.6	-1200	150	57656.7
-1100	150	57410.4	-1100	-562.5	57888.7	-1200	162.5	57674.8
-1100	137.5	57453.7	-1100	-575	57504.7	-1200	175	57567.8
-1100	125	57507	-1100	-587.5	57351.7	-1200	187.5	57525.1
-1100	112.5	57492.5	-1100	-600	57164.3	-1200	200	57495
-1100	100	57509.7	-1200	-500	57028.2	-1200	212.5	57497
-1100	87.5	57540.4	-1200	-487.5	57269.7	-1200	225	57506.8
-1100	75	57583.8	-1200	-475	57351.8	-1200	237.5	57509.9
-1100	62.5	57545.9	-1200	-462.5	57405.9	-1200	250	57521.3
-1100	50	57532	-1200	-450	57372.1	-1200	262.5	57531.3
-1100	37.5	57530.6	-1200	-437.5	57513.7	-1200	275	57497.9
-1100	25	57561	-1200	-425	57670.3	-1200	287.5	57458.6
-1100	12.5	57576.6	-1200	-412.5	57128.8	-1200	300	57470.9
-1100	0	57685.6	-1200	-400	57126.7	-1200	312.5	57506.5

-1200	325	57512	-1300	-225	58893.2	-1400	12.5	57457.6
-1200	337.5	57486.4	-1300	-237.5	57236.8	-1400	25	57462.4
-1200	350	57472.4	-1300	-250	57495	-1400	37.5	57484.8
-1200	362.5	57431.7	-1300	-262.5	57491.5	-1400	50	57515.5
-1200	375	57427.3	-1300	-275	57480.8	-1400	62.5	57531.6
-1200	387.5	57394.1	-1300	-287.5	57433.3	-1400	75	57496.5
-1200	400	57382.2	-1300	-300	57302	-1400	87.5	57535
-1300	400	57712.4	-1300	-312.5	57252.4	-1400	100	57631.6
-1300	387.5	57555.5	-1300	-325	57380.1	-1400	112.5	57522.5
-1300	375	57450	-1300	-337.5	57337.1	-1400	125	57427.9
-1300	362.5	57420.3	-1300	-350	57662.4	-1400	137.5	57400.4
-1300	350	57417.2	-1300	-362.5	57833.6	-1400	150	57502.8
-1300	337.5	57414	-1300	-375	57505.5	-1400	162.5	57458.6
-1300	325	57447.2	-1300	-387.5	57376.6	-1400	175	57450
-1300	312.5	57378.3	-1300	-400	57587.5	-1400	187.5	57377.1
-1300	300	57372.2	-1300	-412.5	57524.6	-1400	200	57425.2
-1300	287.5	57272.5	-1400	-500	57777.5	-1400	212.5	57474
-1300	275	57369.8	-1400	-487.5	57545.3	-1400	225	57511.6
-1300	262.5	57466.8	-1400	-475	57495.1	-1400	237.5	57512
-1300	250	57490.7	-1400	-462.5	57220.1	-1400	250	57489.6
-1300	237.5	57574.1	-1400	-450	57474.9	-1400	262.5	57454.3
-1300	225	57624.2	-1400	-437.5	57514.8	-1400	275	57416.4
-1300	212.5	57659.5	-1400	-425	57526.5	-1400	287.5	57411.6
-1300	200	57659.9	-1400	-412.5	57512.8	-1400	300	57432.1
-1300	187.5	57691.3	-1400	-400	57489.5	-1400	312.5	57429.7
-1300	175	57520.3	-1400	-387.5	57471.9	-1400	325	57439.6
-1300	162.5	57671	-1400	-375	57400.4	-1400	337.5	57498.3
-1300	150	57666.8	-1400	-362.5	57274	-1400	350	57542.2
-1300	137.5	57619.2	-1400	-350	57267.8	-1400	362.5	57515.8
-1300	125	57615.8	-1400	-337.5	57311.8	-1400	375	57467.4
-1300	112.5	57758.5	-1400	-325	57363	-1400	387.5	57474.6
-1300	100	57955.8	-1400	-312.5	57458.2	-1400	400	57487.3
-1300	87.5	57874.1	-1400	-300	57434.8	-1500	400	57491.3
-1300	75	57862.4	-1400	-287.5	57515.3	-1500	387.5	57483.1
-1300	62.5	57959.8	-1400	-275	57415.5	-1500	375	57471.2
-1300	50	57586.5	-1400	-262.5	57374.6	-1500	362.5	57424.7
-1300	37.5	57051.7	-1400	-250	57385.4	-1500	350	57493.2
-1300	25	57216.7	-1400	-237.5	57402.2	-1500	337.5	57529.3
-1300	12.5	57305.8	-1400	-225	57450.2	-1500	325	57574.9
-1300	0	57373.6	-1400	-212.5	57608.7	-1500	312.5	57474
-1300	-12.5	57443.7	-1400	-200	57478.9	-1500	300	57515.9
-1300	-25	57444.1	-1400	-187.5	57706.8	-1500	287.5	57484.8
-1300	-37.5	57404.4	-1400	-175	57581.9	-1500	275	57546.3
-1300	-50	57374	-1400	-162.5	57681.2	-1500	262.5	57715.1
-1300	-62.5	57408.8	-1400	-150	57931.2	-1500	250	57725.5
-1300	-75	57448.6	-1400	-137.5	57765.5	-1500	237.5	57891.6
-1300	-87.5	57567.8	-1400	-125	57700.7	-1500	225	57624.8
-1300	-100	57776.2	-1400	-112.5	57629.3	-1500	212.5	57646.9
-1300	-112.5	58082.7	-1400	-100	57619.4	-1500	200	57639.8
-1300	-125	57911.2	-1400	-87.5	57612.9	-1500	187.5	57639.6
-1300	-137.5	57921.6	-1400	-75	57575	-1500	175	57493.1
-1300	-150	57882.1	-1400	-62.5	57524.3	-1500	162.5	57504.7
-1300	-162.5	57607.7	-1400	-50	57501.9	-1500	150	57488.7
-1300	-175	57635.2	-1400	-37.5	57459.1	-1500	137.5	57486.7
-1300	-187.5	57632.9	-1400	-25	57447.9	-1500	125	57482.2
-1300	-200	57625	-1400	-12.5	57431.1	-1500	112.5	57440.8
-1300	-212.5	57520.9	-1400	0	57443	-1500	100	57455.4

-1500	87.5	57402.1	-1800	-137.5	57531.9	-1700	437.5	57449.7
-1500	75	57611	-1800	-125	57352	-1700	425	57458.6
-1500	62.5	57529.3	-1800	-112.5	57510.8	-1700	412.5	57555.8
-1500	50	57487.3	-1800	-100	57637.9	-1700	400	57583.5
-1500	37.5	57468.5	-1800	-87.5	57490.8	-1700	387.5	57573
-1500	25	57478.4	-1800	-75	57498.7	-1700	375	57701
-1500	12.5	57605.4	-1800	-62.5	57524.2	-1700	362.5	57729.3
-1500	0	57619	-1800	-50	57525	-1700	350	57742.9
-1500	-12.5	57643	-1800	-37.5	57499	-1700	337.5	57644.9
-1500	-25	57613.8	-1800	-25	57507.8	-1700	325	57427.4
-1500	-37.5	57503.9	-1800	-12.5	57539.3	-1700	312.5	57434
-1500	-50	57474.1	-1800	0	57569.3	-1700	300	57500.3
-1500	-62.5	57416.1	-1800	12.5	57590.1	-1700	287.5	57439.8
-1500	-75	57471.9	-1800	25	57644.4	-1700	275	57475.9
-1500	-87.5	57961.6	-1800	37.5	57687.9	-1700	262.5	57493.8
-1500	-100	57929.9	-1800	50	57695.3	-1700	250	57473.9
-1500	-112.5	57624.4	-1800	62.5	57673.9	-1700	237.5	57467.5
-1500	-125	57208.2	-1800	75	57630	-1700	225	57448.5
-1500	-137.5	57321.6	-1800	87.5	57716.4	-1700	212.5	57496.7
-1500	-150	57477.2	-1800	100	57455.9	-1700	200	57440.7
-1500	-162.5	57512.2	-1800	112.5	57629.1	-1700	187.5	57469.9
-1500	-175	57533.3	-1800	125	57680.9	-1700	175	57491.1
-1500	-187.5	57533.9	-1800	137.5	57595.5	-1700	162.5	57493.5
-1500	-200	57589.7	-1800	150	57623.9	-1700	150	57503.6
-1500	-212.5	57642.7	-1800	162.5	57698.1	-1700	137.5	57519
-1500	-225	57670.5	-1800	175	57680.9	-1700	125	57520.5
-1500	-237.5	57682.6	-1800	187.5	57710.2	-1700	112.5	57468
-1500	-250	57687.9	-1800	200	57634.9	-1700	100	57575.5
-1500	-262.5	57699.2	-1800	212.5	57564.9	-1700	87.5	57786.5
-1500	-275	57651	-1800	225	58069.5	-1700	75	57812.4
-1500	-287.5	57600.9	-1800	237.5	57550.7	-1700	62.5	57696.9
-1500	-300	57452.9	-1800	250	57630.8	-1700	50	57666.8
-1500	-312.5	57380.5	-1800	262.5	57543	-1700	37.5	57589.6
-1500	-325	57536.8	-1800	275	57539.5	-1700	25	57493.1
-1500	-337.5	57380.6	-1800	287.5	57516.8	-1700	12.5	57599.3
-1500	-350	57318	-1800	300	57495	-1700	0	57597.3
-1500	-362.5	57431.1	-1800	312.5	57432	-1700	-12.5	57586.8
-1500	-375	57422.8	-1800	325	57468	-1700	-25	57587
-1500	-387.5	57311	-1800	337.5	57420.1	-1700	-37.5	57581.9
-1500	-400	57278.9	-1800	350	57399.6	-1700	-50	57583.7
-1500	-412.5	57314.4	-1800	362.5	57400.6	-1700	-62.5	56933.3
-1500	-425	57294.3	-1800	375	57548.9	-1700	-75	57651.2
-1500	-437.5	57154.7	-1800	387.5	57552.8	-1700	-87.5	57563.5
-1500	-450	57347.2	-1800	400	57531.8	-1700	-100	57509.2
-1500	-462.5	57507.1	-1800	412.5	57573.6	-1700	-112.5	57788.1
-1500	-475	57413.5	-1800	425	57504.8	-1700	-125	57501.8
-1500	-487.5	57498.7	-1800	437.5	57479.8	-1700	-137.5	57919.2
-1500	-500	57703.4	-1800	450	57509	-1700	-150	57852.7
-1600	-250	57626.9	-1800	462.5	57493.3	-1700	-162.5	57656.9
-1600	-237.5	57656	-1800	475	57438.7	-1700	-175	57665.6
-1600	-225	57689.5	-1800	487.5	57352.7	-1700	-187.5	57743.3
-1600	-212.5	57555.8	-1800	500	57391.1	-1700	-200	57230.8
-1600	-200	57504.7	-1700	500	57340.7	-1800	-250	57604.1
-1600	-187.5	57467.8	-1700	487.5	57388.5	-1800	-237.5	57616.9
-1600	-175	57695.6	-1700	475	57456.8	-1800	-225	57457
-1600	-162.5	57653.6	-1700	462.5	57364.4	-1800	-212.5	57490.1
-1600	-150	57637	-1700	450	57414.6	-1800	-200	57469.7

-1800	-187.5	57413.1	-1900	737.5	57359	-1900	25	57502
-1800	-175	57466.2	-1900	725	57506.7	-1900	12.5	57511.2
-1800	-162.5	57450.1	-1900	712.5	57529.3	-1900	0	57535.8
-1800	-150	57462.8	-1900	700	57618.2	-1900	-12.5	57533.7
-1800	-137.5	57482.8	-1900	687.5	58099.5	-1900	-25	57527.9
-1800	-125	57486.2	-1900	675	58250.6	-1900	-37.5	57547.4
-1800	-112.5	57461.4	-1900	662.5	58004.4	-1900	-50	57545.6
-1800	-100	57465.2	-1900	650	57442.7	-1900	-62.5	57544.7
-1800	-87.5	57502.8	-1900	637.5	57130.9	-1900	-75	57523.6
-1800	-75	57506	-1900	625	57039	-1900	-87.5	57529.7
-1800	-62.5	57606.4	-1900	612.5	57166.3	-1900	-100	57525.7
-1800	-50	57574.7	-1900	600	57231.3	-1900	-112.5	57494.3
-1800	-37.5	57459.8	-1900	587.5	57381.1	-1900	-125	57480.2
-1800	-25	57395.3	-1900	575	57541.9	-1900	-137.5	57482.4
-1800	-12.5	57409.8	-1900	562.5	57619.2	-1900	-150	57469.4
-1800	0	57419.3	-1900	550	57652	-1900	-162.5	57388.7
-1800	12.5	57437.2	-1900	537.5	57627.5	-1900	-175	57446.5
-1800	25	57499.5	-1900	525	57611.7	-1900	-187.5	57438.8
-1800	37.5	57496.7	-1900	512.5	57570.8	-1900	-200	57385.7
-1800	50	57506.5	-1900	500	57575.3	-1900	-212.5	57333
-1800	62.5	57559.4	-1900	487.5	57598.8	-1900	-225	57532.3
-1800	75	57686	-1900	475	57623	-1900	-237.5	57472.3
-1800	87.5	56478.3	-1900	462.5	57558.3	-1900	-250	57451.8
-1800	100	57330.3	-1900	450	57520.9	-2000	-250	57493.2
-1800	112.5	57576.9	-1900	437.5	57505.1	-2000	-237.5	57494.4
-1800	125	57468	-1900	425	57584.7	-2000	-225	57494.6
-1800	137.5	57479.3	-1900	412.5	57585.1	-2000	-212.5	57481
-1800	150	57523.6	-1900	400	57467.2	-2000	-200	57487.9
-1800	162.5	57545.1	-1900	387.5	57495	-2000	-187.5	57496.5
-1800	175	57587.1	-1900	375	57513.5	-2000	-175	57490.7
-1800	187.5	57562.3	-1900	362.5	57478.8	-2000	-162.5	57500.7
-1800	200	57517.8	-1900	350	57474.5	-2000	-150	57508
-1800	212.5	57508.2	-1900	337.5	57553.6	-2000	-137.5	57513.1
-1800	225	57445.3	-1900	325	57593.7	-2000	-125	57524.9
-1800	237.5	57407.9	-1900	312.5	57556.9	-2000	-112.5	57516.2
-1800	250	57542.8	-1900	300	57573.8	-2000	-100	57510.8
-1800	262.5	57530.1	-1900	287.5	57576.5	-2000	-87.5	57503.7
-1800	275	57486.1	-1900	275	57710.1	-2000	-75	57504.8
-1800	287.5	57509.5	-1900	262.5	57602.3	-2000	-62.5	57515.9
-1800	300	57588.3	-1900	250	57593.5	-2000	-50	57531.9
-1800	312.5	57533.1	-1900	237.5	57578.5	-2000	-37.5	57549.5
-1800	325	57482.6	-1900	225	57574.3	-2000	-25	57548.2
-1800	337.5	57676.9	-1900	212.5	57579	-2000	-12.5	57519.6
-1800	350	57649	-1900	200	57579.2	-2000	0	57510.2
-1800	362.5	57480.8	-1900	187.5	57570.4	-2000	12.5	57492.7
-1800	375	57388.7	-1900	175	57583.3	-2000	25	57507.9
-1800	387.5	57451.2	-1900	162.5	57551.5	-2000	37.5	57515.5
-1800	400	57577.4	-1900	150	57549.7	-2000	50	57531.1
-1800	412.5	57501.6	-1900	137.5	57541.7	-2000	62.5	57555.2
-1800	425	57597.7	-1900	125	57534.2	-2000	75	57570.3
-1800	437.5	57493.7	-1900	112.5	57572.7	-2000	87.5	57564.8
-1800	450	57523.7	-1900	100	57597.2	-2000	100	57581.9
-1800	462.5	58461	-1900	87.5	57637.1	-2000	112.5	57610.7
-1800	475	57709.4	-1900	75	57555.8	-2000	125	57630.1
-1800	487.5	57369.1	-1900	62.5	57562.4	-2000	137.5	57672.2
-1800	500	57589.8	-1900	50	57559.2	-2000	150	57670.1
-1800	750	57617.4	-1900	37.5	57526.4	-2000	162.5	57667.3

-2000	175	57677.5
-2000	187.5	57662.8
-2000	200	57633
-2000	212.5	57614.8
-2000	225	57627.9
-2000	237.5	57630.2
-2000	250	57647.6
-2000	262.5	57678.1
-2000	275	57620.8
-2000	287.5	57523.3
-2000	300	57544.5
-2000	312.5	57551
-2000	325	57528.9
-2000	337.5	57504.5
-2000	350	57505.8
-2000	362.5	57511.9
-2000	375	57473.5
-2000	387.5	57478.2
-2000	400	57435.4
-2000	412.5	57426.7
-2000	425	57452.1
-2000	437.5	57479.1
-2000	450	57445.9
-2000	462.5	57545.6
-2000	475	57522.7
-2000	487.5	57568.1
-2000	500	57707.8
-2000	512.5	57565.1
-2000	525	57609.1
-2000	537.5	57541.1
-2000	550	57531.2
-2000	562.5	57512.5
-2000	575	57522.2
-2000	587.5	57558.5
-2000	600	57587.6
-2000	612.5	57683.9
-2000	625	57860.2
-2000	637.5	57593.9
-2000	650	57462.9
-2000	662.5	57518.2
-2000	675	57467.9
-2000	687.5	57428.8
-2000	700	57509
-2000	712.5	57461.1
-2000	725	57401.7
-2000	737.5	57354
-2000	750	57338.1

SAMPLES	Datum	Easting	Northing	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd
RW-01301	NAD83-7W	629252	7135828	1.2	49.7	31.7	111	0	39.2	17.5	2149	8.35	56.9	1.2	6.2	4.2	12	0.7
RW-01302	NAD83-7W	629281	7135783	1.4	85.2	23	68	0.1	27.4	13.8	599	4.04	95.3	3.2	202.7	1.3	31	0.4
RW-01303	NAD83-7W	629311	7135744	1.8	90.2	39.4	110	0.2	35.1	41.4	1806	4.85	318.3	5.1	154.2	6.1	67	0.4
RW-01304	NAD83-7W	629348	7135704	1	38.1	23.8	75	0	37.8	19.6	806	3.39	230.7	1.7	25	8.7	22	0.3
RW-01305	NAD83-7W	629371	7135668	0.9	69.5	22.2	80	0	43.1	44.5	1606	4.2	354.8	2.1	67.8	7.4	60	0.2
RW-01306	NAD83-7W	629402	7135630	1.2	123	29.3	172	0.2	61.6	29.9	3171	7.65	535.6	3.5	94.6	13.4	52	0.3
RW-01307	NAD83-7W	629431	7135585	1	32.3	55	114	0.1	39.5	16.7	1165	3.95	85.6	1.2	8.7	4.6	29	0.4
RW-01308	NAD83-7W	629462	7135551	0.8	21.2	54.5	78	0	37	13.6	726	3.18	45	1	3.7	2.4	18	0.2
RW-01309	NAD83-7W	629540	7135597	1	28.3	32.1	96	0	26.6	12.3	1045	4.08	98.5	1.4	13.7	2	23	0.3
RW-01310	NAD83-7W	629512	7135639	2.7	77.8	65.1	196	0.4	41.1	26.9	3008	8.76	313.7	5.2	16.7	20.5	42	0.6
RW-01311	NAD83-7W	629489	7135680	1.2	32.6	68.8	144	0.1	32.6	20.4	2589	4.66	111.6	2.9	25.8	9.3	50	0.7
RW-01312	NAD83-7W	629453	7135718	1.3	49.2	46.7	124	0.2	44.9	31.6	2759	4.82	155	2.4	71.4	13	28	0.6
RW-01313	NAD83-7W	629431	7135759	1	80.4	26.5	127	0.2	31.9	25.3	3257	6.61	287.5	3.5	44.9	18.2	47	0.2
RW-01314	NAD83-7W	629394	7135799	1.2	97.9	35	157	0.4	45.1	63.2	3426	7.05	804.6	4.2	218.3	7	34	0.4
RW-01315	NAD83-7W	629372	7135845	0.7	83.8	21.8	96	0.3	37.6	61.9	1647	5.01	678.8	3.6	619.1	7.1	38	0.2
RW-01316	NAD83-7W	629339	7135878	0.7	48.8	24	113	0.2	27.9	77.1	1869	5.27	661.7	3.1	71.8	5.9	39	0.2
RW-01317	NAD83-7W	629419	7135941	1.3	28	31.2	75	0	27.1	17.1	479	2.51	54.4	1.3	6.5	2.6	46	0.3
RW-01551	NAD83-7W	632581	7134475	2.2	34.4	25.4	73	0.1	21.8	11.8	594	3.59	257.7	2.7	4.6	2.4	19	0.3
RW-01552	NAD83-7W	632823	7133873	3.9	89.6	40.9	82	0	44.8	16.6	704	4.23	321.4	7.3	17.7	17.9	21	0.4
RW-01553	NAD83-7W	632824	7133910	4.5	212.1	48	104	0.2	41	28.6	976	4.8	1273.4	38.5	48.8	19.3	35	0.5
RW-01554	NAD83-7W	632851	7133953	3.4	109.1	39.7	86	0.1	29.7	15.4	722	3.97	731.7	8.7	19	10.5	25	0.3
RW-01555	NAD83-7W	632878	7134006	2.3	81.2	48.1	80	0.1	19.6	12.8	663	3.62	508.8	6.1	20	13.8	28	0.3
RW-01556	NAD83-7W	632888	7134044	3.2	52.1	27.6	73	0.2	22.7	15.2	735	3.67	306.8	6.2	20.7	7.8	33	0.2
RW-01557	NAD83-7W	632903	7134078	1.8	26.9	17.4	68	0	20.7	13.1	582	3.02	139.9	2	4.9	3.2	17	0.3
RW-01558	NAD83-7W	632924	7134135	1.9	45.8	81.4	142	0.2	26.8	14.2	509	2.96	482.5	3.5	12.4	5.4	27	0.7
RW-01559	NAD83-7W	632948	7134178	2.4	49.9	23.6	58	0.2	20.8	11.3	333	2.98	991	3	21.3	1.9	50	0.2
RW-01560	NAD83-7W	632964	7134229	6.1	61.7	19.7	58	0	26.4	11.5	463	3.91	397.1	3.3	7.1	4.6	27	0.1
RW-01561	NAD83-7W	632984	7134282	4.4	79.7	20.3	61	0	27.7	11.3	376	3.95	291.3	3	7.8	4.7	46	0.2
RW-01562	NAD83-7W	633005	7134317	9	87	39.3	75	0.1	32	14.3	540	4.42	779.9	3.5	12.6	4.5	40	0.3
RW-01563	NAD83-7W	633020	7134361	2	36.3	14.5	92	0	30.6	12.4	516	3.09	35	1.6	2.6	1.7	14	0.3
RW-01564	NAD83-7W	633193	7134384	2.8	137.7	30.7	68	0.2	38	25.1	704	6.01	1203.2	1.7	22.8	5.6	183	0.3
RW-01565	NAD83-7W	633172	7134361	3.9	109.4	34.3	70	0.2	31.2	15.5	531	5.74	568.7	2.3	16.9	4.9	103	0.2
RW-01566	NAD83-7W	633163	7134319	4.6	90.9	25.1	65	0.2	36.7	16.5	486	5.29	184	3.4	14.7	6.1	79	0.3
RW-01567	NAD83-7W	633134	7134260	4	85.9	22.9	84	0.1	40.1	15.8	454	4.94	166	2.3	6.5	4	51	0.4
RW-01568	NAD83-7W	633128	7134233	3.4	71.1	21.5	78	0.1	34	15.7	492	4.05	374.6	3.4	7.6	4.3	36	0.3
RW-01651	NAD83-7W	632078	7134914	1.9	97.3	54.1	98	0.2	22.9	32.7	1240	5.36	1291.5	7.8	60	19.4	87	0.5
RW-01652	NAD83-7W	632073	7134962	1.6	45.4	28.3	65	0.1	21.1	14	420	3.28	561	2.3	18.9	7.7	38	0.3
RW-01653	NAD83-7W	632063	7135010	1.5	76.3	23.4	85	0.1	28.9	18.1	860	3.19	250.6	4.4	20.9	9.1	33	0.3
RW-01654	NAD83-7W	632040	7135061	2.1	69.2	36	90	0.1	33.1	22.7	1369	5.4	1033.9	6.1	36.8	10.2	64	0.4
RW-01655	NAD83-7W	632019	7135115	1.6	57.1	27.2	81	0.2	28.1	21.1	1164	3.63	317.1	5	12.2	9.9	45	0.5

SAMPLES	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
RW-01301	15.5	1.3	59	0.2	0.116	31	41.8	0.36	175	0.025	1	1.66	0.007	0.1	0.1	0.06	6.6	0.3	0.06
RW-01302	4.2	39.4	41	0.24	0.1	32	25.7	0.29	103	0.019	2	1.8	0.013	0.06	0.2	0.05	1.3	0.2	0.1
RW-01303	5.3	48.5	43	0.68	0.134	31	28.4	0.37	138	0.028	3	2.65	0.023	0.1	0.2	0.05	3	0.2	0.11
RW-01304	4.3	12.3	50	0.32	0.056	34	31.3	0.45	93	0.041	2	1.36	0.009	0.08	0.4	0.05	4.2	0.2	0
RW-01305	4.9	13.2	36	0.7	0.05	34	27.1	0.37	106	0.027	4	2.16	0.018	0.08	0.5	0.04	3.7	0.2	0
RW-01306	6	18.4	42	1.14	0.11	30	28.4	0.42	110	0.015	4	2.23	0.022	0.06	0.2	0.07	5.4	0.2	0
RW-01307	13.1	2.6	46	0.55	0.085	39	34.4	0.45	163	0.019	2	1.69	0.012	0.07	0.2	0.05	4.4	0.2	0
RW-01308	6	1.2	56	0.24	0.066	23	41.5	0.58	133	0.035	2	1.92	0.007	0.1	0.2	0.02	3.2	0.2	0
RW-01309	4.5	3.7	48	0.54	0.086	25	31.8	0.4	168	0.022	1	1.74	0.008	0.09	0.2	0.04	2.8	0.2	0
RW-01310	15	1.6	123	0.74	0.172	113	61.3	0.38	227	0.016	2	1.69	0.011	0.07	0.2	0.46	18.3	0.4	0
RW-01311	5.7	5.3	55	0.55	0.197	38	37.4	0.47	229	0.017	1	2.73	0.014	0.1	0.2	0.08	5.3	0.2	0.07
RW-01312	6.9	26.9	41	0.95	0.149	62	34.8	0.42	147	0.013	3	1.64	0.02	0.14	0.1	0.24	6	0.2	0.06
RW-01313	5.7	28.3	51	1.02	0.125	127	24.7	0.33	203	0.013	3	1.84	0.02	0.08	0.2	0.26	6.9	0.5	0
RW-01314	9	85.2	39	0.9	0.122	30	29.3	0.37	163	0.022	6	1.69	0.018	0.08	0.9	0.19	4.5	0.2	0
RW-01315	4.1	124.5	29	0.83	0.096	19	21.1	0.28	130	0.032	1	1.28	0.019	0.06	0.5	0.04	3	0.1	0
RW-01316	4.8	119.6	32	0.81	0.079	20	25.3	0.31	119	0.023	1	1.42	0.02	0.07	0.2	0.04	3.4	0.1	0
RW-01317	2.5	1.9	42	0.33	0.067	15	23.9	0.37	120	0.036	2	2.09	0.017	0.06	0.3	0.04	2.2	0.2	0
RW-01551	3.3	1	59	0.08	0.066	19	29.6	0.4	116	0.036	1	1.94	0.009	0.09	0.4	0.06	2.5	0.3	0
RW-01552	3.4	1.3	131	0.18	0.07	45	46.4	0.78	131	0.092	1	1.86	0.006	0.22	0.7	0.04	8.2	0.4	0
RW-01553	6.4	5.7	62	0.17	0.101	26	33.3	0.77	182	0.081	2	2.14	0.008	0.21	3.6	0.05	6.4	0.4	0
RW-01554	2.5	2.9	74	0.17	0.075	28	35.9	0.67	131	0.059	2	2.11	0.008	0.09	0.7	0.03	4.4	0.3	0
RW-01555	2.4	3.4	62	0.15	0.092	23	30.7	0.53	74	0.06	2	2.01	0.007	0.08	1.3	0.03	3.5	0.2	0
RW-01556	2.2	1.1	69	0.18	0.082	22	35	0.62	113	0.067	1	2.11	0.008	0.08	0.4	0.03	3.9	0.3	0
RW-01557	1.2	0.4	62	0.13	0.072	14	32.1	0.56	122	0.056	1	2.38	0.008	0.07	0.5	0.04	2.8	0.2	0
RW-01558	9.9	0.8	58	0.2	0.096	16	28.8	0.51	110	0.057	2	1.93	0.008	0.07	0.4	0.03	3.2	0.2	0
RW-01559	4.3	0.9	57	0.14	0.079	16	25.6	0.45	125	0.039	1	1.7	0.009	0.06	0.3	0.03	2.2	0.3	0
RW-01560	3.4	1.3	89	0.1	0.086	14	31.7	0.53	96	0.054	1	1.7	0.006	0.11	0.2	0.02	3.5	0.3	0
RW-01561	3.6	1.1	70	0.17	0.112	17	31.2	0.6	128	0.062	1	1.94	0.012	0.11	0.3	0.03	3.6	0.3	0.09
RW-01562	6.7	2.3	84	0.3	0.222	18	36.1	0.6	121	0.061	1	1.91	0.014	0.11	0.2	0.04	3.9	0.4	0.11
RW-01563	1.5	0.5	71	0.12	0.064	13	38.7	0.69	108	0.061	3	2.33	0.008	0.08	0.2	0.04	3.2	0.3	0
RW-01564	7.9	3.7	55	0.23	0.158	17	29.9	0.84	302	0.096	2	3.17	0.046	0.33	0.3	0.04	4.2	0.6	0.29
RW-01565	6.8	2.2	61	0.16	0.169	16	31.4	0.73	217	0.086	2	2.97	0.028	0.24	0.3	0.04	4	0.5	0.21
RW-01566	6.8	1.1	62	0.15	0.157	20	29.7	0.58	173	0.063	2	2.23	0.025	0.16	0.3	0.05	3.8	0.4	0.16
RW-01567	5.8	0.7	63	0.19	0.143	16	32.1	0.67	164	0.069	2	2.32	0.021	0.14	0.3	0.04	3.2	0.3	0.15
RW-01568	3.9	0.9	69	0.16	0.103	17	33.8	0.68	155	0.071	1	2.13	0.012	0.1	0.2	0.02	4.5	0.3	0
RW-01651	10.9	4	86	0.61	0.139	44	31.6	0.68	206	0.064	3	1.73	0.028	0.16	0.7	0.12	9.1	0.5	0
RW-01652	3.9	1.9	62	0.2	0.074	17	28.2	0.46	129	0.074	1	2.11	0.01	0.06	0.6	0.06	3.1	0.3	0
RW-01653	2.9	0.9	62	0.3	0.107	27	33	0.56	180	0.082	2	1.77	0.012	0.09	0.8	0.07	4.4	0.3	0
RW-01654	7.3	3.6	74	0.24	0.084	35	32.4	0.71	220	0.068	2	2.12	0.015	0.1	0.5	0.08	5.7	0.5	0
RW-01655	4.1	1.7	71	0.26	0.108	28	36.2	0.62	235	0.093	1	1.98	0.015	0.11	0.8	0.07	4.8	0.4	0

SAMPLES	Ga	Se	Analysis	Acme file
RW-01301	5	0.8	GROUP 1DX - 15.0 GM	A507810
RW-01302	6	1.7	GROUP 1DX - 15.0 GM	A507810
RW-01303	9	1.5	GROUP 1DX - 15.0 GM	A507810
RW-01304	5	0.5	GROUP 1DX - 15.0 GM	A507810
RW-01305	6	0.9	GROUP 1DX - 15.0 GM	A507810
RW-01306	6	1.4	GROUP 1DX - 15.0 GM	A507810
RW-01307	6	0	GROUP 1DX - 15.0 GM	A507810
RW-01308	7	0.5	GROUP 1DX - 15.0 GM	A507810
RW-01309	7	0.6	GROUP 1DX - 15.0 GM	A507810
RW-01310	6	1.3	GROUP 1DX - 15.0 GM	A507810
RW-01311	10	0.6	GROUP 1DX - 15.0 GM	A507810
RW-01312	6	1	GROUP 1DX - 15.0 GM	A507810
RW-01313	6	1.2	GROUP 1DX - 15.0 GM	A507810
RW-01314	6	1.4	GROUP 1DX - 15.0 GM	A507810
RW-01315	5	1.1	GROUP 1DX - 15.0 GM	A507810
RW-01316	5	0.8	GROUP 1DX - 15.0 GM	A507810
RW-01317	7	0.8	GROUP 1DX - 15.0 GM	A507810
RW-01551	8	0.9	GROUP 1DX - 15.0 GM	A507810
RW-01552	6	1.1	GROUP 1DX - 15.0 GM	A507810
RW-01553	7	1	GROUP 1DX - 15.0 GM	A507810
RW-01554	7	1	GROUP 1DX - 15.0 GM	A507810
RW-01555	7	1	GROUP 1DX - 15.0 GM	A507810
RW-01556	7	0.9	GROUP 1DX - 15.0 GM	A507810
RW-01557	6	0.7	GROUP 1DX - 15.0 GM	A507810
RW-01558	5	1	GROUP 1DX - 15.0 GM	A507810
RW-01559	6	1.3	GROUP 1DX - 15.0 GM	A507810
RW-01560	6	1.8	GROUP 1DX - 15.0 GM	A507810
RW-01561	6	1.8	GROUP 1DX - 15.0 GM	A507810
RW-01562	6	2.9	GROUP 1DX - 15.0 GM	A507810
RW-01563	8	1	GROUP 1DX - 15.0 GM	A507810
RW-01564	8	3.3	GROUP 1DX - 15.0 GM	A507810
RW-01565	9	2.6	GROUP 1DX - 15.0 GM	A507810
RW-01566	7	2.2	GROUP 1DX - 15.0 GM	A507810
RW-01567	6	1.6	GROUP 1DX - 15.0 GM	A507810
RW-01568	7	1.2	GROUP 1DX - 15.0 GM	A507810
RW-01651	6	1.2	GROUP 1DX - 15.0 GM	A507810
RW-01652	6	0.8	GROUP 1DX - 15.0 GM	A507810
RW-01653	6	0.8	GROUP 1DX - 15.0 GM	A507810
RW-01654	7	1.5	GROUP 1DX - 15.0 GM	A507810
RW-01655	6	0.9	GROUP 1DX - 15.0 GM	A507810

SAMPLES	Datum	Easting	Northing	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd
RW-01656	NAD83-7W	632016	7135168	1.3	50.2	19.2	71	0.1	25.7	16	932	3.18	226.2	2.8	7.6	10.1	36	0.3
RW-01657	NAD83-7W	632002	7135222	1.7	72.9	40.6	98	0	27.7	21.5	1822	5.28	287.6	3	13.5	7.1	54	0.3
RW-01658	NAD83-7W	631969	7135268	1.1	67.3	33	80	0	30.4	30	2377	3.76	97.7	1.7	3.2	5.8	22	0.1
RW-01659	NAD83-7W	631942	7135298	2.4	71.2	44.6	95	0	23.9	39.3	1849	5.06	883.1	8.6	11.8	14.9	27	0.2
RW-01660	NAD83-7W	631925	7135350	1.3	53.4	18.8	77	0	24.4	25	2675	3.32	25.3	1	11.7	3.7	16	0.1
RW-01661	NAD83-7W	631915	7135398	2.6	63.4	34.1	89	0.1	22.1	20.1	1037	4.28	298.9	8.9	15.1	20.5	65	0.4
RW-01662	NAD83-7W	631896	7135440	4.3	90.9	58.2	112	0.1	36.3	26.5	1283	4.32	411	6.1	29.6	10.2	80	0.4
RW-01663	NAD83-7W	631863	7135484	0.8	79.2	35.6	87	0	30.7	25.3	1486	3.67	210.9	0.9	12.3	8.3	94	0.4
RW-01664	NAD83-7W	631834	7135521	0.4	89.6	23.3	64	0	29.8	25	1304	3.22	21	0.8	0.5	11.2	53	0.1
RW-01665	NAD83-7W	631814	7135570	1	64.9	29.1	75	0.1	27.2	21.7	905	3.97	395.5	1.4	11.5	5.5	69	0.2
RW-01666	NAD83-7W	631785	7135628	1.3	73.9	41.1	78	0.1	30	26.7	690	5.06	320.9	2.8	26.8	12.3	155	0.4
RW-01667	NAD83-7W	631761	7135666	1.8	70.6	97.8	73	0.3	17.5	17.9	504	5.09	1019.9	4.2	18.1	12.7	97	0.3
RW-01668	NAD83-7W	631726	7135725	2	201	58.7	88	0.4	32.5	47.6	1358	7.58	1173.7	4	133.2	11.3	125	0.4
RW-01669	NAD83-7W	631689	7135758	1.6	99.1	33	56	0.2	13.7	17.2	449	5.78	380.9	3.3	19.1	10.6	123	0.1
RW-01670	NAD83-7W	631660	7135797	1.9	95.7	28.9	81	0	32.8	24.7	1297	3.66	36.8	1.7	3.1	4.6	20	0.3
RW-01671	NAD83-7W	631623	7135836	2.1	85.8	52	129	0	46.1	26.8	3229	7.97	77.9	2.6	17.6	4.7	14	0.4
RW-01672	NAD83-7W	631575	7135861	1.8	60.6	32.5	85	0	31.1	22.7	1263	3.76	109.6	1.9	7.4	1.9	17	0.6
RW-01673	NAD83-7W	631536	7135908	1.8	50	27.8	90	0.1	28.5	17.6	905	3.61	85	1.7	9.4	2.2	19	0.3
RW-01674	NAD83-7W	631508	7135943	1.1	47	27.6	62	0	24.6	11.8	359	3.55	259.9	1.4	8.7	2.3	45	0.3
RW-01675	NAD83-7W	631485	7135974	3	126.8	171.8	154	0.8	46.5	63.2	2162	5.06	852.3	4.2	12.6	5.9	73	0.7
RW-01676	NAD83-7W	631441	7135989	1.6	92.8	68.5	101	0.4	37.8	26.3	800	5.63	608.8	3.8	27.8	9.6	96	0.6
RW-01677	NAD83-7W	631399	7135996	1.8	73.4	72.1	122	0.3	40.1	32.5	1057	5.32	482	3.3	29.6	10.9	100	0.5
RW-01678	NAD83-7W	631336	7135994	1.5	39.6	41.7	94	0.1	31.3	21	818	4	38.5	1.5	2.5	6.1	25	0.5
RW-01679	NAD83-7W	631296	7136017	1.3	33.9	32.9	80	0	24.8	14.9	566	3.68	73.2	1.2	12.7	1.6	19	0.3
RW-01680	NAD83-7W	631256	7136056	1.5	90.9	148.4	154	0.4	47	37.5	1012	6.27	415.7	3.9	8.2	8.9	317	0.8
RW-01681	NAD83-7W	631213	7136072	1.1	36.4	19.9	71	0	27.7	13.4	439	3.17	94.4	1.2	7.2	2.5	37	0.3
RW-01682	NAD83-7W	631162	7136095	1.2	69.9	68.3	112	0.2	46.6	32.7	959	4.89	778.1	4.1	7.8	9.1	43	0.7
RW-01683	NAD83-7W	631087	7136105	1.5	72.7	173.6	133	0.5	26.4	21.7	762	6.75	1103.3	3.6	216	12	84	1.4
RW-01684	NAD83-7W	631047	7136129	1.2	41.9	68.1	87	0.2	24.1	17.8	492	3.25	307.5	1.5	17	2.7	44	0.4
RW-01685	NAD83-7W	630998	7136152	1.3	56.6	54.4	96	0.3	28	15.7	646	2.99	121.5	2.3	46.4	1	33	0.7
RW-01686	NAD83-7W	630949	7136165	1.4	43.6	95.7	161	0.3	24.1	8.5	421	3.24	267.7	1.7	22.1	1.6	27	0.9
RW-01687	NAD83-7W	630833	7136175	1.7	33.9	19.6	66	0	29.9	20.8	419	2.88	331.5	1.4	7	5	23	0.3
RW-01688	NAD83-7W	630778	7136199	4.4	117.8	494.4	184	3.2	59.6	32.9	1037	6.53	1735.3	11.7	49.7	15.5	73	1.2
RW-01689	NAD83-7W	630695	7136277	2.4	84.8	106	189	0.5	34.3	17.2	784	4.74	327	3.3	27.4	12.9	36	0.8
RW-01691	NAD83-7W	632432	7134380	2.6	78.3	69.1	103	0.2	30.9	20.3	787	3.71	287.7	12.3	14.4	24.4	55	0.3
RW-01692	NAD83-7W	632448	7134424	2.5	51.6	50.4	91	0.1	22	16.9	782	3.61	251.9	5.4	8	5.1	37	0.5
RW-01693	NAD83-7W	632466	7134493	2	47	45.8	88	0.1	26	20.8	908	4.62	776.1	5.8	23.7	12.7	63	0.3
RW-01694	NAD83-7W	632487	7134529	1.6	48.4	34.5	79	0	26.1	19.6	701	3.77	836	3.9	26.7	7.1	59	0.4
RW-01695	NAD83-7W	632509	7134568	2	37.9	25.3	63	0.1	22.2	15.1	719	3.29	391.9	3.1	9.6	3.2	35	0.2
RW-01696	NAD83-7W	632527	7134619	1.7	57.5	33.6	85	0.1	28.4	20.9	727	4.02	663.4	4	17.3	9.4	47	0.4

SAMPLES	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
RW-01656	2.6	0.7	63	0.26	0.058	23	30	0.58	190	0.083	2	1.72	0.012	0.07	0.4	0.05	3.5	0.3	0
RW-01657	4	1.5	66	0.28	0.075	38	30.4	0.6	215	0.049	1	2.16	0.026	0.07	0.3	0.09	3.9	0.3	0
RW-01658	3.2	0.5	49	0.17	0.059	38	35.7	0.46	164	0.049	1	2.01	0.005	0.06	0.2	0.06	2.1	0.2	0
RW-01659	6.7	2.1	64	0.18	0.115	34	29.5	0.65	155	0.047	1	2.53	0.012	0.12	0.3	0.08	5.6	0.5	0
RW-01660	1.1	0.5	49	0.1	0.04	18	32.7	0.48	203	0.045	1	1.83	0.005	0.07	0.2	0.09	2.7	0.2	0
RW-01661	4	1	83	0.55	0.134	44	33.5	0.7	280	0.104	1	1.81	0.014	0.16	0.4	0.16	7.3	0.5	0
RW-01662	11.9	1.5	76	0.36	0.105	27	31.7	0.72	239	0.055	1	2.52	0.012	0.14	0.2	0.05	5	0.5	0
RW-01663	1.6	2.7	58	0.54	0.049	23	45.1	1.02	243	0.082	1	3.12	0.014	0.36	0.2	0.02	5.9	0.7	0
RW-01664	1.9	0.4	46	0.76	0.037	31	45.2	1.02	222	0.036	0	2.87	0.006	0.53	0	0.01	5.6	0.8	0
RW-01665	2.3	2.2	41	0.63	0.058	25	37.1	0.65	163	0.039	1	2.47	0.014	0.26	0.4	0.03	3.5	0.5	0
RW-01666	9.5	1.4	46	0.35	0.077	27	32.7	0.6	185	0.031	0	2.32	0.022	0.19	0.2	0.02	4.8	0.6	0
RW-01667	30.5	9.7	48	0.25	0.091	64	20.4	0.37	246	0.016	0	1.59	0.022	0.13	2.4	0.17	6.1	2.3	0.18
RW-01668	9.5	9.6	71	0.47	0.133	36	41.4	1.02	367	0.078	1	2.86	0.033	0.39	0.3	0.05	6.6	0.7	0.59
RW-01669	11	2	60	0.24	0.124	66	27.9	0.15	306	0.003	0	1.05	0.015	0.35	0.5	0.4	9.6	2.3	0.66
RW-01670	2.3	0.5	67	0.21	0.071	29	53.2	0.85	233	0.069	1	2.39	0.009	0.2	0.2	0.04	6	0.5	0
RW-01671	11.9	1.4	66	0.05	0.134	42	38.2	0.24	137	0.03	1	1.33	0.005	0.08	0.6	0.19	7.7	1.4	0
RW-01672	3.2	1.2	63	0.12	0.094	20	37.1	0.51	150	0.047	1	2.47	0.008	0.13	1.2	0.07	2.6	0.4	0
RW-01673	2.8	0.8	59	0.11	0.09	17	38.5	0.56	139	0.05	2	2.69	0.01	0.11	0.4	0.04	2.6	0.4	0
RW-01674	7.3	3.7	43	0.13	0.068	17	29	0.4	131	0.035	1	2.01	0.013	0.08	0.6	0.04	2.1	0.3	0.06
RW-01675	19.3	10.6	58	0.18	0.125	27	36.3	0.63	210	0.039	2	2.61	0.02	0.13	3.6	0.1	4.7	0.4	0.11
RW-01676	19.2	9.1	53	0.24	0.1	28	33.5	0.61	209	0.057	1	2.2	0.027	0.16	5.6	0.05	4.2	0.5	0.2
RW-01677	13	5	63	0.22	0.139	26	31.3	0.56	219	0.078	1	2.47	0.044	0.15	5.3	0.04	4.2	0.4	0.14
RW-01678	4.1	0.7	58	0.13	0.085	21	37.8	0.6	179	0.083	2	2.3	0.011	0.18	0.3	0.05	3.6	0.3	0
RW-01679	3.5	0.5	55	0.12	0.064	18	30.4	0.45	125	0.045	1	2.06	0.009	0.12	0.3	0.06	2	0.3	0.07
RW-01680	21.8	11.8	49	0.25	0.087	28	35.1	0.67	239	0.048	1	3.08	0.037	0.2	1.7	0.04	4	0.6	0.21
RW-01681	7.6	0.6	48	0.16	0.067	17	29.7	0.48	109	0.044	1	1.82	0.007	0.08	0.3	0.05	2.2	0.3	0
RW-01682	11.3	3.6	45	0.24	0.102	27	29.3	0.44	167	0.042	2	1.88	0.011	0.13	0.5	0.07	3.6	0.3	0.07
RW-01683	9.5	12.8	42	0.26	0.119	39	32.7	0.44	225	0.049	2	2.74	0.059	0.14	0.5	0.08	4	0.4	0.33
RW-01684	13	1.5	46	0.14	0.06	21	29.5	0.47	128	0.035	2	1.96	0.008	0.08	0.4	0.05	2.3	0.3	0
RW-01685	4.2	1.2	45	0.15	0.086	22	30.1	0.4	138	0.031	2	1.81	0.012	0.09	0.4	0.11	1.8	0.3	0
RW-01686	8.5	6.6	47	0.18	0.076	23	31.3	0.37	149	0.027	1	1.51	0.01	0.06	0.5	0.07	2	0.3	0
RW-01687	5.2	0.6	43	0.14	0.029	20	26	0.42	136	0.05	2	1.46	0.009	0.05	0.4	0.04	2.5	0.2	0
RW-01688	27.9	6.1	44	0.31	0.102	54	28.3	0.5	274	0.031	3	1.74	0.014	0.13	0.3	0.42	5.2	0.7	0.14
RW-01690	10.3	3	49	0.32	0.058	45	37.5	0.47	119	0.036	3	1.44	0.016	0.12	0.3	0.14	6.9	0.4	0
RW-01691	3.9	1.4	70	0.37	0.137	35	32.9	0.58	212	0.084	2	2.08	0.014	0.15	1.3	0.06	4.5	0.4	0
RW-01692	3.4	1.3	67	0.16	0.096	23	33.3	0.53	149	0.063	1	1.82	0.01	0.13	0.7	0.04	2.9	0.4	0.09
RW-01693	5.6	1.1	71	0.41	0.1	35	27.5	0.6	230	0.052	2	2.11	0.016	0.17	0.4	0.07	5.9	0.5	0.06
RW-01694	4.3	1.1	57	0.22	0.093	26	24.8	0.46	201	0.054	1	2.07	0.014	0.12	0.4	0.05	3.5	0.5	0
RW-01695	2.4	0.6	55	0.14	0.081	19	28.9	0.43	149	0.052	2	2.18	0.012	0.09	0.3	0.05	2.6	0.3	0.06
RW-01696	3.3	0.8	54	0.19	0.094	26	28.3	0.51	187	0.049	1	2.05	0.013	0.12	0.4	0.06	4.7	0.5	0

SAMPLES	Ga	Se	Analysis	Acme file
RW-01656	5	0.8	GROUP 1DX - 15.0 GM	A507810
RW-01657	7	1	GROUP 1DX - 15.0 GM	A507810
RW-01658	6	0	GROUP 1DX - 15.0 GM	A507810
RW-01659	8	1.7	GROUP 1DX - 15.0 GM	A507810
RW-01660	6	0.6	GROUP 1DX - 15.0 GM	A507810
RW-01661	6	0.7	GROUP 1DX - 15.0 GM	A507810
RW-01662	9	1	GROUP 1DX - 15.0 GM	A507810
RW-01663	11	0	GROUP 1DX - 15.0 GM	A507810
RW-01664	9	0	GROUP 1DX - 15.0 GM	A507810
RW-01665	8	0.7	GROUP 1DX - 15.0 GM	A507810
RW-01666	8	1.5	GROUP 1DX - 15.0 GM	A507810
RW-01667	5	1.2	GROUP 1DX - 15.0 GM	A507810
RW-01668	9	2	GROUP 1DX - 15.0 GM	A507810
RW-01669	3	1.7	GROUP 1DX - 15.0 GM	A507810
RW-01670	7	0.7	GROUP 1DX - 15.0 GM	A507810
RW-01671	5	0.8	GROUP 1DX - 15.0 GM	A507810
RW-01672	7	0.9	GROUP 1DX - 15.0 GM	A507810
RW-01673	8	1.1	GROUP 1DX - 15.0 GM	A507810
RW-01674	6	1	GROUP 1DX - 15.0 GM	A507810
RW-01675	7	1.9	GROUP 1DX - 15.0 GM	A507810
RW-01676	6	1.7	GROUP 1DX - 15.0 GM	A507810
RW-01677	7	1.8	GROUP 1DX - 15.0 GM	A507810
RW-01678	7	0.9	GROUP 1DX - 15.0 GM	A507810
RW-01679	7	0.8	GROUP 1DX - 15.0 GM	A507810
RW-01680	8	1.8	GROUP 1DX - 15.0 GM	A507810
RW-01681	6	0.6	GROUP 1DX - 15.0 GM	A507810
RW-01682	5	1.5	GROUP 1DX - 15.0 GM	A507810
RW-01683	7	2.6	GROUP 1DX - 15.0 GM	A507810
RW-01684	6	0.9	GROUP 1DX - 15.0 GM	A507810
RW-01685	6	1.2	GROUP 1DX - 15.0 GM	A507810
RW-01686	5	0.8	GROUP 1DX - 15.0 GM	A507810
RW-01687	4	0.7	GROUP 1DX - 15.0 GM	A507810
RW-01688	5	2.3	GROUP 1DX - 15.0 GM	A507810
RW-01690	6	1	GROUP 1DX - 15.0 GM	A507810
RW-01691	6	1	GROUP 1DX - 15.0 GM	A507810
RW-01692	7	0.9	GROUP 1DX - 15.0 GM	A507810
RW-01693	7	1.3	GROUP 1DX - 15.0 GM	A507810
RW-01694	6	1	GROUP 1DX - 15.0 GM	A507810
RW-01695	7	1.1	GROUP 1DX - 15.0 GM	A507810
RW-01696	7	1.4	GROUP 1DX - 15.0 GM	A507810

SAMPLES	Datum	Easting	Northing	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd
RW-01697	NAD83-7W	632541	7134648	2.8	68.1	45.4	90	0.2	37.6	48.1	1896	5.32	1156.2	5.4	22.4	11.6	45	0.3
RW-01698	NAD83-7W	632634	7134627	2.5	65.4	59.3	91	0.2	22.1	27.9	930	6.7	1612.6	7.2	84.2	22.9	122	0.5
RW-01699	NAD83-7W	632619	7134583	1.7	49.1	53.6	96	0	20.5	21.2	975	4.85	859.6	5.2	22.9	16	93	0.5
RW-01700	NAD83-7W	632599	7134541	2.6	38.9	33.9	61	0.1	18.2	10.5	468	3.92	582.3	3.9	10.3	1.7	39	0.3
RW-01774	NAD83-7W	631294	7134249	3.9	243.2	208.9	328	1.6	89	66.5	1448	13.51	858.3	4.1	66.2	12.5	218	0.9
RW-01775	NAD83-7W	631258	7134254	3.7	189.9	141.3	275	0.7	76	89	1391	9.91	759.2	8.7	53.6	17.7	306	0.7
RW-01776	NAD83-7W	631199	7134244	2.2	134.5	136.9	251	0.6	79.4	68.5	1850	7.77	404.3	8.6	33.2	17.8	319	1.4
RW-01777	NAD83-7W	631155	7134250	2.9	88.7	202.5	217	0.6	38.2	46.3	1561	6.59	97.2	18.1	17.8	29.5	612	0.5
RW-01778	NAD83-7W	631085	7134253	2.1	131	488.5	323	1.9	50	87	2582	9.5	49.2	5.9	24.2	13.1	139	0.9
RW-01779	NAD83-7W	631003	7134245	1.5	80.6	69	83	0.1	33.8	40.5	1320	5.84	64.7	4.9	6.1	16.6	65	0.3
RW-01780	NAD83-7W	630949	7134251	4.6	131	2370	959	23.2	36.5	35	2702	7.96	456.2	4.7	52	17.4	35	6.1
RW-01902	NAD83-7W	628925	7135594	1.3	41.7	90.2	174	0.2	36.5	24.8	1276	3.98	28.2	2.3	38.6	3.4	57	0.9
RW-01903	NAD83-7W	628957	7135558	1.2	45.1	162.8	197	0.3	40.1	27.1	1672	3.47	15.3	3.2	19.8	4.7	72	1.4
RW-01904	NAD83-7W	628989	7135504	0.7	27.8	167.2	262	0.3	20.4	13	1543	2.27	15.6	1.8	14.7	1.8	312	1.6
RW-01905	NAD83-7W	629019	7135468	1.5	57.8	111.7	274	0.2	68.8	43.2	1190	4.1	47.6	2.2	28.3	3.6	58	0.9
RW-01906	NAD83-7W	629046	7135422	1.3	68.9	34.7	96	0.4	58.1	31.2	1322	6.53	97.3	3	8.3	9.9	19	0.3
RW-01907	NAD83-7W	629077	7135386	1.3	40.4	28.1	64	0	35.3	22.1	916	4.08	26.9	1.6	5.6	2.9	16	0.3
RW-01908	NAD83-7W	629106	7135344	2.2	30.8	34.2	59	0	23.3	12.2	558	4.81	20.8	2	1.7	4	14	0.1
RW-01909	NAD83-7W	629143	7135308	1	25.3	21.4	52	0.1	28.4	11.3	644	3.97	14.4	1.8	2.2	4.6	23	0.2
RW-01910	NAD83-7W	629216	7135359	1.4	154.3	47.5	131	0.3	40.8	39.6	835	4.59	173.4	1.9	29.1	3	97	1
RW-01911	NAD83-7W	629175	7135392	0.7	39.8	32.6	85	0.1	33	16.1	585	3.42	24.3	1.7	11	4.3	106	0.4
RW-01912	NAD83-7W	629150	7135434	0.8	55.9	42.5	98	0.1	42.8	21.8	727	3.88	52	1.8	17.9	5.6	19	0.4
RW-01913	NAD83-7W	629125	7135479	1.1	43.7	25.5	70	0	33.9	15.2	515	3.98	63	1.6	161.3	2.1	17	0.3
RW-01914	NAD83-7W	629097	7135520	1.2	55.2	40.2	91	0	42.7	20.9	596	4.18	89.4	1.8	18	4.7	19	0.4
RW-01915	NAD83-7W	629138	7135557	1.2	51.4	37.2	82	0.1	32.4	21.3	931	3.44	205.3	1.7	16.4	2.3	36	0.4
RW-01916	NAD83-7W	629079	7135564	1.3	62	46.8	87	0.3	34.7	23.1	1035	4.4	136.2	2.4	812.9	3	36	0.6
RW-01917	NAD83-7W	629041	7135602	1.1	77	39.2	98	0.2	45.9	23.9	641	4.79	36.6	3.7	10.6	7.7	141	0.5
RW-01918	NAD83-7W	629019	7135643	1.3	63.7	39.2	74	0.2	30.3	25.8	850	4.25	51.5	1.7	64.1	2.4	82	0.5
RW-01919	NAD83-7W	628982	7135681	2.7	121.5	102.3	92	0.1	33.4	13.2	324	12.03	46.5	3.2	29	16.8	207	0.2
RW-01920	NAD83-7W	628955	7135725	1.7	111.3	70	164	0.2	95	61.5	916	7.34	37.3	3.5	13.1	15.6	138	0.7
RW-01921	NAD83-7W	628928	7135765	2.2	99.5	94.3	294	0.2	113.8	63	1711	7.32	61.3	3.5	13.2	12.9	89	0.9
RW-01922	NAD83-7W	628895	7135806	3.2	103.8	82.5	219	0.3	92.8	45.9	1814	6.49	20.9	4.8	16.5	12.8	70	0.7
RW-01923	NAD83-7W	628864	7135844	0.7	53.4	80.7	212	0.3	52.1	26.7	1636	4.42	34.1	1.9	2.6	8.6	42	0.8
RW-01924	NAD83-7W	628787	7135790	0.8	49.7	129.9	226	0.6	37.8	21	1185	5.98	52.4	2.2	5.6	9.1	32	0.8
RW-01925	NAD83-7W	628810	7135746	0.8	71.4	179.8	290	0.6	75.9	38.4	1819	7.17	129.1	3	17.6	15.3	105	1.5
RW-01926	NAD83-7W	628840	7135710	1.1	75.6	468.2	462	0.9	61.4	25.9	1388	7.47	57.2	2.7	20.3	13.1	96	2.4
RW-01927	NAD83-7W	628870	7135670	0.7	81.6	81.4	193	0.2	112.1	48.3	1424	7.41	167.3	4	11.4	16.2	175	0.4
RW-01928	NAD83-7W	628899	7135629	3.6	125.3	59.7	167	0.3	61.9	19.1	589	5.4	148.3	5.2	34	6.9	276	0.2
RW-01929	NAD83-7W	629497	7135979	7.4	510.5	299.8	353	3.3	247.2	1271.9	2311	23.03	10001	17.8	10067.5	51.1	136	2.6
RW-01930	NAD83-7W	629510	7135988	98.4	262.2	30.7	72	0.3	29.7	20.9	415	13.85	262.8	2.7	37.7	8.2	137	0

SAMPLES	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
RW-01697	5.7	1.2	59	0.13	0.115	34	31.5	0.53	181	0.046	0	2.2	0.019	0.17	0.3	0.12	6.2	1.1	0.1
RW-01698	12.7	1.8	76	0.39	0.107	51	24.5	0.68	286	0.054	1	2.55	0.038	0.23	0.3	0.08	7.5	0.8	0.19
RW-01699	5	1	86	0.45	0.117	41	24.3	0.68	340	0.069	1	2.33	0.015	0.16	0.2	0.08	7.9	0.5	0
RW-01700	6.7	1.1	62	0.09	0.097	29	26.9	0.36	152	0.029	1	1.93	0.013	0.12	0.4	0.06	2	0.4	0.1
RW-01774	42.9	73.8	47	0.39	0.171	23	29.1	0.54	152	0.046	1	3.1	0.036	0.17	2.3	0.07	4.5	0.6	0.27
RW-01775	16.7	12.3	51	0.41	0.124	27	28.3	0.59	212	0.031	2	2.7	0.028	0.2	1.2	0.05	4.4	0.5	0.14
RW-01776	12.2	12.8	44	0.88	0.116	39	20.7	0.69	185	0.034	3	2.56	0.021	0.17	0.8	0.04	4.2	0.4	0
RW-01777	8.5	2.5	38	0.3	0.112	45	19.7	0.57	275	0.032	1	3.11	0.02	0.18	0.7	0.03	3.8	0.6	0
RW-01778	14.8	34.9	43	0.15	0.121	31	22.3	0.54	250	0.036	1	2.22	0.021	0.21	2.2	0.1	4	0.5	0.11
RW-01779	6.9	2.2	27	0.2	0.121	37	17.1	0.5	126	0.018	0	1.75	0.015	0.21	0.3	0.04	2.4	0.4	0.09
RW-01780	945.2	3.3	29	0.21	0.086	38	20.6	0.34	79	0.015	0	1.2	0.012	0.12	0.2	0.68	4.1	1.6	0
RW-01902	1.8	7.7	37	0.79	0.12	19	24.8	0.37	153	0.034	2	1.78	0.026	0.05	0.6	0.06	2.5	0.2	0.08
RW-01903	3.2	3.9	33	1.37	0.112	28	24.7	0.41	174	0.043	6	2.13	0.051	0.07	0.3	0.06	3.3	0.2	0.08
RW-01904	2.7	1.9	27	9.8	0.125	24	20.6	0.31	149	0.02	14	1.02	0.021	0.07	0.1	0.19	2.5	0.2	0.13
RW-01905	3.3	1.7	57	0.44	0.08	27	31.2	0.61	115	0.053	3	1.94	0.017	0.07	0.6	0.05	3.3	0.3	0.07
RW-01906	33.4	2.8	30	0.21	0.102	92	23.4	0.35	180	0.014	1	1.22	0.011	0.14	0.3	0.09	3.9	0.5	0
RW-01907	6.2	0.9	38	0.19	0.103	41	33.7	0.48	176	0.02	2	1.66	0.007	0.18	0.2	0.07	2	0.5	0
RW-01908	5.4	0.6	66	0.14	0.093	28	35.1	0.39	135	0.04	1	1.37	0.005	0.14	0.2	0.04	3.4	0.4	0
RW-01909	5.6	0.4	51	0.4	0.068	53	35.1	0.49	221	0.032	1	1.65	0.007	0.13	0.2	0.05	4.3	0.5	0
RW-01910	6.9	1.7	32	1.33	0.055	26	22.4	0.4	159	0.026	5	1.69	0.032	0.06	0.4	0.04	2.8	0.2	0
RW-01911	6.1	1.2	42	1.46	0.062	32	31.2	0.52	126	0.027	4	1.69	0.04	0.09	0.3	0.06	3.9	0.3	0
RW-01912	7.8	5.4	38	0.28	0.057	45	26.4	0.43	160	0.037	2	1.35	0.008	0.16	0.4	0.03	3.2	0.3	0
RW-01913	5.4	9.9	50	0.18	0.067	39	32	0.49	158	0.031	2	1.74	0.006	0.14	0.2	0.03	2.3	0.4	0
RW-01914	6.8	11.4	51	0.14	0.066	34	32.8	0.57	138	0.046	3	1.75	0.008	0.16	0.4	0.03	2.9	0.3	0
RW-01915	4	5.5	44	0.5	0.121	25	31.2	0.43	188	0.024	2	1.82	0.011	0.09	0.3	0.05	2.5	0.3	0
RW-01916	6.5	33.1	46	0.28	0.16	33	34.3	0.58	214	0.028	2	2.5	0.012	0.22	0.3	0.08	2.7	0.4	0.09
RW-01917	10.6	9.8	39	0.83	0.101	32	35.4	0.75	178	0.041	2	2.81	0.033	0.27	0.8	0.04	4.6	0.7	0.15
RW-01918	7.4	19.6	38	0.35	0.158	17	29.4	0.4	175	0.034	2	2.86	0.025	0.13	0.9	0.06	2.1	0.3	0.13
RW-01919	14.4	5.1	42	0.12	0.181	43	32.1	0.4	139	0.051	2	1.99	0.095	0.29	1.5	0.03	4	0.7	0.68
RW-01920	12.4	3.2	43	0.2	0.164	46	35.2	0.69	140	0.066	2	2.44	0.078	0.27	1.6	0.03	4.1	0.9	0.45
RW-01921	8.7	4.1	48	0.18	0.141	43	37.2	1	163	0.061	2	2.59	0.043	0.18	0.4	0.03	4.3	0.7	0.21
RW-01922	6.3	1.5	44	0.16	0.121	28	30.7	0.65	150	0.042	1	1.84	0.033	0.12	0.2	0.03	4.1	0.3	0.1
RW-01923	4.1	1	33	0.62	0.079	48	29.1	0.74	143	0.022	2	1.71	0.014	0.16	0.2	0.05	5.1	0.4	0
RW-01924	10.1	4.8	24	0.21	0.068	37	19.4	0.39	120	0.007	2	1.19	0.007	0.11	0.1	0.15	3.5	0.6	0.07
RW-01925	11.8	5.3	26	0.46	0.067	32	22.5	0.63	105	0.02	2	1.53	0.031	0.14	0.1	0.19	4.3	0.7	0.13
RW-01926	13.4	2.4	19	0.33	0.059	20	15.7	0.48	97	0.009	1	1.09	0.021	0.11	0.1	0.26	3.3	0.5	0.18
RW-01927	6.2	1.3	35	0.68	0.111	30	29.5	1.47	117	0.045	5	2.57	0.071	0.21	0.2	0.04	4.8	0.4	0.23
RW-01928	2	1.1	43	0.33	0.121	18	27.8	0.64	139	0.053	3	2.32	0.053	0.09	0.3	0.05	3.9	0.2	0.1
RW-01929	165.5	342.7	35	1.02	0.046	338	11	0.21	207	0.014	3	0.94	0.046	0.26	2.3	0.12	5.4	0.9	0.85
RW-01930	3	9	66	0.37	0.157	11	33.4	0.48	239	0.12	2	1.82	0.022	0.24	0.4	0.03	4.1	0.4	0.55

SAMPLES	Ga	Se	Analysis	Acme file
RW-01697	7	1.8	GROUP 1DX - 15.0 GM	A507810
RW-01698	9	2	GROUP 1DX - 15.0 GM	A507810
RW-01699	8	1.1	GROUP 1DX - 15.0 GM	A507810
RW-01700	7	1.6	GROUP 1DX - 15.0 GM	A507810
RW-01774	9	3.6	GROUP 1DX - 15.0 GM	A507810
RW-01775	8	1.8	GROUP 1DX - 15.0 GM	A507810
RW-01776	7	1.4	GROUP 1DX - 15.0 GM	A507810
RW-01777	8	1.2	GROUP 1DX - 15.0 GM	A507810
RW-01778	8	1	GROUP 1DX - 15.0 GM	A507810
RW-01779	5	1.1	GROUP 1DX - 15.0 GM	A507810
RW-01780	6	1.1	GROUP 1DX - 15.0 GM	A507810
RW-01902	6	1	GROUP 1DX - 15.0 GM	A507810
RW-01903	6	0.9	GROUP 1DX - 15.0 GM	A507810
RW-01904	3	0.9	GROUP 1DX - 15.0 GM	A507810
RW-01905	6	1.1	GROUP 1DX - 15.0 GM	A507810
RW-01906	4	1.1	GROUP 1DX - 15.0 GM	A507810
RW-01907	5	0.5	GROUP 1DX - 15.0 GM	A507810
RW-01908	7	0.6	GROUP 1DX - 15.0 GM	A507810
RW-01909	5	0	GROUP 1DX - 15.0 GM	A507810
RW-01910	5	1.2	GROUP 1DX - 15.0 GM	A507810
RW-01911	6	0.6	GROUP 1DX - 15.0 GM	A507810
RW-01912	4	0	GROUP 1DX - 15.0 GM	A507810
RW-01913	6	0.5	GROUP 1DX - 15.0 GM	A507810
RW-01914	6	0.7	GROUP 1DX - 15.0 GM	A507810
RW-01915	7	0.5	GROUP 1DX - 15.0 GM	A507810
RW-01916	7	0.8	GROUP 1DX - 15.0 GM	A507810
RW-01917	9	1.2	GROUP 1DX - 15.0 GM	A507810
RW-01918	9	1.5	GROUP 1DX - 15.0 GM	A507810
RW-01919	6	3.9	GROUP 1DX - 15.0 GM	A507810
RW-01920	6	1.6	GROUP 1DX - 15.0 GM	A507810
RW-01921	7	1.6	GROUP 1DX - 15.0 GM	A507810
RW-01922	5	1.8	GROUP 1DX - 15.0 GM	A507810
RW-01923	5	0.7	GROUP 1DX - 15.0 GM	A507810
RW-01924	4	0.8	GROUP 1DX - 15.0 GM	A507810
RW-01925	5	1.2	GROUP 1DX - 15.0 GM	A507810
RW-01926	3	1	GROUP 1DX - 15.0 GM	A507810
RW-01927	7	1.4	GROUP 1DX - 15.0 GM	A507810
RW-01928	6	1.7	GROUP 1DX - 15.0 GM	A507810
RW-01929	4	10.6	GROUP 1DX - 15.0 GM	A507810
RW-01930	7	27.8	GROUP 1DX - 15.0 GM	A507810

SAMPLES	Datum	Easting	Northing	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd
RW-01931	NAD83-7W	629300	7135891	0.6	204	15.1	36	1.7	31.8	90.8	1144	14.75	4450.2	3.8	33.3	25.8	14	0
RW-01932	NAD83-7W	629301	7135892	1.9	700.6	25.9	57	1.7	162.3	632.9	4556	16.92	10001	20.4	27.7	24.6	15	0.3
RW-01933	NAD83-7W	629648	7136069	0.5	505.3	12.3	101	0.6	98.6	48.5	4275	17.14	75.8	3	759.7	4.3	36	0.2
RW-01934	NAD83-7W	629624	7136052	0.1	50.5	2.1	36	0	4	6.1	530	1.83	125.2	9.8	1.2	11	16	0.1
RW-01937	NAD83-7W	629190	7135734	3.3	174.6	45.7	59	0.3	29	26	1121	10.94	291	3.5	23.7	15	63	0.3
RW-01940	NAD83-7W	629099	7135695	1	230.9	24.2	305	0.2	81.3	26.9	6329	14.42	104.3	3	0.7	10.3	51	0.5
RW-01941	NAD83-7W	629040	7135684	1.2	210.5	45.2	46	1.4	9.5	13.2	806	28.14	569.8	4.8	3824.5	63.4	19	0
RW-01942	NAD83-7W	629049	7135715	14.8	776.3	76.3	91	0.9	62.6	244.7	4645	24.68	1554.4	10.4	2205.6	67.6	17	0.2
RW-01943	NAD83-7W	629199	7135830	1.3	102.5	58.4	79	0	74.4	55.7	820	5.97	43.2	3.4	8.6	13.8	79	0.2
RW-01944	NAD83-7W	629211	7135891	3	169.2	132.8	53	1	20.3	9.1	179	17.08	1386.6	1.8	943.2	24.6	77	0.1
RW-01945	NAD83-7W	629252	7135933	1.4	529.6	908.2	736	6.4	91.5	392.5	6668	13.98	4282.6	20.1	1970.7	21.8	43	5.6
RW-01946	NAD83-7W	629397	7136007	1.9	627.3	45.1	55	0.9	89	182	1990	22.36	3929.6	2.5	1960.7	9	16	0.2
RW-01947	NAD83-7W	629552	7136082	2.4	91.2	201.3	243	0.6	58.1	46.5	2234	5.44	240.8	6.4	26	9	75	1.4
RW-01948	NAD83-7W	629096	7135710	2	44.2	35.8	93	0.1	32.8	24.9	724	3.5	289.2	1.3	13.6	2.1	77	0.5
RW-01949	NAD83-7W	629070	7135743	6.5	217.7	66.3	95	0.4	103.1	123.8	936	8.12	1029.9	4.2	35.1	14.2	413	0.7
RW-01950	NAD83-7W	629040	7135784	1.9	239.3	99.1	122	0.5	71.4	75.5	907	8.21	486.4	3.4	92.1	16.1	118	0.9
RW-01951	NAD83-7W	629004	7135827	1.2	77.1	88.7	168	0.3	31.2	23.5	1132	4.96	87.7	2.2	15.7	10	64	1.1
RW-01952	NAD83-7W	628975	7135865	1.3	77.5	126.5	235	0.5	29.2	20.2	1086	5	78.8	3.6	18	8.6	72	1.2
RW-01953	NAD83-7W	628946	7135902	1.1	106.1	81.6	125	0.3	35.7	19.9	779	5.02	156	3.1	89.3	7.1	45	0.5
RW-01954	NAD83-7W	629019	7135960	1	53	37.8	105	0.2	36.6	19.5	530	4.14	136.9	2.7	9.1	7.4	294	0.6
RW-01955	NAD83-7W	629044	7135922	0.7	43.8	26.9	101	0.1	40.4	19.1	584	4.25	34.4	2.9	1	9.1	321	0.5
RW-01956	NAD83-7W	629079	7135884	1.5	60.3	54.3	91	0.3	48.4	28	2221	5.25	209.1	2.6	27.7	15.1	29	0.5
RW-01957	NAD83-7W	629117	7135837	5.7	145.4	55	65	0.2	47.7	120.9	486	7.28	1245.6	3	37.8	11.5	146	0.4
RW-01958	NAD83-7W	629158	7135861	1.7	113.3	63.5	87	0.2	74.3	57	1048	7.33	244.7	3	12.5	17.6	99	0.5
RW-01959	NAD83-7W	629222	7135862	1.4	122.8	24.8	55	0	57	47.3	549	4.63	154	2.9	9.1	12.8	35	0.2
RW-01960	NAD83-7W	629159	7135941	1.7	252.2	61.6	167	0.4	85	234.9	3973	10.61	2026.7	4	317.6	15	71	0.7
RW-01961	NAD83-7W	629133	7135980	1.5	162.3	75.6	172	0.4	62.7	106.9	2392	7.25	1050	3.7	183.3	12.5	135	0.9
RW-01962	NAD83-7W	629109	7136021	1.4	138.4	68.2	149	0.3	57.7	77	2062	6.79	723.3	4.4	236.3	16.8	118	0.8
RW-01963	NAD83-7W	629184	7136070	1	113.4	120.8	290	0.4	70.8	39.1	927	6.01	77.4	4.1	4.5	9.8	344	1.7
RW-01964	NAD83-7W	629215	7136045	1.4	73	83	155	0.2	41.5	26.3	1391	4.93	156.2	4.9	8.1	10.8	66	0.5
RW-01965	NAD83-7W	629232	7135991	1.7	145	67.2	151	0.3	60.8	58.4	3080	7.12	279.5	5.9	35.7	25.6	40	0.9
RW-01966	NAD83-7W	629358	7136020	2.6	620.1	1435	1266	5.8	107.3	174	5242	13.41	868.2	9	529.3	21.4	24	8.6
RW-01967	NAD83-7W	629326	7136064	1.7	53.2	138.3	177	0.5	33.7	41.4	1978	4.88	227	3.4	37	25.8	61	1.4
RW-01968	NAD83-7W	629295	7136104	1.6	63.4	58.5	99	0.1	39.7	42.7	854	3.69	278.7	2.2	6.9	6.3	116	0.5
RW-01969	NAD83-7W	629260	7136147	0.6	51.9	60.1	130	0.2	51.6	21.8	570	3.8	75.6	3.1	7.4	8.7	116	0.5
RW-01970	NAD83-7W	629344	7136204	1.5	76.9	499.3	364	1	34.9	28.2	1169	4.64	175.2	4.4	40.6	15.9	72	1.7
RW-01971	NAD83-7W	629374	7136162	0.7	49.3	78.3	109	0.4	31.7	25.5	1135	3.56	205.3	4.7	391.6	7.7	306	0.7
RW-01972	NAD83-7W	629412	7136129	1.5	55	158.9	236	0.5	32.6	25.2	1227	5.27	231.3	4	36.5	8.2	74	0.7
RW-01973	NAD83-7W	629438	7136089	1.8	81.7	260.8	416	0.6	35.9	29.8	2660	5.92	283.7	7.5	40.2	20.5	89	2.2
RW-01974	NAD83-7W	629451	7136043	3.6	236.8	279.6	318	1.6	51.6	275.8	2719	9.73	5150.1	13.8	765.5	23.7	120	1.9

SAMPLES	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
RW-01931	32.4	156.2	13	0.87	0.352	41	9.3	0.11	22	0.014	1	0.54	0.012	0.05	0.6	0.04	1.3	0.7	0.18
RW-01932	52	1178.2	14	0.38	0.183	60	15.6	0.11	81	0.017	1	2.29	0.006	0.03	0.2	0.06	5.1	0.3	0.68
RW-01933	8.1	97.1	25	3.06	0.07	25	16.8	0.06	48	0.001	5	1.29	0.025	0.06	0.1	0.03	5.2	0.1	0.81
RW-01934	2.8	7.1	4	3.97	0.035	489	4.9	0.08	8	0	3	1.1	0.004	0.07	0	0.01	1.1	0.1	0
RW-01937	11.9	29.1	35	0.38	0.127	24	27.6	0.35	127	0.038	2	2	0.059	0.14	0.5	0.03	3.7	0.3	0.36
RW-01940	4.4	1.6	9	4.07	0.111	8	9.5	0.51	72	0.008	17	0.74	0.024	0.1	0.2	0.01	1.7	0.2	0
RW-01941	22	270.8	4	0.33	0.617	8	2.9	0.03	43	0.011	2	0.13	0.01	0.09	1.9	0.07	0.5	0.1	0.37
RW-01942	14.9	77	16	0.25	0.283	8	13.8	0.1	26	0.035	6	0.88	0.007	0.04	3.6	0.06	3.6	0.2	0.4
RW-01943	9.5	2.4	45	0.33	0.096	25	34.9	0.65	121	0.026	1	2.97	0.023	0.18	0.1	0.04	6.4	0.3	0.17
RW-01944	7.9	71.9	33	0.11	0.155	15	17.3	0.25	95	0.038	2	0.67	0.021	0.17	0.6	0.04	2	0.3	0.95
RW-01945	101.2	631.6	27	0.61	0.124	423	16.4	0.3	99	0.005	2	2.11	0.013	0.06	0.3	0.64	6.3	1.4	0.27
RW-01946	16.1	346.6	17	0.36	0.164	7	10	0.12	25	0.02	2	1.35	0.006	0.03	0.4	0.06	3.5	0.1	0.4
RW-01947	12.3	19.6	43	0.62	0.112	50	23.9	0.51	110	0.015	1	2	0.017	0.11	0.7	0.08	5.2	0.3	0.06
RW-01948	5.3	26.7	58	0.23	0.088	16	34.6	0.57	197	0.038	1	2.17	0.018	0.08	0.5	0.04	2.8	0.3	0.08
RW-01949	22.9	43.2	58	0.96	0.059	28	43.9	0.71	92	0.025	1	3.04	0.032	0.14	0.5	0.03	7.4	0.5	0.07
RW-01950	23.8	53.3	27	0.99	0.07	29	20	0.32	70	0.037	6	2.53	0.071	0.16	8.4	0.05	3.5	0.4	0.26
RW-01951	20.3	2.6	29	0.47	0.085	33	18.8	0.19	123	0.014	1	1.07	0.02	0.08	0.9	0.21	5.8	1.5	0.1
RW-01952	21.1	3.6	37	1	0.098	50	24.9	0.29	122	0.007	4	1.27	0.018	0.08	0.3	0.27	6.8	1.1	0.1
RW-01953	16	16.5	34	0.7	0.108	52	25.5	0.28	96	0.015	2	1.48	0.019	0.11	1.1	0.14	5.4	0.5	0.11
RW-01954	9.2	3.6	39	1.93	0.099	45	33.9	0.56	136	0.019	4	2.46	0.081	0.15	0.3	0.07	4.8	0.6	0.06
RW-01955	7.8	0.9	38	2.66	0.058	24	37.9	0.57	123	0.029	4	3.03	0.121	0.17	0.4	0.03	3.9	0.5	0
RW-01956	24.9	11.4	37	0.32	0.069	111	26.2	0.17	77	0.005	1	0.68	0.007	0.09	0.3	0.38	7.7	0.7	0
RW-01957	21.4	12.7	33	0.52	0.074	31	24.5	0.43	148	0.019	1	2.22	0.038	0.19	0.3	0.02	3.3	0.4	0.25
RW-01958	22.3	5	45	0.41	0.073	81	34.8	0.43	136	0.015	0	1.67	0.034	0.19	0.3	0.13	8.3	1	0.19
RW-01959	5.7	2.9	41	0.36	0.062	37	35.8	0.54	52	0.009	1	1.66	0.016	0.1	0.2	0.02	7.2	0.2	0.06
RW-01960	21.9	136.1	28	0.82	0.096	77	22.3	0.33	138	0.006	1	1.01	0.013	0.09	0.2	0.23	5.6	1	0.09
RW-01961	19.9	73	31	1.34	0.087	59	24.5	0.33	101	0.018	10	1.74	0.057	0.09	0.3	0.09	5.3	0.6	0
RW-01962	21	55.5	40	1.11	0.109	62	25.8	0.39	110	0.014	9	1.58	0.028	0.09	0.3	0.24	6.6	0.6	0
RW-01963	15	4.1	35	2.72	0.064	24	31.5	0.46	73	0.046	38	3.8	0.156	0.17	0.4	0.05	4.4	0.4	0.07
RW-01964	10.3	6.2	58	0.55	0.109	45	38.7	0.5	131	0.018	2	2.28	0.015	0.08	0.2	0.07	6.5	0.3	0
RW-01965	15.4	16.5	50	0.8	0.126	99	30.9	0.53	119	0.015	2	1.57	0.012	0.11	0.1	0.23	8.4	0.6	0
RW-01966	334.3	89.3	53	0.44	0.174	102	26	0.21	79	0.01	2	1.94	0.006	0.06	0.8	0.75	15.5	0.5	0
RW-01967	26.4	6.3	115	0.94	0.147	53	58.6	0.45	99	0.02	1	1.63	0.012	0.07	0.2	0.17	17.1	0.4	0
RW-01968	10.5	4.2	49	0.36	0.099	25	37.9	0.58	163	0.042	1	2.41	0.02	0.17	0.4	0.05	3.7	0.3	0
RW-01969	14	1	44	0.72	0.06	52	35.4	0.54	126	0.035	1	1.95	0.019	0.18	0.3	0.04	5.6	0.5	0
RW-01970	73.1	9.7	47	0.58	0.126	47	25.7	0.45	125	0.036	1	1.38	0.012	0.1	0.2	0.16	6.7	0.3	0
RW-01971	16.1	5.8	34	14.78	0.066	28	20.9	0.37	97	0.034	3	1.56	0.061	0.14	0.4	0.04	4.3	0.3	0.08
RW-01972	26	7.7	61	0.7	0.11	41	31.7	0.43	146	0.011	2	2.15	0.012	0.11	0.3	0.1	6.1	0.4	0
RW-01973	66.9	4	81	0.55	0.115	56	37.8	0.57	192	0.028	2	2.06	0.012	0.15	0.2	0.13	11	0.6	0
RW-01974	38.5	145	61	0.85	0.141	193	23.7	0.44	128	0.027	2	2.16	0.022	0.08	13.5	0.06	6.7	0.3	0

SAMPLES	Ga	Se	Analysis	Acme file
RW-01931	4	17.6	GROUP 1DX - 15.0 GM	A507810
RW-01932	3	16.1	GROUP 1DX - 15.0 GM	A507810
RW-01933	5	8.9	GROUP 1DX - 15.0 GM	A507810
RW-01934	3	0.5	GROUP 1DX - 15.0 GM	A507810
RW-01937	8	7.1	GROUP 1DX - 15.0 GM	A507810
RW-01940	5	1.4	GROUP 1DX - 15.0 GM	A507810
RW-01941	1	52	GROUP 1DX - 15.0 GM	A507810
RW-01942	5	24.4	GROUP 1DX - 15.0 GM	A507810
RW-01943	8	1.2	GROUP 1DX - 15.0 GM	A507810
RW-01944	9	39.3	GROUP 1DX - 15.0 GM	A507810
RW-01945	5	9.6	GROUP 1DX - 15.0 GM	A507810
RW-01946	5	32.2	GROUP 1DX - 15.0 GM	A507810
RW-01947	7	1.7	GROUP 1DX - 15.0 GM	A507810
RW-01948	8	0.9	GROUP 1DX - 15.0 GM	A507810
RW-01949	10	1.5	GROUP 1DX - 15.0 GM	A507810
RW-01950	9	1.3	GROUP 1DX - 15.0 GM	A507810
RW-01951	4	0.7	GROUP 1DX - 15.0 GM	A507810
RW-01952	5	1	GROUP 1DX - 15.0 GM	A507810
RW-01953	5	0.9	GROUP 1DX - 15.0 GM	A507810
RW-01954	7	0.9	GROUP 1DX - 15.0 GM	A507810
RW-01955	9	0.6	GROUP 1DX - 15.0 GM	A507810
RW-01956	3	0.6	GROUP 1DX - 15.0 GM	A507810
RW-01957	8	1	GROUP 1DX - 15.0 GM	A507810
RW-01958	6	0.9	GROUP 1DX - 15.0 GM	A507810
RW-01959	7	0.6	GROUP 1DX - 15.0 GM	A507810
RW-01960	4	2.2	GROUP 1DX - 15.0 GM	A507810
RW-01961	6	1.5	GROUP 1DX - 15.0 GM	A507810
RW-01962	6	1.1	GROUP 1DX - 15.0 GM	A507810
RW-01963	11	1	GROUP 1DX - 15.0 GM	A507810
RW-01964	8	0.6	GROUP 1DX - 15.0 GM	A507810
RW-01965	6	1.4	GROUP 1DX - 15.0 GM	A507810
RW-01966	5	7.9	GROUP 1DX - 15.0 GM	A507810
RW-01967	6	0.5	GROUP 1DX - 15.0 GM	A507810
RW-01968	8	0.6	GROUP 1DX - 15.0 GM	A507810
RW-01969	7	0	GROUP 1DX - 15.0 GM	A507810
RW-01970	5	0.5	GROUP 1DX - 15.0 GM	A507810
RW-01971	5	0.5	GROUP 1DX - 15.0 GM	A507810
RW-01972	7	0.7	GROUP 1DX - 15.0 GM	A507810
RW-01973	7	0.8	GROUP 1DX - 15.0 GM	A507810
RW-01974	7	3.1	GROUP 1DX - 15.0 GM	A507810

SAMPLES	Datum	Easting	Northing	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd
RW-01975	NAD83-7W	629517	7136137	2.1	167	145.1	219	0.7	31.8	25.2	2568	7.16	91.3	5.6	58.1	11.8	79	0.9
RW-01976	NAD83-7W	629484	7136178	2.1	104.6	66.9	137	0.1	40.3	29	1019	5.39	70.9	2.7	2.8	7.9	139	0.6
RW-01977	NAD83-7W	629458	7136218	1.6	60.1	68.3	90	0.2	32.8	24.5	701	4.36	213	2.3	10.7	5.2	79	0.4
RW-01978	NAD83-7W	629431	7136255	0.9	38.2	35.5	72	0	16	10.6	234	4.22	50.4	1.4	2.5	8.3	49	0.2
RW-01979	NAD83-7W	629510	7136322	1.1	45.8	28.5	87	0	36.8	22.3	512	3.77	202.7	1.9	5.1	4.8	31	0.3
RW-01980	NAD83-7W	629546	7136282	1.4	28.7	22.6	71	0	28.9	15.4	496	3.28	31.1	1.3	3.7	1.7	31	0.3
RW-01981	NAD83-7W	629567	7136245	1.3	27.2	42	83	0	26.7	13.2	423	3.28	27.5	1.2	2.1	2.2	19	0.3
RW-01982	NAD83-7W	629603	7136200	1.3	78.3	2240	1509	3.8	29.8	21.4	2344	3.72	44.2	2.7	6.8	15.9	17	10.4
RW-01983	NAD83-7W	629630	7136166	0.9	50	175.5	216	0.3	33.3	21.9	3990	4.56	73.7	2.2	6	10.7	26	1.8
RW-01984	NAD83-7W	629642	7136142	3.4	344.9	85.8	142	0.6	61.3	76.8	1249	10.29	2081.7	10.1	714.7	9.9	113	0.7
RW-01985	NAD83-7W	629653	7136121	0.7	126.1	10001	4197	23	35.3	31.2	4912	8	492.7	2.2	125.7	9.5	18	49
RW-01986	NAD83-7W	629126	7135673	0.9	78.5	43.6	89	0.1	22.4	13.1	2690	5.83	66.9	2.1	3	4.2	19	0.1
RW-01987	NAD83-7W	629154	7135631	1.1	43.3	24.2	76	0	26.4	13.6	827	3.72	59.6	1.2	6.2	2.2	26	0.3
RW-01988	NAD83-7W	629188	7135590	1.2	55.2	38.6	89	0.1	33.5	16.7	904	4.14	221.2	2.1	12	6.2	87	0.3
RW-01989	NAD83-7W	629215	7135550	1.6	48.1	48.3	95	0.2	40.4	23.5	914	4.58	249.9	2.9	7.7	5.8	47	0.4
RW-01990	NAD83-7W	629244	7135503	1.2	64	48.7	109	0.2	35.9	20.8	1137	5.05	302.9	2.9	11	7.6	39	0.3
RW-01991	NAD83-7W	629271	7135467	0.9	40.5	35.4	76	0.2	28	14.9	819	3.86	164	1.9	17.2	5.2	39	0.4
RW-01992	NAD83-7W	629302	7135424	1	43.7	36.9	72	0.3	29	16.4	904	3.73	183.8	2.6	7.2	3.6	94	0.5
RW-01993	NAD83-7W	629390	7135490	1	32.3	42	98	0.1	35.3	17.9	1582	4.25	107.9	1.6	2.6	4.4	36	0.4
RW-01994	NAD83-7W	629362	7135530	1	43.8	62.4	110	0.2	41.5	19.2	2272	6.04	169.2	2	7	5.6	39	0.6
RW-01995	NAD83-7W	629330	7135566	1	86.2	26.1	92	0.1	37.5	40.3	2107	4.94	482.2	2.3	21.2	6.6	63	0.3
RW-01996	NAD83-7W	629296	7135613	0.3	10.7	32.9	63	0	11	6.8	642	1.93	33.7	2.4	3.2	15.4	133	0.3
RW-01997	NAD83-7W	629265	7135641	1.2	25.8	19.3	66	0	24.4	11.6	766	3.5	89.8	1.1	12.3	2	32	0.2
RW-01998	NAD83-7W	629240	7135688	1.3	34.8	16	93	0	22.4	12.7	1218	4.52	106.3	1.7	53	1.5	32	0.3
RW-01999	NAD83-7W	629213	7135730	1.1	134.7	23.8	79	0.1	45.1	46.6	1348	5.63	314.8	2.1	351.6	4.6	27	0.3
RW-02002	NAD83-7W	631649	7134590	2.9	90.4	52.3	104	0.3	34.2	19.9	414	5.61	200.1	4	24	8	35	0.3
RW-02003	NAD83-7W	631628	7134505	4.1	130.7	58.7	96	0.3	41.9	21.5	357	7.85	74	3	42.3	10.5	21	0.2
RW-02004	NAD83-7W	631559	7134499	2.3	149	87.5	81	0.4	39.1	18.8	417	9.39	67.8	3.2	44.4	11.6	70	0.2
RW-02005	NAD83-7W	631525	7134539	1.6	129.1	75	75	0.3	28.2	12.2	310	10.11	115.8	2.2	31.6	9.2	95	0.1
RW-02006	NAD83-7W	631530	7134580	2.3	126.5	72.6	110	0.4	43.3	21.6	431	8.07	119.8	3.2	47.1	9.6	67	0.3
RW-02008	NAD83-7W	632032	7134323	2.8	380.9	230.2	227	1.7	57.9	43.5	1746	7.37	842.9	3.8	33.3	8.5	59	0.8
RW-02009	NAD83-7W	631965	7134396	3.4	172.9	57.9	75	0.4	28.8	11.5	288	5.89	158.9	2.9	29.7	8	34	0.1
RW-02010	NAD83-7W	631893	7134471	4.8	260.5	184.9	142	1.6	26.3	17.5	582	13.98	786.1	5.1	36.3	16.1	156	0.2
RW-02011	NAD83-7W	631788	7134538	3.4	135.4	83.8	80	0.6	37.5	22.6	463	7.71	303.8	3.7	80.7	14.2	37	0.2
RW-02012	NAD83-7W	631702	7134531	4	135.9	81.1	110	0.5	62.4	41.6	923	7.09	363	5.5	40.8	14.3	92	0.9
RW-02013	NAD83-7W	631602	7134532	3.6	170.1	84.1	94	0.5	38.1	21.8	493	9.15	259.5	4	74.3	12.1	51	0.2
RW-02014	NAD83-7W	631505	7134545	2.2	179.9	89.4	109	0.4	55.2	30.3	527	7.55	216.3	4	105.1	9.5	58	0.3
RW-02015	NAD83-7W	631406	7134565	1.7	157.3	103.3	191	0.5	66.8	47.3	1191	6.44	254.4	5.6	28.1	7.8	54	0.7
RW-02016	NAD83-7W	631302	7134607	2.4	115.7	136.8	150	1	44	27.8	941	6.52	314.6	3.1	29.3	3.6	99	0.6
RW-02017	NAD83-7W	631249	7134689	2.3	89.5	128.4	146	0.5	37.7	36.6	1181	7.47	360	8.1	24.4	27.4	128	0.6

SAMPLES	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
RW-01975	30.9	5.7	40	0.52	0.098	95	26.1	0.59	130	0.009	2	1.97	0.014	0.11	0.3	0.1	6.5	0.9	0
RW-01976	10.8	1.5	50	0.35	0.115	26	30.7	0.56	129	0.04	2	2.32	0.016	0.11	0.3	0.04	4.1	0.3	0
RW-01977	5.7	2	51	0.23	0.095	23	33.9	0.57	145	0.049	1	2.1	0.015	0.16	0.3	0.03	3.7	0.4	0.06
RW-01978	14.2	0.6	31	0.09	0.061	47	29.5	0.46	125	0.039	1	1.35	0.014	0.42	0.1	0.02	2.4	1.1	0.3
RW-01979	7.9	0.8	43	0.14	0.08	31	32	0.47	134	0.038	1	1.58	0.011	0.21	0.4	0.05	2.8	0.6	0.07
RW-01980	3.8	0.5	55	0.11	0.082	21	35.8	0.53	117	0.044	2	1.96	0.008	0.17	0.1	0.03	2.3	0.4	0.07
RW-01981	8.7	0.4	52	0.1	0.06	21	31.5	0.4	122	0.039	2	1.51	0.006	0.16	0.2	0.03	2.1	0.4	0
RW-01982	265.1	1.7	23	0.21	0.086	58	11.4	0.1	72	0.004	2	0.49	0.003	0.07	0.2	0.41	5.5	1.7	0
RW-01983	37.7	0.9	20	0.15	0.059	31	13.7	0.23	116	0.014	1	0.85	0.007	0.08	0.1	0.16	3	0.9	0
RW-01984	11.6	190.7	30	0.91	0.079	104	22.1	0.32	75	0.03	4	2.46	0.04	0.04	0.2	0.03	4.1	0.3	0
RW-01985	2000	51.3	15	0.13	0.053	20	12.9	0.2	65	0.007	1	0.71	0.004	0.07	0.3	0.67	2.9	1.1	0.14
RW-01986	14	2.1	10	0.88	0.094	8	8.8	0.43	53	0.013	23	0.67	0.01	0.03	0.1	0.02	1.3	0.1	0.06
RW-01987	3.3	2.5	45	0.28	0.076	13	28.3	0.45	221	0.029	3	1.85	0.009	0.07	0.4	0.03	1.9	0.2	0.08
RW-01988	4.5	9.5	34	0.58	0.06	24	26.7	0.44	152	0.025	3	1.67	0.016	0.08	0.5	0.03	3.2	0.2	0.06
RW-01989	5.8	10.7	51	0.53	0.091	35	35.7	0.58	214	0.029	4	2.06	0.016	0.14	0.2	0.06	4.8	0.3	0.07
RW-01990	6.5	12	43	0.64	0.048	35	29.8	0.42	127	0.025	10	1.47	0.012	0.08	0.6	0.07	4.6	0.2	0
RW-01991	5.8	7.8	37	0.56	0.067	30	25.6	0.37	167	0.023	6	1.53	0.014	0.07	0.6	0.05	3.3	0.2	0
RW-01992	6.5	7.2	35	1.58	0.103	35	24.6	0.36	190	0.019	15	1.69	0.029	0.08	0.6	0.07	3.1	0.2	0.11
RW-01993	7.5	2.6	47	0.62	0.121	30	32.5	0.44	213	0.028	2	1.78	0.013	0.12	0.3	0.07	4.3	0.2	0.09
RW-01994	12.5	4.1	49	0.66	0.123	54	33.9	0.42	229	0.025	2	1.81	0.012	0.1	0.3	0.07	6	0.2	0.07
RW-01995	3.9	13.3	35	0.93	0.12	28	26	0.4	162	0.022	4	2.34	0.017	0.09	1.6	0.04	3.4	0.2	0.09
RW-01996	1.4	2.9	33	2.24	0.119	18	21.5	0.45	63	0.018	5	3.78	0.029	0.12	1.5	0.04	2.6	0.1	0.07
RW-01997	2.3	15.9	49	0.29	0.069	21	28.9	0.38	147	0.033	2	1.87	0.009	0.07	0.3	0.04	2	0.1	0.08
RW-01998	2.8	23.5	53	0.42	0.086	24	30.8	0.37	134	0.027	3	1.81	0.012	0.06	0.2	0.03	2	0.1	0.08
RW-01999	4.9	170	38	0.35	0.077	26	22.9	0.37	135	0.03	2	1.66	0.017	0.05	0.5	0.04	2.2	0.1	0.07
RW-02002	9.8	2.4	49	0.16	0.101	21	33	0.52	79	0.044	2	2.24	0.011	0.11	0.4	0.04	4.3	0.2	0.06
RW-02003	12.8	1.1	42	0.11	0.086	20	31.6	0.47	45	0.024	2	2.51	0.009	0.09	0.5	0.03	4.4	0.3	0.11
RW-02004	10	1.3	38	0.16	0.088	15	32.7	0.44	62	0.039	2	3	0.018	0.13	1	0.03	4.9	0.4	0.27
RW-02005	7.9	1.1	40	0.2	0.09	13	31.9	0.46	76	0.038	1	2.62	0.017	0.17	0.6	0.03	4.3	0.4	0.25
RW-02006	9.4	1.8	41	0.25	0.105	15	31.2	0.47	88	0.045	2	2.38	0.022	0.14	1.2	0.03	4.5	0.3	0.11
RW-02008	15	14.2	53	0.11	0.1	22	33.3	0.51	157	0.034	1	2.29	0.015	0.19	3	0.03	5.8	0.5	0.12
RW-02009	6	2.4	43	0.13	0.091	21	32	0.52	67	0.032	2	2.26	0.016	0.14	0.5	0.07	4.3	0.4	0.12
RW-02010	23.3	18.5	45	0.05	0.19	16	29.9	0.59	156	0.027	0	3.05	0.038	0.34	0.5	0.07	4.4	0.5	0.5
RW-02011	13.6	7.3	41	0.12	0.067	19	35.3	0.49	59	0.022	2	1.87	0.011	0.12	0.4	0.03	7	0.4	0.1
RW-02012	16.7	3.9	31	0.49	0.056	28	28.9	0.57	121	0.01	1	1.98	0.014	0.22	0.3	0.06	4.9	0.6	0.12
RW-02013	17.6	7.2	38	0.17	0.092	21	29.6	0.44	70	0.025	1	2.08	0.016	0.13	0.8	0.04	4.9	0.3	0.15
RW-02014	12.3	4.3	37	0.27	0.074	18	27.1	0.42	71	0.031	2	2.48	0.016	0.12	1	0.03	4.7	0.3	0.14
RW-02015	15.3	2.4	39	0.28	0.096	21	27.7	0.45	79	0.043	2	3.25	0.021	0.13	0.7	0.05	4.1	0.3	0.2
RW-02016	29.3	17.4	45	0.18	0.108	23	28.4	0.45	129	0.03	1	2.53	0.022	0.08	0.9	0.1	2.7	0.4	0.14
RW-02017	46.5	4.5	49	0.39	0.135	46	22.2	0.53	218	0.044	1	1.82	0.022	0.19	0.3	0.05	4.7	0.5	0.12

SAMPLES	Ga	Se	Analysis	Acme file
RW-01975	6	1.2	GROUP 1DX - 15.0 GM	A507810
RW-01976	7	0.9	GROUP 1DX - 15.0 GM	A507810
RW-01977	6	0.9	GROUP 1DX - 15.0 GM	A507810
RW-01978	5	0	GROUP 1DX - 15.0 GM	A507810
RW-01979	5	0.5	GROUP 1DX - 15.0 GM	A507810
RW-01980	7	0.8	GROUP 1DX - 15.0 GM	A507810
RW-01981	6	0.7	GROUP 1DX - 15.0 GM	A507810
RW-01982	2	0.9	GROUP 1DX - 15.0 GM	A507810
RW-01983	3	0.6	GROUP 1DX - 15.0 GM	A507810
RW-01984	7	2.2	GROUP 1DX - 15.0 GM	A507810
RW-01985	3	1.6	GROUP 1DX - 15.0 GM	A507810
RW-01988	3	1	GROUP 1DX - 15.0 GM	A507810
RW-01987	6	0.7	GROUP 1DX - 15.0 GM	A507810
RW-01988	6	0.8	GROUP 1DX - 15.0 GM	A507810
RW-01989	7	0.8	GROUP 1DX - 15.0 GM	A507810
RW-01990	5	0.9	GROUP 1DX - 15.0 GM	A507810
RW-01991	5	0.7	GROUP 1DX - 15.0 GM	A507810
RW-01992	6	0.9	GROUP 1DX - 15.0 GM	A507810
RW-01993	6	0.7	GROUP 1DX - 15.0 GM	A507810
RW-01994	6	0.7	GROUP 1DX - 15.0 GM	A507810
RW-01995	8	1.5	GROUP 1DX - 15.0 GM	A507810
RW-01996	10	0.5	GROUP 1DX - 15.0 GM	A507810
RW-01997	7	0.7	GROUP 1DX - 15.0 GM	A507810
RW-01998	8	0.8	GROUP 1DX - 15.0 GM	A507810
RW-01999	5	2.3	GROUP 1DX - 15.0 GM	A507810
RW-02002	6	1.9	GROUP 1DX - 15.0 GM	A507810
RW-02003	7	4.7	GROUP 1DX - 15.0 GM	A507810
RW-02004	11	4	GROUP 1DX - 15.0 GM	A507810
RW-02005	9	3.3	GROUP 1DX - 15.0 GM	A507810
RW-02006	8	4.2	GROUP 1DX - 15.0 GM	A507810
RW-02008	7	1.7	GROUP 1DX - 15.0 GM	A507810
RW-02009	7	2.8	GROUP 1DX - 15.0 GM	A507810
RW-02010	9	3	GROUP 1DX - 15.0 GM	A507810
RW-02011	7	3.4	GROUP 1DX - 15.0 GM	A507810
RW-02012	7	2.2	GROUP 1DX - 15.0 GM	A507810
RW-02013	7	4.4	GROUP 1DX - 15.0 GM	A507810
RW-02014	7	4.6	GROUP 1DX - 15.0 GM	A507810
RW-02015	6	2.2	GROUP 1DX - 15.0 GM	A507810
RW-02016	7	2.2	GROUP 1DX - 15.0 GM	A507810
RW-02017	6	1.1	GROUP 1DX - 15.0 GM	A507810

SAMPLES	Datum	Easting	Northing	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd
RW-02018	NAD83-7W	631197	7134777	1.5	78	36.5	94	0	49.4	28.6	708	4.93	76.4	1.9	30.7	10.6	222	0.2
RW-02019	NAD83-7W	631084	7134827	2.4	81.3	40.5	81	0.1	38.7	27.8	652	4.61	40.5	2.2	13.5	10.4	386	0.3
RW-02020	NAD83-7W	630994	7134854	2.3	108.9	62.9	101	0.3	33.1	29.7	1428	5.26	174.1	20.7	19.8	32	249	0.7
RW-02021	NAD83-7W	630889	7134861	1.2	77	81.3	143	0.3	39.1	26.9	1224	5.1	88.8	5.5	30.4	23.7	320	0.7
RW-02022	NAD83-7W	630814	7134861	1.3	60.3	44.1	95	0.2	59.1	36	725	6.89	46.4	4.8	12.9	11.6	83	0.3
RW-02023	NAD83-7W	630739	7134864	0.9	58.7	61.1	111	0.2	39.4	25.1	935	5.13	58.1	4.1	19.6	12	176	0.5
RW-02024	NAD83-7W	630659	7134854	0.9	126.4	381.3	300	3.5	57.3	36.6	1620	7.99	330.5	3.6	29.3	15.4	133	2
RW-02025	NAD83-7W	630571	7134845	0.8	62.8	76.2	147	0.2	55.4	33.6	1007	5.41	68.7	3	13.7	13.3	157	0.8
RW-02026	NAD83-7W	630498	7134830	0.7	48	64.9	148	0.1	37	24.7	978	4.78	75.8	2.3	3	11.3	238	0.9
RW-02027	NAD83-7W	630455	7134824	0.8	62.9	68.8	151	0.1	35.2	28.1	1241	5.66	77.4	2.2	3.4	12.4	415	1.1
RW-02028	NAD83-7W	630356	7134807	1.2	115.8	61.7	949	0.2	75.7	41.2	1059	5.76	76	4.1	31.7	8.3	54	2.5
RW-02029	NAD83-7W	630326	7134789	1.3	73.7	46.4	144	0.1	41.2	20.3	657	4.43	55.9	3.4	33.7	8.7	67	0.7
RW-02030	NAD83-7W	630253	7134768	0.7	66.2	58.2	130	0.2	38.2	19	743	4.22	66.4	2.3	5.6	9	81	0.7
RW-02031	NAD83-7W	630169	7134715	1.5	67.4	60.4	150	0.2	55.8	26.8	2715	7.19	38.9	3	8.4	9.2	39	1
RW-02032	NAD83-7W	630126	7134617	1	44.2	26.7	87	0	43.6	23.9	893	4.01	21.8	1.9	18.3	10.5	99	0.3
RW-02033	NAD83-7W	630139	7134509	1.9	41.8	31.9	81	0.1	27.9	17.4	801	3.55	25.4	1.4	1.7	1.6	89	0.3
RW-02034	NAD83-7W	630213	7134449	1.8	25.3	33.9	76	0	22.2	11.9	429	3.67	26.6	1.4	2.3	1.4	30	0.3
RW-02035	NAD83-7W	630363	7134433	0.9	86.6	51.1	92	0.3	54.6	29.8	712	5.46	188.6	2.7	5	6.9	83	0.5
RW-02036	NAD83-7W	630460	7134395	0.8	57.5	191.4	135	0.4	41	20.7	452	6.49	229.7	2.3	5	11.5	50	0.8
RW-02037	NAD83-7W	630538	7134321	0.7	65.2	64.6	43	0.2	14.6	6.6	177	7.72	119.8	3.8	4.3	33.4	63	0.1
RW-02038	NAD83-7W	630623	7134265	1.2	87.4	48.9	152	0.1	71.8	55.8	1389	6.34	63.6	2.2	5.7	13.2	75	0.6
RW-02039	NAD83-7W	630693	7134183	1.3	39.4	38.8	73	0.3	18.6	15.5	884	4.3	60.4	1.7	1.9	1.5	30	0.1
RW-02040	NAD83-7W	630710	7134087	1.5	50.6	188.8	121	0.5	19.2	13.7	828	5.84	34.3	2	2	1.8	35	0.4
RW-02041	NAD83-7W	630674	7133979	1.3	34.4	31	57	0	27.3	22.5	702	3.54	17.7	1.8	0	5.5	59	0.1
RW-02042	NAD83-7W	630603	7133913	0.9	39.7	29.1	60	0	38.5	26.8	860	3.92	13.9	1.7	0.9	7.6	89	0.1
RW-02043	NAD83-7W	630499	7133884	0.8	43.9	24	46	0	15.5	11.4	290	4.91	10	3.1	1.7	16.3	75	0.1
RW-02044	NAD83-7W	632213	7134157	3.6	214	53.9	68	0.6	25	22.4	465	8.23	505.4	5.3	41	22.4	74	0.2
RW-02045	NAD83-7W	632164	7134176	5.6	365.2	197.9	75	2.6	21.4	12.7	326	9.75	1063.2	14.5	150.5	40.2	66	0.1
RW-02046	NAD83-7W	632105	7134165	3.6	232.7	311.9	76	2.6	33	26.3	523	7.86	1135.4	3.5	132.2	16	64	0.2
RW-02047	NAD83-7W	632051	7134179	4	218.4	88.4	108	0.6	52.8	38.8	781	9.51	469.3	3.5	39.9	16.7	124	0.2
RW-02048	NAD83-7W	632008	7134192	5.2	1059.1	654.3	277	5.4	45.9	52.1	1145	12.04	3311.7	7	163.9	21.8	55	1.7
RW-02049	NAD83-7W	631954	7134216	7.2	351.4	622.1	145	3.6	33.8	16.6	447	11.99	1293	5.8	81.4	21.5	71	0.3
RW-02050	NAD83-7W	631902	7134222	4.4	175.1	96.2	211	0.6	54.8	67	1921	10.47	201.6	3.7	10.4	13.8	251	0.5
RW-02051	NAD83-7W	631854	7134215	4.5	167.2	85.4	211	0.4	49.7	51.2	1521	10.67	226.6	3.3	8.5	11.7	286	0.5
RW-02052	NAD83-7W	631796	7134226	14.1	143.4	148.2	96	0.9	18	8.9	306	12.79	255.3	11.4	40.9	23	264	0.3
RW-02053	NAD83-7W	631747	7134222	9.7	153.1	262.9	95	0.8	27.2	18	367	16.2	312	12	18.4	26.8	217	0.2
RW-02054	NAD83-7W	631693	7134236	10.7	164.3	124.9	82	0.4	12.3	5.2	242	16.14	283.1	4.9	16.6	22.8	84	0.1
RW-02055	NAD83-7W	631659	7134288	3.3	158.9	45.5	74	0.2	50.3	21.6	254	10.48	40.8	3	59.3	33.4	38	0.2
RW-02056	NAD83-7W	631629	7134256	10.9	227.5	196.1	113	1.2	26.5	13.2	325	16.93	924.6	7.1	30.7	26.4	210	0.2
RW-02057	NAD83-7W	631580	7134278	17.4	213.4	206.3	79	2.6	7.4	3.3	182	25.49	664.3	4.3	27.3	26.9	52	0

SAMPLES	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
RW-02018	5.5	0.8	42	0.18	0.055	21	35.1	0.62	195	0.045	0	3.13	0.015	0.31	0.3	0.02	4.8	0.4	0
RW-02019	6.9	0.6	34	0.39	0.041	20	32.1	0.66	181	0.036	0	2.94	0.015	0.35	0.3	0.01	4.8	0.4	0
RW-02020	8.6	3	60	0.46	0.089	64	31.4	0.71	134	0.066	1	1.86	0.012	0.28	3.2	0.16	7.7	1.2	0
RW-02021	28.2	3.2	50	1.06	0.095	40	27.7	0.88	406	0.05	13	2.2	0.029	0.23	0.3	0.04	5.1	0.4	0
RW-02022	3.6	0.8	35	0.22	0.054	19	30.1	0.53	97	0.045	1	2.07	0.021	0.2	0.3	0.04	4.9	0.5	0
RW-02023	7.9	1.1	35	0.61	0.066	30	23.9	0.51	112	0.032	2	2.04	0.041	0.09	0.4	0.09	5	0.5	0
RW-02024	215.6	8.6	35	0.59	0.078	33	27.6	0.51	242	0.019	14	1.85	0.026	0.19	0.2	0.18	5	0.7	0.16
RW-02025	19.2	3.1	35	0.78	0.067	33	27.8	0.59	167	0.027	1	2.65	0.032	0.17	0.2	0.09	4.9	0.5	0
RW-02026	10.6	1.5	31	0.73	0.054	25	23.4	0.56	186	0.024	3	2.18	0.035	0.16	0.2	0.07	3.8	0.4	0
RW-02027	20.9	2.2	28	1.03	0.058	24	21.6	0.54	263	0.018	12	2.38	0.042	0.15	0.2	0.04	3.6	0.4	0
RW-02028	4.9	3.1	31	0.51	0.093	23	21.1	0.32	95	0.049	2	2.82	0.029	0.06	0.7	0.05	2.9	0.2	0
RW-02029	3.3	6.4	35	0.87	0.075	20	23	0.4	96	0.043	2	2.91	0.026	0.08	0.7	0.03	2.9	0.2	0
RW-02030	3	5.9	28	1.26	0.061	17	20.6	0.31	74	0.036	6	2.48	0.042	0.1	0.3	0.03	2.8	0.2	0
RW-02031	13.5	2.5	64	0.27	0.11	60	47.7	0.41	164	0.045	2	1.98	0.019	0.1	0.3	0.21	10.2	0.8	0
RW-02032	8.1	0.8	47	0.51	0.07	25	32.9	0.5	201	0.054	1	2.58	0.026	0.14	0.3	0.03	4.4	0.4	0.06
RW-02033	5.7	0.8	61	0.26	0.116	16	35.6	0.53	178	0.047	1	2.44	0.018	0.12	0.1	0.04	2.9	0.3	0
RW-02034	9.3	1.1	65	0.19	0.074	15	38.3	0.47	148	0.048	1	2.11	0.012	0.09	0.2	0.06	2.2	0.3	0.08
RW-02035	17.9	4.9	40	0.67	0.082	23	28.7	0.38	123	0.044	2	2.53	0.048	0.12	0.4	0.03	3.2	0.3	0.2
RW-02036	50.6	4	36	0.13	0.089	42	31.8	0.45	210	0.018	1	1.76	0.043	0.21	0.3	0.02	2.9	0.4	0.43
RW-02037	20.2	2.6	26	0.03	0.15	58	29.8	0.42	197	0.016	0	1.35	0.084	0.4	0.1	0.04	4	0.7	0.82
RW-02038	11	2.6	35	0.28	0.092	35	27.4	0.64	197	0.045	0	2.14	0.027	0.29	0.2	0.02	3.7	0.6	0.19
RW-02039	11.8	1.7	40	0.08	0.117	26	25.7	0.42	126	0.027	0	1.93	0.016	0.18	0.1	0.05	1.4	0.4	0.17
RW-02040	16.3	2.7	40	0.06	0.144	51	26.8	0.32	180	0.014	1	1.49	0.012	0.23	0.2	0.12	1.7	0.8	0.25
RW-02041	7	0.9	27	0.15	0.086	44	21.1	0.36	132	0.013	2	1.47	0.021	0.23	0.1	0.02	2.1	0.6	0.17
RW-02042	8.3	0.6	36	0.4	0.063	31	34.2	0.82	198	0.049	1	2.18	0.018	0.38	0.2	0.02	4	0.9	0
RW-02043	11.4	1	31	0.07	0.103	79	24.4	0.41	201	0.029	1	1.4	0.043	0.38	0.1	0.05	3.5	0.7	0.41
RW-02044	17.5	9.2	82	0.1	0.136	38	36.1	0.78	281	0.086	0	2.53	0.038	0.38	2.9	0.04	6.8	0.8	0.31
RW-02045	21.7	30.3	55	0.04	0.128	30	34.4	0.68	195	0.042	0	2.74	0.02	0.33	1.5	0.06	6	0.7	0.24
RW-02046	20.9	19.8	42	0.05	0.1	29	30.5	0.64	195	0.03	0	2.43	0.022	0.34	0.5	0.15	4.6	0.7	0.22
RW-02047	9.8	13.8	63	0.09	0.141	21	35.8	0.75	282	0.06	0	3.33	0.036	0.45	0.4	0.04	5.8	0.7	0.33
RW-02048	31.4	32.6	42	0.07	0.167	102	28.7	0.46	129	0.025	0	2.15	0.02	0.22	1.7	0.18	5.2	0.9	0.28
RW-02049	31.7	19.9	55	0.05	0.232	16	40.5	0.57	149	0.042	1	2.65	0.047	0.23	1.3	0.06	5.5	0.5	0.45
RW-02050	12.6	4.2	58	0.21	0.152	22	34.9	0.8	298	0.038	2	3.85	0.028	0.35	0.3	0.03	5.4	0.6	0.23
RW-02051	11.4	3.7	51	0.12	0.153	17	30.3	0.68	261	0.032	1	3.51	0.029	0.29	0.2	0.03	4.6	0.4	0.23
RW-02052	23.4	1.8	49	0.13	0.496	21	29.6	0.49	203	0.028	1	2.42	0.144	0.22	0.3	0.04	3.8	0.5	0.91
RW-02053	55.9	2.8	51	0.13	0.464	24	37.1	0.46	179	0.04	1	2.59	0.136	0.16	0.3	0.03	5.7	0.4	1.06
RW-02054	20.5	4.7	62	0.05	0.238	16	43.7	0.73	103	0.081	1	2.61	0.038	0.24	0.5	0.01	6.9	0.4	0.51
RW-02055	8.8	0.7	16	0.03	0.09	35	19.7	0.38	128	0.003	0	2.42	0.043	0.25	0.1	0.05	3.8	0.8	0.73
RW-02056	64.5	19.2	51	0.05	0.263	22	31.3	0.55	317	0.023	0	2.43	0.031	0.27	0.3	0.09	5.1	0.6	0.63
RW-02057	94	16.3	27	0.01	0.333	12	18.8	0.19	186	0.009	0	0.91	0.03	0.27	0.5	0.05	2.5	0.5	0.83

SAMPLES	Ga	Se	Analysis	Acme file
RW-02018	9	0.9	GROUP 1DX - 15.0 GM	A507810
RW-02019	8	1.2	GROUP 1DX - 15.0 GM	A507810
RW-02020	7	1.2	GROUP 1DX - 15.0 GM	A507810
RW-02021	8	0.7	GROUP 1DX - 15.0 GM	A507810
RW-02022	7	1.5	GROUP 1DX - 15.0 GM	A507810
RW-02023	6	1	GROUP 1DX - 15.0 GM	A507810
RW-02024	6	1	GROUP 1DX - 15.0 GM	A507810
RW-02025	8	1	GROUP 1DX - 15.0 GM	A507810
RW-02026	7	0.8	GROUP 1DX - 15.0 GM	A507810
RW-02027	8	0.8	GROUP 1DX - 15.0 GM	A507810
RW-02028	8	1.7	GROUP 1DX - 15.0 GM	A507810
RW-02029	9	1.3	GROUP 1DX - 15.0 GM	A507810
RW-02030	7	0.8	GROUP 1DX - 15.0 GM	A507810
RW-02031	7	1	GROUP 1DX - 15.0 GM	A507810
RW-02032	7	0.6	GROUP 1DX - 15.0 GM	A507810
RW-02033	7	1.1	GROUP 1DX - 15.0 GM	A507810
RW-02034	7	0.8	GROUP 1DX - 15.0 GM	A507810
RW-02035	7	0.9	GROUP 1DX - 15.0 GM	A507810
RW-02036	5	0.8	GROUP 1DX - 15.0 GM	A507810
RW-02037	5	0.9	GROUP 1DX - 15.0 GM	A507810
RW-02038	6	0	GROUP 1DX - 15.0 GM	A507810
RW-02039	6	0.9	GROUP 1DX - 15.0 GM	A507810
RW-02040	6	0.6	GROUP 1DX - 15.0 GM	A507810
RW-02041	5	0	GROUP 1DX - 15.0 GM	A507810
RW-02042	7	0.5	GROUP 1DX - 15.0 GM	A507810
RW-02043	5	0.7	GROUP 1DX - 15.0 GM	A507810
RW-02044	9	2.2	GROUP 1DX - 15.0 GM	A507810
RW-02045	9	3.3	GROUP 1DX - 15.0 GM	A507810
RW-02046	8	3	GROUP 1DX - 15.0 GM	A507810
RW-02047	10	2.2	GROUP 1DX - 15.0 GM	A507810
RW-02048	7	3.5	GROUP 1DX - 15.0 GM	A507810
RW-02049	8	3.3	GROUP 1DX - 15.0 GM	A507810
RW-02050	10	1.5	GROUP 1DX - 15.0 GM	A507810
RW-02051	10	1.8	GROUP 1DX - 15.0 GM	A507810
RW-02052	7	5.7	GROUP 1DX - 15.0 GM	A507810
RW-02053	9	5.6	GROUP 1DX - 15.0 GM	A507810
RW-02054	12	4.5	GROUP 1DX - 15.0 GM	A507810
RW-02055	5	3.9	GROUP 1DX - 15.0 GM	A507810
RW-02056	8	4.6	GROUP 1DX - 15.0 GM	A507810
RW-02057	6	6.6	GROUP 1DX - 15.0 GM	A507810

SAMPLES	Datum	Easting	Northing	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd
RW-02058	NAD83-7W	631532	7134289	16.1	224.5	367.6	84	4.2	12.2	5.3	183	22.01	1473.8	5.6	43.7	22.2	79	0.1
RW-02059	NAD83-7W	631486	7134273	12.3	168.8	76.6	75	0.6	17.4	6.8	300	21.07	657.4	5.5	40.3	15.2	213	0.1
RW-02060	NAD83-7W	631431	7134261	3.3	198.4	59.3	63	0.4	11.7	5.7	211	23.42	523.4	2.2	15.6	13.3	46	0.1
RW-02100	NAD83-7W	631365	7134248	3.6	194.4	173.9	414	0.9	64.4	40.3	959	16.17	880.7	3.7	14.7	15.7	116	1.1
RW-02736	NAD83-7W	631726	7134148	10.1	116	35.2	130	0.2	20.2	37.5	912	14.54	72.2	6.6	6.1	10.5	632	0.2
RW-02737	NAD83-7W	631818	7134296	4	463.1	109	217	1.4	48	31.9	1148	7.81	371	10.5	38.9	30.5	46	1.1
RW-02738	NAD83-7W	631774	7133753	1.1	153.6	66.2	149	0.4	35.3	27	621	6.32	561.7	0.8	194.8	7	8	0.4
RW-02739	NAD83-7W	631562	7133982	1.3	216.5	65.4	38	1.2	10.2	7.2	229	19.44	10	0.7	77.4	7.7	8	0.1
RW-02740	NAD83-7W	632617	7134944	1.1	62.5	31.5	57	0.2	15.6	49.5	822	4.23	784.5	4.6	12.3	21.4	128	0.4
RW-02741	NAD83-7W	632849	7134799	5.4	81.9	26.6	44	0	86.7	41.7	603	2.7	437.5	22	13.2	19.1	127	0.3
RW-05403	NAD83-7W	629745	7136180	0.8	47.3	40.1	76	0	38.5	52.8	691	3.3	25.4	1.7	2.8	6.6	452	0.2
RW-05404	NAD83-7W	629784	7136150	1.6	62.4	20.2	73	0	19.5	14.5	802	5.62	11.5	1.2	0.7	2.2	56	0.2
RW-05405	NAD83-7W	629799	7136110	1.4	43.5	73.6	99	0.2	26.7	24.8	2118	3.19	18.7	1.7	4.8	0.4	43	0.7
RW-05406	NAD83-7W	629826	7136072	1.4	27.5	33.8	94	0	26.5	13.5	688	3.74	17.8	1.1	3.8	2.1	13	0.4
RW-05407	NAD83-7W	629857	7136027	1.4	57.7	155.4	237	0.2	43.2	26.9	2279	4.89	51.7	3.4	5	4.9	36	1.8
RW-05408	NAD83-7W	629881	7135985	1.1	36.6	75.4	188	0.1	25.7	14.1	906	4.99	17.2	1.7	1.1	2.1	17	0.6
RW-05409	NAD83-7W	629910	7135938	1.6	32.9	51.7	108	0.1	26.7	14.6	868	4.29	30	1.6	4	3.4	17	0.6
RW-05410	NAD83-7W	629950	7135909	0.6	34.8	235.9	869	1.6	19.4	11.5	1320	3.74	36.2	2.3	9.9	6.5	91	3.9
RW-05411	NAD83-7W	629866	7135849	1.4	56.9	92.6	156	0.2	24.3	19.7	1266	4.29	246.3	14.5	19.3	38.6	94	0.8
RW-05412	NAD83-7W	629841	7135883	1.7	51.2	193.3	218	0.4	24.2	22.9	2115	5	119.3	3.8	8.2	3.2	51	1.1
RW-05413	NAD83-7W	629808	7135923	1.7	43	151.1	174	0.2	23.1	16.9	1401	3.92	55.9	2	2.7	0.9	37	1.1
RW-05414	NAD83-7W	629789	7135964	0.9	60.1	173.7	209	0.4	33.9	17.1	1072	4.32	39.1	3.2	17.2	11.4	41	0.9
RW-05415	NAD83-7W	629749	7135995	1.3	32	118.5	142	0.2	26	14.4	1011	4.07	24.7	1.7	6.7	2.4	33	0.6
RW-05416	NAD83-7W	629716	7136038	1.1	33.4	109.9	142	0.1	22.3	14.3	885	4.01	30	1.8	3.7	2.4	24	0.6
RW-05417	NAD83-7W	629679	7136081	1	33	24.4	68	0	23.8	11.1	528	2.85	28.6	1.1	6.7	3.5	16	0.2
RW-05418	NAD83-7W	629612	7136027	1.2	77.5	20.6	74	0.1	38.1	16.8	626	4.04	99.2	1.8	164.2	4.2	27	0.2
RW-05419	NAD83-7W	629629	7135984	1.3	67.8	56.8	117	0.1	45.3	18.7	615	4	63.8	2.2	331.4	3.3	23	0.4
RW-05420	NAD83-7W	629676	7135936	1.6	68.1	159.3	242	0.8	23.1	21.8	3071	6.53	69.3	10.4	118.8	25.3	79	1.4
RW-05421	NAD83-7W	629690	7135908	1.4	78.3	144.8	302	0.8	26.6	22.1	2085	5.69	109.3	10.2	92.4	25.4	81	1.5
RW-05422	NAD83-7W	629711	7135861	1.4	56.1	101	201	0.3	28.4	17.7	1288	4.76	101.3	6.8	89.2	14.4	53	1.2
RW-05423	NAD83-7W	629762	7135827	2.2	55.1	69.3	114	0.2	29.6	25.3	1119	4.25	471.2	20.4	83.2	22.3	129	0.5
RW-05424	NAD83-7W	629772	7135778	1.4	46.1	136.9	188	0.3	20.9	19	1516	4.18	168.5	8.8	21.4	32.7	74	1.4
RW-05425	NAD83-7W	629701	7135731	1	35.3	39.5	93	0	35.4	17.6	960	4.11	67.4	4.7	14.5	13.8	30	0.4
RW-05426	NAD83-7W	629681	7135767	1.3	47.2	52	130	0.1	31.5	20	1362	4.21	131.5	5.1	74.9	15.8	48	0.7
RW-05427	NAD83-7W	629637	7135798	1.5	34.2	41.1	88	0.1	24.8	14.8	747	3.7	58.4	4.2	93.8	12.3	39	0.5
RW-05428	NAD83-7W	629616	7135851	3.6	79.6	615.9	458	0.7	30	23	2942	5.98	95.6	7.9	25.5	34.6	58	4.4
RW-05429	NAD83-7W	629585	7135881	2.2	57.2	97.4	170	0.3	27.2	25.4	1776	6.74	154.9	13.8	30.6	29.3	67	1.3
RW-05430	NAD83-7W	629568	7135919	1.1	72.2	165.9	288	0.4	42.5	29.3	1594	5.59	213.8	3.9	216.3	10.7	42	1.4
RW-05431	NAD83-7W	629524	7135965	1.1	34.2	44.6	104	0	31.6	19.4	625	3.22	161.8	1.5	41.7	3.2	40	0.5

SAMPLES	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
RW-02058	159.1	24.3	38	0.05	0.25	11	25.5	0.28	151	0.023	3	1.37	0.018	0.24	0.4	0.07	2.8	0.4	0.6
RW-02059	21.6	17.2	53	0.21	0.381	12	27.4	0.53	126	0.051	1	2.69	0.106	0.25	0.2	0.03	4.1	0.6	1.06
RW-02060	16	7.6	42	0.07	0.142	8	27.9	0.5	50	0.044	0	1.76	0.008	0.14	0.2	0.02	3.9	0.3	0.38
RW-02100	21.7	22	37	0.28	0.127	19	24.7	0.57	93	0.023	1	2.73	0.027	0.15	0.3	0.04	3.8	0.4	0.3
RW-02736	7.5	1.4	18	0.14	0.269	9	11.8	0.41	255	0.003	0	3.21	0.042	0.17	0	0.01	2.1	0.3	0.36
RW-02737	16.2	5	62	0.4	0.116	87	27.9	0.39	160	0.033	1	1.78	0.013	0.17	0.4	0.22	11.1	1.4	0.11
RW-02738	48.3	2.3	22	0.03	0.046	46	12.3	0.11	31	0.016	1	0.63	0.006	0.04	0.2	1.34	2.5	3.3	0
RW-02739	18.5	51.3	43	0.03	0.072	21	26.3	0.09	53	0.021	1	0.8	0.003	0.04	0.2	0.04	3.2	0.8	0
RW-02740	4.8	0.9	50	0.92	0.166	25	21.8	0.43	135	0.025	3	1.34	0.086	0.06	0.2	0.05	7	0.2	0
RW-02741	6.5	0.7	58	0.54	0.137	23	27.8	0.58	221	0.01	0	1.79	0.011	0.2	0.3	0.02	2.9	0.4	0
RW-05403	7.8	0.4	38	0.72	0.05	20	26.8	0.46	89	0.041	1	2.64	0.043	0.16	0.2	0.02	3.3	0.4	0
RW-05404	6.5	0.9	43	0.17	0.068	21	27.3	0.75	153	0.049	2	2.1	0.014	0.05	0.2	0.05	2	0.2	0
RW-05405	3.6	0.5	36	0.18	0.167	18	26.5	0.42	296	0.01	1	2.27	0.013	0.08	0.1	0.09	0.6	0.2	0.15
RW-05406	2.8	0.3	59	0.09	0.06	18	32.6	0.49	115	0.044	1	2.06	0.007	0.06	0.2	0.03	2.4	0.2	0
RW-05407	12.9	0.7	45	0.31	0.122	39	28.3	0.49	239	0.019	2	1.94	0.014	0.11	0.3	0.07	3.7	0.4	0.08
RW-05408	15.1	0.5	72	0.14	0.109	25	27	0.4	211	0.017	2	1.92	0.008	0.09	0.2	0.04	3.7	0.4	0.07
RW-05409	5.7	0.8	67	0.2	0.068	23	34.2	0.49	176	0.041	1	2.37	0.009	0.09	0.2	0.06	3.4	0.3	0
RW-05410	7.5	3.8	42	1.22	0.065	26	21.3	0.58	186	0.054	8	1.44	0.021	0.07	0.3	0.11	4.2	0.2	0
RW-05411	19.7	1.1	75	0.61	0.142	72	35.2	0.57	281	0.081	2	1.7	0.014	0.13	0.9	0.09	8.5	0.3	0
RW-05412	32.8	3.6	108	0.47	0.172	20	38.3	0.62	311	0.054	2	2.14	0.018	0.09	0.2	0.07	4.4	0.4	0.09
RW-05413	20.3	0.8	74	0.28	0.191	16	33.2	0.44	254	0.032	2	2.14	0.013	0.1	0.2	0.1	1.8	0.3	0.15
RW-05414	57.3	0.8	72	0.36	0.089	31	38.1	0.7	234	0.098	3	1.98	0.014	0.1	0.4	0.05	5.9	0.2	0
RW-05415	31.7	0.9	63	0.13	0.077	20	31.3	0.48	193	0.035	1	2.1	0.009	0.08	0.4	0.05	2.9	0.3	0
RW-05416	32.1	1.7	65	0.12	0.072	19	26.9	0.44	162	0.035	1	1.97	0.008	0.06	0.5	0.05	2.8	0.3	0
RW-05417	3.8	1	47	0.16	0.052	15	25.1	0.49	107	0.054	1	1.52	0.008	0.05	0.2	0.03	2.8	0.1	0
RW-05418	3.8	17.4	45	0.27	0.061	30	30.3	0.42	130	0.028	2	2.51	0.011	0.08	0.5	0.07	2.9	0.2	0
RW-05419	3.7	30.9	52	0.22	0.051	28	31.5	0.44	126	0.037	3	1.93	0.01	0.07	0.5	0.05	2.8	0.2	0
RW-05420	12.3	5	61	0.97	0.106	81	18.6	0.36	180	0.011	4	1.12	0.01	0.08	1.7	0.14	10.1	0.4	0
RW-05421	9	7.8	70	0.65	0.081	67	27.1	0.48	217	0.068	2	1.45	0.016	0.09	0.8	0.12	7.5	0.4	0
RW-05422	7.7	6	73	0.52	0.066	45	32	0.54	232	0.072	2	2.01	0.016	0.1	0.7	0.06	5.4	0.3	0
RW-05423	9.6	8.7	68	0.55	0.105	46	35.7	0.6	221	0.063	2	1.93	0.016	0.08	0.9	0.05	6.8	0.3	0
RW-05424	9	3.1	61	0.63	0.131	53	25.8	0.54	199	0.066	1	1.31	0.012	0.13	0.8	0.05	6.4	0.3	0
RW-05425	5.8	2.4	64	0.35	0.079	40	36.2	0.56	235	0.068	2	1.83	0.015	0.11	0.5	0.05	6.4	0.2	0
RW-05426	6.7	4.1	67	0.56	0.11	46	32.6	0.45	293	0.06	3	1.73	0.018	0.09	0.8	0.08	5.9	0.2	0
RW-05427	5.1	2.3	71	0.29	0.054	41	32.3	0.49	231	0.046	2	2.02	0.011	0.07	0.6	0.05	4.8	0.3	0
RW-05428	171.7	3.2	83	0.73	0.12	64	32.7	0.42	212	0.041	4	1.21	0.019	0.09	0.6	0.15	11.4	0.4	0
RW-05429	9.2	3.6	111	1.27	0.19	94	31.9	0.4	235	0.035	4	1.27	0.02	0.09	0.6	0.11	11.1	0.3	0.08
RW-05430	15.8	12.5	53	0.46	0.132	53	33.6	0.46	207	0.024	2	1.91	0.012	0.13	0.5	0.08	5.8	0.4	0
RW-05431	3	5.9	47	0.34	0.056	31	26.1	0.41	139	0.034	1	1.83	0.014	0.06	0.8	0.05	2.3	0.1	0

SAMPLES	Ga	Se	Analysis	Acme file
RW-02058	7	8.1	GROUP 1DX - 15.0 GM	A507810
RW-02059	10	5.7	GROUP 1DX - 15.0 GM	A507810
RW-02060	8	4.1	GROUP 1DX - 15.0 GM	A507810
RW-02100	7	3	GROUP 1DX - 15.0 GM	A507810
RW-02736	9	2.2	GROUP 1DX - 15.0 GM	A507810
RW-02737	6	1.8	GROUP 1DX - 15.0 GM	A507810
RW-02738	3	1.3	GROUP 1DX - 15.0 GM	A507810
RW-02739	8	2.8	GROUP 1DX - 15.0 GM	A507810
RW-02740	4	1	GROUP 1DX - 15.0 GM	A507810
RW-02741	5	0.8	GROUP 1DX - 15.0 GM	A507810
RW-05403	7	0	GROUP 1DX - 15.0 GM	A507810
RW-05404	7	0.6	GROUP 1DX - 15.0 GM	A507810
RW-05405	6	0.9	GROUP 1DX - 15.0 GM	A507810
RW-05406	7	0.6	GROUP 1DX - 15.0 GM	A507810
RW-05407	6	0.8	GROUP 1DX - 15.0 GM	A507810
RW-05408	6	0.7	GROUP 1DX - 15.0 GM	A507810
RW-05409	7	0.9	GROUP 1DX - 15.0 GM	A507810
RW-05410	4	0.8	GROUP 1DX - 15.0 GM	A507810
RW-05411	6	0.7	GROUP 1DX - 15.0 GM	A507810
RW-05412	8	0.7	GROUP 1DX - 15.0 GM	A507810
RW-05413	8	0.8	GROUP 1DX - 15.0 GM	A507810
RW-05414	5	0.7	GROUP 1DX - 15.0 GM	A507810
RW-05415	7	0.5	GROUP 1DX - 15.0 GM	A507810
RW-05416	6	0.7	GROUP 1DX - 15.0 GM	A507810
RW-05417	5	0.6	GROUP 1DX - 15.0 GM	A507810
RW-05418	9	1.4	GROUP 1DX - 15.0 GM	A507810
RW-05419	8	1.1	GROUP 1DX - 15.0 GM	A507810
RW-05420	4	1.1	GROUP 1DX - 15.0 GM	A507810
RW-05421	6	1.1	GROUP 1DX - 15.0 GM	A507810
RW-05422	8	0.8	GROUP 1DX - 15.0 GM	A507810
RW-05423	7	1.1	GROUP 1DX - 15.0 GM	A507810
RW-05424	5	0.7	GROUP 1DX - 15.0 GM	A507810
RW-05425	7	0.6	GROUP 1DX - 15.0 GM	A507810
RW-05426	6	0.6	GROUP 1DX - 15.0 GM	A507810
RW-05427	7	0.6	GROUP 1DX - 15.0 GM	A507810
RW-05428	5	1	GROUP 1DX - 15.0 GM	A507810
RW-05429	5	1.3	GROUP 1DX - 15.0 GM	A507810
RW-05430	7	0.8	GROUP 1DX - 15.0 GM	A507810
RW-05431	7	0.7	GROUP 1DX - 15.0 GM	A507810



GEOCHEMICAL ANALYSIS CERTIFICATE

Ryanwood Exploration Inc. PROJECT ANT File # A508304 Page 1

Box 213, Dawson City YT Y0B 1G0 Submitted by: Ryanwood Exploration I


Table with columns: SAMPLE#, Mo, Cu, Pb, Zn, Ag, Ni, Co, Mn, Fe, As, U, Au, Th, Sr, Cd, Sb, Bi, V, Ca, P, La, Cr, Mg, Ba, Tl, B, Al, Na, K, W, Hg, Sc, Ti, S, Ga, Se, Au**, and units (ppm, ppb, %).

GROUP 1DX - 0.50 GM SAMPLE LEACHED WITH 3 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 10 ML, ANALYSED BY ICP-MS. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. - SAMPLE TYPE: ROCK R150 AU** GROUP 3B - 30.00 GM SAMPLE ANALYSIS BY FA/ICP. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data FA

DATE RECEIVED: DEC 23 2005

DATE REPORT MAILED: Jan. 25/06



All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Hg	Ba	Tl	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au**
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb
G-1	.6	2.3	2.4	43	<.1	6.5	4.1	514	1.69	<.5	1.6	<.5	2.9	49	<.1	<.1	.1	35	.38	.068	5	66.1	.57	200	.115	1	.86	.057	.45	.1	<.01	1.7	.4	<.05	4	<.5	3
SRATR009	2.6	107.2	32.2	57	.2	28.3	10.1	124	1.26	19.2	.8	4.4	5.5	4	.3	1.2	.3	6	.02	.008	17	6.5	.27	120	.001	2	.63	.007	.24	.1	.01	.6	.2	.91	2	.8	10
SRATR010	.2	3.0	3.0	11	<.1	3.6	2.9	343	.63	11.0	1.4	.6	4.5	148	.1	.4	.1	5	4.17	.095	21	5.3	.04	21	.043	6	4.19	.171	.01	.2	<.01	.3	<.1	.06	12	<.5	4
SRATR011	2.7	86.1	23.3	29	.2	25.0	41.7	150	5.63	246.0	3.8	9.9	15.2	153	.2	1.7	.6	19	1.00	.173	29	6.2	.14	46	.067	1	1.20	.204	.07	.6	.01	1.0	.3	3.58	4	2.8	11
SRATR012	1.7	165.6	26.7	22	.6	31.9	23.9	462	10.48	10.7	.9	60.1	6.4	104	.1	1.2	.5	13	1.53	.024	9	15.5	.17	16	.063	5	2.91	.432	.05	1.3	.01	1.6	.1	5.32	9	7.8	104
SRATR013	.2	11.8	4.9	13	<.1	14.5	3.2	1596	.76	3.1	1.9	1.4	9.4	395	.1	1.1	.1	6	19.37	.018	21	7.8	.01	7	.072	11	4.89	.223	.02	.1	<.01	.7	<.1	.34	13	.8	2
SRATR014	.1	85.8	1.9	11	<.1	4.7	3.3	634	3.35	3.5	1.2	34.1	2.3	65	.1	1.7	4.2	2	8.20	.021	4	2.0	.12	10	.011	3	.29	.033	.08	.1	<.01	.3	.1	.77	2	.9	51
SRATR015	21.3	50.3	14.9	5	.1	1.5	.6	59	1.77	52.5	3.5	13.3	4.4	19	<.1	1.1	1.2	74	.34	.156	12	9.6	.21	95	.005	1	.59	.059	.18	.1	.01	1.7	.2	.38	3	3.8	18
SRATR016	.2	8.5	9.0	10	.1	40.4	23.8	178	1.17	3009.6	.9	462.4	6.7	266	<.1	4.1	21.2	3	4.97	.060	19	2.8	.17	91	.028	5	4.47	.064	.01	.3	<.01	.3	<.1	.58	9	1.2	478
SRATR017	1.1	244.6	68.6	14	.4	59.1	66.3	154	9.33	>10000	1.1	78.8	6.3	16	.1	22.1	2.4	2	.13	.044	7	3.0	.12	16	.003	9	.55	.012	.23	.2	<.01	.7	1.4	4.52	2	20.7	86
SRATR018	.6	33.1	12.7	11	<.1	7.8	3.2	164	.82	464.3	1.8	2.4	4.5	12	.1	2.2	.3	4	.50	.248	15	9.8	.01	19	.002	1	.40	.004	.03	.1	.06	1.2	.4	<.05	.1	.6	8
SRATR019	1.1	287.2	13.7	26	.2	45.1	19.4	247	4.69	81.5	3.6	58.9	2.6	32	.1	2.2	.2	13	.64	.143	146	12.5	.45	72	.045	3	.79	.098	.03	1.1	.01	1.5	1.0	2.76	4	3.8	63
SRATR020	10.1	1817.1	6.6	20	2.2	250.2	320.5	248	39.82	191.3	.6	157.2	1.2	8	.2	3.2	1.0	2	.55	.234	24	2.4	.06	6	.004	1	.05	.001	.01	.3	.01	.2	.5	>10	<1	28.6	219
SRATR021	72.4	1767.9	1010.1	28	16.0	173.1	671.3	65	18.10	>10000	9.3	6981.4	9.0	6	.1	163.7	352.7	2	.32	.041	26	3.5	.02	2	.001	23	.04	.003	<.01	5.6	.06	.2	.2	9.57	<1	27.5	7762
RE SRATR021	71.9	1829.0	1062.8	29	17.2	184.3	689.4	68	18.80	>10000	10.3	7586.3	9.1	6	.1	171.5	375.8	1	.33	.042	25	3.2	.02	2	.001	21	.04	.003	<.01	6.3	.07	.1	.3	9.33	<1	28.5	7966
STANDARD OS6/OxF41	11.4	121.5	29.2	137	.3	24.4	10.6	688	2.77	21.1	6.4	46.0	2.2	41	6.0	2.8	5.0	56	.84	.077	13	186.4	.57	166	.080	17	1.88	.075	.14	3.4	.23	3.2	1.7	<.05	6	4.6	803

Sample type: ROCK R150. Samples beginning 'RE' are Retuns and 'RRE' are Reject Retuns.

Yukon Energy, Mines & Resources Library



1000762908

DATE DUE

--