

YMIP 07-038/039

**YEIP
2007
-038**

2007 GEOLOGICAL REPORT

FOR THE

EVE PROPERTY

**EVE 1-68 (YA75610 – 677), EVE 78 (YA78245),
EVE 79-94 (YC65377-392), ADAM 1-2 (YA96407-YA96408)**

Lat: 64° 42' N Long: 133° 19' W

NTS 105 C / 11

WHITEHORSE MINING DISTRICT

Prepared for

S. McKeown
13 Denver Road,
Whitehorse, Yukon
Y1A 5S8

by

T.J. Termuende, P.Geo
2720-17th Street South
Cranbrook B.C., Canada
VIC 6Y6

January 25th, 2008



TABLE OF CONTENTS

PROPERTY DESCRIPTION AND LOCATION	1
TENURE DATA.....	1
HISTORY	4
GEOLOGICAL SETTING.....	4
REGIONAL GEOLOGY	4
PROPERTY GEOLOGY	4
MINERALIZATION AND STRUCTURE.....	6
2007 WORK PROGRAM.....	7
2007 RESULTS	7
INTERPRETATION AND CONCLUSIONS.....	9
RECOMMENDATIONS AND BUDGET.....	10
REFERENCES.....	11

LIST OF FIGURES

FIGURE 1 - PROPERTY LOCATION	after page 1
FIGURE 2 - TENURE	after page 1
FIGURE 3 - REGIONAL GEOLOGY	after page 5
FIGURE 4 - PROPERTY COMPILATION.....	after page 7
FIGURES 5a-5f- 2007 GEOCHEMICAL RESULTS.....	after page 8

LIST OF TABLES

TABLE 1	TENURE DATA.....	page 1
---------	------------------	--------

LIST OF APPENDICIES

APPENDIX I - CERTIFICATE OF QUALIFICATION
APPENDIX II - STATEMENT OF EXPENDITURES
APPENDIX III – ANALYTICAL CERTIFICATES
APPENDIX IV-ROCK SAMPLE DESCRIPTIONS

GEOLOGICAL REPORT FOR THE “EVE” PROPERTY


PROPERTY DESCRIPTION AND LOCATION (Figure 1, following)

The Eve property is located approximately 25 km north of Johnson’s Crossing (km 1346, Alaska Highway), in south-central Yukon. The claim group is centered at approximately Latitude 62° 42’ N , Longitude 133° 19’W on NTS Map 105C-11. Access is by helicopter available in Whitehorse or Teslin, Yukon. A rough access road suitable for four-wheel drive vehicles on a seasonal basis extends from mile 19 on the Canol Road to near the property boundary on Evelynn Creek. This trail could be upgraded to provide reasonable access at relatively minor cost.


The property covers rugged upland country near the common head waters of Evelynn Creek and streams draining to Teslin River. Elevations locally range from 4500’ to more than 6000’ above sea level. The region is characterized by steep talus covered slopes in higher regions and with rounded, glacially modified ridges in lower terrains. Most of the larger valleys are floored with moraine material. Outcrop exposure is good above 4500’ above sea level, but generally less than 10% below this altitude. The area has a characteristic northern interior climate typical of this latitude. Winters are commonly cold with moderate snowfalls; summers, by contrast, are warm or hot, with long hours of daylight. Typically, break-up occurs in early May and freeze-up resumes during late October. Minimum winter temperatures may reach -50° with summer maximums in the +30C range.

TENURE DATA (Figure 2, following)

<u>District</u>	<u>Claim Type</u>	<u>Claim Name</u>	<u>Tenure Number</u>	<u>Recording Date</u>	<u>Current Expiry Date</u>
Whitehorse	Quartz	EVE 1	YA75610	5/16/1983	2019/11/16
Whitehorse	Quartz	EVE 2	YA75611	5/16/1983	2017/11/16
Whitehorse	Quartz	EVE 3	YA75612	5/16/1983	2019/11/16
Whitehorse	Quartz	EVE 4-66	YA75613-675	5/16/1983	2021/11/16
Whitehorse	Quartz	EVE 67	YA75676	5/16/1983	2019/11/16
Whitehorse	Quartz	EVE 68	YA75677	5/16/1983	2019/11/16
Whitehorse	Quartz	EVE	YA78245	8/17/1983	2021/11/16
Whitehorse	Quartz	ADAM	YA96407	10/16/1986	2015/10/16
Whitehorse	Quartz	ADAM	YA96408	10/16/1986	2015/10/16
Whitehorse	Quartz	EVE 79-94	YC65377-392	7/25/2007	2012/07/25




Eve Property
Figure 2 - Tenure Map
 Projection - NAD 83 UTM Zone 8N
 Scale - 1: 40,000
 15/01/2008



Legend

- + Minfile Showing
- Trail
- River
- Index Contour (500')
- Contour (100')
- Claim Boundary
- Vegetation



HISTORY (From MacDonald (1986), MINFILE)

Parts of the Teslin Map Area have been investigated by Geological Survey of Canada personnel on several occasions. R.G. McConnell (1898), J.C. Gwillim (1901) and E.J. Lees (1936) mapped portions of Teslin area in conjunction with other reconnaissance work. C.S. Lord (1944) and E.D. Kindle (1946) carried out geological investigations along the Alaska Highway and Canol Road, respectively. The Teslin Map Sheet was mapped and compiled by R. Mulligan during 1950 - 1953, who published the results as Map 112JA in 1963.

The streams draining Big Salmon Range into Teslin River were prospected for placer deposits by miners from the Dease Lake area prior to discovery of gold in the Klondike region in 1896. Workable placer gold deposits were located in the Livingston Creek area immediately northwest of Teslin Map Sheet in the Big Salmon Range by 1899 and a surge of exploration to the surrounding area ensued. In the following two decades, the Livingston placer camp produced more than 50,000 ounces of gold, but mining had virtually ceased by 1920. By the early 1930s, the level of exploration activity again increased in the Big Salmon region with miners working on creeks in the Livingston Creek camp and along Iron Creek and Cottonwood Creek between Big Salmon Range and Nisutlin River. However, the region again became dormant with the outbreak of World War 2 and next underwent exploration activity surges as a result of opening the Canol Pipeline Road to civilian travel and improved road access along the Alaska Highway. The advent of helicopter supported prospecting programs in the late 1950's resulted in additional exploration of the Teslin region. The area encompassed by the Evelynn Creek property has been staked by several operators.

The property area was originally staked as the Dawn claims (70743) in Jul/55 by M. Kroyden and L. Allen. The area was restaked as Marlin cl 1-8 (92903) in Sep/65 by Mount Grant Mines Ltd, which added Lucky cl 1-8 (92940) in Oct/65; carried out geological mapping in 1967; staked Sun cl 1-16 (Y24587) in May/68; and built a 22 km access road, carried out bulldozer trenching, detailed geological mapping and drilled 24 percussion and 10 short holes (884 m) later in 1968.

Contex Silver Mines Ltd staked the Law cl 9-34 (Y29650) in Nov/68 to surround the Mount Grant property and restaked the occurrence as Law cl 35-80 (Y35208) in Jun/69.

Restaked as Eve cl 1-68 and 73-76 (YA75610) in May/83 by D. Stedman, who carried out geological mapping, geochemical sampling and staked Eve cl 77 (YA78233) in Aug/83. The claims were subsequently transferred to Anooraq Resources Corporation Ltd, which carried out rock geochemical sampling and staked Eve cl 79-84 (YA82594) in Jul/84; blast trenching and staked Adam cl 1-6 (YA96407) in Oct/86. Anooraq upgraded the access road in 1987-88; began mining rhodonite and shipped 27.3 tonnes in 1987; 20 tonnes in 1988; and 54.4 tonnes in 1989.

In 1991 the company repaired the road, carried out geochemical sampling, trenching, detailed geological mapping and mined approximately 36.3 tonnes of rhodonite. A similar program of exploration was carried out in 1992 when \$62 000 of expenses were filed for assessment.

In Oct/94 the company mapped the main rhodonite showing at a scale of 1:100 and carried out extensive bulldozer trenching. Approximately 57 cu. m of footwall quartzite and rhodonite were excavated and one percussion hole (6.7 m) was drilled to test the extent of gem quality rhodonite at the northwestern end of the deposit.

In Sep/98 Anooraq sold the property to 12633 Yukon Inc, which produced 35 tonnes of rhodonite that year. The numbered company subsequently optioned the property to S. McKeown, the current owner of the property who carried out road and reclamation work, drilled 5 holes (150.8 m) in the deposit and completed limited hand held percussion drilling near the southern boundary of the claim group in 2000.

REGIONAL GEOLOGY (From Doherty, 2001)

(Figure 3, following)

The Eve property is located within the Yukon Tanana Terrane (YTT). A large block of YTT rocks outcrop just east of the Teslin Fault and can be traced continuously from here north through to Little Salmon Lake and on to the Tintina Fault (Figure 3). Earlier workers used names such as the Yukon Group and Big Salmon Metamorphic Complex for these lithologies. The rocks are Devonian-Mississippian and (?) earlier Nasina Assemblages quartzites and quartz mica schists (Gordey and Makepeace, 2001)

The quartzites and quartz mica schists are variably metamorphosed, and intruded by a mid-Cretaceous Cassiar intrusions of intermediate composition.

PROPERTY GEOLOGY (Excerpted from MacDonald (1986), MINFILE)

The Evelyn Creek Property is underlain by stratified metamorphic rocks of the Paleozoic Big Salmon Complex. Lithologies consist of quartz-biotite schist, argillaceous slate, quartzites and limestones. Lower Paleozoic(?) quartz-hornblende gneiss outcrops north and south of the current Eve Claims. Cretaceous granitic rocks intrude the metamorphic complex on the eastern portion of the claim area. The stratified rocks are highly regionally metamorphised and typically are intensely deformed with tight isoclinal folding and slip-faulting.

Regionally, the bedded rocks are folded, with fold axes generally parallel to the trend of the formation. This main orientation is usually a northwest strike. The more competent rock lithologies (eg: limestone) show brecciation, tectonic fracturing and straining (boudinage), associated with the folding event.

Faulting is a common feature in this area, with many normal faults observable as topographic lineaments. No preferred orientation has been recognized for these fault systems to date. Low angle thrust faults may be implied in some localities, but recognition of such elements is quite difficult on a regional scale.


Manganese-rich skarn lenses are hosted by quartzite, black siltstone and chlorite schist of the Devonian, Mississippian and(?) older aged Nasina assemblage of the Yukon Tanana Terrane. The manganese is believed to have formed as a stratiform syndimentary deposit, which was later metamorphosed. Antal


reported that the mineralization consists of 2/3 rhodonite and 1/3 rhodochrosite and that a chip sample assayed 36.3% Mn across 7.6 m. Hole 68-14 assayed 24% Mn across 15.2 m, but most intersections averaged less than 5% Mn. Some of the rhodonite from the skarn is of gem quality and is being marketed as a decorative building stone.

The skarn zone is 25 m long and 4 to 7 m wide. It has been traced for 100 m to the northwest and 250 m to the southeast. The northwest and southeast extensions are very narrow. Shearer stated that the deposit is highly variable in shape and mineralogy, but can be roughly divided into two mineralogical zones: (1) a northern tephroite-bustaminte-rhodochrosite-quartz-minor rhodonite zone and (2) a southern rhodonite-tephroite-minor rhodochrosite zone.

Manganiferous veins up to 15 cm wide are found as boulder trains are reported at the northwest corner of the property (Minfile Occurrence #105C 018). The veins are discontinuous and include pyrite-chalcopyrite-bornite or galena. A specimen from a 1984 trench returned 291.4 g/t Ag, 25.4% Pb and 0.206 g/t Au. Prospecting was undertaken during 2008 to locate this occurrence, but efforts were unsuccessful.

As of 1994 current reserves stood at approximately 362.9 tonnes of gem quality rhodonite with some potential of additional reserves down-dip. There are now approximately 4000 tons of reserves at the Marlin occurrence (S. McKeown, personal communication)





Legend

Folds

- ∩— Fold, approximate, anticline, overturned
- ∩— Fold, approximate, anticline, upright
- ∩— Fold, approximate, monocline, upright
- ∪— Fold, approximate, syncline, overturned
- ∪— Fold, approximate, syncline, upright
- ∩— Fold, assumed, anticline, overturned
- ∩— Fold, assumed, anticline, upright
- ∩— Fold, assumed, syncline, overturned
- ∩— Fold, assumed, syncline, upright
- ∩— Fold, defined, anticline, overturned
- ∩— Fold, defined, anticline, upright
- ∩— Fold, defined, monocline, upright
- ∩— Fold, defined, syncline, overturned
- ∩— Fold, defined, syncline, upright

Faults

- - - Fault, approximate, dextral
- - - Fault, approximate, movement undefined
- - - Fault, approximate, normal/reverse
- ▲ Fault; approximate, thrust, overturned
- ▲ Fault, approximate, thrust, upright
- - Fault, assumed, dextral
- - Fault, assumed, movement undefined
- - Fault, assumed, normal/reverse
- ▲-? Fault, assumed, thrust, overturned
- ▲ Fault; assumed, thrust, upright
- Fault, defined, dextral
- Fault, defined, movement undefined
- Fault, defined, normal/reverse
- Fault, defined, sinistral
- - ▲ Fault, defined, thrust, overturned
- ▲ Fault, defined, thrust, upright
- Fault, extrapolated, dextral
- Fault, extrapolated, movement undefined
- Fault, extrapolated, normal/reverse
- Fault, extrapolated, sinistral
- ▲ - Fault, extrapolated, thrust, overturned
- ▲ Fault, extrapolated, thrust, upright

Bedrock Geology

Quaternary

- Q QUATERNARY: unconsolidated glacial, glaciofluvial and glaciolacustrine deposits; fluvial silt, sand, and gravel, and local volcanic ash, in part with cover of soil and organic deposits

Late Cretaceous to Tertiary

- LKqP PROSPECTOR MOUNTAIN SUITE: quartz monzonite, biotite quartz-rich granite; porphyritic alaskite and granite with plagioclase and quartz-eye phenocrysts; biotite and hornblende quartz monzodiorite, granite, and leucocratic granodiorite with local alkali feldspar phenocrysts (Prospector Mountain Suite, Carcross Pluton)

Mid-Cretaceous

- mKqC CASSIAR SUITE: medium to coarse grained, equigranular to porphyritic (K-feldspar) granite and biotite quartz monzonite; biotite-hornblende quartz monzonite and granodiorite (Cassiar Suite)

Early Cretaceous

- EKgT

Upper Triassic to Lower Jurassic

- uTrJS

Lower and Middle Jurassic

- JL LABERGE: poorly sorted, medium bedded to massive arkosic sandstone and minor shale with interbeds and thick members of resistant heterolithic pebble and boulder conglomerate; recessive, dark brown weathering, thin bedded, dark brown to greenish, silty shale (Laberge Gp.)

Early Jurassic

- EJgA AISHIHIK SUITE: medium- to coarse- grained, foliated biotite-hornblende granodiorite; biotite-rich screens and gneissic schlieren; foliated hornblende diorite to monzodiorite with local K-feldspar megacrysts; may include unfoliated monzonite of the Long Lake Suite (Aishihik Suite)

Carboniferous to Triassic

- CTrC4 CACHE CREEK: oceanic assemblage of ribbon chert (4)
- CTrC3 CACHE CREEK: oceanic assemblage of carbonate (3)
- CTrC2 CACHE CREEK: oceanic assemblage of volcanics (2)
- CTrC1 CACHE CREEK: oceanic assemblage of ultramafic rocks (1)
- CTrC CACHE CREEK: oceanic assemblage of ultramafic rocks (1), volcanics (2), carbonate (3) and ribbon chert (4)

Carboniferous

- CK4 KLINKIT: muscovite-chlorite phyllite; impure, fine-grained quartzite and siltstone, locally limy; local massive, sheared, dark, fine grained quartzite; limestone lenses (2); in uncertain contact overlying(?) lithologically similar Road River Cassiar (Nasina)

Devonian/Mississippian

- DMgPW PELLY GNEISS SUITE - SOUTHWEST: foliated medium grained, homogeneous biotite granite gneiss to biotite or hornblende granodiorite gneiss; massive to strongly foliated dioritic to granodioritic gneiss; includes interfoliated amphibolite, quartz-mica schist and phyllite (Selwyn Gneiss, Pelly Gneiss, N. Fiftymile Batholith, Moose Creek Orthogneiss)

- DMN4 NASINA: quartzite, micaceous quartzite, quartz muscovite (chlorite; feldspar augen) schist, and minor metaconglomerate and metagrit as in (1), but may locally include significant Klondike Schist Assemblage

- DMN2 DMN2: NASINA: marble (Nasina assem.)

Upper Proterozoic/Cambrian

- PCI4? UNKNOWN: sandstone, limestone, schist, amphibolite, marble, gneiss

Proterozoic and Paleozoic

- PPa AMPHIBOLITE: metamorphosed mafic rocks including amphibolite (1) and ultramafic rocks (2) of unknown association; i.e.) may belong in part or entirely to Nisling, Nasina, and Slide Mountain assemblages and (3), mafic-ultramafic intrusions within Nasina assemblage

ALTERATION, MINERALIZATION AND STRUCTURE (Excerpted from MacDonald, 1986)

The Eve claims cover minor occurrences of silver-copper, silver-lead and rhodonite mineralization, in three different geological environments. A vein zone is exposed to two trenches approximately 30 meters apart in a steep talus covered slope on Evelyn Creek. This vein system is apparently a fissure-filling in gneissic rocks and consists of galena and pyrite in a ribbon quartz gangue. The zone is up to 0.5 m wide and contains up to 15% galena over 10 cm increments. A grab sample of well mineralized vein material collected in 1986 contained 25.4% lead and 8.46 ounces of silver per ton. The host gneissic rock is typically fresh and unaltered except for narrow (1- 10 cm) alteration "envelopes" peripheral to the veining. Extensions of this vein structure are obscured by the talus slope. This occurrence was not visited during the site inspection by the author, though attempts to locate the occurrence during 2008 by the owner were unsuccessful.

A small chalcopyrite-bornite replacement zone occurs in schist and gneiss lithologies on the Eve 78 claim. Mineralization consisting of bornite and chalcopyrite is present in a strata-bound quartz-carbonate lense up to 30 cm in width and exposed by trenching for a 10 m length. Small (1 cm) chalcopyrite veinlets are occasionally present cross-cutting the host lithologies below the main lense. This is known as the "Mt. Grant" Minfile occurrence.

Extensions of the main zone are obscured by overburden, but similar appearing mineralization occurs sporadically as float along the strike projection as much as 400 meters southwest of the Eve 78 trenches. The zone dips moderately southeast. Garnet-diopside-magnetite skarn is present in this vicinity as float, suggesting that the alteration of the schist unit may be a local metamorphic (hydrothermal) event. This zone is present on claims Eve 12- 13 near a rhodonite skarn unit.

Exploration during 1986 evaluated the manganese-rich area identified earlier for possible silver mineralization, located a zone of rhodonite now known as the "Marlin" Minfile occurrence. This material apparently occurs in a skarn zone within the metamorphic lithologies. Rhodonite has been located in surface blast trenches (Keyser, 1986) and also is present in drill holes completed by Mt. Grant Mines Ltd. in 1968 under the surface exposure. Compilation of the results from drilling and surface trenching (Keyser, 1987) indicated that a minimum geological reserve of 4,763 tons of rhodonite was present. Some of this material was subsequently quarried.

Bulk samples of pit-run rhodonite reported in 1986 to have a value as gem-quality rhodonite in the range of \$2.40- \$2.60 (U.S.) per pound, FOB the property. Reports from the gemologists are included in MacDonald's 1986 report.

Metamorphic lithologies on the property are structurally quite complex with intense local deformation (contortion of schist units etc.). Some of the stratified units are apparently in a fault relationship (thrust fault, or low angle fault). Steeply dipping normal faults trending generally northeasterly complicates geological interpretation in the centre of the property.

2007 WORK PROGRAM (Figure 4, following)

The 2007 field season commenced with reconnaissance flights to the property area by the owners in April and May in an attempt to locate an historic access trail reported by previous workers. Road work was initiated in June with a number of significant repairs required due to extensive washouts. A property visit was made by the author and government geologists on July 10th, which forms the basis of this report. A number of recommendations were made to the owner at this time which were subsequently initiated.



In August, workers returned to the property and after completion of more road repair work, commenced prospecting and soil geochemical activity. A total of 16km of line work was completed, resulting in 268 soil and 41 rock samples collected.

Follow-up work was completed in mid-September, at which time seasonal snowfall resulted in suspension of work.

2007 PROGRAM RESULTS (Figure 4, following)

High-grade Cu/Ag vein mineralization is located on the Eve 78 claim, where historic trenching activity has exposed a well-mineralized 10-20cm wide irregular quartz vein with minor associated stringer veins. This occurrence is documented in Yukon Minfile under the name "Mt. Grant", Minfile # 105C 017. Samples collected during 2007 returned 103 g/t Ag and 7.03% Cu (#"Eve 78 R.S. #2 Old Tren") and 206 g/t Ag and 14.2% Cu (#"Old Trench Main Showing"). No evidence of lateral continuity of the structure

Eve Property
Figure 4 - Property Geology and
Sample Location Map
 Projection - NAD 83 UTM Zone 8N
 Scale - 1:40,000
 17/01/2008



Legend		Bedrock Geology		Devonian/Mississippian	
	Minfile Showing	Mid-Cretaceous		PELLY GNEISS SUITE - SOUTHWEST: foliated medium grained, homogeneous biotite granite gneiss to biotite or hornblende granodiorite gneiss; massive to strongly foliated dioritic to granodioritic gneiss; includes interfoliated amphibolite, quartz-mica schist and phyllite (Selwyn Gneiss, Pelly Gneiss, N. Fiftymile Batholith, Moose Creek Orthogneiss)	
	2007 Rock Sample	CASSIAR SUITE: medium to coarse grained, equigranular to porphyritic (K-feldspar) granite and biotite quartz monzonite; biotite-hornblende quartz monzonite and granodiorite (Cassiar Suite)		DMGpW	
	2007 Soil Sample	Lower and Middle Jurassic		DMN4	
	2006 Soil Sample	LABERGE: poorly sorted, medium bedded to massive arkosic sandstone and minor shale with interbeds and thick members of resistant heterolithic pebble and boulder conglomerate; recessive, dark brown weathering, thin bedded, dark brown to greenish, silty shale (Laberge Gp.)		DMN2	
	Trail	mKqC		DMN2: NASINA: marble (Nasina assem.)	
	Intrusive, assumed	JL			
	Intrusive, defined				
	Unknown, defined				
	River				
	Index Contour (500')				
	Contour (100')				
	Waterbody				

could be traced, though past workers reported similarly-mineralized float material up to 400m from the occurrence. A single float sample (TTBV07R01) of extremely rusty weathering pyritic quartz vein material was located 100m upslope of the Eve Trench, and returned 1.43 g/t Au and 30.3 g/t Ag with highly anomalous arsenic, copper and molybdenum values.


Soil Geochemistry (Figures 5a-5f, following)

Gold/Silver: Soil sample geochemistry delineated a moderately anomalous multi-element zone some 75m x 500m in area, located 500m NE of Rhodo Lake. During the visit by the author to this area, a number of small shear structures were noted, as was the presence of 1m diameter quartz subcrop boulders. The geometry of this anomaly and local topography suggest that the mineralized source may be structurally related, and likely trends NW/SE. A magnetometer survey completed by RyanWood exploration in 2006 also highlighted this area and trend, outlining a prominent magnetic feature in the area and with the same apparent orientation.

Manganese: Widespread manganese mineralization is outlined in soils, and likely represents manganese alteration migrating through various lithologies which make up the property area. As would be expected, a number of highly anomalous samples were located in the area of the Marlin occurrence, which has seen limited production. Interestingly, the anomalous zone continues some 500m upslope from the occurrence.



Lead/Zinc: a number of anomalous lead samples were located in the same area as the gold-silver soil anomaly 500m NE of Rhodo Lake. In addition, a number of anomalous samples were located in a 500m x 200m area 500m south of the Eve Trench.


Copper: Anomalous copper soil geochemical values were located in the SW area of the existing grid. This zone remains open and should see further work.






Eve Property
Figure 5a - Soil Geochemistry - Au
 Projection - NAD 83 UTM Zone 8N
 Scale - 1: 20,000
 22/01/2008


- Legend**
- Rock Samples - Au (ppb)**
- ▲ 0 - 10
 - ▲ 11 - 170
 - ▲ 171 - 370
 - ▲ 371 - 1430
- Soil Sample - Au (ppm)**
- Au_ppb**
- < 16
 - 16 - 33
 - 33 - 50
 - > 50
- ⊕ Minfile Showing
 - ▭ Property Boundary
 - TRAIL
 - River
 - Index Contour (500)
 - Contour (100')
 - Waterbody











INTERPRETATION AND CONCLUSIONS

The Eve property overlies a structurally complex sequence of meta-sedimentary rocks with distinct mineralized veins and evidence of alteration consistent with metamorphic and metasomatic activity. Evidence of hydrothermal alteration is found in the Marlin rhodonite occurrence located in the southern area of the property. Very low-grade manganese-rich float material was found up to 1km north of the Marlin occurrence and likely represents a lateral extension of the higher-grade zone. This is supported by anomalous soil sample results returned from up to 500m upslope of the known mineralization. The rhodonite may have significant economic potential as ornamental stone, and extensions of known high-grade mineralization should be explored.

High-grade vein mineralization is present on the property on the Eve 78 claim. The single occurrence carries good copper and silver values, but over narrow widths of 10-20cm. No evidence of lateral continuity of the structure could be traced, though past workers reported similarly-mineralized float material up to 400m from the occurrence. A single float sample located upslope from the trench returned 1.43 g/t gold, though orientation of the mineralized structure could not be determined and the associated vein mineralogy suggests that the mineralized structure is unrelated to that seen in the trenches down-slope.

A multi-element soil geochemical anomaly was delineated 500m NE of Rhodo Lake in a zone 75m x 500 long, oriented in a NE/SW trend. The anomalous zone falls within a prominent magnetic anomaly on similar width and orientation. This anomaly is likely structurally related and warrants follow-up.

A prominent lead soil geochemical anomaly is located 500m south and upslope of the Mt Grant occurrence (Eve Trench), and covers an area of approximately 200m x 500m. In addition, anomalous copper values were returned from the SW area of the existing grid. These areas should see follow-up prospecting and soil geochemical sampling in an effort to locate the source of the anomalies.

RECOMMENDATIONS AND PROPOSED BUDGET

Based on work completed on the Eve property during 2006 and 2007, additional work is recommended. A 25,000 program involving additional soil geochemical sampling, prospecting and detailed geological mapping is proposed.

Extensions of the existing high-grade rhodonite are evidenced by the presence of strong Mn geochemistry up to 500m upslope from the Marlin occurrence, in addition to the location of lower-grade float material up to 1km to the northwest.

The source of the multi-element (gold, silver, lead) soil geochemical and magnetic anomaly located 500m east of Rhodo Lake should be investigated. Detailed geological mapping and prospecting of the anomaly area should be carried out. The source of the prominent lead and copper anomalies located 500m south and upslope of the Mt Grant occurrence (Eve Trench) and in the SW area of the grid, respectively, should also see follow-up prospecting in an effort to locate the source of the anomalies.

Proposed Budget-Eve Geological/Geochemical Program:

Personnel:

20 man-days x \$400/man/day.....	\$8,000
----------------------------------	---------

Equipment Rental/Field Supply:

Argo: 10.0 days x \$100.00/day.....	1,000
Pick-up Truck/Mileage: 10.0 days x \$100.00/day.....	1,000
200 kms x \$.50/km.....	1,000
TD 15 Bulldozer: 20 hours x \$160/hours.....	3,200
Bulldozer mob/demob:.....	2,000
Field Supply: 20.0 man-days x \$25.00/day.....	500
ATV: 10.0 days x \$75.00/day.....	750
ATV Trailer: 10.0 days x \$50/day.....	500

Meals/Accommodations

20.0 man-days x \$42.50 per diem	850
--	-----

Analytical (Eco-Tech Labs).....	5,000
--	--------------

Maps/GIS.....	500
----------------------	------------

Report	1,000
---------------------	--------------

Drafting/Reproduction (est.).....	500
--	------------

Shipping.....	<u>100</u>
----------------------	-------------------

Total: \$25,900

REFERENCES

Doherty, A (2001): Assessment Report #094263 May 2001- Evelyn Rhodonite Property

Keyser, H. (1987): Interim Progress Report on the Eve Claim

MacDonald, G.C. (1986): Report on Evelynn Creek project for Anoraaq Resources.

Mullican, R (1963): Geology of Teslin Map Area (Map 112JA); GSC Memoir 326

Shearer, J. (1994): Trenching Report on the Evelyn Creek Rhodonite Property (Eve Claims), Yukon.

Shearer, J. (1991): Geological, Trenching and Mining Report on the Evelyn Creek Rhodonite Property (Eve Claims), Yukon,

Yukon Minfile # 105C 017

**APPENDIX I
CERTIFICATE OF QUALIFICATION**

I, Tim J. Termuende, of 2720-17th St. South in the City of Cranbrook in the Province of British Columbia hereby certify that:

- 1) I am a Professional Geoscientist registered with the Association of Professional Engineers and Geoscientists of British Columbia (#19201).
- 2) I am a graduate of the University of British Columbia (1987) with a B.Sc. degree in Geology, and have practised my profession as geologist continuously since graduation.
- 3) This report is supported by data collected during fieldwork conducted from on April 19th to Sept 15th, 2007, and is supported by observations made during a field visit by the author completed on July 9th, 2007
- 4) I have no financial interest in the Eve property, directly or indirectly, nor do I expect to receive any.

Dated this 25th day of January, 2008 in Cranbrook, British Columbia.



The image shows a handwritten signature in blue ink, which appears to be 'Tim J. Termuende'. The signature is written over a circular professional seal. The seal is light blue and contains the text: 'PROFESSIONAL GEOSCIENTIST' around the top and bottom edges, 'PROVINCE OF BRITISH COLUMBIA' in the center, and 'T. J. TERMUENDE' in the middle. The seal has a decorative border.

Tim J. Termuende, P.Geo.

APPENDIX II

STATEMENT OF EXPENDITURES- EVE PROGRAM

The following expenses were incurred on the Eve and Adam mineral titles for the purpose of mineral exploration between April 19th and September 15th, 2007.

Personnel:

Tim J. Termuende, P.Geo.: 5.0 days x \$600/day.....	\$3,000.00
Sid McKeown: 19 days x \$325/day.....	6,175.00
Paul McLean: 11.0 days x \$ 325.00/day.....	3,750.00
Harold Fleming: 3.0 days x \$325.00/day.....	9,750.00
Andrew Corney: 14.0 days x \$325.00/day.....	4,550.00

Equipment Rental/Field Supply:

Argo/ATV: 11.0 days x \$100.00/day.....	1,100.00
Pick-up Truck/Mileage: 6.0 days x \$100.00/day.....	600.00
1920 kms x \$.50/km.....	960.00
TD 15 Bulldozer: 57.3 hours x \$160/hours.....	9,168.00
Bulldozer mob/demob:.....	1,908.00
Field Supply: 43.0 man-days x \$25.00/day.....	1,075.00
ATV: 29.0 days x \$75.00/day.....	2,175.00
ATV Trailer: 11.0 days x \$50/day.....	550.00
Haul and cut boulder sample.....	600.00

Air Charter

Fixed Wing (Cessna 172).....	825.00
Helicopter(Heli-Dynamics).....	3,682.44

Meals/Accommodations

43.0 man-days x \$42.50 per diem	1,827.50
--	----------

Analytical (Eco-Tech Labs)..... 6,931.27

Maps/GIS..... 500.00

Drafting/Reproduction (est.)..... 500.00

Shipping..... 100.00

Total: \$ 59,727.21

**APPENDIX III
CERTIFICATES OF ANALYSIS-EVE PROGRAM**

CERTIFICATE OF ASSAY AW 2007-7556

Sid Rock
13 Denver Road
Whitehose, YK

18-Jan-08

No. of samples received: 23
Sample Type: Rock
Submitted by: Sid McKeown

ET #.	Tag #	Ag (g/t)	Ag (oz/t)	Cu (%)	Zn (%)
14	EVE 78 R.S #2 OLD TREN.	103	3.00	7.20	
23	NANA TOP CUT #8	92.0	2.68		5.12

QC DATA:

Repeat:

14	EVE 78 R.S #2 OLD TREN.	104	3.03	7.30	
23	NANA TOP CUT #8				4.83

Standard:

PB129	24.0	0.70			
Cu120				1.52	

JJ/dc
XLS/07

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

CERTIFICATE OF ASSAY AK 2007-7243

Sidrock
13 Denver Road
Whitehorse, YT

29-Aug-07

No. of samples received: 10
Sample Type: Rock
Project: Eve
Submitted by: Sid McKeown

ET #.	Tag #	Au (g/t)	Au (oz/t)	Ag (g/t)	Ag (oz/t)	Cu (%)
2	TTBV07R02	1.43	0.042			
10	Old Trench Main Showing			206	6.008	14.2

QC DATA:

Repeat:

10	Old Trench Main Showing			208	6.066	14.4
----	-------------------------	--	--	-----	-------	------

Standard:

OX154	1.85	0.054				
Pb113			22.4	0.653		
Cu120						1.52

JJ/jl
XLS/07

ECO TECH LABORATORY LTD.

Jutta Jealouse
B.C. Certified Assayer

Et #.	Tag #	Au ppb	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sr ppm	Te ppm	Th ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm
86	AC EVE- 91	<1	1	0.1	0.70	4.6	<1	63.0	0.24	0.19	0.09	3.4	9.5	7.68	1.14	2.4	5	0.08	9.0	0.28	230	0.26	0.031	9.8	444.0	3.42	<0.02	0.14	1.5	0.3	7.0	<0.02	4.8	0.036	0.08	1.1	20	0.2	27.2
87	AC EVE- 92	1	1	0.2	0.62	13.4	<1	65.0	0.08	0.20	0.06	4.2	9.0	8.59	1.18	2.5	10	0.07	13.5	0.30	293	0.84	0.035	7.8	331.0	3.54	0.02	0.16	1.5	0.5	7.0	<0.02	3.2	0.034	0.10	1.3	18	0.1	29.2
88	AC EVE- 93	<1	1	0.1	0.78	5.8	<1	45.5	0.28	0.14	0.14	3.4	10.0	7.66	1.18	2.8	10	0.08	9.5	0.25	227	0.37	0.039	7.7	625.0	3.68	0.04	0.16	0.7	0.3	6.0	<0.02	0.5	0.025	0.10	0.7	22	0.2	29.4
89	AC EVE- 94	1	2	0.1	0.83	8.3	<1	80.0	0.16	0.32	0.24	2.8	13.0	22.34	0.98	3.0	35	0.05	11.5	0.30	176	0.62	0.036	9.8	412.0	3.51	0.08	0.18	1.9	1.2	11.5	<0.02	1.7	0.038	0.10	5.2	22	0.1	31.3
90	AC EVE- 95	<1	<1	0.1	0.78	7.8	<1	89.0	0.12	0.24	0.09	4.0	10.0	7.28	1.31	2.9	10	0.07	8.5	0.34	436	1.06	0.035	8.2	355.0	4.28	0.04	0.14	1.8	0.4	11.0	<0.02	1.6	0.040	0.10	1.1	22	0.1	33.9
91	AC EVE- 96	<1	1	0.1	0.85	4.7	<1	78.0	0.12	0.23	0.07	3.4	7.5	9.94	1.05	2.7	15	0.04	7.0	0.23	273	0.55	0.046	6.7	426.0	3.00	0.04	0.10	1.1	0.5	10.5	<0.02	0.7	0.031	0.06	1.2	22	<0.1	26.6
92	AC EVE- 97	<1	1	0.1	1.07	5.9	<1	70.0	0.16	0.26	0.07	4.1	14.5	12.48	1.26	4.1	15	0.08	15.5	0.45	252	0.89	0.043	8.6	467.0	3.60	0.02	0.14	2.7	0.5	8.5	<0.02	5.7	0.060	0.14	3.7	26	0.1	36
93	AC EVE- 98	<1	1	0.1	1.38	8.5	<1	90.0	0.36	0.22	0.08	4.6	16.0	9.33	1.80	4.4	15	0.08	11.5	0.43	276	0.38	0.054	10.5	441.0	6.16	0.04	0.18	2.3	0.4	9.0	0.02	2.0	0.053	0.14	1.1	34	0.3	34.1
94	AC EVE- 99	<1	1	0.1	0.83	10.3	<1	101.0	0.18	0.23	0.07	3.1	12.0	9.15	1.75	3.4	15	0.07	18.0	0.35	246	1.21	0.046	7.7	435.0	3.56	0.02	0.14	2.1	0.6	8.5	0.02	5.3	0.044	0.10	1.3	30	0.6	31.9
95	AC EVE- 100	<1	1	0.1	0.49	6.2	<1	53.0	0.06	0.19	0.07	2.7	6.5	6.00	0.97	1.9	<5	0.06	7.0	0.27	225	0.53	0.033	6.6	243.0	2.19	<0.02	0.08	1.3	0.3	8.5	<0.02	2.5	0.031	0.08	0.7	16	<0.1	24.5
96	AC EVE- 101A	1	1	0.2	1.49	12.1	<1	173.0	0.28	0.30	0.27	7.0	21.0	18.98	2.08	5.0	30	0.16	22.5	0.57	497	1.43	0.047	17.2	560.0	8.68	0.04	0.20	3.1	0.8	12.5	<0.02	3.5	0.054	0.18	2.3	42	1.6	67.9
97	PM EVE 01	3	2	0.2	1.10	5.3	<1	89.0	0.12	0.20	0.11	5.7	16.5	15.84	1.87	3.3	30	0.10	6.5	0.52	375	0.52	0.041	14.0	314.0	16.12	0.06	0.28	2.3	0.3	13.5	0.04	2.4	0.049	0.14	0.4	28	0.1	88
98	PM EVE-02	23	3	0.1	1.28	4.1	<1	299.0	0.06	0.20	0.07	8.5	9.5	17.94	2.59	3.9	15	0.07	5.0	0.88	402	0.92	0.036	6.8	200.0	14.08	0.04	0.16	2.6	0.2	39.5	<0.02	1.2	0.036	0.06	0.6	72	<0.1	53.4
99	PM EVE-03	4	3	0.1	2.79	4.6	<1	241.0	0.12	0.36	0.11	12.8	18.5	19.80	3.79	7.8	10	0.25	4.5	1.84	917	0.71	0.046	10.5	287.0	15.32	0.06	0.22	7.0	0.2	54.5	0.04	1.4	0.094	0.12	0.3	92	0.2	158.8
100	PM EVE-04	4	5	0.2	2.04	6.4	<1	179.5	0.28	0.21	0.19	10.9	13.5	19.14	3.16	5.1	10	0.37	5.5	1.36	826	0.70	0.042	8.2	494.0	16.71	0.08	0.20	3.8	0.3	31.0	0.06	1.2	0.076	0.16	0.4	60	<0.1	116.4
101	PM EVE-05	6	4	0.1	1.86	6.3	<1	282.0	0.12	0.20	0.13	10.1	15.0	22.20	2.77	5.1	10	0.35	6.0	1.20	819	0.61	0.050	9.6	351.0	13.42	0.06	0.24	3.6	0.3	25.0	0.04	1.5	0.074	0.16	0.6	56	<0.1	104.7
102	PM EVE-06	17	8	0.2	0.32	66.3	<1	50.5	0.64	0.04	0.08	2.3	9.5	25.93	3.19	2.7	15	0.03	10.5	0.09	214	1.29	0.028	3.4	485.0	7.52	0.06	1.14	0.5	1.8	4.5	0.28	1.8	0.006	0.08	0.3	16	<0.1	21.3
103	PM EVE-07	7	19	0.2	1.71	22.1	<1	173.5	0.26	0.22	0.26	8.6	14.0	30.21	3.06	5.4	25	0.16	11.5	0.91	582	0.86	0.057	15.6	416.0	20.03	0.10	0.60	3.3	0.7	16.0	0.12	3.5	0.062	0.14	0.5	46	<0.1	107.6
104	PM EVE-08	19	8	1.0	1.27	74.6	<1	147.5	0.32	0.37	4.96	22.8	24.5	456.90	6.16	3.1	135	0.08	13.5	0.39	1303	13.15	0.058	53.6	1153.0	73.19	0.16	3.14	5.6	2.1	31.5	0.36	16.1	0.013	0.10	2.9	26	0.1	418.5
105	PM EVE-09	2	23	0.1	3.26	3.7	<1	266.0	0.06	0.67	0.17	18.5	26.5	35.84	3.93	7.5	10	0.19	2.5	2.53	1077	0.43	0.097	17.1	372.0	8.98	0.06	0.20	9.3	0.2	29.5	<0.02	0.6	0.062	0.12	0.4	140	0.1	87.7
106	PM EVE-10	91	94	1.3	0.63	98.6	<1	103.5	0.74	0.38	1.06	9.2	9.0	69.91	3.15	2.3	30	0.16	8.5	0.37	455	4.37	0.048	23.2	777.0	87.08	0.36	2.60	2.3	1.6	48.0	0.48	6.6	0.010	0.10	2.0	13	0.2	98.8
107	PM EVE-11	27	24	0.5	0.53	58.7	<1	91.0	0.46	0.07	1.18	3.8	9.0	26.10	2.32	2.1	65	0.09	8.0	0.22	411	1.53	0.048	8.4	374.0	16.65	0.16	1.32	0.8	1.2	9.0	0.28	1.2	0.011	0.10	0.5	14	<0.1	70.7
108	PM EVE-12	5	6	0.2	1.04	19.3	<1	125.0	0.30	0.20	0.19	12.0	9.5	31.71	3.34	3.4	30	0.06	13.0	0.47	1790	1.23	0.056	18.9	519.0	14.22	0.12	0.48	1.7	0.6	10.0	0.06	3.4	0.020	0.08	0.9	18	<0.1	74.6
109	PM EVE-13	2	6	0.2	1.57	11.8	<1	140.0	0.42	0.23	0.19	10.5	15.0	41.49	3.40	4.9	20	0.08	9.5	0.74	808	1.41	0.049	13.0	437.0	26.96	0.08	0.44	2.3	0.7	12.5	0.14	1.7	0.040	0.12	1.2	34	0.2	102.9
110	PM EVE-14	3	5	0.2	1.50	11.3	<1	81.0	0.92	0.11	0.14	10.1	15.0	49.52	3.00	4.5	20	0.07	12.0	0.64	627	3.83	0.049	16.6	507.0	19.66	0.08	0.38	1.8	1.0	10.0	0.34	1.1	0.033	0.10	1.5	30	<0.1	84.8
111	PM EVE-15	3	5	0.2	1.26	10.6	<1	80.5	0.46	0.10	0.11	8.8	15.0	46.43	2.90	4.0	15	0.09	13.0	0.58	354	2.42	0.051	15.1	600.0	21.12	0.10	0.32	2.5	1.3	9.0	0.20	3.9	0.038	0.08	1.5	26	0.1	69.3
112	PM EVE-16	1	3	0.1	1.31	7.0	<1	111.0	0.26	0.20	0.13	6.2	11.0	20.39	2.06	4.1	15	0.09	9.0	0.54	475	1.34	0.049	9.3	474.0	10.56	0.06	0.20	1.9	0.5	11.5	0.06	1.1	0.039	0.10	1.0	30	0.1	60.8
113	PM EVE-17	<1	2	0.1	1.17	6.5	<1	82.0	0.16	0.11	0.12	3.9	11.0	17.28	1.69	4.4	10	0.09	8.5	0.38	330	0.87	0.036	7.7	369.0	7.24	0.06	0.22	1.3	0.4	6.5	0.02	0.6	0.042	0.10	0.9	28	0.1	42.7
114	PM EVE-18	4	2	0.2	1.73	10.3	<1	191.5	0.20	0.19	0.14	6.0	17.0	22.69	2.16	5.5	20	0.19	13.0	0.58	550	0.91	0.056	13.7	636.0	9.27	0.06	0.34	2.4	0.7	11.5	0.04	1.2	0.057	0.18	1.2	36	0.1	80
115	PM EVE-19	2	3	0.1	1.38	10.0	<1	118.0	0.23	0.15	0.12	5.2	16.5	17.63	1.98	4.8	20	0.10	14.8	0.42	297	0.57	0.046	13.7	435.0	5.87	0.05	0.44	1.7	0.5	8.0	0.02	1.4	0.048	0.12	1.0	32	0.1	43.8
116	PM EVE-20	4	5	0.3	1.54	9.9	<1	108.5	0.20	0.18																													

Et #.	Tag #	Au ppb	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sr ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
136	PM EVE-41	2	1	0.1	0.71	4.5	<1	77.5	0.14	0.26	0.10	3.4	9.0	9.19	1.20	2.8	10	0.15	11.5	0.35	312	0.24	0.041	8.4	539.0	5.37	0.02	0.10	2.0	0.3	9.0	<0.02	3.9	0.041	0.12	0.7	22	0.6	39.7
137	PM EVE-42	<1	<1	0.1	0.41	3.7	<1	53.5	0.10	0.26	0.08	3.7	5.0	4.07	0.97	2.3	<5	0.11	14.5	0.21	270	0.11	0.041	5.3	549.0	2.37	0.02	0.06	1.3	0.4	6.5	<0.02	5.8	0.035	0.10	0.5	16	0.1	19.1
138	PM EVE-43A	2	5	0.2	1.81	5.9	<1	203.0	0.22	0.25	0.13	7.9	19.5	20.81	2.48	5.2	10	0.25	6.5	1.03	717	0.81	0.046	11.9	428.0	16.15	0.06	0.20	3.1	0.3	18.0	0.04	1.2	0.064	0.16	0.7	48	0.1	107.7
139	PM EVE-43B	1	1	0.1	1.42	6.5	<1	164.5	0.16	0.32	0.22	6.9	12.0	38.72	1.80	4.9	40	0.29	18.0	0.49	689	0.22	0.057	19.7	571.0	4.13	0.04	0.18	3.6	0.5	11.0	<0.02	7.8	0.078	0.26	1.7	28	0.2	67.4
140	PM EVE-44	4	3	0.1	1.83	12.0	<1	106.0	0.18	0.22	0.24	12.6	17.5	42.23	2.30	5.0	10	0.16	15.5	0.79	888	0.73	0.051	25.1	439.0	7.58	0.06	0.20	2.1	0.5	14.5	<0.02	1.7	0.049	0.14	1.3	34	0.1	101.6
141	PM EVE-45	4	6	0.1	1.69	9.9	<1	107.5	0.40	0.22	0.16	10.1	18.0	25.47	2.58	4.6	15	0.19	9.5	1.00	687	0.77	0.017	17.0	456.0	11.00	0.06	0.26	3.0	0.8	12.0	0.02	3.0	0.051	0.24	1.0	34	0.1	135.6
142	PM EVE-46	5	5	0.1	1.38	10.1	<1	122.5	0.50	0.30	0.21	9.3	17.0	28.37	2.51	4.6	10	0.27	13.5	0.93	586	0.84	0.013	14.9	636.0	9.95	0.04	0.34	3.4	0.8	16.0	0.04	5.2	0.058	0.28	0.8	36	0.1	71.8
143	PM EVE-47	4	4	0.1	2.18	6.3	<1	236.5	0.38	0.47	0.21	12.0	28.0	21.26	3.16	6.8	15	0.14	8.5	1.29	1119	1.70	0.013	14.4	821.0	14.00	0.14	0.34	2.6	1.0	20.0	0.02	1.2	0.050	0.26	2.1	48	<0.1	103.2
144	PM EVE-48	6	11	0.2	2.49	8.3	<1	149.0	0.38	0.33	0.09	9.8	26.5	24.68	3.28	6.7	30	0.24	8.0	1.54	616	1.23	0.013	15.1	578.0	13.93	0.08	0.24	4.8	1.1	14.5	0.02	2.5	0.072	0.26	1.8	48	<0.1	131.9
145	PM EVE-49	5	5	0.1	1.78	7.5	<1	127.5	0.34	0.19	0.12	8.5	22.5	19.48	2.58	5.4	10	0.14	11.5	0.80	585	1.04	0.009	15.9	229.0	15.09	0.04	0.24	2.7	0.6	12.0	0.02	4.0	0.055	0.26	0.7	38	<0.1	74.6
146	PM EVE-50	6	4	0.1	1.14	8.9	<1	121.5	0.32	0.23	0.16	6.8	13.0	17.26	1.99	4.0	10	0.14	13.5	0.55	473	0.49	0.012	11.2	571.0	8.11	0.02	0.24	2.5	0.7	13.0	0.04	4.0	0.050	0.22	0.7	30	<0.1	55.5
147	PM EVE-51	5	4	0.2	1.68	10.1	<1	207.5	0.36	0.27	0.12	9.0	27.5	28.00	2.67	5.9	20	0.32	20.0	0.79	598	1.07	0.017	18.2	557.0	10.40	0.04	0.36	4.2	0.9	17.5	0.04	8.8	0.070	0.30	1.2	42	<0.1	86
148	PM EVE-52	4	5	0.1	1.31	7.8	<1	150.0	0.28	0.31	0.25	8.3	19.5	21.83	1.76	4.6	20	0.17	15.0	0.75	294	1.58	0.018	15.4	581.0	8.63	0.30	0.30	3.4	2.0	17.5	0.04	6.1	0.060	0.22	1.6	38	<0.1	68.8
149	PM EVE-53	7	7	0.4	2.30	9.8	<1	438.0	0.40	0.75	0.09	7.4	31.0	34.46	3.01	6.1	75	0.16	12.5	0.87	507	1.51	0.020	19.6	1164.0	15.72	0.20	0.42	2.1	2.1	60.0	0.04	1.4	0.027	0.24	3.4	34	<0.1	104.3
150	PM EVE-54	4	4	0.2	1.34	9.0	<1	168.5	0.30	0.31	0.27	9.1	15.0	32.32	1.98	4.2	20	0.23	9.5	0.82	333	1.71	0.023	16.2	602.0	11.90	0.14	0.40	3.2	0.8	19.5	0.05	4.1	0.051	0.18	1.5	34	<0.1	82.8
151	PM EVE-55	4	3	0.4	2.43	25.9	<1	246.5	0.32	0.19	0.08	6.5	27.5	22.44	2.47	6.7	60	0.09	14.5	0.79	310	2.07	0.019	14.1	914.0	13.96	0.14	0.52	1.5	2.1	16.5	0.02	0.7	0.027	0.24	4.7	42	<0.1	87.7
152	PM EVE-56	4	6	0.1	1.38	7.1	<1	147.5	0.30	0.28	0.22	8.9	16.5	26.75	1.86	4.3	15	0.14	9.5	0.79	287	2.11	0.015	12.5	467.0	12.78	0.06	0.36	3.0	1.0	18.5	0.04	3.5	0.056	0.16	2.0	38	<0.1	73.2
153	PM EVE-57	5	5	0.1	1.45	44.1	<1	123.0	0.42	0.17	0.22	12.7	16.5	51.02	3.03	4.8	15	0.21	15.5	0.91	642	1.46	0.008	21.8	667.0	19.74	0.04	2.54	3.2	0.9	13.5	0.06	6.9	0.053	0.20	1.3	36	<0.1	96.1
154	PM EVE-58	4	3	0.2	1.18	9.9	<1	300.0	0.32	0.29	0.09	9.9	33.0	31.48	3.60	9.3	40	0.47	18.0	1.06	821	1.90	0.020	24.8	520.0	9.35	0.08	0.40	6.1	1.0	21.0	0.04	4.1	0.098	0.44	3.7	60	<0.1	101.4
155	PM EVE-59	351	3	2.0	0.72	5.7	<1	76.5	0.24	0.27	0.12	6.3	274.5	14.18	1.49	3.5	10	0.12	17.5	0.36	370	6.38	0.017	133.9	634.0	5.77	<0.02	0.18	1.9	0.8	11.5	<0.02	7.0	0.046	0.16	0.6	24	<0.1	30.4
156	PM EVE-60	8	3	0.1	1.51	4.6	<1	69.5	0.24	0.09	0.06	4.1	17.0	5.97	1.79	6.3	15	0.08	8.5	0.64	286	0.88	0.007	7.4	300.0	7.29	0.04	0.20	2.2	0.5	6.0	<0.02	1.3	0.051	0.18	2.9	38	<0.1	42.9
157	PM EVE-61	4	3	0.1	1.61	6.7	<1	139.0	0.24	0.21	0.18	9.5	14.5	15.91	2.10	5.7	10	0.26	21.5	0.56	476	0.29	0.018	15.7	552.0	4.72	0.02	0.18	3.4	0.8	10.0	<0.02	8.6	0.073	0.28	0.8	36	<0.1	47.5
158	PM EVE-62	5	4	0.1	1.62	8.5	<1	66.5	0.20	0.13	0.18	8.5	20.5	8.56	2.41	5.4	15	0.19	17.0	0.69	347	0.54	0.006	11.7	610.0	6.45	0.08	0.20	2.6	0.8	6.0	0.04	3.2	0.049	0.14	0.5	42	<0.1	45.8
159	PM EVE-63	2	2	0.0	0.76	5.4	<1	74.5	0.20	0.22	0.09	4.7	10.5	7.57	1.32	3.3	10	0.11	14.0	0.31	326	0.24	0.018	9.4	598.0	3.86	<0.02	0.14	1.8	0.6	10.0	<0.02	5.2	0.046	0.14	0.6	26	<0.1	26
160	PM EVE-64	2	2	0.1	0.94	19.0	<1	99.0	0.18	0.21	0.07	4.6	11.5	9.27	1.75	4.1	10	0.14	17.5	0.40	435	1.25	0.019	8.1	551.0	5.20	0.04	0.22	2.0	0.9	11.0	<0.02	4.4	0.041	0.16	2.2	28	<0.1	40.6
161	PM EVE-65	3	4	0.1	1.22	6.8	<1	154.0	0.20	0.29	0.08	5.1	13.5	12.12	1.89	4.6	15	0.26	12.0	0.57	333	0.48	0.023	10.2	550.0	5.42	0.04	0.18	3.2	0.9	16.5	0.02	4.5	0.065	0.24	0.9	34	<0.1	55.6
162	PM EVE-66	66	1	1.2	0.64	5.9	<1	79.5	0.14	0.26	0.09	4.4	48.0	8.56	1.47	3.3	10	0.18	16.5	0.34	301	1.28	0.023	24.5	544.0	3.65	<0.02	0.14	1.9	0.6	11.5	<0.02	7.3	0.044	0.16	0.6	24	0.1	29.3
163	PM EVE-67	23	2	0.4	0.90	6.4	<1	77.0	0.16	0.17	0.09	4.0	21.0	7.29	1.67	4.6	10	0.12	13.5	0.38	273	0.64	0.015	12.1	433.0	4.56	0.04	0.18	1.6	0.5	9.5	<0.02	2.3	0.043	0.14	0.5	28	<0.1	34.7
164	PM EVE-68	4	2	0.2	2.28	12.9	<1	286.0	0.16	0.35	0.14	13.4	34.0	42.40	3.45	7.3	15	0.59	11.0	1.53	819	1.19	0.021	29.5	621.0	6.54	0.06	0.34	4.1	0.8	26.5	0.02	2.7	0.090	0.32	1.7	70	<0.1	95.3
165	PM EVE-69	2	1	<0.1	0.74	5.9	<1	76.5	0.18	0.21	0.13	3.3	9.0	6.07	1.42	4.6	10	0.11	31.5	0.29	223	0.26	0.012	8.6	594.0	3.57	0.04	0.10	1.4	1.0	8.0	<0.02							

		ICP CERTIFICATE OF ANALYSIS AW 2007- 1245-2R																		Sidrock																			
Et#.	Tag#	Au ppb	Au ppb	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sr ppm	Te ppm	Ti ppm	Th %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
186	PM EVE-90	1	1	0.1	0.93	9.7	<1	67.0	0.16	0.12	0.11	3.6	11.0	6.76	1.51	4.4	30	0.08	14.0	0.34	267	1.72	0.009	7.3	532.0	5.57	0.06	0.16	1.0	0.6	7.5	<0.02	1.6	0.032	0.14	1.6	28	<0.1	33.9
187	PM EVE-91	4	1	0.1	1.08	34.1	<1	96.5	0.30	0.17	0.20	7.2	15.5	19.77	2.13	5.1	10	0.13	23.0	0.52	495	1.50	0.011	14.1	284.0	17.84	0.04	0.28	2.3	0.8	11.0	<0.02	4.9	0.053	0.14	1.4	32	<0.1	67.8
188	PM EVE-92	1	2	<0.1	0.91	15.6	<1	111.5	0.32	0.26	0.10	6.1	11.5	7.53	2.22	5.4	5	0.12	7.0	0.48	538	2.63	0.010	5.8	248.0	10.50	0.06	0.20	1.5	0.3	15.5	<0.02	1.1	0.055	0.10	0.7	42	<0.1	41.6
189	PM EVE-93	4	33	0.6	1.74	47.6	<1	161.0	0.30	0.30	0.55	8.5	16.5	37.29	2.51	5.0	35	0.16	16.5	0.62	602	2.21	0.016	15.2	753.0	24.79	0.10	0.38	1.7	1.5	17.5	<0.02	1.0	0.033	0.18	4.3	38	<0.1	102.5
190	PM EVE-94	2	4	0.1	1.65	37.9	<1	120.5	0.42	0.35	0.46	10.8	14.5	28.42	2.93	4.6	10	0.29	7.5	1.16	645	0.76	0.015	12.6	600.0	27.07	0.04	0.34	2.7	0.4	17.5	0.02	3.3	0.072	0.16	0.6	46	<0.1	113.1
191	PM EVE-95	2	2	0.1	1.10	57.2	<1	93.5	0.48	0.25	0.44	8.1	12.0	30.29	2.25	3.6	10	0.20	11.5	0.70	522	0.76	0.015	11.3	616.0	27.41	0.04	0.44	2.1	0.6	13.0	<0.02	4.0	0.054	0.18	0.8	32	<0.1	81.9
192	PM EVE-96	2	1	0.1	1.33	13.8	<1	126.0	0.20	0.27	0.13	7.4	13.5	15.53	2.22	4.9	10	0.22	15.0	0.71	513	1.29	0.016	11.5	429.0	11.64	0.04	0.18	2.8	0.6	15.0	<0.02	3.7	0.069	0.18	1.2	36	<0.1	63.7
193	PM EVE-97	1	1	0.1	1.18	9.6	<1	89.5	0.18	0.22	0.12	6.6	12.0	22.16	1.95	3.6	5	0.19	9.0	0.67	405	1.00	0.011	10.8	476.0	9.85	0.04	0.18	2.2	0.5	11.5	<0.02	3.3	0.054	0.16	1.0	30	<0.1	50.5
194	PM EVE-98	1	2	0.1	1.33	8.3	<1	91.5	0.26	0.20	0.12	6.1	14.0	12.87	2.03	5.4	10	0.22	15.0	0.58	463	0.40	0.014	14.4	405.0	14.55	0.04	0.22	2.9	0.6	10.5	0.02	4.8	0.067	0.16	0.9	34	<0.1	51.3
195	PM EVE-99	2	2	0.1	3.14	8.9	<1	206.0	0.18	0.65	0.08	13.5	36.5	16.72	4.88	8.0	10	0.60	8.0	2.19	944	1.11	0.018	7.9	679.0	8.38	0.08	0.38	4.7	0.5	32.0	0.02	2.5	0.147	0.30	2.1	66	<0.1	85
196	PM EVE-100	3	2	0.2	2.24	23.6	<1	207.5	0.36	0.47	0.23	14.4	15.0	29.22	3.75	6.8	25	0.32	13.0	1.33	1170	1.59	0.023	10.1	690.0	16.55	0.08	0.36	3.1	0.8	24.0	0.04	2.0	0.076	0.32	2.3	52	<0.1	72.9
197	PM EVE-101	2	2	0.1	1.21	19.3	<1	57.5	0.38	0.23	0.20	6.4	13.0	18.42	2.45	4.7	15	0.15	12.5	0.68	330	0.81	0.016	9.4	570.0	16.33	0.06	0.38	1.5	0.5	13.5	0.06	2.4	0.051	0.10	0.6	38	<0.1	51.6
198	PM EVE-102	2	2	0.1	1.42	22.7	<1	69.5	0.30	0.16	0.98	10.1	19.5	81.05	2.90	5.4	20	0.15	18.5	0.71	585	3.86	0.015	30.2	667.0	14.99	0.08	0.68	1.8	1.3	7.5	0.04	2.8	0.051	0.14	2.6	54	<0.1	256.6
199	PM EVE-103	1	1	0.1	1.03	18.9	<1	49.0	0.34	0.07	0.14	5.5	12.0	12.03	2.26	4.3	25	0.11	7.0	0.53	389	0.73	0.011	7.1	280.0	15.44	0.06	0.44	1.3	0.4	5.5	0.02	1.1	0.057	0.10	0.5	38	<0.1	41.4
200	PM EVE-104	1	1	0.1	1.50	15.0	<1	82.0	0.24	0.07	0.15	7.7	44.5	17.37	3.25	6.5	25	0.13	10.5	0.69	616	0.79	0.008	20.1	562.0	12.32	0.06	0.36	2.0	0.6	5.0	0.04	1.2	0.067	0.12	0.6	72	<0.1	44.8
201	PM EVE-105	1	1	0.1	0.83	7.0	<1	65.0	0.14	0.17	0.10	4.6	11.5	24.69	1.39	3.1	15	0.12	9.5	0.36	257	0.42	0.015	15.2	352.0	4.02	0.04	0.16	1.6	0.5	7.5	<0.02	1.4	0.035	0.10	0.9	26	<0.1	30.7
202	PM EVE-106	1	1	<0.1	1.20	6.0	<1	63.5	0.32	0.12	0.10	4.8	15.5	8.48	1.97	4.6	15	0.12	9.0	0.39	258	0.44	0.008	9.3	428.0	5.36	0.04	0.20	1.8	0.4	7.5	<0.02	1.7	0.052	0.10	0.6	40	<0.1	32.7
203	PM EVE-107	1	<1	<0.1	0.64	5.5	<1	45.5	0.31	0.09	0.14	3.5	10.0	7.91	1.41	4.3	20	0.09	5.5	0.25	196	0.38	0.011	5.0	269.0	4.29	0.04	0.26	0.8	0.3	7.0	<0.02	0.7	0.036	0.06	0.4	30	<0.1	26.8
204	PM EVE-108	1	1	<0.1	0.78	5.6	<1	69.5	0.12	0.12	0.09	4.0	11.0	9.21	1.22	2.9	10	0.11	5.0	0.34	268	0.28	0.013	7.4	401.0	3.92	0.04	0.14	1.2	0.4	12.0	<0.02	0.8	0.033	0.10	0.4	26	<0.1	31.2
205	PM EVE-109	1	1	0.1	0.70	6.1	<1	80.0	0.28	0.19	0.12	4.6	10.5	10.02	1.60	3.2	10	0.15	12.0	0.39	301	0.22	0.010	9.9	478.0	4.13	0.02	0.18	1.9	0.5	9.0	<0.02	4.3	0.041	0.12	0.7	28	0.1	32.4
206	PM EVE-110	1	1	0.1	0.84	7.2	<1	97.0	0.46	0.24	0.07	3.7	13.0	13.45	1.65	3.6	15	0.12	15.0	0.34	190	0.98	0.014	8.7	495.0	4.56	0.04	0.26	2.2	0.8	11.0	<0.02	5.2	0.046	0.12	1.7	28	<0.1	33.1
207	PM EVE-111	2	29	0.1	1.16	7.4	<1	125.0	0.54	0.26	0.13	6.4	18.5	24.09	1.81	4.4	25	0.16	14.0	0.54	257	0.55	0.011	13.4	634.0	6.77	0.04	0.32	3.0	0.7	13.5	<0.02	4.5	0.059	0.16	1.1	36	0.3	44.6
208	PM EVE-112	2	3	0.1	1.51	6.5	<1	81.0	0.32	0.13	0.16	6.1	16.0	10.28	2.08	5.4	20	0.14	11.0	0.47	543	0.52	0.015	9.9	529.0	6.29	0.06	0.22	1.5	0.5	8.0	<0.02	1.1	0.044	0.14	0.8	42	<0.1	44.5
209	PM EVE-113	2	1	0.1	1.51	6.6	<1	98.0	0.32	0.15	0.18	7.6	15.5	12.30	2.10	5.5	15	0.17	14.0	0.52	869	0.50	0.012	10.6	563.0	5.61	0.04	0.22	2.2	0.6	8.0	<0.02	2.3	0.054	0.16	0.8	42	<0.1	49.5
210	PM EVE-114	2	1	0.1	1.65	6.7	<1	97.0	0.30	0.14	0.17	6.9	17.0	11.98	2.19	5.2	15	0.17	9.5	0.53	512	0.58	0.016	9.6	669.0	6.36	0.06	0.22	1.2	0.5	9.0	0.04	0.7	0.036	0.14	0.8	44	<0.1	47.5
211	PM EVE-115	2	6	0.1	1.24	9.1	<1	163.0	0.24	0.24	0.17	8.4	15.0	58.35	2.01	4.0	15	0.18	12.0	0.76	342	0.79	0.022	15.7	589.0	9.56	0.03	0.44	3.0	0.9	12.5	0.02	4.4	0.050	0.12	0.9	34	<0.1	58.5
212	PM EVE-116	4	3	0.1	1.28	9.4	<1	72.5	0.34	0.15	0.18	6.3	15.5	26.65	2.00	3.9	15	0.09	10.0	0.57	312	0.61	0.008	11.8	553.0	8.35	0.04	0.36	1.3	0.5	8.5	<0.02	1.1	0.034	0.08	0.6	32	<0.1	40.5
213	PM EVE-117	3	4	0.1	1.82	7.9	<1	77.5	0.32	0.18	0.11	6.0	22.5	17.95	2.25	5.5	25	0.12	14.0	0.59	314	0.58	0.011	15.6	538.0	7.61	0.04	0.30	2.7	0.8	10.0	<0.02	2.7	0.060	0.14	1.1	42	<0.1	52.1
214	PM EVE-118	2	3	0.1	0.87	6.3	<1	120.0	0.20	0.26	0.12	5.0	14.5	30.83	1.01	3.4	15	0.14	11.0	0.46	199	2.61	0.015	10.3	606.0	4.38	0.14	0.22	2.2	1.8	13.5	<0.02	4.0	0.047	0.12	0.6	26	<0.1	31.4
215	PM EVE-119	4	3	0.1	1.65	14.9	<1	189.0	0.46	0.35	0.06	6.0	25.5	25.52	2.07	8.1	75	0.17	48.0	0.69	315	1.20	0.015	13.7	678.0	9.03	0.04	0.18	5.2	2.1	16.5	<0.02	7.4	0.074	0.22	9.2	40	0.4	49.3
216	AC -01	2	2	0.1	1.89	11.4	<1	127.0	0.																														

Et #.	Tag #	ICP CERTIFICATE OF ANALYSIS AW 2007- 1245-2R																							Sidrock														
		Au ppb	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sr ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	
236	NAIF-01	2	1	0.1	1.53	7.9	<1	77.5	0.16	0.32	0.14	8.1	28.0	20.50	2.33	5.4	10	0.16	10.0	0.59	355	0.65	0.042	17.8	278.0	8.10	0.04	0.32	3.3	0.5	26.0	0.04	4.1	0.073	0.10	1.0	54	<0.1	50.1
237	NAIF-02	2	1	0.1	1.81	6.9	<1	223.0	0.14	0.49	0.10	10.5	19.5	16.20	3.49	8.2	10	0.26	25.0	0.78	841	1.36	0.038	13.6	503.0	9.71	0.04	0.26	3.4	0.9	34.0	0.04	12.5	0.137	0.24	2.8	62	<0.1	58.9
238	NAIF-03	3	2	0.1	2.69	11.4	<1	162.5	0.16	0.58	0.05	14.0	48.5	39.67	3.62	9.0	10	0.16	11.0	1.37	398	0.63	0.071	31.0	144.0	17.87	0.06	0.48	5.9	0.6	52.5	0.04	3.9	0.161	0.13	2.4	90	<0.1	58.1
239	NAIF-04	1	<1	0.1	1.42	6.4	<1	111.5	0.10	0.38	0.08	6.3	15.0	9.60	2.66	5.5	10	0.27	17.5	0.54	577	1.15	0.028	7.7	392.0	12.52	0.06	0.26	2.5	0.6	29.0	<0.02	7.3	0.032	0.08	0.7	38	<0.1	44.1
240	NAIF-05	2	2	0.2	2.02	12.0	<1	184.0	0.16	0.66	0.45	11.9	38.5	53.11	3.13	6.6	20	0.25	10.5	0.99	461	0.54	0.044	23.7	382.0	9.93	0.08	0.62	4.0	0.6	75.0	0.04	2.5	0.108	0.18	1.1	76	<0.1	60.7
241	NAIF-06	3	1	0.2	2.17	6.8	<1	274.0	0.28	0.32	0.23	19.3	26.5	36.07	3.00	8.1	10	0.08	8.0	0.55	502	0.76	0.054	23.1	341.0	15.04	0.06	0.30	2.3	0.4	63.5	0.04	1.8	0.076	0.12	0.5	62	<0.1	213.9
242	NAIF-07	5	1	0.2	1.70	13.2	<1	139.5	0.20	0.40	0.26	13.7	24.0	22.48	2.53	6.1	15	0.11	7.5	0.60	459	0.76	0.035	17.3	546.0	9.54	0.06	0.66	1.9	0.4	78.0	0.04	1.1	0.047	0.06	0.5	54	<0.1	57.8
243	NAIF-08	2	2	0.2	1.86	14.0	<1	149.0	0.20	1.70	0.48	12.3	31.5	29.01	2.70	5.8	50	0.16	10.0	1.32	826	0.88	0.067	25.9	645.0	11.86	0.08	1.12	1.8	0.6	102.0	0.04	0.9	0.034	0.12	0.7	54	<0.1	65.1
244	NAIF-09	2	2	0.1	2.40	16.0	<1	121.5	0.14	0.40	0.13	10.1	36.5	29.53	2.81	6.6	20	0.08	10.0	0.91	386	0.87	0.033	29.8	735.0	11.08	0.04	1.14	4.0	0.6	38.0	0.02	3.4	0.054	0.12	0.8	66	<0.1	56.8
245	NAIF-10	2	1	0.3	1.60	24.8	<1	89.5	0.22	1.08	3.04	15.1	27.5	52.85	2.92	5.3	25	0.09	15.5	0.55	2427	2.53	0.055	31.7	763.0	63.95	0.10	2.38	2.2	0.9	65.5	0.02	1.0	0.024	0.08	2.7	44	<0.1	558.7
246	NAIF-11	<1	3	<0.1	<0.01	0.1	<1	5.0	<0.02	<0.01	1.00	<0.1	<0.5	<0.01	<0.01	<0.1	<5	<0.01	<0.5	<0.01	<1	<0.01	0.015	<0.1	<1	1.12	<0.02	<0.02	5.0	<0.1	<0.5	100.00	<0.1	0.005	<0.02	<0.1	2	10.0	<0.1
247	NAIF-12	2	2	0.2	1.82	12.2	<1	124.5	0.16	0.48	0.77	13.1	24.0	28.14	2.41	6.1	45	0.10	11.5	0.54	745	1.40	0.043	22.2	1089.0	14.14	0.12	0.70	2.2	0.7	49.0	0.04	1.3	0.034	0.10	0.8	52	<0.1	74.4
248	NAIF-13	<1	5	<0.1	<0.01	<0.1	<1	<0.5	<0.02	<0.01	<0.01	<0.1	<0.5	<0.01	<0.01	5.0	<5	>10	<0.5	<0.01	<1	<0.01	<0.001	<0.1	<1	<0.01	<0.02	<0.02	<0.1	<0.1	<0.5	<0.02	<0.1	0.005	<0.02	<0.1	<2	10.0	<0.1
249	NAIF-14	5	5	0.4	3.46	16.2	<1	85.0	0.26	0.54	0.87	40.5	24.0	226.20	10.31	8.5	45	0.09	8.0	0.41	638	17.42	0.049	33.8	1498.0	35.76	0.34	1.90	3.5	0.9	79.0	0.06	1.1	0.039	0.08	1.1	60	<0.1	115.3
250	NAIF-15	2	1	0.1	2.14	9.9	<1	134.5	0.14	0.30	0.45	10.8	29.0	18.12	2.73	6.1	25	0.07	9.5	0.56	375	0.90	0.038	22.9	429.0	11.83	0.06	0.86	2.6	0.5	25.5	0.04	2.4	0.051	0.10	0.6	60	<0.1	54.6
251	NAIF-16	41	5	0.2	1.83	27.0	<1	62.0	0.14	0.90	0.79	12.1	28.0	28.31	2.86	6.4	20	0.07	13.5	1.08	912	0.43	0.048	19.5	774.0	86.24	0.06	0.76	3.7	0.8	72.0	0.06	1.4	0.018	0.06	0.5	54	<0.1	115
252	NAIF-17	3	2	0.1	1.48	10.4	<1	124.0	0.14	0.85	0.29	8.6	25.5	24.74	2.37	5.3	20	0.06	11.0	0.65	458	0.59	0.061	19.9	764.0	11.50	0.08	0.60	2.2	0.7	88.0	0.04	1.2	0.029	0.06	0.8	46	<0.1	50
253	NAIF-18	2	1	0.1	1.73	9.4	<1	77.0	0.16	0.23	0.18	8.7	24.0	19.66	2.36	6.1	25	0.06	12.0	0.59	450	0.72	0.031	17.5	592.0	16.23	0.08	0.54	1.2	0.6	22.5	<0.02	0.7	0.020	0.08	0.9	48	<0.1	55.9
254	NAIF-19	2	4	0.1	1.45	9.8	<1	71.5	0.18	0.33	0.18	8.3	25.0	15.83	2.42	5.4	10	0.07	10.5	0.58	408	0.69	0.029	16.9	330.0	11.94	0.04	0.66	2.4	0.5	37.0	0.04	1.8	0.050	0.08	0.8	50	<0.1	53.3
255	NAIF-20	3	2	0.2	1.45	13.3	<1	79.0	0.16	0.64	0.22	7.6	23.0	24.51	2.28	5.8	20	0.08	23.0	0.54	436	0.52	0.042	16.1	404.0	14.28	0.06	0.62	2.1	1.0	45.0	0.04	2.0	0.032	0.08	3.1	42	<0.1	50.1
256	NAIF-21	2	1	0.2	1.78	13.5	<1	71.0	0.18	0.62	0.23	10.5	26.5	24.31	2.56	6.6	15	0.10	25.0	0.59	705	1.09	0.046	18.7	388.0	14.90	0.06	0.60	2.3	0.9	39.0	0.04	1.4	0.045	0.10	1.0	56	<0.1	52.1
257	NAIF-22	13	2	0.2	1.82	15.9	<1	83.5	0.16	0.78	0.30	12.9	30.0	42.46	2.71	5.9	20	0.13	13.0	0.70	507	0.66	0.062	28.4	629.0	11.89	0.08	0.74	2.0	0.7	53.0	0.04	1.1	0.036	0.10	1.0	58	<0.1	49.2
258	NAIF-23	2	1	0.3	3.55	56.8	<1	130.0	0.46	1.56	3.85	58.7	34.5	81.41	4.94	11.2	25	0.40	5.0	0.64	1018	0.83	0.040	64.5	2237.0	43.51	0.12	3.06	2.9	0.5	107.0	0.10	0.6	0.018	0.06	0.5	56	<0.1	172.4
259	NAIF-24	14	16	0.2	1.14	252.1	<1	184.5	0.38	>10	0.28	8.2	19.5	25.98	1.85	3.3	15	0.12	6.5	6.66	384	0.84	0.053	17.4	556.0	9.60	0.08	0.76	1.9	0.5	920.5	0.46	0.7	0.032	0.12	1.4	34	0.1	33.9
260	NAIF-25	10	8	0.3	1.64	40.4	<1	534.5	1.94	>10	3.52	14.7	19.5	56.93	2.63	4.6	10	0.24	8.0	4.22	509	0.87	0.054	33.8	803.0	11.99	0.20	1.16	2.3	0.7	2171.0	0.58	0.7	0.040	0.14	1.2	40	<0.1	507.5
261	NAIF-26	37	38	>30	1.15	31.4	<1	93.5	2.08	0.92	5.32	9.5	14.0	6212.00	17.09	3.8	40	0.10	7.0	2.98	1450	1.88	0.056	10.4	290.0	8.17	0.18	2.24	2.8	5.1	75.0	0.20	2.0	0.034	0.06	3.6	26	1.4	426.4
262	NAMS-02	2	1	0.1	0.93	3.4	<1	133.0	0.20	0.27	0.21	4.8	13.5	12.72	2.13	4.2	10	0.20	7.0	0.36	422	1.54	0.026	6.9	195.0	6.44	0.04	0.18	1.6	0.3	19.5	<0.02	3.6	0.061	0.08	0.6	42	<0.1	27.6
263	NAMS-03	1	<1	0.1	0.84	2.1	<1	134.0	0.16	0.20	0.09	4.2	10.5	6.71	1.77	3.9	5	0.11	10.5	0.28	432	0.90	0.017	5.9	267.0	6.00	0.02	0.14	1.2	0.3	15.0	<0.02	5.7	0.049	0.08	0.9	32	<0.1	22.7
264	NAMS-08	1	1	0.1	0.92	5.5	<1	88.5	0.16	0.22	0.03	4.6	13.0	6.51	1.95	4.0	10	0.19	10.0	0.38	262	0.71	0.035	7.3	172.0	6.22	0.02	0.24	1.7	0.4	20.0	<0.02	4.9	0.061	0.10	0.5	38	<0.1	21.9

QC DATA:**Repeat:**

1	AC EVE-01	3	4	0.2	1.43	6.7	<1	84.5	0.28	0.16	0.14	4.9	12.5	17.74	2.27	4.6	25	0.09	14.5	0.51	342	0.99	0.040	8.9	393.0	19.82	0.05	0.24	2.4	0.7	8.5	0.10	3.1	0.058	0.13	0.9	36	0.3	69.7
10	AC EVE-11	16	19	0.4	1.10	64.6	<1	96.5	0.46	0.08	0.16	4.8	13.0	45.47	2.46	4.8	35	0.10	17.0	0.42	250	9.03	0.038	9.2	484.0	42.93	0.08	1.35	1.7	1.7	30.5	0.32	3.9	0.031	0.10	0.8	30	0.4	43
19	AC EVE-20	10	9	0.5	2.17	7.7	<1	208.0	0.46	0.31	0.39	11.7	16.5	52.58	3.70	5.7	44	0.60	5.0	1.65	1012	1.95	0.050	9.6	412.0	46.71	0.14	0.32	5.4	0.3	41.0	0.08	1.9	0.085	0.26	0.6	76	<0.1	395.1
28	AC EVE-29	6	3	0.2	1.73	7.0	<1	147.5	0.14	0.35	0.08	6.7	19.5	16.28	2.44	5.3	15	0.15	10.5	0.94	533	0.72	0.050	13.3	625.0	9.01	0.06	0.16	3.7	0.8	18.5	<0.02	1.9	0.061	0.16	1.0	44	0.1	102
36	AC EVE-37	1	2	0.1	0.81	10.2	<1	65.5	0.12	0.22	0.																												

Et #	Tag #	Au ppb	Au ppb	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sr ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
176	PM EVE-80	1	2	0.1	0.91	6.8	<1	89.0	0.16	0.19	0.09	3.5	12.5	5.98	1.45	3.9	15	0.06	18.0	0.37	236	0.96	0.010	7.0	389.0	4.50	0.04	0.10	1.7	0.7	8.5	<0.02	3.4	0.038	0.12	1.2	26	<0.1	37.3
185	PM EVE-89	1	1	<0.1	0.51	5.3	<1	47.0	0.10	0.15	0.05	2.8	7.0	6.98	1.11	2.8	5	0.08	18.0	0.23	206	0.15	0.009	7.3	420.0	2.67	0.02	0.11	1.2	0.6	6.6	<0.02	6.8	0.033	0.08	0.6	18	<0.1	18.48
194	PM EVE-98	2	1	<0.1	1.29	8.1	<1	89.5	0.24	0.19	0.12	5.9	13.5	12.36	1.98	5.2	10	0.20	15.5	0.56	458	0.35	0.012	13.7	380.0	13.80	0.04	0.21	2.8	0.6	10.0	0.02	4.7	0.065	0.15	0.8	32	<0.1	49.9
203	PM EVE-107	1	1	<0.1	0.63	5.4	<1	44.0	0.30	0.08	0.14	3.4	9.5	7.67	1.39	4.1	15	0.08	6.0	0.23	192	0.36	0.009	4.7	263.0	4.25	0.04	0.26	0.8	0.3	7.0	<0.02	0.6	0.034	0.06	0.4	28	<0.1	26
211	PM EVE-115	2	2	0.1	1.22	9.3	<1	160.0	0.24	0.22	0.18	8.6	16.0	57.70	1.97	3.9	15	0.18	11.5	0.76	340	0.78	0.024	16.0	570.0	9.50	0.04	0.42	2.9	0.8	12.0	0.02	4.3	0.049	0.12	0.9	34	<0.1	57.6
220	AC -05	47	3	0.1	1.52	4.0	<1	112.0	0.24	0.19	0.07	8.0	9.5	178.50	2.30	4.0	10	0.19	10.0	1.04	503	1.41	0.015	6.1	315.0	14.09	0.04	0.18	2.2	0.4	9.5	<0.02	3.2	0.042	0.10	0.7	30	<0.1	49.6
229	EVE SM 0605	1	13	<0.1	1.32	4.4	<1	69.6	0.16	0.13	0.18	5.7	12.5	10.53	1.78	4.8	10	0.13	14.5	0.54	319	0.89	0.025	9.0	395.0	7.61	0.06	0.16	1.5	0.7	9.5	<0.02	2.0	0.043	0.10	0.9	35	<0.1	37.1
238	NAIF- 03	3	2	0.1	2.64	11.9	<1	162.5	0.16	0.56	0.05	14.0	50.0	38.98	3.61	8.9	10	0.15	10.0	1.38	393	0.62	0.074	31.2	139.0	17.66	0.06	0.50	5.7	0.5	53.5	0.04	3.6	0.159	0.12	2.3	88	<0.1	58.5
247	NAIF- 12	2	1	0.2	1.78	11.9	<1	122.5	0.15	0.46	0.76	12.9	23.5	27.72	2.39	6.2	40	0.09	10.5	0.52	738	1.45	0.040	21.2	1021.0	13.81	0.11	0.68	2.1	0.6	47.0	0.04	1.2	0.033	0.10	0.8	50	<0.1	72.1
255	NAIF- 20	2	2	0.2	1.42	12.8	<1	78.3	0.18	0.62	0.22	7.6	21.9	23.94	2.27	5.6	19	0.07	21.9	0.52	429	0.54	0.040	16.3	398.4	14.35	0.07	0.62	1.8	1.0	43.2	0.03	2.3	0.029	0.07	3.3	39	<0.1	48.84
264	NAMS - 08	1	1	0.1	0.91	5.5	<1	87.0	0.16	0.22	0.03	4.7	12.5	6.85	1.94	4.1	10	0.19	11.0	0.37	258	0.69	0.030	7.5	165.0	6.17	0.04	0.26	1.8	0.4	18.5	<0.02	5.1	0.062	0.10	0.5	38	<0.1	21.9

Standard:

Till-3		1.6	1.10	80.7	<1	46.5	0.28	0.58	0.08	10.6	71.0	21.59	1.92	4.2	100	0.08	14.0	0.61	306	0.60	0.026	30.4	425.0	15.65	0.04	0.60	3.3	0.5	17.0	<0.02	2.6	0.049	0.06	1.0	34	0.1	40.8				
Till-3		1.6	1.12	87.6	<1	39.5	0.30	0.60	0.10	10.1	74.0	20.88	2.05	4.4	110	0.07	14.5	0.63	318	0.64	0.035	32.6	424.0	16.83	0.02	0.70	3.3	0.5	17.0	<0.02	2.7	0.047	0.06	1.2	34	0.1	43.9				
Till-3		1.6	1.00	83.2	<1	43.5	0.28	0.52	0.08	10.7	75.0	20.75	1.97	3.8	115	0.07	145.0	0.66	306	0.65	0.035	32.6	428.0	16.60	0.04	0.60	2.9	0.5	17.0	<0.02	2.3	0.044	0.06	1.0	30	<0.1	44.9				
Till-3		1.6	1.11	82.3	<1	41.5	0.30	0.59	0.09	11.5	71.0	19.50	1.96	4.2	105	0.07	14.0	0.61	313	0.62	0.024	30.1	428.0	15.62	0.04	0.66	3.2	0.5	17.0	<0.02	2.6	0.047	0.06	1.2	32	0.1	39.9				
Till-3		1.5	1.12	82.1	<1	41.5	0.34	0.52	0.09	11.2	75.0	21.92	2.05	4.9	115	0.09	15.0	0.66	314	0.64	0.031	33.0	448.0	15.60	0.04	0.74	3.4	0.5	18.0	<0.02	2.9	0.046	0.06	1.2	36	<0.1	42				
Till-3		1.5	1.07	82.4	<1	42.0	0.34	0.51	0.10	11.2	75.0	21.66	2.02	4.9	110	0.09	15.0	0.66	311	0.64	0.029	32.8	463.0	16.86	0.04	0.72	3.3	0.5	18.0	<0.02	2.6	0.047	0.06	1.2	36	<0.1	41.9				
Till-3		1.5	1.06	88.1	<1	41.5	0.32	0.51	0.09	11.1	74.0	21.28	2.10	5.0	115	0.10	15.5	0.65	300	0.64	0.037	32.3	429.0	17.30	0.04	0.72	3.3	0.5	18.0	<0.02	2.7	0.046	0.06	1.0	36	<0.1	41				
Till-3		1.5	1.10	85.5	<1	41.0	0.32	0.50	0.09	10.8	71.5	20.70	2.03	4.8	110	0.10	15.5	0.62	307	0.68	0.028	31.8	443.0	16.93	0.04	0.72	3.2	0.5	18.5	<0.02	2.8	0.047	0.06	1.1	32	<0.1	41				
SE29A			292																																						
SE29A			305																																						
SE29A			300																																						
SE29A			299																																						
SE29A			298																																						
SE29A			272																																						

JJ/ml
dl/msr-1245
XLS/07

ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer

Values in ppm unless otherwise reported

Et #.	Tag #	Fire Assay		As ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm	
		Au ppb	Ag ppm																																													
		ppm	%																																													
1	RHODO LAKE AREA	<5	0.9	0.03	56.1	71.5	1.26	2.47	0.81	5.17	11.5	9.5	0.06	3.50	0.56	16.1	40.3	0.04	100	<0.01	3.0	1.2	0.58	>10000	1.77	0.022	0.10	43.2	344.0	606.90	0.4	0.041	0.06	13.18	0.7	0.3	0.9	34.0	<0.05	0.18	0.6	0.022	0.04	0.3	<2	9.1	50.5	2.6
2	AREA 1 EVE 14	<5	0.1	1.46	6.2	61.0	0.54	1.18	0.10	21.32	12.0	52.0	0.14	13.62	3.85	5.3	11.0	<0.02	10	0.03	11.0	8.6	1.11	1371	1.93	0.032	0.28	3.4	761.0	4.92	3.9	0.001	1.38	0.20	4.0	0.7	0.4	30.5	<0.05	0.24	5.6	0.059	0.04	1.4	22	0.1	41.6	0.4
3	EVE R.S. 22 #1	45	2.3	0.03	2.0	5.0	0.14	<0.01	0.50	0.24	1.2	312.5	<0.02	2297.00	0.56	0.3	1.5	<0.02	25	<0.01	<0.5	0.2	0.01	370	1.18	0.017	0.06	6.1	6.0	1.98	0.1	<0.001	0.06	0.12	0.5	0.1	0.2	0.5	<0.05	0.08	0.3	0.001	<0.02	0.3	<2	<0.1	8.7	0.1
4	EVE R.S. #2	55	2.4	0.07	3.2	40.0	0.18	1.06	3.50	0.14	1.3	133.0	<0.02	2192.00	0.58	0.4	1.8	<0.02	40	<0.01	<0.5	0.4	0.06	778	0.90	0.017	0.04	3.5	9.0	3.78	0.2	<0.001	1.10	0.12	1.1	0.3	0.1	2.0	<0.05	0.10	0.2	0.001	<0.02	0.1	<2	<0.1	21.5	0.1
5	EVE 33 R.S #1	120	0.4	0.90	28.8	7.0	0.96	>10	0.45	10.59	7.7	50.5	0.06	455.60	14.01	5.8	36.2	0.04	20	<0.01	5.0	5.7	4.67	>10000	0.59	0.020	0.06	45.3	117.0	11.94	0.2	0.001	1.44	0.06	6.9	5.0	0.6	203.0	<0.05	0.28	6.9	0.007	<0.02	1.1	20	<0.1	73.3	1.1
6	EVE 33 R.S #2	5	0.1	0.48	4.7	37.5	0.46	0.43	0.09	21.73	7.8	83.0	0.10	12.49	3.05	2.0	8.1	<0.02	5	0.04	11.0	1.5	0.25	412	1.78	0.042	0.34	4.6	391.0	2.88	4.4	0.001	2.22	0.10	2.0	0.9	0.3	14.5	<0.05	0.26	6.8	0.031	0.04	1.2	4	<0.1	9.6	0.4
7	EVE 33 R.S #3	5	<0.1	0.39	2.9	48.0	0.40	0.32	0.03	9.48	5.7	75.5	0.12	6.08	2.43	1.5	6.4	<0.02	5	0.03	5.0	1.1	0.20	224	2.38	0.039	0.50	3.5	390.0	3.19	3.9	0.001	1.56	0.08	1.3	0.6	0.4	10.5	<0.05	0.22	5.8	0.039	0.04	0.5	2	<0.1	6.4	0.4
8	EVE 36 R.S#1A	<5	0.1	0.94	4.6	94.5	0.34	0.81	0.08	23.96	6.4	120.0	0.12	8.67	2.36	3.5	6.8	<0.02	5	0.04	13.0	4.0	0.59	532	1.40	0.056	0.38	4.8	441.0	3.13	4.7	0.001	0.66	0.10	2.9	0.4	0.4	25.5	<0.05	0.14	7.6	0.053	0.04	1.3	10	<0.1	23.0	0.4
9	EVE 36 #1B	5	0.1	0.46	3.6	39.5	0.50	0.59	0.03	29.19	6.2	145.5	0.16	6.78	2.34	2.2	6.7	<0.02	10	0.05	14.0	1.2	0.13	181	1.67	0.058	0.42	5.1	368.0	2.88	6.3	0.001	2.04	0.12	1.9	0.8	0.5	16.5	<0.05	0.22	9.9	0.037	0.06	1.4	2	0.1	6.0	0.5
10	EVE R.S. 42#1	170	12.4	0.05	3.5	37.0	0.86	0.02	2.62	0.23	6.0	173.0	<0.02	9219.00	1.48	0.4	4.0	<0.02	260	<0.01	<0.5	0.2	0.04	421	0.87	0.018	0.06	5.9	13.0	4.16	0.2	0.001	0.64	0.20	1.2	1.1	0.3	1.0	<0.05	0.44	0.7	0.002	<0.02	0.4	<2	0.2	32.1	0.2
11	EVE R.S. 42#2	10	0.4	0.06	33.4	10.0	0.16	0.01	0.02	2.32	1.8	178.5	0.06	67.85	2.47	0.6	6.4	<0.02	10	<0.01	1.0	0.3	0.02	175	0.62	0.021	0.06	12.2	30.0	2.41	0.5	<0.001	1.30	0.26	0.6	2.0	0.2	0.5	<0.05	0.18	1.6	0.002	<0.02	0.3	<2	<0.1	18.3	0.3
12	[REDACTED]	5	3.3	0.12	20.2	18.0	0.62	0.65	6.01	1.37	4.2	17.5	0.24	3567.00	34.61	5.4	81.6	0.10	10	<0.01	0.5	2.2	0.94	3132	0.93	0.026	0.18	3.5	55.0	2.46	0.5	0.002	0.06	2.08	1.4	1.2	17.3	51.0	<0.05	0.14	1.0	0.008	0.02	1.1	8	0.4	590.7	4.4
13	[REDACTED]	<5	0.1	1.37	92.4	100.0	2.74	>10	1.07	6.47	3.7	70.0	0.48	21.33	0.76	3.6	3.2	0.16	5	0.01	3.0	6.4	0.62	390	0.44	0.024	0.12	19.3	779.0	3.67	2.8	<0.001	0.02	4.96	4.2	0.3	0.5	4157.0	<0.05	0.84	0.7	0.066	0.02	0.5	20	<0.1	159.9	8.1
14	EVE 78 R.S. #2 OLD TREN	275	>30	0.30	1.4	43.5	35.14	0.29	19.98	6.97	9.5	81.5	0.18	>10000	3.93	1.3	10.3	0.04	2040	0.03	5.5	1.1	0.08	128	84.98	0.021	0.08	2.9	618.0	171.70	5.1	0.003	1.96	1.72	1.6	21.8	2.0	56.5	<0.05	0.50	15.3	0.008	0.04	10.1	10	0.2	66.4	1.1
15	[REDACTED]	5	0.3	3.79	18.0	182.5	0.12	2.65	0.87	10.42	21.1	91.0	2.62	272.30	3.87	10.6	11.1	0.08	20	0.22	4.5	67.6	1.39	388	1.70	0.208	0.10	55.7	1358.0	5.52	22.5	0.001	0.84	1.50	3.5	0.8	0.3	493.0	<0.05	0.16	1.8	0.277	0.14	0.5	102	<0.1	171.7	2.4
16	[REDACTED]	5	0.7	4.09	35.7	48.0	0.52	3.20	0.49	17.99	22.3	127.5	5.80	108.80	4.03	14.8	11.9	0.06	10	0.10	9.0	24.0	1.35	188	1.52	0.241	0.14	82.9	1387.0	8.47	26.4	0.001	2.08	0.90	7.7	0.6	0.3	506.0	<0.05	0.22	2.3	0.201	0.20	0.6	106	<0.1	83.8	2.2
17	[REDACTED]	<5	5.5	0.19	45.4	10.0	1.66	1.80	0.87	0.18	2.4	12.0	0.68	1632.00	21.19	3.4	55.7	0.08	10	<0.01	<0.5	12.2	7.56	2748	1.11	0.028	0.16	2.4	43.0	3.09	0.4	0.003	0.08	5.84	1.9	1.0	25.4	47.5	<0.05	0.12	0.9	0.012	<0.02	1.7	6	0.5	137.7	3.5
18	[REDACTED]	<5	0.1	0.40	45.3	21.0	0.26	2.49	1.21	0.38	2.0	13.5	1.00	325.90	21.10	3.0	57.2	0.12	10	<0.01	<0.5	18.0	6.71	2965	0.34	0.025	0.28	2.5	87.0	1.01	0.4	0.004	<0.02	6.48	2.4	0.2	19.2	52.0	<0.05	0.10	0.3	0.037	<0.02	2.1	10	0.8	129.6	4.7
19	[REDACTED]	5	0.1	1.02	80.7	100.5	2.44	>10	1.18	5.93	3.2	57.5	0.32	20.47	0.60	2.5	2.9	0.14	5	<0.01	3.0	5.1	0.47	268	0.40	0.023	0.12	15.0	634.0	3.06	2.1	0.001	0.02	4.38	3.6	0.3	0.5	5111.0	<0.05	0.94	0.4	0.056	<0.02	0.5	14	0.2	150.3	6.3
20	[REDACTED]	<5	0.1	0.94	5.6	55.5	0.06	1.07	0.24	18.18	4.6	48.5	0.30	15.01	1.78	5.0	5.3	0.16	<5	0.03	9.0	9.5	0.14	267	0.22	0.164	0.66	10.5	906.0	16.00	2.4	<0.001	0.06	0.72	4.6	0.2	0.8	99.5	<0.05	0.06	1.8	0.132	0.04	0.5	30	<0.1	34.3	3.7
21	[REDACTED]	<5	0.2	0.17	37.0	15.0	0.04	1.15	0.57	0.31	1.5	14.5	0.20	315.90	22.84	2.9	57.0	0.14	5	<0.01	<0.5	6.0	3.94	2443	0.32	0.031	0.22	2.5	74.0	0.52	0.3	0.003	<0.02	4.10	1.6	<0.1	18.6	30.0	<0.05	0.12	0.7	0.008	<0.02	0.6	4	0.6	141.2	5.4
22	[REDACTED]	<5	0.1	3.97	12.4	38.5	0.36	4.42	0.12	9.00	2.6	51.0	0.68	25.75	0.77	8.0	3.6	0.14	<5	0.01	4.0	2.3	0.13	179	0.51	0.131	<0.02	2.1	602.0	5.57	1.7	<0.001	0.02	0.52	1.5	0.2	0.4	629.0	<0.05	0.16	0.6	0.080	0.02	0.3	12	<0.1	23.6	5.5
23	[REDACTED]	35	>30	1.51	196.6	87.5	1072.00	5.90	420.50	18.72	95.0	101.0	0.28	953.90	3.35	4.0	9.1	0.28	725	<0.01	11.0	3.7	0.64	1309	4.72	0.026	0.24	54.9	693.0	520.40	0.7	0.001	0.24	35.16	5.6	8.4	3.6	496.0	<0.05	3.36	1.1	0.109	0.06	7.3	32	<0.1	>10000	14.1

QC DATA:

Repeat:																												
1	RHODO LAKE AREA	5	0.9	0.03	56.7	71.0	1.22	2.44	0.80	5.48	11.6	9.5	0.04	1.66	0.56	16.3	41.3	0.04	95	<0.01	3.5	1.0	0.57	>10000	1.54	0.023	0.14	43.7

Values in ppm unless otherwise reported

Et #.	Tag #	Au (ppm)	Ag ppm	Al %	As ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sr ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
1	TTBV07R01	<5	0.3	0.06	3.4	6.1	0.04	0.01	0.04	5.6	327.0	51.53	0.75	0.4	4	0.01	0.2	0.05	44	6.00	0.036	4.6	25.89	2.45	<0.02	0.11	0.2	0.1	3.7	0.02	0.1	0.005	<0.02	0.3	3	0.1	5.1
2	TTBV07R02	>1000	30.2	0.33	513.1	9.1	2.11	0.07	1.85	39.1	265.4	1019.00	9.05	1.8	144	0.15	1.4	0.21	166	439.60	0.049	4.8	126.70	49.17	6.40	0.12	0.5	6.6	32.6	0.48	0.3	0.022	0.05	0.4	8	3.8	74.9
3	TTBV07R03	<5	0.2	0.75	15.7	34.3	0.03	0.38	2.73	15.0	321.2	437.80	4.50	2.0	12	0.08	12.8	0.22	507	4.63	0.040	77.8	390.70	16.71	0.04	0.47	1.8	1.3	12.9	0.04	6.5	0.001	0.02	6.3	5	0.2	677.9
4	TTBV07R04	5	0.1	0.02	39.9	46.5	0.06	<0.01	0.02	0.5	306.7	6.21	0.69	0.4	6	0.04	3.3	<0.01	20	2.17	0.037	3.7	122.90	12.16	0.05	0.46	0.1	2.1	20.8	0.36	2.5	0.000	0.03	0.1	2	<0.1	1.6
5	TTBV07R05	<5	0.1	0.57	2.6	119.5	0.72	0.03	0.01	3.2	187.0	28.00	1.48	2.3	0	0.09	4.6	0.82	131	5.11	0.063	7.6	144.00	2.34	0.36	0.05	0.8	1.7	10.8	0.41	3.8	0.059	0.03	0.3	8	0.1	18.7
6	TTBV07R06	10	0.1	0.45	1.9	1822.0	0.04	0.95	0.47	2.3	278.4	39.79	0.88	1.6	7	0.03	0.4	0.33	>10000	1.21	0.039	4.8	909.70	2.36	0.02	0.68	4.1	0.3	137.0	0.03	0.1	0.010	<0.02	0.2	27	<0.1	14.3
7	Slide Mnt Grant	10	<0.1	0.43	18.9	11.3	0.03	0.65	0.04	2.8	219.2	9.33	0.73	3.4	3	0.08	8.8	0.14	118	1.13	0.067	8.9	279.70	4.39	0.08	0.42	0.9	0.3	253.0	0.03	4.6	0.054	0.06	0.9	13	<0.1	11.9
8	██████████████████	<5	0.2	0.19	3.6	96.7	0.48	2.71	0.13	4.7	123.3	3.83	1.70	0.8	3	0.13	6.4	0.61	692	3.21	0.040	1.7	316.80	13.63	0.04	0.30	1.3	0.2	441.6	0.03	5.2	0.001	0.04	0.9	3	0.2	30.7
9	██████████████████	<5	0.4	0.78	2.6	183.2	0.21	0.06	0.73	4.8	327.6	190.00	2.04	4.3	11	0.11	3.1	0.82	330	1.14	0.034	27.7	81.18	15.24	0.17	0.43	1.4	2.5	8.6	0.07	1.4	0.036	0.06	0.5	41	<0.1	228.9
10	Old Trench Main Showing	370	>30	0.08	1.3	27.1	60.71	0.03	5.24	6.4	159.3	>10000	2.75	0.5	776	0.04	3.5	0.02	35	177.50	0.053	2.3	115.60	131.90	1.31	1.53	0.4	31.3	5.7	1.70	5.4	0.003	<0.02	3.6	<2	0.1	82.5

QC DATA:

Repeat:

1	TTBV07R01	5	0.3	0.05	3.2	6.0	0.03	0.01	0.04	5.6	331.0	51.35	0.72	0.4	4	0.01	0.2	0.05	44	6.23	0.039	4.7	24.36	2.24	<0.02	0.10	0.2	0.1	3.6	0.02	0.1	0.005	<0.02	0.4	3	0.1	5.0
10	Old Trench Main Showing	430																																			

Resplit:

1	TTBV07R01	5	0.3	0.06	3.0	5.7	0.03	0.01	0.04	5.5	338.7	49.53	0.70	0.4	4	0.01	0.2	0.05	46	5.47	0.044	4.6	23.69	2.59	0.02	0.10	0.2	0.1	3.6	0.02	0.1	0.007	<0.02	0.4	3	0.1	5.1
---	-----------	---	-----	------	-----	-----	------	------	------	-----	-------	-------	------	-----	---	------	-----	------	----	------	-------	-----	-------	------	------	------	-----	-----	-----	------	-----	-------	-------	-----	---	-----	-----

Standard:

PB113A		11.6	0.18	98.2	63.3	1.05	1.33	41.47	1.7	7.9	2226.00	0.78	1.0	65	0.11	2.2	0.10	1471	75.00	0.041	1.3	90.20	5678.00	0.51	12.13	0.3	0.3	103.1	0.41	0.3	0.006	0.08	0.3	5	0.1	6981.0
SE29	600																																			

APPENDIX IV
ROCK SAMPLE DESCRIPTIONS-EVE PROGRAM

TTEV07R01. milky, white quartz with < 1 cm euhedral pyrite crystals, vein oriented 120/45NE
0589230/6732267

TTEV07R02, float boulder with rusty quartz with pyrite, trace arsenopyrite? located 75m down-slope from R01.
0589190/6732805

TTEV07R03, 0590681/6732130, Rusty shear material over 25 cm.

TTEV07R04, Qz subcrop in area of L14 soil anomaly. Brown weathering glassy qz. boulder 1m by 2m, no vis sulphides. 0590708/6732188

TTEV07R05, Boulder train. 1m diameter, extremely rusty boulders of sericite/chlorite schist. 0590579/6731991.

TTEV07R06, Manganese oxide float in talus rubble 100 m SE of lake. 0590279/6731758

Rhodo Lake Area: black weathering low-grade rhodonite. Pink-grey on fresh surface. No sulphides

Area 1 Eve 14: dark grey pyritic meta-seds. Rusty-weathering.

Eve RS 22 #1- Float: trace cp, in pyretic, rusty weathering qz stringers within metaseds.

Eve RS 33 #1- light cream colored carbonate-limestone with light yellow-red (hematite) staining.

Eve RS 33 #2 - quartz-muscovite schist, rusty weathering with 1% pyrite.

Eve 33 RS #3- semi massive pyritic schist. Approx. 50% fine grained brassy pyrite.

Eve 36 RS # 1A- grey-green schist-minor pyrite

Eve 36 RS # 1B- quartz float material-no visible sulphides

Eve RS 42 #1 - white granular quartz with trace pyrite and minor malachite staining on weathered surface.

Eve RS 42 #2 - rusty weathering white quartz with patchy 2-3 mm sub-euhedral brassy pyrite.

Eve 78 - white quartz vein material with some attached quartz-sericite schist. Contains approx. 10% chalcopyrite and bornite, malachite staining on weathered surface.

Eve 78 RS #2 Old Trench- high-grade chalcopyrite, bornite in quartz over 20cm located in Eve Trench

Old Trench, Main Showing- as above

**APPENDIX IV
ROCK SAMPLE DESCRIPTIONS-EVE PROGRAM**

TTEV07R01. milky, white quartz with < 1 cm euhedral pyrite crystals, vein oriented 120/45NE
0589230/6732267

TTEV07R02, float boulder with rusty quartz with pyrite, trace arsenopyrite? located 75m down-slope from R01.
0589190/6732805

TTEV07R03, 0590681/6732130, Rusty shear material over 25 cm.

TTEV07R04, Qz subcrop in area of L14 soil anomaly. Brown weathering glassy qz. boulder 1m by 2m, no vis sulphides. 0590708/6732188

TTEV07R05, Boulder train. 1m diameter, extremely rusty boulders of sericite/chlorite schist. 0590579/6731991.

TTEV07R06, Manganese oxide float in talus rubble 100 m SE of lake. 0590279/6731758

Rhodo Lake Area: black weathering low-grade rhodonite. Pink-grey on fresh surface. No sulphides

Area 1 Eve 14: dark grey pyritic meta-seds. Rusty-weathering.

Eve RS 22 #1- Float: trace cp, in pyretic, rusty weathering qz stringers within metaseds.

Eve RS 33 #1- light cream colored carbonate-limestone with light yellow-red (hematite) staining.

Eve RS 33 #2 - quartz-muscovite schist, rusty weathering with 1% pyrite.

Eve 33 RS #3- semi massive pyritic schist. Approx. 50% fine grained brassy pyrite.

Eve 36 RS # 1A- grey-green schist-minor pyrite

Eve 36 RS # 1B- quartz float material-no visible sulphides

Eve RS 42 #1 - white granular quartz with trace pyrite and minor malachite staining on weathered surface.

Eve RS 42 #2 - rusty weathering white quartz with patchy 2-3 mm sub-euhedral brassy pyrite.

Eve 78 - white quartz vein material with some attached quartz-sericite schist. Contains approx. 10% chalcopyrite and bornite, malachite staining on weathered surface.

Eve 78 RS #2 Old Trench- high-grade chalcopyrite, bornite in quartz over 20cm located in Eve Trench

Old Trench, Main Showing- as above