

GEOCHEMICAL - GEOPHYSICAL

REPORT

YMIP # 08-053

**BRIDGET 1 - 8 CLAIMS
YC35402 - YC35409**

**BRIDGET 9 - 40 CLAIMS
YC84292 - YC84323**

NTS # 115 J \ 15-16

LAT: 62° 56 N

LONG: 138° 31 W

DAWSON MINING DISTRICT

AUTHOR OF REPORT SHAWN RYAN

WORK PERFORMED OCTOBER 07 to OCTOBER 12, 2008

DATE OF REPORT JANUARY 15, 2009

TABLE OF CONTENT

1.0	Summary	p.3
2.0	INTRODUCTION	p.3
3.0	PROJECT LOCATION	p.3
4.0	ACCESS	p.3
5.0	GEOLOGY	p.4
5.1	REGIONAL GEOLOGY	p.4
	REGIONAL GEOLOGY MAP	p.6
	GEOLOGY DESCRIPTION	p.7-8
6.0	WORK PERFORMED / METHODS	p.9
6.1	Soil Survey	p.9
6.2	Magnetic Survey	p.9
7.0	INTERPRETATION	p.10
7.1	Soil Survey	p.10
7.2	Magnetic Survey	p.11
8.0	RECOMMENDATION	p.11
9.0	REFERENCES CITED	p.11
10.0	Cost	p.12
11.0	Qualification	p.13
	Claim Location Map	p.14
	Soil Location Map	Figure 1
	Mo,Cu,Bi,W Soil Map	Figure 2-5
	Magnetic Map	Figure 6
	Magnetic Map with Mo, Cu, Bi, and W	Figure 7-10
	Mo over W geochemistry map	Figure 11
	Mo over Cu geochemistry map	Figure 12
	Assay Data and GPS Locations	Appendix

1.0 SUMMARY

The Bridget 2008 field exploration program consists of a five man crew, all employees of Ryanwood Exploration Inc. The crew mobilized to the claim block on October 07, 2007 and demobilized on October 12, 2007. The 2008 field work consists of running 38 kilometers of magnetic survey plus gathering 595 soils.

2.0 INTRODUCTION

The Bridget Project had 595 soil collected and 38 kilometers of a magnetic survey completed over one large grid that measured 2kilometers by 2 kilometers. The objective was to expand a soil anomaly uncovered during a regional 2006 soil survey.

3.0 LOCATION

The Bridget Project is located at the headwaters of Scroggie Creek; it's in Dawson Mining Division, on NTS # 115 J / 15-16. The latitude 62°56'N and longitude 138°31'W.

The Bridget Claims are located 130 kilometers south East of Dawson City or 148 kilometers north - west of Carmacks.

4.0 ACCESS

The Bridget claims can be reached via helicopter from Dawson City or Carmacks.

5.0 REGIONAL AND PROPERTY GEOLOGY

5.1 REGIONAL GEOLOGY

(Excerpts from Assessment report 019906, Silver Standard Mines)

The general Scroggie Creek geology is described by D.D. Cairnes in his 1917 report on Scroggie, Barker, Thistle, and Kirkman Creeks, Yukon Territory", Memoir 97. He describes the rocks along Scroggie and Mariposa Creeks as mainly mica gneisses and schists. Granites and pegmatites also occur, and locally, may be garnetiferous. Occasional semi-basic to basic dikes occur, grading from andesite to diabase in composition.

Outcrop at the Scroggie Creek property ('C' claims) is extremely rare. Reconnaissance mapping of the showings in 1971 indicated that the mineral occurs in highly siliceous medium-grained quartz-feldspar porphyry. Both biotite schist and rhyolite occur as a knoll immediately north of the porphyry occurrence. A small capping of epidote-rich skarn was also observed on the property.

5.2 PROPERTY GEOLOGY

(Excerpts from Assessment report 090668, Amax)

General Statement

Due to the lack of outcrop within the property, it was necessary to map outside the claims in order to evaluate this area geologically. Generally, outcrop was restricted to ridge tops and flanks with minor subcrop and float exposed in the valleys and stream beds.

Rock Units

The predominant lithology recognized in this area was found to be a thinly laminated felsic to intermediate biotite schist to gneiss with a west-northwest strike and steep northeast dip (Figures 3a and 3b). The metasediments were found on occasion to grade imperceptibly into both hornblende and garnet bearing gneisses. Along the western boundary of the property, these same pelitic schist and gneisses appear to have undergone intense hydrothermal alteration on transforming them into epidote schist and locally epidiosites. This alteration may have been produced by the numerous igneous intrusives scattered throughout the map-area. Massive microporphyritic rhyolites and medium to coarse grained quartz-feldspar porphyries pervade, as flows and small discontinuous dykes respectively, within and around schist outcrops.


From their positions relative to one another, particularly, as exposed in those outcrops bordering on the eastern half of L4N, it would appear that these coarser porphyries are essentially intrusive equivalents of the volcanics. It should also be mentioned that while no stockwork of any kind exists within these younger igneous lithologies intense silicification of contiguous country rock is frequently in evidence in those zones cross-cut by numerous dykes. The only remaining unit exposed within the map-area is a variably skarned siliceous limestone-marble, discovered in strongly disjointed felsenmeer zones and less frequently as boulders on scattered ridge tops.

MINERALIZATION

In general most visible signs of mineralization noted within the Scroggie Creek claim group showed some spatial association with late stage quartz veining. The most intensely mineralized specimens were taken from Trench #1 in the northern portion of the grid. Here copper and iron sulphides along with magnetite and minor molybdenite were seen concentrated in silicified biotite schist, some of the mineralization occurring as disseminations within the quartz veins. In other sections of the property where quartz veins are less abundant, mineralized samples are difficult to find.

Along with copper and molybdenum enrichment in this area, some minor samples containing visible gold and sizeable grains of sheelite were also found, once again, within quartz veins.

The only apparent exception to this established association appears to lie with the felsic igneous rocks, in particular the extrusive end members of this unit. Pyrite, pyrrhotite (3%) and rarely chalcopyrite can all be seen within these microporphyritic felsites.



Yukon Geology Map

YTG Geology Description

EARLY TERTIARY

ETN

ETN: NISLING RANGE SUITE

medium to coarse grained equigranular to porphyritic rocks of intermediate composition (g), fine to coarse grained, equigranular and porphyritic granitic rocks of felsic composition (q) and felsic dyke rocks (f)

- q. leucocratic, biotite granite; miarolitic alaskite; saccharoidal textured, mafic-poor biotite granite; biotite-hornblende granite to leucocratic granodiorite with sparse, white, alkali feldspar phenocrysts; biotite quartz monzonite (**Nisling Range Suite, Nisling Range Alaskite, Coffee Creek Granite, Annie Ned Granite**)

EARLY JURASSIC

EJL

EJL: LONG LAKE SUITE

mostly felsic granitic rocks (q) but locally grading to syenitic (y)

- y. resistant, dark weathering, massive, coarse- to very coarse-grained and porphyritic, mesocratic hornblende syenite; locally sheared, commonly fractured and saussuritized; locally has well developed layering of aligned pink K-feldspar tablets (**Big Creek Syenite**)
- q. massive to weakly foliated, fine to coarse grained biotite, biotite-muscovite and biotite-hornblende quartz monzonite to granite, including abundant pegmatite and aplite phases; commonly K-feldspar megacrystic (**Long Lake Suite**)

LATE DEVONIAN TO MISSISSIPPIAN

DMPW

DMPW: PELY GNEISS SUITE - SOUTHWEST

variably deformed granitic rocks of predominantly felsic (q) to intermediate composition (g) southwest of Tintina Fault

- g. foliated medium grained, homogeneous biotite granite gneiss to biotite or hornblende granodiorite gneiss; massive to strongly foliated dioritic to granodioritic gneiss; includes interfoliated amphibolite, quartz-mica schist and phyllite (**Selwyn Gneiss, Pelly Gneiss, N. Fiftymile Batholith, Moose Creek Orthogneiss**)

DEVONIAN, MISSISSIPPIAN AND(?) OLDER

DMN

DMN: NASINA

graphitic quartzite and muscovite quartz-rich schist (1), (3)-(5), and(?) (6) with interspersed marble (2) and probable correlative successions (7) - (9)

DMN2

- 3. quartzite, micaceous quartzite, quartz muscovite (+/-chlorite; +/- feldspar augen) schist, and minor metaconglomerate and metagrit as in (1), but may locally include significant Nisling Assemblage

6.0 WORK PERFORMED / METHODS

6.1 Soil Survey

The Bridget Project had 22 man days of soil work collecting 595 soils.

All soil sample where collected with one meter soil probes and sometime with a prospector pick. We carried both instruments on rocky talus slope. Soil sample location where marked on the ground with orange flagging and recorded in Garmin GPS. About 400-500 grams of soil was collected and place in pre marked kraft soil bags.

All samples where brought out to Dawson and air dried repacked in rice bags and sent to Acme Labs in Vancouver. Sample where process with Aqua Regia ICP-MS for 36 elements (Acme Labs 1DX-15 gram Assay).

The GPS where downloaded every night and store in a personal computer.

6.2 Magnetic Survey

The magnetic survey was conducted across the entire grid. The survey uses two GEM proton precessions GSM - 19 T magnetometers. One is the portable field unit and the second is a base station magnetometer that records reading every 15 seconds at a stationary position for the entire survey. The base station monitors the earth daily magnetic drift. At the end of each daily survey both the field and base station magnetometers are plugged in together and the daily drift is corrected out of the field magnetometer.

Only the corrected data is used to plot the survey results.

The field survey used a built in GPS that acts as a guiding system as the operator walks threw the bush and also adds a GPS point to every reading taken by the Mag unit. This is very useful when the operator needs to walk around obstacle such as cliff face or ponds. The walking Mag mode takes continuous reading as the operator walks to specified end points using the built in GPS as a guiding unit. Reading are taken every 1.5 seconds which comes out to about a reading every 1-2 meters.

The survey covered an area of 1.9 kilometer by 2 kilometer for a total line kilometer of 38 kilometers.

The magnetic range for the entire survey was a low of 54,000 gammas to a high of 59,200 gammas.

7.0 INTERPRETATION

7.1 Soil Survey

The assay results indicates a nice molybdenum (figure 2), copper (figure 3), bismuth (figure 4) and tungsten (figure 5) soil anomaly. This clearly is demonstrating a nice porphyry type target? The porphyry target seems to be zoned with copper and molybdenum over lapping each other on the south western corner and then molybdenum being the dominated element with minor copper and bismuth in the central zone and tungsten dominating the northern part of the grid.

Past historical worked from Silver Standard and Amax looked at a small area in the south western part of the 2008 grid. The copper and molybdenum values over this historical working indicated a nice coincident anomaly, but better yet the 2008 soil survey (figure 2-3) indicated that the molybdenum and copper anomaly expanded another 1800 meters to the north from the old showing. The soil survey also revealed a nice zoning pattern bismuth and tungsten (figure 11) flanking the molybdenum soil anomaly.

I also plotted the soil anomalies over the ground magnetic data and we can see an interesting pattern with the majority of the molybdenum soil anomaly (figure 7) showing up in the central magnetic low area.

The copper (figure 8) also shows up in this central magnetic low but is more intense in the southern magnetic high zone found over the old Silver Standard and Amax showing.

Bismuth (figure 9) also seems to be found more in the magnetic low zones with anomalous values showing up in the central zone and is also very intense in a mag low on the south side of the southern magnetic high.

The majority of the tungsten (figure 10) soil anomalies are found covering the northern magnetic high zone.

I will also note that the gold values were extremely low with only 11 soil reaching over 14 ppb Au and the highest being 62 ppb Au.

7.2 Magnetic Survey

The magnetic survey revealed two regional northwest- southeast magnetic high trends found at each end of the grid. The magnetic highs are separated by a large magnetic low area.

The southern magnetic high is more intense than the northern one.

The Amax Report (Mineralization section) (page 5 of this Report) gives us a clue to what is causing the southern magnetic high target. Their Report indicates that their geologist found magnetite in silicified biotite schist with copper and molybdenum. This was found on the edge of the southern magnetic high target.

The author also indicated that the only apparent exception to this established association appears to lie with the felsic igneous rocks, in particular the extrusive end members of this unit. Pyrite, pyrrhotite (3%) and rarely chalcopyrite can all be seen within these microporphyrritic felsites. I wonder if this is the kind of geology that is causing the northern magnetic high.

8.0 RECOMMENDATION

I would recommend expanding the soil grid in all direction by 500 meters this would help close off the copper and molybdenum anomaly to the south and west and help close off the tungsten anomaly on the northern and eastern part of the grid.

I would also recommend a small trenching program over three targets. Target one would be over the southern copper and molybdenum soil anomaly. Target two would be over the northern molybdenum soil anomaly and target three would be over the eastern tungsten high soil anomaly. All trenches can be located on the ridge top; this should guarantee good ground for trenching.

9.0 REFERENCES CITED

Assessment report 090668, Amax

Assessment report 019906, Silver Standard Mines

10.0 COST

Wage 22 man days @ \$330.00 per day (Contracting)	\$7,260.00
Assay Cost 595 soil @ \$22.00 per sample	\$13,090.00
Mobe Gear	
(Boat trip) 2 men plus boat plus gas (Dawson to Casino)	\$1,500.00
Demobe Gear	
Fix Wing (Summit Air) McQuesten air strip to Scroggie twice	\$2,534.00
2 men to pick up gear at McQuesten Strip	\$660.00
Truck plus gas 1 day for gear pick up	\$200.00
Claim Staking 16 claims @\$100.00 per claim	\$1,600.00
Food cost 30 man days @\$35.00 per day	\$1,050.00
Camp cost 30 man days @\$25.00 per day	\$750.00
Magnetic Survey 38.KL @ \$250.00 KL	\$9,500.00
Helicopter Travel 4.7 hours @ \$1845.00 (Astar B)	\$8,672.00
Report writing	\$500.00
Total	\$47,316.00

11.0 QUALIFICATION

I Shawn Ryan located in Dawson City, Yukon work as a professional prospector. I run a small exploration company located in Dawson City.

I have worked in the exploration business for the last 25 years. I worked the first 12 years as a contractor working on numerous projects in the NWT, Ontario, Quebec and the Yukon. I have worked the last 13 years as a local prospector for myself.


I have overseen the entire Bridget Project.

I own 100% of the Bridget Claims.

Dated this 15 of January 2009 in Dawson City, Yukon.


Respectfully submitted

Shawn Ryan



Bridget 1-40 Claims


Claim Location Map



RyanWood Exploration


By : S.Ryan	Bridget Claims
NTS:115 J/15-16	Geology Map
Date :31/12/2008	
Scale: 1:100000 . UTM Zone 7 (NAD 83)	


0 1 2 4
kilometres



RyanWood Exploration

By : S.Ryan	Bridget 2008 Soils
NTS:115 J / 15-16	Location Map
Date :29/12/2008	Figure 1
Scale: 1:15000	UTM Zone 7 (NAD 83)







Bridget 2008 Soils
Mo ppm

- 100 to 322 (34)
- 50 to 100 (73)
- 25 to 50 (103)
- 10 to 25 (143)
- 0 to 10 (242)

RyanWood Exploration

By : S.Ryan	Bridget 2008 Soils
NTS:115 J / 15-16	Molybdenum Map
Date :29/12/2008	Figure 2
Scale: 1:15000	UTM Zone 7 (NAD 83)







Bridget 2008 Soils
Cu ppm

- 250 to 711 (27)
- 175 to 250 (29)
- 125 to 175 (40)
- 75 to 125 (123)
- 9 to 75 (376)

RyanWood Exploration

By : S.Ryan	Bridget 2008 Soils
NTS:115 J / 15-16	Copper Map
Date :29/12/2008	Figure 3
Scale: 1:15000	UTM Zone 7 (NAD 83)







**Bridget 2008 Soils
Bi ppm**

- 30 to 155 (20)
- 15 to 30 (54)
- 10 to 15 (71)
- 7 to 10 (101)
- 0 to 7 (349)

RyanWood Exploration

By : S.Ryan	Bridget 2008 Soils
NTS:115 J / 15-16	Bismuth Map
Date :29/12/2008	Figure 4
Scale: 1:15000	UTM Zone 7 (NAD 83)








Bridget 2008 Soils
W ppm

- 40 to 101 (29)
- 24 to 40 (57)
- 12 to 24 (136)
- 8 to 12 (110)
- 0 to 8 (263)

RyanWood Exploration

By : S.Ryan	Bridget 2008 Soils
NTS:115 J / 15-16	Tungsten Map
Date :29/12/2008	Figure 5
Scale: 1:15000	UTM Zone 7 (NAD 83)








RyanWood Exploration


By : S.Ryan	Bridget 2008 Soils
NTS:115 J / 15-16	Ground Magnetic Map
Date :29/12/2008	Figure 6
Scale: 1:15000	UTM Zone 7 (NAD 83)




0 125 250 500 metres



RyanWood Exploration

By : S.Ryan	Bridget 2008 Soils
NTS:115 J / 15-16	Cu over Magnetic Map
Date :29/12/2008	Figure 8
Scale: 1:15000	UTM Zone 7 (NAD 83)







RyanWood Exploration

By : S.Ryan	Bridget 2008 Soils
NTS:115 J / 15-16	Bi over Magnetic Map
Date :29/12/2008	Figure 9
Scale: 1:15000	UTM Zone 7 (NAD 83)











Bridget 2008 Soils
Mo ppm

- 100 to 322 (34)
- 50 to 100 (73)
- 25 to 50 (103)
- 10 to 25 (143)
- 0 to 10 (242)

RyanWood Exploration

By : S.Ryan	Bridget 2008 Soils
NTS:115 J / 15-16	Mo over W Grid Map
Date :29/12/2008	Figure 11
Scale: 1:15000	UTM Zone 7 (NAD 83)





RyanWood Exploration

By : S.Ryan	Bridget 2008 Soils
NTS:115 J / 15-16	Mo over Cu Grid Map
Date :29/12/2008	Figure 12
Scale: 1:15000	UTM Zone 7 (NAD 83)

0 125 250 500 metres

Sample	UTM Easting	UTM Northing	UTM Zone	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe
BGT 29943	626258	6982916	NAD 83-07V	2.3	38.9	52	64	2.6	13.4	6.9	264	2.11
BGT 30648	625321	6981081	NAD 83-07V	42.4	594.7	174.9	732	4.4	32	19.7	723	3.97
BGT 31630	626466	6982672	NAD 83-07V	7.7	114.9	80.8	202	0.7	19.3	21.2	489	4.78
BGT 33196	625321	6981032	NAD 83-07V	11.1	287.9	79.6	360	0.8	17.2	19.8	918	4.12
BGT 33197	625324	6980984	NAD 83-07V	53.6	98.8	29.8	109	0.3	15.6	10.4	557	4.39
BGT 33198	625326	6980932	NAD 83-07V	60.9	127.3	77.3	186	1.1	17.9	12.3	850	3.95
BGT 33199	625853	6982952	NAD 83-07V	10.7	41.3	87.8	64	0.9	14.3	10.6	610	2.52
BGT 33293	625856	6982903	NAD 83-07V	12.7	40.2	16.4	63	0.6	12.6	16.2	1285	3.5
BGT 33294	625857	6982854	NAD 83-07V	13.8	31.9	12.6	68	0.5	8.7	7.8	253	2.61
BGT 33295	625860	6982804	NAD 83-07V	25.2	42.9	14.6	92	0.7	11	13.2	457	3.67
BGT 33974	625315	6981234	NAD 83-07V	17.9	83.4	32.5	89	0.7	20.1	9.6	374	3.01
BGT 33975	625317	6981180	NAD 83-07V	33.4	101.7	42.8	93	0.8	19.2	8.5	366	2.56
BGT 33976	625320	6981131	NAD 83-07V	13.4	103.1	61.5	126	0.7	27.5	15.2	498	2.87
BGT 35589	626264	6982764	NAD 83-07V	4.1	42.2	53.1	98	0.8	16.2	12.8	462	2.96
BGT 36519	626259	6982867	NAD 83-07V	2.8	47.5	48.9	103	1.4	16.2	13.4	511	3.36
BGT 36520	626262	6982816	NAD 83-07V	2.4	29.6	50.5	86	0.7	15.9	12.1	409	2.99
BGT 36784	626468	6982622	NAD 83-07V	15.1	62.8	144.4	311	0.7	18.1	21.9	910	5.16
BGT 36845	626471	6982573	NAD 83-07V	14.9	40.6	43.2	154	0.5	22.9	17.1	623	3.95
BGT 36962	626473	6982525	NAD 83-07V	14.4	43.9	69	163	1.3	15.8	19	806	4.89
BGT 36963	626473	6982472	NAD 83-07V	8.4	80.6	21.5	155	0.4	13.1	19.5	753	5.2
BGT 36964	626475	6982422	NAD 83-07V	5.6	66	37	121	0.7	12.1	14.7	630	4.37
BGT 37237	626478	6982374	NAD 83-07V	12.4	72.3	50.3	108	1.4	11.8	14.8	562	4.9
BGT 37238	626480	6982323	NAD 83-07V	5.8	53.7	52.9	105	1.1	19.7	15.4	558	4.09
BGT 37239	626482	6982273	NAD 83-07V	6.3	46.1	43	109	0.9	16.1	14.2	563	3.68
BGT 37350	626484	6982224	NAD 83-07V	22.5	70.9	178.1	199	0.7	13.5	8.9	672	4.11
BGT 37384	626486	6982173	NAD 83-07V	5.6	34.1	44.1	98	0.6	14.8	10.5	550	2.93
BGT 37385	626488	6982123	NAD 83-07V	11.5	45.7	83.6	166	1.1	17.6	11.4	687	3.46
BGT 37386	626489	6982076	NAD 83-07V	6.1	30.3	68.9	142	1.1	15.7	9.6	334	2.6
BGT 37387	626492	6982023	NAD 83-07V	11.6	33.2	84.8	123	0.9	14.7	8.1	361	2.69
BGT 37388	626493	6981973	NAD 83-07V	10.8	35.6	46.9	92	0.8	15.2	6.7	219	2.59
BGT 37389	626495	6981924	NAD 83-07V	13.7	50.9	49.9	85	1.2	13.1	9.3	321	2.89
BGT 37535	626006	6981554	NAD 83-07V	20.1	56.7	126.2	125	2.1	11.8	6.1	315	2.71
BGT 37536	626004	6981504	NAD 83-07V	22.4	43.5	4.5	31	0.6	7.4	6.6	2653	1.18
BGT 37537	626986	6981458	NAD 83-07V	26.7	150.7	26.5	75	0.5	17.7	12.9	757	2.88
BGT 37538	626255	6982967	NAD 83-07V	1.8	24.4	25	69	0.3	16.1	10.3	340	2.71
BGT 37751	625355	6982935	NAD 83-07V	9	57.2	20	80	0.8	18.9	11.5	290	3.36
BGT 37752	625355	6982885	NAD 83-07V	2.9	26.5	12.3	61	0.2	16.6	10.3	248	2.86
BGT 37753	625358	6982834	NAD 83-07V	5.2	32	16.4	79	0.2	18.3	14.2	421	3.36
BGT 37754	625359	6982783	NAD 83-07V	7.5	40.4	12.1	77	0.2	16.2	12.6	370	3.48
BGT 37755	625362	6982734	NAD 83-07V	23.2	44.8	23.6	91	0.7	14.7	8.8	329	2.93
BGT 37756	625364	6982684	NAD 83-07V	37.9	27.4	17.6	61	0.2	13.6	8.5	442	2.73
BGT 37757	625366	6982633	NAD 83-07V	34.2	33.9	39.1	64	0.3	14.5	9.7	467	3.15
BGT 37758	625367	6982583	NAD 83-07V	51.3	33.7	40.2	75	0.5	17.5	10.9	477	3.14
BGT 37759	625369	6982533	NAD 83-07V	58.1	47.6	29.9	57	0.3	12.2	10.5	282	4.05
BGT 37760	625371	6982483	NAD 83-07V	23.9	43.3	26.8	74	0.4	9	7.4	323	5.1

Sample	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
BGT 29943	4.2	1.6	3.6	0.5	42	1.1	0.4	2.5	34	0.65	0.079	11	20	0.48	240	0.048
BGT 30648	6.8	1	2	1.6	31	3.7	0.4	154.7	83	0.48	0.066	6	76	1.13	129	0.119
BGT 31630	2.6	1.1	0.6	2.5	27	1.2	0.2	11.7	75	0.23	0.068	14	30	0.95	217	0.093
BGT 33196	10.5	0.4	0.8	1.3	125	1.8	0.4	58.6	87	0.62	0.054	4	29	1.26	257	0.127
BGT 33197	8.7	0.8	1.1	2.7	22	0.4	0.5	24.8	80	0.24	0.034	7	24	1.06	181	0.097
BGT 33198	25.6	1.6	1.3	9.5	20	2.1	8.4	21.3	65	0.46	0.057	20	36	1.08	344	0.096
BGT 33199	4.5	5.2	4	6.8	30	0.7	0.6	8.9	39	0.64	0.045	22	19	0.45	232	0.026
BGT 33293	3.8	2	6	2	51	0.2	0.3	7.8	50	0.77	0.085	12	16	0.67	247	0.034
BGT 33294	3.3	1.2	2	0.8	36	0.2	0.2	6.3	70	0.35	0.055	4	19	0.78	150	0.075
BGT 33295	3.2	1.4	1.1	1.6	58	0.3	0.2	9.9	99	0.47	0.082	9	20	1.07	261	0.096
BGT 33974	7.2	0.7	6.9	2.2	20	0.6	0.4	8	60	0.26	0.057	10	40	0.66	159	0.088
BGT 33975	6.9	0.9	1.8	2.5	26	0.6	0.5	12.2	58	0.42	0.059	10	32	0.67	189	0.082
BGT 33976	6.8	0.8	0.25	2.5	29	0.9	0.4	25.6	65	0.38	0.048	8	55	0.98	164	0.1
BGT 35589	6.4	1.2	1.6	3.1	24	0.9	0.6	5.2	59	0.35	0.057	10	27	0.66	175	0.069
BGT 36519	5.1	1.5	4.6	2	32	0.5	0.3	5.2	67	0.67	0.087	11	24	0.91	253	0.103
BGT 36520	6.5	0.9	2.5	2.3	25	0.7	0.4	3	64	0.3	0.052	9	27	0.76	186	0.101
BGT 36784	6.7	1	5	2.5	47	2.4	0.8	6.9	102	0.61	0.118	15	30	1.57	371	0.159
BGT 36845	6.6	0.7	1.7	2.7	22	0.7	0.4	5.4	86	0.21	0.067	8	42	1.04	191	0.123
BGT 36962	4.9	1.2	3	5.2	17	0.7	0.4	14.5	73	0.27	0.077	12	28	1	210	0.086
BGT 36963	4	1	2.4	1.4	71	0.5	0.2	6.4	114	0.57	0.07	6	24	1.63	291	0.17
BGT 36964	4.8	0.8	1.6	1.7	40	0.4	0.3	7.2	99	0.34	0.077	5	24	1.36	221	0.155
BGT 37237	5.1	2	2.5	2.4	42	0.4	0.3	20.3	98	0.26	0.087	7	21	0.99	215	0.12
BGT 37238	7.2	2.2	3	2.6	33	0.3	0.4	8.3	88	0.29	0.071	7	34	1.04	178	0.145
BGT 37239	7.8	1.7	2.7	2.9	27	0.4	0.6	7.5	90	0.29	0.048	8	28	0.97	163	0.141
BGT 37350	6.7	3.7	1.9	6	22	1.3	0.8	15.7	59	0.42	0.065	15	28	0.88	143	0.119
BGT 37384	8	1.5	3.2	4.2	20	0.4	1	5.4	61	0.24	0.056	11	28	0.62	123	0.098
BGT 37385	8.1	2.2	2.3	5.1	30	0.9	0.6	13	68	0.3	0.061	11	34	0.86	164	0.12
BGT 37386	10.1	2	2.7	1.9	19	0.7	0.6	3.8	52	0.24	0.056	10	27	0.52	142	0.054
BGT 37387	11.6	1.6	3.8	1.9	19	0.9	0.6	4.8	56	0.24	0.056	9	28	0.55	108	0.06
BGT 37388	9.5	1.1	4.7	2.6	18	0.6	0.4	5.4	59	0.22	0.051	10	27	0.65	116	0.086
BGT 37389	5.9	1.4	2.9	1.8	15	0.4	0.3	9.6	65	0.21	0.055	10	27	0.77	102	0.091
BGT 37535	4.4	1.1	2.3	2.3	50	0.7	0.2	16.9	64	0.3	0.063	10	24	0.79	206	0.137
BGT 37536	2.5	0.8	1.1	0.1	89	3.8	0.4	1.1	12	3.13	0.106	3	7	0.14	212	0.012
BGT 37537	5.2	1.9	3.1	3.4	29	0.3	0.4	6	66	0.39	0.048	16	33	0.78	234	0.059
BGT 37538	6.2	1.3	2.8	3.4	25	0.3	0.4	0.7	60	0.35	0.052	13	28	0.67	223	0.089
BGT 37751	7.2	1.4	4.2	2.4	24	0.4	0.4	5.2	81	0.25	0.053	8	36	0.75	150	0.094
BGT 37752	6.2	0.7	3.8	2.6	25	0.3	0.4	3	71	0.27	0.042	9	30	0.65	178	0.089
BGT 37753	6	1.2	3.1	3.5	37	0.3	0.4	5.2	83	0.34	0.056	11	33	0.91	192	0.118
BGT 37754	5.9	0.9	5.2	2.4	23	0.3	0.4	5.2	82	0.31	0.057	8	28	0.78	152	0.123
BGT 37755	5.7	1.1	2.9	2.8	20	1.9	0.4	8.9	61	0.31	0.056	10	27	0.53	132	0.086
BGT 37756	6.3	0.8	7.5	3	16	0.4	0.4	7.7	66	0.22	0.044	12	26	0.5	153	0.085
BGT 37757	6.6	1.5	1.6	5.9	15	0.3	0.9	7.2	66	0.2	0.053	11	28	0.51	104	0.077
BGT 37758	7.6	2.2	4.6	5.9	20	0.5	0.6	13.2	68	0.27	0.045	15	32	0.56	166	0.087
BGT 37759	9.2	2.8	2.4	8.8	31	0.1	0.3	9.6	44	0.13	0.069	20	22	0.45	101	0.033
BGT 37760	4.2	1.1	4	1.5	51	0.05	0.3	5.3	141	0.22	0.064	7	20	0.79	130	0.142

Sample	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	Acme File
BGT 29943	2	1.43	0.019	0.1	7.6	0.07	2.7	0.2	0.1	5	0.6	1DX15	VAN08010936
BGT 30648	2	1.97	0.016	0.16	101	0.02	4.1	0.2	0.025	7	1	1DX15	VAN08010936
BGT 31630	0.5	2.2	0.016	0.2	71.7	0.005	3.5	0.3	0.07	6	0.8	1DX15	VAN08010936
BGT 33196	1	2.66	0.039	0.27	33.2	0.03	5.1	0.3	0.025	6	0.25	1DX15	VAN08010936
BGT 33197	1	2.59	0.017	0.31	7.9	0.02	4.5	0.4	0.025	9	0.25	1DX15	VAN08010936
BGT 33198	3	2.16	0.01	0.32	8.6	0.04	6.7	0.6	0.025	7	0.8	1DX15	VAN08010936
BGT 33199	2	1.33	0.012	0.08	22.7	0.04	4.3	0.1	0.025	4	0.9	1DX15	VAN08010936
BGT 33293	0.5	1.74	0.015	0.09	21.8	0.04	4.2	0.2	0.06	5	0.6	1DX15	VAN08010936
BGT 33294	1	1.84	0.017	0.22	16.2	0.03	3.5	0.3	0.07	6	0.25	1DX15	VAN08010936
BGT 33295	1	2.32	0.03	0.44	24.4	0.04	5	0.5	0.08	7	0.7	1DX15	VAN08010936
BGT 33974	2	1.95	0.012	0.13	10.2	0.04	4.4	0.2	0.025	6	0.25	1DX15	VAN08010936
BGT 33975	2	1.59	0.016	0.1	13.4	0.03	4.9	0.2	0.025	5	0.25	1DX15	VAN08010936
BGT 33976	1	1.84	0.015	0.09	15.8	0.02	3.7	0.2	0.025	5	0.9	1DX15	VAN08010936
BGT 35589	1	1.69	0.016	0.08	26.1	0.02	2.7	0.2	0.025	5	0.25	1DX15	VAN08010936
BGT 36519	2	2.09	0.016	0.25	22.9	0.03	3.9	0.4	0.025	6	0.6	1DX15	VAN08010936
BGT 36520	2	2.01	0.014	0.13	15.2	0.02	2.8	0.2	0.025	5	0.25	1DX15	VAN08010936
BGT 36784	1	3.03	0.017	0.6	35.6	0.01	4.3	0.7	0.025	8	0.7	1DX15	VAN08010936
BGT 36845	2	2.52	0.014	0.24	40	0.01	3.5	0.4	0.025	8	0.6	1DX15	VAN08010936
BGT 36962	1	2.52	0.013	0.28	21.5	0.04	5.5	0.4	0.025	8	0.25	1DX15	VAN08010936
BGT 36963	0.5	3.17	0.027	0.64	77.3	0.005	4.4	0.9	0.025	7	0.25	1DX15	VAN08010936
BGT 36964	0.5	2.76	0.016	0.59	61.2	0.005	3.1	0.9	0.06	7	0.5	1DX15	VAN08010936
BGT 37237	0.5	2.53	0.019	0.44	58.7	0.04	3.6	0.7	0.12	7	0.9	1DX15	VAN08010936
BGT 37238	0.5	2.48	0.016	0.34	39.1	0.03	3.6	0.8	0.025	6	0.6	1DX15	VAN08010936
BGT 37239	2	2.34	0.018	0.26	30.5	0.02	3.5	0.6	0.025	6	0.8	1DX15	VAN08010936
BGT 37350	2	1.99	0.012	0.27	51.5	0.005	3.8	0.4	0.025	6	1.2	1DX15	VAN08010936
BGT 37384	2	1.75	0.012	0.11	24.4	0.03	3.3	0.2	0.025	5	0.25	1DX15	VAN08010936
BGT 37385	1	2.04	0.016	0.21	36.9	0.02	3.2	0.4	0.05	6	0.6	1DX15	VAN08010936
BGT 37386	2	1.64	0.012	0.06	9.9	0.05	3.1	0.2	0.025	5	0.25	1DX15	VAN08010936
BGT 37387	2	1.66	0.014	0.06	13.1	0.05	2.8	0.2	0.025	5	0.25	1DX15	VAN08010936
BGT 37388	2	1.8	0.011	0.1	8.5	0.05	3.1	0.2	0.025	5	0.25	1DX15	VAN08010936
BGT 37389	2	1.87	0.013	0.13	18.5	0.05	3.6	0.3	0.025	6	0.25	1DX15	VAN08010936
BGT 37535	2	1.8	0.013	0.24	35.2	0.04	5.5	0.3	0.025	7	0.25	1DX15	VAN08010936
BGT 37536	7	0.42	0.017	0.03	3.4	0.05	0.6	0.05	0.24	0.5	0.7	1DX15	VAN08010936
BGT 37537	2	2.05	0.012	0.1	12.4	0.04	5.1	0.2	0.025	7	0.25	1DX15	VAN08010936
BGT 37538	1	1.66	0.012	0.1	4.4	0.02	3.4	0.1	0.025	5	0.25	1DX15	VAN08010936
BGT 37751	1	2.87	0.014	0.1	16.7	0.05	3.7	0.3	0.025	7	0.25	1DX15	VAN08010936
BGT 37752	0.5	2.23	0.013	0.07	10.5	0.01	2.9	0.2	0.025	6	0.25	1DX15	VAN08010936
BGT 37753	1	2.38	0.015	0.13	18.8	0.01	3.9	0.3	0.025	6	0.25	1DX15	VAN08010936
BGT 37754	2	2.28	0.014	0.14	10.4	0.02	3.6	0.3	0.025	6	0.25	1DX15	VAN08010936
BGT 37755	1	1.76	0.01	0.08	21.1	0.02	2.7	0.1	0.025	5	0.25	1DX15	VAN08010936
BGT 37756	2	1.74	0.01	0.09	6.1	0.02	2.7	0.1	0.025	6	0.25	1DX15	VAN08010936
BGT 37757	1	1.76	0.01	0.1	5.2	0.03	3.4	0.2	0.025	6	0.25	1DX15	VAN08010936
BGT 37758	1	1.76	0.014	0.08	11.4	0.02	4.1	0.2	0.025	6	0.25	1DX15	VAN08010936
BGT 37759	0.5	1.78	0.052	0.13	20.3	0.02	3.6	0.2	0.23	5	0.9	1DX15	VAN08010936
BGT 37760	1	1.64	0.082	0.24	19.1	0.01	5.6	0.2	0.45	7	1	1DX15	VAN08010936

Sample	UTM Easting	UTM Northing	UTM Zone	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe
BGT 37761	625374	6982434	NAD 83-07V	15.6	30.8	14.7	58	0.2	9.9	6.8	274	3.2
BGT 37762	625375	6982383	NAD 83-07V	17.4	45.5	11.4	72	0.3	12.1	25.5	819	3.79
BGT 37763	625380	6982283	NAD 83-07V	32.8	109.2	10.1	87	0.3	12.8	12.7	480	5.48
BGT 37764	625382	6982234	NAD 83-07V	81.7	131.4	28.7	99	0.7	7.6	7.5	568	7.05
BGT 37765	625386	6982133	NAD 83-07V	51.7	93.8	18.4	108	0.5	17.2	37.8	1253	4.67
BGT 37766	625387	6982082	NAD 83-07V	31.8	75.8	28	76	0.7	13.8	14.1	520	3.79
BGT 37767	625390	6982033	NAD 83-07V	67.4	120.9	18.1	94	0.4	13.4	19.8	701	4.23
BGT 37768	625392	6981983	NAD 83-07V	30.8	69.4	19.6	78	0.4	16.8	13.4	426	3.25
BGT 37769	625394	6981933	NAD 83-07V	53.6	104	54.6	90	0.6	13.6	8.7	483	4.41
BGT 37770	625396	6981886	NAD 83-07V	21.9	70.3	20.5	63	0.3	14.6	13	595	3.4
BGT 37771	625395	6981836	NAD 83-07V	128.8	311.1	30	150	0.6	37.2	27	1122	6.65
BGT 37772	625397	6981785	NAD 83-07V	8.6	68	21.3	65	0.5	16.6	8.1	269	2.73
BGT 37773	625400	6981736	NAD 83-07V	13.8	111.6	24.3	81	0.7	14.9	7.5	290	2.57
BGT 37774	625401	6981685	NAD 83-07V	20.2	128.6	23.1	76	1.2	16.7	7.6	328	2.34
BGT 37775	625407	6981485	NAD 83-07V	257.2	220.3	19.5	135	0.3	13.8	15.4	611	5.89
BGT 37776	625407	6981435	NAD 83-07V	181	74.8	11.7	72	0.3	16.4	11.1	256	4.13
BGT 37777	625456	6982937	NAD 83-07V	7.1	45.9	10.4	80	0.2	14	12.7	422	3.58
BGT 37778	625460	6982888	NAD 83-07V	4.2	31.5	20.3	63	0.1	17.2	10.5	330	2.89
BGT 37779	625462	6982838	NAD 83-07V	4.6	36.4	20.3	66	0.2	16.9	11.8	345	2.96
BGT 37780	625464	6982787	NAD 83-07V	10.2	46.6	15.6	79	0.1	13.7	16.5	412	3.71
BGT 37781	625465	6982738	NAD 83-07V	10	57.3	9.5	74	0.1	17	14.3	384	3.22
BGT 37782	625467	6982688	NAD 83-07V	69.2	78.1	39.5	93	0.1	11.1	10.7	622	4.02
BGT 37783	625274	6982431	NAD 83-07V	10.2	35.7	14.8	82	0.4	11.8	14.2	398	3.23
BGT 37784	625426	6980935	NAD 83-07V	24	86	32.6	122	0.4	22.4	11.7	431	2.54
BGT 37785	625423	6980986	NAD 83-07V	27.1	47.6	32.7	90	0.5	19.2	11.1	368	2.62
BGT 37786	625420	6981045	NAD 83-07V	43.5	78.6	58.2	115	0.9	19.6	15.4	735	3.29
BGT 37787	625421	6981084	NAD 83-07V	48.2	225.7	101.3	180	1.1	29.3	26.9	906	3.73
BGT 37788	625417	6981136	NAD 83-07V	227	338.8	79.5	151	0.8	8.5	12.1	913	6.24
BGT 37789	625416	6981186	NAD 83-07V	71.8	87.7	15.9	75	0.3	11	11.9	661	4.27
BGT 37790	625415	6981235	NAD 83-07V	149.8	211.1	20.3	147	1.2	50.4	29.4	1474	6.31
BGT 37791	625413	6981284	NAD 83-07V	275.2	217.2	25.1	179	0.05	45.2	37.6	2450	8.8
BGT 37792	625411	6981335	NAD 83-07V	76.2	102.7	16.3	67	0.1	16.3	9.8	444	3.82
BGT 37793	625410	6981385	NAD 83-07V	56	86.4	14.1	103	0.4	20.9	12.9	635	3.58
BGT 37794	625272	6982381	NAD 83-07V	5.9	26.8	10.9	39	0.3	7.2	5.5	149	1.99
BGT 37795	625274	6982329	NAD 83-07V	9.2	50	11.3	81	0.4	12.6	10.8	409	4.13
BGT 37796	625275	6982280	NAD 83-07V	19	58.8	15.1	84	0.5	12.9	15.7	451	3.76
BGT 37797	625277	6982231	NAD 83-07V	19.1	53.2	20	112	0.3	10.7	33.4	1271	6.74
BGT 37798	625279	6982181	NAD 83-07V	43.5	80.4	23.9	93	0.5	10.5	13.8	477	4.2
BGT 37799	625281	6982130	NAD 83-07V	6.3	21.3	29.9	58	0.05	16.4	8	352	2.63
BGT 37800	625284	6982085	NAD 83-07V	12	55.7	29.4	104	0.1	15.5	14	708	3.01
BGT 37801	625285	6982030	NAD 83-07V	26.7	101.8	44.4	125	0.8	13.2	45.5	2083	5.25
BGT 37802	625286	6981981	NAD 83-07V	18.2	79.6	67.3	97	0.9	18.8	18.2	983	3.72
BGT 37803	625289	6981932	NAD 83-07V	65	147.5	97.7	79	0.4	12.3	11.9	666	3.6
BGT 37804	625292	6981882	NAD 83-07V	31.5	118.1	30	82	0.7	15.7	15.1	571	3.95
BGT 37805	625293	6981832	NAD 83-07V	35	242.3	56.6	109	2	19.4	13.7	587	3.81

Sample	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
BGT 37761	5	1.3	2.5	1.6	32	0.1	0.3	3.2	77	0.22	0.062	9	24	0.74	127	0.101
BGT 37762	2.7	1.2	1.8	1.9	40	0.4	0.2	3.4	107	0.31	0.061	12	20	1.04	303	0.182
BGT 37763	4	0.5	2.4	1	29	0.1	0.2	3.9	132	0.21	0.087	5	39	1.28	365	0.171
BGT 37764	2.8	2.5	1.2	3.5	38	0.2	0.2	11.7	166	0.16	0.087	6	24	1.28	245	0.227
BGT 37765	4.2	0.8	1.8	1.5	26	0.2	0.3	11.1	114	0.28	0.076	6	39	1.23	157	0.162
BGT 37766	5.4	0.8	2.9	1.6	21	0.2	0.3	8.2	85	0.25	0.061	7	28	0.8	147	0.119
BGT 37767	4.4	1.2	2.5	1.5	19	0.2	0.3	7	107	0.27	0.062	6	30	1.06	135	0.118
BGT 37768	4.7	1.2	4.4	2.3	20	0.2	0.3	4	84	0.26	0.061	9	33	0.94	122	0.109
BGT 37769	4.6	2.3	1.7	4.5	48	0.3	0.9	10.9	103	0.29	0.06	9	30	1.09	211	0.127
BGT 37770	5.8	1.2	1.9	1.3	27	0.2	0.3	2.8	76	0.23	0.055	8	29	0.69	109	0.09
BGT 37771	2.9	1.1	2.3	1.8	25	0.2	0.3	3.6	140	0.33	0.067	9	86	2.17	317	0.189
BGT 37772	6.1	1.1	1.7	2.7	19	0.2	0.3	3.6	62	0.24	0.051	13	33	0.6	148	0.088
BGT 37773	5.1	1.3	2.8	2.4	21	0.4	0.3	3.5	57	0.29	0.055	12	29	0.62	171	0.069
BGT 37774	4.1	1.5	2.8	1.4	27	0.4	0.3	4.4	57	0.37	0.058	13	34	0.67	184	0.077
BGT 37775	2	1.6	1.2	3.5	31	0.05	0.2	9.9	99	0.62	0.139	14	26	1.12	491	0.138
BGT 37776	5.1	2.4	1.5	3.6	25	0.05	0.2	11.4	69	0.32	0.065	17	25	0.62	262	0.098
BGT 37777	4.9	1	2.2	1.9	27	0.2	0.4	5.5	94	0.32	0.069	8	26	0.96	188	0.135
BGT 37778	6.3	0.9	2	2.2	27	0.2	0.4	5.4	71	0.26	0.031	9	32	0.63	152	0.074
BGT 37779	6	1.2	4.6	2.6	21	0.2	0.4	5.9	74	0.25	0.024	8	31	0.73	146	0.083
BGT 37780	6	0.6	4	1.7	31	0.2	0.3	8.9	90	0.36	0.071	6	23	0.85	145	0.107
BGT 37781	4.9	1.1	2.7	2.5	22	0.1	0.4	2.8	72	0.29	0.042	10	28	0.8	195	0.13
BGT 37782	4.4	1.1	2.3	5.1	7	0.4	0.4	26.2	60	0.11	0.048	12	23	0.56	94	0.059
BGT 37783	3.1	1.3	2.7	1.4	27	0.3	0.2	4.3	84	0.27	0.061	8	28	1.03	233	0.112
BGT 37784	11.7	0.6	20	2.7	21	1	1.1	10.6	64	0.39	0.041	9	41	0.69	175	0.081
BGT 37785	6.7	0.4	2.4	1.9	15	1.5	0.4	12.8	69	0.23	0.029	7	40	0.52	116	0.074
BGT 37786	8	0.5	5.9	1.8	19	1.1	0.5	14.9	86	0.34	0.051	7	48	0.77	111	0.092
BGT 37787	5.3	0.6	1.1	1.4	28	1.8	0.4	48.8	97	0.63	0.094	6	92	1.59	120	0.08
BGT 37788	3.4	0.8	2.2	3.4	9	0.4	0.8	58.8	82	0.15	0.102	16	14	0.73	145	0.065
BGT 37789	6.4	0.6	2.1	2.9	11	0.3	0.4	13.9	82	0.16	0.069	9	29	0.62	109	0.103
BGT 37790	2	2.1	3.2	3.3	18	0.9	0.2	41.5	178	0.59	0.139	27	114	2.53	437	0.211
BGT 37791	2.3	0.8	1.6	2.4	9	0.3	0.1	35.3	253	0.44	0.215	10	149	3.82	445	0.344
BGT 37792	3.1	0.9	1.7	4.2	20	0.1	0.2	5	64	0.21	0.051	25	28	0.75	381	0.1
BGT 37793	1.9	0.9	1.7	2.3	16	0.2	0.2	9.8	93	0.3	0.101	11	45	1.38	377	0.172
BGT 37794	3	0.7	2.9	0.4	23	0.2	0.1	2	38	0.23	0.063	5	17	0.41	173	0.069
BGT 37795	7.2	1.1	2.8	1.4	34	0.3	0.2	4.6	93	0.22	0.085	7	26	0.94	237	0.132
BGT 37796	4.5	1.5	2.5	1.4	29	0.2	0.2	4.1	89	0.29	0.068	6	24	0.93	184	0.1
BGT 37797	4	1.3	0.9	0.7	60	0.3	0.2	14.4	144	0.46	0.097	5	18	1.18	185	0.052
BGT 37798	7.1	1.6	2.7	1	29	0.3	0.3	4.8	85	0.17	0.072	6	19	0.86	145	0.11
BGT 37799	7.4	1.9	2.1	12.4	14	0.3	0.4	2.2	62	0.16	0.027	9	28	0.43	93	0.059
BGT 37800	2.8	4.4	1.1	12.3	42	0.3	0.2	6.6	69	0.59	0.048	12	24	1.06	185	0.038
BGT 37801	3.8	2.8	1.3	3.6	22	0.4	0.3	9.9	146	0.42	0.08	7	35	1.47	121	0.072
BGT 37802	4.9	3.6	2.9	2.1	29	0.8	0.5	11.8	88	0.53	0.064	10	31	0.8	188	0.058
BGT 37803	2.7	2.8	1.2	7	17	0.6	0.5	18.7	59	0.32	0.071	9	18	0.67	139	0.042
BGT 37804	7	1.8	1.5	2.4	17	0.3	0.6	3.2	86	0.3	0.074	9	29	0.83	133	0.099
BGT 37805	6.7	4.5	2.5	3.9	19	0.7	1.7	7.1	82	0.3	0.066	19	36	0.88	203	0.063

Sample	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	Acme File
BGT 37761	1	1.92	0.022	0.19	11	0.03	3.4	0.2	0.12	6	0.25	1DX15	VAN08010936
BGT 37762	0.5	2.12	0.036	0.53	6.6	0.01	5.2	0.4	0.18	8	0.25	1DX15	VAN08010936
BGT 37763	0.5	2.87	0.047	0.76	13.6	0.02	7.6	0.7	0.46	8	0.25	1DX15	VAN08010936
BGT 37764	0.5	2.45	0.112	0.89	15.9	0.02	10.5	0.8	0.94	9	0.7	1DX15	VAN08010936
BGT 37765	1	2.16	0.022	0.42	21.6	0.02	5	0.7	0.08	7	0.8	1DX15	VAN08010936
BGT 37766	1	1.99	0.018	0.21	10.5	0.04	4.4	0.3	0.025	6	0.25	1DX15	VAN08010936
BGT 37767	0.5	2.24	0.02	0.34	11.6	0.02	6.3	0.7	0.025	7	0.25	1DX15	VAN08010936
BGT 37768	1	2.03	0.017	0.25	7.2	0.03	5.1	0.5	0.025	6	0.25	1DX15	VAN08010936
BGT 37769	2	2.18	0.063	0.36	10.8	0.02	7.6	0.5	0.34	7	1.4	1DX15	VAN08010936
BGT 37770	2	1.85	0.014	0.11	6.2	0.03	3.4	0.2	0.025	6	0.25	1DX15	VAN08010936
BGT 37771	0.5	3.34	0.021	1.03	9.5	0.005	7.1	1.4	0.1	9	1.4	1DX15	VAN08010936
BGT 37772	2	1.82	0.013	0.08	3.7	0.04	3.8	0.2	0.025	6	0.25	1DX15	VAN08010936
BGT 37773	1	1.71	0.011	0.09	4.5	0.04	3.7	0.2	0.025	6	0.25	1DX15	VAN08010936
BGT 37774	2	1.75	0.014	0.11	4.2	0.05	3.8	0.3	0.025	6	0.25	1DX15	VAN08010936
BGT 37775	0.5	2.25	0.012	0.67	7.1	0.02	9.5	0.7	0.025	10	1	1DX15	VAN08010936
BGT 37776	1	1.74	0.011	0.24	1.5	0.04	4.5	0.3	0.025	6	0.6	1DX15	VAN08010936
BGT 37777	1	2.41	0.018	0.28	24	0.03	4.2	0.4	0.05	6	0.25	1DX15	VAN08010936
BGT 37778	1	2.02	0.018	0.06	16.6	0.03	3.4	0.2	0.025	5	0.25	1DX15	VAN08010936
BGT 37779	1	2.07	0.013	0.07	17.3	0.02	3.3	0.3	0.025	5	0.25	1DX15	VAN08010936
BGT 37780	0.5	2.24	0.015	0.16	18.3	0.01	3.5	0.3	0.025	6	0.25	1DX15	VAN08010936
BGT 37781	1	1.94	0.015	0.15	9.9	0.02	4.1	0.3	0.025	5	0.25	1DX15	VAN08010936
BGT 37782	0.5	1.6	0.007	0.14	17.5	0.005	3	0.3	0.025	6	0.7	1DX15	VAN08010936
BGT 37783	1	2.01	0.014	0.35	6.5	0.03	4.7	0.4	0.11	6	1	1DX15	VAN08010936
BGT 37784	2	1.58	0.014	0.06	9.4	0.02	3.9	0.2	0.025	5	0.25	1DX15	VAN08010936
BGT 37785	0.5	1.56	0.01	0.06	9.1	0.02	2.7	0.1	0.025	5	0.25	1DX15	VAN08010936
BGT 37786	1	1.83	0.014	0.09	21.6	0.02	3.9	0.2	0.025	7	0.25	1DX15	VAN08010936
BGT 37787	1	2.27	0.011	0.19	26.5	0.02	8.3	0.3	0.025	7	0.7	1DX15	VAN08010936
BGT 37788	0.5	2.36	0.01	0.34	77.4	0.03	10.6	0.6	0.07	9	1.1	1DX15	VAN08010936
BGT 37789	0.5	1.93	0.008	0.22	2.8	0.02	6	0.2	0.025	9	1	1DX15	VAN08010936
BGT 37790	0.5	3.6	0.014	1.04	2.7	0.05	19.2	1.2	0.025	14	1.9	1DX15	VAN08010936
BGT 37791	0.5	5.03	0.016	1.81	1.5	0.005	23.2	1.8	0.025	20	1.8	1DX15	VAN08010936
BGT 37792	0.5	1.83	0.013	0.35	1.2	0.02	5.3	0.4	0.025	7	0.8	1DX15	VAN08010936
BGT 37793	0.5	2.31	0.013	0.69	0.7	0.03	9	0.7	0.025	9	0.7	1DX15	VAN08010936
BGT 37794	0.5	1.25	0.014	0.13	3.8	0.05	2.5	0.2	0.15	5	1.5	1DX15	VAN08010936
BGT 37795	0.5	2.16	0.038	0.42	8.1	0.03	5.8	0.5	0.26	6	1.5	1DX15	VAN08010936
BGT 37796	0.5	1.93	0.024	0.34	7.7	0.03	5.1	0.4	0.17	6	1.3	1DX15	VAN08010936
BGT 37797	0.5	2.82	0.058	0.36	6.9	0.005	11.2	0.4	0.45	8	1.7	1DX15	VAN08010936
BGT 37798	0.5	2.09	0.037	0.34	6.9	0.03	3.8	0.4	0.21	5	0.9	1DX15	VAN08010936
BGT 37799	1	1.82	0.012	0.07	2.6	0.02	2.7	0.2	0.025	6	0.6	1DX15	VAN08010936
BGT 37800	0.5	2.49	0.07	0.36	6	0.01	4.3	0.5	0.025	6	0.8	1DX15	VAN08010936
BGT 37801	0.5	2.64	0.02	0.19	5.5	0.03	9.4	0.3	0.05	9	1.2	1DX15	VAN08010936
BGT 37802	2	2.04	0.014	0.14	3	0.03	7.5	0.3	0.025	7	1.1	1DX15	VAN08010936
BGT 37803	0.5	1.66	0.01	0.22	6.4	0.01	4.8	0.4	0.025	4	1.1	1DX15	VAN08010936
BGT 37804	0.5	2.02	0.012	0.16	5.1	0.04	4.8	0.3	0.025	7	1.5	1DX15	VAN08010936
BGT 37805	0.5	2.19	0.012	0.16	6.3	0.05	6.4	0.4	0.025	7	1.1	1DX15	VAN08010936

Sample	UTM Easting	UTM Northing	UTM Zone	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe
BGT 37806	625295	6981782	NAD 83-07V	32.1	87	61.6	81	0.6	15.1	13.8	1015	3.5
BGT 37807	625297	6981734	NAD 83-07V	29.2	180.3	83.2	124	1.5	21.9	12.6	641	3.34
BGT 37808	625299	6981683	NAD 83-07V	43.5	119.9	51.7	109	0.9	20.1	11.9	542	3.49
BGT 37809	625301	6981632	NAD 83-07V	65.9	123.3	76.8	127	1.1	14.7	16.5	1016	4.48
BGT 37810	625302	6981582	NAD 83-07V	27.9	30	22.5	84	0.3	13	6.1	292	2.8
BGT 37811	625305	6981532	NAD 83-07V	46.5	40.4	20.5	86	0.4	14.9	7.2	321	3.61
BGT 37812	625306	6981479	NAD 83-07V	49.2	45.8	19	97	0.5	19	9.4	455	3.76
BGT 37813	625308	6981432	NAD 83-07V	52.4	51.4	14.3	82	0.5	17.8	10.8	417	3.61
BGT 37814	625309	6981382	NAD 83-07V	58.1	64.7	16.3	83	0.4	17.4	10.7	439	3.66
BGT 37815	625311	6981333	NAD 83-07V	90.2	70.4	18.6	87	0.3	17.2	15.3	523	3.87
BGT 37816	625313	6981283	NAD 83-07V	71.3	136.9	45.5	133	1	13	10.6	535	4.41
BGT 37820	625716	6981147	NAD 83-07V	106.1	254.4	15.9	95	0.3	19	14.7	722	4.33
BGT 37821	625713	6981198	NAD 83-07V	78.7	346.9	16.1	103	1	17.9	15	749	4.39
BGT 37822	625717	6981095	NAD 83-07V	79.1	150.9	18.6	90	0.4	18.4	11.8	542	3.58
BGT 37824	625723	6981045	NAD 83-07V	122.5	126.9	19.8	99	0.3	20.8	16.2	934	3.88
BGT 37825	625725	6980994	NAD 83-07V	56.6	149.6	19	110	0.5	24	15.4	736	3.81
BGT 37826	625727	6980946	NAD 83-07V	74.3	106.3	20.5	103	0.4	19.3	11.7	532	4.07
BGT 37827	625828	6980948	NAD 83-07V	52.5	80.8	26.4	124	0.9	20.9	10.3	620	3.78
BGT 37828	625827	6981001	NAD 83-07V	44.4	79.2	21.8	113	0.8	25.1	11.1	583	3.47
BGT 37829	625825	6981048	NAD 83-07V	61.7	86.2	23.5	113	0.5	27.6	13.2	574	4.11
BGT 37830	625823	6981099	NAD 83-07V	126.7	172.4	20.1	157	0.5	35.7	20	960	5.86
BGT 37831	625822	6981150	NAD 83-07V	68	203.1	22.9	92	0.5	20	12	584	3.85
BGT 37832	625818	6981199	NAD 83-07V	96.6	404.2	20.8	108	0.7	24.7	13.7	648	4.11
BGT 37833	625818	6981249	NAD 83-07V	87.7	662.6	29.4	170	0.2	71.8	33.9	1302	6.49
BGT 37835	625812	6981299	NAD 83-07V	16.2	181	15.2	77	0.05	20.1	9.9	378	4.17
BGT 37839	625808	6981347	NAD 83-07V	7.5	106.2	26.1	56	0.2	21.3	9.1	277	3.35
BGT 37840	625193	6981829	NAD 83-07V	30.2	97.4	28.9	92	0.8	17.3	13	948	2.71
BGT 37841	625195	6981730	NAD 83-07V	5.8	31.2	55.4	72	0.6	11.5	5.2	221	1.88
BGT 37842	625198	6981680	NAD 83-07V	6.2	25.1	35.6	85	0.4	11.9	6.4	299	2.01
BGT 37843	625200	6981628	NAD 83-07V	10.2	36.8	33.2	87	0.4	13.5	6.8	353	2.5
BGT 37844	625206	6981478	NAD 83-07V	21.4	29.9	20.3	97	0.3	11.7	6.5	291	2.96
BGT 37845	625208	6981428	NAD 83-07V	25.3	64.8	18.6	121	0.3	16.1	11.4	520	3.67
BGT 37846	625210	6981379	NAD 83-07V	28.2	50.9	44.9	104	1.1	13.8	6.9	305	3.31
BGT 37847	625211	6981328	NAD 83-07V	54.1	124.1	61.1	159	2.4	19	12.5	667	4.55
BGT 37860	626422	6981020	NAD 83-07V	4.3	24.7	36.5	84	0.05	23.7	18.8	1016	4
BGT 37861	626421	6981070	NAD 83-07V	1.2	21.3	11.5	68	0.05	23.1	11.7	382	3.01
BGT 37862	626419	6981120	NAD 83-07V	1	18.8	10.5	59	0.05	17	9.8	322	2.49
BGT 37863	626416	6981170	NAD 83-07V	1.5	15.6	10.9	58	0.1	15.8	9	236	2.25
BGT 37864	626416	6981222	NAD 83-07V	3.8	21.8	13.1	79	0.2	16.3	11.9	370	2.54
BGT 37865	626414	6981270	NAD 83-07V	2.4	19.6	13.4	77	0.2	17.2	10.9	260	2.61
BGT 37866	626412	6981320	NAD 83-07V	2.3	18	12.6	76	0.2	15.6	9.8	247	2.75
BGT 37867	626411	6981371	NAD 83-07V	1.8	14.9	13.4	76	0.2	14.5	9	258	2.41
BGT 37868	626409	6981420	NAD 83-07V	2.5	15.5	16	74	0.3	12.3	7.5	204	2.32
BGT 37869	626309	6981417	NAD 83-07V	6.3	29.9	15.2	78	0.2	15.6	10.5	253	2.96
BGT 37870	626311	6981367	NAD 83-07V	7.2	49.1	16.9	85	0.3	17.6	13.3	315	3.1

Sample	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
BGT 37806	10.8	1.3	1.2	2.5	18	0.4	1.4	8.7	90	0.25	0.083	10	29	0.52	121	0.067
BGT 37807	4.8	1.9	2.4	3.4	22	0.4	0.8	9.1	71	0.42	0.074	13	44	0.92	224	0.081
BGT 37808	3.5	1.2	1.4	3.5	21	0.5	0.3	10.2	65	0.38	0.085	14	52	0.95	155	0.07
BGT 37809	6.5	1.2	1	3.7	40	1	0.3	45.4	92	0.57	0.116	18	28	1.07	295	0.148
BGT 37810	3.6	0.5	1.5	1.2	16	0.2	0.2	10.8	62	0.2	0.052	10	30	0.7	148	0.142
BGT 37811	5.8	0.8	2.7	1.6	17	0.2	0.2	15.8	78	0.18	0.08	11	37	0.81	205	0.128
BGT 37812	3.6	0.9	3.2	1.9	19	0.3	0.2	15.4	85	0.24	0.077	13	45	0.97	293	0.145
BGT 37813	4	0.8	2.1	1.7	17	0.5	0.3	20.7	76	0.26	0.083	10	40	0.88	181	0.115
BGT 37814	3.8	0.9	1.5	1.6	16	0.3	0.2	11.4	72	0.2	0.058	11	33	0.72	169	0.108
BGT 37815	3.9	1	6.7	3.5	24	0.4	0.3	10.4	60	0.15	0.072	14	28	0.76	206	0.132
BGT 37816	4.6	1	2.3	3	23	0.5	0.3	17.9	75	0.3	0.097	12	26	1	216	0.176
BGT 37820	4.3	2.6	1.8	2.5	24	0.3	0.3	6.5	97	0.42	0.123	12	38	1.32	344	0.196
BGT 37821	3.7	1.8	2.6	2.6	22	0.3	0.3	3.9	95	0.3	0.098	12	27	1.28	385	0.202
BGT 37822	4.7	2.1	2.1	2.2	25	0.3	0.3	8	82	0.37	0.089	11	36	1.09	240	0.168
BGT 37824	4.8	1.9	1.8	2.3	32	0.5	0.3	7	97	0.56	0.062	8	46	1.14	191	0.176
BGT 37825	4.1	3.1	1.5	2.6	38	0.4	0.3	8.5	94	0.6	0.083	12	48	1.21	320	0.186
BGT 37826	6.6	2	3.3	3	23	0.3	0.3	8.5	96	0.26	0.081	11	46	1.17	266	0.208
BGT 37827	4.1	4.3	1	2.7	36	0.2	0.2	17.4	95	0.36	0.121	14	61	1.35	299	0.192
BGT 37828	3.6	2.5	6.3	2	28	0.3	0.3	11.9	96	0.25	0.089	10	66	1.28	261	0.212
BGT 37829	5.1	3.2	1	2.5	25	0.3	0.3	11.2	98	0.3	0.098	12	63	1.36	299	0.201
BGT 37830	5.1	3.1	1.7	3.5	22	0.4	0.3	13.7	125	0.39	0.145	12	80	1.87	337	0.256
BGT 37831	7.9	2.8	3.2	3.1	22	0.5	0.5	6.5	80	0.33	0.111	14	35	0.89	280	0.148
BGT 37832	8.3	18.4	2.6	3.4	36	0.7	0.5	3.7	78	0.85	0.067	19	35	0.93	234	0.136
BGT 37833	6.1	5.4	1.1	2.4	83	1.2	0.5	17	119	0.65	0.13	13	81	2.45	363	0.257
BGT 37835	9	1.4	1.5	1.6	16	0.2	0.5	2	91	0.14	0.061	12	38	0.78	194	0.118
BGT 37839	12.1	2.1	2.6	1.9	18	0.4	0.8	4.7	68	0.17	0.057	13	35	0.51	181	0.061
BGT 37840	6	4.7	1.1	2.4	44	0.8	0.7	4.8	57	0.75	0.109	15	27	0.72	220	0.088
BGT 37841	3.3	0.6	4.6	0.7	17	0.6	0.2	8.9	41	0.23	0.073	7	30	0.46	124	0.074
BGT 37842	2.6	0.6	4.4	1.1	19	0.5	0.2	7.8	41	0.25	0.071	9	32	0.6	141	0.109
BGT 37843	3.8	0.7	2.2	1.3	21	0.9	0.2	8	60	0.25	0.063	10	33	0.65	163	0.119
BGT 37844	4.6	0.8	2.4	1.6	21	0.3	0.2	5.1	54	0.21	0.075	12	26	0.72	198	0.168
BGT 37845	5.3	1.1	2	4.2	28	0.5	0.4	5	61	0.31	0.108	15	29	0.85	304	0.202
BGT 37846	6.1	1	5.7	2.7	19	0.6	0.3	9.7	55	0.23	0.086	13	29	0.68	191	0.157
BGT 37847	7.5	2.1	3.4	3.4	23	1.1	0.3	16	79	0.29	0.108	18	44	0.94	295	0.166
BGT 37860	6.6	1.2	3.1	5.5	18	0.2	0.5	13.4	63	0.2	0.072	16	41	0.77	261	0.075
BGT 37861	7.5	0.7	2.6	2.4	23	0.2	0.4	0.5	64	0.25	0.077	12	40	0.72	151	0.084
BGT 37862	6.2	0.7	3.4	1.9	21	0.2	0.4	0.3	51	0.22	0.067	12	26	0.55	150	0.058
BGT 37863	4.9	0.7	2.8	1.6	25	0.2	0.4	1	46	0.27	0.082	10	26	0.58	228	0.074
BGT 37864	4	0.8	2.4	2.7	25	0.2	0.3	1.6	58	0.34	0.104	11	26	0.77	220	0.141
BGT 37865	4.3	0.7	2.7	2.2	23	0.2	0.4	1.5	60	0.29	0.079	10	28	0.78	193	0.126
BGT 37866	5.7	0.6	4.6	1.6	21	0.2	0.4	1.4	60	0.26	0.089	8	27	0.79	171	0.113
BGT 37867	5	0.5	1.1	2	23	0.2	0.3	1.2	56	0.31	0.091	9	25	0.73	160	0.126
BGT 37868	5.2	0.7	5.5	2.1	22	0.2	0.3	1.2	56	0.29	0.083	10	25	0.61	166	0.115
BGT 37869	6.1	0.7	2.8	2.3	30	0.2	0.4	1.6	68	0.26	0.076	10	29	0.74	191	0.109
BGT 37870	5.6	0.9	3.8	2.1	35	0.2	0.4	1.8	67	0.28	0.094	12	31	0.81	243	0.122

Sample	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	Acme File
BGT 37806	1	1.57	0.009	0.09	6.5	0.02	2.8	0.2	0.025	6	0.8	1DX15	VAN08010936
BGT 37807	2	2.19	0.014	0.18	6.8	0.03	5.3	0.4	0.025	7	0.9	1DX15	VAN08010936
BGT 37808	0.5	1.93	0.012	0.14	10.6	0.03	4.5	0.3	0.025	7	1.1	1DX15	VAN08010936
BGT 37809	1	1.86	0.019	0.27	12.1	0.01	7.1	0.5	0.1	9	0.7	1DX15	VAN08010936
BGT 37810	1	1.74	0.01	0.22	4.2	0.04	5.1	0.4	0.025	8	0.7	1DX15	VAN08010936
BGT 37811	1	1.97	0.013	0.28	3.2	0.04	5.8	0.5	0.025	8	0.7	1DX15	VAN08010936
BGT 37812	1	2.04	0.011	0.45	4.9	0.03	6.7	0.6	0.05	10	1.1	1DX15	VAN08010936
BGT 37813	0.5	1.89	0.012	0.36	3.1	0.03	6.7	0.5	0.05	7	1.1	1DX15	VAN08010936
BGT 37814	0.5	1.98	0.011	0.33	3.3	0.03	5.2	0.4	0.025	8	1.2	1DX15	VAN08010936
BGT 37815	1	2	0.021	0.46	4.5	0.03	6.5	0.4	0.12	6	0.25	1DX15	VAN08010936
BGT 37816	1	2.29	0.018	0.5	18.2	0.04	8.9	0.5	0.09	9	0.25	1DX15	VAN08010936
BGT 37820	1	2.4	0.014	0.58	4.8	0.04	10.9	0.8	0.07	10	0.9	1DX15	VAN08010936
BGT 37821	1	2.56	0.016	0.67	4.3	0.05	10.1	0.7	0.025	10	0.9	1DX15	VAN08010936
BGT 37822	1	2.2	0.015	0.39	3.7	0.04	8.7	0.6	0.025	9	0.8	1DX15	VAN08010936
BGT 37824	0.5	2.17	0.015	0.27	4.6	0.04	7.4	0.5	0.025	9	0.25	1DX15	VAN08010936
BGT 37825	2	2.36	0.018	0.49	5.1	0.04	9.6	0.7	0.07	9	0.8	1DX15	VAN08010936
BGT 37826	0.5	2.45	0.013	0.54	5.6	0.03	9.1	0.6	0.025	9	0.25	1DX15	VAN08010936
BGT 37827	0.5	2.61	0.016	0.76	14.7	0.04	9.7	0.8	0.025	10	0.5	1DX15	VAN08010936
BGT 37828	0.5	2.25	0.015	0.61	10.8	0.03	8.6	0.7	0.025	10	0.6	1DX15	VAN08010936
BGT 37829	1	2.46	0.013	0.56	6.9	0.03	9.5	0.7	0.025	9	0.25	1DX15	VAN08010936
BGT 37830	1	3.16	0.015	1.21	6.4	0.02	15.3	1.2	0.025	12	0.7	1DX15	VAN08010936
BGT 37831	1	2.38	0.012	0.38	4.3	0.03	8.3	0.5	0.025	9	0.6	1DX15	VAN08010936
BGT 37832	1	2.49	0.018	0.34	3	0.06	10	0.4	0.025	9	1	1DX15	VAN08010936
BGT 37833	0.5	3.17	0.023	1.2	30.5	0.01	10.4	1.3	0.025	12	1.2	1DX15	VAN08010936
BGT 37835	1	2.63	0.011	0.18	2.5	0.03	7	0.4	0.025	10	0.25	1DX15	VAN08010936
BGT 37839	1	2.51	0.012	0.07	1.3	0.03	4.2	0.1	0.025	7	0.6	1DX15	VAN08010936
BGT 37840	1	1.73	0.018	0.16	14.7	0.04	4.2	0.3	0.025	6	0.5	1DX15	VAN08010936
BGT 37841	0.5	1.11	0.016	0.07	8.9	0.04	3.8	0.2	0.025	5	0.25	1DX15	VAN08010936
BGT 37842	0.5	1.38	0.018	0.09	8.5	0.04	4.9	0.2	0.025	6	0.25	1DX15	VAN08010936
BGT 37843	1	1.51	0.016	0.1	6.2	0.04	5.2	0.2	0.05	6	0.25	1DX15	VAN08010936
BGT 37844	1	1.81	0.015	0.24	3.1	0.04	6.6	0.3	0.025	8	0.7	1DX15	VAN08010936
BGT 37845	0.5	1.94	0.024	0.42	6.1	0.03	9.1	0.4	0.06	8	0.7	1DX15	VAN08010936
BGT 37846	0.5	1.79	0.012	0.26	8.8	0.05	7.4	0.3	0.025	8	0.25	1DX15	VAN08010936
BGT 37847	1	2.65	0.02	0.43	11.9	0.09	12.1	0.4	0.05	10	0.9	1DX15	VAN08010936
BGT 37860	0.5	2.27	0.011	0.19	15.1	0.02	5.6	0.3	0.025	7	0.25	1DX15	VAN08010936
BGT 37861	1	2.1	0.013	0.07	2.1	0.03	5	0.1	0.025	6	0.25	1DX15	VAN08010936
BGT 37862	0.5	1.63	0.012	0.05	0.9	0.01	3.7	0.05	0.025	5	0.25	1DX15	VAN08010936
BGT 37863	1	1.59	0.013	0.08	1	0.04	3.9	0.2	0.025	6	0.25	1DX15	VAN08010936
BGT 37864	1	1.72	0.014	0.21	5.4	0.03	4.7	0.3	0.025	6	0.25	1DX15	VAN08010936
BGT 37865	1	1.83	0.015	0.17	2.9	0.04	4.6	0.3	0.025	6	0.25	1DX15	VAN08010936
BGT 37866	1	1.86	0.013	0.14	3	0.05	4.1	0.3	0.025	6	0.25	1DX15	VAN08010936
BGT 37867	1	1.64	0.016	0.14	3.8	0.03	3.9	0.3	0.025	6	0.25	1DX15	VAN08010936
BGT 37868	1	1.57	0.014	0.13	2.6	0.04	4.1	0.2	0.025	6	0.25	1DX15	VAN08010936
BGT 37869	1	2.02	0.014	0.1	3	0.03	5.6	0.2	0.025	6	0.25	1DX15	VAN08010936
BGT 37870	2	2.15	0.016	0.16	3.4	0.04	6.6	0.3	0.025	7	0.5	1DX15	VAN08010936

Sample	UTM Easting	UTM Northing	UTM Zone	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe
BGT 37871	626314	6981317	NAD 83-07V	4.7	27.5	10.8	78	0.2	15.8	9.9	265	2.77
BGT 37872	626315	6981267	NAD 83-07V	8	25.5	12.7	79	0.2	17.6	9.9	284	2.84
BGT 37873	626317	6981217	NAD 83-07V	9.8	62.3	13.9	86	0.5	19.1	13	407	3
BGT 37874	626319	6981168	NAD 83-07V	2.2	14.8	9.2	64	0.05	18.1	11.7	308	2.92
BGT 37875	626320	6981116	NAD 83-07V	2	16.2	11.3	53	0.2	15.4	8.4	255	2.79
BGT 37876	626321	6981066	NAD 83-07V	5.5	20.1	19.5	72	0.2	19.4	11.3	413	3.55
BGT 37877	626324	6981017	NAD 83-07V	1.2	16.8	16.4	68	0.1	18.1	13.5	496	3.38
BGT 37878	626325	6980967	NAD 83-07V	2	26.9	19.4	71	0.4	18.6	10	363	3.04
BGT 37879	625807	6981399	NAD 83-07V	17.5	45.8	10.3	68	0.05	24.7	15.3	437	4.07
BGT 37880	626112	6981310	NAD 83-07V	8	101.6	18.3	72	0.1	24.7	11.1	426	3.12
BGT 37881	626110	6981360	NAD 83-07V	9.1	159.7	18.1	78	0.3	20.2	11.9	451	3.5
BGT 37882	626109	6981411	NAD 83-07V	25.9	170	27.7	72	0.5	14.8	17.6	889	3.23
BGT 37883	626009	6981406	NAD 83-07V	4.5	82.5	12.2	71	0.05	21	13.5	527	3.69
BGT 37884	626011	6981356	NAD 83-07V	10.1	338.7	4.5	192	0.05	13.2	28.7	1649	8.97
BGT 37885	626012	6981307	NAD 83-07V	19.4	59.5	7.4	19	0.05	12.1	5.7	107	4.63
BGT 37886	626014	6981256	NAD 83-07V	29.6	252.3	11.3	144	0.05	12.1	33.4	1022	6.96
BGT 37887	626016	6981207	NAD 83-07V	23.3	138.1	12.9	95	0.5	20.2	16.7	576	4.73
BGT 37888	626018	6981157	NAD 83-07V	131.1	133.6	28.5	94	0.2	16.6	14.5	792	5.55
BGT 37889	626019	6981105	NAD 83-07V	25.5	112.5	39.6	199	0.8	20.6	18	1045	5.7
BGT 37890	626023	6981005	NAD 83-07V	5.6	35	20.1	99	0.7	22.3	10.4	472	3.2
BGT 37891	626021	6981056	NAD 83-07V	12.2	62.7	20.9	210	0.4	37	19.8	1053	5.43
BGT 37892	626025	6980957	NAD 83-07V	3.2	32.2	16.9	103	0.5	21.3	13.4	651	3.48
BGT 37893	625925	6980952	NAD 83-07V	4.5	41.4	23.8	106	0.8	21.6	10	481	3.13
BGT 37894	625923	6981002	NAD 83-07V	4.9	44.6	23.2	102	1.2	22.6	9.3	444	2.89
BGT 37895	625921	6981052	NAD 83-07V	30.9	68.3	25.6	105	1.8	18.6	14.8	656	3.54
BGT 37896	625918	6981153	NAD 83-07V	39.6	92.1	32.8	70	0.4	15.8	10.6	498	3.47
BGT 37897	625916	6981203	NAD 83-07V	60.1	195.1	11.7	99	0.05	26.5	19.6	765	5.69
BGT 37898	625915	6981253	NAD 83-07V	22.8	117.2	11.5	72	0.1	16.8	12.2	528	3.92
BGT 37899	625913	6981303	NAD 83-07V	9.8	79.4	18.3	59	0.1	18.8	9.2	369	3.22
BGT 37899	625913	6981303	NAD 83-07V	9.7	82.1	18.9	63	0.1	19.2	9.8	365	3.25
BGT 37900	625910	6981354	NAD 83-07V	2.7	55.1	21.4	55	0.05	22	10.5	394	2.95
BGT 37901	625910	6981402	NAD 83-07V	4.8	75.7	19.6	59	0.1	18.8	8.2	386	2.91
BGT 37966	625654	6982946	NAD 83-07V	3.2	27.7	14	60	0.3	17.8	11.2	324	3.15
BGT 37967	625654	6982894	NAD 83-07V	5.3	33.4	9.9	72	0.2	14	13.6	329	3.46
BGT 37968	625658	6982874	NAD 83-07V	4.6	29.1	10.9	50	0.3	12	7.2	204	2.33
BGT 37969	625659	6982796	NAD 83-07V	15.2	44.5	19.9	78	0.1	13.7	13.5	427	3.42
BGT 37970	625664	6982747	NAD 83-07V	13	52.2	12.3	84	0.1	14.9	13.5	455	3.98
BGT 37971	625663	6982697	NAD 83-07V	43.5	45.4	19	67	0.5	19.3	11.2	426	3.1
BGT 37972	625665	6982644	NAD 83-07V	120.4	83.8	23.4	79	0.3	17.7	8.6	446	3.46
BGT 37973	625668	6982596	NAD 83-07V	57.2	72.7	18.8	71	0.3	17.5	10.4	450	3.39
BGT 37974	625671	6982546	NAD 83-07V	28.4	65.2	18.5	62	0.3	18.2	10.5	373	3.5
BGT 37975	625672	6982495	NAD 83-07V	16.1	65	16.1	67	0.1	16.5	12.5	475	3.35
BGT 37976	625673	6982445	NAD 83-07V	20.5	61.2	21	75	0.5	12.8	13	471	4.2
BGT 37977	625674	6982395	NAD 83-07V	27.9	55.6	20.8	69	0.2	14.7	9.6	403	3.54
BGT 37978	625676	6982344	NAD 83-07V	40.7	75.1	25.4	82	0.4	15.8	10.6	471	3.8

Sample	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
BGT 37871	4.3	0.7	3.3	2.3	32	0.2	0.4	0.9	60	0.3	0.078	9	27	0.79	206	0.096
BGT 37872	5.7	0.7	3.9	1.6	32	0.2	0.4	1.5	64	0.33	0.073	9	30	0.72	205	0.097
BGT 37873	4.6	0.9	2.1	2.7	30	0.2	0.4	2.1	64	0.36	0.09	11	29	0.82	317	0.119
BGT 37874	7	0.6	1.6	2.7	22	0.05	0.4	0.4	58	0.27	0.065	11	31	0.72	157	0.072
BGT 37875	7.4	0.6	2.6	2.6	20	0.05	0.4	0.4	65	0.21	0.062	12	29	0.64	129	0.082
BGT 37876	8.7	1	3	3.3	27	0.1	0.5	4	78	0.28	0.06	11	32	0.8	196	0.101
BGT 37877	7.8	0.7	3.1	3.6	21	0.2	0.4	3.2	76	0.24	0.068	9	31	0.83	168	0.12
BGT 37878	6	2.3	2.9	4.2	24	0.2	0.4	1.8	60	0.33	0.059	21	29	0.75	263	0.096
BGT 37879	10.6	0.8	3	3.5	22	0.2	0.7	0.9	81	0.21	0.046	13	41	0.93	190	0.115
BGT 37880	9	0.7	3.2	4.8	22	0.5	0.5	1.8	62	0.28	0.063	13	30	0.65	190	0.075
BGT 37881	6.9	1.4	3.1	3.1	25	0.3	0.5	2.6	78	0.31	0.072	16	32	0.78	203	0.086
BGT 37882	14	2.3	2.2	4.4	32	0.3	1.1	5.8	62	0.45	0.077	16	24	0.57	197	0.064
BGT 37883	8.9	0.8	2.6	3.4	20	0.3	0.6	2	80	0.27	0.057	11	31	0.83	209	0.127
BGT 37884	2.1	1.4	2	1.4	30	0.2	0.1	1.5	254	0.44	0.117	10	29	4.07	619	0.463
BGT 37885	3.6	0.9	0.7	4.8	33	0.05	0.3	1.3	46	0.1	0.069	19	16	0.17	155	0.051
BGT 37886	4.1	0.8	2.2	3.4	23	0.3	0.3	2.4	136	0.41	0.137	11	19	1.58	580	0.246
BGT 37887	6.1	1.3	1.9	2.7	30	0.2	0.3	7	101	0.36	0.098	14	31	1.16	333	0.163
BGT 37888	8.9	2.6	1.9	6	25	0.2	0.4	36.8	67	0.3	0.093	11	27	0.88	259	0.096
BGT 37889	4.1	1.5	1.7	3.3	30	0.5	0.3	12	168	0.51	0.16	14	44	1.88	453	0.211
BGT 37890	5.7	1.5	3.6	2.1	28	0.4	0.3	6.7	78	0.39	0.079	12	48	1.01	251	0.128
BGT 37891	3.4	1.8	1	4.3	23	0.3	0.2	13.9	134	0.54	0.163	17	80	2.02	383	0.24
BGT 37892	3.8	1.3	2.8	2.5	25	0.4	0.3	6.9	84	0.48	0.141	10	53	1.14	230	0.148
BGT 37893	3.3	2.5	2.2	1.9	30	0.3	0.2	12.4	71	0.41	0.112	11	58	1.08	268	0.128
BGT 37894	3.4	2.3	5.4	1.9	28	0.3	0.2	10	70	0.39	0.093	12	56	1.04	254	0.133
BGT 37895	5.7	4.2	2.4	3.9	33	0.4	0.3	25.3	75	0.34	0.082	18	38	0.9	253	0.108
BGT 37896	6	2.2	1.2	3.4	27	0.3	0.4	21.3	70	0.26	0.08	13	27	0.7	184	0.13
BGT 37897	6.9	1.5	3.1	4.1	20	0.3	0.4	6.3	103	0.26	0.084	12	39	1.38	353	0.182
BGT 37898	6.8	1.3	1	3.4	23	0.1	0.4	2.1	86	0.27	0.064	12	28	0.89	239	0.156
BGT 37899	11.3	1.4	2.2	4.3	23	0.2	0.7	4.2	72	0.27	0.063	13	33	0.61	231	0.091
BGT 37899	11.9	1.4	1.5	4.2	24	0.2	0.6	4.2	70	0.27	0.063	13	34	0.62	232	0.091
BGT 37900	9.8	1	3	4.4	21	0.3	0.6	2.2	66	0.24	0.045	14	35	0.61	227	0.089
BGT 37901	9.6	1.1	1.1	3.9	16	0.2	0.7	4.4	69	0.16	0.045	12	31	0.53	178	0.076
BGT 37966	6	1.1	7.4	4	30	0.1	0.5	5.1	58	0.27	0.026	13	33	0.71	183	0.075
BGT 37967	6.2	0.6	1.7	2.1	35	0.1	0.4	3.3	99	0.25	0.035	7	25	0.78	205	0.102
BGT 37968	4.8	1	1.7	0.3	28	0.2	0.3	4.3	53	0.26	0.048	8	23	0.53	163	0.055
BGT 37969	5.3	1	2.6	2.9	28	0.2	0.4	5.5	82	0.29	0.036	7	26	0.84	208	0.134
BGT 37970	5	1.2	2.7	3.2	42	0.2	0.3	5.5	89	0.46	0.058	12	25	0.9	273	0.099
BGT 37971	7.1	1.2	2.9	4.1	22	0.2	0.4	7.5	67	0.42	0.032	12	33	0.62	228	0.083
BGT 37972	7.5	2	2.5	5.6	17	0.2	0.6	6.7	70	0.26	0.045	15	33	0.65	160	0.096
BGT 37973	7.4	1.9	3.3	5.1	19	0.1	0.6	3.2	73	0.23	0.037	13	32	0.73	154	0.097
BGT 37974	8.8	1.2	2.7	4.8	14	0.2	0.5	1.8	82	0.14	0.03	9	33	0.64	112	0.098
BGT 37975	6	1.4	1.8	3.1	20	0.1	0.4	1.6	86	0.22	0.046	10	27	0.84	156	0.121
BGT 37976	7.8	1.2	3.4	2.5	21	0.1	0.6	3.1	114	0.18	0.039	7	29	0.8	116	0.13
BGT 37977	6.1	1.7	2.5	1.5	21	0.2	0.4	3.4	94	0.2	0.046	7	32	0.76	124	0.125
BGT 37978	5.5	2.3	3.4	1.9	23	0.3	0.4	4.8	103	0.23	0.045	7	31	0.97	163	0.146

Sample	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	Acme File
BGT 37871	0.5	2.09	0.017	0.14	2.9	0.05	4.8	0.2	0.08	7	0.25	1DX15	VAN08010936
BGT 37872	2	1.93	0.016	0.15	3	0.03	4	0.2	0.06	7	0.6	1DX15	VAN08010936
BGT 37873	2	1.99	0.018	0.22	7.1	0.03	4.9	0.3	0.06	6	0.7	1DX15	VAN08010936
BGT 37874	0.5	2.13	0.011	0.07	1.1	0.03	4.2	0.1	0.05	7	0.25	1DX15	VAN08010936
BGT 37875	0.5	1.9	0.011	0.07	1	0.03	3.9	0.2	0.025	8	0.25	1DX15	VAN08010936
BGT 37876	1	2.4	0.015	0.15	6.2	0.02	4.8	0.3	0.025	8	0.25	1DX15	VAN08010936
BGT 37877	0.5	2.28	0.012	0.22	5.2	0.02	4.5	0.3	0.025	6	0.25	1DX15	VAN08010936
BGT 37878	1	1.93	0.015	0.2	2.9	0.04	5.2	0.3	0.025	6	0.6	1DX15	VAN08010936
BGT 37879	1	2.97	0.014	0.15	0.7	0.02	6.8	0.3	0.025	8	0.9	1DX15	VAN08010936
BGT 37880	1	2.18	0.031	0.09	2.2	0.02	4.2	0.1	0.025	6	0.25	1DX15	VAN08010936
BGT 37881	2	2.37	0.019	0.11	2.6	0.03	6.2	0.2	0.06	8	0.7	1DX15	VAN08010936
BGT 37882	2	1.68	0.015	0.11	5	0.04	6.2	0.2	0.06	6	0.5	1DX15	VAN08010936
BGT 37883	1	2.55	0.013	0.19	1.2	0.02	6.1	0.3	0.05	8	0.25	1DX15	VAN08010936
BGT 37884	1	4.77	0.023	3.2	1.4	0.005	29.1	2.7	0.025	22	0.9	1DX15	VAN08010936
BGT 37885	0.5	0.8	0.014	0.14	0.9	0.01	2.1	0.05	0.19	3	0.25	1DX15	VAN08010936
BGT 37886	1	3.15	0.021	1.2	3	0.005	14.9	0.9	0.06	11	0.8	1DX15	VAN08010936
BGT 37887	1	2.64	0.015	0.5	7.3	0.03	9.3	0.6	0.06	10	1	1DX15	VAN08010936
BGT 37888	0.5	2.36	0.016	0.51	9.9	0.01	5.6	0.6	0.1	8	1.3	1DX15	VAN08010936
BGT 37889	1	2.96	0.016	1.25	14.4	0.01	15.1	1.3	0.13	12	0.25	1DX15	VAN08010936
BGT 37890	1	2.14	0.018	0.35	9	0.05	6.2	0.5	0.09	8	0.25	1DX15	VAN08010936
BGT 37891	0.5	2.88	0.015	1.42	14.3	0.01	11.6	1.1	0.07	12	0.8	1DX15	VAN08010936
BGT 37892	0.5	2	0.017	0.54	22.3	0.02	5.7	0.5	0.05	7	0.25	1DX15	VAN08010936
BGT 37893	0.5	2.06	0.016	0.54	14.7	0.04	7	0.5	0.09	8	0.5	1DX15	VAN08010936
BGT 37894	2	2.11	0.016	0.47	13.9	0.04	6.3	0.6	0.08	8	0.25	1DX15	VAN08010936
BGT 37895	1	2.39	0.013	0.34	8.5	0.05	6.9	0.5	0.06	8	0.9	1DX15	VAN08010936
BGT 37896	1	1.82	0.016	0.33	6.4	0.02	4.9	0.4	0.06	7	0.7	1DX15	VAN08010936
BGT 37897	0.5	3.22	0.019	1.01	3.8	0.02	8.7	0.9	0.05	10	0.6	1DX15	VAN08010936
BGT 37898	2	2.25	0.019	0.41	2.4	0.03	6.5	0.5	0.025	7	0.25	1DX15	VAN08010936
BGT 37899	2	2.36	0.013	0.13	1	0.03	5.2	0.3	0.025	7	0.5	1DX15	VAN08010936
BGT 37899	3	2.45	0.016	0.13	1.1	0.03	5	0.3	<0.05	7	0.9	1DX15	VAN08010936
BGT 37900	2	2.28	0.017	0.09	0.6	0.02	4.2	0.2	0.025	6	0.25	1DX15	VAN08010936
BGT 37901	2	2.17	0.013	0.09	1.4	0.03	3.4	0.2	0.025	8	0.7	1DX15	VAN08010936
BGT 37966	1	2.1	0.017	0.08	11.8	0.01	4.3	0.1	0.025	6	0.25	1DX15	VAN08010936
BGT 37967	0.5	2.64	0.017	0.18	13.9	0.01	4	0.2	0.025	7	0.25	1DX15	VAN08010936
BGT 37968	0.5	1.88	0.015	0.09	9.9	0.04	2.1	0.2	0.025	6	0.25	1DX15	VAN08010936
BGT 37969	1	2.29	0.02	0.22	11.4	0.01	4	0.3	0.025	6	0.25	1DX15	VAN08010936
BGT 37970	2	2.22	0.015	0.23	7.9	0.01	6.5	0.3	0.025	6	0.25	1DX15	VAN08010936
BGT 37971	2	1.89	0.012	0.1	3.9	0.03	4.6	0.2	0.025	6	0.25	1DX15	VAN08010936
BGT 37972	2	1.87	0.014	0.12	13.2	0.02	4.3	0.2	0.025	6	0.25	1DX15	VAN08010936
BGT 37973	1	1.85	0.011	0.12	10.2	0.02	4.2	0.2	0.025	6	0.25	1DX15	VAN08010936
BGT 37974	2	2.31	0.011	0.1	8.5	0.03	3.8	0.2	0.025	7	0.25	1DX15	VAN08010936
BGT 37975	2	2.03	0.014	0.2	7.5	0.02	5.4	0.3	0.025	6	0.25	1DX15	VAN08010936
BGT 37976	1	2.31	0.015	0.19	14.2	0.03	4.9	0.3	0.025	8	0.25	1DX15	VAN08010936
BGT 37977	2	2.03	0.015	0.18	8.1	0.03	4.1	0.3	0.025	7	0.25	1DX15	VAN08010936
BGT 37978	1	2.27	0.016	0.33	8.6	0.04	5	0.4	0.025	7	0.6	1DX15	VAN08010936

Sample	UTM Easting	UTM Northing	UTM Zone	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe
BGT 37979	625681	6982295	NAD 83-07V	53.1	64.2	19.8	79	0.5	12	16.5	823	4.31
BGT 37980	625681	6982246	NAD 83-07V	37.4	69.4	24.7	73	0.5	14.1	8.8	309	3.02
BGT 37981	625684	6982195	NAD 83-07V	56.4	93.5	17.8	93	0.7	14.2	9.3	458	3.76
BGT 37982	625685	6982145	NAD 83-07V	53.6	99.7	15.7	79	0.6	14.4	8.9	363	3.09
BGT 37983	625688	6982045	NAD 83-07V	37.9	93	25	75	1.1	12.5	6.6	306	2.97
BGT 37984	625691	6981995	NAD 83-07V	24.2	109.9	22.2	63	0.8	13	6.2	213	2.26
BGT 37985	625692	6981946	NAD 83-07V	21.9	88.8	26.4	51	0.4	14.2	5.5	191	2.61
BGT 37986	625694	6981894	NAD 83-07V	156.1	230.6	57.9	134	0.7	11.5	11.3	816	6.17
BGT 37987	625695	6981846	NAD 83-07V	9.8	53.2	28.6	69	0.5	18.6	7.6	204	2.7
BGT 37988	625699	6981746	NAD 83-07V	17.9	414.7	96.9	91	3.4	21.6	8.8	299	1.97
BGT 37989	625702	6981647	NAD 83-07V	14.8	127.8	35.2	79	0.9	23.7	11.1	289	3.02
BGT 37990	625705	6981545	NAD 83-07V	46	67.8	55.4	105	0.2	27.3	16.9	744	4.23
BGT 37991	625706	6981496	NAD 83-07V	13.7	53.8	20.8	57	0.9	10.2	6	318	2.25
BGT 37992	625705	6981447	NAD 83-07V	24.7	88.8	19.7	55	0.05	20.9	12.8	467	2.98
BGT 37993	625955	6982955	NAD 83-07V	51.1	72.2	86.7	100	0.9	11.8	18.8	1408	4.36
BGT 37994	625948	6982854	NAD 83-07V	1.7	19.6	20.9	70	0.3	13.4	9.4	228	2.32
BGT 37995	625952	6982802	NAD 83-07V	1.9	19.3	22.1	53	0.3	11	6.1	158	1.91
BGT 37996	625950	6982753	NAD 83-07V	3.9	24.9	20.6	72	0.3	14.9	7.9	215	2.59
BGT 37997	625957	6982704	NAD 83-07V	6.8	31.9	19.8	75	0.5	13.8	8.7	230	2.49
BGT 37998	626269	6982665	NAD 83-07V	5.7	39.1	52.4	118	0.9	19.8	10.5	315	3.15
BGT 37999	626270	6982616	NAD 83-07V	6.8	35.3	48.4	100	1.1	14	6.7	237	2.45
BGT 38000	626270	6982566	NAD 83-07V	10.1	38.4	43.8	119	1.3	20.9	12.1	429	3.2
BGT 39892	625524	6980942	NAD 83-07V	159.3	236.9	79.7	154	0.7	22.4	22.9	1129	5.99
BGT 39893	625523	6980989	NAD 83-07V	253.3	710.1	124.2	194	2.9	18.6	41	1977	7.66
BGT 39894	625521	6981037	NAD 83-07V	36.5	197.8	48.3	184	0.7	34.4	21.6	965	3.77
BGT 39895	625519	6981090	NAD 83-07V	321.9	325.6	27.9	137	0.4	15.4	21.7	1340	6.68
BGT 41204	626499	6981773	NAD 83-07V	28.7	59.8	34.3	86	0.6	19	20.6	1032	2.79
BGT 41205	626500	6981725	NAD 83-07V	29	35.1	25.1	88	0.4	18.5	14.5	740	2.79
BGT 41206	626501	6981675	NAD 83-07V	76.6	156	108.8	178	0.6	48.9	27.7	1962	3.22
BGT 41207	626505	6981573	NAD 83-07V	5.7	19.4	40.3	69	0.6	14.5	9.4	341	2.53
BGT 41208	626505	6981523	NAD 83-07V	2.2	12.7	24.9	72	0.2	13.9	8.4	241	3.07
BGT 41209	626507	6981474	NAD 83-07V	2.1	14.6	19.4	63	0.3	11.9	6.8	189	2.88
BGT 41210	626654	6982981	NAD 83-07V	0.8	36.7	94.6	122	0.6	77.4	26.6	1044	4.39
BGT 41394	626496	6981874	NAD 83-07V	11.5	78	46.3	91	0.9	16.2	9.2	293	3.01
BGT 41395	626497	6981824	NAD 83-07V	33.6	85	52.7	91	0.8	17.6	42.9	1450	3.42
BGT 41419	625253	6982929	NAD 83-07V	6.4	46.6	17.9	72	0.4	14.6	15.5	398	3.35
BGT 41420	625256	6982879	NAD 83-07V	4.5	45.6	12.3	91	0.3	12.8	17.1	474	4.07
BGT 41421	625259	6982829	NAD 83-07V	8.4	37.9	15.8	73	0.3	14.5	15.5	423	3.33
BGT 41422	625260	6982783	NAD 83-07V	10.2	53.4	45.9	87	0.9	15.2	11.9	407	3.24
BGT 41423	625263	6982729	NAD 83-07V	48.9	65.6	37.8	110	0.8	19.2	11.8	401	3.1
BGT 41424	625264	6982679	NAD 83-07V	96.2	40.8	24.1	69	0.6	16.3	10.4	546	2.8
BGT 41425	625266	6982630	NAD 83-07V	164.2	99.2	68.1	152	0.8	12.1	11	859	4.59
BGT 41426	625268	6982579	NAD 83-07V	58.3	48.5	44.1	82	0.9	17.1	11.9	401	3.42
BGT 41427	625269	6982532	NAD 83-07V	19.1	42.1	17.7	78	0.3	15.7	14.8	425	4.02
BGT 41526	626657	6982929	NAD 83-07V	5.1	95.4	152.3	208	1.1	22.2	20.1	1072	5.76

Sample	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
BGT 37979	6.1	1.1	1.6	2.1	21	0.1	0.4	4.6	110	0.2	0.052	7	26	0.95	126	0.159
BGT 37980	5.3	2	0.25	1.6	23	0.2	0.4	5.5	84	0.23	0.049	9	28	0.74	112	0.107
BGT 37981	4	1.6	1.8	1.5	36	0.3	0.3	4.4	114	0.29	0.069	8	31	1.18	203	0.164
BGT 37982	3.8	1.1	3.3	1.1	38	0.3	0.2	5.9	87	0.28	0.052	8	31	1.04	141	0.136
BGT 37983	3.9	1.4	2.8	1.1	43	0.4	0.3	8.4	73	0.29	0.065	10	30	0.75	215	0.112
BGT 37984	3.7	1.6	1.2	0.2	32	0.6	0.3	6.6	50	0.26	0.087	9	26	0.53	181	0.051
BGT 37985	6.2	1.6	2.1	0.2	31	0.3	0.3	5.3	60	0.22	0.074	11	34	0.46	143	0.048
BGT 37986	2.3	1.3	1	2.1	86	0.2	0.3	10.9	134	0.38	0.107	12	24	1.54	534	0.209
BGT 37987	6.1	1	1.8	1.6	23	0.3	0.4	6.9	66	0.25	0.058	11	38	0.71	146	0.095
BGT 37988	2.4	4.1	1.3	0.2	45	5.6	0.4	7.7	30	0.45	0.133	16	20	0.34	304	0.023
BGT 37989	5	1.9	3.2	2.8	32	0.3	0.5	9.7	77	0.32	0.066	14	51	1.01	185	0.128
BGT 37990	6	1.1	0.7	2.4	66	0.3	0.4	17.2	121	0.28	0.066	8	77	1.53	210	0.216
BGT 37991	2.4	0.7	0.25	0.05	34	1.8	0.3	3.3	43	0.21	0.108	9	16	0.49	280	0.058
BGT 37992	6	1.4	4.5	9.6	23	0.3	0.3	3.4	55	0.25	0.042	12	30	0.58	145	0.064
BGT 37993	2.7	8.3	17.5	8.2	45	1.5	0.4	7.4	40	0.48	0.074	36	11	0.59	508	0.026
BGT 37994	3.5	0.8	2.1	1.1	28	0.4	0.3	2.1	56	0.36	0.054	9	24	0.65	145	0.091
BGT 37995	3.4	1	29.5	0.7	36	0.6	0.4	2.1	38	0.72	0.057	8	20	0.42	115	0.051
BGT 37996	5.2	1.1	1.4	1.7	25	0.4	0.4	3.6	58	0.32	0.067	11	27	0.56	122	0.081
BGT 37997	3.9	1.2	0.8	0.9	31	0.5	0.3	4.3	56	0.32	0.059	8	24	0.61	139	0.074
BGT 37998	5.4	1.5	9.7	2.3	24	1	0.4	4.6	70	0.33	0.064	13	37	0.77	169	0.086
BGT 37999	4.7	1.2	1.9	1.2	23	1.3	0.4	4	58	0.26	0.044	10	28	0.54	157	0.08
BGT 38000	4.3	2.8	1.6	2.2	34	1.5	0.3	6.8	67	0.42	0.067	15	37	0.8	215	0.093
BGT 39892	20.4	2	1.5	6.4	15	2.4	2.8	26.2	49	0.4	0.112	25	14	0.78	268	0.018
BGT 39893	2.5	2	5.8	1.3	23	2.8	1.5	93.7	116	0.51	0.121	7	16	1.43	173	0.02
BGT 39894	5.4	0.6	0.25	1.5	18	1	0.4	20.6	99	0.37	0.048	5	101	1.47	105	0.135
BGT 39895	3.2	1.6	0.9	2.9	21	0.05	0.2	15.1	135	0.2	0.105	11	32	1.51	263	0.208
BGT 41204	6.7	1.9	1.3	2	24	0.7	0.4	8.5	61	0.21	0.057	18	33	0.62	135	0.087
BGT 41205	7.1	1.1	2.2	4	21	0.6	0.4	6.4	64	0.28	0.057	14	33	0.68	130	0.111
BGT 41206	10.7	1.9	7	5.5	17	0.6	1.7	20.8	70	0.26	0.071	11	99	0.99	127	0.092
BGT 41207	4.2	1.2	1.7	1.6	20	0.2	0.2	2.3	58	0.19	0.044	9	29	0.6	127	0.089
BGT 41208	6.3	1.3	2.2	2.4	24	0.2	0.3	1.5	69	0.33	0.069	10	27	0.65	174	0.114
BGT 41209	4.3	1.6	2.5	2.1	21	0.2	0.3	1.3	61	0.27	0.063	10	25	0.53	163	0.088
BGT 41210	1.7	2	0.6	15.2	266	0.2	0.2	2.5	107	1.63	0.424	82	183	2.66	1284	0.055
BGT 41394	6.5	2.4	4	3.1	21	0.5	0.4	6.1	64	0.24	0.074	19	27	0.75	133	0.098
BGT 41395	9.5	1.8	21.5	3.6	21	0.7	0.5	7.3	69	0.23	0.063	13	29	0.69	143	0.109
BGT 41419	4.6	0.6	1.3	1.7	39	0.3	0.2	6.7	83	0.43	0.057	7	26	0.77	132	0.087
BGT 41420	3.8	0.6	12.1	1.6	50	0.4	0.2	3.8	101	0.46	0.085	6	20	1.07	174	0.124
BGT 41421	5.2	0.7	1.9	2.2	34	0.2	0.2	4.4	84	0.44	0.066	8	24	0.75	126	0.108
BGT 41422	4.3	1.2	1.4	1.8	42	0.9	0.2	8.3	81	0.58	0.081	11	27	0.68	176	0.102
BGT 41423	5.7	2.4	1.8	5.3	54	1.3	0.3	8.1	73	0.68	0.085	19	32	0.69	167	0.106
BGT 41424	5	3.9	1.7	4.1	55	0.3	0.3	8.6	63	0.75	0.052	17	28	0.53	219	0.075
BGT 41425	5.3	19.6	2.4	15.3	65	1.6	0.7	20.8	61	0.87	0.089	53	19	0.73	175	0.074
BGT 41426	5.7	3.8	9.9	6.1	27	0.9	0.4	18.4	74	0.38	0.054	24	29	0.63	188	0.088
BGT 41427	7.1	1.5	21.3	3.6	30	0.3	0.4	4.7	84	0.34	0.07	13	27	0.8	142	0.107
BGT 41526	48.7	1.4	4.3	5.6	17	1.4	8.2	2.2	88	0.32	0.074	27	29	0.7	281	0.035

Sample	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	Acme File
BGT 37979	1	1.97	0.017	0.3	14	0.03	4.6	0.4	0.05	7	0.25	1DX15	VAN08010936
BGT 37980	2	1.78	0.014	0.15	7.1	0.03	4.6	0.3	0.025	6	0.25	1DX15	VAN08010936
BGT 37981	2	2.14	0.023	0.5	8.6	0.03	6.9	0.6	0.1	7	0.25	1DX15	VAN08010936
BGT 37982	1	2.1	0.022	0.32	6.4	0.03	5	0.5	0.06	7	0.25	1DX15	VAN08010936
BGT 37983	1	1.87	0.014	0.23	8.2	0.05	4.7	0.4	0.06	6	0.7	1DX15	VAN08010936
BGT 37984	2	1.34	0.017	0.14	4.7	0.06	1.8	0.2	0.08	4	0.6	1DX15	VAN08010936
BGT 37985	2	1.48	0.013	0.07	3.4	0.07	1.7	0.2	0.06	5	0.8	1DX15	VAN08010936
BGT 37986	0.5	2.48	0.023	0.93	12.7	0.005	8.7	1	0.43	10	3.1	1DX15	VAN08010936
BGT 37987	2	1.73	0.013	0.09	5.3	0.04	3.3	0.3	0.025	6	0.6	1DX15	VAN08010936
BGT 37988	2	0.98	0.018	0.11	4.5	0.09	1.6	0.3	0.17	3	1.5	1DX15	VAN08010936
BGT 37989	2	2.11	0.02	0.2	7	0.04	5.6	0.5	0.025	6	0.25	1DX15	VAN08010936
BGT 37990	1	2.39	0.019	0.53	9	0.01	6.1	0.7	0.025	9	0.25	1DX15	VAN08010936
BGT 37991	2	1.11	0.018	0.28	1.9	0.06	1.4	0.2	0.09	5	0.25	1DX15	VAN08010936
BGT 37992	0.5	1.81	0.013	0.1	1.6	0.01	3.8	0.2	0.025	5	0.25	1DX15	VAN08010936
BGT 37993	2	1.32	0.008	0.29	9	0.02	4.6	0.3	0.32	4	0.5	1DX15	VAN08010936
BGT 37994	1	1.59	0.015	0.07	13.6	0.04	2.5	0.2	0.05	5	0.25	1DX15	VAN08010936
BGT 37995	2	1.11	0.016	0.05	17.9	0.04	2	0.1	0.1	4	0.25	1DX15	VAN08010936
BGT 37996	2	1.61	0.016	0.08	19.7	0.03	3	0.2	0.025	5	0.25	1DX15	VAN08010936
BGT 37997	0.5	1.64	0.015	0.1	25.5	0.03	3.1	0.2	0.08	5	0.25	1DX15	VAN08010936
BGT 37998	1	2.03	0.013	0.11	21.6	0.05	3.9	0.2	0.025	6	0.25	1DX15	VAN08010936
BGT 37999	0.5	1.63	0.014	0.08	14.9	0.05	2.9	0.2	0.025	6	0.25	1DX15	VAN08010936
BGT 38000	1	2.17	0.014	0.12	28.4	0.05	4.1	0.2	0.06	6	0.25	1DX15	VAN08010936
BGT 39892	1	1.71	0.007	0.26	13.7	0.02	5.1	0.5	0.025	5	1	1DX15	VAN08010936
BGT 39893	1	2.32	0.011	0.21	31.5	0.02	13.9	0.2	0.025	7	1.4	1DX15	VAN08010936
BGT 39894	0.5	2.44	0.017	0.23	12.9	0.01	5.8	0.3	0.025	8	0.25	1DX15	VAN08010936
BGT 39895	0.5	3.01	0.015	0.93	8.5	0.02	13.8	0.9	0.1	11	0.6	1DX15	VAN08010936
BGT 41204	2	1.7	0.013	0.14	6.2	0.03	3	0.3	0.025	6	0.25	1DX15	VAN08010936
BGT 41205	2	1.64	0.015	0.15	7.5	0.02	3.1	0.2	0.025	6	0.25	1DX15	VAN08010936
BGT 41206	2	1.99	0.01	0.34	26.7	0.01	4.8	0.5	0.025	7	0.6	1DX15	VAN08010936
BGT 41207	2	1.88	0.015	0.08	3.3	0.04	3.4	0.2	0.025	6	0.25	1DX15	VAN08010936
BGT 41208	2	1.65	0.02	0.11	3.9	0.03	4	0.2	0.025	5	0.25	1DX15	VAN08010936
BGT 41209	1	1.5	0.016	0.08	2	0.04	3.5	0.2	0.025	5	0.25	1DX15	VAN08010936
BGT 41210	1	2.68	0.019	0.88	4.7	0.005	3.6	0.5	0.025	10	0.25	1DX15	VAN08010936
BGT 41394	2	2.05	0.014	0.18	10.1	0.03	4.5	0.3	0.025	5	0.25	1DX15	VAN08010936
BGT 41395	1	2	0.015	0.18	12.2	0.02	3.7	0.4	0.025	5	0.7	1DX15	VAN08010936
BGT 41419	1	2.31	0.02	0.15	22.6	0.02	3.7	0.3	0.025	6	0.25	1DX15	VAN08010936
BGT 41420	0.5	2.47	0.021	0.37	33.8	0.02	4.3	0.5	0.025	6	0.25	1DX15	VAN08010936
BGT 41421	0.5	2	0.016	0.17	19.8	0.02	4	0.3	0.025	6	0.25	1DX15	VAN08010936
BGT 41422	2	1.97	0.024	0.16	32.2	0.03	4.6	0.3	0.025	6	0.25	1DX15	VAN08010936
BGT 41423	2	1.9	0.017	0.12	19.7	0.04	3.8	0.2	0.025	6	0.25	1DX15	VAN08010936
BGT 41424	2	1.8	0.015	0.09	5.3	0.02	3.8	0.1	0.025	5	0.25	1DX15	VAN08010936
BGT 41425	2	1.54	0.031	0.4	93.8	0.02	5.8	0.5	0.26	6	0.8	1DX15	VAN08010936
BGT 41426	1	1.79	0.014	0.15	11.2	0.03	5	0.2	0.025	6	0.25	1DX15	VAN08010936
BGT 41427	1	1.73	0.021	0.16	8.3	0.03	5.5	0.2	0.025	5	0.6	1DX15	VAN08010936
BGT 41526	2	1.57	0.009	0.17	21.5	0.05	10.6	0.2	0.025	5	0.6	1DX15	VAN08010936

Sample	UTM Easting	UTM Northing	UTM Zone	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe
BGT 41527	626659	6982877	NAD 83-07V	4.6	51.2	106.5	155	0.4	14.1	17.1	867	4.81
BGT 41528	626660	6982831	NAD 83-07V	2.1	36	49.9	98	0.4	18.9	11.3	548	3.13
BGT 41529	626662	6982780	NAD 83-07V	2.9	43.5	75.7	105	0.6	22.3	12	493	3.37
BGT 41551	626070	6982609	NAD 83-07V	12.4	36.1	37.6	96	0.6	15.8	8.5	367	3.07
BGT 41552	626071	6982559	NAD 83-07V	16.6	54.8	24.3	97	0.4	14.9	13.2	507	3.53
BGT 41553	626073	6982508	NAD 83-07V	5.3	32.5	22.2	81	0.5	13.8	9.8	277	2.79
BGT 41554	626075	6982459	NAD 83-07V	3.8	28.8	26.5	99	0.4	13.6	11.1	350	3.31
BGT 41555	626876	6982408	NAD 83-07V	2.6	21.8	19.1	68	0.4	8.6	6.1	217	2.22
BGT 41556	626079	6982359	NAD 83-07V	3.5	29.7	29.6	87	0.5	11.7	9.3	347	3.22
BGT 41557	626080	6982309	NAD 83-07V	5.2	35.7	36.4	133	0.5	10.2	12.9	543	3.43
BGT 41558	626082	6982259	NAD 83-07V	74.3	93	50.2	155	0.8	9.5	8.4	639	3.91
BGT 41559	626084	6982159	NAD 83-07V	59.2	98.4	35.1	65	1	9.3	4.5	254	2.3
BGT 41560	626090	6982059	NAD 83-07V	48.3	94.4	54.8	72	1.3	12.3	4.2	225	2.03
BGT 41561	626092	6982009	NAD 83-07V	22.3	77.1	51.2	59	3.2	10.9	3.9	184	1.4
BGT 41562	626094	6981911	NAD 83-07V	56	36.9	61.7	92	0.9	14.7	11.2	445	2.92
BGT 41563	626097	6981811	NAD 83-07V	25.6	66.7	47.9	125	1.1	19.2	10.2	453	2.97
BGT 41564	626103	6981560	NAD 83-07V	35.2	43.5	35.6	90	0.5	13.2	8.1	332	3.07
BGT 41565	626106	6981510	NAD 83-07V	54.7	101.2	47.5	104	0.5	15.8	15.2	767	3.21
BGT 41566	626107	6981460	NAD 83-07V	24.2	174.7	72.3	109	0.9	14.5	8.5	271	2.94
BGT 41567	626353	6982970	NAD 83-07V	1.5	22.1	40.4	72	0.6	17.8	10.2	341	2.56
BGT 41568	626357	6982919	NAD 83-07V	2.1	33.6	42.9	84	0.4	16.4	12.4	450	3.16
BGT 41569	626359	6982870	NAD 83-07V	2.4	23.5	56.7	91	0.5	22.1	11.1	483	3.13
BGT 41570	626361	6982819	NAD 83-07V	1.5	29.3	24.9	77	0.2	17.3	13.5	395	3.36
BGT 41571	626362	6982769	NAD 83-07V	2.9	43.8	54	96	0.4	21	11	355	3.22
BGT 41572	626365	6982719	NAD 83-07V	3.1	50.1	38.9	98	1	22	12.5	400	2.91
BGT 41573	626103	6981611	NAD 83-07V	26.1	73.6	58.9	101	1.5	17.2	9.6	527	2.27
BGT 41574	626366	6982669	NAD 83-07V	7.1	49.5	96.1	175	0.6	18	10.9	435	3.38
BGT 41575	626368	6982619	NAD 83-07V	10.8	39.7	55.6	162	1.3	16.7	11.3	425	3.13
BGT 41576	626370	6982569	NAD 83-07V	13.3	43.1	46.9	149	0.8	21.8	12.5	546	3.65
BGT 41577	626373	6982519	NAD 83-07V	4.9	34	28.6	100	0.5	13.6	11.6	393	3.28
BGT 41578	626374	6982469	NAD 83-07V	3.9	61.1	28.5	119	0.7	14.7	17.2	552	3.88
BGT 41579	626377	6982420	NAD 83-07V	4.4	46.9	22.9	109	0.3	14.6	18.3	627	3.81
BGT 41580	625754	6982951	NAD 83-07V	6.9	17.3	36.5	45	1	11	7.8	944	2.34
BGT 41581	625759	6982900	NAD 83-07V	9.1	45.5	12.3	95	0.5	10.9	19.1	529	5.47
BGT 41582	625764	6982799	NAD 83-07V	38.7	58.7	12.3	110	0.2	12.9	20.6	800	3.84
BGT 41583	625765	6982749	NAD 83-07V	41.7	77.4	14.7	88	0.9	10.6	15	493	3.74
BGT 41584	625769	6982648	NAD 83-07V	59.1	56.2	23	63	0.5	16.9	8.3	348	2.85
BGT 41585	625770	6982599	NAD 83-07V	59.7	42	17.8	53	0.4	11	6.2	373	3.22
BGT 41586	625469	6982638	NAD 83-07V	101.1	128.7	25.3	101	0.2	10.3	14.4	756	5.28
BGT 41587	625471	6982588	NAD 83-07V	120.5	107.4	51.3	108	0.3	9.4	11.2	628	4.55
BGT 41588	625473	6982538	NAD 83-07V	107.1	109.1	23.8	61	0.3	13.2	12.5	481	4.16
BGT 41589	625474	6982488	NAD 83-07V	23.5	56.7	56.9	81	0.6	20.1	20.5	491	4.24
BGT 41590	625476	6982438	NAD 83-07V	24.9	65.3	17.3	81	0.2	15.6	17.3	632	4.32
BGT 41591	625478	6982388	NAD 83-07V	22.2	67.4	24.6	96	0.05	18.3	26.4	971	5.34
BGT 41592	625479	6982337	NAD 83-07V	28.1	70.8	23	83	0.3	15	15.1	544	4.7

Sample	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
BGT 41527	4.9	1.6	1.7	2.6	27	0.7	0.8	3.3	106	0.39	0.068	10	31	1.35	408	0.19
BGT 41528	6	1.1	3.5	3.4	28	0.7	0.8	2.4	69	0.43	0.051	13	30	0.92	230	0.113
BGT 41529	23.7	1.7	3.6	4.8	23	0.7	0.7	2.8	70	0.24	0.038	15	34	0.83	213	0.112
BGT 41551	3.8	1	2.6	1.6	31	0.8	0.3	5.5	77	0.31	0.06	8	31	0.75	134	0.11
BGT 41552	4.4	1.2	0.7	2.2	31	0.4	0.3	3.7	92	0.37	0.056	8	29	0.81	139	0.128
BGT 41553	3.3	1.8	1.8	1	43	0.4	0.3	3.6	66	0.37	0.057	9	23	0.67	160	0.075
BGT 41554	4.7	1.1	3.1	2.6	31	0.4	0.3	3.7	76	0.41	0.081	10	25	0.78	157	0.1
BGT 41555	3.3	1	1.8	1.2	31	0.5	0.2	3.9	51	0.34	0.075	6	17	0.58	128	0.086
BGT 41556	4.6	1.3	1	1.8	25	0.4	0.2	5.1	77	0.32	0.081	8	22	0.77	136	0.122
BGT 41557	3.1	1	1.2	2.3	29	0.6	0.3	6.7	86	0.41	0.079	8	20	0.99	177	0.161
BGT 41558	4	4	2	4	31	0.8	0.7	8.8	91	0.25	0.067	14	21	0.91	152	0.158
BGT 41559	3.3	2.3	0.9	1.1	36	0.5	0.3	7	47	0.21	0.061	10	21	0.48	108	0.082
BGT 41560	4.2	1.9	2.3	1.4	26	0.6	0.4	8.7	55	0.24	0.05	11	29	0.57	133	0.096
BGT 41561	1.9	2	2.2	0.8	24	1	0.3	13.6	27	0.22	0.078	11	25	0.33	119	0.049
BGT 41562	7.9	0.8	2.5	2.1	25	0.4	0.4	17.2	84	0.22	0.059	10	31	0.64	107	0.102
BGT 41563	3.6	1.3	3.3	2.3	35	0.5	0.2	16.2	66	0.24	0.058	9	43	0.82	189	0.132
BGT 41564	7	1.5	3	2.8	25	0.3	0.4	11.6	57	0.39	0.063	9	24	0.65	179	0.072
BGT 41565	7.2	4.7	1.5	4.3	41	0.4	0.4	10.9	66	0.62	0.068	15	25	0.72	198	0.088
BGT 41566	13.4	5.9	2.8	4.7	32	0.5	1.3	16.9	62	0.42	0.069	19	27	0.66	182	0.063
BGT 41567	6.7	0.7	2	3	27	0.4	0.5	1	60	0.31	0.074	11	33	0.67	164	0.088
BGT 41568	6.3	0.8	1.8	2.8	19	0.4	0.5	1.8	66	0.25	0.049	9	29	0.78	194	0.098
BGT 41569	7.6	0.5	1.9	2.1	17	0.3	0.3	2.7	79	0.2	0.053	7	36	0.85	124	0.111
BGT 41570	6.7	0.6	1.4	2.3	22	0.2	0.4	1.1	72	0.24	0.042	7	26	0.8	156	0.091
BGT 41571	7.1	1.1	1.4	3.1	18	0.8	0.4	3.8	71	0.2	0.046	11	35	0.64	197	0.066
BGT 41572	5.6	1.1	4.6	3	21	0.9	0.4	4.5	62	0.31	0.046	19	32	0.71	286	0.071
BGT 41573	4.2	1.4	1.3	1.2	44	0.4	0.3	21.9	56	0.75	0.099	7	47	0.74	157	0.061
BGT 41574	6.9	1.3	1.9	3.3	17	0.8	0.7	6.3	70	0.23	0.058	10	31	0.78	136	0.086
BGT 41575	4.9	1.3	2.3	2.2	27	1.4	0.5	4.2	70	0.27	0.063	10	32	0.88	195	0.104
BGT 41576	4.2	1.2	2.9	3.4	25	0.5	0.3	6.9	84	0.29	0.065	12	45	1.14	252	0.147
BGT 41577	4.5	1.4	2.7	3	32	0.6	0.3	4.9	66	0.27	0.054	10	24	0.79	152	0.083
BGT 41578	4.1	1.1	2.2	1.6	32	0.4	0.3	3.7	91	0.32	0.061	7	25	1.22	215	0.129
BGT 41579	3.7	0.7	1.4	1.5	28	0.2	0.2	4.4	88	0.26	0.064	4	24	1.21	166	0.131
BGT 41580	4.7	0.5	1.6	1.5	13	0.7	0.3	3.1	58	0.16	0.05	6	18	0.27	175	0.048
BGT 41581	3.1	2	3	1.2	90	0.2	0.2	5.6	114	0.65	0.096	6	16	1.56	346	0.138
BGT 41582	4.2	0.9	1.3	1.3	79	0.2	0.2	7.2	119	0.39	0.059	5	32	1.27	192	0.133
BGT 41583	3.3	2.2	1.8	1.4	42	0.5	0.2	8.9	93	0.66	0.083	7	17	0.8	237	0.073
BGT 41584	7.4	1.2	3	2.4	16	0.3	0.7	5.6	63	0.21	0.047	13	29	0.49	147	0.059
BGT 41585	8.1	0.8	3	2	14	0.2	0.5	3.7	85	0.13	0.064	8	25	0.48	69	0.096
BGT 41586	3.4	1.1	0.25	6.3	11	0.05	0.3	24.6	108	0.18	0.066	18	21	1.07	239	0.151
BGT 41587	4.6	1.8	3.1	9.4	10	0.05	0.3	50.1	71	0.19	0.09	19	20	0.69	218	0.114
BGT 41588	6.1	2.9	4.1	7.9	25	0.05	0.6	4.1	58	0.19	0.04	29	23	0.72	195	0.075
BGT 41589	7	2.1	2.7	3.5	23	0.2	0.6	2.6	104	0.19	0.043	7	33	0.89	166	0.128
BGT 41590	5.9	1.2	2.1	2.7	26	0.05	0.3	3.2	113	0.24	0.041	7	27	1.08	155	0.121
BGT 41591	4.5	1.9	0.9	4.1	42	0.1	0.4	3.2	126	0.33	0.064	12	28	1.29	238	0.106
BGT 41592	5.2	1.9	1.6	2.7	28	0.2	0.4	3.6	102	0.24	0.062	9	24	0.9	253	0.1

Sample	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	Acme File
BGT 41527	1	2.62	0.014	0.66	33	0.02	6.7	0.7	0.025	7	0.25	1DX15	VAN08010936
BGT 41528	2	1.8	0.016	0.2	12.4	0.02	4.5	0.3	0.025	5	0.25	1DX15	VAN08010936
BGT 41529	2	2.05	0.015	0.18	13.8	0.02	3.9	0.3	0.025	6	0.25	1DX15	VAN08010936
BGT 41551	0.5	2.05	0.016	0.19	35.9	0.03	3.7	0.4	0.025	6	0.25	1DX15	VAN08010936
BGT 41552	0.5	2.13	0.02	0.22	31.5	0.005	4.5	0.3	0.025	6	0.25	1DX15	VAN08010936
BGT 41553	1	2.21	0.019	0.1	20.9	0.04	3.8	0.2	0.025	6	0.25	1DX15	VAN08010936
BGT 41554	0.5	2.02	0.018	0.18	39.2	0.03	3.9	0.3	0.025	5	0.25	1DX15	VAN08010936
BGT 41555	0.5	1.65	0.015	0.17	47.7	0.03	2.5	0.4	0.025	4	0.25	1DX15	VAN08010936
BGT 41556	0.5	2.11	0.016	0.27	50.4	0.03	3.2	0.6	0.025	6	0.6	1DX15	VAN08010936
BGT 41557	0.5	2.07	0.021	0.52	52	0.03	3.5	0.7	0.025	6	0.25	1DX15	VAN08010936
BGT 41558	0.5	2.06	0.031	0.41	35.3	0.02	4.3	0.6	0.13	7	0.9	1DX15	VAN08010936
BGT 41559	2	1.47	0.018	0.14	13.6	0.04	3.1	0.3	0.09	5	0.7	1DX15	VAN08010936
BGT 41560	1	1.49	0.017	0.1	11.1	0.05	3.6	0.2	0.1	6	0.7	1DX15	VAN08010936
BGT 41561	1	1.23	0.015	0.09	5.3	0.07	3.3	0.2	0.1	4	0.6	1DX15	VAN08010936
BGT 41562	1	1.48	0.014	0.12	10.3	0.02	2.7	0.2	0.025	6	0.25	1DX15	VAN08010936
BGT 41563	1	2.02	0.019	0.22	10.7	0.04	4	0.4	0.025	6	0.7	1DX15	VAN08010936
BGT 41564	2	1.58	0.014	0.07	9.3	0.04	3.9	0.2	0.025	5	0.25	1DX15	VAN08010936
BGT 41565	1	1.77	0.016	0.12	11.9	0.04	5.8	0.2	0.025	6	0.6	1DX15	VAN08010936
BGT 41566	2	1.72	0.013	0.11	18.8	0.06	5.8	0.2	0.025	6	0.25	1DX15	VAN08010936
BGT 41567	2	1.57	0.012	0.12	3	0.02	2.9	0.1	0.025	5	0.25	1DX15	VAN08010936
BGT 41568	2	1.99	0.014	0.13	7.8	0.03	3.6	0.2	0.025	6	0.25	1DX15	VAN08010936
BGT 41569	1	1.92	0.015	0.15	10.6	0.02	2.5	0.2	0.025	7	0.25	1DX15	VAN08010936
BGT 41570	1	2.09	0.014	0.13	9.2	0.02	3	0.2	0.025	6	0.25	1DX15	VAN08010936
BGT 41571	1	2.08	0.012	0.1	19.7	0.03	3.6	0.2	0.025	6	0.25	1DX15	VAN08010936
BGT 41572	0.5	1.85	0.019	0.07	20.3	0.03	3.7	0.1	0.025	5	0.25	1DX15	VAN08010936
BGT 41573	2	1.47	0.021	0.07	23	0.03	3.8	0.2	0.09	5	0.6	1DX15	VAN08010936
BGT 41574	0.5	1.96	0.011	0.14	33.3	0.02	4	0.3	0.025	6	0.5	1DX15	VAN08010936
BGT 41575	0.5	2	0.01	0.18	27	0.04	3.4	0.3	0.025	6	0.25	1DX15	VAN08010936
BGT 41576	0.5	2.3	0.012	0.34	36.8	0.02	4.1	0.4	0.025	7	0.6	1DX15	VAN08010936
BGT 41577	0.5	2.14	0.013	0.12	19.8	0.02	3.9	0.2	0.025	5	0.25	1DX15	VAN08010936
BGT 41578	0.5	2.59	0.023	0.39	31.1	0.03	4.3	0.6	0.025	6	0.25	1DX15	VAN08010936
BGT 41579	0.5	2.47	0.012	0.46	48.1	0.02	2.8	0.8	0.025	5	0.5	1DX15	VAN08010936
BGT 41580	0.5	1.04	0.012	0.09	10.2	0.02	1.9	0.05	0.025	5	0.25	1DX15	VAN08010936
BGT 41581	0.5	3.13	0.024	0.7	36.5	0.02	8.1	0.9	0.12	10	0.25	1DX15	VAN08010936
BGT 41582	0.5	2.64	0.019	0.45	31	0.01	5.3	0.6	0.025	8	0.25	1DX15	VAN08010936
BGT 41583	0.5	2.22	0.015	0.15	21.3	0.02	5.2	0.2	0.025	6	0.25	1DX15	VAN08010936
BGT 41584	1	1.81	0.009	0.07	8.7	0.02	3.2	0.2	0.025	6	0.25	1DX15	VAN08010936
BGT 41585	0.5	1.85	0.011	0.09	10.1	0.03	3	0.2	0.025	7	0.25	1DX15	VAN08010936
BGT 41586	0.5	2.42	0.012	0.59	12.1	0.005	6.6	0.5	0.025	9	0.5	1DX15	VAN08010936
BGT 41587	0.5	2	0.009	0.45	43.7	0.02	5.5	0.5	0.025	7	0.7	1DX15	VAN08010936
BGT 41588	0.5	1.99	0.018	0.21	36.9	0.02	4.5	0.3	0.08	6	0.25	1DX15	VAN08010936
BGT 41589	1	2.63	0.019	0.21	5.9	0.02	5	0.3	0.09	6	0.25	1DX15	VAN08010936
BGT 41590	0.5	2.43	0.018	0.27	15.7	0.02	6.5	0.5	0.025	7	0.25	1DX15	VAN08010936
BGT 41591	0.5	2.87	0.018	0.27	9.7	0.005	8.2	0.4	0.025	7	1.2	1DX15	VAN08010936
BGT 41592	0.5	2.59	0.02	0.32	7.5	0.01	6.5	0.4	0.1	6	1.7	1DX15	VAN08010936

Sample	UTM Easting	UTM Northing	UTM Zone	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe
BGT 41593	625482	6982288	NAD 83-07V	53.2	86.2	32.2	99	0.5	10.7	12.8	788	5.29
BGT 41594	625483	6982238	NAD 83-07V	66.8	197.7	28	73	0.4	10.6	9.6	503	5.23
BGT 41595	625485	6982188	NAD 83-07V	48.6	88.6	62.7	86	1	3.9	7.4	728	8.54
BGT 41596	625487	6982128	NAD 83-07V	39.7	58.1	24.4	74	0.5	14.4	23.5	807	3.06
BGT 41597	625488	6982086	NAD 83-07V	31.1	69	25.4	78	0.3	19.9	24.4	815	3.27
BGT 41598	625491	6982038	NAD 83-07V	19	53.3	23.3	60	0.5	16.4	9.1	240	2.4
BGT 41599	625492	6981987	NAD 83-07V	16.8	44.1	22.1	62	0.4	14	8.8	251	2.99
BGT 41600	625494	6981937	NAD 83-07V	17.4	58.1	20.7	59	0.4	12.9	5.9	219	2.68
BGT 41601	625498	6981890	NAD 83-07V	32.6	131.4	23.4	84	0.9	14.3	8.2	428	4
BGT 41602	625498	6981840	NAD 83-07V	8.1	57.3	23.7	67	0.3	17.2	8.4	195	2.55
BGT 41603	625501	6981790	NAD 83-07V	9.6	78.1	26.7	74	0.5	18	8.5	264	2.71
BGT 41604	625500	6981739	NAD 83-07V	13	135.9	36.4	88	0.9	20.5	10.1	332	3.06
BGT 41605	625502	6981690	NAD 83-07V	19.3	268.9	50.2	123	1.3	16	9.3	368	2.84
BGT 41606	625503	6981639	NAD 83-07V	15	85.3	34.4	64	0.4	16.7	8.3	313	2.73
BGT 41607	625505	6981590	NAD 83-07V	25.7	88.9	57.9	104	0.8	31.4	12.8	442	3.03
BGT 41632	625988	6982058	NAD 83-07V	34.9	58.4	35.6	74	0.9	12.8	5.9	299	2.09
BGT 41638	626264	6982716	NAD 83-07V	3.7	53.8	64	123	0.8	24.6	14.5	394	3.26
BGT 41639	625960	6982654	NAD 83-07V	9.7	35.5	31.5	87	0.6	13.3	8.9	307	2.79
BGT 41640	625962	6982603	NAD 83-07V	13.9	33.8	26.4	81	0.6	12.4	8.6	280	3.07
BGT 41641	625964	6982554	NAD 83-07V	2.5	22.1	16.5	75	0.4	9.7	7.1	202	2.12
BGT 41642	625968	6982505	NAD 83-07V	4.2	28.9	21.1	85	0.3	11.9	10.9	310	2.86
BGT 41643	625971	6982455	NAD 83-07V	2.8	24.7	19.3	76	0.4	10.2	8.6	267	2.44
BGT 41644	625973	6982403	NAD 83-07V	2	26.1	17.2	60	0.4	8.3	6.1	193	2
BGT 41645	625977	6982355	NAD 83-07V	3.9	39	24.7	73	0.5	10.7	6.6	177	1.9
BGT 41646	625976	6982303	NAD 83-07V	19.3	66.5	19	55	0.4	8.4	3.9	194	2.28
BGT 41647	625981	6982257	NAD 83-07V	16.2	48.7	18.5	48	0.3	6.9	3.6	176	1.78
BGT 41648	625987	6982158	NAD 83-07V	48.5	131	49.5	102	1	11.9	8	459	2.83
BGT 41649	625987	6982107	NAD 83-07V	15	70.1	28.2	48	0.8	9.7	4	169	1.42
BGT 41650	625505	6981539	NAD 83-07V	23.5	67.9	52.2	117	0.8	12.2	12.5	542	3.91
BGT 41651	625990	6982007	NAD 83-07V	47.6	82.9	43.8	80	1.4	14.7	7.5	325	2.19
BGT 41652	625992	6981956	NAD 83-07V	55.3	73.4	46.9	82	0.6	14.3	20.7	1251	2.8
BGT 41653	625993	6981906	NAD 83-07V	29.5	36.4	49.6	90	0.9	14	8	259	2.26
BGT 41654	625995	6981857	NAD 83-07V	91.8	80.1	80.9	135	1.3	13.8	15.6	710	3.18
BGT 41655	626218	6982394	NAD 83-07V	2.6	51	35.2	97	1	13.7	10.5	319	2.89
BGT 41656	625995	6981806	NAD 83-07V	21.8	65	51.6	95	1.2	14.7	8.3	276	2.38
BGT 41657	625999	6981757	NAD 83-07V	17.9	46.8	41.4	99	1.3	16.3	9.4	292	2.14
BGT 41658	626000	6981654	NAD 83-07V	14.8	74.4	40.1	81	1.1	18.7	8.5	204	2.44
BGT 41659	626002	6981605	NAD 83-07V	13	78.5	66.7	81	1.8	19.1	8.5	234	2.3
BGT 41691	626276	6982415	NAD 83-07V	2.4	46.2	28.3	75	1	12.8	8.5	240	2.33
BGT 41715	626664	6982730	NAD 83-07V	2.6	35	33.2	86	0.4	16.2	13.1	421	3.3
BGT 41716	626666	6982679	NAD 83-07V	3.3	54.9	77.7	98	0.8	24.8	11.8	458	3.23
BGT 41751	625771	6982549	NAD 83-07V	36.2	69.7	20.7	63	0.5	9.5	9.7	720	3.08
BGT 41752	625773	6982499	NAD 83-07V	27.6	108.3	14.9	112	0.5	10.3	16.1	769	4.74
BGT 41753	625774	6982449	NAD 83-07V	36.3	198.3	15.6	119	0.4	8.1	10	704	5.81
BGT 41754	625777	6982400	NAD 83-07V	34.8	80.8	21.6	87	0.3	10.4	10.5	479	4.06

Sample	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
BGT 41593	5.8	2.5	2	3.3	28	0.2	0.4	4.7	122	0.14	0.058	8	23	0.93	206	0.14
BGT 41594	7.4	1.3	1.8	2.4	23	0.05	0.4	6.9	116	0.16	0.051	5	24	0.81	228	0.106
BGT 41595	3.2	2	1.6	1.5	34	0.2	0.2	12.4	179	0.18	0.117	5	13	1.38	246	0.16
BGT 41596	6	1.1	2	1.7	21	0.2	0.3	7.7	83	0.19	0.043	7	32	0.8	103	0.107
BGT 41597	6.3	1.5	2.1	2.4	20	0.3	0.4	6.4	79	0.24	0.055	8	36	0.8	113	0.097
BGT 41598	4.4	1.3	1.6	0.6	20	0.4	0.3	4.4	57	0.22	0.056	8	32	0.7	124	0.07
BGT 41599	6	0.7	1.4	0.8	19	0.1	0.3	4.6	81	0.21	0.049	7	30	0.84	131	0.097
BGT 41600	5.1	0.8	1.7	0.8	19	0.1	0.3	2.8	66	0.2	0.05	9	26	0.67	125	0.084
BGT 41601	3.9	0.9	0.8	2	51	0.1	0.3	3.6	105	0.26	0.08	8	26	1.05	170	0.171
BGT 41602	7	1	2.5	1.5	22	0.3	0.4	4.7	61	0.2	0.058	11	32	0.62	159	0.071
BGT 41603	6.6	1.4	1.4	2.5	22	0.3	0.4	5.9	63	0.24	0.058	12	36	0.68	165	0.097
BGT 41604	6	2.1	2.4	3.8	28	0.4	0.5	8.8	64	0.35	0.064	16	38	0.81	232	0.112
BGT 41605	6.2	2.9	2.3	3	22	0.7	0.5	8	55	0.33	0.064	14	29	0.69	164	0.064
BGT 41606	7.7	1.6	3.2	1.8	18	0.4	0.6	6.6	64	0.21	0.05	10	33	0.63	128	0.071
BGT 41607	5.5	1.7	2.5	3.4	44	0.4	0.3	12.9	76	0.55	0.082	12	85	1.24	248	0.126
BGT 41632	4.9	1.2	2.1	0.8	24	0.4	0.4	9.1	52	0.26	0.066	9	33	0.61	125	0.072
BGT 41638	5.7	1.4	1.9	3	28	1.3	0.6	6.7	67	0.37	0.061	14	40	0.82	194	0.085
BGT 41639	5	1.2	1.2	1.4	30	0.7	0.4	4.7	62	0.3	0.079	8	25	0.62	134	0.078
BGT 41640	5.8	1.2	1.9	1.8	29	0.4	0.3	4.5	68	0.33	0.085	7	24	0.63	122	0.089
BGT 41641	2.7	1.3	2.4	0.9	39	0.4	0.3	3.1	46	0.34	0.065	6	17	0.59	130	0.064
BGT 41642	4.3	1.1	2.6	1.3	29	0.5	0.3	3.4	68	0.3	0.065	7	21	0.67	138	0.084
BGT 41643	3.3	0.9	3.8	0.9	28	0.4	0.3	3.3	58	0.34	0.076	6	17	0.63	120	0.077
BGT 41644	2.4	1.1	0.9	0.7	26	0.5	0.2	3.1	41	0.29	0.063	6	16	0.53	118	0.073
BGT 41645	2.8	2.1	1.8	1	33	0.6	0.3	4.4	38	0.34	0.077	9	18	0.51	175	0.073
BGT 41646	2.9	1.4	2	1	26	0.3	0.2	3.7	53	0.18	0.06	7	21	0.54	104	0.093
BGT 41647	3	1.1	9.5	0.8	25	0.3	0.2	3.5	44	0.21	0.04	6	17	0.45	84	0.085
BGT 41648	3.8	1.8	1.6	1.9	38	0.6	0.5	7.8	74	0.23	0.059	8	27	0.97	186	0.143
BGT 41649	2.5	1.5	1.7	0.7	23	0.5	0.3	4.9	26	0.22	0.06	9	22	0.39	93	0.055
BGT 41650	6.1	1.3	1.7	3.5	33	0.4	0.4	12.5	74	0.65	0.1	15	23	1.07	272	0.151
BGT 41651	5.2	1.9	3.6	2	27	0.8	0.3	9.8	53	0.27	0.074	11	31	0.66	172	0.083
BGT 41652	8.2	1.3	2.4	3	25	0.6	0.6	13.6	62	0.27	0.088	12	30	0.56	143	0.094
BGT 41653	6	0.6	3.5	2.2	26	0.5	0.3	17.3	56	0.3	0.076	9	29	0.68	131	0.095
BGT 41654	6.3	1	2.4	2.6	25	1.5	1.9	36.1	64	0.33	0.11	10	26	0.72	175	0.104
BGT 41655	3.8	1.7	3	0.6	33	0.9	0.3	3.5	61	0.34	0.089	7	23	0.88	199	0.103
BGT 41656	5.3	1.3	1.8	1	29	0.8	0.4	14.5	55	0.26	0.074	9	33	0.61	155	0.092
BGT 41657	4.4	1.1	2.7	1.7	31	0.9	0.3	12.9	52	0.26	0.071	9	35	0.67	160	0.093
BGT 41658	5.2	1.4	1.9	1.8	33	1	0.4	10.6	58	0.27	0.071	10	40	0.68	150	0.107
BGT 41659	5.5	2.4	2.3	2	42	1.2	0.3	15.5	57	0.3	0.089	9	43	0.66	164	0.098
BGT 41691	3.4	2.1	1	0.4	33	0.9	0.3	4.2	53	0.34	0.081	7	20	0.67	147	0.098
BGT 41715	7.3	1.1	3	4	25	0.3	0.5	3.3	69	0.3	0.06	12	28	0.87	205	0.118
BGT 41716	6.7	1.3	2.5	5.1	25	0.4	0.4	5.5	61	0.34	0.087	19	40	0.85	189	0.088
BGT 41751	6.8	1.8	1.8	3.1	16	0.4	0.3	2	75	0.16	0.081	15	23	0.49	117	0.117
BGT 41752	3.3	2.3	1.7	1.4	25	0.3	0.2	2	138	0.33	0.097	6	21	1.35	231	0.211
BGT 41753	3	2.4	1.4	1.5	38	0.2	0.2	2.8	203	0.18	0.076	8	23	1.7	325	0.288
BGT 41754	5.1	1.9	1.1	1.6	34	0.3	0.4	4.6	105	0.21	0.067	6	24	0.95	172	0.19

Sample	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	Acme File
BGT 41593	0.5	2.39	0.023	0.31	11.5	0.03	5.2	0.3	0.21	7	1.3	1DX15	VAN08010936
BGT 41594	0.5	2.23	0.019	0.27	52.6	0.02	5.1	0.3	0.16	7	1.4	1DX15	VAN08010936
BGT 41595	0.5	2.21	0.042	0.72	45	0.005	11.4	0.6	0.54	10	2.8	1DX15	VAN08010936
BGT 41596	1	1.83	0.012	0.17	11.4	0.02	3.9	0.4	0.025	7	0.25	1DX15	VAN08010936
BGT 41597	1	2.1	0.013	0.14	9.6	0.03	4.1	0.4	0.025	6	0.25	1DX15	VAN08010936
BGT 41598	1	1.74	0.018	0.09	4.7	0.05	2.8	0.3	0.025	5	0.5	1DX15	VAN08010936
BGT 41599	0.5	1.95	0.014	0.17	4.2	0.04	3.1	0.4	0.025	6	0.8	1DX15	VAN08010936
BGT 41600	1	1.8	0.015	0.11	3.1	0.04	3	0.3	0.05	6	0.5	1DX15	VAN08010936
BGT 41601	0.5	2.05	0.026	0.43	6.8	0.02	5.5	0.7	0.2	6	0.6	1DX15	VAN08010936
BGT 41602	1	1.78	0.012	0.07	3.5	0.04	3.2	0.2	0.025	6	0.25	1DX15	VAN08010936
BGT 41603	1	1.89	0.012	0.08	5.6	0.04	3.9	0.2	0.025	6	0.6	1DX15	VAN08010936
BGT 41604	1	1.92	0.013	0.13	7.8	0.04	5.4	0.3	0.025	6	0.9	1DX15	VAN08010936
BGT 41605	0.5	1.85	0.01	0.1	8.4	0.03	4.5	0.3	0.025	6	0.8	1DX15	VAN08010936
BGT 41606	1	1.82	0.01	0.07	5.3	0.04	3.5	0.3	0.025	7	0.25	1DX15	VAN08010936
BGT 41607	0.5	2.05	0.016	0.3	16.6	0.02	5	0.6	0.025	8	0.25	1DX15	VAN08010936
BGT 41632	1	1.35	0.013	0.11	10.6	0.05	2.4	0.2	0.025	6	0.25	1DX15	VAN08010936
BGT 41638	0.5	1.9	0.013	0.09	26.5	0.04	4	0.2	0.025	6	0.25	1DX15	VAN08010936
BGT 41639	0.5	1.62	0.015	0.12	33.6	0.04	3	0.3	0.025	5	0.6	1DX15	VAN08010936
BGT 41640	0.5	1.65	0.017	0.12	39.8	0.04	3.3	0.3	0.025	5	0.5	1DX15	VAN08010936
BGT 41641	0.5	1.73	0.015	0.09	18.7	0.04	2.8	0.2	0.025	5	0.25	1DX15	VAN08010936
BGT 41642	0.5	1.8	0.015	0.09	29.3	0.02	2.9	0.2	0.025	5	0.25	1DX15	VAN08010936
BGT 41643	0.5	1.64	0.015	0.12	43.5	0.02	2.5	0.2	0.025	5	0.25	1DX15	VAN08010936
BGT 41644	0.5	1.52	0.014	0.1	42.8	0.03	2.1	0.3	0.025	4	0.25	1DX15	VAN08010936
BGT 41645	0.5	1.59	0.012	0.12	27	0.04	2.9	0.3	0.05	5	0.5	1DX15	VAN08010936
BGT 41646	0.5	1.41	0.012	0.13	7.9	0.05	3.7	0.3	0.025	5	0.6	1DX15	VAN08010936
BGT 41647	1	1.12	0.013	0.11	8.4	0.03	2.5	0.2	0.025	5	0.25	1DX15	VAN08010936
BGT 41648	0.5	1.96	0.017	0.4	32.8	0.04	4.5	0.5	0.11	7	0.9	1DX15	VAN08010936
BGT 41649	1	1.08	0.012	0.06	6.7	0.06	2.4	0.2	0.025	5	0.6	1DX15	VAN08010936
BGT 41650	1	1.93	0.018	0.17	8.3	0.03	9.5	0.5	0.025	9	0.7	1DX15	VAN08010944
BGT 41651	1	1.47	0.017	0.12	6.3	0.04	3.8	0.2	0.07	6	0.6	1DX15	VAN08010944
BGT 41652	1	1.36	0.018	0.11	13.6	0.02	3.5	0.2	0.025	5	0.6	1DX15	VAN08010944
BGT 41653	1	1.53	0.017	0.08	7.9	0.03	3.5	0.2	0.025	6	0.25	1DX15	VAN08010944
BGT 41654	2	1.54	0.014	0.28	12.5	0.03	4.4	0.4	0.025	6	1	1DX15	VAN08010944
BGT 41655	1	2.18	0.019	0.16	19.8	0.06	3.5	0.5	0.025	6	0.5	1DX15	VAN08010944
BGT 41656	2	1.55	0.019	0.09	6.9	0.05	3.9	0.3	0.025	7	0.7	1DX15	VAN08010944
BGT 41657	1	1.57	0.017	0.1	7.8	0.04	3.9	0.2	0.025	6	0.7	1DX15	VAN08010944
BGT 41658	1	1.7	0.018	0.09	5.4	0.04	4.1	0.3	0.025	5	0.5	1DX15	VAN08010944
BGT 41659	1	1.64	0.017	0.11	12.6	0.05	4.7	0.3	0.025	6	0.8	1DX15	VAN08010944
BGT 41691	1	1.8	0.018	0.16	24.2	0.07	3	0.5	0.07	5	0.6	1DX15	VAN08010944
BGT 41715	0.5	2.03	0.014	0.19	18.9	0.02	4.4	0.4	0.025	6	0.25	1DX15	VAN08010944
BGT 41716	2	1.89	0.016	0.09	38.8	0.02	4.7	0.3	0.025	6	0.25	1DX15	VAN08010944
BGT 41751	1	1.8	0.013	0.14	7.9	0.02	4.3	0.2	0.025	9	0.25	1DX15	VAN08010944
BGT 41752	1	2.64	0.021	0.79	10.6	0.02	11	0.7	0.025	11	0.9	1DX15	VAN08010944
BGT 41753	0.5	3.01	0.049	1.22	5.5	0.005	18.6	1	0.5	14	1.3	1DX15	VAN08010944
BGT 41754	0.5	2.28	0.032	0.4	11.2	0.02	7	0.5	0.15	9	0.9	1DX15	VAN08010944

Sample	UTM Easting	UTM Northing	UTM Zone	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe
BGT 41755	625777	6982349	NAD 83-07V	77	166.9	26.4	107	0.4	8.9	10.3	700	5.62
BGT 41756	625779	6982300	NAD 83-07V	49	105.8	24.7	82	1	10.2	9.5	447	3.14
BGT 41757	625782	6982251	NAD 83-07V	55.7	90.4	18.7	98	0.5	13.8	7.7	440	3.81
BGT 41758	625782	6982200	NAD 83-07V	139.9	244.8	20.8	189	0.5	9.6	17.3	1296	6.24
BGT 41759	625784	6982149	NAD 83-07V	88.6	200.3	63.6	142	1.2	15	19.7	770	4.26
BGT 41760	625788	6982049	NAD 83-07V	70.3	146.6	44	102	1.3	15.1	7.9	446	3.36
BGT 41761	625789	6981999	NAD 83-07V	42.9	96.3	44.9	80	0.8	13.3	6.9	342	2.84
BGT 41762	625791	6981949	NAD 83-07V	25.9	113.1	36.6	83	0.8	16.8	8.3	271	2.81
BGT 41763	625793	6981900	NAD 83-07V	81	139	126.8	91	1.6	16.6	21	957	3.28
BGT 41764	625796	6981849	NAD 83-07V	18.8	62.5	46.8	83	0.7	19.3	10.1	270	2.74
BGT 41765	625797	6981800	NAD 83-07V	6.7	55.1	25.3	64	0.4	18.1	8.9	196	2.5
BGT 41766	625798	6981749	NAD 83-07V	15.8	62.8	28	84	0.4	19.8	13.8	400	2.83
BGT 41767	625800	6981699	NAD 83-07V	16.3	160.9	39.5	103	0.5	23.3	14.4	364	2.97
BGT 41768	625800	6981649	NAD 83-07V	13.7	66.4	30	69	0.7	19.7	10.5	244	2.47
BGT 41769	625803	6981599	NAD 83-07V	22.3	219	58.2	101	1.3	23.3	15.8	426	2.91
BGT 41770	625804	6981549	NAD 83-07V	17.4	112.9	31.1	69	0.4	20.9	13.9	365	2.82
BGT 41771	625806	6981499	NAD 83-07V	19.9	83.8	56.8	109	0.4	36.4	18.5	652	3.91
BGT 41772	625807	6981448	NAD 83-07V	9.2	104.6	21.2	117	0.2	19.7	13.9	760	4.1
BGT 41773	626155	6982962	NAD 83-07V	2.5	33.2	48.7	98	0.7	19.2	13.9	541	3.33
BGT 41774	626156	6982912	NAD 83-07V	1.2	32.4	46	131	0.4	20.4	18.5	656	3.66
BGT 41775	626159	6982862	NAD 83-07V	1.7	27.3	34.9	90	0.7	16.5	10.5	308	2.68
BGT 41776	626162	6982813	NAD 83-07V	3.8	47.3	33.3	93	0.7	19.2	16.9	488	3.2
BGT 41777	625861	6982753	NAD 83-07V	49.8	66.1	16.7	91	0.8	12.6	15.8	702	3.85
BGT 41778	625863	6982701	NAD 83-07V	67.1	71.2	26.9	74	0.9	10.8	14.4	588	3.26
BGT 41779	625865	6982652	NAD 83-07V	95.2	93.9	40.7	89	2	16.1	13.8	838	3.2
BGT 41780	625867	6982603	NAD 83-07V	85.3	101.9	26.6	54	1.2	9.8	5.7	206	3.48
BGT 41781	625871	6982503	NAD 83-07V	17.1	72.5	11.8	62	0.8	10	6	240	2.04
BGT 41782	625873	6982452	NAD 83-07V	22.3	110	14.7	71	0.6	10.5	6.8	275	2.87
BGT 41783	625875	6982402	NAD 83-07V	57.1	104.7	24.2	106	0.6	16.4	13.1	588	4.02
BGT 41784	625876	6982352	NAD 83-07V	85.4	316.4	27.3	228	0.5	14.4	25.4	1166	6.05
BGT 41785	625879	6982303	NAD 83-07V	38.5	153.5	25.6	161	0.3	21.7	24.2	839	4.32
BGT 41786	625880	6982253	NAD 83-07V	57.9	205.1	33	183	0.3	16.9	37	1530	5.23
BGT 41787	625883	6982202	NAD 83-07V	34.6	72.7	30	82	0.6	11.2	6.9	364	2.9
BGT 41788	625886	6982102	NAD 83-07V	71.9	198.5	64.3	151	0.7	14.7	26.1	1130	4.26
BGT 41789	625888	6982052	NAD 83-07V	13.6	134.7	46.6	82	1.4	15.7	7	213	1.98
BGT 41790	625891	6982002	NAD 83-07V	56.8	126.6	47.5	87	1.4	13.5	10.6	463	2.69
BGT 41791	625893	6981952	NAD 83-07V	42.8	90.8	62.4	87	1.3	14.6	7.7	306	2.6
BGT 41792	625894	6981903	NAD 83-07V	11.3	37.9	31.6	65	0.7	14.2	6.7	218	2.02
BGT 41793	625896	6981855	NAD 83-07V	20.6	66.3	43.3	96	0.6	19.2	13.5	311	2.85
BGT 41794	625897	6981803	NAD 83-07V	16.7	55	44.9	79	0.7	16.4	8.8	234	2.38
BGT 41795	625898	6981754	NAD 83-07V	36.7	106.3	58.9	79	1.6	15.4	7.3	240	2.37
BGT 41796	625900	6981703	NAD 83-07V	66.4	96.3	70.9	107	1.5	18.5	11.2	383	2.79
BGT 41797	625902	6981653	NAD 83-07V	79	235.6	141.9	180	2.8	25.5	17.8	655	3.39
BGT 41798	625903	6981603	NAD 83-07V	23.7	131	83.9	95	1.1	16.4	8.8	226	2.41
BGT 41799	625905	6981552	NAD 83-07V	14.9	161.4	56.5	94	0.4	24.7	20.8	514	3.31

Sample	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
BGT 41755	3.8	1.6	0.25	1.9	69	0.3	0.3	7.5	146	0.2	0.075	7	22	1.41	312	0.249
BGT 41756	3.5	2.6	0.7	1.2	26	0.4	0.3	4.5	79	0.25	0.099	7	21	0.91	129	0.158
BGT 41757	4.5	1.4	0.8	1.5	47	0.4	0.3	5.4	105	0.29	0.089	7	32	1.13	201	0.184
BGT 41758	1.6	2.7	0.25	0.9	117	0.5	0.2	7.9	189	0.3	0.092	6	32	2.33	291	0.233
BGT 41759	3.8	1.6	3.1	1.5	64	1.2	0.3	11.6	102	0.37	0.085	7	31	1.3	191	0.189
BGT 41760	5.3	2.2	1.4	2.1	47	0.6	0.3	8.5	84	0.25	0.091	10	36	0.99	199	0.147
BGT 41761	7.1	1.5	1.3	1.6	35	0.6	0.3	8.5	74	0.24	0.082	11	33	0.71	172	0.11
BGT 41762	7	1.5	9.3	2.4	27	0.6	0.4	7.6	61	0.28	0.081	12	35	0.72	144	0.113
BGT 41763	7.4	1	3.6	3.5	28	0.6	0.4	15.7	71	0.3	0.083	12	36	0.69	148	0.123
BGT 41764	7	1.1	3.9	3.3	26	0.4	0.4	12.2	66	0.32	0.087	12	43	0.83	166	0.117
BGT 41765	6.6	1	3.3	1.8	27	0.5	0.4	8.4	65	0.29	0.069	12	35	0.72	187	0.109
BGT 41766	5.8	0.8	6.1	2.2	30	0.4	0.4	10	68	0.34	0.079	10	36	0.93	170	0.133
BGT 41767	5	1.5	1.3	3.3	41	1.2	0.5	12	76	0.43	0.088	14	44	1.14	242	0.16
BGT 41768	5.3	1.5	4.1	1.7	29	0.3	0.4	8.7	63	0.31	0.089	11	39	0.82	150	0.114
BGT 41769	5.2	1.5	3.1	2	38	0.9	0.4	25.8	74	0.36	0.107	11	47	1.05	162	0.106
BGT 41770	2.9	0.6	1.3	0.5	26	0.3	0.3	15.9	87	0.32	0.116	5	54	1.09	146	0.143
BGT 41771	7.8	1.6	1.3	3.4	71	0.3	0.5	49.7	103	0.34	0.071	11	88	1.6	323	0.197
BGT 41772	9	0.9	2.2	5.1	133	0.7	0.4	7.1	78	0.52	0.07	15	31	1.18	368	0.198
BGT 41773	6.7	1.2	2.9	3.4	30	0.5	0.4	2.2	69	0.4	0.101	11	34	0.91	178	0.13
BGT 41774	4.1	0.7	1.3	2.2	43	0.5	0.3	2.1	73	0.5	0.111	9	40	1.46	218	0.143
BGT 41775	5.7	1.2	0.7	2.3	25	0.5	0.3	3.2	59	0.33	0.088	9	28	0.84	180	0.096
BGT 41776	4.8	1.6	1	1.6	46	1.1	0.3	4.3	71	0.82	0.076	11	31	0.91	249	0.124
BGT 41777	4.8	1.9	1.1	2	32	0.4	0.3	11.1	92	0.48	0.078	9	21	0.88	252	0.098
BGT 41778	5.7	1.7	1.3	2.3	23	0.5	0.4	12.2	76	0.3	0.069	11	21	0.57	167	0.095
BGT 41779	6.8	4	2.1	4.2	33	1.1	0.7	9.1	64	0.65	0.092	38	27	0.57	273	0.06
BGT 41780	6.2	2.4	2.1	4.4	17	0.3	0.4	5.3	79	0.12	0.04	16	28	0.51	99	0.095
BGT 41781	1.7	1.7	1.6	1	23	0.3	0.2	2	50	0.23	0.074	7	25	0.58	151	0.13
BGT 41782	2.2	1.8	1.6	1	28	0.3	0.2	3.2	76	0.21	0.092	6	23	0.81	166	0.149
BGT 41783	4.2	1.9	1.3	1.5	32	0.3	0.3	4.9	110	0.21	0.079	6	38	1.13	173	0.186
BGT 41784	3.1	2	1	1.3	79	0.7	0.3	11.5	151	0.34	0.115	6	29	2.03	249	0.268
BGT 41785	6.3	1.7	2.1	2.5	38	0.9	0.5	2.6	103	0.25	0.078	7	39	1.28	186	0.191
BGT 41786	4	3.5	0.25	4.3	33	0.6	1.2	7.2	127	0.32	0.087	4	34	1.9	155	0.161
BGT 41787	3.8	1.4	1.2	1.5	34	0.3	0.3	3.8	76	0.23	0.067	7	29	0.88	162	0.151
BGT 41788	6.8	2.4	1.3	4.4	69	0.8	1.4	7.5	89	0.28	0.089	8	31	1.21	198	0.154
BGT 41789	3.6	2.2	1.2	1.6	25	0.7	0.2	7.7	42	0.23	0.08	13	32	0.6	165	0.089
BGT 41790	5.4	2	1.5	2.8	26	0.9	0.4	13.8	64	0.26	0.069	13	27	0.7	155	0.117
BGT 41791	6.6	1.5	1.4	2.9	27	0.7	0.5	18.6	54	0.29	0.101	12	28	0.66	136	0.087
BGT 41792	5.2	0.8	1	0.8	27	0.5	0.3	9.4	47	0.35	0.091	9	30	0.57	138	0.077
BGT 41793	6.5	0.9	1.9	2.5	27	0.5	0.5	12.8	65	0.35	0.091	11	35	0.82	174	0.117
BGT 41794	6.1	0.8	2.9	1.8	29	0.6	0.3	15.3	56	0.31	0.09	9	35	0.71	146	0.099
BGT 41795	5.1	1.2	1.5	1.2	29	0.7	0.3	21	55	0.29	0.098	10	36	0.67	138	0.075
BGT 41796	5.2	0.9	2.5	2.5	45	0.7	0.3	23.2	66	0.35	0.098	10	36	0.84	192	0.127
BGT 41797	6.8	1.5	2.5	2.2	58	3.4	0.4	41.4	84	0.42	0.105	11	56	1	206	0.132
BGT 41798	5	0.9	1.3	0.5	59	4	0.7	30.3	69	0.26	0.078	8	39	0.39	104	0.096
BGT 41799	5.8	1.4	2.6	2.4	83	1	0.4	21.2	73	0.49	0.145	10	40	0.98	280	0.137

Sample	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	Acme File
BGT 41755	0.5	3	0.036	1.04	14.8	0.005	11.8	1.1	0.36	12	0.8	1DX15	VAN08010944
BGT 41756	1	1.88	0.019	0.38	12.3	0.05	6.8	0.6	0.09	7	0.9	1DX15	VAN08010944
BGT 41757	0.5	2.01	0.033	0.52	16.2	0.03	8.1	0.7	0.16	8	1	1DX15	VAN08010944
BGT 41758	0.5	3.74	0.087	1.67	6.1	0.005	18.5	2.1	0.78	15	0.8	1DX15	VAN08010944
BGT 41759	0.5	2.63	0.022	0.57	12.1	0.03	7.6	0.6	0.1	9	1	1DX15	VAN08010944
BGT 41760	1	2.26	0.021	0.33	7.5	0.04	6.2	0.6	0.07	9	1.1	1DX15	VAN08010944
BGT 41761	1	1.7	0.017	0.17	5.3	0.04	4	0.3	0.06	7	0.8	1DX15	VAN08010944
BGT 41762	1	1.74	0.016	0.13	6.6	0.03	4.1	0.3	0.025	6	0.9	1DX15	VAN08010944
BGT 41763	1	1.7	0.016	0.15	11	0.03	3.7	0.3	0.025	7	0.5	1DX15	VAN08010944
BGT 41764	1	1.9	0.017	0.12	9	0.03	4.5	0.3	0.025	6	0.5	1DX15	VAN08010944
BGT 41765	1	1.81	0.018	0.09	4.2	0.04	4.6	0.3	0.025	6	0.5	1DX15	VAN08010944
BGT 41766	2	1.85	0.02	0.11	7.6	0.03	4.5	0.3	0.025	6	0.5	1DX15	VAN08010944
BGT 41767	2	2.02	0.025	0.22	8.5	0.02	6.6	0.4	0.025	6	0.8	1DX15	VAN08010944
BGT 41768	2	1.92	0.019	0.1	3.7	0.06	4.7	0.4	0.025	6	0.25	1DX15	VAN08010944
BGT 41769	0.5	1.98	0.02	0.18	6.6	0.03	6.4	0.4	0.025	6	0.7	1DX15	VAN08010944
BGT 41770	1	1.67	0.036	0.35	10.4	0.01	4.6	0.5	0.025	7	0.7	1DX15	VAN08010944
BGT 41771	2	3.02	0.024	0.63	10.9	0.03	7.7	0.9	0.025	9	0.25	1DX15	VAN08010944
BGT 41772	1	3.52	0.029	0.3	11.9	0.02	8.4	0.3	0.025	11	0.25	1DX15	VAN08010944
BGT 41773	1	2.04	0.015	0.14	13.1	0.02	4.2	0.2	0.025	7	0.25	1DX15	VAN08010944
BGT 41774	0.5	2.38	0.014	0.37	12.5	0.005	3.7	0.4	0.025	7	0.25	1DX15	VAN08010944
BGT 41775	1	1.8	0.015	0.13	13.4	0.03	3.4	0.3	0.025	6	0.25	1DX15	VAN08010944
BGT 41776	2	2.07	0.02	0.13	21.9	0.02	3.9	0.3	0.05	7	0.25	1DX15	VAN08010944
BGT 41777	1	2.36	0.019	0.2	14.5	0.01	6.2	0.4	0.025	7	0.25	1DX15	VAN08010944
BGT 41778	1	1.59	0.017	0.11	17.5	0.03	4.1	0.2	0.05	6	0.6	1DX15	VAN08010944
BGT 41779	2	1.92	0.015	0.12	11.4	0.06	7	0.3	0.07	7	1	1DX15	VAN08010944
BGT 41780	0.5	2.11	0.018	0.1	8.7	0.03	4.9	0.2	0.025	9	0.25	1DX15	VAN08010944
BGT 41781	0.5	1.5	0.019	0.29	7.1	0.06	5.6	0.4	0.1	7	0.25	1DX15	VAN08010944
BGT 41782	0.5	1.81	0.021	0.33	9.6	0.05	7.6	0.4	0.12	7	1.1	1DX15	VAN08010944
BGT 41783	1	2.32	0.021	0.46	13.9	0.03	6.9	0.7	0.09	8	0.8	1DX15	VAN08010944
BGT 41784	1	3.21	0.03	1.19	13.3	0.01	12.8	1.3	0.25	13	1.5	1DX15	VAN08010944
BGT 41785	1	2.67	0.027	0.52	7.5	0.02	6.8	0.7	0.18	8	0.5	1DX15	VAN08010944
BGT 41786	0.5	3.21	0.025	0.93	10.5	0.005	12.1	1.4	0.09	11	0.7	1DX15	VAN08010944
BGT 41787	1	1.72	0.022	0.31	14.6	0.03	4.7	0.5	0.11	6	0.25	1DX15	VAN08010944
BGT 41788	0.5	2.46	0.021	0.55	18	0.02	6.1	0.7	0.14	8	1.2	1DX15	VAN08010944
BGT 41789	1	1.64	0.013	0.1	5.9	0.07	4.2	0.4	0.025	6	0.7	1DX15	VAN08010944
BGT 41790	0.5	1.58	0.017	0.19	11.6	0.05	4.1	0.3	0.025	7	0.25	1DX15	VAN08010944
BGT 41791	0.5	1.55	0.015	0.11	12.4	0.03	3.3	0.2	0.025	5	0.25	1DX15	VAN08010944
BGT 41792	2	1.32	0.022	0.07	11	0.05	3	0.2	0.025	5	0.25	1DX15	VAN08010944
BGT 41793	2	1.76	0.019	0.12	7.6	0.03	4.6	0.3	0.025	6	0.25	1DX15	VAN08010944
BGT 41794	2	1.62	0.018	0.08	8.8	0.03	3.8	0.3	0.025	5	0.25	1DX15	VAN08010944
BGT 41795	1	1.61	0.017	0.08	11.3	0.05	4.1	0.3	0.025	6	0.6	1DX15	VAN08010944
BGT 41796	1	1.86	0.019	0.19	11.8	0.03	4.9	0.4	0.025	7	0.5	1DX15	VAN08010944
BGT 41797	2	2.2	0.023	0.26	18.8	0.05	6.9	0.5	0.11	8	0.7	1DX15	VAN08010944
BGT 41798	0.5	1.26	0.017	0.08	11.8	0.03	2.5	0.2	0.025	7	0.5	1DX15	VAN08010944
BGT 41799	1	1.91	0.021	0.24	19.5	0.01	4.1	0.3	0.025	6	0.25	1DX15	VAN08010944

Sample	UTM Easting	UTM Northing	UTM Zone	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe
BGT 41800	625906	6981503	NAD 83-07V	15	70.2	92.7	154	0.4	11.4	9.6	550	4.47
BGT 41801	625908	6981453	NAD 83-07V	36.1	209.2	18.7	142	0.2	13.4	14.5	1049	4.89
BGT 41802	626455	6982974	NAD 83-07V	1.3	43.9	32.9	91	0.05	19.7	16	570	3.9
BGT 41803	626457	6982924	NAD 83-07V	1.4	25.4	27.9	87	0.4	19.4	12.3	384	2.92
BGT 41804	626458	6982874	NAD 83-07V	2.1	35.9	51.8	77	0.3	22.3	12.9	486	2.97
BGT 41805	626460	6982824	NAD 83-07V	3	55.6	114.3	125	0.7	19.7	16.1	632	3.24
BGT 41806	626462	6982774	NAD 83-07V	1.5	54	23	88	0.1	19.5	12	441	3.34
BGT 41807	626464	6982722	NAD 83-07V	1.5	19.5	18.9	64	0.4	16.7	10.8	315	3.07
BGT 41808	626163	6982763	NAD 83-07V	2.5	46.8	49.4	91	1.1	17.9	10.1	229	2.78
BGT 41809	626164	6982713	NAD 83-07V	3.5	45.3	58.2	111	0.8	18.4	9.2	234	2.65
BGT 41810	626167	6982663	NAD 83-07V	5.7	29.8	39.5	111	0.6	16	12.3	454	3.05
BGT 41811	626170	6982612	NAD 83-07V	6.7	41	47.1	102	0.9	14.3	7.8	317	2.82
BGT 41812	626171	6982563	NAD 83-07V	8	31.1	32.9	91	0.6	13.5	7.9	250	2.67
BGT 41813	626173	6982513	NAD 83-07V	1.7	30.7	25.3	72	0.5	12.3	7.7	191	2.5
BGT 41814	626175	6982463	NAD 83-07V	2.9	40.9	27.8	119	0.5	12.8	12.9	382	3.51
BGT 41815	626180	6982313	NAD 83-07V	8.5	43.6	42.5	109	1.1	11.2	5.4	242	2.41
BGT 41816	626182	6982263	NAD 83-07V	113.5	81.8	45.6	140	1.8	9.8	5.2	446	3.29
BGT 41817	626187	6982161	NAD 83-07V	22.4	100.3	42.2	153	1.3	13	5.5	395	2.84
BGT 41818	626188	6982112	NAD 83-07V	46.3	75.1	57.7	166	0.7	8.3	6.4	720	3.52
BGT 41819	626190	6982062	NAD 83-07V	34.1	100	149.2	187	1.4	12.5	7.7	447	3.32
BGT 41820	626195	6981914	NAD 83-07V	46.3	73.7	72.4	104	2.2	8	4.5	289	3.11
BGT 41821	626200	6981614	NAD 83-07V	20.2	89.5	28.3	79	1.1	12.3	4.6	266	1.64
BGT 41822	626207	6981514	NAD 83-07V	4.4	56.2	15.5	72	0.5	12.9	7.2	207	2.15
BGT 41823	626207	6981464	NAD 83-07V	4.8	66.3	17.8	77	0.4	13.9	8.6	237	2.71
BGT 41824	625155	6982927	NAD 83-07V	7.2	30	85.8	140	0.9	6.5	10.2	1326	1.9
BGT 41825	625165	6982878	NAD 83-07V	6.1	47.5	71.4	96	0.9	13.3	16.6	636	3.86
BGT 41826	625167	6982827	NAD 83-07V	0.9	26.5	12.3	55	0.3	9.3	8.7	205	2.73
BGT 41827	625168	6982778	NAD 83-07V	0.9	25.2	13.6	64	0.2	9.2	12.1	256	2.91
BGT 41828	625169	6982728	NAD 83-07V	1.7	57.7	71.8	102	1.6	34.5	12.2	291	2.83
BGT 41829	625172	6982679	NAD 83-07V	0.7	22.3	10.9	68	0.2	10.3	11.1	233	2.79
BGT 41830	625172	6982628	NAD 83-07V	4.8	41.6	26.8	78	0.3	12.6	12.4	330	3.33
BGT 41831	625173	6982577	NAD 83-07V	5.5	29.7	13.7	63	0.1	8.4	14.1	368	3.22
BGT 41832	625175	6982527	NAD 83-07V	0.7	14.9	6	30	0.1	6.6	4.8	123	1.91
BGT 41833	625176	6982477	NAD 83-07V	3.1	26.6	10.8	51	0.2	8.3	7.9	200	2.22
BGT 41834	625177	6982426	NAD 83-07V	4.5	33.7	9.5	59	0.2	7.3	10.6	298	4.02
BGT 41835	625180	6982378	NAD 83-07V	4	41.4	13.6	66	0.3	13.4	13.7	356	4.24
BGT 41836	625181	6982327	NAD 83-07V	2.2	26.7	15.2	48	0.2	9.4	8.3	167	2.42
BGT 41837	625181	6982280	NAD 83-07V	1.8	29.1	11.7	52	0.2	11	9	179	2.38
BGT 41838	626379	6982370	NAD 83-07V	8	74.5	50.7	113	1.3	12.9	13.8	562	4.48
BGT 41839	626380	6982320	NAD 83-07V	11.8	77.6	68.7	131	1.4	12.9	13.6	699	4.96
BGT 41840	626381	6982269	NAD 83-07V	9.4	44.8	48.2	124	1	16.5	11.8	513	3.76
BGT 41841	626384	6982219	NAD 83-07V	9.5	37.2	56.9	106	1.3	12.8	8.5	461	2.58
BGT 41842	626385	6982169	NAD 83-07V	10.9	38.8	63	154	1.6	16.5	8.2	314	2.97
BGT 41843	626388	6982119	NAD 83-07V	5.2	36.5	77.2	147	1.1	15.9	7.6	308	2.8
BGT 41844	626389	6982069	NAD 83-07V	13	44.3	75.4	190	1	16.4	9.5	582	3.5

Sample	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
BGT 41800	7.5	2.3	2.9	2.5	159	0.6	0.8	34.1	98	0.34	0.095	11	27	0.68	353	0.188
BGT 41801	7.1	1.2	2.5	3.7	148	0.4	0.2	8.9	93	0.8	0.096	15	29	1.83	323	0.237
BGT 41802	7.4	0.6	2	3.4	23	0.4	0.6	0.6	73	0.33	0.072	14	31	1.01	236	0.17
BGT 41803	6.5	0.7	3.7	2.3	27	0.2	0.4	1.7	65	0.39	0.104	12	36	0.83	202	0.125
BGT 41804	8.6	1.2	3.4	4	25	0.4	0.7	2	65	0.29	0.07	15	35	0.68	215	0.091
BGT 41805	11.8	1.1	1.7	4.3	25	0.5	0.5	3.9	63	0.27	0.076	16	41	0.92	169	0.073
BGT 41806	7.3	0.9	2.5	4.4	41	0.3	0.4	1.4	63	0.31	0.091	17	34	0.81	229	0.132
BGT 41807	9.5	0.5	2.7	2.6	19	0.3	0.5	0.8	77	0.2	0.059	11	33	0.53	176	0.096
BGT 41808	4.8	2.3	2.2	1.8	36	1.3	0.8	6.4	49	0.44	0.089	16	29	0.61	282	0.075
BGT 41809	6.6	1.5	2.3	2.6	29	1.4	0.8	7.7	59	0.34	0.074	15	33	0.63	191	0.079
BGT 41810	6.6	1.2	2.2	2.7	27	0.8	0.5	5.2	65	0.29	0.078	10	30	0.75	170	0.094
BGT 41811	6.1	1.7	2.5	1.9	28	1.2	0.4	5.9	59	0.25	0.073	10	27	0.68	145	0.081
BGT 41812	4.4	1.6	2.5	1.9	29	0.8	0.3	5.4	62	0.28	0.055	10	26	0.7	169	0.093
BGT 41813	4.5	1.6	2.1	1	36	0.6	0.3	2.9	52	0.36	0.075	9	21	0.62	159	0.063
BGT 41814	4.4	1.5	2.2	1.5	31	0.5	0.3	3.9	78	0.27	0.068	6	21	0.99	171	0.122
BGT 41815	3.4	2.3	3.3	2.8	44	0.9	0.3	8.6	56	0.27	0.073	14	23	0.63	200	0.117
BGT 41816	3.1	3.9	1.6	5.4	53	1.3	0.3	7.8	74	0.27	0.08	22	24	0.81	269	0.186
BGT 41817	2.9	2.4	1.3	2	49	2	0.3	7.1	75	0.31	0.071	14	27	0.86	226	0.178
BGT 41818	3.3	1.5	0.9	1.9	47	0.9	0.3	9.1	94	0.22	0.068	8	24	1.23	227	0.199
BGT 41819	5.7	1.8	2.2	3	45	1.1	0.5	9.1	74	0.22	0.07	12	30	0.88	210	0.159
BGT 41820	5.9	2.5	1.2	1.5	33	1.3	0.9	16.4	72	0.09	0.074	13	15	0.37	192	0.088
BGT 41821	2.5	4.9	2.7	1.6	51	0.6	0.3	10.4	39	0.82	0.101	11	34	0.59	150	0.092
BGT 41822	4.4	0.8	2.5	1.5	23	0.3	0.4	2.3	43	0.27	0.075	11	25	0.59	209	0.07
BGT 41823	7.9	0.8	24.1	3.1	21	0.3	0.5	2.2	61	0.26	0.067	11	27	0.68	172	0.096
BGT 41824	8.2	2.5	0.6	4	25	2.1	0.6	6.8	33	0.32	0.062	6	10	0.18	104	0.007
BGT 41825	6.7	2.6	3.4	4.7	27	0.6	0.4	7.5	52	0.19	0.075	18	22	0.57	165	0.077
BGT 41826	2.5	1	1.9	1	26	0.2	0.2	0.4	57	0.3	0.068	7	21	0.71	170	0.107
BGT 41827	2.3	0.9	1.3	1	25	0.2	0.1	0.4	71	0.28	0.056	5	21	0.83	154	0.137
BGT 41828	2.7	4.1	0.5	4.5	90	0.9	0.2	8.5	52	0.65	0.256	48	75	0.88	651	0.077
BGT 41829	2.9	0.9	1.1	1.3	27	0.2	0.2	0.4	74	0.29	0.06	7	24	0.93	173	0.139
BGT 41830	3.4	2.7	3.7	2.3	37	0.2	0.3	3.7	73	0.29	0.078	13	32	0.81	200	0.105
BGT 41831	4.1	1	0.9	2.7	35	0.1	0.2	1.4	79	0.31	0.08	9	16	0.79	184	0.104
BGT 41832	3	0.5	2	0.4	19	0.05	0.2	0.1	35	0.21	0.057	5	13	0.36	92	0.066
BGT 41833	2.2	1.3	15	0.8	29	0.2	0.2	1.1	44	0.3	0.086	6	15	0.55	149	0.073
BGT 41834	3.7	1.1	1.5	1.8	28	0.1	0.1	2.9	74	0.21	0.078	9	18	0.78	249	0.081
BGT 41835	4.2	0.9	1.1	2.2	25	0.2	0.2	1.6	91	0.22	0.078	7	35	0.86	192	0.101
BGT 41836	3.9	1.2	1	1.3	24	0.1	0.2	0.9	52	0.26	0.058	6	17	0.48	137	0.089
BGT 41837	3	0.9	1.3	0.7	23	0.3	0.2	1.9	43	0.29	0.086	6	18	0.52	157	0.083
BGT 41838	6.4	2.9	4.1	2.3	35	0.4	0.5	10.1	102	0.31	0.094	7	25	0.99	203	0.186
BGT 41839	6.7	1.4	1	1.9	36	0.3	0.4	17	111	0.29	0.099	6	27	1.07	212	0.207
BGT 41840	9	2.2	2.7	4.4	37	0.7	0.6	8.6	76	0.28	0.063	13	31	0.68	173	0.129
BGT 41841	8.6	2.6	3.8	1.6	21	1.3	0.9	7.9	60	0.24	0.076	13	28	0.5	136	0.076
BGT 41842	9.2	2.7	2.3	3.9	22	0.9	0.6	9.6	60	0.27	0.07	16	32	0.61	135	0.098
BGT 41843	9.4	2.2	2.5	2.8	26	1	0.5	5.9	55	0.3	0.084	13	30	0.59	184	0.098
BGT 41844	12.2	1.6	1.9	3	27	1.1	0.8	9.2	65	0.26	0.086	11	29	0.67	157	0.131

Sample	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	Acme File
BGT 41800	1	2.51	0.021	0.26	57.4	0.01	4.5	0.4	0.025	11	0.25	1DX15	VAN08010944
BGT 41801	0.5	3.04	0.029	0.46	3.6	0.005	12.4	0.4	0.025	13	0.5	1DX15	VAN08010944
BGT 41802	1	2.22	0.016	0.27	2.6	0.02	4.3	0.3	0.025	6	0.25	1DX15	VAN08010944
BGT 41803	2	1.97	0.017	0.14	3.5	0.02	3.9	0.2	0.025	6	0.25	1DX15	VAN08010944
BGT 41804	1	1.91	0.015	0.08	3.4	0.03	4.6	0.2	0.025	6	0.25	1DX15	VAN08010944
BGT 41805	0.5	2.33	0.017	0.13	14	0.02	3.7	0.3	0.025	6	0.25	1DX15	VAN08010944
BGT 41806	1	2.1	0.014	0.21	15.8	0.02	3.5	0.4	0.025	7	0.25	1DX15	VAN08010944
BGT 41807	1	2.08	0.013	0.07	4.8	0.02	3.2	0.2	0.025	7	0.25	1DX15	VAN08010944
BGT 41808	2	1.88	0.02	0.07	19	0.06	4	0.2	0.07	6	0.25	1DX15	VAN08010944
BGT 41809	1	1.84	0.017	0.09	21.7	0.06	3.7	0.2	0.025	6	0.25	1DX15	VAN08010944
BGT 41810	0.5	1.75	0.015	0.13	30	0.02	3.5	0.3	0.07	5	0.25	1DX15	VAN08010944
BGT 41811	0.5	1.81	0.015	0.15	20.2	0.03	3.4	0.3	0.08	6	0.7	1DX15	VAN08010944
BGT 41812	0.5	1.91	0.016	0.09	20.6	0.03	3.5	0.3	0.07	7	0.25	1DX15	VAN08010944
BGT 41813	0.5	1.76	0.017	0.06	17.1	0.04	3.1	0.2	0.06	5	0.5	1DX15	VAN08010944
BGT 41814	0.5	2.29	0.015	0.23	23	0.03	3.6	0.5	0.025	6	0.6	1DX15	VAN08010944
BGT 41815	0.5	1.67	0.017	0.19	18.7	0.05	4.2	0.3	0.09	5	1	1DX15	VAN08010944
BGT 41816	0.5	1.95	0.023	0.47	13.4	0.05	6.2	0.5	0.2	9	1	1DX15	VAN08010944
BGT 41817	0.5	1.94	0.038	0.25	21.4	0.03	6	0.4	0.18	7	1.5	1DX15	VAN08010944
BGT 41818	0.5	2.21	0.036	0.67	16	0.02	5.6	0.6	0.27	8	1	1DX15	VAN08010944
BGT 41819	1	2.12	0.028	0.32	11.4	0.03	4.5	0.5	0.14	7	0.9	1DX15	VAN08010944
BGT 41820	0.5	1.23	0.032	0.22	10.1	0.03	2.7	0.3	0.17	7	1.2	1DX15	VAN08010944
BGT 41821	1	1.5	0.019	0.08	5.9	0.07	5.1	0.3	0.13	7	0.9	1DX15	VAN08010944
BGT 41822	1	1.7	0.016	0.07	3	0.06	4.4	0.2	0.06	6	0.7	1DX15	VAN08010944
BGT 41823	1	1.96	0.013	0.09	3	0.06	5.2	0.2	0.025	7	0.25	1DX15	VAN08010944
BGT 41824	0.5	1.26	0.021	0.14	9.4	0.05	1.9	0.4	0.025	6	0.5	1DX15	VAN08010944
BGT 41825	0.5	1.82	0.013	0.17	43.7	0.005	2.8	0.3	0.05	6	0.7	1DX15	VAN08010944
BGT 41826	0.5	1.8	0.021	0.17	2.6	0.02	3.8	0.2	0.09	5	0.25	1DX15	VAN08010944
BGT 41827	0.5	1.89	0.019	0.25	2.7	0.02	3.6	0.2	0.025	5	0.6	1DX15	VAN08010944
BGT 41828	0.5	1.65	0.019	0.19	25.7	0.02	4.3	0.3	0.1	7	0.7	1DX15	VAN08010944
BGT 41829	0.5	2.07	0.022	0.21	1.7	0.03	4	0.2	0.025	6	0.6	1DX15	VAN08010944
BGT 41830	0.5	2.25	0.028	0.24	5.7	0.03	4.4	0.3	0.15	7	0.7	1DX15	VAN08010944
BGT 41831	0.5	1.82	0.048	0.3	2.3	0.005	4.3	0.3	0.21	6	0.25	1DX15	VAN08010944
BGT 41832	0.5	1.14	0.019	0.04	0.5	0.03	2.1	0.05	0.06	4	0.25	1DX15	VAN08010944
BGT 41833	0.5	1.64	0.021	0.17	1.8	0.03	3.5	0.2	0.11	5	0.6	1DX15	VAN08010944
BGT 41834	0.5	2.07	0.024	0.36	1.3	0.02	4.9	0.2	0.26	6	0.8	1DX15	VAN08010944
BGT 41835	0.5	2.24	0.029	0.29	5.3	0.005	5	0.3	0.15	7	0.25	1DX15	VAN08010944
BGT 41836	0.5	1.54	0.021	0.07	1.7	0.02	3.1	0.1	0.08	5	0.5	1DX15	VAN08010944
BGT 41837	0.5	1.69	0.019	0.07	2.4	0.03	3.3	0.1	0.07	5	0.5	1DX15	VAN08010944
BGT 41838	0.5	2.55	0.022	0.36	42.2	0.02	4.3	0.7	0.08	8	0.5	1DX15	VAN08010944
BGT 41839	0.5	2.36	0.022	0.42	71.3	0.005	4.2	0.7	0.07	8	0.5	1DX15	VAN08010944
BGT 41840	1	2.2	0.024	0.13	28.5	0.01	3.8	0.2	0.09	7	0.25	1DX15	VAN08010944
BGT 41841	0.5	1.67	0.014	0.08	14.5	0.07	3.4	0.2	0.025	7	0.5	1DX15	VAN08010944
BGT 41842	1	2.04	0.015	0.1	15.2	0.06	4.2	0.3	0.025	7	0.6	1DX15	VAN08010944
BGT 41843	1	2.02	0.015	0.09	13.3	0.06	4.1	0.2	0.025	6	0.5	1DX15	VAN08010944
BGT 41844	0.5	2.01	0.018	0.14	22.2	0.03	3.7	0.3	0.05	7	0.8	1DX15	VAN08010944

Sample	UTM Easting	UTM Northing	UTM Zone	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe
BGT 41845	626392	6982019	NAD 83-07V	14.4	25.5	53.1	99	0.6	13.3	9.6	535	2.67
BGT 41846	626394	6981970	NAD 83-07V	18.1	70.5	72.3	118	1.6	14.5	9.8	395	3.08
BGT 41847	626393	6981920	NAD 83-07V	12.6	73	63.7	116	1.6	17.1	12.5	294	2.69
BGT 41848	626397	6981871	NAD 83-07V	30.3	87.8	60.3	121	1.5	13.2	10.7	555	3.73
BGT 41849	626399	6981820	NAD 83-07V	131	42.6	36.1	72	0.8	12.5	4.9	266	1.83
BGT 41850	626394	6981822	NAD 83-07V	31.1	46	39.3	98	0.7	17.6	11.6	627	3.36
BGT 41851	626401	6981720	NAD 83-07V	155.5	285.5	170.9	216	2.3	45.7	13.8	889	4.38
BGT 41852	626405	6981570	NAD 83-07V	2.3	9.5	16.6	54	0.2	8.1	5.6	157	1.73
BGT 41853	626405	6981521	NAD 83-07V	5	25.4	21.3	72	0.4	9.4	7.1	231	2.52
BGT 41854	626407	6981471	NAD 83-07V	4.3	36.3	16.2	86	0.5	12.5	7.8	279	2.76
BGT 41855	625185	6982178	NAD 83-07V	12.3	44.5	44.7	113	0.5	10.7	22.3	1013	7.38
BGT 41856	625188	6982128	NAD 83-07V	17.5	35.1	72.8	93	0.9	14.6	16.3	726	3.39
BGT 41857	625188	6982078	NAD 83-07V	13.4	52.5	15.1	86	0.1	14.3	19.5	547	4.04
BGT 41858	625190	6982027	NAD 83-07V	17.8	88.4	9.3	134	0.3	11	34.8	899	6.5
BGT 41859	625193	6981978	NAD 83-07V	49.8	95	16.5	95	0.3	18.1	19.2	564	4.51
BGT 41860	625193	6981928	NAD 83-07V	35.3	82.7	17.2	93	0.6	10.4	14.2	546	4.29
BGT 41861	625190	6981879	NAD 83-07V	40.5	76.1	28.7	88	0.7	12.7	12.2	515	3.69
BGT 41862	626668	6982629	NAD 83-07V	3	57.2	75.1	117	1	27.6	14.6	587	3.34
BGT 41863	626671	6982578	NAD 83-07V	38	87	129.6	248	0.5	22.4	17.3	935	4.85
BGT 41864	626672	6982531	NAD 83-07V	5.3	69.7	91.2	170	0.6	28.9	18.6	758	4.21
BGT 41865	626674	6982480	NAD 83-07V	7.1	98.8	56.4	139	0.7	26.9	18.5	821	4.09
BGT 41866	626676	6982429	NAD 83-07V	1.6	56.1	12.4	88	0.2	23.3	17.2	339	3.78
BGT 41867	626677	6982381	NAD 83-07V	2.4	68.3	34.4	127	0.6	18.8	18.4	620	4.14
BGT 41868	626679	6982331	NAD 83-07V	3	83.4	57.5	148	0.9	16.9	15.1	666	4.17
BGT 41869	626682	6982281	NAD 83-07V	7.1	52.2	84	128	1.5	16.7	14.3	398	3.81
BGT 41870	626684	6982240	NAD 83-07V	32.5	166.1	93.5	251	1.3	13.4	19.6	864	6.7
BGT 41871	626686	6982179	NAD 83-07V	8.2	53.6	95.6	169	0.8	17.6	12.5	504	3.34
BGT 41872	626688	6982128	NAD 83-07V	7.2	29.6	52.2	106	0.6	16	9.2	293	2.75
BGT 41873	626690	6982079	NAD 83-07V	7.2	39.8	61.2	113	0.7	17.3	10	391	2.84
BGT 41874	626692	6982029	NAD 83-07V	6.5	35.7	66.7	122	0.8	18	8.6	269	2.65
BGT 41875	626688	6981977	NAD 83-07V	10.4	42.4	104.2	228	1.1	19.4	8.1	218	2.61
BGT 41876	626691	6981932	NAD 83-07V	10.9	66.9	65.5	118	0.9	22.8	12.7	405	3.02
BGT 41877	626692	6981882	NAD 83-07V	94.1	102.9	137.9	137	1.8	13.2	11.8	580	4.25
BGT 41878	626694	6981831	NAD 83-07V	15	83	63.3	99	0.7	13.2	16.2	565	3.82
BGT 41879	626696	6981781	NAD 83-07V	20.3	108.7	68.3	98	1.1	14.4	11.6	475	3.74
BGT 41880	626698	6981731	NAD 83-07V	26.9	85.8	46.3	89	0.8	15.9	7.5	286	3.49
BGT 41881	626699	6981681	NAD 83-07V	43.9	71.3	34.8	108	0.7	19.8	13.1	477	2.97
BGT 41882	626702	6981632	NAD 83-07V	8.2	27.1	26.9	97	0.3	18	9.6	370	2.7
BGT 41883	626704	6981581	NAD 83-07V	4.6	32.7	61.7	111	0.7	17.4	9.3	325	3.03
BGT 41884	626705	6981532	NAD 83-07V	3	47.1	47.3	117	0.7	16.4	8.8	351	2.86
BGT 41885	626707	6981480	NAD 83-07V	3.7	35.1	89.5	112	1	15.8	10.7	348	3.07
BGT 41886	626210	6981413	NAD 83-07V	7.3	77.2	18.3	83	0.5	15.5	11	294	3.76
BGT 41887	626211	6981363	NAD 83-07V	8.7	93.5	13.3	91	0.4	18.2	14.1	413	3.66
BGT 41888	626213	6981314	NAD 83-07V	9.7	106.8	16.4	94	0.3	17.1	12	387	3.27
BGT 41889	626215	6981263	NAD 83-07V	5	46.7	17.7	93	0.3	23.1	13.8	444	3.47

Sample	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
BGT 41845	12.3	0.9	4.5	2.6	23	0.7	0.5	6.7	58	0.29	0.081	9	24	0.58	106	0.104
BGT 41846	8	1.8	2.6	1.9	24	0.8	0.3	13.6	69	0.21	0.074	10	28	0.86	139	0.125
BGT 41847	5.1	2	4.8	2.8	22	1	0.3	10.9	58	0.22	0.088	16	28	0.78	146	0.113
BGT 41848	7.5	1.8	1.8	2.7	34	0.7	0.3	15.6	82	0.19	0.078	13	28	1.01	220	0.177
BGT 41849	4.2	1.6	1.4	1	40	1.1	0.3	10.7	37	0.23	0.081	17	22	0.51	218	0.099
BGT 41850	10.9	1.4	2	3.3	15	1.2	0.5	9.9	68	0.16	0.064	14	33	0.6	144	0.092
BGT 41851	4.9	5.8	3	4.6	49	2.2	0.8	28.3	87	0.38	0.145	16	90	1.37	268	0.121
BGT 41852	2.4	0.9	0.6	0.9	21	0.2	0.2	1.5	27	0.22	0.069	8	16	0.44	129	0.084
BGT 41853	4.6	1.3	2.6	1.6	23	0.1	0.2	2.6	45	0.27	0.098	9	21	0.64	179	0.113
BGT 41854	5.7	1.1	2.7	2.1	24	0.2	0.3	2.5	60	0.29	0.082	10	26	0.76	185	0.144
BGT 41855	2.8	6.4	1.8	2	146	0.5	0.3	10.9	149	0.64	0.108	6	36	1.73	189	0.128
BGT 41856	7.8	1.3	2.3	1.6	24	0.5	0.4	4.5	87	0.37	0.089	8	26	0.55	170	0.08
BGT 41857	5.7	0.7	0.9	1.3	33	0.2	0.3	7.9	102	0.29	0.102	6	27	0.88	131	0.15
BGT 41858	1.9	0.5	0.25	0.6	50	0.2	0.1	5.3	147	0.58	0.16	3	18	1.86	451	0.282
BGT 41859	6.9	0.9	4	2.1	20	0.3	0.4	4.8	94	0.29	0.084	7	29	1.02	192	0.177
BGT 41860	5	0.9	1.3	1.3	23	0.4	0.3	9.8	97	0.33	0.091	6	19	0.96	161	0.121
BGT 41861	6.2	1.6	2.8	2.4	22	0.3	0.4	9.3	76	0.29	0.091	9	24	0.87	130	0.13
BGT 41862	7.1	1.5	3.7	4.3	22	1.3	1	5.6	65	0.3	0.103	18	49	0.87	149	0.094
BGT 41863	5	1.5	1.2	3.7	31	1.6	0.7	7.8	88	0.27	0.095	12	42	1.45	262	0.181
BGT 41864	7.2	0.8	2.6	3	25	1.4	0.4	4.7	81	0.3	0.111	10	52	1.24	230	0.166
BGT 41865	4.5	1	4.1	4.2	23	1.2	0.5	6	77	0.26	0.085	21	55	1.24	185	0.124
BGT 41866	10.2	1	5.5	3.6	25	0.3	0.5	1.5	68	0.22	0.073	11	33	0.75	157	0.1
BGT 41867	6.3	1.1	3.8	2.1	25	0.5	0.4	3.2	97	0.29	0.057	8	32	1.4	216	0.191
BGT 41868	6.3	2	2.8	2.3	30	0.7	0.6	5.2	89	0.36	0.077	10	30	1.36	188	0.159
BGT 41869	7.6	3.1	5.5	2.2	26	0.6	0.7	6.2	76	0.33	0.089	12	31	0.84	188	0.119
BGT 41870	5.5	8.1	2.5	1.9	55	1.7	0.5	38.1	140	0.47	0.12	7	23	1.68	302	0.226
BGT 41871	10	4.4	1.9	3.4	31	0.7	0.8	5.9	71	0.35	0.072	12	30	0.8	194	0.109
BGT 41872	12.2	4.4	1.7	2.4	26	0.6	0.8	5.9	59	0.29	0.079	13	30	0.6	157	0.086
BGT 41873	11.5	2.2	1.6	4.5	28	0.8	0.9	6.8	57	0.35	0.078	15	31	0.64	207	0.111
BGT 41874	14.4	2.7	3.2	3.4	24	0.8	0.8	4.4	58	0.31	0.079	14	31	0.59	181	0.095
BGT 41875	19.3	3	2.6	3.4	21	1.7	1.2	5.4	57	0.26	0.071	14	31	0.56	155	0.073
BGT 41876	17.7	1.9	3.4	2.2	20	0.9	0.7	5.4	60	0.24	0.078	13	33	0.68	144	0.079
BGT 41877	16.1	1.1	2.1	3.8	31	0.8	0.8	18.1	69	0.28	0.087	9	26	0.95	156	0.137
BGT 41878	11.3	2.1	2.7	2.9	18	0.8	0.5	12.6	81	0.21	0.081	13	29	0.94	165	0.144
BGT 41879	9.7	3	3	2.1	16	0.6	0.6	10.5	76	0.19	0.094	15	27	0.84	142	0.113
BGT 41880	9.5	2.5	3.5	3.8	19	0.5	0.6	10.1	65	0.19	0.085	13	27	0.85	171	0.118
BGT 41881	11.2	2.5	3.9	3.6	19	0.7	0.6	7.4	60	0.2	0.079	15	35	0.72	177	0.098
BGT 41882	8.1	0.9	2.6	3.5	19	0.8	0.4	5.7	57	0.25	0.07	11	30	0.74	149	0.123
BGT 41883	7.6	1	2.6	3.1	17	0.7	0.5	3.7	60	0.21	0.074	11	36	0.8	150	0.121
BGT 41884	7	1.4	1.8	3.3	19	0.7	0.4	4.2	60	0.26	0.078	11	31	0.84	191	0.13
BGT 41885	8.1	1.3	3.8	3.2	20	0.6	0.5	4.3	67	0.26	0.079	10	31	0.78	167	0.121
BGT 41886	8.6	0.8	1.9	2.1	21	0.2	0.5	1.6	69	0.24	0.078	9	28	0.78	204	0.1
BGT 41887	5.7	0.9	1.7	2.9	21	0.2	0.5	1.4	77	0.27	0.098	11	32	1.04	225	0.149
BGT 41888	4.8	0.9	1.7	2.3	26	0.2	0.4	2	69	0.28	0.109	10	27	0.85	219	0.142
BGT 41889	6.2	0.6	1.6	1.8	21	0.2	0.3	2.1	78	0.27	0.085	8	34	0.93	211	0.145

Sample	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	Acme File
BGT 41845	0.5	1.43	0.016	0.1	31.9	0.005	2.7	0.2	0.025	5	0.5	1DX15	VAN08010944
BGT 41846	1	2.07	0.019	0.16	12.3	0.04	3.8	0.3	0.06	7	1.2	1DX15	VAN08010944
BGT 41847	1	2.03	0.015	0.16	11.6	0.05	5	0.3	0.06	6	1.3	1DX15	VAN08010944
BGT 41848	0.5	2.33	0.018	0.43	12.9	0.04	4.2	0.4	0.1	7	1.1	1DX15	VAN08010944
BGT 41849	1	1.27	0.019	0.22	7.7	0.03	2.6	0.3	0.13	6	1.2	1DX15	VAN08010944
BGT 41850	1	1.92	0.013	0.09	10	0.02	3	0.2	0.025	7	0.25	1DX15	VAN08010944
BGT 41851	1	2.39	0.04	0.83	21.9	0.03	8.1	1	0.22	9	1.5	1DX15	VAN08010944
BGT 41852	0.5	1.19	0.014	0.1	4.4	0.03	3	0.2	0.025	5	0.25	1DX15	VAN08010944
BGT 41853	1	1.56	0.013	0.15	5.5	0.05	4.3	0.3	0.025	6	0.25	1DX15	VAN08010944
BGT 41854	1	1.79	0.013	0.24	4	0.04	5.3	0.3	0.025	7	0.6	1DX15	VAN08010944
BGT 41855	0.5	3.54	0.236	0.82	14.6	0.005	15.1	0.6	1.11	10	1.6	1DX15	VAN08010944
BGT 41856	1	1.51	0.017	0.08	3.8	0.05	5.3	0.2	0.025	7	0.25	1DX15	VAN08010944
BGT 41857	1	2.13	0.029	0.17	4.6	0.02	5.9	0.2	0.11	8	0.8	1DX15	VAN08010944
BGT 41858	0.5	3.73	0.023	1.11	4.4	0.005	8.2	0.6	0.14	9	0.8	1DX15	VAN08010944
BGT 41859	0.5	2.42	0.015	0.34	5.4	0.02	5.1	0.3	0.025	7	0.8	1DX15	VAN08010944
BGT 41860	0.5	2.34	0.018	0.25	9.7	0.03	5	0.4	0.025	8	0.6	1DX15	VAN08010944
BGT 41861	1	2.05	0.013	0.17	6	0.03	4.4	0.3	0.025	7	0.5	1DX15	VAN08010944
BGT 41862	1	2.02	0.016	0.14	40.2	0.05	4.7	0.4	0.025	6	0.6	1DX15	VAN08010944
BGT 41863	0.5	2.42	0.021	0.65	77.3	0.01	4.8	0.8	0.1	8	0.6	1DX15	VAN08010944
BGT 41864	0.5	2.36	0.015	0.37	45.7	0.03	4.1	0.6	0.025	7	0.5	1DX15	VAN08010944
BGT 41865	0.5	2.09	0.015	0.49	35.2	0.01	7.9	0.6	0.07	7	0.6	1DX15	VAN08010944
BGT 41866	2	2.55	0.015	0.11	19.9	0.06	5	0.3	0.025	6	0.9	1DX15	VAN08010944
BGT 41867	0.5	3.01	0.015	0.59	28.6	0.02	4.3	1	0.025	7	0.5	1DX15	VAN08010944
BGT 41868	1	2.55	0.017	0.53	35.6	0.02	4.9	1	0.025	6	0.6	1DX15	VAN08010944
BGT 41869	2	2.15	0.013	0.23	21.8	0.05	5	0.5	0.025	6	0.7	1DX15	VAN08010944
BGT 41870	0.5	2.59	0.023	1.27	34.3	0.03	8.8	1.8	0.26	9	1.3	1DX15	VAN08010944
BGT 41871	1	2.01	0.014	0.2	14.8	0.03	4.6	0.3	0.025	6	0.25	1DX15	VAN08010944
BGT 41872	1	1.79	0.014	0.08	4.8	0.04	4.4	0.2	0.025	6	0.6	1DX15	VAN08010944
BGT 41873	1	1.79	0.016	0.12	10.9	0.03	5.2	0.2	0.025	6	0.25	1DX15	VAN08010944
BGT 41874	2	1.87	0.014	0.07	7.3	0.05	4.9	0.2	0.025	6	0.7	1DX15	VAN08010944
BGT 41875	1	1.92	0.013	0.06	7.4	0.06	4.5	0.2	0.025	6	1.1	1DX15	VAN08010944
BGT 41876	1	2.1	0.013	0.08	7.4	0.06	4.7	0.2	0.025	6	1	1DX15	VAN08010944
BGT 41877	0.5	2.09	0.015	0.32	28.1	0.02	4.1	0.4	0.025	6	1.7	1DX15	VAN08010944
BGT 41878	1	2.22	0.016	0.27	8.8	0.04	5.5	0.4	0.06	7	1.4	1DX15	VAN08010944
BGT 41879	1	2.26	0.013	0.22	9.5	0.05	4.6	0.4	0.05	7	1.2	1DX15	VAN08010944
BGT 41880	1	2.14	0.016	0.23	7.5	0.03	4.7	0.4	0.06	6	1.8	1DX15	VAN08010944
BGT 41881	1	2.08	0.012	0.15	4.2	0.05	4.5	0.3	0.025	6	1.1	1DX15	VAN08010944
BGT 41882	2	1.8	0.013	0.12	4.8	0.03	3.1	0.3	0.025	6	0.25	1DX15	VAN08010944
BGT 41883	2	1.9	0.012	0.12	8.5	0.04	3.7	0.3	0.025	6	0.7	1DX15	VAN08010944
BGT 41884	1	1.92	0.012	0.17	7.7	0.03	3.6	0.3	0.025	6	0.6	1DX15	VAN08010944
BGT 41885	1	1.92	0.012	0.13	15.1	0.04	4	0.3	0.025	6	0.5	1DX15	VAN08010944
BGT 41886	1	2.05	0.01	0.14	3.9	0.04	5.4	0.2	0.025	7	0.25	1DX15	VAN08010944
BGT 41887	1	2.43	0.013	0.27	2.3	0.04	7.4	0.4	0.025	8	0.25	1DX15	VAN08010944
BGT 41888	1	2	0.015	0.24	3.2	0.03	5.1	0.3	0.025	7	0.25	1DX15	VAN08010944
BGT 41889	1	2.13	0.014	0.23	5.4	0.02	4.5	0.2	0.025	8	0.25	1DX15	VAN08010944

Sample	UTM Easting	UTM Northing	UTM Zone	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe
BGT 41890	626217	6981214	NAD 83-07V	2.4	19.9	13.3	59	0.2	15.6	7.7	184	2.29
BGT 41891	626218	6981164	NAD 83-07V	3.3	20.7	9.1	68	0.1	21.4	13.7	379	2.75
BGT 41892	626221	6981115	NAD 83-07V	2.3	33.5	7.9	78	0.1	17.4	14	538	3.07
BGT 41893	626222	6981064	NAD 83-07V	2.7	25.1	12.2	74	0.2	21.2	12.9	476	3.19
BGT 41894	626560	6982826	NAD 83-07V	1.4	23.8	13.7	71	0.1	20.3	13.2	395	3.21
BGT 41895	626563	6982777	NAD 83-07V	1.4	38.2	34.8	94	0.3	9.8	12.4	482	4.05
BGT 41896	626565	6982726	NAD 83-07V	1.1	25.1	15	67	0.2	27.3	14	369	2.98
BGT 41897	626567	6982676	NAD 83-07V	4.4	24.5	12	84	0.1	18.4	15.7	353	4.64
BGT 41898	626569	6982627	NAD 83-07V	2.2	34.7	74.1	98	1.8	22.1	13.3	442	3.12
BGT 41899	626569	6982574	NAD 83-07V	6.3	45.9	82.4	125	0.4	28.5	13.2	549	3.51
BGT 41900	626572	6982528	NAD 83-07V	3.6	34.7	33.4	88	0.3	21.9	11.9	456	3.06
BGT 41901	626574	6982477	NAD 83-07V	1.8	34.3	18.6	80	0.5	19.7	12.8	315	3.43
BGT 41902	626576	6982425	NAD 83-07V	2.8	59.3	25.3	124	0.3	17.4	22.3	741	4.98
BGT 41903	626578	6982377	NAD 83-07V	2.9	46.9	19.7	109	0.4	15.5	17.7	606	3.93
BGT 41904	626580	6982327	NAD 83-07V	6.4	53.7	56.6	100	1.6	15	11	323	3.5
BGT 41905	626569	6982297	NAD 83-07V	9.1	49.9	37.9	112	1.1	16.4	12.1	450	3.69
BGT 41906	626584	6982226	NAD 83-07V	3.9	32.3	30.7	97	0.5	16.1	10.4	419	2.82
BGT 41907	626587	6982177	NAD 83-07V	6.7	27.6	81.2	126	1.7	19	10.7	474	2.94
BGT 41908	626587	6982128	NAD 83-07V	5.5	36.7	45.9	85	1.2	15.8	7.1	246	2.55
BGT 41909	626587	6982077	NAD 83-07V	6.3	26.1	55.5	106	0.7	15.6	7.3	241	2.62
BGT 41910	626588	6982027	NAD 83-07V	8.6	31.6	87.7	172	0.9	17.8	10.9	425	3.03
BGT 41911	626590	6981977	NAD 83-07V	12.1	57.9	63.7	87	1.1	14.7	5.7	181	2.49
BGT 41912	626595	6981928	NAD 83-07V	18.3	55.4	56.7	112	1	15	13.9	526	3.15
BGT 41913	626596	6981878	NAD 83-07V	34.5	97.3	64.5	106	0.8	13.1	20.2	812	4.2
BGT 41914	626597	6981828	NAD 83-07V	18.9	85	53.5	98	0.8	13.9	14.9	568	3.4
BGT 41915	626597	6981777	NAD 83-07V	34.7	140	46.1	89	0.9	15.8	16.5	609	3.37
BGT 41916	626599	6981727	NAD 83-07V	30.5	58.5	32.3	98	0.6	18.9	8.7	338	2.79
BGT 41917	626600	6981676	NAD 83-07V	21.3	94.1	33.5	88	1	20.8	25.2	1079	2.56
BGT 41918	626603	6981626	NAD 83-07V	9.6	47.3	42.3	79	0.9	14	6.2	241	2.16
BGT 41919	626604	6981576	NAD 83-07V	15.3	35.1	37.5	97	0.6	14	17.3	553	3
BGT 41920	626606	6981528	NAD 83-07V	4.7	32.4	40.1	74	0.7	11.9	10.2	389	2.37
BGT 41921	626608	6981476	NAD 83-07V	3.6	22.4	23.2	86	0.5	13	22.6	2133	3.3
BGT 41922	625518	6981139	NAD 83-07V	79.5	132	13.5	93	0.05	24.6	17.9	802	4.51
BGT 41923	625516	6981189	NAD 83-07V	153.3	220.1	14.9	101	0.1	25.2	16.1	824	4.97
BGT 41924	625514	6981239	NAD 83-07V	265.4	332.1	17.4	135	0.4	35.8	23.6	1288	6.96
BGT 41925	625514	6981289	NAD 83-07V	49.9	251.3	12.8	92	0.05	25.1	16	698	4.41
BGT 41926	625511	6981338	NAD 83-07V	73.5	160.5	13.1	68	0.2	20.5	11.3	366	3.51
BGT 41927	625508	6981381	NAD 83-07V	67.7	225.6	12.8	93	0.1	24	17.7	663	3.98
BGT 41928	625214	6981277	NAD 83-07V	51.9	149.9	112.6	144	4.4	21.8	12.6	595	4.13
BGT 41929	625215	6981177	NAD 83-07V	13.9	186.1	60.9	102	2.1	15.8	11.8	1311	1.5
BGT 41930	625219	6981127	NAD 83-07V	3.2	66.2	84.8	132	1	24.2	11.7	315	2.68
BGT 41931	625220	6981077	NAD 83-07V	4.5	42.1	56.7	211	0.3	48.2	36.2	1201	3.94
BGT 41932	625220	6981023	NAD 83-07V	11.4	75.4	105.2	119	1.3	32.5	23.2	670	3.44
BGT 41933	625224	6980980	NAD 83-07V	11	76.5	75.1	100	1.6	23.3	13.3	717	2.67
BGT 41934	625225	6980930	NAD 83-07V	23.2	47.7	38.4	86	0.6	22.1	10.7	460	3.01

Sample	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
BGT 41890	6	1	1.8	2.9	22	0.2	0.4	1.3	52	0.3	0.075	13	29	0.56	180	0.051
BGT 41891	5.3	1	2.9	2.4	36	0.2	0.4	0.7	59	0.36	0.085	13	33	0.92	225	0.096
BGT 41892	5	0.8	1.9	2.6	26	0.1	0.3	1.2	71	0.36	0.098	11	27	1.03	292	0.165
BGT 41893	6.7	1.3	2.1	2.8	29	0.1	0.4	2.3	70	0.34	0.077	16	33	0.89	238	0.128
BGT 41894	9.2	0.7	29.6	2.3	20	0.3	0.5	0.7	74	0.18	0.046	8	32	0.71	189	0.114
BGT 41895	4.2	0.9	3.2	0.8	28	0.8	0.2	2.6	105	0.27	0.073	9	17	1.17	257	0.106
BGT 41896	10.9	0.8	2.6	4.1	18	0.4	0.6	0.6	62	0.17	0.04	10	37	0.6	195	0.09
BGT 41897	10.4	0.5	62.2	2.6	14	0.4	0.5	0.6	90	0.15	0.058	8	36	0.79	199	0.08
BGT 41898	11	1.3	2.2	5.1	18	0.8	0.6	3	64	0.16	0.039	13	38	0.54	223	0.064
BGT 41899	7.6	1	1.3	3.8	25	0.6	0.4	4.5	78	0.23	0.071	11	51	1.01	208	0.137
BGT 41900	6.7	0.9	2.5	3.7	18	0.4	0.5	3.1	61	0.2	0.055	13	36	0.73	160	0.107
BGT 41901	9.6	0.9	6.7	3.7	21	0.3	0.5	1.8	70	0.2	0.044	12	35	0.71	190	0.101
BGT 41902	8.4	0.6	3	2	27	0.3	0.5	3.5	99	0.2	0.058	6	31	1.11	209	0.161
BGT 41903	6.5	1.1	1.8	1.8	27	0.4	0.3	3.6	89	0.25	0.077	7	25	1.18	228	0.156
BGT 41904	7.8	5	1.5	1.6	33	0.7	0.4	7.4	70	0.26	0.078	10	27	0.75	189	0.106
BGT 41905	7.3	3	1.7	2.2	27	0.5	0.4	13.6	85	0.27	0.066	8	30	0.89	188	0.152
BGT 41906	7.7	2.4	2.2	4.5	21	0.3	0.6	3.3	56	0.24	0.054	14	31	0.62	164	0.115
BGT 41907	12.6	2.2	4.4	4.3	18	0.9	1.6	4.8	63	0.22	0.052	11	39	0.56	152	0.081
BGT 41908	8.8	2.4	2.3	1.5	21	0.6	0.7	5.8	49	0.23	0.071	11	27	0.52	141	0.061
BGT 41909	11.2	2	6.1	1.9	19	0.7	0.6	4	54	0.23	0.067	10	27	0.51	142	0.077
BGT 41910	17.5	1.9	2.7	3.6	21	1.3	0.8	4.8	63	0.25	0.076	10	32	0.59	150	0.082
BGT 41911	13.2	3.6	2.1	1.2	20	0.9	0.5	6.1	48	0.2	0.075	11	30	0.55	116	0.07
BGT 41912	10.6	1.5	1.9	1.9	21	0.8	0.6	8.7	66	0.22	0.073	10	29	0.74	143	0.104
BGT 41913	8.4	1.6	0.9	2.3	18	0.5	0.5	11.1	87	0.23	0.098	8	23	1.01	167	0.146
BGT 41914	8.3	2.4	38.5	2.3	16	0.7	0.5	8	67	0.18	0.079	13	25	0.77	124	0.111
BGT 41915	8.5	5.2	1.8	3.7	16	0.6	0.5	10.2	64	0.16	0.076	21	29	0.73	153	0.11
BGT 41916	8.9	2.1	3.8	2.4	19	0.7	0.4	6.7	61	0.21	0.072	14	37	0.76	146	0.105
BGT 41917	5.3	3.3	2.5	0.6	27	2.4	0.4	8.8	45	0.27	0.118	24	33	0.64	221	0.059
BGT 41918	6.1	1.5	1.7	0.8	20	0.8	0.4	4.7	44	0.2	0.089	11	31	0.61	172	0.064
BGT 41919	8.3	0.9	2.6	1.8	19	0.6	0.4	2.8	64	0.24	0.087	9	27	0.71	163	0.083
BGT 41920	5.6	1.7	2	0.6	25	0.6	0.4	2	48	0.27	0.109	9	23	0.65	187	0.07
BGT 41921	6.6	3.4	2.7	2	25	0.4	0.4	0.9	60	0.32	0.133	14	27	0.73	318	0.091
BGT 41922	8.1	0.9	1.7	3.3	15	0.2	0.4	6.1	90	0.18	0.085	10	46	1.09	227	0.168
BGT 41923	5.6	0.9	2.4	2.5	14	0.2	0.3	7.7	104	0.26	0.122	9	52	1.44	235	0.192
BGT 41924	2.2	1.3	0.7	2.8	32	0.5	0.1	15.1	137	0.43	0.211	19	81	2.15	500	0.228
BGT 41925	5.3	1.1	2.4	3.2	26	0.2	0.3	4.5	95	0.34	0.082	16	34	1.3	371	0.198
BGT 41926	8.6	1.4	2.5	2.6	22	0.2	0.4	3.9	70	0.24	0.062	11	29	0.81	240	0.099
BGT 41927	5	1.4	3.4	2.2	33	0.3	0.2	8.5	84	0.37	0.095	11	31	1.16	315	0.173
BGT 41928	8.6	2.4	4.2	2.2	30	1.8	0.9	21.1	72	0.43	0.157	18	39	0.72	313	0.122
BGT 41929	6.2	4.2	1.9	0.3	47	9.5	0.7	15	33	1.97	0.135	8	26	0.36	226	0.031
BGT 41930	8.4	0.7	2.8	1.5	30	2.4	0.5	18.9	61	0.34	0.109	12	42	0.67	173	0.076
BGT 41931	4	0.2	1.5	0.6	30	1.7	0.4	18	89	0.63	0.072	3	137	1.87	166	0.194
BGT 41932	3.4	0.2	0.25	0.6	97	1	0.3	36	85	0.56	0.093	3	96	1.99	206	0.174
BGT 41933	12	1	1.7	2.4	31	1.4	1.2	10.8	61	0.48	0.054	12	42	0.7	280	0.081
BGT 41934	11.9	0.8	1.4	2.3	30	0.9	0.9	11.9	71	0.38	0.052	9	47	0.72	227	0.086

Sample	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	Acme File
BGT 41890	1	1.71	0.014	0.05	4.1	0.04	4.2	0.1	0.025	5	0.25	1DX15	VAN08010944
BGT 41891	2	2.2	0.016	0.09	1.3	0.03	6.7	0.2	0.025	7	0.25	1DX15	VAN08010944
BGT 41892	1	1.77	0.018	0.29	3.3	0.02	6	0.3	0.025	7	0.25	1DX15	VAN08010944
BGT 41893	1	1.95	0.016	0.18	4.5	0.02	5.9	0.3	0.025	6	0.25	1DX15	VAN08010944
BGT 41894	1	2.27	0.016	0.1	7.3	0.03	3.7	0.2	0.025	6	0.25	1DX15	VAN08010944
BGT 41895	1	2.44	0.015	0.22	18.5	0.02	3.6	0.2	0.025	10	0.5	1DX15	VAN08010944
BGT 41896	2	2.28	0.016	0.06	3.6	0.04	4.1	0.1	0.025	6	0.25	1DX15	VAN08010944
BGT 41897	2	2.76	0.011	0.14	5	0.01	4.6	0.3	0.025	8	0.25	1DX15	VAN08010944
BGT 41898	2	2.31	0.015	0.07	20.8	0.05	5.7	0.2	0.025	6	0.25	1DX15	VAN08010944
BGT 41899	1	2.45	0.014	0.14	44.1	0.01	4.5	0.4	0.025	7	0.25	1DX15	VAN08010944
BGT 41900	1	1.88	0.012	0.12	18.5	0.03	4	0.3	0.025	6	0.25	1DX15	VAN08010944
BGT 41901	1	2.31	0.013	0.09	13.6	0.04	5.4	0.2	0.025	6	0.5	1DX15	VAN08010944
BGT 41902	1	2.67	0.021	0.34	27.5	0.04	4.7	0.6	0.06	7	0.25	1DX15	VAN08010944
BGT 41903	0.5	2.72	0.015	0.44	37.4	0.03	3.4	0.8	0.025	6	0.25	1DX15	VAN08010944
BGT 41904	1	2.07	0.014	0.24	13.4	0.05	4.2	0.5	0.05	6	0.25	1DX15	VAN08010944
BGT 41905	1	2.09	0.013	0.24	20.3	0.04	4.2	0.6	0.025	7	0.25	1DX15	VAN08010944
BGT 41906	1	1.64	0.012	0.09	11	0.03	4	0.2	0.025	5	0.25	1DX15	VAN08010944
BGT 41907	2	1.97	0.012	0.07	16.9	0.09	4.4	0.2	0.025	7	0.25	1DX15	VAN08010944
BGT 41908	2	1.68	0.015	0.06	10	0.06	3.3	0.2	0.025	5	0.7	1DX15	VAN08010944
BGT 41909	1	1.69	0.012	0.06	6.9	0.06	3.4	0.2	0.025	6	0.25	1DX15	VAN08010944
BGT 41910	1	1.79	0.013	0.07	8.3	0.04	3.6	0.2	0.025	5	0.7	1DX15	VAN08010944
BGT 41911	2	1.74	0.014	0.07	8	0.06	3.7	0.2	0.06	5	1.4	1DX15	VAN08010944
BGT 41912	1	1.99	0.016	0.15	9.5	0.05	4.1	0.3	0.025	6	0.8	1DX15	VAN08010944
BGT 41913	0.5	2.17	0.017	0.33	18.5	0.03	4.6	0.5	0.06	7	1.1	1DX15	VAN08010944
BGT 41914	1	1.93	0.015	0.18	9.1	0.04	3.8	0.4	0.06	6	1.1	1DX15	VAN08010944
BGT 41915	2	2.13	0.014	0.19	5.9	0.05	5.5	0.4	0.025	6	1.5	1DX15	VAN08010944
BGT 41916	2	1.88	0.013	0.16	4.5	0.05	4.1	0.3	0.025	6	0.6	1DX15	VAN08010944
BGT 41917	1	1.81	0.018	0.2	5.2	0.06	3	0.4	0.1	5	1.1	1DX15	VAN08010944
BGT 41918	1	1.67	0.014	0.1	5.2	0.07	2.8	0.3	0.07	6	0.6	1DX15	VAN08010944
BGT 41919	0.5	1.61	0.012	0.11	6.3	0.02	2.9	0.2	0.025	6	0.25	1DX15	VAN08010944
BGT 41920	1	1.65	0.013	0.09	5.7	0.05	2.7	0.2	0.07	6	0.25	1DX15	VAN08010944
BGT 41921	1	1.78	0.015	0.1	3.2	0.04	6.9	0.3	0.025	7	0.7	1DX15	VAN08010944
BGT 41922	0.5	2.68	0.014	0.44	3.2	0.02	8	0.5	0.025	9	0.7	1DX15	VAN08010944
BGT 41923	0.5	2.65	0.014	0.78	3.6	0.02	10.9	0.8	0.025	10	0.8	1DX15	VAN08010944
BGT 41924	0.5	3.13	0.02	1.41	6.4	0.01	17.4	1.3	0.26	13	1.7	1DX15	VAN08010944
BGT 41925	0.5	2.31	0.015	0.55	3	0.01	10.4	0.6	0.025	9	0.6	1DX15	VAN08010944
BGT 41926	0.5	2.29	0.012	0.15	1.3	0.04	5.5	0.3	0.025	7	0.5	1DX15	VAN08010944
BGT 41927	0.5	2.25	0.014	0.36	3.7	0.02	7	0.4	0.025	8	0.6	1DX15	VAN08010944
BGT 41928	1	2.48	0.018	0.27	25.9	0.11	11.4	0.4	0.08	8	1.2	1DX15	VAN08010944
BGT 41929	2	1.01	0.017	0.04	14.7	0.14	2.2	0.3	0.12	3	1.2	1DX15	VAN08010944
BGT 41930	1	1.78	0.013	0.06	12.6	0.03	3.7	0.2	0.025	5	0.6	1DX15	VAN08010944
BGT 41931	0.5	2.34	0.018	0.41	16.9	0.04	3.6	0.3	0.025	6	0.25	1DX15	VAN08010944
BGT 41932	0.5	2.7	0.019	0.6	8	0.01	4.1	0.4	0.025	7	0.25	1DX15	VAN08010944
BGT 41933	0.5	1.72	0.016	0.06	12	0.05	4.9	0.1	0.025	5	0.25	1DX15	VAN08010944
BGT 41934	1	1.96	0.013	0.06	9.7	0.03	4	0.2	0.025	6	0.25	1DX15	VAN08010944

Sample	UTM Easting	UTM Northing	UTM Zone	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe
BGT 41935	625628	6980941	NAD 83-07V	83.4	183.8	38.1	127	0.5	19.8	34.2	1817	3.96
BGT 41936	625605	6980993	NAD 83-07V	55.9	86.8	32.2	266	1.8	22.1	24.4	5021	3.78
BGT 41937	625608	6981045	NAD 83-07V	124.8	270.1	23.7	131	0.5	26.1	17.7	1000	5.19
BGT 41938	625605	6981090	NAD 83-07V	127	276.2	18.7	121	0.8	28.7	17.7	821	4.63
BGT 41939	625606	6981142	NAD 83-07V	160.8	259.7	19.9	125	0.6	31.8	22.1	968	5.36
BGT 41940	625606	6981192	NAD 83-07V	157.4	304.8	19	147	0.4	33.4	23.9	1247	6.46
BGT 41941	625605	6981242	NAD 83-07V	30.4	129.4	16.3	76	0.3	19.8	12.4	482	3.82
BGT 41942	625607	6981290	NAD 83-07V	27.7	183.8	12.9	91	0.05	23.2	16.6	668	4.43
BGT 41943	625609	6981342	NAD 83-07V	14.5	122	16.3	52	0.05	14.5	8	276	3.93
BGT 41944	625607	6981392	NAD 83-07V	42	341.8	15.1	122	0.05	23.2	23.3	924	5.43
BGT 41945	625707	6981396	NAD 83-07V	21.4	284.7	18.2	74	0.2	19.7	14.9	491	3.69
BGT 41946	625707	6981347	NAD 83-07V	33.2	269.9	13.8	112	0.05	23.7	18.1	632	5.08
BGT 41947	625712	6981297	NAD 83-07V	29.8	278.2	15.2	97	0.05	24	14	511	4.37
BGT 41948	625714	6981245	NAD 83-07V	13.3	235	12.8	51	0.8	14.7	9.3	614	1.64
BGT 41949	626626	6980976	NAD 83-07V	1.2	25.5	14.5	53	0.1	19.7	10	296	2.36
BGT 41950	626624	6981027	NAD 83-07V	1.1	35.7	10.3	52	0.1	21.5	11.3	320	2.82
BGT 41951	626621	6981077	NAD 83-07V	1	44.3	16.4	25	0.1	8.2	4.8	151	1.91
BGT 41952	626620	6981128	NAD 83-07V	1.8	35.8	18.5	79	0.2	24.3	14.3	388	3.29
BGT 41953	626618	6981178	NAD 83-07V	2.4	21.3	11.9	77	0.05	19.2	16	490	3.28
BGT 41954	626616	6981226	NAD 83-07V	2.5	15.9	16.3	88	0.2	16.4	14.7	481	3.02
BGT 41955	626614	6981277	NAD 83-07V	4.4	29.7	34.2	106	0.3	13.9	16.9	872	3.57
BGT 41956	626613	6981328	NAD 83-07V	2.9	25.9	33.1	114	0.5	15.1	16	586	3.71
BGT 41957	626611	6981378	NAD 83-07V	1.6	17.5	34.5	84	0.3	14.5	9.1	241	2.77
BGT 41958	626610	6981427	NAD 83-07V	1.1	15.7	33.8	94	0.5	16.4	11	449	2.69
BGT 41959	626508	6981423	NAD 83-07V	3.8	12.5	20.6	75	0.3	12.1	8.2	250	2.71
BGT 41960	626510	6981374	NAD 83-07V	2.4	13.4	16.2	69	0.4	12.5	8.9	248	2.35
BGT 41961	626512	6981324	NAD 83-07V	2.7	19.9	14	69	0.3	14.9	9.6	211	2.57
BGT 41962	626514	6981269	NAD 83-07V	8.3	37.2	19.6	119	0.4	21	19.9	701	4.17
BGT 41963	626515	6981224	NAD 83-07V	7	29.1	24.1	90	0.6	22.1	13.4	426	3.23
BGT 41964	626517	6981175	NAD 83-07V	5.7	23.7	11.6	77	0.1	19.2	12.3	416	3.29
BGT 41965	626519	6981123	NAD 83-07V	1.3	15.2	7.8	46	0.1	9.5	7	170	1.92
BGT 41966	626521	6981076	NAD 83-07V	1.3	20.9	9.4	74	0.05	20.7	19.1	1428	2.97
BGT 41969	626425	6980970	NAD 83-07V	2.2	29.8	13.7	80	0.1	18.8	17.1	519	3.76
BGT 41970	626224	6981014	NAD 83-07V	1.3	29.3	14.5	79	0.1	24	14.1	519	3.44
BGT 41971	626225	6980964	NAD 83-07V	1.5	22.6	18.1	92	0.1	20.2	16.2	719	3.67
BGT 41972	626124	6980960	NAD 83-07V	2.8	38.6	28.1	107	0.5	26.1	17.8	775	4.08
BGT 41973	626123	6981009	NAD 83-07V	2.2	32.5	14.2	85	0.2	24.8	14.6	489	3.51
BGT 41974	626121	6981059	NAD 83-07V	2.8	30.2	26	127	0.2	26.2	19.1	761	4.04
BGT 41975	626119	6981109	NAD 83-07V	3.5	18.7	12	62	0.3	18.9	12.1	380	3.22
BGT 41976	626118	6981160	NAD 83-07V	11.2	30	11.3	97	0.1	16.6	17.9	688	4.15
BGT 41977	626116	6981209	NAD 83-07V	17.8	38	11.2	65	0.05	20.3	13.2	407	3.45
BGT 41978	626114	6981260	NAD 83-07V	15.5	62.5	12.6	76	0.3	18.6	14.9	462	3.74
BGT 41979	626277	6982364	NAD 83-07V	2.3	48.6	24.1	63	1.1	11.2	6.1	172	2.32
BGT 41980	626279	6982315	NAD 83-07V	5.2	49.1	48.4	65	2.7	9	3.8	149	2.29
BGT 41981	626281	6982266	NAD 83-07V	29	40.2	48.7	121	1.1	12.5	6.8	441	2.88

Sample	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
BGT 41935	4.6	1.4	0.8	2.1	59	1.5	0.4	25.1	84	0.57	0.149	10	40	1.12	245	0.166
BGT 41936	4.8	0.4	1.6	1.1	33	12.9	0.5	9.9	96	0.4	0.093	6	39	0.65	467	0.167
BGT 41937	4.1	2.2	1.2	3.2	21	0.4	0.2	7.6	116	0.39	0.117	15	62	1.66	320	0.251
BGT 41938	4.7	2.6	1.8	3.1	23	0.3	0.2	6.9	113	0.4	0.097	21	62	1.56	325	0.23
BGT 41939	4.8	2.2	0.8	2.7	22	0.3	0.2	8.7	112	0.43	0.138	15	65	1.68	351	0.232
BGT 41940	2.9	2	1.3	3.1	29	0.3	0.2	11	141	0.45	0.183	14	77	2.02	463	0.297
BGT 41941	7.4	0.7	4.7	1.7	17	0.3	0.5	2.7	88	0.18	0.099	10	33	0.76	190	0.141
BGT 41942	6.1	0.9	1.2	2.5	20	0.1	0.3	3.4	101	0.25	0.075	11	32	1.3	283	0.201
BGT 41943	8.2	0.8	2.2	1.4	18	0.2	0.5	1.5	87	0.16	0.08	10	29	0.57	193	0.117
BGT 41944	5.5	0.7	0.6	2.1	20	0.3	0.3	3.3	116	0.24	0.115	8	27	1.3	250	0.225
BGT 41945	7.6	0.9	15.6	2.4	26	0.2	0.4	3.3	88	0.27	0.097	12	32	0.85	273	0.119
BGT 41946	8	0.6	0.7	2.5	16	0.2	0.5	3.4	97	0.17	0.075	9	30	0.95	170	0.16
BGT 41947	8.9	0.7	2.1	3.6	16	0.2	0.5	2.2	86	0.16	0.054	11	35	0.88	216	0.127
BGT 41948	1.5	1	0.8	0.1	30	2.1	0.3	1.4	41	0.28	0.095	12	18	0.35	383	0.074
BGT 41949	6.3	0.7	2.8	3.1	22	0.2	0.4	1.4	56	0.28	0.084	12	31	0.57	161	0.095
BGT 41950	9.5	0.8	3.4	2.6	24	0.1	0.5	0.3	65	0.26	0.077	12	33	0.55	194	0.076
BGT 41951	4.1	0.9	1.7	0.1	30	0.2	0.2	0.8	42	0.19	0.148	9	22	0.24	164	0.024
BGT 41952	6.7	0.7	2	2.2	39	0.2	0.4	1.9	68	0.36	0.103	11	36	0.86	228	0.12
BGT 41953	4.8	0.4	0.9	2.1	59	0.1	0.3	2.9	66	0.33	0.113	9	27	1.02	205	0.149
BGT 41954	4.2	0.8	1.5	2	32	0.1	0.3	2.6	62	0.26	0.082	10	26	1.14	293	0.156
BGT 41955	5.8	1.7	1.6	3.2	28	0.6	0.4	2.4	71	0.32	0.102	12	23	0.82	247	0.109
BGT 41956	6.8	3.1	3.2	3.3	28	0.5	0.4	2.3	75	0.37	0.119	12	29	0.87	451	0.145
BGT 41957	6.2	2.7	2.4	2.9	21	0.4	0.4	2.1	59	0.29	0.092	10	29	0.66	189	0.106
BGT 41958	4.5	1.4	1.6	2.1	19	0.3	0.3	1	65	0.26	0.087	10	34	0.77	218	0.103
BGT 41959	5.3	1.5	4.8	1.9	22	0.2	0.3	1.6	61	0.26	0.101	9	25	0.72	151	0.117
BGT 41960	4.3	0.7	2.7	1	26	0.2	0.2	1.6	46	0.27	0.11	8	25	0.82	180	0.107
BGT 41961	4.3	1	4	2.1	25	0.2	0.4	1.5	52	0.25	0.087	11	27	0.68	210	0.106
BGT 41962	6.6	1.1	3.2	2.3	37	0.3	0.3	3.3	93	0.34	0.121	11	34	1.2	331	0.164
BGT 41963	7.3	1.3	2.6	2.5	28	0.2	0.4	3	71	0.3	0.091	13	34	0.75	204	0.107
BGT 41964	7	0.7	1.9	2.7	22	0.2	0.5	1.9	74	0.32	0.128	11	28	0.64	152	0.125
BGT 41965	4.4	0.4	2.6	0.7	26	0.3	0.3	0.9	58	0.19	0.061	8	20	0.5	133	0.096
BGT 41966	7.7	0.6	1.6	2	27	0.4	0.5	0.3	64	0.28	0.165	11	28	0.51	225	0.068
BGT 41969	6.4	1.1	4.9	5.4	32	0.2	0.4	4.1	61	0.21	0.069	17	24	0.76	228	0.115
BGT 41970	8.3	0.9	1.7	3.6	25	0.1	0.5	1.7	79	0.31	0.095	14	38	0.91	268	0.136
BGT 41971	7	0.7	1.6	3.1	21	0.3	0.4	2.4	95	0.31	0.115	11	41	1.14	251	0.187
BGT 41972	7.7	0.9	1.2	2.9	20	0.4	0.3	4.1	98	0.26	0.088	9	57	1.03	210	0.182
BGT 41973	8.6	0.9	2.5	3.4	20	0.2	0.5	3.1	80	0.23	0.085	11	44	0.91	197	0.145
BGT 41974	10	0.6	1.4	2.8	21	0.4	0.4	4	82	0.34	0.119	9	43	1.22	219	0.184
BGT 41975	9.7	0.7	2.1	4.1	18	0.2	0.5	2.1	65	0.21	0.071	11	33	0.64	148	0.111
BGT 41976	8.6	0.6	3.1	2.8	22	0.2	0.4	3.9	98	0.27	0.12	8	28	1.02	178	0.182
BGT 41977	8.2	1.2	2.3	3.1	24	0.1	0.4	1.8	66	0.28	0.082	12	32	0.69	162	0.092
BGT 41978	7.4	0.8	2.5	2.3	22	0.2	0.3	2.7	83	0.27	0.092	10	30	0.85	180	0.133
BGT 41979	4	2.8	1.9	0.3	32	0.8	0.3	5	44	0.3	0.098	8	19	0.51	148	0.066
BGT 41980	4.5	3.6	3.3	0.8	36	1	0.4	6.3	35	0.3	0.111	13	21	0.36	139	0.065
BGT 41981	6.2	2.1	1.7	3.9	34	0.6	0.5	11.6	77	0.22	0.047	13	30	0.71	128	0.166

Sample	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	Acme File
BGT 41935	0.5	2.05	0.014	0.4	28.2	0.05	7.6	0.6	0.025	8	0.7	1DX15	VAN08010944
BGT 41936	0.5	1.69	0.016	0.18	4.8	0.04	5.1	0.4	0.025	9	0.25	1DX15	VAN08010944
BGT 41937	0.5	2.79	0.014	1.08	4.4	0.03	14.3	1	0.025	12	0.7	1DX15	VAN08010944
BGT 41938	0.5	2.74	0.015	0.87	3.4	0.03	13.4	0.9	0.025	11	0.8	1DX15	VAN08010944
BGT 41939	0.5	2.91	0.016	0.93	5.1	0.03	13.4	1	0.025	12	1	1DX15	VAN08010944
BGT 41940	0.5	3.04	0.018	1.37	4	0.02	15.1	1.2	0.025	13	1.6	1DX15	VAN08010944
BGT 41941	0.5	2.12	0.013	0.26	3	0.01	7.2	0.4	0.025	9	0.25	1DX15	VAN08010944
BGT 41942	0.5	2.52	0.013	0.47	2.4	0.02	8.9	0.7	0.025	9	0.25	1DX15	VAN08010944
BGT 41943	0.5	1.92	0.01	0.11	1.4	0.02	4.9	0.2	0.025	9	0.25	1DX15	VAN08010944
BGT 41944	0.5	2.72	0.011	0.64	4.7	0.01	8.9	0.7	0.025	11	0.5	1DX15	VAN08010944
BGT 41945	0.5	2.21	0.013	0.15	4.3	0.03	7.5	0.3	0.025	8	0.5	1DX15	VAN08010944
BGT 41946	0.5	2.72	0.011	0.23	2.8	0.02	8.6	0.3	0.025	10	0.5	1DX15	VAN08010944
BGT 41947	1	2.87	0.011	0.18	1.9	0.02	7.1	0.4	0.025	9	0.25	1DX15	VAN08010944
BGT 41948	0.5	1.05	0.018	0.19	1.1	0.03	2.3	0.3	0.025	5	0.25	1DX15	VAN08010944
BGT 41949	0.5	1.48	0.012	0.05	4.1	0.02	3.7	0.05	0.025	4	0.25	1DX15	VAN08010944
BGT 41950	0.5	1.89	0.014	0.05	0.5	0.03	4.3	0.05	0.025	6	0.6	1DX15	VAN08010944
BGT 41951	0.5	1.3	0.013	0.06	1.1	0.05	0.8	0.1	0.025	5	0.6	1DX15	VAN08010944
BGT 41952	0.5	2.16	0.016	0.23	5.7	0.03	5.3	0.3	0.025	6	0.25	1DX15	VAN08010944
BGT 41953	0.5	1.97	0.016	0.32	7.4	0.02	4.4	0.3	0.025	6	0.25	1DX15	VAN08010944
BGT 41954	1	2.18	0.015	0.35	5	0.03	3.8	0.4	0.025	6	0.25	1DX15	VAN08010944
BGT 41955	0.5	1.81	0.013	0.25	5.1	0.03	4.3	0.3	0.025	6	0.25	1DX15	VAN08010944
BGT 41956	1	1.95	0.016	0.26	4.7	0.04	5.2	0.3	0.025	6	0.6	1DX15	VAN08010944
BGT 41957	1	1.77	0.013	0.09	4.8	0.04	4.1	0.3	0.025	6	0.25	1DX15	VAN08010944
BGT 41958	0.5	2.03	0.014	0.07	5.3	0.05	4.9	0.2	0.025	7	0.25	1DX15	VAN08010944
BGT 41959	1	1.7	0.012	0.1	4.7	0.04	3.5	0.3	0.025	6	0.25	1DX15	VAN08010944
BGT 41960	1	1.72	0.013	0.16	6	0.05	3.2	0.3	0.07	6	0.25	1DX15	VAN08010944
BGT 41961	1	1.74	0.015	0.14	2.4	0.06	4.5	0.3	0.05	6	0.25	1DX15	VAN08010944
BGT 41962	1	2.74	0.016	0.45	10.1	0.03	6	0.5	0.025	9	0.25	1DX15	VAN08010944
BGT 41963	0.5	2.08	0.014	0.16	8.5	0.03	4.4	0.2	0.025	6	0.25	1DX15	VAN08010944
BGT 41964	1	1.64	0.014	0.17	7	0.02	3.2	0.2	0.025	6	0.25	1DX15	VAN08010944
BGT 41965	0.5	1.16	0.015	0.09	2.2	0.03	2.6	0.1	0.025	7	0.25	1DX15	VAN08010944
BGT 41966	1	1.74	0.014	0.07	0.7	0.02	3.5	0.05	0.025	7	0.25	1DX15	VAN08010944
BGT 41969	0.5	2.11	0.017	0.23	11.4	0.02	4.6	0.4	0.025	6	0.25	1DX15	VAN08010944
BGT 41970	1	2.37	0.014	0.2	4.5	0.03	6.3	0.3	0.025	7	0.25	1DX15	VAN08010944
BGT 41971	1	2.31	0.013	0.39	7.7	0.02	5.6	0.4	0.025	8	0.25	1DX15	VAN08010944
BGT 41972	1	2.33	0.013	0.24	13.8	0.03	6.2	0.3	0.025	9	0.25	1DX15	VAN08010944
BGT 41973	1	2.37	0.013	0.21	6.4	0.03	6.1	0.4	0.025	7	0.25	1DX15	VAN08010944
BGT 41974	1	2.41	0.014	0.47	11.6	0.01	6.5	0.6	0.025	8	0.25	1DX15	VAN08010944
BGT 41975	2	2.27	0.013	0.1	1.8	0.05	4.2	0.2	0.025	6	0.25	1DX15	VAN08010944
BGT 41976	1	2.41	0.014	0.39	5.5	0.02	6.7	0.4	0.025	9	0.5	1DX15	VAN08010944
BGT 41977	1	2.18	0.014	0.09	4.4	0.02	5	0.2	0.025	7	0.7	1DX15	VAN08010944
BGT 41978	1	2.21	0.013	0.21	4.2	0.02	5.2	0.3	0.025	8	0.5	1DX15	VAN08010944
BGT 41979	1	1.58	0.016	0.13	17.4	0.06	2.3	0.4	0.06	5	0.7	1DX15	VAN08010944
BGT 41980	1	1.4	0.014	0.11	15.1	0.09	3.2	0.3	0.09	5	0.6	1DX15	VAN08010944
BGT 41981	0.5	1.9	0.02	0.17	23.4	0.03	3.6	0.3	0.025	9	0.25	1DX15	VAN08010944

Sample	UTM Easting	UTM Northing	UTM Zone	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe
BGT 41982	626283	6982214	NAD 83-07V	21.4	59.4	49.9	120	1.9	12.7	5.7	280	2.62
BGT 41983	626284	6982167	NAD 83-07V	7.7	45.6	61.3	93	1.3	11.2	4.1	161	2.2
BGT 41984	626287	6982117	NAD 83-07V	25.3	49.6	60.6	153	0.7	11.7	6	364	2.68
BGT 41985	626287	6982069	NAD 83-07V	16.3	52.4	93.8	111	1.1	11.9	6.9	349	2.75
BGT 41986	626293	6982016	NAD 83-07V	9.6	49.8	64.9	104	1	12.4	5.5	253	2.1
BGT 41987	626295	6981969	NAD 83-07V	41.8	129.1	93.3	201	1.2	18.3	20.7	752	4.43
BGT 41988	626293	6981917	NAD 83-07V	51.2	92.2	63.5	127	1	11.4	13.3	737	3.81
BGT 41989	626295	6981869	NAD 83-07V	30.6	59.2	56.5	92	1	9.7	5.8	340	2.57
BGT 41990	626629	6981935	NAD 83-07V	15.8	69.2	39.4	62	1.7	12.4	3.8	186	1.54
BGT 41991	626301	6981667	NAD 83-07V	5.2	27.9	12.6	60	0.2	11.1	7.5	223	2.19
BGT 41992	626302	6981616	NAD 83-07V	2.8	19.3	10.6	49	0.2	10.7	5.8	147	1.82
BGT 41993	626303	6981567	NAD 83-07V	4.3	25.6	14.1	67	0.2	14.4	8	204	2.47
BGT 41994	626306	6981517	NAD 83-07V	4.8	23.2	14.4	63	0.2	14.2	7.7	198	2.49
BGT 41995	626307	6981465	NAD 83-07V	4.4	28	14.1	73	0.2	15.6	9.7	255	2.68
BGT 41996	626554	6982979	NAD 83-07V	1	20.2	39.3	98	0.2	17.6	15.2	400	3.61
BGT 41997	626557	6982929	NAD 83-07V	1.2	10.5	17	38	0.2	10	5.4	187	2.48
BGT 41998	626558	6982877	NAD 83-07V	1.1	26.8	15.5	58	0.4	28	13.9	285	3.1
BGT 41999	625506	6981490	NAD 83-07V	36.4	65.2	15.5	77	0.4	19.4	14.3	407	3.59
BGT 42000	625507	6981439	NAD 83-07V	151	282.1	16.6	100	0.3	12.5	18.8	641	4.69
BGT 42715	625555	6982941	NAD 83-07V	1.4	26.7	6.8	84	0.05	22.7	22.2	521	4.33
BGT 42716	625556	6982891	NAD 83-07V	4.3	79.1	10.6	153	0.3	25	26.4	927	5.99
BGT 42717	625558	6982841	NAD 83-07V	4.4	70.9	9.7	69	0.6	22.4	16.1	337	3.58
BGT 42718	625560	6982790	NAD 83-07V	7.9	47.7	8.3	66	0.2	20.4	16.1	411	3.22
BGT 42719	625562	6982740	NAD 83-07V	44.6	184	11	126	0.2	16.2	35	978	6.39
BGT 42720	625564	6982691	NAD 83-07V	72.6	42.3	22.2	81	0.3	18.3	9.7	416	3.55
BGT 42721	625566	6982641	NAD 83-07V	278.9	148.3	43.6	85	0.3	13.1	9.7	487	4.26
BGT 42722	625567	6982590	NAD 83-07V	181.1	164.7	32.4	96	0.2	12	12.9	701	4.43
BGT 42723	625569	6982540	NAD 83-07V	38.6	71.2	11.9	66	0.2	19.1	11.8	418	3.7
BGT 42724	625571	6982491	NAD 83-07V	23	66.5	11.5	69	0.3	16.4	12.3	375	3.8
BGT 42725	625575	6982442	NAD 83-07V	11	51.1	16.8	66	0.3	20.9	14.8	482	3.48
BGT 42726	625576	6982392	NAD 83-07V	15.9	71.2	9.9	80	0.3	15.4	14.7	567	3.55
BGT 42727	625577	6982341	NAD 83-07V	37.5	72	14	77	0.2	17.2	14.9	510	4.49
BGT 42728	625579	6982291	NAD 83-07V	55.7	86.9	19.1	94	0.4	15.6	15.9	649	4.52
BGT 42729	625581	6982242	NAD 83-07V	39.2	75.9	19.5	90	0.3	15.1	13.6	524	4.24
BGT 42730	625581	6982193	NAD 83-07V	22.7	80	14.2	75	0.9	12.8	7.5	283	3.11
BGT 42731	625583	6982143	NAD 83-07V	24.4	71.9	14.4	60	0.5	13.6	6.9	228	2.56
BGT 42732	625585	6982093	NAD 83-07V	164.4	107.7	26	119	0.5	13.5	13	728	4.57
BGT 42733	625588	6982042	NAD 83-07V	191.2	226.9	19.3	134	0.6	11.6	17.9	1001	5.48
BGT 42734	625588	6981992	NAD 83-07V	90.9	145.6	19.4	94	0.4	15.1	16.2	558	4.15
BGT 42735	625590	6981943	NAD 83-07V	13.2	52.9	18.5	61	0.3	16.2	6.9	198	2.52
BGT 42736	625592	6981892	NAD 83-07V	11.5	53.2	21.5	67	0.5	20.6	8.5	219	2.74
BGT 42737	625594	6981843	NAD 83-07V	12.3	82.9	28.5	74	0.7	21.5	9.4	236	2.95
BGT 42738	625599	6981743	NAD 83-07V	14.1	83	33.3	81	0.8	23.5	11.3	297	3.04
BGT 42739	625601	6981693	NAD 83-07V	15.7	76.5	33.6	89	0.8	26.3	13.6	395	3.29
BGT 42740	625601	6981642	NAD 83-07V	35.1	100.3	46.4	81	0.7	24.4	9.9	351	3.26

Sample	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
BGT 41982	6.1	3.1	1.9	1.2	26	1.5	0.4	7	53	0.24	0.089	14	25	0.56	150	0.086
BGT 41983	6.5	3.3	2.2	0.6	22	1.1	0.4	6.7	39	0.2	0.095	16	24	0.4	144	0.05
BGT 41984	8.3	1.7	1.8	3.3	38	1	0.4	7.7	60	0.21	0.071	14	26	0.67	175	0.126
BGT 41985	8.2	1.7	1.7	2.1	23	0.9	0.4	8.9	55	0.17	0.073	11	25	0.5	138	0.105
BGT 41986	6.8	1.9	1.7	1.6	22	1.5	0.4	6	41	0.24	0.077	10	21	0.54	128	0.088
BGT 41987	4.7	1.7	0.25	1.7	64	0.9	0.3	14.3	100	0.32	0.084	8	36	1.32	205	0.18
BGT 41988	5.9	2.3	1.6	3.9	58	0.8	0.3	12.9	86	0.18	0.074	17	22	0.96	186	0.182
BGT 41989	4.2	1.6	1.7	2	31	0.6	0.3	10.7	61	0.18	0.061	13	22	0.77	178	0.148
BGT 41990	3	6.1	2.3	1.6	46	1.7	0.3	8.2	23	0.44	0.098	42	19	0.42	208	0.062
BGT 41991	5.3	0.7	0.9	1.2	25	0.2	0.4	2.2	42	0.22	0.079	9	20	0.45	160	0.067
BGT 41992	3.3	0.6	3	0.7	18	0.2	0.3	1.3	31	0.21	0.056	7	19	0.39	154	0.048
BGT 41993	5.2	0.6	2.8	0.8	18	0.2	0.3	1.6	60	0.21	0.059	8	25	0.55	167	0.062
BGT 41994	6	0.5	3.2	0.9	18	0.05	0.3	1.6	59	0.21	0.055	8	25	0.58	146	0.062
BGT 41995	8	0.5	3.7	2.1	20	0.1	0.4	1.4	67	0.26	0.069	9	25	0.66	155	0.086
BGT 41996	9.6	0.3	0.8	1.5	11	0.8	0.5	0.2	87	0.17	0.026	5	29	0.72	126	0.075
BGT 41997	6.5	0.3	1.6	0.6	10	0.3	0.4	0.3	68	0.1	0.033	7	21	0.28	134	0.047
BGT 41998	8.6	0.6	3.6	2.9	16	0.2	0.5	0.3	73	0.19	0.021	8	39	0.63	222	0.086
BGT 41999	5	2.4	2.1	5.8	21	0.3	0.3	5.5	74	0.4	0.062	16	29	0.87	218	0.079
BGT 42000	3.9	1.6	1.9	2.4	24	0.2	0.2	6.8	121	0.44	0.077	13	22	1.27	359	0.162
BGT 42715	5.6	1.3	2.5	1.9	39	0.1	0.4	1.5	88	0.28	0.033	6	25	1.24	196	0.098
BGT 42716	3.1	0.2	0.7	0.5	28	0.05	0.1	33.2	194	0.22	0.023	2	41	2.98	270	0.218
BGT 42717	6.1	1.3	2.1	2	25	0.05	0.3	9.2	81	0.31	0.043	12	35	0.82	222	0.083
BGT 42718	6.1	1	4.6	2.6	21	0.05	0.3	2.5	79	0.23	0.037	9	29	0.75	184	0.105
BGT 42719	2.2	0.7	0.25	0.7	52	0.4	0.1	16.5	164	0.44	0.073	2	24	1.46	350	0.231
BGT 42720	8.6	1.4	1.1	4.2	14	0.4	0.4	14.3	72	0.17	0.054	10	29	0.6	135	0.088
BGT 42721	7.2	1.4	1.5	5	12	0.3	0.7	44.7	69	0.13	0.055	14	25	0.61	133	0.052
BGT 42722	7.2	1.9	0.25	8.9	10	0.1	0.5	10.5	67	0.12	0.047	16	21	0.67	136	0.091
BGT 42723	5.5	1.5	2.3	3.2	22	0.05	0.4	1.7	84	0.22	0.044	10	31	0.9	215	0.119
BGT 42724	5	1	3.7	2.2	16	0.1	0.3	2.5	102	0.21	0.05	7	27	0.96	160	0.139
BGT 42725	5.7	2	1.8	3.1	20	0.1	0.4	1.8	90	0.26	0.029	10	34	0.81	192	0.106
BGT 42726	4.6	1.1	2.7	2.1	21	0.1	0.3	1.9	88	0.25	0.036	8	27	0.92	133	0.115
BGT 42727	5.8	1.2	1.9	2	20	0.2	0.3	3.2	102	0.18	0.055	7	32	0.9	170	0.148
BGT 42728	4.8	1.9	1.7	1.6	27	0.3	0.4	7.6	112	0.22	0.055	7	31	1.15	195	0.155
BGT 42729	4.5	1.7	1.8	1.9	20	0.2	0.4	6.5	106	0.23	0.056	7	31	1.04	170	0.134
BGT 42730	3.2	2	1.6	1.1	20	0.2	0.2	7.8	86	0.22	0.066	7	27	0.89	146	0.109
BGT 42731	4.4	1.2	2.8	1	19	0.2	0.2	4.8	64	0.2	0.051	9	29	0.67	108	0.092
BGT 42732	3.3	0.6	5.5	1	57	0.3	0.2	18.9	126	0.35	0.069	4	36	1.46	303	0.228
BGT 42733	1.5	1.6	0.9	1.4	47	0.2	0.1	12.5	140	0.29	0.083	6	29	1.89	361	0.26
BGT 42734	3.6	0.8	5.5	1.9	34	0.2	0.2	11.3	116	0.28	0.07	7	21	1.03	223	0.136
BGT 42735	5.3	0.9	1.2	1.6	19	0.2	0.3	4.6	60	0.21	0.046	9	29	0.62	131	0.077
BGT 42736	6.2	0.9	3.1	2	23	0.3	0.4	4.9	66	0.28	0.052	10	34	0.69	169	0.097
BGT 42737	5.7	1.2	2.1	2.6	23	0.2	0.4	6.4	68	0.28	0.054	12	39	0.74	184	0.105
BGT 42738	4.7	1.2	4.7	2.6	29	0.3	0.3	9.6	72	0.3	0.057	12	50	0.99	204	0.131
BGT 42739	4.5	1	2.4	2.5	29	0.3	0.3	9.3	80	0.3	0.055	10	57	1.09	184	0.138
BGT 42740	5.5	1.5	2.7	2	21	0.2	0.5	15.5	79	0.24	0.052	13	56	0.94	146	0.105

Sample	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	Acme File
BGT 41982	1	1.64	0.017	0.13	16.4	0.07	3.5	0.2	0.06	6	0.6	1DX15	VAN08010944
BGT 41983	1	1.61	0.014	0.06	9.3	0.08	2.6	0.2	0.025	5	0.9	1DX15	VAN08010944
BGT 41984	1	2.08	0.022	0.2	10.9	0.05	3.6	0.3	0.05	8	0.8	1DX15	VAN08010944
BGT 41985	2	1.91	0.019	0.11	6.9	0.05	3.7	0.3	0.025	7	0.9	1DX15	VAN08010944
BGT 41986	1	1.51	0.015	0.1	23.1	0.03	3.2	0.2	0.05	5	0.6	1DX15	VAN08010944
BGT 41987	1	2.62	0.031	0.45	33.6	0.005	5.2	0.6	0.14	7	1.6	1DX15	VAN08010944
BGT 41988	1	2.39	0.037	0.44	6.9	0.03	4.6	0.4	0.27	8	1.4	1DX15	VAN08010944
BGT 41989	0.5	1.72	0.018	0.29	6.6	0.04	3.4	0.3	0.09	6	0.7	1DX15	VAN08010944
BGT 41990	2	1.41	0.018	0.11	6.8	0.07	3.7	0.2	0.12	4	1.6	1DX15	VAN08010944
BGT 41991	1	1.31	0.014	0.06	3.4	0.05	3.5	0.1	0.025	5	0.5	1DX15	VAN08010944
BGT 41992	1	1.17	0.008	0.04	2.5	0.04	2.3	0.2	0.1	4	0.5	1DX15	VAN08010944
BGT 41993	2	1.64	0.009	0.06	3	0.05	2.9	0.2	0.06	5	0.25	1DX15	VAN08010944
BGT 41994	1	1.57	0.009	0.07	3.6	0.05	2.9	0.2	0.06	5	0.25	1DX15	VAN08010944
BGT 41995	1	1.61	0.009	0.09	4	0.04	3.8	0.2	0.025	5	0.25	1DX15	VAN08010944
BGT 41996	0.5	2.22	0.01	0.07	0.8	0.02	2.9	0.2	0.025	6	0.25	1DX15	VAN08010944
BGT 41997	0.5	1.28	0.007	0.04	1.5	0.02	1.3	0.05	0.025	6	0.25	1DX15	VAN08010944
BGT 41998	0.5	2.31	0.009	0.07	2	0.02	3	0.1	0.025	5	0.25	1DX15	VAN08010944
BGT 41999	0.5	2.03	0.011	0.13	3	0.03	6.4	0.3	0.025	7	0.6	1DX15	VAN08010944
BGT 42000	0.5	2.47	0.011	0.47	4.3	0.02	8.6	0.6	0.025	9	0.6	1DX15	VAN08010944
BGT 42715	0.5	3.02	0.012	0.07	16.5	0.005	6.6	0.2	0.025	8	0.25	1DX15	VAN08010944
BGT 42716	0.5	5.1	0.02	0.87	59	0.01	6	1.9	0.12	11	0.25	1DX15	VAN08010944
BGT 42717	2	2.49	0.011	0.12	31	0.04	4.1	0.4	0.025	6	0.25	1DX15	VAN08010944
BGT 42718	1	2.16	0.012	0.13	7.7	0.03	4	0.4	0.025	5	0.25	1DX15	VAN08010944
BGT 42719	0.5	3.46	0.017	0.62	20	0.005	5.6	0.6	0.09	8	0.6	1DX15	VAN08010944
BGT 42720	0.5	2.1	0.01	0.1	13.2	0.03	2.9	0.2	0.025	7	0.6	1DX15	VAN08010944
BGT 42721	2	2.32	0.009	0.12	41.4	0.02	3.5	0.2	0.025	7	0.5	1DX15	VAN08010944
BGT 42722	0.5	1.85	0.009	0.24	36.4	0.02	4.2	0.4	0.025	6	0.25	1DX15	VAN08010944
BGT 42723	0.5	1.99	0.017	0.15	23.2	0.03	4.9	0.3	0.025	5	0.9	1DX15	VAN08010944
BGT 42724	1	2.31	0.013	0.3	13.4	0.03	5.1	0.6	0.025	7	0.6	1DX15	VAN08010944
BGT 42725	1	2.13	0.014	0.13	6.4	0.03	5.8	0.3	0.025	6	0.25	1DX15	VAN08010944
BGT 42726	1	2.02	0.015	0.18	10.7	0.02	5.1	0.3	0.025	5	0.6	1DX15	VAN08010944
BGT 42727	0.5	2.46	0.013	0.25	10.8	0.02	4.8	0.4	0.1	7	1.1	1DX15	VAN08010944
BGT 42728	2	2.5	0.02	0.43	17.1	0.03	5.3	0.6	0.19	7	1.2	1DX15	VAN08010944
BGT 42729	1	2.31	0.013	0.31	10.9	0.03	5.2	0.5	0.11	7	1	1DX15	VAN08010944
BGT 42730	0.5	1.94	0.016	0.28	7.5	0.07	5.7	0.4	0.08	6	0.25	1DX15	VAN08010944
BGT 42731	1	1.73	0.011	0.13	5.3	0.04	3.2	0.4	0.025	6	0.25	1DX15	VAN08010944
BGT 42732	0.5	2.55	0.023	0.65	30.6	0.01	5.6	0.9	0.21	9	1	1DX15	VAN08010944
BGT 42733	0.5	3.1	0.021	0.95	11.2	0.005	5.8	1.1	0.24	9	1.2	1DX15	VAN08010944
BGT 42734	0.5	2.29	0.015	0.42	8.8	0.02	5.6	0.8	0.025	7	0.7	1DX15	VAN08010944
BGT 42735	1	1.73	0.01	0.08	3.7	0.04	3	0.2	0.025	5	0.25	1DX15	VAN08010944
BGT 42736	0.5	1.82	0.014	0.08	4.1	0.05	3.4	0.2	0.07	6	0.25	1DX15	VAN08010944
BGT 42737	0.5	1.96	0.013	0.1	6	0.04	4.3	0.3	0.06	6	0.6	1DX15	VAN08010944
BGT 42738	2	2.05	0.015	0.16	7.2	0.04	4.7	0.4	0.025	6	0.25	1DX15	VAN08010944
BGT 42739	2	2.2	0.013	0.17	8.4	0.03	4.4	0.5	0.025	7	0.6	1DX15	VAN08010944
BGT 42740	2	2.08	0.011	0.17	9.4	0.04	4.1	0.5	0.06	7	0.6	1DX15	VAN08010944

Sample	UTM Easting	UTM Northing	UTM Zone	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe
BGT 42741	625603	6981592	NAD 83-07V	20.7	58.1	39.9	88	0.6	26.2	14.4	451	3.2
BGT 42742	625604	6981542	NAD 83-07V	22.5	73.6	76.6	109	1.1	25.4	13.7	563	3.21
BGT 42743	625606	6981493	NAD 83-07V	5.1	84.2	356.6	189	6	21.1	8.3	702	2.32
BGT 42744	625608	6981443	NAD 83-07V	18.6	40.3	8.1	59	0.05	17.6	10.6	429	2.82
BGT 42745	626055	6982959	NAD 83-07V	2	26.8	53.1	90	0.6	11.4	12.6	700	3.1
BGT 42746	626057	6982908	NAD 83-07V	1.3	19	34.3	62	0.7	11.5	7.5	258	2.25
BGT 42747	626859	6982859	NAD 83-07V	1.4	22.6	41.7	78	0.5	13	9	232	2.47
BGT 42748	626063	6982759	NAD 83-07V	2.3	23.3	31.8	81	0.4	14.9	8.2	254	2.57
BGT 42749	626066	6982708	NAD 83-07V	5	28	38.6	91	0.7	15.1	9.1	381	2.77
BGT 42750	626067	6982658	NAD 83-07V	13.2	39.9	21.9	99	0.4	13.8	13.9	553	3.52

Sample	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
BGT 42741	6.2	1	0.8	2.1	21	0.3	0.4	11.1	86	0.25	0.056	8	60	1.15	129	0.119
BGT 42742	6	1	1.6	2.2	26	0.5	0.3	18.9	71	0.35	0.075	9	65	1.18	189	0.089
BGT 42743	9	0.8	2.4	1.5	53	3.1	0.5	46.5	49	1.08	0.068	11	27	1.01	173	0.043
BGT 42744	6.3	0.8	4.1	2.4	20	0.05	0.4	2.9	60	0.25	0.065	12	26	0.73	187	0.075
BGT 42745	5.1	0.9	1	1.9	22	0.4	0.3	1.4	73	0.31	0.066	8	21	0.83	181	0.102
BGT 42746	6	0.8	7.1	1.6	20	0.4	0.3	1.6	49	0.26	0.046	7	22	0.53	132	0.06
BGT 42747	4.4	1.2	2.1	1.2	27	0.9	0.2	1.7	49	0.4	0.06	8	21	0.67	194	0.072
BGT 42748	6	1.1	2.3	2.3	28	0.5	0.5	4	52	0.42	0.062	10	25	0.59	185	0.057
BGT 42749	4.5	1.1	1.6	1.5	24	0.7	0.5	5.8	46	0.28	0.061	9	27	0.62	140	0.057
BGT 42750	5.1	0.9	6.5	1.9	35	0.5	0.3	5.1	85	0.32	0.066	7	23	0.89	201	0.114

Sample	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	Acme File
BGT 42741	0.5	2.04	0.012	0.22	7.5	0.03	4.1	0.5	0.025	7	0.25	1DX15	VAN08010944
BGT 42742	2	1.83	0.013	0.29	8.2	0.02	5.2	0.5	0.11	7	0.25	1DX15	VAN08010944
BGT 42743	4	1.57	0.023	0.05	101	0.08	3.3	0.1	0.1	5	0.6	1DX15	VAN08010944
BGT 42744	2	1.76	0.012	0.11	1.2	0.02	5.1	0.3	0.025	6	0.5	1DX15	VAN08010944
BGT 42745	1	1.61	0.013	0.16	11.3	0.02	3.3	0.2	0.06	6	0.25	1DX15	VAN08010944
BGT 42746	1	1.48	0.011	0.06	6.9	0.03	2.3	0.1	0.07	5	0.7	1DX15	VAN08010944
BGT 42747	0.5	1.64	0.015	0.06	9.5	0.03	2.4	0.2	0.08	5	0.25	1DX15	VAN08010944
BGT 42748	2	1.53	0.015	0.06	18.2	0.04	2.9	0.1	0.06	5	0.5	1DX15	VAN08010944
BGT 42749	1	1.61	0.016	0.1	28.5	0.04	2.7	0.3	0.09	5	0.25	1DX15	VAN08010944
BGT 42750	1	2.07	0.015	0.31	25.6	0.02	3.7	0.4	0.025	7	0.6	1DX15	VAN08010944