

YMIP MODIFIED GRASSROOTS REPORT

File 10-034

Whitehorse Mining Disstrict 115 F 16

Koidern River Area

Submitted by

**Gloria Kerwin
prospector**

TABLE OF CONTENTS

- Final Report.
- Sample locations, maps with GPS coordinates.
- ICP analysis.
- Bedrock geology of project area.
- Magnetic map of project area.
- 115F 16 claim sheet map.

YMIP MODIFIED GRASSROOTS- HARD ROCK

File 10-034

Eagle Eye YD55831-YD55835

Project location

Koidern River, Whitehorse Mining District 115 F 16

Lat 61°50' long 140°10' W

ACCESS

4X4 truck and ATV access from Alaska Highway, mile 1147 , then three kilometres to eagle eye claims 93 and game trail, a further two kilometers to canyon claims 96-97.

WORK SUMMARY AND METHODS OF ANALYSIS

Two trips to the claims sites were undertaken this summer in June and September as high water had caused road washouts requiring relocation of road and existing trails, Four additional claims were staked connecting with the existing eagle eye claim block, and the pre-existing canyon claims, 40 samples were taken on the east and west sides of the canyon and within the new claims. Rock and stream sediments were sampled, for 35 elements by Inspectorate (20) samples , an the last 18 samples with ACME labs* results and methods attached in appendices.

Research conducted by Yukon Geological Survey, 2007-8 identifies two strong magnetic the anomalies on either side of the Koidern Canyon, suggesting a fault zone *appendice Evidence of significant folds and thrusts within the canyon`s exposed walls have been the focal point for this project.

PREVIOUS WORK

Exploration by this prospector revealed significant results in Au-6788 ppb, and 7000ppb Au with 21588ppm Cu in 1994 and 2000. staked in 1998 as Bolder 17 by this prospector .An MMI survey was conducted in 2006* results in appendices attached

LOCAL GEOLOGY

In addition to the two major magnetic anomalies identified on to the immediate east west of Canyon area, this prospector noted a Hasen Creek formation is in contact with Station Creek formation rocka as identifiedby Steve Issreal, Rosie Cobbet in the bedrock geology mapping in 2007-8 of the Koidern River (open file 2997-8. *Consultation with geologist Steve Isreal in January 2011 resulted in his concurrence with my observations .This contact zone appears to extend to the west along contour lines, extending over the eagle eye 90-92 which is recorded in minfile 115-038 (formerly the Liberty property).


CONCLUSIONS –OBSERVATIONS

This area will require more sophisticated exploration methods such as a magnetic survey to determine economic viability. Two canyons on the property allow ready access to outcrops while the rest of the area is covered by glacial moraine to depth of 30 mtrs as identified by the oldtimers who explored the area to the west of the Koidern River in the 70s and 80s.

Gloria Kerwin, prospector

Eagle eye - 97-93 - sample locations - 2010

Koblen project (10-034)



EE sample locations - 01 - 20

EPS - coordinates on back of page



INSPECTORATE

Certificate of Analysis

10-360-02219-01

Inspectorte America Corporation
#200 - 11620 Horseshoe Way
Richmond, British Columbia V7A 4V5 Canada
Phone: 604-272-7818

Distribution List

Attention: Gloria Kerwin
Boy 20254
Whitehorse, Y.T. Y1A 7A2
Phone: 867-667-6399
EMail: eagleeye@nothwestel.net

Submitted By: **Gloria Kerwin**
Boy 20254
Whitehorse, Y.T. Y1A 7A2

Date Received: 07/15/2010
Date Completed: 07/28/2010
Invoice:

Attention: **Gloria Kerwin**

Project: **Koidern**
Description:

Samples	Type	Preparation Description
20	Rock	SP-RX-2K/Rock/Chips/Drill Core

Method	Description
Hg-AR-TR-CVAA	Hg, AQR, CVAA, Trace Levels
Au-1AT-AA	Au, 1AT Fire Assay, AAS
30-AR-TR	30 Element, Aqua Regia, ICP, Trace Level

The results of this assay were based solely upon the content of the sample submitted. Any decision to invest should be made only after the potential investment value of the claim or deposit has been determined based on the results of assays of multiple samples of geologic materials collected by the prospective investor or by a qualified person selected by him and based on an evaluation of all engineering data which is available concerning any proposed project. For our complete terms and conditions please see our website at www.inspectorate.com.

By _____

David Chiu, BC Certified Assayer



INSPECTORATE

#200 - 11620 Horseshoe Way
Richmond, British Columbia V7A 4V5
Canada

Certificate of Analysis

10-360-02219-01

Gloria Kerwin
Boy 20254
Whitehorse, Y.T. Y1A 7A2

Sample Description	Sample Type	Au	Ag	Al	As	Ba	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg	K
		Au-1AT-AA ppb	30-AR-TR ppm	30-AR-TR %	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR %	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR %	30-AR-TR ppm
EE-001	Rock	7	<0.1	0.63	<5	25	<2	0.46	<0.5	5	107	7	1.30	<3	0.06
EE-002	Rock	<5	<0.1	2.07	5	26	<2	>10	<0.5	18	201	3	3.26	<3	<0.01
EE-003	Rock	<5	<0.1	2.08	<5	84	<2	1.75	<0.5	18	86	44	4.08	<3	0.11
EE-004	Rock	8	<0.1	3.02	<5	65	<2	2.16	<0.5	33	55	194	4.63	<3	0.13
EE-005	Rock	5	<0.1	2.10	<5	62	<2	1.49	<0.5	16	35	53	3.27	<3	0.17
EE-006	Rock	<5	<0.1	0.34	<5	415	3	0.72	<0.5	4	152	17	0.95	<3	0.15
EE-007	Rock	<5	<0.1	0.28	<5	29	<2	0.24	<0.5	2	111	4	1.21	<3	0.18
EE-008	Rock	<5	<0.1	1.91	<5	72	<2	1.00	<0.5	17	111	38	3.60	<3	0.14
EE-009	Rock	6	<0.1	1.80	<5	116	<2	1.26	<0.5	16	95	44	3.16	<3	0.12
EE-010	Rock	7	<0.1	2.02	5	61	<2	1.64	<0.5	18	77	43	3.69	<3	0.12
EE-011	Rock	43	<0.1	1.87	<5	91	<2	1.29	<0.5	18	106	39	3.83	<3	0.16
EE-012	Rock	<5	<0.1	2.14	<5	85	<2	1.43	<0.5	19	86	51	3.83	<3	0.16
EE-013	Rock	<5	<0.1	2.11	5	78	<2	1.48	<0.5	19	90	53	3.94	<3	0.14
EE-014	Rock	<5	<0.1	2.15	<5	81	<2	1.40	<0.5	20	97	46	3.95	<3	0.14
EE-015	Rock	<5	<0.1	2.15	<5	91	<2	1.46	<0.5	18	88	45	3.85	<3	0.14
EE-016	Rock	<5	<0.1	0.40	<5	116	2	0.35	<0.5	3	75	3	2.89	<3	0.20
EE-017	Rock	6	<0.1	1.78	<5	86	<2	1.21	<0.5	16	87	40	3.14	<3	0.14
EE-018	Rock	<5	<0.1	1.83	<5	74	<2	1.35	<0.5	17	80	44	3.53	<3	0.13
EE-019	Rock	7	<0.1	2.05	<5	67	<2	1.44	<0.5	18	83	46	3.63	<3	0.11
EE-020	Rock	7	<0.1	2.16	5	93	<2	1.24	<0.5	21	91	53	3.99	<3	0.12



INSPECTORATE

#200 - 11620 Horseshoe Way
Richmond, British Columbia V7A 4V5
Canada

Certificate of Analysis

10-360-02219-01

Gloria Kerwin
Boy 20254
Whitehorse, Y.T. Y1A 7A2

Sample Description	Sample Type	La	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	V
		30-AR-TR ppm	30-AR-TR %	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR %	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR %	30-AR-TR ppm	30-AR-TR ppm
EE-001	Rock	3	0.24	97	<1	0.20	5	212	<2	<2	1	76	0.08	<10	47
EE-002	Rock	7	2.06	1343	<1	0.01	42	155	<2	<2	8	130	0.06	<10	146
EE-003	Rock	10	1.41	606	<1	0.10	27	860	<2	<2	5	65	0.14	<10	154
EE-004	Rock	9	2.69	844	<1	0.14	19	1302	<2	<2	5	65	0.25	<10	201
EE-005	Rock	10	1.41	750	<1	0.02	9	968	6	<2	2	96	0.20	<10	61
EE-006	Rock	23	0.05	182	<1	0.09	5	102	2	<2	2	22	<0.01	<10	6
EE-007	Rock	53	0.03	370	2	0.11	3	44	17	<2	<1	6	0.01	<10	5
EE-008	Rock	10	1.33	598	<1	0.11	30	768	<2	<2	5	58	0.13	<10	136
EE-009	Rock	9	1.28	529	<1	0.10	28	762	<2	<2	4	59	0.12	<10	116
EE-010	Rock	9	1.48	617	<1	0.09	24	838	<2	<2	5	59	0.13	<10	133
EE-011	Rock	10	1.26	549	<1	0.12	28	754	<2	<2	5	63	0.14	<10	145
EE-012	Rock	10	1.52	647	<1	0.08	33	909	<2	<2	5	58	0.15	<10	137
EE-013	Rock	10	1.52	658	<1	0.08	32	825	<2	<2	5	54	0.14	<10	139
EE-014	Rock	11	1.62	642	<1	0.08	34	899	<2	<2	5	53	0.15	<10	144
EE-015	Rock	10	1.50	613	<1	0.10	27	862	<2	<2	5	64	0.15	<10	141
EE-016	Rock	19	0.18	784	2	0.10	3	483	2	<2	2	8	0.05	<10	7
EE-017	Rock	10	1.26	550	<1	0.12	27	745	<2	<2	5	62	0.13	<10	111
EE-018	Rock	10	1.30	565	<1	0.08	26	810	4	<2	5	53	0.12	<10	128
EE-019	Rock	10	1.52	610	<1	0.08	30	790	3	<2	5	50	0.13	<10	133
EE-020	Rock	12	1.56	677	<1	0.07	32	864	3	<2	6	51	0.14	<10	146

**INSPECTORATE**

#200 - 11620 Horseshoe Way
Richmond, British Columbia V7A 4V5
Canada

Certificate of Analysis

10-360-02219-01

Gloria Kerwin
Boy 20254
Whitehorse, Y.T. Y1A 7A2

Sample Description	Sample Type	W	Zn	Zr	Hg
		30-AR-TR ppm 10	30-AR-TR ppm 2	30-AR-TR ppm 2	Hg-AR-TR-CVAA ppm 0.01
EE-001	Rock	<10	19	<2	0.17
EE-002	Rock	<10	44	<2	0.35
EE-003	Rock	<10	57	2	0.35
EE-004	Rock	<10	60	5	0.34
EE-005	Rock	<10	76	5	0.30
EE-006	Rock	<10	10	<2	0.53
EE-007	Rock	<10	81	59	0.24
EE-008	Rock	<10	58	2	0.41
EE-009	Rock	<10	51	3	0.29
EE-010	Rock	<10	60	2	0.28
EE-011	Rock	<10	55	2	0.33
EE-012	Rock	<10	61	3	0.39
EE-013	Rock	<10	64	2	0.25
EE-014	Rock	<10	63	2	0.19
EE-015	Rock	<10	59	3	0.15
EE-016	Rock	<10	46	5	0.24
EE-017	Rock	<10	52	2	0.18
EE-018	Rock	<10	56	3	0.22
EE-019	Rock	<10	56	3	0.15
EE-020	Rock	<10	65	<2	0.13



INSPECTORATE

#200 - 11620 Horseshoe Way
Richmond, British Columbia V7A 4V5
Canada

Certificate of Analysis

10-360-02219-01

Gloria Kerwin
Boy 20254
Whitehorse, Y.T. Y1A 7A2

Sample Description	Sample Type	Au	Ag	Al	As	Ba	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg	K
		Au-1AT-AA ppb	30-AR-TR ppm	30-AR-TR %	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR %	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR %	30-AR-TR ppm
EE-001	Rock	5	0.1	0.01	5	10	2	0.01	0.5	1	1	1	0.01	3	0.01
EE-001 Dup		7													
STD-Oxi67 expected		<5													
STD-Oxi67 result		1817													
QCV1007-00579-0003-BLK		1809													
QCV1007-00580-0001-BLK		<5													
EE-001	Rock	<0.1	<0.01	<5	<10	<2	<0.01	<0.5	<1	<1	<1	<1	<0.01	<3	<0.01
EE-001 Dup		<0.1	0.63	<5	25	<2	0.46	<0.5	5	107	7	1.30	<3	0.06	
EE-019	Rock	<0.1	0.63	<5	25	<2	0.46	<0.5	5	107	7	1.30	<3	0.06	
EE-019 Dup		<0.1	2.05	<5	67	<2	1.44	<0.5	18	83	46	3.63	<3	0.11	
QCV1007-00580-0005-BLK		<0.1	2.05	<5	67	<2	1.44	<0.5	19	84	45	3.63	<3	0.11	
STD-DS-1 expected		<0.1	<0.01	<5	<10	<2	<0.01	<0.5	<1	<1	<1	<0.01	<3	<0.01	
STD-DS-1 result		0.5	4.48	6930	221				10		27		82		
		0.4	0.41	7404	23	<2	7.42	<0.5	10	23	30	3.18	95	0.10	



INSPECTORATE

#200 - 11620 Horseshoe Way
Richmond, British Columbia V7A 4V5
Canada

Certificate of Analysis

10-360-02219-01

Gloria Kerwin
Boy 20254
Whitehorse, Y.T. Y1A 7A2

Sample Description	Sample Type	La	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	V
		30-AR-TR ppm	30-AR-TR %	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR %	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR %	30-AR-TR ppm
QCV1007-00580-0001-BLK		<2	<0.01	<5	<1	<0.01	<1	<10	<2	<2	<1	<1	<0.01	<10	<1
EE-001	Rock	3	0.24	97	<1	0.20	5	212	<2	<2	1	76	0.08	<10	47
EE-001 Dup		3	0.24	98	<1	0.20	5	211	<2	<2	1	77	0.08	<10	47
EE-019	Rock	10	1.52	610	<1	0.08	30	790	3	<2	5	50	0.13	<10	133
EE-019 Dup		9	1.53	610	<1	0.08	31	790	3	<2	5	50	0.14	<10	136
QCV1007-00580-0005-BLK		<2	<0.01	<5	<1	<0.01	<1	<10	<2	<2	<1	<1	<0.01	<10	<1
STD-DS-1 expected			2.76	437			49	340	14					20	
STD-DS-1 result		19	2.81	494	3	<0.01	56	368	15	55	7	58	<0.01	<10	121



INSPECTORATE


#200 - 11620 Horseshoe Way
Richmond, British Columbia V7A 4V5
Canada

Certificate of Analysis

10-360-02219-01

Gloria Kerwin
Boy 20254
Whitehorse, Y.T. Y1A 7A2

Sample Description	Sample Type	W	Zn	Zr	Hg
		30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	Hg-AR-TR-CVAA ppm
QCV1007-00578-0001-BLK		10	2	2	<0.01
EE-001	Rock				0.17
EE-001 Dup					0.12
EE-019	Rock				0.15
EE-019 Dup					0.13
QCV1007-00580-0001-BLK		<10	<2	<2	
EE-001	Rock	<10	19	<2	
EE-001 Dup		<10	19	<2	
EE-019	Rock	<10	56	3	
EE-019 Dup		<10	56	3	
QCV1007-00580-0005-BLK		<10	<2	<2	
STD-DS-1 expected			206		
STD-DS-1 result		<10	251	2	



Yukon Albers Projection





Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Kerwin, Gloria**
P.O. Box 20254
Whitehorse YT Y1A 7A2 Canada

Submitted By: Gloria Kerwin
Receiving Lab: Canada-Whitehorse
Received: October 06, 2010
Report Date: November 15, 2010
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI10000598.1

CLIENT JOB INFORMATION

Project: Koidern
Shipment ID:
P.O. Number
Number of Samples: 17

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	17	Crush, split and pulverize 250 g rock to 200 mesh			WHI
1F06	17	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	30	Completed	VAN

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT Dispose of Reject After 90 days

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Kerwin, Gloria
P.O. Box 20254
Whitehorse YT Y1A 7A2
Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Kerwin, Gloria**
 P.O. Box 20254
 Whitehorse YT Y1A 7A2 Canada

Project: Koidern
 Report Date: November 15, 2010

Page: 2 of 2 Part 1

CERTIFICATE OF ANALYSIS **WHI10000598.1**

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
EE-22-R	Rock	0.08	3.08	470.6	3.56	33.5	243	6.8	15.9	754	3.90	2.7	0.8	42.9	3.8	36.2	0.10	0.45	0.27	45	3.03
EE-23-R	Rock	0.19	2.16	1.65	5.59	97.8	52	0.3	0.1	122	1.11	1.8	2.1	1.0	8.6	8.8	0.14	0.15	<0.02	<2	0.13
EE-24-R	Rock	0.21	0.36	26.11	1.99	35.4	37	1.3	1.5	128	0.96	1.7	1.1	1.5	8.1	5.9	0.04	0.43	0.05	<2	0.07
EE-25-R	Rock	0.15	0.05	1.68	1.77	4.6	5	1.0	0.9	1588	0.46	1.0	<0.1	0.6	<0.1	732.1	0.07	0.04	<0.02	5	15.71
EE-26-R	Rock	0.22	0.11	12.43	0.41	4.6	18	1.5	0.6	98	0.32	0.4	<0.1	0.5	0.4	5.0	0.01	0.03	<0.02	5	0.34
EE-27-R	Rock	0.21	0.22	11.66	0.66	65.9	5	0.6	9.2	452	3.66	0.7	0.3	0.7	0.8	36.0	0.04	<0.02	<0.02	53	0.67
EE-28-R	Rock	0.20	0.91	8.53	2.40	46.7	53	6.6	9.6	402	2.40	1.1	1.4	<0.2	6.5	26.8	0.06	0.12	0.04	55	0.82
EE-29-R	Rock	0.18	0.76	5.53	10.35	143.6	337	0.4	0.2	191	1.35	9.7	10.1	1.9	11.0	7.8	0.71	0.75	0.24	<2	0.29
EE-30-R	Rock	0.49	0.09	3.95	3.83	27.5	80	0.3	0.1	156	0.61	0.5	0.9	0.5	10.1	15.3	0.11	0.09	<0.02	<2	0.63
EE-31-R	Rock	0.25	0.30	13.05	0.50	16.9	27	0.6	1.7	245	1.95	0.9	0.5	<0.2	3.2	8.9	0.02	0.11	<0.02	8	0.38
EE-32-R	Rock	0.47	0.06	27.65	0.54	39.6	40	3.4	2.8	579	1.74	1.0	0.6	0.8	2.6	12.1	0.05	0.05	0.03	16	0.37
EE-33-R	Rock	0.36	6.20	17.90	0.80	18.5	11	1.8	7.2	388	2.70	0.5	0.2	<0.2	0.7	77.6	<0.01	0.13	0.02	31	1.71
EE-34-R	Rock	0.42	0.53	2.12	3.76	171.7	107	0.2	0.1	193	0.95	3.5	20.6	0.9	9.0	4.7	0.93	0.22	0.03	<2	0.17
EE-35-R	Rock	0.46	0.40	0.91	7.60	132.9	48	0.4	0.1	180	1.11	1.4	1.8	0.5	11.6	12.0	0.19	0.13	<0.02	<2	0.18
EE-36-R	Rock	0.50	0.29	14.54	1.31	16.7	19	16.3	8.4	227	1.23	0.7	0.3	0.4	0.8	27.0	0.04	0.05	0.02	43	1.59
EE-37-R	Rock	0.35	0.58	44.35	0.48	34.4	37	2.8	9.5	303	2.38	0.6	1.2	0.8	1.5	7.3	0.03	0.12	0.03	37	1.11
EE-38-R	Rock	0.35	0.54	42.91	1.05	13.9	35	0.7	0.6	132	0.88	0.2	1.1	2.7	7.2	5.9	0.01	0.07	0.12	<2	0.21

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Kerwin, Gloria**
 P.O. Box 20254
 Whitehorse YT Y1A 7A2 Canada

Project: Koidern
 Report Date: November 15, 2010

Page: 2 of 2 Part 2

CERTIFICATE OF ANALYSIS

WHI10000598.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
EE-22-R	Rock	0.073	11.6	1.8	0.97	85.9	0.079	2	0.89	0.042	0.14	0.2	2.6	<0.02	1.43	60	2.1	0.18	4.7	0.69	0.2
EE-23-R	Rock	0.002	14.4	0.8	0.01	63.2	0.021	<1	0.40	0.049	0.16	<0.1	2.0	0.03	<0.02	<5	0.2	<0.02	3.6	0.14	<0.1
EE-24-R	Rock	0.009	18.1	1.2	0.01	25.3	0.004	1	0.24	0.059	0.09	<0.1	1.1	<0.02	<0.02	132	<0.1	<0.02	1.4	0.06	<0.1
EE-25-R	Rock	0.003	1.1	0.6	0.14	23.6	0.002	<1	0.15	0.001	<0.01	<0.1	2.1	<0.02	0.12	<5	0.2	0.04	0.5	<0.02	<0.1
EE-26-R	Rock	0.004	1.7	5.2	0.04	5.3	0.022	<1	0.08	0.023	<0.01	<0.1	1.0	<0.02	<0.02	<5	<0.1	<0.02	0.2	<0.02	<0.1
EE-27-R	Rock	0.125	4.0	0.7	1.18	36.2	0.144	<1	1.38	0.095	0.02	<0.1	6.0	<0.02	<0.02	<5	<0.1	<0.02	6.8	0.06	<0.1
EE-28-R	Rock	0.087	6.6	33.5	0.92	156.5	0.226	1	1.30	0.086	0.50	0.2	3.3	0.33	<0.02	<5	<0.1	<0.02	5.7	2.25	<0.1
EE-29-R	Rock	0.002	25.5	0.7	0.02	62.4	0.012	<1	0.26	0.046	0.10	<0.1	1.1	0.05	0.31	<5	0.6	0.03	1.6	0.08	<0.1
EE-30-R	Rock	0.001	49.4	1.0	0.01	57.5	0.002	1	0.36	0.027	0.10	<0.1	0.8	0.04	0.03	<5	<0.1	<0.02	1.6	0.16	<0.1
EE-31-R	Rock	0.021	10.5	1.3	0.12	14.0	0.048	<1	0.53	0.061	0.06	0.1	3.7	<0.02	0.02	<5	<0.1	<0.02	4.7	0.20	0.1
EE-32-R	Rock	0.013	11.3	3.8	0.42	15.9	0.061	<1	0.81	0.057	0.03	0.1	5.1	<0.02	<0.02	<5	<0.1	<0.02	5.2	<0.02	<0.1
EE-33-R	Rock	0.089	3.1	1.9	0.58	4.6	0.102	3	1.83	0.024	0.01	<0.1	4.0	<0.02	0.05	<5	<0.1	<0.02	4.9	0.05	0.1
EE-34-R	Rock	0.001	18.0	0.7	<0.01	71.6	0.014	<1	0.25	0.052	0.11	<0.1	1.1	0.04	0.10	<5	0.2	<0.02	1.5	0.07	<0.1
EE-35-R	Rock	0.002	16.5	0.8	0.01	47.8	0.025	<1	0.48	0.037	0.09	<0.1	2.0	0.04	<0.02	<5	<0.1	<0.02	4.1	0.20	<0.1
EE-36-R	Rock	0.033	2.3	38.7	0.77	30.4	0.091	<1	1.11	0.077	0.05	<0.1	4.3	<0.02	0.03	<5	<0.1	<0.02	2.4	0.35	<0.1
EE-37-R	Rock	0.212	6.2	6.4	0.42	9.3	0.071	<1	0.83	0.085	0.08	0.1	6.5	<0.02	0.30	<5	0.2	<0.02	4.1	0.31	<0.1
EE-38-R	Rock	0.004	14.4	0.7	0.07	86.8	0.001	2	0.15	0.033	0.12	<0.1	1.0	0.10	<0.02	13	0.1	<0.02	0.5	0.09	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Kerwin, Gloria**
 P.O. Box 20254
 Whitehorse YT Y1A 7A2 Canada

Project: Koidern
 Report Date: November 15, 2010

Page: 2 of 2 Part 3

CERTIFICATE OF ANALYSIS

WHI10000598.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
EE-22-R	Rock	0.17	0.15	4.2	0.9	<0.05	3.5	12.68	21.8	0.04	5	0.6	6.1	<10	<2
EE-23-R	Rock	0.13	1.07	4.1	0.7	<0.05	1.8	38.99	28.8	0.10	<1	0.5	5.2	<10	<2
EE-24-R	Rock	0.05	0.44	2.5	0.3	<0.05	0.8	11.25	32.8	0.04	<1	0.2	2.1	<10	<2
EE-25-R	Rock	<0.02	0.02	0.2	<0.1	<0.05	<0.1	7.87	2.0	<0.02	<1	<0.1	0.6	<10	<2
EE-26-R	Rock	0.04	0.25	0.2	0.1	<0.05	0.7	3.17	3.5	<0.02	<1	<0.1	0.1	<10	<2
EE-27-R	Rock	0.09	0.05	0.4	0.3	<0.05	2.0	16.09	11.1	0.03	<1	0.1	3.8	<10	<2
EE-28-R	Rock	0.06	0.12	34.1	0.5	<0.05	0.9	6.57	13.5	<0.02	<1	0.1	26.1	<10	<2
EE-29-R	Rock	0.10	0.50	3.3	0.3	<0.05	1.4	40.20	52.3	0.12	1	0.2	3.8	<10	<2
EE-30-R	Rock	0.07	1.49	4.9	<0.1	<0.05	1.0	16.44	93.3	<0.02	<1	0.4	2.9	<10	<2
EE-31-R	Rock	<0.02	0.17	1.3	0.4	<0.05	0.4	11.87	22.1	0.04	1	0.2	4.7	<10	<2
EE-32-R	Rock	0.19	0.22	0.7	0.7	<0.05	3.7	15.81	21.4	0.06	<1	<0.1	1.8	<10	<2
EE-33-R	Rock	0.08	0.13	0.2	0.4	<0.05	1.6	13.45	7.8	0.02	11	<0.1	24.5	<10	<2
EE-34-R	Rock	0.11	0.91	3.9	0.3	<0.05	1.4	29.88	37.9	0.12	<1	0.2	4.0	<10	<2
EE-35-R	Rock	0.13	1.93	4.4	0.8	<0.05	1.9	35.78	37.4	0.13	<1	0.5	6.0	<10	<2
EE-36-R	Rock	0.06	0.05	2.3	0.3	<0.05	1.2	4.86	4.9	<0.02	<1	0.2	9.8	<10	<2
EE-37-R	Rock	0.04	0.05	3.1	0.2	<0.05	0.8	16.52	13.7	0.04	1	<0.1	8.4	<10	<2
EE-38-R	Rock	<0.02	0.22	4.6	<0.1	<0.05	0.4	2.90	28.9	0.05	<1	0.1	0.2	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs

Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Kerwin, Gloria
P.O. Box 20254
Whitehorse YT Y1A 7A2 Canada

Project: Koidern

Report Date: November 15, 2010

Page: 1 of 1 **Part** 1

QUALITY CONTROL REPORT

WHI10000598.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
Pulp Duplicates																					
EE-27-R	Rock	0.21	0.22	11.66	0.66	65.9	5	0.6	9.2	452	3.66	0.7	0.3	0.7	0.8	36.0	0.04	<0.02	<0.02	53	0.67
REP EE-27-R	QC		0.21	11.71	0.67	65.9	6	0.7	9.5	451	3.67	0.8	0.3	0.5	0.8	35.4	0.02	<0.02	<0.02	53	0.67
EE-38-R	Rock	0.35	0.54	42.91	1.05	13.9	35	0.7	0.6	132	0.88	0.2	1.1	2.7	7.2	5.9	0.01	0.07	0.12	<2	0.21
REP EE-38-R	QC		0.56	44.79	0.98	15.5	36	0.8	0.6	136	0.91	0.4	1.1	1.8	7.3	6.2	0.01	0.08	0.11	<2	0.20
Reference Materials																					
STD DS7	Standard		21.91	109.2	76.96	400.1	948	56.3	9.2	604	2.35	49.3	5.3	80.6	5.2	75.6	6.77	6.15	5.04	81	0.94
STD DS7	Standard		20.40	108.8	66.76	388.0	983	55.8	9.1	604	2.35	50.8	4.9	65.3	4.6	66.2	6.15	5.34	4.54	79	0.92
STD DS7 Expected			20.5	109	70.6	411	890	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	4.6	4.51	84	0.93
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
Prep Wash																					
G1	Prep Blank		0.09	3.59	3.17	46.6	16	2.1	3.6	553	1.91	0.2	1.7	0.3	6.5	56.6	<0.01	0.09	0.04	37	0.45
G1	Prep Blank		0.17	5.18	3.30	44.7	12	1.1	3.4	534	1.88	0.3	2.0	0.3	7.3	58.0	<0.01	<0.02	0.04	36	0.46



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Kerwin, Gloria**
P.O. Box 20254
Whitehorse YT Y1A 7A2 Canada

Project: Koldern

Report Date: November 15, 2010

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

WHI10000598.1

Method		1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Cs	Ge
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm
MDL		0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1
Pulp Duplicates																					
EE-27-R	Rock	0.125	4.0	0.7	1.18	36.2	0.144	<1	1.38	0.095	0.02	<0.1	6.0	<0.02	<0.02	<5	<0.1	<0.02	6.8	0.06	<0.1
REP EE-27-R	QC	0.128	3.9	0.6	1.18	35.6	0.143	<1	1.37	0.093	0.02	<0.1	6.0	<0.02	<0.02	<5	<0.1	<0.02	7.0	0.06	<0.1
EE-38-R	Rock	0.004	14.4	0.7	0.07	86.8	0.001	2	0.15	0.033	0.12	<0.1	1.0	0.10	<0.02	13	0.1	<0.02	0.5	0.09	<0.1
REP EE-38-R	QC	0.004	14.8	0.6	0.07	88.5	0.001	2	0.15	0.033	0.13	<0.1	1.0	0.10	<0.02	19	0.1	0.03	0.5	0.08	<0.1
Reference Materials																					
STD DS7	Standard	0.070	14.4	192.3	1.04	411.7	0.137	34	1.01	0.084	0.46	3.6	2.7	4.15	0.20	226	2.9	1.14	4.8	6.30	0.1
STD DS7	Standard	0.074	12.4	180.4	1.03	387.2	0.112	40	0.98	0.088	0.45	3.9	2.5	4.12	0.20	215	3.3	1.23	4.8	6.24	<0.1
STD DS7 Expected		0.08	11.7	179	1.05	410	0.124	38.6	0.959	0.089	0.44	3.4	2.5	4.19	0.19	200	3.5	1.08	4.6	6.36	0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
Prep Wash																					
G1	Prep Blank	0.075	15.5	3.0	0.46	104.4	0.128	<1	0.74	0.065	0.43	<0.1	2.0	0.35	<0.02	<5	<0.1	<0.02	4.3	2.42	<0.1
G1	Prep Blank	0.070	17.3	2.5	0.43	107.3	0.129	<1	0.74	0.071	0.42	0.2	2.0	0.33	<0.02	<5	<0.1	<0.02	4.2	2.43	0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs

Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Kerwin, Gloria
 P.O. Box 20254
 Whitehorse YT Y1A 7A2 Canada


Project: Koidern
Report Date: November 15, 2010

Page: 1 of 1 **Part** 3

QUALITY CONTROL REPORT



WHI10000598.1

Method		1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	
MDL		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	
Pulp Duplicates															
EE-27-R	Rock	0.09	0.05	0.4	0.3	<0.05	2.0	16.09	11.1	0.03	<1	0.1	3.8	<10	<2
REP EE-27-R	QC	0.12	0.05	0.4	0.3	<0.05	2.1	16.07	11.3	0.04	<1	0.2	3.7	<10	<2
EE-38-R	Rock	<0.02	0.22	4.6	<0.1	<0.05	0.4	2.90	28.9	0.05	<1	0.1	0.2	<10	<2
REP EE-38-R	QC	<0.02	0.18	4.8	<0.1	<0.05	0.4	3.03	29.6	<0.02	<1	0.2	0.2	<10	<2
Reference Materials															
STD DS7	Standard	0.11	0.62	35.1	5.2	<0.05	5.7	6.23	39.0	1.70	3	2.1	27.0	42	40
STD DS7	Standard	0.13	0.54	39.3	4.7	<0.05	5.5	5.80	38.4	1.50	3	1.7	29.6	86	43
STD DS7 Expected		0.11	0.71	35.8	4.61		5.4	5.18	36	1.57	4	1.6	29.3	58	37
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
Prep Wash															
G1	Prep Blank	0.09	0.55	43.1	0.5	<0.05	1.5	4.96	26.6	0.02	<1	0.2	26.5	<10	<2
G1	Prep Blank	0.11	0.55	41.1	0.6	<0.05	1.6	5.50	28.5	<0.02	1	0.2	25.8	<10	<2



P-10103
W-10103

eagle eye geology



Legend


- CSW RGS_IN_2003 Sample Location
- CSW RGS_IN_2003_Mo
 - 50%= d.l.= 1 ppm
 - 50-95%: 0.1 - 3 ppm
 - >95%: 3 - 25 ppm
- Yukon Border - Surveyed
- Quartz Claims
 - Active
 - Expired
- Placer Claims
 - Active
 - Expired
- National Road Network - All Roads
 - Expressway / Highway
 - Arterial
 - Collector
 - Ramp
 - Resource / Recreation
 - Local / Street
 - Local / Strata
 - Local / Unknown
 - Alley or Service Lane
 - Service Lane
 - Winter
- Waterbodies (50k)
 - Dry river bed
 - Navigable canal
 - Sand
 - Water disturbance
 - Waterbody
 - Waterbody

Scale: 1:124,621

This map is a user generated static output from an Internet mapping site and is for general reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable. THIS MAP IS NOT TO BE USED FOR NAVIGATION.

*VBolder properties
 + = 1000 ppb Au
 ...*

*(Legend)
 x rock sample
 Δ silt
 ~ river*



Koldern River Canyon work area for R.F. project





Fig. 3 - Plot of first vertical derivative magnetics and anomalous results of stream sediment geochemical sampling carried out on the Eagle Eye claim group during 2007.

Discover **Yukon's** mineral wealth



Map 1. Property Location Map



Eagle Eye claim 1 and 2 (post #1) - lower reaches of the claim group underlain by glacial outwash

Eagle Eye Property Ni-Cu-Au

(Yukon MINFILE occurrence - 115F 038 and 115F 039)

The Eagle Eye property consists of 48 quartz mineral claims, located approximately 300 km west and northwest from Whitehorse, Yukon as shown on Claim Map sheet 115F/16. The Alaska highway connects to an old cat trail along the Koidern River and provides access to the southeast end of the claims.

Exploration History

The area immediately northwest of the Eagle Eye property has experienced over 30 years of intermittent exploration activity and has resulted in the identification of magmatic Ni-Cu-PGE mineralization associated with rocks of the Kluane ultramafic complex. A serpentinized sill about 30 m thick is mapped in this area just northwest of the Eagle Eye claims and is coincident with a distinct first vertical derivative magnetic feature that is seen to extend onto the Eagle Eye property (Fig. 3, on back).


Regional Geology

Volcanic and sedimentary rocks of the Skolai Group which are the most abundant within Wrangellia in the southwest Yukon are assumed to underlie the claim group. Glacial deposits of varying thickness, are found discontinuously across the property. Mafic gabbro related to the Kluane Ultramafic complex has recently been identified on the claim group coincident with the previously discussed magnetic feature.

Geochemistry

Stream sediment sampling carried out during the 2007 season has identified Ni-Mo anomalies and a Cu anomaly coincident with the targeted geophysical feature. Along strike to the southeast a second Ni-Mo anomaly has been identified. Cu-Au vein and porphyry mineralization occur in the region and may provide a target model for two distinct anomalies detected at the south end of the claims, coincident with a circular magnetic feature.

- Accessible, new discovery in an under explored area
- Coincident geochemical and geophysical anomalies directly along strike from known mineralization
- Distinct Ni-Cu-(PGE) and Cu-Au targets outlined



Map 2. Geology Map

FOR MORE INFORMATION CONTACT:

Eagle Eye Exploration



G. Kerwin
Owner

306 - 502 Wheeler Street Whitehorse YT Y1A 2P2
phone: (1) 867-467-2071



Update on bedrock mapping in the Klame Ranges, southwest Yukon

Steve Israel and Rosie Cobbett
Yukon Geological Survey



Introduction

Field work in 2008 focused on the Silver Creek area, southwest Yukon (Fig. 1). A 50 km-scale bedrock mapping concentrated on Late Palaeozoic and Triassic stratigraphy of Wrangellia, a large tectonic terrane accreted to the western margin of North America. The goals of this project are to decipher complex stratigraphic and structural relationships in order to properly assess the mineral potential of this area and the terrane as a whole.




Figure 1. Location of 2008 bedrock mapping area in southwest Yukon.


Stratigraphy

Wrangellia, in the Silver Creek area, consists of the Late Palaeozoic Skolai Group and overlying Triassic volcanic rocks of the Nikolai formation (see map). The Skolai Group is divided into a volcanic lower unit, the Station Creek Formation and an upper sedimentary unit, the Hasen Creek Formation. The Station Creek Formation consists of basalt flows, pillow lavas, pillow breccia and hyaloclastites. The basalts are overlain by a chert/tuff horizon that varies in thickness from several metres to tens of metres. The cherts separate the basalts from a thick package of volcanic breccia dominantly composed of pyroxene phytic clasts. The breccias grade into a sequence of fine-grained tuffs and crystal tuffs. Fine-grained siltstones and sandstones of the Hasen Creek Formation gradationally overly the Station Creek Formation. Light gray to beige limestones occur near the top of the Hasen Creek Formation. Massive, amygdaloidal basalts of the Nikolai formation unconformably overly the Hasen Creek Formation.

Silver Creek Area



Structural Geology



Uplift and extension is associated with the eruption of Late Triassic Nikolai formation basalts (to TNV). Middle Triassic sedimentary rocks and boulder conglomerates of the Nikolai formation (to TNb) are preserved in grabens formed during uplift. Ultramafic bodies intrude into Palaeozoic units (to Tu) and act as feeders to the overlying basalts, and, in some cases, utilize steep structures formed during uplift.

Late Jurassic to Early Cretaceous compression resulted in northeast and southwest verging folds and faults. Deposition of the Jura-Cretaceous Dozandeh Formation (JKD) occurred at least in part during deformation.

Late Cretaceous (?) to recent strike-slip deformation is related to movement along the Denali and Duke River faults. Deposition of the Oligocene Amphitheatre Formation (OA) terrestrial sediments in extensional and compressional basins formed during strike-slip tectonics. Miocene Wrangell lavas (MW) overly all rock units and are coeval with strike-slip and compressional faulting.



Mineral Potential

- Highly prospective Ni-Cu-PGE mineralization associated with Late Triassic ultramafic intrusions.
- Possible porphyry systems related to Latea Triassic granodiorite.
- Cu-Au skarn mineralization associated with Early Cretaceous Klame Ranges suite.
- Ag-Pb-Zn vein mineralization linked to Early Cretaceous Klame Ranges suite.
- Possible VMS style mineralization related to lower basalt package in Station Creek Formation.



2008 assay highlight map for base metals.

Sample	Ag	Pb	Zn	Cu	Ni	Cu+Ni	PGE
Ag-Pb-Zn	100	100	100	100	100	100	100
Cu-Au	100	100	100	100	100	100	100
Ni-Cu-PGE	100	100	100	100	100	100	100



Summary

- The Klame Ranges is a highly prospective Ni-Cu-PGE belt with known deposits and excellent potential for new discoveries.
- Deeper portions of Wrangellia are exposed in the Silver Creek area, possibly representing basement rocks (?).
- Mineral potential of the Silver Creek area is high, with a number of different styles of mineralization.
- To fully assess mineral potential, stratigraphic and structural relationships must be examined in detail.

Acknowledgements
We would like to thank Frank North for support for this and related work. Thanks to Yukon River Petroleum for allowing full access to the Silver Creek area and various. O'Leary provided excellent help in the field and in the office. Thanks to Steve Cobbett and Mike Wainwright for their help in the field and in the office.

For more information, contact:
Steve Israel
(807) 667-5175
steve.israel@gov.yk.ca

www.geology.gov.yk.ca