



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: LEE, GARY
 P.O. BOX 31800
 WHITEHORSE YT Y1A 6L3

Page: 1
 Finalized Date: 27-OCT-2011
 This copy reported on
 4-JAN-2012
 Account: LEEGAR

CERTIFICATE WH11175462

Project:
 P.O. No.:
 This report is for 105 Soil samples submitted to our lab in Whitehorse, YT, Canada on 2-SEP-2011.
 The following have access to data associated with this certificate:
 GARY LEE

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: LEE, GARY
 P.O. BOX 31800
 WHITEHORSE YT Y1A 6L3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: LEE, GARY
 P.O. BOX 31800
 WHITEHORSE YT Y1A 6L3

Page: 2 - A
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 27-OCT-2011
 Account: LEEGAR

CERTIFICATE OF ANALYSIS WH11175462

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
SRU-1		0.32	0.020	<0.2	2.21	81	<10	20	<0.5	2	0.01	<0.5	8	38	18	6.68
SRU-2		0.42	0.002	0.2	2.81	72	<10	30	<0.5	2	0.01	<0.5	8	34	17	5.44
SRU-3		0.42	0.002	0.2	2.03	49	<10	40	<0.5	2	0.01	<0.5	8	29	14	4.62
SRU-4		0.56	0.005	<0.2	2.38	180	<10	20	0.5	2	0.01	<0.5	11	35	54	6.32
SRU-5		0.32	0.002	<0.2	1.83	49	<10	10	<0.5	2	0.01	<0.5	9	28	22	4.95
SRU-6		0.20	0.002	<0.2	2.08	71	<10	20	<0.5	3	0.02	<0.5	13	27	24	4.50
SRU-7		0.26	0.001	0.3	2.13	103	<10	50	0.5	2	0.02	<0.5	13	31	25	5.51
SRU-8		0.30	0.002	0.8	1.72	79	<10	30	<0.5	2	0.02	<0.5	32	31	19	5.35
SRU-9		0.28	0.003	0.3	1.80	109	<10	20	<0.5	<2	0.02	<0.5	11	28	20	4.69
SRU-10		0.38	0.004	<0.2	2.19	253	<10	20	<0.5	<2	0.03	<0.5	14	36	27	6.36
SRU-11		0.40	0.016	<0.2	1.74	376	<10	20	<0.5	2	0.02	<0.5	15	28	26	6.00
SRU-12		0.28	0.002	0.4	2.24	260	<10	40	<0.5	5	0.02	<0.5	15	39	25	9.06
SRU-13		0.26	0.006	0.2	1.56	235	<10	30	<0.5	3	0.05	<0.5	8	23	22	5.65
SRU-14		0.32	0.001	0.5	1.29	73	<10	40	<0.5	2	0.02	<0.5	4	21	21	4.89
SRU-15		0.40	0.003	<0.2	2.01	87	<10	20	<0.5	2	0.01	<0.5	12	32	24	5.56
SRU-16		0.18	0.001	<0.2	0.53	3	<10	10	<0.5	<2	0.02	<0.5	1	3	4	0.49
SRU-17		0.40	0.157	<0.2	1.55	50	<10	40	<0.5	2	0.03	<0.5	10	26	22	4.60
SRU-18		0.42	0.004	<0.2	2.18	43	<10	20	<0.5	2	0.01	<0.5	13	30	22	4.66
SRU-19		0.24	0.003	<0.2	1.90	55	<10	10	<0.5	2	0.01	<0.5	11	29	20	5.20
SRU-20		0.34	0.003	<0.2	1.89	34	<10	10	<0.5	2	0.06	<0.5	14	27	26	4.47
SRU-21		0.28	0.003	<0.2	2.08	104	<10	30	<0.5	<2	0.01	<0.5	10	31	23	5.05
SRU-22		0.30	0.005	<0.2	2.45	208	<10	20	<0.5	<2	0.01	<0.5	12	35	24	5.42
SRU-23		0.24	0.004	<0.2	2.34	296	<10	30	<0.5	2	0.01	<0.5	12	33	25	5.35
SRU-24		0.24	0.008	0.2	2.30	101	<10	30	<0.5	2	0.02	<0.5	22	34	21	5.20
SRU-25		0.16	0.002	0.3	1.17	81	<10	50	<0.5	2	0.05	<0.5	39	24	21	5.03
SRU-26		0.18	0.004	<0.2	1.57	69	<10	30	0.6	3	0.06	<0.5	40	20	31	3.26
SRU-27		0.26	0.017	0.3	2.09	114	<10	10	0.7	3	0.01	<0.5	39	32	49	6.77
SRU-28		0.34	0.005	0.2	2.21	105	<10	20	0.6	3	0.02	<0.5	31	30	32	5.14
SRU-29		0.18	0.016	0.2	1.08	24	<10	30	<0.5	3	0.07	<0.5	5	20	22	4.79
SRU-30		0.14	0.009	0.2	0.87	17	<10	10	<0.5	2	0.01	<0.5	4	12	13	2.47
SRU-31		0.14	0.004	<0.2	0.36	2	<10	<10	<0.5	2	0.03	<0.5	1	3	2	0.48
SRU-32		0.30	0.006	<0.2	2.29	80	<10	10	1.1	4	0.01	<0.5	90	30	69	6.60
SRU-33		0.22	0.005	0.3	2.60	53	<10	10	1.0	2	0.01	<0.5	77	33	60	6.23
SRU-34		0.28	0.006	<0.2	1.43	89	<10	20	0.5	3	0.03	<0.5	7	25	30	5.84
SRU-35		0.36	0.004	0.3	2.27	83	<10	30	0.6	<2	0.02	<0.5	25	33	31	5.45
SRU-36		0.30	0.003	0.2	1.59	69	<10	40	<0.5	<2	0.05	<0.5	10	29	17	4.80
SRU-37		0.28	0.004	0.2	1.67	62	<10	50	<0.5	<2	0.03	<0.5	12	35	17	5.82
SRU-38		0.18	0.002	<0.2	0.29	3	<10	20	<0.5	<2	0.03	<0.5	1	3	3	0.47
SRU-39		0.36	0.003	0.2	2.12	47	<10	30	0.9	2	0.04	<0.5	50	30	47	5.21
SRU-40		0.30	0.003	0.4	2.14	47	<10	30	1.0	<2	0.05	<0.5	102	26	55	5.34



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: LEE, GARY
 P.O. BOX 31800
 WHITEHORSE YT Y1A 6L3

Page: 2 - B
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 27-OCT-2011
 Account: LEEGAR

CERTIFICATE OF ANALYSIS WH11175462

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
SRU-1		10	<1	0.04	30	0.58	554	1	0.01	18	1330	19	0.02	<2	2	5
SRU-2		10	<1	0.04	30	0.65	437	1	0.01	18	520	21	0.02	<2	2	5
SRU-3		10	<1	0.04	40	0.35	491	1	<0.01	12	600	20	0.01	2	2	5
SRU-4		10	<1	0.03	30	0.68	507	2	0.01	22	730	132	0.04	<2	1	8
SRU-5		10	<1	0.03	20	0.56	404	2	<0.01	23	690	20	0.02	<2	1	5
SRU-6		10	<1	0.03	30	0.65	414	1	0.01	24	550	46	0.02	<2	1	5
SRU-7		10	<1	0.06	30	0.46	455	2	0.01	25	750	35	0.02	<2	1	9
SRU-8		10	<1	0.04	30	0.36	1235	2	0.01	18	2000	28	0.02	<2	1	8
SRU-9		10	<1	0.04	30	0.48	427	1	0.01	22	1110	27	0.02	<2	1	6
SRU-10		10	<1	0.04	30	0.63	617	1	<0.01	28	1750	33	0.02	<2	2	7
SRU-11		10	<1	0.04	30	0.49	908	2	0.01	23	2420	36	0.02	<2	1	7
SRU-12		10	<1	0.06	30	0.47	1055	1	0.01	21	3900	42	0.03	<2	1	9
SRU-13		10	<1	0.04	30	0.31	426	2	<0.01	18	2330	28	0.02	<2	1	11
SRU-14		10	<1	0.03	40	0.13	242	2	<0.01	11	1780	26	0.02	2	1	9
SRU-15		10	<1	0.02	30	0.59	957	1	<0.01	22	1050	24	0.02	<2	1	6
SRU-16		<10	<1	0.02	<10	0.03	27	1	0.02	2	400	3	0.02	<2	<1	7
SRU-17		10	<1	0.05	20	0.17	650	2	0.01	13	2450	27	0.05	2	<1	9
SRU-18		10	<1	0.04	40	0.71	378	1	<0.01	27	390	20	<0.01	<2	1	6
SRU-19		10	<1	0.03	40	0.56	288	1	0.01	21	690	18	0.01	<2	1	5
SRU-20		10	<1	0.02	30	0.67	289	1	0.01	30	750	21	0.01	<2	1	8
SRU-21		10	<1	0.05	40	0.53	498	1	0.01	21	1240	24	0.01	<2	1	7
SRU-22		10	<1	0.04	40	0.72	550	1	0.01	28	490	27	0.02	<2	2	7
SRU-23		10	<1	0.04	40	0.72	510	1	0.01	28	580	29	0.02	<2	2	7
SRU-24		10	<1	0.04	30	0.52	678	1	<0.01	24	740	28	0.02	<2	1	8
SRU-25		10	<1	0.05	30	0.22	2570	1	0.01	18	3780	37	0.02	<2	1	8
SRU-26		<10	<1	0.05	20	0.40	1350	1	0.01	33	500	32	0.02	<2	1	10
SRU-27		10	<1	0.04	30	0.45	875	2	<0.01	42	1210	45	0.04	<2	1	10
SRU-28		10	<1	0.04	40	0.65	1190	1	<0.01	38	540	40	0.02	<2	1	6
SRU-29		10	<1	0.04	20	0.20	582	1	0.01	11	1530	25	0.07	<2	<1	9
SRU-30		<10	<1	0.02	10	0.12	122	1	0.01	8	470	12	0.03	<2	<1	4
SRU-31		<10	<1	0.02	<10	0.02	19	1	0.03	1	410	2	0.03	2	<1	7
SRU-32		10	<1	0.03	40	0.72	2140	2	<0.01	52	1180	71	0.02	2	2	5
SRU-33		<10	<1	0.02	30	0.69	1670	1	<0.01	71	730	64	0.02	2	2	4
SRU-34		10	<1	0.03	20	0.34	422	2	<0.01	15	1880	25	0.05	2	<1	8
SRU-35		10	<1	0.03	40	0.74	644	1	<0.01	33	710	31	<0.01	<2	2	6
SRU-36		10	<1	0.05	30	0.44	544	1	<0.01	19	2650	22	0.01	<2	1	11
SRU-37		10	<1	0.03	30	0.41	558	1	<0.01	21	1110	23	0.01	<2	1	6
SRU-38		<10	<1	0.02	<10	0.02	51	<1	0.01	2	340	3	<0.01	<2	<1	7
SRU-39		10	<1	0.04	30	0.65	2730	1	<0.01	58	1400	48	0.02	<2	1	7
SRU-40		<10	<1	0.03	30	0.65	6100	1	<0.01	85	1260	47	<0.01	<2	2	13



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: LEE, GARY
 P.O. BOX 31800
 WHITEHORSE YT Y1A 6L3

Page: 2 - C
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 27-OCT-2011
 Account: LEEGAR

CERTIFICATE OF ANALYSIS WH11175462

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm
		20	0.01	10	10	1	10	2
SRU-1		<20	0.02	<10	<10	34	<10	74
SRU-2		<20	0.01	<10	<10	23	<10	70
SRU-3		<20	0.01	<10	<10	30	<10	52
SRU-4		<20	0.01	<10	<10	19	<10	90
SRU-5		<20	<0.01	<10	<10	21	<10	83
SRU-6		<20	0.01	<10	<10	15	<10	83
SRU-7		<20	0.01	<10	<10	25	<10	77
SRU-8		<20	0.02	<10	<10	31	<10	76
SRU-9		<20	0.01	<10	<10	26	<10	73
SRU-10		<20	0.02	<10	<10	28	<10	104
SRU-11		<20	0.01	<10	<10	27	<10	86
SRU-12		<20	0.02	<10	<10	38	<10	87
SRU-13		<20	0.02	<10	<10	30	<10	80
SRU-14		<20	0.02	<10	<10	31	<10	53
SRU-15		<20	0.01	<10	<10	22	<10	85
SRU-16		<20	0.01	<10	<10	6	<10	5
SRU-17		<20	0.01	<10	<10	35	<10	53
SRU-18		<20	0.01	<10	<10	19	<10	84
SRU-19		<20	0.01	<10	<10	22	<10	73
SRU-20		<20	0.01	<10	<10	17	<10	86
SRU-21		<20	0.01	<10	<10	23	<10	86
SRU-22		<20	<0.01	<10	<10	19	<10	99
SRU-23		<20	0.01	<10	<10	20	<10	110
SRU-24		<20	0.01	<10	<10	25	<10	107
SRU-25		<20	0.01	<10	<10	25	<10	136
SRU-26		<20	0.01	<10	<10	13	<10	80
SRU-27		<20	<0.01	<10	<10	17	<10	105
SRU-28		<20	0.01	<10	<10	17	<10	101
SRU-29		<20	0.01	<10	<10	22	<10	62
SRU-30		<20	0.01	<10	<10	14	<10	43
SRU-31		<20	0.01	<10	<10	6	<10	16
SRU-32		<20	<0.01	<10	<10	16	<10	130
SRU-33		<20	0.01	<10	<10	16	<10	141
SRU-34		<20	0.01	<10	<10	22	<10	71
SRU-35		<20	0.01	<10	<10	20	<10	100
SRU-36		<20	0.01	<10	<10	26	<10	104
SRU-37		<20	0.01	<10	<10	28	<10	85
SRU-38		<20	0.01	<10	<10	7	<10	12
SRU-39		<20	<0.01	<10	<10	15	<10	127
SRU-40		<20	<0.01	<10	<10	15	<10	129



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: LEE, GARY
 P.O. BOX 31800
 WHITEHORSE YT Y1A 6L3

Page: 3 - A
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 27-OCT-2011
 Account: LEEGAR

CERTIFICATE OF ANALYSIS WH11175462

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-ICP21 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
SRU-40A		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
SRU-41		0.32	0.006	0.3	2.22	132	<10	20	1.3	<2	0.04	<0.5	70	23	82	6.66
SRU-42		0.26	0.010	0.2	1.83	119	<10	30	0.6	<2	0.05	<0.5	22	28	30	5.34
SRU-43		0.26	0.027	0.3	0.80	97	<10	40	<0.5	<2	0.03	<0.5	12	21	33	4.83
SRU-44		0.30	0.159	0.3	1.95	2300	<10	40	0.9	<2	0.05	<0.5	50	14	42	5.25
SRU-45		0.26	0.005	0.2	2.24	92	<10	30	0.5	<2	0.01	<0.5	14	33	26	5.45
SRU-46		0.20	0.001	<0.2	0.90	16	<10	30	<0.5	<2	0.03	<0.5	4	11	12	2.74
SRU-47		0.12	0.002	<0.2	0.82	14	<10	20	<0.5	<2	0.08	<0.5	9	4	8	0.83
SRU-48		0.28	0.004	0.2	1.42	219	<10	40	<0.5	<2	0.02	<0.5	11	21	17	4.61
SRU-49		0.26	0.008	0.2	2.16	313	<10	30	0.7	<2	0.03	<0.5	40	29	38	4.87
SRU-50		0.30	0.003	<0.2	1.39	93	<10	30	<0.5	<2	0.02	<0.5	6	21	16	4.24
SRU-51		0.20	0.003	0.8	1.63	74	<10	30	<0.5	<2	0.05	<0.5	9	23	17	4.82
SRU-52		0.28	0.003	0.3	1.51	47	<10	50	<0.5	<2	0.02	<0.5	8	20	13	5.47
SRU-53		0.24	0.009	0.5	1.78	44	<10	60	<0.5	<2	0.03	<0.5	8	22	18	4.71
SRU-54		0.26	0.002	0.2	2.56	82	<10	30	<0.5	<2	0.01	<0.5	17	37	34	5.15
SRU-55		0.26	0.053	0.3	1.49	1540	<10	20	0.8	<2	0.03	<0.5	39	19	43	6.60
SRU-56		0.26	0.006	0.2	2.47	83	<10	30	<0.5	<2	0.01	<0.5	18	37	31	4.98
SRU-57		0.22	0.001	0.3	1.39	32	<10	40	<0.5	<2	0.06	<0.5	8	14	12	2.39
SRU-58		0.28	0.001	0.2	2.54	63	<10	50	<0.5	<2	0.01	<0.5	9	32	15	5.07
SRU-59		0.22	<0.001	0.2	1.46	41	<10	40	<0.5	<2	0.02	<0.5	5	21	12	4.21
SRU-60		0.22	0.002	0.2	2.20	61	<10	50	<0.5	<2	0.02	<0.5	6	29	12	4.80
ZS-1		0.24	0.007	0.2	2.03	102	<10	30	<0.5	<2	0.01	<0.5	7	29	18	5.06
ZS-2		0.26	0.001	<0.2	2.10	23	<10	40	0.6	<2	0.02	<0.5	8	28	28	4.90
ZS-3		0.24	0.002	<0.2	2.14	39	<10	40	0.7	<2	0.02	<0.5	12	32	33	5.08
ZS-4		0.20	0.002	0.2	1.84	13	<10	30	<0.5	<2	0.06	<0.5	8	27	23	3.40
ZS-5		0.28	0.002	0.2	2.26	21	<10	30	0.5	<2	0.08	<0.5	15	35	28	4.51
ZS-6		0.38	0.002	<0.2	2.51	23	<10	40	0.6	<2	0.06	<0.5	13	36	32	4.82
ZS-7		0.34	<0.001	0.2	2.29	20	<10	20	<0.5	<2	0.06	<0.5	15	35	23	4.61
ZS-8		0.28	0.001	<0.2	2.36	17	<10	40	<0.5	<2	0.07	<0.5	11	36	22	4.60
ZS-9		0.30	0.002	<0.2	2.33	18	<10	20	0.5	<2	0.08	<0.5	14	36	26	4.72
ZS-10		0.22	0.003	0.3	1.83	16	<10	50	0.5	<2	0.03	<0.5	8	24	24	3.22
ZS-11		0.36	0.001	0.2	2.20	38	<10	40	0.5	<2	0.06	<0.5	11	34	30	4.90
ZS-12		0.18	0.003	0.3	0.48	16	<10	20	<0.5	<2	0.02	<0.5	2	7	9	1.07
ZS-13		0.18	0.011	0.2	0.83	9	<10	20	<0.5	<2	0.02	<0.5	3	10	16	1.77
ZS-14		0.18	0.001	0.4	1.27	23	<10	40	<0.5	<2	0.02	<0.5	10	19	19	4.88
ZS-15		0.14	0.001	0.4	0.50	<2	<10	20	<0.5	<2	0.03	<0.5	1	3	3	0.44
ZS-16		0.34	0.001	0.5	1.83	53	<10	40	0.8	<2	0.06	<0.5	23	28	30	4.43
ZS-17		0.24	<0.001	0.3	1.29	27	<10	40	0.7	<2	0.17	<0.5	10	18	42	2.64
ZS-18		0.32	0.001	0.3	1.91	29	<10	40	<0.5	<2	0.05	<0.5	14	28	12	3.80
ZS-19		0.36	0.002	0.5	1.98	81	<10	40	0.6	<2	0.02	<0.5	14	27	20	5.38
ZS-20		0.24	0.003	0.2	1.03	40	<10	40	0.5	<2	0.05	<0.5	14	14	20	2.19

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: LEE, GARY
 P.O. BOX 31800
 WHITEHORSE YT Y1A 6L3

Page: 3 - B
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 27-OCT-2011
 Account: LEEGAR

CERTIFICATE OF ANALYSIS WH11175462

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
SRU-40A		<10	1	0.03	30	0.59	1840	1	<0.01	75	1210	63	0.01	2	3	21
SRU-41		10	<1	0.04	30	0.49	1390	1	<0.01	29	1830	36	0.02	<2	1	12
SRU-42		10	<1	0.03	20	0.10	736	2	<0.01	24	1920	32	0.01	<2	<1	5
SRU-43		<10	<1	0.03	10	0.36	1630	<1	<0.01	39	1150	62	0.03	2	2	14
SRU-44		10	<1	0.04	30	0.59	495	1	<0.01	27	770	28	0.01	<2	1	7
SRU-45		<10	<1	0.02	10	0.15	308	<1	<0.01	7	1250	14	<0.01	<2	<1	8
SRU-46		<10	<1	0.02	<10	0.03	626	<1	0.01	3	880	5	0.02	<2	<1	9
SRU-47		10	<1	0.03	30	0.37	1305	1	<0.01	19	1390	24	<0.01	<2	1	7
SRU-48		10	1	0.04	30	0.61	1565	1	<0.01	37	960	47	0.01	<2	1	8
SRU-49		10	<1	0.03	20	0.19	310	1	<0.01	11	1210	24	<0.01	<2	1	6
SRU-50		10	1	0.03	30	0.25	662	<1	<0.01	11	1040	40	0.01	2	1	7
SRU-51		10	<1	0.03	30	0.23	871	<1	<0.01	10	3140	19	<0.01	<2	1	6
SRU-52		10	<1	0.03	30	0.28	559	1	<0.01	14	1080	24	<0.01	<2	1	9
SRU-53		10	<1	0.04	40	0.87	626	<1	<0.01	34	440	31	<0.01	<2	2	6
SRU-54		<10	<1	0.03	40	0.22	948	1	<0.01	58	920	55	<0.01	<2	3	14
SRU-55		10	1	0.04	40	0.80	644	1	<0.01	31	510	29	<0.01	<2	2	6
SRU-56		<10	<1	0.03	10	0.24	570	<1	<0.01	10	770	15	0.01	<2	1	9
SRU-57		10	<1	0.03	30	0.66	528	1	<0.01	20	670	15	<0.01	<2	1	5
SRU-58		10	<1	0.03	30	0.20	290	1	<0.01	10	980	24	<0.01	<2	1	7
SRU-59		10	<1	0.03	30	0.47	355	<1	<0.01	15	550	18	<0.01	<2	1	7
SRU-60		10	<1	0.03	30	0.55	502	<1	<0.01	15	860	36	<0.01	<2	1	7
ZS-1		10	<1	0.04	40	0.52	352	1	<0.01	22	750	26	0.01	<2	1	27
ZS-2		10	<1	0.05	30	0.56	438	2	<0.01	29	760	30	<0.01	<2	2	29
ZS-3		10	<1	0.04	30	0.58	383	<1	<0.01	24	590	17	0.01	<2	1	20
ZS-4		10	<1	0.04	40	0.82	554	1	<0.01	31	630	19	<0.01	<2	2	24
ZS-5		10	<1	0.07	40	0.85	593	<1	<0.01	33	540	21	<0.01	<2	2	19
ZS-6		10	<1	0.04	30	0.88	585	<1	<0.01	26	510	16	<0.01	<2	2	15
ZS-7		10	<1	0.05	40	0.83	544	1	<0.01	30	570	21	<0.01	<2	2	26
ZS-8		10	<1	0.04	40	0.89	591	1	<0.01	27	570	18	<0.01	<2	2	19
ZS-9		<10	<1	0.04	30	0.51	285	<1	<0.01	19	560	21	0.01	<2	1	17
ZS-10		10	<1	0.04	30	0.78	477	1	<0.01	28	550	34	0.01	<2	2	17
ZS-11		<10	<1	0.02	<10	0.08	107	<1	<0.01	6	560	5	<0.01	<2	<1	6
ZS-12		<10	<1	0.02	10	0.13	228	1	<0.01	9	640	12	0.01	<2	<1	7
ZS-13		10	<1	0.03	20	0.26	995	1	<0.01	13	1920	17	0.01	<2	1	9
ZS-14		<10	<1	0.02	<10	0.02	69	<1	0.01	2	340	3	<0.01	<2	<1	7
ZS-15		10	<1	0.05	30	0.57	1015	1	<0.01	27	750	29	<0.01	<2	1	10
ZS-16		<10	<1	0.04	20	0.33	254	1	<0.01	21	660	20	0.02	<2	1	16
ZS-17		10	<1	0.04	20	0.60	444	1	<0.01	26	390	15	<0.01	<2	1	7
ZS-18		10	<1	0.04	30	0.56	524	<1	<0.01	19	1170	37	<0.01	<2	1	13
ZS-19		<10	<1	0.05	20	0.24	309	1	<0.01	12	290	28	<0.01	<2	1	11

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: LEE, GARY
 P.O. BOX 31800
 WHITEHORSE YT Y1A 6L3

Page: 3 - C
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 27-OCT-2011
 Account: LEEGAR

CERTIFICATE OF ANALYSIS WH11175462

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm
		20	0.01	10	10	1	10	2
SRU-40A		<20	<0.01	<10	<10	12	<10	152
SRU-41		<20	0.01	<10	<10	19	<10	103
SRU-42		<20	0.01	<10	<10	25	<10	91
SRU-43		<20	<0.01	<10	<10	11	<10	117
SRU-44		<20	0.01	<10	<10	21	<10	86
SRU-45		<20	0.02	<10	<10	15	<10	47
SRU-46		<20	0.01	<10	<10	9	<10	27
SRU-47		<20	0.01	<10	<10	21	<10	73
SRU-48		<20	0.01	<10	<10	17	<10	109
SRU-49		<20	0.02	<10	<10	29	<10	48
SRU-50		<20	0.01	<10	<10	23	<10	77
SRU-51		<20	0.02	<10	<10	33	<10	66
SRU-52		<20	0.02	<10	<10	31	<10	65
SRU-53		<20	0.01	<10	<10	19	<10	107
SRU-54		<20	<0.01	<10	<10	14	<10	144
SRU-55		<20	0.01	<10	<10	19	<10	102
SRU-56		<20	0.02	<10	<10	14	<10	48
SRU-57		<20	0.01	<10	<10	23	<10	83
SRU-58		<20	0.02	<10	<10	46	<10	56
SRU-59		<20	0.01	<10	<10	25	<10	57
SRU-60		<20	0.01	<10	<10	21	<10	79
ZS-1		<20	0.01	<10	<10	23	<10	79
ZS-2		<20	0.01	<10	<10	22	<10	89
ZS-3		<20	0.01	<10	<10	15	<10	80
ZS-4		<20	0.01	<10	<10	19	<10	99
ZS-5		<20	0.01	<10	<10	22	<10	106
ZS-6		<20	0.01	<10	<10	19	<10	98
ZS-7		<20	0.01	<10	<10	20	<10	97
ZS-8		<20	0.01	<10	<10	19	<10	101
ZS-9		<20	0.01	<10	<10	15	<10	66
ZS-10		<20	0.01	<10	<10	20	<10	93
ZS-11		<20	0.02	<10	<10	12	<10	40
ZS-12		<20	0.02	<10	<10	13	<10	46
ZS-13		<20	0.01	<10	<10	33	<10	103
ZS-14		<20	0.02	<10	<10	7	<10	21
ZS-15		<20	0.01	<10	<10	22	<10	133
ZS-16		<20	0.01	<10	<10	12	<10	82
ZS-17		<20	0.01	<10	<10	16	<10	124
ZS-18		<20	<0.01	<10	<10	21	<10	97
ZS-19		<20	0.01	<10	<10	11	<10	52



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: LEE, GARY
 P.O. BOX 31800
 WHITEHORSE YT Y1A 6L3

Page: 4 - A
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 27-OCT-2011
 Account: LEEGAR

CERTIFICATE OF ANALYSIS WH11175462

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-ICP21 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
ZS-20		0.26	0.003	0.4	1.75	78	<10	40	0.7	<2	0.11	<0.5	16	25	25	4.29
ZS-21		0.32	0.003	0.2	2.10	36	<10	20	0.8	<2	0.02	<0.5	27	29	41	5.45
ZS-22		0.18	0.003	0.5	1.21	28	<10	60	<0.5	<2	0.45	<0.5	7	15	31	2.10
ZS-23		0.48	0.003	0.3	2.35	82	<10	50	0.6	<2	0.01	<0.5	11	35	40	5.13
ZS-24		0.30	0.001	0.2	1.55	47	<10	30	0.5	<2	0.09	<0.5	12	24	19	4.23
ZS-25		0.42	0.002	0.2	1.99	18	<10	20	<0.5	<2	0.02	<0.5	7	32	26	7.43
ZS-26		0.32	0.001	0.2	1.66	141	<10	50	<0.5	<2	0.01	<0.5	5	30	38	7.65
ZST-1		0.36	0.001	0.2	2.28	131	<10	10	1.3	<2	0.06	<0.5	99	31	55	4.72
ZST-2		0.56	<0.001	0.2	2.34	91	<10	10	1.8	2	0.06	<0.5	109	30	54	4.49
ZST-3		0.42	0.009	0.2	2.40	102	<10	10	2.0	<2	0.05	<0.5	85	29	54	4.37
ZST-4		0.58	0.001	0.3	2.42	114	<10	10	2.0	<2	0.05	<0.5	115	28	58	4.38
SPILL		0.18	NSS	0.2	2.11	119	<10	20	1.2	<2	0.07	<0.5	78	29	47	4.45
RBS-1		0.36	0.002	0.3	1.85	27	<10	30	0.5	<2	0.03	<0.5	9	33	19	6.17
RBS-2		0.38	<0.001	<0.2	2.36	23	<10	40	0.6	<2	0.03	<0.5	10	35	29	4.69
RBS-3		0.30	0.002	0.2	2.25	43	<10	40	0.6	<2	0.04	<0.5	10	37	28	5.44
RBS-4		0.32	<0.001	0.3	1.67	25	<10	40	0.6	<2	0.08	<0.5	8	26	18	4.97
RBS-5		0.18	<0.001	0.2	0.70	3	<10	20	<0.5	<2	0.07	<0.5	2	5	5	0.86
RBS-6		0.34	0.001	0.3	1.99	26	<10	20	<0.5	<2	0.01	<0.5	7	31	15	5.73
RBS-7		0.30	0.002	<0.2	2.50	24	<10	40	0.5	<2	0.03	<0.5	9	34	22	5.25
RBS-8		0.42	0.002	0.3	2.44	28	<10	30	0.5	<2	0.03	<0.5	9	35	22	5.57
RBS-9		0.26	0.002	<0.2	1.18	6	<10	20	<0.5	<2	0.02	<0.5	4	21	13	4.42
RBS-10		0.34	<0.001	0.3	1.21	10	<10	40	<0.5	<2	0.03	<0.5	4	22	17	5.23
RBS-11		0.36	0.002	0.2	2.06	23	<10	40	0.5	<2	0.02	<0.5	7	32	21	5.13
RBS-12		0.38	0.001	0.3	2.38	19	<10	30	<0.5	<2	0.01	<0.5	9	36	21	4.91
RUST 41		0.50	0.006	0.3	1.36	92	<10	20	<0.5	<2	0.35	<0.5	11	25	19	2.78



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: LEE, GARY
 P.O. BOX 31800
 WHITEHORSE YT Y1A 6L3

Page: 4 - B
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 27-OCT-2011
 Account: LEEGAR

CERTIFICATE OF ANALYSIS WH11175462

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
ZS-20		10	<1	0.05	30	0.55	518	1	<0.01	23	730	48	<0.01	<2	1	17
ZS-21		10	<1	0.04	40	0.72	596	<1	<0.01	30	820	48	<0.01	<2	2	14
ZS-22		<10	<1	0.03	30	0.31	232	<1	<0.01	15	550	24	0.02	<2	1	29
ZS-23		10	<1	0.08	30	0.82	474	1	<0.01	22	690	43	0.01	<2	2	8
ZS-24		10	<1	0.03	30	0.48	616	1	<0.01	22	620	20	<0.01	<2	1	12
ZS-25		10	<1	0.02	20	0.38	470	1	<0.01	17	1920	18	0.01	<2	1	5
ZS-26		10	<1	0.03	30	0.44	313	1	<0.01	11	1700	77	0.03	<2	1	17
ZST-1		10	1	0.02	50	0.80	1235	1	<0.01	71	630	41	0.04	<2	2	13
ZST-2		<10	<1	0.02	60	0.78	1325	<1	<0.01	88	620	37	0.03	2	2	11
ZST-3		<10	<1	0.02	60	0.77	1165	<1	<0.01	73	640	37	0.02	<2	2	12
ZST-4		10	<1	0.02	60	0.77	1415	<1	<0.01	85	610	42	0.04	<2	2	12
SPILL		10	<1	0.02	40	0.72	1075	<1	<0.01	62	640	38	0.03	<2	1	12
RBS-1		10	<1	0.03	30	0.52	366	<1	<0.01	15	2450	26	0.01	2	1	18
RBS-2		10	<1	0.06	30	0.88	376	<1	<0.01	21	550	25	<0.01	<2	2	15
RBS-3		10	<1	0.04	20	0.77	477	<1	<0.01	25	1250	31	<0.01	<2	2	13
RBS-4		10	<1	0.03	20	0.39	493	1	<0.01	16	1610	26	0.01	<2	1	23
RBS-5		<10	<1	0.02	<10	0.04	91	<1	0.01	2	770	5	0.02	<2	<1	13
RBS-6		10	<1	0.02	20	0.55	307	<1	<0.01	12	830	23	<0.01	<2	1	11
RBS-7		10	<1	0.03	20	0.69	363	<1	<0.01	19	560	26	<0.01	<2	2	14
RBS-8		10	<1	0.02	20	0.62	343	1	<0.01	21	730	24	0.01	<2	2	15
RBS-9		10	<1	0.03	10	0.17	294	1	<0.01	8	1320	19	0.02	<2	<1	12
RBS-10		10	<1	0.03	20	0.22	255	1	<0.01	8	1230	23	0.02	<2	1	23
RBS-11		10	<1	0.03	20	0.61	362	<1	<0.01	17	1040	28	<0.01	<2	1	16
RBS-12		10	<1	0.04	20	0.83	360	<1	<0.01	20	470	21	<0.01	<2	2	10
RUST 41		<10	<1	0.02	10	0.40	807	<1	<0.01	28	1490	16	0.06	<2	1	20

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: LEE, GARY
 P.O. BOX 31800
 WHITEHORSE YT Y1A 6L3

Page: 4 - C
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 27-OCT-2011
 Account: LEEGAR

CERTIFICATE OF ANALYSIS WH11175462

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm
		20	0.01	10	10	1	10	2
ZS-20		<20	0.01	<10	<10	18	<10	101
ZS-21		20	<0.01	<10	<10	16	<10	114
ZS-22		<20	0.01	<10	<10	11	<10	54
ZS-23		<20	0.01	<10	<10	21	<10	97
ZS-24		<20	0.02	<10	<10	26	<10	97
ZS-25		<20	0.02	<10	<10	30	<10	75
ZS-26		<20	0.02	<10	<10	30	<10	95
ZST-1		<20	0.01	<10	<10	16	<10	244
ZST-2		<20	0.01	<10	<10	15	<10	283
ZST-3		<20	0.01	<10	<10	15	<10	261
ZST-4		<20	0.01	<10	<10	15	<10	286
SPILL		<20	0.01	<10	<10	17	<10	230
RBS-1		<20	0.03	<10	<10	34	<10	75
RBS-2		<20	0.01	<10	<10	18	<10	82
RBS-3		<20	0.02	<10	<10	24	<10	104
RBS-4		<20	0.02	<10	<10	30	<10	80
RBS-5		<20	0.01	<10	<10	7	<10	25
RBS-6		<20	0.02	<10	<10	22	<10	69
RBS-7		<20	0.02	<10	<10	21	<10	78
RBS-8		<20	0.02	<10	<10	25	<10	80
RBS-9		<20	0.02	<10	<10	32	<10	45
RBS-10		<20	0.03	<10	<10	31	<10	55
RBS-11		<20	0.01	<10	<10	24	<10	69
RBS-12		<20	0.02	<10	<10	20	<10	78
RUST 41		<20	0.01	<10	<10	17	<10	82



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: LEE, GARY
P.O. BOX 31800
WHITEHORSE YT Y1A 6L3

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 27-OCT-2011
Account: LEEGAR

CERTIFICATE OF ANALYSIS WH11175462

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.