



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: LEE, GARY  
 P.O. BOX 31800  
 WHITEHORSE YT Y1A 6L3

Page: 1  
 Finalized Date: 22-OCT-2011  
 This copy reported on  
 4-JAN-2012  
 Account: LEEGAR

**CERTIFICATE WH11175463**

Project:  
 P.O. No.:  
 This report is for 14 Rock samples submitted to our lab in Whitehorse, YT, Canada on 2-SEP-2011.  
 The following have access to data associated with this certificate:  
 GARY LEE

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
SPL-22Y	Split Sample - Boyd Rotary Splitter
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM

To: LEE, GARY  
 P.O. BOX 31800  
 WHITEHORSE YT Y1A 6L3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:   
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: LEE, GARY  
 P.O. BOX 31800  
 WHITEHORSE YT Y1A 6L3

Page: 2 - A  
 Total # Pages: 2 (A - C)  
 Finalized Date: 22-OCT-2011  
 Account: LEEGAR

**CERTIFICATE OF ANALYSIS WH11175463**

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.001	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
RUFL-18		0.25	0.023		<0.2	1.21	415	<10	40	<0.5	3	0.14	<0.5	2	13	5
RUFL-19		0.99	0.001		<0.2	1.87	13	<10	20	<0.5	2	0.15	<0.5	15	17	20
RUFL-20		0.99	0.001		<0.2	1.39	20	<10	10	<0.5	2	0.11	<0.5	13	14	13
RUFL-21		0.99	0.002		<0.2	0.47	128	<10	10	<0.5	3	0.06	<0.5	2	12	6
RUFL-22		2.29	<0.001		<0.2	0.71	30	<10	10	<0.5	3	0.09	<0.5	7	20	5
RUOC-1		1.02	<0.001		<0.2	1.62	5	<10	10	<0.5	2	0.14	<0.5	5	21	9
RUOC-2		1.86	0.002		<0.2	1.72	10	<10	10	<0.5	3	0.12	<0.5	8	22	13
RUOC-3		0.97	0.003		8.3	2.64	5	<10	30	1.1	19	0.54	1.3	30	46	101
RBFL-1		1.12	0.002		<0.2	0.55	110	<10	10	<0.5	2	1.13	<0.5	3	14	9
RBFL-2		1.44	<0.001		<0.2	0.49	5	10	20	0.5	4	0.03	<0.5	2	15	19
CFL-1		1.14	0.001		0.2	1.78	18	<10	70	<0.5	3	0.59	<0.5	23	27	30
ZFL-1		4.66	0.001		0.4	3.55	42	<10	30	<0.5	3	0.51	<0.5	25	198	319
ZFL-2		3.51	<0.001		0.3	0.60	4	<10	10	<0.5	3	0.32	<0.5	7	23	16
NT		2.64	>10.0	20.4	3.3	0.29	1170	<10	20	<0.5	3	0.01	<0.5	1	20	4



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: LEE, GARY  
 P.O. BOX 31800  
 WHITEHORSE YT Y1A 6L3

Page: 2 - B  
 Total # Pages: 2 (A - C)  
 Finalized Date: 22-OCT-2011  
 Account: LEEGAR

**CERTIFICATE OF ANALYSIS WH11175463**

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
RUFL-18		3.02	<10	<1	0.09	10	0.31	96	<1	0.03	8	460	4	0.06	26	2
RUFL-19		3.99	<10	1	0.06	10	0.67	295	<1	0.02	23	680	22	0.09	11	2
RUFL-20		2.71	<10	<1	0.05	10	0.39	152	<1	0.02	27	530	13	0.01	6	2
RUFL-21		1.22	<10	<1	0.08	10	0.10	101	1	0.02	4	280	18	0.01	4	<1
RUFL-22		1.78	<10	<1	0.06	10	0.18	236	1	0.03	17	370	15	0.01	2	1
RUOC-1		3.50	<10	1	0.05	10	0.57	189	1	0.01	15	730	4	0.01	<2	1
RUOC-2		3.97	<10	<1	0.13	10	0.55	361	1	0.02	34	670	24	0.05	<2	2
RUOC-3		4.52	10	<1	0.10	10	0.98	1970	1	0.08	39	400	3690	0.53	2	5
RBFL-1		2.24	<10	<1	0.05	10	0.23	1180	1	0.04	9	590	51	0.18	<2	1
RBFL-2		1.22	<10	<1	0.07	30	0.09	173	1	0.04	7	200	21	0.02	<2	1
CFL-1		5.09	<10	<1	0.19	10	0.55	959	<1	0.03	32	590	101	1.82	<2	2
ZFL-1		5.19	10	<1	0.03	10	2.72	499	1	0.03	44	630	14	0.21	<2	10
ZFL-2		1.69	<10	<1	0.02	<10	0.24	279	2	0.03	10	390	6	0.13	<2	1
NT		1.18	<10	<1	0.10	10	0.01	84	1	0.01	3	70	45	0.02	2	<1



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: LEE, GARY  
 P.O. BOX 31800  
 WHITEHORSE YT Y1A 6L3

Page: 2 - C  
 Total # Pages: 2 (A - C)  
 Finalized Date: 22-OCT-2011  
 Account: LEEGAR

**CERTIFICATE OF ANALYSIS WH11175463**

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
		1	20	0.01	10	10	1	10	2
RUFL-18		7	<20	<0.01	<10	<10	8	<10	36
RUFL-19		10	<20	<0.01	<10	<10	10	<10	58
RUFL-20		8	<20	<0.01	<10	<10	5	<10	50
RUFL-21		7	<20	<0.01	<10	<10	3	<10	14
RUFL-22		7	<20	<0.01	<10	<10	4	<10	29
RUOC-1		18	<20	<0.01	<10	<10	9	<10	68
RUOC-2		11	<20	<0.01	<10	<10	9	<10	71
RUOC-3		31	<20	<0.01	<10	<10	29	<10	183
RBFL-1		24	<20	<0.01	<10	<10	3	<10	30
RBFL-2		30	<20	<0.01	<10	<10	5	<10	20
CFL-1		22	<20	0.01	<10	<10	11	<10	61
ZFL-1		16	<20	0.01	<10	<10	121	<10	78
ZFL-2		16	<20	<0.01	<10	<10	7	<10	31
NT		5	<20	<0.01	<10	<10	2	<10	39