



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Richards, Gordon**
6410 Holly Park Drive
Delta BC V4K 4W6 Canada

Submitted By: Gordon Richards
Receiving Lab: Canada-Vancouver
Received: August 08, 2013
Report Date: September 23, 2013
Page: 1 of 3

CERTIFICATE OF ANALYSIS

VAN13003075.2

CLIENT JOB INFORMATION

Project: PALEO
Shipment ID:
P.O. Number
Number of Samples: 34

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Richards, Gordon
6410 Holly Park Drive
Delta BC V4K 4W6
Canada


CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	34	Crush, split and pulverize 250 g rock to 200 mesh			VAN
1DX2	34	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
G6	1	Lead collection fire assay fusion - Grav finish	30	Completed	VAN

ADDITIONAL COMMENTS

Version 2 : G613 included.



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. *** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

CERTIFICATE OF ANALYSIS

VAN13003075.2

Method	Analyte	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit	MDL	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
U51	Rock	0.12	1.0	14.8	2018	61	19.0	1.7	0.3	67	1.20	45.1	9.8	0.4	2	<0.1	18.6	1.1	<2	<0.01	0.007
U52	Rock	0.29	1.4	11.8	194.3	176	1.9	1.9	0.8	40	2.07	80.7	8.7	3.2	7	0.3	6.5	0.8	4	<0.01	0.029
U53	Rock	0.06	1.3	19.7	169.8	187	0.6	10.0	7.4	397	2.71	46.2	3.3	7.9	10	0.6	2.5	0.4	26	0.13	0.054
U54	Rock	0.20	1.2	12.8	986.8	268	6.1	1.7	1.2	74	1.74	108.1	8.2	1.9	3	0.3	7.6	1.8	8	<0.01	0.017
U55	Rock	0.15	0.6	9.1	29.2	14	0.3	1.9	0.4	57	0.81	16.2	0.6	0.7	<1	<0.1	0.5	<0.1	2	<0.01	0.007
U56	Rock	0.27	0.5	3.5	124.7	15	2.0	1.6	2.3	99	0.62	36.8	3.5	1.7	5	0.2	6.3	<0.1	4	0.02	0.015
U57	Rock	0.08	0.7	6.4	247.4	12	1.8	3.2	3.6	195	1.28	29.9	3.9	1.5	14	<0.1	5.1	<0.1	5	0.03	0.012
U58	Rock	0.18	0.7	12.3	122.2	75	1.1	1.5	0.6	64	1.17	66.8	14.1	1.2	1	0.1	0.8	0.1	4	0.01	0.010
U59	Rock	0.14	1.3	51.6	1639	1194	1.7	10.0	4.4	95	4.27	15.9	28.1	4.9	11	1.8	38.1	0.6	22	0.06	0.067
U60	Rock	0.07	1.5	30.0	920.8	1510	0.2	42.8	50.1	5128	4.36	6.0	3.5	5.9	12	8.2	9.3	0.3	82	0.33	0.150
U61	Rock	0.09	2.9	18.8	154.3	280	0.5	44.5	23.6	2037	6.29	105.9	4.2	2.4	5	2.3	11.4	0.2	26	0.07	0.037
U62	Rock	0.17	0.1	8.0	8.6	12	0.1	0.9	0.5	59	0.38	0.8	1.3	<0.1	<1	<0.1	0.1	<0.1	<2	<0.01	0.002
U63	Rock	0.16	0.4	3.7	7.5	20	<0.1	2.9	1.1	78	1.31	227.6	4.4	1.4	3	<0.1	5.5	0.1	3	0.01	0.005
U64	Rock	0.16	0.7	18.6	9.1	39	<0.1	10.2	8.1	272	2.15	52.0	5.9	4.8	5	<0.1	2.2	<0.1	11	0.06	0.045
U65	Rock	0.21	1.7	12.6	11.2	138	0.2	55.7	26.6	3238	12.76	8.3	1.3	7.5	10	0.5	0.5	0.5	107	0.73	0.371
U66	Rock	0.18	0.1	7.0	3.9	27	<0.1	2.9	0.8	115	0.88	15.4	<0.5	0.9	<1	<0.1	0.4	<0.1	3	<0.01	0.006
U67	Rock	0.22	0.2	2.7	16.7	21	0.1	0.6	0.5	58	0.54	120.8	1.7	12.8	4	<0.1	0.5	0.3	<2	0.03	0.011
U68	Rock	0.26	<0.1	5.1	7.7	6	<0.1	0.9	1.7	121	0.44	4.6	<0.5	3.2	4	<0.1	0.2	0.3	<2	0.04	0.009
U69	Rock	0.13	1.9	19.7	15.2	62	<0.1	14.0	11.8	1808	4.22	19.3	<0.5	5.8	3	0.1	1.3	<0.1	37	0.02	0.038
U70	Rock	0.22	1.3	21.4	10.3	50	<0.1	9.7	5.9	837	2.73	6.1	<0.5	4.5	2	<0.1	1.2	<0.1	37	0.06	0.058
U71	Rock	0.14	0.5	4.8	11.0	55	<0.1	4.6	4.8	281	2.39	6.8	<0.5	7.9	4	<0.1	0.3	0.1	40	0.04	0.036
U72	Rock	0.19	0.7	5.0	5.7	30	<0.1	2.2	2.5	769	2.30	95.2	2.7	4.8	2	<0.1	0.4	0.1	13	0.01	0.030
U73	Rock	0.13	0.8	5.7	13.8	29	<0.1	3.0	2.7	338	1.15	6.8	<0.5	12.5	2	<0.1	0.5	<0.1	4	0.02	0.017
U74	Rock	0.37	2.5	1863	>10000	629	>100	2.7	1.9	255	10.15	3425	716.9	4.5	3	4.6	302.2	350.0	7	0.04	0.021
U75	Rock	0.19	1.0	8.5	41.4	101	0.8	10.5	4.6	646	1.74	11.0	1.1	5.1	13	3.0	5.2	0.5	19	0.07	0.029
U76	Rock	0.28	0.4	4.5	52.5	29	0.7	1.7	0.4	119	0.84	11.5	3.1	9.8	4	0.5	2.4	0.3	<2	0.02	0.008
U77	Rock	0.15	4.7	14.1	123.2	394	1.3	8.8	3.6	487	15.45	137.9	26.6	6.8	7	5.6	17.8	0.2	11	0.05	0.045
U78	Rock	0.36	1.4	13.0	35.1	184	0.5	8.6	8.9	1419	4.81	37.2	14.3	7.6	6	2.8	7.1	0.1	38	0.10	0.062
U79	Rock	0.30	0.9	87.1	171.9	449	0.7	8.3	8.5	1495	1.92	78.5	6.3	1.6	4	3.9	1.9	0.1	7	0.04	0.020
X214	Rock	0.33	0.3	6.0	14.9	29	<0.1	1.2	1.4	232	0.99	6.4	0.6	8.7	1	<0.1	0.3	0.3	<2	0.02	0.021

CERTIFICATE OF ANALYSIS

VAN13003075.2

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6Gr
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Ag
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	50	
U51	Rock	<1	4	<0.01	171	<0.001	2	0.05	0.003	0.04	<0.1	0.01	<0.1	<0.1	0.11	<1	<0.5	0.7	
U52	Rock	6	3	<0.01	474	<0.001	2	0.13	0.002	0.10	0.2	0.01	1.0	<0.1	<0.05	<1	<0.5	0.5	
U53	Rock	23	13	0.19	196	0.003	5	0.95	0.015	0.33	0.2	<0.01	3.2	0.3	0.05	3	<0.5	<0.2	
U54	Rock	5	4	<0.01	56	0.001	<1	0.14	0.002	0.08	0.1	0.06	0.7	0.1	0.07	1	0.9	0.5	
U55	Rock	1	3	<0.01	15	<0.001	<1	0.08	0.001	0.07	<0.1	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2	
U56	Rock	6	4	0.01	74	0.002	1	0.14	0.001	0.10	0.1	0.02	1.4	0.2	<0.05	<1	<0.5	<0.2	
U57	Rock	5	7	0.02	86	0.002	4	0.26	0.003	0.23	0.1	0.02	1.0	0.6	0.17	1	<0.5	<0.2	
U58	Rock	4	5	0.02	29	0.001	2	0.14	0.002	0.10	<0.1	<0.01	1.0	0.1	<0.05	<1	<0.5	0.3	
U59	Rock	15	46	0.03	197	0.001	4	0.48	0.006	0.33	0.3	0.03	5.7	0.5	0.26	2	<0.5	<0.2	
U60	Rock	12	83	0.40	458	0.010	2	1.86	0.003	0.34	0.4	0.02	24.9	0.9	<0.05	6	<0.5	<0.2	
U61	Rock	8	33	0.08	218	0.005	7	0.56	0.005	0.17	0.2	0.03	8.6	0.3	<0.05	2	<0.5	<0.2	
U62	Rock	<1	3	<0.01	14	<0.001	<1	0.03	<0.001	0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2	
U63	Rock	3	3	<0.01	29	<0.001	4	0.17	0.001	0.09	<0.1	0.01	1.3	<0.1	<0.05	<1	<0.5	<0.2	
U64	Rock	17	7	0.01	67	0.001	2	0.27	0.003	0.16	0.1	<0.01	1.9	<0.1	<0.05	<1	<0.5	<0.2	
U65	Rock	40	81	0.05	360	0.003	<1	0.71	<0.001	0.08	0.4	0.04	15.2	0.2	<0.05	3	<0.5	<0.2	
U66	Rock	4	5	<0.01	64	<0.001	<1	0.12	0.001	0.08	<0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2	
U67	Rock	21	1	<0.01	45	<0.001	<1	0.31	0.002	0.19	<0.1	0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2	
U68	Rock	4	2	0.01	20	<0.001	<1	0.18	0.063	0.05	<0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2	
U69	Rock	20	14	0.02	306	0.001	<1	0.65	0.002	0.15	0.7	0.02	3.8	0.1	<0.05	2	<0.5	<0.2	
U70	Rock	9	13	0.02	203	0.002	<1	0.39	0.002	0.06	0.2	0.01	5.1	<0.1	<0.05	1	<0.5	<0.2	
U71	Rock	15	6	0.01	42	0.001	1	0.75	<0.001	0.07	0.1	0.02	6.1	<0.1	<0.05	2	<0.5	<0.2	
U72	Rock	10	4	0.02	104	0.001	<1	0.24	0.001	0.10	0.2	<0.01	4.9	<0.1	<0.05	<1	<0.5	<0.2	
U73	Rock	12	3	0.01	33	<0.001	1	0.52	0.002	0.14	0.2	<0.01	1.4	0.1	<0.05	1	<0.5	<0.2	
U74	Rock	7	3	0.02	70	<0.001	1	0.21	0.007	0.27	0.2	0.06	0.6	0.2	0.77	5	7.4	23.4	306
U75	Rock	11	8	0.03	94	0.003	2	0.43	0.002	0.05	0.2	0.01	3.4	<0.1	<0.05	1	<0.5	<0.2	
U76	Rock	6	2	0.02	25	0.001	<1	0.27	0.002	0.07	0.1	0.01	0.7	<0.1	<0.05	<1	<0.5	<0.2	
U77	Rock	7	12	0.07	87	0.004	<1	0.30	0.005	0.07	0.1	0.04	1.1	0.1	<0.05	<1	<0.5	<0.2	
U78	Rock	22	19	0.03	190	0.003	<1	0.37	0.002	0.05	0.3	0.07	8.5	0.3	0.20	1	<0.5	<0.2	
U79	Rock	6	4	0.04	223	0.002	2	0.22	0.003	0.12	<0.1	<0.01	2.3	0.3	<0.05	<1	0.8	<0.2	
X214	Rock	15	1	0.02	36	<0.001	<1	0.49	0.002	0.10	<0.1	<0.01	1.0	<0.1	<0.05	1	<0.5	<0.2	



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: **Richards, Gordon**
 6410 Holly Park Drive
 Delta BC V4K 4W6 Canada

Project: PALEO
 Report Date: September 23, 2013

Page: 3 of 3

Part: 1 of 2

CERTIFICATE OF ANALYSIS

VAN13003075.2

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
X235	Rock	0.22	0.6	25.4	154.4	535	1.3	40.8	15.8	631	2.35	42.6	<0.5	5.2	21	1.4	4.0	1.3	37	0.24	0.118
X236	Rock	0.31	1.3	11.7	12.7	73	0.1	10.7	12.3	2007	3.75	14.0	<0.5	7.9	3	0.7	0.6	0.2	36	0.07	0.058
X250	Rock	0.07	0.6	13.7	32.8	122	<0.1	10.9	8.3	373	2.98	2.0	<0.5	10.9	2	0.5	0.3	<0.1	19	<0.01	0.019
X250A	Rock	0.13	0.3	6.4	12.8	25	<0.1	2.4	4.0	290	1.01	216.0	9.5	6.5	2	0.9	0.4	0.1	7	0.12	0.071

CERTIFICATE OF ANALYSIS

VAN13003075.2

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6Gr
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Ag
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	50	
X235	Rock	13	70	0.32	111	0.004	3	0.82	0.005	0.15	0.1	0.01	6.0	0.2	<0.05	3	<0.5	<0.2	
X236	Rock	21	9	0.03	467	0.001	<1	0.46	0.002	0.12	0.1	<0.01	5.2	<0.1	<0.05	2	<0.5	<0.2	
X250	Rock	28	11	0.03	92	0.002	<1	0.78	0.003	0.15	0.1	<0.01	3.3	<0.1	<0.05	2	<0.5	<0.2	
X250A	Rock	12	5	0.01	40	0.002	4	0.54	0.001	0.03	0.1	0.02	1.6	<0.1	<0.05	1	0.5	<0.2	

QUALITY CONTROL REPORT

VAN13003075.2

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
U57	Rock	0.08	0.7	6.4	247.4	12	1.8	3.2	3.6	195	1.28	29.9	3.9	1.5	14	<0.1	5.1	<0.1	5	0.03	0.012
REP U57	QC		0.6	6.2	253.4	13	1.9	3.1	3.5	192	1.26	30.5	3.1	1.6	14	<0.1	4.9	<0.1	5	0.03	0.012
U60	Rock	0.07	1.5	30.0	920.8	1510	0.2	42.8	50.1	5128	4.36	6.0	3.5	5.9	12	8.2	9.3	0.3	82	0.33	0.150
REP U60	QC		1.3	31.1	981.1	1556	0.2	42.8	50.0	5266	4.53	6.2	1.8	6.1	12	8.0	9.4	0.3	83	0.32	0.155
U74	Rock	0.37	2.5	1863	>10000	629	>100	2.7	1.9	255	10.15	3425	716.9	4.5	3	4.6	302.2	350.0	7	0.04	0.021
REP U74	QC																				
Core Reject Duplicates																					
U69	Rock	0.13	1.9	19.7	15.2	62	<0.1	14.0	11.8	1808	4.22	19.3	<0.5	5.8	3	0.1	1.3	<0.1	37	0.02	0.038
DUP U69	QC		1.8	19.5	14.3	61	<0.1	13.9	12.4	1779	4.20	19.7	<0.5	6.2	4	0.1	1.2	<0.1	37	0.02	0.038
Reference Materials																					
STD AGPROOF	Standard																				
STD DS9	Standard		13.1	104.6	130.3	309	1.9	40.9	7.5	571	2.36	25.1	105.5	6.7	66	2.3	5.5	5.6	41	0.73	0.086
STD DS9	Standard		12.3	102.3	128.6	302	1.8	40.1	7.3	571	2.37	24.6	120.8	6.2	65	2.5	5.5	5.6	40	0.71	0.081
STD SP49	Standard																				
STD SP49	Standard																				
STD DS9 Expected			12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819
STD AGPROOF Expected																					
STD SP49 Expected																					
BLK	Blank		<0.1	<0.1	0.2	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank																				
Prep Wash																					
G1	Prep Blank		<0.1	2.9	3.7	44	<0.1	2.7	3.9	531	1.86	<0.5	1.9	4.9	51	<0.1	<0.1	0.1	34	0.47	0.076
G1	Prep Blank		0.1	3.7	3.7	41	<0.1	2.3	3.7	513	1.82	0.6	3.4	4.9	51	<0.1	<0.1	<0.1	33	0.49	0.071

QUALITY CONTROL REPORT

VAN13003075.2

Method	Analyte	Unit	MDL	1DX15 La	1DX15 Cr	1DX15 Mg	1DX15 Ba	1DX15 Ti	1DX15 B	1DX15 Al	1DX15 Na	1DX15 K	1DX15 W	1DX15 Hg	1DX15 Sc	1DX15 Ti	1DX15 S	1DX15 Ga	1DX15 Se	1DX15 Te	G6Gr Ag
				ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t
				1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2		50
Pulp Duplicates																					
U57	Rock			5	7	0.02	86	0.002	4	0.26	0.003	0.23	0.1	0.02	1.0	0.6	0.17	1	<0.5	<0.2	
REP U57	QC			5	8	0.02	86	0.002	4	0.27	0.003	0.23	0.1	0.02	1.0	0.6	0.17	1	<0.5	<0.2	
U60	Rock			12	83	0.40	458	0.010	2	1.86	0.003	0.34	0.4	0.02	24.9	0.9	<0.05	6	<0.5	<0.2	
REP U60	QC			12	85	0.42	470	0.010	2	1.95	0.003	0.36	0.5	0.01	24.9	1.0	<0.05	6	<0.5	<0.2	
U74	Rock			7	3	0.02	70	<0.001	1	0.21	0.007	0.27	0.2	0.06	0.6	0.2	0.77	5	7.4	23.4	306
REP U74	QC																				311
Core Reject Duplicates																					
U69	Rock			20	14	0.02	306	0.001	<1	0.65	0.002	0.15	0.7	0.02	3.8	0.1	<0.05	2	<0.5	<0.2	
DUP U69	QC			20	15	0.02	308	0.001	3	0.66	0.002	0.15	0.6	<0.01	3.7	0.1	<0.05	2	<0.5	<0.2	
Reference Materials																					
STD AGPROOF	Standard																				93
STD DS9	Standard			14	117	0.62	305	0.117	3	0.96	0.084	0.40	3.1	0.20	2.2	5.1	0.17	4	4.8	4.8	
STD DS9	Standard			12	111	0.62	295	0.103	3	0.93	0.081	0.40	2.8	0.22	2.2	5.1	0.17	4	5.5	4.8	
STD SP49	Standard																				55
STD SP49	Standard																				59
STD DS9 Expected				13.3	121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02	
STD AGPROOF Expected																					94
STD SP49 Expected																					60.2
BLK	Blank			<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank			<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																				<50
Prep Wash																					
G1	Prep Blank			11	5	0.46	165	0.108	2	0.88	0.092	0.47	<0.1	<0.01	1.9	0.3	<0.05	4	<0.5	<0.2	
G1	Prep Blank			11	5	0.45	160	0.103	<1	0.87	0.088	0.46	<0.1	<0.01	2.0	0.3	<0.05	4	<0.5	<0.2	