



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Submitted By: Email Distribution List
Receiving Lab: Canada-Whitehorse
Received: June 17, 2013
Report Date: August 09, 2013
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI13000036.1

CLIENT JOB INFORMATION

Project: Lucky Strike
Shipment ID: LSTR_13_001
P.O. Number
Number of Samples: 65

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Goldstrike Resources Ltd.
1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3
CANADA

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Table with 6 columns: Procedure Code, Number of Samples, Code Description, Test Wgt (g), Report Status, Lab. Rows include R200-250, 3B, and 1DX.

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. *** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

CERTIFICATE OF ANALYSIS

WHI13000036.1

Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
1243501	Rock	3.17	3	2.6	39.9	13.0	68	<0.1	22.3	5.5	129	3.97	25.6	2.1	4.3	10	0.3	1.2	0.2	23	0.02
1243502	Rock	3.04	3	1.6	38.2	11.6	46	<0.1	16.5	5.3	130	3.29	8.8	8.2	5.9	9	0.2	0.4	0.2	28	0.02
1243503	Rock	3.43	<2	1.4	52.0	10.1	44	<0.1	16.0	6.3	127	2.74	10.1	2.7	6.4	10	0.2	0.3	0.2	38	0.03
1243504	Rock	3.41	3	1.9	62.7	10.0	50	<0.1	21.4	7.1	170	3.90	12.2	<0.5	3.7	10	0.2	0.6	0.1	43	0.02
1243505	Rock	3.12	4	2.1	65.9	9.6	65	<0.1	26.2	7.3	261	4.51	10.7	3.7	4.8	12	0.3	0.7	0.2	33	0.03
1243506	Rock	2.58	10	0.8	15.3	5.5	40	<0.1	14.8	4.2	236	1.93	3.7	2.2	6.0	7	0.2	0.7	0.3	24	0.02
1243507	Rock	2.51	2	1.4	21.3	11.4	86	<0.1	28.1	5.8	329	4.38	9.1	3.0	5.5	8	0.2	0.6	0.6	19	0.04
1243508	Rock	2.95	<2	0.7	17.1	14.8	58	<0.1	18.4	5.3	371	1.74	27.3	<0.5	5.3	10	0.2	1.1	0.3	23	0.07
1243509	Rock	2.78	3	1.1	18.0	10.9	72	<0.1	35.7	11.8	1283	2.81	12.5	1.2	5.0	11	0.3	0.9	0.3	21	0.08
1243510	Rock	2.98	3	2.4	59.6	14.1	206	0.1	61.6	18.9	625	4.44	36.0	2.1	8.0	12	0.5	0.9	0.3	40	0.04
1243511	Rock	3.44	<2	1.3	25.3	14.8	140	<0.1	43.8	11.2	275	3.64	15.5	<0.5	5.9	9	0.2	0.6	0.2	30	0.06
1243512	Rock	2.92	<2	1.5	26.5	18.7	86	0.1	25.1	10.2	440	2.56	21.2	<0.5	7.1	8	0.1	0.6	0.2	27	0.07
1243513	Rock	2.92	3	3.0	27.7	10.7	45	<0.1	11.5	3.3	107	3.03	17.4	2.0	4.5	8	0.2	0.7	0.1	25	0.03
1243514	Rock	2.81	6	6.6	49.9	15.8	37	0.2	9.4	2.8	103	3.57	20.3	6.4	5.5	10	<0.1	0.8	0.4	32	0.02
1243515	Rock	2.00	44	7.4	49.8	26.7	105	0.1	23.7	8.3	291	4.46	8.1	30.8	4.9	9	0.3	1.0	0.2	30	0.03
1243516	Rock	2.15	65	7.2	66.2	14.7	151	0.2	36.1	11.9	354	6.08	40.8	12.6	5.9	10	0.4	0.7	0.3	54	0.03
1243517	Rock	2.08	63	15.6	39.7	28.2	101	0.2	31.2	7.1	231	4.09	8.6	129.0	5.3	8	0.3	0.6	0.2	30	0.02
1243518	Rock	2.33	57	6.3	29.5	8.1	113	0.1	33.2	14.8	564	3.58	8.8	78.3	5.3	12	0.2	0.8	0.1	32	0.02
1243519	Rock	1.71	9	5.8	59.7	27.2	157	0.1	51.1	10.7	337	5.68	25.3	11.0	6.5	13	0.4	0.8	0.5	36	0.03
1243520	Rock	2.17	4	0.9	18.5	7.6	34	<0.1	8.5	3.1	99	1.46	3.1	4.7	4.9	10	0.1	0.3	0.1	27	0.02
1243521	Rock	1.61	2	1.1	23.0	7.0	36	<0.1	9.2	3.1	112	1.71	4.3	2.2	5.4	9	<0.1	0.3	<0.1	29	0.02
1243522	Rock	1.70	2	0.9	21.3	6.5	29	<0.1	7.5	2.6	92	1.45	4.2	3.1	5.4	11	<0.1	0.4	<0.1	27	0.02
1243523	Rock	1.80	3	1.6	30.5	10.3	48	<0.1	13.8	4.1	123	2.47	12.1	1.7	6.1	11	0.2	0.8	0.2	23	0.02
1243524	Rock	1.83	4	0.9	26.0	10.6	38	0.1	11.3	4.4	171	1.92	4.7	2.6	6.7	7	<0.1	0.6	0.2	23	0.02
1243525	Rock	1.98	4	1.5	31.0	10.1	56	0.1	13.9	5.1	182	2.81	6.6	3.9	5.3	8	0.2	0.5	0.2	23	0.03
LS-REP-1	Rock Pulp	0.80	<2	3.0	21.4	2.3	33	0.3	16.5	9.2	298	1.92	3.2	1.1	0.9	32	0.2	0.2	<0.1	42	0.62
1243526	Rock	2.08	8	1.2	32.1	43.7	70	0.5	20.6	5.5	155	2.79	6.9	4.7	4.8	9	0.2	0.7	2.6	15	0.02
1243527	Rock	2.14	6	2.4	40.3	11.4	108	<0.1	25.9	7.9	244	4.71	10.4	5.7	6.0	9	0.5	0.7	0.3	27	0.02
1243528	Rock	2.31	8	2.1	30.7	14.3	58	<0.1	16.8	5.9	324	3.37	11.1	4.9	6.6	11	0.2	0.4	0.3	26	0.02
1243529	Rock	2.14	3	1.5	34.5	11.7	38	<0.1	9.7	5.5	142	2.43	11.0	2.9	6.0	11	0.2	1.1	0.2	30	0.01



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**
 1300 - 1111 West Georgia Street
 Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike
 Report Date: August 09, 2013

Page: 2 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000036.1

Method Analyte Unit MDL	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2	
1243501	Rock	0.073	10	10	0.03	94	0.005	<20	0.39	0.004	0.16	<0.1	0.56	0.1	<0.05	2.0	<0.5	1	<0.2
1243502	Rock	0.057	9	13	0.08	144	0.014	<20	0.51	0.004	0.25	<0.1	0.32	0.1	<0.05	2.3	1.0	2	<0.2
1243503	Rock	0.049	10	19	0.13	170	0.028	<20	0.68	0.003	0.33	<0.1	0.26	0.2	<0.05	3.0	1.3	3	<0.2
1243504	Rock	0.069	7	18	0.06	128	0.013	<20	0.42	0.002	0.20	<0.1	0.43	0.1	<0.05	2.6	2.3	2	<0.2
1243505	Rock	0.081	11	15	0.07	149	0.010	<20	0.49	0.003	0.22	<0.1	0.80	0.1	<0.05	3.2	2.9	2	<0.2
1243506	Rock	0.027	17	13	0.12	118	0.032	<20	0.52	0.008	0.31	<0.1	1.58	0.2	<0.05	3.4	0.6	2	<0.2
1243507	Rock	0.067	11	10	0.08	132	0.018	<20	0.50	0.008	0.25	<0.1	0.32	0.1	<0.05	1.7	<0.5	1	<0.2
1243508	Rock	0.036	8	12	0.06	130	0.011	<20	0.48	0.004	0.21	<0.1	0.46	0.1	<0.05	2.9	<0.5	2	<0.2
1243509	Rock	0.066	8	9	0.06	196	0.010	<20	0.48	0.009	0.19	<0.1	0.36	<0.1	<0.05	3.8	<0.5	2	<0.2
1243510	Rock	0.083	12	21	0.12	241	0.024	<20	0.66	0.005	0.31	<0.1	0.34	0.2	<0.05	4.0	1.3	3	<0.2
1243511	Rock	0.064	10	15	0.15	184	0.032	<20	0.67	0.005	0.33	<0.1	0.19	0.2	<0.05	2.6	0.6	2	<0.2
1243512	Rock	0.046	11	14	0.06	185	0.011	<20	0.49	0.008	0.20	<0.1	0.25	0.2	<0.05	2.7	<0.5	2	<0.2
1243513	Rock	0.041	8	12	0.08	162	0.015	<20	0.54	0.003	0.25	<0.1	0.26	0.3	<0.05	2.8	2.0	2	<0.2
1243514	Rock	0.047	9	13	0.04	256	0.006	<20	0.50	0.002	0.16	<0.1	0.42	<0.1	<0.05	3.9	5.6	2	<0.2
1243515	Rock	0.080	8	12	0.06	226	0.010	<20	0.43	0.002	0.18	<0.1	0.37	0.1	<0.05	3.6	2.2	1	<0.2
1243516	Rock	0.120	9	29	0.03	245	0.004	<20	0.48	0.004	0.18	<0.1	0.25	0.1	<0.05	5.8	1.4	2	<0.2
1243517	Rock	0.077	11	15	0.04	301	0.006	<20	0.50	0.002	0.14	<0.1	0.29	<0.1	<0.05	4.2	<0.5	1	<0.2
1243518	Rock	0.057	14	18	0.04	269	0.008	<20	0.50	0.006	0.16	<0.1	0.36	0.1	<0.05	5.4	<0.5	2	<0.2
1243519	Rock	0.095	14	23	0.04	518	0.004	<20	0.48	0.004	0.16	<0.1	0.18	0.1	<0.05	5.1	1.1	2	<0.2
1243520	Rock	0.023	11	16	0.18	236	0.043	<20	0.63	0.003	0.36	<0.1	0.03	0.1	<0.05	2.1	<0.5	2	<0.2
1243521	Rock	0.027	14	16	0.15	236	0.041	<20	0.57	0.004	0.36	<0.1	0.07	0.2	<0.05	2.1	<0.5	2	<0.2
1243522	Rock	0.024	14	14	0.16	266	0.042	<20	0.56	0.004	0.36	<0.1	0.04	0.2	<0.05	2.4	0.6	2	<0.2
1243523	Rock	0.046	14	10	0.08	175	0.017	<20	0.46	0.002	0.23	<0.1	0.05	0.1	<0.05	2.9	0.6	2	<0.2
1243524	Rock	0.028	12	12	0.12	193	0.029	<20	0.62	0.004	0.30	<0.1	0.05	0.2	<0.05	2.0	<0.5	2	<0.2
1243525	Rock	0.047	11	13	0.13	214	0.033	<20	0.58	0.009	0.32	<0.1	0.05	0.2	<0.05	2.2	0.6	2	<0.2
LS-REP-1	Rock Pulp	0.048	5	21	0.51	90	0.084	<20	1.09	0.062	0.07	17.7	0.02	<0.1	<0.05	3.6	<0.5	4	<0.2
1243526	Rock	0.045	11	8	0.03	158	0.005	<20	0.45	0.005	0.21	<0.1	0.04	<0.1	<0.05	2.4	1.6	1	<0.2
1243527	Rock	0.085	16	13	0.10	147	0.023	<20	0.56	0.008	0.28	<0.1	0.07	0.2	<0.05	3.5	1.6	2	<0.2
1243528	Rock	0.063	17	11	0.09	180	0.019	<20	0.66	0.004	0.28	<0.1	0.12	0.2	<0.05	3.1	1.1	2	<0.2
1243529	Rock	0.042	14	12	0.06	114	0.013	<20	0.44	0.007	0.19	<0.1	0.07	0.1	<0.05	2.8	0.7	2	<0.2

CERTIFICATE OF ANALYSIS

WHI13000036.1

Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
1243530	Rock	2.17	6	2.9	55.8	16.0	97	0.1	26.1	9.3	324	5.68	13.6	3.5	8.2	14	0.4	0.7	0.3	47	0.03
1243531	Rock	3.15	<2	4.0	12.1	4.7	27	0.1	8.0	3.6	234	1.83	3.9	3.2	8.6	7	0.1	0.3	0.1	13	0.04
1243532	Rock	2.31	5	0.6	10.3	6.0	20	<0.1	5.7	3.0	196	1.92	8.0	<0.5	10.0	8	<0.1	0.4	0.1	14	0.04
1243533	Rock	2.79	13	6.3	25.9	11.3	69	0.2	23.7	7.9	268	2.95	11.4	10.8	6.8	9	0.3	0.5	0.2	21	0.04
1243534	Rock	2.52	2	0.7	20.9	5.7	20	<0.1	6.4	1.7	66	1.26	4.1	0.9	4.8	7	<0.1	0.3	0.1	10	0.02
1243535	Rock	2.00	4	0.8	21.2	8.3	26	<0.1	9.1	4.2	149	1.75	6.1	<0.5	4.6	8	<0.1	0.2	0.1	19	0.04
1243536	Rock	1.60	4	0.7	19.9	6.9	53	<0.1	15.4	6.6	212	2.14	6.5	0.8	9.4	5	0.1	0.3	0.2	26	0.09
1243537	Rock	1.68	4	0.9	44.6	8.5	51	<0.1	16.4	5.8	164	2.88	14.2	2.2	7.0	6	0.1	0.3	0.2	28	0.04
1243538	Rock	1.77	24	1.3	53.3	18.1	104	0.1	31.2	8.9	263	3.90	8.5	11.0	11.1	7	0.3	0.3	0.2	39	0.11
1243539	Rock	1.55	57	0.5	15.8	11.8	43	0.1	12.4	3.6	137	1.73	4.6	49.1	7.6	6	<0.1	0.6	<0.1	28	0.12
1243540	Rock	1.56	<2	0.6	20.0	10.6	47	<0.1	14.1	4.6	141	1.80	2.7	2.3	7.3	6	<0.1	0.2	0.1	30	0.13
1243541	Rock	1.89	3	0.7	21.0	11.9	43	<0.1	12.6	3.8	134	1.60	2.3	2.3	6.3	6	<0.1	0.1	0.1	24	0.12
1243542	Rock	1.99	4	1.0	22.9	9.8	67	<0.1	21.4	5.6	182	2.59	4.5	1.7	10.0	6	<0.1	0.2	0.1	29	0.12
1243543	Rock	2.25	8	1.4	41.7	17.3	72	0.2	23.4	6.5	221	2.98	6.7	9.7	11.9	7	<0.1	0.2	0.2	37	0.13
1243544	Rock	2.14	3	1.4	28.7	12.2	56	<0.1	20.0	5.7	201	2.73	10.0	2.2	8.1	6	<0.1	0.2	0.2	25	0.10
1243545	Rock	2.19	5	2.5	44.7	21.5	83	0.1	29.5	6.0	234	4.26	6.1	4.5	10.5	8	0.2	0.2	0.2	30	0.10
1243546	Rock	2.10	6	1.1	28.4	11.2	60	0.1	17.7	5.3	174	2.39	4.8	2.5	17.6	8	<0.1	0.3	<0.1	27	0.10
1243547	Rock	2.71	6	2.0	49.7	14.9	78	0.2	26.3	8.0	259	4.09	8.7	3.0	10.4	7	0.2	0.2	0.1	37	0.11
1243548	Rock	2.27	8	1.6	54.0	18.6	87	0.2	28.3	8.7	386	3.10	7.6	4.1	10.7	7	0.3	0.2	0.2	32	0.10
1243549	Rock	2.45	3	0.8	19.7	12.4	65	<0.1	22.7	4.8	201	1.80	6.6	2.3	4.9	6	0.1	0.1	0.2	15	0.10
1243550	Rock	2.77	38	1.8	27.0	6.2	78	<0.1	28.2	8.6	349	3.50	5.3	32.4	5.9	8	<0.1	0.8	0.2	17	0.02
LS-REP-2	Rock Pulp	0.80	6526	1.5	14.4	21.3	57	0.2	12.0	1.2	902	0.57	4286	6936	1.2	179	0.5	18.4	0.3	17	27.08
1243551	Rock	2.61	548	12.1	17.3	10.1	44	0.1	14.5	3.6	130	2.17	6.4	140.4	5.6	10	0.1	0.9	<0.1	14	0.04
1243552	Rock	2.06	8	2.8	58.4	21.6	96	0.1	25.6	6.1	197	3.88	5.6	9.5	8.9	9	0.3	0.5	0.1	37	0.07
1243553	Rock	2.07	4	1.2	28.2	9.8	95	0.1	25.0	6.9	211	3.00	4.4	1.5	7.9	8	0.1	0.3	<0.1	34	0.08
1243554	Rock	2.12	3	0.6	18.8	8.3	56	0.1	17.5	4.3	141	1.80	5.2	1.3	4.9	9	0.1	0.2	<0.1	23	0.02
1243555	Rock	2.31	2	1.4	18.3	8.7	150	<0.1	47.0	8.4	335	3.89	4.5	3.8	5.6	10	<0.1	0.1	<0.1	29	0.06
1243556	Rock	2.59	3	1.4	25.2	9.0	88	0.1	26.3	7.5	246	3.06	2.4	0.6	10.4	9	<0.1	0.1	<0.1	37	0.07
1243557	Rock	2.60	12	1.2	29.2	10.4	76	<0.1	23.6	7.8	313	2.64	4.0	<0.5	8.2	7	0.1	0.2	<0.1	31	0.09
1243558	Rock	2.67	4	4.9	29.4	9.2	99	<0.1	29.1	11.6	517	3.04	3.5	<0.5	8.8	6	<0.1	0.1	<0.1	33	0.10



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**
 1300 - 1111 West Georgia Street
 Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike
 Report Date: August 09, 2013

Page: 3 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000036.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	
1243530	Rock	0.107	19	22	0.12	224	0.022	<20	0.73	0.005	0.30	<0.1	0.06	0.3	<0.05	4.1	1.8	3	<0.2
1243531	Rock	0.020	13	5	0.09	146	0.024	<20	0.49	0.033	0.27	<0.1	0.02	0.2	<0.05	2.5	<0.5	1	<0.2
1243532	Rock	0.026	18	5	0.09	139	0.029	<20	0.59	0.026	0.29	<0.1	0.03	0.2	<0.05	2.5	<0.5	2	<0.2
1243533	Rock	0.037	15	13	0.10	132	0.019	<20	0.51	0.016	0.23	<0.1	0.05	0.1	<0.05	4.3	0.7	2	<0.2
1243534	Rock	0.028	12	5	0.03	71	0.005	<20	0.35	0.028	0.13	<0.1	0.03	<0.1	<0.05	2.3	0.5	<1	<0.2
1243535	Rock	0.030	10	14	0.08	146	0.017	<20	0.45	0.022	0.25	<0.1	0.08	0.1	<0.05	2.3	1.1	1	<0.2
1243536	Rock	0.040	23	13	0.14	133	0.028	<20	0.69	0.013	0.36	<0.1	0.02	0.2	<0.05	2.5	<0.5	3	<0.2
1243537	Rock	0.052	12	14	0.10	123	0.021	<20	0.56	0.003	0.25	<0.1	0.04	0.1	<0.05	2.4	0.7	2	<0.2
1243538	Rock	0.081	24	20	0.21	195	0.051	<20	0.88	0.007	0.47	<0.1	0.05	0.2	<0.05	2.8	1.6	3	<0.2
1243539	Rock	0.045	19	15	0.22	189	0.058	<20	0.72	0.009	0.44	<0.1	0.02	0.2	<0.05	2.6	0.9	2	<0.2
1243540	Rock	0.053	18	16	0.28	189	0.073	<20	0.87	0.020	0.51	<0.1	0.01	0.3	<0.05	2.5	<0.5	3	<0.2
1243541	Rock	0.051	13	13	0.20	181	0.049	<20	0.75	0.016	0.41	<0.1	0.01	0.2	<0.05	1.7	<0.5	2	<0.2
1243542	Rock	0.058	25	17	0.21	196	0.058	<20	0.83	0.009	0.48	<0.1	0.03	0.2	<0.05	2.8	0.6	2	<0.2
1243543	Rock	0.076	27	19	0.23	193	0.055	<20	0.85	0.017	0.46	<0.1	0.02	0.2	<0.05	3.0	2.6	3	<0.2
1243544	Rock	0.061	16	13	0.15	161	0.034	<20	0.66	0.002	0.34	<0.1	0.02	0.2	<0.05	1.9	0.9	2	<0.2
1243545	Rock	0.099	22	17	0.19	202	0.045	<20	0.82	0.008	0.40	<0.1	0.02	0.2	<0.05	2.4	1.9	2	<0.2
1243546	Rock	0.050	47	16	0.26	198	0.070	<20	1.00	0.014	0.54	<0.1	0.03	0.3	<0.05	2.6	0.7	3	<0.2
1243547	Rock	0.082	19	20	0.22	190	0.051	<20	0.87	0.006	0.45	<0.1	0.03	0.3	<0.05	2.7	1.5	3	<0.2
1243548	Rock	0.066	22	17	0.18	190	0.033	<20	0.77	0.007	0.38	<0.1	0.02	0.2	<0.05	3.2	0.8	3	<0.2
1243549	Rock	0.051	9	9	0.07	93	0.009	<20	0.52	0.017	0.24	<0.1	<0.01	0.1	<0.05	1.8	<0.5	1	<0.2
1243550	Rock	0.046	17	10	0.04	118	0.005	<20	0.34	<0.001	0.18	<0.1	0.08	0.1	<0.05	4.1	<0.5	<1	<0.2
LS-REP-2	Rock Pulp	0.016	7	21	5.50	40	0.001	<20	0.17	0.010	0.05	3.8	4.48	15.7	<0.05	2.9	0.6	<1	<0.2
1243551	Rock	0.048	16	10	0.06	131	0.010	<20	0.38	0.001	0.22	<0.1	0.09	0.1	<0.05	2.8	0.6	1	<0.2
1243552	Rock	0.079	15	21	0.18	210	0.042	<20	0.81	0.003	0.43	<0.1	0.04	0.3	<0.05	3.3	1.1	3	<0.2
1243553	Rock	0.049	14	19	0.20	212	0.049	<20	0.80	0.002	0.42	<0.1	0.03	0.3	<0.05	2.7	<0.5	3	<0.2
1243554	Rock	0.031	9	11	0.09	146	0.015	<20	0.46	0.004	0.22	<0.1	0.07	0.1	<0.05	2.0	<0.5	2	<0.2
1243555	Rock	0.039	10	16	0.13	227	0.027	<20	0.60	<0.001	0.27	<0.1	0.09	0.2	<0.05	3.2	0.7	2	<0.2
1243556	Rock	0.042	20	22	0.28	270	0.060	<20	0.89	0.006	0.52	<0.1	0.06	0.3	<0.05	3.7	<0.5	3	<0.2
1243557	Rock	0.044	16	18	0.24	226	0.057	<20	0.80	0.005	0.47	<0.1	0.05	0.2	<0.05	3.1	<0.5	3	<0.2
1243558	Rock	0.045	18	15	0.21	233	0.050	<20	0.76	0.005	0.42	<0.1	0.06	0.3	<0.05	2.7	0.7	3	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
 1300 - 1111 West Georgia Street
 Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike
Report Date: August 09, 2013

Page: 4 of 4

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI13000036.1

Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
1243559	Rock	2.21	26	1.9	41.5	11.4	85	0.1	26.1	11.6	523	3.44	2.5	18.2	9.8	7	0.2	<0.1	<0.1	46	0.10
1243560	Rock	2.61	8	1.8	37.9	8.7	106	<0.1	31.2	7.9	255	4.24	3.7	2.1	8.5	7	0.1	0.1	<0.1	44	0.09
1243561	Rock	2.42	5	1.9	40.4	10.3	71	<0.1	21.5	6.3	155	3.11	4.2	3.2	6.8	6	<0.1	0.1	<0.1	24	0.06
1243562	Rock	2.68	4	1.8	48.7	22.1	103	<0.1	34.2	9.2	221	3.42	10.3	1.8	8.6	8	0.1	0.1	0.3	36	0.04
1243563	Rock	2.83	<2	0.8	16.4	15.7	34	<0.1	13.1	4.5	126	1.39	4.7	<0.5	4.3	4	<0.1	<0.1	<0.1	14	0.03



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**

1300 - 1111 West Georgia Street

Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike

Report Date: August 09, 2013

Page: 4 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000036.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	
1243559	Rock	0.056	23	24	0.34	309	0.080	<20	1.03	0.008	0.62	<0.1	0.09	0.4	<0.05	3.4	0.8	4	<0.2
1243560	Rock	0.063	17	19	0.22	188	0.044	<20	0.76	0.003	0.42	<0.1	0.12	0.2	<0.05	3.3	1.1	3	<0.2
1243561	Rock	0.049	14	12	0.13	149	0.023	<20	0.55	0.002	0.27	<0.1	0.08	0.1	<0.05	2.5	1.7	2	<0.2
1243562	Rock	0.053	14	16	0.10	160	0.016	<20	0.53	0.001	0.22	<0.1	0.08	0.1	<0.05	3.9	1.2	2	<0.2
1243563	Rock	0.033	9	7	0.04	99	0.006	<20	0.29	0.002	0.15	<0.1	0.02	<0.1	<0.05	1.3	0.7	1	<0.2

QUALITY CONTROL REPORT

WHI13000036.1

Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
Pulp Duplicates																					
1243512	Rock	2.92	<2	1.5	26.5	18.7	86	0.1	25.1	10.2	440	2.56	21.2	<0.5	7.1	8	0.1	0.6	0.2	27	0.07
REP 1243512	QC	<2																			
1243524	Rock	1.83	4	0.9	26.0	10.6	38	0.1	11.3	4.4	171	1.92	4.7	2.6	6.7	7	<0.1	0.6	0.2	23	0.02
REP 1243524	QC	1.0		26.0	10.9	39	0.1	10.8	4.6	174	1.97	4.9	3.9	6.8	7	<0.1	0.6	0.2	23	0.03	
1243545	Rock	2.19	5	2.5	44.7	21.5	83	0.1	29.5	6.0	234	4.26	6.1	4.5	10.5	8	0.2	0.2	0.2	30	0.10
REP 1243545	QC	5																			
1243546	Rock	2.10	6	1.1	28.4	11.2	60	0.1	17.7	5.3	174	2.39	4.8	2.5	17.6	8	<0.1	0.3	<0.1	27	0.10
REP 1243546	QC	1.1		27.3	11.0	59	0.1	18.2	5.4	175	2.40	4.7	1.1	19.0	8	0.2	0.2	<0.1	26	0.13	
Core Reject Duplicates																					
1243507	Rock	2.51	2	1.4	21.3	11.4	86	<0.1	28.1	5.8	329	4.38	9.1	3.0	5.5	8	0.2	0.6	0.6	19	0.04
DUP 1243507	QC	4		1.3	22.5	11.4	92	<0.1	29.4	5.9	329	4.38	8.9	0.6	5.3	7	0.2	0.7	0.7	19	0.04
1243540	Rock	1.56	<2	0.6	20.0	10.6	47	<0.1	14.1	4.6	141	1.80	2.7	2.3	7.3	6	<0.1	0.2	0.1	30	0.13
DUP 1243540	QC	2		0.6	19.7	10.7	46	<0.1	14.3	4.4	140	1.80	2.6	1.6	7.1	6	<0.1	0.2	<0.1	29	0.13
Reference Materials																					
STD DS9	Standard	11.7		105.7	129.4	318	1.7	36.5	7.1	580	2.35	26.0	112.6	5.9	77	2.4	4.8	7.3	38	0.70	
STD DS9	Standard	11.0		101.7	121.5	287	1.7	39.9	6.9	569	2.24	24.2	83.8	5.8	67	2.4	4.1	5.5	37	0.68	
STD OREAS45EA	Standard	1.2		674.2	15.3	29	0.3	364.9	53.1	414	21.91	7.9	55.0	10.7	4	<0.1	0.1	0.3	318	0.04	
STD OREAS45EA	Standard	1.2		678.4	15.2	30	0.3	373.8	51.0	417	23.50	7.5	49.6	11.3	4	<0.1	0.2	0.2	295	0.03	
STD OXK94	Standard	3719																			
STD OXK94	Standard	3612																			
STD SH55	Standard	1393																			
STD SH55	Standard	1391																			
STD SH55 Expected	1375																				
STD OXK94 Expected	3562																				
STD DS9 Expected	12.84		108	126	317	1.83	40.3	7.6	575	2.33	25.5	118	6.38	69.6	2.4	4.94	6.32	40	0.7201		
STD OREAS45EA Expected	1.78		709	14.3	30.6	0.311	357	52	400	22.65	11.4	53	10.7	4.05	0.03	0.64	0.26	295	0.032		
BLK	Blank	<2																			
BLK	Blank	<2																			

QUALITY CONTROL REPORT

WHI13000036.1

Method		1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX		
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	
Pulp Duplicates																				
1243512	Rock	0.046	11	14	0.06	185	0.011	<20	0.49	0.008	0.20	<0.1	0.25	0.2	<0.05	2.7	<0.5	2	<0.2	
REP 1243512	QC																			
1243524	Rock	0.028	12	12	0.12	193	0.029	<20	0.62	0.004	0.30	<0.1	0.05	0.2	<0.05	2.0	<0.5	2	<0.2	
REP 1243524	QC	0.028	12	12	0.12	198	0.030	<20	0.63	0.005	0.31	<0.1	0.06	0.2	<0.05	2.0	<0.5	2	<0.2	
1243545	Rock	0.099	22	17	0.19	202	0.045	<20	0.82	0.008	0.40	<0.1	0.02	0.2	<0.05	2.4	1.9	2	<0.2	
REP 1243545	QC																			
1243546	Rock	0.050	47	16	0.26	198	0.070	<20	1.00	0.014	0.54	<0.1	0.03	0.3	<0.05	2.6	0.7	3	<0.2	
REP 1243546	QC	0.047	47	16	0.26	200	0.073	<20	1.00	0.014	0.54	<0.1	0.02	0.3	<0.05	2.4	1.1	3	<0.2	
Core Reject Duplicates																				
1243507	Rock	0.067	11	10	0.08	132	0.018	<20	0.50	0.008	0.25	<0.1	0.32	0.1	<0.05	1.7	<0.5	1	<0.2	
DUP 1243507	QC	0.069	11	10	0.08	130	0.018	<20	0.46	0.007	0.24	<0.1	0.31	0.1	<0.05	1.7	<0.5	1	<0.2	
1243540	Rock	0.053	18	16	0.28	189	0.073	<20	0.87	0.020	0.51	<0.1	0.01	0.3	<0.05	2.5	<0.5	3	<0.2	
DUP 1243540	QC	0.050	17	16	0.28	180	0.072	<20	0.84	0.017	0.49	<0.1	0.02	0.3	<0.05	2.2	<0.5	3	<0.2	
Reference Materials																				
STD DS9	Standard	0.088	12	110	0.62	307	0.094	<20	0.95	0.082	0.40	2.7	0.21	5.2	0.17	2.3	6.4	4	4.9	
STD DS9	Standard	0.080	11	116	0.61	292	0.099	<20	0.91	0.076	0.39	2.3	0.22	4.7	0.16	1.8	4.4	4	4.9	
STD OREAS45EA	Standard	0.030	7	813	0.10	152	0.086	<20	3.04	0.017	0.05	<0.1	0.02	<0.1	<0.05	76.7	<0.5	12	<0.2	
STD OREAS45EA	Standard	0.028	7	810	0.10	150	0.088	<20	2.99	0.015	0.05	<0.1	0.01	<0.1	<0.05	80.4	<0.5	13	<0.2	
STD OXK94	Standard																			
STD OXK94	Standard																			
STD SH55	Standard																			
STD SH55	Standard																			
STD SH55 Expected																				
STD OXK94 Expected																				
STD DS9 Expected		0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02	
STD OREAS45EA Expected		0.029	8.19	849	0.095	148	0.106		3.32	0.027	0.053		0.34	0.072	0.044	78	2.09	11.7	0.11	
BLK	Blank																			
BLK	Blank																			



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
 1300 - 1111 West Georgia Street
 Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike
Report Date: August 09, 2013

Page: 2 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI13000036.1

		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1-WHI	Prep Blank		<2	<0.1	1.9	3.0	47	<0.1	3.5	4.1	556	1.97	0.6	4.9	4.4	57	0.1	<0.1	<0.1	34	0.43
G1-WHI	Prep Blank		<2	<0.1	2.2	2.9	47	<0.1	3.6	4.4	550	1.97	<0.5	1.1	4.5	60	<0.1	<0.1	<0.1	34	0.42



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
 1300 - 1111 West Georgia Street
 Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike
Report Date: August 09, 2013

Page: 2 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI13000036.1

		1DX P %	1DX La ppm	1DX Cr ppm	1DX Mg %	1DX Ba ppm	1DX Ti %	1DX B ppm	1DX Al %	1DX Na %	1DX K %	1DX W ppm	1DX Hg ppm	1DX Tl ppm	1DX S %	1DX Sc ppm	1DX Se ppm	1DX Ga ppm	1DX Te ppm
BLK	Blank	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
Prep Wash																			
G1-WHI	Prep Blank	0.077	8	7	0.59	219	0.117	<20	0.94	0.074	0.49	<0.1	<0.01	0.3	<0.05	2.1	<0.5	5	<0.2
G1-WHI	Prep Blank	0.075	8	7	0.57	211	0.120	<20	0.94	0.074	0.46	<0.1	0.02	0.3	<0.05	2.0	<0.5	5	<0.2