



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**
1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Submitted By: Email Distribution List
Receiving Lab: Canada-Whitehorse
Received: June 17, 2013
Report Date: August 09, 2013
Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI13000037.1

CLIENT JOB INFORMATION

Project: Lucky Strike
Shipment ID: LSTR_13_002
P.O. Number
Number of Samples: 36

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Goldstrike Resources Ltd.
1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3
CANADA

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	35	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	36	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	36	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. *** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

CERTIFICATE OF ANALYSIS

WHI13000037.1

Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
1243564	Rock	3.57	88	2.1	34.6	39.4	68	0.1	18.5	3.9	96	3.58	13.5	54.5	4.5	25	0.2	1.7	0.1	9	0.01
1243565	Rock	2.61	318	4.1	22.3	25.7	49	0.1	15.7	3.6	85	1.98	13.2	145.0	3.3	34	0.2	1.2	0.1	9	0.01
1243566	Rock	2.86	6	1.8	45.8	16.6	163	0.1	40.9	8.4	130	5.96	15.6	11.1	6.2	15	0.4	1.5	0.1	22	0.01
1243567	Rock	2.85	133	1.8	34.0	21.4	99	0.1	22.8	6.8	162	4.20	11.7	110.3	4.7	19	0.3	1.2	<0.1	16	<0.01
1243568	Rock	3.13	237	1.6	24.9	14.8	27	0.1	7.6	2.9	110	1.48	7.1	67.4	5.7	15	<0.1	1.7	<0.1	11	<0.01
1243569	Rock	2.97	27	1.1	15.5	10.1	25	0.1	7.1	2.0	67	1.20	4.6	41.3	6.7	16	0.1	2.1	<0.1	11	<0.01
1243570	Rock	2.88	28	2.2	23.8	16.0	23	<0.1	6.4	2.8	75	1.30	7.6	29.5	6.0	18	0.1	1.5	0.1	11	0.01
1243571	Rock	3.09	4	1.5	25.7	29.1	27	<0.1	7.9	3.5	93	1.44	5.4	6.9	5.4	14	0.1	1.2	<0.1	13	0.01
1243572	Rock	2.30	4	1.2	21.1	8.8	32	<0.1	8.9	4.0	93	1.52	5.5	3.4	6.1	15	<0.1	1.0	<0.1	11	<0.01
1243573	Rock	2.43	8	2.0	32.5	12.7	43	<0.1	13.0	5.1	104	2.41	16.6	7.0	6.1	15	0.1	1.1	<0.1	21	0.01
1243574	Rock	2.43	571	35.5	36.8	21.3	68	<0.1	22.9	8.0	169	3.54	30.0	82.2	7.0	16	0.3	1.2	0.3	24	0.02
1243575	Rock	2.53	93	5.6	32.0	21.0	88	0.1	24.7	11.6	366	3.48	50.2	88.4	5.9	14	0.3	1.1	0.1	22	0.01
LS-REP-3	Rock Pulp	0.08	2	3.1	22.7	2.4	35	0.4	18.2	9.6	312	1.98	3.2	1.3	1.0	34	0.2	0.2	0.2	48	0.70
1243576	Rock	2.35	128	17.8	49.8	13.3	85	0.1	24.4	8.9	223	4.04	29.8	99.3	9.9	13	0.2	1.2	0.2	27	0.02
1243577	Rock	2.53	10	3.5	60.1	19.9	158	<0.1	41.1	11.1	300	6.85	37.1	9.6	8.6	13	0.4	0.7	0.1	40	0.02
1243578	Rock	2.62	46	1.4	37.2	11.2	110	0.1	39.7	11.2	303	3.75	8.6	65.7	13.7	9	0.3	0.4	0.1	36	0.03
1243579	Rock	2.83	67	1.4	28.7	7.4	77	0.1	24.3	10.0	492	3.52	9.8	89.7	11.3	10	0.2	0.3	0.1	33	0.08
1243580	Rock	2.77	89	2.4	41.6	9.0	101	0.1	28.2	9.9	351	4.64	15.4	72.0	11.1	10	0.2	0.6	0.2	34	0.03
1243581	Rock	2.78	6	2.4	37.0	8.5	64	<0.1	19.3	8.7	181	3.38	21.2	7.5	7.4	10	0.2	0.9	<0.1	22	<0.01
1243582	Rock	2.73	3	0.9	23.1	7.3	65	<0.1	19.5	6.3	264	2.20	2.6	3.3	8.0	9	<0.1	0.1	<0.1	24	0.09
1243583	Rock	2.74	2	0.6	19.0	6.7	69	<0.1	22.5	7.3	210	2.24	2.3	1.9	9.8	5	<0.1	0.1	0.1	36	0.14
1243584	Rock	2.29	4	1.0	17.1	10.5	14	<0.1	5.0	1.9	47	0.88	5.5	<0.5	5.8	13	<0.1	1.2	<0.1	11	<0.01
1243585	Rock	2.10	7	1.6	22.8	8.2	29	<0.1	9.6	2.6	47	1.51	6.1	1.1	5.0	14	0.1	1.3	<0.1	11	<0.01
1243586	Rock	2.42	6	1.5	20.6	12.6	30	<0.1	8.6	5.4	99	1.40	6.0	2.9	6.5	10	0.1	1.6	0.1	10	<0.01
1243587	Rock	2.28	64	17.3	41.4	26.1	70	0.1	21.9	9.2	193	3.61	25.9	24.3	7.0	12	0.3	1.5	0.1	26	0.02
1243588	Rock	2.45	36	2.5	33.7	7.0	70	0.1	20.9	7.4	171	2.61	14.1	24.5	8.6	11	0.2	0.6	<0.1	24	0.02
1243589	Rock	3.26	6	2.6	39.4	10.8	125	<0.1	34.8	11.2	339	3.52	61.4	3.3	4.5	9	0.4	1.4	<0.1	18	0.01
1243590	Rock	2.91	6	2.5	55.5	7.6	125	<0.1	30.1	9.4	244	4.60	27.0	2.9	5.7	15	0.4	1.9	0.1	23	0.01
1243591	Rock	2.61	9	1.9	52.6	14.5	88	0.1	27.7	9.1	285	3.69	10.2	5.0	9.7	10	0.2	0.5	0.1	30	0.03
1243592	Rock	3.04	8	2.0	55.5	13.4	131	0.1	42.1	12.3	339	4.39	14.4	9.9	13.7	18	0.2	0.3	0.2	35	0.04



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**
 1300 - 1111 West Georgia Street
 Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike
 Report Date: August 09, 2013

Page: 2 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000037.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	
1243564	Rock	0.051	12	9	0.02	123	0.004	<20	0.31	0.003	0.17	<0.1	0.12	<0.1	<0.05	2.0	<0.5	<1	<0.2
1243565	Rock	0.039	11	8	0.02	126	0.002	<20	0.39	0.003	0.19	<0.1	0.10	<0.1	<0.05	2.0	0.7	<1	<0.2
1243566	Rock	0.123	15	9	0.03	119	0.005	<20	0.38	0.002	0.21	<0.1	0.17	<0.1	<0.05	2.6	1.0	1	<0.2
1243567	Rock	0.089	13	5	0.02	96	0.002	<20	0.32	0.002	0.20	<0.1	0.48	<0.1	<0.05	1.8	0.9	<1	<0.2
1243568	Rock	0.037	17	6	0.02	89	0.003	<20	0.29	0.002	0.18	<0.1	0.33	<0.1	<0.05	1.8	0.6	<1	<0.2
1243569	Rock	0.028	18	7	0.03	106	0.004	<20	0.29	0.003	0.20	<0.1	0.12	<0.1	<0.05	1.5	<0.5	<1	<0.2
1243570	Rock	0.026	17	7	0.03	109	0.004	<20	0.34	0.002	0.17	<0.1	0.14	<0.1	<0.05	1.7	1.3	1	<0.2
1243571	Rock	0.025	15	8	0.04	125	0.007	<20	0.37	0.004	0.20	<0.1	0.16	<0.1	<0.05	1.7	1.0	1	<0.2
1243572	Rock	0.030	16	7	0.04	139	0.006	<20	0.35	0.003	0.20	<0.1	0.22	<0.1	<0.05	1.4	0.7	<1	<0.2
1243573	Rock	0.039	14	12	0.05	154	0.009	<20	0.45	0.005	0.22	<0.1	0.21	0.1	<0.05	2.3	0.7	1	<0.2
1243574	Rock	0.052	15	11	0.03	152	0.004	<20	0.43	0.003	0.17	<0.1	0.20	0.1	<0.05	2.7	1.2	1	<0.2
1243575	Rock	0.053	11	9	0.04	202	0.006	<20	0.44	0.004	0.18	<0.1	0.16	0.2	<0.05	2.0	<0.5	1	<0.2
LS-REP-3	Rock Pulp	0.049	5	21	0.53	94	0.108	<20	1.14	0.063	0.08	17.4	<0.01	0.1	<0.05	3.8	<0.5	4	<0.2
1243576	Rock	0.059	18	14	0.11	164	0.022	<20	0.63	0.002	0.29	<0.1	0.18	0.2	<0.05	3.7	1.1	2	<0.2
1243577	Rock	0.125	15	14	0.08	175	0.014	<20	0.61	0.003	0.25	<0.1	0.23	0.2	<0.05	3.2	0.6	2	<0.2
1243578	Rock	0.051	35	20	0.19	161	0.041	<20	0.70	0.011	0.38	<0.1	0.11	0.2	<0.05	4.5	0.6	2	<0.2
1243579	Rock	0.067	21	15	0.22	216	0.057	<20	0.93	0.016	0.51	<0.1	0.09	0.3	<0.05	2.8	0.7	3	<0.2
1243580	Rock	0.076	19	16	0.14	177	0.028	<20	0.72	0.006	0.33	<0.1	0.17	0.2	<0.05	3.6	1.1	2	<0.2
1243581	Rock	0.052	14	11	0.05	142	0.010	<20	0.49	0.004	0.21	<0.1	0.15	0.2	<0.05	2.5	0.7	1	<0.2
1243582	Rock	0.050	21	13	0.19	169	0.052	<20	0.75	0.014	0.44	<0.1	0.03	0.2	<0.05	2.2	<0.5	2	<0.2
1243583	Rock	0.059	20	19	0.36	237	0.110	<20	1.12	0.022	0.70	<0.1	0.01	0.4	<0.05	2.3	<0.5	3	<0.2
1243584	Rock	0.017	15	6	0.03	122	0.005	<20	0.31	0.002	0.19	<0.1	0.15	<0.1	<0.05	1.3	0.6	<1	<0.2
1243585	Rock	0.026	13	7	0.02	106	0.003	<20	0.28	0.002	0.16	<0.1	0.17	<0.1	<0.05	1.2	0.9	<1	<0.2
1243586	Rock	0.030	19	6	0.02	117	0.002	<20	0.28	0.003	0.17	<0.1	0.16	<0.1	<0.05	1.5	0.8	<1	<0.2
1243587	Rock	0.060	15	11	0.08	153	0.012	<20	0.51	0.005	0.23	<0.1	0.18	0.2	<0.05	3.2	0.9	2	<0.2
1243588	Rock	0.039	18	13	0.11	169	0.024	<20	0.55	0.006	0.29	<0.1	0.12	0.2	<0.05	2.4	<0.5	2	<0.2
1243589	Rock	0.072	8	9	0.03	159	0.005	<20	0.32	0.003	0.14	<0.1	0.17	0.1	<0.05	1.6	<0.5	<1	<0.2
1243590	Rock	0.086	11	12	0.07	171	0.013	<20	0.46	0.003	0.20	<0.1	0.21	0.2	<0.05	2.3	1.5	1	<0.2
1243591	Rock	0.070	24	15	0.14	150	0.027	<20	0.67	0.007	0.32	<0.1	0.11	0.2	<0.05	4.1	1.8	2	<0.2
1243592	Rock	0.065	30	17	0.20	202	0.039	<20	0.86	0.010	0.44	<0.1	0.10	0.2	<0.05	3.5	1.0	3	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
 1300 - 1111 West Georgia Street
 Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike
Report Date: August 09, 2013

Page: 3 of 3

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI13000037.1

Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
1243593	Rock	2.78	5	1.6	35.3	12.3	110	<0.1	35.5	9.4	238	3.62	3.3	1.6	11.0	11	0.1	0.3	0.1	35	0.08
1243594	Rock	3.79	<2	0.8	20.2	11.2	58	<0.1	14.7	3.8	162	2.16	2.1	<0.5	9.8	17	<0.1	0.1	0.2	27	0.11
1243595	Rock	1.80	5	2.0	21.0	10.2	63	<0.1	17.3	10.4	277	2.91	37.0	<0.5	10.9	12	<0.1	0.7	<0.1	26	0.05
1243596	Rock	2.58	26	1.2	16.6	8.7	58	<0.1	16.7	9.6	339	2.11	6.9	21.2	8.1	6	0.1	0.7	0.1	29	0.07
1243597	Rock	3.81	7	0.9	22.3	31.5	117	0.2	35.4	6.0	163	2.24	7.6	5.6	9.4	9	<0.1	0.2	0.4	26	0.07
1243598	Rock	2.79	3	0.5	8.8	29.4	39	0.1	9.9	4.0	130	1.35	4.8	2.0	6.9	7	<0.1	0.2	0.4	13	0.13



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
 1300 - 1111 West Georgia Street
 Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike
Report Date: August 09, 2013

Page: 3 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000037.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	
1243593	Rock	0.058	33	18	0.28	201	0.070	<20	1.00	0.020	0.56	<0.1	0.04	0.3	<0.05	4.2	1.0	3	<0.2
1243594	Rock	0.056	23	15	0.26	205	0.059	<20	0.94	0.035	0.53	<0.1	0.04	0.3	<0.05	2.2	0.6	3	<0.2
1243595	Rock	0.049	29	15	0.22	177	0.055	<20	0.87	0.018	0.46	<0.1	0.06	0.3	<0.05	2.1	<0.5	3	<0.2
1243596	Rock	0.038	26	16	0.22	202	0.057	<20	0.83	0.026	0.40	<0.1	0.05	0.2	<0.05	2.5	<0.5	2	<0.2
1243597	Rock	0.045	27	16	0.20	199	0.054	<20	0.78	0.029	0.46	<0.1	0.04	0.3	<0.05	2.8	<0.5	2	<0.2
1243598	Rock	0.064	15	10	0.14	157	0.035	<20	0.69	0.025	0.38	<0.1	0.02	0.2	<0.05	1.4	<0.5	2	<0.2

QUALITY CONTROL REPORT

WHI13000037.1

Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
Pulp Duplicates																					
1243569	Rock	2.97	27	1.1	15.5	10.1	25	0.1	7.1	2.0	67	1.20	4.6	41.3	6.7	16	0.1	2.1	<0.1	11	<0.01
REP 1243569	QC			1.1	16.5	10.3	26	<0.1	6.7	2.1	68	1.21	4.7	13.1	6.8	17	<0.1	2.1	<0.1	11	<0.01
1243592	Rock	3.04	8	2.0	55.5	13.4	131	0.1	42.1	12.3	339	4.39	14.4	9.9	13.7	18	0.2	0.3	0.2	35	0.04
REP 1243592	QC		8																		
1243598	Rock	2.79	3	0.5	8.8	29.4	39	0.1	9.9	4.0	130	1.35	4.8	2.0	6.9	7	<0.1	0.2	0.4	13	0.13
REP 1243598	QC		2																		
Core Reject Duplicates																					
1243583	Rock	2.74	2	0.6	19.0	6.7	69	<0.1	22.5	7.3	210	2.24	2.3	1.9	9.8	5	<0.1	0.1	0.1	36	0.14
DUP 1243583	QC		2	0.6	19.0	7.4	68	<0.1	22.3	7.2	210	2.24	2.2	<0.5	9.8	5	<0.1	<0.1	0.1	35	0.14
Reference Materials																					
STD DS9	Standard			14.0	115.5	136.7	333	2.5	45.8	8.2	612	2.49	25.3	102.2	6.9	74	2.4	4.8	5.8	42	0.76
STD DS9	Standard			13.8	113.5	141.5	334	1.8	40.7	8.0	605	2.46	26.5	110.3	6.7	83	2.5	4.6	6.1	42	0.75
STD OREAS45EA	Standard			1.6	713.6	15.1	28	0.3	399.5	55.4	420	22.96	9.6	62.8	10.3	4	<0.1	0.2	0.2	333	0.04
STD OREAS45EA	Standard			1.5	735.8	16.1	32	0.3	406.1	53.9	418	24.27	10.3	67.7	12.0	4	<0.1	0.2	0.3	313	0.04
STD OXK94	Standard		3497																		
STD SH55	Standard		1414																		
STD SH55	Standard		1322																		
STD SH55 Expected			1375																		
STD OXK94 Expected			3562																		
STD DS9 Expected			12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	
STD OREAS45EA Expected			1.78	709	14.3	30.6	0.311	357	52	400	22.65	11.4	53	10.7	4.05	0.03	0.64	0.26	295	0.032	
BLK	Blank		<2																		
BLK	Blank		3																		
BLK	Blank		<2																		
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1-WHI	Prep Blank		5	0.1	2.5	7.5	51	<0.1	3.8	4.7	612	2.15	<0.5	<0.5	5.2	79	<0.1	<0.1	<0.1	40	0.54

QUALITY CONTROL REPORT

WHI13000037.1

Method		1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX		
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	
Pulp Duplicates																				
1243569	Rock	0.028	18	7	0.03	106	0.004	<20	0.29	0.003	0.20	<0.1	0.12	<0.1	<0.05	1.5	<0.5	<1	<0.2	
REP 1243569	QC	0.028	19	7	0.03	105	0.004	<20	0.29	0.002	0.19	<0.1	0.10	<0.1	<0.05	1.4	0.7	<1	<0.2	
1243592	Rock	0.065	30	17	0.20	202	0.039	<20	0.86	0.010	0.44	<0.1	0.10	0.2	<0.05	3.5	1.0	3	<0.2	
REP 1243592	QC																			
1243598	Rock	0.064	15	10	0.14	157	0.035	<20	0.69	0.025	0.38	<0.1	0.02	0.2	<0.05	1.4	<0.5	2	<0.2	
REP 1243598	QC																			
Core Reject Duplicates																				
1243583	Rock	0.059	20	19	0.36	237	0.110	<20	1.12	0.022	0.70	<0.1	0.01	0.4	<0.05	2.3	<0.5	3	<0.2	
DUP 1243583	QC	0.059	20	20	0.36	222	0.109	<20	1.10	0.021	0.69	<0.1	0.01	0.4	<0.05	2.3	0.6	3	<0.2	
Reference Materials																				
STD DS9	Standard	0.080	13	135	0.66	314	0.119	<20	1.01	0.089	0.42	2.9	0.25	5.5	0.18	2.3	5.3	5	5.9	
STD DS9	Standard	0.082	14	118	0.65	353	0.119	<20	0.99	0.085	0.43	2.9	0.21	5.5	0.17	2.3	5.3	5	5.1	
STD OREAS45EA	Standard	0.024	7	875	0.09	138	0.090	<20	3.22	0.014	0.05	<0.1	0.01	<0.1	<0.05	73.2	0.6	12	<0.2	
STD OREAS45EA	Standard	0.029	7	843	0.12	156	0.098	<20	3.35	0.017	0.06	<0.1	<0.01	<0.1	<0.05	90.1	0.7	13	<0.2	
STD OXK94	Standard																			
STD SH55	Standard																			
STD SH55	Standard																			
STD SH55 Expected																				
STD OXK94 Expected																				
STD DS9 Expected		0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02	
STD OREAS45EA Expected		0.029	8.19	849	0.095	148	0.106		3.32	0.027	0.053		0.34	0.072	0.044	78	2.09	11.7	0.11	
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2	
Prep Wash																				
G1-WHI	Prep Blank	0.083	12	8	0.63	261	0.138	<20	1.09	0.091	0.55	<0.1	0.02	0.3	<0.05	2.3	<0.5	6	<0.2	



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
 1300 - 1111 West Georgia Street
 Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike
Report Date: August 09, 2013

Page: 2 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI1300037.1

		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX		
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
G1-WHI	Prep Blank		3	<0.1	2.4	3.3	53	<0.1	4.4	4.7	639	2.23	<0.5	<0.5	5.7	76	<0.1	<0.1	<0.1	42	0.56	



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
 1300 - 1111 West Georgia Street
 Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike
Report Date: August 09, 2013

Page: 2 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI1300037.1

		1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
G1-WHI	Prep Blank	0.088	12	8	0.66	258	0.147	<20	1.14	0.103	0.58	<0.1	<0.01	0.4	<0.05	2.6	<0.5	6	<0.2