



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**
1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Submitted By: Email Distribution List
Receiving Lab: Canada-Whitehorse
Received: June 17, 2013
Report Date: August 09, 2013
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI13000040.1

CLIENT JOB INFORMATION

Project: Lucky Strike
Shipment ID: LSTR_13_005
P.O. Number
Number of Samples: 22

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Goldstrike Resources Ltd.
1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3
CANADA

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	28	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	29	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	29	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. *** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**
 1300 - 1111 West Georgia Street
 Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike
 Report Date: August 09, 2013

Page: 2 of 2

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI1300040.1

Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
1243666	Rock	3.32	64	49.1	31.2	12.5	127	0.2	25.6	7.8	396	4.05	6.9	125.0	7.2	22	0.1	1.3	0.3	42	0.02
1243667	Rock	2.93	5	28.2	34.5	7.8	59	<0.1	14.5	7.8	350	3.96	6.5	8.1	6.3	15	0.3	0.5	0.1	37	0.03
1243668	Rock	3.14	63	62.1	38.4	11.8	116	0.2	29.5	13.5	464	4.52	7.6	40.8	9.1	19	0.3	2.0	0.2	51	0.02
1243669	Rock	2.75	659	379.7	31.0	28.6	125	1.3	33.5	10.5	447	4.62	6.1	3088	6.2	13	0.3	2.5	0.2	27	0.02
1243670	Rock	3.61	207	266.2	22.3	26.5	70	0.3	19.3	12.9	669	4.07	5.3	132.0	6.4	11	0.2	1.0	0.2	23	0.03
1243671	Rock	2.89	84	101.9	35.5	11.8	89	0.1	26.3	8.7	265	3.38	4.5	28.0	9.2	17	0.1	0.5	0.2	31	0.04
1243672	Rock	2.70	11	60.3	47.9	12.7	114	0.1	26.1	6.8	274	6.13	5.8	10.7	10.3	18	0.2	0.9	0.2	56	0.03
1243673	Rock	3.08	185	315.9	29.5	43.9	81	0.3	18.2	6.3	192	4.28	4.4	237.2	11.0	13	0.5	1.4	0.4	33	0.03
1243674	Rock	2.73	556	634.4	33.6	83.6	96	0.3	21.9	8.2	160	4.67	5.0	66.2	12.5	13	0.5	1.4	0.9	37	0.02
1243675	Rock	3.04	6	22.3	49.1	15.0	74	0.2	15.8	5.3	174	4.15	11.6	15.9	10.5	29	0.2	1.1	0.4	37	0.03
LS-REP-7	Rock Pulp	0.80	4	3.1	20.8	2.7	35	0.3	17.7	8.5	327	2.01	2.9	2.5	1.0	39	0.2	0.3	<0.1	48	0.79
1243676	Rock	2.78	8	10.7	24.9	7.4	55	0.1	13.4	5.1	168	2.74	4.0	7.4	10.9	20	<0.1	0.5	0.2	29	0.06
1243677	Rock	2.94	3	8.5	26.7	5.0	46	0.1	10.7	5.2	217	3.44	4.0	3.7	10.1	12	0.1	0.4	0.2	20	0.03
1243678	Rock	3.29	<2	5.2	20.9	7.7	55	<0.1	13.3	6.9	263	2.97	7.4	2.2	13.4	15	0.1	0.5	0.2	23	0.05
1243679	Rock	2.68	<2	6.4	15.4	7.8	35	<0.1	8.5	4.5	228	2.72	7.0	1.2	7.0	14	0.1	0.3	0.1	19	0.04
1243680	Rock	3.02	<2	6.3	16.7	8.7	30	<0.1	7.4	4.1	145	2.60	5.8	<0.5	5.2	13	0.1	0.4	0.1	19	0.02
1243681	Rock	3.45	<2	5.7	16.9	10.0	46	<0.1	9.1	4.2	179	2.63	9.3	0.6	5.5	13	<0.1	0.6	0.1	21	0.03
1243682	Rock	3.61	<2	6.1	20.9	13.0	69	<0.1	15.3	5.3	181	3.67	13.0	2.3	5.8	15	0.1	0.6	0.1	29	0.02
1243683	Rock	3.01	10	9.1	51.3	26.2	142	0.2	26.1	6.8	166	4.52	13.5	6.2	6.8	24	0.3	0.4	0.2	33	0.03
1243684	Rock	2.88	64	12.9	63.0	24.1	152	0.1	36.4	10.8	403	5.45	11.3	62.3	6.1	20	0.4	0.8	0.2	32	0.03
1243685	Rock	2.27	28	9.4	45.9	23.7	149	0.2	28.9	9.3	342	4.55	6.9	33.3	7.8	22	0.4	0.4	0.2	28	0.03
1243686	Rock	3.63	634	9.4	71.6	15.3	298	0.7	72.7	15.8	526	8.99	10.7	2634	8.2	23	0.8	0.5	0.2	45	0.03



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**
 1300 - 1111 West Georgia Street
 Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike
 Report Date: August 09, 2013

Page: 2 of 2

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI1300040.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	
1243666	Rock	0.068	19	18	0.08	311	0.007	<20	0.71	<0.001	0.19	<0.1	3.58	0.2	<0.05	7.2	1.5	2	0.4
1243667	Rock	0.069	17	16	0.15	231	0.021	<20	0.80	0.001	0.30	<0.1	2.23	0.3	<0.05	4.8	0.6	2	<0.2
1243668	Rock	0.093	28	22	0.15	319	0.033	<20	0.92	0.001	0.36	<0.1	2.94	0.3	<0.05	7.6	1.5	3	<0.2
1243669	Rock	0.079	19	11	0.04	824	0.004	<20	0.52	0.001	0.14	<0.1	2.85	0.3	<0.05	8.6	1.6	2	0.4
1243670	Rock	0.069	20	9	0.03	307	0.002	<20	0.66	0.001	0.08	<0.1	1.83	0.2	<0.05	6.9	0.9	2	0.3
1243671	Rock	0.063	26	16	0.15	1017	0.021	<20	0.88	0.002	0.30	<0.1	1.51	0.2	<0.05	5.0	1.0	3	<0.2
1243672	Rock	0.090	22	26	0.23	363	0.050	<20	1.21	0.003	0.52	<0.1	1.43	0.4	<0.05	6.5	2.1	4	<0.2
1243673	Rock	0.080	36	16	0.04	250	0.006	<20	0.65	<0.001	0.13	<0.1	2.50	0.1	<0.05	8.1	1.1	2	0.8
1243674	Rock	0.084	34	13	0.06	336	0.006	<20	0.80	<0.001	0.17	<0.1	3.54	0.2	<0.05	12.1	2.2	2	0.3
1243675	Rock	0.071	26	16	0.18	301	0.029	<20	0.92	0.011	0.39	<0.1	1.93	0.3	<0.05	5.4	1.7	3	<0.2
LS-REP-7	Rock Pulp	0.045	5	21	0.54	88	0.111	<20	1.22	0.070	0.09	15.8	0.04	<0.1	<0.05	3.7	<0.5	4	<0.2
1243676	Rock	0.034	27	13	0.17	292	0.041	<20	0.98	0.013	0.42	<0.1	0.84	0.3	<0.05	4.2	0.9	3	<0.2
1243677	Rock	0.045	18	5	0.16	167	0.035	<20	0.75	0.022	0.33	<0.1	0.65	0.2	<0.05	4.3	0.7	2	<0.2
1243678	Rock	0.039	20	9	0.18	191	0.056	<20	0.90	0.017	0.42	<0.1	0.87	0.3	<0.05	4.5	<0.5	3	<0.2
1243679	Rock	0.033	11	8	0.11	162	0.020	<20	0.71	0.013	0.26	<0.1	0.47	0.2	<0.05	3.4	0.8	3	<0.2
1243680	Rock	0.032	9	6	0.07	157	0.009	<20	0.56	0.013	0.18	<0.1	0.59	<0.1	<0.05	3.3	0.9	2	<0.2
1243681	Rock	0.035	9	8	0.07	187	0.011	<20	0.62	0.008	0.20	<0.1	0.56	0.1	<0.05	3.6	0.7	2	<0.2
1243682	Rock	0.042	10	11	0.06	213	0.007	<20	0.61	0.002	0.19	<0.1	0.62	0.1	<0.05	3.6	2.2	2	<0.2
1243683	Rock	0.071	11	17	0.06	388	0.005	<20	0.70	0.002	0.21	<0.1	0.49	0.1	<0.05	4.4	1.0	2	<0.2
1243684	Rock	0.085	10	15	0.06	419	0.006	<20	0.61	0.002	0.19	<0.1	0.42	0.1	<0.05	4.1	1.4	2	<0.2
1243685	Rock	0.063	12	16	0.08	489	0.007	<20	0.73	0.002	0.22	<0.1	0.52	0.2	<0.05	4.1	0.9	2	<0.2
1243686	Rock	0.131	16	22	0.06	388	0.005	<20	0.67	0.003	0.22	<0.1	0.56	0.2	<0.05	5.7	0.8	2	<0.2



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**
 1300 - 1111 West Georgia Street
 Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike
 Report Date: August 09, 2013

Page: 1 of 1

Part: 1 of 2

QUALITY CONTROL REPORT

WHI13000040.1

Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
Pulp Duplicates																					
1243669	Rock	2.75	659	379.7	31.0	28.6	125	1.3	33.5	10.5	447	4.62	6.1	3088	6.2	13	0.3	2.5	0.2	27	0.02
REP 1243669	QC	648																			
1243686	Rock	3.63	634	9.4	71.6	15.3	298	0.7	72.7	15.8	526	8.99	10.7	2634	8.2	23	0.8	0.5	0.2	45	0.03
REP 1243686	QC	9.3 70.6 15.6 300 0.2 73.0 15.9 527 9.12 11.1 252.5 8.3 25 0.8 0.6 0.2 45 0.03																			
Reference Materials																					
STD DS9	Standard	12.8 106.4 135.0 320 2.1 39.7 7.5 609 2.44 26.2 142.8 8.0 93 2.5 4.9 7.0 40 0.77																			
STD OREAS45EA	Standard	1.4 692.7 18.9 34 0.3 414.6 53.4 417 25.28 12.0 51.7 13.4 5 <0.1 0.2 0.3 323 0.04																			
STD OXK94	Standard	3615																			
STD OXK94	Standard	3587																			
STD SH55	Standard	1426																			
STD SH55	Standard	1372																			
STD SH55 Expected		1375																			
STD OXK94 Expected		3562																			
STD DS9 Expected		12.84 108 126 317 1.83 40.3 7.6 575 2.33 25.5 118 6.38 69.6 2.4 4.94 6.32 40 0.7201																			
STD OREAS45EA Expected		1.78 709 14.3 30.6 0.311 357 52 400 22.65 11.4 53 10.7 4.05 0.03 0.64 0.26 295 0.032																			
BLK	Blank	<2																			
BLK	Blank	<2																			
BLK	Blank	<2																			
BLK	Blank	<2																			
BLK	Blank	<0.1 0.2 <0.1 <1 <0.1 <0.1 <0.1 <0.1 <1 <0.01 <0.5 0.7 <0.1 <1 <0.1 <0.1 <0.1 <2 <0.01																			
Prep Wash																					
G1-WHI	Prep Blank	<2 <0.1 2.5 4.0 48 <0.1 3.6 4.1 603 2.08 0.7 <0.5 5.7 83 <0.1 <0.1 <0.1 37 0.58																			
G1-WHI	Prep Blank	<2 0.1 2.2 4.3 49 <0.1 3.6 4.2 622 2.10 <0.5 <0.5 5.7 88 <0.1 <0.1 <0.1 37 0.56																			



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**
 1300 - 1111 West Georgia Street
 Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike
 Report Date: August 09, 2013

Page: 1 of 1

Part: 2 of 2

QUALITY CONTROL REPORT

WHI13000040.1

Method		1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																			
1243669	Rock	0.079	19	11	0.04	824	0.004	<20	0.52	0.001	0.14	<0.1	2.85	0.3	<0.05	8.6	1.6	2	0.4
REP 1243669	QC																		
1243686	Rock	0.131	16	22	0.06	388	0.005	<20	0.67	0.003	0.22	<0.1	0.56	0.2	<0.05	5.7	0.8	2	<0.2
REP 1243686	QC	0.144	16	23	0.06	402	0.005	<20	0.68	0.003	0.23	<0.1	0.58	0.2	<0.05	6.4	0.8	2	<0.2
Reference Materials																			
STD DS9	Standard	0.084	17	123	0.65	334	0.116	<20	1.03	0.091	0.42	2.1	0.20	5.1	0.16	2.6	5.4	5	4.9
STD OREAS45EA	Standard	0.030	8	754	0.13	156	0.097	<20	3.78	0.018	0.06	<0.1	0.03	<0.1	<0.05	88.2	1.2	14	<0.2
STD OXK94	Standard																		
STD OXK94	Standard																		
STD SH55	Standard																		
STD SH55	Standard																		
STD SH55 Expected																			
STD OXK94 Expected																			
STD DS9 Expected		0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
STD OREAS45EA Expected		0.029	8.19	849	0.095	148	0.106		3.32	0.027	0.053		0.34	0.072	0.044	78	2.09	11.7	0.11
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
Prep Wash																			
G1-WHI	Prep Blank	0.077	13	7	0.63	216	0.134	<20	1.09	0.086	0.50	<0.1	<0.01	0.3	<0.05	2.5	<0.5	5	<0.2
G1-WHI	Prep Blank	0.081	14	7	0.62	220	0.139	<20	1.13	0.088	0.51	<0.1	<0.01	0.3	<0.05	2.5	<0.5	6	<0.2