



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
 C/O PREDATOR MINING GROUP
 11521 N WARREN STREET
 HAYDEN ID 83835
 USA

Page: 1
 Total # Pages: 2 (A)
 Plus Appendix Pages
 Finalized Date: 23-SEP-2014
 Account: GOPRED

QC CERTIFICATE WH14136576

Project: Brewery Creek
 P.O. No.: BRC-2014-JM-2432
 This report is for 20 Rock samples submitted to our lab in Whitehorse, YT, Canada on 15-SEP-2014.
 The following have access to data associated with this certificate:

MIKE BURKE BILL SHERIFF	MIKE MASLOWSKI	JOSEPH MIERZWINSKI
----------------------------	----------------	--------------------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-31	Pulverize split to 85% <75 um
SPL-21	Split sample - riffle splitter
LOG-21	Sample logging - ClientBarCode

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS

To: GOLDEN PREDATOR CANADA CORP.
 ATTN: JOSEPH MIERZWINSKI
 C/O PREDATOR MINING GROUP
 11521 N WARREN STREET
 HAYDEN ID 83835
 USA

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
 C/O PREDATOR MINING GROUP
 11521 N WARREN STREET
 HAYDEN ID 83835
 USA

Page: 2 - A
 Total # Pages: 2 (A)
 Plus Appendix Pages
 Finalized Date: 23-SEP-2014
 Account: GOPRED

Project: Brewery Creek

QC CERTIFICATE OF ANALYSIS WH14136576

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	
STANDARDS			
BP-13		0.362	
Target Range - Lower Bound		0.332	
Upper Bound		0.384	
OxJ111		2.11	
Target Range - Lower Bound		2.03	
Upper Bound		2.30	
BLANKS			
BLANK		<0.005	
Target Range - Lower Bound		<0.005	
Upper Bound		0.010	
DUPLICATES			
ORIGINAL		8.01	
DUP		8.34	
Target Range - Lower Bound		7.76	
Upper Bound		8.59	
K732262		<0.005	
DUP		<0.005	
Target Range - Lower Bound		<0.005	
Upper Bound		0.010	

***** See Appendix Page for comments regarding this certificate *****

