

Report of 2014 Surface Exploration Program on the Lucky Strike Project, White Gold District

Location:

Dawson Mining Division, Yukon Territory

Work Period:

August 9th to August 24th 2014

Property Coordinates:

Latitude: 63° 12' 10 " N, Longitude: 139° 7' 6" W

NTS Sheets:

115003

Prepared on behalf of:

Gold Strike Resources Ltd.

1300 – 1111 West Georgia Street, Vancouver, BC, V6E 4M3

Telephone: (604) 681-1820

Facsimile: (604) 681-1864

Prepared by:

Daithi Mac Gearailt, B.Sc.

Box 1485, Dawson City, YT, Y0B 1G0

Report Date:

December 28, 2014

QUARTZ CLAIM INFORMATION

GRANT NUMBER	CLAIM NAME	CLAIM HOLDER	NTS MAP NUMBER
YC98689 – YC98816	AU 89 -116	Petro One Energy Corp	115003
YC99489	Lucky 1	Petro One Energy Corp	115003
YD155903	LUCKY 1	Petro One Energy Corp	115003
YC99490	Lucky 2	Petro One Energy Corp	115003
YD155904	LUCKY 2	Petro One Energy Corp	115003
YC99491	Lucky 3	Petro One Energy Corp	115003
YD155905	LUCKY 3	Petro One Energy Corp	115003
YC99492 - YC91824	Lucky 4 - 124	Petro One Energy Corp	115003
YC91829 - YC91866	Lucky 129 - 166	Petro One Energy Corp	115003
YC91869 - YC91872	Lucky 169 - 172	Petro One Energy Corp	115003
YC98701 - YC98710	Strike 1 - 10	Petro One Energy Corp	115003
YC98721 - YC98730	Strike 21 - 30	Petro One Energy Corp	115003
YC98741 - YC98750	Strike 41 - 50	Petro One Energy Corp	115003
YC98761 - YC98770	Strike 61 - 70	Petro One Energy Corp	115003
YC98781 - YC98790	Strike 81 - 90	Petro One Energy Corp	115003
YC99475 - YC99488	Strike 101 - 114	Petro One Energy Corp	115003

261 quartz mineral claims in total

SUMMARY

The Lucky Strike property is located in the Dawson Mining District approximately 90km due south of Dawson City in the White Gold district on the east side of the Dawson Range Gold Belt. It is 15km east of Kinross's Golden Saddle deposit, 37km northeast of Kaminak's Coffee Creek gold discovery and 12km east southeast of Comstock Metals new QV discovery. Currently the property is only accessible by helicopter or by boat.

In August of 2014 a 4 person crew completed 16 days of mechanical trenching, soil sampling and a ground magnetic geophysical survey on 22 of the 261 quartz claims that form the Lucky Strike Property. The purpose of the exploration program was to determine if the property holds potential for economic quantities of gold mineralization as seen on nearby properties with similar geology. Previously known soil sample sites that were geochemically anomalous in gold and other gold pathfinder elements and previously obtained auriferous rocks samples from the property were used to vector in on a target area for this program. A test ground magnetic geophysical survey conducted in 2012 and 2013 indicated the presence of possible northeast structures in the area and was also considered when laying out the exploration program.

The Lucky Strike Property is unglaciated (*Duk-Rodkin, 2001*) and characterized by smooth round topped hills with steeply dipping incised drainages. The property encompasses an area of tree-covered hills often in various stages of recovery from historical forest fires and lies within the mature dendritic drainages of the Yukon River watershed. The property is bisected by the northeast steeply dipping drainage of Simmons Creek. Elevations on the property range from 1200m along river valleys to a maximum height of 2700m on one of the mountain tops within the claim block.

The property lies within the Dawson Range Mineral Belt or what has now become more commonly known and the White Gold District since the 2008-2009 discovery of the Golden

Saddle and Arc deposits on the White Gold property by Underworld Resources and the 2010 discovery of the Coffee Property (Supremo and Latte Zones) by Kaminak Resources.

The Lucky Strike property currently does not have a detailed geology map. The property is extremely limited in outcrop for mapping and typically has between 0% and 5% outcrop in most areas however the basic property geology can be ascertained from the regional geology map of the Stewart River Area (Figure 5: *Geo-Referenced Map of Property Geology, Ryan and Gordey, 2005*). The property is underlain by the same Devonian-Mississippian metamorphic rocks that host the Coffee Creek gold discoveries, the Golden Saddle, the Arc gold deposits and the recent QV discovery.

The property consists of 3 distinct metasedimentary and orthogneissic rock packages or panels that trend in a northwest direction through the property. These are described as undivided grey gneiss / amphibolite with an intermediate to mafic composition, quartz mica schists and undivided felsic gneiss. The quartz-mica schists and gneisses appear to be the result of continental margin type deposition with an amphibolite grade of alteration. Later early Jurassic to mid-Cretaceous granites and granodiorites have intruded the area with at least two small intrusions mapped on the property, one in the south east corner of the property and another to the north of the property. The small southern intrusion is bounded by a north / northeast trending structure which transects both the Kinross property to the south and the Lucky Strike property. Another intrusion is likely located on the northwest Au claims where a strong gamma anomaly is located near the Three Sisters Minfile (Figure 6: *AU Claims, Lucky Strike Property – Total Gamma Response Map, Reed, 2010*). Fresh dykes of intermediate composition and granitic boulders have also been noted on the property by prospectors.

The 2014, 16 day helicopter-supported exploration program consisted of 25 line kms of ground magnetometer surveying, 244 meters of mechanical trenching, 608 soil samples and 137 rock samples. The results were conclusive in showing that gold mineralisation is indeed present at Lucky Strike and further work is recommended.

Table of Contents

1.1 GENERAL..... 7

1.2 UNITS AND CURRENCY 8

2.0 PROPERTY 9

2.1 LOCATION AND ACCESS..... 9

2.2 DESCRIPTION OF MINING CLAIMS 11

3.0 PHYSIOGRAPHY, VEGETATION AND CLIMATE 12

4.0 PROPERTY HISTORY..... 13

5.0 GEOLOGICAL SETTING..... 15

5.1 REGIONAL GEOLOGY 15

5.2 PROPERTY GEOLOGY AND MINERALIZATION 17

6.0 2014 EXPLORATION PROGRAM 21

7.0 METHODOLOGY, QUALITY ASSURANCE AND QUALITY CONTROL 41

7.1 GEOCHEMICAL ANALYSIS 41

7.2 SOIL SAMPLE SURVEY 43

7.5 DATA VERIFICATION 45

8.0 DISCUSSION AND CONCLUSION..... 46

8.1 DISCUSSION 46

8.2 CONCLUSION 47

9.0 RECOMMENDATIONS 49

10.0 REFERENCES..... 51

11.0 STATEMENT OF QUALIFICATIONS OF AUTHOR 52

APPENDIX I

APPENDIX II

APPENDIX III

TABLES

Table 1: 2014 Trench Details.....	22
Table 2: Gold Pathfinder Elements Based on the Correlation Coefficients of 137 Rocks.....	29
Table 3: Gold Pathfinder Elements Based on the Correlation Coefficients of 2014 Rocks > 100 ppb Au ..	29
Table 4: Estimated Budget for Follow up Exploration Program	50

FIGURES

Figure 1 Location Map	10
Figure 2 Lucky Strike Claim Map	11
Figure 3: Property Physiography	12
Figure 4: Yukon Terrane Map (<i>Nelson and Colpron, 2007</i>).....	16
Figure 5: Geo-Referenced Map of Property Geology (Ryan and Gordey, 2005)	19
Figure 6: AU Claims, Lucky Strike Property – Total Gamma Response Map.....	20
Figure 7: 2014 Work Program Map	22
Figure 8: 2014 Trench Map	24
Figure 9: Pit Over Sample # 1771951.....	25
Figure 10: 2014 Trench Samples Map.....	26
Figure 11: 2014 Pit & Grab Samples – Zone 1.....	27
Figure 12: Grab Samples - Zone 2	28
Figure 13: Photograph of trench TLS-14-001 before sampling.....	29
Figure 14: 2013 Soil Survey Displaying Ag ppm	31
Figure 15: 2013 Soil Survey Displaying Tl ppm	32
Figure 16: 2013 Soil Survey Displaying Cd ppm	33
Figure 17: 2013 Soil Survey Displaying Ni ppm.....	34
Figure 18: 2014 Soil Survey Displaying Pb ppm	35
Figure 19:2014 Soil Survey Displaying Cu ppm	36
Figure 20: 2014 Soil Survey Displaying Au ppb.....	37
Figure 21: Smaller soil grid at Zone 1.....	38
Figure 22: Ridge and spur sampling at Zone - 2.....	39
Figure 23: 2013 and 2014 Ground Geophysical Survey	40

1.0 INTRODUCTION

1.1 GENERAL

In August 2014, a 16 day 4 man mechanical trenching, rock sampling, ground geophysical survey and geochemical soils sampling program was carried out on the Lucky Strike property by Druid Exploration Inc. of Dawson City, Yukon on behalf of Gold Strike Resources Ltd. The exploration team consisted of two geologists, one equipment operator and one sampler. The program was supervised by geologist Daithi Mac Gearailt.

The Lucky Strike property is located 90km due south of Dawson City and lies within the Dawson Range Mineral Belt or what has now become more commonly known and the White Gold District since the 2008-2009 discovery of the Golden Saddle and Arc deposits on the White Gold property by Underworld Resources and the 2010 discovery of the Coffee Property (Supremo and Latte Zones) by Kaminak Resources.

The property consists of 261 quartz mining claims located within the Dawson Mining District, Yukon Territory, Canada. The property was accessed by helicopter based from Dawson City. Crew and supplies were first flown by fixed wing aircraft to Thistle Creek airstrip located 24 km to the south of Lucky Strike and then flown by helicopter to the property where a fly camp was established for the duration of the project.

A total of 745 samples (rock and soil) were assayed by Acme Analytical Laboratories Ltd. where by samples were prepped in Whitehorse, Yukon and analyzed in Vancouver, British Columbia. Assay results for gold from the 137 rock samples ranged from detection level to 2066 parts per billion (ppb) gold, and assay results for gold from the 608 soil samples ranged from detection level to 923.7 ppb gold.

1.2 UNITS AND CURRENCY

Metric units are used throughout this report. Tonnages are shown as tonnes ("t"), linear measurements as metres ("m"), or kilometres ("km") and precious metal values as grams ("g") and/or grams per tonne ("gpt").

Conversions: 31.1034 grams = 1 troy ounce

1 gram per tonne = 0.0292 troy ounces per ton

1.0 metric ton (1,000 kg) = tonne ("t") = 1.10231 short tons ("T")

1.0 metre ("m") = 3.28 feet

1.0 hectare ("ha") = 2.47105 acres

Currency amounts are expressed in Canadian dollars ("CDN\$"), unless indicated otherwise.

2.0 PROPERTY

2.1 LOCATION AND ACCESS

The Lucky Strike property is located on NTS map sheet 1150 03 in the Yukon Territory, Canada. The property is geographically centered at 63° 12' 10" N ,139° 7' 6" W or UTM 7009583 N and 594636 E (NAD 83, Zone 7)(Figure 1: *Location Map*).

The claim group lies within the Dawson mining District approximately 90 km due south of Dawson City and some 245 km northwest of Whitehorse. The property lies on the southern bank of the Stewart River 9km from its confluence with the Yukon River.

The property lies within the Dawson Range Mineral Belt or what has now become more commonly known and the White Gold District since the 2008-2009 discovery of the Golden Saddle and Arc deposits on the White Gold property by Underworld Resources (15km to the W) and the 2010 discovery of the Coffee Property (Supremo and Latte Zones) by Kaminak Resources (37 km to the SW), and the more recent discovery of the QV property by Comstock Metals Ltd in 2011 / 2012, (12 km to the NW).

There is no road access to the Lucky Strike property and currently access is obtained by helicopter from Dawson City or fixed wing aircraft from Dawson City to Thistle Creek airstrip (18km to the southwest) and then by helicopter to the property from there. The property does have the potential for a barge landing on the banks of the Stewart River.

139°0'0"W

138°0'0"W

140°0'0"W

135°0'0"W

130°0'0"W

125°0'0"W

120°0'0"W

70°0'0"N

65°0'0"N


60°0'0"N

64°0'0"N

65°0'0"N

60°0'0"N

64°0'0"N



Dawson

Klondike River

YUKON TERRITORY

Old Crow

N

Dawson

Mayo

Faro

Whitehorse

Watson Lake

LUCKY STRIKE PROPERTY

1:10,000,000

140°0'0"W

135°0'0"W

130°0'0"W

Yukon River

Stewart River

LUCKY STRIKE PROPERTY

Rosebud Creek

White River

LUCKY STRIKE LOCATION MAP

Lucky Strike Property

YUKON CITIES

RIVERS

1:500,000

139°0'0"W

2.2 DESCRIPTION OF MINING CLAIMS

The Lucky Strike property consists of 261 quartz mining claims located in the Dawson Mining District (Figure 2: *Lucky Strike Claim Map*). The property is comprised of the Lucky, Strike and Au block of claims, all of which are contiguous.




Figure 2: Lucky Strike Claim Map

All claims are owned 100% by Petro One Energy Corp. (formerly named Cloudbreak Resources Ltd.) and they are currently optioned to Goldstrike Resources Ltd. (formerly named Accelrate Power Systems Inc.).

3.0 PHYSIOGRAPHY, VEGETATION AND CLIMATE

The Lucky Strike Property lies within a portion of the Yukon that is unglaciated (*Duk-Rodkin, 2001*) and is characterized by smooth round topped hills with steeply dipping incised drainages. The property encompasses an area of tree-covered hills often in various stages of recovery from historical forest fires resulting in areas of dense regrowth of mainly poplar and birch and /or “rafts” of fallen dead spruce trees making travel through some areas difficult. The few unburnt areas on the property have mature spruce forests with thick moss cover on the ground. Bedrock exposure is generally limited to less than 5%. The property lies within the mature dendritic drainages of the Yukon River watershed and is bisected by the northeast steeply dipping drainage of Simmons Creek. Elevations on the property range from 1200m along local river valleys to a maximum height of 2700m on one of the mountain tops within the claim block. Specific areas of higher elevation have subalpine to alpine climate with low scrub and commonly scarce soil development. Soil on a significant part of the property is reasonably well developed.




Figure 3: Property Physiography

The Yukon has a sub-arctic continental climate. Summer temperatures can reach up to 35° C but the mean temperature is 10° C. Winter temperatures can be very cold reaching down to -55° C but with a mean winter temperature of -23° C. Dawson City is the nearest point of support and averages above freezing temperatures for 180 days per year.

4.0 PROPERTY HISTORY

The property lies within the Dawson Range Mineral Belt or what has now become more commonly known as the White Gold District since the 2008-2009 discovery of the Golden Saddle and Arc deposits on the White Gold property by Underworld Resources (15km to the W) and the 2010 discovery of the Coffee Property (Supremo and Latte Zones) by Kaminak Resources (37 km to the SW), and the more recent discovery of the QV property by Comstock Metals Ltd in 2011 / 2012, (12 km to the NW). Since these discoveries a large number of claims have been staked in the area.

Prior to 2009 no work history is known on the Lucky Strike property and no known assessment report has been filed on any ground within the claims block.

One MINFILE showing from the Yukon Geological Survey's database occurs within the claim boundary to the northwest of the property and the following summary exists through government publications and the MINFILE database.

Placer work has been undertaken within the drainage system of the area dating back to the Gold Rush of the 1800's.

1992: MINFILE Showing 115N, O 007 – staked as Three Sisters in April of 1992. No work reported aside from the area being underlain by Paleozoic metasedimentary rocks and gneissic granites. Claims were assumed to cover quartz veins.

2009: A property wide soil sampling program was conducted by Aurora Geosciences from Whitehorse on behalf of Accelrate Power Systems Inc.

2009/10: An airborne geophysical survey was conducted by Precision Geophysics on behalf of Accelrate Power Systems Inc.

2011: A soil sampling and prospecting program was conducted on behalf of Goldstrike Resources Ltd. by Druid Exploration from Dawson City and by Kryotec Engineering from Whitehorse.

2012: Two days of prospecting and soil sampling and one day of ground magnetometer surveying was conducted by Druid Exploration Inc. of Dawson City on behalf of Goldstrike Resources Ltd.

2013: Six days of prospecting soil sampling, mechanical trenching and ground magnetometer surveying. Work was conducted by Druid Exploration Inc. of Dawson City on behalf of Goldstrike Resources Ltd.

5.0 GEOLOGICAL SETTING

5.1 REGIONAL GEOLOGY

The Lucky Strike property is situated within the Yukon-Tanana Terrane (YTT), which spans part of the Yukon Territory and east-central Alaska. This terrane is bounded to the northeast and southwest by the right-lateral Tintina-Kaltag and Denali-Farewell fault systems (Figure 4: *Yukon Terrane Map, Nelson and Colpron, 2007*). Between late Paleozoic and early Cenozoic the Canadian Cordillera was accreted to the western margin of the North American craton. The largest of these accreted terranes is the YTT.

In the Middle Paleozoic, the YTT rifted southward and westward away from the northwest margin of Laurentia, in conjunction with the opening of the Slide Mountain Ocean (*Nelson, et al., 2006; Berman, et al., 2007; Colpron, Nelson and Murphy, 2006*). Quartz-rich schists and gneisses are the result of continental margin-type deposition of sediments during this period. Mid Cretaceous intrusive rocks, also found intruding YTT, commonly have been associated with mineralization in the Tintina Gold Province. This province forms an arcuate zone that stretches across Alaska and western Canada and hosts known mineral deposits like Pogo, Fort Knox, and Dublin Gulch.




Figure 4: Yukon Terrane Map (Nelson and Colpron, 2007)

5.2 PROPERTY GEOLOGY AND MINERALIZATION


The Lucky Strike property currently does not have a detailed geology map. The property is extremely limited in outcrop for mapping and typically has between 0% and 5% outcrop in most areas however the basic property geology can be ascertained from the regional geology map of the Stewart River Area (Figure 5: *Geo-Referenced Map of Property Geology, Ryan and Gordey, 2005*).

The property lies within an area of the Yukon that was untouched by the last glaciation (*Duk-Rodkin, 2001*) and appears to be underlain by the same Devonian-Mississippian metamorphic rocks that host the Coffee Creek gold discoveries, the Golden Saddle, the Arc gold deposits and the recent QV discovery (*Wainwright, Simmons, Finnigan, Smith, and Carpenter, 2011* and *Ryan and Gordey, 2005*).

The property consists of 3 distinct metasedimentary and orthogneissic rock packages or panels that trend in a northwest direction through the property. These are described as undivided grey gneiss / amphibolite with an intermediate to mafic composition, quartz mica schists and undivided felsic gneiss. The quartz-mica schists and gneisses appear to be the result of continental margin type deposition with an amphibolite grade of alteration. Later, early Jurassic to mid-Cretaceous granites and granodiorites have intruded the area with at least two small intrusions mapped on the property, one in the south east corner of the property and another to the north of the property. The small southern intrusion is bounded by a north / northeast trending structure which transects both the Kinross property to the south and the Lucky Strike property. Another intrusion is likely located on the northwest Au claims where a strong gamma anomaly is located near the Three Sisters Minfile (Figure 6: *AU Claims, Lucky Strike Property – Total Gamma Response Map, Reed, 2010*). Fresh dykes of intermediate composition and granitic boulders have also been noted on the property by prospectors.

The recent gold discoveries in the White Gold district appear to represent late possibly high crustal level, structurally-controlled mineralizing systems. Key pathfinder elements consist of

As-Ag-Sb-Ba-Mo (*Wainwright, et al., 2011*). The predominant regional control in the White Gold district is the presence of several structural panels bounded by NW-trending first-order fault systems accompanied by second and third order N - NNW and W - WSW trending structures that host mineralization (*Bennett, Colpron and Burke, 2010*).



LUCKY STRIKE PROPERTY
 [Red Outline] lucky-strike-property-outline

Geology by J.J. Ryan and S.P. Gordey (2000 - 2003),
 P. Glombick and S. Piercey (2002),
 M. Colpron, C. Roots, S. Piercey and T. Ruks (2003)

1:50,000
 UTM NAD83 Z-7

LEGEND

- QUATERNARY**
- Qa Fluvial all, sand and gravel deposits
- Eocene**
- Ec SPOPHYRY: Sphery quartz and K-feldspar phryc rhyolite to rhyodacite stocks and dykes, and possible rare flows
- UPPER CRETACEOUS**
- uKiv CARMACK'S STRIP: rhyodacite and dacite, commonly biotite and hornblende phryc, dominated by lesser andesite and basalt; minor rhyolite
- LOWER CRETACEOUS**
- lKTop TAYLOR(?) FORMATION: clay-supported pebble to cobble conglomerate with streaks of red sandstone and mafic xenoliths
- JURASSIC? OR CRETACEOUS**
- JKg GRANITE: pink to grey, locally porphyritic, syenogranite to monzogranite plutons and dykes
- EARLY JURASSIC**
- EJgt GRANODIORITE: chlorite-altered hornblende and biotite-bearing granodiorite, monzonite, quartz monzonite and quartz monzonite
- PALEOZOIC AND/OR MESOZOIC**
- PMg POLYMETAMORPHIC GRANITE: deformed (foliated to gneissic), felsic to intermediate monzogranite, granodiorite and quartz monzonite
- PMa GABBRO: related to unfoliated metagabbro (locally garnet-bearing); diabase, metabasite
- MID(?) TO LATE PALEOZOIC**
- ULM ULTRAMAFIC-GABBRO: foliated to unfoliated amphibolite facies metagabbro; metapyroxenite, aspenite and talc-actinolite schist; mafic, dominantly aspenite
- PERMIAN**
- Pv POLYMETAMORPHIC VOLCANIC: chlorite-altered weakly foliated intermediate to mafic ashenite volcanic flows and tuffs, locally with diatex textures preserved
- PKs KIAMOKE SCHIST: muscovite-chlorite-quartz-feldspar schist, chlorite schist, chlorite phyllonite, local chlorite schist with preserved primary textures, probably derived from Pv
- PAg AUGEN GNEISS (YOUNGER): K-feldspar augen gneiss; exhibits various states of strain including porphyroclastic straight gneiss
- PMs FELSIC SCHIST: quartz-schist schist or metatexite, possibly derived from felsic volcanic or hypabyssal intrusive rocks, e.g. rhyolite or quartz-feldspar porphyry
- DEVONIAN AND/OR PERMIAN**
- OPag AUGEN GNEISS (UNDIVIDED): K-feldspar augen gneiss orthogneiss (undivided); may include bodies of Devonian-Mississippian and Permian age (i.e. DMag or PAg)
- DPg FELSIC GNEISS (UNDIVIDED): pink to orange K-feldspar rich felsic orthogneiss; banded to layered; veined and/or aggregated; commonly includes, or associated with, K-feldspar augen orthogneiss; may include bodies of Devonian-Carboniferous and Permian age
- DEVONIAN TO MISSISSIPPIAN**
- DMg DMg BASIN ASSEMBLAGE: DMg, fine-grained, dark-gray to black carbonaceous quartzite and metapelite; DMm, marble
- DMag DMag AUGEN GNEISS (OLDER): mainly K-feldspar augen orthogneiss; DMg includes gneiss to paragneiss orthogneiss, opposite coast of Redoubt Creek
- DMa DMa UNDIVIDED GREY GNEISS / AMPHIBOLITE (DMa/DMa)
- DMt DMt GREY GNEISS: intermediate to mafic orthogneiss; generally gray; banded to layered; commonly veined; derived from intermediate granitoid (tonalite to diorite) aegret; usually interlayered with amphibolite schist and gneiss
- DMa DMa AMPHIBOLITE: amphibolite schist and gneiss; metabasite probably derived from mafic to intermediate volcanic or volcaniclastic rocks; locally associated with paragneiss or interlayered with orthogneiss
- DMn DMn MAFIC SCHIST: biotite-hornblende +/- plagioclase +/- quartz metabasite?; generally associated with amphibolite; main locality is Three Mountain
- DMc DMc MARBLE: marble (metacarbonate) derived from pure to impure limestone; associated calc-silicate schist derived from carbonaceous metabasite
- DMps DMps QUARTZ-MICA SCHIST: undivided metasedimentary rocks dominated by metapsammite, amphibolite and metapelite; commonly quartz-garnet-biotite-muscovite schist possibly derived from siliceous siltstone; commonly finely interlayered with gneiss metapelite; commonly contains members of micaceous quartzite; rare conglomerates; gneiss locally is paragneiss
- DMcg DMcg METACONGLOMERATE: pebble- to cobble-sized rounded clasts; mainly massive white with quartz, but including some granitoid clasts (tonalite?); has an arkose matrix; gneiss into quartzite; matrix supported
- DMq DMq QUARTZITE: banded to massive, gray to white quartzite; apparently clastic in origin, or in part, possibly derived from metachert

NOTE: Relative ages of many units are unknown; superimposed fill/shade may distort colors on map from those shown on legend above

SYMBOLS

Geological contact (defined, approximate, assumed)

TOTAL GAMMA RESPONSE MAP – Au CLAIMS

The drainage mainly associates with lower Gamma response. The Gamma anomalies 1 and 1a are very clear possibly representing a buried intrusion. 1a is likely a faulted off component of 1. Other weaker Gamma highs seem more lithologically based (*Reed, 2010*).




Figure 6: AU Claims, Lucky Strike Property – Total Gamma Response Map

6.0 2014 EXPLORATION PROGRAM

In August of 2014 a 4 person crew completed 16 days of mechanical trenching, soil sampling and a 25 line km ground magnetic geophysical survey on 21 of the 261 quartz claims that form the Lucky Strike Property. The purpose of the exploration program was to determine if the property holds economic quantities of gold mineralization as seen on nearby properties with similar geology. For the purpose of this report the areas of the 2014 exploration program will be referred to as “Zone-1” and “Zone-2” (Figure 7: *2014 Work Program Map*).

Previously known soil sample sites that were geochemically anomalous in gold and other gold pathfinder elements and previously obtained auriferous rocks samples from the property along with airborne geophysics and magnetics were used to vector in on target areas for this program.

The crew of 4 flew to Thistle Creek airstrip located 18km to the southwest of the property by fixed wing aircraft chartered from Great River Air in Dawson City. All crew and equipment were then flown to the property by an A-Star helicopter chartered from Trans North Transport from Dawson City. A fly camp was established near the target site at Zone-1 and used as a base camp for the duration of the program. The crew members consisted of Daithi Mac Gearailt, Project Geologist; Clayton Jones, Geologist; Dustin Blampin, Machine Operator; and Raphael Chevalier, Field Hand / Sampler. One day of sampling at Zone-2 was achieved by chartering an extra helicopter for the day and flying from the base camp at Zone-1.




Figure 7: 2014 Work Program Map

6.1 MECHANICAL TRENCHING AND PIT SAMPLES

A total of 5 trenches and 5 pit samples were completed on the property (Table 1: *2013 Trench Details*).

TRENCH NAME	LENGTH	NUMBER OF SAMPLES	GOLD RESULTS
TLS-14-001	24m	12	From 1 to 32 ppb / Au
TLS-14-002	41m	20	From 1 to 17 ppb / Au
TLS-14-003	136m	27	From 1 to 7 ppb / Au
TLS-14-13B1	12m	6	From 3 to 388 ppb / Au
TLS-14-13B2	31m	26	From 2 to 2066 ppb / Au

Table 1: 2014 Trench Details

TRENCHES: All trenching and three 1.5 m deep pits were completed by using a modified Candig Mining CD21 fly portable mini excavator. A further 3 pits were hand dug because it was too time consuming or difficult to get the mechanical equipment to the sites.

The trenching program was designed to increase the depth of two sections of previous trenches from the 2013 program in an attempt to reach bedrock and determine if the previous gold values could be traced to or correlated directly with bedrock samples. Trenches TLS-14-13B1 (12m) and B2 (31m) were the duplicate trenches from 2013. Trenches TLS-14-001 to 003 were constructed over areas with limited but good historical geochemistry in an attempt to discover a bedrock source for some of the high gold values in rocks reported from previous sampling efforts. It should be noted that all 2014 trenches were successful in reaching bedrock and that TLS-14-13B1 and B2 did not return higher gold values when compared to 2013 trenches (Figure 8: *2014 Trench Map*).




Figure 8: 2014 Trench Map

A total of 91 samples were collected from 244m of trenching in sequence and returned values between detection and 2066 ppb Au (Figure 10: *2014 Trench Samples Map*). A further 11 samples were collected from trenches as grab samples and returned values between 6 and 368 ppb / Au.

PIT & GRAB SAMPLES ZONE-1: A total of 41 rock grab samples were also collected and assayed from Zone-1. Thirteen (13) rock samples were obtained from 6 pits and returned gold values between 3 and 236 ppb / Au. The furthest west pit (Figure 11: *2014 Pit & Grab Samples - Zone-1*) was targeted in an area where visible gold was discovered in sample 1771951. Sample 1771951 returned a 1.1 g/t Au value by fire assay technique. The sample was described as a

grey to blue scilified volcanic looking quartz sample with visible gold in quartz near a dark brown weathered out sulphide pocket (Figure 9: *Pit Over Sample # 1771951*). Sample 1771951 was dug from a 0.3m deep pit targeted over a historical soil sample anomalous for gold and other pathfinder elements. The pit was extended to 1.5m but never truly reached bedrock.




Figure 9: Pit Over Sample # 1771951

A further 28 rocks were obtained from extra sampling of open trenches and by prospecting around the general area of Zone-1. These returned gold values between detection and 1.1g/t Au with visible gold observed in one of the samples. The assay result from sample 1771951 with visible gold was disappointing considering the amount of gold observed in the sample, and of note, the sample only assayed 279 ppb Au by regular ICP methods. Anomalous rock samples are generally described as gneiss, orthogenesis or schist and gold values are usually associated with brecciation and / or quartz veining. Most samples are intensely weathered, oxidized and brittle with varying amounts of quartz and feldspar alteration. A further 5 samples were assayed from Zone-2 and returned values between 9 and 57 ppb Au (Figure 12: *Grab Samples – Zone-2*).




Figure 10: 2014 Trench Samples Map

For a full list of Assay results and descriptions please see Appendix I and II.




Figure 11: 2014 Pit & Grab Samples – Zone-1




Figure 12: Grab Samples – Zone-2

A correlation matrix for samples taken shows the independence of the assay data between pairs of elements. This statistical analysis assists in the determination of the pathfinder elements that may be associated with gold. The closer the correlation coefficient (CC) is to 1.0, the stronger the relationship between the two variables. The full correlation matrices for all 2014 rock samples can be found in Appendix III.

A summary of the results is as follows:

When a correlation matrix for all 137 rock samples is made we find that the data is nebulous and highly distorted due to the nature of the sampling. The best fit pathfinders for Au from the entire data set are displayed below and we find the CC value is low and best range is between

3.1 and 5.7 (Table 3: *Gold Pathfinder Elements Based on the Correlation Coefficients of 137 Rocks*)

TYPE	CC* Value	Elements = / > than CC for Au_1	Number of Samples
Z1 and Z2 rocks	3.0	Hg, Sc and Pb	137

Table 2: Gold Pathfinder Elements Based on the Correlation Coefficients of 137 Rocks

If we run the same statistical analysis for only rock samples with Au values above 100 ppb Au1 (including grab and pit samples) a more refined association for gold is observed with a higher CC value (Table 4: *Gold Pathfinder Elements Based on the Correlation Coefficients of 2014 Rocks Above 100 ppb Au*).

Rock Samples	CC* Value	Elements = / > than CC	Number of Samples
Above 100 ppb Au	4.6	Tl, Ag, Cd, Ni, Pb, Cu	16

Table 3: Gold Pathfinder Elements Based on the Correlation Coefficients of 2014 Rocks > 100 ppb Au

Below (Figure 14: *Photograph of Trench TLS-14-001 before Sampling*) is a typical example of trench style and depth from the 2014 trenching program. Photograph is of TLS-14-001 before sampling with machine operator, Dustin Blampin. Trench depth is between 1 and 1.5m.



Figure 13: Photograph of Trench TLS-14-001 before Sampling

6.2 SOIL SAMPLING

A total of 608 soil samples were collected during the 15 day program at Lucky Strike. In Zone-1, a grid of 414 soils was collected over an area roughly 1.2 X 1.2 kms with a smaller 300m X 300m grid of 132 soils taken to west. In Zone-2 a further 62 soils samples were taken as ridge and spur samples.

The larger soil grid in Zone-1 was designed to cover a number of anomalous historical samples and trenches. The grid was sampled with 50m and 25m sample spacing intervals along lines spaced 50m apart and was designed to tie into a previous soil grid taken to the north east in 2013. In the interest of interpretation both sets of data have been combined for analysis of this soil grid but only the results from the 2014 program are contained in the appendix of this report. See Appendix I and II for all sample locations and assay data.

Soil samples were collected with the use of stainless steel Dutch augers and samples were placed in kraft paper bags and dried before shipping. At all times the "C" horizon was targeted but depths of greater than 0.5m were difficult to obtain due to frozen ground and slumping with rock fragments that inhibited the augers from reaching the rock / soil interface which was the objective.

The main gold pathfinder elements derived from 2014 rocks samples with gold values > 100ppb Au are Ag, Tl, Cd, Ni, Pb, Cu, and when plotted using a kriging algorithm a number of coincident anomalies can be seen (Figure 14 – Figure 22).

For silver we see there is a 250m X 150m anomaly in the north east quadrant that is quiet strong and may be associated with an interpreted north west trending fault on the property. Silver correlates well with gold from rock samples anomalous in gold with a CC of 0.49.




Figure 14: 2013 Soil Survey Displaying Ag ppm

Thallium when plotted displays a strong anomalie in the north east quadrant also and is coincident with the silver anomalie. It also appears to show a possible change in geology with more Thallium being seen to the south of the structure / contact. Thallium correlates well with gold from rock samples anomalous in gold with a CC of 0.46.




Figure 15: 2013 Soil Survey Displaying TI ppm

Cadmium when plotted shows another strong anomaly in the north east similar to silver and thallium with some other anomalies associated with the interpreted contact / structure. Cadmium correlates well with gold from rock samples anomalous in gold with a CC of 0.49.




Figure 16: 2013 Soil Survey Displaying Cd ppm

Nickel when plotted displays another strong 350m X 150m anomaly coincident with the silver, cadmium and thallium anomalies and includes a number of lesser anomalies throughout. Nickel correlates well with gold from rock samples anomalous in gold with a CC of 0.55.




Figure 17: 2013 Soil Survey Displaying Ni ppm

Lead when plotted shows a number of interesting anomalies but of particular interest is the anomaly located to north east roughly 700m X 250m that is coincident with silver, cadmium and thallium and nickel though much larger and appears to follow along a trend that matches the inferred contact / structure. Lead has a high correlation with gold from rock samples anomalous in gold with a CC of 5.3.




Figure 18: 2014 Soil Survey Displaying Pb ppm

Copper when plotted also shows a number of interesting anomalies but of particular interest is the anomaly located to the north east that is coincident with silver, cadmium, thallium, nickel, lead and copper and has the highest correlation with gold from the 2014 rock samples anomalous in gold with a CC of 7.2.




Figure 19: 2014 Soil Survey Displaying Cu ppm

When gold is plotted an interesting 750m north west trend can be seen directly north of the trenches running parallel with the inferred structure. Another anomaly can be seen in the north east quadrant that is coincident with Ag, Cd, Tl, Ni, Pb and Cu.




Figure 20: 2014 Soil Survey Displaying Au ppb

A further smaller tight-spaced 132 sample, 250m X 250m soil sample grid was placed over the area where visible gold in a grab sample was discovered. It returned Au values between detection and 91.9 PPB Au (See Figure 21: *Smaller Soil Grid at Zone-1*).




Figure 21: Smaller soil grid at Zone-1

Sixty-two (62) ridge and spur soils samples were also collected in Zone-2 in the far west section of claims on Lucky Strike. These samples returned assay values between detection and 923.7 ppb Au.




Figure 22: Ridge and spur sampling at Zone-2

6.3 GEOPHYSICAL SURVEY

The ground magnetic survey was conducted using a backpack mounted Gem Systems GSM-19 Overhauser ground magnetometer. The survey was designed to copy the footprint of the soil sample survey grid from both 2013 and 2014. The total line km completed for 2014 was 25 km of ground magnetics. A preliminary interpretation was conducted by Aurora Geosciences of Whitehorse, YT and can be found in Appendix IV.

The survey was successful in showing a change in geology with a higher magnetic response to the north of the survey area (Figure 23: 2013 and 2014 Ground Geophysical Survey).




Figure 2 Total magnetic field

Figure 23: 2013 and 2014 Ground Geophysical Survey

7.0 METHODOLOGY, QUALITY ASSURANCE AND QUALITY CONTROL#

7.1 GEOCHEMICAL ANALYSIS

All the rock samples collected during the 2014 program were selected, sealed and shipped to Acme Laboratories in Whitehorse, YT. Groups of rock, soil and silt samples were placed into sturdy, labelled, woven-polyethylene bags, sealed with a cable ties and stored before shipping at a secure location in Dawson City, YT. All geochemical samples were shipped from Dawson City to Acme Analytical Laboratories in Whitehorse via ground transportation operated by Kluane Freight Lines Ltd. or Atlas Expediting of Dawson City, YT. The assay certificates are located in Appendix I: *Certificates of Analysis*.

All rock samples were prepared by Acme Analytical Laboratories in Whitehorse, YT and the sample pulps were then analyzed by Acme Analytical Laboratories in Vancouver, BC. The samples were first dried at 60 degrees and then up to 5 kg were crushed to 80% passing a 10 mesh (2mm). A split of 250 g was then further pulverized to 85% passing 200 mesh (75mm). The remaining coarse reject portions of the sample remained in storage at the Acme Analytical Laboratories storage facility in Vancouver, BC. It was disposed of after 3 months from the date of analytical completion. A 0.5g split was leached in hot (95°C) Aqua Regia solution and analysed using the Acme Labs assay procedure 1DX-15, a 1:1:1 Aqua Regia digestion with an inductively-coupled plasma mass spectroscopy (ICP-MS) finish. The rock samples were also analysed by Acme Labs 3B lead-collection fire assay fusion procedure with an inductively-coupled plasma [atomic] emission spectroscopy (ICP-ES) finish. A larger 30 g split was used for this analysis procedure. The 3B lead-collection fire assay was used because refractory, massive sulphide and graphitic samples can limit Au solubility potentially yielding lower gold values in the standard ICP – MS procedure.

All the soil samples collected during the 2014 field season were selected, sealed and shipped to Acme Analytical Laboratories in Whitehorse, YT. All soil samples were dried and sieved at Acme Analytical Laboratories in Whitehorse and the sample pulps were analysed by Acme Analytical Laboratories in Vancouver, BC. The soil was dried at 60 degrees and sieved to 85% passing 200

mesh (75 mm). The samples were analysed using the Acme analytical laboratories assay procedure 1DX2, 1:1:1 Aqua Regia digestion with an inductively-coupled plasma mass spectroscopy (ICP-MS) finish. The assay certificates are located in Appendix I: *Certificates of Analysis*.

Acme Analytical Laboratories perform their own QA/QC procedure and are ISO 9001 certified. Blanks, duplicates, and standard reference materials are inserted in sequence of client's samples to provide a measure of background noise, accuracy and precision.

7.2 SOIL SAMPLE SURVEY

A total of 608 soil samples were collected during the 16 day program at Lucky Strike. In Zone-1, a grid of 414 soils was collected over an area roughly 1.2 X 1.2 kms with a smaller 300m X 300m grid of 132 soils taken to west. In Zone-2 a further 62 soils samples were taken as ridge and spur samples.

The proposed sampling locations were predefined and uploaded into a hand held GPS (Global Positioning System). The final sample site was chosen in the field by a trained employee based on soil availability and quality. Soil samples were collected using a 1.5 m long stainless steel Dutch Auger. The target soil horizon was the "C" horizon. Individual soil samples were placed in labelled kraft paper sample bags, sealed with flagging tape in the field and stored on-site to dry. All sample sites were flagged with biodegradable flagging tape and marked with the sample number. The sample sites were recorded using hand-held GPS units (accuracy 1-10 m) and relevant sample information was then recorded in notes by the sampler. Soil geochemical contouring was produced using Arc GIS 10.0 mapping software. A kriging function was used to create the contoured geochemical maps produced in this report. All geochemical statistics were calculated with Microsoft Excel 2010. The sample element correlation matrix charts were created in Microsoft Excel 2010 and the percentile values of elements were used to derive Pearson coefficients.

7.3 TRENCH AND PIT SURVEY

All trench and pit samples were excavated using a modified MiningCD21 Can Dig mini excavator. Trenches were designed to expose the bedrock at locations with strong gold in soil anomalies and/or auriferous rock grab samples. The location and orientation was determined using Arc GIS 10.0 and then refined in the field based on topographical considerations. The Candig was limited to a depth of approximately 1.5 m and a width of approximately 0.5 m. If bedrock was not encountered a representative rock grab sample was taken along the trench bottom over the sample interval. The rock grab samples were extracted using a rock hammer to

expose fresh surfaces and to liberate a large sample of approximately 2.5 kg. All rock samples were described and photographed prior to sealing in a sample bag. Individual rock samples are placed in labelled plastic sample bags, sealed with a cable tie and stored on-site before transport to the analytical laboratory. A representative trench sample was collected for each sample assayed and stored in Dawson City for future analysis.

Trench and pit locations were recorded using hand-held GPS units (accuracy 1-10 m) and flagged with biodegradable flagging tape. All sample intervals are mapped with GPS and sample descriptions recorded.

7.4 MAGNETIC SURVEY

The magnetic survey was conducted using a backpack mounted Gem Systems GSM-19 Overhauser ground magnetometer. The GSM-19 Overhauser is a super charged proton magnetometer that has a resolution of 0.01 nT and absolute accuracy of 0.1 nT. The magnetometer contains an integrated Garmin GPS that records time and waypoint locations. An approximate 1km X 1km grid was walked with lines spaced 50 m apart for a total of approximately 25 line kms. A trained employee walked the predefined grid using the backpack mounted magnetometer and a time stamped magnetic field reading was continuously taken every 0.5 seconds.

A base station (GSM-19 Overhauser magnetometer) was setup 200 m from the camp and was operated during the ground magnetic survey. The base station would record the magnetic field every 5 seconds for the duration of the ground magnetic survey. Using both the raw data from the base station and the ground rover, a diurnal correction was done using the Gem link systems software. The diurnal correction removes the daily changes in the magnetic field caused by the solar outputs and helps to highlight only the changes in the magnetic field caused by changes in the underlying geology.

7.5 DATA VERIFICATION

All GPS units were downloaded to a laptop and information then transferred into a spreadsheet. The database is checked both in the field and again in the office prior to writing the geological report on the property. An internal quality assurance / quality control (QA/QC) program was conducted by Druid Exploration by the insertion of blanks and standard materials into the sequence of trench rock samples. Blanks and standard reference materials were inserted in sequence to provide a measure of background noise, accuracy and precision. Acme Analytical Laboratories also performs its own QA/QC procedure and are ISO 9001 certified.

#

8.0 DISCUSSION AND CONCLUSION

8.1 DISCUSSION

The Lucky Strike property is comprised of various packages of predominately north west trending gneisses of varying compositions and complexly altered schists. The property contains two mapped early Jurassic to mid-Cretaceous granite / granodiorite intrusions but recent airborne geophysics suggests the presence of at least one other within the property boundary in the area called Zone-2. This was further confirmed in 2014 by field observations and geochemistry and may be critical to understanding the source of the anomalous gold in soil samples including sample 1770025 that returned a gold value of 923.7 ppb Au.

The mapped intrusion in the southern portion of the claims is bounded to the north by a northeast trending structure which transects both the Kinross property to the south and the Lucky Strike property. The property location is in relatively close proximity to a number of recent gold discoveries including the Golden Saddle and Arc deposits on the White Gold property by Underworld Resources (15km to the W), the Coffee Property (Supremo and Latte Zones) by Kaminak Resources (37 km to the SW), and the QV property by Comstock Metals Ltd (12 km to the NW). The property area is surrounded by drainages that have seen historical gold placer mining work throughout the last century and up to the present day.

Zone-1, the main area of the 2014 exploration program on the Lucky Strike property is underlain by a sequence of heavily altered, weathered and oxidized gneiss, orthogneiss and schists with < 5% outcrop making detailed mapping difficult. Previous ridge and spur soil sampling and limited trenching in the Zone-1 area by Goldstrike Resources between 2011 and 2013 returned a number of highly anomalous gold in soil results including but not limited to 703.7, 112.3 and 69.4 ppb Au. Many of these soils were also elevated in gold pathfinder elements and are located directly within the target area of the 2014 work program. Numerous gold bearing rock samples have been discovered within the Zone-1 area including samples (1241855) that returned a result of 41.7 g/t gold including 10.5 g/t Ag, 703 ppm Pb, 86.5 ppm Sb, 333.5 ppm Mo, 1220 ppm Ba, and 3.5 ppm Hg.

The 2013 trenching program resulted in 27 trench samples returning gold values over 100ppb Au with 8 of those samples being greater than 500ppb Au and with one pit sample returning 5.4 g/t Au.

The 2013 and 2014 ground geophysical survey was successful in highlighting a change in ground magnetics that indicates a change in lithology that corresponds with an interpreted north west trending structure or contact. Analysis of the geochemistry from the soil sampling along with field observations would imply that there is a north west contact or mineralized structure trending through the Zone-1 area and could be an important influence on mineralization.

8.2 CONCLUSION

- Zone-1 on The Lucky Strike property has received approximately 26 days of exploration work to date. Despite lacking any significant outcrop or having any significant historical work numerous gold bearing rock samples have been discovered within a small area in a relatively short period of time indicating the possible presence of a buried mineralized system.
- The 2014 Zone-1 trenching program at Lucky Strike was successful in reaching bedrock but with the analysis of new data appears to have been located too far south and may have missed the best targets. Gold appears to be associated with quartz veining, brecciation with silica and feldspar alteration indicating that structurally controlled fluid pathways may be controlling mineralization. The influence of nearby intrusions on mineralization is unknown but needs further investigations.
- The late season timing of the 2014 program combined with better understanding of the terrain and ground conditions allowed the company to successfully modify its trenching equipment and reach target depths in all trenches.

- This area of the Yukon was not affected by the last glaciation and thus geochemical anomalies derived by soil sampling should be representative of the underlying bedrock and mineralization. The combined 2013 and 2014 soil sampling programs have now outlined number of excellent targets with consistent gold pathfinder signatures.
- Many similarities can be drawn between Zone-1 at Lucky Strike and neighboring deposits and discoveries including host rocks, age, alteration, brecciation, structure, proximity to intrusions, gold grades and associated mineralogy.
- The ground magnetic survey, was significant in showing that it can be a useful aid in mapping the underlying geology, and possibly structure, in an area with little outcrop.

Based on the positive results seen to date at Lucky Strike a follow-up exploration program is recommended.

9.0 RECOMMENDATIONS

The focus of a follow up exploration program at Lucky Strike should first concentrate on an expansion of the Zone-1 soil grid. Further prospecting is required throughout the property especially in areas where previous soil sampling returned anomalous values for gold or known gold pathfinder elements and in areas with prospective geology and structure. Based on the positive results obtained to date a future program should include the following:


1. A detailed gridded (50m sample spacing on 50m line spacing) soil sampling survey is recommended to expand the Zone-1 survey. This survey should not be undertaken before mid-July to avoid issues with frozen ground. An estimation of approximately 3000 samples would be needed and a crew of 6 would require approximately 14 days to complete this survey.
2. A detailed gridded (50m sample spacing on 50m line spacing) soil sampling survey is recommended to expand upon the ridge and spur survey at Zone-2. This survey should not be undertaken before mid-July to avoid issues with frozen ground. An estimation of approximately 3000 samples would be needed and a crew of 6 would require approximately 14 days to complete this survey.
3. A follow up pit sampling program on anomalous soil sample sites with a modified fly portable Candig Mini excavator. The program should include sample duplicates to be taken for every sample and thin section analysis on auriferous samples. This should be conducted as late in the season as possible to allow for maximum ground thaw and pits should remain open until the following season when all analysis has been completed. This would require approximately a crew of 4 for 28 days at 600 samples total.
4. Reconnaissance mapping over the entire property based on 200m spaced traverse lines by geologists and prospectors. 4 crew for 21 days at 600 samples. Prospecting and mapping should allocate time to investigate all known anomalous soil sample locations on the property, the mapped fault bounded intrusion to the south of the property, the area around the Three sisters MINFILE showing on the Au claims and all prospective geology and structure on the property.

The estimated budget for a follow up program on Lucky Strike is approximately \$627,000.00. This is just a guide and actual costs will differ when a detailed program is laid out (Table 4: *Estimated Budget for Follow up Exploration Program*).

ESTIMATED BUDGET FOR FOLLOW UP PROGRAM				
ITEM	DESCRIPTION	TIME	UNIT AMOUNT	\$ AMOUNT
1	SOIL SAMPLING	28 DAYS	6000 samples	\$ 250,000.00
2	PIT SAMPLING	28 DAYS	600 samples	\$ 100,000.00
3	MAPPING & PROSPECTING	21 DAYS	600 samples	\$ 90,000.00
	HELICOPTER & FUEL		100 hrs	\$ 100,000.00
	FIXED WING AIRCRAFT		20 trips	\$ 30,000.00
			SUBTOTAL	\$ 570,000.00
	CONTINGENCY @ 10%			\$ 57,000.00
			TOTAL	\$ 627,000.00

Table 4: Estimated Budget for Follow up Exploration Program

Respectfully submitted,



Daithi Mac Gearailt, B.Sc.

December 28th 2014

10.0 REFERENCES

- Bennett, V., Colpron, M., and Burke, M., 2010. *Current thinking on Dawson Range Tectonics and Metallogeny*: Yukon Geological Survey, Miscellaneous Report, 2 July 2010.
- Couture, J.F., and Siddorn, J.P., 2011. *Technical Report Coffee Gold Project, Yukon Territory, Canada*.
- Colpron, M. and Nelson, J.L., 2011. *A Digital Atlas of Terranes for the Northern Cordillera*. Accessed online from Yukon Geological Survey (www.geology.gov.yk.ca), [Dec-2013].
- Duk-Rodkin, 2001. *Glacial Limits of Stewart River, Yukon Territory (115-O&N)*. Open file 3801, scale 1:250,000, Geological Survey of Canada.
- Reed, L.E., 2010. *Notes on the Interpretation of Helicopter Magnetometer and Gamma Surveying in West Central Yukon for Cloudbreak Resources Ltd.* (Internal Report)
- Ryan, J.J., 2003. *Bedrock Geology of Yukon-Tanana Terrane in Southern Stewart River Map Area, Yukon Territory. Geological Survey of Canada Current Research*, 13p.
- Ryan, J.J., and S. P. Gordey, 2005. *Geology, Stewart River area (115-N, 115-O and part of 115-J). Yukon Territory. Open file 4970, scale 1:250,000, Yukon Geological Survey*.
- Ryan, J.J., and S. P. Gordey, 2005. *Geology, Stewart River Area (115-N /1,2,7,8 and 115-O/2 – 12), Yukon Territory; Geological Survey of Canada, Open File 4641, scale 1:100 000*.
- Vivian, G., White, D. and Robinson, J. 2011. *Technical Report Au, Lucky, and Strike Claims, Yukon Territory, Canada*.
- Wainwright, A.J., Simmons, A.T., Finnigan, C.S., Smith, T.R. and Carpenter, R.L., 2011. *Geology of new gold discoveries in the Coffee Creek area, White Gold District, west-central Yukon*. In: Yukon Exploration and Geology 2010, K.E. MacFarlane, L.H. Weston and C. Relf (eds.), Yukon Geological Survey, p. 233-247.
- Weiershäuser, L., Nowak, M., Barnett, W., and Arseneau, G., 2010. *White Gold Property, Dawson Range, Yukon, Canada*.
- Yukon Permafrost Network. Accessed online from <http://permafrost.gov.yk.ca/> [Dec-2013].
- Mac Gearailt, D. 2013. *Technical Report, Surface Exploration Program on the Lucky Strike Project, White Gold District 2013*

11.0 STATEMENT OF QUALIFICATIONS OF AUTHOR

I, Daithi Mac Gearailt, of:
Dawson City, Yukon Territory
Y0B 1G0,
867-689-1475

Do hereby certify that:

1. I am a mineral exploration geologist with over 7 years of experience working in Ireland, Yukon Territory, Alaska and Nevada.
2. I am a graduate of National University of Ireland-Galway (NUIG), with an honors degree in geology (B.Sc., 2007) and have been involved in geology and mineral exploration continuously since 2007.
3. I am a member of The Yukon Chamber of Mines, The Association for Mineral Exploration British Columbia, AME BC and of the Irish Association of Economic Geology (IAEG).
4. I am the author of this report on the Lucky Strike property located in the Dawson Mining District, Yukon. The report is based on information obtained in the field, given to me and on referenced sources. It is, to the best of my knowledge, true and correct.

Daithi Mac Gearailt, B.Sc.



DATE: 28 December 2014

APPENDIX I

Type	Lab_Tag	Northing	Easting	Description
outcrop	1770101	7013489.35	589120.58	Beige intrusive (medium textured), gossanous hill, fine diss'd dark grey sulphide in fine (<1m) veinlets and blebs, mic calcite veinlets (alt'n), sporadic weak metamorphic fabric, uneven qrtz vein or stockwork following joint and foliated surfaces, foliation @ 006/24 NE, joints @ 100/65 S
outcrop	1770102	7013481.36	589117.74	Silic'd schist/orthogneiss, fine textured, beige color, blebs and diss'd pyrite, gossanous weathered surface, foliation 340/42 NE
outcrop	1770103	7013480.37	589126.56	Diss'd cubic pyrite and <1mm veinlets pyrite in white qrtz granite orthogneiss, highly fractured, limonitic fractures minor calcite veinlets
float	1770104	7013283.55	589144.02	Angular block in soil, silicified orthogneiss, dark fine diss'd grey sulphide and veinlets. Qrtz stringers (stockwork), su crop ledge 10 m to south, did not investigate as rushed to finish soil line
float	1770105	7013037.03	589206.84	Intrusive (medium tex'd), jig saw like qrtz veinlets (5mm), grey diss'd sulphide in fractures and qrtz vein.
float/subcrop	1771951	7009345.68	593522.78	Taken from pit, grey/blue silic'd volcanic/qrtz, , visible gold in qrtz near dark brown weathered out sulphide pit, 2 f deep in pit
float/subcrop	1771952	7009345.68	593522.78	taken from pit #1 ,beige qrtz with pyrite blebs (5 -10mm), only visible sulphide found in pit
float/subcrop	1771953	7009345.68	593522.78	Taken from pit ,grey/blue silic'd volcanic with white qrtz and pink kspars pheno's throughout, sub brecciated locally, likely the source of geochemical anomaly (Mo, Sb, Hg, etc.), 50% of pit
float/subcrop	1771954	7009345.68	593522.78	Taken from pit, oxidized host rock, coarse mica qrtz orthogneiss, rusty with small qrtz veins
float/subcrop	1771955	7009280.19	594941.58	Taken from pit, heavy dark purple to black hydrothermal alt'n rock, pitted with appears to be weathered out sulphide or clay minerals?, unique, fine (<1mm) white qrtz veinlets locally and brecciation with beige orthogneiss clasts (host rock), appears to be multiple swarms of this unit, major structure, explains nw trend of Mo, As, Bi, Hg, Ba etc., vitreous dark black veinlets/ staining (maybe manganese oxide) locally
float/subcrop	1771956	7009280.19	594941.58	Taken from pit #2, light pumice like orange hydrothermal alt'n/cooked rock, many irregular shaped voids?
float/subcrop	1771957	7009280.19	594941.58	Taken from pit, appears to wall rock/host rock for the hydrothermal dyke like material (sample 1771955), clasts of unit are seen in the dark purple/black heavy dyke material, beige qrtz mica schist/orthogneiss, sub brecciated/fractured
float/subcrop	1771958	7009280.19	594941.58	Taken from pit, 5 feet deep, @ bottom of pit, bulk sample of oxidized orange soil and qrtz chips
float/subcrop	1771959	7009284.06	594887.30	Taken from pit, same heavy dark purple/black hydrothermal alt'n rock seen in pit # 2 (sample 1771955),
float/subcrop	1771960	7009284.06	594887.30	Taken from pit, jigsaw breccia of beige mica qrtz orthogneiss, host/wall rock alt'd/brecciated by hydrothermal dyke fine <1mm veinlets of dark min'l or fracture fill?,
float/subcrop	1771961	7008723.87	594906.49	Taken from pit, grey to maroon qrtz with limonite stockwork/limonite filled fractures, most abundant rock type, just rubble with largest piece @ 5 cm, deep hillside slump action
float/subcrop	1771962	7008723.87	594906.49	Taken from pit , qrtz mica orthogneiss, locally feldspar/clay altered and very rusty, minor qrtz augens or vein in orthogneiss
float	1771963	7009323.31	593458.60	Taken from soil sample 1771875 pit, dark grey qrtz vein material in orthogneiss
float	1771964	7009306.60	593409.01	Taken from soil sample 1771878, silic'd orthogneiss with vitreous qrtz veining, limonitic fractures and minor feldspar/clay alt'n
float	1771965	7009306.60	593409.01	Taken from soil sample 1771875 pit, heavy oxidized and limonitic qrtz vein material
float	1771966	7009323.40	593531.17	Taken from soil sample 1771860, silic'd orthogneiss with dark and beige qrtz vein material, limonitic, similar to vg h 25 m west
float	1771967	7009269.05	593513.57	Taken from soil sample 1771897 location, dark qrtz vein material with lots of limonite and rusted out cubic sulphide voids
float	1771968	7009231.41	593557.45	Thin (< 5 cm) soil covered talus, very limonitic vitreous quartz in feldspar/clay altered orthogneiss
float	1771969	7009501.63	593564.81	Taken from soil sample 1771939 location, vg host rock, dark limonitic qrtz material with beige to white qrtz veining also
float	1771970	7009501.63	593564.81	Taken from soil sample location 1771939, beige dull qrtz with limonite, local fresh pyrite, and weathered out sulphide pits
float	1771971	7009501.63	593564.81	Taken from soil sample 1771939 location, white limonitic qrtz vein material
float	1771972	7009516.22	593514.52	Taken from soil sample 1771812, same unit as vg pit, dark qrtz vein material, lots of limonite and weathered out sulphide pits (cubic)
float	1771973	7009431.24	593389.90	Taken from soil sample 1771825 location, oxidized orthogneiss with sub brecciated dark qrtz alt'n, limonitic and sin to vg host
float	1771974	7009534.89	593496.96	Taken from soil sample location 1771831, Silicified orthogneiss with dark qrtz alt'n, sub brecciated in places, limonite with sulphide rots (cubic)
float	1771975	7009345.68	593522.78	bulk sample, vg style rock taken from 7 small pits (<30 cm) located approx. 1 -5 m 360 degrees in all direction from vg pit, vg style rock was sampled from all pits, dark qrtz alt'd orthogneiss surrounds the vg pit however appears to resting on top of thicker soil layer? preferential weathering?
float	1771976	7008567.95	594234.26	large 1 m wide qrtz vein, possible sub crop, located on edge of major incised drainage, limonitic burnt (beige) section sampled, milky white qrtz
float	1771977	7009345.68	593522.78	Quartz vein material from pit, VG? but maybe diss'd moly? Luster like gold but dull silver luster.
trench	1770151	7008985.58	594464.72	2.6-3.3m from LSTR-14-001
trench	1770152	7008986.56	594469.31	7.4-7.9m from LSTR-14-001
trench	1770153	7008986.87	594470.78	9-9.3m from LSTR-14-001
trench	1770154	7008987.33	594472.93	11-11.7m from LSTR-14-001
trench	1770155	7008987.19	594472.30	10.4-11m from LSTR-14-001
trench	1770156	7008988.19	594476.99	15-16m from LSTR-14-001
trench	1770157	7008988.83	594479.97	18.4-18.7m from LSTR-14-001
pit	1770159	7009345.68	593522.78	OG, with some dark qtz veining from PIT-14-001
trench	1770160	7008983.76	594525.93	0-0.3m from LSTR-13-005-B1
trench	1770161	7008984.21	594525.93	fault; 0.8-1.3m from LSTR-13-005-B1
trench	1770162	7008984.36	594525.93	fault foot wall; 1.3-2m from LSTR-13-005-B1
trench	1770163	7008984.36	594525.93	fault foot wall; 2-2.5m from LSTR-13-005-B1
pit	1770164	7009280.19	594941.58	1.3m deep. Angular oxidized orthogneiss with some intact K-spar xtals, siliceous w/ dark qtz in places.

pit	1770165	7009284.06	594887.30	1.5m deep.Oxi, limonitic + sericite alt. Scilified with dark grey qtz veinlits - looks good. From Pit-14-003
-----	---------	------------	-----------	--

CERTIFICATE OF ANALYSIS

WHI14000146.2

CLIENT JOB INFORMATION

Project: Lucky Strike
Shipment ID: TLS_14
P.O. Number
Number of Samples: 110

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Goldstrike Resources Ltd.
1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3
CANADA

CC: Clayton Jones
Daithi Mac Gerailt
Diana Benz

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	106	Crush, split and pulverize 250 g rock to 200 mesh			WHI
FA330-Au	109	Fire assay fusion Au by ICP-ES	30	Completed	VAN
AQ200	109	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Version 2 : Correction to ID's and weights for 1771546 and 1771548.



CERTIFICATE OF ANALYSIS

WHI14000146.2

Method	WGHT	FA330	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
1771501	Rock	1.27	11	4.3	56.0	6.7	62	0.1	16.2	4.8	202	3.06	5.3	6.3	9.8	9	0.2	1.5	0.2	36	0.03
1771502	Rock	2.19	11	5.6	36.6	6.3	86	0.1	23.9	5.0	168	2.97	7.6	4.9	6.7	12	0.2	0.8	0.2	17	0.02
1771503	Rock	2.26	4	55.1	28.8	6.5	46	<0.1	13.8	10.7	501	3.73	12.5	4.6	10.3	14	0.4	0.6	<0.1	25	0.03
1771504	Rock	2.18	7	66.3	30.5	8.3	42	0.1	12.4	3.9	150	3.13	16.4	5.3	9.8	11	0.2	1.7	0.2	29	0.03
1771505	Rock	2.01	19	152.1	10.9	8.9	53	0.2	13.9	7.9	470	3.79	3.5	13.5	5.6	8	0.2	1.0	0.2	22	0.04
1771506	Rock	3.10	32	139.6	20.4	7.1	64	0.1	14.7	4.2	151	4.45	2.7	14.9	5.5	8	0.2	0.5	<0.1	31	0.04
1771507	Rock	5.27	6	33.1	23.4	4.7	47	<0.1	11.7	7.9	596	2.91	2.1	8.8	3.5	11	0.2	0.3	0.1	26	0.03
1771508	Rock	5.44	13	36.4	43.7	5.1	55	0.1	15.5	13.3	1635	4.43	3.2	9.5	3.5	11	0.2	0.3	<0.1	22	0.04
1771509	Rock	2.68	7	16.9	33.0	4.7	34	0.1	9.8	11.8	1135	2.60	2.2	5.7	3.0	9	0.1	0.2	0.1	31	0.03
1771510	Rock	4.38	3	8.7	20.5	6.7	41	<0.1	9.3	3.3	139	2.48	1.2	3.0	4.5	8	<0.1	0.3	<0.1	31	0.02
1771511	Rock	2.92	4	4.2	24.5	10.4	34	0.1	7.5	2.1	121	1.99	2.2	3.0	4.5	13	<0.1	0.3	0.1	36	0.03
1771512	Rock	2.49	<2	1.4	14.9	4.6	38	<0.1	8.5	2.9	174	1.94	1.9	0.8	4.5	7	<0.1	0.2	0.1	42	0.04
1771513	Rock Pulp	0.08	483	45.8	>10000	976.6	>10000	63.1	17.7	3.2	671	12.71	132.8	868.8	<0.1	37	259.2	30.2	11.3	9	1.67
1771514	Rock	2.31	388	110.8	23.3	11.6	69	0.2	16.7	7.4	436	3.61	6.4	156.4	6.4	8	0.2	2.1	0.2	21	0.04
1771515	Rock	2.94	200	20.1	14.8	4.1	65	0.1	18.9	9.3	453	2.51	2.0	353.4	8.0	7	0.1	0.4	<0.1	19	0.03
1771516	Rock	2.75	6	21.5	38.7	4.8	165	0.1	50.9	16.2	993	4.77	2.9	3.9	7.3	8	0.2	0.6	0.2	31	0.03
1771517	Rock	2.16	4	12.6	38.1	5.9	96	0.1	20.3	5.2	175	4.76	2.5	2.9	6.7	10	0.1	0.3	0.2	51	0.03
1771518	Rock	3.15	7	9.7	33.2	7.7	64	0.1	12.1	2.7	109	3.34	4.7	7.2	4.6	15	<0.1	0.4	0.2	27	0.03
1771519	Rock	1.94	3	3.7	13.3	24.9	31	0.2	7.3	2.3	117	1.73	3.4	2.6	6.6	23	<0.1	0.4	0.4	34	0.03
1771520	Rock Pulp	0.08	456	43.3	>10000	962.1	>10000	63.1	17.3	2.9	637	11.90	128.0	299.5	<0.1	33	244.7	28.4	10.5	8	1.56
1771521	Rock	0.63	43	12.3	62.0	9.9	111	<0.1	23.0	6.2	182	3.77	8.8	72.6	9.7	21	0.3	1.3	0.7	64	0.07
1771522	Rock	2.84	18	71.5	37.9	8.5	89	0.2	17.6	6.0	251	4.14	4.7	12.5	10.4	12	0.3	1.2	0.1	53	0.03
1771523	Rock	0.37	1266	588.6	71.9	52.2	158	3.7	49.5	154.8	8046	12.77	6.1	436.3	9.2	20	1.6	1.5	0.3	48	0.11
1771524	Rock	0.81	227	988.0	34.1	45.1	109	0.3	27.1	8.3	280	6.27	6.1	136.6	19.3	12	0.6	2.6	0.5	90	0.04
1771525	Rock	0.75	60	235.5	21.7	9.7	80	0.2	25.4	9.6	248	6.43	6.9	40.3	4.2	7	0.3	1.3	0.3	21	0.04
1771526	Rock	2.81	10	34.0	39.5	4.4	92	<0.1	20.4	7.6	262	4.71	3.1	4.8	4.9	10	0.3	0.6	<0.1	53	0.03
1771527	Rock	0.80	11	10.8	25.9	5.3	45	<0.1	12.6	4.8	152	2.07	2.2	7.4	8.6	16	0.1	0.7	0.1	37	0.05
1771528	Rock	1.59	7	20.0	25.7	4.9	45	<0.1	12.3	5.7	351	3.68	3.8	7.6	2.6	11	0.1	0.5	<0.1	26	0.03
1771529	Rock	2.37	7	12.8	48.7	30.9	148	0.3	33.1	7.7	579	5.82	20.5	5.6	5.2	17	0.3	0.7	0.2	43	0.04
1771530	Rock	2.75	2	2.4	33.7	15.7	129	0.2	38.1	11.0	232	3.09	6.9	2.4	6.7	12	0.2	0.7	0.2	38	0.06

CERTIFICATE OF ANALYSIS

WHI14000146.2

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2
1771501	Rock	0.072	30	20	0.12	275	0.025	<20	0.61	0.001	0.33	<0.1	3.07	6.0	0.2	<0.05	2	1.2	<0.2
1771502	Rock	0.048	19	7	0.03	574	0.004	<20	0.30	0.002	0.16	<0.1	1.16	4.1	<0.1	<0.05	<1	<0.5	<0.2
1771503	Rock	0.066	25	8	0.04	857	0.006	<20	0.42	0.002	0.17	<0.1	1.65	4.4	0.1	<0.05	2	0.5	<0.2
1771504	Rock	0.064	24	11	0.06	219	0.010	<20	0.49	0.009	0.17	<0.1	1.77	5.9	0.1	<0.05	2	0.7	<0.2
1771505	Rock	0.079	16	8	0.04	331	0.003	<20	0.40	0.001	0.12	<0.1	2.15	6.9	0.2	<0.05	1	<0.5	<0.2
1771506	Rock	0.071	13	7	0.07	276	0.008	<20	0.45	0.001	0.19	<0.1	3.09	7.2	0.2	<0.05	2	<0.5	<0.2
1771507	Rock	0.053	11	9	0.06	373	0.008	<20	0.45	<0.001	0.19	<0.1	3.17	4.5	0.2	<0.05	1	<0.5	<0.2
1771508	Rock	0.053	10	10	0.07	737	0.009	<20	0.37	<0.001	0.19	<0.1	1.49	4.0	0.3	<0.05	2	<0.5	<0.2
1771509	Rock	0.038	7	12	0.10	563	0.025	<20	0.43	<0.001	0.25	<0.1	0.84	5.2	0.3	<0.05	2	<0.5	<0.2
1771510	Rock	0.036	13	17	0.28	350	0.079	<20	0.84	<0.001	0.55	<0.1	3.69	4.5	0.3	<0.05	3	<0.5	<0.2
1771511	Rock	0.035	13	17	0.22	330	0.071	<20	0.68	<0.001	0.45	<0.1	3.72	5.0	0.3	<0.05	3	<0.5	<0.2
1771512	Rock	0.039	11	20	0.33	503	0.119	<20	0.99	<0.001	0.71	<0.1	0.89	4.4	0.4	<0.05	3	<0.5	<0.2
1771513	Rock Pulp	0.043	<1	15	1.68	30	0.002	<20	0.70	0.022	0.06	0.4	2.75	1.7	0.9	>10	5	5.1	9.7
1771514	Rock	0.060	22	9	0.02	333	0.002	<20	0.33	0.001	0.10	<0.1	2.14	8.0	<0.1	<0.05	1	1.3	0.3
1771515	Rock	0.072	23	10	0.03	237	0.003	<20	0.33	0.006	0.09	<0.1	2.64	6.7	<0.1	<0.05	1	<0.5	<0.2
1771516	Rock	0.088	20	14	0.09	418	0.015	<20	0.42	0.001	0.24	0.1	2.77	5.4	0.2	<0.05	2	0.7	<0.2
1771517	Rock	0.056	12	18	0.25	269	0.059	<20	0.91	<0.001	0.52	<0.1	2.77	5.6	0.3	<0.05	3	3.8	<0.2
1771518	Rock	0.037	7	9	0.04	1034	0.006	<20	0.38	<0.001	0.15	<0.1	1.20	5.5	0.2	<0.05	2	1.8	<0.2
1771519	Rock	0.026	12	17	0.14	289	0.041	<20	0.72	<0.001	0.35	<0.1	1.12	4.2	0.2	<0.05	3	<0.5	<0.2
1771520	Rock Pulp	0.041	<1	13	1.55	30	0.002	<20	0.64	0.020	0.06	0.3	2.57	1.6	0.8	>10	5	4.3	9.5
1771521	Rock	0.089	31	29	0.33	438	0.083	<20	1.10	<0.001	0.68	<0.1	0.82	6.4	0.4	<0.05	4	1.4	<0.2
1771522	Rock	0.106	33	20	0.08	304	0.016	<20	0.58	<0.001	0.24	0.1	2.76	8.8	0.1	<0.05	2	1.9	<0.2
1771523	Rock	0.174	28	17	0.05	2876	0.001	<20	0.70	0.001	0.17	0.2	3.61	19.1	1.4	<0.05	2	1.2	0.5
1771524	Rock	0.152	54	27	0.04	459	0.003	<20	0.62	<0.001	0.15	0.2	2.17	12.9	0.1	0.07	3	2.1	1.7
1771525	Rock	0.105	7	11	0.03	253	0.002	<20	0.36	<0.001	0.10	<0.1	2.01	6.3	<0.1	<0.05	2	1.5	<0.2
1771526	Rock	0.099	12	23	0.17	297	0.038	<20	0.72	<0.001	0.36	<0.1	0.89	6.0	0.2	<0.05	3	1.7	<0.2
1771527	Rock	0.054	25	18	0.11	319	0.016	<20	0.56	<0.001	0.32	<0.1	1.90	5.1	0.3	<0.05	3	1.8	<0.2
1771528	Rock	0.075	4	10	0.03	244	0.003	<20	0.30	<0.001	0.13	<0.1	1.56	3.8	0.1	<0.05	1	1.3	<0.2
1771529	Rock	0.092	10	16	0.03	1779	0.003	<20	0.43	0.001	0.17	<0.1	0.86	5.8	0.2	<0.05	1	0.8	<0.2
1771530	Rock	0.061	15	19	0.17	565	0.040	<20	0.60	<0.001	0.37	<0.1	0.70	4.2	0.3	<0.05	2	0.6	<0.2

CERTIFICATE OF ANALYSIS

WHI14000146.2

Method	WGHT	FA330	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
1771531	Rock	2.21	3	3.9	51.5	30.4	154	0.3	40.9	13.2	376	3.64	5.4	1.7	13.8	14	0.7	3.0	0.2	19	0.11
1771532	Rock	1.47	3	3.6	28.6	13.0	296	0.1	99.0	25.6	614	5.40	13.5	1.6	2.5	8	0.6	0.4	0.2	21	0.04
1771533	Rock	2.94	6	3.0	22.2	16.0	42	0.2	12.6	3.6	103	1.67	11.3	3.7	4.4	37	0.2	0.3	0.4	32	0.05
1771534	Rock	2.57	2	4.5	49.7	12.1	114	0.2	35.7	7.2	124	3.94	14.6	1.8	3.6	28	0.5	0.6	0.2	44	0.03
1771535	Rock	1.04	6	3.3	20.9	8.7	39	0.1	13.4	4.5	248	1.56	3.6	3.8	5.8	44	0.2	0.3	0.3	25	0.05
1771536	Rock	3.29	3	8.9	50.0	8.9	133	0.2	36.3	5.8	182	6.18	6.9	2.8	5.0	19	0.5	0.5	0.2	44	0.03
1771537	Rock	3.27	7	7.0	35.6	9.9	65	0.2	19.5	6.0	263	2.55	6.8	3.6	4.4	30	0.3	0.5	0.3	35	0.04
1771538	Rock	4.00	2066	20.9	49.5	94.3	104	0.6	35.4	9.0	367	4.05	6.9	2113.3	6.4	11	0.4	2.6	0.1	22	0.02
1771539	Rock	0.90	38	5.3	32.5	9.8	84	<0.1	23.0	5.7	170	3.21	4.7	30.8	8.1	17	0.3	0.7	0.2	34	0.02
1771540	Rock	2.39	14	2.9	24.5	11.8	85	<0.1	20.3	6.0	146	2.60	4.6	7.6	9.1	12	0.2	0.7	0.2	31	0.02
1771541	Rock	2.07	10	5.5	75.1	12.4	240	0.2	65.2	19.9	518	6.54	11.6	6.8	10.6	15	0.5	1.6	0.3	42	0.04
1771542	Rock	2.35	7	4.9	52.8	17.0	212	0.1	68.2	17.9	501	4.67	13.7	4.3	8.6	18	0.3	0.6	0.2	39	0.03
1771543	Rock	3.60	10	1.7	37.9	23.1	116	0.1	28.5	9.0	268	2.70	28.0	3.7	7.9	14	0.2	0.6	0.3	44	0.04
1771544	Rock	2.80	16	3.5	43.9	21.4	174	0.7	42.2	11.7	445	6.15	40.0	14.8	7.5	10	0.6	1.4	0.5	43	0.02
1771545	Rock	2.26	23	2.6	38.6	34.7	44	0.2	18.3	7.1	161	1.76	7.4	12.6	10.0	42	0.2	0.2	0.2	47	0.06
1771548	Rock Pulp	0.08	516	46.8	>10000	998.8	>10000	63.5	18.5	3.1	680	12.23	140.3	324.8	<0.1	36	264.0	31.9	11.0	9	1.66
1771546	Rock	4.05	12	2.4	63.4	17.9	76	0.3	19.5	6.5	166	4.20	14.2	8.7	6.4	12	0.4	0.5	0.2	32	0.03
1771549	Rock	2.49	4	0.8	21.0	5.8	35	<0.1	9.9	4.9	113	2.39	9.7	3.1	6.5	11	0.3	0.3	0.1	16	0.04
1771550	Rock	2.19	9	0.9	25.6	7.8	52	0.1	10.9	5.4	136	2.85	8.3	8.2	6.7	10	0.4	0.4	0.2	18	0.04
1771551	Rock	1.80	17	1.0	28.0	13.5	81	0.1	20.6	7.8	196	3.76	16.8	12.7	8.5	19	0.4	0.4	0.1	16	0.09
1771552	Rock	2.12	10	1.9	35.1	13.2	102	0.2	19.3	6.1	242	6.16	38.1	9.8	7.5	7	0.5	1.1	0.2	37	0.04
1771553	Rock	3.70	4	1.0	30.9	11.3	69	0.1	19.7	6.2	182	2.55	22.3	3.2	8.7	9	0.2	1.2	0.2	32	0.03
1771554	Rock	2.91	4	0.3	14.8	8.1	27	0.2	8.0	1.4	48	0.97	6.4	3.5	1.3	3	0.2	0.4	0.2	5	0.01
1771555	Rock	3.37	12	1.2	41.1	15.9	52	0.2	16.7	5.4	200	2.19	15.2	13.0	8.1	10	0.3	0.8	0.5	16	0.04
1771556	Rock	3.54	4	0.8	30.2	13.7	88	<0.1	23.7	7.1	223	2.59	3.6	2.1	12.9	10	0.1	0.2	0.2	42	0.10
1771557	Rock	3.61	3	1.1	30.9	17.7	59	<0.1	18.6	5.9	198	2.17	4.0	1.7	8.0	9	0.1	0.5	0.2	28	0.07
1771558	Rock	3.65	3	2.0	42.7	19.2	100	0.1	28.8	10.3	274	2.87	1.8	1.5	13.1	9	0.2	0.2	0.3	45	0.13
1771559	Rock	3.18	8	2.4	40.9	18.5	71	0.1	19.8	6.2	180	2.59	10.3	4.1	14.7	10	0.2	0.5	0.3	44	0.08
1771560	Rock	3.05	14	3.5	51.4	15.5	125	0.1	41.7	11.1	331	4.83	2.5	4.3	15.7	9	0.3	0.2	0.2	56	0.09
1771561	Rock	3.31	6	2.9	58.6	32.3	91	0.2	31.8	9.7	307	3.48	21.3	4.3	20.9	8	0.3	0.5	0.4	29	0.07

CERTIFICATE OF ANALYSIS

WHI14000146.2

Method Analyte Unit MDL	AQ200 P %	AQ200 La ppm	AQ200 Cr ppm	AQ200 Mg %	AQ200 Ba ppm	AQ200 Ti %	AQ200 B ppm	AQ200 Al %	AQ200 Na %	AQ200 K %	AQ200 W ppm	AQ200 Hg ppm	AQ200 Sc ppm	AQ200 Ti ppm	AQ200 S %	AQ200 Ga ppm	AQ200 Se ppm	AQ200 Te ppm	
																			0.001
1771531	Rock	0.090	40	11	0.05	554	0.004	<20	0.39	0.003	0.27	<0.1	0.65	3.8	0.1	<0.05	1	0.9	<0.2
1771532	Rock	0.067	4	7	0.02	331	0.002	<20	0.26	<0.001	0.11	<0.1	0.59	3.5	0.1	<0.05	<1	0.7	<0.2
1771533	Rock	0.046	8	16	0.03	1001	0.003	<20	0.38	0.002	0.18	<0.1	0.71	4.1	<0.1	<0.05	1	0.7	<0.2
1771534	Rock	0.061	5	19	0.02	1873	0.002	<20	0.36	<0.001	0.15	<0.1	0.47	5.5	<0.1	<0.05	1	1.5	<0.2
1771535	Rock	0.032	16	15	0.07	410	0.006	<20	0.46	<0.001	0.21	<0.1	0.36	4.6	0.3	<0.05	2	<0.5	<0.2
1771536	Rock	0.114	9	15	0.03	3288	0.004	<20	0.41	<0.001	0.14	<0.1	0.46	5.8	0.1	0.06	1	0.6	<0.2
1771537	Rock	0.055	10	15	0.04	2110	0.004	<20	0.37	<0.001	0.14	<0.1	0.56	6.3	0.1	<0.05	1	<0.5	<0.2
1771538	Rock	0.082	19	15	0.01	188	0.001	<20	0.30	<0.001	0.08	<0.1	0.90	6.9	0.2	<0.05	1	<0.5	<0.2
1771539	Rock	0.080	21	19	0.05	215	0.009	<20	0.44	<0.001	0.17	<0.1	0.47	8.0	0.2	<0.05	2	0.7	<0.2
1771540	Rock	0.053	23	16	0.18	238	0.041	<20	0.61	<0.001	0.37	<0.1	0.20	3.7	0.2	<0.05	2	<0.5	<0.2
1771541	Rock	0.125	26	22	0.20	511	0.047	<20	0.84	<0.001	0.47	<0.1	0.17	4.3	0.3	<0.05	3	0.8	<0.2
1771542	Rock	0.089	19	20	0.06	430	0.011	<20	0.50	0.002	0.23	<0.1	0.14	5.0	0.2	<0.05	3	0.8	<0.2
1771543	Rock	0.051	15	18	0.10	534	0.021	<20	0.53	<0.001	0.24	<0.1	0.12	6.6	0.2	<0.05	3	<0.5	<0.2
1771544	Rock	0.143	15	20	0.03	370	0.004	<20	0.39	0.001	0.16	<0.1	0.26	6.2	0.1	<0.05	2	0.6	<0.2
1771545	Rock	0.060	27	27	0.04	411	0.002	<20	0.44	0.003	0.16	<0.1	0.14	7.2	<0.1	<0.05	2	<0.5	<0.2
1771548	Rock Pulp	0.040	<1	14	1.71	35	0.002	<20	0.73	0.022	0.07	0.4	2.88	1.7	0.9	>10	5	4.6	9.8
1771546	Rock	0.115	8	16	0.07	270	0.012	<20	0.47	0.001	0.18	<0.1	0.06	2.8	0.1	<0.05	2	1.0	<0.2
1771549	Rock	0.055	13	5	0.09	121	0.024	<20	0.58	0.004	0.22	<0.1	0.05	2.5	0.2	<0.05	2	<0.5	<0.2
1771550	Rock	0.064	17	6	0.13	156	0.029	<20	0.67	0.017	0.28	<0.1	0.05	3.4	0.2	<0.05	2	<0.5	<0.2
1771551	Rock	0.068	13	10	0.06	243	0.003	<20	0.71	0.002	0.14	<0.1	0.18	4.9	0.1	<0.05	2	<0.5	<0.2
1771552	Rock	0.113	5	13	0.08	199	0.022	<20	0.71	0.001	0.25	<0.1	0.14	3.8	0.4	<0.05	3	0.7	<0.2
1771553	Rock	0.052	14	18	0.15	195	0.027	<20	0.58	<0.001	0.28	<0.1	0.09	3.1	0.2	<0.05	3	<0.5	<0.2
1771554	Rock	0.027	2	3	0.02	127	0.002	<20	0.26	0.017	0.15	<0.1	0.04	0.8	<0.1	<0.05	<1	<0.5	<0.2
1771555	Rock	0.065	16	8	0.07	161	0.015	<20	0.50	0.009	0.20	<0.1	0.07	3.5	0.2	<0.05	2	<0.5	<0.2
1771556	Rock	0.065	24	25	0.38	359	0.119	<20	1.24	<0.001	0.74	<0.1	0.01	3.1	0.5	<0.05	5	<0.5	<0.2
1771557	Rock	0.062	16	16	0.22	251	0.070	<20	0.85	0.002	0.45	<0.1	0.02	2.0	0.3	<0.05	3	<0.5	<0.2
1771558	Rock	0.090	27	27	0.36	304	0.102	<20	1.16	<0.001	0.68	<0.1	<0.01	3.3	0.5	<0.05	4	3.1	<0.2
1771559	Rock	0.081	33	25	0.23	227	0.065	<20	0.90	<0.001	0.54	<0.1	0.02	3.4	0.3	<0.05	4	1.6	<0.2
1771560	Rock	0.118	28	31	0.36	333	0.092	<20	1.19	<0.001	0.66	<0.1	0.02	3.7	0.4	<0.05	4	0.8	<0.2
1771561	Rock	0.088	40	16	0.19	235	0.052	<20	0.85	<0.001	0.41	<0.1	0.05	3.2	0.4	<0.05	3	<0.5	<0.2

CERTIFICATE OF ANALYSIS

WHI14000146.2

Method	WGHT	FA330	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
1771562	Rock	2.48	6	2.3	44.7	22.7	85	0.2	27.4	7.8	272	3.33	16.9	6.4	13.4	5	0.3	0.7	0.2	32	0.05
1771563	Rock	2.92	5	0.9	38.2	13.1	92	<0.1	27.5	9.9	228	2.91	2.1	1.5	12.1	6	0.2	<0.1	0.3	46	0.13
1771564	Rock	2.72	<2	0.2	5.7	63.0	14	0.3	4.7	1.3	56	0.42	1.3	0.5	2.0	7	<0.1	<0.1	1.7	4	0.09
1771565	Rock	2.39	8	1.1	40.3	77.4	61	0.2	24.2	10.7	280	2.69	5.5	6.3	9.8	6	0.2	0.2	1.0	30	0.09
1771566	Rock	2.61	6	1.3	35.8	14.6	72	0.1	22.9	5.7	183	2.83	12.6	4.3	9.3	7	0.2	0.2	0.3	35	0.06
1771567	Rock	3.92	9	1.7	59.9	19.4	119	0.2	38.0	9.3	333	3.75	13.9	7.3	10.3	10	0.3	0.4	0.3	44	0.11
1771568	Rock	2.79	11	3.4	65.1	28.5	257	0.4	83.2	22.1	706	5.80	30.7	7.7	8.1	12	0.6	0.3	0.3	44	0.07
1771569	Rock Pulp	0.09	439	47.1	>10000	1032.3	>10000	65.5	17.3	3.0	691	12.48	138.1	330.2	<0.1	36	257.6	33.2	11.5	9	1.68
1771570	Rock	5.45	<2	0.7	17.9	3.3	21	<0.1	3.3	2.3	134	1.48	1.9	2.0	8.0	5	<0.1	0.5	<0.1	6	0.03
1771571	Rock	9.48	<2	0.5	25.5	8.4	34	<0.1	5.0	3.2	121	1.71	2.1	<0.5	7.3	5	<0.1	0.8	0.2	9	0.01
1771572	Rock	8.68	2	0.9	17.1	3.1	27	0.1	5.6	2.3	116	1.53	2.2	<0.5	7.1	4	<0.1	1.2	0.1	8	0.03
1771573	Rock	5.65	<2	0.9	19.0	7.5	35	<0.1	7.2	3.9	257	1.60	15.2	<0.5	5.4	6	<0.1	0.3	<0.1	19	0.06
1771574	Rock	4.92	<2	0.5	12.2	5.4	28	<0.1	5.9	2.8	138	1.14	5.5	1.0	5.4	6	<0.1	0.3	0.1	5	0.09
1771575	Rock	5.91	<2	0.6	14.9	6.2	26	<0.1	6.1	2.4	104	1.05	8.8	0.9	6.2	5	<0.1	0.3	0.1	12	0.07
1771576	Rock	4.51	<2	0.9	15.6	5.8	35	<0.1	6.8	3.5	178	1.60	7.4	0.6	5.7	5	<0.1	0.3	<0.1	12	0.04
1771577	Rock	3.86	<2	0.9	14.3	4.5	37	<0.1	8.0	5.1	303	2.14	3.7	<0.5	5.5	4	<0.1	0.3	<0.1	7	0.12
1771578	Rock	3.75	<2	0.3	8.6	2.6	17	<0.1	3.0	2.4	104	1.09	2.0	<0.5	6.3	4	<0.1	0.1	<0.1	6	0.09
1771579	Rock	6.21	<2	0.5	8.7	3.0	14	<0.1	4.0	1.4	50	1.24	5.1	<0.5	4.2	3	<0.1	0.3	<0.1	5	0.05
1771580	Rock	5.63	<2	3.6	9.0	8.3	13	<0.1	3.9	1.3	52	1.02	4.5	0.8	1.0	4	<0.1	0.5	<0.1	5	0.30
1771581	Rock	6.56	2	3.1	37.1	7.0	55	<0.1	20.9	7.5	252	3.52	6.2	0.7	7.6	6	0.2	1.4	<0.1	42	0.05
1771582	Rock	4.91	5	6.8	42.9	14.8	68	<0.1	24.8	6.5	220	3.60	11.6	3.1	4.9	5	0.2	2.3	0.1	32	0.02
1771583	Rock	7.03	<2	1.7	25.0	8.0	47	<0.1	15.1	5.0	182	3.28	9.7	1.9	4.3	3	0.2	0.4	<0.1	25	0.03
1771584	Rock	5.94	2	2.7	40.1	9.1	67	<0.1	24.3	9.4	408	4.09	4.6	<0.5	10.8	4	0.2	0.5	0.1	54	0.07
1771585	Rock	6.70	7	1.9	36.3	11.3	62	0.1	26.4	6.9	493	4.18	12.0	3.6	7.3	5	0.2	0.6	0.1	28	0.07
1771586	Rock	6.37	3	1.0	15.3	6.4	41	<0.1	13.5	5.4	260	2.00	5.3	<0.5	3.9	3	<0.1	0.2	0.1	18	0.07
1771587	Rock	5.71	3	0.8	13.1	7.6	21	<0.1	7.7	3.0	186	1.41	4.9	1.7	2.5	5	<0.1	0.3	0.1	15	0.09
1771588	Rock	7.04	4	1.6	30.8	13.1	53	<0.1	19.3	3.9	117	3.53	15.4	1.2	6.8	6	0.1	0.6	0.2	36	0.07
1771589	Rock	7.13	3	0.8	21.2	8.2	40	<0.1	15.8	3.8	84	2.10	21.1	1.1	5.2	4	0.1	0.9	0.1	17	0.09
1771590	Rock	5.87	3	1.1	25.3	18.7	44	0.1	14.4	3.9	140	2.45	12.8	0.9	5.7	6	0.2	0.6	0.3	34	0.07
1771591	Rock	4.58	4	1.2	37.0	15.0	66	0.1	29.6	7.9	167	3.12	13.7	1.8	6.9	4	0.2	1.1	0.2	19	0.05



www.acmelab.com

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike
Report Date: October 11, 2014

Page: 4 of 5

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI14000146.2

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
1771562	Rock	0.086	23	15	0.20	177	0.058	<20	0.75	<0.001	0.41	<0.1	0.08	3.0	0.4	<0.05	3	1.1	<0.2
1771563	Rock	0.080	34	30	0.47	303	0.143	<20	1.36	<0.001	0.88	<0.1	0.01	3.3	0.5	<0.05	4	<0.5	<0.2
1771564	Rock	0.043	10	3	0.03	137	0.005	<20	0.35	0.030	0.18	<0.1	<0.01	0.7	<0.1	<0.05	<1	<0.5	<0.2
1771565	Rock	0.086	22	17	0.21	199	0.054	<20	0.86	0.002	0.50	<0.1	0.01	2.2	0.3	<0.05	3	<0.5	<0.2
1771566	Rock	0.071	22	19	0.21	184	0.053	<20	0.82	0.003	0.45	<0.1	0.02	3.1	0.3	<0.05	3	<0.5	<0.2
1771567	Rock	0.096	21	24	0.27	235	0.058	<20	1.09	<0.001	0.52	<0.1	0.02	4.7	0.4	<0.05	4	<0.5	<0.2
1771568	Rock	0.121	15	18	0.08	244	0.013	<20	0.53	0.005	0.22	<0.1	0.11	4.7	0.2	<0.05	2	1.8	0.3
1771569	Rock Pulp	0.040	<1	14	1.70	31	0.002	<20	0.73	0.021	0.07	0.3	2.95	1.7	1.0	>10	5	4.9	9.9
1771570	Rock	0.022	20	3	0.09	86	0.030	<20	0.44	0.022	0.26	<0.1	0.05	3.2	0.1	<0.05	2	<0.5	<0.2
1771571	Rock	0.020	22	3	0.11	81	0.039	<20	0.44	0.025	0.28	<0.1	0.10	4.0	0.1	<0.05	2	<0.5	<0.2
1771572	Rock	0.029	23	5	0.04	89	0.010	<20	0.33	0.027	0.18	<0.1	0.23	3.7	<0.1	<0.05	<1	0.8	<0.2
1771573	Rock	0.038	13	10	0.09	122	0.030	<20	0.41	0.014	0.22	<0.1	0.13	3.3	0.2	<0.05	2	<0.5	<0.2
1771574	Rock	0.045	13	3	0.07	95	0.020	<20	0.44	0.017	0.23	<0.1	0.14	2.8	<0.1	<0.05	2	<0.5	<0.2
1771575	Rock	0.043	15	7	0.06	134	0.012	<20	0.40	0.018	0.21	<0.1	0.22	2.5	0.1	<0.05	2	<0.5	<0.2
1771576	Rock	0.029	15	5	0.11	114	0.036	<20	0.43	0.018	0.23	<0.1	0.08	3.3	0.2	<0.05	2	<0.5	<0.2
1771577	Rock	0.065	12	3	0.12	129	0.052	<20	0.52	0.023	0.30	<0.1	0.12	3.8	0.3	<0.05	2	<0.5	<0.2
1771578	Rock	0.025	16	3	0.08	100	0.030	<20	0.47	0.037	0.22	<0.1	0.03	3.2	0.1	<0.05	2	<0.5	<0.2
1771579	Rock	0.025	10	2	0.03	61	0.009	<20	0.28	0.022	0.13	<0.1	0.10	2.6	<0.1	<0.05	1	<0.5	<0.2
1771580	Rock	0.164	5	2	0.02	70	0.004	<20	0.25	0.029	0.12	<0.1	0.12	1.8	<0.1	<0.05	<1	<0.5	<0.2
1771581	Rock	0.048	16	19	0.16	177	0.045	<20	0.65	0.015	0.40	<0.1	0.41	5.8	0.2	<0.05	3	0.6	<0.2
1771582	Rock	0.063	12	14	0.05	119	0.010	<20	0.36	0.003	0.22	<0.1	1.03	3.6	0.1	<0.05	1	0.7	<0.2
1771583	Rock	0.057	6	13	0.07	121	0.012	<20	0.42	0.012	0.24	<0.1	0.48	2.8	0.1	<0.05	1	0.7	<0.2
1771584	Rock	0.084	19	26	0.32	217	0.093	<20	0.91	0.008	0.65	<0.1	0.68	5.2	0.4	<0.05	3	0.7	<0.2
1771585	Rock	0.063	17	12	0.14	154	0.033	<20	0.58	0.025	0.33	<0.1	0.59	4.3	0.2	<0.05	2	<0.5	<0.2
1771586	Rock	0.051	7	7	0.09	81	0.026	<20	0.37	0.020	0.22	<0.1	0.32	3.0	0.1	<0.05	2	<0.5	<0.2
1771587	Rock	0.065	7	9	0.04	93	0.009	<20	0.31	0.029	0.17	<0.1	0.19	1.7	<0.1	<0.05	1	<0.5	<0.2
1771588	Rock	0.061	14	16	0.13	137	0.036	<20	0.60	0.021	0.32	<0.1	0.53	3.4	0.2	<0.05	2	0.8	<0.2
1771589	Rock	0.073	14	9	0.05	89	0.012	<20	0.35	0.015	0.16	<0.1	0.48	2.6	<0.1	<0.05	1	<0.5	<0.2
1771590	Rock	0.068	11	17	0.10	134	0.022	<20	0.49	0.012	0.25	<0.1	1.14	4.1	0.1	<0.05	2	<0.5	<0.2
1771591	Rock	0.057	17	9	0.06	104	0.013	<20	0.38	0.010	0.21	<0.1	0.49	2.5	0.1	<0.05	1	<0.5	<0.2



A Bureau Veritas Group Company

www.acmelab.com

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**

1300 - 1111 West Georgia Street

Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike

Report Date: October 11, 2014

Page: 5 of 5

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI14000146.2

Method	WGHT	FA330	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
1771592	Rock	5.79	5	1.6	46.2	13.0	55	0.1	18.3	4.6	110	2.63	7.0	<0.5	6.7	6	<0.1	0.6	0.2	34	0.05
1771593	Rock	6.52	2	1.4	31.2	12.7	63	<0.1	28.3	10.2	251	2.69	5.9	<0.5	6.6	6	<0.1	0.5	0.2	31	0.05
1771594	Rock	4.42	<2	1.8	40.9	11.7	70	<0.1	27.0	7.4	207	3.25	5.4	1.6	3.9	7	<0.1	0.5	0.1	37	0.04
1771595	Rock	4.12	3	1.7	28.8	6.5	54	<0.1	18.7	5.7	174	2.27	3.0	<0.5	4.2	6	<0.1	0.6	0.1	23	0.04
1771596	Rock	6.75	5	2.0	47.5	8.9	81	0.1	35.2	9.0	224	3.64	4.9	<0.5	4.6	9	0.1	0.3	0.2	34	0.07
1770151	Rock	0.70	9	1.8	28.6	11.7	61	<0.1	19.6	5.2	119	1.46	2.4	1.1	6.0	50	0.1	0.7	0.2	45	0.14
1770152	Rock	0.54	6	11.8	11.6	7.0	56	<0.1	12.5	3.4	125	1.68	2.6	1.9	7.2	14	<0.1	0.8	0.3	45	0.03
1770153	Rock	0.86	90	205.2	5.5	31.7	47	0.1	13.0	6.4	137	1.37	3.2	47.5	8.4	16	<0.1	0.7	0.9	31	0.12
1770154	Rock	1.65	6	10.8	6.6	3.4	22	<0.1	5.7	2.1	68	1.03	1.7	1.8	2.4	8	<0.1	0.2	<0.1	23	0.05
1770155	Rock	0.79	8	59.0	14.1	3.3	41	<0.1	10.0	3.5	179	2.91	2.0	6.1	2.6	5	<0.1	0.3	<0.1	22	0.02
1770156	Rock	1.15	11	19.1	41.7	4.3	47	0.1	15.8	11.5	1134	4.16	2.3	6.6	4.3	16	0.2	0.2	0.1	12	0.08
1770157	Rock	0.90	8	8.2	21.4	3.3	59	<0.1	20.5	5.6	226	3.37	0.6	2.7	4.6	9	<0.1	0.5	<0.1	36	0.04
1770158	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1770159	Rock	1.13	4	2.0	65.0	12.9	175	0.2	34.8	14.5	388	6.00	45.7	3.6	2.0	6	0.5	1.1	0.2	26	0.02
1770160	Rock	0.76	230	147.0	34.3	10.2	139	0.2	33.1	7.4	697	6.94	9.7	94.7	7.7	7	0.2	4.9	0.2	31	0.03
1770161	Rock	0.99	368	122.4	10.2	28.1	23	0.2	11.4	5.7	158	0.59	6.0	113.0	4.4	29	<0.1	0.8	0.3	14	0.13
1770162	Rock	0.79	261	72.7	11.3	38.2	23	0.4	7.4	13.9	610	1.44	1.7	196.9	5.8	5	<0.1	1.1	0.9	20	0.02
1770163	Rock	4.16	8	18.5	26.5	4.1	35	0.1	11.4	10.4	1014	2.25	2.8	4.6	2.6	8	0.1	0.2	<0.1	22	0.03
1770164	Rock	2.21	164	7.7	19.1	4.8	97	<0.1	30.3	7.1	248	2.69	3.3	28.2	6.0	6	0.1	1.2	0.1	27	0.04
1770165	Rock	3.80	3	7.8	12.8	3.4	52	<0.1	16.8	2.9	86	2.44	2.7	4.7	4.4	4	<0.1	0.9	<0.1	17	0.01

CERTIFICATE OF ANALYSIS

WHI14000146.2

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2		
1771592	Rock	0.051	12	17	0.12	145	0.027	<20	0.56	0.010	0.32	<0.1	0.31	3.9	0.2	<0.05	2	<0.5	<0.2	
1771593	Rock	0.051	15	16	0.14	174	0.042	<20	0.59	0.008	0.35	<0.1	0.29	3.8	0.2	<0.05	2	<0.5	<0.2	
1771594	Rock	0.054	7	18	0.13	140	0.032	<20	0.59	0.006	0.29	<0.1	0.36	4.6	0.2	<0.05	2	<0.5	<0.2	
1771595	Rock	0.040	7	13	0.13	168	0.035	<20	0.49	0.012	0.29	<0.1	0.43	3.6	0.1	<0.05	2	<0.5	<0.2	
1771596	Rock	0.074	8	19	0.12	160	0.024	<20	0.54	0.004	0.28	<0.1	0.74	3.9	0.2	<0.05	2	<0.5	<0.2	
1770151	Rock	0.067	18	20	0.19	1125	0.031	<20	0.75	0.003	0.44	<0.1	0.69	5.3	0.2	0.06	4	0.7	<0.2	
1770152	Rock	0.022	27	23	0.29	269	0.085	<20	0.86	0.003	0.62	<0.1	1.21	5.2	0.5	<0.05	3	1.1	<0.2	
1770153	Rock	0.041	35	12	0.04	435	<0.001	<20	0.50	<0.001	0.08	<0.1	1.26	12.0	<0.1	<0.05	1	<0.5	0.5	
1770154	Rock	0.014	9	8	0.13	263	0.020	<20	0.49	0.002	0.31	<0.1	1.01	4.6	0.3	<0.05	2	<0.5	<0.2	
1770155	Rock	0.039	7	8	0.17	267	0.033	<20	0.47	0.002	0.31	<0.1	1.15	3.7	0.4	<0.05	2	<0.5	<0.2	
1770156	Rock	0.036	14	6	0.06	630	0.003	<20	0.46	0.001	0.21	<0.1	1.50	3.4	0.2	<0.05	2	<0.5	<0.2	
1770157	Rock	0.043	14	16	0.44	464	0.118	<20	1.09	0.007	0.75	0.1	6.63	9.0	0.4	<0.05	4	<0.5	<0.2	
1770158	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1770159	Rock	0.088	4	11	0.01	191	0.002	<20	0.26	0.003	0.13	<0.1	0.11	2.2	0.2	<0.05	<1	0.5	<0.2	
1770160	Rock	0.077	22	13	0.03	486	0.003	<20	0.33	0.002	0.17	0.1	2.62	9.0	0.1	<0.05	<1	3.2	<0.2	
1770161	Rock	0.020	26	6	0.07	526	<0.001	<20	0.50	0.001	0.16	<0.1	2.63	9.7	<0.1	<0.05	1	<0.5	0.5	
1770162	Rock	0.041	22	4	0.01	215	0.001	<20	0.40	0.002	0.04	0.1	1.42	8.3	<0.1	<0.05	<1	<0.5	0.3	
1770163	Rock	0.035	7	8	0.06	433	0.009	<20	0.32	0.002	0.15	<0.1	1.07	3.2	0.2	<0.05	1	0.8	<0.2	
1770164	Rock	0.051	20	12	0.06	211	0.012	<20	0.34	0.015	0.14	<0.1	1.01	5.9	<0.1	<0.05	1	0.9	<0.2	
1770165	Rock	0.047	15	6	0.02	78	0.002	<20	0.20	0.002	0.09	<0.1	0.71	4.6	<0.1	<0.05	<1	0.7	<0.2	

QUALITY CONTROL REPORT

WHI14000146.2

Method	WGHT	FA330	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
1771509	Rock	2.68	7	16.9	33.0	4.7	34	0.1	9.8	11.8	1135	2.60	2.2	5.7	3.0	9	0.1	0.2	0.1	31	0.03
REP 1771509	QC			17.6	32.3	4.8	32	0.1	10.1	11.9	1136	2.65	2.1	4.2	3.0	10	0.1	0.2	0.1	32	0.03
1771518	Rock	3.15	7	9.7	33.2	7.7	64	0.1	12.1	2.7	109	3.34	4.7	7.2	4.6	15	<0.1	0.4	0.2	27	0.03
REP 1771518	QC		8																		
1771544	Rock	2.80	16	3.5	43.9	21.4	174	0.7	42.2	11.7	445	6.15	40.0	14.8	7.5	10	0.6	1.4	0.5	43	0.02
REP 1771544	QC			3.4	42.9	22.0	171	0.3	41.0	11.4	442	6.15	40.9	13.7	7.5	11	0.6	1.3	0.5	44	0.02
REP 1771554	QC		3																		
1771580	Rock	5.63	<2	3.6	9.0	8.3	13	<0.1	3.9	1.3	52	1.02	4.5	0.8	1.0	4	<0.1	0.5	<0.1	5	0.30
REP 1771580	QC			4.2	9.5	8.9	14	<0.1	3.7	1.4	55	1.08	4.5	<0.5	1.0	4	<0.1	0.5	<0.1	5	0.34
1771594	Rock	4.42	<2	1.8	40.9	11.7	70	<0.1	27.0	7.4	207	3.25	5.4	1.6	3.9	7	<0.1	0.5	0.1	37	0.04
REP 1771594	QC		2																		
Core Reject Duplicates																					
1771515	Rock	2.94	200	20.1	14.8	4.1	65	0.1	18.9	9.3	453	2.51	2.0	353.4	8.0	7	0.1	0.4	<0.1	19	0.03
DUP 1771515	QC		73	21.1	16.7	4.4	72	<0.1	22.6	9.9	450	2.67	2.2	22.0	8.1	7	0.2	0.5	<0.1	21	0.03
1771554	Rock	2.91	4	0.3	14.8	8.1	27	0.2	8.0	1.4	48	0.97	6.4	3.5	1.3	3	0.2	0.4	0.2	5	0.01
DUP 1771554	QC		4	0.2	13.4	7.4	20	0.2	6.8	1.3	50	0.86	5.7	2.5	1.1	3	<0.1	0.3	0.2	5	0.01
1771592	Rock	5.79	5	1.6	46.2	13.0	55	0.1	18.3	4.6	110	2.63	7.0	<0.5	6.7	6	<0.1	0.6	0.2	34	0.05
DUP 1771592	QC		3	1.8	46.8	13.2	55	<0.1	16.9	4.7	100	2.57	6.9	<0.5	6.4	5	<0.1	0.6	0.1	32	0.05
Reference Materials																					
STD DS10	Standard			14.2	162.2	165.4	387	2.0	81.1	13.5	933	2.88	51.1	85.0	8.1	73	2.9	8.8	13.7	45	1.13
STD DS10	Standard			13.9	164.1	161.1	384	2.0	81.5	14.0	905	2.85	52.2	53.1	7.9	71	3.1	8.4	13.7	45	1.10
STD DS10	Standard			12.6	158.5	144.5	357	1.8	75.4	12.6	861	2.74	44.4	146.2	6.3	54	2.5	8.1	10.2	40	1.00
STD DS10	Standard			12.5	150.7	144.5	358	1.8	76.7	12.2	875	2.64	43.9	64.7	6.9	66	2.9	8.1	12.4	42	1.01
STD OREAS45EA	Standard			1.7	738.3	17.9	34	0.3	412.0	55.6	441	23.67	12.4	55.2	12.5	4	<0.1	0.3	0.3	340	0.04
STD OREAS45EA	Standard			1.6	681.6	16.7	31	0.3	375.4	51.5	414	22.84	9.7	52.5	11.5	4	<0.1	0.4	0.3	319	0.04
STD OREAS45EA	Standard			1.8	670.1	14.0	28	0.2	358.5	49.7	401	22.91	9.7	51.1	9.1	3	<0.1	0.4	0.2	296	0.03
STD OREAS45EA	Standard			1.6	675.6	13.0	27	0.2	354.3	46.7	395	20.14	10.2	47.5	9.0	4	<0.1	0.4	0.2	292	0.03
STD OXD108	Standard		422																		

QUALITY CONTROL REPORT

WHI14000146.2

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																			
1771509	Rock	0.038	7	12	0.10	563	0.025	<20	0.43	<0.001	0.25	<0.1	0.84	5.2	0.3	<0.05	2	<0.5	<0.2
REP 1771509	QC	0.040	7	12	0.11	571	0.026	<20	0.45	<0.001	0.25	<0.1	0.80	5.3	0.3	<0.05	2	<0.5	<0.2
1771518	Rock	0.037	7	9	0.04	1034	0.006	<20	0.38	<0.001	0.15	<0.1	1.20	5.5	0.2	<0.05	2	1.8	<0.2
REP 1771518	QC																		
1771544	Rock	0.143	15	20	0.03	370	0.004	<20	0.39	0.001	0.16	<0.1	0.26	6.2	0.1	<0.05	2	0.6	<0.2
REP 1771544	QC	0.142	16	21	0.03	390	0.005	<20	0.40	0.002	0.16	<0.1	0.24	6.2	0.1	<0.05	2	<0.5	<0.2
REP 1771544	QC																		
1771580	Rock	0.164	5	2	0.02	70	0.004	<20	0.25	0.029	0.12	<0.1	0.12	1.8	<0.1	<0.05	<1	<0.5	<0.2
REP 1771580	QC	0.181	6	3	0.02	74	0.005	<20	0.26	0.030	0.13	<0.1	0.14	1.9	<0.1	<0.05	<1	<0.5	<0.2
1771594	Rock	0.054	7	18	0.13	140	0.032	<20	0.59	0.006	0.29	<0.1	0.36	4.6	0.2	<0.05	2	<0.5	<0.2
REP 1771594	QC																		
Core Reject Duplicates																			
1771515	Rock	0.072	23	10	0.03	237	0.003	<20	0.33	0.006	0.09	<0.1	2.64	6.7	<0.1	<0.05	1	<0.5	<0.2
DUP 1771515	QC	0.074	24	12	0.03	245	0.003	<20	0.38	0.007	0.11	<0.1	2.76	7.4	<0.1	<0.05	2	<0.5	<0.2
1771554	Rock	0.027	2	3	0.02	127	0.002	<20	0.26	0.017	0.15	<0.1	0.04	0.8	<0.1	<0.05	<1	<0.5	<0.2
DUP 1771554	QC	0.022	2	3	0.02	122	0.002	<20	0.27	0.017	0.15	<0.1	0.03	0.7	<0.1	<0.05	<1	<0.5	<0.2
1771592	Rock	0.051	12	17	0.12	145	0.027	<20	0.56	0.010	0.32	<0.1	0.31	3.9	0.2	<0.05	2	<0.5	<0.2
DUP 1771592	QC	0.051	11	17	0.11	123	0.026	<20	0.48	0.008	0.29	<0.1	0.31	4.0	0.2	<0.05	2	<0.5	<0.2
Reference Materials																			
STD DS10	Standard	0.079	20	59	0.84	454	0.084	<20	1.10	0.061	0.35	2.9	0.30	3.3	5.9	0.29	5	2.4	5.6
STD DS10	Standard	0.084	19	59	0.81	469	0.082	<20	1.05	0.059	0.34	3.2	0.27	3.1	5.7	0.28	5	2.3	5.7
STD DS10	Standard	0.076	16	51	0.72	393	0.069	<20	0.91	0.059	0.31	2.9	0.28	2.5	4.9	0.28	4	2.2	5.0
STD DS10	Standard	0.070	15	54	0.73	397	0.070	<20	0.95	0.062	0.31	3.4	0.27	2.6	5.1	0.28	4	2.7	4.8
STD OREAS45EA	Standard	0.034	7	921	0.10	154	0.106	<20	3.31	0.008	0.05	<0.1	<0.01	88.8	<0.1	<0.05	14	<0.5	<0.2
STD OREAS45EA	Standard	0.033	8	872	0.10	168	0.099	<20	2.96	0.008	0.05	<0.1	0.01	81.8	<0.1	<0.05	13	0.9	<0.2
STD OREAS45EA	Standard	0.027	7	767	0.09	137	0.090	<20	3.03	0.020	0.05	<0.1	0.03	73.3	<0.1	<0.05	12	<0.5	<0.2
STD OREAS45EA	Standard	0.024	7	781	0.09	134	0.086	<20	2.93	0.020	0.05	<0.1	0.02	72.0	<0.1	<0.05	11	<0.5	<0.2
STD OXD108	Standard																		



www.acmelab.com

Bureau Veritas Commodities Canada Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**
 1300 - 1111 West Georgia Street
 Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike
 Report Date: October 11, 2014

Page: 2 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI14000146.2

		WGHT	FA330	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
STD OXD108	Standard		431																		
STD OXD108	Standard		430																		
STD OXD108	Standard		417																		
STD OXD108	Standard		436																		
STD OXI121	Standard		1838																		
STD OXI121	Standard		1844																		
STD OXI121	Standard		1839																		
STD OXI121	Standard		1858																		
STD OXI121 Expected			1834																		
STD DS10 Expected				14.69	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	43.7	91.9	7.5	67.1	2.49	8.23	11.65	43	1.0625
STD OREAS45EA Expected				1.39	709	14.3	28.9	0.26	381	52	400	23.51	9.1	53	10.7	3.5	0.02	0.2	0.26	303	0.036
STD OXD108 Expected			414																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	0.4	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		3																		
Prep Wash																					
G1-WHI	Prep Blank		<2	0.2	2.4	3.9	49	<0.1	2.7	4.1	586	2.00	<0.5	<0.5	7.3	68	<0.1	<0.1	<0.1	38	0.59
G1-WHI	Prep Blank		<2	0.2	4.3	4.0	50	<0.1	2.9	4.3	544	1.95	<0.5	1.0	6.5	53	<0.1	0.3	0.1	37	0.50

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



www.acmelab.com

Bureau Veritas Commodities Canada Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**
 1300 - 1111 West Georgia Street
 Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike
 Report Date: October 11, 2014

Page: 2 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI14000146.2

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200		
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
STD OXD108	Standard																			
STD OXD108	Standard																			
STD OXD108	Standard																			
STD OXD108	Standard																			
STD OXI121	Standard																			
STD OXI121	Standard																			
STD OXI121	Standard																			
STD OXI121	Standard																			
STD OXI121 Expected																				
STD DS10 Expected		0.073	17.5	54.6	0.775	359	0.0817		1.0259	0.067	0.338	3.32	0.3	2.8	5.1	0.29	4.3	2.3	5.01	
STD OREAS45EA Expected		0.029	6.57	849	0.095	148	0.0875		3.13	0.02	0.053			78	0.072	0.036	11.7	0.6	0.07	
STD OXD108 Expected																				
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																			
Prep Wash																				
G1-WHI	Prep Blank	0.084	16	6	0.54	193	0.129	<20	1.02	0.086	0.47	<0.1	<0.01	2.6	0.3	<0.05	5	<0.5	<0.2	
G1-WHI	Prep Blank	0.077	15	6	0.53	163	0.118	<20	0.96	0.068	0.48	<0.1	<0.01	2.3	0.3	<0.05	5	<0.5	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

CERTIFICATE OF ANALYSIS

WHI14000146.1

CLIENT JOB INFORMATION

Project: Lucky Strike
Shipment ID: TLS_14
P.O. Number
Number of Samples: 110

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Goldstrike Resources Ltd.
1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3
CANADA

CC: Clayton Jones
Daithi Mac Gerailt
Diana Benz

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	106	Crush, split and pulverize 250 g rock to 200 mesh			WHI
FA330-Au	109	Fire assay fusion Au by ICP-ES	30	Completed	VAN
AQ200	109	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS





www.acmelab.com

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**

1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike

Report Date: September 25, 2014

Page: 2 of 5

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI14000146.1

Method	WGHT	FA330	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
1771501	Rock	1.27	11	4.3	56.0	6.7	62	0.1	16.2	4.8	202	3.06	5.3	6.3	9.8	9	0.2	1.5	0.2	36	0.03
1771502	Rock	2.19	11	5.6	36.6	6.3	86	0.1	23.9	5.0	168	2.97	7.6	4.9	6.7	12	0.2	0.8	0.2	17	0.02
1771503	Rock	2.26	4	55.1	28.8	6.5	46	<0.1	13.8	10.7	501	3.73	12.5	4.6	10.3	14	0.4	0.6	<0.1	25	0.03
1771504	Rock	2.18	7	66.3	30.5	8.3	42	0.1	12.4	3.9	150	3.13	16.4	5.3	9.8	11	0.2	1.7	0.2	29	0.03
1771505	Rock	2.01	19	152.1	10.9	8.9	53	0.2	13.9	7.9	470	3.79	3.5	13.5	5.6	8	0.2	1.0	0.2	22	0.04
1771506	Rock	3.10	32	139.6	20.4	7.1	64	0.1	14.7	4.2	151	4.45	2.7	14.9	5.5	8	0.2	0.5	<0.1	31	0.04
1771507	Rock	5.27	6	33.1	23.4	4.7	47	<0.1	11.7	7.9	596	2.91	2.1	8.8	3.5	11	0.2	0.3	0.1	26	0.03
1771508	Rock	5.44	13	36.4	43.7	5.1	55	0.1	15.5	13.3	1635	4.43	3.2	9.5	3.5	11	0.2	0.3	<0.1	22	0.04
1771509	Rock	2.68	7	16.9	33.0	4.7	34	0.1	9.8	11.8	1135	2.60	2.2	5.7	3.0	9	0.1	0.2	0.1	31	0.03
1771510	Rock	4.38	3	8.7	20.5	6.7	41	<0.1	9.3	3.3	139	2.48	1.2	3.0	4.5	8	<0.1	0.3	<0.1	31	0.02
1771511	Rock	2.92	4	4.2	24.5	10.4	34	0.1	7.5	2.1	121	1.99	2.2	3.0	4.5	13	<0.1	0.3	0.1	36	0.03
1771512	Rock	2.49	<2	1.4	14.9	4.6	38	<0.1	8.5	2.9	174	1.94	1.9	0.8	4.5	7	<0.1	0.2	0.1	42	0.04
1771513	Rock Pulp	0.08	483	45.8	>10000	976.6	>10000	63.1	17.7	3.2	671	12.71	132.8	868.8	<0.1	37	259.2	30.2	11.3	9	1.67
1771514	Rock	2.31	388	110.8	23.3	11.6	69	0.2	16.7	7.4	436	3.61	6.4	156.4	6.4	8	0.2	2.1	0.2	21	0.04
1771515	Rock	2.94	200	20.1	14.8	4.1	65	0.1	18.9	9.3	453	2.51	2.0	353.4	8.0	7	0.1	0.4	<0.1	19	0.03
1771516	Rock	2.75	6	21.5	38.7	4.8	165	0.1	50.9	16.2	993	4.77	2.9	3.9	7.3	8	0.2	0.6	0.2	31	0.03
1771517	Rock	2.16	4	12.6	38.1	5.9	96	0.1	20.3	5.2	175	4.76	2.5	2.9	6.7	10	0.1	0.3	0.2	51	0.03
1771518	Rock	3.15	7	9.7	33.2	7.7	64	0.1	12.1	2.7	109	3.34	4.7	7.2	4.6	15	<0.1	0.4	0.2	27	0.03
1771519	Rock	1.94	3	3.7	13.3	24.9	31	0.2	7.3	2.3	117	1.73	3.4	2.6	6.6	23	<0.1	0.4	0.4	34	0.03
1771520	Rock Pulp	0.08	456	43.3	>10000	962.1	>10000	63.1	17.3	2.9	637	11.90	128.0	299.5	<0.1	33	244.7	28.4	10.5	8	1.56
1771521	Rock	0.63	43	12.3	62.0	9.9	111	<0.1	23.0	6.2	182	3.77	8.8	72.6	9.7	21	0.3	1.3	0.7	64	0.07
1771522	Rock	2.84	18	71.5	37.9	8.5	89	0.2	17.6	6.0	251	4.14	4.7	12.5	10.4	12	0.3	1.2	0.1	53	0.03
1771523	Rock	0.37	1266	588.6	71.9	52.2	158	3.7	49.5	154.8	8046	12.77	6.1	436.3	9.2	20	1.6	1.5	0.3	48	0.11
1771524	Rock	0.81	227	988.0	34.1	45.1	109	0.3	27.1	8.3	280	6.27	6.1	136.6	19.3	12	0.6	2.6	0.5	90	0.04
1771525	Rock	0.75	60	235.5	21.7	9.7	80	0.2	25.4	9.6	248	6.43	6.9	40.3	4.2	7	0.3	1.3	0.3	21	0.04
1771526	Rock	2.81	10	34.0	39.5	4.4	92	<0.1	20.4	7.6	262	4.71	3.1	4.8	4.9	10	0.3	0.6	<0.1	53	0.03
1771527	Rock	0.80	11	10.8	25.9	5.3	45	<0.1	12.6	4.8	152	2.07	2.2	7.4	8.6	16	0.1	0.7	0.1	37	0.05
1771528	Rock	1.59	7	20.0	25.7	4.9	45	<0.1	12.3	5.7	351	3.68	3.8	7.6	2.6	11	0.1	0.5	<0.1	26	0.03
1771529	Rock	2.37	7	12.8	48.7	30.9	148	0.3	33.1	7.7	579	5.82	20.5	5.6	5.2	17	0.3	0.7	0.2	43	0.04
1771530	Rock	2.75	2	2.4	33.7	15.7	129	0.2	38.1	11.0	232	3.09	6.9	2.4	6.7	12	0.2	0.7	0.2	38	0.06

CERTIFICATE OF ANALYSIS

WHI14000146.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2
1771501	Rock	0.072	30	20	0.12	275	0.025	<20	0.61	0.001	0.33	<0.1	3.07	6.0	0.2	<0.05	2	1.2	<0.2
1771502	Rock	0.048	19	7	0.03	574	0.004	<20	0.30	0.002	0.16	<0.1	1.16	4.1	<0.1	<0.05	<1	<0.5	<0.2
1771503	Rock	0.066	25	8	0.04	857	0.006	<20	0.42	0.002	0.17	<0.1	1.65	4.4	0.1	<0.05	2	0.5	<0.2
1771504	Rock	0.064	24	11	0.06	219	0.010	<20	0.49	0.009	0.17	<0.1	1.77	5.9	0.1	<0.05	2	0.7	<0.2
1771505	Rock	0.079	16	8	0.04	331	0.003	<20	0.40	0.001	0.12	<0.1	2.15	6.9	0.2	<0.05	1	<0.5	<0.2
1771506	Rock	0.071	13	7	0.07	276	0.008	<20	0.45	0.001	0.19	<0.1	3.09	7.2	0.2	<0.05	2	<0.5	<0.2
1771507	Rock	0.053	11	9	0.06	373	0.008	<20	0.45	<0.001	0.19	<0.1	3.17	4.5	0.2	<0.05	1	<0.5	<0.2
1771508	Rock	0.053	10	10	0.07	737	0.009	<20	0.37	<0.001	0.19	<0.1	1.49	4.0	0.3	<0.05	2	<0.5	<0.2
1771509	Rock	0.038	7	12	0.10	563	0.025	<20	0.43	<0.001	0.25	<0.1	0.84	5.2	0.3	<0.05	2	<0.5	<0.2
1771510	Rock	0.036	13	17	0.28	350	0.079	<20	0.84	<0.001	0.55	<0.1	3.69	4.5	0.3	<0.05	3	<0.5	<0.2
1771511	Rock	0.035	13	17	0.22	330	0.071	<20	0.68	<0.001	0.45	<0.1	3.72	5.0	0.3	<0.05	3	<0.5	<0.2
1771512	Rock	0.039	11	20	0.33	503	0.119	<20	0.99	<0.001	0.71	<0.1	0.89	4.4	0.4	<0.05	3	<0.5	<0.2
1771513	Rock Pulp	0.043	<1	15	1.68	30	0.002	<20	0.70	0.022	0.06	0.4	2.75	1.7	0.9	>10	5	5.1	9.7
1771514	Rock	0.060	22	9	0.02	333	0.002	<20	0.33	0.001	0.10	<0.1	2.14	8.0	<0.1	<0.05	1	1.3	0.3
1771515	Rock	0.072	23	10	0.03	237	0.003	<20	0.33	0.006	0.09	<0.1	2.64	6.7	<0.1	<0.05	1	<0.5	<0.2
1771516	Rock	0.088	20	14	0.09	418	0.015	<20	0.42	0.001	0.24	0.1	2.77	5.4	0.2	<0.05	2	0.7	<0.2
1771517	Rock	0.056	12	18	0.25	269	0.059	<20	0.91	<0.001	0.52	<0.1	2.77	5.6	0.3	<0.05	3	3.8	<0.2
1771518	Rock	0.037	7	9	0.04	1034	0.006	<20	0.38	<0.001	0.15	<0.1	1.20	5.5	0.2	<0.05	2	1.8	<0.2
1771519	Rock	0.026	12	17	0.14	289	0.041	<20	0.72	<0.001	0.35	<0.1	1.12	4.2	0.2	<0.05	3	<0.5	<0.2
1771520	Rock Pulp	0.041	<1	13	1.55	30	0.002	<20	0.64	0.020	0.06	0.3	2.57	1.6	0.8	>10	5	4.3	9.5
1771521	Rock	0.089	31	29	0.33	438	0.083	<20	1.10	<0.001	0.68	<0.1	0.82	6.4	0.4	<0.05	4	1.4	<0.2
1771522	Rock	0.106	33	20	0.08	304	0.016	<20	0.58	<0.001	0.24	0.1	2.76	8.8	0.1	<0.05	2	1.9	<0.2
1771523	Rock	0.174	28	17	0.05	2876	0.001	<20	0.70	0.001	0.17	0.2	3.61	19.1	1.4	<0.05	2	1.2	0.5
1771524	Rock	0.152	54	27	0.04	459	0.003	<20	0.62	<0.001	0.15	0.2	2.17	12.9	0.1	0.07	3	2.1	1.7
1771525	Rock	0.105	7	11	0.03	253	0.002	<20	0.36	<0.001	0.10	<0.1	2.01	6.3	<0.1	<0.05	2	1.5	<0.2
1771526	Rock	0.099	12	23	0.17	297	0.038	<20	0.72	<0.001	0.36	<0.1	0.89	6.0	0.2	<0.05	3	1.7	<0.2
1771527	Rock	0.054	25	18	0.11	319	0.016	<20	0.56	<0.001	0.32	<0.1	1.90	5.1	0.3	<0.05	3	1.8	<0.2
1771528	Rock	0.075	4	10	0.03	244	0.003	<20	0.30	<0.001	0.13	<0.1	1.56	3.8	0.1	<0.05	1	1.3	<0.2
1771529	Rock	0.092	10	16	0.03	1779	0.003	<20	0.43	0.001	0.17	<0.1	0.86	5.8	0.2	<0.05	1	0.8	<0.2
1771530	Rock	0.061	15	19	0.17	565	0.040	<20	0.60	<0.001	0.37	<0.1	0.70	4.2	0.3	<0.05	2	0.6	<0.2

CERTIFICATE OF ANALYSIS

WHI14000146.1

Method	WGHT	FA330	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
1771531	Rock	2.21	3	3.9	51.5	30.4	154	0.3	40.9	13.2	376	3.64	5.4	1.7	13.8	14	0.7	3.0	0.2	19	0.11
1771532	Rock	1.47	3	3.6	28.6	13.0	296	0.1	99.0	25.6	614	5.40	13.5	1.6	2.5	8	0.6	0.4	0.2	21	0.04
1771533	Rock	2.94	6	3.0	22.2	16.0	42	0.2	12.6	3.6	103	1.67	11.3	3.7	4.4	37	0.2	0.3	0.4	32	0.05
1771534	Rock	2.57	2	4.5	49.7	12.1	114	0.2	35.7	7.2	124	3.94	14.6	1.8	3.6	28	0.5	0.6	0.2	44	0.03
1771535	Rock	1.04	6	3.3	20.9	8.7	39	0.1	13.4	4.5	248	1.56	3.6	3.8	5.8	44	0.2	0.3	0.3	25	0.05
1771536	Rock	3.29	3	8.9	50.0	8.9	133	0.2	36.3	5.8	182	6.18	6.9	2.8	5.0	19	0.5	0.5	0.2	44	0.03
1771537	Rock	3.27	7	7.0	35.6	9.9	65	0.2	19.5	6.0	263	2.55	6.8	3.6	4.4	30	0.3	0.5	0.3	35	0.04
1771538	Rock	4.00	2066	20.9	49.5	94.3	104	0.6	35.4	9.0	367	4.05	6.9	2113.3	6.4	11	0.4	2.6	0.1	22	0.02
1771539	Rock	0.90	38	5.3	32.5	9.8	84	<0.1	23.0	5.7	170	3.21	4.7	30.8	8.1	17	0.3	0.7	0.2	34	0.02
1771540	Rock	2.39	14	2.9	24.5	11.8	85	<0.1	20.3	6.0	146	2.60	4.6	7.6	9.1	12	0.2	0.7	0.2	31	0.02
1771541	Rock	2.07	10	5.5	75.1	12.4	240	0.2	65.2	19.9	518	6.54	11.6	6.8	10.6	15	0.5	1.6	0.3	42	0.04
1771542	Rock	2.35	7	4.9	52.8	17.0	212	0.1	68.2	17.9	501	4.67	13.7	4.3	8.6	18	0.3	0.6	0.2	39	0.03
1771543	Rock	3.60	10	1.7	37.9	23.1	116	0.1	28.5	9.0	268	2.70	28.0	3.7	7.9	14	0.2	0.6	0.3	44	0.04
1771544	Rock	2.80	16	3.5	43.9	21.4	174	0.7	42.2	11.7	445	6.15	40.0	14.8	7.5	10	0.6	1.4	0.5	43	0.02
1771545	Rock	2.26	23	2.6	38.6	34.7	44	0.2	18.3	7.1	161	1.76	7.4	12.6	10.0	42	0.2	0.2	0.2	47	0.06
1771546	Rock	4.05	516	46.8	>10000	998.8	>10000	63.5	18.5	3.1	680	12.23	140.3	324.8	<0.1	36	264.0	31.9	11.0	9	1.66
1771548	Rock	0.08	12	2.4	63.4	17.9	76	0.3	19.5	6.5	166	4.20	14.2	8.7	6.4	12	0.4	0.5	0.2	32	0.03
1771549	Rock	2.49	4	0.8	21.0	5.8	35	<0.1	9.9	4.9	113	2.39	9.7	3.1	6.5	11	0.3	0.3	0.1	16	0.04
1771550	Rock	2.19	9	0.9	25.6	7.8	52	0.1	10.9	5.4	136	2.85	8.3	8.2	6.7	10	0.4	0.4	0.2	18	0.04
1771551	Rock	1.80	17	1.0	28.0	13.5	81	0.1	20.6	7.8	196	3.76	16.8	12.7	8.5	19	0.4	0.4	0.1	16	0.09
1771552	Rock	2.12	10	1.9	35.1	13.2	102	0.2	19.3	6.1	242	6.16	38.1	9.8	7.5	7	0.5	1.1	0.2	37	0.04
1771553	Rock	3.70	4	1.0	30.9	11.3	69	0.1	19.7	6.2	182	2.55	22.3	3.2	8.7	9	0.2	1.2	0.2	32	0.03
1771554	Rock	2.91	4	0.3	14.8	8.1	27	0.2	8.0	1.4	48	0.97	6.4	3.5	1.3	3	0.2	0.4	0.2	5	0.01
1771555	Rock	3.37	12	1.2	41.1	15.9	52	0.2	16.7	5.4	200	2.19	15.2	13.0	8.1	10	0.3	0.8	0.5	16	0.04
1771556	Rock	3.54	4	0.8	30.2	13.7	88	<0.1	23.7	7.1	223	2.59	3.6	2.1	12.9	10	0.1	0.2	0.2	42	0.10
1771557	Rock	3.61	3	1.1	30.9	17.7	59	<0.1	18.6	5.9	198	2.17	4.0	1.7	8.0	9	0.1	0.5	0.2	28	0.07
1771558	Rock	3.65	3	2.0	42.7	19.2	100	0.1	28.8	10.3	274	2.87	1.8	1.5	13.1	9	0.2	0.2	0.3	45	0.13
1771559	Rock	3.18	8	2.4	40.9	18.5	71	0.1	19.8	6.2	180	2.59	10.3	4.1	14.7	10	0.2	0.5	0.3	44	0.08
1771560	Rock	3.05	14	3.5	51.4	15.5	125	0.1	41.7	11.1	331	4.83	2.5	4.3	15.7	9	0.3	0.2	0.2	56	0.09
1771561	Rock	3.31	6	2.9	58.6	32.3	91	0.2	31.8	9.7	307	3.48	21.3	4.3	20.9	8	0.3	0.5	0.4	29	0.07

CERTIFICATE OF ANALYSIS

WHI14000146.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
1771531	Rock	0.090	40	11	0.05	554	0.004	<20	0.39	0.003	0.27	<0.1	0.65	3.8	0.1	<0.05	1	0.9	<0.2
1771532	Rock	0.067	4	7	0.02	331	0.002	<20	0.26	<0.001	0.11	<0.1	0.59	3.5	0.1	<0.05	<1	0.7	<0.2
1771533	Rock	0.046	8	16	0.03	1001	0.003	<20	0.38	0.002	0.18	<0.1	0.71	4.1	<0.1	<0.05	1	0.7	<0.2
1771534	Rock	0.061	5	19	0.02	1873	0.002	<20	0.36	<0.001	0.15	<0.1	0.47	5.5	<0.1	<0.05	1	1.5	<0.2
1771535	Rock	0.032	16	15	0.07	410	0.006	<20	0.46	<0.001	0.21	<0.1	0.36	4.6	0.3	<0.05	2	<0.5	<0.2
1771536	Rock	0.114	9	15	0.03	3288	0.004	<20	0.41	<0.001	0.14	<0.1	0.46	5.8	0.1	0.06	1	0.6	<0.2
1771537	Rock	0.055	10	15	0.04	2110	0.004	<20	0.37	<0.001	0.14	<0.1	0.56	6.3	0.1	<0.05	1	<0.5	<0.2
1771538	Rock	0.082	19	15	0.01	188	0.001	<20	0.30	<0.001	0.08	<0.1	0.90	6.9	0.2	<0.05	1	<0.5	<0.2
1771539	Rock	0.080	21	19	0.05	215	0.009	<20	0.44	<0.001	0.17	<0.1	0.47	8.0	0.2	<0.05	2	0.7	<0.2
1771540	Rock	0.053	23	16	0.18	238	0.041	<20	0.61	<0.001	0.37	<0.1	0.20	3.7	0.2	<0.05	2	<0.5	<0.2
1771541	Rock	0.125	26	22	0.20	511	0.047	<20	0.84	<0.001	0.47	<0.1	0.17	4.3	0.3	<0.05	3	0.8	<0.2
1771542	Rock	0.089	19	20	0.06	430	0.011	<20	0.50	0.002	0.23	<0.1	0.14	5.0	0.2	<0.05	3	0.8	<0.2
1771543	Rock	0.051	15	18	0.10	534	0.021	<20	0.53	<0.001	0.24	<0.1	0.12	6.6	0.2	<0.05	3	<0.5	<0.2
1771544	Rock	0.143	15	20	0.03	370	0.004	<20	0.39	0.001	0.16	<0.1	0.26	6.2	0.1	<0.05	2	0.6	<0.2
1771545	Rock	0.060	27	27	0.04	411	0.002	<20	0.44	0.003	0.16	<0.1	0.14	7.2	<0.1	<0.05	2	<0.5	<0.2
1771546	Rock	0.040	<1	14	1.71	35	0.002	<20	0.73	0.022	0.07	0.4	2.88	1.7	0.9	>10	5	4.6	9.8
1771548	Rock	0.115	8	16	0.07	270	0.012	<20	0.47	0.001	0.18	<0.1	0.06	2.8	0.1	<0.05	2	1.0	<0.2
1771549	Rock	0.055	13	5	0.09	121	0.024	<20	0.58	0.004	0.22	<0.1	0.05	2.5	0.2	<0.05	2	<0.5	<0.2
1771550	Rock	0.064	17	6	0.13	156	0.029	<20	0.67	0.017	0.28	<0.1	0.05	3.4	0.2	<0.05	2	<0.5	<0.2
1771551	Rock	0.068	13	10	0.06	243	0.003	<20	0.71	0.002	0.14	<0.1	0.18	4.9	0.1	<0.05	2	<0.5	<0.2
1771552	Rock	0.113	5	13	0.08	199	0.022	<20	0.71	0.001	0.25	<0.1	0.14	3.8	0.4	<0.05	3	0.7	<0.2
1771553	Rock	0.052	14	18	0.15	195	0.027	<20	0.58	<0.001	0.28	<0.1	0.09	3.1	0.2	<0.05	3	<0.5	<0.2
1771554	Rock	0.027	2	3	0.02	127	0.002	<20	0.26	0.017	0.15	<0.1	0.04	0.8	<0.1	<0.05	<1	<0.5	<0.2
1771555	Rock	0.065	16	8	0.07	161	0.015	<20	0.50	0.009	0.20	<0.1	0.07	3.5	0.2	<0.05	2	<0.5	<0.2
1771556	Rock	0.065	24	25	0.38	359	0.119	<20	1.24	<0.001	0.74	<0.1	0.01	3.1	0.5	<0.05	5	<0.5	<0.2
1771557	Rock	0.062	16	16	0.22	251	0.070	<20	0.85	0.002	0.45	<0.1	0.02	2.0	0.3	<0.05	3	<0.5	<0.2
1771558	Rock	0.090	27	27	0.36	304	0.102	<20	1.16	<0.001	0.68	<0.1	<0.01	3.3	0.5	<0.05	4	3.1	<0.2
1771559	Rock	0.081	33	25	0.23	227	0.065	<20	0.90	<0.001	0.54	<0.1	0.02	3.4	0.3	<0.05	4	1.6	<0.2
1771560	Rock	0.118	28	31	0.36	333	0.092	<20	1.19	<0.001	0.66	<0.1	0.02	3.7	0.4	<0.05	4	0.8	<0.2
1771561	Rock	0.088	40	16	0.19	235	0.052	<20	0.85	<0.001	0.41	<0.1	0.05	3.2	0.4	<0.05	3	<0.5	<0.2

CERTIFICATE OF ANALYSIS

WHI14000146.1

Method	WGHT	FA330	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
1771562	Rock	2.48	6	2.3	44.7	22.7	85	0.2	27.4	7.8	272	3.33	16.9	6.4	13.4	5	0.3	0.7	0.2	32	0.05
1771563	Rock	2.92	5	0.9	38.2	13.1	92	<0.1	27.5	9.9	228	2.91	2.1	1.5	12.1	6	0.2	<0.1	0.3	46	0.13
1771564	Rock	2.72	<2	0.2	5.7	63.0	14	0.3	4.7	1.3	56	0.42	1.3	0.5	2.0	7	<0.1	<0.1	1.7	4	0.09
1771565	Rock	2.39	8	1.1	40.3	77.4	61	0.2	24.2	10.7	280	2.69	5.5	6.3	9.8	6	0.2	0.2	1.0	30	0.09
1771566	Rock	2.61	6	1.3	35.8	14.6	72	0.1	22.9	5.7	183	2.83	12.6	4.3	9.3	7	0.2	0.2	0.3	35	0.06
1771567	Rock	3.92	9	1.7	59.9	19.4	119	0.2	38.0	9.3	333	3.75	13.9	7.3	10.3	10	0.3	0.4	0.3	44	0.11
1771568	Rock	2.79	11	3.4	65.1	28.5	257	0.4	83.2	22.1	706	5.80	30.7	7.7	8.1	12	0.6	0.3	0.3	44	0.07
1771569	Rock Pulp	0.09	439	47.1	>10000	1032.3	>10000	65.5	17.3	3.0	691	12.48	138.1	330.2	<0.1	36	257.6	33.2	11.5	9	1.68
1771570	Rock	5.45	<2	0.7	17.9	3.3	21	<0.1	3.3	2.3	134	1.48	1.9	2.0	8.0	5	<0.1	0.5	<0.1	6	0.03
1771571	Rock	9.48	<2	0.5	25.5	8.4	34	<0.1	5.0	3.2	121	1.71	2.1	<0.5	7.3	5	<0.1	0.8	0.2	9	0.01
1771572	Rock	8.68	2	0.9	17.1	3.1	27	0.1	5.6	2.3	116	1.53	2.2	<0.5	7.1	4	<0.1	1.2	0.1	8	0.03
1771573	Rock	5.65	<2	0.9	19.0	7.5	35	<0.1	7.2	3.9	257	1.60	15.2	<0.5	5.4	6	<0.1	0.3	<0.1	19	0.06
1771574	Rock	4.92	<2	0.5	12.2	5.4	28	<0.1	5.9	2.8	138	1.14	5.5	1.0	5.4	6	<0.1	0.3	0.1	5	0.09
1771575	Rock	5.91	<2	0.6	14.9	6.2	26	<0.1	6.1	2.4	104	1.05	8.8	0.9	6.2	5	<0.1	0.3	0.1	12	0.07
1771576	Rock	4.51	<2	0.9	15.6	5.8	35	<0.1	6.8	3.5	178	1.60	7.4	0.6	5.7	5	<0.1	0.3	<0.1	12	0.04
1771577	Rock	3.86	<2	0.9	14.3	4.5	37	<0.1	8.0	5.1	303	2.14	3.7	<0.5	5.5	4	<0.1	0.3	<0.1	7	0.12
1771578	Rock	3.75	<2	0.3	8.6	2.6	17	<0.1	3.0	2.4	104	1.09	2.0	<0.5	6.3	4	<0.1	0.1	<0.1	6	0.09
1771579	Rock	6.21	<2	0.5	8.7	3.0	14	<0.1	4.0	1.4	50	1.24	5.1	<0.5	4.2	3	<0.1	0.3	<0.1	5	0.05
1771580	Rock	5.63	<2	3.6	9.0	8.3	13	<0.1	3.9	1.3	52	1.02	4.5	0.8	1.0	4	<0.1	0.5	<0.1	5	0.30
1771581	Rock	6.56	2	3.1	37.1	7.0	55	<0.1	20.9	7.5	252	3.52	6.2	0.7	7.6	6	0.2	1.4	<0.1	42	0.05
1771582	Rock	4.91	5	6.8	42.9	14.8	68	<0.1	24.8	6.5	220	3.60	11.6	3.1	4.9	5	0.2	2.3	0.1	32	0.02
1771583	Rock	7.03	<2	1.7	25.0	8.0	47	<0.1	15.1	5.0	182	3.28	9.7	1.9	4.3	3	0.2	0.4	<0.1	25	0.03
1771584	Rock	5.94	2	2.7	40.1	9.1	67	<0.1	24.3	9.4	408	4.09	4.6	<0.5	10.8	4	0.2	0.5	0.1	54	0.07
1771585	Rock	6.70	7	1.9	36.3	11.3	62	0.1	26.4	6.9	493	4.18	12.0	3.6	7.3	5	0.2	0.6	0.1	28	0.07
1771586	Rock	6.37	3	1.0	15.3	6.4	41	<0.1	13.5	5.4	260	2.00	5.3	<0.5	3.9	3	<0.1	0.2	0.1	18	0.07
1771587	Rock	5.71	3	0.8	13.1	7.6	21	<0.1	7.7	3.0	186	1.41	4.9	1.7	2.5	5	<0.1	0.3	0.1	15	0.09
1771588	Rock	7.04	4	1.6	30.8	13.1	53	<0.1	19.3	3.9	117	3.53	15.4	1.2	6.8	6	0.1	0.6	0.2	36	0.07
1771589	Rock	7.13	3	0.8	21.2	8.2	40	<0.1	15.8	3.8	84	2.10	21.1	1.1	5.2	4	0.1	0.9	0.1	17	0.09
1771590	Rock	5.87	3	1.1	25.3	18.7	44	0.1	14.4	3.9	140	2.45	12.8	0.9	5.7	6	0.2	0.6	0.3	34	0.07
1771591	Rock	4.58	4	1.2	37.0	15.0	66	0.1	29.6	7.9	167	3.12	13.7	1.8	6.9	4	0.2	1.1	0.2	19	0.05

CERTIFICATE OF ANALYSIS

WHI14000146.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
1771562	Rock	0.086	23	15	0.20	177	0.058	<20	0.75	<0.001	0.41	<0.1	0.08	3.0	0.4	<0.05	3	1.1	<0.2
1771563	Rock	0.080	34	30	0.47	303	0.143	<20	1.36	<0.001	0.88	<0.1	0.01	3.3	0.5	<0.05	4	<0.5	<0.2
1771564	Rock	0.043	10	3	0.03	137	0.005	<20	0.35	0.030	0.18	<0.1	<0.01	0.7	<0.1	<0.05	<1	<0.5	<0.2
1771565	Rock	0.086	22	17	0.21	199	0.054	<20	0.86	0.002	0.50	<0.1	0.01	2.2	0.3	<0.05	3	<0.5	<0.2
1771566	Rock	0.071	22	19	0.21	184	0.053	<20	0.82	0.003	0.45	<0.1	0.02	3.1	0.3	<0.05	3	<0.5	<0.2
1771567	Rock	0.096	21	24	0.27	235	0.058	<20	1.09	<0.001	0.52	<0.1	0.02	4.7	0.4	<0.05	4	<0.5	<0.2
1771568	Rock	0.121	15	18	0.08	244	0.013	<20	0.53	0.005	0.22	<0.1	0.11	4.7	0.2	<0.05	2	1.8	0.3
1771569	Rock Pulp	0.040	<1	14	1.70	31	0.002	<20	0.73	0.021	0.07	0.3	2.95	1.7	1.0	>10	5	4.9	9.9
1771570	Rock	0.022	20	3	0.09	86	0.030	<20	0.44	0.022	0.26	<0.1	0.05	3.2	0.1	<0.05	2	<0.5	<0.2
1771571	Rock	0.020	22	3	0.11	81	0.039	<20	0.44	0.025	0.28	<0.1	0.10	4.0	0.1	<0.05	2	<0.5	<0.2
1771572	Rock	0.029	23	5	0.04	89	0.010	<20	0.33	0.027	0.18	<0.1	0.23	3.7	<0.1	<0.05	<1	0.8	<0.2
1771573	Rock	0.038	13	10	0.09	122	0.030	<20	0.41	0.014	0.22	<0.1	0.13	3.3	0.2	<0.05	2	<0.5	<0.2
1771574	Rock	0.045	13	3	0.07	95	0.020	<20	0.44	0.017	0.23	<0.1	0.14	2.8	<0.1	<0.05	2	<0.5	<0.2
1771575	Rock	0.043	15	7	0.06	134	0.012	<20	0.40	0.018	0.21	<0.1	0.22	2.5	0.1	<0.05	2	<0.5	<0.2
1771576	Rock	0.029	15	5	0.11	114	0.036	<20	0.43	0.018	0.23	<0.1	0.08	3.3	0.2	<0.05	2	<0.5	<0.2
1771577	Rock	0.065	12	3	0.12	129	0.052	<20	0.52	0.023	0.30	<0.1	0.12	3.8	0.3	<0.05	2	<0.5	<0.2
1771578	Rock	0.025	16	3	0.08	100	0.030	<20	0.47	0.037	0.22	<0.1	0.03	3.2	0.1	<0.05	2	<0.5	<0.2
1771579	Rock	0.025	10	2	0.03	61	0.009	<20	0.28	0.022	0.13	<0.1	0.10	2.6	<0.1	<0.05	1	<0.5	<0.2
1771580	Rock	0.164	5	2	0.02	70	0.004	<20	0.25	0.029	0.12	<0.1	0.12	1.8	<0.1	<0.05	<1	<0.5	<0.2
1771581	Rock	0.048	16	19	0.16	177	0.045	<20	0.65	0.015	0.40	<0.1	0.41	5.8	0.2	<0.05	3	0.6	<0.2
1771582	Rock	0.063	12	14	0.05	119	0.010	<20	0.36	0.003	0.22	<0.1	1.03	3.6	0.1	<0.05	1	0.7	<0.2
1771583	Rock	0.057	6	13	0.07	121	0.012	<20	0.42	0.012	0.24	<0.1	0.48	2.8	0.1	<0.05	1	0.7	<0.2
1771584	Rock	0.084	19	26	0.32	217	0.093	<20	0.91	0.008	0.65	<0.1	0.68	5.2	0.4	<0.05	3	0.7	<0.2
1771585	Rock	0.063	17	12	0.14	154	0.033	<20	0.58	0.025	0.33	<0.1	0.59	4.3	0.2	<0.05	2	<0.5	<0.2
1771586	Rock	0.051	7	7	0.09	81	0.026	<20	0.37	0.020	0.22	<0.1	0.32	3.0	0.1	<0.05	2	<0.5	<0.2
1771587	Rock	0.065	7	9	0.04	93	0.009	<20	0.31	0.029	0.17	<0.1	0.19	1.7	<0.1	<0.05	1	<0.5	<0.2
1771588	Rock	0.061	14	16	0.13	137	0.036	<20	0.60	0.021	0.32	<0.1	0.53	3.4	0.2	<0.05	2	0.8	<0.2
1771589	Rock	0.073	14	9	0.05	89	0.012	<20	0.35	0.015	0.16	<0.1	0.48	2.6	<0.1	<0.05	1	<0.5	<0.2
1771590	Rock	0.068	11	17	0.10	134	0.022	<20	0.49	0.012	0.25	<0.1	1.14	4.1	0.1	<0.05	2	<0.5	<0.2
1771591	Rock	0.057	17	9	0.06	104	0.013	<20	0.38	0.010	0.21	<0.1	0.49	2.5	0.1	<0.05	1	<0.5	<0.2



www.acmelab.com

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**

1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike

Report Date: September 25, 2014

Page: 5 of 5

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI14000146.1

Method	Analyte	WGHT	FA330	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		MDL	2	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
1771592	Rock	5.79	5	1.6	46.2	13.0	55	0.1	18.3	4.6	110	2.63	7.0	<0.5	6.7	6	<0.1	0.6	0.2	34	0.05	
1771593	Rock	6.52	2	1.4	31.2	12.7	63	<0.1	28.3	10.2	251	2.69	5.9	<0.5	6.6	6	<0.1	0.5	0.2	31	0.05	
1771594	Rock	4.42	<2	1.8	40.9	11.7	70	<0.1	27.0	7.4	207	3.25	5.4	1.6	3.9	7	<0.1	0.5	0.1	37	0.04	
1771595	Rock	4.12	3	1.7	28.8	6.5	54	<0.1	18.7	5.7	174	2.27	3.0	<0.5	4.2	6	<0.1	0.6	0.1	23	0.04	
1771596	Rock	6.75	5	2.0	47.5	8.9	81	0.1	35.2	9.0	224	3.64	4.9	<0.5	4.6	9	0.1	0.3	0.2	34	0.07	
1770151	Rock	0.70	9	1.8	28.6	11.7	61	<0.1	19.6	5.2	119	1.46	2.4	1.1	6.0	50	0.1	0.7	0.2	45	0.14	
1770152	Rock	0.54	6	11.8	11.6	7.0	56	<0.1	12.5	3.4	125	1.68	2.6	1.9	7.2	14	<0.1	0.8	0.3	45	0.03	
1770153	Rock	0.86	90	205.2	5.5	31.7	47	0.1	13.0	6.4	137	1.37	3.2	47.5	8.4	16	<0.1	0.7	0.9	31	0.12	
1770154	Rock	1.65	6	10.8	6.6	3.4	22	<0.1	5.7	2.1	68	1.03	1.7	1.8	2.4	8	<0.1	0.2	<0.1	23	0.05	
1770155	Rock	0.79	8	59.0	14.1	3.3	41	<0.1	10.0	3.5	179	2.91	2.0	6.1	2.6	5	<0.1	0.3	<0.1	22	0.02	
1770156	Rock	1.15	11	19.1	41.7	4.3	47	0.1	15.8	11.5	1134	4.16	2.3	6.6	4.3	16	0.2	0.2	0.1	12	0.08	
1770157	Rock	0.90	8	8.2	21.4	3.3	59	<0.1	20.5	5.6	226	3.37	0.6	2.7	4.6	9	<0.1	0.5	<0.1	36	0.04	
1770158	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
1770159	Rock	1.13	4	2.0	65.0	12.9	175	0.2	34.8	14.5	388	6.00	45.7	3.6	2.0	6	0.5	1.1	0.2	26	0.02	
1770160	Rock	0.76	230	147.0	34.3	10.2	139	0.2	33.1	7.4	697	6.94	9.7	94.7	7.7	7	0.2	4.9	0.2	31	0.03	
1770161	Rock	0.99	368	122.4	10.2	28.1	23	0.2	11.4	5.7	158	0.59	6.0	113.0	4.4	29	<0.1	0.8	0.3	14	0.13	
1770162	Rock	0.79	261	72.7	11.3	38.2	23	0.4	7.4	13.9	610	1.44	1.7	196.9	5.8	5	<0.1	1.1	0.9	20	0.02	
1770163	Rock	4.16	8	18.5	26.5	4.1	35	0.1	11.4	10.4	1014	2.25	2.8	4.6	2.6	8	0.1	0.2	<0.1	22	0.03	
1770164	Rock	2.21	164	7.7	19.1	4.8	97	<0.1	30.3	7.1	248	2.69	3.3	28.2	6.0	6	0.1	1.2	0.1	27	0.04	
1770165	Rock	3.80	3	7.8	12.8	3.4	52	<0.1	16.8	2.9	86	2.44	2.7	4.7	4.4	4	<0.1	0.9	<0.1	17	0.01	



www.acmelab.com

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike
Report Date: September 25, 2014

Page: 5 of 5

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI14000146.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
1771592	Rock	0.051	12	17	0.12	145	0.027	<20	0.56	0.010	0.32	<0.1	0.31	3.9	0.2	<0.05	2	<0.5	<0.2	
1771593	Rock	0.051	15	16	0.14	174	0.042	<20	0.59	0.008	0.35	<0.1	0.29	3.8	0.2	<0.05	2	<0.5	<0.2	
1771594	Rock	0.054	7	18	0.13	140	0.032	<20	0.59	0.006	0.29	<0.1	0.36	4.6	0.2	<0.05	2	<0.5	<0.2	
1771595	Rock	0.040	7	13	0.13	168	0.035	<20	0.49	0.012	0.29	<0.1	0.43	3.6	0.1	<0.05	2	<0.5	<0.2	
1771596	Rock	0.074	8	19	0.12	160	0.024	<20	0.54	0.004	0.28	<0.1	0.74	3.9	0.2	<0.05	2	<0.5	<0.2	
1770151	Rock	0.067	18	20	0.19	1125	0.031	<20	0.75	0.003	0.44	<0.1	0.69	5.3	0.2	0.06	4	0.7	<0.2	
1770152	Rock	0.022	27	23	0.29	269	0.085	<20	0.86	0.003	0.62	<0.1	1.21	5.2	0.5	<0.05	3	1.1	<0.2	
1770153	Rock	0.041	35	12	0.04	435	<0.001	<20	0.50	<0.001	0.08	<0.1	1.26	12.0	<0.1	<0.05	1	<0.5	0.5	
1770154	Rock	0.014	9	8	0.13	263	0.020	<20	0.49	0.002	0.31	<0.1	1.01	4.6	0.3	<0.05	2	<0.5	<0.2	
1770155	Rock	0.039	7	8	0.17	267	0.033	<20	0.47	0.002	0.31	<0.1	1.15	3.7	0.4	<0.05	2	<0.5	<0.2	
1770156	Rock	0.036	14	6	0.06	630	0.003	<20	0.46	0.001	0.21	<0.1	1.50	3.4	0.2	<0.05	2	<0.5	<0.2	
1770157	Rock	0.043	14	16	0.44	464	0.118	<20	1.09	0.007	0.75	0.1	6.63	9.0	0.4	<0.05	4	<0.5	<0.2	
1770158	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1770159	Rock	0.088	4	11	0.01	191	0.002	<20	0.26	0.003	0.13	<0.1	0.11	2.2	0.2	<0.05	<1	0.5	<0.2	
1770160	Rock	0.077	22	13	0.03	486	0.003	<20	0.33	0.002	0.17	0.1	2.62	9.0	0.1	<0.05	<1	3.2	<0.2	
1770161	Rock	0.020	26	6	0.07	526	<0.001	<20	0.50	0.001	0.16	<0.1	2.63	9.7	<0.1	<0.05	1	<0.5	0.5	
1770162	Rock	0.041	22	4	0.01	215	0.001	<20	0.40	0.002	0.04	0.1	1.42	8.3	<0.1	<0.05	<1	<0.5	0.3	
1770163	Rock	0.035	7	8	0.06	433	0.009	<20	0.32	0.002	0.15	<0.1	1.07	3.2	0.2	<0.05	1	0.8	<0.2	
1770164	Rock	0.051	20	12	0.06	211	0.012	<20	0.34	0.015	0.14	<0.1	1.01	5.9	<0.1	<0.05	1	0.9	<0.2	
1770165	Rock	0.047	15	6	0.02	78	0.002	<20	0.20	0.002	0.09	<0.1	0.71	4.6	<0.1	<0.05	<1	0.7	<0.2	

QUALITY CONTROL REPORT

WHI14000146.1

Method	WGHT	FA330	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
1771509	Rock	2.68	7	16.9	33.0	4.7	34	0.1	9.8	11.8	1135	2.60	2.2	5.7	3.0	9	0.1	0.2	0.1	31	0.03
REP 1771509	QC			17.6	32.3	4.8	32	0.1	10.1	11.9	1136	2.65	2.1	4.2	3.0	10	0.1	0.2	0.1	32	0.03
1771518	Rock	3.15	7	9.7	33.2	7.7	64	0.1	12.1	2.7	109	3.34	4.7	7.2	4.6	15	<0.1	0.4	0.2	27	0.03
REP 1771518	QC		8																		
1771544	Rock	2.80	16	3.5	43.9	21.4	174	0.7	42.2	11.7	445	6.15	40.0	14.8	7.5	10	0.6	1.4	0.5	43	0.02
REP 1771544	QC			3.4	42.9	22.0	171	0.3	41.0	11.4	442	6.15	40.9	13.7	7.5	11	0.6	1.3	0.5	44	0.02
REP 1771554	QC		3																		
1771580	Rock	5.63	<2	3.6	9.0	8.3	13	<0.1	3.9	1.3	52	1.02	4.5	0.8	1.0	4	<0.1	0.5	<0.1	5	0.30
REP 1771580	QC			4.2	9.5	8.9	14	<0.1	3.7	1.4	55	1.08	4.5	<0.5	1.0	4	<0.1	0.5	<0.1	5	0.34
1771594	Rock	4.42	<2	1.8	40.9	11.7	70	<0.1	27.0	7.4	207	3.25	5.4	1.6	3.9	7	<0.1	0.5	0.1	37	0.04
REP 1771594	QC		2																		
Core Reject Duplicates																					
1771515	Rock	2.94	200	20.1	14.8	4.1	65	0.1	18.9	9.3	453	2.51	2.0	353.4	8.0	7	0.1	0.4	<0.1	19	0.03
DUP 1771515	QC		73	21.1	16.7	4.4	72	<0.1	22.6	9.9	450	2.67	2.2	22.0	8.1	7	0.2	0.5	<0.1	21	0.03
1771554	Rock	2.91	4	0.3	14.8	8.1	27	0.2	8.0	1.4	48	0.97	6.4	3.5	1.3	3	0.2	0.4	0.2	5	0.01
DUP 1771554	QC		4	0.2	13.4	7.4	20	0.2	6.8	1.3	50	0.86	5.7	2.5	1.1	3	<0.1	0.3	0.2	5	0.01
1771592	Rock	5.79	5	1.6	46.2	13.0	55	0.1	18.3	4.6	110	2.63	7.0	<0.5	6.7	6	<0.1	0.6	0.2	34	0.05
DUP 1771592	QC		3	1.8	46.8	13.2	55	<0.1	16.9	4.7	100	2.57	6.9	<0.5	6.4	5	<0.1	0.6	0.1	32	0.05
Reference Materials																					
STD DS10	Standard			14.2	162.2	165.4	387	2.0	81.1	13.5	933	2.88	51.1	85.0	8.1	73	2.9	8.8	13.7	45	1.13
STD DS10	Standard			13.9	164.1	161.1	384	2.0	81.5	14.0	905	2.85	52.2	53.1	7.9	71	3.1	8.4	13.7	45	1.10
STD DS10	Standard			12.6	158.5	144.5	357	1.8	75.4	12.6	861	2.74	44.4	146.2	6.3	54	2.5	8.1	10.2	40	1.00
STD DS10	Standard			12.5	150.7	144.5	358	1.8	76.7	12.2	875	2.64	43.9	64.7	6.9	66	2.9	8.1	12.4	42	1.01
STD OREAS45EA	Standard			1.7	738.3	17.9	34	0.3	412.0	55.6	441	23.67	12.4	55.2	12.5	4	<0.1	0.3	0.3	340	0.04
STD OREAS45EA	Standard			1.6	681.6	16.7	31	0.3	375.4	51.5	414	22.84	9.7	52.5	11.5	4	<0.1	0.4	0.3	319	0.04
STD OREAS45EA	Standard			1.8	670.1	14.0	28	0.2	358.5	49.7	401	22.91	9.7	51.1	9.1	3	<0.1	0.4	0.2	296	0.03
STD OREAS45EA	Standard			1.6	675.6	13.0	27	0.2	354.3	46.7	395	20.14	10.2	47.5	9.0	4	<0.1	0.4	0.2	292	0.03
STD OXD108	Standard		422																		

QUALITY CONTROL REPORT

WHI14000146.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																			
1771509	Rock	0.038	7	12	0.10	563	0.025	<20	0.43	<0.001	0.25	<0.1	0.84	5.2	0.3	<0.05	2	<0.5	<0.2
REP 1771509	QC	0.040	7	12	0.11	571	0.026	<20	0.45	<0.001	0.25	<0.1	0.80	5.3	0.3	<0.05	2	<0.5	<0.2
1771518	Rock	0.037	7	9	0.04	1034	0.006	<20	0.38	<0.001	0.15	<0.1	1.20	5.5	0.2	<0.05	2	1.8	<0.2
REP 1771518	QC																		
1771544	Rock	0.143	15	20	0.03	370	0.004	<20	0.39	0.001	0.16	<0.1	0.26	6.2	0.1	<0.05	2	0.6	<0.2
REP 1771544	QC	0.142	16	21	0.03	390	0.005	<20	0.40	0.002	0.16	<0.1	0.24	6.2	0.1	<0.05	2	<0.5	<0.2
REP 1771544	QC																		
1771580	Rock	0.164	5	2	0.02	70	0.004	<20	0.25	0.029	0.12	<0.1	0.12	1.8	<0.1	<0.05	<1	<0.5	<0.2
REP 1771580	QC	0.181	6	3	0.02	74	0.005	<20	0.26	0.030	0.13	<0.1	0.14	1.9	<0.1	<0.05	<1	<0.5	<0.2
1771594	Rock	0.054	7	18	0.13	140	0.032	<20	0.59	0.006	0.29	<0.1	0.36	4.6	0.2	<0.05	2	<0.5	<0.2
REP 1771594	QC																		
Core Reject Duplicates																			
1771515	Rock	0.072	23	10	0.03	237	0.003	<20	0.33	0.006	0.09	<0.1	2.64	6.7	<0.1	<0.05	1	<0.5	<0.2
DUP 1771515	QC	0.074	24	12	0.03	245	0.003	<20	0.38	0.007	0.11	<0.1	2.76	7.4	<0.1	<0.05	2	<0.5	<0.2
1771554	Rock	0.027	2	3	0.02	127	0.002	<20	0.26	0.017	0.15	<0.1	0.04	0.8	<0.1	<0.05	<1	<0.5	<0.2
DUP 1771554	QC	0.022	2	3	0.02	122	0.002	<20	0.27	0.017	0.15	<0.1	0.03	0.7	<0.1	<0.05	<1	<0.5	<0.2
1771592	Rock	0.051	12	17	0.12	145	0.027	<20	0.56	0.010	0.32	<0.1	0.31	3.9	0.2	<0.05	2	<0.5	<0.2
DUP 1771592	QC	0.051	11	17	0.11	123	0.026	<20	0.48	0.008	0.29	<0.1	0.31	4.0	0.2	<0.05	2	<0.5	<0.2
Reference Materials																			
STD DS10	Standard	0.079	20	59	0.84	454	0.084	<20	1.10	0.061	0.35	2.9	0.30	3.3	5.9	0.29	5	2.4	5.6
STD DS10	Standard	0.084	19	59	0.81	469	0.082	<20	1.05	0.059	0.34	3.2	0.27	3.1	5.7	0.28	5	2.3	5.7
STD DS10	Standard	0.076	16	51	0.72	393	0.069	<20	0.91	0.059	0.31	2.9	0.28	2.5	4.9	0.28	4	2.2	5.0
STD DS10	Standard	0.070	15	54	0.73	397	0.070	<20	0.95	0.062	0.31	3.4	0.27	2.6	5.1	0.28	4	2.7	4.8
STD OREAS45EA	Standard	0.034	7	921	0.10	154	0.106	<20	3.31	0.008	0.05	<0.1	<0.01	88.8	<0.1	<0.05	14	<0.5	<0.2
STD OREAS45EA	Standard	0.033	8	872	0.10	168	0.099	<20	2.96	0.008	0.05	<0.1	0.01	81.8	<0.1	<0.05	13	0.9	<0.2
STD OREAS45EA	Standard	0.027	7	767	0.09	137	0.090	<20	3.03	0.020	0.05	<0.1	0.03	73.3	<0.1	<0.05	12	<0.5	<0.2
STD OREAS45EA	Standard	0.024	7	781	0.09	134	0.086	<20	2.93	0.020	0.05	<0.1	0.02	72.0	<0.1	<0.05	11	<0.5	<0.2
STD OXD108	Standard																		



www.acmelab.com

Bureau Veritas Commodities Canada Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**
 1300 - 1111 West Georgia Street
 Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike
 Report Date: September 25, 2014

Page: 2 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI14000146.1

		WGHT	FA330	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
STD OXD108	Standard		431																		
STD OXD108	Standard		430																		
STD OXD108	Standard		417																		
STD OXD108	Standard		436																		
STD OXI121	Standard		1838																		
STD OXI121	Standard		1844																		
STD OXI121	Standard		1839																		
STD OXI121	Standard		1858																		
STD OXI121 Expected			1834																		
STD DS10 Expected				14.69	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	43.7	91.9	7.5	67.1	2.49	8.23	11.65	43	1.0625
STD OREAS45EA Expected				1.39	709	14.3	28.9	0.26	381	52	400	23.51	9.1	53	10.7	3.5	0.02	0.2	0.26	303	0.036
STD OXD108 Expected			414																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	0.4	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		3																		
Prep Wash																					
G1-WHI	Prep Blank		<2	0.2	2.4	3.9	49	<0.1	2.7	4.1	586	2.00	<0.5	<0.5	7.3	68	<0.1	<0.1	<0.1	38	0.59
G1-WHI	Prep Blank		<2	0.2	4.3	4.0	50	<0.1	2.9	4.3	544	1.95	<0.5	1.0	6.5	53	<0.1	0.3	0.1	37	0.50



www.acmelab.com

Bureau Veritas Commodities Canada Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**
 1300 - 1111 West Georgia Street
 Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike
 Report Date: September 25, 2014

Page: 2 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI14000146.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200		
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
STD OXD108	Standard																			
STD OXD108	Standard																			
STD OXD108	Standard																			
STD OXD108	Standard																			
STD OXI121	Standard																			
STD OXI121	Standard																			
STD OXI121	Standard																			
STD OXI121	Standard																			
STD OXI121 Expected																				
STD DS10 Expected		0.073	17.5	54.6	0.775	359	0.0817		1.0259	0.067	0.338	3.32	0.3	2.8	5.1	0.29	4.3	2.3	5.01	
STD OREAS45EA Expected		0.029	6.57	849	0.095	148	0.0875		3.13	0.02	0.053			78	0.072	0.036	11.7	0.6	0.07	
STD OXD108 Expected																				
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																			
Prep Wash																				
G1-WHI	Prep Blank	0.084	16	6	0.54	193	0.129	<20	1.02	0.086	0.47	<0.1	<0.01	2.6	0.3	<0.05	5	<0.5	<0.2	
G1-WHI	Prep Blank	0.077	15	6	0.53	163	0.118	<20	0.96	0.068	0.48	<0.1	<0.01	2.3	0.3	<0.05	5	<0.5	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Sampler	Lab_Tag	Northing	Easting	Elevation	Depth_cm	Horizon_Sampled	Colour	Comment
Raph	1770001	7013934.44	590408.06	536.30	75	c	brown/red	
Raph	1770002	7013892.56	590303.29	542.07	75	b/c	brown	
Raph	1770003	7013240.11	589763.61	572.59	50	c	light brown	under a stump
Raph	1770004	7013185.66	589753.72	570.90	75	c	dark brown	brown sand
Raph	1770005	7013216.70	589823.92	569.70	75	c	dark brown	
Raph	1770006	7013220.75	589877.90	566.82	50	c	light brown	
Raph	1770007	7013190.66	589922.54	563.21	50	c	red/brown	sand/rock grit
Raph	1770008	7013143.52	589947.23	555.04	50	b/c	brown	sand/clay
Raph	1770009	7013122.73	589982.29	544.71	50	c	light brown	slight
Raph	1770010	7013099.46	590023.31	531.97	80	c	light brown/yellowish	edge of burn patch, fine sand/clay
Daithi Mac Gearailt	1770011	7013077.49	589985.83	540.86	100	b	grey/brown	Slumped, treed, steep
Raph	1770012	7013055.45	589905.26	544.47	120	c	brown	mica
Daithi Mac Gearailt	1770013	7013057.34	589858.01	552.16	75	b/c	grey/brown	Slumped, treed, steep
Raph	1770014	7013056.59	589836.14	550.00	50	b	light brown	sand with rock frags
Daithi Mac Gearailt	1770015	7013060.49	589787.94	559.85	25	b	red/brown	
Raph	1770016	7013122.28	589764.57	569.22	80	c	light brown	sandy
Daithi Mac Gearailt	1770017	7013141.78	589726.13	571.87	50	b/c	light brown	
Raph	1770018	7013156.07	589677.91	570.42	120	c	grey/brown	sandy. No rocks
Daithi Mac Gearailt	1770019	7013106.41	589656.05	568.98	75	c	light brown	
Raph	1770020	7013072.77	589626.92	568.02	100	c	yellow/brown	tree stump
Daithi Mac Gearailt	1770021	7013030.32	589616.57	562.49	30	c	light brown	mica, clay, schist chips burn with willows
Raph	1770022	7012974.55	589593.27	553.60	50	b	brown	
Daithi Mac Gearailt	1770023	7012934.63	589582.59	551.20	30	c	brown	
Raph	1770024	7012890.26	589552.33	541.58	100	c	brown/orange	tree stump
Daithi Mac Gearailt	1770025	7012840.88	589539.95	540.38	75	c	red/brown	Taken at base of overturned tree, good sample
Raph	1770026	7012785.99	589545.76	531.01	120	c	brown/orange	sandy clay
Daithi Mac Gearailt	1770027	7012744.21	589536.51	529.81	25	b	brown	gravely ground, steep, burn
Raph	1770028	7012687.74	589532.02	518.75	100	c	brown/orange	clay/sand
Daithi Mac Gearailt	1770029	7012640.13	589530.38	515.39	120	b	light brown	old burn, slumped, no oc
Raph	1770030	7012593.78	589556.56	511.54	100	c	light brown	no clay
Daithi Mac Gearailt	1770031	7012550.69	589558.04	509.86	50	b	brown	old burn, slumped, no oc
Raph	1770032	7012484.42	589551.69	504.09	80	b	grey/brown	pure clay, very wet
Daithi Mac Gearailt	1770033	7012438.94	589541.40	502.89	120	b	green/grey	old dry swamp
Raph	1770034	7012389.61	589533.89	496.88	80	b	dark grey/brown	wet clay
Daithi Mac Gearailt	1770035	7012344.19	589533.80	494.00	120	b	light brown	slumped / poor sample
Raph	1770036	7012287.90	589565.57	478.86	100	b	brown	tree stump
Daithi Mac Gearailt	1770037	7012247.26	589575.01	467.32	na	na		
Raph	1770038	7012196.13	589565.63	450.74	100	b	brown	wet/clay
Clayton Jones	1770051	7013358.31	589584.77	551.40	100	c	yellow/beige	unique soil comp
Clayton Jones	1770052	7013359.53	589536.54	547.30	90	c	grey/beige	
Clayton Jones	1770053	7013366.63	589483.31	542.33	60	c	grey/brown	
Clayton Jones	1770054	7013371.51	589434.12	536.64	70	c	brown	mica schist frags
Clayton Jones	1770055	7013374.03	589380.07	527.42	50	b/c	light brown	poor sample
Clayton Jones	1770056	7013399.36	589345.08	522.22	60	c	brown	
Clayton Jones	1770057	7013409.53	589297.50	513.93	70	c	brown	mica rich
Clayton Jones	1770058	7013427.67	589244.18	503.23	80	c	brown	mica schist and qrtz clasts
Clayton Jones	1770059	7013438.47	589199.65	485.63	70	c	orange/brown	
Clayton Jones	1770060	7013451.69	589153.39	464.88	60	c	grey/orange	
Clayton Jones	1770061	7013398.08	589153.72	453.80	60	c	grey/orange	
Clayton Jones	1770062	7013295.54	589146.40	442.24	60	c	brown	rocky
Clayton Jones	1770063	7013190.33	589151.37	445.81	100	c	grey/brown	increase clay, poor sample
Clayton Jones	1770064	7013089.98	589174.51	445.36	100	b/c	light brown/dark brown	light dark brown mix, poor sample
Clayton Jones	1770065	7013004.16	589227.45	465.94	100	c	light/dark brown	mix color layered
Clayton Jones	1770066	7012923.66	589279.40	478.34	90	b/c	beige	
Clayton Jones	1770067	7012818.27	589309.72	475.11	100	c	brown	
Clayton Jones	1770068	7012716.33	589279.51	453.47	100	c	beige/dark brown mix	increase clay
Clayton Jones	1770069	7012628.17	589316.59	468.89	70	c	grey/brown	
Clayton Jones	1770070	7012527.40	589320.64	465.41	100	c	brown	
Clayton Jones	1770071	7012437.96	589339.21	463.67	100	b/c	brown	increase silt and clay
Clayton Jones	1770072	7012342.76	589387.65	467.18	100	b/c	brown	increase clay/silt, fine mica
Clayton Jones	1770073	7012264.28	589431.56	462.04	100	b	grey/brown	waxy brown silt/clay causes auger to stick, poor sample
Clayton Jones	1770074	7012184.16	589493.02	447.14	100	b	grey/brown	flat. Valley bottom, sandy
Raph	1771001	7008587.81	595186.33	566.10	75	c	brown	clay with minor rock frags
Raph	1771002	7008528.93	595189.68	564.42	100	c	brown/grey	base of tree
Raph	1771003	7008480.99	595187.22	561.05	100	c	brown	clay with mica particles
Raph	1771004	7008433.49	595186.74	556.00	100	b/c	grey	tree stump
Raph	1771005	7008385.83	595183.36	552.16	90	b	grey	clay
Raph	1771006	7008340.33	595192.23	544.71	100	c	grey green	large burnt trees
Raph	1771007	7008280.10	595183.07	541.34	100	c	brown	mica rich rock fragments
Raph	1771008	7008282.75	595090.41	560.33	100	c	brown	trees stump
Raph	1771009	7008327.12	595087.42	563.21	90	c	brown	clay and sand
Raph	1771010	7008375.56	595084.57	570.66	100	b	brown	very wet clay
Raph	1771011	7008432.29	595087.71	578.35	100	b	brown	wet with mica particles
Raph	1771012	7008488.21	595086.58	585.32	100	c	light brown	
Raph	1771013	7008534.43	595086.46	591.81	100	c	brown	rocky fragments
Raph	1771014	7008584.71	595086.22	598.54	50	c	light brown	sandy with mica and rock frags
Raph	1771015	7008566.81	594980.68	622.81	75	c	grey brown	clay with mica, rock chunks
Raph	1771016	7008529.74	594994.62	614.40	75	c	brown	gravel, orange spot
Raph	1771017	7008482.10	594989.80	606.95	50	c	brown	rock frags, mica, orange spot
Raph	1771018	7008434.13	594986.68	594.22	75	c	brown	clay with mica
Raph	1771019	7008382.42	594991.90	586.04	75	c	brown	clay with mica
Raph	1771020	7008333.73	594989.58	578.35	75	c	brown	rocks at 50
Raph	1771021	7008282.78	594985.68	574.27	100	c	dark brown	dry sample (unique)
Raph	1771022	7008282.49	594886.25	586.77	75	c	light brown	dry sample (unique)
Raph	1771023	7008332.33	594888.35	596.86	50	c	orange/brown	
Raph	1771024	7008380.84	594885.71	607.19	100	c	brown	lots of mica
Raph	1771025	7008425.01	594889.45	610.32	50	c	brown	lots of gravel
Raph	1771026	7008482.93	594886.84	625.46	75	c	brown/green	sandy clay with mica
Raph	1771027	7008529.44	594887.03	638.68	75	b/c	light brown	tree stump, sandy and rock frags
Raph	1771028	7008579.75	594887.71	647.57	75	c	brown	oxidized particles
Raph	1771029	7008530.10	594791.73	657.42	40	b/c	brown	rocks are shallow
Raph	1771030	7008485.08	594787.47	645.65	100	c	brown	stump

Raph	1771031	7008432.12	594790.04	634.35	75	c	light brown	oxidized rock fragments
Raph	1771032	7008382.67	594785.16	625.70	100	c	light brown	clay
Raph	1771033	7008334.76	594787.31	613.44	50	c	light brown	gravel bottom
Raph	1771034	7008286.67	594784.09	600.46	75	c	brown	tree stump, lots of mica
Raph	1771035	7009026.41	595188.64	631.95	50	c	light brown	mica and rock frags
Raph	1771036	7008984.36	595192.13	609.12	90	c	light brown	sandy mica, no rock frag
Raph	1771037	7008935.26	595187.47	587.49	50	c	dark brown	gravelly
Raph	1771038	7008884.35	595186.51	584.60	40	c	dark brown	thick organic a horizon
Raph	1771039	7008832.42	595188.76	586.04	90	c	dark brown	
Raph	1771040	7008783.53	595187.97	590.85	60	c	dark brown	near small dip/ditch, mica and oxidized chips
Raph	1771041	7008732.80	595189.62	590.85	75	c	brown	increase mica, sandy with rock frags
Raph	1771042	7008680.32	595183.23	584.60	100	c	brown	mica/oxidized chips
Raph	1771043	7008631.75	595180.58	582.68	75	c	light brown	sandy clay
Raph	1771044	7008628.03	595091.66	606.95	60	c	brown-orange	gritty sand and rock frags, mica
Raph	1771045	7008680.24	595092.89	617.53	40	c	brown	sandy with large rock frags
Raph	1771046	7008728.76	595089.09	622.33	20	c	brown	shallow soil cover, gritty gravel sand with mica
Raph	1771047	7008780.09	595089.50	627.62	40	c	brown	a lot of gravel, oxidized chips
Raph	1771048	7008827.75	595085.53	629.06	50	c	brown	gritty, lots of mica and oxidation, deep under tree stump
Raph	1771049	7008882.79	595082.03	632.19	75	c	brown	very wet, clay
Raph	1771050	7008922.63	595086.74	631.47	50	c	brown/grey	wet clay with mica. Under stump
Raph	1771051	7008977.14	595089.25	637.72	100	c	light brown	gritty with oxidation and mica
Raph	1771052	7009028.86	595086.44	641.32	50	c	light brown	oxidized gravel, mica
Raph	1771053	7009030.76	594993.99	675.21	70	c	light brown	sandy clay with mica
Raph	1771054	7008983.48	594989.41	669.44	60	c	light brown	under a stump, mica and rock frags]
Raph	1771055	7008934.66	594984.60	661.03	30	c	brown	shallow soil cover, sandy gravel
Raph	1771056	7008884.23	594987.35	659.83	75	c	brown	little ditch to the east of sample 20 m
Raph	1771057	7008834.87	594988.44	657.90	50	c	brown	oxidized
Raph	1771058	7008784.57	594987.37	656.94	50	c	brown	gritty with mica
Raph	1771059	7008731.32	594984.40	652.86	40	b/c	brown	hit rock at bottom
Raph	1771060	7008681.40	594987.71	641.80	80	c	brown	dry
Raph	1771061	7008633.92	594986.21	630.99	100	c	brown	mica sand
Raph	1771062	7008626.87	594893.14	653.58	75	c	dark brown	silty sand with lots of rock frags
Raph	1771063	7008680.63	594889.13	666.80	50	c	brown	sand and gravel
Raph	1771064	7008725.26	594897.41	676.17	100	c	brown	tree stumps, dry sand
Raph	1771065	7008780.71	594885.20	690.35	75	c	light brown	lots of mica
Raph	1771066	7008829.31	594892.24	693.95	75	c	brown	
Raph	1771067	7008882.90	594891.11	695.63	30	b	brown	gritty sand and mica
Raph	1771068	7008931.16	594887.90	697.80	50	c	dark brown	sandy with mica rock chips
Raph	1771069	7008976.58	594893.45	702.84	75	c	dark brown/grey	wet, oxidized
Raph	1771070	7009026.09	594888.25	716.78	75	c	brown	sandy and rock frags with mica
Raph	1771071	7009229.86	594088.95	777.35	50	c	brown	under tree stump
Raph	1771072	7009185.34	594084.62	793.21	50	c	brown	steep
Raph	1771073	7009133.04	594086.92	804.98	50	c	brown	gritty and oxidized
Raph	1771074	7009083.69	594086.62	811.95	60	c	brown	gritty sand, with rock frags
Raph	1771075	7009032.76	594086.78	816.04	75	c	brown	very oxidized at 50 cm
Raph	1771076	7008983.89	594088.12	818.20	40	c	brown	shallow, gravelly
Raph	1771077	7008933.52	594090.43	815.08	25	c	brown	
Raph	1771078	7008886.68	594087.20	805.46	75	c	brown	biotite and mica rock fragments
Raph	1771079	7008834.44	594087.08	792.01	75	c	brown	gritty with mica
Raph	1771080	7008783.98	594089.19	779.27	75	c	brown	rocky with some qtz clasts
Raph	1771081	7008783.30	594133.02	769.42	30	c	brown	oxidized chips, black staining, sample taken in low depression along ridge top
Raph	1771082	7008831.66	594135.84	790.32	60	c	brown	
Raph	1771083	7008884.09	594137.37	807.39	60	c	dark brown	fine sand and rock frags
Raph	1771084	7008935.99	594134.43	820.36	40	c	brown	rocky with mica
Raph	1771085	7008985.07	594137.73	822.53	50	c	brown	rocky, oxidized with qtz clasts
Raph	1771086	7009032.36	594134.05	823.01	75	c	brown	rocky
Raph	1771087	7009081.77	594140.01	813.64	40	c	brown	gritty
Raph	1771088	7009130.58	594139.34	798.49	60	c	dark brown	wet clay with mica and rock frags
Raph	1771089	7009182.71	594135.86	783.35	20	b/c	brown	poor soil development before rock
Raph	1771090	7009229.79	594136.55	767.97	50	c	brown	gritty sand and rock frags
Raph	1771091	7009224.54	594187.27	758.84	60	c	dark brown	rocky and wet
Raph	1771092	7009189.38	594190.41	771.58	60	b	brown	very goeey and frozen
Raph	1771093	7009136.33	594192.49	796.09	90	c	brown	rocky under moss mate, poor soil development
Raph	1771094	7009084.72	594185.95	811.47	30	c	brown	rock frags
Raph	1771095	7009034.08	594186.24	820.36	50	c	brown	compact soil, gritty
Raph	1771096	7008980.53	594186.11	820.12	30	c	brown	tree stump
Raph	1771097	7008930.90	594187.91	809.79	30	c	brown	mica and qtz frags
Raph	1771098	7008883.57	594189.12	797.53	60	c	brown	gritty sand and rock frags
Raph	1771099	7008839.44	594188.74	782.15	75	c	brown	tree stump, thick b horizon
Raph	1771100	7008786.93	594190.56	765.33	75	c	brown	gritty sand with qtz frags
Raph	1771101	7008786.65	594235.97	761.24	50	c	brown	tree stump
Raph	1771102	7008828.46	594240.74	775.18	80	b/c	brown	thick b horizon
Raph	1771103	7008882.62	594236.10	794.65	50	c	light brown	very dry, under stump
Raph	1771104	7008930.26	594241.77	806.91	75	c	brown	thick c horizon
Raph	1771105	7008984.57	594239.56	812.19	75	c	brown/orange	rock frags with qtz, grey sandy spot up c horizon
Raph	1771106	7009031.95	594238.65	808.59	40	c	brown	shallow ground, gritty
Raph	1771107	7009079.21	594236.25	800.66	30	c	brown	rocky
Raph	1771108	7009127.92	594235.77	787.44	40	c	brown	wet
Raph	1771109	7009185.04	594239.94	762.93	90	c	dark brown	pooling water near by, clay rich
Raph	1771110	7009226.80	594233.67	743.94	40	c	dark brown	wet dark clay with mica
Raph	1771111	7009220.23	594286.18	756.68	50	c	dark brown	thin c horizon before solid rock
Raph	1771112	7009196.41	594284.74	765.33	40	c	brown	more rock than dirt in sample
Raph	1771113	7009169.45	594287.04	774.46	30	c	brown	gritty with oxidation
Raph	1771114	7009144.77	594289.09	783.83	40	c	brown	thin a horizon
Raph	1771115	7009120.15	594290.26	794.17	40	c	brown	rock frags
Raph	1771116	7009095.08	594284.79	801.38	60	c	brown	thick c horizon
Raph	1771117	7009070.51	594286.09	807.15	30	c	light brown	wet clay with mica and rock frags
Raph	1771118	7009043.44	594284.78	811.47	50	c	orange/brown	good sample!
Raph	1771119	7009012.78	594291.22	814.60	30	c	light brown	sand and clay with rock frags
Raph	1771120	7008993.22	594287.63	814.60	50	c	brown	tree stump. Dry, patch of grey sand
Raph	1771121	7008968.43	594292.82	815.80	50	c	light brown	gritty
Raph	1771122	7008944.83	594285.38	813.15	40	c	light brown	gritty
Raph	1771123	7008916.92	594292.66	809.55	50	c	brown	gritty, under tree stump
Raph	1771124	7008891.01	594284.82	807.63	50	c	brown	black crumbly rocks in sample

Raph	1771125	7008867.14	594286.42	799.46	50	c	brown	rock frags
Raph	1771126	7008845.05	594289.60	794.17	50	c	brown	
Raph	1771127	7008819.87	594286.25	786.00	75	c	light brown	oxidized chips
Raph	1771128	7008794.48	594289.37	778.07	50	c	brown	tree stump
Raph	1771129	7008779.66	594339.61	781.19	60	c	brown	lots of oxidation
Raph	1771130	7008804.71	594342.19	791.77	90	c	grey/orange	sandy/clay with mica, unique, deep grey fine sand
Raph	1771131	7008831.14	594337.95	797.29	90	c	brown	lot of c, lots of course mica
Raph	1771132	7008860.90	594339.81	805.94	40	c	brown	
Raph	1771133	7008886.32	594337.65	810.99	75	c	brown	dry
Raph	1771134	7008912.86	594338.71	816.52	40	c	brown	rock chips with qrtz
Raph	1771135	7008933.36	594341.09	820.36	60	c	light brown	fine sand and dry
Raph	1771136	7008956.33	594339.40	823.49	30	c	dark brown	shallow, rocky
Raph	1771137	7008982.92	594339.74	825.17	20	b	brown	clay with mica
Raph	1771138	7009007.48	594335.50	825.89	30	c	brown	rocky with oxidized clasts
Raph	1771139	7009031.53	594335.47	823.49	50	c	brown	lots of mica
Raph	1771140	7009060.73	594333.62	819.16	40	c	grey black brown	unique, lots of minerals?
Raph	1771141	7009078.95	594339.35	814.36	60	c	brown	rock frags
Raph	1771142	7009103.06	594335.89	807.87	40	c	brown	wet, gritty
Raph	1771143	7009129.54	594339.49	800.18	60	c	brown	sandy clay with mica
Raph	1771144	7009156.98	594337.06	789.60	20	b	brown	rocks stop auger
Raph	1771145	7009183.41	594339.90	781.43	15	b/c	brown	organic gravel sand mix, rock right away
Raph	1771146	7009203.74	594337.55	770.38	50	c	brown grey	wet and gritty
Raph	1771147	7009228.22	594340.33	763.17	75	b/c	grey brown	semi annual creek bed, very wet, clay with mica
Raph	1771148	7009231.41	594384.95	770.38	40	c	brown	gritty
Raph	1771149	7009210.72	594383.25	775.42	30	c	brown	poor soil development, moss on rock
Raph	1771150	7009186.40	594389.05	783.11	30	c	brown	gritty
Raph	1771151	7009158.96	594386.36	790.32	75	c	brown	gritty with minor oxidation]
Raph	1771152	7009137.57	594385.84	795.37	30	c	dark grey/brown	hard ground, gravelly
Raph	1771153	7009111.48	594386.10	803.30	40	b/c	grey brown	clay and sand with mica, few rock frags with qrtz
Raph	1771154	7009083.57	594388.16	810.03	60	c	brown	lots of mica and gritty
Raph	1771155	7009057.52	594386.59	815.08	50	c	brown orange	very sandy and dry, gritty
Raph	1771156	7009031.57	594387.58	818.20	75	c	orange	
Raph	1771157	7009005.52	594388.58	820.60	50	c	brown	defined b/c horizon
Raph	1771158	7008983.38	594386.03	820.12	50	c	brown	tree stump, pink mica
Raph	1771159	7008960.68	594392.66	819.88	50	c	brown green	
Raph	1771160	7008931.34	594388.89	817.72	75	c	brown	
Raph	1771161	7008907.18	594389.53	815.08	75	c	brown	lots of mica
Raph	1771162	7008881.87	594386.88	810.75	60	c	brown	
Raph	1771163	7008859.88	594391.27	808.83	75	c	brown	oxidized
Raph	1771164	7008837.23	594390.10	806.67	75	c	brown	
Raph	1771165	7008810.03	594387.71	800.66	75	c	bright orange	some quartz
Raph	1771166	7008786.98	594385.09	794.17	75	c	brown	lots of quartz
Raph	1771167	7008783.02	594437.70	799.94	50	c	brown	rocky
Raph	1771168	7008807.99	594434.99	805.46	50	c	brown	
Raph	1771169	7008829.95	594441.08	808.59	30	c	brown	
Raph	1771170	7008858.56	594441.30	812.19	40	c	brown	not a lot of mica
Raph	1771171	7008881.77	594437.08	816.04	40	c	brown	
Raph	1771172	7008907.92	594439.11	819.64	30	c	brown	
Raph	1771173	7008930.21	594434.75	822.77	50	c	brown	shallow c, rocky
Raph	1771174	7008957.63	594439.44	823.73	75	c	brown - grey	lots of mica
Raph	1771175	7008983.96	594437.96	823.01	75	c	brown	lots of orange patches
Raph	1771176	7009002.65	594436.89	822.77	50	c	brown	
Raph	1771177	7009033.02	594439.06	818.92	30	c	light brown	3 holes
Raph	1771178	7009056.25	594438.08	816.52	50	c	grey brown	lots of mica
Raph	1771179	7009081.13	594437.70	814.12	30	c	brown	
Raph	1771180	7009109.18	594435.55	809.79	60	c	brown	lots of mica
Raph	1771181	7009132.12	594434.79	805.46	30	c	brown	
Raph	1771182	7009154.29	594434.87	798.49	40	c	brown	lots of clay in sample and mica
Raph	1771183	7009179.67	594435.29	792.01	40	c	brown	rocky
Raph	1771184	7009205.76	594439.98	784.32	40	c	burn	
Raph	1771185	7009230.26	594435.18	779.03	75	c	brown	lots of mica
Raph	1771186	7009231.29	594483.59	783.35	50	c	brown	lots of mica
Raph	1771187	7009204.55	594482.89	789.12	75	c	brown	
Raph	1771188	7009177.74	594486.66	794.65	25	b/c	brown	rocky
Raph	1771189	7009156.69	594484.61	793.93	30	c	brown	
Raph	1771190	7009130.32	594484.35	797.29	50	c	brown	lots of mica
Raph	1771191	7009104.51	594490.74	795.61	60	c	brown	
Raph	1771192	7009084.77	594485.43	800.18	60	c	brown	lots of mica
Raph	1771193	7009058.29	594488.00	806.19	60	c	brown	quartz frags small
Raph	1771194	7009033.74	594486.86	810.75	40	c	brown - orange	
Raph	1771195	7009006.07	594487.07	814.12	40	c	brown	rocky
Raph	1771196	7008984.11	594486.27	815.32	75	c	brown	oxidized quartz
Raph	1771197	7008960.20	594487.64	816.52	30	c	brown	more clay than usual
Raph	1771198	7008934.97	594490.12	818.20	50	c	brown	oxidized
Raph	1771199	7008909.39	594488.42	817.96	50	c	orange	very orange
Raph	1771200	7008881.00	594488.00	815.00	50	c	brown	
Raph	1771201	7008858.37	594487.07	811.23	40	c	brown	
Raph	1771202	7008833.22	594486.85	808.11	75	c	brown	dry and mica rich
Raph	1771203	7008810.85	594488.67	804.50	40	c	brown	very oxidized
Raph	1771204	7008782.96	594490.74	798.74	40	c	brown	
Raph	1771205	7008783.61	594539.60	793.69	40	c	brown	rocky
Raph	1771206	7008811.72	594539.08	799.94	40	c	brown	
Raph	1771207	7008835.55	594535.88	802.10	30	c	brown	little mica
Raph	1771208	7008860.97	594536.23	803.54	20	B/C	dark brown	rocky, thin soil on talus
Raph	1771209	7008885.68	594535.06	805.94	60	c	brown	thick b
Raph	1771210	7008910.81	594532.50	808.35	40	c	brown	quartz
Raph	1771211	7008933.61	594540.04	811.71	50	c	brown	
Raph	1771212	7008962.02	594533.62	812.67	60	c	grey brown	
Raph	1771213	7008981.03	594538.52	810.99	75	c	brown	tip of sample very orange
Raph	1771214	7009013.29	594534.70	811.23	50	c	brown	
Raph	1771215	7009035.82	594534.42	810.03	60	c	grey brown	
Raph	1771216	7009057.94	594538.59	809.07	40	c	brown	quartz
Raph	1771217	7009079.65	594534.09	806.43	50	c	brown	lots of oxidization
Raph	1771218	7009101.94	594538.44	804.50	50	c	brown - orange	

Raph	1771219	7009131.61	594536.64	802.34	40	c	dark brown	oxidized clasts
Raph	1771220	7009158.73	594539.38	799.70	30	c	brown	
Raph	1771221	7009183.80	594535.60	797.53	60	c	brown	
Raph	1771222	7009207.50	594534.78	794.65	60	c	dark grey	mix brown color
Raph	1771223	7009233.61	594536.92	789.84	30	b/c	brown	rocky and clay
Raph	1771224	7009230.87	594587.65	789.60	50	c	brown	rocky and clay
Raph	1771225	7009206.30	594582.65	791.77	40	c	brown	
Raph	1771226	7009183.92	594585.76	793.69	75	c	brown orange	silver grey sand?
Raph	1771227	7009156.91	594587.83	794.65	75	c	brown	
Raph	1771228	7009132.65	594581.84	796.57	50	c	light brown	near old trench
Raph	1771229	7009110.57	594581.18	796.09	60	c	brown	
Raph	1771230	7009083.78	594588.18	795.37	75	c	brown orange	taken at end of old trench
Raph	1771231	7009054.60	594583.46	782.39	75	c	brown	lots of mica
Raph	1771232	7009033.89	594584.36	791.53	30	b/c	brown	rocky
Raph	1771233	7009013.96	594583.77	794.89	60	c	brown	
Raph	1771234	7008990.23	594589.92	802.82	75	c	grey brown	more grey than brown
Raph	1771235	7008958.51	594585.23	805.94	60	c	brown	
Raph	1771236	7008934.37	594584.47	806.43	60	c	brown	
Raph	1771237	7008912.52	594589.74	803.06	40	b/c	brown	
Raph	1771238	7008886.10	594588.29	803.78	50	c	brown	
Raph	1771239	7008861.42	594587.34	803.06	50	c	brown	
Raph	1771240	7008834.16	594587.71	801.14	60	c	brown orange	
Raph	1771241	7008807.65	594583.90	796.57	40	c	grey brown	
Raph	1771242	7008784.24	594585.97	791.04	30	c	brown	
Raph	1771243	7008809.46	594637.41	786.72	30	c	brown	
Raph	1771244	7008827.27	594644.72	783.11	40	c	brown	lots of quartz
Raph	1771245	7008857.38	594632.84	789.36	30	c	brown	
Raph	1771246	7008883.64	594634.08	789.60	40	c	brown orange	
Raph	1771247	7008907.07	594638.85	790.80	60	c	grey brown	
Raph	1771248	7008936.27	594637.66	791.77	50	c	brown orange	quartz
Raph	1771249	7008958.55	594636.54	792.73	50	c	brown orange	shallow b
Raph	1771250	7008983.37	594635.93	796.09	50	c	brown	lots of rock frags
Raph	1771251	7009006.33	594634.54	796.81	50	c	brown	
Raph	1771252	7009034.76	594631.06	798.74	50	c	brown	oxidized frags
Raph	1771253	7009056.14	594638.37	798.49	30	c	dark brown	rocky
Raph	1771254	7009052.77	594686.76	787.44	40	c	brown	
Raph	1771255	7009029.01	594688.51	784.80	75	c	brown	
Raph	1771256	7009001.85	594687.20	782.87	40	c	brown	rocky soil
Raph	1771257	7008980.89	594685.73	780.95	50	c	brown	lots of mica
Raph	1771258	7008961.26	594688.15	780.23	100	c	brown	thick b, lots of mica
Raph	1771259	7008928.73	594687.86	780.23	30	c	brown	
Raph	1771260	7008908.41	594690.13	778.31	60	c	brown	encountered wet clay deep into c
Raph	1771261	7008878.01	594686.85	779.03	60	c	brown-grey	
Raph	1771262	7008853.38	594684.55	776.62	30	c	dark brown	lots of black chips
Raph	1771263	7008827.80	594683.37	769.66	75	c	brown - yellow	dry
Raph	1771264	7008803.85	594683.84	765.09	75	c	brown grey	
Raph	1771265	7008809.70	594733.21	751.15	30	b/c	dark brown	no mica, poor soil development
Raph	1771266	7008835.04	594733.16	755.00	60	c	brown	no mica, dry sample
Raph	1771267	7008855.17	594738.06	754.75	25	b/c	dark brown	horizon to bedrock
Raph	1771268	7008880.12	594738.64	752.11	25	c	brown	rocky
Raph	1771269	7008907.43	594734.69	757.64	40	c	brown	
Raph	1771270	7008935.88	594730.70	759.56	75	c	brown	
Raph	1771271	7008957.77	594736.63	760.76	60	c	brown	
Raph	1771272	7008984.41	594736.29	765.09	50	c	brown	oxidized at bottom
Raph	1771273	7009009.63	594742.22	764.37	50	c	brown	
Raph	1771274	7009029.64	594742.88	766.05	60	c	brown	
Raph	1771275	7009055.25	594735.07	770.86	50	c	dark brown	top of c had lots of rock
Raph	1771276	7009058.59	594783.80	757.16	75	b/c	brown	
Raph	1771277	7009030.57	594828.52	736.73	60	c	brown	
Raph	1771278	7009002.94	594795.41	748.75	90	c	brown	wet, lots of mica
Raph	1771279	7008984.90	594826.62	735.77	30	c	brown	very rocky soil
Raph	1771280	7008954.43	594788.89	747.06	50	c	brown	
Raph	1771281	7008928.71	594834.54	726.16	60	c	brown	
Raph	1771282	7008907.74	594788.16	746.58	75	c	brown grey	
Raph	1771283	7008880.45	594832.32	727.12	60	c	brown grey	
Raph	1771284	7008852.49	594789.24	737.93	60	c	brown	
Raph	1771285	7008831.96	594829.39	722.07	30	b/c	brown	
Raph	1771286	7008805.79	594790.65	734.33	75	c	brown orange	dry sandy sample
Raph	1771287	7008784.01	594828.45	718.23	60	c	brown	
Raph	1771288	7008731.36	594829.73	703.81	60	c	brown	dry
Raph	1771289	7008682.72	594833.15	684.34	90	c	dark grey	black sandy section in sample
Raph	1771290	7008627.47	594831.35	666.55	75	c	orange brown	unique, silver grey sand and brown orange clay, lots of mica
Raph	1771291	7008606.09	594787.01	675.21	50	c	brown	rocky
Raph	1771292	7008655.45	594784.59	683.38	100	c	dark brown	
Raph	1771293	7008704.65	594790.51	698.04	75	c	brown orange	
Raph	1771294	7008760.09	594784.18	720.39	60	c	light brown	dry
Raph	1771295	7008756.37	594738.97	730.48	50	c	light brown	
Raph	1771296	7008702.92	594737.76	712.94	50	c	brown	
Raph	1771297	7008656.39	594731.66	705.01	90	c	brown - orange	
Raph	1771298	7008607.92	594741.85	688.66	60	c	brown	grey rock frags
Raph	1771299	7008605.00	594692.06	700.68	50	c	brown	hit rock @ 50 cm in many holes
Raph	1771300	7008655.80	594689.55	720.15	50	c	brown orange	
Raph	1771301	7008704.21	594687.75	726.40	40	c	brown	
Raph	1771302	7008754.28	594689.31	742.26	60	c	brown	
Raph	1771303	7008754.76	594638.53	756.68	60	C	brown	qrtz frag
Raph	1771304	7008704.94	594639.47	739.37	60	c	brown	hard soil
Raph	1771305	7008655.23	594631.90	723.75	40	c	brown	small patch of orange
Raph	1771306	7008607.64	594639.20	708.85	75	c	brown	
Raph	1771307	7008579.36	594588.85	713.42	100	c	brown	thick b
Raph	1771308	7008634.48	594589.56	728.08	50	c	brown	
Raph	1771309	7008686.20	594584.78	742.98	75	c	light brown	
Raph	1771310	7008733.27	594591.61	757.88	60	c	brown orange	
Raph	1771311	7008584.47	594088.87	718.23	75	c	brown	dry
Raph	1771312	7008585.65	594135.41	706.69	75	c	brown	

Raph	1771313	7008583.64	594183.64	688.18	50	c	brown orange	lots of mica
Raph	1771314	7008582.37	594231.58	693.47	40	c	brown	rocky
Raph	1771315	7008583.40	594345.08	733.37	50	c	brown	
Raph	1771316	7008585.45	594385.35	736.49	100	c	brown	thick b
Raph	1771317	7008583.31	594435.04	736.49	40	c	brown	
Raph	1771318	7008582.42	594487.63	735.29	75	c	brown orange	patchy oxidation
Raph	1771319	7008587.74	594537.59	734.81	75	c	brown orange	very orange
Raph	1771320	7008634.47	594536.58	750.19	75	b/c	brown	dry fine sand with grey rock frags
Raph	1771321	7008636.50	594488.75	753.55	50	c	brown	
Raph	1771322	7008630.71	594441.37	751.87	50	c	brown	
Raph	1771323	7008634.67	594393.65	754.03	60	c	brown orange	dry
Raph	1771324	7008635.52	594340.42	746.34	50	c	brown	
Raph	1771325	7008634.73	594289.30	729.04	40	c	brown	
Raph	1771326	7008631.24	594239.39	708.37	25	c	brown	wet and clay rich
Raph	1771327	7008633.33	594189.69	710.78	30	c	brown	silvery?
Raph	1771328	7008623.99	594139.00	723.03	100	c	brown grey orange	unique! Tons of fine mica
Raph	1771329	7008638.58	594080.12	738.65	100	c	brown	
Raph	1771330	7008681.39	594088.90	752.35	50	c	brown	
Raph	1771331	7008683.59	594138.40	736.49	90	c	brown	
Raph	1771332	7008682.12	594185.97	722.31	75	c	brown	
Raph	1771333	7008679.21	594237.86	717.26	60	c	brown	
Raph	1771334	7008689.73	594289.33	738.65	90	c	grey brown orange	
Raph	1771335	7008684.26	594340.26	752.83	75	c	brown orange	
Raph	1771336	7008682.77	594388.28	761.00	40	c	brown	bright orange rock frags
Raph	1771337	7008681.65	594439.78	762.45	60	c	brown	
Raph	1771338	7008687.15	594488.03	763.17	75	c	brown orange	increased oxidized rock frags
Raph	1771339	7008684.42	594542.85	757.40	60	c	brown	grey blue rock frags
Raph	1771340	7008735.60	594538.78	774.22	60	c	orange	very nice1
Raph	1771341	7008735.39	594486.47	780.23	25	b	brown	thick clay with rock frags
Raph	1771342	7008733.16	594434.86	779.27	25	c	brown	rock soil
Raph	1771343	7008731.78	594384.23	776.14	40	c	brown	wet
Raph	1771344	7008730.76	594340.52	767.73	75	c	orange	bright orange, thick layer c
Raph	1771345	7008730.43	594289.46	749.47	75	c	brown	
Raph	1771346	7008732.44	594237.79	735.29	40	c	brown	
Raph	1771347	7008731.25	594189.24	737.45	50	c	brown	
Raph	1771348	7008722.20	594142.99	737.69	60	c	brown	thick b
Raph	1771349	7008732.05	594093.08	751.15	60	c	brown	qtz frags
Raph	1771350	7009285.37	594585.97	799.70	30	c	brown	
Raph	1771351	7009330.21	594589.28	787.44	30	c	brown	local patch of oxidized soil
Raph	1771352	7009380.86	594583.97	776.62	50	c	brown	c grades into clay?
Raph	1771353	7009432.57	594587.31	769.90	50	c	brown	thick clay b
Raph	1771354	7009483.73	594587.31	760.52	40	c	brown	no b
Raph	1771355	7009532.77	594586.41	751.87	75	c	brown	
Raph	1771356	7009583.36	594585.25	740.82	50	c	brown	clay rich
Raph	1771357	7009582.45	594539.34	732.40	50	c	brown	rocky
Raph	1771358	7009533.73	594538.21	737.45	60	c	brown	
Raph	1771359	7009483.04	594534.77	740.82	60	c	brown	
Raph	1771360	7009434.99	594536.54	746.58	60	c	brown	
Raph	1771361	7009383.38	594535.18	755.24	50	c	brown	
Raph	1771362	7009335.93	594541.86	766.77	40	c	brown	
Raph	1771363	7009281.39	594535.44	779.75	40	c	brown	
Raph	1771364	7009281.61	594489.29	775.42	30	c	brown	no b
Raph	1771365	7009332.17	594487.30	758.36	25	c	brown	moss covered talus, no soil in rock
Raph	1771366	7009382.81	594485.67	743.46	60	c	brown	no b
Raph	1771367	7009433.61	594484.88	734.09	50	c	brown	large boulder beside sample
Raph	1771368	7009481.26	594490.14	727.60	40	c	brown	
Raph	1771369	7009529.65	594486.64	722.55	75	c	brown	
Raph	1771370	7009583.36	594489.15	719.67	70	b	brown	thick clay
Raph	1771371	7009578.47	594436.59	715.10	40	c	brown	
Raph	1771372	7009532.01	594434.68	697.56	30	b/c	brown	
Raph	1771373	7009485.21	594435.60	702.84	40	c	grey	no b
Raph	1771374	7009432.33	594437.96	717.50	75	c	brown	thick c horizon
Raph	1771375	7009384.80	594439.70	729.04	30	c	brown	
Raph	1771376	7009331.04	594436.95	746.58	30	c	brown	
Raph	1771377	7009279.18	594434.28	759.56	25	c	brown	near large rocks
Raph	1771378	7009282.86	594391.80	746.82	20	c	brown	no fucking soil
Raph	1771379	7009329.34	594386.78	730.48	20	c	brown	no ground
Raph	1771380	7009380.47	594386.15	711.98	30	c	brown	
Raph	1771381	7009432.12	594390.53	694.91	50	c	dark brown	
Raph	1771382	7009480.09	594388.38	681.94	40	c	brown	thick c for north face]
Raph	1771383	7009537.52	594383.14	671.84	20	b/c	brown	rock frags
Raph	1771384	7009581.66	594383.66	670.16	50	c	brown	
Raph	1771385	7009584.66	594339.03	654.54	60	c	brown	
Raph	1771386	7009532.54	594340.29	664.63	50	c	brown	
Raph	1771387	7009475.86	594338.90	676.41	40	c	brown	rocky
Raph	1771388	7009283.49	594087.57	761.97	40	c	brown	
Raph	1771389	7009330.75	594083.28	745.38	30	c	brown	
Raph	1771390	7009381.63	594085.25	727.36	30	b/c	brown	loose dirt between rocks
Raph	1771391	7009431.38	594086.32	711.02	30	c	dark brown	increase a in mature forest
Raph	1771392	7009491.14	594082.76	698.52	60	c	grey	
Raph	1771393	7009535.14	594080.90	691.07	40	c	brown	
Raph	1771394	7009582.38	594083.25	677.37	50	c	brown	qtz frags
Raph	1771395	7009577.88	594131.00	658.86	50	c	brown	tennis ball size rock in hole
Raph	1771396	7009530.34	594134.68	671.12	50	c	brown	
Raph	1771397	7009485.26	594132.93	684.58	60	c	dark brown grey	
Raph	1771398	7009438.10	594140.07	694.43	75	c	grey	
Raph	1771399	7009387.19	594136.45	706.21	75	c	brown	big oxidized rock in sample
Raph	1771400	7009338.09	594136.32	724.23	60	c	brown	
Raph	1771401	7009293.81	594137.65	741.30	60	c	brown	
Raph	1771402	7009281.19	594180.31	733.85	75	c	brown	
Raph	1771403	7009327.19	594184.22	717.02	50	b	brown	
Raph	1771404	7009378.46	594181.15	698.52	50	c	brown	thick moss cover, lots of roots in sample
Raph	1771405	7009430.33	594181.29	679.29	40	b/c	brown	thick a
Raph	1771406	7009481.74	594185.79	666.55	50	b/c	dark brown	

Raph	1771407	7009531.06	594184.75	652.86	30	b	brown	95% rock organics and roots, shit sample
Raph	1771408	7009579.65	594183.95	636.75	75	c	brown	oxidized gravel with qrtz
Raph	1771409	7009433.53	594338.32	686.26	30	b/c	brown	rocky
Raph	1771410	7009384.41	594336.78	696.84	60	c	brown	
Raph	1771411	7009334.25	594338.31	710.29	50	c	brown	
Raph	1771412	7009284.03	594339.27	727.60	60	c	brown	mass to pure rocks to little soil
Raph	1771413	7009279.92	594284.83	719.91	60	b/c	brown	
Clayton Jones	1771801	7009359.65	593389.40	774.95	90	c	brown	very oxidized schist/orthogneiss
Clayton Jones	1771802	7009374.88	593407.23	778.41	80	c	brown orange	
Clayton Jones	1771803	7009393.17	593422.66	781.02	30	c	brown	dark qrtz frags and orthogneiss
Clayton Jones	1771804	7009409.87	593441.30	783.34	70	c	brown	
Clayton Jones	1771805	7009428.68	593459.68	784.39	50	c	brown	oxidized rock frags
Clayton Jones	1771806	7009447.36	593477.10	785.03	70	c	brown orange	
Clayton Jones	1771807	7009462.70	593494.93	783.82	50	c	brown orange	
Clayton Jones	1771808	7009480.32	593514.15	781.79	60	c	brown orange	
Clayton Jones	1771809	7009501.83	593529.58	779.28	50	c	brown orange	
Clayton Jones	1771810	7009515.51	593547.50	772.34	50	c	brown	oxidized orthogneiss
Clayton Jones	1771811	7009537.63	593530.15	772.44	30	c	brown	rocky, blocks of orthogneiss
Clayton Jones	1771812	7009516.22	593514.52	776.49	30	c	brown	vg host rock, dark qrtz vein material
Clayton Jones	1771813	7009501.76	593496.21	779.91	40	c	brown	
Clayton Jones	1771814	7009482.24	593476.75	782.62	50	c	brown	
Clayton Jones	1771815	7009464.57	593459.24	782.93	50	c	brown	
Clayton Jones	1771816	7009448.62	593443.75	783.63	50	c	brown	
Clayton Jones	1771817	7009428.58	593425.10	782.80	40	c	brown	
Clayton Jones	1771818	7009412.75	593405.88	781.83	30	c	brown red	
Clayton Jones	1771819	7009394.88	593389.39	778.45	40	c	brown	
Clayton Jones	1771820	7009376.48	593373.82	775.32	30	c	brown	rocky
Clayton Jones	1771821	7009358.68	593355.66	771.13	70	b/c	brown - grey	rocky silt with increase mica
Clayton Jones	1771822	7009374.68	593338.49	767.42	50	c	brown	
Clayton Jones	1771823	7009395.09	593354.40	772.97	70	c	brown	
Clayton Jones	1771824	7009414.63	593370.80	783.26	40	c	brown	
Clayton Jones	1771825	7009431.24	593389.90	787.15	30	c	brown	dark qrtz alt'n
Clayton Jones	1771826	7009445.29	593405.60	786.76	50	c	brown	very ox'd and micaceous orthogneiss
Clayton Jones	1771827	7009463.92	593425.39	787.89	50	c	brown	
Clayton Jones	1771828	7009483.11	593441.29	788.65	60	c	brown	
Clayton Jones	1771829	7009500.18	593460.88	788.80	60	c	brown	
Clayton Jones	1771830	7009516.87	593479.02	788.01	30	c	brown	
Clayton Jones	1771831	7009534.89	593496.96	786.57	50	c	brown	dark qrtz alt'n
Clayton Jones	1771832	7009551.81	593511.62	781.84	50	c	brown	
Clayton Jones	1771833	7008588.10	594294.23	721.29	30	b/c	brown	taken under stump, no soil auger
Clayton Jones	1771851	7009340.50	593513.27	794.44	50	c	brown	dark qrtz material
Clayton Jones	1771852	7009325.15	593495.49	794.13	50	c	brown	dark qrtz material
Clayton Jones	1771853	7009305.12	593477.20	790.16	40	c	brown	rocky
Clayton Jones	1771854	7009288.59	593461.02	785.61	50	c	brown	
Clayton Jones	1771855	7009270.12	593442.88	781.54	60	c	grey brown	change in geology, darker sample, increase biotite
Clayton Jones	1771856	7009251.11	593460.14	784.82	60	c	brown red	
Clayton Jones	1771857	7009269.59	593478.53	789.17	70	c	light brown/orange	increased mica
Clayton Jones	1771858	7009290.60	593495.48	791.54	50	c	brown	
Clayton Jones	1771859	7009306.37	593512.79	792.91	30	c	brown	3 holes, shallow c horizon, oxidized frags
Clayton Jones	1771860	7009323.40	593531.17	792.57	30	c	brown	dark qrtz with limonite in orthogneiss
Clayton Jones	1771861	7009341.89	593549.71	790.63	80	c	brown	
Clayton Jones	1771862	7009359.68	593567.42	790.50	60	c	brown	
Clayton Jones	1771863	7009376.96	593582.97	790.06	80	c	light brown	increased mica
Clayton Jones	1771864	7009394.76	593600.98	785.41	60	c	brown	
Clayton Jones	1771865	7009412.85	593621.04	782.46	80	c	brown	
Clayton Jones	1771866	7009428.37	593637.35	777.38	50	c	brown	
Clayton Jones	1771867	7009453.04	593611.47	774.09	60	c	brown	
Clayton Jones	1771868	7009430.34	593601.46	780.52	60	c	brown	
Clayton Jones	1771869	7009414.02	593584.72	783.71	70	b/c	brown	wet. Gps jumping 10 m?
Clayton Jones	1771870	7009394.53	593565.96	787.61	40	c	brown orange	wet, increased silt, mica rich
Clayton Jones	1771871	7009376.81	593546.94	791.66	40	c	brown	increased mica
Clayton Jones	1771872	7009358.60	593530.31	791.62	40	c	brown	
Clayton Jones	1771873	7009358.34	593494.28	789.82	50	c	brown	
Clayton Jones	1771874	7009342.26	593477.88	789.72	50	c	brown orange	qrtz vein in orthogneiss, biotite rich
Clayton Jones	1771875	7009323.31	593458.60	786.63	30	c	brown	dark qrtz blocks up to 5 cm
Clayton Jones	1771876	7009306.09	593441.53	783.20	50	c	brown	qrtz frags
Clayton Jones	1771877	7009288.88	593424.72	777.03	60	c	brown	strong odor? Bizarre? Chemical smell?
Clayton Jones	1771878	7009306.60	593409.01	772.70	30	c	brown	very hard compact silty clay with blocks of rock (up to 10 cm0
Clayton Jones	1771879	7009324.02	593425.41	777.79	50	c	brown	rocky
Clayton Jones	1771880	7009339.40	593440.72	782.22	40	c	brown	
Clayton Jones	1771881	7009357.13	593460.09	779.52	30	c	brown	orthogneiss with qrtz veins
Clayton Jones	1771882	7009375.24	593477.33	779.65	50	c	brown	
Clayton Jones	1771883	7009377.76	593514.30	782.09	60	c	brown	great sample!, dark limonitic qrtz
Clayton Jones	1771884	7009394.27	593530.23	779.92	80	c	brown	increased biotite
Clayton Jones	1771885	7009413.13	593549.86	777.83	60	c	brown	
Clayton Jones	1771886	7009429.62	593565.24	775.52	70	c	brown	minor oxidization
Clayton Jones	1771887	7009448.00	593583.93	770.21	50	c	brown	
Clayton Jones	1771888	7009463.39	593599.34	766.24	60	b/c	brown	
Clayton Jones	1771889	7009306.72	593586.52	794.79	60	c	brown	increased biotite and minor oxidation
Clayton Jones	1771890	7009286.96	593566.25	802.36	70	c	light brown	increased mica
Clayton Jones	1771891	7009267.69	593547.54	802.26	70	c	brown	
Clayton Jones	1771892	7009252.28	593531.27	801.63	60	c	brown	increased biotite and dark qrtz
Clayton Jones	1771893	7009232.84	593514.37	798.79	30	c	brown	rocky, dark qrtz
Clayton Jones	1771894	7009217.15	593496.30	795.72	40	c	brown	qrtz frags and limonite
Clayton Jones	1771895	7009235.27	593478.82	792.73	50	c	brown	increased mica
Clayton Jones	1771896	7009253.41	593497.06	795.39	70	c	brown	qrtz vein material
Clayton Jones	1771897	7009269.05	593513.57	797.61	30	c	brown	dark qrtz vein material with limonite
Clayton Jones	1771898	7009287.44	593529.10	796.93	30	c	brown	dark qrtz veins and limonite
Clayton Jones	1771899	7009303.48	593547.56	796.96	40	c	brown	2 x hole
Clayton Jones	1771900	7009321.46	593564.30	795.85	60	c	brown	
Clayton Jones	1771901	7009340.01	593585.00	793.79	50	c	brown	
Clayton Jones	1771902	7009359.10	593601.26	791.43	70	c	brown	increase mica
Clayton Jones	1771903	7009375.88	593618.74	786.88	30	b/c	brown	rocky, shallow c
Clayton Jones	1771904	7009393.14	593637.11	785.57	70	b/c	brown	rocky silt

Clayton Jones	1771905	7009410.91	593654.21	777.63	80	c	brown	
Clayton Jones	1771906	7009396.61	593672.24	780.08	60	c	brown	
Clayton Jones	1771907	7009377.72	593655.27	784.46	40	c	light brown	
Clayton Jones	1771908	7009358.79	593636.65	788.51	60	c	brown	
Clayton Jones	1771909	7009342.80	593619.80	792.02	70	c	brown	minor oxidized rock frags
Clayton Jones	1771910	7009324.05	593603.63	794.18	40	c	brown - orange	unique rock type, sugary granite /orthogneiss
Clayton Jones	1771911	7009288.76	593601.33	798.78	60	c	brown	
Clayton Jones	1771912	7009270.92	593582.02	800.65	50	c	brown	dark qrtz frags
Clayton Jones	1771913	7009251.76	593567.02	800.92	30	c	brown	lots of vitreous and dark qrtz vein material
Clayton Jones	1771914	7009234.66	593550.15	800.17	50	c	brown	
Clayton Jones	1771915	7009216.40	593531.86	797.96	30	c	brown	diorite orthogneiss, unique
Clayton Jones	1771916	7009199.12	593512.63	791.10	60	c	brown	
Clayton Jones	1771917	7009181.49	593531.16	794.28	70	c	light brown	
Clayton Jones	1771918	7009200.51	593548.83	797.75	50	c	brown	
Clayton Jones	1771919	7009216.87	593567.23	800.58	30	c	brown	oxidized orthogneiss with white qrtz
Clayton Jones	1771920	7009234.80	593585.79	801.24	60	c	brown	
Clayton Jones	1771921	7009254.43	593601.68	802.36	30	c	brown - red	
Clayton Jones	1771922	7009270.72	593621.13	801.53	30	c	brown	unique sugary qrtz /granite
Clayton Jones	1771923	7009287.66	593636.60	799.06	50	c	brown - red	
Clayton Jones	1771924	7009306.13	593654.33	796.73	80	c	brown - orange	
Clayton Jones	1771925	7009323.68	593671.34	794.36	50	c	brown	
Clayton Jones	1771926	7009342.28	593689.97	789.85	30	c	brown-red	increased limonitic orthogneiss
Clayton Jones	1771927	7009358.36	593706.32	787.36	30	b/c	brown	rocky silt
Clayton Jones	1771928	7009378.61	593689.83	784.37	60	c	brown	
Clayton Jones	1771929	7009357.93	593672.46	787.93	30	c	brown	rocky
Clayton Jones	1771930	7009339.64	593652.81	790.14	70	c	brown orange	
Clayton Jones	1771931	7009323.12	593636.78	793.38	70	c	brown	sugary beige qrtz / intrusive
Clayton Jones	1771932	7009305.56	593619.57	795.25	70	c	orange - brown	
Clayton Jones	1771933	7009393.84	593496.17	791.99	70	c	brown	
Clayton Jones	1771934	7009411.16	593512.78	790.64	70	c	brown	
Clayton Jones	1771935	7009428.74	593530.79	789.22	70	c	brown orange	
Clayton Jones	1771936	7009447.22	593549.33	785.58	30	c	brown	rust orthogneiss
Clayton Jones	1771937	7009465.48	593567.52	780.98	60	c	brown	rusty orthogneiss
Clayton Jones	1771938	7009482.82	593581.21	775.33	40	b/c	brown	rocky silt
Clayton Jones	1771939	7009501.63	593564.81	775.81	30	c	brown	same rocks as vg host rock
Clayton Jones	1771940	7009484.17	593547.05	779.24	40	c	brown	
Clayton Jones	1771941	7009466.76	593530.90	782.93	70	c	brown	oxidized clasts
Clayton Jones	1771942	7009449.00	593514.60	785.08	60	c	brown	oxidized clasts
Clayton Jones	1771943	7009427.15	593495.30	786.38	60	c	brown red	
Clayton Jones	1771944	7009412.00	593476.52	786.92	30	c	brown	
Clayton Jones	1771945	7009392.90	593459.66	785.51	60	c	brown	
Clayton Jones	1771946	7009376.90	593442.10	783.99	60	c	brown	
Clayton Jones	1771947	7009358.31	593423.92	781.65	30	c	brown	rocky
Clayton Jones	1771948	7009341.88	593407.03	779.31	50	c	brown	
Clayton Jones	1771949	7009323.82	593387.77	774.06	60	c	brown	
Clayton Jones	1771950	7009340.98	593372.12	772.15	60	c	brown	

Interval	Alteration	Rock_TYPE	SAMPLE ID	FROM	TO	X	Y
TRENCH ID - TLS-14-001							
0-2m	high/Fe,Ser,	Orthogneiss (OG)	1771501	0	2	594462.283	7008985.14
2-4m	mod/ Fe + graph	OG with quartz veinlits	1771502	2	4	594464.028	7008986.22
4-6m	mod to High, Fe	Bleached OG	1771503	4	6	594466.782	7008988.56
6-8m	high/Fe,Sio2	Bleached OG	1771504	6	8	594467.655	7008989.29
8-10m	high/Fe,Sio3	Oxidized OG	1771505	8	10	594470.505	7008992.11
10-12m	high/Fe	Oxidized OG	1771506	10	12	594471.582	7008992.22
12- 14m	bleached	Bleached OG	1771507	12	14	594473.679	7008992.92
14 -16m	high/Fe	OG, faulted and bleached	1771508	14	16	594475.971	7008993.49
16 - 18m	mod/Fe	Bleached OG	1771509	16	18	594478.013	7008994.34
18-20	mod/Fe		1771510	18	20	594480.362	7008994.67
20 - 22	low	OG, faulted and bleached	1771511	20	22	594481.189	7008995.12
22-24m	low	OG	1771512	22	24	594483.043	7008996.04
1771513						standard	
TRENCH ID - TLS-14-13-B1							
						X	Y
0-2m	high/Fe	Oxidized and bleached OG	1771514	0	2	594515.39	7008986.89
2-4m	high/Fe	Bleached OG	1771515	2	4	594517.216	7008987.77
4-6m	high/Fe	Oxidized and bleached OG	1771516	4	6	594518.241	7008987.79
6-8m	mod/Fe	OG	1771517	6	8	594520.084	7008987.83
8-10m	bleached/graphitic	Oxidized and bleached OG	1771518	8	10	594522.779	7008988.12
10-12m	low	OG- Biotite rich	1771519	10	12	594525.483	7008988.86
1771520						standard	
TRENCH ID - TLS-14-13-B2							
						X	Y
0-0.6m	high/graph	Fault	1771521	0	0.6	594525.93	7008983.01
0.6-3m	high/Fe/bleached	Bleached OG	1771522	0.6	3	594525.93	7008984.51
3-3.2m	Graph	Fault gouge	1771523	3	3.2	594525.93	7008985.81
3.2-3.4m	high/sio2	Scilified hanging wall	1771524	3.2	3.4	594525.93	7008986.01
3.4-3.5m	fault	Fault gouge	1771525	3.4	3.5	594525.93	7008986.16
3.5-5m	high/Fe	Oxi OG	1771526	3.5	5	594525.93	7008986.96
5-5.2m	fault	Fault	1771527	5	5.2	594525.93	7008987.81
5.2-6.2m	high/Fe	Oxi OG	1771528	5.2	6.2	594525.93	7008988.41
6.2-7m	fault	Fault, Oxi material	1771529	6.2	7	594525.93	7008989.31
7-9.4m	mod/ser	Oxi OG	1771530	7	9.4	594525.93	7008990.91
9.4-10.5m	fault	Fault gouge	1771531	9.4	10.5	594525.93	7008992.66
10.5-10.9m	high/ser	OG	1771532	10.5	10.9	594525.93	7008993.41
10.9-12.3m	graph	Fault	1771533	10.9	12.3	594525.93	7008994.31
12.3-12.7m	mod/ser	OG	1771534	12.3	12.7	594525.93	7008995.21
12.7-12.9	fault/graph	Fault gouge	1771535	12.7	12.9	594525.93	7008995.51
12.9-13.9m	mod/ser	OG	1771536	12.9	13.9	594525.93	7008996.11
13.9-15m	graph	Fault	1771537	13.9	15	594525.93	7008997.16
15-18m	mod/ser	OG	1771538	15	18	594525.93	7008999.21
18-18.1m	fault/shear	Sheared OG	1771539	18	18.1	594525.93	7009000.76
18.1-20m	low	Biotite rich OG	1771540	18.1	20	594525.93	7009001.76
20-22m	high/ser	OG	1771541	20	22	594525.93	7009003.71
22-24m	high/ser	OG	1771542	22	24	594525.93	7009005.71
24-26m	high/ser	OG	1771543	24	26	594525.93	7009007.71
26 28.2	high/ser	OG	1771544	26	28.2	594525.93	7009009.81
28.2-28.7	fault	Fault	1771545	28.2	28.7	594525.93	7009011.16
28.7-31m	low	OG	1771546	28.7	31	594525.93	7009012.56
			NO SAMPLE	1771547	no sample		
1771548						standard	
TRENCH ID - TLS-14-002							
						X	Y
0-6.1m	high to mod fe/SiO2	OG	1771549	0	3	594556.075	7009019.32
			1771550	3	6.1	594560.328	7009022.77
6.1-7m	fault	Fault	1771551	6.1	7	594560.457	7009021.69
7-8m	high Fe/SiO2	Oxi OG	1771552	7	8	594561.294	7009023.06
8-10.9m	fault	Fault	1771553	8	10.9	594563.398	7009027.29
10.9-12m	mod	Scilified OG	1771554	10.9	12	594563.562	7009026.14
12-14.2m	mod/Fe	Oxi OG	1771555	12		594564.969	7009027.22

14.2-17m	low	Biotite rich OG	1771556	0	14.2	594567.585	7009031.55
17-20m	low	Biotite rich OG	1771557	14.2	20	594569.729	7009033.83
20-24.8m	low	OG	1771558	20	22.4	594571.372	7009031.89
			1771559	22.4	24.8	594573.304	7009033.05
24.8-27.6m	fault	Fault	1771560	24.8	26	594573.016	7009032.53
			1771561	26	27.6	594575.188	7009037.61
27.6-29m	high/Fe	Fault -hanging wall	1771562	27.6	29	594575.903	7009042.55
29-30.9m	low	Biotite rich OG	1771563	29	30.9	594576.676	7009039.67
30.9-31.4 m	High/ SiO2	Bleached OG	1771564	30.9	31.4	594576.735	7009040.25
31.4-32.9m	low	Biotite rich OG	1771565	31.4	32.9	594576.188	7009041.92
32.9-38.3	fault	Fault	1771566	32.9	34.9	594578.346	7009045.74
			1771567	34.9	38.3	594578.755	7009046.45
38.3-41m	high/Fe	Oxi OG	1771568	38.3	41	594580.207	7009048.17
			1771569	standard			
TRENCH ID - TLS-14-003				FROM	TO	X	Y
0-2.6m	low /chlorite	OG with intact K-spar	1771570	0	5	594303.169	7009012.45
2.6-3m	low /chlorite	Fault	1771571	5	10	594308.619	7009011.92
3-5m	low /chlorite	OG with intact K-spar	1771572	10	15	594313.874	7009009.52
5-8.6m	low /chlorite	OG with intact K-spar	1771573	15	20	594317.721	7009009.98
8.6-9.6	low /chlorite	Fault	1771574	20	25	594321.199	7009010.39
9.6-13.6	low /chlorite	OG with intact K-spar	1771575	25	30	594326.417	7009011.41
13.6-16.6m	low /chlorite	Fault	1771576	30	35	594335.061	7009003.65
16.6-20.4	low /chlorite	OG	1771577	35	40	594338.874	7009003.26
20.4-22.2	low /chlorite	Fault	1771578	40	45	594343.286	7009003.75
22.2- 26.7	low /chlorite	Bleached OG	1771579	45	50	594348.55	7009002.5
26.7-28.4	low /chlorite	Fault	1771580	50	55	594353.989	7009002.77
28.4-30m	low /sericite	Bleached OG	1771581	55	60	594358.866	7009001.46
30-31-8m	low / sericite	OG	1771582	60	65	594361.414	7009005.39
31.8-32.8	low/chlorite	Fault	1771583	65	70	594367.374	7009006.47
32.8-35.1m	low/chlorite	OG	1771584	70	75	594373.302	7009006.74
35.1-43.6m	low/chlorite	Fault	1771585	75	80	594378.563	7009006.46
43.6-47.5m	low	OG	1771586	80	85	594381.49	7009006.22
47.5-51.7m	mod /qtz, chl, fe	Fault / gritt	1771587	85	90	594387.538	7009006.28
51.7- 55.1m	high/sio2, fe	Silica rich fault zone	1771588	90	95	594394.943	7009000.93
55.1 -59m	low/ chloritic	Fault	1771589	95	100	594397.242	7009001.4
59-60m	mod/ chl, ser	OG with qtz veins	1771590	100	105	594404.042	7009002.88
60 - 65m	mod/chl, ser	OG	1771591	105	110	594407.883	7009002.69
65-68.5m	mod/high-sio2,	OG	1771592	110	115	594414.508	7009001.93
68.5-74m	High/ser+Fe zone	Fault	1771593	115	120	594416.142	7009001.59
74-77.2m	high/chl,sio2,Fe	Fault	1771594	120	125	594418.765	7008997.75
77.2-79.3	high/ ser+oxi	OG	1771595	125	130	594420.948	7008999.86
79.3-82	high/	Fault	1771596	130	136	594427.518	7008999.81
82-90m	high/ser+sio2	OG					
90-95m	mod/ser	Faulted OG					
95-100	mod	OG					
100-105m	mod/ser+sio2+chl	Oxi fault					
105-110m	mod	OG					
110-115m	mod/ser	OG					
115-120m	mod/ser+sio2	OG					
120-125m	High/Fe/Ser	OG					
125-130m	high/ser+oxi	OG					
130-136	high/ser+oxi+sio2	OG					



www.acmelab.com

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**
1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Submitted By: Trevor Bremner
Receiving Lab: Canada-Whitehorse
Received: August 27, 2014
Report Date: September 25, 2014
Page: 1 of 12

CERTIFICATE OF ANALYSIS

WHI14000144.1

CLIENT JOB INFORMATION

Project: Lucky Strike
Shipment ID: LS_SOIL_2014
P.O. Number
Number of Samples: 319

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Goldstrike Resources Ltd.
1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3
CANADA

CC: Clayton Jones
Daithi Mac Gerailt
Diana Benz

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	319	Dry at 60C			WHI
SS80	319	Dry at 60C sieve 100g to -80 mesh			WHI
AQ201	319	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
DISP2	319	Heat treatment of Soils and Sediments			VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. *** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

CERTIFICATE OF ANALYSIS

WHI14000144.1

Method Analyte	Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm
1770001	Soil	0.4	10.9	5.4	64	<0.1	8.7	9.6	883	1.97	9.7	<0.5	8.8	14	<0.1	0.4	<0.1	28	0.34	0.096	28
1770002	Soil	0.7	22.1	12.8	196	<0.1	18.2	12.9	427	3.48	6.0	<0.5	4.4	30	0.1	0.4	0.2	64	0.54	0.147	25
1770003	Soil	1.5	16.3	5.5	44	<0.1	11.4	7.8	371	2.03	7.1	2.9	5.0	12	0.1	0.6	<0.1	43	0.10	0.013	13
1770004	Soil	1.1	11.4	2.8	41	<0.1	9.3	8.7	934	1.27	4.5	2.1	7.2	15	<0.1	0.5	<0.1	22	0.25	0.049	12
1770005	Soil	0.4	12.9	2.4	148	<0.1	12.8	12.2	2607	2.57	2.8	0.9	7.3	18	<0.1	0.2	<0.1	112	0.92	0.240	51
1770006	Soil	0.5	5.5	3.4	116	<0.1	23.3	17.9	674	3.77	4.7	<0.5	2.5	20	<0.1	0.2	<0.1	130	0.45	0.053	11
1770007	Soil	0.9	19.1	6.1	94	<0.1	17.6	13.2	455	2.85	12.1	1.9	4.2	19	<0.1	0.9	<0.1	66	0.24	0.015	12
1770008	Soil	1.3	14.5	8.1	47	<0.1	17.3	7.8	324	2.69	8.1	1.0	3.2	30	0.1	0.5	0.2	60	0.38	0.029	9
1770009	Soil	1.0	20.9	6.9	51	0.1	15.7	8.8	641	2.39	5.9	0.7	4.5	29	<0.1	0.4	0.1	50	0.43	0.037	14
1770010	Soil	0.6	34.1	5.6	70	<0.1	32.3	18.4	1051	3.23	10.7	4.8	5.6	35	<0.1	0.8	<0.1	77	1.06	0.073	18
1770011	Soil	0.4	53.7	5.4	158	0.1	23.6	17.2	1069	2.64	6.8	1.2	2.4	77	0.2	0.5	<0.1	91	3.82	0.079	9
1770012	Soil	0.4	72.9	6.7	134	0.3	28.4	22.2	643	3.68	5.1	2.0	1.1	117	0.1	0.3	<0.1	150	8.09	0.059	7
1770013	Soil	1.0	12.2	3.2	35	<0.1	12.3	9.7	751	1.43	7.2	2.3	4.7	20	<0.1	0.4	<0.1	23	0.26	0.038	11
1770014	Soil	0.8	7.9	3.1	136	<0.1	14.2	18.7	885	2.15	5.1	<0.5	3.0	20	<0.1	0.3	<0.1	62	0.46	0.043	8
1770015	Soil	1.2	18.2	7.8	85	<0.1	23.0	11.9	883	2.77	9.7	<0.5	3.9	21	<0.1	0.6	0.2	63	0.33	0.052	12
1770016	Soil	0.4	10.5	1.7	178	<0.1	10.7	20.7	601	1.95	4.4	<0.5	1.6	12	<0.1	0.2	<0.1	65	0.31	0.047	5
1770017	Soil	0.8	12.2	2.2	36	<0.1	11.4	5.6	778	1.02	4.9	1.5	2.9	13	<0.1	0.2	<0.1	18	0.18	0.015	11
1770018	Soil	<0.1	4.8	3.0	186	<0.1	12.0	29.0	2088	2.15	6.8	<0.5	1.7	29	<0.1	0.2	<0.1	74	2.38	0.192	6
1770019	Soil	0.5	18.6	7.8	75	<0.1	11.0	10.3	1201	2.40	9.1	1.8	5.6	49	<0.1	0.5	<0.1	24	4.77	0.059	26
1770020	Soil	4.8	42.8	18.4	206	0.4	39.5	6.4	366	1.57	40.0	1.2	2.1	75	1.2	0.6	0.1	30	5.88	0.127	5
1770021	Soil	0.3	26.7	6.5	57	<0.1	12.8	15.3	1151	2.62	7.4	<0.5	1.4	87	<0.1	0.7	<0.1	53	14.34	0.067	9
1770022	Soil	2.0	22.5	8.3	73	<0.1	32.9	15.7	980	4.13	20.2	36.0	2.6	20	0.4	1.1	0.1	62	0.32	0.030	12
1770023	Soil	1.2	21.9	8.5	59	<0.1	22.3	10.0	380	2.92	11.5	4.9	4.2	21	0.1	0.8	0.1	62	0.27	0.027	12
1770024	Soil	1.7	26.7	5.3	96	<0.1	34.0	29.8	1271	6.41	3.0	9.8	1.6	17	0.3	0.8	0.1	201	0.47	0.088	6
1770025	Soil	5.8	24.1	10.3	60	1.1	20.6	30.4	2903	5.25	5.0	923.7	0.8	115	1.1	0.8	0.3	97	12.29	0.028	3
1770026	Soil	0.3	38.9	6.1	103	<0.1	28.3	36.1	1141	6.06	1.8	0.9	2.9	46	0.1	0.4	<0.1	203	4.19	0.089	11
1770027	Soil	3.7	21.9	9.9	59	0.2	14.2	10.1	772	2.89	6.2	7.0	1.1	23	0.2	0.8	0.2	66	0.35	0.038	8
1770028	Soil	1.4	98.0	6.5	85	<0.1	6.7	18.8	1272	4.96	8.9	64.7	2.0	9	0.3	0.6	<0.1	83	0.56	0.069	5
1770029	Soil	0.6	16.4	16.0	63	<0.1	19.4	11.9	772	2.34	3.8	2.0	9.6	23	0.1	0.2	0.2	29	0.71	0.020	24
1770030	Soil	0.6	10.9	11.5	36	<0.1	10.9	6.1	294	1.58	4.7	2.3	7.7	8	<0.1	0.2	0.2	14	0.10	0.011	17



www.acmelab.com

Bureau Veritas Commodities Canada Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**
 1300 - 1111 West Georgia Street
 Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike
 Report Date: September 25, 2014

Page: 2 of 12

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI14000144.1

Method	Analyte	AQ201																
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
		MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL
1770001	Soil	7	0.17	199	0.008	2	0.62	0.009	0.04	<0.1	0.02	9.3	<0.1	<0.05	2	<0.5	<0.2	
1770002	Soil	23	0.71	333	0.054	3	1.82	0.011	0.32	<0.1	0.02	4.0	0.1	<0.05	11	<0.5	<0.2	
1770003	Soil	23	0.26	195	0.021	5	1.20	0.006	0.07	0.1	0.01	5.8	<0.1	<0.05	3	<0.5	<0.2	
1770004	Soil	10	0.21	376	0.008	3	0.74	0.008	0.09	<0.1	0.03	6.1	<0.1	<0.05	2	<0.5	<0.2	
1770005	Soil	21	3.07	783	0.253	4	2.66	0.012	1.45	<0.1	<0.01	25.3	0.5	<0.05	13	<0.5	<0.2	
1770006	Soil	60	2.74	333	0.244	3	2.78	0.012	1.23	0.2	<0.01	15.8	0.2	<0.05	8	<0.5	<0.2	
1770007	Soil	25	0.89	413	0.047	3	2.06	0.007	0.19	0.1	0.01	6.2	0.1	<0.05	5	<0.5	<0.2	
1770008	Soil	29	0.53	961	0.061	5	1.56	0.012	0.18	0.1	<0.01	5.5	<0.1	<0.05	4	<0.5	<0.2	
1770009	Soil	26	0.52	847	0.050	3	1.43	0.013	0.17	0.1	<0.01	6.0	<0.1	<0.05	4	<0.5	<0.2	
1770010	Soil	67	1.23	513	0.089	6	1.75	0.014	0.40	0.2	0.06	17.3	0.2	0.05	5	1.1	<0.2	
1770011	Soil	30	1.80	1199	0.106	2	1.86	0.019	0.61	<0.1	0.03	11.6	0.2	0.12	5	<0.5	<0.2	
1770012	Soil	39	2.64	728	0.208	4	2.50	0.022	1.19	<0.1	0.01	13.6	0.3	0.07	7	0.6	<0.2	
1770013	Soil	15	0.26	340	0.011	4	0.89	0.007	0.10	<0.1	0.01	6.6	<0.1	0.10	2	<0.5	<0.2	
1770014	Soil	20	1.80	231	0.114	3	2.07	0.009	0.46	<0.1	<0.01	13.3	0.2	0.08	7	<0.5	<0.2	
1770015	Soil	36	0.66	326	0.077	5	1.81	0.010	0.16	0.2	<0.01	6.9	<0.1	0.07	5	<0.5	<0.2	
1770016	Soil	16	2.00	131	0.144	3	1.86	0.011	0.90	<0.1	<0.01	13.5	0.1	0.07	7	<0.5	<0.2	
1770017	Soil	10	0.19	178	0.007	3	0.63	0.005	0.08	<0.1	0.02	5.4	<0.1	0.08	2	<0.5	<0.2	
1770018	Soil	8	3.09	414	0.199	4	2.36	0.013	1.13	<0.1	<0.01	21.0	0.4	0.08	9	<0.5	<0.2	
1770019	Soil	9	0.33	400	0.007	3	0.67	0.017	0.08	<0.1	0.02	8.5	<0.1	0.10	1	<0.5	<0.2	
1770020	Soil	9	0.14	1010	0.001	4	0.66	0.011	0.07	<0.1	0.06	4.6	<0.1	<0.05	1	8.1	<0.2	
1770021	Soil	8	0.37	762	0.003	12	0.78	0.008	0.10	<0.1	0.09	14.4	<0.1	0.12	1	<0.5	<0.2	
1770022	Soil	60	0.33	373	0.033	4	1.21	0.007	0.09	0.4	0.06	16.6	<0.1	0.10	3	0.6	<0.2	
1770023	Soil	34	0.46	319	0.044	3	1.57	0.009	0.11	0.1	0.01	6.8	<0.1	<0.05	4	<0.5	<0.2	
1770024	Soil	100	0.50	612	0.022	4	1.11	0.007	0.37	<0.1	0.02	35.7	0.2	<0.05	5	<0.5	<0.2	
1770025	Soil	27	1.29	328	0.002	6	0.40	0.005	0.11	<0.1	0.07	35.3	<0.1	<0.05	1	0.5	1.9	
1770026	Soil	45	1.60	460	0.077	1	1.90	0.008	0.31	<0.1	<0.01	26.9	0.1	<0.05	10	<0.5	<0.2	
1770027	Soil	24	0.32	367	0.030	3	1.29	0.009	0.09	<0.1	0.02	5.1	<0.1	<0.05	4	<0.5	<0.2	
1770028	Soil	7	0.23	222	0.009	5	0.74	0.004	0.22	<0.1	0.09	26.5	<0.1	<0.05	2	<0.5	<0.2	
1770029	Soil	19	0.34	258	0.017	1	0.93	0.007	0.15	<0.1	0.03	5.1	0.2	<0.05	5	<0.5	<0.2	
1770030	Soil	7	0.08	89	0.002	3	0.37	0.003	0.05	<0.1	0.03	3.6	<0.1	<0.05	1	<0.5	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



www.acmelab.com

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike
Report Date: September 25, 2014

Page: 3 of 12

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI14000144.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
1770031	Soil	1.2	24.9	14.6	64	0.1	26.6	11.6	525	2.86	6.3	11.0	5.9	32	0.1	0.7	0.2	46	0.47	0.038	19
1770032	Soil	1.2	31.8	12.8	68	<0.1	29.6	11.8	580	2.74	12.0	3.5	6.0	63	0.3	1.1	0.2	52	1.80	0.066	16
1770033	Soil	1.5	36.3	12.4	74	<0.1	34.2	13.5	652	2.86	10.4	3.7	5.2	56	0.4	1.2	0.2	57	1.12	0.076	16
1770034	Soil	0.9	33.6	10.3	72	<0.1	29.3	13.3	567	2.79	9.2	3.0	4.7	56	0.3	1.0	0.1	61	1.32	0.071	15
1770035	Soil	1.3	36.8	11.7	70	0.1	28.7	11.5	472	2.42	13.0	5.2	5.6	47	0.4	1.4	0.2	38	1.25	0.078	16
1770036	Soil	0.9	25.9	15.2	59	<0.1	24.3	9.5	396	2.53	8.2	5.9	6.1	44	<0.1	1.0	0.1	45	0.54	0.051	19
1770037	Soil	1.3	15.0	23.0	65	0.1	16.6	13.2	345	1.80	5.6	1.1	7.5	94	0.1	1.7	0.3	17	1.08	0.027	15
1770038	Soil	1.0	19.8	19.3	55	0.1	25.5	10.0	675	2.14	7.2	4.8	6.3	135	0.2	0.9	0.2	34	0.93	0.039	18
1770051	Soil	<0.1	3.9	2.5	24	<0.1	4.8	4.5	194	0.73	2.9	<0.5	6.0	10	<0.1	0.1	<0.1	14	0.15	0.031	10
1770052	Soil	0.2	9.3	1.8	41	<0.1	11.1	8.3	664	0.81	2.1	1.0	3.9	10	<0.1	0.1	<0.1	19	0.14	0.014	10
1770053	Soil	0.2	14.4	2.7	78	<0.1	17.9	20.1	782	3.07	3.4	1.7	1.3	34	<0.1	0.2	<0.1	80	0.86	0.204	3
1770054	Soil	0.2	18.6	4.3	127	<0.1	7.1	15.2	1098	3.43	1.9	3.6	3.6	22	<0.1	0.3	0.2	80	0.66	0.165	18
1770055	Soil	1.0	21.6	8.7	58	<0.1	23.1	11.5	515	2.63	7.6	1.3	3.8	27	<0.1	0.6	0.1	56	0.44	0.042	14
1770056	Soil	0.4	15.9	6.3	69	<0.1	12.0	13.9	703	1.69	5.0	3.2	4.0	16	<0.1	0.4	<0.1	39	0.48	0.093	13
1770057	Soil	<0.1	9.7	2.4	119	<0.1	8.2	15.0	774	2.37	2.1	1.7	6.6	16	<0.1	0.2	<0.1	27	0.98	0.058	17
1770058	Soil	0.2	8.1	2.3	232	<0.1	6.2	19.9	1473	3.34	2.6	5.9	2.4	23	<0.1	0.3	<0.1	74	1.61	0.075	6
1770059	Soil	1.0	18.7	5.5	81	<0.1	11.2	13.8	1368	2.83	4.9	3.4	1.4	53	0.1	0.5	0.1	41	4.75	0.100	8
1770060	Soil	1.6	28.4	7.2	80	0.1	23.9	33.2	1497	6.57	3.0	87.1	1.9	102	0.3	0.9	<0.1	156	5.40	0.088	8
1770061	Soil	3.6	68.4	4.4	95	0.5	57.8	24.1	563	4.78	6.2	175.1	4.7	67	0.3	0.4	0.1	89	3.13	0.064	10
1770062	Soil	1.1	29.8	4.3	67	<0.1	19.3	21.7	942	4.47	2.2	13.9	1.2	51	0.1	0.3	<0.1	118	3.60	0.072	6
1770063	Soil	0.4	12.1	20.0	62	<0.1	19.8	8.7	203	1.82	6.9	4.0	9.6	134	0.1	0.8	0.2	20	0.76	0.013	23
1770064	Soil	0.4	8.6	24.4	54	<0.1	22.1	14.2	706	2.28	8.1	3.7	10.4	111	0.1	1.3	0.2	24	1.56	0.033	21
1770065	Soil	0.6	15.1	17.6	57	<0.1	26.4	10.8	611	2.95	8.8	3.3	8.9	78	0.2	1.3	0.3	28	0.90	0.024	23
1770066	Soil	0.9	12.0	18.4	67	<0.1	23.7	16.6	330	3.03	4.2	1.4	7.3	102	0.1	1.0	0.2	35	0.78	0.014	16
1770067	Soil	1.0	6.8	31.0	41	<0.1	21.3	15.7	2152	1.64	12.3	1.7	9.7	79	0.1	2.0	0.2	18	2.70	0.045	20
1770068	Soil	0.9	12.2	21.4	64	<0.1	22.7	10.2	328	2.14	4.4	2.1	7.8	121	0.1	0.8	0.2	17	0.51	0.016	16
1770069	Soil	0.4	9.7	20.6	55	<0.1	20.5	9.0	289	2.05	8.0	<0.5	10.3	37	<0.1	0.8	0.2	25	0.39	0.017	24
1770070	Soil	0.5	8.9	22.7	45	0.1	15.2	8.2	283	1.57	6.8	<0.5	10.0	47	<0.1	1.0	0.2	16	0.85	0.021	21
1770071	Soil	0.9	13.5	24.8	65	<0.1	20.8	11.2	370	2.06	10.1	<0.5	8.7	113	<0.1	1.3	0.3	19	0.53	0.012	17
1770072	Soil	0.8	15.9	27.5	67	0.1	24.9	10.8	229	1.82	7.1	1.4	9.6	81	0.1	1.4	0.3	20	0.84	0.013	20

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



www.acmelab.com

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike
Report Date: September 25, 2014

Page: 3 of 12

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI14000144.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1770031	Soil	23	0.46	545	0.013	4	1.48	0.013	0.13	<0.1	0.06	6.6	0.2	<0.05	5	<0.5	<0.2
1770032	Soil	28	0.62	420	0.055	3	1.35	0.024	0.10	0.1	0.02	4.9	0.1	<0.05	4	<0.5	<0.2
1770033	Soil	28	0.66	398	0.077	3	1.36	0.029	0.10	0.1	0.03	5.7	0.1	<0.05	4	<0.5	<0.2
1770034	Soil	30	0.66	358	0.086	4	1.41	0.027	0.08	<0.1	0.03	5.4	<0.1	<0.05	4	<0.5	<0.2
1770035	Soil	21	0.50	607	0.041	2	1.00	0.012	0.05	0.2	0.03	3.3	<0.1	<0.05	3	<0.5	<0.2
1770036	Soil	27	0.48	622	0.028	5	1.38	0.018	0.13	0.2	0.02	5.3	0.1	<0.05	4	<0.5	<0.2
1770037	Soil	10	0.30	788	0.003	3	1.20	0.011	0.16	<0.1	0.14	4.8	0.2	<0.05	3	<0.5	<0.2
1770038	Soil	21	0.46	694	0.008	1	1.41	0.020	0.16	<0.1	0.06	4.6	0.2	<0.05	4	<0.5	<0.2
1770051	Soil	3	0.25	95	0.019	<1	0.42	0.006	0.11	<0.1	<0.01	3.7	<0.1	<0.05	1	<0.5	<0.2
1770052	Soil	5	0.29	128	0.019	<1	0.45	0.006	0.07	<0.1	<0.01	4.3	<0.1	<0.05	2	<0.5	<0.2
1770053	Soil	74	1.48	251	0.130	2	1.84	0.023	0.65	<0.1	<0.01	7.3	0.2	<0.05	6	<0.5	<0.2
1770054	Soil	5	2.37	503	0.256	2	2.66	0.029	1.33	0.1	<0.01	16.7	0.3	<0.05	11	<0.5	<0.2
1770055	Soil	32	0.48	380	0.055	<1	1.54	0.016	0.12	0.1	0.01	6.0	<0.1	<0.05	4	<0.5	<0.2
1770056	Soil	14	0.98	215	0.081	2	1.37	0.009	0.18	<0.1	<0.01	9.1	0.1	<0.05	5	<0.5	<0.2
1770057	Soil	4	1.79	340	0.139	<1	1.92	0.011	0.70	<0.1	0.01	6.4	0.3	<0.05	6	<0.5	<0.2
1770058	Soil	6	2.26	446	0.246	2	2.42	0.018	1.14	<0.1	<0.01	19.5	0.5	<0.05	10	<0.5	<0.2
1770059	Soil	11	0.32	882	0.007	3	0.70	0.011	0.15	<0.1	0.02	10.6	<0.1	<0.05	2	<0.5	<0.2
1770060	Soil	35	0.94	342	0.005	3	1.23	0.008	0.24	<0.1	0.03	30.7	<0.1	<0.05	5	<0.5	<0.2
1770061	Soil	34	0.80	843	0.019	2	0.86	0.008	0.33	<0.1	0.09	10.5	0.2	0.05	5	0.8	0.7
1770062	Soil	25	0.65	350	0.008	3	0.88	0.009	0.29	<0.1	0.04	23.5	<0.1	<0.05	4	0.7	<0.2
1770063	Soil	17	0.51	434	0.004	<1	1.30	0.010	0.15	<0.1	0.08	5.8	0.2	<0.05	4	<0.5	<0.2
1770064	Soil	14	0.46	765	0.004	<1	1.41	0.010	0.12	<0.1	0.12	6.4	0.2	<0.05	4	<0.5	<0.2
1770065	Soil	20	0.50	639	0.004	<1	1.46	0.015	0.15	<0.1	0.10	6.4	0.2	<0.05	5	<0.5	<0.2
1770066	Soil	24	0.61	564	0.003	<1	1.80	0.009	0.14	<0.1	0.09	7.9	0.2	<0.05	5	<0.5	<0.2
1770067	Soil	11	0.28	1241	0.002	1	1.03	0.009	0.09	<0.1	0.10	4.0	0.3	<0.05	3	0.5	<0.2
1770068	Soil	16	0.35	1118	0.003	<1	1.26	0.010	0.15	<0.1	0.10	4.5	0.2	<0.05	3	0.6	<0.2
1770069	Soil	17	0.40	626	0.007	<1	1.23	0.007	0.13	<0.1	0.06	3.6	0.1	<0.05	4	<0.5	<0.2
1770070	Soil	12	0.28	550	0.003	<1	1.03	0.007	0.12	<0.1	0.08	3.6	0.1	<0.05	3	<0.5	<0.2
1770071	Soil	16	0.37	1124	0.005	2	1.35	0.011	0.20	<0.1	0.14	5.2	0.2	<0.05	4	<0.5	<0.2
1770072	Soil	19	0.36	628	0.006	<1	1.35	0.011	0.20	<0.1	0.11	4.9	0.3	<0.05	4	0.8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



www.acmelab.com

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**

1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike

Report Date: September 25, 2014

Page: 4 of 12

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI14000144.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
1770073	Soil	0.4	16.4	20.2	57	0.1	20.3	9.0	433	2.18	5.5	1.0	9.3	189	0.1	0.8	0.3	22	1.64	0.029	20
1770074	Soil	0.9	26.3	9.5	61	<0.1	23.2	9.5	415	2.21	7.4	1.4	3.3	115	0.3	0.7	0.1	46	1.28	0.058	12
1771001	Soil	3.6	46.5	24.4	149	0.3	45.1	15.4	639	3.92	19.7	6.0	12.8	26	0.2	1.1	0.2	46	0.40	0.091	36
1771002	Soil	0.7	33.5	8.4	57	<0.1	29.4	10.2	433	2.48	8.5	3.4	3.5	69	0.2	0.6	0.1	58	2.20	0.076	13
1771003	Soil	1.4	50.1	11.1	70	0.1	33.1	11.8	471	3.26	11.5	3.5	4.9	44	<0.1	1.0	0.2	67	0.79	0.066	18
1771004	Soil	1.0	40.9	10.3	71	0.2	32.5	11.9	474	2.81	10.8	3.2	3.6	93	0.2	0.9	0.2	66	3.29	0.068	15
1771005	Soil	1.4	37.6	9.9	73	0.2	31.7	12.5	541	2.69	10.0	1.5	3.1	99	0.2	0.8	0.2	61	3.18	0.068	14
1771006	Soil	1.3	35.4	8.7	61	<0.1	31.0	10.6	484	2.54	8.8	5.0	3.7	81	0.2	0.7	0.1	63	2.71	0.084	14
1771007	Soil	1.2	42.2	10.6	72	<0.1	34.2	11.4	512	2.78	10.3	2.7	3.8	77	0.2	0.9	0.2	64	2.21	0.066	15
1771008	Soil	1.3	40.3	13.4	75	0.1	34.3	14.1	554	3.12	10.0	3.8	4.8	42	0.2	1.0	0.2	68	0.63	0.065	16
1771009	Soil	1.3	38.5	14.6	78	0.1	31.6	12.4	482	3.06	10.2	12.3	5.1	45	0.2	1.0	0.2	61	0.87	0.061	16
1771010	Soil	1.1	39.3	11.9	80	0.2	33.1	11.6	463	2.85	10.5	4.1	4.0	73	0.2	1.0	0.2	62	2.36	0.061	16
1771011	Soil	1.0	36.7	12.1	71	<0.1	33.1	12.3	528	2.75	10.9	3.4	4.1	60	0.2	1.0	0.3	60	1.06	0.057	16
1771012	Soil	1.1	38.7	12.1	77	0.1	30.7	12.4	581	2.97	10.5	3.5	4.5	63	0.2	1.0	0.2	65	1.44	0.051	16
1771013	Soil	0.9	39.6	9.8	63	0.1	30.2	10.4	437	2.61	9.6	4.3	3.7	53	0.1	0.8	0.2	57	1.44	0.069	15
1771014	Soil	4.6	31.7	15.7	64	0.3	26.4	11.7	617	3.34	15.0	21.6	7.3	31	0.2	1.1	0.3	59	0.46	0.043	20
1771015	Soil	1.2	37.9	10.6	70	<0.1	32.1	12.6	465	2.88	10.6	3.8	5.0	36	0.1	0.9	0.2	66	0.54	0.066	17
1771016	Soil	1.4	40.8	15.9	96	0.2	32.9	13.6	688	4.05	11.8	11.7	8.1	26	0.1	1.0	0.3	72	0.49	0.079	24
1771017	Soil	4.7	67.0	68.0	184	0.2	55.5	15.6	502	3.11	26.1	18.5	7.5	28	0.5	1.9	0.4	61	0.35	0.086	22
1771018	Soil	1.6	42.3	19.7	105	<0.1	40.2	12.8	584	3.55	10.7	11.7	7.5	25	0.3	1.1	0.2	59	0.35	0.070	22
1771019	Soil	1.1	36.4	13.4	80	<0.1	30.2	11.8	506	2.98	10.7	5.8	5.2	40	0.2	1.0	0.2	61	0.55	0.060	17
1771020	Soil	1.3	36.8	12.9	68	<0.1	28.8	10.0	417	2.91	10.2	5.5	5.9	32	0.1	1.0	0.2	56	0.41	0.052	19
1771021	Soil	1.0	27.6	11.7	60	0.1	25.9	11.3	592	2.78	8.4	1.1	3.8	52	0.2	0.8	0.2	62	0.78	0.026	15
1771022	Soil	1.9	53.1	27.0	154	<0.1	45.0	12.1	290	3.46	13.9	5.9	8.5	23	0.2	0.9	0.2	72	0.27	0.040	24
1771023	Soil	1.9	28.7	11.8	71	0.2	19.4	4.9	131	3.40	8.9	6.9	7.4	26	0.1	1.3	0.2	30	0.14	0.040	19
1771024	Soil	0.7	44.5	12.3	59	0.1	34.6	10.3	366	2.60	10.5	6.6	4.6	35	<0.1	0.9	0.2	53	0.50	0.062	17
1771025	Soil	1.6	39.2	45.8	74	<0.1	30.6	11.4	546	3.07	9.8	7.6	7.0	31	0.2	1.3	0.3	60	0.43	0.035	24
1771026	Soil	0.8	47.7	9.3	62	0.2	31.4	10.8	565	2.63	10.4	5.1	4.8	35	<0.1	0.9	0.1	52	0.57	0.084	16
1771027	Soil	2.5	94.2	63.8	261	<0.1	53.7	13.9	617	3.75	16.5	11.3	9.1	17	0.5	4.1	0.2	50	0.18	0.038	29
1771028	Soil	1.1	37.6	13.1	135	<0.1	50.9	14.1	415	4.47	4.3	9.0	16.0	14	0.3	0.5	0.2	81	0.35	0.096	26

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



www.acmelab.com

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**

1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike

Report Date: September 25, 2014

Page: 4 of 12

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI14000144.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1770073	Soil	16	0.44	1067	0.003	2	1.40	0.012	0.15	<0.1	0.12	5.3	0.2	<0.05	4	<0.5	<0.2
1770074	Soil	25	0.64	351	0.055	4	1.25	0.045	0.12	0.1	0.03	3.9	0.1	<0.05	3	<0.5	<0.2
1771001	Soil	31	0.20	228	0.031	5	0.90	0.005	0.23	<0.1	0.18	5.4	0.2	<0.05	3	1.0	<0.2
1771002	Soil	28	0.76	269	0.088	1	1.23	0.034	0.08	0.2	0.05	4.2	<0.1	<0.05	4	0.5	<0.2
1771003	Soil	38	0.66	347	0.098	4	1.62	0.028	0.15	0.1	0.12	6.3	0.1	<0.05	5	0.7	<0.2
1771004	Soil	33	0.84	356	0.089	3	1.46	0.042	0.11	0.2	0.05	5.1	<0.1	<0.05	4	<0.5	<0.2
1771005	Soil	32	0.90	329	0.084	6	1.39	0.047	0.13	0.2	0.05	4.5	<0.1	<0.05	4	<0.5	<0.2
1771006	Soil	33	0.80	204	0.104	3	1.29	0.043	0.12	0.1	0.03	4.6	<0.1	<0.05	4	0.5	<0.2
1771007	Soil	33	0.79	345	0.090	5	1.41	0.037	0.09	0.2	0.04	5.1	<0.1	<0.05	4	0.5	<0.2
1771008	Soil	38	0.62	323	0.099	5	1.61	0.030	0.14	0.2	0.10	6.3	0.1	<0.05	5	0.8	<0.2
1771009	Soil	33	0.58	274	0.092	2	1.44	0.029	0.16	0.2	0.14	5.8	0.1	<0.05	4	0.8	<0.2
1771010	Soil	34	0.77	361	0.086	2	1.47	0.035	0.10	0.1	0.06	4.9	<0.1	<0.05	4	<0.5	<0.2
1771011	Soil	31	0.60	387	0.075	2	1.38	0.028	0.07	0.2	0.06	4.7	<0.1	<0.05	4	1.0	<0.2
1771012	Soil	32	0.68	406	0.093	4	1.46	0.033	0.10	0.2	0.07	5.6	0.1	<0.05	4	0.8	<0.2
1771013	Soil	30	0.70	339	0.081	4	1.35	0.032	0.10	0.2	0.07	4.5	<0.1	<0.05	4	0.9	<0.2
1771014	Soil	34	0.41	252	0.076	4	1.58	0.010	0.24	0.2	0.38	7.9	0.3	<0.05	5	<0.5	<0.2
1771015	Soil	36	0.68	258	0.095	3	1.42	0.030	0.11	0.2	0.09	5.7	<0.1	<0.05	5	0.6	<0.2
1771016	Soil	39	0.71	413	0.149	<1	1.72	0.017	0.52	0.2	0.11	9.3	0.3	<0.05	6	<0.5	<0.2
1771017	Soil	31	0.18	209	0.012	<1	0.93	0.004	0.14	0.1	0.48	7.2	0.2	<0.05	3	1.6	<0.2
1771018	Soil	40	0.53	335	0.108	2	1.37	0.014	0.35	0.1	0.17	7.7	0.3	<0.05	5	<0.5	<0.2
1771019	Soil	32	0.57	343	0.086	<1	1.43	0.029	0.13	0.1	0.12	5.3	0.1	<0.05	4	<0.5	<0.2
1771020	Soil	31	0.45	249	0.074	2	1.25	0.019	0.13	0.1	0.13	5.4	0.1	<0.05	4	<0.5	<0.2
1771021	Soil	34	0.54	409	0.072	<1	1.62	0.024	0.07	0.1	0.06	5.5	<0.1	<0.05	5	<0.5	<0.2
1771022	Soil	42	0.52	421	0.115	2	1.48	0.012	0.33	<0.1	0.11	6.4	0.4	<0.05	4	<0.5	<0.2
1771023	Soil	17	0.21	159	0.049	<1	1.03	0.006	0.32	<0.1	0.43	7.9	0.3	<0.05	5	0.6	<0.2
1771024	Soil	29	0.58	219	0.076	2	1.20	0.028	0.10	0.1	0.10	5.2	<0.1	<0.05	4	0.5	<0.2
1771025	Soil	34	0.44	289	0.093	2	1.48	0.015	0.19	0.1	0.25	7.5	0.2	<0.05	5	1.1	<0.2
1771026	Soil	27	0.59	241	0.076	1	1.12	0.025	0.12	0.2	0.08	4.9	<0.1	<0.05	4	<0.5	<0.2
1771027	Soil	30	0.25	181	0.035	2	0.93	0.005	0.23	<0.1	0.35	6.1	0.2	<0.05	3	0.6	<0.2
1771028	Soil	53	0.86	1070	0.195	<1	1.96	0.008	0.93	0.2	0.09	5.1	0.8	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



www.acmelab.com

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**

1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike

Report Date: September 25, 2014

Page: 5 of 12

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI14000144.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
1771029	Soil	1.2	34.1	17.3	69	0.2	30.1	11.4	445	2.89	10.6	7.8	6.7	31	0.1	1.4	0.2	56	0.43	0.037	20
1771030	Soil	1.3	43.8	14.9	87	0.1	36.8	12.8	461	3.33	13.0	4.9	6.4	33	0.1	1.4	0.2	65	0.53	0.050	21
1771031	Soil	1.7	52.9	14.6	72	0.1	33.7	10.7	301	3.11	11.2	6.7	7.3	31	0.1	1.4	0.2	64	0.41	0.059	24
1771032	Soil	0.9	32.8	10.6	60	0.2	27.8	11.6	475	2.72	10.0	3.8	4.9	64	<0.1	0.9	0.2	62	1.01	0.029	18
1771033	Soil	1.7	62.6	18.4	80	0.1	36.9	9.9	288	2.86	13.5	13.5	5.5	37	<0.1	1.4	0.2	62	0.95	0.043	22
1771034	Soil	2.1	68.0	27.7	169	0.1	71.9	20.7	802	5.26	18.0	12.5	18.3	20	0.2	2.0	0.3	82	0.58	0.117	55
1771035	Soil	1.6	48.6	16.5	120	0.1	48.1	13.9	377	4.13	21.6	3.2	13.5	27	0.1	0.5	0.2	67	0.26	0.062	33
1771036	Soil	0.8	37.6	9.7	62	<0.1	29.6	10.0	303	2.80	12.5	2.7	6.0	29	<0.1	0.7	0.1	62	0.42	0.071	18
1771037	Soil	2.1	29.7	14.2	101	0.1	28.7	11.2	468	3.19	14.5	26.6	8.1	33	0.3	0.6	0.2	53	0.42	0.087	22
1771038	Soil	2.1	34.4	15.5	86	0.4	33.5	12.1	610	3.25	15.4	10.8	6.2	40	0.4	0.7	0.2	64	0.52	0.079	27
1771039	Soil	2.2	39.6	14.1	90	0.1	32.2	10.8	425	3.38	16.9	5.7	6.5	33	0.3	1.1	0.2	63	0.50	0.069	20
1771040	Soil	0.7	38.2	10.2	58	0.1	29.4	9.6	375	2.68	9.9	5.4	4.3	38	0.1	0.7	0.2	58	0.61	0.051	17
1771041	Soil	1.2	53.2	14.2	71	<0.1	42.7	15.3	657	3.18	10.3	9.0	6.3	32	<0.1	0.7	0.2	73	0.46	0.048	19
1771042	Soil	1.0	83.3	8.5	101	0.2	31.1	22.1	1035	5.31	6.4	13.5	4.9	35	<0.1	0.5	0.2	101	0.76	0.085	14
1771043	Soil	0.9	44.4	11.7	71	0.1	32.1	11.4	437	2.87	10.4	6.3	5.4	45	<0.1	0.9	0.2	62	1.12	0.064	18
1771044	Soil	3.8	42.0	16.9	72	<0.1	31.5	11.8	583	3.33	19.9	18.4	7.7	23	<0.1	1.9	0.3	55	0.23	0.041	24
1771045	Soil	2.9	54.1	23.7	133	<0.1	47.3	14.1	542	4.35	12.5	5.6	13.9	16	0.2	1.0	0.2	72	0.27	0.079	41
1771046	Soil	1.9	29.3	14.3	67	0.2	28.4	8.9	344	2.60	10.5	19.9	5.3	27	<0.1	1.0	0.2	50	0.28	0.055	18
1771047	Soil	1.4	45.7	16.8	78	<0.1	34.9	11.3	245	3.04	17.3	8.6	7.5	18	0.1	1.0	0.3	65	0.21	0.042	22
1771048	Soil	2.5	60.7	25.9	150	0.2	54.4	16.4	614	4.81	12.5	11.2	13.7	30	0.2	1.3	0.3	58	0.42	0.085	37
1771049	Soil	1.3	33.2	13.3	70	<0.1	29.9	12.3	359	3.28	10.9	3.2	6.2	33	0.2	0.9	0.2	69	0.47	0.041	22
1771050	Soil	1.0	42.4	10.7	74	0.1	35.7	12.6	475	2.81	10.5	18.2	4.4	48	0.1	0.7	0.2	63	1.04	0.066	17
1771051	Soil	2.8	65.1	27.5	168	0.2	66.7	22.6	730	6.06	64.8	8.4	11.7	20	0.2	0.9	0.2	82	0.40	0.123	26
1771052	Soil	1.4	29.4	14.3	75	0.1	26.3	8.9	347	2.46	14.8	5.8	6.9	30	0.1	0.6	0.2	48	0.24	0.059	20
1771053	Soil	0.7	41.1	11.2	63	0.2	34.7	10.9	377	2.61	10.3	5.7	5.5	32	<0.1	0.8	0.2	54	0.46	0.054	18
1771054	Soil	2.4	71.7	21.4	119	<0.1	52.4	14.7	337	4.51	25.1	4.4	19.0	16	0.1	0.7	0.2	64	0.28	0.113	42
1771055	Soil	1.8	29.9	17.5	95	0.2	35.7	12.6	445	3.49	17.0	1.3	7.5	22	0.2	0.9	0.2	61	0.29	0.075	24
1771056	Soil	1.8	49.2	23.1	117	<0.1	43.9	14.7	587	3.70	13.7	3.3	11.4	49	0.2	0.9	0.2	69	1.49	0.069	31
1771057	Soil	2.9	44.5	23.5	91	0.1	38.6	11.1	360	3.16	24.4	9.3	9.6	22	0.2	0.9	0.3	61	0.30	0.087	24
1771058	Soil	1.3	31.2	10.8	70	0.1	30.2	9.5	310	2.80	11.6	4.3	5.8	27	<0.1	0.7	0.2	56	0.31	0.053	14

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



www.acmelab.com

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**

1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike

Report Date: September 25, 2014

Page: 5 of 12

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI14000144.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1771029	Soil	33	0.44	242	0.068	3	1.34	0.016	0.18	0.1	0.30	6.6	0.1	<0.05	4	<0.5	<0.2
1771030	Soil	35	0.59	277	0.081	2	1.43	0.020	0.19	0.1	0.23	5.8	0.1	<0.05	4	<0.5	<0.2
1771031	Soil	34	0.50	230	0.084	2	1.40	0.018	0.18	0.2	0.37	7.3	0.1	<0.05	4	0.7	<0.2
1771032	Soil	34	0.61	359	0.084	4	1.53	0.023	0.10	0.2	0.08	5.8	<0.1	<0.05	4	<0.5	<0.2
1771033	Soil	33	0.59	333	0.093	2	1.42	0.022	0.19	0.2	0.12	5.7	0.1	<0.05	4	<0.5	<0.2
1771034	Soil	49	0.59	392	0.139	3	1.74	0.009	0.73	0.2	0.17	5.8	0.6	<0.05	6	<0.5	<0.2
1771035	Soil	38	0.51	279	0.091	<1	1.62	0.009	0.53	<0.1	0.05	6.6	0.5	<0.05	5	<0.5	<0.2
1771036	Soil	33	0.55	173	0.079	<1	1.23	0.022	0.11	0.2	0.05	5.5	<0.1	<0.05	4	0.6	<0.2
1771037	Soil	32	0.35	305	0.060	<1	1.07	0.010	0.25	0.1	0.04	4.0	0.2	<0.05	4	<0.5	<0.2
1771038	Soil	34	0.43	464	0.071	<1	1.42	0.015	0.18	0.2	0.10	6.0	0.2	<0.05	4	<0.5	<0.2
1771039	Soil	31	0.45	403	0.076	2	1.24	0.023	0.14	0.1	0.07	4.6	0.1	<0.05	4	0.9	<0.2
1771040	Soil	33	0.52	367	0.074	<1	1.46	0.026	0.08	0.1	0.05	4.9	<0.1	<0.05	4	<0.5	<0.2
1771041	Soil	39	0.64	400	0.094	<1	1.60	0.025	0.19	0.1	0.11	5.6	0.1	<0.05	5	<0.5	<0.2
1771042	Soil	30	1.16	443	0.156	<1	2.25	0.021	0.82	0.1	0.07	12.2	0.3	<0.05	7	<0.5	<0.2
1771043	Soil	33	0.66	332	0.086	1	1.40	0.035	0.14	0.2	0.07	4.9	0.1	<0.05	4	<0.5	<0.2
1771044	Soil	31	0.37	182	0.036	3	1.07	0.007	0.13	<0.1	0.48	8.5	0.2	<0.05	4	<0.5	<0.2
1771045	Soil	36	0.50	314	0.111	5	1.41	0.006	0.58	<0.1	0.22	6.3	0.4	<0.05	5	1.0	<0.2
1771046	Soil	26	0.21	368	0.045	<1	0.86	0.009	0.15	<0.1	0.08	3.9	0.1	<0.05	2	<0.5	<0.2
1771047	Soil	37	0.44	196	0.076	<1	1.49	0.009	0.18	<0.1	0.07	6.0	0.3	<0.05	5	<0.5	<0.2
1771048	Soil	37	0.37	261	0.062	<1	1.13	0.009	0.31	<0.1	0.11	6.8	0.3	<0.05	4	0.6	<0.2
1771049	Soil	37	0.60	286	0.090	2	1.71	0.019	0.13	0.1	0.03	7.1	0.1	<0.05	5	<0.5	<0.2
1771050	Soil	35	0.72	314	0.078	1	1.35	0.029	0.11	0.2	0.07	4.8	0.1	<0.05	4	<0.5	<0.2
1771051	Soil	42	0.55	375	0.092	3	1.34	0.011	0.64	<0.1	0.10	6.7	0.7	<0.05	5	0.6	<0.2
1771052	Soil	26	0.28	238	0.042	<1	0.91	0.009	0.14	0.1	0.06	3.8	0.1	<0.05	3	0.7	<0.2
1771053	Soil	32	0.52	274	0.075	1	1.22	0.026	0.10	0.1	0.05	5.0	<0.1	<0.05	4	<0.5	<0.2
1771054	Soil	39	0.41	207	0.076	1	1.19	0.005	0.44	<0.1	0.01	5.4	0.6	<0.05	4	1.3	<0.2
1771055	Soil	32	0.41	300	0.077	1	1.33	0.010	0.34	0.1	0.03	4.3	0.3	<0.05	4	<0.5	<0.2
1771056	Soil	48	0.57	311	0.098	1	1.23	0.014	0.35	<0.1	0.04	5.6	0.4	<0.05	4	<0.5	<0.2
1771057	Soil	31	0.30	286	0.055	<1	0.95	0.007	0.17	<0.1	0.08	5.1	0.3	<0.05	3	0.6	<0.2
1771058	Soil	32	0.41	239	0.064	<1	1.18	0.012	0.13	<0.1	0.12	4.8	0.1	<0.05	4	0.6	<0.2



www.acmelab.com

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**

1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike

Report Date: September 25, 2014

Page: 6 of 12

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI14000144.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1771059	Soil	2.2	36.6	14.4	103	<0.1	31.3	11.1	309	3.51	9.7	1.6	9.4	19	<0.1	0.7	0.1	71	0.24	0.072	24
1771060	Soil	2.0	19.6	10.4	63	0.1	22.6	9.0	403	3.37	12.3	0.7	8.9	24	<0.1	1.1	0.2	55	0.25	0.030	17
1771061	Soil	1.5	29.7	18.8	55	0.2	27.9	12.0	1201	3.27	10.3	11.2	11.7	32	0.1	1.0	0.4	48	0.29	0.044	24
1771062	Soil	1.9	45.7	33.7	129	0.3	30.4	22.3	1146	5.18	7.9	9.7	7.3	22	0.2	0.5	0.3	125	0.48	0.055	24
1771063	Soil	2.3	33.9	12.6	70	0.2	35.7	11.7	364	3.18	11.7	6.6	6.3	25	0.1	1.0	0.2	66	0.33	0.038	20
1771064	Soil	1.0	42.3	11.7	73	0.2	32.0	12.3	738	2.86	10.9	6.2	5.0	145	0.3	1.5	0.1	48	7.09	0.053	16
1771065	Soil	1.9	40.0	29.5	113	<0.1	40.4	11.1	195	3.16	25.5	10.5	11.6	27	0.1	0.9	0.5	57	0.19	0.068	23
1771066	Soil	1.0	30.3	10.6	68	<0.1	31.6	10.3	302	2.91	10.7	3.0	6.7	27	0.1	0.8	0.2	60	0.34	0.058	20
1771067	Soil	1.3	28.1	13.5	62	0.3	25.5	9.4	544	2.61	10.1	0.8	3.5	28	0.2	0.7	0.2	62	0.33	0.062	15
1771068	Soil	1.6	32.3	17.1	77	0.2	28.9	10.1	427	2.74	10.9	8.0	6.5	23	0.1	0.6	0.2	51	0.26	0.072	21
1771069	Soil	1.5	72.1	18.5	167	<0.1	64.9	20.6	504	5.06	16.3	9.8	15.2	17	0.2	0.7	0.2	71	0.33	0.120	40
1771070	Soil	2.4	60.5	24.0	124	<0.1	59.0	14.8	337	3.86	33.4	5.9	11.7	18	0.1	1.4	0.3	62	0.08	0.058	29
1771071	Soil	1.9	34.2	13.3	84	<0.1	28.0	9.8	329	3.14	13.6	2.8	7.3	18	0.1	1.0	0.1	60	0.22	0.057	19
1771072	Soil	1.8	22.3	18.1	72	0.1	23.0	10.4	352	3.26	12.7	3.4	5.4	17	<0.1	1.0	0.2	62	0.17	0.040	15
1771073	Soil	1.4	23.0	7.0	54	<0.1	14.8	7.2	354	2.93	5.2	4.3	4.6	21	<0.1	0.7	0.1	52	0.21	0.031	13
1771074	Soil	2.4	34.2	16.8	93	<0.1	23.2	9.7	581	4.37	11.5	2.3	6.6	16	0.2	1.0	0.2	38	0.09	0.031	14
1771075	Soil	1.9	53.3	12.7	172	<0.1	72.7	19.4	758	5.20	15.8	3.1	12.4	17	0.3	0.7	0.3	93	0.26	0.100	24
1771076	Soil	1.3	28.1	11.4	55	<0.1	27.5	10.4	205	3.01	12.9	3.6	4.8	14	<0.1	1.8	0.2	69	0.11	0.028	14
1771077	Soil	1.5	17.6	13.2	66	0.1	14.5	6.7	384	2.33	8.6	<0.5	4.2	19	0.2	0.6	0.3	53	0.10	0.047	15
1771078	Soil	2.2	54.5	20.7	83	<0.1	26.9	9.2	231	2.98	15.6	5.1	14.4	19	0.1	2.6	0.2	57	0.11	0.041	52
1771079	Soil	1.7	39.8	18.1	89	<0.1	24.7	7.4	237	2.77	12.2	8.6	9.8	19	<0.1	1.0	0.2	51	0.12	0.035	25
1771080	Soil	2.1	44.8	23.6	137	<0.1	39.4	10.8	296	4.28	7.7	4.2	12.4	16	0.1	1.1	0.3	68	0.10	0.063	27
1771081	Soil	2.2	50.7	28.1	188	0.2	47.2	19.1	661	4.61	27.6	3.6	10.2	22	0.2	2.5	0.5	58	0.22	0.102	25
1771082	Soil	1.8	55.3	17.7	199	<0.1	64.1	17.3	349	5.16	6.6	6.7	11.8	13	0.2	0.7	0.3	87	0.07	0.044	27
1771083	Soil	1.7	47.0	19.1	159	<0.1	47.0	12.9	234	3.63	10.4	6.6	11.6	14	0.1	1.3	0.4	64	0.13	0.033	37
1771084	Soil	2.4	34.0	15.6	65	<0.1	20.3	6.2	133	2.95	13.2	3.8	8.8	19	<0.1	1.2	0.3	51	0.16	0.047	24
1771085	Soil	2.3	46.0	17.4	97	<0.1	37.0	12.7	365	3.52	24.1	2.7	14.0	16	0.1	1.1	0.5	80	0.13	0.040	35
1771086	Soil	4.4	137.6	20.6	107	<0.1	47.5	14.3	469	5.48	10.1	4.0	16.1	25	<0.1	1.6	0.5	161	0.21	0.042	35
1771087	Soil	1.3	39.6	9.1	124	<0.1	33.1	13.4	460	4.71	7.7	4.6	11.1	9	<0.1	0.4	0.2	104	0.32	0.106	21
1771088	Soil	3.3	31.0	11.4	78	0.1	25.6	11.1	347	3.49	8.8	7.8	6.9	19	<0.1	1.1	0.2	63	0.28	0.052	19

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



www.acmelab.com

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**

1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike

Report Date: September 25, 2014

Page: 6 of 12

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI14000144.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2		
1771059	Soil	48	0.67	337	0.119	2	1.57	0.007	0.62	<0.1	0.03	5.2	0.5	<0.05	6	<0.5	<0.2	
1771060	Soil	31	0.40	204	0.054	<1	1.63	0.007	0.18	0.1	0.10	6.5	0.2	<0.05	5	<0.5	<0.2	
1771061	Soil	19	0.39	227	0.051	2	1.02	0.009	0.24	0.1	0.28	7.7	0.5	<0.05	5	<0.5	<0.2	
1771062	Soil	103	1.72	454	0.228	1	2.63	0.014	1.26	0.1	0.11	17.0	0.6	<0.05	10	<0.5	<0.2	
1771063	Soil	41	0.50	261	0.087	<1	1.60	0.012	0.22	0.1	0.06	8.1	0.2	<0.05	5	<0.5	<0.2	
1771064	Soil	24	0.69	530	0.060	2	1.11	0.027	0.15	<0.1	0.21	4.2	0.1	<0.05	4	<0.5	<0.2	
1771065	Soil	28	0.19	132	0.028	<1	0.79	0.005	0.20	<0.1	0.15	4.2	0.2	<0.05	3	0.9	<0.2	
1771066	Soil	37	0.53	317	0.080	1	1.36	0.018	0.16	<0.1	0.08	5.6	0.2	<0.05	4	<0.5	<0.2	
1771067	Soil	29	0.36	376	0.069	1	1.19	0.009	0.21	0.1	0.04	3.1	0.2	<0.05	4	<0.5	<0.2	
1771068	Soil	27	0.33	232	0.058	<1	1.05	0.010	0.15	<0.1	0.07	4.4	0.2	<0.05	4	<0.5	<0.2	
1771069	Soil	43	0.53	292	0.098	2	1.60	0.007	0.61	<0.1	0.06	6.3	0.9	<0.05	5	0.7	<0.2	
1771070	Soil	31	0.29	155	0.060	<1	1.03	0.007	0.33	0.1	0.11	6.7	0.4	<0.05	4	<0.5	<0.2	
1771071	Soil	30	0.42	292	0.078	1	1.32	0.010	0.23	<0.1	0.16	4.3	0.3	<0.05	5	0.9	<0.2	
1771072	Soil	31	0.37	209	0.061	2	1.69	0.008	0.14	0.2	0.09	4.2	0.2	<0.05	5	<0.5	<0.2	
1771073	Soil	23	0.45	354	0.069	2	1.47	0.009	0.22	0.1	0.46	6.6	0.3	<0.05	5	<0.5	<0.2	
1771074	Soil	18	0.23	219	0.047	2	1.09	0.005	0.31	<0.1	0.93	10.1	0.5	<0.05	4	<0.5	<0.2	
1771075	Soil	42	0.51	422	0.099	2	1.46	0.006	0.72	<0.1	0.22	7.2	0.7	<0.05	7	1.3	<0.2	
1771076	Soil	37	0.44	209	0.050	1	2.23	0.007	0.08	0.1	0.10	3.4	<0.1	<0.05	5	<0.5	<0.2	
1771077	Soil	25	0.27	241	0.033	<1	1.27	0.006	0.12	<0.1	0.12	2.9	0.2	<0.05	5	<0.5	<0.2	
1771078	Soil	35	0.40	234	0.080	<1	1.30	0.008	0.32	<0.1	0.59	6.5	0.3	<0.05	4	0.6	<0.2	
1771079	Soil	30	0.36	248	0.074	<1	1.09	0.008	0.35	<0.1	0.55	6.9	0.4	<0.05	4	0.7	<0.2	
1771080	Soil	40	0.55	304	0.154	<1	1.72	0.005	0.92	<0.1	0.43	4.7	0.6	<0.05	5	0.6	<0.2	
1771081	Soil	32	0.43	386	0.097	2	1.32	0.006	0.67	<0.1	0.58	4.8	0.5	<0.05	5	1.1	<0.2	
1771082	Soil	50	0.76	322	0.181	<1	2.18	0.006	1.10	<0.1	0.14	7.9	0.8	<0.05	8	1.1	<0.2	
1771083	Soil	40	0.48	251	0.111	2	1.77	0.006	0.46	<0.1	0.53	6.3	0.5	<0.05	6	1.1	<0.2	
1771084	Soil	27	0.21	166	0.036	2	1.13	0.003	0.22	<0.1	0.34	3.6	0.3	<0.05	4	1.3	<0.2	
1771085	Soil	39	0.42	331	0.116	3	1.57	0.006	0.57	<0.1	0.23	7.8	0.9	<0.05	7	0.6	<0.2	
1771086	Soil	95	1.04	699	0.322	3	2.67	0.008	1.44	<0.1	0.21	9.3	1.1	<0.05	10	1.0	<0.2	
1771087	Soil	54	0.76	292	0.205	3	2.51	0.011	0.95	0.8	0.05	10.1	0.7	<0.05	9	0.6	<0.2	
1771088	Soil	32	0.44	413	0.073	4	1.68	0.009	0.24	0.1	0.25	6.3	0.3	<0.05	5	0.6	<0.2	

CERTIFICATE OF ANALYSIS

WHI14000144.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
1771089	Soil	3.0	26.8	15.9	93	0.2	30.3	9.9	448	3.23	18.6	2.4	5.7	17	0.2	0.8	0.2	67	0.28	0.120	18
1771090	Soil	2.3	32.6	13.6	88	<0.1	28.4	11.1	313	3.33	10.5	6.6	8.7	20	0.1	1.0	0.1	67	0.28	0.059	24
1771091	Soil	2.3	34.4	35.5	91	0.3	30.7	10.9	413	3.21	11.7	11.8	7.3	24	0.2	1.6	0.2	57	0.34	0.069	21
1771092	Soil	2.6	36.1	15.1	97	0.3	28.4	13.0	553	3.80	10.4	8.6	6.2	18	0.2	0.8	0.2	63	0.29	0.082	21
1771093	Soil	3.3	34.2	15.0	95	0.2	31.8	12.9	522	3.42	11.9	4.5	7.5	20	0.3	1.1	0.3	64	0.30	0.086	20
1771094	Soil	2.4	23.8	14.1	83	0.1	19.2	11.3	724	3.95	12.2	3.7	5.6	12	<0.1	1.2	0.4	71	0.19	0.090	17
1771095	Soil	1.0	31.6	9.9	47	0.1	25.1	8.3	215	2.80	12.8	3.8	5.4	22	<0.1	0.8	0.1	60	0.21	0.027	22
1771096	Soil	1.6	30.8	12.2	42	<0.1	22.8	8.8	145	2.33	14.7	1.6	7.2	19	<0.1	1.0	0.1	59	0.16	0.028	18
1771097	Soil	1.6	25.0	16.4	105	0.2	24.2	9.8	880	2.66	15.4	2.1	4.4	31	0.3	0.9	0.3	59	0.35	0.094	13
1771098	Soil	1.5	46.9	13.5	69	<0.1	35.4	9.6	241	3.23	14.3	3.5	6.1	20	0.1	1.0	0.2	72	0.23	0.026	21
1771099	Soil	1.1	35.1	10.5	66	0.1	28.3	8.4	273	2.76	10.4	3.7	5.4	31	0.1	0.8	0.1	58	0.45	0.062	17
1771100	Soil	1.7	47.8	18.7	110	0.1	40.8	10.3	259	3.71	11.7	6.9	8.8	24	<0.1	1.1	0.4	73	0.31	0.043	26
1771101	Soil	1.6	28.0	17.7	87	0.1	24.0	9.4	247	2.78	9.6	4.0	8.2	19	0.2	1.1	0.2	53	0.21	0.053	22
1771102	Soil	1.2	34.0	11.6	63	0.1	28.2	8.1	306	2.73	11.0	5.0	5.2	27	<0.1	0.8	0.2	57	0.34	0.063	19
1771103	Soil	1.2	24.8	9.9	69	0.2	29.1	8.6	269	3.00	15.3	4.5	4.7	20	<0.1	0.8	0.2	61	0.25	0.050	12
1771104	Soil	2.0	87.0	14.7	149	<0.1	50.8	14.7	388	4.59	23.3	7.5	15.9	13	<0.1	0.9	0.6	78	0.16	0.068	63
1771105	Soil	1.4	32.6	9.6	101	<0.1	30.2	13.2	549	4.94	11.1	3.3	15.3	8	<0.1	0.6	0.3	73	0.16	0.061	57
1771106	Soil	2.5	34.3	52.5	79	0.1	34.8	11.7	458	3.98	22.1	1.8	3.9	13	0.2	2.6	0.2	87	0.14	0.043	15
1771107	Soil	1.6	18.2	10.4	66	0.1	11.8	7.1	557	2.32	6.1	1.0	2.5	22	0.2	0.6	0.2	43	0.31	0.067	16
1771108	Soil	2.1	31.4	19.9	80	0.2	22.1	12.4	650	2.95	10.5	5.0	6.8	19	0.2	1.7	0.3	49	0.25	0.070	21
1771109	Soil	3.1	42.1	74.5	100	0.4	28.1	12.8	551	3.63	14.9	9.1	5.9	20	0.3	1.7	0.3	65	0.29	0.074	25
1771110	Soil	2.2	23.2	19.7	65	0.3	19.1	6.0	185	2.26	10.2	16.4	4.2	25	0.2	0.8	0.2	52	0.29	0.076	17
1771111	Soil	3.3	31.3	20.0	99	0.2	28.2	12.3	473	2.90	12.5	10.0	4.9	24	0.2	0.7	0.2	66	0.26	0.072	22
1771112	Soil	2.5	33.7	18.5	111	0.2	30.6	12.8	448	3.15	11.7	6.1	7.2	21	0.2	0.7	0.2	65	0.24	0.077	23
1771113	Soil	3.6	28.6	17.8	96	0.1	29.9	12.0	354	3.10	11.7	7.3	7.2	19	0.2	0.8	0.2	62	0.24	0.068	21
1771114	Soil	3.9	39.7	22.9	118	0.1	37.6	13.4	448	4.16	20.9	5.1	9.9	15	0.2	1.1	0.2	69	0.17	0.098	33
1771115	Soil	2.7	26.8	15.7	74	0.1	22.0	10.7	591	3.08	14.3	3.9	2.4	20	0.1	0.7	0.3	66	0.27	0.116	18
1771116	Soil	3.3	35.3	19.0	107	<0.1	28.8	9.7	273	3.38	9.1	6.4	11.7	16	0.1	1.0	0.2	59	0.23	0.071	25
1771117	Soil	2.7	31.0	13.5	74	0.2	25.1	8.0	217	3.26	13.1	5.7	3.8	18	0.2	1.1	0.2	66	0.24	0.060	18
1771118	Soil	1.2	43.4	10.3	70	<0.1	19.0	7.2	219	3.44	8.0	5.3	6.7	18	0.1	2.6	0.1	30	0.18	0.040	21

CERTIFICATE OF ANALYSIS

WHI14000144.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1771089	Soil	35	0.41	313	0.068	4	1.51	0.010	0.28	0.1	0.07	4.3	0.3	<0.05	5	0.5	<0.2
1771090	Soil	36	0.45	324	0.105	1	1.55	0.009	0.23	0.1	0.18	5.3	0.3	<0.05	5	0.8	<0.2
1771091	Soil	29	0.33	358	0.069	2	1.10	0.012	0.22	0.1	0.36	5.7	0.3	<0.05	4	<0.5	<0.2
1771092	Soil	33	0.38	366	0.070	2	1.59	0.008	0.34	0.1	0.31	6.9	0.4	<0.05	6	0.8	<0.2
1771093	Soil	29	0.29	381	0.059	3	1.08	0.007	0.25	<0.1	0.49	6.5	0.3	<0.05	4	0.9	<0.2
1771094	Soil	32	0.36	180	0.070	3	1.63	0.006	0.41	0.1	0.18	6.6	0.5	<0.05	6	0.5	<0.2
1771095	Soil	34	0.43	341	0.062	1	1.55	0.014	0.05	<0.1	0.07	7.0	<0.1	<0.05	5	<0.5	<0.2
1771096	Soil	30	0.29	272	0.045	2	1.44	0.006	0.13	<0.1	0.07	3.3	0.2	<0.05	4	0.5	<0.2
1771097	Soil	29	0.32	468	0.043	1	1.40	0.007	0.17	<0.1	0.13	3.4	0.2	<0.05	5	0.7	<0.2
1771098	Soil	44	0.58	175	0.102	2	1.86	0.010	0.12	0.1	0.16	9.9	0.1	<0.05	5	<0.5	<0.2
1771099	Soil	34	0.52	281	0.082	3	1.27	0.026	0.11	0.2	0.24	6.4	<0.1	<0.05	4	<0.5	<0.2
1771100	Soil	43	0.47	300	0.105	5	1.56	0.012	0.35	0.1	0.45	8.9	0.4	<0.05	5	0.9	<0.2
1771101	Soil	31	0.37	263	0.080	1	1.29	0.007	0.38	<0.1	0.28	4.0	0.3	<0.05	4	<0.5	<0.2
1771102	Soil	36	0.47	260	0.078	3	1.36	0.019	0.12	0.2	0.25	7.1	0.1	<0.05	4	<0.5	<0.2
1771103	Soil	36	0.51	150	0.086	1	1.78	0.009	0.13	0.1	0.09	4.2	0.1	<0.05	5	<0.5	<0.2
1771104	Soil	41	0.48	321	0.140	2	2.04	0.006	0.61	<0.1	0.32	9.0	0.9	<0.05	8	0.8	<0.2
1771105	Soil	36	0.50	444	0.151	2	2.40	0.006	0.60	0.1	0.21	9.5	0.7	<0.05	7	0.6	<0.2
1771106	Soil	31	0.20	181	0.036	2	1.19	0.005	0.13	<0.1	0.19	6.4	0.3	<0.05	5	0.6	<0.2
1771107	Soil	18	0.26	349	0.051	2	1.19	0.007	0.22	0.1	0.10	5.0	0.2	<0.05	5	<0.5	<0.2
1771108	Soil	22	0.24	299	0.053	2	1.00	0.007	0.22	<0.1	0.47	6.7	0.3	<0.05	4	<0.5	<0.2
1771109	Soil	34	0.37	462	0.061	3	1.57	0.009	0.26	0.2	0.41	7.2	0.3	<0.05	6	0.6	<0.2
1771110	Soil	26	0.31	220	0.054	2	1.10	0.011	0.17	0.2	0.32	3.7	0.3	<0.05	4	<0.5	<0.2
1771111	Soil	33	0.38	329	0.066	2	1.62	0.010	0.19	0.1	0.13	4.0	0.2	<0.05	6	<0.5	<0.2
1771112	Soil	33	0.36	261	0.082	2	1.34	0.008	0.28	<0.1	0.11	4.8	0.3	<0.05	5	<0.5	<0.2
1771113	Soil	32	0.38	237	0.077	3	1.41	0.007	0.26	0.1	0.10	4.1	0.3	<0.05	5	0.8	<0.2
1771114	Soil	38	0.36	297	0.087	2	1.38	0.005	0.42	<0.1	0.07	4.2	0.5	<0.05	6	1.0	<0.2
1771115	Soil	30	0.37	298	0.042	2	1.60	0.008	0.14	0.1	0.08	4.1	0.2	<0.05	5	<0.5	<0.2
1771116	Soil	30	0.41	367	0.087	3	1.47	0.006	0.51	<0.1	0.18	5.9	0.5	<0.05	5	0.6	<0.2
1771117	Soil	31	0.41	308	0.037	2	1.74	0.008	0.11	0.1	0.13	4.6	0.2	<0.05	6	<0.5	<0.2
1771118	Soil	14	0.26	290	0.062	2	1.13	0.007	0.31	0.1	0.32	6.5	0.3	<0.05	4	<0.5	<0.2



www.acmelab.com

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**

1300 - 1111 West Georgia Street

Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike

Report Date: September 25, 2014

Page: 8 of 12

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI14000144.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
1771119	Soil	1.2	23.7	9.7	54	0.1	20.1	8.3	306	3.07	9.2	0.8	3.9	10	0.1	0.7	0.2	52	0.16	0.029	12
1771120	Soil	3.2	53.2	17.3	46	<0.1	19.6	5.6	120	3.34	6.3	1.6	9.0	17	0.1	1.2	0.3	54	0.11	0.049	25
1771121	Soil	3.7	20.7	7.0	50	<0.1	16.3	5.8	195	3.37	6.0	2.4	7.3	13	<0.1	0.8	0.2	58	0.10	0.047	20
1771122	Soil	1.6	24.8	14.8	53	<0.1	16.4	5.7	226	2.48	14.1	<0.5	5.0	14	<0.1	0.7	0.2	60	0.16	0.045	13
1771123	Soil	3.3	72.6	13.0	61	<0.1	31.3	9.3	221	3.55	17.1	0.5	5.9	19	0.1	1.9	0.2	63	0.19	0.050	13
1771124	Soil	2.0	37.0	18.0	110	<0.1	29.6	7.3	206	3.02	12.9	0.7	7.2	13	<0.1	0.7	0.5	59	0.10	0.047	15
1771125	Soil	1.5	29.0	11.7	87	<0.1	24.0	7.8	186	2.76	8.8	3.0	6.9	15	<0.1	1.0	0.2	54	0.14	0.034	18
1771126	Soil	13.9	34.4	11.5	107	<0.1	31.7	9.6	193	3.27	11.3	2.7	7.6	17	<0.1	1.0	0.2	70	0.16	0.033	21
1771127	Soil	3.1	51.7	15.2	111	<0.1	35.4	10.6	269	3.34	7.3	11.0	9.8	21	<0.1	1.2	0.3	67	0.20	0.040	25
1771128	Soil	2.6	62.6	23.9	157	0.1	44.0	12.9	339	4.06	15.4	15.5	10.6	16	0.2	2.0	0.3	75	0.15	0.062	29
1771129	Soil	1.3	24.8	9.6	60	<0.1	25.1	8.0	229	2.75	10.2	3.0	6.6	20	0.1	0.9	0.2	51	0.24	0.044	15
1771130	Soil	2.2	98.4	14.4	196	<0.1	43.8	12.2	315	5.45	5.3	4.7	13.6	18	0.1	0.7	0.2	104	0.10	0.057	42
1771131	Soil	2.5	50.4	26.2	183	<0.1	48.7	17.4	627	5.11	8.7	7.1	18.3	10	0.2	2.2	0.3	68	0.11	0.051	47
1771132	Soil	1.4	30.1	14.8	82	<0.1	23.2	8.6	209	3.05	9.2	2.2	7.4	16	<0.1	0.6	0.2	62	0.15	0.045	17
1771133	Soil	1.5	46.5	17.8	70	<0.1	20.5	7.1	150	2.34	14.7	3.5	9.9	15	<0.1	0.7	0.4	34	0.10	0.033	19
1771134	Soil	2.0	62.5	13.2	44	<0.1	21.3	7.6	179	2.63	20.8	2.5	7.2	18	0.1	2.1	0.2	59	0.12	0.039	18
1771135	Soil	1.2	37.7	10.9	63	<0.1	30.1	10.3	241	3.10	12.8	6.4	6.2	18	<0.1	1.0	0.2	74	0.15	0.019	20
1771136	Soil	2.3	30.3	10.6	54	0.1	20.3	7.3	252	2.96	13.1	6.4	4.4	19	<0.1	1.5	0.2	80	0.19	0.044	15
1771137	Soil	1.5	19.6	11.4	62	0.4	20.9	10.8	477	2.95	10.5	2.1	2.5	14	0.1	0.6	0.2	76	0.14	0.040	11
1771138	Soil	1.8	32.2	14.7	58	0.1	24.2	9.3	215	3.10	21.9	1.4	6.3	11	<0.1	2.1	0.2	62	0.11	0.045	13
1771139	Soil	1.3	56.2	21.5	117	<0.1	28.8	11.2	387	3.96	32.9	2.8	19.4	13	<0.1	1.4	0.4	50	0.21	0.070	47
1771140	Soil	2.2	46.5	16.1	109	<0.1	35.9	12.6	367	4.32	8.2	4.0	18.4	22	0.1	1.3	0.3	81	0.32	0.098	58
1771141	Soil	2.2	39.7	20.7	113	<0.1	37.3	13.9	324	4.22	15.6	2.0	11.7	19	0.1	1.0	0.2	77	0.24	0.060	31
1771142	Soil	2.5	31.2	13.9	90	<0.1	28.4	13.3	339	3.62	9.9	4.0	8.0	18	0.1	0.5	0.2	73	0.26	0.073	22
1771143	Soil	2.8	42.8	15.9	113	<0.1	40.2	14.0	343	4.06	9.8	4.2	14.1	20	<0.1	1.0	0.2	76	0.27	0.061	38
1771144	Soil	2.7	30.1	17.9	75	0.1	24.6	11.3	427	3.02	9.6	8.9	4.9	18	0.1	0.7	0.2	67	0.23	0.051	19
1771145	Soil	4.1	24.3	30.8	76	0.2	28.4	11.4	564	2.72	16.6	13.5	2.3	20	0.1	0.8	0.6	73	0.15	0.097	18
1771146	Soil	2.4	34.5	18.3	106	0.1	35.8	12.2	383	3.08	11.5	8.5	9.6	22	0.2	0.9	0.2	59	0.24	0.079	27
1771147	Soil	3.2	35.3	19.2	109	0.2	34.8	14.0	339	3.42	11.4	11.4	8.3	23	0.1	0.9	0.2	63	0.25	0.064	26
1771148	Soil	1.7	25.8	11.6	61	0.1	20.1	9.9	308	2.46	9.9	7.1	5.0	21	0.1	0.5	0.2	56	0.23	0.048	18

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



www.acmelab.com

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**

1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike

Report Date: September 25, 2014

Page: 8 of 12

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI14000144.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2		
1771119	Soil	28	0.35	207	0.047	1	1.98	0.008	0.14	0.2	0.02	4.9	0.2	<0.05	5	<0.5	<0.2	
1771120	Soil	28	0.20	230	0.025	2	1.08	0.004	0.29	<0.1	0.52	5.1	0.4	<0.05	4	0.8	<0.2	
1771121	Soil	24	0.26	197	0.040	2	1.25	0.004	0.32	0.1	0.72	7.8	0.3	<0.05	4	0.6	<0.2	
1771122	Soil	31	0.32	220	0.069	2	1.55	0.005	0.32	<0.1	0.08	4.0	0.5	<0.05	5	<0.5	<0.2	
1771123	Soil	35	0.29	170	0.049	2	1.30	0.006	0.24	0.1	0.15	4.3	0.3	<0.05	4	0.9	<0.2	
1771124	Soil	33	0.36	160	0.097	4	1.57	0.004	0.53	<0.1	0.07	4.1	0.6	<0.05	5	0.9	<0.2	
1771125	Soil	29	0.40	165	0.087	2	1.48	0.006	0.38	<0.1	0.16	4.2	0.3	<0.05	4	0.6	<0.2	
1771126	Soil	42	0.49	249	0.121	<1	1.59	0.007	0.58	<0.1	0.25	5.7	0.5	<0.05	5	<0.5	<0.2	
1771127	Soil	39	0.49	267	0.099	2	1.60	0.007	0.50	<0.1	0.65	6.5	0.4	<0.05	5	<0.5	<0.2	
1771128	Soil	43	0.46	247	0.100	2	1.58	0.007	0.55	<0.1	0.75	8.0	0.6	<0.05	6	1.1	<0.2	
1771129	Soil	29	0.43	162	0.088	1	1.36	0.009	0.24	0.1	0.09	5.7	0.2	<0.05	4	<0.5	<0.2	
1771130	Soil	57	0.72	380	0.162	3	1.97	0.006	1.17	<0.1	1.17	9.3	0.9	<0.05	8	2.1	<0.2	
1771131	Soil	37	0.56	382	0.154	2	1.92	0.006	0.83	0.1	1.29	9.0	0.8	<0.05	8	<0.5	<0.2	
1771132	Soil	35	0.41	204	0.076	2	1.43	0.006	0.30	<0.1	0.10	3.9	0.2	<0.05	5	<0.5	<0.2	
1771133	Soil	17	0.13	165	0.024	1	0.76	0.003	0.22	<0.1	0.38	5.1	0.4	<0.05	3	1.7	<0.2	
1771134	Soil	28	0.28	178	0.028	2	1.39	0.005	0.10	0.1	0.10	3.6	0.1	<0.05	4	1.1	<0.2	
1771135	Soil	44	0.57	279	0.076	1	2.05	0.011	0.08	0.1	0.21	7.2	<0.1	<0.05	5	<0.5	<0.2	
1771136	Soil	36	0.43	300	0.070	2	1.90	0.007	0.28	0.1	0.11	4.6	0.3	<0.05	5	<0.5	<0.2	
1771137	Soil	33	0.40	278	0.052	1	1.99	0.008	0.05	0.1	0.05	3.3	0.1	<0.05	6	<0.5	<0.2	
1771138	Soil	33	0.36	203	0.043	2	1.87	0.007	0.09	0.1	0.16	3.9	0.2	<0.05	5	<0.5	<0.2	
1771139	Soil	23	0.32	324	0.099	3	1.47	0.007	0.47	<0.1	0.17	10.9	0.6	<0.05	7	<0.5	<0.2	
1771140	Soil	48	0.64	563	0.187	2	1.88	0.006	0.94	<0.1	0.31	5.9	0.9	<0.05	7	0.7	<0.2	
1771141	Soil	50	0.58	328	0.112	2	1.75	0.007	0.52	<0.1	0.04	6.1	0.5	<0.05	6	1.3	<0.2	
1771142	Soil	39	0.50	224	0.095	2	1.68	0.008	0.32	0.1	0.04	4.4	0.4	<0.05	6	0.7	<0.2	
1771143	Soil	44	0.54	367	0.133	2	1.61	0.010	0.59	<0.1	0.10	7.0	0.5	<0.05	6	<0.5	<0.2	
1771144	Soil	33	0.39	309	0.056	2	1.64	0.008	0.15	0.1	0.10	4.4	0.2	<0.05	6	<0.5	<0.2	
1771145	Soil	30	0.25	242	0.046	6	1.32	0.008	0.17	0.1	0.06	3.0	0.3	<0.05	7	0.8	<0.2	
1771146	Soil	36	0.38	280	0.074	2	1.33	0.007	0.27	0.1	0.09	5.1	0.3	<0.05	5	<0.5	<0.2	
1771147	Soil	38	0.45	331	0.070	2	1.65	0.009	0.24	<0.1	0.12	5.1	0.3	<0.05	5	<0.5	<0.2	
1771148	Soil	28	0.34	254	0.047	3	1.37	0.008	0.11	0.1	0.08	4.4	0.1	<0.05	5	0.5	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



www.acmelab.com

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**

1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike

Report Date: September 25, 2014

Page: 9 of 12

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI14000144.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
1771149	Soil	1.4	26.0	12.6	74	<0.1	32.4	11.6	333	3.09	10.2	8.6	5.2	19	<0.1	0.5	0.2	67	0.20	0.039	16
1771150	Soil	1.6	26.5	12.0	71	<0.1	31.4	10.5	237	2.95	11.9	7.7	5.1	21	<0.1	0.7	0.2	64	0.21	0.054	16
1771151	Soil	2.4	42.5	15.8	104	<0.1	82.7	14.9	382	3.14	14.3	23.8	9.7	26	<0.1	0.8	0.2	62	0.24	0.047	24
1771152	Soil	3.4	32.7	15.7	86	<0.1	33.9	14.5	433	3.14	11.6	13.2	5.5	20	0.1	0.8	0.2	67	0.25	0.067	19
1771153	Soil	1.3	39.2	15.9	58	0.1	31.6	10.8	278	2.70	13.0	5.3	5.9	20	<0.1	0.8	0.2	61	0.21	0.030	21
1771154	Soil	1.3	32.3	16.8	85	<0.1	35.3	12.2	365	3.25	13.6	3.2	7.7	27	0.1	0.7	0.2	63	0.32	0.057	16
1771155	Soil	2.1	37.2	18.9	83	<0.1	31.2	9.6	275	3.30	20.9	2.9	9.0	14	0.1	1.2	0.2	57	0.05	0.041	14
1771156	Soil	2.9	42.8	12.7	70	<0.1	33.3	13.5	562	4.71	26.1	5.2	5.3	19	0.1	1.0	0.1	45	0.12	0.071	12
1771157	Soil	1.7	23.1	27.3	39	0.1	18.9	9.1	220	2.60	19.5	7.7	4.5	12	<0.1	1.6	0.7	49	0.09	0.046	10
1771158	Soil	1.3	31.2	9.9	46	<0.1	13.7	5.5	111	2.23	3.9	1.9	5.7	14	<0.1	2.0	0.3	35	0.09	0.024	14
1771159	Soil	11.4	32.1	12.6	55	<0.1	25.8	10.3	113	2.08	7.0	11.1	17.9	21	<0.1	1.2	0.2	62	0.05	0.045	59
1771160	Soil	1.6	86.0	18.4	149	<0.1	38.4	11.6	206	3.14	18.1	8.6	15.2	21	<0.1	0.9	0.2	76	0.07	0.031	28
1771161	Soil	1.2	51.0	17.5	147	<0.1	43.0	10.8	290	3.63	16.5	6.9	11.9	13	0.1	0.7	0.2	69	0.07	0.034	46
1771162	Soil	1.5	38.7	23.5	118	<0.1	33.2	9.7	279	3.23	21.8	4.3	10.3	16	0.1	1.2	0.5	54	0.08	0.031	19
1771163	Soil	1.8	50.3	23.6	137	<0.1	33.4	11.2	342	3.73	14.6	3.9	18.7	15	0.1	1.2	0.4	57	0.05	0.046	52
1771164	Soil	1.2	51.1	21.0	153	<0.1	41.1	8.3	279	3.57	5.7	11.4	16.9	15	<0.1	0.7	0.3	60	0.08	0.034	45
1771165	Soil	1.4	40.1	18.7	90	<0.1	32.5	10.9	487	3.00	10.2	6.7	13.3	16	<0.1	1.0	0.2	43	0.07	0.035	30
1771166	Soil	1.0	36.4	8.1	53	<0.1	30.3	7.9	267	2.77	10.0	5.9	5.4	22	<0.1	0.8	0.2	62	0.27	0.049	21
1771167	Soil	1.1	42.5	16.8	67	0.1	40.0	11.6	333	3.78	8.5	5.8	10.9	15	<0.1	0.8	0.5	63	0.17	0.030	25
1771168	Soil	1.7	21.4	14.2	102	<0.1	31.7	10.4	538	3.18	29.1	1.4	12.9	15	0.1	0.8	0.3	50	0.16	0.061	31
1771169	Soil	1.7	42.7	16.9	132	<0.1	51.2	14.7	393	4.06	12.6	2.3	11.0	14	0.1	0.6	0.3	52	0.08	0.057	23
1771170	Soil	1.7	34.1	29.3	80	<0.1	26.3	8.8	229	3.06	16.4	3.9	8.7	12	0.1	1.0	0.2	53	0.06	0.036	18
1771171	Soil	1.6	20.9	17.6	84	0.1	22.6	9.0	354	2.74	17.8	<0.5	5.5	19	0.1	0.8	0.2	59	0.13	0.045	17
1771172	Soil	1.8	17.2	12.4	63	0.2	19.3	7.2	217	2.51	12.5	1.2	5.5	11	0.1	0.6	0.3	50	0.07	0.033	12
1771173	Soil	1.2	45.4	9.9	51	<0.1	22.9	8.5	179	2.21	9.9	5.1	8.0	18	<0.1	2.3	0.2	58	0.13	0.015	28
1771174	Soil	1.3	43.1	9.2	39	<0.1	17.6	7.3	202	1.79	6.9	5.3	10.5	20	<0.1	1.1	0.5	55	0.04	0.024	19
1771175	Soil	2.4	84.3	8.2	86	0.1	59.8	25.7	2033	4.46	8.2	3.6	8.1	30	0.1	1.4	0.3	109	0.07	0.054	17
1771176	Soil	2.0	57.3	16.5	127	0.1	50.8	14.8	341	4.17	9.1	1.7	11.2	17	0.2	1.9	0.3	41	0.04	0.049	34
1771177	Soil	2.0	18.6	19.0	43	0.1	17.0	7.6	194	2.67	9.6	3.1	6.5	17	<0.1	0.7	0.2	57	0.06	0.034	20
1771178	Soil	1.8	47.3	25.8	131	<0.1	41.7	11.7	389	3.78	14.2	4.3	12.6	17	0.2	0.9	0.2	57	0.09	0.054	24

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



www.acmelab.com

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**

1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike

Report Date: September 25, 2014

Page: 9 of 12

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI14000144.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1771149	Soil	53	0.45	223	0.064	2	1.72	0.008	0.10	0.1	0.06	4.0	0.2	<0.05	5	<0.5	<0.2
1771150	Soil	47	0.51	240	0.055	2	1.79	0.008	0.09	0.1	0.07	4.3	0.1	<0.05	5	<0.5	<0.2
1771151	Soil	104	0.76	346	0.086	2	1.64	0.008	0.31	<0.1	0.12	5.9	0.4	<0.05	5	<0.5	<0.2
1771152	Soil	38	0.46	306	0.062	2	1.77	0.008	0.24	<0.1	0.06	4.3	0.3	<0.05	5	<0.5	<0.2
1771153	Soil	45	0.46	422	0.052	1	1.55	0.010	0.06	<0.1	0.12	7.2	0.1	<0.05	5	0.7	<0.2
1771154	Soil	40	0.42	330	0.080	2	1.26	0.011	0.26	0.1	0.06	5.7	0.3	<0.05	5	<0.5	<0.2
1771155	Soil	27	0.28	174	0.051	2	1.25	0.004	0.32	<0.1	0.14	5.0	0.5	<0.05	5	<0.5	<0.2
1771156	Soil	17	0.13	352	0.009	4	0.71	0.003	0.08	<0.1	0.40	8.9	0.2	<0.05	2	<0.5	<0.2
1771157	Soil	24	0.20	172	0.015	2	1.19	0.005	0.07	<0.1	0.56	4.1	0.1	<0.05	3	<0.5	<0.2
1771158	Soil	16	0.22	147	0.036	2	1.20	0.005	0.27	<0.1	8.65	4.5	0.3	<0.05	3	<0.5	<0.2
1771159	Soil	29	0.20	294	0.020	2	1.42	0.004	0.16	<0.1	0.89	8.6	0.2	<0.05	5	<0.5	<0.2
1771160	Soil	43	0.54	312	0.156	2	1.97	0.006	0.64	<0.1	0.56	8.7	0.7	<0.05	7	1.3	<0.2
1771161	Soil	41	0.56	386	0.166	3	1.71	0.006	0.77	<0.1	0.13	7.3	0.6	<0.05	6	<0.5	<0.2
1771162	Soil	33	0.44	216	0.120	3	1.59	0.005	0.56	<0.1	0.61	4.2	0.8	<0.05	5	1.0	<0.2
1771163	Soil	33	0.39	277	0.120	3	1.49	0.005	0.55	<0.1	0.35	7.7	0.6	<0.05	6	<0.5	<0.2
1771164	Soil	42	0.53	340	0.139	1	1.66	0.006	0.73	<0.1	0.22	5.5	0.6	<0.05	7	<0.5	<0.2
1771165	Soil	22	0.30	288	0.072	1	1.03	0.004	0.44	<0.1	0.35	4.9	0.4	<0.05	5	1.1	<0.2
1771166	Soil	38	0.55	166	0.096	1	1.53	0.016	0.11	0.1	0.10	8.2	<0.1	<0.05	4	<0.5	<0.2
1771167	Soil	40	0.65	238	0.163	<1	2.12	0.007	0.81	0.1	0.26	4.7	0.6	<0.05	6	<0.5	<0.2
1771168	Soil	31	0.47	278	0.105	2	1.65	0.008	0.58	<0.1	0.05	3.6	0.6	<0.05	6	0.6	<0.2
1771169	Soil	31	0.35	219	0.077	<1	1.15	0.005	0.50	<0.1	0.14	4.1	0.4	<0.05	4	0.9	<0.2
1771170	Soil	31	0.34	206	0.067	1	1.41	0.005	0.26	<0.1	0.25	3.8	0.3	<0.05	4	<0.5	<0.2
1771171	Soil	31	0.39	266	0.064	<1	1.40	0.008	0.21	<0.1	0.06	3.3	0.3	<0.05	5	0.9	<0.2
1771172	Soil	27	0.32	173	0.043	1	1.45	0.006	0.11	<0.1	0.05	2.8	0.2	<0.05	5	<0.5	<0.2
1771173	Soil	30	0.41	221	0.053	1	1.37	0.007	0.11	<0.1	0.82	6.9	0.1	<0.05	4	0.9	<0.2
1771174	Soil	30	0.23	184	0.045	1	1.02	0.004	0.25	<0.1	0.82	5.4	0.3	<0.05	4	0.6	<0.2
1771175	Soil	54	0.46	536	0.107	2	1.49	0.005	0.61	0.1	1.19	12.4	0.6	<0.05	6	1.6	<0.2
1771176	Soil	21	0.16	264	0.017	2	0.87	0.003	0.20	<0.1	0.58	4.8	0.2	<0.05	3	1.3	<0.2
1771177	Soil	26	0.21	218	0.013	<1	1.33	0.005	0.09	<0.1	0.05	4.0	0.2	<0.05	4	0.5	<0.2
1771178	Soil	30	0.34	350	0.081	2	1.07	0.004	0.48	<0.1	0.14	5.7	0.5	<0.05	5	1.1	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



www.acmelab.com

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike
Report Date: September 25, 2014

Page: 10 of 12

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI14000144.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1771179	Soil	1.3	33.8	13.3	66	<0.1	24.4	9.5	285	2.67	12.3	3.0	5.0	20	0.2	0.8	0.5	60	0.16	0.068	18
1771180	Soil	1.7	44.1	17.4	134	<0.1	47.5	12.5	262	3.96	15.4	10.3	13.3	19	0.2	1.3	0.2	67	0.13	0.059	33
1771181	Soil	2.7	24.7	15.2	85	<0.1	32.3	8.6	276	3.03	11.0	22.6	4.1	14	0.2	0.8	0.2	52	0.10	0.042	16
1771182	Soil	1.8	35.0	13.3	73	<0.1	28.8	8.3	194	2.81	13.5	14.7	8.6	27	<0.1	0.6	0.2	50	0.14	0.029	22
1771183	Soil	1.4	27.9	23.8	66	<0.1	20.9	8.3	200	2.42	9.8	11.3	7.6	24	<0.1	1.4	0.2	51	0.16	0.026	20
1771184	Soil	1.5	31.8	54.9	63	0.1	21.7	8.5	216	2.60	14.6	9.2	6.4	20	0.1	1.6	0.2	52	0.15	0.043	17
1771185	Soil	2.5	46.7	14.5	134	<0.1	56.6	15.5	449	3.97	7.1	21.6	13.9	26	0.1	0.8	0.3	68	0.20	0.071	29
1771186	Soil	2.3	41.4	12.6	108	<0.1	44.2	12.6	431	3.95	7.1	15.7	11.3	20	0.1	0.8	0.2	60	0.13	0.050	29
1771187	Soil	1.8	55.5	16.0	111	<0.1	37.3	11.6	382	4.40	8.0	16.3	13.5	26	0.1	1.0	0.2	68	0.19	0.056	27
1771188	Soil	1.8	19.3	11.6	50	0.1	15.2	5.6	193	2.30	11.3	9.2	3.1	16	<0.1	0.8	0.2	58	0.11	0.031	13
1771189	Soil	1.1	39.9	12.9	78	0.2	28.2	10.6	249	3.04	12.3	5.5	7.1	15	0.1	1.0	0.2	62	0.13	0.025	16
1771190	Soil	1.5	38.2	13.7	111	<0.1	36.1	10.0	246	2.98	8.6	4.8	10.6	20	0.2	0.7	0.2	50	0.10	0.039	27
1771191	Soil	3.9	56.4	24.6	147	<0.1	44.3	15.4	310	3.76	10.7	12.3	14.1	23	0.1	0.7	0.2	59	0.13	0.048	31
1771192	Soil	2.1	71.9	20.7	199	<0.1	76.1	22.1	499	5.52	7.3	10.0	20.3	14	0.2	0.5	0.3	98	0.27	0.095	53
1771193	Soil	1.6	28.5	15.9	51	<0.1	16.7	6.2	153	2.39	28.9	4.4	7.0	21	0.2	3.0	0.2	39	0.06	0.030	18
1771194	Soil	3.3	14.7	19.2	51	<0.1	11.3	11.4	569	2.74	20.3	4.4	4.0	17	0.1	1.4	0.4	44	0.04	0.090	15
1771195	Soil	2.9	31.8	13.8	75	0.1	24.1	7.9	174	3.20	17.0	3.3	8.7	15	0.1	0.9	0.2	71	0.13	0.046	21
1771196	Soil	3.2	78.1	21.7	224	<0.1	93.4	32.6	1027	6.20	14.6	6.1	16.5	23	0.4	4.5	0.2	55	0.17	0.081	31
1771197	Soil	1.3	40.6	10.9	63	<0.1	31.6	12.2	249	3.12	13.8	9.8	6.4	14	0.1	0.8	0.2	83	0.18	0.032	13
1771198	Soil	1.2	53.3	13.0	49	<0.1	22.2	8.8	172	2.54	10.0	5.4	6.4	14	<0.1	1.1	0.2	57	0.14	0.028	14
1771199	Soil	2.8	64.8	23.1	133	<0.1	41.1	10.4	266	4.54	46.8	5.0	13.0	10	0.1	0.9	0.3	74	0.12	0.062	18
1771200	Soil	2.5	54.9	20.1	167	<0.1	54.1	16.0	359	4.90	22.1	14.5	10.7	20	0.2	1.4	0.2	79	0.16	0.051	27
1771201	Soil	1.7	26.6	15.3	78	0.1	26.0	11.4	471	2.98	22.4	1.6	6.7	21	0.2	1.0	0.2	61	0.22	0.103	13
1771202	Soil	1.8	74.2	20.6	170	<0.1	68.1	19.4	467	5.33	45.8	5.7	22.8	12	0.1	0.5	0.7	93	0.26	0.075	54
1771203	Soil	1.3	31.7	13.1	74	0.1	27.6	8.7	351	3.05	17.1	3.0	8.2	10	<0.1	0.5	0.2	67	0.15	0.047	15
1771204	Soil	1.1	11.2	4.6	62	<0.1	15.0	10.9	928	3.68	5.6	1.9	8.5	15	<0.1	0.4	0.2	45	0.22	0.045	14
1771205	Soil	1.2	8.8	7.6	52	<0.1	9.0	4.5	277	2.59	7.9	<0.5	7.1	18	<0.1	0.4	0.2	32	0.14	0.071	18
1771206	Soil	1.2	27.7	19.5	108	<0.1	26.6	7.9	272	2.85	15.0	1.7	7.6	16	<0.1	0.4	0.2	66	0.21	0.056	15
1771207	Soil	1.5	26.6	17.2	85	0.1	26.9	11.2	362	2.79	14.1	1.7	6.8	18	0.1	0.6	0.3	63	0.22	0.060	16
1771208	Soil	1.9	19.7	17.2	94	0.3	23.2	8.4	729	2.67	8.0	7.7	4.2	22	0.2	1.5	0.3	57	0.29	0.084	19

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



www.acmelab.com

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike
Report Date: September 25, 2014

Page: 10 of 12

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI14000144.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1771179	Soil	32	0.38	266	0.065	2	1.36	0.008	0.34	<0.1	0.03	3.5	0.5	<0.05	5	1.0	<0.2
1771180	Soil	40	0.41	325	0.088	2	1.33	0.006	0.45	<0.1	0.14	7.3	0.5	<0.05	5	0.8	<0.2
1771181	Soil	27	0.32	195	0.036	2	1.21	0.006	0.13	<0.1	0.02	3.1	0.2	<0.05	4	<0.5	<0.2
1771182	Soil	29	0.31	256	0.044	2	1.05	0.008	0.12	<0.1	0.08	5.7	0.2	<0.05	4	0.7	<0.2
1771183	Soil	28	0.39	285	0.057	1	1.30	0.008	0.16	<0.1	0.08	5.0	0.2	<0.05	4	<0.5	<0.2
1771184	Soil	28	0.37	234	0.045	3	1.31	0.008	0.12	0.1	0.08	3.8	0.2	<0.05	5	0.5	<0.2
1771185	Soil	93	0.76	383	0.159	2	1.60	0.006	0.91	<0.1	0.18	6.5	0.8	<0.05	7	1.2	<0.2
1771186	Soil	36	0.43	275	0.085	2	1.40	0.007	0.43	<0.1	0.17	6.8	0.5	<0.05	5	0.9	<0.2
1771187	Soil	43	0.54	411	0.123	2	1.52	0.010	0.63	<0.1	0.16	7.1	0.7	<0.05	6	1.2	<0.2
1771188	Soil	23	0.29	176	0.040	<1	1.20	0.007	0.08	<0.1	0.03	2.6	0.2	<0.05	5	<0.5	<0.2
1771189	Soil	35	0.39	271	0.051	1	1.69	0.009	0.08	0.1	0.07	4.1	0.2	<0.05	5	0.6	<0.2
1771190	Soil	26	0.26	200	0.042	<1	1.19	0.005	0.19	<0.1	0.07	3.8	0.2	<0.05	5	0.5	<0.2
1771191	Soil	41	0.37	283	0.070	3	1.27	0.004	0.41	<0.1	0.07	6.7	0.5	<0.05	5	1.4	<0.2
1771192	Soil	65	0.81	426	0.167	2	2.18	0.006	0.94	<0.1	0.06	9.5	0.8	<0.05	7	1.2	<0.2
1771193	Soil	20	0.14	119	0.015	3	0.67	0.006	0.07	0.1	0.10	5.9	0.1	<0.05	2	0.7	<0.2
1771194	Soil	19	0.08	104	0.010	2	0.64	0.002	0.08	<0.1	0.05	2.0	0.1	<0.05	3	0.7	<0.2
1771195	Soil	35	0.33	205	0.056	2	1.39	0.004	0.30	<0.1	0.54	4.3	0.5	<0.05	5	0.7	<0.2
1771196	Soil	29	0.19	377	0.027	3	0.83	0.004	0.31	<0.1	1.03	9.2	0.3	<0.05	3	1.7	<0.2
1771197	Soil	42	0.50	208	0.086	3	1.79	0.008	0.19	0.1	0.09	5.0	0.2	<0.05	6	<0.5	<0.2
1771198	Soil	35	0.36	187	0.044	2	1.43	0.006	0.14	<0.1	0.52	3.3	0.2	<0.05	4	<0.5	<0.2
1771199	Soil	43	0.49	229	0.114	3	2.03	0.005	0.67	<0.1	0.06	4.0	0.7	<0.05	6	1.5	<0.2
1771200	Soil	43	0.65	356	0.162	3	2.21	0.008	0.68	0.1	0.10	7.6	0.6	<0.05	6	<0.5	<0.2
1771201	Soil	33	0.34	260	0.050	2	1.52	0.007	0.19	0.1	0.12	3.4	0.2	<0.05	5	0.6	<0.2
1771202	Soil	59	0.72	434	0.177	2	1.99	0.007	0.80	<0.1	0.10	8.3	1.0	<0.05	7	1.1	<0.2
1771203	Soil	32	0.38	203	0.092	3	1.52	0.006	0.46	<0.1	0.06	3.9	0.3	<0.05	5	<0.5	<0.2
1771204	Soil	16	0.52	254	0.148	2	1.83	0.008	0.67	0.2	0.09	5.8	0.5	<0.05	8	<0.5	<0.2
1771205	Soil	11	0.12	120	0.015	1	0.73	0.005	0.14	<0.1	0.04	5.2	0.2	<0.05	4	<0.5	<0.2
1771206	Soil	37	0.44	309	0.109	3	1.63	0.007	0.47	<0.1	0.04	3.6	0.5	<0.05	6	<0.5	<0.2
1771207	Soil	32	0.33	234	0.046	1	1.30	0.006	0.18	<0.1	0.05	4.0	0.2	<0.05	5	0.9	<0.2
1771208	Soil	29	0.34	355	0.059	3	1.31	0.011	0.24	0.1	0.31	2.8	0.2	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



www.acmelab.com

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike
Report Date: September 25, 2014

Page: 11 of 12

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI14000144.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
1771209	Soil	1.1	48.9	14.5	128	<0.1	49.7	11.1	222	3.79	13.5	6.1	7.8	18	0.1	0.8	0.2	64	0.19	0.039	25
1771210	Soil	1.6	38.2	17.0	119	<0.1	38.1	11.1	242	3.37	16.3	4.7	7.9	14	0.1	0.5	0.3	68	0.15	0.042	17
1771211	Soil	1.3	52.7	12.9	80	<0.1	30.8	10.5	228	3.11	10.4	6.0	9.3	19	<0.1	0.8	0.2	71	0.17	0.025	30
1771212	Soil	1.6	83.7	26.1	111	<0.1	46.3	12.5	242	3.52	9.3	3.8	16.3	26	<0.1	1.4	0.2	80	0.15	0.041	37
1771213	Soil	2.1	55.7	7.5	110	<0.1	33.3	13.2	198	2.92	4.2	2.6	8.4	36	<0.1	1.0	0.2	35	0.13	0.048	21
1771214	Soil	1.3	25.6	17.7	52	<0.1	20.2	6.7	190	2.21	13.9	4.1	6.3	36	<0.1	1.1	0.2	47	0.21	0.028	17
1771215	Soil	1.5	45.4	15.2	76	<0.1	28.3	8.2	215	2.81	14.5	12.1	9.7	23	<0.1	1.0	0.2	58	0.20	0.030	30
1771216	Soil	1.3	32.4	17.8	52	<0.1	19.9	6.1	153	2.62	16.4	8.8	7.9	15	0.1	1.1	0.4	49	0.12	0.035	19
1771217	Soil	1.9	68.3	22.0	172	<0.1	63.5	17.7	461	5.15	3.0	12.8	20.9	18	0.2	0.3	0.3	94	0.36	0.116	64
1771218	Soil	2.5	38.7	26.4	88	<0.1	36.8	9.8	122	3.06	27.6	25.1	8.6	23	<0.1	1.0	0.2	33	0.12	0.048	20
1771219	Soil	1.2	36.1	9.5	63	<0.1	24.7	9.5	218	2.63	11.0	9.7	5.7	18	<0.1	0.5	0.1	60	0.22	0.036	16
1771220	Soil	3.3	32.0	31.7	45	<0.1	14.1	4.6	72	2.10	9.4	53.4	10.5	24	<0.1	1.4	0.2	47	0.11	0.034	34
1771221	Soil	1.8	33.9	20.2	66	<0.1	23.0	8.7	243	2.53	10.6	13.6	9.0	19	<0.1	0.9	0.3	33	0.11	0.035	23
1771222	Soil	1.1	55.5	17.5	123	<0.1	42.4	11.9	423	4.04	6.6	7.8	11.3	27	<0.1	1.1	0.5	85	0.22	0.050	27
1771223	Soil	0.8	31.4	10.3	53	<0.1	23.5	9.4	246	2.62	8.7	8.2	5.5	22	<0.1	0.6	0.2	58	0.23	0.034	22
1771224	Soil	1.6	30.6	30.8	61	<0.1	17.1	5.9	139	2.35	15.2	3.7	10.3	28	0.1	1.2	0.3	37	0.09	0.041	31
1771225	Soil	1.6	27.7	19.0	63	0.1	22.3	5.6	126	2.32	10.6	6.2	7.6	21	<0.1	0.7	0.2	51	0.15	0.027	25
1771226	Soil	1.8	48.6	16.9	159	<0.1	58.9	16.2	452	4.33	19.6	8.9	18.1	17	<0.1	0.7	0.2	72	0.21	0.065	47
1771227	Soil	1.6	48.1	14.8	122	<0.1	44.0	17.3	390	4.46	11.2	6.2	26.2	22	<0.1	0.7	0.2	69	0.18	0.086	64
1771228	Soil	1.5	40.3	6.7	80	<0.1	25.9	15.2	288	3.14	9.1	8.5	7.8	14	0.1	0.6	0.2	47	0.06	0.031	12
1771229	Soil	1.8	44.5	29.8	152	<0.1	38.4	16.1	250	4.46	15.7	13.9	16.0	22	0.2	1.0	0.4	68	0.07	0.051	34
1771230	Soil	2.0	57.3	23.9	117	<0.1	40.5	25.3	442	4.23	4.8	27.2	14.9	14	0.1	0.4	0.2	75	0.08	0.067	26
1771231	Soil	1.8	47.8	22.0	146	<0.1	55.7	16.4	494	4.29	37.0	11.1	17.2	16	0.2	0.7	0.3	61	0.11	0.059	38
1771232	Soil	1.2	25.0	12.7	52	0.2	24.3	8.9	401	2.57	12.3	12.4	5.4	13	<0.1	0.9	0.2	49	0.12	0.028	13
1771233	Soil	1.3	43.3	25.3	74	<0.1	20.0	6.9	158	2.50	20.8	6.9	9.9	23	0.1	1.3	0.6	47	0.05	0.046	21
1771234	Soil	1.7	27.2	10.0	54	<0.1	24.8	11.4	274	2.63	10.5	15.1	5.5	22	<0.1	0.9	0.2	56	0.20	0.032	13
1771235	Soil	1.8	45.4	9.5	36	<0.1	18.2	4.9	96	1.69	9.4	8.2	10.0	32	<0.1	1.3	0.4	38	0.07	0.027	24
1771236	Soil	1.1	37.4	13.0	75	<0.1	33.6	7.0	199	2.69	10.1	3.9	7.6	24	<0.1	0.9	0.3	61	0.10	0.027	22
1771237	Soil	1.4	21.9	13.7	62	0.1	27.9	9.6	229	3.11	11.1	4.2	4.5	22	0.1	1.2	0.2	66	0.20	0.025	13
1771238	Soil	1.4	28.6	13.0	113	<0.1	37.9	9.2	308	3.22	10.1	2.6	6.4	14	0.1	0.7	0.2	59	0.08	0.031	17

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



www.acmelab.com

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**

1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike

Report Date: September 25, 2014

Page: 11 of 12

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI14000144.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1771209	Soil	40	0.51	350	0.119	<1	1.51	0.007	0.50	<0.1	0.21	6.9	0.4	<0.05	5	<0.5	<0.2
1771210	Soil	42	0.48	254	0.100	2	1.79	0.005	0.45	<0.1	0.04	3.7	0.5	<0.05	5	0.6	<0.2
1771211	Soil	42	0.57	335	0.121	3	1.82	0.008	0.41	<0.1	0.08	6.6	0.4	<0.05	6	0.6	<0.2
1771212	Soil	48	0.64	362	0.161	2	1.77	0.006	0.88	<0.1	0.30	8.2	0.7	<0.05	6	0.7	<0.2
1771213	Soil	16	0.17	355	0.031	2	0.68	0.003	0.28	<0.1	1.19	5.4	0.3	<0.05	2	0.7	<0.2
1771214	Soil	24	0.29	339	0.043	2	0.92	0.013	0.07	<0.1	0.18	5.2	<0.1	<0.05	3	<0.5	<0.2
1771215	Soil	32	0.33	380	0.052	2	1.24	0.008	0.17	<0.1	0.11	6.8	0.2	<0.05	4	0.9	<0.2
1771216	Soil	23	0.22	222	0.033	<1	1.15	0.006	0.15	<0.1	0.06	4.0	0.2	<0.05	4	<0.5	<0.2
1771217	Soil	59	0.95	446	0.225	1	2.37	0.008	1.25	<0.1	0.03	7.2	0.9	<0.05	7	0.6	<0.2
1771218	Soil	18	0.12	226	0.011	2	0.76	0.005	0.11	<0.1	0.08	4.6	0.2	<0.05	2	<0.5	<0.2
1771219	Soil	33	0.44	198	0.068	<1	1.55	0.008	0.14	0.1	0.04	3.5	0.2	<0.05	5	<0.5	<0.2
1771220	Soil	24	0.18	189	0.020	2	1.20	0.003	0.17	<0.1	0.07	3.8	0.2	<0.05	3	0.9	<0.2
1771221	Soil	20	0.22	153	0.050	2	1.13	0.004	0.31	<0.1	0.08	3.0	0.3	<0.05	3	0.8	<0.2
1771222	Soil	48	0.81	465	0.197	1	1.98	0.009	1.01	<0.1	0.30	9.1	0.9	<0.05	7	0.7	<0.2
1771223	Soil	34	0.51	314	0.064	2	1.74	0.012	0.09	0.2	0.16	5.2	0.1	<0.05	5	<0.5	<0.2
1771224	Soil	21	0.14	162	0.027	<1	0.81	0.003	0.21	<0.1	0.10	3.5	0.2	<0.05	3	1.2	<0.2
1771225	Soil	37	0.36	211	0.062	1	1.36	0.006	0.27	<0.1	0.06	3.5	0.3	<0.05	5	<0.5	<0.2
1771226	Soil	62	0.79	379	0.171	2	2.10	0.007	0.91	<0.1	0.06	5.7	0.8	<0.05	6	0.7	<0.2
1771227	Soil	39	0.68	337	0.159	3	1.76	0.006	0.95	<0.1	0.04	6.4	0.8	<0.05	6	0.9	<0.2
1771228	Soil	27	0.30	182	0.051	2	1.38	0.004	0.34	<0.1	0.11	3.2	0.4	<0.05	4	0.6	<0.2
1771229	Soil	39	0.49	366	0.102	2	1.75	0.006	0.60	0.2	0.09	9.0	0.7	<0.05	7	0.9	<0.2
1771230	Soil	38	0.48	192	0.100	3	1.67	0.005	0.56	<0.1	0.03	5.4	0.5	<0.05	6	1.7	<0.2
1771231	Soil	38	0.43	281	0.101	3	1.36	0.005	0.53	<0.1	0.04	6.8	0.6	<0.05	6	0.9	<0.2
1771232	Soil	33	0.40	233	0.042	2	1.62	0.007	0.09	0.1	0.04	3.7	0.2	<0.05	5	0.6	<0.2
1771233	Soil	27	0.25	456	0.052	2	1.17	0.003	0.30	<0.1	0.04	3.4	0.3	<0.05	4	0.7	<0.2
1771234	Soil	32	0.48	363	0.059	2	1.54	0.011	0.09	0.1	0.07	4.5	<0.1	<0.05	4	<0.5	<0.2
1771235	Soil	18	0.13	283	0.010	2	0.66	0.003	0.19	<0.1	0.87	5.8	0.2	<0.05	3	2.3	<0.2
1771236	Soil	34	0.45	303	0.104	3	1.24	0.007	0.43	<0.1	0.09	6.5	0.4	<0.05	5	0.9	<0.2
1771237	Soil	35	0.47	276	0.050	2	1.95	0.010	0.08	0.1	0.07	4.4	<0.1	<0.05	5	<0.5	<0.2
1771238	Soil	35	0.45	226	0.089	2	1.50	0.007	0.34	0.1	0.04	4.2	0.3	<0.05	5	0.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



www.acmelab.com

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**

1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike

Report Date: September 25, 2014

Page: 12 of 12

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI14000144.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
1771239	Soil	1.7	43.0	22.4	49	<0.1	21.9	6.2	104	2.52	11.7	4.0	13.1	24	0.1	9.3	0.2	31	0.06	0.035	44
1771240	Soil	1.7	40.7	19.5	96	<0.1	31.8	10.8	277	3.16	24.6	7.7	12.0	14	0.1	1.1	0.4	67	0.18	0.067	28
1771241	Soil	1.2	15.6	10.4	51	<0.1	13.9	6.6	213	2.18	11.3	1.9	7.9	24	<0.1	0.7	0.3	31	0.08	0.033	14
1771242	Soil	1.4	12.2	8.8	47	<0.1	18.5	7.5	428	2.40	7.9	3.7	4.2	24	<0.1	0.7	0.2	50	0.22	0.030	12
1771243	Soil	2.2	30.1	20.1	98	0.1	27.1	10.8	577	3.59	11.7	0.5	10.7	20	<0.1	0.6	0.4	68	0.18	0.075	28
1771244	Soil	1.4	13.6	31.1	59	0.1	22.8	5.5	271	2.26	17.4	3.6	4.0	17	0.1	0.7	2.5	29	0.19	0.062	13
1771245	Soil	1.7	22.3	17.5	66	0.1	23.7	8.4	317	2.71	14.3	3.8	6.0	20	0.1	0.9	0.2	56	0.16	0.028	12
1771246	Soil	1.6	34.1	20.0	94	<0.1	28.9	7.5	194	2.94	12.6	2.5	6.8	16	<0.1	0.9	0.3	51	0.07	0.038	16
1771247	Soil	1.5	47.2	16.8	144	<0.1	42.7	13.2	375	4.28	7.9	5.1	13.2	15	0.1	1.0	0.3	80	0.12	0.054	32
1771248	Soil	2.6	34.5	17.9	70	<0.1	28.8	7.2	226	3.17	18.9	6.1	8.6	20	0.2	1.4	0.3	37	0.09	0.050	19
1771249	Soil	1.5	37.7	20.0	126	<0.1	39.5	10.0	662	4.35	19.1	2.0	8.4	18	0.1	2.0	0.4	55	0.20	0.072	16
1771250	Soil	3.0	57.3	18.3	115	0.1	36.6	13.4	342	4.38	14.8	5.1	11.6	20	0.1	1.6	0.2	63	0.10	0.074	28
1771251	Soil	1.9	42.3	18.7	130	<0.1	43.8	10.6	235	3.90	10.7	8.3	12.2	24	<0.1	0.7	0.2	63	0.11	0.050	31
1771252	Soil	1.4	33.9	16.9	52	<0.1	18.7	7.1	184	2.42	10.7	9.7	11.2	16	<0.1	0.6	0.3	44	0.09	0.034	26
1771253	Soil	1.3	15.5	10.4	61	0.1	22.8	7.9	278	2.51	7.1	2.2	4.7	16	<0.1	0.5	0.1	55	0.13	0.031	13
1771254	Soil	1.4	28.2	13.5	71	0.2	29.2	8.7	254	2.87	9.9	11.0	6.8	18	<0.1	0.6	0.2	56	0.15	0.040	17
1771255	Soil	2.7	67.5	14.4	195	0.1	67.4	19.2	576	5.12	3.9	11.0	21.1	16	0.2	0.4	0.4	83	0.23	0.098	57
1771256	Soil	2.1	41.9	20.4	123	0.1	37.5	8.8	206	4.08	21.8	0.7	10.3	14	0.2	1.3	0.3	61	0.08	0.072	19
1771257	Soil	2.5	31.0	17.5	84	<0.1	23.1	6.6	155	3.06	14.1	4.9	10.5	19	<0.1	0.9	0.3	56	0.09	0.043	22



www.acmelab.com

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**

1300 - 1111 West Georgia Street

Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike

Report Date: September 25, 2014

Page: 12 of 12

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI14000144.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1771239	Soil	19	0.14	189	0.017	3	0.76	0.004	0.20	<0.1	0.45	3.4	0.2	<0.05	3	1.3	<0.2
1771240	Soil	39	0.44	275	0.100	3	1.49	0.007	0.43	0.1	0.14	6.1	0.6	<0.05	5	0.9	<0.2
1771241	Soil	14	0.25	121	0.047	2	0.93	0.006	0.24	<0.1	0.08	3.8	0.3	<0.05	4	<0.5	<0.2
1771242	Soil	26	0.39	247	0.050	2	1.28	0.009	0.11	0.1	0.13	3.8	<0.1	<0.05	4	<0.5	<0.2
1771243	Soil	35	0.49	318	0.101	1	1.65	0.009	0.49	0.1	0.03	4.4	0.5	<0.05	6	<0.5	<0.2
1771244	Soil	16	0.19	173	0.024	2	0.82	0.007	0.15	<0.1	0.03	1.8	0.2	<0.05	3	<0.5	0.3
1771245	Soil	33	0.40	229	0.050	3	1.62	0.007	0.12	0.1	0.19	3.9	0.1	<0.05	5	<0.5	<0.2
1771246	Soil	31	0.38	193	0.067	2	1.41	0.006	0.33	<0.1	0.12	3.6	0.3	<0.05	4	0.6	<0.2
1771247	Soil	45	0.65	383	0.194	2	1.85	0.008	1.03	<0.1	0.53	6.8	0.7	<0.05	7	0.7	<0.2
1771248	Soil	21	0.17	197	0.022	1	0.77	0.004	0.14	<0.1	0.61	4.0	0.3	<0.05	3	0.8	<0.2
1771249	Soil	25	0.43	304	0.087	4	1.47	0.006	0.55	<0.1	0.66	9.5	0.5	<0.05	6	0.6	<0.2
1771250	Soil	37	0.32	250	0.046	2	1.16	0.006	0.25	<0.1	0.06	5.1	0.2	<0.05	4	1.0	<0.2
1771251	Soil	34	0.37	366	0.078	3	1.32	0.006	0.42	<0.1	0.04	6.0	0.4	<0.05	5	0.7	<0.2
1771252	Soil	26	0.26	189	0.029	2	1.09	0.005	0.13	<0.1	0.02	3.8	0.2	<0.05	3	1.1	<0.2
1771253	Soil	29	0.43	163	0.052	2	1.33	0.008	0.12	<0.1	0.01	2.9	0.1	<0.05	5	<0.5	<0.2
1771254	Soil	31	0.41	222	0.049	1	1.34	0.008	0.14	<0.1	0.06	3.7	0.1	<0.05	4	<0.5	<0.2
1771255	Soil	46	0.63	480	0.143	2	1.78	0.007	0.80	<0.1	0.04	8.1	0.8	<0.05	7	0.9	<0.2
1771256	Soil	31	0.28	178	0.049	<1	1.01	0.005	0.26	<0.1	0.01	4.5	0.3	<0.05	5	0.6	<0.2
1771257	Soil	30	0.35	301	0.072	4	1.27	0.006	0.32	<0.1	0.03	4.0	0.4	<0.05	5	<0.5	<0.2

QUALITY CONTROL REPORT

WHI14000144.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
Pulp Duplicates																					
1770009	Soil	1.0	20.9	6.9	51	0.1	15.7	8.8	641	2.39	5.9	0.7	4.5	29	<0.1	0.4	0.1	50	0.43	0.037	14
REP 1770009	QC	1.1	21.3	6.6	50	<0.1	15.5	8.4	637	2.38	6.1	<0.5	4.6	29	<0.1	0.5	<0.1	49	0.46	0.035	13
1770057	Soil	<0.1	9.7	2.4	119	<0.1	8.2	15.0	774	2.37	2.1	1.7	6.6	16	<0.1	0.2	<0.1	27	0.98	0.058	17
REP 1770057	QC	0.2	9.7	2.5	122	<0.1	7.4	14.7	786	2.38	1.9	3.8	6.5	16	<0.1	0.2	<0.1	28	0.95	0.055	18
1771019	Soil	1.1	36.4	13.4	80	<0.1	30.2	11.8	506	2.98	10.7	5.8	5.2	40	0.2	1.0	0.2	61	0.55	0.060	17
REP 1771019	QC	1.5	36.5	12.4	82	<0.1	28.8	12.2	527	3.05	10.9	4.5	5.5	41	0.1	1.0	0.3	63	0.54	0.064	19
1771055	Soil	1.8	29.9	17.5	95	0.2	35.7	12.6	445	3.49	17.0	1.3	7.5	22	0.2	0.9	0.2	61	0.29	0.075	24
REP 1771055	QC	2.1	31.3	18.0	94	0.2	34.9	11.8	436	3.44	16.8	1.5	7.5	22	0.1	0.9	0.2	60	0.28	0.073	24
1771091	Soil	2.3	34.4	35.5	91	0.3	30.7	10.9	413	3.21	11.7	11.8	7.3	24	0.2	1.6	0.2	57	0.34	0.069	21
REP 1771091	QC	1.9	32.6	35.7	88	0.3	29.6	10.5	380	3.04	11.9	33.8	7.5	23	0.2	1.7	0.2	54	0.31	0.068	21
1771127	Soil	3.1	51.7	15.2	111	<0.1	35.4	10.6	269	3.34	7.3	11.0	9.8	21	<0.1	1.2	0.3	67	0.20	0.040	25
REP 1771127	QC	3.2	51.2	15.6	112	<0.1	36.5	10.5	284	3.48	7.3	8.3	9.8	22	0.1	1.3	0.3	68	0.20	0.038	26
1771163	Soil	1.8	50.3	23.6	137	<0.1	33.4	11.2	342	3.73	14.6	3.9	18.7	15	0.1	1.2	0.4	57	0.05	0.046	52
REP 1771163	QC	1.8	50.9	24.4	134	<0.1	31.7	10.8	315	3.57	14.0	4.8	18.7	15	0.1	1.4	0.4	56	0.05	0.042	53
1771199	Soil	2.8	64.8	23.1	133	<0.1	41.1	10.4	266	4.54	46.8	5.0	13.0	10	0.1	0.9	0.3	74	0.12	0.062	18
REP 1771199	QC	2.6	62.8	23.6	132	<0.1	41.8	9.8	262	4.41	48.6	5.6	13.3	11	0.1	0.9	0.4	74	0.13	0.060	18
1771257	Soil	2.5	31.0	17.5	84	<0.1	23.1	6.6	155	3.06	14.1	4.9	10.5	19	<0.1	0.9	0.3	56	0.09	0.043	22
REP 1771257	QC	2.3	31.8	17.5	85	<0.1	22.5	6.5	150	2.99	13.8	4.1	10.0	19	<0.1	0.8	0.3	54	0.09	0.042	22
Reference Materials																					
STD DS10	Standard	15.6	159.4	155.4	368	1.9	77.2	13.1	874	2.85	45.4	84.0	7.9	72	2.5	9.3	12.2	47	1.06	0.073	19
STD DS10	Standard	15.7	163.1	154.3	377	1.9	81.0	13.5	907	2.85	45.1	69.3	8.0	72	2.7	9.5	12.5	49	1.15	0.076	19
STD DS10	Standard	13.5	142.2	152.5	340	1.9	67.1	11.4	787	2.52	44.8	116.2	7.9	69	2.3	9.4	13.1	43	0.96	0.068	18
STD DS10	Standard	14.1	153.3	154.8	382	1.8	75.7	13.1	863	2.80	49.6	83.7	7.4	68	2.5	9.5	12.2	46	1.12	0.083	19
STD DS10	Standard	14.9	162.8	152.6	368	2.1	76.2	13.3	919	2.78	45.5	67.1	7.5	69	2.7	10.2	12.8	47	1.07	0.070	17
STD DS10	Standard	14.7	163.5	151.8	401	2.0	81.6	13.4	911	2.84	50.4	84.4	7.9	67	2.5	9.7	13.3	47	1.11	0.081	20
STD DS10	Standard	16.2	164.6	153.4	379	1.9	81.5	13.3	909	2.89	46.5	93.7	7.6	72	2.6	9.4	12.9	49	1.13	0.080	18
STD DS10	Standard	14.8	154.6	149.5	366	1.7	75.5	12.6	867	2.68	43.7	67.3	7.6	69	2.5	9.5	12.1	45	1.08	0.073	18
STD DS10	Standard	13.4	149.3	151.8	364	1.9	74.7	12.1	851	2.68	45.4	75.8	7.9	71	2.4	9.7	12.2	42	1.03	0.073	18

QUALITY CONTROL REPORT

WHI14000144.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																	
1770009	Soil	26	0.52	847	0.050	3	1.43	0.013	0.17	0.1	<0.01	6.0	<0.1	<0.05	4	<0.5	<0.2
REP 1770009	QC	26	0.52	836	0.051	4	1.43	0.013	0.17	0.1	0.02	6.7	<0.1	<0.05	4	<0.5	<0.2
1770057	Soil	4	1.79	340	0.139	<1	1.92	0.011	0.70	<0.1	0.01	6.4	0.3	<0.05	6	<0.5	<0.2
REP 1770057	QC	3	1.80	350	0.142	2	1.95	0.011	0.71	<0.1	<0.01	6.3	0.3	<0.05	6	<0.5	<0.2
1771019	Soil	32	0.57	343	0.086	<1	1.43	0.029	0.13	0.1	0.12	5.3	0.1	<0.05	4	<0.5	<0.2
REP 1771019	QC	32	0.61	355	0.099	2	1.46	0.030	0.13	0.2	0.12	5.7	<0.1	<0.05	5	0.7	<0.2
1771055	Soil	32	0.41	300	0.077	1	1.33	0.010	0.34	0.1	0.03	4.3	0.3	<0.05	4	<0.5	<0.2
REP 1771055	QC	32	0.41	303	0.075	2	1.31	0.010	0.34	0.1	0.02	4.1	0.3	<0.05	4	<0.5	<0.2
1771091	Soil	29	0.33	358	0.069	2	1.10	0.012	0.22	0.1	0.36	5.7	0.3	<0.05	4	<0.5	<0.2
REP 1771091	QC	27	0.31	366	0.064	3	1.04	0.008	0.20	0.1	0.33	5.3	0.3	<0.05	4	1.1	<0.2
1771127	Soil	39	0.49	267	0.099	2	1.60	0.007	0.50	<0.1	0.65	6.5	0.4	<0.05	5	<0.5	<0.2
REP 1771127	QC	40	0.48	279	0.100	3	1.53	0.006	0.52	<0.1	0.65	6.7	0.5	<0.05	6	0.8	<0.2
1771163	Soil	33	0.39	277	0.120	3	1.49	0.005	0.55	<0.1	0.35	7.7	0.6	<0.05	6	<0.5	<0.2
REP 1771163	QC	32	0.37	288	0.126	2	1.44	0.005	0.56	<0.1	0.33	7.8	0.6	<0.05	6	<0.5	<0.2
1771199	Soil	43	0.49	229	0.114	3	2.03	0.005	0.67	<0.1	0.06	4.0	0.7	<0.05	6	1.5	<0.2
REP 1771199	QC	41	0.47	231	0.114	2	2.05	0.005	0.70	<0.1	0.05	3.8	0.7	<0.05	6	1.1	<0.2
1771257	Soil	30	0.35	301	0.072	4	1.27	0.006	0.32	<0.1	0.03	4.0	0.4	<0.05	5	<0.5	<0.2
REP 1771257	QC	29	0.36	307	0.067	2	1.28	0.006	0.33	<0.1	0.03	3.8	0.4	<0.05	5	0.9	<0.2
Reference Materials																	
STD DS10	Standard	56	0.76	363	0.082	6	1.03	0.066	0.33	3.2	0.30	3.1	5.0	0.27	5	1.6	4.9
STD DS10	Standard	60	0.80	366	0.088	6	1.09	0.070	0.34	3.1	0.33	3.0	4.9	0.31	4	2.0	4.9
STD DS10	Standard	52	0.76	339	0.079	5	1.02	0.067	0.31	3.1	0.28	3.0	5.1	0.25	4	2.3	4.9
STD DS10	Standard	54	0.81	385	0.083	8	1.14	0.078	0.34	3.5	0.28	3.3	5.2	0.28	4	2.4	5.0
STD DS10	Standard	57	0.76	366	0.079	8	1.00	0.058	0.32	3.5	0.27	2.6	4.9	0.26	4	1.6	4.9
STD DS10	Standard	57	0.85	393	0.085	9	1.16	0.077	0.34	3.4	0.30	3.1	5.2	0.28	5	2.4	5.3
STD DS10	Standard	60	0.82	369	0.089	5	1.10	0.064	0.33	3.1	0.28	3.1	5.0	0.35	4	2.4	4.9
STD DS10	Standard	56	0.76	348	0.081	6	1.04	0.060	0.32	3.2	0.29	2.7	4.8	0.25	4	2.6	5.3
STD DS10	Standard	54	0.76	343	0.080	8	1.03	0.067	0.32	3.2	0.31	2.9	4.9	0.28	4	2.3	5.2



www.acmelab.com

Bureau Veritas Commodities Canada Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**
 1300 - 1111 West Georgia Street
 Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike
 Report Date: September 25, 2014

Page: 2 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI14000144.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
STD DS10	Standard	15.0	168.9	158.7	387	2.0	78.0	14.1	902	2.86	48.1	77.2	8.2	72	2.8	10.5	13.1	50	1.09	0.075	19
STD OXC109	Standard	1.5	37.7	11.7	41	<0.1	71.6	19.1	395	2.81	0.6	212.3	1.6	152	<0.1	<0.1	<0.1	51	0.73	0.106	13
STD OXC109	Standard	1.5	34.8	10.7	38	<0.1	75.2	20.3	427	2.85	0.7	186.4	1.5	150	<0.1	<0.1	<0.1	53	0.69	0.103	13
STD OXC109	Standard	1.3	34.8	12.0	43	<0.1	69.7	18.3	395	2.78	0.7	183.0	1.6	145	<0.1	<0.1	<0.1	47	0.67	0.103	13
STD OXC109	Standard	1.5	34.6	11.1	40	<0.1	70.7	18.0	396	2.85	0.5	193.7	1.4	146	<0.1	<0.1	<0.1	51	0.74	0.107	13
STD OXC109	Standard	1.7	35.5	10.6	37	<0.1	71.4	19.5	410	2.76	0.7	198.3	1.4	134	<0.1	<0.1	<0.1	49	0.65	0.103	13
STD OXC109	Standard	1.4	35.9	11.0	42	<0.1	74.2	19.7	399	2.87	0.9	198.0	1.4	139	<0.1	<0.1	<0.1	51	0.75	0.108	13
STD OXC109	Standard	1.5	35.7	10.7	38	<0.1	76.3	20.1	439	2.95	0.8	173.6	1.5	141	<0.1	<0.1	<0.1	52	0.71	0.102	12
STD OXC109	Standard	1.4	35.8	10.9	41	<0.1	75.4	20.1	438	2.90	0.6	191.3	1.5	155	<0.1	<0.1	<0.1	52	0.69	0.102	13
STD OXC109	Standard	1.5	36.9	12.4	44	<0.1	79.2	20.1	447	3.13	0.9	212.8	1.6	147	<0.1	<0.1	<0.1	53	0.73	0.110	14
STD OXC109	Standard	1.6	39.4	12.3	43	<0.1	75.3	20.1	402	2.87	0.7	192.6	1.7	138	<0.1	<0.1	<0.1	49	0.66	0.106	13
STD DS10 Expected		14.69	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	43.7	91.9	7.5	67.1	2.49	8.23	11.65	43	1.0625	0.073	17.5
STD OXC109 Expected		201																			
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

QUALITY CONTROL REPORT

WHI14000144.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD DS10	Standard	57	0.82	359	0.085	6	1.08	0.077	0.34	3.4	0.31	3.4	5.6	0.32	5	2.3	5.3
STD OXC109	Standard	59	1.43	58	0.377	1	1.56	0.686	0.41	0.2	<0.01	1.1	<0.1	<0.05	6	<0.5	<0.2
STD OXC109	Standard	61	1.36	56	0.399	1	1.52	0.652	0.41	0.2	0.01	1.0	<0.1	<0.05	5	<0.5	<0.2
STD OXC109	Standard	58	1.39	56	0.393	1	1.43	0.664	0.40	0.2	<0.01	1.1	<0.1	<0.05	5	<0.5	<0.2
STD OXC109	Standard	57	1.49	59	0.376	2	1.55	0.699	0.41	0.2	<0.01	1.3	<0.1	<0.05	5	<0.5	<0.2
STD OXC109	Standard	57	1.32	54	0.371	2	1.39	0.618	0.39	0.2	<0.01	0.8	<0.1	<0.05	5	<0.5	<0.2
STD OXC109	Standard	59	1.47	57	0.392	<1	1.58	0.695	0.42	0.2	<0.01	1.0	<0.1	<0.05	6	<0.5	<0.2
STD OXC109	Standard	61	1.35	55	0.398	2	1.52	0.651	0.40	0.1	<0.01	1.0	<0.1	<0.05	5	<0.5	<0.2
STD OXC109	Standard	60	1.36	55	0.385	<1	1.51	0.666	0.40	0.2	<0.01	1.0	<0.1	<0.05	5	<0.5	<0.2
STD OXC109	Standard	61	1.54	62	0.425	<1	1.60	0.704	0.44	0.2	0.01	1.1	<0.1	<0.05	6	<0.5	<0.2
STD OXC109	Standard	59	1.44	58	0.363	1	1.60	0.711	0.40	0.2	<0.01	1.1	<0.1	<0.05	6	<0.5	<0.2
STD DS10 Expected		54.6	0.775	359	0.0817		1.0259	0.067	0.338	3.32	0.3	2.8	5.1	0.29	4.3	2.3	5.01
STD OXC109 Expected																	
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



www.acmelab.com

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**
1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Submitted By: Trevor Bremner
Receiving Lab: Canada-Whitehorse
Received: August 27, 2014
Report Date: September 25, 2014
Page: 1 of 11

CERTIFICATE OF ANALYSIS

WHI14000145.1

CLIENT JOB INFORMATION

Project: Lucky Strike
Shipment ID: LS_SOIL_2014
P.O. Number
Number of Samples: 289

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Goldstrike Resources Ltd.
1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3
CANADA

CC: Clayton Jones
Daithi Mac Gerailt
Diana Benz

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	289	Dry at 60C			WHI
SS80	289	Dry at 60C sieve 100g to -80 mesh			WHI
AQ201	288	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
DISP2	289	Heat treatment of Soils and Sediments			VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. *** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



www.acmelab.com

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**

1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike

Report Date: September 25, 2014

Page: 2 of 11

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI14000145.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
1771258	Soil	3.8	54.4	22.9	97	0.2	34.5	10.5	338	3.14	26.0	14.8	9.3	21	0.2	2.6	0.3	51	0.20	0.063	20
1771259	Soil	1.5	24.4	16.1	51	0.1	15.5	5.5	196	2.07	15.1	3.7	6.4	18	<0.1	0.8	0.3	46	0.17	0.045	19
1771260	Soil	1.4	54.4	15.2	116	<0.1	48.8	12.3	295	3.67	11.5	7.8	9.2	18	<0.1	1.1	0.2	74	0.22	0.043	22
1771261	Soil	1.7	48.3	14.4	82	<0.1	29.1	7.7	176	2.62	10.8	23.3	9.0	19	<0.1	1.5	0.3	53	0.17	0.029	24
1771262	Soil	1.6	36.5	15.8	120	<0.1	32.4	9.8	334	3.71	9.8	6.3	7.5	17	0.1	0.9	0.3	75	0.16	0.042	18
1771263	Soil	1.6	55.1	18.2	145	<0.1	51.8	12.8	297	3.67	7.3	9.6	13.3	22	0.1	1.4	0.3	69	0.15	0.039	37
1771264	Soil	1.8	61.0	21.5	136	<0.1	45.3	11.7	345	4.01	20.6	11.3	12.6	17	0.2	1.0	1.6	69	0.23	0.065	38
1771265	Soil	10.5	20.5	13.9	88	0.2	26.2	12.3	920	3.05	10.3	8.9	3.8	22	0.1	1.3	0.3	62	0.29	0.079	14
1771266	Soil	1.6	21.9	9.0	62	<0.1	23.3	7.7	214	2.67	13.6	6.3	4.4	18	<0.1	0.9	0.2	56	0.22	0.025	13
1771267	Soil	1.6	19.1	11.3	88	0.2	26.5	12.5	857	2.74	5.8	2.2	2.9	23	0.4	0.7	0.2	60	0.30	0.060	12
1771268	Soil	1.7	29.7	14.9	84	0.2	33.9	10.3	316	3.21	7.9	2.1	7.3	20	<0.1	1.3	0.3	57	0.25	0.065	21
1771269	Soil	5.0	21.3	16.1	64	0.2	19.6	7.3	361	2.52	11.9	7.2	3.0	24	0.2	1.1	0.3	44	0.25	0.072	11
1771270	Soil	2.4	57.5	22.2	83	0.1	39.0	11.6	307	3.22	20.6	10.7	9.8	27	0.1	1.4	0.2	57	0.18	0.059	27
1771271	Soil	2.7	39.9	26.0	111	<0.1	41.8	10.4	245	3.52	15.2	14.0	9.1	17	0.1	2.0	0.4	47	0.16	0.045	27
1771272	Soil	1.1	29.6	16.1	62	<0.1	27.2	7.0	213	2.30	22.5	14.5	7.2	19	<0.1	1.4	0.3	45	0.17	0.047	19
1771273	Soil	2.2	45.2	18.4	153	<0.1	48.7	13.2	281	4.33	5.3	17.7	11.0	12	<0.1	0.6	0.2	68	0.16	0.051	24
1771274	Soil	2.2	43.8	21.5	67	<0.1	24.3	8.7	193	2.52	15.6	2.7	7.4	18	<0.1	0.6	0.2	44	0.12	0.051	15
1771275	Soil	1.4	41.0	17.0	52	0.1	25.8	8.7	245	2.42	10.3	14.7	6.7	17	<0.1	1.0	0.2	50	0.14	0.025	18
1771276	Soil	1.5	36.3	20.2	106	0.2	38.7	10.8	303	3.59	11.7	8.4	7.0	18	<0.1	0.8	0.2	70	0.23	0.043	16
1771277	Soil	12.4	43.8	22.2	108	<0.1	39.8	9.9	315	3.62	13.9	53.7	8.4	22	0.1	1.4	0.3	58	0.20	0.053	19
1771278	Soil	1.6	42.6	21.1	104	<0.1	32.9	8.7	255	3.06	9.0	13.4	10.0	18	<0.1	0.7	0.7	56	0.23	0.058	23
1771279	Soil	1.8	27.1	25.2	109	0.2	32.9	11.1	537	2.96	11.1	5.2	6.5	22	0.2	0.6	0.2	50	0.26	0.084	22
1771280	Soil	1.8	32.0	22.4	56	0.1	19.5	5.5	159	2.42	18.0	13.9	7.9	18	<0.1	0.9	0.2	43	0.14	0.047	19
1771281	Soil	1.7	45.9	19.6	90	<0.1	44.9	12.0	355	3.37	26.4	8.7	9.0	24	0.2	1.3	0.2	59	0.36	0.076	26
1771282	Soil	3.0	45.1	33.6	141	<0.1	50.6	13.3	385	4.65	15.9	2.0	18.2	14	<0.1	0.6	0.3	72	0.28	0.099	46
1771283	Soil	1.8	118.7	20.1	98	<0.1	32.6	8.9	236	4.03	14.8	2.1	10.3	18	0.1	0.7	0.3	99	0.26	0.092	31
1771284	Soil	1.3	36.3	15.8	104	<0.1	34.3	11.0	363	3.32	6.9	5.4	7.3	15	<0.1	0.9	0.4	60	0.26	0.061	17
1771285	Soil	2.2	27.2	12.6	72	<0.1	24.2	8.0	217	2.60	7.5	7.4	6.7	16	<0.1	1.3	0.3	50	0.22	0.039	21
1771286	Soil	3.1	51.1	26.8	144	0.1	47.8	14.5	363	4.31	68.8	3.2	17.2	14	0.2	4.1	0.2	69	0.21	0.064	25
1771287	Soil	2.3	55.1	28.6	165	0.1	47.9	14.9	346	4.73	38.3	4.8	11.4	16	0.1	2.0	0.3	75	0.27	0.073	20

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

CERTIFICATE OF ANALYSIS

WHI14000145.1

Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te	
	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
1771258	Soil	26	0.20	405	0.026	3	0.68	0.008	0.12	<0.1	0.23	6.2	0.2	<0.05	2	1.0	<0.2
1771259	Soil	22	0.25	211	0.035	2	0.92	0.005	0.20	<0.1	0.09	2.9	0.2	<0.05	4	<0.5	<0.2
1771260	Soil	75	0.59	350	0.130	2	1.55	0.008	0.62	<0.1	0.62	7.0	0.5	<0.05	6	0.8	<0.2
1771261	Soil	33	0.36	284	0.070	3	1.17	0.005	0.45	<0.1	0.93	6.5	0.4	<0.05	4	0.9	<0.2
1771262	Soil	43	0.56	370	0.140	2	1.91	0.007	0.68	0.1	0.11	3.6	0.5	<0.05	7	<0.5	<0.2
1771263	Soil	43	0.48	371	0.087	2	1.49	0.006	0.58	<0.1	0.42	8.2	0.5	<0.05	6	1.1	<0.2
1771264	Soil	39	0.52	337	0.122	3	1.55	0.006	0.69	0.2	0.15	5.6	0.7	<0.05	6	0.7	<0.2
1771265	Soil	32	0.36	426	0.048	1	1.36	0.008	0.23	0.1	0.11	3.8	0.2	<0.05	4	<0.5	<0.2
1771266	Soil	32	0.44	177	0.063	1	1.36	0.007	0.13	0.1	0.09	4.6	0.1	<0.05	4	<0.5	<0.2
1771267	Soil	32	0.43	371	0.067	2	1.43	0.011	0.26	0.1	0.05	3.3	0.2	<0.05	4	<0.5	<0.2
1771268	Soil	35	0.45	287	0.099	3	1.33	0.008	0.42	<0.1	0.17	3.7	0.3	<0.05	5	<0.5	<0.2
1771269	Soil	20	0.20	297	0.022	3	0.83	0.005	0.13	0.1	0.08	3.4	<0.1	<0.05	3	<0.5	<0.2
1771270	Soil	35	0.30	369	0.043	3	0.97	0.011	0.14	0.1	0.13	7.3	0.1	<0.05	3	<0.5	<0.2
1771271	Soil	31	0.24	267	0.032	1	0.84	0.005	0.19	<0.1	0.06	4.3	0.2	<0.05	3	0.6	<0.2
1771272	Soil	33	0.32	260	0.038	1	0.89	0.007	0.10	0.1	0.05	5.1	0.2	<0.05	3	<0.5	<0.2
1771273	Soil	39	0.50	311	0.125	2	1.57	0.005	0.65	<0.1	0.02	4.5	0.6	<0.05	5	0.7	<0.2
1771274	Soil	21	0.18	211	0.020	1	0.79	0.004	0.12	<0.1	0.05	3.4	0.1	<0.05	3	0.7	<0.2
1771275	Soil	29	0.42	283	0.044	2	1.33	0.008	0.10	0.1	0.17	4.8	0.1	<0.05	4	<0.5	<0.2
1771276	Soil	41	0.60	214	0.123	2	1.65	0.008	0.47	0.1	0.03	4.1	0.5	<0.05	5	<0.5	<0.2
1771277	Soil	34	0.34	238	0.089	3	1.10	0.005	0.50	<0.1	0.06	6.3	0.4	<0.05	4	<0.5	<0.2
1771278	Soil	32	0.43	298	0.082	2	1.24	0.007	0.38	<0.1	0.07	5.4	0.3	<0.05	4	0.8	<0.2
1771279	Soil	31	0.26	312	0.054	1	0.89	0.005	0.31	0.1	0.02	3.9	0.3	<0.05	4	<0.5	<0.2
1771280	Soil	23	0.22	202	0.026	<1	0.76	0.005	0.12	<0.1	0.02	3.2	0.2	<0.05	3	0.9	<0.2
1771281	Soil	42	0.42	305	0.070	1	1.24	0.011	0.24	0.1	0.04	6.3	0.3	<0.05	4	<0.5	<0.2
1771282	Soil	38	0.43	228	0.129	2	1.43	0.005	0.73	<0.1	0.02	4.6	0.6	<0.05	6	<0.5	<0.2
1771283	Soil	43	0.61	260	0.150	<1	1.64	0.007	0.80	<0.1	0.01	6.0	0.9	<0.05	6	1.0	<0.2
1771284	Soil	36	0.52	325	0.115	1	1.34	0.009	0.51	0.1	0.37	4.2	0.4	<0.05	5	<0.5	<0.2
1771285	Soil	29	0.39	291	0.072	1	1.14	0.007	0.26	<0.1	0.28	3.6	0.3	<0.05	4	<0.5	<0.2
1771286	Soil	40	0.35	333	0.079	1	1.24	0.005	0.53	<0.1	0.44	5.4	0.9	<0.05	5	<0.5	<0.2
1771287	Soil	41	0.38	240	0.088	3	1.30	0.006	0.52	<0.1	0.24	5.8	0.8	<0.05	5	<0.5	<0.2

CERTIFICATE OF ANALYSIS

WHI14000145.1

Method Analyte	Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm
1771288	Soil	1.2	26.9	9.5	54	0.1	27.7	10.0	364	3.00	10.9	2.7	5.5	24	<0.1	0.7	0.2	63	0.37	0.030	13
1771289	Soil	1.7	53.6	18.3	157	0.4	44.5	16.2	526	4.12	9.8	6.6	13.8	42	0.3	1.2	0.2	69	1.82	0.087	33
1771290	Soil	27.9	32.5	132.3	107	0.8	30.4	10.9	257	3.82	12.0	28.7	13.2	38	<0.1	1.9	1.3	30	0.14	0.052	21
1771291	Soil	2.1	29.6	19.7	74	0.1	35.0	13.8	456	3.35	10.1	3.1	8.4	18	<0.1	0.9	0.2	48	0.28	0.043	22
1771292	Soil	0.8	31.3	11.0	120	0.1	21.0	23.9	1079	5.65	8.2	4.4	6.0	22	<0.1	0.7	0.2	97	0.78	0.067	19
1771293	Soil	1.9	40.0	12.0	70	0.2	32.0	11.2	448	4.00	17.4	9.1	10.5	15	<0.1	0.9	0.2	61	0.26	0.042	24
1771294	Soil	3.0	91.1	26.2	172	0.2	61.9	17.9	513	5.10	23.0	13.2	13.3	18	0.2	1.2	0.4	75	0.24	0.078	37
1771295	Soil	1.4	32.8	9.4	58	<0.1	29.5	9.3	249	3.07	13.4	11.2	5.8	23	<0.1	0.8	0.2	60	0.34	0.044	15
1771296	Soil	1.5	43.5	9.9	67	0.2	28.9	11.0	522	3.91	12.4	10.6	7.6	25	<0.1	1.6	0.2	53	0.35	0.036	24
1771297	Soil	1.0	37.9	10.1	134	<0.1	24.2	19.1	981	6.06	5.2	5.2	7.2	17	<0.1	1.0	0.1	98	0.42	0.073	22
1771298	Soil	1.9	46.8	18.6	100	0.1	37.3	14.3	494	3.71	13.5	6.1	8.7	23	0.1	2.0	0.3	60	0.32	0.037	24
1771299	Soil	1.5	29.0	16.6	73	<0.1	25.2	10.2	412	3.06	10.1	5.0	7.5	23	<0.1	1.1	0.2	58	0.31	0.029	20
1771300	Soil	1.4	49.6	23.6	108	<0.1	39.9	10.7	306	3.27	13.8	4.2	11.6	19	0.1	1.3	0.3	54	0.23	0.037	27
1771301	Soil	2.0	54.0	26.1	153	0.2	47.0	14.4	387	4.16	12.1	3.5	9.8	17	0.1	1.1	0.3	77	0.25	0.059	21
1771302	Soil	1.3	45.4	14.1	72	0.1	42.1	10.9	371	3.45	12.6	9.8	9.2	19	<0.1	1.2	0.3	66	0.23	0.037	29
1771303	Soil	2.0	34.7	12.4	70	0.1	23.3	6.9	259	3.10	14.8	5.5	10.2	15	<0.1	1.6	0.3	40	0.14	0.026	22
1771304	Soil	1.6	43.6	14.4	66	0.2	33.4	11.2	389	3.23	16.4	8.1	7.8	20	<0.1	1.4	0.2	57	0.27	0.033	20
1771305	Soil	1.5	26.9	29.1	87	0.1	26.5	10.8	458	3.38	12.2	1.8	9.0	22	<0.1	1.2	0.3	53	0.28	0.046	22
1771306	Soil	1.3	49.5	30.8	102	0.1	33.2	14.0	590	3.73	11.8	8.1	9.8	23	<0.1	1.3	0.4	65	0.24	0.040	22
1771307	Soil	1.1	37.1	17.8	145	0.1	30.2	17.7	810	4.77	8.3	5.6	6.9	51	0.2	0.9	0.3	94	2.44	0.054	18
1771308	Soil	1.3	24.1	19.2	110	0.2	24.7	14.3	436	4.10	12.5	0.9	6.8	17	0.1	0.9	0.3	72	0.25	0.036	15
1771309	Soil	1.1	30.0	9.9	49	<0.1	25.5	8.1	342	2.90	10.3	3.9	7.9	19	<0.1	0.7	0.2	49	0.23	0.026	22
1771310	Soil	2.6	22.0	9.6	57	<0.1	20.4	8.2	620	3.79	10.1	4.2	8.0	17	<0.1	1.1	0.2	43	0.20	0.030	14
1771311	Soil	4.8	69.7	20.0	142	<0.1	48.6	13.2	341	4.46	13.9	2.6	14.4	15	0.1	0.8	0.2	78	0.29	0.075	40
1771312	Soil	1.2	81.9	33.6	174	<0.1	56.0	17.4	403	5.06	9.8	4.0	19.7	15	0.1	0.8	0.6	86	0.32	0.094	50
1771313	Soil	2.2	51.1	23.4	160	0.1	54.4	14.4	403	4.71	10.2	8.6	16.9	10	0.1	0.8	0.2	75	0.25	0.049	44
1771314	Soil	3.5	39.5	26.4	111	<0.1	39.5	11.2	333	3.82	8.8	7.7	10.4	13	0.1	1.6	0.3	59	0.29	0.068	42
1771315	Soil	1.2	54.0	19.9	153	<0.1	45.5	14.6	310	4.29	9.2	4.4	12.9	12	<0.1	0.9	0.3	72	0.22	0.049	38
1771316	Soil	1.1	46.7	22.2	110	<0.1	32.8	11.6	317	2.85	9.1	4.4	9.9	18	0.2	1.4	0.3	51	0.30	0.037	24
1771317	Soil	1.3	37.9	24.8	90	0.1	32.5	10.5	279	3.22	13.5	4.2	10.9	23	0.1	1.8	0.3	62	0.24	0.037	28



www.acmelab.com

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**

1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike

Report Date: September 25, 2014

Page: 3 of 11

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI14000145.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1771288	Soil	36	0.52	281	0.070	<1	1.88	0.008	0.14	0.1	0.09	6.5	0.1	<0.05	5	<0.5	<0.2
1771289	Soil	41	0.72	372	0.149	2	1.50	0.011	0.63	<0.1	0.27	5.2	0.6	<0.05	5	<0.5	<0.2
1771290	Soil	20	0.07	214	0.003	<1	0.35	0.004	0.20	<0.1	0.12	5.7	0.1	0.21	2	<0.5	0.6
1771291	Soil	30	0.31	171	0.057	3	1.08	0.007	0.36	<0.1	0.06	5.4	0.2	<0.05	3	<0.5	<0.2
1771292	Soil	77	1.57	395	0.227	2	2.29	0.012	1.25	0.1	0.09	16.5	0.5	<0.05	9	<0.5	<0.2
1771293	Soil	29	0.38	159	0.093	2	1.13	0.006	0.45	0.1	0.41	8.4	0.4	<0.05	5	<0.5	<0.2
1771294	Soil	39	0.26	139	0.040	2	1.05	0.005	0.30	<0.1	0.50	9.3	0.3	<0.05	5	0.7	0.2
1771295	Soil	38	0.49	161	0.080	1	1.63	0.012	0.14	0.2	0.06	7.2	0.1	<0.05	5	<0.5	<0.2
1771296	Soil	33	0.46	241	0.081	2	1.55	0.013	0.22	0.2	0.16	10.4	0.2	<0.05	5	<0.5	<0.2
1771297	Soil	44	1.36	382	0.210	2	2.45	0.011	1.31	<0.1	0.13	19.8	0.5	<0.05	10	<0.5	<0.2
1771298	Soil	36	0.45	230	0.077	2	1.37	0.013	0.27	0.1	0.34	8.0	0.2	<0.05	5	<0.5	<0.2
1771299	Soil	33	0.40	221	0.076	1	1.40	0.010	0.26	0.1	0.20	7.5	0.2	<0.05	5	<0.5	<0.2
1771300	Soil	37	0.34	225	0.078	2	1.24	0.006	0.45	<0.1	0.13	6.7	0.4	<0.05	5	<0.5	<0.2
1771301	Soil	42	0.45	229	0.116	1	1.52	0.006	0.61	0.1	0.10	7.1	0.4	<0.05	5	<0.5	<0.2
1771302	Soil	47	0.56	226	0.113	2	1.59	0.008	0.54	<0.1	0.25	8.0	0.4	<0.05	5	<0.5	<0.2
1771303	Soil	18	0.25	98	0.038	1	1.14	0.004	0.32	<0.1	0.30	5.9	0.3	<0.05	4	<0.5	<0.2
1771304	Soil	33	0.40	214	0.075	2	1.24	0.009	0.28	0.1	0.23	7.2	0.3	<0.05	4	<0.5	<0.2
1771305	Soil	31	0.41	237	0.071	1	1.30	0.007	0.42	<0.1	0.25	8.2	0.3	<0.05	5	<0.5	<0.2
1771306	Soil	35	0.37	309	0.076	2	1.41	0.007	0.42	<0.1	0.64	10.5	0.3	<0.05	6	<0.5	<0.2
1771307	Soil	53	1.25	581	0.202	4	2.25	0.023	0.95	0.2	0.38	14.3	0.5	<0.05	9	<0.5	<0.2
1771308	Soil	43	0.63	233	0.121	2	1.63	0.007	0.72	<0.1	0.11	10.0	0.4	<0.05	7	<0.5	<0.2
1771309	Soil	25	0.41	200	0.085	1	1.15	0.012	0.28	0.1	0.16	7.2	0.2	<0.05	4	<0.5	<0.2
1771310	Soil	17	0.37	198	0.061	3	1.28	0.006	0.50	0.1	0.60	7.2	0.4	<0.05	6	<0.5	<0.2
1771311	Soil	46	0.65	184	0.123	<1	1.86	0.010	0.67	0.1	0.03	5.9	0.5	<0.05	6	0.7	<0.2
1771312	Soil	49	0.76	256	0.192	2	2.27	0.009	1.21	<0.1	0.06	6.5	0.8	<0.05	8	<0.5	<0.2
1771313	Soil	43	0.50	185	0.121	<1	1.65	0.007	0.68	<0.1	0.07	6.8	0.6	<0.05	6	<0.5	<0.2
1771314	Soil	31	0.38	192	0.088	1	1.13	0.007	0.37	0.1	0.05	4.7	0.4	<0.05	4	<0.5	<0.2
1771315	Soil	46	0.71	246	0.154	1	2.12	0.007	0.97	0.1	0.17	7.0	0.6	<0.05	6	<0.5	<0.2
1771316	Soil	27	0.41	240	0.098	2	1.07	0.013	0.44	<0.1	0.38	4.8	0.4	<0.05	4	<0.5	<0.2
1771317	Soil	34	0.39	218	0.085	3	1.36	0.008	0.44	<0.1	0.24	6.8	0.3	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



www.acmelab.com

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike
Report Date: September 25, 2014

Page: 4 of 11

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI14000145.1

Method Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	%	ppm	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
1771318	Soil		2.0	34.8	18.8	83	<0.1	34.1	10.8	549	3.69	12.6	2.7	10.6	14	0.1	1.8	0.3	50	0.21	0.040	26
1771319	Soil		1.1	32.9	32.0	103	<0.1	20.1	8.3	352	3.18	8.6	6.0	8.6	14	<0.1	1.5	0.4	50	0.12	0.030	24
1771320	Soil		1.3	51.0	15.2	125	0.2	40.2	11.8	393	3.64	11.7	8.3	8.3	22	<0.1	1.4	0.3	63	0.32	0.046	25
1771321	Soil		3.0	33.0	17.9	86	0.1	24.3	9.1	353	3.72	10.6	3.1	7.1	23	<0.1	1.2	0.3	65	0.23	0.045	16
1771322	Soil		1.7	38.2	21.3	90	0.1	31.5	11.5	237	2.92	10.1	61.1	9.0	20	0.2	1.5	0.3	50	0.19	0.035	22
1771323	Soil		2.5	48.9	23.8	117	<0.1	43.8	10.4	187	4.20	13.0	3.8	11.5	18	0.1	2.2	0.4	51	0.16	0.056	34
1771324	Soil		2.2	51.8	20.5	113	<0.1	38.4	10.0	245	3.46	7.9	5.9	11.4	16	0.1	1.5	0.4	58	0.15	0.042	29
1771325	Soil		1.3	51.3	15.3	146	<0.1	50.8	15.5	330	4.60	6.9	3.8	13.2	14	0.1	0.7	0.4	84	0.34	0.110	34
1771326	Soil		2.3	35.2	38.4	116	<0.1	37.1	14.6	570	3.56	11.7	0.8	8.8	18	0.2	1.0	0.5	50	0.28	0.077	36
1771327	Soil		3.6	56.6	39.0	164	0.1	61.0	18.6	597	5.35	9.2	1.0	20.3	17	0.1	0.8	0.3	83	0.42	0.129	47
1771328	Soil		2.9	48.8	25.5	175	<0.1	51.8	16.2	733	4.69	5.2	3.9	12.9	45	0.2	1.1	<0.1	73	2.29	0.093	35
1771329	Soil		1.7	74.2	18.5	144	<0.1	73.5	21.4	847	5.45	14.3	3.2	20.3	12	0.2	0.9	0.2	91	0.38	0.114	66
1771330	Soil		1.5	47.8	18.3	145	<0.1	46.5	13.3	423	4.72	8.6	2.2	15.7	26	0.1	0.6	0.3	89	0.26	0.068	43
1771331	Soil		0.8	42.9	14.0	92	0.2	35.3	10.8	425	3.19	11.1	7.1	5.5	54	0.2	0.8	0.2	63	1.95	0.085	20
1771332	Soil		2.7	51.9	27.4	189	<0.1	57.0	16.0	574	5.34	9.3	4.1	17.7	15	0.3	0.6	0.5	84	0.41	0.137	39
1771333	Soil		3.4	40.9	22.1	128	0.1	36.1	10.4	390	3.20	6.5	9.8	11.6	22	0.2	1.2	0.3	53	0.23	0.081	33
1771334	Soil		1.5	47.6	25.8	122	0.2	37.4	10.8	288	3.20	8.4	10.2	12.8	16	0.3	1.3	0.4	49	0.32	0.102	27
1771335	Soil		1.8	59.3	30.3	131	<0.1	29.9	11.9	305	3.38	19.9	7.5	16.9	13	0.2	1.9	0.4	60	0.15	0.050	47
1771336	Soil		1.4	18.6	18.7	88	0.1	18.4	7.0	266	2.56	9.2	4.6	9.3	22	0.1	0.8	0.2	46	0.23	0.052	24
1771337	Soil		1.9	59.9	41.5	139	0.2	41.0	13.0	284	3.81	15.1	6.0	15.2	17	0.1	1.9	0.4	65	0.13	0.039	33
1771338	Soil		2.0	81.6	22.8	234	<0.1	62.4	15.6	458	5.92	8.5	5.4	16.6	12	0.1	0.9	0.4	108	0.11	0.064	37
1771339	Soil		1.4	45.5	27.0	89	0.1	31.7	10.6	338	3.07	16.2	47.4	10.1	27	0.2	1.4	0.3	56	0.22	0.038	33
1771340	Soil		2.0	19.7	12.6	57	0.2	33.9	9.1	624	3.55	6.7	5.2	8.9	21	<0.1	0.4	0.5	49	0.08	0.041	22
1771341	Soil		1.5	18.6	11.0	79	0.3	22.7	11.3	913	3.06	14.0	1.2	4.3	35	0.3	1.0	0.2	64	0.46	0.064	12
1771342	Soil		2.0	23.4	20.0	87	0.2	25.4	8.1	278	3.26	19.8	1.0	5.9	19	0.2	1.8	0.4	52	0.11	0.063	19
1771343	Soil		1.3	43.2	27.5	46	0.1	31.6	9.5	266	2.73	18.9	8.0	8.9	25	0.1	2.1	0.4	57	0.20	0.038	28
1771344	Soil		1.9	17.0	8.7	54	<0.1	16.1	5.3	362	2.88	7.6	4.6	11.0	17	<0.1	1.0	0.2	37	0.09	0.036	23
1771345	Soil		2.1	62.4	37.4	203	0.4	61.7	19.9	938	5.00	13.4	12.5	11.8	23	0.4	0.7	0.4	82	0.42	0.099	28
1771346	Soil		2.2	31.5	16.3	131	0.2	36.6	12.7	507	3.99	7.8	0.6	7.3	31	0.3	0.7	0.2	73	0.43	0.092	19
1771347	Soil		2.1	49.9	19.4	142	<0.1	50.7	15.5	536	4.30	11.8	4.3	11.1	22	0.2	1.6	0.3	68	0.24	0.064	26

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



www.acmelab.com

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**

1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike

Report Date: September 25, 2014

Page: 4 of 11

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI14000145.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1771318	Soil	22	0.27	185	0.059	2	1.04	0.004	0.43	<0.1	1.57	7.2	0.4	<0.05	4	<0.5	<0.2
1771319	Soil	27	0.42	248	0.081	2	1.20	0.005	0.57	<0.1	1.09	9.8	0.3	<0.05	6	<0.5	<0.2
1771320	Soil	37	0.46	277	0.081	2	1.41	0.011	0.43	0.1	0.28	7.7	0.3	<0.05	5	<0.5	<0.2
1771321	Soil	28	0.42	223	0.119	2	1.40	0.007	0.60	0.1	1.00	7.9	0.4	<0.05	6	0.5	<0.2
1771322	Soil	28	0.31	182	0.053	<1	1.21	0.004	0.30	<0.1	0.60	4.4	0.3	<0.05	4	<0.5	<0.2
1771323	Soil	26	0.26	179	0.053	<1	1.04	0.007	0.32	<0.1	0.58	8.3	0.3	<0.05	4	<0.5	<0.2
1771324	Soil	33	0.32	225	0.087	1	1.21	0.004	0.55	<0.1	0.96	6.3	0.4	<0.05	4	0.7	<0.2
1771325	Soil	51	0.82	290	0.191	1	2.23	0.008	0.88	0.1	0.06	5.6	0.7	<0.05	7	<0.5	<0.2
1771326	Soil	30	0.36	276	0.050	2	1.51	0.008	0.32	0.1	0.05	4.5	0.3	<0.05	5	<0.5	<0.2
1771327	Soil	48	0.60	362	0.167	3	1.80	0.008	0.88	0.1	0.03	7.6	0.7	<0.05	6	<0.5	<0.2
1771328	Soil	38	0.50	371	0.092	3	1.30	0.008	0.57	<0.1	0.07	6.0	0.5	<0.05	5	<0.5	<0.2
1771329	Soil	59	0.78	374	0.190	1	2.02	0.010	1.09	0.1	0.05	4.7	0.8	<0.05	7	<0.5	<0.2
1771330	Soil	58	0.78	349	0.166	1	2.15	0.009	0.90	0.1	0.03	8.1	0.6	<0.05	8	<0.5	<0.2
1771331	Soil	34	0.66	331	0.096	2	1.29	0.021	0.35	0.2	0.08	4.8	0.3	<0.05	4	<0.5	<0.2
1771332	Soil	51	0.72	345	0.149	2	1.91	0.008	0.93	<0.1	0.04	6.9	0.8	<0.05	7	0.8	<0.2
1771333	Soil	28	0.39	339	0.076	2	1.15	0.006	0.50	<0.1	0.65	5.3	0.4	<0.05	4	0.7	<0.2
1771334	Soil	30	0.39	287	0.093	2	1.11	0.008	0.40	<0.1	0.62	4.8	0.4	<0.05	4	<0.5	<0.2
1771335	Soil	33	0.40	305	0.097	1	1.27	0.005	0.50	<0.1	0.46	6.8	0.7	<0.05	5	1.2	<0.2
1771336	Soil	23	0.30	223	0.062	2	1.19	0.007	0.31	0.1	0.24	5.6	0.3	<0.05	4	<0.5	<0.2
1771337	Soil	40	0.51	227	0.117	1	1.60	0.008	0.62	<0.1	0.70	8.6	0.6	<0.05	6	0.7	<0.2
1771338	Soil	61	0.89	283	0.223	1	2.33	0.008	1.25	<0.1	1.15	8.4	0.9	<0.05	8	0.8	<0.2
1771339	Soil	37	0.34	208	0.061	2	1.09	0.010	0.26	<0.1	0.64	8.8	0.3	<0.05	4	0.7	<0.2
1771340	Soil	27	0.29	222	0.070	<1	1.08	0.004	0.47	<0.1	0.37	6.1	0.3	<0.05	4	<0.5	<0.2
1771341	Soil	33	0.41	370	0.058	3	1.62	0.009	0.15	0.1	0.14	5.3	0.1	<0.05	5	<0.5	<0.2
1771342	Soil	24	0.24	215	0.034	2	1.15	0.005	0.25	<0.1	0.33	4.6	0.3	<0.05	4	<0.5	<0.2
1771343	Soil	29	0.29	199	0.047	3	1.06	0.009	0.16	0.1	0.45	8.9	0.2	<0.05	3	<0.5	<0.2
1771344	Soil	16	0.26	156	0.068	2	1.04	0.005	0.38	0.1	0.96	7.7	0.4	<0.05	4	<0.5	<0.2
1771345	Soil	46	0.64	459	0.134	2	1.66	0.012	0.67	<0.1	1.05	8.8	0.7	<0.05	6	<0.5	<0.2
1771346	Soil	42	0.61	435	0.108	2	1.99	0.010	0.54	0.1	0.07	5.9	0.4	<0.05	6	<0.5	<0.2
1771347	Soil	40	0.45	294	0.098	3	1.48	0.008	0.49	<0.1	0.42	7.6	0.4	<0.05	5	0.8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



www.acmelab.com

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike
Report Date: September 25, 2014

Page: 5 of 11

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI14000145.1

Method Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	%	ppm	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
1771348	Soil		1.4	33.0	11.3	89	<0.1	36.6	10.9	362	3.59	10.4	3.3	8.4	23	0.1	0.7	0.2	71	0.22	0.057	23
1771349	Soil		1.4	45.8	24.8	119	<0.1	37.9	14.4	468	3.50	11.1	4.0	13.3	14	<0.1	0.6	0.4	57	0.19	0.063	31
1771350	Soil		2.2	36.3	20.2	76	<0.1	25.5	9.1	229	3.21	15.2	4.1	8.5	18	<0.1	0.8	0.2	59	0.09	0.040	21
1771351	Soil		2.0	42.4	15.1	106	<0.1	30.7	13.4	253	3.28	10.8	1.6	10.4	20	0.1	0.7	0.2	65	0.08	0.051	24
1771352	Soil		1.1	26.0	11.9	46	0.1	18.2	6.7	174	2.38	10.0	3.7	6.1	22	<0.1	0.4	0.2	52	0.18	0.028	18
1771353	Soil		1.3	38.5	20.4	98	0.2	48.6	13.5	1575	3.43	17.5	5.1	6.5	31	0.3	0.9	0.2	71	0.55	0.043	22
1771354	Soil		4.5	43.8	31.2	40	<0.1	14.3	5.1	177	1.99	36.9	1.5	2.3	33	<0.1	1.3	0.2	60	0.13	0.039	11
1771355	Soil		2.1	43.8	14.3	116	<0.1	34.8	13.2	918	3.84	16.2	3.5	9.5	31	0.2	0.7	0.2	60	0.28	0.026	22
1771356	Soil		1.5	20.5	11.4	55	<0.1	18.2	8.1	365	2.72	12.2	2.7	5.4	27	<0.1	0.5	0.2	63	0.32	0.030	17
1771357	Soil		1.3	35.7	12.2	66	<0.1	27.0	11.0	322	3.01	11.9	3.0	8.2	27	<0.1	0.6	0.2	63	0.26	0.031	24
1771358	Soil		1.6	38.3	15.8	70	<0.1	24.4	9.1	314	2.85	14.7	4.5	9.4	25	<0.1	0.7	0.2	52	0.20	0.022	28
1771359	Soil		3.1	42.7	10.3	50	<0.1	17.1	6.9	188	2.66	24.3	1.6	5.2	17	<0.1	0.9	0.2	61	0.11	0.020	13
1771360	Soil		5.1	46.3	14.0	62	0.1	26.6	10.3	365	2.29	17.8	4.5	5.1	32	0.1	1.9	0.2	56	0.28	0.036	15
1771361	Soil		1.7	26.5	19.4	45	<0.1	13.4	4.0	116	1.74	10.3	6.7	8.8	24	<0.1	0.4	0.4	40	0.06	0.035	21
1771362	Soil		1.7	31.7	24.9	90	<0.1	26.3	10.0	208	2.62	9.2	8.1	9.5	26	<0.1	0.8	0.2	46	0.07	0.051	32
1771363	Soil		1.7	33.1	17.5	63	<0.1	24.1	10.2	260	2.89	11.8	5.5	8.2	24	<0.1	0.6	0.2	57	0.19	0.024	24
1771364	Soil		3.8	37.8	19.3	153	<0.1	38.9	21.3	559	4.64	12.7	2.8	8.1	18	0.1	1.0	0.4	94	0.15	0.107	26
1771365	Soil		1.2	35.6	13.5	116	<0.1	35.2	13.0	298	3.15	14.8	6.8	8.3	21	0.1	0.7	0.2	60	0.18	0.070	24
1771366	Soil		1.6	25.5	12.6	83	<0.1	25.4	13.2	518	2.60	12.6	6.0	6.1	19	0.1	0.7	0.2	53	0.16	0.055	17
1771367	Soil		1.6	30.1	12.8	60	<0.1	18.8	6.7	230	2.27	9.3	5.1	7.6	20	0.1	0.5	0.2	48	0.15	0.043	20
1771368	Soil		2.4	23.8	14.7	49	<0.1	18.3	9.8	274	2.22	20.9	4.3	3.2	25	<0.1	0.8	0.2	56	0.20	0.057	10
1771369	Soil		1.2	41.2	16.9	79	<0.1	31.6	10.0	432	3.30	12.6	8.6	11.2	25	<0.1	0.6	0.2	53	0.24	0.042	30
1771370	Soil		1.5	13.6	10.1	51	0.2	14.1	6.0	389	2.57	11.2	3.2	2.4	21	0.2	0.5	0.2	68	0.23	0.065	9
1771371	Soil		1.0	24.8	8.5	52	0.1	21.1	7.1	241	2.40	9.4	4.9	4.9	21	<0.1	0.5	0.1	47	0.23	0.031	14
1771372	Soil		1.5	24.1	12.6	58	0.1	20.6	10.0	311	2.69	11.8	2.1	4.3	23	<0.1	0.7	0.1	57	0.23	0.027	13
1771373	Soil		4.7	44.0	32.7	43	0.1	17.7	6.9	231	1.79	24.7	31.6	2.8	26	0.2	1.6	0.2	45	0.14	0.046	10
1771374	Soil		1.5	24.0	16.1	66	0.1	19.2	7.6	240	2.16	13.5	9.4	7.1	22	<0.1	0.7	0.2	43	0.11	0.040	18
1771375	Soil		1.9	21.1	20.2	109	<0.1	28.0	21.1	996	3.12	13.4	7.3	3.1	21	0.1	0.7	0.2	68	0.20	0.066	15
1771376	Soil		3.2	32.5	18.1	118	0.1	33.4	14.3	622	4.11	10.7	4.5	8.4	17	0.1	0.8	0.3	79	0.16	0.104	21
1771377	Soil		2.6	18.1	11.5	71	0.2	20.8	11.3	756	2.93	8.5	4.7	1.1	17	0.2	0.6	0.2	61	0.15	0.096	13

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



www.acmelab.com

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**

1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike

Report Date: September 25, 2014

Page: 5 of 11

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI14000145.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2		
1771348	Soil	40	0.61	253	0.146	1	1.42	0.010	0.60	0.1	0.19	7.3	0.4	<0.05	5	<0.5	<0.2	
1771349	Soil	38	0.49	275	0.132	<1	1.68	0.007	0.67	<0.1	0.30	6.7	0.5	<0.05	5	<0.5	<0.2	
1771350	Soil	32	0.32	258	0.047	1	1.36	0.006	0.16	<0.1	0.08	4.9	0.2	<0.05	4	0.6	<0.2	
1771351	Soil	37	0.36	282	0.065	2	1.51	0.006	0.29	<0.1	0.05	5.0	0.3	<0.05	5	0.6	<0.2	
1771352	Soil	29	0.38	262	0.042	<1	1.24	0.009	0.05	0.1	0.10	5.8	0.1	<0.05	4	<0.5	<0.2	
1771353	Soil	39	0.50	436	0.065	3	1.74	0.018	0.08	0.2	0.13	9.1	0.2	<0.05	5	<0.5	<0.2	
1771354	Soil	25	0.20	253	0.044	<1	1.01	0.008	0.04	0.1	0.06	3.7	0.1	<0.05	3	1.1	<0.2	
1771355	Soil	43	0.53	367	0.103	1	1.78	0.013	0.22	<0.1	0.08	7.4	0.5	<0.05	6	<0.5	<0.2	
1771356	Soil	31	0.45	263	0.077	<1	1.54	0.012	0.05	0.1	0.03	4.7	0.2	<0.05	5	<0.5	<0.2	
1771357	Soil	39	0.46	293	0.076	<1	1.68	0.012	0.08	<0.1	0.03	6.9	0.1	<0.05	5	<0.5	<0.2	
1771358	Soil	34	0.43	316	0.089	1	1.47	0.009	0.15	<0.1	0.09	7.8	0.2	<0.05	5	<0.5	<0.2	
1771359	Soil	32	0.30	179	0.062	<1	1.28	0.009	0.04	<0.1	0.04	4.3	<0.1	<0.05	4	0.7	<0.2	
1771360	Soil	28	0.32	215	0.052	1	1.10	0.016	0.05	<0.1	0.17	5.6	0.2	<0.05	3	1.2	<0.2	
1771361	Soil	20	0.15	137	0.024	<1	0.69	0.004	0.12	<0.1	0.09	4.9	0.2	<0.05	3	<0.5	<0.2	
1771362	Soil	25	0.21	197	0.038	<1	0.80	0.005	0.16	<0.1	0.12	5.4	0.2	<0.05	3	<0.5	<0.2	
1771363	Soil	31	0.37	297	0.056	<1	1.29	0.010	0.10	<0.1	0.11	6.5	0.1	<0.05	4	<0.5	<0.2	
1771364	Soil	50	0.65	290	0.145	1	2.13	0.008	0.65	<0.1	0.04	6.3	0.7	<0.05	7	<0.5	<0.2	
1771365	Soil	31	0.36	195	0.095	<1	1.20	0.009	0.26	<0.1	0.09	5.0	0.4	<0.05	4	0.5	<0.2	
1771366	Soil	26	0.32	171	0.068	2	1.07	0.007	0.15	0.1	0.10	4.1	0.2	<0.05	3	<0.5	<0.2	
1771367	Soil	26	0.28	191	0.050	2	0.93	0.007	0.12	<0.1	0.09	5.3	0.1	<0.05	3	0.7	<0.2	
1771368	Soil	28	0.33	234	0.055	3	1.24	0.009	0.06	0.2	0.03	3.3	<0.1	<0.05	4	0.5	<0.2	
1771369	Soil	36	0.50	166	0.102	4	1.45	0.012	0.31	0.2	0.11	8.2	0.3	<0.05	5	0.7	<0.2	
1771370	Soil	25	0.32	207	0.056	1	1.14	0.008	0.07	0.2	0.01	2.3	<0.1	<0.05	5	<0.5	<0.2	
1771371	Soil	28	0.40	161	0.059	1	1.13	0.009	0.09	0.1	0.04	3.1	0.1	<0.05	3	0.6	<0.2	
1771372	Soil	32	0.45	230	0.072	3	1.58	0.010	0.11	0.1	0.02	3.4	0.1	<0.05	5	<0.5	<0.2	
1771373	Soil	21	0.18	335	0.029	2	0.87	0.006	0.04	0.1	0.10	3.6	0.1	<0.05	3	2.1	<0.2	
1771374	Soil	25	0.24	174	0.045	2	0.89	0.005	0.15	<0.1	0.18	4.7	0.3	<0.05	3	0.7	<0.2	
1771375	Soil	32	0.39	231	0.067	2	1.69	0.008	0.15	<0.1	0.07	3.5	0.2	<0.05	6	<0.5	<0.2	
1771376	Soil	41	0.47	254	0.111	3	1.66	0.006	0.45	0.1	0.05	4.9	0.5	<0.05	6	0.8	<0.2	
1771377	Soil	27	0.34	202	0.040	2	1.25	0.007	0.15	0.1	0.05	2.1	0.2	<0.05	5	0.5	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



www.acmelab.com

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**

1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike

Report Date: September 25, 2014

Page: 6 of 11

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI14000145.1

Method Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
1771378	Soil		2.9	20.8	26.0	69	0.1	19.6	7.9	381	2.41	9.7	6.6	5.7	20	0.2	1.0	0.2	49	0.18	0.077	17
1771379	Soil		2.2	21.9	10.7	91	0.2	25.6	9.9	783	2.95	7.1	2.9	4.3	20	0.2	0.8	0.2	56	0.20	0.114	17
1771380	Soil		2.1	25.9	15.6	88	0.3	26.1	11.0	528	3.10	9.2	3.9	5.0	19	0.1	0.6	0.2	66	0.18	0.061	17
1771381	Soil		1.7	27.9	15.3	72	0.2	21.1	12.3	704	2.64	11.7	5.7	1.1	19	0.3	0.6	0.2	57	0.17	0.060	13
1771382	Soil		1.8	26.7	16.8	104	0.2	28.1	13.3	626	3.05	17.1	7.9	5.0	21	0.4	0.8	0.2	58	0.19	0.070	17
1771383	Soil		2.4	27.7	10.4	47	<0.1	16.8	6.9	480	2.35	19.1	3.9	3.0	27	0.2	0.7	0.2	61	0.28	0.039	12
1771384	Soil		1.0	24.2	8.2	49	0.1	19.3	6.8	341	2.29	11.5	2.1	4.6	24	<0.1	0.6	0.1	45	0.25	0.029	16
1771385	Soil		1.4	29.6	9.7	58	<0.1	21.6	8.6	268	2.50	12.9	5.0	6.4	25	0.1	0.7	0.2	47	0.27	0.035	19
1771386	Soil		4.6	31.5	28.2	249	0.5	47.6	21.7	1466	3.75	19.5	13.7	3.7	28	0.4	1.0	0.3	65	0.27	0.071	14
1771387	Soil		1.5	22.6	11.0	64	0.2	21.7	7.5	276	2.57	11.6	4.9	3.7	20	<0.1	0.6	0.2	57	0.23	0.041	13
1771388	Soil		2.3	23.5	17.3	83	0.2	25.0	11.0	457	2.99	14.1	3.6	5.2	19	0.1	1.1	0.2	54	0.24	0.087	20
1771389	Soil		1.8	25.4	17.0	82	0.1	27.1	11.5	512	2.86	13.2	4.0	5.4	16	0.2	1.2	0.1	57	0.22	0.077	17
1771390	Soil		2.3	17.0	14.4	63	0.3	17.9	7.4	367	2.28	7.2	3.4	3.5	17	0.2	0.9	0.2	51	0.20	0.061	13
1771391	Soil		2.3	41.9	25.1	92	0.5	50.1	15.7	659	3.88	15.0	7.6	6.1	30	0.3	1.2	0.2	72	0.46	0.063	17
1771392	Soil		2.4	39.6	10.0	107	0.2	35.6	10.6	318	3.24	6.3	8.9	8.1	23	0.2	0.5	0.1	68	0.34	0.077	20
1771393	Soil		2.2	35.7	11.4	94	0.1	27.9	10.3	368	3.56	6.3	6.2	8.6	20	<0.1	0.6	0.2	63	0.19	0.046	19
1771394	Soil		4.8	27.6	13.4	87	0.2	30.8	14.6	890	3.21	12.7	10.9	5.4	19	0.2	0.7	0.1	62	0.22	0.057	14
1771395	Soil		2.0	23.0	12.2	80	0.3	24.0	12.3	490	3.05	8.3	5.8	5.4	20	0.1	0.6	0.2	68	0.22	0.057	15
1771396	Soil		2.1	25.4	11.8	90	0.2	28.2	10.9	291	3.07	7.7	8.2	6.4	20	0.2	0.6	0.1	66	0.26	0.056	17
1771397	Soil		2.6	37.2	13.6	108	0.3	33.2	11.8	414	3.52	8.7	9.6	8.1	22	0.2	0.9	0.1	66	0.39	0.079	23
1771398	Soil		2.5	34.6	14.5	103	0.2	31.3	11.0	373	3.26	12.3	6.2	8.1	20	0.2	1.0	0.2	62	0.35	0.081	21
1771399	Soil		1.9	30.3	15.6	88	0.3	25.5	10.0	324	3.16	13.4	3.9	6.4	20	0.2	1.1	0.2	58	0.30	0.072	19
1771400	Soil		1.9	28.5	15.1	84	0.2	24.1	10.4	325	2.84	10.3	5.9	6.6	18	0.2	1.0	0.2	54	0.25	0.074	19
1771401	Soil		1.7	32.3	11.9	82	0.2	26.0	9.7	310	2.94	9.0	7.6	6.3	18	0.1	1.1	0.2	50	0.21	0.069	17
1771402	Soil		2.9	37.4	11.5	100	0.3	36.1	10.7	332	3.61	7.3	12.4	7.5	16	0.2	1.1	0.2	49	0.27	0.070	21
1771403	Soil		2.0	25.9	14.9	69	0.5	23.3	7.5	209	2.90	7.6	20.4	4.5	13	0.2	0.7	0.2	49	0.20	0.047	16
1771404	Soil		1.6	30.6	16.1	100	0.3	29.4	10.5	259	3.31	11.0	8.1	6.2	15	0.2	0.8	0.2	53	0.28	0.066	19
1771405	Soil		2.2	34.4	20.0	79	0.5	28.7	9.7	362	2.99	10.8	3.5	3.7	17	0.2	0.8	0.2	54	0.27	0.047	15
1771406	Soil		2.5	30.9	12.4	80	0.4	26.3	8.0	254	2.89	7.1	9.8	4.3	21	0.2	0.7	0.2	50	0.30	0.047	16
1771407	Soil		2.7	33.7	13.4	97	0.3	34.5	11.9	612	3.34	7.1	13.6	5.3	25	0.2	0.6	0.2	61	0.50	0.057	19

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

CERTIFICATE OF ANALYSIS

WHI14000145.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1771378	Soil	25	0.30	228	0.057	3	1.02	0.006	0.17	0.1	0.07	3.1	0.2	<0.05	4	<0.5	<0.2
1771379	Soil	27	0.34	275	0.064	3	1.17	0.008	0.20	<0.1	0.06	3.5	0.2	<0.05	5	0.6	<0.2
1771380	Soil	34	0.43	287	0.089	2	1.48	0.008	0.22	0.1	0.06	3.9	0.3	<0.05	6	0.9	<0.2
1771381	Soil	28	0.30	206	0.039	2	1.38	0.008	0.10	<0.1	0.11	3.0	0.2	<0.05	5	0.7	<0.2
1771382	Soil	29	0.36	255	0.056	3	1.41	0.007	0.10	0.2	0.10	4.4	0.3	<0.05	5	0.7	<0.2
1771383	Soil	28	0.38	315	0.053	2	1.24	0.012	0.08	0.2	0.03	3.4	<0.1	<0.05	4	<0.5	<0.2
1771384	Soil	28	0.38	192	0.057	1	1.00	0.011	0.06	0.1	0.05	3.8	<0.1	<0.05	3	<0.5	<0.2
1771385	Soil	30	0.39	218	0.064	1	1.09	0.013	0.07	0.2	0.03	5.3	<0.1	<0.05	4	<0.5	<0.2
1771386	Soil	29	0.34	408	0.035	2	1.52	0.010	0.11	0.1	0.08	4.6	0.2	<0.05	6	0.7	<0.2
1771387	Soil	27	0.36	229	0.046	2	1.23	0.008	0.07	0.1	0.06	3.8	0.1	<0.05	4	<0.5	<0.2
1771388	Soil	26	0.28	247	0.065	2	1.05	0.007	0.20	0.1	0.09	3.1	0.3	<0.05	4	0.6	<0.2
1771389	Soil	31	0.33	221	0.083	1	1.16	0.009	0.18	0.1	0.15	3.7	0.2	<0.05	4	0.7	<0.2
1771390	Soil	24	0.28	236	0.076	2	1.15	0.008	0.22	0.1	0.06	2.9	0.2	<0.05	5	<0.5	<0.2
1771391	Soil	135	0.77	550	0.087	2	1.90	0.010	0.24	0.1	0.20	6.1	0.3	<0.05	6	0.7	<0.2
1771392	Soil	39	0.57	333	0.107	1	1.40	0.011	0.38	0.1	0.16	6.1	0.4	<0.05	5	0.7	<0.2
1771393	Soil	33	0.45	224	0.085	1	1.30	0.007	0.28	<0.1	0.14	5.0	0.3	<0.05	5	0.9	<0.2
1771394	Soil	34	0.42	235	0.077	2	1.40	0.009	0.21	0.1	0.06	3.6	0.3	<0.05	4	0.8	<0.2
1771395	Soil	33	0.46	218	0.089	<1	1.45	0.009	0.24	0.1	0.06	3.9	0.3	<0.05	5	<0.5	<0.2
1771396	Soil	37	0.51	247	0.091	2	1.51	0.010	0.19	0.1	0.09	4.5	0.2	<0.05	5	0.6	<0.2
1771397	Soil	37	0.49	498	0.088	3	1.37	0.009	0.27	0.1	0.20	6.3	0.3	<0.05	5	1.3	<0.2
1771398	Soil	35	0.48	337	0.093	2	1.26	0.010	0.26	0.1	0.17	5.2	0.3	<0.05	4	0.8	<0.2
1771399	Soil	32	0.43	325	0.076	2	1.47	0.009	0.17	0.1	0.15	4.8	0.3	<0.05	5	0.9	<0.2
1771400	Soil	28	0.39	262	0.076	2	1.25	0.008	0.17	0.1	0.20	4.3	0.3	<0.05	4	<0.5	<0.2
1771401	Soil	24	0.32	211	0.064	2	1.02	0.008	0.17	0.1	0.18	4.1	0.3	<0.05	4	0.6	<0.2
1771402	Soil	31	0.48	337	0.064	2	1.24	0.007	0.31	0.1	0.19	4.9	0.4	<0.05	4	0.9	<0.2
1771403	Soil	27	0.40	175	0.060	3	1.38	0.007	0.20	0.1	0.14	3.3	0.2	<0.05	5	<0.5	<0.2
1771404	Soil	32	0.49	243	0.069	3	1.54	0.009	0.20	0.2	0.25	5.2	0.3	<0.05	5	0.7	<0.2
1771405	Soil	27	0.37	383	0.048	3	1.55	0.008	0.20	0.1	0.11	3.6	0.2	<0.05	7	<0.5	<0.2
1771406	Soil	29	0.37	428	0.057	2	1.31	0.009	0.22	0.1	0.12	3.8	0.3	<0.05	6	<0.5	<0.2
1771407	Soil	41	0.61	532	0.068	3	1.59	0.011	0.22	0.1	0.16	6.3	0.3	<0.05	5	0.8	<0.2

CERTIFICATE OF ANALYSIS

WHI14000145.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
1771408	Soil	2.4	21.9	13.5	99	0.3	22.3	10.4	1091	2.82	6.3	4.4	4.1	16	0.3	0.5	0.2	53	0.23	0.043	14
1771409	Soil	1.8	19.4	19.5	74	0.2	24.3	8.2	299	2.91	10.6	6.3	4.2	18	<0.1	0.7	0.2	52	0.21	0.038	14
1771410	Soil	2.3	16.7	16.7	59	0.2	18.1	9.8	630	2.72	8.3	3.2	2.9	16	0.1	0.6	0.2	48	0.23	0.073	10
1771411	Soil	4.4	29.7	16.9	82	0.2	27.0	9.4	399	3.11	8.4	40.8	5.8	20	0.2	0.9	0.2	50	0.17	0.061	19
1771412	Soil	2.1	36.6	11.6	110	0.3	40.7	13.9	576	3.35	7.0	21.8	5.9	22	0.2	0.7	0.2	46	0.25	0.067	20
1771413	Soil	1.7	28.6	14.4	77	0.4	23.8	8.6	331	2.29	6.3	14.2	2.6	16	0.2	0.5	0.2	38	0.19	0.051	18
1771801	Soil	2.4	54.9	38.5	145	0.2	38.1	9.1	223	3.48	8.0	8.0	10.1	18	0.2	1.2	0.2	42	0.11	0.072	18
1771802	Soil	3.1	44.3	21.3	187	0.2	46.1	12.3	376	3.54	21.5	8.3	10.0	13	0.1	2.7	0.2	42	0.15	0.060	16
1771803	Soil	5.5	15.9	9.8	65	0.1	18.7	5.3	200	2.66	7.5	<0.5	0.7	10	0.1	0.6	0.2	51	0.11	0.079	10
1771804	Soil	3.3	56.6	7.5	155	<0.1	52.2	12.1	679	4.47	3.7	8.5	9.2	16	0.1	0.6	0.2	73	0.14	0.064	20
1771805	Soil	2.3	59.3	15.0	192	<0.1	57.3	16.3	701	4.86	9.7	7.9	13.1	15	0.2	0.4	0.3	97	0.20	0.079	25
1771806	Soil	3.4	75.2	11.6	157	<0.1	50.1	13.4	214	5.01	2.8	7.9	18.6	11	0.2	0.4	0.2	95	0.20	0.084	51
1771807	Soil	2.6	47.2	15.3	165	<0.1	51.1	14.6	514	4.65	16.6	7.4	9.6	10	0.2	0.7	0.2	53	0.20	0.072	23
1771808	Soil	1.9	69.3	19.6	171	<0.1	49.9	17.2	451	4.81	13.4	6.2	18.3	13	0.1	0.5	0.2	107	0.28	0.084	55
1771809	Soil	2.8	38.5	46.3	142	<0.1	49.4	17.6	580	5.15	17.0	1.8	11.3	16	0.2	3.6	0.1	56	0.07	0.080	28
1771810	Soil	5.6	43.2	36.2	130	0.1	37.2	11.4	325	4.20	9.7	25.0	5.6	14	0.2	3.8	0.1	55	0.11	0.045	18
1771811	Soil	4.0	16.4	10.2	69	0.1	19.8	6.9	276	3.65	10.8	3.1	3.8	9	0.1	0.6	0.2	83	0.09	0.085	13
1771812	Soil	1.9	14.1	17.7	65	<0.1	19.3	11.8	682	2.60	6.3	3.7	2.3	11	<0.1	0.5	0.2	45	0.12	0.067	12
1771813	Soil	1.4	36.9	10.3	106	0.1	37.6	11.0	327	3.62	6.6	6.1	9.7	16	<0.1	0.5	0.1	74	0.22	0.046	33
1771814	Soil	2.2	58.0	7.4	165	<0.1	49.8	14.4	357	4.88	3.5	3.6	9.9	14	<0.1	0.8	0.1	104	0.15	0.063	23
1771815	Soil	2.4	84.0	13.0	217	<0.1	72.8	17.9	614	5.70	9.6	8.1	13.4	10	0.2	0.4	0.3	97	0.25	0.090	44
1771816	Soil	2.1	51.8	15.5	142	<0.1	46.9	13.6	522	5.04	3.8	13.7	10.7	8	0.2	0.8	0.2	48	0.11	0.068	27
1771817	Soil	3.2	59.8	8.2	149	<0.1	51.6	14.5	393	4.86	4.5	5.5	8.9	11	0.1	0.6	0.2	81	0.13	0.057	19
1771818	Soil	1.8	20.3	8.2	74	<0.1	20.6	6.0	171	2.76	7.5	1.6	3.3	10	<0.1	0.6	0.2	52	0.04	0.032	10
1771819	Soil	3.5	26.7	6.6	104	0.1	25.2	10.8	668	3.59	8.9	1.0	5.1	16	0.3	4.0	0.2	41	0.09	0.060	20
1771820	Soil	1.7	15.4	16.7	70	0.3	14.0	5.6	215	2.06	21.9	1.0	1.3	10	0.1	1.8	0.2	31	0.08	0.064	8
1771821	Soil	2.7	43.7	19.7	104	0.2	24.1	6.7	154	3.26	6.1	20.3	9.7	18	<0.1	2.7	0.2	41	0.10	0.053	22
1771822	Soil	2.2	52.3	16.2	171	<0.1	47.9	13.4	406	4.89	7.9	4.4	13.4	13	<0.1	1.7	0.2	78	0.11	0.052	31
1771823	Soil	3.0	50.0	18.9	103	<0.1	35.9	8.8	204	4.37	16.7	4.2	8.6	14	<0.1	1.1	0.2	77	0.15	0.056	17
1771824	Soil	1.6	33.6	15.2	108	<0.1	33.1	9.3	255	3.85	7.5	2.8	7.3	12	<0.1	1.4	0.2	70	0.11	0.049	18

CERTIFICATE OF ANALYSIS

WHI14000145.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1771408	Soil	25	0.40	271	0.064	2	1.18	0.008	0.27	0.1	0.05	3.3	0.3	<0.05	5	<0.5	<0.2
1771409	Soil	27	0.40	250	0.049	2	1.39	0.007	0.11	0.1	0.07	3.4	0.2	<0.05	5	<0.5	<0.2
1771410	Soil	24	0.36	244	0.048	2	1.30	0.007	0.12	0.1	0.05	2.6	0.1	<0.05	5	<0.5	<0.2
1771411	Soil	30	0.36	260	0.041	2	1.22	0.007	0.20	0.1	0.21	4.5	0.3	<0.05	4	1.0	<0.2
1771412	Soil	34	0.38	326	0.049	2	1.18	0.008	0.21	0.1	0.24	5.2	0.2	<0.05	4	0.6	<0.2
1771413	Soil	28	0.35	248	0.029	2	1.29	0.008	0.13	0.1	0.28	3.6	0.2	<0.05	5	0.8	<0.2
1771801	Soil	21	0.20	470	0.035	2	0.63	0.003	0.35	<0.1	0.27	6.4	0.4	<0.05	3	1.5	<0.2
1771802	Soil	21	0.15	466	0.019	3	0.66	0.003	0.27	<0.1	0.57	4.6	0.4	<0.05	3	1.2	<0.2
1771803	Soil	20	0.20	124	0.025	2	0.92	0.005	0.10	<0.1	0.06	2.3	0.2	<0.05	5	<0.5	<0.2
1771804	Soil	30	0.24	482	0.031	1	0.74	0.003	0.32	<0.1	0.38	7.8	0.4	<0.05	3	2.0	<0.2
1771805	Soil	43	0.86	671	0.174	3	2.13	0.009	1.21	<0.1	0.22	7.9	0.9	<0.05	9	1.7	<0.2
1771806	Soil	43	0.61	452	0.093	2	1.56	0.006	0.85	<0.1	0.09	7.9	0.6	<0.05	6	3.6	<0.2
1771807	Soil	28	0.32	306	0.050	2	1.05	0.004	0.39	<0.1	0.15	7.3	0.5	<0.05	4	0.8	<0.2
1771808	Soil	51	0.82	593	0.208	1	2.35	0.008	1.04	<0.1	0.05	6.9	1.0	<0.05	9	0.9	<0.2
1771809	Soil	32	0.37	205	0.062	3	1.35	0.004	0.52	<0.1	0.22	4.6	0.5	<0.05	4	0.8	<0.2
1771810	Soil	28	0.42	285	0.056	3	1.44	0.005	0.40	<0.1	0.63	5.1	0.4	<0.05	5	0.6	<0.2
1771811	Soil	28	0.41	134	0.068	2	1.32	0.006	0.17	0.1	0.02	3.4	0.2	<0.05	7	<0.5	<0.2
1771812	Soil	22	0.32	166	0.040	2	1.22	0.006	0.16	0.1	0.05	2.5	0.2	<0.05	5	<0.5	<0.2
1771813	Soil	37	0.60	422	0.078	2	1.80	0.009	0.42	0.2	0.04	6.4	0.4	<0.05	6	0.6	<0.2
1771814	Soil	46	0.72	380	0.111	2	1.73	0.007	0.85	<0.1	0.04	7.7	0.7	<0.05	6	0.9	<0.2
1771815	Soil	45	0.54	357	0.077	1	1.67	0.005	0.62	<0.1	0.02	8.7	0.7	<0.05	6	1.3	<0.2
1771816	Soil	29	0.43	321	0.065	<1	1.23	0.006	0.65	<0.1	0.14	6.7	0.5	<0.05	4	2.5	<0.2
1771817	Soil	39	0.42	458	0.050	3	1.36	0.004	0.49	<0.1	0.31	7.6	0.5	<0.05	5	1.4	<0.2
1771818	Soil	22	0.28	107	0.040	2	1.04	0.003	0.20	<0.1	0.05	3.2	0.3	<0.05	4	<0.5	<0.2
1771819	Soil	21	0.20	292	0.020	3	0.90	0.004	0.20	0.1	0.61	3.7	0.2	<0.05	3	<0.5	<0.2
1771820	Soil	12	0.08	211	0.007	2	0.66	0.003	0.09	<0.1	0.12	2.7	0.2	<0.05	3	<0.5	<0.2
1771821	Soil	22	0.25	490	0.035	3	0.92	0.004	0.36	<0.1	0.44	5.0	0.4	<0.05	4	0.9	<0.2
1771822	Soil	37	0.53	374	0.124	2	1.54	0.006	0.72	<0.1	0.54	6.0	0.6	<0.05	6	0.6	<0.2
1771823	Soil	32	0.39	442	0.069	2	1.25	0.004	0.43	<0.1	0.27	5.3	0.6	<0.05	5	3.0	<0.2
1771824	Soil	34	0.55	473	0.127	2	1.66	0.005	0.63	<0.1	0.15	4.4	0.6	<0.05	6	0.6	<0.2

CERTIFICATE OF ANALYSIS

WHI14000145.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
1771825	Soil	2.0	11.6	8.0	43	0.1	12.9	4.6	149	2.14	7.0	1.2	2.7	10	0.1	0.6	0.2	53	0.06	0.051	10
1771826	Soil	2.7	65.5	10.3	121	<0.1	36.9	13.1	210	4.98	7.9	12.8	15.4	9	0.2	0.7	0.2	82	0.06	0.071	31
1771827	Soil	2.3	72.6	13.2	177	<0.1	54.5	16.7	482	5.09	5.2	7.5	9.7	14	0.2	0.7	0.2	91	0.16	0.083	23
1771828	Soil	2.6	69.2	14.9	164	0.2	58.7	19.5	888	4.99	13.8	14.3	7.7	14	0.2	0.7	0.3	90	0.15	0.077	22
1771829	Soil	2.1	57.2	8.0	185	<0.1	56.5	18.1	748	5.03	7.4	2.6	7.7	13	0.2	0.6	<0.1	90	0.11	0.046	17
1771830	Soil	1.8	21.1	14.0	73	<0.1	23.2	9.4	225	3.22	9.6	5.2	5.5	10	0.1	2.0	0.2	58	0.08	0.053	19
1771831	Soil	2.7	48.4	91.9	143	<0.1	43.4	15.6	391	3.85	8.7	12.6	8.7	18	0.2	4.5	0.2	64	0.04	0.040	19
1771832	Soil	3.4	48.5	19.1	144	<0.1	40.5	13.9	417	4.47	6.7	6.1	10.0	19	0.2	2.0	0.2	78	0.11	0.050	24
1771833	Soil	0.8	18.0	14.3	57	<0.1	20.5	8.4	360	2.44	7.5	2.0	5.6	17	<0.1	0.6	0.2	50	0.21	0.042	15
1771851	Soil	2.1	36.5	8.7	84	<0.1	25.0	9.0	239	3.33	4.8	6.6	8.9	20	<0.1	0.8	0.2	59	0.10	0.034	23
1771852	Soil	2.2	57.2	11.9	106	<0.1	32.4	11.2	199	4.35	4.3	6.2	7.4	13	0.1	0.7	0.2	100	0.08	0.053	18
1771853	Soil	2.4	37.7	7.7	127	<0.1	37.5	12.2	407	4.43	7.8	3.4	6.7	12	0.1	4.8	0.1	58	0.10	0.066	17
1771854	Soil	2.7	45.5	8.2	180	<0.1	55.5	20.7	676	5.88	9.6	1.9	8.2	12	0.3	2.3	0.2	82	0.11	0.122	19
1771855	Soil	2.1	66.1	15.7	191	<0.1	55.9	15.4	388	5.57	5.6	2.8	10.3	11	0.1	0.6	0.3	114	0.19	0.102	19
1771856	Soil	2.4	68.9	24.6	216	<0.1	61.7	17.3	498	6.26	13.9	5.4	10.0	13	0.1	1.6	0.4	113	0.16	0.065	20
1771857	Soil	1.8	80.1	25.6	143	<0.1	40.2	14.7	415	4.91	11.3	4.3	18.2	13	0.2	0.8	0.3	60	0.20	0.086	43
1771858	Soil	2.2	58.7	22.7	136	<0.1	47.4	13.5	352	4.71	7.5	5.8	10.8	12	0.1	5.9	0.2	61	0.13	0.054	28
1771859	Soil	1.6	23.9	10.2	101	0.1	27.3	11.0	341	3.30	6.5	1.8	5.9	11	0.2	0.6	0.1	64	0.17	0.100	14
1771860	Soil	1.5	33.4	10.1	109	<0.1	30.4	9.5	244	3.85	8.6	2.8	5.9	13	<0.1	0.6	0.2	91	0.10	0.035	18
1771861	Soil	1.5	51.8	31.9	191	<0.1	49.5	17.6	508	5.02	25.0	4.8	9.1	15	0.2	2.4	0.2	80	0.25	0.083	13
1771862	Soil	1.9	56.6	17.1	154	<0.1	52.6	16.3	488	4.92	10.4	4.0	10.0	13	0.1	1.6	0.2	92	0.12	0.027	21
1771863	Soil	2.5	34.8	33.3	173	<0.1	34.0	14.0	358	3.93	24.4	5.9	10.0	18	0.2	2.7	0.3	58	0.25	0.065	21
1771864	Soil	2.5	36.6	28.3	185	<0.1	31.1	11.6	281	3.41	14.3	4.1	8.0	19	0.3	2.2	0.3	44	0.15	0.041	18
1771865	Soil	2.2	50.4	11.8	157	<0.1	50.1	15.1	529	4.74	4.6	5.6	9.7	16	0.2	0.6	0.3	85	0.32	0.100	17
1771866	Soil	2.4	38.9	21.8	147	<0.1	36.2	14.0	396	4.30	10.3	3.8	9.4	21	0.2	0.9	0.3	61	0.19	0.080	17
1771867	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1771868	Soil	1.6	26.4	10.7	87	<0.1	26.1	9.3	305	2.83	8.3	5.1	5.7	22	0.1	1.0	0.2	52	0.23	0.060	18
1771869	Soil	1.3	30.4	12.7	92	<0.1	25.9	8.2	262	2.63	8.5	4.5	4.7	21	0.1	0.8	0.2	52	0.24	0.057	16
1771870	Soil	1.9	39.1	21.6	156	<0.1	33.4	11.5	409	3.63	19.3	4.4	8.8	19	0.3	1.1	0.2	64	0.28	0.095	23
1771871	Soil	1.6	32.7	26.2	103	<0.1	29.5	10.4	253	3.43	30.3	7.7	9.7	13	0.2	6.4	0.1	38	0.13	0.044	30



www.acmelab.com

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**

1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike

Report Date: September 25, 2014

Page: 8 of 11

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI14000145.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1771825	Soil	20	0.22	126	0.031	<1	1.03	0.005	0.06	0.1	0.03	3.4	<0.1	<0.05	4	<0.5	<0.2
1771826	Soil	43	0.44	348	0.094	1	1.42	0.004	0.56	<0.1	0.50	9.1	0.6	<0.05	4	1.6	<0.2
1771827	Soil	49	0.49	406	0.093	1	1.33	0.005	0.58	<0.1	0.09	7.8	0.6	<0.05	5	2.4	<0.2
1771828	Soil	45	0.46	404	0.087	1	1.36	0.007	0.47	<0.1	0.16	11.4	0.5	<0.05	5	2.2	<0.2
1771829	Soil	49	0.57	459	0.125	2	1.38	0.008	0.71	<0.1	0.23	8.8	0.5	<0.05	5	1.0	<0.2
1771830	Soil	31	0.44	208	0.045	3	1.64	0.006	0.20	<0.1	0.19	3.3	0.2	<0.05	5	0.5	<0.2
1771831	Soil	36	0.37	250	0.056	2	1.44	0.005	0.40	<0.1	0.55	4.5	0.4	<0.05	5	1.0	<0.2
1771832	Soil	42	0.56	511	0.131	2	1.60	0.007	0.70	<0.1	0.64	7.1	0.5	<0.05	5	1.5	<0.2
1771833	Soil	28	0.37	204	0.058	<1	1.15	0.010	0.18	0.1	0.03	4.7	0.1	<0.05	4	<0.5	<0.2
1771851	Soil	30	0.44	443	0.081	1	1.33	0.006	0.39	<0.1	0.16	7.5	0.3	<0.05	5	1.2	<0.2
1771852	Soil	51	0.63	404	0.197	<1	1.74	0.009	0.87	<0.1	0.17	10.0	0.6	<0.05	8	1.6	<0.2
1771853	Soil	31	0.32	252	0.047	2	1.16	0.006	0.25	0.2	0.30	7.2	0.2	<0.05	4	1.4	<0.2
1771854	Soil	40	0.49	284	0.137	2	1.46	0.008	0.74	0.2	0.67	8.6	0.5	<0.05	6	1.0	<0.2
1771855	Soil	59	0.76	386	0.185	1	2.18	0.008	1.05	<0.1	0.03	8.1	0.9	<0.05	7	1.6	<0.2
1771856	Soil	60	0.70	334	0.191	3	2.09	0.007	0.95	<0.1	0.18	8.7	0.9	<0.05	8	1.4	<0.2
1771857	Soil	33	0.52	527	0.137	2	1.54	0.007	0.68	<0.1	0.23	6.9	0.7	<0.05	5	1.8	<0.2
1771858	Soil	35	0.37	355	0.081	3	1.18	0.005	0.45	0.1	0.63	6.5	0.4	<0.05	4	1.1	<0.2
1771859	Soil	33	0.42	214	0.074	1	1.46	0.006	0.31	0.1	0.06	4.3	0.3	<0.05	5	<0.5	<0.2
1771860	Soil	45	0.65	234	0.125	<1	2.03	0.008	0.44	0.2	0.03	4.6	0.4	<0.05	7	<0.5	<0.2
1771861	Soil	42	0.46	375	0.107	2	1.30	0.006	0.71	<0.1	0.52	8.4	0.6	<0.05	6	0.7	<0.2
1771862	Soil	50	0.53	384	0.145	2	1.51	0.006	0.68	<0.1	0.25	8.8	0.6	<0.05	5	1.2	<0.2
1771863	Soil	35	0.40	291	0.075	3	1.40	0.008	0.35	0.1	0.19	4.7	0.4	<0.05	5	0.7	<0.2
1771864	Soil	24	0.19	211	0.028	2	0.70	0.005	0.15	<0.1	0.34	5.4	0.2	<0.05	3	0.7	<0.2
1771865	Soil	44	0.62	609	0.112	1	1.58	0.006	0.80	<0.1	0.24	7.6	0.7	<0.05	6	0.9	<0.2
1771866	Soil	33	0.36	319	0.085	3	1.22	0.005	0.40	<0.1	0.47	6.5	0.4	<0.05	5	0.9	<0.2
1771867	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1771868	Soil	25	0.34	397	0.054	1	1.02	0.008	0.17	<0.1	0.34	5.1	0.2	<0.05	3	0.5	<0.2
1771869	Soil	31	0.39	293	0.053	2	1.33	0.011	0.12	0.2	0.20	4.3	0.2	<0.05	4	0.7	<0.2
1771870	Soil	34	0.42	373	0.097	2	1.24	0.007	0.41	<0.1	0.18	5.6	0.4	<0.05	5	<0.5	<0.2
1771871	Soil	23	0.28	164	0.024	2	1.03	0.005	0.12	<0.1	0.18	2.9	0.1	<0.05	3	0.8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

CERTIFICATE OF ANALYSIS

WHI14000145.1

Method Analyte	Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm
1771872	Soil	1.7	26.6	28.5	90	<0.1	14.8	8.3	336	3.05	10.3	3.0	4.9	16	<0.1	2.5	0.2	32	0.09	0.026	8
1771873	Soil	1.0	54.9	9.0	130	<0.1	42.0	12.0	250	3.97	6.8	5.7	10.0	14	<0.1	1.7	0.2	60	0.14	0.044	25
1771874	Soil	2.3	23.5	18.2	98	0.2	27.9	10.6	295	3.69	15.1	5.9	3.0	12	0.1	0.9	0.2	77	0.13	0.065	10
1771875	Soil	1.7	22.9	12.4	98	0.3	23.2	9.3	362	3.39	7.7	1.7	4.5	14	0.2	0.9	0.1	80	0.16	0.079	13
1771876	Soil	2.1	47.0	19.1	145	0.1	48.3	15.6	272	4.44	22.6	2.4	7.2	11	0.2	2.0	0.2	115	0.25	0.128	14
1771877	Soil	2.8	49.0	11.3	117	<0.1	43.8	13.2	388	4.16	8.3	6.6	8.4	14	0.1	2.8	0.2	58	0.14	0.041	20
1771878	Soil	1.4	37.0	15.3	105	0.4	32.5	11.2	436	3.46	7.8	5.6	6.3	23	0.2	0.7	0.2	75	0.31	0.070	22
1771879	Soil	1.9	75.6	35.5	165	<0.1	44.4	20.2	460	4.95	12.7	4.1	11.3	14	0.1	0.7	0.2	109	0.27	0.127	25
1771880	Soil	2.3	66.7	33.7	229	<0.1	59.7	23.2	580	5.72	12.9	3.6	8.7	18	0.2	2.0	0.2	117	0.30	0.127	19
1771881	Soil	2.2	45.7	35.1	176	0.4	43.9	12.8	364	4.87	13.1	2.2	9.7	14	0.2	0.8	0.2	107	0.12	0.089	27
1771882	Soil	2.7	66.0	15.1	127	0.1	40.2	15.2	220	4.51	10.0	8.6	15.3	14	0.2	3.3	0.2	51	0.08	0.056	34
1771883	Soil	5.4	51.2	14.1	103	<0.1	35.6	12.8	376	4.39	9.0	7.1	12.7	21	0.2	5.6	0.2	46	0.08	0.049	36
1771884	Soil	1.6	55.0	19.7	131	<0.1	36.7	15.3	562	4.40	6.3	2.0	14.1	24	0.1	1.1	0.2	79	0.48	0.127	33
1771885	Soil	1.5	33.4	19.1	81	<0.1	27.2	10.0	261	3.12	11.1	2.4	6.3	29	<0.1	1.5	0.2	57	0.29	0.059	21
1771886	Soil	1.5	62.8	16.8	169	<0.1	46.4	17.8	574	4.91	13.3	4.4	21.8	16	0.2	0.4	0.2	100	0.30	0.089	49
1771887	Soil	2.4	35.0	16.9	124	<0.1	32.2	12.9	275	4.00	18.6	3.0	10.9	24	0.1	0.7	0.1	69	0.19	0.056	27
1771888	Soil	2.0	43.0	17.8	125	<0.1	37.9	14.0	365	4.16	18.3	4.2	11.0	21	<0.1	0.8	0.3	77	0.18	0.055	27
1771889	Soil	1.7	83.1	22.0	219	<0.1	65.0	23.6	730	6.35	7.8	5.8	18.2	18	0.2	0.9	0.2	145	0.36	0.093	38
1771890	Soil	2.2	74.9	26.8	148	<0.1	42.8	14.6	337	4.45	14.2	4.7	14.5	13	0.1	1.4	0.1	74	0.21	0.067	34
1771891	Soil	1.5	42.3	19.2	101	<0.1	30.0	9.9	310	3.21	17.3	4.2	8.8	27	0.2	1.7	0.2	68	0.17	0.044	20
1771892	Soil	2.7	86.8	27.2	181	<0.1	53.4	21.5	412	5.73	15.7	6.3	11.5	13	0.2	1.5	0.2	101	0.09	0.065	28
1771893	Soil	1.7	49.1	23.3	154	<0.1	40.6	16.3	297	4.39	29.7	1.9	10.8	13	0.2	1.1	0.2	94	0.17	0.066	22
1771894	Soil	1.8	54.9	22.3	169	0.1	46.4	14.5	361	4.95	25.2	0.9	10.0	13	0.2	1.4	0.2	96	0.16	0.114	21
1771895	Soil	2.7	70.4	27.9	229	<0.1	68.0	16.3	321	6.79	8.5	4.3	8.9	12	0.2	2.9	0.3	135	0.28	0.098	23
1771896	Soil	1.8	75.9	16.8	206	<0.1	48.5	19.0	596	6.20	12.6	5.3	14.9	13	0.2	0.4	0.3	115	0.30	0.099	35
1771897	Soil	2.2	37.8	11.4	97	0.2	33.6	14.4	339	3.95	10.1	2.8	7.5	20	0.1	0.8	0.2	82	0.17	0.031	22
1771898	Soil	1.9	54.0	11.0	129	<0.1	42.5	17.9	516	4.78	9.3	3.5	9.3	14	0.2	2.7	0.2	66	0.11	0.068	29
1771899	Soil	2.2	55.3	14.8	160	0.1	46.7	14.0	338	4.53	12.0	3.5	11.4	16	0.2	0.8	0.2	86	0.18	0.078	30
1771900	Soil	1.4	69.3	21.1	206	0.1	64.0	20.5	603	5.67	5.4	3.2	9.5	27	0.2	1.3	0.2	112	0.43	0.112	26
1771901	Soil	1.3	36.5	17.0	113	<0.1	28.2	14.3	553	4.54	8.6	2.8	10.6	26	0.1	0.9	0.2	87	0.17	0.023	29

CERTIFICATE OF ANALYSIS

WHI14000145.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1771872	Soil	13	0.27	250	0.067	2	0.91	0.004	0.47	<0.1	0.39	6.1	0.4	<0.05	5	1.0	<0.2
1771873	Soil	37	0.48	257	0.095	<1	1.37	0.010	0.40	0.1	0.08	7.2	0.3	<0.05	4	0.7	<0.2
1771874	Soil	37	0.52	182	0.093	2	2.00	0.007	0.24	0.1	0.03	3.9	0.3	<0.05	6	<0.5	<0.2
1771875	Soil	38	0.48	297	0.101	2	1.66	0.007	0.34	0.1	0.06	4.6	0.2	<0.05	6	0.8	<0.2
1771876	Soil	63	0.68	290	0.234	2	2.06	0.009	0.70	0.1	0.09	7.8	0.7	<0.05	8	0.8	<0.2
1771877	Soil	33	0.36	326	0.074	2	1.16	0.007	0.28	0.1	0.51	6.2	0.3	<0.05	4	<0.5	<0.2
1771878	Soil	41	0.53	598	0.131	3	1.70	0.012	0.35	0.1	0.27	7.3	0.3	<0.05	6	<0.5	<0.2
1771879	Soil	63	0.78	482	0.250	3	2.48	0.011	0.92	<0.1	0.10	8.7	0.8	<0.05	8	<0.5	<0.2
1771880	Soil	60	0.66	306	0.174	3	2.14	0.007	0.88	<0.1	0.12	10.7	0.7	<0.05	8	0.9	<0.2
1771881	Soil	54	0.49	300	0.185	3	1.89	0.009	0.45	0.1	0.04	6.9	0.6	<0.05	8	0.6	<0.2
1771882	Soil	34	0.34	329	0.049	2	1.67	0.013	0.26	0.1	0.29	4.9	0.2	0.10	4	<0.5	<0.2
1771883	Soil	24	0.22	246	0.026	3	1.13	0.006	0.15	<0.1	0.60	7.0	0.2	<0.05	3	1.0	<0.2
1771884	Soil	44	0.70	446	0.158	4	1.97	0.008	0.91	<0.1	0.25	7.8	0.7	<0.05	7	<0.5	<0.2
1771885	Soil	34	0.40	443	0.075	4	1.29	0.012	0.16	<0.1	0.24	5.6	0.2	<0.05	4	<0.5	<0.2
1771886	Soil	51	0.72	432	0.177	3	2.13	0.009	0.83	<0.1	0.08	8.4	0.7	<0.05	8	0.7	<0.2
1771887	Soil	36	0.35	250	0.089	4	1.20	0.008	0.31	<0.1	0.17	6.9	0.4	<0.05	5	0.9	<0.2
1771888	Soil	41	0.41	288	0.075	3	1.58	0.008	0.25	<0.1	0.18	6.4	0.3	<0.05	5	0.6	<0.2
1771889	Soil	84	1.01	744	0.302	3	2.57	0.009	1.36	<0.1	0.12	11.5	0.9	<0.05	10	0.6	<0.2
1771890	Soil	43	0.56	476	0.172	3	2.00	0.010	0.68	0.1	0.15	6.2	0.6	<0.05	6	0.7	<0.2
1771891	Soil	34	0.32	166	0.061	3	1.13	0.009	0.13	<0.1	0.35	6.8	0.2	<0.05	4	<0.5	<0.2
1771892	Soil	52	0.60	373	0.165	2	2.16	0.007	0.72	<0.1	0.19	9.9	0.8	<0.05	7	2.3	<0.2
1771893	Soil	52	0.58	353	0.180	3	2.12	0.009	0.54	<0.1	0.02	7.0	0.8	<0.05	7	<0.5	<0.2
1771894	Soil	50	0.54	358	0.143	3	2.00	0.008	0.51	0.1	0.03	7.1	0.6	<0.05	7	<0.5	<0.2
1771895	Soil	70	0.82	460	0.204	2	2.52	0.008	1.00	<0.1	0.04	9.6	0.9	<0.05	8	1.2	<0.2
1771896	Soil	64	0.91	530	0.231	2	2.74	0.009	1.26	<0.1	0.09	12.7	1.3	<0.05	9	0.8	<0.2
1771897	Soil	50	0.62	327	0.108	2	2.31	0.014	0.26	0.1	0.06	8.2	0.3	<0.05	6	<0.5	<0.2
1771898	Soil	36	0.38	283	0.042	3	1.79	0.007	0.19	<0.1	0.35	6.5	0.2	<0.05	4	0.7	<0.2
1771899	Soil	48	0.47	320	0.100	3	1.77	0.008	0.39	<0.1	0.15	6.4	0.4	<0.05	5	1.4	<0.2
1771900	Soil	66	0.82	525	0.178	3	1.99	0.013	0.83	<0.1	0.46	8.6	0.7	<0.05	7	<0.5	<0.2
1771901	Soil	47	0.73	422	0.162	3	2.28	0.011	0.67	<0.1	0.05	10.5	0.5	<0.05	9	<0.5	<0.2



www.acmelab.com

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**

1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike

Report Date: September 25, 2014

Page: 10 of 11

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI14000145.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1771902	Soil	1.8	49.5	28.4	198	<0.1	40.7	12.0	339	3.99	14.3	4.9	13.4	40	0.3	1.6	0.2	52	0.20	0.066	34
1771903	Soil	2.8	27.5	18.8	107	0.1	28.4	10.5	226	4.03	24.4	1.4	6.0	19	0.1	1.2	0.2	70	0.20	0.098	15
1771904	Soil	2.6	36.4	8.8	101	<0.1	32.3	10.9	318	3.26	7.2	5.8	8.9	34	<0.1	1.3	0.2	65	0.25	0.055	29
1771905	Soil	3.7	61.5	14.6	173	<0.1	46.5	17.5	700	5.16	5.4	4.2	14.3	20	0.2	1.1	0.2	80	0.32	0.083	36
1771906	Soil	2.1	40.3	9.7	100	<0.1	33.8	13.9	479	4.00	8.8	3.8	10.9	26	0.2	3.4	0.2	48	0.22	0.062	35
1771907	Soil	1.6	31.9	15.3	128	<0.1	31.5	13.4	295	2.95	17.2	4.2	8.9	31	0.1	1.5	0.3	51	0.21	0.060	22
1771908	Soil	1.8	34.0	21.1	198	<0.1	27.7	10.3	257	3.18	18.2	3.9	9.0	25	0.3	1.3	0.2	49	0.24	0.043	23
1771909	Soil	3.5	62.3	13.7	148	<0.1	42.7	13.2	472	4.91	8.8	9.5	18.8	26	0.2	5.9	0.2	46	0.22	0.083	53
1771910	Soil	1.7	31.2	27.4	156	<0.1	16.4	11.7	1074	4.85	14.0	1.9	12.5	16	0.1	0.9	0.2	61	0.17	0.107	31
1771911	Soil	2.7	79.8	36.8	231	<0.1	63.9	18.4	633	6.03	11.1	4.5	11.8	20	0.3	2.0	0.2	90	0.20	0.060	31
1771912	Soil	2.5	70.0	23.5	208	<0.1	58.4	16.5	452	5.82	6.1	4.4	14.5	18	0.1	0.5	0.2	99	0.16	0.070	31
1771913	Soil	1.8	55.1	20.4	135	<0.1	40.8	14.3	316	4.57	24.3	2.1	9.2	18	0.3	1.1	0.2	81	0.30	0.112	25
1771914	Soil	1.7	29.5	25.4	91	<0.1	28.1	8.0	182	3.14	35.4	6.0	6.3	9	0.1	1.1	0.3	42	0.10	0.013	14
1771915	Soil	1.5	19.6	13.5	101	0.2	23.2	8.2	589	3.35	6.9	1.1	4.8	19	0.2	0.5	0.2	80	0.26	0.133	15
1771916	Soil	2.7	63.3	18.8	177	<0.1	55.7	15.4	394	5.05	7.8	4.8	9.8	8	0.2	0.9	0.7	97	0.12	0.051	19
1771917	Soil	1.4	51.9	22.4	143	<0.1	42.8	12.4	553	4.40	6.1	5.8	9.1	17	0.1	1.3	0.2	70	0.24	0.059	23
1771918	Soil	1.4	41.0	18.7	97	<0.1	27.9	8.8	223	3.29	15.3	3.0	8.6	13	0.1	1.6	0.2	46	0.25	0.070	16
1771919	Soil	2.2	33.0	19.4	111	<0.1	38.1	12.0	252	4.30	23.4	2.4	7.7	13	0.1	1.1	0.2	77	0.11	0.024	16
1771920	Soil	1.7	52.1	14.3	203	<0.1	58.0	17.4	442	6.25	27.2	3.3	12.9	10	0.2	0.6	0.3	121	0.32	0.095	28
1771921	Soil	1.6	51.8	10.7	163	<0.1	56.9	18.7	352	5.47	6.7	4.5	9.9	10	0.1	0.6	0.2	94	0.23	0.070	23
1771922	Soil	1.3	22.7	11.9	71	<0.1	24.1	7.8	269	2.78	7.0	2.9	5.5	15	<0.1	0.6	0.1	45	0.20	0.026	16
1771923	Soil	2.1	31.8	14.8	114	<0.1	19.9	16.7	1065	5.21	28.4	0.7	11.4	5	<0.1	1.3	0.2	77	0.13	0.098	29
1771924	Soil	1.3	38.2	14.4	122	<0.1	22.6	9.6	497	4.19	10.7	2.3	8.9	15	0.1	1.3	0.1	58	0.23	0.049	24
1771925	Soil	1.7	29.7	14.9	77	<0.1	27.5	9.8	287	3.42	11.3	2.2	7.2	18	0.1	0.8	0.2	62	0.24	0.064	20
1771926	Soil	2.6	17.3	12.2	69	<0.1	20.8	14.3	479	3.00	8.5	4.5	3.3	18	<0.1	2.1	0.2	38	0.08	0.070	16
1771927	Soil	1.2	18.3	11.7	53	<0.1	19.8	6.7	180	2.45	8.2	3.3	4.5	17	<0.1	0.8	0.2	48	0.23	0.032	18
1771928	Soil	1.5	29.1	12.1	80	<0.1	27.3	10.9	269	3.25	8.3	5.5	6.9	21	<0.1	1.0	0.2	57	0.25	0.042	19
1771929	Soil	1.5	26.4	13.4	74	<0.1	26.1	9.5	267	2.76	8.9	4.3	6.4	18	<0.1	1.1	0.1	47	0.23	0.041	19
1771930	Soil	4.9	35.7	34.6	204	<0.1	54.3	13.0	313	4.24	28.5	2.7	14.7	15	0.3	1.4	0.2	49	0.39	0.115	32
1771931	Soil	2.1	49.4	29.6	191	<0.1	40.3	13.2	393	4.36	14.4	2.9	12.1	21	0.2	1.2	0.4	54	0.28	0.077	22

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

CERTIFICATE OF ANALYSIS

WHI14000145.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1771902	Soil	27	0.16	413	0.019	5	0.84	0.004	0.24	<0.1	0.60	6.7	0.3	<0.05	4	1.2	<0.2
1771903	Soil	34	0.28	162	0.038	3	1.35	0.006	0.14	<0.1	0.06	3.9	0.2	<0.05	5	0.7	<0.2
1771904	Soil	34	0.44	396	0.072	3	1.40	0.010	0.23	<0.1	0.37	6.4	0.2	<0.05	5	<0.5	<0.2
1771905	Soil	43	0.71	508	0.151	3	2.01	0.009	0.92	<0.1	0.15	9.7	0.6	<0.05	6	<0.5	<0.2
1771906	Soil	28	0.31	334	0.049	2	1.08	0.008	0.18	<0.1	0.51	6.5	0.2	<0.05	3	0.6	<0.2
1771907	Soil	28	0.29	185	0.043	2	1.05	0.008	0.13	<0.1	0.38	4.2	0.2	<0.05	3	<0.5	<0.2
1771908	Soil	29	0.34	290	0.052	3	1.14	0.010	0.12	<0.1	0.26	6.0	0.3	<0.05	4	<0.5	<0.2
1771909	Soil	26	0.26	440	0.048	3	0.97	0.007	0.37	<0.1	0.86	7.3	0.2	<0.05	3	1.2	<0.2
1771910	Soil	22	0.44	234	0.104	4	1.71	0.007	0.63	<0.1	0.06	9.9	0.6	<0.05	7	<0.5	<0.2
1771911	Soil	47	0.50	490	0.130	3	1.54	0.006	0.75	<0.1	0.50	8.9	0.6	<0.05	6	0.5	<0.2
1771912	Soil	58	0.72	456	0.161	3	2.26	0.008	0.83	<0.1	0.21	7.4	0.8	<0.05	8	1.3	<0.2
1771913	Soil	45	0.51	292	0.120	2	2.02	0.010	0.40	0.1	0.02	8.3	0.6	<0.05	6	0.5	<0.2
1771914	Soil	24	0.29	160	0.043	2	1.23	0.005	0.14	<0.1	0.04	4.0	0.3	<0.05	4	<0.5	<0.2
1771915	Soil	34	0.51	382	0.124	2	1.62	0.008	0.41	0.1	0.02	4.4	0.4	<0.05	7	<0.5	<0.2
1771916	Soil	46	0.53	245	0.107	3	1.78	0.004	0.62	<0.1	0.05	6.3	0.8	<0.05	7	1.0	<0.2
1771917	Soil	32	0.49	504	0.081	3	1.51	0.006	0.60	<0.1	0.19	7.0	0.6	<0.05	6	1.2	<0.2
1771918	Soil	28	0.38	193	0.064	3	1.33	0.006	0.45	<0.1	0.05	3.8	0.5	<0.05	5	0.7	<0.2
1771919	Soil	39	0.37	188	0.027	2	1.86	0.007	0.18	<0.1	0.06	5.9	0.4	<0.05	6	<0.5	<0.2
1771920	Soil	58	0.88	314	0.175	1	2.40	0.007	1.17	<0.1	0.01	6.9	1.2	<0.05	8	0.6	<0.2
1771921	Soil	52	0.91	274	0.139	2	2.71	0.008	0.80	<0.1	0.07	6.9	0.7	<0.05	8	<0.5	<0.2
1771922	Soil	27	0.45	337	0.051	2	1.47	0.009	0.12	0.1	0.15	3.4	0.2	<0.05	5	<0.5	<0.2
1771923	Soil	30	0.62	205	0.195	2	1.94	0.006	1.01	0.2	0.11	12.0	1.2	<0.05	10	<0.5	<0.2
1771924	Soil	24	0.59	502	0.122	2	1.65	0.006	0.74	0.1	0.21	9.2	0.6	<0.05	6	<0.5	<0.2
1771925	Soil	29	0.37	272	0.055	3	1.20	0.007	0.23	<0.1	0.16	4.7	0.3	<0.05	4	0.5	<0.2
1771926	Soil	19	0.16	127	0.012	3	1.08	0.003	0.16	0.1	0.07	2.5	0.2	<0.05	3	0.6	<0.2
1771927	Soil	27	0.43	299	0.047	2	1.55	0.009	0.06	0.1	0.12	3.7	0.1	<0.05	5	<0.5	<0.2
1771928	Soil	33	0.49	347	0.069	3	1.62	0.011	0.23	0.1	0.21	4.8	0.3	<0.05	5	<0.5	<0.2
1771929	Soil	28	0.40	278	0.048	2	1.37	0.009	0.09	0.1	0.18	4.1	0.2	<0.05	4	<0.5	<0.2
1771930	Soil	28	0.29	290	0.044	3	1.24	0.004	0.37	<0.1	0.19	6.0	0.5	<0.05	4	0.5	<0.2
1771931	Soil	29	0.33	299	0.051	2	1.10	0.005	0.41	<0.1	0.46	6.1	0.4	<0.05	5	0.7	<0.2



www.acmelab.com

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**

1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike

Report Date: September 25, 2014

Page: 11 of 11

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI14000145.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
1771932	Soil	1.6	28.7	18.6	152	<0.1	19.0	15.4	570	4.31	28.5	1.9	10.5	9	0.1	1.0	0.2	72	0.22	0.074	24
1771933	Soil	1.3	49.7	10.8	142	0.1	52.0	12.7	466	4.21	3.9	4.5	12.0	16	<0.1	0.5	0.2	57	0.16	0.064	20
1771934	Soil	3.0	69.0	13.5	154	<0.1	45.0	13.6	827	4.01	18.7	6.7	12.1	24	0.2	3.8	0.2	46	0.20	0.075	29
1771935	Soil	4.3	55.9	19.7	154	<0.1	52.1	16.0	1253	4.45	62.2	6.8	13.0	17	0.3	1.1	0.2	47	0.24	0.077	37
1771936	Soil	1.9	23.5	11.0	76	0.1	29.0	8.4	193	3.23	12.6	2.9	4.3	14	0.1	0.5	0.2	68	0.17	0.040	15
1771937	Soil	3.1	48.3	14.5	122	<0.1	38.6	9.5	259	3.67	10.9	7.3	12.9	18	<0.1	0.5	0.1	58	0.09	0.043	28
1771938	Soil	5.7	19.6	12.5	78	<0.1	25.7	10.6	300	3.52	11.5	18.1	5.2	15	<0.1	0.8	0.2	75	0.16	0.060	16
1771939	Soil	4.6	30.4	15.0	96	0.2	24.1	8.1	328	3.10	7.9	91.9	8.7	18	0.1	4.3	0.2	50	0.11	0.072	29
1771940	Soil	2.8	40.4	19.8	114	<0.1	32.2	11.2	276	4.45	8.5	3.3	7.2	11	<0.1	1.1	0.2	69	0.07	0.052	21
1771941	Soil	2.2	53.3	25.1	150	<0.1	45.2	13.8	506	4.27	32.3	8.1	12.6	13	0.2	0.8	0.2	86	0.24	0.070	36
1771942	Soil	3.1	61.4	16.0	213	<0.1	67.9	18.3	449	6.18	7.1	4.9	11.8	14	0.2	0.6	0.3	117	0.27	0.072	25
1771943	Soil	2.6	82.2	14.3	229	<0.1	84.3	19.6	486	6.24	9.9	3.3	22.8	11	0.1	0.5	0.1	118	0.40	0.111	76
1771944	Soil	2.0	23.5	13.0	71	<0.1	26.0	9.6	218	3.37	12.9	0.9	3.9	13	0.1	0.8	0.2	77	0.12	0.030	12
1771945	Soil	1.5	42.0	11.3	163	<0.1	45.2	18.4	656	5.25	5.4	3.0	12.3	30	0.1	1.0	0.2	64	0.68	0.282	26
1771946	Soil	2.7	49.8	12.5	113	<0.1	35.9	9.1	357	3.71	4.1	62.8	12.9	17	<0.1	2.1	0.2	40	0.13	0.053	37
1771947	Soil	2.0	30.4	15.9	112	0.2	28.3	7.7	285	3.61	6.3	1.1	5.9	14	<0.1	0.4	0.2	82	0.12	0.054	17
1771948	Soil	1.8	33.1	20.1	125	<0.1	37.8	12.0	457	3.78	12.5	3.3	8.7	11	0.1	0.9	0.2	38	0.12	0.054	17
1771949	Soil	1.2	42.5	16.2	149	<0.1	42.5	13.4	321	4.63	5.0	3.6	13.3	10	<0.1	0.5	0.2	98	0.28	0.082	26
1771950	Soil	2.6	55.7	18.1	190	<0.1	57.8	19.3	530	5.06	16.8	3.4	11.1	16	<0.1	0.6	0.2	83	0.16	0.072	24



www.acmelab.com

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**

1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike

Report Date: September 25, 2014

Page: 11 of 11

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI14000145.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm		
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2		
1771932	Soil	26	0.68	346	0.130	3	2.46	0.006	0.81	0.2	0.09	6.8	0.8	<0.05	7	<0.5	<0.2	
1771933	Soil	29	0.30	339	0.050	4	0.95	0.003	0.44	<0.1	0.36	5.7	0.4	<0.05	5	1.1	<0.2	
1771934	Soil	24	0.20	599	0.026	2	0.77	0.004	0.28	<0.1	0.48	6.0	0.3	<0.05	3	1.0	<0.2	
1771935	Soil	25	0.35	470	0.061	3	1.21	0.004	0.41	<0.1	0.28	4.3	0.6	<0.05	4	0.6	<0.2	
1771936	Soil	30	0.37	205	0.038	2	1.49	0.007	0.09	<0.1	0.04	3.5	0.2	<0.05	5	<0.5	<0.2	
1771937	Soil	30	0.27	387	0.050	4	0.95	0.003	0.42	<0.1	0.45	6.4	0.5	<0.05	5	1.0	<0.2	
1771938	Soil	33	0.48	203	0.051	2	1.87	0.007	0.18	0.1	0.06	3.4	0.3	<0.05	6	<0.5	<0.2	
1771939	Soil	25	0.28	384	0.038	4	1.25	0.005	0.31	<0.1	3.85	5.4	0.3	<0.05	5	0.5	<0.2	
1771940	Soil	31	0.39	203	0.091	3	1.65	0.005	0.49	<0.1	0.08	5.6	0.5	<0.05	6	0.8	<0.2	
1771941	Soil	38	0.54	416	0.121	2	1.76	0.006	0.60	<0.1	0.07	7.3	0.8	<0.05	6	0.5	<0.2	
1771942	Soil	55	0.65	395	0.106	3	1.65	0.007	0.80	<0.1	0.18	10.0	0.8	<0.05	8	0.8	<0.2	
1771943	Soil	53	0.91	601	0.151	1	2.21	0.007	1.15	<0.1	0.05	7.9	1.1	<0.05	8	1.5	<0.2	
1771944	Soil	34	0.51	149	0.058	2	2.24	0.011	0.12	<0.1	0.02	3.7	0.2	<0.05	6	<0.5	<0.2	
1771945	Soil	22	0.38	532	0.035	4	1.26	0.004	0.47	<0.1	0.55	11.2	0.5	<0.05	5	0.7	<0.2	
1771946	Soil	24	0.37	486	0.051	1	1.16	0.007	0.39	<0.1	0.49	6.2	0.3	<0.05	3	0.9	<0.2	
1771947	Soil	35	0.49	415	0.114	3	1.75	0.007	0.42	<0.1	0.09	4.4	0.6	<0.05	7	<0.5	<0.2	
1771948	Soil	22	0.17	176	0.020	2	0.87	0.003	0.24	<0.1	0.25	4.1	0.3	<0.05	4	0.5	<0.2	
1771949	Soil	53	0.76	567	0.187	2	2.21	0.007	1.03	<0.1	0.05	8.4	0.8	<0.05	7	0.8	<0.2	
1771950	Soil	40	0.59	467	0.128	<1	1.71	0.006	0.77	<0.1	0.05	8.0	0.6	<0.05	6	<0.5	<0.2	



www.acmelab.com

Bureau Veritas Commodities Canada Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**
 1300 - 1111 West Georgia Street
 Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike
 Report Date: September 25, 2014

Page: 1 of 2 Part: 1 of 2

QUALITY CONTROL REPORT

WHI14000145.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
Pulp Duplicates																					
1771291	Soil	2.1	29.6	19.7	74	0.1	35.0	13.8	456	3.35	10.1	3.1	8.4	18	<0.1	0.9	0.2	48	0.28	0.043	22
REP 1771291	QC	2.0	31.5	21.9	77	0.1	36.2	14.5	453	3.43	11.9	3.0	9.6	19	0.1	0.9	0.2	50	0.35	0.047	25
1771327	Soil	3.6	56.6	39.0	164	0.1	61.0	18.6	597	5.35	9.2	1.0	20.3	17	0.1	0.8	0.3	83	0.42	0.129	47
REP 1771327	QC	3.5	58.3	40.2	170	0.1	62.0	18.9	598	5.55	9.6	<0.5	20.7	18	0.2	0.8	0.2	85	0.50	0.128	52
1771363	Soil	1.7	33.1	17.5	63	<0.1	24.1	10.2	260	2.89	11.8	5.5	8.2	24	<0.1	0.6	0.2	57	0.19	0.024	24
REP 1771363	QC	1.6	33.8	17.5	64	<0.1	23.6	10.1	270	2.86	11.9	4.0	8.3	25	<0.1	0.7	0.2	55	0.19	0.025	24
1771399	Soil	1.9	30.3	15.6	88	0.3	25.5	10.0	324	3.16	13.4	3.9	6.4	20	0.2	1.1	0.2	58	0.30	0.072	19
REP 1771399	QC	2.0	31.6	17.0	91	0.4	28.8	10.2	345	3.32	13.6	6.4	6.7	22	0.1	1.0	0.2	63	0.30	0.075	21
1771822	Soil	2.2	52.3	16.2	171	<0.1	47.9	13.4	406	4.89	7.9	4.4	13.4	13	<0.1	1.7	0.2	78	0.11	0.052	31
REP 1771822	QC	2.1	53.6	16.7	180	<0.1	47.8	13.8	408	4.98	8.1	5.0	14.7	15	<0.1	1.8	0.2	66	0.12	0.056	38
1771875	Soil	1.7	22.9	12.4	98	0.3	23.2	9.3	362	3.39	7.7	1.7	4.5	14	0.2	0.9	0.1	80	0.16	0.079	13
REP 1771875	QC	1.7	24.0	13.1	100	0.3	25.4	9.5	384	3.48	7.6	2.5	4.9	15	0.2	1.0	0.1	79	0.16	0.083	14
1771911	Soil	2.7	79.8	36.8	231	<0.1	63.9	18.4	633	6.03	11.1	4.5	11.8	20	0.3	2.0	0.2	90	0.20	0.060	31
REP 1771911	QC	2.9	84.8	36.4	236	<0.1	62.7	18.8	684	6.14	11.9	5.4	12.2	22	0.2	2.2	0.2	92	0.20	0.059	31
1771947	Soil	2.0	30.4	15.9	112	0.2	28.3	7.7	285	3.61	6.3	1.1	5.9	14	<0.1	0.4	0.2	82	0.12	0.054	17
REP 1771947	QC	1.8	32.9	16.0	119	0.2	30.8	8.1	292	3.82	6.9	1.9	6.4	15	0.1	0.4	0.2	75	0.13	0.056	19
1771950	Soil	2.6	55.7	18.1	190	<0.1	57.8	19.3	530	5.06	16.8	3.4	11.1	16	<0.1	0.6	0.2	83	0.16	0.072	24
REP 1771950	QC	2.4	55.2	17.6	188	<0.1	54.0	18.5	527	5.11	16.1	3.5	10.9	16	<0.1	0.6	0.2	84	0.15	0.074	24
Reference Materials																					
STD DS10	Standard	13.2	144.4	147.8	339	1.8	65.2	11.2	779	2.53	42.4	103.1	7.3	64	2.5	10.0	11.9	43	0.99	0.068	16
STD DS10	Standard	13.4	163.5	147.7	381	1.9	76.2	12.7	825	2.68	47.3	71.9	7.9	64	2.4	9.8	12.8	43	0.99	0.074	18
STD DS10	Standard	14.5	145.6	146.7	343	1.9	72.3	10.9	828	2.60	38.6	110.1	6.6	63	2.2	8.5	11.2	37	0.99	0.062	16
STD DS10	Standard	15.1	150.4	150.7	359	1.9	77.2	12.4	845	2.68	45.1	107.8	7.7	63	2.8	10.3	12.9	44	1.09	0.070	18
STD DS10	Standard	14.5	148.9	147.1	355	1.9	73.7	12.7	865	2.69	43.5	88.4	7.1	65	2.3	10.1	11.3	43	0.99	0.072	16
STD DS10	Standard	16.0	155.0	146.6	360	1.9	75.3	11.8	838	2.72	38.1	68.6	7.2	67	2.3	8.4	11.0	39	1.09	0.062	18
STD DS10	Standard	14.2	164.3	151.7	372	1.9	79.3	13.6	899	2.82	45.8	120.5	7.5	68	2.8	9.5	12.7	47	1.08	0.075	18
STD DS10	Standard	16.1	167.7	159.0	387	2.0	77.4	14.0	943	2.92	50.8	69.3	8.3	70	2.7	10.1	13.2	47	1.14	0.081	20
STD DS10	Standard	16.0	167.5	154.6	390	2.0	80.1	13.0	940	2.84	48.5	86.0	8.7	73	2.7	10.0	12.4	47	1.11	0.074	22

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



www.acmelab.com

Client: Goldstrike Resources Ltd.
 1300 - 1111 West Georgia Street
 Vancouver BC V6E 4M3 CANADA

Bureau Veritas Commodities Canada Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Project: Lucky Strike
 Report Date: September 25, 2014

Page: 1 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI14000145.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																	
1771291	Soil	30	0.31	171	0.057	3	1.08	0.007	0.36	<0.1	0.06	5.4	0.2	<0.05	3	<0.5	<0.2
REP 1771291	QC	32	0.35	178	0.066	2	1.20	0.008	0.37	0.1	0.06	5.8	0.3	<0.05	4	<0.5	<0.2
1771327	Soil	48	0.60	362	0.167	3	1.80	0.008	0.88	0.1	0.03	7.6	0.7	<0.05	6	<0.5	<0.2
REP 1771327	QC	49	0.61	384	0.189	1	1.86	0.008	0.94	0.1	0.04	7.9	0.8	<0.05	7	0.7	<0.2
1771363	Soil	31	0.37	297	0.056	<1	1.29	0.010	0.10	<0.1	0.11	6.5	0.1	<0.05	4	<0.5	<0.2
REP 1771363	QC	33	0.37	302	0.056	<1	1.30	0.011	0.10	<0.1	0.11	6.6	0.1	<0.05	4	<0.5	<0.2
1771399	Soil	32	0.43	325	0.076	2	1.47	0.009	0.17	0.1	0.15	4.8	0.3	<0.05	5	0.9	<0.2
REP 1771399	QC	33	0.46	343	0.094	5	1.57	0.011	0.18	0.1	0.19	4.7	0.2	<0.05	5	0.8	<0.2
1771822	Soil	37	0.53	374	0.124	2	1.54	0.006	0.72	<0.1	0.54	6.0	0.6	<0.05	6	0.6	<0.2
REP 1771822	QC	39	0.54	360	0.116	3	1.57	0.006	0.79	<0.1	0.59	6.2	0.7	<0.05	6	0.7	<0.2
1771875	Soil	38	0.48	297	0.101	2	1.66	0.007	0.34	0.1	0.06	4.6	0.2	<0.05	6	0.8	<0.2
REP 1771875	QC	40	0.49	304	0.107	2	1.68	0.008	0.34	0.1	0.05	4.5	0.3	<0.05	6	<0.5	<0.2
1771911	Soil	47	0.50	490	0.130	3	1.54	0.006	0.75	<0.1	0.50	8.9	0.6	<0.05	6	0.5	<0.2
REP 1771911	QC	50	0.54	493	0.139	3	1.69	0.006	0.79	<0.1	0.51	9.1	0.6	<0.05	6	0.7	<0.2
1771947	Soil	35	0.49	415	0.114	3	1.75	0.007	0.42	<0.1	0.09	4.4	0.6	<0.05	7	<0.5	<0.2
REP 1771947	QC	38	0.50	398	0.120	3	1.85	0.008	0.48	0.1	0.10	4.6	0.6	<0.05	7	0.5	<0.2
1771950	Soil	40	0.59	467	0.128	<1	1.71	0.006	0.77	<0.1	0.05	8.0	0.6	<0.05	6	<0.5	<0.2
REP 1771950	QC	40	0.60	460	0.132	2	1.69	0.006	0.79	<0.1	0.06	8.3	0.6	<0.05	6	<0.5	<0.2
Reference Materials																	
STD DS10	Standard	50	0.72	334	0.075	6	0.96	0.063	0.30	3.0	0.26	2.8	4.9	0.26	4	2.4	5.1
STD DS10	Standard	53	0.75	347	0.076	5	1.02	0.070	0.31	3.2	0.28	2.7	4.6	0.24	4	2.2	5.0
STD DS10	Standard	45	0.72	337	0.062	6	0.97	0.067	0.31	3.3	0.27	2.7	5.2	0.25	4	2.3	5.0
STD DS10	Standard	52	0.70	352	0.079	6	0.97	0.062	0.33	3.4	0.30	3.1	4.9	0.24	4	2.7	4.6
STD DS10	Standard	56	0.76	326	0.081	6	0.96	0.065	0.32	3.3	0.30	2.7	5.0	0.27	4	2.7	4.5
STD DS10	Standard	48	0.78	350	0.073	7	1.11	0.069	0.35	3.3	0.31	2.9	5.1	0.31	5	2.2	5.0
STD DS10	Standard	59	0.81	364	0.081	4	1.05	0.062	0.34	3.5	0.29	2.8	4.8	0.28	4	1.4	4.3
STD DS10	Standard	58	0.82	357	0.091	7	1.12	0.075	0.35	3.4	0.34	3.3	5.6	0.31	5	2.3	5.4
STD DS10	Standard	59	0.83	357	0.098	8	1.18	0.073	0.35	3.1	0.29	3.6	5.4	0.30	5	2.5	5.2



www.acmelab.com

Bureau Veritas Commodities Canada Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**
 1300 - 1111 West Georgia Street
 Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike
 Report Date: September 25, 2014

Page: 2 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI14000145.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
STD OXC109	Standard	1.4	33.4	11.1	38	<0.1	67.5	17.6	379	2.69	0.6	183.4	1.5	133	<0.1	<0.1	<0.1	46	0.63	0.097	12
STD OXC109	Standard	1.4	36.7	11.6	39	<0.1	71.4	18.4	389	2.75	0.7	193.2	1.5	137	<0.1	<0.1	<0.1	48	0.67	0.104	12
STD OXC109	Standard	1.4	31.3	10.0	40	<0.1	67.6	16.1	378	2.66	<0.5	196.8	1.3	127	<0.1	<0.1	<0.1	40	0.65	0.085	11
STD OXC109	Standard	1.4	35.7	11.7	41	<0.1	72.5	19.0	406	2.90	<0.5	199.9	1.5	132	<0.1	<0.1	<0.1	49	0.73	0.105	13
STD OXC109	Standard	1.3	31.2	10.4	37	<0.1	64.1	16.1	350	2.40	0.6	185.6	1.4	125	<0.1	<0.1	<0.1	42	0.57	0.093	12
STD OXC109	Standard	1.5	32.1	10.3	39	<0.1	73.0	17.7	415	2.94	0.6	196.6	1.4	146	<0.1	<0.1	<0.1	44	0.82	0.089	12
STD OXC109	Standard	1.5	37.1	10.8	40	<0.1	75.6	19.9	429	2.89	0.5	193.4	1.4	143	<0.1	<0.1	<0.1	51	0.62	0.103	13
STD OXC109	Standard	1.6	36.5	11.7	42	<0.1	75.3	19.3	414	2.93	0.8	215.9	1.6	148	<0.1	<0.1	<0.1	51	0.73	0.103	14
STD OXC109	Standard	1.5	36.6	12.1	42	<0.1	74.1	20.3	418	2.94	0.7	190.9	1.6	155	<0.1	<0.1	<0.1	52	0.84	0.104	14
STD DS10 Expected		14.69	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	43.7	91.9	7.5	67.1	2.49	8.23	11.65	43	1.0625	0.073	17.5
STD OXC109 Expected		201																			
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	0.6	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	0.3	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

QUALITY CONTROL REPORT

WHI14000145.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD OXC109	Standard	55	1.29	50	0.360	2	1.29	0.600	0.37	0.2	<0.01	0.6	<0.1	<0.05	5	<0.5	<0.2
STD OXC109	Standard	57	1.39	54	0.371	<1	1.48	0.641	0.38	0.2	<0.01	0.8	<0.1	<0.05	5	<0.5	<0.2
STD OXC109	Standard	47	1.32	49	0.345	1	1.34	0.582	0.38	0.2	<0.01	0.8	<0.1	<0.05	5	<0.5	<0.2
STD OXC109	Standard	57	1.41	58	0.378	1	1.47	0.664	0.39	0.2	<0.01	0.8	<0.1	<0.05	5	<0.5	<0.2
STD OXC109	Standard	49	1.29	52	0.343	1	1.30	0.577	0.35	0.2	<0.01	0.8	<0.1	<0.05	5	<0.5	<0.2
STD OXC109	Standard	52	1.46	51	0.389	2	1.60	0.636	0.44	0.2	<0.01	1.1	<0.1	<0.05	6	<0.5	<0.2
STD OXC109	Standard	60	1.35	56	0.394	<1	1.46	0.654	0.41	0.2	<0.01	0.7	<0.1	<0.05	5	<0.5	<0.2
STD OXC109	Standard	61	1.44	62	0.383	1	1.45	0.637	0.41	0.2	<0.01	1.1	<0.1	<0.05	5	<0.5	<0.2
STD OXC109	Standard	60	1.49	58	0.397	2	1.63	0.667	0.39	0.2	<0.01	1.4	<0.1	<0.05	6	<0.5	<0.2
STD DS10 Expected		54.6	0.775	359	0.0817		1.0259	0.067	0.338	3.32	0.3	2.8	5.1	0.29	4.3	2.3	5.01
STD OXC109 Expected																	
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



www.acmelab.com

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**
1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Submitted By: Trevor Bremner
Receiving Lab: Canada-Whitehorse
Received: August 27, 2014
Report Date: September 25, 2014
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI14000148.1

CLIENT JOB INFORMATION

Project: Lucky Strike
Shipment ID: LS_ROCK_2014
P.O. Number
Number of Samples: 1

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Goldstrike Resources Ltd.
1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3
CANADA

CC: Clayton Jones
Daithi Mac Gerailt
Diana Benz

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	1	Crush, split and pulverize 500g rock to 200 mesh			WHI
FS631	1	Metallic Pulverize and Sieve 500g to 150 mesh			VAN
Split +150 mesh	1	Analysis sample split/packet			VAN
Split -150	1	Analysis sample split/packet			WHI
FS631	1	Metallics Fire Assay for Au	30	Completed	VAN
FA330-Au	1	Fire assay fusion Au by ICP-ES	30	Completed	VAN
AQ200	1	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. *** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



www.acmelab.com

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**

1300 - 1111 West Georgia Street

Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike

Report Date: September 25, 2014

Page: 2 of 2

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI14000148.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	FA330	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	
Unit	kg	g	gm/t	gm/t	gm/t	g	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	
MDL	0.01	1	0.005	0.01	0.17	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	
1771951	Rock	0.36	340	1.135	1.10	0.61	26.13	279	1.4	14.3	2.9	51	<0.1	18.9	4.9	142	2.34	1.2	47.9	14.0	7



www.acmelab.com

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**

1300 - 1111 West Georgia Street

Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike

Report Date: September 25, 2014

Page: 2 of 2

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI14000148.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	
MDL	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	
1771951	Rock	<0.1	0.4	<0.1	45	0.13	0.079	47	23	0.04	115	0.009	<20	0.24	0.025	0.13	0.2	0.11	14.3	<0.1	<0.05



www.acmelab.com

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**

1300 - 1111 West Georgia Street

Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike

Report Date: September 25, 2014

Page: 2 of 2

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI14000148.1

Method	Analyte	AQ200	AQ200	AQ200
		Ga	Se	Te
Unit		ppm	ppm	ppm
MDL		1	0.5	0.2
1771951	Rock	<1	<0.5	<0.2

QUALITY CONTROL REPORT

WHI14000148.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	FA330	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	
Unit	kg	g	gm/t	gm/t	gm/t	g	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	
MDL	0.01	1	0.005	0.01	0.17	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	
Pulp Duplicates																					
1771951	Rock	0.36	340	1.135	1.10	0.61	26.13	279	1.4	14.3	2.9	51	<0.1	18.9	4.9	142	2.34	1.2	47.9	14.0	7
REP 1771951	QC								1.4	14.5	2.9	54	<0.1	18.8	4.9	141	2.35	1.2	65.8	13.8	7
Reference Materials																					
STD DS10	Standard								13.2	156.7	144.4	377	1.9	80.2	13.3	891	2.83	43.9	78.3	6.9	69
STD OREAS45EA	Standard								1.6	726.6	14.3	31	0.3	404.1	50.7	401	24.16	11.0	57.3	10.2	4
STD OXD108	Standard			0.413																	
STD OXD108	Standard							426													
STD OXI121	Standard			1.843																	
STD OXI121	Standard							1841													
STD OXN117	Standard			7.719																	
STD OXP91	Standard					15.09	31.02														
STD OXD108 Expected								414													
STD OXI121 Expected								1834													
STD OXP91 Expected						14.82															
STD DS10 Expected									14.69	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	43.7	91.9	7.5	67.1
STD OREAS45EA Expected									1.39	709	14.3	28.9	0.26	381	52	400	23.51	9.1	53	10.7	3.5
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank							5													
BLK	Blank							<2													
BLK	Blank					<0.17	30.00														
BLK	Blank								<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1
Prep Wash																					
G1-WHI	Prep Blank		490	<0.005	<0.01	<0.17	28.33	<2	0.2	3.2	4.1	46	<0.1	2.8	3.6	576	2.05	<0.5	0.9	4.9	56



www.acmelab.com

Bureau Veritas Commodities Canada Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**
 1300 - 1111 West Georgia Street
 Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike
 Report Date: September 25, 2014

Page: 1 of 1

Part: 2 of 3

QUALITY CONTROL REPORT

WHI14000148.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	
MDL	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	
Pulp Duplicates																					
1771951	Rock	<0.1	0.4	<0.1	45	0.13	0.079	47	23	0.04	115	0.009	<20	0.24	0.025	0.13	0.2	0.11	14.3	<0.1	<0.05
REP 1771951	QC	<0.1	0.5	<0.1	45	0.12	0.082	47	24	0.04	114	0.009	<20	0.25	0.025	0.13	0.2	0.08	14.0	<0.1	<0.05
Reference Materials																					
STD DS10	Standard	2.4	9.8	12.4	45	1.09	0.081	17	56	0.79	414	0.078	<20	1.05	0.069	0.34	3.4	0.27	3.0	5.0	0.29
STD OREAS45EA	Standard	<0.1	0.4	0.4	316	0.03	0.027	7	848	0.09	149	0.097	<20	3.28	0.024	0.05	<0.1	0.02	80.7	<0.1	<0.05
STD OXD108	Standard																				
STD OXD108	Standard																				
STD OXI121	Standard																				
STD OXI121	Standard																				
STD OXN117	Standard																				
STD OXP91	Standard																				
STD OXD108 Expected																					
STD OXI121 Expected																					
STD OXP91 Expected																					
STD DS10 Expected		2.49	8.23	11.65	43	1.0625	0.073	17.5	54.6	0.775	359	0.0817		1.0259	0.067	0.338	3.32	0.3	2.8	5.1	0.29
STD OREAS45EA Expected		0.02	0.2	0.26	303	0.036	0.029	6.57	849	0.095	148	0.0875		3.13	0.02	0.053			78	0.072	0.036
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
Prep Wash																					
G1-WHI	Prep Blank	<0.1	0.2	0.1	37	0.45	0.072	11	9	0.50	161	0.121	<20	0.94	0.075	0.49	<0.1	<0.01	2.2	0.3	<0.05

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

QUALITY CONTROL REPORT

WHI14000148.1

Method	AQ200	AQ200	AQ200
Analyte	Ga	Se	Te
Unit	ppm	ppm	ppm
MDL	1	0.5	0.2
Pulp Duplicates			
1771951	Rock	<1	<0.5 <0.2
REP 1771951	QC	<1	1.1 <0.2
Reference Materials			
STD DS10	Standard	4	2.3 4.8
STD OREAS45EA	Standard	12	1.6 <0.2
STD OXD108	Standard		
STD OXD108	Standard		
STD OXI121	Standard		
STD OXI121	Standard		
STD OXN117	Standard		
STD OXP91	Standard		
STD OXD108 Expected			
STD OXI121 Expected			
STD OXP91 Expected			
STD DS10 Expected		4.3	2.3 5.01
STD OREAS45EA Expected		11.7	0.6 0.07
BLK	Blank		
BLK	Blank		
BLK	Blank		
BLK	Blank		
BLK	Blank		
BLK	Blank	<1	<0.5 <0.2
Prep Wash			
G1-WHI	Prep Blank	5	<0.5 <0.2



www.acmelab.com

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**
1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Submitted By: Trevor Bremner
Receiving Lab: Canada-Whitehorse
Received: August 27, 2014
Report Date: September 25, 2014
Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI14000147.1

CLIENT JOB INFORMATION

Project: Lucky Strike
Shipment ID: LS_ROCK_2014
P.O. Number
Number of Samples: 31

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Goldstrike Resources Ltd.
1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3
CANADA

CC: Clayton Jones
Daithi Mac Gerailt
Diana Benz

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	31	Crush, split and pulverize 250 g rock to 200 mesh			WHI
FA330-Au	31	Fire assay fusion Au by ICP-ES	30	Completed	VAN
AQ200	31	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

CERTIFICATE OF ANALYSIS

WHI14000147.1

Method	WGHT	FA330	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
1771952	Rock	0.28	4	3.6	13.7	3.2	53	<0.1	18.6	3.9	110	2.10	1.7	0.7	8.5	11	<0.1	0.3	0.2	24	0.05
1771953	Rock	1.94	4	2.9	14.0	5.9	63	<0.1	17.7	4.3	155	2.76	1.1	2.9	9.9	8	<0.1	0.2	0.2	49	0.09
1771954	Rock	1.43	9	1.8	34.3	5.6	93	<0.1	23.5	7.7	280	3.24	1.5	3.8	8.3	9	0.2	0.4	0.1	38	0.10
1771955	Rock	3.12	5	58.9	113.3	15.6	1862	6.7	323.1	95.6	>10000	34.21	341.2	3.0	1.8	23	13.9	1.5	<0.1	47	0.05
1771956	Rock	1.67	12	9.9	59.5	8.9	878	0.7	273.6	38.2	5211	10.68	93.8	10.4	0.5	7	2.6	1.7	<0.1	34	0.06
1771957	Rock	2.04	4	11.0	107.0	8.4	473	0.2	89.5	6.6	243	12.43	207.4	1.9	1.3	17	3.0	3.4	0.1	86	0.03
1771958	Rock	2.26	6	9.9	51.2	27.6	113	0.2	40.4	12.2	685	2.48	37.4	3.2	6.0	14	0.7	0.4	0.2	31	0.02
1771959	Rock	1.98	6	14.8	9.5	8.5	1604	0.7	408.1	104.4	>10000	>40	318.4	4.0	0.7	14	2.2	2.7	<0.1	32	0.03
1771960	Rock	1.69	7	22.2	57.6	24.2	634	0.8	207.8	76.6	>10000	25.14	244.7	4.1	3.9	22	3.5	2.1	<0.1	22	0.03
1771961	Rock	1.38	97	4.9	21.6	7.5	66	0.2	20.4	6.3	453	2.93	6.5	53.9	5.3	15	0.1	0.6	0.1	33	0.11
1771962	Rock	0.82	4	0.7	32.7	11.7	83	<0.1	26.9	7.7	292	2.51	13.1	3.1	6.0	14	0.2	1.1	0.3	30	0.17
1771963	Rock	0.92	30	2.8	30.5	4.1	39	0.1	13.5	4.9	90	1.68	3.6	14.5	6.5	18	<0.1	6.3	0.1	8	0.05
1771964	Rock	1.21	5	1.2	30.8	3.5	67	0.1	20.9	6.0	211	2.31	5.3	1.8	10.0	8	0.3	6.7	<0.1	19	0.13
1771965	Rock	1.45	6	3.3	71.6	4.9	162	0.2	46.4	15.3	659	5.62	10.9	2.6	8.0	7	0.5	23.9	0.2	23	0.09
1771966	Rock	0.96	3	2.2	26.1	4.5	75	<0.1	21.5	6.3	149	2.43	2.4	1.4	11.2	8	<0.1	0.5	<0.1	48	0.08
1771967	Rock	2.10	13	13.7	22.0	6.0	137	<0.1	38.1	14.6	507	4.58	3.3	4.2	12.5	4	0.3	0.8	0.2	48	0.12
1771968	Rock	2.09	<2	1.2	20.3	15.0	56	<0.1	13.7	7.0	360	1.99	34.4	<0.5	4.7	3	<0.1	0.6	0.2	24	0.04
1771969	Rock	2.71	724	13.6	46.4	5.4	113	0.2	27.9	9.1	352	4.26	6.6	353.5	8.1	10	0.5	7.5	0.1	26	0.01
1771970	Rock	0.86	707	79.3	19.7	12.3	56	0.3	12.3	4.9	172	2.18	4.7	110.1	7.0	13	0.2	4.7	0.3	14	<0.01
1771971	Rock	1.50	221	4.9	14.0	6.2	36	0.1	8.3	1.8	60	1.43	4.3	92.4	3.0	6	<0.1	4.4	0.1	7	<0.01
1771972	Rock	2.24	854	31.7	50.5	187.5	89	0.3	24.7	8.9	313	3.11	24.7	473.6	4.4	12	<0.1	3.1	0.1	18	<0.01
1771973	Rock	2.10	2	8.5	17.2	6.4	55	<0.1	17.6	12.0	293	2.06	3.9	1.8	6.6	9	<0.1	0.5	0.2	49	<0.01
1771974	Rock	2.82	544	8.5	27.1	72.4	70	0.1	18.4	5.1	343	2.29	4.8	135.4	7.2	8	0.1	7.9	<0.1	11	<0.01
1771975	Rock	2.82	236	5.0	14.8	3.3	53	<0.1	16.0	4.6	109	2.69	1.4	3.5	8.6	16	<0.1	0.4	0.1	28	0.04
1771976	Rock	1.52	<2	1.4	3.5	2.9	17	0.1	5.2	2.0	106	0.72	0.6	1.4	0.3	1	<0.1	0.2	<0.1	6	<0.01
1771977	Rock	0.10	3	1.3	9.0	4.4	30	<0.1	9.3	2.4	111	1.72	1.1	1.2	12.0	5	<0.1	0.3	0.1	28	0.02
1770101	Rock	1.27	12	0.3	1.8	3.6	39	0.2	7.5	7.2	586	2.39	2.0	11.3	3.9	50	0.4	<0.1	<0.1	50	3.88
1770102	Rock	1.35	40	1.7	48.0	6.1	58	0.1	14.9	14.2	669	2.91	0.7	24.5	2.4	78	0.2	<0.1	<0.1	60	3.40
1770103	Rock	0.96	14	2.1	7.5	2.8	14	<0.1	1.6	7.3	336	1.83	0.9	15.0	6.6	29	<0.1	<0.1	<0.1	12	0.38
1770104	Rock	1.55	9	0.1	6.0	3.0	42	<0.1	4.9	8.9	760	2.19	0.8	6.0	1.2	46	0.4	<0.1	<0.1	51	4.05

CERTIFICATE OF ANALYSIS

WHI14000147.1

Method Analyte	Unit	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
MDL		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1771952	Rock	0.046	25	13	0.05	1467	0.013	<20	0.26	0.031	0.08	<0.1	0.06	6.1	<0.1	0.05	<1	<0.5	<0.2	
1771953	Rock	0.063	27	21	0.07	303	0.032	<20	0.30	0.051	0.11	0.2	0.05	6.6	<0.1	<0.05	1	<0.5	<0.2	
1771954	Rock	0.086	22	18	0.27	283	0.059	<20	0.76	0.011	0.47	<0.1	0.11	5.1	0.3	<0.05	2	1.0	<0.2	
1771955	Rock	0.535	4	8	0.02	4417	0.005	<20	0.31	0.004	0.11	<0.1	1.14	2.4	21.2	<0.05	2	<0.5	<0.2	
1771956	Rock	0.153	2	11	0.04	914	0.004	<20	0.20	0.001	0.02	<0.1	0.47	1.7	4.7	<0.05	<1	<0.5	<0.2	
1771957	Rock	0.213	5	19	0.02	250	0.003	<20	0.25	0.002	0.08	0.1	0.11	2.9	0.2	<0.05	1	0.8	<0.2	
1771958	Rock	0.067	13	16	0.02	292	0.004	<20	0.34	0.001	0.09	<0.1	0.16	5.5	0.4	<0.05	1	<0.5	<0.2	
1771959	Rock	0.721	2	9	0.01	1502	0.005	<20	0.19	0.002	0.05	<0.1	0.12	2.6	3.4	<0.05	1	<0.5	<0.2	
1771960	Rock	0.412	6	6	0.01	2234	0.003	<20	0.56	0.003	0.06	<0.1	0.17	2.7	5.6	<0.05	2	<0.5	<0.2	
1771961	Rock	0.053	9	15	0.04	464	0.002	<20	0.28	0.003	0.15	<0.1	1.09	5.2	0.1	<0.05	1	<0.5	<0.2	
1771962	Rock	0.069	17	16	0.05	136	0.005	<20	0.36	0.004	0.14	<0.1	0.31	2.6	<0.1	<0.05	1	<0.5	<0.2	
1771963	Rock	0.056	21	11	<0.01	1801	0.002	<20	0.16	0.011	0.12	<0.1	0.66	3.9	<0.1	0.09	<1	0.6	<0.2	
1771964	Rock	0.077	29	13	0.05	700	0.009	<20	0.29	0.003	0.24	<0.1	1.03	3.2	<0.1	<0.05	<1	<0.5	<0.2	
1771965	Rock	0.074	24	22	0.04	579	0.007	<20	0.21	0.002	0.16	<0.1	0.90	11.0	<0.1	<0.05	<1	1.0	<0.2	
1771966	Rock	0.054	33	22	0.17	130	0.038	<20	0.51	0.029	0.29	<0.1	0.08	6.3	0.1	<0.05	2	<0.5	<0.2	
1771967	Rock	0.085	38	30	0.06	138	0.013	<20	0.34	0.027	0.15	<0.1	0.25	8.1	<0.1	<0.05	1	<0.5	<0.2	
1771968	Rock	0.033	11	12	0.01	72	0.002	<20	0.29	0.003	0.09	<0.1	0.05	2.9	<0.1	<0.05	<1	<0.5	<0.2	
1771969	Rock	0.061	25	28	<0.01	828	0.002	<20	0.25	0.003	0.13	<0.1	7.04	10.1	<0.1	<0.05	<1	1.6	<0.2	
1771970	Rock	0.031	19	21	<0.01	1514	0.002	<20	0.13	0.002	0.10	<0.1	3.65	5.2	<0.1	0.06	<1	<0.5	<0.2	
1771971	Rock	0.020	8	11	<0.01	120	0.001	<20	0.12	0.002	0.11	<0.1	2.22	4.5	<0.1	<0.05	<1	<0.5	<0.2	
1771972	Rock	0.034	13	15	0.02	419	0.005	<20	0.22	0.002	0.15	<0.1	0.62	4.1	<0.1	0.09	<1	0.6	<0.2	
1771973	Rock	0.034	19	19	0.02	68	0.004	<20	0.37	0.001	0.07	<0.1	0.29	6.4	<0.1	<0.05	1	<0.5	0.2	
1771974	Rock	0.033	25	13	<0.01	389	0.002	<20	0.16	0.002	0.14	<0.1	0.80	4.8	<0.1	<0.05	<1	0.7	<0.2	
1771975	Rock	0.054	25	15	0.02	822	0.008	<20	0.19	0.032	0.07	0.1	0.08	6.4	<0.1	<0.05	<1	<0.5	<0.2	
1771976	Rock	0.001	<1	6	<0.01	173	<0.001	<20	0.05	<0.001	0.04	<0.1	0.02	0.9	<0.1	<0.05	<1	<0.5	<0.2	
1771977	Rock	0.034	34	12	0.05	89	0.024	<20	0.24	0.056	0.09	0.1	0.03	3.9	<0.1	<0.05	<1	<0.5	<0.2	
1770101	Rock	0.012	11	8	1.39	634	0.003	<20	0.29	0.004	0.04	<0.1	0.07	10.4	<0.1	<0.05	<1	<0.5	<0.2	
1770102	Rock	0.067	4	9	1.31	546	0.006	<20	0.18	0.034	0.07	<0.1	0.04	10.8	<0.1	0.61	<1	0.5	<0.2	
1770103	Rock	0.012	9	3	0.12	1214	0.002	<20	0.17	0.049	0.04	<0.1	0.08	3.4	<0.1	0.31	<1	<0.5	<0.2	
1770104	Rock	0.030	3	3	1.56	179	0.005	<20	0.36	0.009	0.07	<0.1	<0.01	8.7	<0.1	0.07	<1	<0.5	<0.2	



A Bureau Veritas Group Company

www.acmelab.com

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**

1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike

Report Date: September 25, 2014

Page: 3 of 3

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI14000147.1

Method	WGHT	FA330	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
1770105	Rock	0.62	57	0.6	9.6	2.6	56	<0.1	13.5	11.4	971	2.95	1.1	37.7	2.2	72	0.5	0.1	<0.1	75	3.24



www.acmelab.com

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**

1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 CANADA

Project: Lucky Strike

Report Date: September 25, 2014

Page: 3 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI14000147.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
1770105	Rock	0.043	8	35	1.36	77	0.013	<20	0.18	0.035	0.07	0.2	0.02	17.0	<0.1	<0.05	<1	<0.5	<0.2

QUALITY CONTROL REPORT

WHI14000147.1

Method	WGHT	FA330	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
REP 1771967	QC		13.3	21.4	6.0	139	0.1	37.3	14.6	523	4.71	3.4	3.4	12.6	4	0.2	0.8	0.2	47	0.13	
1770102	Rock	1.35	40	1.7	48.0	6.1	58	0.1	14.9	14.2	669	2.91	0.7	24.5	2.4	78	0.2	<0.1	<0.1	60	3.40
REP 1770102	QC		33																		
Core Reject Duplicates																					
1771967	Rock	2.10	13	13.7	22.0	6.0	137	<0.1	38.1	14.6	507	4.58	3.3	4.2	12.5	4	0.3	0.8	0.2	48	0.12
DUP 1771967	QC		6	11.7	22.1	5.8	135	<0.1	36.9	14.7	519	4.70	3.3	5.8	12.6	4	0.2	0.8	0.2	47	0.11
Reference Materials																					
STD DS10	Standard		12.3	150.2	146.9	349	1.8	73.3	12.5	864	2.75	43.5	58.5	6.9	65	2.6	9.0	13.0	41	0.97	
STD OREAS45EA	Standard		1.9	640.4	13.9	28	0.2	333.4	48.1	394	24.39	10.3	41.3	10.6	4	<0.1	0.4	0.2	281	0.04	
STD OXD108	Standard		425																		
STD OXI121	Standard		1806																		
STD OXD108 Expected			414																		
STD OXI121 Expected			1834																		
STD DS10 Expected			14.69	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	43.7	91.9	7.5	67.1	2.49	8.23	11.65	43	1.0625	
STD OREAS45EA Expected			1.39	709	14.3	28.9	0.26	381	52	400	23.51	9.1	53	10.7	3.5	0.02	0.2	0.26	303	0.036	
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	
Prep Wash																					
G1-WHI	Prep Blank		2	0.1	2.8	3.1	41	<0.1	2.3	3.4	498	1.69	<0.5	<0.5	5.2	50	<0.1	<0.1	<0.1	31	0.41
G1-WHI	Prep Blank		<2	0.2	3.4	3.5	44	<0.1	3.5	3.8	533	1.75	2.1	<0.5	5.1	52	<0.1	0.1	<0.1	34	0.43

QUALITY CONTROL REPORT

WHI14000147.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																			
REP 1771967	QC	0.089	38	30	0.07	142	0.013	<20	0.35	0.027	0.15	<0.1	0.26	8.2	<0.1	<0.05	<1	<0.5	<0.2
1770102	Rock	0.067	4	9	1.31	546	0.006	<20	0.18	0.034	0.07	<0.1	0.04	10.8	<0.1	0.61	<1	0.5	<0.2
REP 1770102	QC																		
Core Reject Duplicates																			
1771967	Rock	0.085	38	30	0.06	138	0.013	<20	0.34	0.027	0.15	<0.1	0.25	8.1	<0.1	<0.05	1	<0.5	<0.2
DUP 1771967	QC	0.081	37	31	0.09	149	0.015	<20	0.38	0.027	0.18	<0.1	0.25	8.3	0.1	<0.05	1	<0.5	<0.2
Reference Materials																			
STD DS10	Standard	0.070	15	53	0.75	380	0.069	<20	0.90	0.054	0.31	3.2	0.25	2.7	4.7	0.29	4	1.6	4.4
STD OREAS45EA	Standard	0.025	7	801	0.09	134	0.089	<20	2.71	0.018	0.05	<0.1	0.01	72.8	<0.1	<0.05	12	1.0	<0.2
STD OXD108	Standard																		
STD OXI121	Standard																		
STD OXD108 Expected																			
STD OXI121 Expected																			
STD DS10 Expected		0.073	17.5	54.6	0.775	359	0.0817		1.0259	0.067	0.338	3.32	0.3	2.8	5.1	0.29	4.3	2.3	5.01
STD OREAS45EA Expected		0.029	6.57	849	0.095	148	0.0875		3.13	0.02	0.053			78	0.072	0.036	11.7	0.6	0.07
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																			
G1-WHI	Prep Blank	0.067	9	5	0.45	155	0.105	<20	0.82	0.063	0.42	<0.1	<0.01	1.9	0.3	<0.05	4	<0.5	<0.2
G1-WHI	Prep Blank	0.068	10	6	0.49	163	0.111	<20	0.84	0.063	0.44	0.1	<0.01	1.9	0.3	<0.05	4	<0.5	<0.2

APPENDIX II

	Au1_ppb	Mo_ppm	Cu_ppm	Pb_ppm	Zn_ppm	Ag_ppm	Ni_ppm	Co_ppm	Mn_ppm	Fe_pct	As_ppm	Au_ppb	Th_ppm	Sr_ppm	Cd_ppm	Sb_ppm	Bi_ppm	V_ppm	Ca_pct	P_pct	La_ppm	Cr_ppm	Mg_pct	Ba_ppm	Tl_pct	B_ppm	Al_pct	Na_pct	K_pct	W_ppm	Hg_ppm	Sc_ppm	Tl_ppm	S_pct	Ga_ppm	Se_ppm	Te_ppm		
Au1_ppb	1																																						
Mo_ppm	0.022364	1																																					
Cu_ppm	0.720689	0.390973	1																																				
Pb_ppm	0.534972	0.069491	0.539465	1																																			
Zn_ppm	0.421633	0.460018	0.843649	0.195274	1																																		
Ag_ppm	0.489761	0.472588	0.704772	0.170405	0.554858	1																																	
Ni_ppm	0.552455	0.417188	0.85587	0.247301	0.944798	0.667548	1																																
Co_ppm	0.390292	0.455959	0.662268	0.108053	0.548116	0.990231	0.656999	1																															
Mn_ppm	0.380301	0.449104	0.663488	0.095874	0.566501	0.98734	0.665079	0.9981	1																														
Fe_pct	0.371796	0.64465	0.80383	0.103022	0.871764	0.832197	0.862232	0.829856	0.844022	1																													
As_ppm	0.303354	0.036728	0.532102	0.818509	0.328555	0.056359	0.261819	0.016944	0.018901	0.15876	1																												
Au_ppb	0.887164	-0.06922	0.49506	0.461552	0.281347	0.19562	0.415973	0.093281	0.084706	0.152349	0.202011	1																											
Th_ppm	-0.14067	0.705036	0.115922	-0.15983	0.303951	0.081473	0.269041	0.09615	0.087376	0.36994	-0.23102	-0.12766	1																										
Sr_ppm	0.23702	0.278813	0.187661	0.131099	-0.0055	0.388031	0.123542	0.364643	0.344798	0.183381	0.123605	0.031849	-0.03423	1																									
Cd_ppm	0.489029	0.652425	0.786987	0.082002	0.7209	0.919367	0.770226	0.905006	0.901577	0.913795	0.025755	0.224539	0.323498	0.336259	1																								
Sb_ppm	0.143614	-0.10455	0.274901	0.123565	0.255134	-0.13778	0.047062	-0.16038	-0.13623	0.032434	0.240182	0.005673	-0.13449	-0.23208	0.020593	1																							
Bi_ppm	-0.1376	0.426161	-0.11206	-0.00968	-0.18467	0.175611	-0.20438	0.14431	0.134108	0.06402	-0.14851	-0.13036	0.147191	0.054575	0.137641	-0.21036	1																						
V_ppm	-0.06207	0.863554	0.30241	-0.04318	0.473339	0.277713	0.45529	0.283147	0.272156	0.563473	-0.06728	-0.07248	0.919479	0.074734	0.503073	-0.22193	0.266268	1																					
Ca_pct	-0.055	0.238189	-0.02813	-0.22062	-0.02363	0.377396	0.179273	0.411135	0.399736	0.229404	-0.24645	-0.15568	0.292397	0.566114	0.292231	-0.57523	0.024039	0.328644	1																				
P_pct	0.272456	0.803102	0.612454	0.005691	0.714547	0.684187	0.750269	0.682894	0.681683	0.869574	-0.0694	0.182867	0.706329	0.128934	0.835244	-0.21124	0.157915	0.832657	0.352016	1																			
La_ppm	-0.19315	0.635611	-0.00155	-0.19136	0.148383	0.056336	0.16949	0.078568	0.06648	0.254422	-0.29383	-0.18527	0.943728	0.11274	0.252084	-0.22487	0.199271	0.852188	0.514142	0.609295	1																		
Cr_ppm	0.176398	0.390407	0.405823	-0.02345	0.455955	0.078444	0.368209	0.068945	0.05441	0.342172	0.066232	0.031686	0.677928	-0.01842	0.36653	0.340894	-0.21576	0.592763	-0.01094	0.455446	0.5461	1																	
Mg_pct	-0.21156	0.348829	-0.03076	-0.13905	0.143811	0.252704	0.29909	0.300199	0.2903	0.228926	-0.06593	-0.22743	0.222977	0.506328	0.2143	-0.58847	0.024485	0.380966	0.781559	0.329656	0.387462	-0.12043	1																
Ba_ppm	0.352869	0.406529	0.583573	0.007416	0.481899	0.855089	0.509492	0.853428	0.850123	0.724053	0.02435	-0.0405	0.090116	0.508029	0.821346	0.036558	0.110832	0.20261	0.267496	0.51938	0.036391	0.268912	0.146825	1															
Tl_pct	-0.35141	-0.20539	-0.23998	-0.15152	0.013187	-0.28104	0.07683	-0.20867	-0.22129	-0.15555	-0.09781	-0.29509	0.214792	-0.24892	-0.29146	-0.35652	-0.35208	0.180228	0.159366	-0.03937	0.205874	0.170018	0.347404	-0.23267	1														
B_ppm	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	1											
Al_pct	0.102795	0.782701	0.381595	0.02914	0.419838	0.631818	0.510812	0.632828	0.62431	0.641025	-0.03619	0.045896	0.420007	0.44872	0.685552	-0.40518	0.484203	0.649974	0.549151	0.751518	0.489143	0.005965	0.661436	0.423219	-0.20203	#DIV/0!	1												
Na_pct	-0.32862	-0.28734	-0.3732	-0.34395	-0.22529	-0.23258	-0.12872	-0.16462	-0.17918	-0.21212	-0.38149	-0.28393	0.231185	-0.05988	-0.28327	-0.43902	-0.31569	0.100014	0.290685	-0.06216	0.252763	0.139275	0.169854	-0.12435	0.797953	#DIV/0!	-0.28091	1											
K_pct	-0.01641	0.392597	0.434256	0.173145	0.552055	0.29661	0.517541	0.323449	0.338558	0.478138	0.421594	-0.22153	0.200959	0.346737	0.374261	0.254805	-0.28661	0.326556	0.373614	0.319883	0.243453	0.300206	0.543163	0.299509	0.060271	#DIV/0!	0.364789	-0.22393	1										
W_ppm	-0.05646	0.692325	0.251249	-0.09405	0.3247	0.487907	0.379506	0.507304	0.500321	0.590792	-0.19324	-0.16508	0.795255	0.110152	0.545723	-0.33318	0.29618	0.837691	0.568555	0.787064	0.78937	0.439282	0.366104	0.367322	0.157492	#DIV/0!	0.586656	0.253108	0.270387	1									
Hg_ppm	0.090595	0.164313	0.31539	-0.29855	0.327122	0.239269	0.192961	0.240807	0.24418	0.302169	-0.01257	-0.06078	-0.02312	0.161047	0.428332	0.45816	0.067657	0.012069	-0.09658	0.152436	-0.06279	0.366312	-0.11273	0.431023	-0.46949	#DIV/0!	0.176678	-0.46156	0.218975	-0.11244	1								
Sc_ppm	0.129115	0.627497	0.42015	-0.17798	0.445201	0.685324	0.536497	0.703997	0.698381	0.710289	-0.20009	-0.0408	0.596936	0.333389	0.754592	-0.27685	0.244992	0.686775	0.729001	0.810027	0.66604	0.369494	0.494104	0.550122	-0.07131	#DIV/0!	0.758315	0.027471	0.391571	0.84279	0.26048	1							
Tl_ppm	0.457476	0.468736	0.692113	0.119861	0.581967	0.993222	0.697623	0.992178	0.991572	0.850424	0.016917	0.17068	0.110162	0.377198	0.92036	-0.14537	0.098792	0.298519	0.410052	0.707284	0.082152	0.09507	0.291566	0.845629	-0.22207	#DIV/0!	0.623388	-0.1701	0.33686	0.511973	0.215902	0.701408	1						
S_pct	0.07334	0.357983	0.253652	0.632401	0.106256	-0.06906	0.007758	-0.11133	-0.13038	0.027265	0.700705	-0.0204	0.21941	0.089739	-0.01432	0.094879	0.122484	0.281914	-0.28091	0.053128	0.097475	0.362183	-0.08411	0.059272	0.026512	#DIV/0!	-0.00025	-0.22695	0.217058	0.072979	-0.07475	-0.16429	-0.12005	1					
Ga_ppm	0.097536	0.93655	0.36019	0.054329	0.437759	0.447833	0.461399	0.433476	0.419486																														

	Au1_ppb	Mo_ppm	Cu_ppm	Pb_ppm	Zn_ppm	Ag_ppm	Ni_ppm	Co_ppm	Mn_ppm	Fe_pct	As_ppm	Au_ppb	Th_ppm	Sr_ppm	Cd_ppm	Sb_ppm	Bi_ppm	V_ppm	Ca_pct	P_pct	La_ppm	Cr_ppm	Mg_pct	Ba_ppm	Ti_pct	B_ppm	Al_pct	Na_pct	K_pct	W_ppm	Hg_ppm	Sc_ppm	Tl_ppm	S_pct	Ga_ppm	Se_ppm	Te_ppm				
Au1_ppb	1																																								
Mo_ppm	0.303454	1																																							
Cu_ppm	0.112948	0.059204	1																																						
Pb_ppm	0.569654	0.199551	0.221209	1																																					
Zn_ppm	-0.02092	0.028064	0.434393	0.020348	1																																				
Ag_ppm	0.240651	0.268068	0.469578	0.155364	0.689895	1																																			
Ni_ppm	-0.01129	0.021336	0.407813	0.038001	0.964814	0.558242	1																																		
Co_ppm	0.268894	0.331481	0.389836	0.138761	0.695914	0.745626	0.713928	1																																	
Mn_ppm	0.135472	0.195696	0.335458	0.067933	0.830879	0.716567	0.849106	0.91657	1																																
Fe_pct	0.042792	0.146531	0.433425	0.035322	0.931755	0.639919	0.921711	0.79314	0.897246	1																															
As_ppm	-0.05283	-0.01079	0.42284	0.036797	0.91892	0.5996	0.883562	0.638042	0.811374	0.922713	1																														
Au_ppb	0.89276	0.149403	0.106603	0.506322	-0.01195	0.136439	-0.00113	0.114166	0.050344	0.020724	-0.03575	1																													
Th_ppm	0.048262	0.252462	0.175522	0.114149	-0.1917	-0.09151	-0.17648	-0.0813	-0.20031	-0.15532	-0.24156	0.017928	1																												
Sr_ppm	0.015571	0.011339	0.052081	-0.00208	0.062708	0.10384	0.041771	0.120211	0.12281	0.067579	0.064409	-0.00098	-0.15468	1																											
Cd_ppm	0.009666	0.081457	0.518966	0.027192	0.843039	0.886168	0.713966	0.598951	0.716797	0.747534	0.804598	0.002516	-0.16206	0.119978	1																										
Sb_ppm	0.21829	0.071323	0.257892	0.100843	0.11053	0.054472	0.117554	0.083047	0.073917	0.13234	0.092791	0.128936	0.06052	-0.08134	0.072689	1																									
Bi_ppm	0.003617	0.181233	0.02429	0.356038	-0.09417	0.016212	-0.08953	-0.03038	-0.10243	-0.11011	-0.09981	-0.00964	0.190093	-0.0152	-0.07924	-0.04041	1																								
V_ppm	-0.05844	0.284051	0.419803	-0.01762	0.182887	0.131589	0.163946	0.158986	0.09127	0.217703	0.15331	-0.05062	0.300095	0.397905	0.184675	-0.09214	0.051575	1																							
Ca_pct	-0.03908	-0.04649	-0.15465	-0.09442	-0.05319	-0.02909	-0.07154	0.001398	0.012568	-0.05231	-0.06301	-0.02752	-0.19613	0.701686	-0.00474	-0.08345	-0.11463	0.299399	1																						
P_pct	0.002541	0.138416	0.409791	0.042215	0.899609	0.578174	0.895632	0.737229	0.840241	0.963545	0.901215	0.007074	-0.0738	0.044638	0.696011	0.093447	-0.04862	0.227771	-0.07937	1																					
La_ppm	0.169798	0.341815	0.043013	0.129012	-0.195	-0.07302	-0.19044	-0.06639	-0.18089	-0.18047	-0.26212	0.092374	0.880049	-0.11812	-0.1634	0.157384	0.225221	0.244354	-0.17145	-0.10961	1																				
Cr_ppm	0.079602	0.091236	0.362716	0.082874	-0.02419	-0.05064	-0.0046	-0.0091	-0.1094	-0.00807	-0.09483	0.039057	0.519091	0.149626	-0.05509	0.124897	0.104556	0.741361	-0.03055	0.030532	0.450081	1																			
Mg_pct	-0.11498	-0.09716	-0.10614	-0.12203	-0.09686	-0.08455	-0.11325	-0.05135	-0.05198	-0.0982	-0.12681	-0.07957	-0.04828	0.624967	-0.05576	-0.16079	-0.0901	0.426385	0.91909	-0.11661	-0.08162	0.172446	1																		
Ba_ppm	0.149636	0.186356	0.38555	0.045802	0.553897	0.680344	0.496491	0.6072	0.626267	0.577046	0.496029	0.027342	-0.12962	0.303539	0.628587	0.122293	-0.03786	0.132864	-0.02829	0.509312	-0.11493	-0.00527	-0.10763	1																	
Ti_pct	-0.2009	-0.16415	0.04393	-0.08448	-0.11036	-0.13745	-0.11104	-0.13555	-0.15515	-0.12556	-0.15142	-0.14147	0.368228	-0.18394	-0.12286	-0.19064	0.040564	0.281153	-0.0941	-0.0867	0.225811	0.449213	0.288773	-0.20427	1																
B_ppm	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	1													
Al_pct	-0.16102	0.029385	0.208611	0.012148	-0.10681	-0.05139	-0.09643	-0.01634	-0.08632	-0.06492	-0.13233	-0.11123	0.489819	-0.10471	-0.08678	-0.24792	0.204778	0.378579	-0.14748	-0.01142	0.30508	0.482927	0.210915	-0.12397	0.867972	#DIV/0!	1														
Na_pct	-0.11098	-0.15162	-0.37901	-0.18311	-0.14978	-0.10775	-0.16901	-0.14713	-0.1154	-0.17624	-0.12436	-0.10252	-0.00998	0.024645	-0.10357	-0.14851	-0.09872	-0.18019	0.195979	-0.14719	0.052026	-0.22027	0.117117	-0.15582	-0.06878	#DIV/0!	-0.2977	1													
K_pct	-0.19695	-0.13246	0.143002	-0.03528	-0.15015	-0.13335	-0.15327	-0.14649	-0.19755	-0.15383	-0.20038	-0.14835	0.407746	-0.1778	-0.14554	-0.1545	0.106334	0.283943	-0.17481	-0.10773	0.262537	0.487781	0.209952	-0.19107	0.948132	#DIV/0!	0.91865	-0.2189	1												
W_ppm	0.232835	0.526394	-0.01221	0.04423	-0.00979	0.166411	-0.01366	0.251503	0.136101	0.074851	-0.02651	0.085982	0.232479	0.151251	0.033122	0.000631	0.036194	0.412137	0.147335	0.070717	0.353591	0.272754	0.113742	0.072661	-0.07672	#DIV/0!	-0.07855	0.26996	-0.14561	1											
Hg_ppm	0.308946	0.312046	-0.00097	-0.04293	-0.04152	0.110483	-0.06326	0.091324	0.044622	0.024583	-0.10043	0.167392	-0.04804	-0.06036	0.000704	0.198481	-0.06619	0.015838	-0.13779	-0.051	0.10609	0.083001	-0.10351	0.146879	-0.00222	#DIV/0!	0.030594	-0.30358	0.054153	0.148604	1										
Sc_ppm	0.379869	0.49938	-0.00699	0.047203	-0.11482	0.130103	-0.11879	0.229734	0.067103	-0.00991	-0.18567	0.219473	0.195586	0.436116	-0.06101	0.199922	0.032532	0.465297	0.38831	-0.05772	0.383049	0.350882	0.332567	0.155836	-0.15895	#DIV/0!	-0.06318	-0.00469	-0.17246	0.629448	0.385888	1									
Tl_ppm	-0.02173	0.038119	0.416811	0.013415	0.829719	0.87272	0.709177	0.580488	0.729178	0.717595	0.756559	-0.01939	-0.1587	0.075429	0.970747	0.01873	-0.08579	0.102372	-0.03613	0.666228	-0.1638	-0.0833	-0.05612	0.612704	-0.04074	#DIV/0!	-0.03048	-0.08077	-0.07263	-0.02408	0.004181	-0.11157	1								
S_pct	0.017598	0.021866	0.018039	0.016318	-0.04135	-0.02462	-0.05123	0.001229	-0.01252	-0.03683	-0.04603	0.007203	-0.08935	0.509089	-0.02685	-0.02337	-0.07927	0.111475	0.449096	-0.04128	-0.11509	-0.10577	0.388142	0.106132	-0.10116	#DIV/0!	-0.1673	0.297464	-0.14641	-0.0152	-0.07269	0.152886	-0.031	1							
Ga_ppm	-0.19747	0.04757	0.234301	-0.02902	-0.03097	-0.00394	-0.03736	-0.00649	-0.0448	-0.00067	-0.04813	-0.12979	0.452889	-0.08274	-0.01085	0.105416	0.368136	-0.20017	0.048351	0.231349	0.454512	0.131065	-0.10356	0.77719	#DIV/0!	0.902653	-0.30079	0.839332	-0.09445	0.012953	-0.11781	0.046822	-0.15743	1							
Se_ppm	0.066135	0.278008	0.272718	0.021842	-0.00584	0.009802	-0.01222	0.026072	-0.04534	0.06558	-0.07045	0.013215	0.24013	-0.01966	-0.02749	0.159963	0.054773	0.338042	-0.08862	0.052183	0.201246	0.30938	-0.02728	0.040941	0.082707	#DIV/0!	0.211807	-0.26295	0.182646	0.122002	0.269778	0.2131	-0.06053	-0.0252	0.194823	1					
Te_ppm	0.188316	0.894384	0.0024	0.195877	-0.00934	0.116178	-0.00724	0.14358	0.061495	0.047734	-0.03454	0.097688	0.288751	0.029297	0.017935	0.041873	0.242927	0.298108	-0.0265	0.073972	0.386703	0.110337	-0.06729	0.061443	-0.12444	#DIV/0!	0.048736	-0.10389	-0.10563	0.456164	0.173365	0.411862	-0.01727	0.035503	0.050806	0.212853	1				

APPENDIX III



MEMORANDUM

To: Daithi Mac Gearailt
Goldstrike Resources Ltd. **Date:** 29 October 2014

From: Franz Dziuba

Re: Lucky Strike ground magnetic survey inversion modelling

This memorandum describes earth modelling of ground magnetic field data collected on Goldstrike Resources Ltd.'s Lucky Strike Property located in the Yukon Territory, Canada. Magnetic survey data collected in 2012 and 2014 are combined to form a single dataset which is inversion modelled using Geosoft's VOXI software.

a. Survey Specifications

The magnetic data were delivered by Goldstrike as raw instrument dump files and processed data files which provided the following survey specifications,

Survey Dates	September 4, 2012 & August 11,12,13,14,17,20 2014
Magnetometers	GEM instruments GSM-19W GPS enabled rover mag GEM instruments GSM-19 base mag
Magnetometer Sample rate	2012 survey – 1 Hz. (One reading per second) 2014 Survey – 0.5 Hz. (two readings per second)
Line Spacing	2012 Survey - approximately 25 m 2014 Survey – approximately 50 m
Positioning Data	Collected with the onboard NDGPS receiver simultaneous with the magnetic field readings

Corrections	Temporal geomagnetic variations were removed by linear interpolation of drift determined by the base station magnetometer using GEMLINK software. Reference field set to 58,000nT
Base Station Magnetometer	The unit was cycled at a 3 second interval throughout the survey.

Though not explicitly stated in the deliverables it is evident that all geographic coordinates refer to WGS84/NAD83 UTM zone 7. Survey line paths and elevation data recorded with the magnetometers on-board GPS are shown in Figure 1. The elevation data are displayed as a contoured color image and are relative with elevation contours seen on NTS sheet 115 O/03.

b. Data Preparation and Results

The diurnally corrected magnetic data supplied by the client are imported into Geosoft Oasis software. An examination of magnetic field profiles and signal quality indicate that the data is of good quality. A few data points exhibit signal quality to be less than 99 and these are removed. Readings taken at common points exhibit good agreement and no further levelling is required. The corrected rover magnetic readings are gridded using Geosoft's Kriging method. The grid cell size is set to 6.25 metres, blanking distance set to 50 metres and a strike of 310° is specified. Other options are left as default values. The gridded data are then smoothed to remove low amplitude short wavelength features, considered to be caused by aggregate noise, by upward continuation to 6.25 metres utilizing Geosoft's Magmap Fourier domain filtering extension.

The total magnetic field values range only by 50 nT over the surveyed area and no intense magnetic features are recorded. The data trends from lower values measured in the southwest to higher values occupying the northeast area of the grid. The contact between the two domains strikes at approximately 305° across the grid and appears to be offset in a north-south direction near UTM coordinate 594500E (Figure 2).

3D earth modelling benefits by the removal of large scale trends from the geophysical input data prior to inversion so that the inversion can focus on localized anomalies. The long wavelength magnetic trend noticed in the dataset was eliminated by a first order trend removal. The trend removed image of the magnetic field is shown in Figure 3. A zone comprising higher magnetic field values can now be seen striking east-west across the western half of the survey area then curving to the north. It is important to note that this subtle yet continuous response barely exceeds 5 nT

The inversion modelling presented in this memo is accomplished using trend removed data.

c. Inversion Modelling

Geosoft's VOXI Earth Modelling inversion software service is used to generate 3D voxel models of magnetic susceptibility from the gridded magnetic data. Elevations are assigned to the data according to

the values measured by the magnetometer's on-board GPS. Prior to the inversion the computed International Geomagnetic Reference Field (IGRF) strength and a regional trend are removed from the data. The earth beneath the grid is discretized by model cell sizes set to 12.5 metres X 12.5 metres X 6.25 metres (deep) over the core survey area to allow the modelling software to recover causative bodies emplaced at similar depths. Coarser padding cells are added adjacent to the core area and at depth to avoid edge effects from exerting any influence on the inversion results. By default, the software filters and de-samples the data to one reading per model cell. A uniform estimate of the error in the total magnetic field data of 2 nT + 10% is used in the inversion and the modelling is run unconstrained with only the application of iterative reweighting inversion to improve the geometry of the results.

The inversion ran successfully and the recovered model reproduced the observed total magnetic field within the limits of the errors used as seen in Figure 4. It is readily apparent that the model's predicted magnetic field is smoothly varying however no significant discrepancies from the observed data are noticed.

d. Discussion

The results of the magnetic field inversions are presented as depth sections sliced from the recovered 3D model. Figure 5 shows a top view of the locations of four evenly spaced sections oriented northeast and crossing the survey area. A magenta colored iso-surface produced from the 3D model defines a region of higher magnetic susceptibility.

The four sections are shown in Figures 6 -9. The sections' coordinate axes are labelled with UTM NAD83 zone 7 coordinates and elevations. Section locations are annotated on a plan view reference map plotted on each figure.

Choosing a threshold for anomalous magnetic susceptibility is arbitrary without knowledge of actual samples of physical rock properties. Selecting a value of 0.05×10^{-3} SI yields iso-surfaces which outline bodies that produce the subtle magnetic high in the trend removed dataset (Figure 5). One iso-surface strikes east southeast from the western edge of the survey area at UTM coordinates 594000E, 709000N to approximately 594700E. Section A shows a sub-vertical contact between this surface and a zone of low magnetic susceptibility near 709200N. A second surface enclosing higher magnetic susceptibility can be seen centered around 594800E, 7009500N and extending to the northern edge of the survey grid as seen on section B. Sections C and D show subdued anomalous magnetic susceptibility values over the southeastern portion of the grid.

e. Conclusion

The subtle differences in magnetic susceptibility exhibited by the recovered model are not likely indicating highly magnetically susceptible mineralogy such as pyrrhotite or magnetite mineralization, but rather changes in lithology or the effects of alteration processes. Comparison of the model results with soil geochemistry and rock samples from the area is beyond the scope of this memo but should be undertaken to better interpret plausible geological sources which would explain the magnetic inversion results.

Respectfully submitted,
AURORA GEOSCIENCES LTD.

Franz Dziuba, B.Sc. P.Geoph
Geophysicist




Figure 1 Survey line paths on measured elevation




Figure 2 Total magnetic field




Figure 3 Trend removed magnetic field





Figure 4 Observed versus predicted residual magnetic field




Figure 5 Section locations on anomalous iso-surface




Figure 6 Model section A




Figure 7 Model section B




Figure 8 Model section C




Figure 9 Model section D