



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: ANTHILL RESOURCES
 1010 - 1055 W HASTINGS STREET
 VANCOUVER BC V6E 2E9

Page: 1
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-AUG-2016
 Account: ANTRES

CERTIFICATE VA16121826

This report is for 42 Rock samples submitted to our lab in Whitehorse, YT, Canada on 25-JUL-2016.
 The following have access to data associated with this certificate:

YINGHUA CHEN	WANJIN YANG	
--------------	-------------	--

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	
ME-MS41	Ultra Trace Aqua Regia ICP-MS	
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM

To: ANTHILL RESOURCES
 ATTN: WANJIN YANG
 1010 - 1055 W HASTINGS STREET
 VANCOUVER BC V6E 2E9

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: ANTHILL RESOURCES
 1010 - 1055 W HASTINGS STREET
 VANCOUVER BC V6E 2E9

Page: 2 - A
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-AUG-2016
 Account: ANTRES

CERTIFICATE OF ANALYSIS VA16121826

Sample Description	Method	WEI-21	Au-ICP21	Au-GRA21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.02	0.001	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1
S685401		0.88	<0.001		0.08	0.40	10.3	<0.2	<10	40	0.65	0.25	0.69	0.03	15.35	6.7
S685402		0.92	0.001		0.07	0.15	11.5	<0.2	<10	10	0.23	0.16	1.95	0.05	5.63	11.2
S685403		0.94	2.71		0.08	0.10	584	2.7	<10	<10	<0.05	0.10	0.01	0.16	0.66	0.8
S685404		1.32	0.004		0.08	0.27	10.1	<0.2	<10	350	0.24	0.20	0.53	0.18	15.10	21.1
S685405		0.82	0.001		0.02	0.95	6.1	<0.2	<10	50	0.45	0.38	0.02	0.09	20.1	12.1
S685406		0.74	0.016		0.03	0.31	42.4	<0.2	<10	60	0.26	0.06	0.03	0.05	9.09	6.6
S685407		0.96	0.015		0.04	0.22	16.6	<0.2	<10	60	0.18	0.05	0.25	0.04	9.48	4.8
S685408		0.92	0.036		0.03	0.36	43.5	<0.2	<10	30	0.85	0.40	0.03	0.01	12.60	16.5
S685409		1.36	0.009		0.04	0.06	2.6	<0.2	<10	10	0.14	0.02	20.8	0.01	5.04	0.8
S685410		1.38	0.007		0.03	0.10	4.9	<0.2	<10	10	0.13	0.02	21.6	0.01	5.93	0.7
S685411		1.24	0.002		0.49	0.04	3.3	<0.2	<10	<10	<0.05	0.02	3.03	0.03	0.53	0.5
S685412		1.30	0.012		0.04	0.06	5.2	<0.2	<10	10	0.06	0.04	3.60	0.04	3.44	1.3
S685413		1.50	0.001		0.01	0.01	2.4	<0.2	<10	<10	<0.05	0.01	>25.0	0.01	3.27	0.3
S685414		1.56	0.001		0.01	0.01	1.2	<0.2	<10	10	<0.05	0.01	21.0	11.20	1.77	0.2
S685415		1.08	<0.001		0.03	0.27	2.1	<0.2	<10	40	0.19	0.11	8.82	0.19	26.2	4.8
S685416		0.94	<0.001		0.01	0.19	0.8	<0.2	<10	40	0.48	0.02	10.05	0.18	27.5	5.3
S685451		0.90	4.36		0.04	0.07	1790	4.4	<10	20	0.06	0.08	0.12	0.02	1.42	1.1
S685452		2.12	1.745		0.03	0.08	2400	2.3	<10	30	0.10	0.05	0.40	0.02	1.66	2.0
S685453		1.90	3.73		0.02	0.10	4170	3.8	<10	20	0.08	0.05	0.25	0.03	1.43	1.8
S685454		1.16	0.046		0.02	0.20	78.0	<0.2	<10	660	0.28	0.02	0.16	0.05	6.31	15.5
S685455		1.72	0.075		0.03	0.67	1440	<0.2	<10	250	0.70	0.31	0.03	0.03	9.17	19.3
S685456		2.50	0.267		0.06	0.63	4710	0.3	<10	220	0.45	0.40	0.05	0.02	10.35	17.2
S685457		1.44	3.29		0.09	0.46	4170	3.2	<10	100	0.41	0.49	0.07	0.02	8.43	15.8
S685458		2.44	4.67		0.10	0.44	4230	4.6	<10	50	0.34	0.52	0.02	0.05	7.68	11.3
S685459		1.48	0.204		0.04	0.51	1230	0.2	<10	30	0.56	0.41	0.03	0.04	10.25	20.0
S685460		2.70	2.55		0.14	0.39	10000	2.3	<10	40	0.26	0.48	0.02	0.04	7.90	7.6
S685461		1.50	0.199		0.05	0.57	1525	0.2	<10	30	0.65	0.49	0.03	0.02	10.40	20.3
S685462		2.00	1.855		0.07	0.29	>10000	1.7	<10	30	0.21	0.52	0.03	0.03	4.80	6.1
S685463		1.52	0.121		0.05	0.50	1595	<0.2	<10	30	0.72	0.61	0.04	0.04	9.79	22.8
S685464		1.62	1.680		0.14	0.48	>10000	1.6	<10	70	0.39	0.78	0.02	0.10	7.31	8.0
S685465		1.44	0.104		0.03	0.47	579	<0.2	<10	30	0.68	0.20	0.03	0.02	9.99	19.4
S685466		1.08	5.22		0.09	0.09	1125	5.0	<10	40	0.05	0.07	0.03	0.14	1.62	1.1
S685467		0.86	4.39		0.16	0.06	>10000	3.7	<10	10	<0.05	0.33	0.01	0.05	0.74	2.0
S685468		0.88	7.68		0.15	0.07	7970	6.8	<10	<10	<0.05	0.18	0.01	0.01	0.72	1.6
S685469		0.62	0.195		0.16	0.20	>10000	0.2	<10	30	0.08	0.48	0.13	0.02	5.93	6.5
S685470		0.94	4.29		0.06	0.09	1085	4.2	<10	30	<0.05	0.25	0.01	<0.01	0.67	1.8
S685471		0.86	2.34		0.04	0.12	1150	2.4	<10	100	0.07	0.19	0.01	0.01	1.58	3.9
S685472		1.08	>10.0	9.93	2.89	0.08	>10000	9.8	<10	<10	<0.05	1.16	0.02	0.07	1.32	3.0
S685473		1.14	0.041		0.37	0.08	29.2	<0.2	<10	<10	<0.05	0.87	0.07	0.21	4.79	1.0
S685474		1.16	0.884		0.10	0.26	6270	0.7	<10	20	0.08	0.22	0.01	0.01	4.00	5.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: ANTHILL RESOURCES
 1010 - 1055 W HASTINGS STREET
 VANCOUVER BC V6E 2E9

Page: 2 - B
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 21 - AUG - 2016
 Account: ANTRES

CERTIFICATE OF ANALYSIS VA16121826

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm
		1	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
S685401		9	1.45	32.3	4.55	1.05	<0.05	0.06	0.04	0.035	0.13	7.5	11.3	0.92	809	0.19
S685402		10	0.43	5.6	4.16	0.50	<0.05	0.05	0.06	0.028	0.02	2.5	12.9	0.96	1200	0.76
S685403		10	0.06	9.4	0.82	0.28	<0.05	<0.02	0.11	0.024	<0.01	0.3	32.5	<0.01	34	1.36
S685404		6	0.38	9.6	2.53	0.61	<0.05	0.09	0.09	0.010	0.08	5.2	4.6	0.03	1640	1.48
S685405		15	1.05	29.2	3.07	2.71	<0.05	0.06	0.03	0.024	0.23	7.2	34.6	0.25	236	0.37
S685406		5	0.36	4.1	2.52	0.67	<0.05	0.05	0.04	0.016	0.13	3.5	1.6	0.02	811	0.42
S685407		8	0.23	4.3	2.47	0.56	<0.05	0.06	0.04	0.010	0.07	3.0	8.5	0.07	895	0.66
S685408		5	1.53	37.3	3.92	0.93	<0.05	0.08	0.12	0.028	0.12	5.8	26.0	0.06	478	0.13
S685409		2	0.09	2.0	0.37	0.18	<0.05	0.04	0.01	<0.005	0.03	2.6	5.0	11.70	226	0.06
S685410		2	0.18	2.9	0.74	0.32	<0.05	0.06	0.01	<0.005	0.05	2.9	4.0	9.53	226	0.10
S685411		6	0.07	24.6	0.31	0.15	<0.05	<0.02	0.02	<0.005	0.01	0.2	1.5	0.07	39	0.54
S685412		5	0.08	2.3	0.86	0.18	<0.05	<0.02	0.01	0.006	0.03	1.6	0.5	0.11	147	0.42
S685413		1	<0.05	0.9	0.37	<0.05	<0.05	<0.02	0.01	<0.005	<0.01	2.1	0.3	0.27	179	0.06
S685414		1	<0.05	3.0	0.40	0.52	<0.05	<0.02	2.79	0.008	<0.01	0.9	3.1	11.75	542	0.09
S685415		5	0.13	4.1	1.46	0.74	<0.05	0.48	0.07	0.014	0.10	12.3	3.9	3.16	305	0.27
S685416		5	0.19	11.8	2.86	0.64	<0.05	0.21	0.12	0.021	0.16	12.9	2.0	4.53	369	0.11
S685451		8	0.21	1.9	0.99	0.25	<0.05	0.02	0.02	<0.005	0.03	0.7	5.7	0.04	51	0.70
S685452		11	0.28	1.3	1.29	0.26	<0.05	<0.02	0.02	<0.005	0.03	0.8	6.0	0.10	454	0.88
S685453		9	0.34	1.7	1.05	0.36	<0.05	0.02	0.02	<0.005	0.04	0.7	5.0	0.09	150	0.72
S685454		7	0.41	4.8	4.94	0.55	<0.05	0.04	0.04	0.021	0.08	2.7	6.3	0.11	1550	0.45
S685455		9	1.18	41.8	5.50	1.92	<0.05	0.08	0.23	0.037	0.17	4.2	39.1	0.11	871	0.32
S685456		10	0.95	33.1	4.64	1.96	<0.05	0.09	0.14	0.035	0.12	4.8	48.0	0.13	653	0.44
S685457		8	0.89	33.1	4.63	1.39	<0.05	0.07	0.18	0.031	0.12	4.0	43.6	0.07	390	0.33
S685458		8	1.24	36.5	3.88	1.33	<0.05	0.05	0.15	0.028	0.12	3.8	49.6	0.04	223	0.37
S685459		7	1.04	41.2	5.04	1.52	<0.05	0.09	0.11	0.034	0.14	4.9	61.3	0.07	709	0.19
S685460		6	0.76	27.5	3.70	1.15	<0.05	0.07	0.15	0.025	0.09	3.9	75.2	0.02	440	0.39
S685461		8	0.93	36.6	5.02	1.67	<0.05	0.09	0.12	0.035	0.15	5.0	69.3	0.08	628	0.45
S685462		6	0.70	41.4	4.29	0.87	<0.05	0.05	0.18	0.036	0.07	2.5	54.5	0.01	132	0.31
S685463		8	0.81	41.3	5.75	1.40	<0.05	0.08	0.14	0.037	0.13	4.7	56.2	0.07	1060	0.36
S685464		7	0.74	37.7	5.06	1.30	<0.05	0.04	0.14	0.038	0.11	3.6	73.6	0.02	179	0.30
S685465		8	0.68	22.3	5.21	1.27	<0.05	0.08	0.10	0.032	0.13	4.9	60.4	0.05	499	0.14
S685466		9	0.06	14.7	0.98	0.28	<0.05	0.02	0.04	<0.005	0.01	1.0	27.1	<0.01	42	0.74
S685467		8	0.11	47.1	2.48	0.23	<0.05	<0.02	0.84	0.204	0.01	0.4	16.5	<0.01	40	0.67
S685468		12	0.06	30.7	1.61	0.25	<0.05	<0.02	0.05	0.012	0.01	0.4	21.7	<0.01	43	1.08
S685469		12	0.22	33.1	2.77	0.61	<0.05	0.07	0.13	0.022	0.04	1.9	55.0	0.01	42	1.51
S685470		8	<0.05	5.3	1.41	0.28	<0.05	<0.02	0.03	<0.005	<0.01	0.3	37.0	<0.01	39	0.76
S685471		9	0.22	7.9	1.50	0.45	<0.05	0.03	0.04	<0.005	0.03	0.7	28.2	0.01	67	0.79
S685472		7	0.11	131.0	2.99	0.30	<0.05	0.02	0.34	0.026	0.01	0.9	23.3	<0.01	33	0.76
S685473		14	0.07	2.2	0.49	0.35	<0.05	<0.02	<0.01	<0.005	<0.01	1.8	2.7	0.02	126	1.06
S685474		8	0.55	6.5	1.46	0.70	<0.05	0.04	0.01	0.006	0.19	1.9	1.7	0.01	31	0.55



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: ANTHILL RESOURCES
 1010 - 1055 W HASTINGS STREET
 VANCOUVER BC V6E 2E9

Page: 2 - C
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-AUG-2016
 Account: ANTRES

CERTIFICATE OF ANALYSIS VA16121826

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm
S685401		0.03	<0.05	18.4	210	100.0	7.1	<0.001	0.03	0.59	5.8	0.3	0.2	21.7	<0.01	0.01
S685402		0.01	<0.05	16.9	520	152.5	1.1	<0.001	0.26	0.52	4.3	0.7	<0.2	26.4	<0.01	0.01
S685403		<0.01	0.05	3.2	<10	77.2	0.2	<0.001	0.60	85.6	0.1	0.3	0.2	1.0	<0.01	0.01
S685404		0.02	<0.05	13.2	1050	94.4	4.4	<0.001	0.10	0.35	2.6	0.3	<0.2	19.0	<0.01	0.01
S685405		0.01	<0.05	23.8	220	24.0	10.4	<0.001	0.03	0.26	2.2	0.3	0.2	5.4	<0.01	0.05
S685406		0.02	<0.05	10.0	450	15.5	7.2	<0.001	0.02	0.65	3.1	0.3	0.2	6.2	<0.01	<0.01
S685407		0.03	<0.05	9.5	510	36.4	3.8	<0.001	0.07	0.48	2.0	0.2	<0.2	31.4	<0.01	0.01
S685408		0.02	<0.05	29.2	190	6.2	6.9	<0.001	0.01	27.1	3.9	<0.2	<0.2	9.8	<0.01	0.01
S685409		0.01	<0.05	2.3	490	4.6	1.1	<0.001	0.01	1.44	0.7	0.5	<0.2	138.0	<0.01	0.01
S685410		0.01	<0.05	1.6	520	5.1	2.2	<0.001	0.02	2.48	1.1	0.7	<0.2	89.5	<0.01	0.01
S685411		0.01	0.05	2.0	100	2.2	0.8	<0.001	0.01	13.80	0.2	<0.2	<0.2	76.3	<0.01	<0.01
S685412		0.01	0.05	3.0	130	5.0	1.5	<0.001	0.02	0.95	0.6	0.2	<0.2	137.5	<0.01	<0.01
S685413		0.01	<0.05	<0.2	100	2.9	0.2	<0.001	0.01	0.09	0.1	0.6	<0.2	1640	<0.01	<0.01
S685414		0.02	<0.05	0.4	120	1.4	0.1	<0.001	0.05	0.20	0.1	0.5	0.2	75.8	<0.01	<0.01
S685415		0.01	<0.05	7.6	590	10.0	4.6	<0.001	0.01	0.12	2.7	0.6	<0.2	220	<0.01	0.01
S685416		0.01	<0.05	8.1	510	3.7	6.3	<0.001	0.02	<0.05	4.9	0.7	<0.2	277	<0.01	<0.01
S685451		0.01	<0.05	2.4	10	5.3	1.5	<0.001	0.30	0.94	0.9	0.4	<0.2	5.0	<0.01	0.03
S685452		0.01	<0.05	4.2	40	3.6	1.9	<0.001	0.27	1.21	0.8	0.2	<0.2	10.3	<0.01	0.03
S685453		0.01	<0.05	3.4	40	2.1	2.5	<0.001	0.33	1.59	0.5	0.4	<0.2	7.1	<0.01	0.01
S685454		0.02	<0.05	24.2	150	50.5	4.9	<0.001	0.03	0.41	4.1	<0.2	<0.2	17.1	<0.01	0.01
S685455		0.03	<0.05	28.6	170	17.9	9.4	<0.001	0.09	31.6	6.4	0.2	0.2	9.2	<0.01	0.01
S685456		0.02	<0.05	25.9	230	42.8	7.0	<0.001	0.02	141.0	5.5	0.3	0.2	10.3	<0.01	0.01
S685457		0.02	<0.05	24.8	210	40.9	6.9	<0.001	0.11	144.0	4.1	0.3	0.2	11.0	<0.01	0.02
S685458		0.02	<0.05	15.8	130	50.8	7.1	<0.001	0.10	186.5	3.5	0.5	0.2	7.7	<0.01	0.01
S685459		0.02	<0.05	29.8	260	24.0	8.0	<0.001	0.02	80.6	5.5	0.2	0.2	11.1	<0.01	0.01
S685460		0.02	<0.05	13.7	110	48.7	5.1	<0.001	0.12	306	2.8	0.2	0.2	14.1	<0.01	0.04
S685461		0.02	<0.05	31.5	260	39.8	8.4	<0.001	0.01	127.0	5.4	0.3	0.2	10.8	<0.01	0.01
S685462		0.01	<0.05	9.9	70	37.7	4.0	<0.001	0.51	>10000	2.4	0.4	0.2	8.8	<0.01	0.03
S685463		0.02	<0.05	38.6	260	45.5	7.6	<0.001	0.01	144.0	6.1	0.3	0.2	10.0	<0.01	0.01
S685464		0.02	<0.05	9.8	160	66.5	6.1	<0.001	0.13	132.0	2.8	0.2	0.2	7.0	<0.01	0.03
S685465		0.02	<0.05	29.2	220	14.1	7.6	<0.001	0.01	47.6	5.7	0.3	<0.2	9.1	<0.01	<0.01
S685466		0.01	<0.05	2.3	20	97.2	0.6	<0.001	0.97	>10000	0.3	0.6	<0.2	3.7	<0.01	0.01
S685467		0.01	<0.05	3.8	10	23.4	0.5	<0.001	1.01	6490	0.3	0.4	0.2	2.4	<0.01	0.02
S685468		0.01	0.06	3.5	20	94.5	0.5	<0.001	0.87	219	0.3	0.8	<0.2	1.9	<0.01	0.02
S685469		0.01	0.05	7.6	660	14.0	2.5	<0.001	1.68	164.5	0.7	0.2	0.2	11.7	<0.01	<0.01
S685470		0.01	<0.05	2.4	10	12.1	0.2	<0.001	0.50	62.4	0.1	0.4	<0.2	2.0	<0.01	0.04
S685471		0.01	<0.05	4.5	20	10.4	1.6	<0.001	0.51	78.3	0.5	0.3	<0.2	4.1	<0.01	0.01
S685472		<0.01	<0.05	8.0	20	1215	0.5	<0.001	2.25	>10000	0.3	1.0	0.3	4.3	<0.01	0.08
S685473		0.01	0.07	2.1	300	1540	0.3	<0.001	0.04	42.2	0.1	2.9	<0.2	13.6	<0.01	<0.01
S685474		0.01	<0.05	7.1	10	12.8	9.2	<0.001	1.01	21.3	0.4	0.7	<0.2	6.1	<0.01	0.10



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: ANTHILL RESOURCES
 1010 - 1055 W HASTINGS STREET
 VANCOUVER BC V6E 2E9

Page: 2 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-AUG-2016
 Account: ANTRES

CERTIFICATE OF ANALYSIS VA16121826

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Th ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.2	0.005	0.02	0.05	1	0.05	0.05	2	0.5
S685401		3.7	<0.005	0.04	0.29	11	<0.05	2.55	114	2.5
S685402		1.5	<0.005	<0.02	0.28	9	<0.05	4.07	107	1.9
S685403		0.2	<0.005	<0.02	0.06	1	0.09	0.11	145	0.7
S685404		9.6	<0.005	0.03	0.66	3	<0.05	5.87	45	3.7
S685405		7.9	<0.005	0.06	0.39	10	<0.05	3.09	82	3.0
S685406		4.5	<0.005	0.04	0.23	2	<0.05	3.44	43	1.9
S685407		5.2	<0.005	0.03	0.20	3	<0.05	4.13	40	2.2
S685408		3.8	<0.005	0.04	0.63	7	0.44	1.94	91	4.0
S685409		0.5	<0.005	<0.02	0.85	3	0.22	3.00	5	1.6
S685410		0.7	<0.005	0.03	0.39	2	1.21	3.08	7	2.4
S685411		0.2	<0.005	<0.02	0.31	1	0.09	0.68	12	0.5
S685412		1.4	<0.005	<0.02	0.24	1	<0.05	1.40	7	0.5
S685413		0.2	<0.005	<0.02	0.43	<1	<0.05	0.70	<2	<0.5
S685414		<0.2	<0.005	<0.02	0.11	1	<0.05	0.78	2880	<0.5
S685415		4.5	<0.005	0.03	1.31	4	<0.05	12.40	47	19.8
S685416		7.1	<0.005	0.04	0.58	5	<0.05	12.10	60	10.3
S685451		0.4	<0.005	<0.02	0.08	1	0.05	0.29	4	0.8
S685452		0.4	<0.005	<0.02	0.05	1	0.06	1.13	10	0.6
S685453		0.5	<0.005	0.02	0.07	1	0.07	0.47	10	0.7
S685454		2.5	<0.005	0.03	0.41	7	0.05	2.00	109	1.6
S685455		3.4	<0.005	0.08	0.60	10	0.15	3.07	105	3.9
S685456		4.2	<0.005	0.06	0.44	9	0.25	2.72	103	3.5
S685457		3.1	<0.005	0.06	0.46	8	0.36	2.06	93	3.6
S685458		2.8	<0.005	0.06	0.36	6	0.27	1.74	194	2.8
S685459		4.0	<0.005	0.06	0.57	10	0.59	2.30	258	4.1
S685460		2.7	<0.005	0.05	0.41	6	0.33	1.54	52	3.3
S685461		3.9	<0.005	0.06	0.57	10	0.67	2.44	110	4.2
S685462		1.6	<0.005	0.05	0.32	5	0.17	0.97	86	2.7
S685463		3.9	<0.005	0.05	0.52	10	0.57	2.56	139	3.7
S685464		2.7	<0.005	0.05	0.43	7	0.43	1.37	72	2.4
S685465		4.0	<0.005	0.05	0.53	11	0.85	2.29	124	4.0
S685466		0.4	<0.005	<0.02	0.20	1	<0.05	0.22	13	0.6
S685467		0.2	<0.005	0.02	0.07	1	<0.05	0.17	143	0.6
S685468		0.2	<0.005	<0.02	0.05	1	0.05	0.13	32	0.5
S685469		2.6	<0.005	0.03	0.56	2	0.11	2.72	26	3.1
S685470		0.2	<0.005	<0.02	0.05	1	0.08	0.11	2	0.6
S685471		0.5	<0.005	<0.02	0.11	1	0.09	0.37	11	1.0
S685472		0.3	<0.005	0.04	0.11	1	0.06	0.21	226	0.8
S685473		1.6	<0.005	<0.02	0.06	1	<0.05	0.79	3	<0.5
S685474		2.8	<0.005	0.19	0.47	2	0.15	0.50	10	1.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: ANTHILL RESOURCES
 1010 - 1055 W HASTINGS STREET
 VANCOUVER BC V6E 2E9

Page: 3 - A
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-AUG-2016
 Account: ANTRES

CERTIFICATE OF ANALYSIS VA16121826

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-ICP21 Au ppm	Au-GRA21 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm
S685475		0.02	0.001	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1
S685476		0.82	0.287	0.38	0.22	471	<0.2	<10	20	0.08	0.16	0.02	0.02	5.28	2.3	
		0.24	0.003	0.03	1.04	7.0	<0.2	<10	120	0.51	0.12	6.02	0.20	51.6	7.3	



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: ANTHILL RESOURCES
 1010 - 1055 W HASTINGS STREET
 VANCOUVER BC V6E 2E9

Page: 3 - B
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-AUG-2016
 Account: ANTRES

CERTIFICATE OF ANALYSIS VA16121826

Sample Description	Method Analyte Units LOR	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05
S685475		10	0.50	17.1	1.29	0.76	<0.05	0.04	0.05	0.008	0.13	2.3	2.1	0.01	56	0.87
S685476		23	0.33	15.2	2.82	3.51	0.05	0.30	0.03	0.020	0.26	26.0	17.9	2.75	295	0.26

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: ANTHILL RESOURCES
 1010 - 1055 W HASTINGS STREET
 VANCOUVER BC V6E 2E9

Page: 3 - C
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-AUG-2016
 Account: ANTRES

CERTIFICATE OF ANALYSIS VA16121826

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm
S685475		0.01	<0.05	4.4	60	47.2	6.0	<0.001	0.03	90.1	0.6	0.3	0.2	20.2	<0.01	0.01
S685476		0.01	<0.05	22.1	580	12.6	10.7	<0.001	0.02	2.08	4.4	1.0	0.2	78.4	<0.01	<0.01

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: ANTHILL RESOURCES
 1010 - 1055 W HASTINGS STREET
 VANCOUVER BC V6E 2E9

Page: 3 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-AUG-2016
 Account: ANTRES

CERTIFICATE OF ANALYSIS VA16121826

Sample Description	Method Analyte Units LOR	ME-MS41 Th ppm	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
S685475		0.2	0.005	0.02	0.05	1	0.05	0.05	2	0.5
S685476		2.6	<0.005	0.12	0.58	3	0.15	0.93	21	1.8
		9.9	<0.005	0.08	1.64	14	<0.05	11.20	77	13.5

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: ANTHILL RESOURCES
 1010 - 1055 W HASTINGS STREET
 VANCOUVER BC V6E 2E9

Page: Appendix 1
 Total # Appendix Pages: 1
 Finalized Date: 21-AUG-2016
 Account: ANTRES

CERTIFICATE OF ANALYSIS VA16121826

	CERTIFICATE COMMENTS												
Applies to Method:	<p style="text-align: center;">ANALYTICAL COMMENTS</p> <p>Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g). ME-MS41</p>												
Applies to Method:	<p style="text-align: center;">LABORATORY ADDRESSES</p> <p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">Au-GRA21</td> <td style="width: 33%;">Au-ICP21</td> <td style="width: 33%;">CRU-31</td> <td style="width: 33%;">CRU-QC</td> </tr> <tr> <td>LOG-22</td> <td>ME-MS41</td> <td>PUL-31</td> <td>PUL-QC</td> </tr> <tr> <td>SPL-21</td> <td>WEI-21</td> <td></td> <td></td> </tr> </table>	Au-GRA21	Au-ICP21	CRU-31	CRU-QC	LOG-22	ME-MS41	PUL-31	PUL-QC	SPL-21	WEI-21		
Au-GRA21	Au-ICP21	CRU-31	CRU-QC										
LOG-22	ME-MS41	PUL-31	PUL-QC										
SPL-21	WEI-21												