



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: ANTHILL RESOURCES
1010 - 1055 W HASTINGS STREET
VANCOUVER BC V6E 2E9

Page: 1
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 20-AUG-2016
Account: ANTRES

CERTIFICATE VA16121827

This report is for 127 Soil samples submitted to our lab in Whitehorse, YT, Canada on 25-JUL-2016.

The following have access to data associated with this certificate:

YINGHUA CHEN

WANJIN YANG

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AROR43	Au AR Overrange - 25g	ICP-MS
Au-TL43	Trace Level Au - 25g AR	ICP-MS
ME-MS41	Ultra Trace Aqua Regia ICP-MS	

To: ANTHILL RESOURCES
ATTN: WANJIN YANG
1010 - 1055 W HASTINGS STREET
VANCOUVER BC V6E 2E9

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: ANTHILL RESOURCES
1010 - 1055 W HASTINGS STREET
VANCOUVER BC V6E 2E9

Page: 2 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 20-AUG-2016
Account: ANTRES

CERTIFICATE OF ANALYSIS VA16121827

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt.	Au-TL43 Au	ME-MS41 Ag	ME-MS41 Al	ME-MS41 As	ME-MS41 Au	ME-MS41 B	ME-MS41 Ba	ME-MS41 Be	ME-MS41 Bi	ME-MS41 Ca	ME-MS41 Cd	ME-MS41 Ce	ME-MS41 Co	ME-MS41 Cr
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	1
S685101		0.34	0.004	0.11	0.59	29.0	<0.2	<10	290	0.59	0.29	0.94	0.34	23.6	9.6	8
S685102		0.38	0.001	0.06	0.96	21.9	<0.2	<10	130	0.64	0.34	0.22	0.03	9.04	8.7	16
S685103		0.50	0.008	0.05	0.92	53.4	<0.2	<10	150	0.99	0.53	0.19	0.12	12.45	18.1	19
S685104		0.48	0.001	0.01	0.86	8.9	<0.2	<10	70	0.71	0.42	0.12	0.04	11.65	10.8	16
S685105		0.56	0.012	0.04	1.61	20.8	<0.2	<10	60	0.65	0.47	0.11	0.04	10.85	15.5	24
S685106		0.46	0.005	0.02	1.20	26.3	<0.2	<10	50	0.73	0.54	0.03	0.13	11.60	16.4	21
S685107		0.48	0.004	0.05	0.75	23.4	<0.2	<10	30	0.35	0.46	0.01	0.05	12.50	9.6	16
S685108		0.44	0.004	0.05	1.11	28.2	<0.2	<10	40	0.94	0.47	0.01	0.12	11.70	21.3	20
S685109		0.38	0.003	0.04	1.30	30.6	<0.2	<10	50	0.61	0.46	0.05	0.17	16.00	18.4	23
S685110		0.42	0.001	0.08	1.05	22.1	<0.2	<10	150	0.61	0.40	0.15	0.08	10.05	13.6	17
S685111		0.44	0.003	0.13	0.86	22.4	<0.2	<10	70	1.01	0.42	0.04	0.03	14.30	14.5	15
S685112		0.34	0.003	0.14	1.11	10.3	<0.2	<10	90	0.81	0.36	0.94	0.13	15.25	9.8	21
S685113		0.30	0.002	0.10	1.08	1.9	<0.2	<10	150	0.67	0.21	2.31	0.21	9.76	4.0	17
S685114		0.40	0.001	0.03	1.67	11.2	<0.2	<10	30	0.60	0.35	0.03	0.14	14.15	13.8	20
S685115		0.38	0.001	0.04	1.45	11.4	<0.2	<10	30	0.80	0.37	0.05	0.13	23.3	15.1	16
S685116		0.42	0.001	0.08	1.72	4.3	<0.2	<10	40	0.39	0.69	0.02	0.14	4.95	13.5	27
S685117		0.36	0.001	0.04	1.31	9.0	<0.2	<10	110	0.57	0.35	0.17	0.11	17.05	8.4	18
S685118		0.40	0.002	0.09	1.25	10.5	<0.2	<10	50	0.42	0.42	0.03	0.10	19.10	10.6	19
S685119		0.46	0.002	0.03	1.49	12.0	<0.2	<10	40	0.68	0.39	0.02	0.07	11.85	14.0	22
S685120		0.40	0.002	0.04	1.66	14.5	<0.2	<10	110	0.69	0.33	0.15	0.20	30.9	13.1	26
S685121		0.44	0.001	0.06	1.84	15.3	<0.2	<10	40	0.53	0.53	0.03	0.11	14.80	10.0	29
S685122		0.46	0.002	0.03	1.17	24.4	<0.2	<10	50	0.50	0.45	0.09	0.14	10.15	14.6	19
S685123		0.42	0.006	0.04	1.16	55.2	<0.2	<10	30	0.38	0.65	0.01	0.08	7.20	12.7	20
S685124		0.44	0.017	0.03	1.46	60.0	<0.2	<10	60	0.64	0.49	0.02	0.15	11.50	16.7	23
S685125		0.34	0.006	0.14	1.35	14.6	<0.2	<10	180	0.86	0.46	0.42	0.08	11.50	12.5	18
S685126		0.40	0.009	0.05	1.02	25.1	<0.2	<10	90	0.83	0.44	0.20	0.12	11.55	14.0	18
S685127		0.38	0.002	0.11	1.60	8.7	<0.2	<10	140	0.93	0.38	0.78	0.17	13.15	13.0	23
S685128		0.36	0.002	0.14	1.65	10.3	<0.2	<10	170	1.01	0.40	1.06	0.10	14.65	13.6	23
S685129		0.40	0.002	0.16	1.70	9.9	<0.2	<10	170	1.10	0.39	0.75	0.18	16.00	11.6	25
S685130		0.46	0.001	0.06	1.74	10.1	<0.2	<10	110	1.10	0.35	0.25	0.08	14.95	16.7	26
S685131		0.56	0.001	0.03	1.51	9.7	<0.2	<10	90	0.83	0.33	0.20	0.10	16.40	15.1	25
S685132		0.48	0.002	0.07	1.51	12.6	<0.2	<10	140	0.98	0.34	0.58	0.20	21.5	15.2	26
S685133		0.46	0.004	0.08	1.67	9.6	<0.2	<10	110	1.24	0.45	0.44	0.10	16.10	17.2	26
S685134		0.46	0.003	0.06	1.76	10.5	<0.2	<10	110	1.09	0.38	0.27	0.09	16.20	17.4	27
S685135		0.38	0.003	0.08	1.21	8.6	<0.2	<10	120	0.73	0.29	1.87	0.15	8.80	11.0	18
S685136		0.40	0.002	0.07	1.53	9.9	<0.2	<10	160	1.03	0.37	0.60	0.17	13.90	17.5	24
S685137		0.42	0.003	0.07	1.39	7.8	<0.2	<10	130	0.92	0.33	1.11	0.12	10.75	12.2	21
S685138		0.40	0.003	0.08	1.40	9.2	<0.2	<10	110	0.88	0.34	0.94	0.10	12.15	11.5	21
S685139		0.40	0.003	0.09	1.39	12.2	<0.2	<10	110	0.88	0.34	0.79	0.10	12.30	12.7	21
S685140		0.48	0.006	0.06	1.27	19.3	<0.2	<10	80	0.79	0.33	0.33	0.07	13.55	15.2	20

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: ANTHILL RESOURCES
1010 - 1055 W HASTINGS STREET
VANCOUVER BC V6E 2E9

Page: 2 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 20-AUG-2016
Account: ANTRES

CERTIFICATE OF ANALYSIS VA16121827

Sample Description	Method Analyte Units LOR	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01
S685101		0.72	16.8	9.11	2.72	<0.05	0.04	0.09	0.026	0.03	4.4	1.6	0.12	6740	4.95	<0.01
S685102		0.71	18.5	4.29	2.93	<0.05	0.06	0.07	0.030	0.03	4.5	13.8	0.28	268	0.53	<0.01
S685103		1.49	55.7	6.95	2.97	<0.05	0.05	0.07	0.055	0.04	6.1	11.2	0.29	880	1.13	<0.01
S685104		0.69	34.1	5.04	3.32	<0.05	0.05	0.03	0.036	0.03	5.9	8.9	0.23	259	0.36	<0.01
S685105		0.87	35.1	5.40	5.33	<0.05	0.06	0.04	0.040	0.03	5.1	21.8	0.50	394	0.37	<0.01
S685106		1.29	52.6	6.69	4.60	<0.05	0.02	0.03	0.050	0.03	5.0	14.9	0.27	849	0.90	<0.01
S685107		1.66	31.8	5.60	5.82	<0.05	0.02	0.02	0.037	0.03	6.2	4.4	0.09	347	1.39	<0.01
S685108		1.72	52.7	6.57	3.67	<0.05	0.02	0.05	0.046	0.03	5.0	15.3	0.27	992	0.76	<0.01
S685109		2.22	43.8	5.11	4.77	<0.05	0.02	0.04	0.039	0.04	7.2	16.2	0.30	782	1.50	<0.01
S685110		2.99	17.1	4.41	3.56	<0.05	0.02	0.04	0.038	0.03	4.7	15.5	0.22	562	0.59	<0.01
S685111		3.12	36.2	4.10	2.55	<0.05	0.02	0.16	0.035	0.03	6.3	15.7	0.19	424	0.51	<0.01
S685112		1.15	30.2	3.15	3.42	<0.05	0.06	0.09	0.029	0.05	7.6	21.3	0.29	613	0.41	0.01
S685113		1.15	24.2	1.39	2.94	<0.05	0.08	0.07	0.021	0.04	4.7	21.0	0.27	133	0.29	0.01
S685114		0.99	28.9	4.25	3.36	<0.05	0.06	0.06	0.033	0.03	4.7	24.0	0.27	601	0.43	<0.01
S685115		0.91	33.6	3.92	2.85	<0.05	0.04	0.04	0.029	0.03	6.2	25.1	0.30	924	0.32	<0.01
S685116		2.24	24.7	6.36	7.56	<0.05	0.03	0.03	0.018	0.04	2.2	32.4	0.40	403	0.58	<0.01
S685117		1.39	13.0	3.42	4.97	<0.05	<0.02	0.02	0.028	0.04	7.0	28.3	0.25	316	0.69	<0.01
S685118		1.56	21.0	4.25	6.11	<0.05	<0.02	0.04	0.025	0.04	7.6	13.6	0.19	760	1.27	<0.01
S685119		1.51	34.6	4.54	4.42	<0.05	0.04	0.04	0.029	0.03	4.8	33.2	0.36	399	0.48	<0.01
S685120		1.39	24.3	3.52	4.82	<0.05	0.03	0.02	0.030	0.05	11.6	22.4	0.48	468	1.27	<0.01
S685121		7.89	37.6	5.46	7.34	<0.05	0.05	0.04	0.032	0.03	7.4	36.0	0.37	306	1.75	<0.01
S685122		1.47	23.7	5.20	4.43	<0.05	0.02	0.02	0.036	0.03	3.9	21.6	0.26	959	0.78	<0.01
S685123		1.81	39.6	8.51	6.25	<0.05	0.03	0.05	0.052	0.03	3.3	9.2	0.13	474	0.89	<0.01
S685124		1.19	40.8	6.72	4.21	<0.05	0.05	0.04	0.055	0.02	4.8	18.7	0.26	621	0.90	<0.01
S685125		1.17	23.2	4.74	4.17	<0.05	0.10	0.07	0.037	0.04	5.7	18.6	0.34	863	0.44	0.01
S685126		0.87	34.6	6.09	3.20	<0.05	0.06	0.05	0.041	0.03	5.4	13.1	0.29	482	0.48	0.01
S685127		2.54	27.1	3.57	5.28	<0.05	0.06	0.05	0.030	0.07	5.8	27.7	0.37	627	0.60	0.01
S685128		1.53	30.0	3.51	5.24	<0.05	0.07	0.08	0.025	0.08	6.3	26.6	0.38	815	0.59	0.01
S685129		1.78	33.4	3.29	5.02	<0.05	0.08	0.09	0.030	0.09	8.5	22.8	0.39	504	0.74	0.01
S685130		1.28	28.3	4.15	5.55	0.06	0.06	0.03	0.025	0.06	6.3	38.9	0.50	522	0.72	<0.01
S685131		1.11	24.5	3.81	5.19	0.05	0.04	0.03	0.025	0.05	7.4	36.5	0.50	446	0.72	<0.01
S685132		1.51	28.3	3.47	4.67	0.07	0.07	0.05	0.030	0.09	8.9	27.2	0.44	601	0.96	0.01
S685133		1.54	42.6	3.95	5.40	0.06	0.09	0.06	0.029	0.06	7.6	42.5	0.50	261	0.43	<0.01
S685134		1.26	34.1	4.24	5.86	0.07	0.07	0.05	0.028	0.05	7.2	45.9	0.54	219	0.40	<0.01
S685135		1.12	27.5	2.83	3.76	0.05	0.06	0.09	0.021	0.06	4.2	24.4	0.35	531	0.40	<0.01
S685136		1.16	29.6	4.01	5.10	0.06	0.08	0.06	0.030	0.06	6.4	38.8	0.46	1010	0.39	<0.01
S685137		1.13	26.4	3.25	4.51	0.06	0.08	0.07	0.025	0.06	5.3	31.2	0.39	489	0.35	<0.01
S685138		1.09	25.0	3.34	4.41	0.05	0.07	0.08	0.025	0.06	5.8	32.4	0.38	280	0.32	<0.01
S685139		1.03	27.6	3.43	4.54	0.06	0.07	0.08	0.030	0.06	5.8	32.1	0.37	376	0.38	<0.01
S685140		0.94	27.1	3.99	3.83	0.05	0.06	0.07	0.032	0.05	6.1	27.8	0.36	405	0.37	<0.01

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: ANTHILL RESOURCES
1010 - 1055 W HASTINGS STREET
VANCOUVER BC V6E 2E9

Page: 2 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 20-AUG-2016
Account: ANTRES

CERTIFICATE OF ANALYSIS VA16121827

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
S685101		0.33	10.8	1190	309	2.8	<0.001	0.19	0.77	2.3	0.6	0.3	53.1	0.01	0.05	1.0
S685102		0.11	18.3	360	18.2	4.5	<0.001	0.03	1.47	3.7	0.5	0.2	18.4	<0.01	0.01	2.4
S685103		0.22	29.2	440	43.9	5.5	<0.001	0.02	5.69	7.2	0.6	0.2	16.2	<0.01	0.03	2.9
S685104		<0.05	21.5	170	25.2	3.8	<0.001	0.01	0.66	5.2	0.2	0.2	17.7	<0.01	0.02	3.2
S685105		0.05	32.9	310	30.5	3.6	0.001	0.01	0.93	5.8	0.3	0.2	11.4	<0.01	0.02	3.1
S685106		0.42	26.0	390	33.6	6.1	<0.001	0.01	1.60	5.6	0.4	0.3	6.6	0.01	0.04	3.4
S685107		0.74	14.7	450	22.8	5.8	<0.001	0.01	2.02	3.3	0.5	0.5	4.9	0.01	0.03	3.0
S685108		0.30	27.3	550	33.1	5.1	<0.001	0.01	2.11	6.0	0.5	0.2	5.3	<0.01	0.03	3.8
S685109		0.74	23.1	710	36.1	7.3	<0.001	0.02	1.70	3.6	0.8	0.4	7.6	<0.01	0.03	2.5
S685110		0.27	16.3	220	24.2	7.0	<0.001	0.01	1.52	3.1	0.3	0.3	13.9	<0.01	0.02	3.1
S685111		0.10	20.3	210	26.7	6.0	<0.001	<0.01	1.95	5.1	0.5	0.2	8.5	<0.01	0.02	4.1
S685112		0.21	19.0	910	20.7	6.5	<0.001	0.10	0.52	2.6	1.5	0.3	48.5	<0.01	0.03	1.2
S685113		0.23	12.5	660	15.0	3.9	0.001	0.99	0.13	2.8	2.6	0.2	97.1	<0.01	0.01	1.7
S685114		0.19	22.6	400	35.0	6.1	<0.001	0.02	0.61	2.7	0.4	0.2	4.5	<0.01	0.02	4.4
S685115		0.11	28.5	480	29.7	3.9	<0.001	0.02	0.48	3.0	0.5	0.2	5.8	<0.01	0.02	4.2
S685116		0.24	23.5	450	22.8	9.6	<0.001	0.02	0.31	1.6	0.4	0.3	4.2	<0.01	0.02	7.1
S685117		0.52	16.6	370	19.6	8.0	<0.001	0.01	0.43	2.0	0.3	0.4	14.1	<0.01	0.02	2.6
S685118		0.76	15.7	760	27.7	8.1	<0.001	0.02	0.82	2.0	0.4	0.5	6.1	0.01	0.04	1.9
S685119		0.21	24.3	250	26.0	8.0	<0.001	0.01	0.56	2.5	0.4	0.3	4.8	<0.01	0.03	4.5
S685120		0.93	31.3	650	19.1	8.2	<0.001	0.01	0.93	3.2	0.6	0.4	13.1	<0.01	0.04	3.6
S685121		1.00	22.5	470	36.5	7.7	<0.001	0.02	1.13	3.1	0.9	0.5	7.6	0.01	0.05	3.5
S685122		0.37	18.7	390	28.4	8.1	<0.001	0.01	1.01	2.9	0.4	0.3	8.6	<0.01	0.04	2.8
S685123		0.50	16.2	520	41.2	5.4	<0.001	0.02	2.04	3.9	0.4	0.4	4.6	0.01	0.05	3.0
S685124		0.46	25.6	380	32.8	8.5	<0.001	0.01	1.55	4.9	0.5	0.3	6.0	0.01	0.04	3.9
S685125		0.16	24.5	850	26.7	9.4	<0.001	0.07	0.56	5.4	0.4	0.3	27.8	<0.01	0.01	1.9
S685126		0.10	26.5	380	26.7	4.2	<0.001	0.03	1.63	6.1	0.4	0.2	17.2	<0.01	0.02	3.5
S685127		0.34	26.2	680	23.0	9.3	<0.001	0.05	0.41	3.3	0.6	0.3	34.4	<0.01	0.01	1.8
S685128		0.33	24.1	790	23.8	8.9	<0.001	0.06	0.43	3.2	0.6	0.4	45.0	<0.01	0.03	1.6
S685129		0.39	24.3	1060	21.6	9.2	<0.001	0.09	0.55	3.1	0.7	0.4	36.2	<0.01	0.03	1.4
S685130		0.21	34.2	250	28.0	7.0	<0.001	0.02	0.48	3.4	0.4	0.3	18.7	<0.01	0.02	2.9
S685131		0.36	31.1	220	22.1	5.4	<0.001	0.02	0.57	3.0	0.3	0.3	15.3	<0.01	0.02	3.0
S685132		0.45	27.8	570	27.0	8.7	<0.001	0.05	0.81	3.8	0.6	0.4	31.9	<0.01	0.03	1.9
S685133		0.21	35.4	330	31.6	6.3	<0.001	0.03	0.49	5.2	0.5	0.3	23.1	<0.01	0.03	3.4
S685134		0.18	36.0	270	25.6	5.3	<0.001	0.02	0.34	5.0	0.6	0.3	18.4	<0.01	0.02	4.2
S685135		0.22	22.9	520	18.1	6.7	<0.001	0.10	0.53	2.9	0.7	0.2	72.3	<0.01	0.03	1.5
S685136		0.21	32.0	360	28.2	6.5	<0.001	0.06	0.31	4.5	0.8	0.3	31.1	<0.01	0.02	3.4
S685137		0.24	25.8	480	20.5	6.8	<0.001	0.08	0.44	3.8	0.7	0.3	55.3	<0.01	0.03	2.3
S685138		0.21	24.8	470	23.6	5.8	<0.001	0.09	0.34	3.8	0.8	0.3	41.4	<0.01	0.02	2.4
S685139		0.21	26.3	460	22.2	6.7	<0.001	0.07	0.52	4.3	0.8	0.3	36.6	<0.01	0.02	2.3
S685140		0.13	27.4	310	24.5	4.8	<0.001	0.02	0.91	4.7	0.5	0.2	19.9	<0.01	0.02	3.5

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: ANTHILL RESOURCES
1010 - 1055 W HASTINGS STREET
VANCOUVER BC V6E 2E9

Page: 2 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 20-AUG-2016
Account: ANTRES

CERTIFICATE OF ANALYSIS VA16121827

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm	Au-AROR43 Au ppm
S685101		0.012	0.06	0.77	21	0.05	5.14	84	1.3	
S685102		<0.005	0.04	0.93	14	0.09	2.98	76	1.8	
S685103		<0.005	0.05	1.38	23	0.49	5.60	156	1.7	
S685104		<0.005	0.02	0.67	17	0.05	2.17	103	2.3	
S685105		<0.005	0.03	0.61	16	0.11	4.03	127	2.0	
S685106		0.008	0.05	0.68	27	0.22	3.39	122	0.9	
S685107		0.015	0.08	0.50	40	0.20	1.74	84	1.1	
S685108		0.007	0.05	0.80	22	0.23	4.07	135	1.2	
S685109		0.021	0.08	0.80	34	0.26	3.33	116	0.6	
S685110		<0.005	0.06	0.60	20	0.13	3.10	88	0.9	
S685111		<0.005	0.05	1.03	14	0.09	5.77	80	1.0	
S685112		0.006	0.06	1.85	16	0.10	11.45	93	1.8	
S685113		<0.005	0.08	2.42	15	<0.05	8.35	44	3.1	
S685114		<0.005	0.05	0.50	15	<0.05	3.23	75	2.0	
S685115		<0.005	0.04	0.54	12	<0.05	6.11	77	1.5	
S685116		<0.005	0.06	0.39	20	<0.05	2.17	88	1.5	
S685117		0.011	0.11	0.48	29	0.12	3.12	106	0.6	
S685118		0.020	0.11	0.56	39	0.18	3.02	71	<0.5	
S685119		<0.005	0.05	0.46	18	0.05	2.66	79	1.8	
S685120		0.028	0.13	0.81	40	0.30	5.55	98	1.0	
S685121		0.019	0.13	0.75	42	0.20	2.48	82	1.9	
S685122		0.008	0.05	0.48	23	0.13	2.21	120	0.8	
S685123		0.006	0.07	0.49	26	0.23	1.82	101	1.4	
S685124		0.007	0.07	0.71	25	0.21	2.98	119	2.5	
S685125		<0.005	0.06	0.90	17	0.08	7.11	132	3.0	
S685126		<0.005	0.04	0.86	16	0.10	3.80	131	2.3	
S685127		0.005	0.07	1.04	22	0.07	6.21	105	2.0	
S685128		0.005	0.07	1.29	24	0.11	6.98	88	2.0	
S685129		0.006	0.08	2.75	25	0.11	10.20	97	2.5	
S685130		0.006	0.05	0.66	21	0.06	4.82	83	2.1	
S685131		0.010	0.04	0.61	22	0.06	3.88	92	1.4	
S685132		0.012	0.07	1.46	26	0.11	6.72	137	1.8	
S685133		0.005	0.04	1.21	19	<0.05	8.52	100	2.7	
S685134		<0.005	0.04	0.88	19	<0.05	6.75	110	2.7	
S685135		<0.005	0.04	1.06	14	<0.05	4.89	110	2.0	
S685136		<0.005	0.04	1.06	18	0.05	6.93	110	2.5	
S685137		<0.005	0.04	1.28	15	<0.05	6.19	106	2.4	
S685138		<0.005	0.04	1.56	16	<0.05	6.51	101	2.4	
S685139		<0.005	0.05	2.30	16	<0.05	6.70	101	2.3	
S685140		<0.005	0.03	0.64	15	0.05	5.59	102	2.0	



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: ANTHILL RESOURCES
 1010 - 1055 W HASTINGS STREET
 VANCOUVER BC V6E 2E9

Page: 3 - A
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-AUG-2016
 Account: ANTRES

CERTIFICATE OF ANALYSIS VA16121827

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt.	Au-TL43 Au	ME-MS41 Ag	ME-MS41 Al	ME-MS41 As	ME-MS41 Au	ME-MS41 B	ME-MS41 Ba	ME-MS41 Be	ME-MS41 Bi	ME-MS41 Ca	ME-MS41 Cd	ME-MS41 Ce	ME-MS41 Co	ME-MS41 Cr
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
S685141		0.38	0.004	0.08	1.30	13.2	<0.2	<10	120	0.84	1.28	0.97	0.12	11.05	12.4	19
S685142		0.42	0.007	0.07	1.10	23.7	<0.2	<10	90	0.82	0.37	0.30	0.12	14.15	13.7	18
S685143		0.40	0.005	0.05	0.74	56.2	<0.2	<10	70	1.11	0.42	0.18	0.06	15.35	16.0	15
S685144		0.50	0.005	0.04	1.15	24.1	<0.2	<10	70	0.83	0.37	1.18	0.05	12.80	18.2	17
S685145		0.54	0.011	0.06	1.01	24.9	<0.2	<10	140	0.96	0.33	0.16	0.11	12.55	22.2	17
S685146		0.46	0.007	0.08	1.02	16.8	<0.2	<10	130	0.90	0.33	0.21	0.12	13.35	13.0	16
S685147		0.44	0.005	0.04	1.27	38.6	<0.2	<10	70	0.86	0.38	0.11	0.07	11.25	17.0	18
S685148		0.48	0.038	0.07	0.98	33.3	<0.2	<10	70	0.70	0.37	0.11	0.09	13.20	16.6	15
S685149		0.44	0.004	0.10	0.48	7.9	<0.2	<10	130	0.88	0.31	0.46	0.07	14.50	12.1	11
S685150		0.42	0.010	0.06	0.53	12.1	<0.2	<10	130	0.80	0.29	0.26	0.03	12.75	9.8	15
S685151		0.58	0.009	0.07	0.97	40.9	<0.2	<10	60	0.79	0.46	0.10	0.08	12.85	18.7	17
S685152		0.38	0.005	0.04	0.77	26.7	<0.2	<10	70	0.41	0.41	0.16	0.10	13.25	11.2	15
S685153		0.48	0.002	0.09	1.67	11.0	<0.2	<10	170	1.02	0.37	0.33	0.22	15.85	19.9	26
S685154		0.42	0.003	0.08	1.63	16.8	<0.2	<10	120	1.00	0.36	0.55	0.14	14.30	15.9	25
S685155		0.42	0.003	0.08	1.57	10.6	<0.2	<10	110	0.90	0.36	0.47	0.09	14.85	14.4	24
S685156		0.40	0.002	0.08	1.55	6.6	<0.2	<10	120	0.88	0.36	0.71	0.14	13.00	10.2	23
S685157		0.40	0.004	0.09	1.52	13.1	<0.2	<10	140	0.90	0.36	0.54	0.11	13.95	12.4	22
S685173		0.62	0.002	0.09	1.48	11.7	<0.2	<10	110	0.95	0.39	0.27	0.11	16.35	15.6	24
S685174		0.60	0.001	0.02	1.67	9.6	<0.2	<10	110	1.01	0.39	0.29	0.11	17.15	17.9	26
S685175		0.66	0.002	0.05	1.69	10.6	<0.2	<10	110	1.04	0.38	0.36	0.11	19.00	15.9	26
S685176		0.56	0.002	0.04	1.90	9.3	<0.2	<10	160	1.15	0.40	0.27	0.08	16.45	20.5	28
S685177		0.54	0.001	0.01	1.62	13.4	<0.2	<10	70	1.05	0.41	0.15	0.10	15.60	19.2	24
S685178		0.58	0.002	0.07	1.51	16.2	<0.2	<10	110	1.04	0.43	0.43	0.16	16.90	18.1	24
S685179		0.56	0.001	0.02	1.32	15.7	<0.2	<10	90	0.90	0.38	0.37	0.10	14.45	16.6	21
S685180		0.36	0.003	0.08	1.41	11.5	<0.2	<10	120	1.16	0.38	0.72	0.07	17.40	14.1	22
S685181		0.56	0.005	0.09	1.35	17.6	<0.2	<10	100	0.90	0.36	0.23	0.07	14.20	17.2	20
S685182		0.52	0.003	0.09	1.49	14.1	<0.2	<10	110	1.08	0.37	0.48	0.07	13.70	14.8	24
S685183		0.60	0.005	0.06	1.34	17.2	<0.2	<10	100	0.90	0.35	0.36	0.11	14.55	17.7	21
S685184		0.46	0.002	0.06	1.58	8.9	<0.2	<10	140	0.90	0.34	0.44	0.16	12.45	14.8	24
S685185		0.72	0.012	0.05	0.97	93.2	<0.2	<10	80	0.78	0.41	0.24	0.08	14.05	19.9	16
S685186		0.80	0.007	0.06	1.23	25.3	<0.2	<10	90	0.88	0.36	0.37	0.05	14.15	18.6	18
S685187		0.56	0.022	0.07	0.88	57.0	<0.2	<10	80	0.79	0.34	0.26	0.07	12.85	16.9	13
S685188		0.66	0.004	0.06	0.64	45.3	<0.2	<10	60	1.07	0.39	0.15	0.03	13.50	19.5	13
S685189		0.48	0.002	0.10	1.56	12.0	<0.2	<10	170	1.13	0.34	0.69	0.22	12.30	14.9	24
S685190		0.62	0.003	0.10	1.54	20.8	<0.2	<10	110	1.47	0.48	0.49	0.12	17.75	18.1	25
S685191		0.68	0.002	0.08	1.78	8.0	<0.2	<10	110	1.24	0.40	0.28	0.14	15.70	17.5	28
S685192		0.60	0.001	0.02	1.55	9.6	<0.2	<10	90	0.79	0.36	0.27	0.12	14.65	15.1	25
S685193		0.70	0.001	0.04	1.93	7.9	<0.2	<10	90	1.14	0.38	0.24	0.07	13.00	18.6	29
S685194		0.68	0.002	0.04	1.81	8.9	<0.2	<10	90	1.16	0.35	0.25	0.06	15.05	17.2	27
S685195		0.60	0.002	0.07	1.04	29.5	<0.2	<10	190	1.11	0.36	0.14	0.05	14.25	18.2	18

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: ANTHILL RESOURCES
1010 - 1055 W HASTINGS STREET
VANCOUVER BC V6E 2E9

Page: 3 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 20-AUG-2016
Account: ANTRES

CERTIFICATE OF ANALYSIS VA16121827

Sample Description	Method Analyte Units LOR	ME-MS41 Cs ppm	ME-MS41 Cu ppm	ME-MS41 Fe %	ME-MS41 Ga ppm	ME-MS41 Ge ppm	ME-MS41 Hf ppm	ME-MS41 Hg ppm	ME-MS41 In ppm	ME-MS41 K %	ME-MS41 La ppm	ME-MS41 Li ppm	ME-MS41 Mg %	ME-MS41 Mn ppm	ME-MS41 Mo ppm	ME-MS41 Na %
S685141		0.97	25.5	3.43	4.01	0.05	0.07	0.11	0.030	0.06	5.4	28.0	0.35	770	0.37	<0.01
S685142		0.90	31.2	4.06	3.56	0.06	0.06	0.06	0.039	0.04	6.6	21.3	0.29	598	0.50	<0.01
S685143		2.50	39.6	4.20	2.52	0.06	0.04	0.09	0.042	0.04	6.7	15.8	0.24	350	0.57	<0.01
S685144		1.32	39.5	4.30	3.61	0.07	0.05	0.06	0.032	0.08	5.5	23.8	0.44	723	0.30	<0.01
S685145		1.78	35.9	5.26	3.12	0.06	0.05	0.08	0.038	0.04	5.5	19.5	0.31	371	0.45	<0.01
S685146		2.21	35.1	4.73	3.14	0.06	0.05	0.09	0.033	0.04	6.1	20.2	0.32	171	0.35	0.01
S685147		0.93	38.3	5.63	3.05	0.06	0.03	0.03	0.050	0.02	4.1	17.3	0.24	612	0.69	<0.01
S685148		0.59	37.5	4.66	3.08	0.07	0.04	0.09	0.046	0.03	5.7	18.8	0.26	476	0.42	<0.01
S685149		4.23	31.5	2.73	1.41	0.05	0.07	0.08	0.026	0.06	6.8	4.0	0.11	491	0.28	0.01
S685150		4.37	19.0	3.22	1.60	0.05	0.05	0.07	0.028	0.05	6.1	5.9	0.17	561	0.26	<0.01
S685151		0.91	50.8	5.75	3.10	0.07	0.03	0.08	0.050	0.03	5.7	17.7	0.27	773	0.46	<0.01
S685152		1.80	21.3	3.71	4.35	0.05	<0.02	0.03	0.031	0.04	6.3	9.0	0.16	565	0.83	<0.01
S685153		1.43	31.7	4.04	5.41	0.06	0.07	0.09	0.029	0.06	7.2	38.5	0.47	683	0.45	<0.01
S685154		1.16	28.6	4.79	5.29	0.05	0.08	0.09	0.029	0.06	6.3	36.7	0.44	557	0.49	0.01
S685155		1.03	24.5	3.91	5.11	0.06	0.08	0.08	0.032	0.05	6.7	34.3	0.42	555	0.35	<0.01
S685156		1.35	27.4	3.02	4.96	0.05	0.08	0.09	0.032	0.05	5.8	32.4	0.40	192	0.25	<0.01
S685157		1.23	25.8	3.67	5.03	0.07	0.08	0.09	0.034	0.05	6.6	32.8	0.37	447	0.38	<0.01
S685173		1.55	33.3	4.08	4.95	0.08	0.07	0.05	0.029	0.05	6.9	31.3	0.44	692	0.50	<0.01
S685174		1.08	27.9	4.31	5.70	0.07	0.06	0.03	0.025	0.05	7.0	37.8	0.53	711	0.45	<0.01
S685175		1.32	29.0	4.06	5.52	0.07	0.05	0.04	0.025	0.05	7.4	36.7	0.51	777	0.55	<0.01
S685176		1.31	34.9	4.49	6.20	0.07	0.08	0.04	0.027	0.07	7.1	38.3	0.54	685	0.39	<0.01
S685177		1.14	33.6	4.43	5.25	0.06	0.03	0.02	0.026	0.04	6.8	38.8	0.48	560	0.40	<0.01
S685178		1.79	38.8	4.11	5.25	0.06	0.07	0.06	0.029	0.07	7.1	31.5	0.46	812	0.60	<0.01
S685179		1.52	34.2	3.93	4.34	0.06	0.05	0.03	0.027	0.06	6.0	29.7	0.43	540	0.56	<0.01
S685180		1.36	36.5	3.83	4.35	0.06	0.07	0.08	0.029	0.06	8.1	29.7	0.43	372	0.36	<0.01
S685181		1.34	37.2	4.30	4.22	0.06	0.06	0.05	0.031	0.07	6.6	27.7	0.38	984	0.32	0.01
S685182		0.93	28.4	4.21	4.94	0.06	0.08	0.07	0.035	0.06	6.6	33.8	0.39	559	0.53	<0.01
S685183		0.84	29.6	4.34	4.58	0.05	0.06	0.06	0.030	0.05	6.4	30.5	0.38	838	0.36	<0.01
S685184		0.98	25.4	3.36	5.32	<0.05	0.07	0.06	0.033	0.04	5.7	35.8	0.44	249	0.36	0.01
S685185		0.71	52.8	5.24	3.19	0.05	0.05	0.06	0.043	0.04	6.2	19.4	0.30	852	0.60	<0.01
S685186		0.92	39.7	4.19	3.98	0.05	0.05	0.06	0.030	0.07	6.0	25.9	0.34	650	0.30	<0.01
S685187		0.72	37.9	4.30	2.75	<0.05	0.05	0.05	0.033	0.05	6.1	15.9	0.24	1220	0.36	<0.01
S685188		3.52	36.7	4.29	2.20	0.05	0.04	0.09	0.037	0.04	6.1	13.6	0.25	725	0.46	<0.01
S685189		1.46	35.5	3.37	5.10	<0.05	0.07	0.11	0.030	0.06	5.5	36.5	0.43	324	0.64	0.01
S685190		1.78	55.9	4.76	5.18	0.06	0.07	0.07	0.031	0.06	7.7	38.2	0.48	309	0.67	<0.01
S685191		1.82	40.5	3.83	6.13	0.05	0.07	0.07	0.031	0.06	7.0	45.0	0.52	233	0.29	0.01
S685192		1.29	24.2	4.08	6.11	<0.05	0.03	0.02	0.026	0.05	6.6	40.5	0.48	473	0.65	<0.01
S685193		1.50	32.3	4.65	6.73	<0.05	0.06	0.03	0.027	0.04	5.9	49.1	0.63	524	0.45	<0.01
S685194		1.20	29.4	4.36	6.16	0.05	0.04	0.03	0.026	0.05	6.5	44.9	0.57	550	0.42	<0.01
S685195		2.29	34.5	4.41	3.50	<0.05	0.04	0.09	0.033	0.05	6.5	20.4	0.31	1200	0.51	<0.01

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: ANTHILL RESOURCES
1010 - 1055 W HASTINGS STREET
VANCOUVER BC V6E 2E9

Page: 3 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 20-AUG-2016
Account: ANTRES

CERTIFICATE OF ANALYSIS VA16121827

Sample Description	Method	ME-MS41														
	Analyte Units LOR	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm
S685141		0.20	24.5	530	21.1	6.2	<0.001	0.08	0.59	3.9	0.8	0.3	43.0	<0.01	0.03	2.1
S685142		0.13	26.4	340	23.5	4.9	<0.001	0.03	0.82	5.3	0.5	0.2	20.5	<0.01	0.02	4.1
S685143		0.10	28.1	340	33.7	3.8	<0.001	0.02	1.87	5.8	0.3	0.2	15.3	<0.01	0.03	3.8
S685144		0.05	32.2	280	29.3	4.6	<0.001	0.02	1.13	5.2	0.3	0.2	40.5	<0.01	0.02	4.9
S685145		0.12	27.4	340	27.3	4.9	<0.001	0.03	0.76	5.8	0.4	0.2	13.0	<0.01	0.02	4.0
S685146		0.17	23.4	260	24.2	5.5	<0.001	0.05	0.43	5.2	0.4	0.3	17.7	<0.01	0.02	4.2
S685147		0.23	26.6	310	33.2	5.9	<0.001	0.01	1.73	4.4	0.4	0.2	10.3	<0.01	0.03	3.1
S685148		0.13	28.8	280	32.8	3.8	<0.001	0.02	1.25	6.6	0.6	0.2	10.7	<0.01	0.03	3.4
S685149		0.10	16.8	300	15.0	6.9	<0.001	0.05	0.32	4.6	0.3	0.2	31.1	<0.01	0.02	3.0
S685150		0.14	14.1	290	15.7	6.4	<0.001	0.04	0.36	4.4	0.2	0.3	21.8	<0.01	0.02	3.2
S685151		0.10	32.2	390	36.2	3.8	<0.001	0.02	1.80	7.6	0.5	0.2	11.2	<0.01	0.03	3.6
S685152		0.47	15.3	460	26.0	9.2	<0.001	0.03	1.25	2.7	0.3	0.4	14.0	<0.01	0.04	2.0
S685153		0.23	33.6	360	30.7	7.0	<0.001	0.05	0.35	5.2	0.7	0.3	20.8	<0.01	0.02	3.9
S685154		0.21	30.3	420	27.2	7.2	<0.001	0.06	0.33	4.8	1.0	0.3	31.2	<0.01	0.03	3.1
S685155		0.19	29.9	370	24.3	6.8	<0.001	0.04	0.32	4.9	0.7	0.3	28.5	<0.01	0.02	3.3
S685156		0.21	26.0	440	26.0	7.2	<0.001	0.09	0.18	4.6	0.8	0.3	35.8	<0.01	0.03	2.8
S685157		0.23	24.9	410	24.7	7.8	<0.001	0.06	0.13	5.1	0.8	0.3	30.1	<0.01	0.02	3.2
S685173		0.20	31.7	230	28.8	5.6	<0.001	0.03	0.53	4.6	0.4	0.3	21.3	<0.01	0.03	3.8
S685174		0.20	34.8	160	29.7	5.0	<0.001	0.03	0.42	3.6	0.3	0.3	21.8	<0.01	0.02	3.8
S685175		0.28	33.8	280	28.8	6.5	<0.001	0.05	0.53	3.2	0.4	0.3	24.9	<0.01	0.02	2.6
S685176		0.15	37.1	140	30.6	5.8	<0.001	0.03	0.46	4.5	0.4	0.3	24.6	<0.01	0.02	5.0
S685177		0.17	33.3	130	28.7	5.1	<0.001	0.01	0.75	3.2	0.3	0.3	13.4	<0.01	0.02	4.2
S685178		0.31	34.8	340	34.6	7.0	<0.001	0.02	0.69	4.5	0.6	0.3	26.2	<0.01	0.03	2.9
S685179		0.24	30.9	250	31.2	7.6	<0.001	0.01	0.88	3.4	0.3	0.3	21.7	<0.01	0.03	3.6
S685180		0.21	28.0	330	29.2	6.5	<0.001	0.03	0.50	5.1	0.7	0.3	30.2	<0.01	0.03	3.8
S685181		0.10	30.5	340	22.1	4.6	0.001	0.02	0.97	4.7	0.3	0.3	19.0	<0.01	0.03	4.5
S685182		0.17	29.8	330	24.1	5.9	0.001	0.04	0.48	5.1	0.7	0.3	29.1	<0.01	0.03	3.1
S685183		0.17	30.7	300	24.9	4.8	<0.001	0.03	0.70	5.1	0.6	0.3	22.5	<0.01	0.02	3.6
S685184		0.21	30.4	280	20.3	5.9	0.001	0.08	0.11	4.5	0.6	0.3	25.3	<0.01	0.01	3.5
S685185		0.19	31.0	190	30.8	4.0	<0.001	0.02	3.64	6.5	0.4	0.2	18.3	<0.01	0.03	3.2
S685186		0.12	30.9	200	25.2	4.9	<0.001	0.03	1.67	4.8	0.6	0.2	25.7	<0.01	0.02	3.4
S685187		0.09	27.5	200	22.7	3.7	<0.001	0.02	2.21	5.2	0.3	0.2	20.6	<0.01	0.02	2.9
S685188		0.07	27.0	300	26.1	5.4	<0.001	0.02	1.45	5.5	0.3	0.2	14.7	<0.01	0.02	3.4
S685189		0.24	29.2	380	22.5	6.5	0.001	0.17	0.15	4.6	1.1	0.3	38.2	<0.01	0.01	3.6
S685190		0.23	35.2	380	38.5	5.8	0.001	0.04	0.69	5.8	0.7	0.3	26.8	<0.01	0.03	4.4
S685191		0.20	36.3	330	26.5	6.8	<0.001	0.05	0.25	5.8	0.7	0.3	20.1	<0.01	0.02	4.5
S685192		0.40	30.8	240	22.3	7.0	<0.001	0.02	0.47	3.2	0.3	0.4	18.7	<0.01	0.02	3.0
S685193		0.20	38.4	200	25.8	5.2	<0.001	0.02	0.39	3.7	0.3	0.3	19.6	<0.01	0.01	3.3
S685194		0.21	35.7	180	23.5	5.7	<0.001	0.02	0.45	3.7	0.4	0.3	22.6	<0.01	0.02	3.4
S685195		0.13	29.7	310	25.3	6.1	<0.001	0.02	1.27	5.4	0.4	0.2	14.9	<0.01	0.02	4.3

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: ANTHILL RESOURCES
1010 - 1055 W HASTINGS STREET
VANCOUVER BC V6E 2E9

Page: 3 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 20-AUG-2016
Account: ANTRES

CERTIFICATE OF ANALYSIS VA16121827

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm	Au-AROR43 Au ppm
S685141		<0.005	0.04	1.23	15	<0.05	6.00	101	2.1	
S685142		<0.005	0.04	2.32	15	0.06	5.11	99	2.2	
S685143		<0.005	0.03	0.87	13	0.06	4.96	100	1.5	
S685144		<0.005	0.03	0.52	13	0.06	5.03	97	2.9	
S685145		<0.005	0.03	1.71	15	0.06	4.98	107	2.0	
S685146		<0.005	0.04	1.69	15	0.21	4.66	85	1.8	
S685147		<0.005	0.05	0.57	18	0.10	3.10	92	1.2	
S685148		<0.005	0.03	0.66	14	0.10	6.99	98	1.3	
S685149		<0.005	0.03	1.42	12	0.05	2.53	67	2.0	
S685150		<0.005	0.03	0.82	15	0.07	2.58	55	1.6	
S685151		<0.005	0.03	0.90	15	0.10	6.38	131	1.0	
S685152		0.010	0.06	0.48	25	0.10	2.59	70	<0.5	
S685153		<0.005	0.05	1.09	20	<0.05	7.81	116	2.8	
S685154		<0.005	0.05	1.85	20	<0.05	7.03	109	2.5	
S685155		<0.005	0.04	1.40	18	<0.05	7.26	104	2.6	
S685156		<0.005	0.06	1.68	18	<0.05	6.79	102	2.5	
S685157		<0.005	0.06	1.89	18	<0.05	6.97	98	2.5	
S685173		0.006	0.05	0.79	19	0.05	6.45	85	2.3	
S685174		0.007	0.04	0.71	20	<0.05	4.69	94	2.1	
S685175		0.008	0.05	1.06	23	0.06	5.02	97	1.7	
S685176		0.005	0.05	0.74	21	<0.05	5.74	94	2.8	
S685177		0.005	0.04	0.56	19	<0.05	3.93	101	1.5	
S685178		0.006	0.05	1.11	19	0.06	6.70	105	2.4	
S685179		0.007	0.04	0.62	18	0.05	4.01	107	2.0	
S685180		<0.005	0.04	0.76	17	0.05	9.36	97	2.4	
S685181		<0.005	0.03	0.52	16	<0.05	5.28	100	2.8	
S685182		<0.005	0.04	0.94	17	0.06	7.27	91	2.6	
S685183		<0.005	0.03	0.67	16	0.05	6.12	98	2.1	
S685184		<0.005	0.04	1.32	18	0.05	5.74	100	2.3	
S685185		0.005	0.04	0.73	16	0.07	5.41	119	1.6	
S685186		<0.005	0.03	0.55	14	<0.05	5.75	93	1.7	
S685187		<0.005	0.03	0.73	12	<0.05	5.26	98	1.5	
S685188		<0.005	0.03	0.85	12	0.05	4.51	90	1.3	
S685189		<0.005	0.05	2.57	18	<0.05	7.57	99	2.6	
S685190		0.005	0.04	1.08	19	0.05	9.03	106	3.0	
S685191		<0.005	0.04	0.85	19	<0.05	8.03	112	3.6	
S685192		0.010	0.05	0.53	26	0.08	3.16	110	1.2	
S685193		0.006	0.03	0.66	21	<0.05	4.54	107	1.9	
S685194		0.007	0.04	0.62	21	<0.05	5.16	92	1.7	
S685195		<0.005	0.03	0.74	16	0.07	5.90	91	1.8	

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: ANTHILL RESOURCES
 1010 - 1055 W HASTINGS STREET
 VANCOUVER BC V6E 2E9

Page: 4 - A
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-AUG-2016
 Account: ANTRES

CERTIFICATE OF ANALYSIS VA16121827

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt.	Au-TL43 Au	ME-MS41 Ag	ME-MS41 Al	ME-MS41 As	ME-MS41 Au	ME-MS41 B	ME-MS41 Ba	ME-MS41 Be	ME-MS41 Bi	ME-MS41 Ca	ME-MS41 Cd	ME-MS41 Ce	ME-MS41 Co	ME-MS41 Cr
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
S685001		0.30	0.001	0.09	1.74	10.6	<0.2	<10	130	1.46	0.38	0.54	0.15	20.7	14.9	26
S685002		0.38	0.003	0.05	0.90	50.0	<0.2	<10	120	1.14	0.38	0.08	0.06	12.15	15.3	17
S685003		0.22	0.001	0.02	0.88	39.6	<0.2	<10	90	0.61	0.38	0.04	0.06	13.60	11.1	16
S685004		0.36	0.001	0.03	0.65	50.8	<0.2	<10	210	0.93	0.53	0.06	0.03	13.05	18.3	12
S685005		0.62	0.002	0.04	0.85	39.4	<0.2	<10	50	0.90	0.52	0.02	0.20	13.05	20.4	18
S685006		0.50	0.001	0.01	0.33	3.0	<0.2	<10	80	0.79	0.14	0.01	0.01	12.65	7.3	15
S685007		0.54	0.002	0.08	0.83	28.8	<0.2	<10	210	1.11	0.33	0.09	0.07	11.80	13.5	17
S685008		0.26	0.001	0.02	0.85	24.1	<0.2	<10	150	0.65	0.38	0.04	0.10	11.90	16.7	17
S685009		0.30	0.001	0.04	0.96	32.5	<0.2	<10	160	1.06	0.36	0.07	0.10	21.9	16.1	21
S685010		0.46	0.001	0.03	0.35	80.7	<0.2	<10	130	1.02	0.55	0.06	0.06	15.35	17.7	8
S685011		0.38	0.001	0.03	0.24	65.6	<0.2	<10	60	0.90	0.50	0.06	0.06	15.45	20.2	8
S685012		0.30	0.007	0.09	0.34	63.0	<0.2	<10	170	1.00	0.37	0.15	0.08	13.50	21.9	9
S685013		0.36	0.002	0.07	0.61	31.4	<0.2	<10	110	0.93	0.39	0.12	0.08	14.40	14.2	11
S685014		0.30	0.006	0.04	0.55	38.4	<0.2	<10	120	0.72	0.38	0.11	0.05	13.10	12.2	11
S685015		0.44	0.010	0.05	0.69	25.3	<0.2	<10	60	0.71	0.38	0.07	0.02	13.20	11.6	13
S685016		0.24	0.006	0.12	0.91	44.1	<0.2	<10	170	0.96	0.42	0.33	0.06	11.20	11.5	14
S685017		0.70	>1.00	0.21	0.29	1905	6.5	<10	150	1.00	0.53	0.13	0.06	21.7	17.3	5
S685018		0.34	0.053	0.02	1.67	9.6	<0.2	<10	80	0.89	0.35	0.15	0.07	17.90	15.3	26
S685019		0.34	0.015	0.04	1.83	8.9	<0.2	<10	130	1.00	0.39	0.28	0.10	16.80	15.5	27
S685020		0.34	0.006	0.02	1.77	8.9	<0.2	<10	90	0.91	0.36	0.18	0.04	16.65	16.5	27
S685021		0.28	0.004	0.04	1.90	9.0	<0.2	<10	170	1.19	0.38	0.25	0.04	15.00	18.7	27
S685022		0.40	0.003	0.05	1.72	13.8	<0.2	<10	120	1.07	0.39	0.28	0.08	16.90	16.3	26
S685023		0.32	0.004	0.04	1.61	16.7	<0.2	<10	110	1.02	0.39	0.25	0.12	16.55	18.2	25
S685024		0.50	0.003	0.10	1.65	13.5	<0.2	<10	140	0.98	0.38	0.52	0.11	18.90	13.9	29
S685025		0.42	0.002	0.07	1.66	11.2	<0.2	<10	90	0.82	0.34	0.31	0.08	16.20	14.9	25
S685026		0.34	0.004	0.07	1.55	19.9	<0.2	<10	120	1.02	0.38	0.35	0.13	17.95	17.9	24
S685027		0.32	0.004	0.06	1.74	11.3	<0.2	<10	120	1.01	0.38	0.33	0.09	17.50	17.9	26
S685028		0.48	0.007	0.05	1.42	25.6	<0.2	<10	80	0.84	0.39	0.42	0.10	17.40	20.4	21
S685029		0.54	0.010	0.05	1.25	29.5	<0.2	<10	70	0.86	0.40	0.19	0.07	15.60	19.5	19
S685030		0.44	0.018	0.10	1.10	29.9	<0.2	<10	80	0.72	0.35	0.35	0.13	19.65	13.9	17
S685031		0.52	0.009	0.07	1.06	40.6	<0.2	<10	50	0.68	0.40	0.28	0.11	16.75	17.1	16
S685032		0.68	0.066	0.09	0.88	70.4	<0.2	<10	50	0.65	0.40	0.25	0.08	15.25	19.0	15
S685033		0.60	0.023	0.09	0.95	54.4	<0.2	<10	50	0.70	0.47	0.24	0.08	15.60	19.1	16
S685034		0.48	0.020	0.05	0.94	57.9	<0.2	<10	60	0.93	0.41	0.22	0.06	18.30	22.9	17
S685035		0.54	0.001	0.03	0.20	19.8	<0.2	<10	30	0.95	0.43	0.14	0.03	21.2	21.7	6
S685036		0.58	0.017	0.07	0.94	55.1	<0.2	<10	60	0.80	0.48	0.12	0.08	15.70	22.9	17
S685037		0.50	0.008	0.06	1.19	41.9	<0.2	<10	80	0.93	0.40	0.08	0.10	18.30	18.8	18
S685038		0.42	0.027	0.04	1.67	40.7	<0.2	<10	60	1.14	0.34	0.10	0.16	36.1	19.4	18
S685039		0.44	0.013	0.07	0.87	40.6	<0.2	<10	80	0.77	0.45	0.15	0.07	13.40	21.6	15
S685040		0.32	0.001	0.06	0.68	8.8	<0.2	<10	100	0.86	0.37	0.16	0.05	21.7	14.2	13

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: ANTHILL RESOURCES
 1010 - 1055 W HASTINGS STREET
 VANCOUVER BC V6E 2E9

Page: 4 - B
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-AUG-2016
 Account: ANTRES

CERTIFICATE OF ANALYSIS VA16121827

Sample Description	Method Analyte Units LOR	ME-MS41 Cs ppm	ME-MS41 Cu ppm	ME-MS41 Fe %	ME-MS41 Ga ppm	ME-MS41 Ge ppm	ME-MS41 Hf ppm	ME-MS41 Hg ppm	ME-MS41 In ppm	ME-MS41 K %	ME-MS41 La ppm	ME-MS41 Li ppm	ME-MS41 Mg %	ME-MS41 Mn ppm	ME-MS41 Mo ppm	ME-MS41 Na %
S685001		2.18	32.3	3.81	5.65	<0.05	0.06	0.06	0.032	0.07	8.8	30.7	0.45	686	0.91	<0.01
S685002		2.87	34.2	4.80	2.97	<0.05	0.04	0.05	0.035	0.04	5.9	14.2	0.27	445	0.64	<0.01
S685003		4.30	22.3	3.81	3.78	<0.05	<0.02	0.03	0.030	0.05	6.7	12.0	0.18	354	0.72	<0.01
S685004		5.90	32.6	4.28	2.24	<0.05	0.03	0.05	0.034	0.04	6.2	10.9	0.16	716	0.70	<0.01
S685005		3.33	43.1	5.32	2.92	<0.05	0.02	0.05	0.047	0.04	6.0	11.2	0.20	897	1.08	<0.01
S685006		3.27	15.1	3.14	1.24	<0.05	<0.02	0.01	0.022	0.03	6.0	2.3	0.06	291	0.28	<0.01
S685007		28.8	26.8	4.63	2.88	<0.05	0.08	0.14	0.042	0.05	6.0	14.3	0.31	475	0.69	0.01
S685008		19.00	26.7	4.64	3.36	<0.05	0.03	0.29	0.038	0.05	5.7	11.5	0.27	559	0.74	0.01
S685009		12.55	29.3	4.36	3.38	0.05	0.05	0.03	0.037	0.05	10.2	16.9	0.37	498	0.94	<0.01
S685010		7.55	29.4	4.41	1.02	<0.05	0.05	0.03	0.040	0.04	6.8	3.8	0.15	648	0.71	<0.01
S685011		6.37	28.9	4.46	0.77	<0.05	0.05	0.03	0.033	0.04	7.3	1.9	0.14	492	0.46	<0.01
S685012		15.75	28.0	3.72	1.07	<0.05	0.04	0.09	0.034	0.04	6.6	3.6	0.17	1180	0.42	0.01
S685013		7.97	25.6	3.43	1.86	<0.05	0.06	0.09	0.034	0.05	6.7	8.1	0.18	435	0.28	<0.01
S685014		1.70	19.7	4.07	1.77	<0.05	0.05	0.04	0.041	0.04	6.4	5.5	0.17	377	0.39	<0.01
S685015		1.02	32.6	4.27	2.32	<0.05	0.04	0.06	0.043	0.03	7.1	6.4	0.22	671	0.26	<0.01
S685016		3.13	24.9	4.54	2.59	<0.05	0.10	0.09	0.044	0.05	5.7	8.9	0.20	313	0.45	0.01
S685017		3.62	41.3	4.50	0.98	<0.05	0.02	0.12	0.044	0.04	10.7	2.6	0.10	1020	0.60	<0.01
S685018		1.01	23.1	4.09	5.82	<0.05	0.04	0.01	0.024	0.05	7.5	39.4	0.55	471	0.42	<0.01
S685019		1.41	26.7	3.96	6.51	<0.05	0.07	0.02	0.029	0.07	7.7	38.0	0.53	572	0.55	0.01
S685020		1.12	24.4	4.28	6.08	<0.05	0.03	0.02	0.026	0.04	7.4	41.0	0.57	497	0.45	<0.01
S685021		1.21	32.3	4.39	6.36	<0.05	0.07	0.04	0.029	0.08	7.0	37.4	0.53	597	0.34	0.01
S685022		1.32	33.3	4.26	5.48	0.05	0.07	0.03	0.026	0.07	7.3	37.0	0.48	506	0.72	0.01
S685023		1.19	33.4	4.49	5.16	0.05	0.07	0.03	0.027	0.07	6.8	36.4	0.47	630	0.49	0.01
S685024		2.00	33.6	3.74	4.98	<0.05	0.09	0.06	0.031	0.09	9.2	30.7	0.46	477	0.64	0.01
S685025		1.21	19.7	3.99	5.34	<0.05	0.08	0.05	0.031	0.06	7.6	40.3	0.48	216	0.39	0.01
S685026		1.50	37.8	4.29	5.01	<0.05	0.08	0.04	0.030	0.08	7.8	30.8	0.43	596	0.57	0.01
S685027		1.29	33.1	4.33	5.28	<0.05	0.08	0.05	0.029	0.07	7.7	34.4	0.48	731	0.46	0.01
S685028		1.47	41.7	4.67	4.46	0.05	0.08	0.05	0.031	0.07	7.6	30.8	0.44	949	0.44	0.01
S685029		1.06	40.8	4.67	4.02	0.05	0.05	0.06	0.032	0.05	7.2	26.9	0.37	649	0.49	<0.01
S685030		0.88	33.8	3.80	3.46	<0.05	0.05	0.08	0.037	0.04	8.4	24.2	0.30	787	0.40	0.01
S685031		0.88	40.5	4.59	3.19	<0.05	0.04	0.06	0.036	0.05	7.3	20.7	0.31	617	0.43	<0.01
S685032		0.74	52.5	5.43	2.68	<0.05	0.04	0.09	0.043	0.03	6.7	15.6	0.28	823	0.44	<0.01
S685033		0.67	58.2	5.48	3.00	<0.05	0.04	0.08	0.047	0.04	6.8	17.5	0.29	896	0.51	<0.01
S685034		1.73	47.4	5.31	3.02	0.05	0.07	0.06	0.043	0.07	8.0	16.4	0.29	924	0.40	0.01
S685035		7.77	42.2	4.32	0.55	<0.05	0.09	0.02	0.035	0.04	10.6	1.9	0.09	624	0.22	0.01
S685036		0.88	52.6	6.14	3.09	0.05	0.03	0.08	0.046	0.03	6.6	16.6	0.28	980	0.55	0.01
S685037		0.91	42.8	5.82	3.02	<0.05	0.02	0.03	0.045	0.03	6.9	17.3	0.29	872	0.56	<0.01
S685038		0.70	40.5	5.15	2.42	<0.05	0.05	0.04	0.045	0.03	7.0	15.0	0.24	1200	0.41	<0.01
S685039		0.98	50.4	6.05	2.62	<0.05	0.02	0.09	0.045	0.04	5.8	12.7	0.27	965	0.52	<0.01
S685040		4.65	22.0	3.33	2.13	<0.05	0.04	0.08	0.024	0.05	10.3	9.2	0.19	704	0.41	0.01

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: ANTHILL RESOURCES
1010 - 1055 W HASTINGS STREET
VANCOUVER BC V6E 2E9

Page: 4 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 20-AUG-2016
Account: ANTRES

CERTIFICATE OF ANALYSIS VA16121827

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
S685001		0.44	29.4	880	29.0	10.6	<0.001	0.05	0.61	3.7	0.8	0.4	29.1	<0.01	0.02	1.7
S685002		0.17	25.2	280	21.2	5.7	<0.001	0.01	1.94	5.2	0.3	0.2	11.2	<0.01	0.03	3.3
S685003		0.32	16.7	300	19.0	9.8	<0.001	0.02	1.33	3.0	0.3	0.4	9.3	<0.01	0.02	2.6
S685004		0.19	24.9	460	22.6	6.5	<0.001	0.02	2.68	4.4	0.2	0.2	8.8	<0.01	0.03	2.7
S685005		0.41	23.2	550	69.7	6.0	<0.001	0.02	2.02	4.9	0.4	0.3	7.3	<0.01	0.04	3.0
S685006		0.09	10.3	190	7.6	3.5	<0.001	0.01	0.26	2.9	<0.2	0.3	8.9	<0.01	<0.01	2.6
S685007		0.25	19.8	430	21.9	12.5	<0.001	0.03	1.51	5.4	0.3	0.3	10.4	<0.01	0.02	2.6
S685008		0.16	21.1	400	18.4	8.7	<0.001	0.02	1.95	4.4	0.2	0.3	10.3	<0.01	0.03	2.8
S685009		0.49	26.9	300	24.1	11.1	0.001	0.02	1.67	4.9	0.4	0.3	13.5	<0.01	0.03	3.8
S685010		0.11	22.5	380	61.2	6.8	<0.001	0.02	4.50	5.4	0.3	0.2	8.8	<0.01	0.04	3.2
S685011		<0.05	25.8	370	27.6	6.4	<0.001	0.02	1.26	5.0	0.3	<0.2	9.5	<0.01	0.03	4.6
S685012		0.06	29.3	360	27.0	7.0	<0.001	0.03	1.76	5.3	0.6	<0.2	13.2	<0.01	0.02	3.3
S685013		0.11	22.4	230	19.9	6.4	<0.001	0.02	2.80	5.3	0.3	0.2	13.6	<0.01	0.02	4.8
S685014		0.10	17.9	220	22.4	5.9	<0.001	0.02	2.31	5.4	0.2	0.2	14.6	<0.01	0.02	3.1
S685015		0.05	23.5	170	23.3	3.7	<0.001	0.01	1.53	6.0	0.2	0.2	14.2	<0.01	0.02	4.5
S685016		0.12	16.9	510	26.1	10.8	<0.001	0.05	1.32	5.8	0.6	0.3	25.1	<0.01	0.02	2.7
S685017		0.07	24.2	260	44.5	5.4	<0.001	0.03	3.17	5.5	0.4	0.2	16.2	<0.01	0.04	5.1
S685018		0.22	32.1	140	21.6	5.2	<0.001	0.01	0.39	3.0	0.2	0.3	14.4	<0.01	0.01	3.8
S685019		0.35	32.0	420	23.0	8.5	0.001	0.03	0.44	3.6	0.4	0.4	21.0	<0.01	0.02	2.7
S685020		0.21	34.7	130	22.7	5.3	<0.001	0.01	0.44	3.2	0.3	0.3	18.0	<0.01	0.02	3.8
S685021		0.13	34.9	120	25.8	6.3	<0.001	0.02	0.43	4.3	0.4	0.3	25.6	<0.01	0.02	4.5
S685022		0.23	34.6	240	29.0	6.7	<0.001	0.03	0.63	3.8	0.4	0.3	21.6	<0.01	0.02	3.7
S685023		0.19	32.3	230	28.4	6.3	<0.001	0.02	0.76	4.0	0.4	0.3	21.0	<0.01	0.03	4.0
S685024		0.39	28.8	590	25.0	8.7	<0.001	0.05	0.72	5.0	0.7	0.4	29.5	<0.01	0.03	2.5
S685025		0.28	30.9	310	21.8	6.1	<0.001	0.03	0.48	4.1	0.4	0.3	20.9	<0.01	0.02	3.6
S685026		0.26	31.9	300	27.3	7.1	<0.001	0.03	0.90	4.4	0.5	0.3	25.2	<0.01	0.03	3.3
S685027		0.23	31.7	250	26.5	6.1	<0.001	0.03	0.47	4.3	0.5	0.3	23.6	<0.01	0.02	3.8
S685028		0.11	34.9	400	28.4	4.9	<0.001	0.02	1.18	4.8	0.3	0.3	26.8	<0.01	0.03	5.0
S685029		0.15	31.8	190	27.8	4.0	<0.001	0.02	1.35	4.6	0.4	0.2	18.0	<0.01	0.02	4.0
S685030		0.25	26.5	490	24.6	5.0	<0.001	0.03	1.23	5.7	0.7	0.3	24.5	<0.01	0.03	4.8
S685031		0.17	28.7	410	29.1	4.1	<0.001	0.03	1.80	5.3	0.4	0.2	19.6	<0.01	0.06	3.1
S685032		0.14	26.9	340	34.2	3.4	<0.001	0.02	2.56	6.5	0.5	0.2	18.3	<0.01	0.03	3.3
S685033		0.14	29.8	300	47.6	3.5	<0.001	0.02	1.90	7.0	0.5	0.2	17.4	<0.01	0.03	3.7
S685034		<0.05	36.7	350	30.6	4.7	<0.001	0.04	1.82	6.2	0.3	0.2	18.8	<0.01	0.03	5.8
S685035		<0.05	25.3	260	15.6	3.6	<0.001	0.03	0.37	5.2	0.2	<0.2	15.5	<0.01	0.02	5.3
S685036		0.11	32.5	400	45.6	3.3	<0.001	0.02	2.18	6.6	0.4	0.2	12.2	<0.01	0.03	4.4
S685037		0.15	28.6	470	36.1	4.9	<0.001	0.02	1.74	5.6	0.4	0.2	9.1	<0.01	0.03	3.6
S685038		0.13	33.5	650	35.2	5.1	<0.001	0.02	1.66	5.7	0.6	0.2	7.7	<0.01	0.03	5.1
S685039		0.07	30.4	390	42.8	3.3	<0.001	0.02	2.06	6.5	0.4	0.2	13.3	<0.01	0.04	4.4
S685040		0.10	18.3	270	28.2	5.4	<0.001	0.03	0.28	3.5	0.3	0.2	18.4	<0.01	0.02	4.2

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: ANTHILL RESOURCES
1010 - 1055 W HASTINGS STREET
VANCOUVER BC V6E 2E9

Page: 4 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 20-AUG-2016
Account: ANTRES

CERTIFICATE OF ANALYSIS VA16121827

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm	Au-AROR43 Au ppm
S685001		0.013	0.07	1.48	29	0.10	8.09	85	1.7	
S685002		<0.005	0.03	0.71	18	0.10	3.36	101	1.7	
S685003		0.006	0.06	0.53	22	0.09	2.20	71	<0.5	
S685004		<0.005	0.03	0.68	13	0.10	2.48	81	0.8	
S685005		0.009	0.04	0.82	25	0.15	2.47	110	0.7	
S685006		<0.005	0.02	0.64	18	<0.05	1.58	46	<0.5	
S685007		<0.005	0.03	1.07	21	0.12	3.74	93	2.3	
S685008		<0.005	0.03	0.56	20	0.07	2.22	96	0.9	
S685009		0.018	0.04	0.76	27	0.13	4.98	95	1.6	
S685010		<0.005	0.03	0.90	9	0.09	2.79	87	1.5	
S685011		<0.005	0.04	1.03	9	<0.05	2.96	115	1.6	
S685012		<0.005	0.04	1.61	10	0.06	4.47	93	1.5	
S685013		<0.005	0.02	0.63	11	0.06	4.23	81	2.5	
S685014		<0.005	0.03	0.78	12	0.14	2.75	87	1.6	
S685015		<0.005	0.02	0.61	12	0.23	3.11	97	1.8	
S685016		<0.005	0.04	1.16	15	0.16	4.66	135	2.9	
S685017		<0.005	0.02	1.05	7	0.23	2.84	91	0.7	5.31
S685018		0.008	0.04	0.51	21	<0.05	3.85	94	1.4	
S685019		0.008	0.06	0.70	25	0.07	5.29	107	1.9	
S685020		0.008	0.04	0.59	22	0.06	3.97	89	1.4	
S685021		<0.005	0.05	0.91	20	<0.05	5.85	85	2.9	
S685022		0.006	0.05	1.03	21	0.05	5.47	109	2.1	
S685023		0.005	0.04	0.88	20	<0.05	5.05	111	2.3	
S685024		0.010	0.06	1.43	24	0.09	8.78	109	2.5	
S685025		0.006	0.05	1.11	21	0.06	5.62	135	2.1	
S685026		0.007	0.05	0.99	21	0.06	6.33	103	2.4	
S685027		0.006	0.05	0.89	21	0.05	6.17	95	2.3	
S685028		0.007	0.04	0.77	18	0.05	5.54	108	3.7	
S685029		0.005	0.03	0.82	17	0.05	6.17	96	2.1	
S685030		0.006	0.04	0.68	16	0.07	7.73	109	2.0	
S685031		0.005	0.04	0.92	16	0.06	6.70	112	1.2	
S685032		0.005	0.02	0.88	14	0.06	7.78	126	1.4	
S685033		<0.005	0.03	1.09	15	0.07	6.32	133	1.4	
S685034		<0.005	0.03	0.83	16	0.07	4.69	117	3.6	
S685035		<0.005	0.03	0.62	7	<0.05	2.74	110	5.0	
S685036		<0.005	0.03	0.66	17	0.12	6.05	132	1.8	
S685037		0.005	0.04	0.73	18	0.09	5.71	111	1.0	
S685038		<0.005	0.04	0.80	14	0.06	6.60	98	2.1	
S685039		<0.005	0.03	0.67	15	0.11	5.21	138	1.5	
S685040		<0.005	0.03	0.69	13	<0.05	4.07	68	1.2	

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: ANTHILL RESOURCES
1010 - 1055 W HASTINGS STREET
VANCOUVER BC V6E 2E9

Page: 5 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 20-AUG-2016
Account: ANTRES

CERTIFICATE OF ANALYSIS VA16121827

Sample Description	Method Analyte Units LOR	WEI-21	Au-TL43	ME-MS41												
		Revd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	1
S685041		0.52	0.016	0.05	1.05	46.1	<0.2	<10	150	0.77	0.53	0.09	0.07	12.55	14.1	18
S685042		0.60	0.002	0.07	0.63	14.6	<0.2	<10	70	0.94	0.43	0.08	0.04	17.70	18.6	15
S685043		0.54	0.003	0.08	0.83	17.6	<0.2	<10	80	0.74	0.45	0.09	0.03	15.70	15.8	16
S685044		0.34	0.002	0.08	0.76	5.9	<0.2	<10	180	0.75	0.34	0.09	0.04	15.65	11.4	17
S685045		0.34	0.005	0.05	0.91	12.8	<0.2	<10	120	0.60	0.35	0.11	0.06	15.15	15.8	16
S685046		0.34	0.003	0.09	0.78	8.7	<0.2	<10	170	0.85	0.38	0.28	0.09	16.70	15.9	15
S685047		0.32	0.012	0.07	0.65	25.6	<0.2	<10	60	0.72	0.41	0.18	0.06	17.60	16.7	16



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: ANTHILL RESOURCES
1010 - 1055 W HASTINGS STREET
VANCOUVER BC V6E 2E9

Page: 5 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 20-AUG-2016
Account: ANTRES

CERTIFICATE OF ANALYSIS VA16121827

Sample Description	Method	ME-MS41														
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
S685041		1.30	44.3	5.91	3.07	<0.05	0.02	0.03	0.050	0.03	5.8	16.1	0.26	643	0.62	<0.01
S685042		3.82	35.7	4.60	2.01	<0.05	<0.02	0.07	0.033	0.04	8.4	7.8	0.21	894	0.55	<0.01
S685043		2.43	37.7	4.83	2.51	<0.05	<0.02	0.07	0.035	0.05	7.3	10.1	0.23	558	0.50	<0.01
S685044		2.09	22.8	3.59	2.26	<0.05	0.03	0.05	0.030	0.05	7.4	8.2	0.19	247	0.35	0.01
S685045		1.34	23.3	3.77	2.77	<0.05	0.04	0.07	0.030	0.05	6.9	13.5	0.31	1160	0.39	<0.01
S685046		2.51	28.2	3.57	2.40	<0.05	0.06	0.07	0.036	0.06	7.7	10.2	0.22	759	0.32	0.01
S685047		1.89	35.7	4.57	2.03	<0.05	0.04	0.08	0.052	0.05	7.8	8.1	0.20	619	0.47	0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: ANTHILL RESOURCES
1010 - 1055 W HASTINGS STREET
VANCOUVER BC V6E 2E9

Page: 5 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 20-AUG-2016
Account: ANTRES

CERTIFICATE OF ANALYSIS VA16121827

Sample Description	Method	ME-MS41														
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm							
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
S685041		0.20	22.2	340	31.6	6.1	<0.001	0.01	1.33	5.2	0.3	0.2	9.8	<0.01	0.03	3.3
S685042		0.07	21.7	380	42.7	4.2	<0.001	0.02	0.48	4.4	0.2	0.2	12.1	<0.01	0.02	3.7
S685043		0.08	23.7	340	31.2	4.3	<0.001	0.02	0.73	4.0	<0.2	0.2	11.5	<0.01	0.03	4.0
S685044		0.12	18.4	230	17.5	5.3	<0.001	0.02	0.30	4.5	0.2	0.3	12.6	<0.01	0.02	4.1
S685045		0.10	23.6	290	23.2	4.3	<0.001	0.02	0.48	3.8	0.2	0.2	10.6	<0.01	0.02	3.9
S685046		0.10	24.2	340	24.0	6.6	<0.001	0.04	0.32	4.8	0.3	0.2	20.4	<0.01	0.02	4.0
S685047		0.10	27.8	360	25.0	4.6	<0.001	0.02	0.98	5.9	0.3	0.2	16.5	<0.01	0.04	5.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: ANTHILL RESOURCES
1010 - 1055 W HASTINGS STREET
VANCOUVER BC V6E 2E9

Page: 5 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 20-AUG-2016
Account: ANTRES

CERTIFICATE OF ANALYSIS VA16121827

Sample Description	Method	ME-MS41	Au-AROR43						
	Analyte	Ti	Ti	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	Au
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
S685041		<0.005	0.04	0.69	20	0.10	3.39	120	0.7
S685042		<0.005	0.03	0.95	15	<0.05	4.09	97	0.5
S685043		<0.005	0.03	0.66	15	0.05	3.00	98	0.7
S685044		<0.005	0.03	0.85	17	0.05	3.52	70	1.4
S685045		<0.005	0.02	0.69	14	<0.05	3.06	83	1.2
S685046		<0.005	0.04	1.34	14	<0.05	3.42	96	1.7
S685047		<0.005	0.03	0.55	14	0.06	4.40	102	1.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: ANTHILL RESOURCES
1010 - 1055 W HASTINGS STREET
VANCOUVER BC V6E 2E9

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 20-AUG-2016
Account: ANTRES

CERTIFICATE OF ANALYSIS VA16121827

CERTIFICATE COMMENTS									
Applies to Method:	<p>ANALYTICAL COMMENTS</p> <p>Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g). ME-MS41</p>								
Applies to Method:	<p>LABORATORY ADDRESSES</p> <p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.</p> <table><tbody><tr><td>Au-AROR43</td><td>Au-TL43</td><td>LOG-22</td><td>ME-MS41</td></tr><tr><td>SCR-41</td><td>WEI-21</td><td></td><td></td></tr></tbody></table>	Au-AROR43	Au-TL43	LOG-22	ME-MS41	SCR-41	WEI-21		
Au-AROR43	Au-TL43	LOG-22	ME-MS41						
SCR-41	WEI-21								