
Geochemical & Geophysical Survey Assessment Report:
GT Probe, Soil Sampling, IP survey

QV PROJECT

**In support of YMEP Project No. 16-074
Target Evaluation Module
Yukon Mineral Exploration Program**

Volume I - Report

Claims:

QV 1-10	YC61008-017
QV 11-24	YC88221-8234
QV 25-72	YD13837-884
QV 73-188	YD13885-14000
QV 189-288	YD48801-48900
QV 289-342	YD47943-996
QV 343-494	YE21103-254
QV 495-524	YE76847-876
QV 525-714	YF03605 -794
QV 715-791	YF76235 -311
QV 792-822	YF00412-442

Dawson Mining District

NTS: 115O/05

Latitude: 63.16.2° N Longitude: -139.32.8 ° W

Soil Sampling Performed On: July 21-22 & 28-29, 2016

IP Survey Performed On: July 13 – 18 & 21 – 25, 2016

GT Probe Performed On: July 9 – 29, 2016

Prepared for Comstock Metals Ltd.

By GroundTruth Exploration

Written by: Adam Fage, P.Geo. and Jodie Gibson, P.Geo.

February 2nd, 2017

Table of Contents

1	INTRODUCTION	4
2	PROPERTY DESCRIPTION.....	4
3	CLAIM INFORMATION	7
4	HISTORY	9
5	GEOLOGY	11
5.1	REGIONAL GEOLOGY	11
5.2	PROPERTY GEOLOGY	14
5.3	MINERALIZATION	17
6	2016 QV EXPLORATION PROGRAM AND RESULTS	18
6.1	DC IP-RESISTIVITY SURVEYS	18
6.2	GT PROBE.....	24
6.3	SOIL SAMPLING.....	29
6.4	SAMPLE PREPERATION, LABORATORY ANALYSIS, AND QA/QC	32
7	INTERPRETATION AND RECOMMENDATIONS	33
7.1	VG ZONE	33
7.2	SHADOW ZONE	33
7.3	STEWART ZONE	34
8	ADDITIONAL INFORMATION	35
9	COSTS	36
10	REFERENCES.....	37
11	STATEMENTS OF QUALIFICATION.....	38
	APPENDIX A: IP RESISTIVITY PROFILES	40
	APPENDIX B: SOIL SAMPLES ASSAY CERTIFICATE.....	41
	APPENDIX C: GT PROBE SAMPLES ASSAY CERTIFICATE.....	42

Table of Figures

Figure 1 – QV Property location map. 6

Figure 2 – QV Property claim map. Area outlined in red are claims staked in 2016 (QV 792 – 822). 8

Figure 3 – VG Zone Mineral Resource Estimate Table from Paulter & Shankar (2014). 11

Figure 4 – QV Property regional geology. 13

Figure 5 – QV property geology (from Paulter & Shankar 2014). 16

Figure 6 – VG Zone geology (from Cooley & Leatherman 2013b). 17

Figure 7 – Supersting DC IP-Resistivity system. 19

Figure 8 - 2016 DC IP-Resistivity Lines on the VG Zone (QVIP33 – 38 in pink). 20

Figure 9 – 2013 Resistivity section QVIP-03 showing correlation between gold in diamond drilling and resistivity low features on the VG. 21

Figure 10 – 2016 Resistivity section from line QVIP-38; looking SW. Highlights strong resistivity low on trend of known mineralization at the VG Zone that warrants follow up drill testing. 22

Figure 11 - 2016 DC IP-Resistivity Lines on the Shadow Zone (QVIP39 – 44 in pink). 23

Figure 12 – 2016 Resistivity section from line QVIP16-41 showing subvertical break in the resistivity data. 24

Figure 13 – GT Probe. 25

Figure 14 – Gold in 2016 GT Probe samples on the VG Zone. 26

Figure 15 – Molybdenum in 2016 GT Probe samples on the VG Zone. 27

Figure 16 – Gold in GT Probe samples from the Shadow Zone. 28

Figure 17 – Gold in GT Probe samples from the Stewart zone. 29

Figure 18 – Gold in soils on the Shadow Zone showing 2016 sample locations. 31

Figure 19 – Gold in soils on the Stewart zone showing 2016 sample locations. 32

1 Introduction

A comprehensive work program including DC IP-Resistivity surveys, GT Probe sampling, and soil sampling was conducted on the QV property ("Property") between July 9th – 29th, 2016. The work was focused in three target areas: the VG Zone, the Stewart Zone, and the Shadow Zone. The purpose of the work was to 1.) better assess the potential for near surface alteration and mineralization along strike of the VG zone to the east and west; 2.) assess, at a broad scale, the footprint of alteration/mineralization beneath permafrost at the Stewart Zone; and 3.) expand IP and geochemical coverage along the Spirit Fault in the Shadow Zone. Ultimately, the work was designed to provide a framework for follow-up exploration on the property, including RAB drilling and, potentially diamond drilling, in later Phase 2 and 3 programs. Additionally, 33 quartz claims were staked in the central portion of the property to infill an internal gap of lapsed claims surrounding the Korat claims.

Ground Truth Exploration Inc. ("Ground Truth") of Dawson City, Yukon to performed the 2016 work on Comstock Metals Ltd. Behalf. A total of 360 GT Probe samples were collected over 12 lines on the VG, Stewart, and Shadow zones; 5.04 line-km of high resolution IP-Resistivity surveys were performed on the VG & Shadow Targets; and 451 soil samples were collected on the Stewart and Shadow zones. The results and interpretation of these surveys form the basis of this report.

It should be noted that a Phase 2 program of 2,423m of RAB drilling over 34 holes was conducted on the VG, Shadow, and Stewart Zones in September – November of 2016. The RAB program was conducted after, and as a direct result, of the Phase 1 YMEP support program summarized within this report. The RAB drilling results will not be discussed in the context of this report and the author references the reader to the upcoming "2016 Geochemical, Geological, Geophysical, and Drilling Assessment Report on the QV Property" and/or Comstock Metals website (www.comstock-metals.com) for further information on the 2016 RAB drilling program.

2 Property Description

The Property is in the Yukon's White Gold district, approximately 80 km South of Dawson, YT within the Dawson Mining District on NTS mapsheet 115O/05 at Latitude 63° 16.2' N and Longitude 139° 32.8' W.

The Property can be reached via helicopter from Dawson City, YT. There is road access through the Klondike Goldfields to the junction of Henderson and North Henderson

Creeks' that can serve as a helicopter staging zone; approximately 15km to the North East.

Gold is the primary commodity of interest on the property, and the most significant work to date has focused on the VG Zone. The VG Zone hosts structurally-controlled, gold mineralization, with strong similarities to Kinross' Golden Saddle Deposit; 10km south.




Figure 1 – QV Property location map.

3 Claim Information

The QV Project is registered in the Dawson Mining district on mapsheet 115O/3-6. (Figure 2). It encompasses 16,335 hectares and is composed of the following 824 claims:

Claim name	Grant Number	Owner	Operator
QV 1-10	YC61008-017	Comstock Metals Ltd - 100%	Comstock Metals Ltd
QV 11-24	YC88221-8234	Comstock Metals Ltd - 100%	Comstock Metals Ltd
QV 25-72	YD13837-884	Comstock Metals Ltd - 100%	Comstock Metals Ltd
QV 73-188	YD13885-14000	Comstock Metals Ltd - 100%	Comstock Metals Ltd
QV 189-288	YD48801-48900	Comstock Metals Ltd - 100%	Comstock Metals Ltd
QV 289-342	YD47943-996	Comstock Metals Ltd - 100%	Comstock Metals Ltd
QV 343-494	YE21103-254	Comstock Metals Ltd - 100%	Comstock Metals Ltd
QV 495-524	YE76847-876	Comstock Metals Ltd - 100%	Comstock Metals Ltd
QV 525-714	YF03605 -794	Comstock Metals Ltd - 100%	Comstock Metals Ltd
QV 715-791	YF76235 -311	Comstock Metals Ltd - 100%	Comstock Metals Ltd
QV 792-822	YF00412 – 442	Comstock Metals Ltd - 100%	Comstock Metals Ltd




Figure 2 – QV Property claim map. Area outlined in red are claims staked in 2016 (QV 792 – 822).

4 History

(excerpts from Jean Pautler, P.Geo. and Ali Shahkar, P.Eng. 43-101 Technical Report on the QV Project dated August 20, 2014)

Claims including the North Star and Black Diamond were staked on a bluff above the Yukon River in 1901 by J. McGillivray and C.J. Hahneman, who drove a 4.6m adit later that year (Deklerk, 2010, Minfile 115O 010). The claims, documented under the Treva Minfile occurrence (Minfile 115O 010), probably related to Ogilvie's report of an 1887 rumour that an extensive gold bearing quartz vein had been found on the west side of the Yukon River, 2 miles (3.2 km) south of the Stewart River (Department of the Interior, 1889). The adit (Figure 2) was located at 576290mE, 7016305mN in the fall of 2012, driven on quartz veins at the base of a bluff on the QV property, along the Yukon River. No significant gold results were obtained from the adit, but anomalous arsenic (maximum 1465 ppm) and antimony (maximum 14 ppm) are evident, suggestive of the signature of the VG zone within metasedimentary host rocks, and the surrounding area, which exhibits alteration, has not been explored.

There is no subsequent work reported until staking of the initial QV 1-10 claims by Shawn Ryan in 2007. A 62 sample soil geochemical survey was conducted by RyanWood Exploration Inc. for Shawn Ryan in 2008 (Ryan, 2008). The soil survey outlined spotty anomalous gold values up to 20.6 ppb Au, 1.09 ppm Hg (with adjacent anomalous arsenic, antimony and nickel) flanking the same aeromagnetic high, similar to the original geochemical and magnetic signature closely associated with gold mineralization on the White Gold Project (White claims), which now hosts the Golden Saddle deposit of Kinross Gold Corporation, 11 km to the south.

Additional QV claims were staked in 2009 to 2013. Comstock Metals Ltd. optioned the claims from Shawn Ryan in June, 2010, largely based on the similar geochemical and geophysical signatures and proximity to the Golden Saddle deposit.

Exploration by Comstock Metals Ltd. since acquisition in 2010 consisted of the collection of 8,161 ridge and spur and grid soil samples, prospecting and geological mapping with coincident geochemical sampling, a 773 line kilometre airborne magnetic and radiometric geophysical survey, ground magnetic surveys and 32 induced polarization lines over the VG, Stewart and Shadow zones, 3,570m of small excavator trenching in 28 trenches, 3,005m of direct push and geoprobe sampling on the QV, Stewart and Shadow grids, an aerial drone survey over the VG zone, and 3,419m of diamond drilling in 17 holes on the VG zone.

Visible gold was initially discovered on the southern QV Project by Comstock Metals Ltd. on June 10, 2012 while conducting follow up prospecting of a gold in soil anomaly; an initial grab sample returned 16.28 g/t Au and 47 g/t Ag with anomalous bismuth, tellurium, mercury, molybdenum and lead. The VG zone consists of quartz \pm carbonate veins, stockwork and breccia zones, as well as pyrite veinlets, including cubic pyrite and visible gold, associated with intense-quartz-carbonate-sericite (or possible illite) alteration, with albite, pervasive K-spar and hematite. Overall gold is associated with anomalous silver, mercury, bismuth, tellurium, molybdenum, antimony, and barium. This style of mineralization and alteration is analogous to that at the Golden Saddle deposit on the White Gold Project.

Trenching on the VG zone in 2012 delineated a 450m by 65m, 250° trending zone of gold mineralization.

- Trench results (reported as length along the trench, not true widths) include:
 - o 3.52 g/t Au over 80m from QVTR12-6,
 - o 1.63 g/t Au over 95m from QVTR12-12, and
 - o 2.18 g/t Au over 85m from QVTR12-13.
- Drilling on the VG zone intersected true widths of
 - o 2.23 g/t Au over 42m in QV12-004,
 - o 1.45 g/t Au over 60m in DDH QV12-6,
 - o 1.03 g/t Au over 78m in DDH QV12-1, including 6.15 g/t Au over 5.6m,
 - o 1.36 g/t Au over 42.6m in DDH QV13-11 (275m down dip of the mineralized zone in the discovery trench, QVTR12-6), and
 - o 1.76 g/t Au over 42.3m in DDH QV13-12 (at the open ended western limit of the zone).

The drill program delineated an open ended 250°/20-30°N trending, near surface tabular body of gold mineralization at the VG zone with a strike extent of 325m, traced up to 275m down dip from surface, and averaging 35-40m true thickness. Mineralization remains open to the west, down dip and beneath the mafic hornblende gneiss to the east and

further exploration and infill drilling is recommended. The most favourable drill orientation is 160°/-60 to -70°.

A 43-101 compliant, independent resource estimate was performed on the VG Zone by Ali Shankar, P. Eng. of Lions Gate Geological Consulting Inc., Sechelt, B.C. The resource was effective as of June 30th, 2014 and reports an Inferred resource of 4,390,000 Tonnes at an average grade of 1.65 g/t Au for a total of 230,000 ounces gold at the VG Zone.

Table 1 VG Zone Inferred Mineral Resource Estimate Reported using a 0.5 g/t gold cut-off grade

<i>Deposit</i>	<i>Category</i>	<i>Tonnes</i>	<i>Gold Grade (g/t)</i>	<i>Contained Gold (ounces)</i>
VG	Inferred	4,390,000	1.65	230,000

Notes to accompany Mineral Resource table

1. The Qualified Person responsible for the estimate is Ali Shahkar, P.Eng., of LGGC.
2. The assumed mining method is open pit mining.
3. Reported Mineral Resources are constrained by an open pit shell using a gold price of US\$1300/ounce, mining cost of US\$2/tonne, process and general administration cost of US\$20/tonne, and a gold recovery of 94% (based on the neighbouring Golden Saddle deposit).
4. Mineral Resources are reported as undiluted.

Figure 3 – VG Zone Mineral Resource Estimate Table from Pautler & Shankar (2014).

5 Geology

5.1 Regional Geology

The QV Regional and Property geology is summarized below from Jean Pautler, P.Geo. and Ali Shahkar, P.Eng. 43-101 Technical Report on the QV Project dated August 20, 2014.

The QV Project occurs within the unglaciated Yukon Plateau portion of the Paleozoic Yukon-Tanana terrane, southwest of the Tintina and northeast of the Denali faults, dominated in the regional area by Devonian to Mississippian (and possibly older) metasiliciclastic rocks (DMps), which interfinger with, and are stratigraphically overlain by hornblende bearing schists and gneisses and amphibolite (intermediate to mafic metavolcanic rocks) (DMa). The metasiliciclastic rocks include metamorphosed fine clastic rocks, quartzite and conglomerate. The above lithologies include marble horizons (DMc) and are metamorphosed to amphibolite grade. Devonian to Mississippian metasedimentary rocks (quartzite and metapelite) of the Nasina Assemblage (DMq) lie structurally above and/or may partly be equivalent to the above metaclastic unit.

Abundant orthogneiss bodies of Devonian to Mississippian (DMog - undivided, DMogg, DMoga, DMogt, DMogta) and Permian ages (Pog - undivided, Pogg, Poga), with compositions ranging from granite (g) to K-spar augen bearing (a), to tonalite and diorite (t), occur within Yukon-Tanana Terrane. DMogta represents undivided DMogt and DMA. Narrow bodies of Paleozoic ultramafic rocks (mPum), commonly serpentized (mPums), also occur within the area.

The above units are interpreted to represent two arcs, an older Devonian to Mississippian arc consisting of predominantly amphibolite (DMA) and associated subvolcanic intrusions (DMogg, DMoga, DMogt) built on a siliciclastic basement (DMps, DMq, DMcg, DMNq) and a Permian arc of granitic orthogneiss (Pogg, Poga) and coeval metavolcanic rocks (PKs) built on the Devonian-Mississippian arc.

The above lithologies are intruded by plutons and stocks of early Jurassic aged granodiorite, and quartz monzonite (eJgd) and unconformably overlain by massive andesite flows and breccias of the Late Cretaceous Carmacks Group (uKv), locally with Early Cretaceous coarse clastic sedimentary rocks at the base of the sequence (IKs). Eocene feldspar +-quartz porphyry dykes intrude the above (Er).




Figure 4 – QV Property regional geology.

5.2 Property Geology

Only limited property scale mapping (summarized in Figure 4) has been undertaken on the QV property, but regional (1:250,000) scale government mapping was completed through the area in 2005 and a compilation of the White Gold district was completed by the Mineral Deposit Research Unit, University of British Columbia (MDRU) in 2011 (Figure 3). A 3 by 3 km and adjoining 1 by 2.5 km area on the southern QV property (QV grid), incorporating the VG zone, was mapped at a 1:10,000 scale, with 1:5,000 detail of the VG zone, by Leatherman and Cooley (2013) and Cooley and Leatherman (2013b) (Figure 5), a preliminary 1.5 by 2.5 km area over the Stewart zone was mapped at a 1:20,000 scale by Cooley and Leatherman (2013a). Minor reconnaissance prospecting/mapping in gold in soil anomalous areas was completed by Ms. Pautler. The detailed geology and reconnaissance mapping has been integrated with the government geology in Figure 4. Detailed geology of the QV grid, and the VG and Shadow zones are summarized from Cooley and Leatherman, Leatherman and Cooley (2013) and Leatherman (2013), respectively.

Outcrop is limited on the property, generally confined to bluffs along the Yukon River. Exposure on the remaining property area is less than 1%, and generally restricted to south facing, bare to poplar vegetated hillsides, ridge tops and creek exposures.

The southern, eastern and western property areas are primarily underlain by Devonian to Mississippian (and possibly older) metasedimentary rocks (DMps), which interfinger with, and are stratigraphically overlain by, intermediate to mafic amphibolite (DMA) and hornblende gneiss (metamorphosed intermediate to mafic volcanic rocks) and minor felsic metavolcanic rocks (DMf). Marble horizons (Mb), commonly altered to calc-silicate and occasionally skarn due to regional metamorphism, locally occur at the contact between the metavolcanic and metasedimentary units; the latter include micaceous quartzite ± graphitic, biotite schist and muscovite schist.

A mafic (tonalitic) orthogneiss (DMogt) has been observed in the southeastern property area and may underlie the central property area. Granitic orthogneiss is shown to underlie the northwest property area and minor exposures were noted in the Shadow zone. Felsic feldspar augen gneiss of probable Permian age occurs within the VG and Shadow zones, but may be more extensive than mapped due to poor exposure. An ultramafic lense (mPums) is exposed along the bluffs above the Yukon River east of the VG zone (Figure 5) and just west of the property on Shamrock Dome (Figure 4). These are interpreted to occur along thrust faults.

The above units are intruded by an Early Jurassic granodiorite intrusion (EJgd), which is exposed in the eastern property area, and intrusions of probable Jurassic age underlie the Stewart, Tetra and Shadow zones.

Coarse grained crowded potassium feldspar syenite porphyry sills, with apparent zoned feldspars, and quartz eye granite dykes and sills intrude the Devonian (\pm older) to Mississippian package but are pre-mineralization. They have been observed in the southern QV area and at the Shadow zone. Age may be Early Jurassic and related to the intrusion in the eastern property area, similar to the Jual and Ten stocks further north (dated as Jurassic), or Permian A persistent mafic dyke probably of the Upper Cretaceous Carmacks Group has been mapped west of the VG and Shadow zones. Minor late fine grained, quartz \pm feldspar porphyry dykes of probable Eocene age (Er) are evident in the northern property area, including at the Tetra and Shadow zones.

The VG zone is underlain by an east-northeast dipping package of primarily felsic gneiss, commonly interlayered with biotite schist and less common mafic gneiss. The section appears to consist of a lower sequence of metamorphosed felsic volcanic rocks with minor mafic intervals, overlain by a thick mafic and intermediate volcanic rock unit which is in turn overlain by a thin limestone, followed by abundant interbedded sandstone and shale with locally high organic content. The section does not appear to be overturned (as suggested by the average foliation dipping more steeply than the lithological contact measured in cross sections). Average foliations for the VG area trend $343^{\circ}/53^{\circ}\text{NE}$ and lithology contacts at $332^{\circ}/33^{\circ}\text{NE}$. (Figure 5: Cooley & Leatherman, 2013)




Figure 5 – QV property geology (from Paulter & Shankar 2014).




Figure 6 – VG Zone geology (from Cooley & Leatherman 2013b).

5.3 Mineralization

Mineralization of QV Property, VG Zone

(from Jean Pautler, P.Geol. and Ali Shahkar, P.Eng. 43-101 Technical Report on the QV Project dated August 20, 2014)

Mineralization at the VG zone occurs as stacked or en-echelon lenses hosted along west-southwest, gently north-northwest dipping sheared zones (average orientation of 250°/20°N), which are common throughout the southern part of the QV property. The shear zones occur as one or more stacked and intersecting horizons. Subsequent brittle reactivation of these shallowly north-northwest dipping structures has included local fracturing of the adjacent felsic rocks, which has permitted the flow of hydrothermal fluid that caused sericite (illite) - pyrite alteration of the adjacent wallrock, and local gold mineralization. The primary host rock is biotite-feldspar(±augen)-quartz gneiss, which

occurs structurally below a hornblende-biotite-feldspar-quartz gneiss; the latter constitutes a distinct marker horizon identified by stubby hornblende crystals and anomalous chromium. Mineralized ore shoots may be parallel to the intersection lineation of S1 and S2, which is oriented at 347°/10°NE. The intersections of foliations (343°/53°NE) and lithological contacts (332°/33°NE) with the mineralizing structures (250°/20°N) may also control ore shoots.

The original soil anomaly over the VG zone on the QV grid consisted of a 2 km long (with a 500m gap through the hornblende gneiss unit) and up to 400m wide >10 ppb gold anomaly with maximum values of 395.6 ppb Au and 8.7 ppm Ag from a south facing slope, with better soil development than most of the property area. Infill soil sampling returned a maximum of 1277 ppb Au. At the VG zone and overall on the QV property anomalous gold in soils is associated with anomalous mercury, bismuth, tellurium, molybdenum, moderately high barium, antimony ±lead soil geochemistry.

6 2016 QV Exploration Program and Results

A comprehensive work program including DC IP-Resistivity surveys, GT Probe sampling, and soil sampling was conducted on the QV property ("Property") between July 9th – 29th, 2016. The work was focused in three target areas: the VG Zone, the Stewart Zone, and the Shadow Zone. The purpose of the work was to 1.) better assess the potential for near surface alteration and mineralization along strike of the VG zone to the east and west; 2.) assess, at a broad scale, the footprint of alteration/mineralization beneath permafrost at the Stewart Zone; and 3.) expand IP and geochemical coverage along the Spirit Fault in the Shadow Zone. Ultimately, the work was designed to provide a framework for follow-up exploration on the property, including RAB drilling and, potentially diamond drilling, in later Phase 2 and 3 programs.

A total of 360 GT Probe samples were collected over 12 lines on the VG, Stewart, and Shadow zones; 5.04 line-km of high resolution IP-Resistivity surveys were performed on the VG & Shadow Targets; and 451 soil samples were collected on the Stewart and Shadow zones. Details of the surveys and results are summarized in the follow sections.

6.1 DC IP-Resistivity Surveys

A total of 5.04 line-km of high resolution DC IP-Resistivity surveys over 13 lines were conducted on the VG (6 lines) and Shadow (7 lines) zones. The work was conducted using a 5-person crew utilizing the following Ground Truth Exploration personnel:

1. Jennifer Hanlon Foreman
2. Luke Severinsen Assistant
3. Norbert Kapa Helper
4. Patrick Dunbar Helper
5. Kendra Franks Helper

The DC Resistivity/IP System utilized was a Supersting R8, manufactured by Advanced Geosciences Inc. of Austin Texas. The output power of the system is 200w and it is powered by deep cycle batteries. It is an 8 channel system which allows up to 8 readings to be measured at the same time, typically up to 1000 readings can be read in 40 minutes. The system allows for multiple arrays to be read successively. The Res/IP surveys consisted of 84 electrodes at 5m spacing. Resistivity and chargeability sections for each survey are in Appendix A.



Figure 7 – Supersting DC IP-Resistivity system.

VG Zone

A total of 6 lines were surveyed on the VG Zone in 2016 (Figure 8). Eighteen additional lines were placed on the VG Zone during previous exploration efforts in 2012/13 and the 2016 survey was designed to extend the survey footprint to the E-NE along the trace of the Telegraph fault (lines 33 – 35) and extend the coverage from some historic survey lines to the SE (lines 36 – 38) and cover additional areas with gold in soil anomalies.

The 2016 surveys highlighted several resistivity low features to both the NE and SW of the current resource area that, based on previous surveys and diamond drilling, are potentially related to gold mineralization (Figure 2 & 3). Zones of mineralization within drill holes at the VG are consistently related with resistivity low features. These are interpreted to be highlighting the broader zones of sericite – clay (illite) alteration associated with gold mineralization in the area. Additionally, survey lines 34 – 36 (and historic line 24) highlight the apparent trace of the Telegraph fault to the NE




Figure 8 - 2016 DC IP-Resistivity Lines on the VG Zone (QVIP33 – 38 in pink).




Figure 9 – 2013 Resistivity section QVIP-03 showing correlation between gold in diamond drilling and resistivity low features on the VG.




Figure 10 – 2016 Resistivity section from line QVIP-38; looking SW. Highlights strong resistivity low on trend of known mineralization at the VG Zone that warrants follow up drill testing.

Shadow Zone

A total of 7 lines were surveyed on the Shadow Zone in 2016 (Figure 11). Six additional lines were placed over two areas, approximately 1km apart, over a NW-SE oriented trend on the Shadow Zone during previous exploration efforts in 2013. The 2016 survey was designed to extended the survey footprint to the SE (lines 39 – 40) and infill between the two previously surveyed areas (lines 41 – 45). Of particular interest, is the SE portion of the trend which consisted of a distinct, subvertical, break in resistivity data on historic lines 21 – 23 traceable for 235m along strike that is coincident with a linear, NW-SW trending, gold in soil anomaly.

The 2016 survey lines extended the resistivity break at the SE end of the Shadow Zone approximately 210m to the SE (LINES 39-40) and approximately 310m to the NW (lines 41, 42, & 45). The resistivity break is interpreted as a WNW trending fault (Spirit Fault) with an apparent steep dip to the NE (Figure 12). The structure has been traced for approximately 980m along strike in IP-Resistivity sections and is open to the NW and SE. Given the association of the interpreted structure with anomalous gold in soils the area is considered a priority target for follow up work.




Figure 11 - 2016 DC IP-Resistivity Lines on the Shadow Zone (QVIP39 – 44 in pink).




Figure 12 – 2016 Resistivity section from line QVIP16-41 showing subvertical break in the resistivity data.

6.2 GT Probe

A total of 360 GT Probe samples were collected over 12 lines on the VG, Stewart, and Shadow zones in 2016. The 2016 GT Probe program was conducted on July 10 – August 1, 2016 using a 3 person crew of the following GroundTruth Exploration personnel:

1. Phil Severiensen GT Probe Operator
2. Robin Miller GT Probe Assistant
3. Daniel Frost GT Probe Sampler

The GT Probe a direct push sampling rig mounted on low ground pressure rubber tracks. The rig is driven between sampling sites via wireless remote control and the operator drives a 3 ½” cased sampling rod to the bedrock interface and pulls up the sample. The Direct push drill is a Geoprobe® MT 540 which has been fitted onto the ground mobile platform designed by Tao Henderson of GroundTruth Exploration Inc.

As the GT Probe sampling rig is ground mobile and on light rubber tracks that significantly reduce ground disturbance, the method is a vast improvement over trenching for bedrock interface mineralization with respect to environmental concerns and is also more

productive (~50-75 m/day trenching production vs ~200 m/day GT Probe sampling at 5m spacing). Additionally, the work is classified as Mining Land Use class one activity, and the activities are non-invasive so no reclamation is necessary



Figure 13 – GT Probe

VG Zone

A total of 208 GT Probe samples were collected over 7 lines on the VG Zone and were designed to test the potential eastern and western extensions of the currently known mineralization in the area. The three eastern lines are designed to cross and projected trace of the Telegraph fault and mapped thrust faults in the area by Cooley and Leatherman (2013) in addition to gold in soil anomalies in the area. The western lines are designed to test the western extent of the system, following up on spotty, but anomalous gold in soil values in the area.

Assay values for the samples ranged from trace to 2.36 g/t Au. Anomalous gold (>0.1 g/t) in the samples from the area are coincident with elevated Mo (>3 ppm) +/- As-Pb-Sb-Te. This is a similar geochemical fingerprint observed with mineralization in drill holes from the area, however, Mo appears to be the most significant correlation with strongly elevated gold values (>1 g/t). Two significant anomalies were noted in the GT Probe sampling. The first consists of a 150m run of samples along a SW oriented ridge immediately south of the deposit area with sample values ranging from 0.067 – 2.36 g/t Au. The trend overlaps with a zone of strongly anomalous gold in soils (>50ppb) and rock chips from the probe samples consist dominantly of strongly sericite altered and oxidized felsic orthogneiss. Quartz veinlets and relict oxidized cubic pit is common. The second area occurs immediately SW of the resource area along the interpreted trace of

the Telegraph Fault and consists of the 36m, N-S oriented, run of samples ranging from 0.229 – 2.18 g/t Au. The samples overlap with a SW extension of the VG soil anomaly, all be it weaker (>10 ppb Au) and also corresponds to strongly sericite altered orthogneiss with quartz veinlets and relict oxidized pyrite.

There are also additional, smaller (1-2 sample), anomalies. These include a one hit sample 290m to the NE of the deposit area that returned 1.36 g/t Au within altered amphibolite and no associated gold in soil anomalies, and a 30m section of samples along the northern end of the eastern most line with lower level gold values (0.06 – 0.211 g/t Au) and anomalous Mo (8.9 – 11.6 ppm Mo).




Figure 14 – Gold in 2016 GT Probe samples on the VG Zone.




Figure 15 – Molybdenum in 2016 GT Probe samples on the VG Zone.

Shadow Zone

A total of 36 GT Probe samples were collected over 2 lines on the Shadow. A total of 5 GT Probe lines were originally planned but had to be abandoned due to mechanical issues with the probe. The lines completed crossed gold in soil anomalous along an NW-SE oriented ridge above the Spirit Fault. The samples only returned weak values for gold, ranging from trace to 0.357 g/t Au, with localised samples of anomalous As (up to 189 ppm) and Pb (up to 358 ppm). Rock chips from the GT Probe samples consisted dominantly of potassium feldspar rich orthogneiss with disseminated cubic pyrite and localised quartz veinlets.




Figure 16 – Gold in GT Probe samples from the Shadow Zone.

Stewart Zone

Three GT Probe lines for a total of 116 samples were completed along the 1.5km, E-W trending, Stewart Zone. The lines are wide spaced, approximately 300m apart, and were designed to cross gold in soil anomalies in the area. Previous trenching in the Stewart zone was challenged by strong permafrost in the area and the GT Probe program was designed to get a broad overview of the bedrock geochemistry that could be followed-up with additional lines and/or RAB drilling pending the results.

The samples return from trace to 0.262 g/t Au, with all significantly anomalous values (>0.1 g/t) within the central and eastern lines. Anomalous Mo (up to 17.9 ppm) and Pb (up to 189.2 ppm) also occur but are adjacent to the areas of anomalous gold.

It is currently unclear what is controlling the anomalies in the Stewart area, however, based on the GT Probe chips the anomalous gold samples and associated gold in soil anomaly occur immediately north of the contact with amphibolite (south) and a felsic gneiss (north). This implies either a lithologic and/or structural control in the area. Paulter & Shakhar (2014) also reports altered quartz-feldspar porphyry dikes from trenches in the area that may also be associated with mineralization.




Figure 17 – Gold in GT Probe samples from the Stewart zone.

6.3 Soil Sampling

A total of 451 soil samples were collected on the Stewart and Shadow Zones in 2016 using a 5-person crew that utilized the same Ground Truth staff that operated the DC IP-Resistivity surveys discussed above. The soil sampling is completed in the field according to the following procedure:

All sampling traverses are pre-planned, with pre -specified sampling intervals, typically 50m. Field technicians navigate to sample site using handheld GPS units. The soil sampler arrives at each sample site, identifies the most appropriate location to collect the sample and lays out a sheet of plastic (12"x20" ore bag). The soil sample is taken using an Eijklcamp brand hand auger at a depth of between 20cm and 110cm. Samplers strive to consistently collect C-Horizon sample material. Where necessary (rocky or frozen ground) a prospector's pick ('mattock') is used to obtain the sample.

The soil is laid out on the sheet of plastic in the order it was recovered from the sample hole. Two Standardized photos are taken at each sample site- 1) Sample Location photo: across slope, 5m from sample hole with auger inserted and 2) Sample Profile photo: Close up of sample laid out on ore bag with barcode tag and munsell color chart in photo.

The sampler places the necessary amount of soil (400-500 grams) from the bottom of the hole into a kraft sample bag. The bag labeled with the 3-letter project and tagged with a plastic barcode ID tag containing a unique 7 digit sample identification number is inserted. A plastic barcode ID tag with the sample identification number is attached to a rock or branch in a visible area at the sample site along with a length of pink flagging tape.

A field duplicate sample is taken once for every 25 samples. Both samples are given unique Sample identification number. The data for both samples is recorded and a note is made indicating the duplicate and its corresponding sample identification number. At client's discretion, standard reference material is inserted into the sample stream at an interval of 1:50.

The GPS location of the sample site is recorded with a Garmin GPSMap 60cx or 76cx GPS device in UTM NAD 83 format, and the waypoint is labeled with the project name and the sample identification number. A weather-proof handheld device equipped with a barcode scanner is used in the field to record the descriptive attributes of the sample collected. This includes: sample identification number (scanned into device at sample site), soil colour, soil horizon, slope, sample depth, ground and tree vegetation and sample quality and any other relevant information. As well, the GPS coordinates are entered into the handheld device as a secondary backup in case of GPS failure.

Shadow Zone

A total of 245 soil samples were collected from the Shadow Zone. The soils were designed as infill lines (50m spaced lines x 25m spaced samples) to tighten the soil coverage within the central portion of the Shadow Zone.

The samples returned assay values from trace up to 522.8 ppb Au, however, strongly anomalous (>50 ppb Au) samples were spotty and failed to define any significant trends. There were no significant multi-element anomalies noted in the samples either other than two samples that returned >100ppm Pb (up to 149.3 ppm).




Figure 18 – Gold in soils on the Shadow Zone showing 2016 sample locations.

Stewart Zone

A total of 197 soil samples were collected to the SE of the Stewart Zone. The samples were collected on a grid (100m spaced lines x 50m spaced samples) and were designed to follow up on a 'one-hit' gold in soil anomaly of 102 ppb Au within a saddle on a reconnaissance line. Assays for the samples failed to return any significant results with only two samples on the grid returning >10 ppb Au (10.7 and 13 ppb). Three samples returned >100 ppm As, however, they defined no discernible trends.




Figure 19 – Gold in soils on the Stewart zone showing 2016 sample locations.

6.4 Sample Preparation, Laboratory Analysis, and QA/QC

All samples collected on the QV Project in 2016 were sent to Bureau Veritas Laboratories (“BV”) for preparation and analysis. After field collection, all samples were returned in labelled rice bags to Ground Truths yard in Dawson City, YT where the samples were inspected and sample numbers verified versus GT’s database. The samples were then shipped to BV’s preparation laboratory in Whitehorse, YT and prepared for analysis per requested protocols. Finally, a pulp of the sample was sent to BV’s Vancouver laboratory for final preparation and analysis. Specific methodologies utilized are summarized below.

Soils

All soil samples were prepared using procedure SS80 (crush, split, and pulverize 250g of material to -200 mesh) and analyzed by methods FA430 (30g Fire Assay with AAS finish)

and AQ200 (aqua-regia digest of 0.5g of material followed by ICP-MS analysis for 37 elements).

Rock, GT Probe, & RAB Samples

All rock samples were prepared using procedure PRP70-250 (dry at 60° C and sieve 100g of material at -80 mesh) and analyzed by method AQ201 (aqua-regia digest of 15g of material followed by ICP-MS analysis for 37 elements).

QA/QC

The reported work was completed using industry standard procedures, including a quality assurance/quality control program ("QA/QC"). For soil samples, a field duplicate was inserted into the sample stream every 25th samples. For RAB samples alternating QA/QC samples consisting of a certified standard, coarse blank, or duplicate were inserted into the sample stream every 10th sample. No specific QA/QC samples were inserted in the field for prospecting or GT Probe samples, however, certified standard, blank, and duplicates were inserted in to the sample stream by the laboratory. The QA/QC data for the project has been reviewed by the author and no significant QA/QC issues were noted.

7 Interpretation and Recommendations

7.1 VG Zone

The results of the 2016 DC IP-Resistivity surveys and GT Probe sampling on the VG zone indicate strong potential for additional gold mineralization along strike of the current resource area and, potentially, on the southern side of the Telegraph Fault. Follow-up drill testing is recommended to the NE, S, and SW of the current resource area targeting beneath both GT Probe and soil gold anomalies and resistivity low features. Based on previous drilling and corresponding IP-Resistivity surveys on the VG the zones of strongest alteration +/- mineralization correspond to less than 650 Ohm-m.

7.2 Shadow Zone

2016 DC IP-Resistivity results, combined with the prior surveys from 2013, defined an apparent W-NW trending structure (Spirit Fault) over 980m of strike length. The structure, and associated resistivity breaks, are coincident with a linear gold in soil anomaly that includes a 270m string of samples >100 ppb Au.

The GT Probe sampling results on the Shadow were inconclusive, however, they were on separate, lower order, gold in soil anomalies on the ridge line north of the trace of the

Spirit Fault and the full GT Probe survey could not be completed due to mechanical issues.

Based on the results received to date, the Shadow zone has a well-defined target that warrants drill testing. Little is known about the geology of the area and additional geologic mapping/prospecting should also be conducted in the area. Based on reports from Paulter and Shahkar (2014) and Leatherman and Cooley (2013), GT Probe chips, and the authors' observation while on site, the SE portion of the Shadow zone is underlain dominantly by a potassium feldspar rich orthogneiss with disseminated pyrite and, locally, quartz veining. This represents a potentially rheologically favorable host rock, and previous hydrothermal activity in the area.

7.3 Stewart Zone

The Stewart Zone GT Probe Survey delineated a 200m x 1.2km zone of weakly anomalous Au in bedrock interface samples. The anomalous samples correspond to existing gold in soil anomalies within sericite altered felsic gneiss immediately north of an E-W trending contact with an amphibolite unit. It is currently unclear if this contact is structurally controlled or not. Altered quartz-feldspar porphyry dikes are recognised in the area and the anomaly occurs on the southern edge of a large Jurassic granodiorite intrusive body based on regional mapping. The anomalous area (both GT Probe and soils) correspond to resistivity low and, locally, chargeability high features in prior IP-Resistivity surveys performed in the area. Additionally, the GT Probe results show a rough geochemical zonation with anomalous Mo-Pb flanking the anomalous gold; with Mo in both GT Probe and soils increasing to the north. Combined, this likely indicates an intrusion-related component to mineralization and alteration in the area, with increasing Mo values potentially indicating a vector to the center/highest temperature part of the system.

Although there are several outstanding questions regarding the geologic and structural controls on the Stewart additional surficial sampling and/or geophysics will likely not provide any significant additional information due to thick forest cover and ground conditions (i.e. permafrost) in the area. Therefore, drill testing is recommended to assess the area. Initial drill holes should be beneath known soil and GT Probe anomalies and the initial results should be correlated with geophysical data from the area to determine if it can potentially be used as a guide for further exploration.

8 Additional Information

The reader should note that a “Phase 2” RAB drilling program was conducted on the QV property in 2016 following the program discussed above. The program was conducted from August 25th – November 8th, 2016 and consisted of 2,423m of drilling over 34 holes including 24 holes (1752.8m) on the VG zone, 7 holes (399.29m) on the Shadow zone, and 3 holes (271.8m) on the Stewart zone. Approximate expenditures for the RAB drilling program were an estimated \$693,100 (all-in). The results, discussion, and interpretation of the RAB drilling program are noted discussed within this report because it was 1.) outside the scope of the YMEP grant associated with the Phase 1 activities, and 2.) interpretation of the results is ongoing at the time this report was prepared. However, it should be noted that the results of the Phase 1 program provided geological validation needed to proceed with the drilling program. The author advises the reader to review the upcoming “2016 Geochemical, Geological, Geophysical, and Drilling Assessment Report on the QV Property” when available and/or Comstock Metals Ltd.’s website (www.comstock-metals.com) for further information on the 2016 RAB drilling program.

9 Costs

GEOLOGIC MAPPING/PROJECT MANAGEMENT		
Geologist/Project Management	Amount	Description
Wages	\$ 1,760.00	Project management
Field Equipment/Electronics	\$ 270.00	
Sampling Supplies	\$ -	
Program Prep, Mobe/Demobe Rate, Expediting	\$ -	
Reporting/Data Interpretation/Data Mangement	\$ 800.00	
Total Geologist/Project Management	\$ 2,830.00	
GEOCHEMICAL SURVEYS		
Soil/Till Survey	Amount	Description
Wages	\$ 7,370.00	4 days x 5 man crew
Soil Survey Equipment	\$ 1,320.00	
Program Prep, Mobe/Demobe Rate, Expediting	\$ 3,452.50	
Additional Supplies and Support	\$ 2,180.00	Remote camp set-up, food, etc.
Sampling Supplies	\$ 1,127.50	451 total samples
Transportation Support	\$ -	
Total Soil/Till Surveys	\$ 15,450.00	
GT Probe Survey	Amount	Description
Wages	\$ 32,175.00	19.5 days x 3 man crew
GT Probe Equipment & Field Electronics	\$ 19,050.00	
Program Prep, Mobe/Demobe Rate, Expediting	\$ 4,462.50	
Additional Supplies and Support	\$ 12,800.00	Remote camp set-up, food, etc.
Sampling Supplies	\$ 1,436.00	360 total samples
Transportation Support	\$ 710.00	
Total GT Probe	\$ 70,633.50	
GEPHYSIAL SURVEYS		
DC IP-Resistivity Survey	Amount	Description
Wages	\$ 17,160.00	8 days x 5 man crew
IP-Res Survey Equipment	\$ 7,220.00	
Consumable Supplies	\$ 390.00	Stainless steel electrodes, calcium chloride, etc.
Program Prep, Mobe/Demobe Rate, Expediting	\$ 5,726.25	
Additional Supplies and Support	\$ 4,875.00	Remote camp set-up
Transportation Support	\$ -	
Total DC IP-Resitivity Surveys	\$ 35,371.25	
QUARTZ CLAIM STAKING		
Cost per claim (all-in)	\$ 3,410.00	
Total Quartz Claim Staking	\$ 3,410.00	
LABORATORY ANALYSIS		
Soil/Till Samples	Amount	Description
Prep	\$ 1,425.16	
Sample Disposal	\$ 202.95	
Sample Analysis	\$ 4,947.47	
Total Soil Sample Analysis	\$ 6,575.58	
Rock/Core Samples	Amount	Description
Prep	\$ 1,766.28	
Sample Disposal	\$ 161.55	
Sample Analysis	\$ 6,171.21	
Total Rock Sample Analysis	\$ 8,099.04	
LOGISTICAL SUPPORT		
Helicopter	Amount	Description
ASTAR B2 and/or Jet Ranger (3hr minimum)	\$ 54,069.94	29.2 Hours @ \$1767.5/hr - ASTAR B2 (wet) 2.1 Hours @ \$1170.40/hr - Bell 206 (wet)
Fixed Wing	Amount	Description
Islander, 206, Skyvan, etc.	\$ 2,609.57	Great River Air - 206 & Islander
Total Logistical Support	\$ 56,679.51	
Total Project Expenditures	\$ 199,048.88	

10 References

Allan, M.M., Mortensen, J.K., Hart, C.J., and Bailey, L.A., 2012, Timing, nature, and distribution of Jurassic orogenic gold systems in the west-central Yukon. In: MDRU's Yukon Gold Project – Final Technical Report, May 2012. Allan, M.M., Hart, C.J., & Mortensen, J.K. (eds), pp.55 – 78.

Allan, M.M., Mortensen, J.K., Hart, C.J., and Sanchez, M., 2012, Current understanding of the metallogeny of the western Yukon and eastern Alaska. In: MDRU's Yukon Gold Project – Final Technical Report, May 2012. Allan, M.M., Hart, C.J., & Mortensen, J.K. (eds), pp.11 - 28.

Bailey, L.A., Allan, M.M., Hart, C.J., and Mortensen, J.K., 2012, Geology and mineralization of the Golden Saddle gold deposit, Yukon Territory. In: MDRU's Yukon Gold Project – Final Technical Report, May 2012. Allan, M.M., Hart, C.J., & Mortensen, J.K. (eds), pp.79 – 100.

Cooley, M. and Leatherman, L., 2013b, Results of geologic mapping, alteration mapping of drill core, and prospecting of the VG zone and recommendations for further exploration work at the QV property, Yukon. Report for Comstock Metals Ltd.

Deklerk, R. and Traynor, S. (compilers), 2005. Yukon MINFILE 2005 - A database of mineral occurrences. Yukon Geological Survey

Gordey, S.P. and Makepeace, A.J. (comp.) 2003. Yukon digital geology, version 2.0; Geological Survey of Canada Open File 1749 and Yukon Geological Survey Open File 2003-9(D)

Leatherman, L. and Cooley, M., 2013, Geology of the VG zone, QV property, Yukon. Report for Comstock Metals Ltd.

Paulter, J. and Shahkar, A., 2014, NI 43-101 Technical Report on the QV Project, White Gold district, Yukon Territory. 97p.

Ryan, J.J. and Gordey, S.P., 2004, Geology, Stewart River area, Yukon Territory. Geological Survey of Canada, Open File 4641.

11 Statements of Qualification

I, Adam Fage have continuously been involved in Mineral Exploration since 2004. I graduated from Dalhousie University with an Honours Bachelor of Science (Earth Science) in 2008. I graduated from Lakehead University with a Master's of Science (Geology) in 2011. I am a member, in good standing, of the Association of Professional Geoscientists of Ontario, Registration number 2256.

Dated this 2nd day of February, 2017.

Respectfully submitted

Adam Fage

I, Jodie L. Gibson, hereby certify that:

1. I am the Director of Exploration with Ground Truth Exploration., 109 Raspberry Lane, Dawson City, YT Y0B 1G0.
2. I am a graduate of Indiana State University, with a B. Sc. degree (2003) and a M.Sc. degree (2006) in Geology. I have been involved in geological mapping, mineral exploration and the management of mineral exploration companies continuously since 2007.
3. I am a member in good standing of the Association of Professional Engineers and Geoscientists of the Province of British Columbia, Registration No. 162701
5. The report is based on a literature review, private company reports, and on observations from the 2016 work program.
6. I designed, implemented, and managed the 2016 program on the QV Property.

Dated at Vancouver, B.C. this 2nd day of February, 2017.

<signed & sealed>

Jodie L. Gibson, P.Geo.

Appendix A: IP Resistivity Profiles

Appendix B: Soil Samples Assay Certificate

Appendix C: GT Probe Samples Assay Certificate

Geochemical & Geophysical Survey Assessment Report:
GT Probe, Soil Sampling, IP survey

QV PROJECT

**In support of YMEP Project No. 16-074
Target Evaluation Module
Yukon Mineral Exploration Program**

Volume II – Appendix A - C

Claims:

QV 1-10	YC61008-017
QV 11-24	YC88221-8234
QV 25-72	YD13837-884
QV 73-188	YD13885-14000
QV 189-288	YD48801-48900
QV 289-342	YD47943-996
QV 343-494	YE21103-254
QV 495-524	YE76847-876
QV 525-714	YF03605 -794
QV 715-791	YF76235 -311

Dawson Mining District

NTS: 1150/05

Latitude: 63.16.2° N Longitude: -139.32.8 ° W

Soil Sampling Performed On: July 21,22,28,29, 2016
IP Survey Performed On: July 13 – 18 & 21 – 25, 2016
GT Probe Performed On: July 9 – 29th, 2016

Prepared for Comstock Metals Ltd.
By GroundTruth Exploration

Written by: Adam Fage, P.Geo. and Jodie Gibson, P.Geo.


January 30, 2017

QV Property – VG Zone

2016 DC IP-Resistivity Section QVIP16-33


All sections are looking SW

Inverted IP Section



Ground Truth Exploration Inc.			
Property	QV	Survey Date	Jul 16, 2016
Traverse	QVIP16-33	Instrument	SuperSting R8
Array	Di-DR + Schlumb Inv.	Software	Earthlogger 2D
Data File	160716D1S1-merge_trial1.stg		

Inverted Resistivity Section




Ground Truth Exploration Inc.			
Property	QV	Survey Date	Jul 16, 2016
Traverse	QVIP16-33	Instrument	SuperSting R8
Array	Di-DR + Schlumb Inv.	Software	Earthlogger 2D
Data File	160716D1S1-merge_trial1.stg		

QV Property – VG Zone

2016 DC IP-Resistivity Section QVIP16-34


All sections are looking SW

Inverted IP Section



GroundTruth Exploration Inc.			
Property	QV	Survey Date	Jul 16, 2016
Traverse	QVIP16-34	Instrument	SuperSting RS
Array	D-D + Schl Inv	Software	Earthmager 2D
Data File	160716Q2S2_res2.sig		

Inverted Resistivity Section




GroundTruth Exploration Inc.			
Property	QV	Survey Date	Jul 16, 2016
Traverse	QVIP16-34	Instrument	SuperSting RS
Array	D-D + Schl Inv	Software	Earthmager 2D
Data File	160716Q2S2_res2.sig		

QV Property – VG Zone

2016 DC IP-Resistivity Section QVIP16-35


All sections are looking SW

Inverted IP Section



GroundTruth Exploration Inc.			
Property	QV	Survey Date	Jul 17, 2016
Traverse	QVIP16-35	Instrument	SuperSting R8
Array	Di-Di + Schl. Inv	Software	EarthImager 2D
Data File	160717D1S1_trial.slg		

Inverted Resistivity Section




GroundTruth Exploration Inc.			
Property	QV	Survey Date	Jul 17, 2016
Traverse	QVIP16-35	Instrument	SuperSting R8
Array	Di-Di + Schl. Inv	Software	EarthImager 2D
Data File	160717D1S1_trial.slg		

QV Property – VG Zone

2016 DC IP-Resistivity Section QVIP16-36


All sections are looking SW

Inverted IP Section



GroundTruth Exploration Inc.			
Property	QV	Survey Date	Jul 18, 2016
Traverse	QVIP16-36	Instrument	SuperSting R8
Array	Di-Di + Schl. Inv	Software	EarthImager 2D
Data File	160718D1S1_trials.sgy		

Inverted Resistivity Section




GroundTruth Exploration Inc.			
Property	QV	Survey Date	Jul 18, 2016
Traverse	QVIP16-36	Instrument	SuperSting R8
Array	Di-Di + Schl. Inv	Software	EarthImager 2D
Data File	160718D1S1_trials.sgy		

QV Property – VG Zone

2016 DC IP-Resistivity Section QVIP16-37


All sections are looking SW

Inverted IP Section



GroundTruth Exploration Inc.			
Property	QV	Survey Date	Jul 18, 2016
Traverse	QVIP16-37	Instrument	SuperSling R8
Array	Dx-Dx + Schl Inv	Software	EarthImager 2D
Data File	160718D282_trial5.stg		


Inverted Resistivity Section



GroundTruth Exploration Inc.			
Property	QV	Survey Date	Jul 18, 2016
Traverse	QVIP16-37	Instrument	SuperSling R8
Array	Dx-Dx + Schl Inv	Software	EarthImager 2D
Data File	160718D282_trial5.stg		


QV Property – VG Zone
2016 DC IP-Resistivity Section QVIP16-38
All sections are looking SW

Inverted IP Section



Ground Truth Exploration Inc.			
Property	QV	Survey Date	Jul 19, 2016
Traverse	QVIP16-38	Instrument	SuperSting R8
Array	Di-Di + Schl. Inv.	Software	EarthImager 2D
Data File	160719D1S1	trial5	stg

Inverted Resistivity Section




Ground Truth Exploration Inc.			
Property	QV	Survey Date	Jul 19, 2016
Traverse	QVIP16-38	Instrument	SuperSting R8
Array	Di-Di + Schl. Inv.	Software	EarthImager 2D
Data File	160719D1S1	trial5	stg

QV Property – Shadow Zone

2016 DC IP-Resistivity Section QVIP16-39


All sections are looking NW

Inverted IP Section



GroundTruth Exploration Inc.			
Property	QV	Survey Date	Jul 24, 2016
Traverse	QVIP16-39	Instrument	SuperSting RS
Array	D-D + Schl Inv	Software	EarthImager 2D
Data File	160724D1S1	trial9.sig	

Inverted Resistivity Section




GroundTruth Exploration Inc.			
Property	QV	Survey Date	Jul 24, 2016
Traverse	QVIP16-39	Instrument	SuperSting RS
Array	D-D + Schl Inv	Software	EarthImager 2D
Data File	160724D1S1	trial5.sig	

QV Property – Shadow Zone

2016 DC IP-Resistivity Section QVIP16-40


All sections are looking NW

Inverted IP Section



GroundTruth Exploration Inc.			
Property	QV	Survey Date	Jul 24, 2016
Traverse	QVIP16-40	Instrument	SuperSting R8
Array	DI-DI + Schl. Inv.	Software	Earthmager 2D
Data File	1607240282_trial15.stg		

Inverted Resistivity Section




GroundTruth Exploration Inc.			
Property	QV	Survey Date	Jul 24, 2016
Traverse	QVIP16-40	Instrument	SuperSting R8
Array	DI-DI + Schl. Inv.	Software	Earthmager 2D
Data File	1607240282_trial10.stg		

QV Property – Shadow Zone

2016 DC IP-Resistivity Section QVIP16-41


All sections are looking NW

Inverted IP Section



GroundTruth Exploration Inc.			
Property	QV	Survey Date	Jul 25, 2016
Traverse	QVIP16-41	Instrument	SuperSting R8
Array	Di-Di + Schl. Inv.	Software	EarthImager 2D
Data File	160725D1S1_trial10.stg		


Inverted Resistivity Section



GroundTruth Exploration Inc.			
Property	QV	Survey Date	Jul 25, 2016
Traverse	QVIP16-41	Instrument	SuperSting R8
Array	Di-Di + Schl. Inv.	Software	EarthImager 2D
Data File	160725D1S1_trial6.stg		


QV Property – Shadow Zone
2016 DC IP-Resistivity Section QVIP16-42
All sections are looking NW

Inverted IP Section



Ground Truth Exploration Inc.			
Property	QV	Survey Date	Jul 26, 2016
Traverse	QVIP16-42	Instrument	SuperSting R8
Array	D-Di + Schl. Inv.	Software	Earthmager 2D
Data File	160726D1S1_trial10.stg		

Inverted Resistivity Section




Ground Truth Exploration Inc.			
Property	QV	Survey Date	Jul 26, 2016
Traverse	QVIP16-42	Instrument	SuperSting R8
Array	D-Di + Schl. Inv.	Software	Earthmager 2D
Data File	160726D1S1_trial3.stg		

QV Property – Shadow Zone

2016 DC IP-Resistivity Section QVIP16-43


All sections are looking NW

Inverted IP Section



GroundTruth Exploration Inc.			
Property	QV	Survey Date	Jul 27, 2016
Traverse	QVIP16-43	Instrument	SuperSting R8
Array	Di-Dx + Schl Inv	Software	EarthImager 2D
Data File	160727D1S1	read1.mg	

Inverted Resistivity Section




GroundTruth Exploration Inc.			
Property	QV	Survey Date	Jul 27, 2016
Traverse	QVIP16-43	Instrument	SuperSting R8
Array	Di-Dx + Schl Inv	Software	EarthImager 2D
Data File	160727D1S1	read1.mg	

QV Property – Shadow Zone

2016 DC IP-Resistivity Section QVIP16-44


All sections are looking NW

Inverted IP Section



GroundTruth Exploration Inc.			
Property	QV	Survey Date	Jul 27, 2016
Traverse	QVIP16-44	Instrument	SuperSling R8
Array	Di-Di + Schl. Inv.	Software	EarthImager 2D
Data File	160727D2S2_tral8.stg		

Inverted Resistivity Section




GroundTruth Exploration Inc.			
Property	QV	Survey Date	Jul 27, 2016
Traverse	QVIP16-44	Instrument	SuperSling R8
Array	Di-Di + Schl. Inv.	Software	EarthImager 2D
Data File	160727D2S2_tral3.stg		

QV Property – Shadow Zone

2016 DC IP-Resistivity Section QVIP16-45


All sections are looking NW

Inverted IP Section



GroundTruth Exploration Inc.			
Property	QV	Survey Date	Jul 26, 2016
Traverse	QVIP16-45	Instrument	SuperSting R8
Array	Di-Di + Schl. Inv.	Software	EarthImager 2D
Data File	160726D2S2_trial8.stg		

Inverted Resistivity Section



GroundTruth Exploration Inc.			
Property	QV	Survey Date	Jul 26, 2016
Traverse	QVIP16-45	Instrument	SuperSting R8
Array	Di-Di + Schl. Inv.	Software	EarthImager 2D
Data File	160726D2S2_trial5.stg		

Appendix B: Soil Samples Assay Certificate



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Submitted By: David Terry
Receiving Lab: Canada-Whitehorse
Received: August 02, 2016
Report Date: August 09, 2016
Page: 1 of 9

CERTIFICATE OF ANALYSIS

WHI16000144.1

CLIENT JOB INFORMATION

Project: QV
Shipment ID: QVV-2016-07-29-Soil
P.O. Number
Number of Samples: 238

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1
CANADA

CC: Jodie Gibson

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	238	Dry at 60C			WHI
SS80	238	Dry at 60C sieve 100g to -80 mesh			WHI
AQ201	238	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	238	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV
Report Date: August 09, 2016

Page: 2 of 9

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI16000144.1

Method Analyte	AQ201																				
	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
1390385	Soil	0.8	29.0	10.9	89	0.1	27.6	11.5	490	2.68	9.3	1.1	3.7	4.1	47	0.4	0.6	0.2	56	0.76	0.082
1390384	Soil	1.3	32.6	17.0	74	0.1	30.6	12.2	539	2.77	10.2	0.7	2.8	3.3	57	0.2	0.8	0.2	59	1.46	0.078
1390399	Soil	1.7	40.1	24.2	79	<0.1	34.0	11.4	476	3.21	20.0	1.1	3.4	7.0	27	<0.1	0.6	0.3	50	0.43	0.065
1390391	Soil	2.7	64.5	37.1	193	<0.1	61.2	18.9	1005	4.99	10.1	2.0	3.2	17.7	21	0.3	0.4	0.3	87	0.35	0.096
1390390	Soil	2.6	44.4	40.5	148	<0.1	33.1	12.1	484	3.98	15.7	1.5	0.7	9.0	20	0.3	0.6	0.3	66	0.17	0.069
1390398	Soil	2.4	49.2	24.9	108	<0.1	54.0	20.4	629	4.76	7.0	1.4	1.7	14.9	29	<0.1	0.3	0.1	71	0.48	0.076
1390389	Soil	4.7	38.1	24.7	79	0.2	29.7	9.0	512	2.73	6.9	0.6	3.5	0.6	11	<0.1	0.4	0.2	66	0.09	0.063
1390397	Soil	1.1	74.4	16.4	123	0.1	106.5	33.1	1033	5.72	6.8	0.9	1.5	8.4	113	0.1	0.4	0.1	126	3.66	0.138
1390388	Soil	0.4	19.1	11.2	74	<0.1	19.5	5.7	194	2.01	5.4	0.9	2.5	4.4	32	0.2	0.5	0.2	44	0.48	0.071
1390396	Soil	0.6	69.6	5.7	76	<0.1	151.4	38.0	674	5.01	1.5	0.5	<0.5	6.0	154	<0.1	0.1	<0.1	121	2.90	0.238
1390394	Soil	2.4	36.6	44.1	95	0.2	34.4	14.7	919	4.40	6.6	1.4	2.0	16.6	28	<0.1	0.4	1.1	41	0.54	0.052
1390395	Soil	2.7	29.9	21.7	66	<0.1	36.2	12.7	451	2.67	5.3	2.4	0.9	3.5	81	0.2	0.4	0.2	47	1.82	0.066
1390393	Soil	2.0	30.3	18.3	70	<0.1	34.6	12.8	578	3.46	8.4	0.8	3.2	10.8	26	<0.1	0.5	0.1	52	0.40	0.017
1390386	Soil	2.3	33.6	27.1	94	0.2	29.1	11.0	444	3.14	15.5	1.1	1.3	4.9	26	0.3	0.4	0.3	65	0.39	0.095
1390387	Soil	3.4	33.8	55.3	90	0.5	30.6	45.1	2908	3.70	11.7	1.5	4.3	3.8	17	0.3	0.3	0.3	76	0.22	0.091
1390400	Soil	2.0	58.2	29.0	90	0.2	36.5	16.7	862	4.34	22.1	1.1	4.3	5.9	27	0.1	0.6	0.3	56	0.48	0.075
1418608	Soil	0.6	36.4	15.3	84	0.1	40.5	16.2	663	3.86	14.2	1.6	1.3	6.1	49	0.2	0.4	0.2	63	1.11	0.067
1418606	Soil	1.1	47.6	15.9	96	<0.1	53.9	20.2	1186	3.89	8.4	1.7	13.0	16.5	24	<0.1	0.3	2.0	45	0.69	0.110
1390392	Soil	2.2	21.4	17.3	68	0.1	30.8	13.0	628	3.36	9.1	0.9	3.1	5.7	25	0.2	0.5	0.1	58	0.41	0.029
1418607	Soil	0.8	34.5	22.3	96	<0.1	39.7	15.3	416	3.92	13.7	1.2	0.8	12.4	21	<0.1	0.4	0.3	60	0.48	0.067
1418605	Soil	2.2	37.8	38.9	148	0.2	18.6	18.3	1167	5.86	26.4	1.3	6.0	10.6	20	0.1	0.8	0.3	82	0.55	0.083
1418604	Soil	1.1	39.8	16.2	120	<0.1	40.4	18.4	688	4.50	32.6	1.3	1.9	12.4	27	0.1	0.3	0.2	46	1.29	0.067
1418612	Soil	1.3	37.0	37.2	91	0.3	20.2	14.6	793	3.99	27.7	2.1	2.2	6.9	40	0.2	0.9	0.3	72	0.60	0.068
1418603	Soil	1.7	50.2	30.7	128	<0.1	42.4	13.0	400	4.06	41.5	2.3	4.0	10.3	26	0.1	1.3	0.4	48	0.33	0.060
1418611	Soil	1.1	36.7	31.6	85	0.2	29.4	18.2	666	4.70	32.9	1.6	4.4	9.1	27	0.1	0.6	0.4	74	0.47	0.057
1418602	Soil	2.1	50.4	42.3	131	<0.1	43.0	15.9	829	4.64	27.9	1.7	2.5	9.5	17	0.1	0.5	0.3	36	0.38	0.112
1418601	Soil	2.6	48.6	22.1	120	<0.1	39.0	14.2	473	4.62	31.7	1.9	1.2	11.1	18	<0.1	0.6	0.2	91	0.33	0.047
1418610	Soil	0.6	38.8	21.7	73	<0.1	38.8	17.9	486	4.04	17.0	1.7	3.9	13.7	16	<0.1	0.3	0.3	49	0.21	0.032
1418609	Soil	1.1	50.3	15.3	77	<0.1	39.2	19.9	637	4.00	27.6	1.6	<0.5	17.2	30	<0.1	0.6	0.3	47	0.58	0.055
1352829	Soil	1.2	16.4	11.2	50	0.2	23.9	9.1	215	2.88	13.3	0.6	2.9	3.9	19	<0.1	0.5	0.2	61	0.28	0.032



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV
Report Date: August 09, 2016

Page: 2 of 9

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI16000144.1

Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te	
	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1390385	Soil	15	30	0.60	407	0.076	2	1.22	0.026	0.09	0.2	0.05	4.9	0.1	<0.05	4	<0.5	<0.2
1390384	Soil	15	33	0.79	302	0.082	2	1.35	0.034	0.08	0.1	0.03	5.1	<0.1	<0.05	4	<0.5	<0.2
1390399	Soil	18	29	0.37	370	0.029	<1	1.20	0.015	0.17	0.1	0.06	7.0	0.1	<0.05	4	0.7	<0.2
1390391	Soil	30	72	0.77	461	0.096	1	1.78	0.009	0.67	0.1	0.08	12.4	0.5	<0.05	7	0.9	<0.2
1390390	Soil	17	33	0.25	265	0.029	<1	1.31	0.007	0.13	<0.1	0.06	6.3	0.1	<0.05	4	<0.5	<0.2
1390398	Soil	46	69	0.99	397	0.139	2	2.18	0.016	0.78	0.1	0.03	8.3	0.4	<0.05	9	<0.5	<0.2
1390389	Soil	12	32	0.12	284	0.021	<1	0.83	0.008	0.10	0.1	0.02	2.7	0.1	<0.05	4	<0.5	<0.2
1390397	Soil	34	149	1.99	424	0.117	2	2.11	0.016	0.73	<0.1	0.07	13.5	0.5	<0.05	9	0.6	<0.2
1390388	Soil	14	26	0.47	349	0.067	1	1.10	0.018	0.08	0.2	0.06	4.2	<0.1	<0.05	4	<0.5	<0.2
1390396	Soil	33	227	3.19	618	0.173	<1	2.86	0.034	0.84	<0.1	0.03	7.7	0.4	<0.05	11	<0.5	<0.2
1390394	Soil	50	33	0.15	309	0.003	2	0.89	0.005	0.22	<0.1	0.15	12.0	0.2	<0.05	3	0.5	<0.2
1390395	Soil	16	54	0.32	382	0.025	3	0.78	0.014	0.18	<0.1	0.10	6.8	0.1	<0.05	3	0.9	<0.2
1390393	Soil	26	39	0.36	309	0.054	2	1.31	0.014	0.20	<0.1	0.05	8.2	0.1	<0.05	4	<0.5	<0.2
1390386	Soil	17	35	0.42	470	0.043	2	1.18	0.014	0.12	0.2	0.08	5.8	0.1	<0.05	4	<0.5	<0.2
1390387	Soil	20	43	0.32	701	0.032	1	1.38	0.009	0.20	0.1	0.11	7.1	0.2	<0.05	6	0.8	<0.2
1390400	Soil	21	29	0.45	405	0.014	3	1.42	0.015	0.23	<0.1	0.13	10.0	0.2	<0.05	4	0.5	<0.2
1418608	Soil	27	68	0.91	366	0.064	3	1.98	0.015	0.21	<0.1	0.12	12.2	0.2	<0.05	7	1.2	<0.2
1418606	Soil	49	49	1.32	264	0.047	2	2.28	0.009	0.43	0.3	0.10	8.4	0.4	<0.05	9	0.6	<0.2
1390392	Soil	14	41	0.36	547	0.051	3	1.44	0.011	0.17	0.1	0.05	7.0	<0.1	<0.05	4	0.6	<0.2
1418607	Soil	37	54	0.75	291	0.086	2	2.12	0.010	0.58	0.1	0.06	7.6	0.3	<0.05	9	<0.5	<0.2
1418605	Soil	35	33	1.25	333	0.106	1	2.47	0.009	0.68	<0.1	0.08	14.8	0.5	<0.05	11	0.7	<0.2
1418604	Soil	27	33	0.61	293	0.043	2	1.54	0.008	0.35	<0.1	0.06	9.3	0.2	<0.05	6	<0.5	<0.2
1418612	Soil	24	30	0.73	284	0.072	2	1.74	0.016	0.28	0.1	0.09	9.3	0.4	<0.05	7	1.1	<0.2
1418603	Soil	18	26	0.24	314	0.009	2	1.12	0.009	0.17	<0.1	0.05	8.5	0.2	<0.05	3	<0.5	<0.2
1418611	Soil	38	39	0.99	402	0.079	2	2.38	0.010	0.44	0.1	0.07	12.0	0.3	<0.05	10	1.1	<0.2
1418602	Soil	15	16	0.15	304	0.002	1	0.84	0.006	0.18	<0.1	0.03	8.9	0.1	<0.05	2	0.7	<0.2
1418601	Soil	26	46	0.89	426	0.142	2	2.39	0.011	0.73	<0.1	0.04	10.6	0.4	<0.05	10	0.7	<0.2
1418610	Soil	39	39	0.71	320	0.075	<1	1.98	0.011	0.17	0.1	0.01	6.5	0.2	<0.05	7	<0.5	<0.2
1418609	Soil	35	44	0.88	277	0.077	2	1.98	0.008	0.35	<0.1	0.05	8.6	0.2	<0.05	8	<0.5	<0.2
1352829	Soil	11	39	0.47	308	0.050	1	2.03	0.009	0.06	0.2	0.03	3.4	0.1	<0.05	5	<0.5	<0.2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV
Report Date: August 09, 2016

Page: 3 of 9

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI16000144.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	2	0.01	0.001	
1352834	Soil	0.6	32.6	20.2	84	<0.1	28.9	13.4	339	3.98	7.0	2.1	0.9	19.8	20	<0.1	0.4	0.2	35	0.33	0.061
1352831	Soil	0.6	20.0	14.9	41	<0.1	16.8	7.5	167	2.07	14.8	0.9	1.6	3.8	22	<0.1	0.8	0.1	45	0.34	0.034
1352836	Soil	0.7	24.4	7.2	55	<0.1	34.5	16.0	387	3.09	6.4	0.6	2.2	2.7	19	<0.1	0.3	0.1	68	0.40	0.053
1352833	Soil	0.8	15.8	12.8	46	<0.1	16.7	8.2	228	2.37	11.6	0.5	<0.5	3.6	20	<0.1	0.7	0.2	50	0.24	0.034
1352832	Soil	0.6	16.9	13.7	36	<0.1	15.4	6.9	190	2.11	10.0	0.5	4.0	3.1	20	<0.1	0.6	0.2	48	0.25	0.020
1352837	Soil	1.0	14.1	11.7	65	<0.1	19.3	10.0	436	2.51	14.1	0.6	<0.5	2.8	24	0.2	0.4	0.2	54	0.44	0.041
1352828	Soil	1.4	60.9	7.0	96	<0.1	35.1	10.9	467	4.05	17.9	1.1	<0.5	8.4	11	<0.1	0.7	<0.1	51	0.10	0.024
1352827	Soil	1.2	18.0	9.0	56	<0.1	19.1	7.2	190	2.96	12.2	0.9	<0.5	5.4	14	<0.1	0.4	0.1	50	0.12	0.038
1352826	Soil	0.7	26.1	12.4	47	0.1	23.3	8.6	173	2.44	12.2	0.7	1.2	4.1	21	<0.1	0.6	0.1	52	0.23	0.028
1352830	Soil	0.1	34.6	6.2	59	<0.1	17.1	19.0	884	4.28	3.0	0.2	<0.5	1.3	20	<0.1	0.3	<0.1	72	3.88	0.051
1352835	Soil	1.1	16.2	8.5	80	<0.1	20.2	12.6	473	4.27	6.4	0.7	<0.5	5.6	21	<0.1	0.3	<0.1	72	0.34	0.048
1429344	Soil	1.1	17.9	11.1	48	<0.1	23.6	9.6	213	2.72	10.7	0.6	2.6	4.7	17	<0.1	0.6	0.1	56	0.22	0.025
1429338	Soil	1.4	288.8	20.5	112	<0.1	59.2	19.5	907	5.37	11.3	0.9	2.9	5.3	42	0.2	1.3	<0.1	150	1.91	0.123
1429337	Soil	6.3	40.0	36.4	149	0.2	45.7	17.7	927	4.75	198.5	1.0	1.6	2.8	55	1.5	3.8	0.3	144	4.15	0.183
1429336	Soil	1.1	25.2	9.0	49	0.1	21.9	12.0	582	2.56	8.9	1.7	2.1	2.5	52	0.1	0.6	0.1	49	1.03	0.080
1429343	Soil	1.7	35.1	18.5	43	<0.1	25.3	10.0	199	2.78	62.1	1.6	1.4	9.7	21	<0.1	4.3	0.3	32	0.15	0.015
1429340	Soil	1.0	40.9	15.4	76	<0.1	34.3	14.8	499	4.36	5.6	1.7	1.7	16.6	20	<0.1	0.4	0.3	38	0.28	0.028
1429341	Soil	1.1	72.8	68.6	74	<0.1	33.8	15.5	350	3.65	11.7	1.6	0.9	10.4	20	<0.1	0.5	0.6	36	0.26	0.021
1429342	Soil	1.3	29.9	42.6	55	<0.1	29.0	16.1	409	3.55	24.3	1.0	1.9	7.6	21	<0.1	1.3	0.5	65	0.24	0.018
1429339	Soil	1.6	37.8	16.4	88	<0.1	27.3	13.3	530	4.89	6.9	1.7	1.7	8.7	18	<0.1	0.4	0.3	79	0.28	0.042
1429345	Soil	0.5	33.6	8.2	75	<0.1	20.6	16.5	643	4.20	8.5	0.9	3.1	4.0	25	<0.1	0.3	0.2	76	0.55	0.064
1429346	Soil	0.1	87.9	9.1	100	<0.1	25.3	27.7	750	5.79	20.7	0.3	1.8	1.2	17	<0.1	0.5	<0.1	132	0.57	0.052
1429349	Soil	0.7	20.4	13.8	48	<0.1	18.6	9.2	249	2.58	8.5	0.6	2.7	3.3	18	<0.1	0.4	0.2	54	0.25	0.024
1429348	Soil	1.2	19.0	20.0	50	0.1	17.1	11.6	730	2.17	18.9	0.7	1.0	3.2	24	0.2	1.3	0.2	44	0.33	0.039
1352839	Soil	0.7	32.4	5.2	77	<0.1	17.0	12.3	753	3.88	4.3	0.6	1.0	3.6	44	<0.1	0.4	0.2	93	0.89	0.223
1352838	Soil	0.4	77.0	3.9	105	<0.1	70.6	32.2	1271	6.75	10.2	0.7	1.4	3.5	40	<0.1	0.2	<0.1	170	1.16	0.242
1429347	Soil	0.5	31.4	10.5	69	<0.1	23.2	15.5	548	3.43	17.8	0.5	1.9	4.0	31	<0.1	0.7	0.1	62	0.85	0.051
1392848	Soil	1.0	17.8	10.2	51	0.1	20.3	10.9	341	2.96	8.6	0.4	<0.5	4.5	16	<0.1	0.4	0.1	56	0.25	0.022
1392847	Soil	0.6	27.9	17.3	85	<0.1	27.9	14.2	437	3.50	11.9	1.4	0.8	12.4	19	<0.1	0.7	<0.1	40	0.34	0.046
1429327	Soil	0.8	14.8	17.5	53	<0.1	19.7	10.5	454	2.83	6.0	0.6	0.6	6.4	19	<0.1	0.4	0.1	48	0.34	0.019

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV
Report Date: August 09, 2016

Page: 3 of 9

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI16000144.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL
1352834	Soil	66	33	0.59	485	0.110	2	1.83	0.009	0.58	0.1	0.07	7.1	0.4	<0.05	6	<0.5	<0.2
1352831	Soil	13	27	0.41	332	0.050	<1	1.21	0.014	0.05	0.1	0.04	4.2	<0.1	<0.05	4	<0.5	<0.2
1352836	Soil	12	83	1.24	217	0.125	<1	2.14	0.012	0.63	0.1	0.02	4.4	0.3	<0.05	6	<0.5	<0.2
1352833	Soil	12	30	0.45	230	0.053	<1	1.74	0.011	0.07	0.2	0.03	3.7	<0.1	<0.05	5	<0.5	<0.2
1352832	Soil	11	26	0.43	258	0.049	<1	1.36	0.011	0.04	0.1	0.03	4.0	<0.1	<0.05	4	<0.5	<0.2
1352837	Soil	9	25	0.36	306	0.037	2	1.37	0.009	0.13	0.2	0.04	3.7	<0.1	<0.05	4	<0.5	<0.2
1352828	Soil	19	27	0.26	241	0.027	3	1.37	0.005	0.11	<0.1	0.03	4.3	0.2	<0.05	5	<0.5	<0.2
1352827	Soil	13	27	0.32	240	0.039	1	1.30	0.007	0.11	0.1	0.02	3.5	0.1	<0.05	4	0.6	<0.2
1352826	Soil	12	29	0.44	286	0.052	<1	1.33	0.009	0.11	0.1	0.03	3.5	<0.1	<0.05	4	<0.5	<0.2
1352830	Soil	7	33	0.96	731	0.066	2	1.51	0.008	0.72	<0.1	0.05	18.8	0.3	<0.05	5	<0.5	<0.2
1352835	Soil	11	59	1.39	328	0.187	1	2.48	0.010	0.86	0.2	0.01	9.8	0.4	<0.05	11	0.7	<0.2
1429344	Soil	13	34	0.50	327	0.047	2	2.03	0.009	0.05	0.1	0.04	3.9	0.1	<0.05	5	0.9	<0.2
1429338	Soil	14	103	0.49	678	0.010	5	1.94	0.010	0.34	0.2	0.22	21.4	0.3	<0.05	6	<0.5	<0.2
1429337	Soil	15	33	0.32	315	0.020	4	1.18	0.013	0.07	0.2	0.33	9.4	0.1	<0.05	4	1.5	<0.2
1429336	Soil	14	30	0.43	476	0.040	2	1.43	0.018	0.05	0.2	0.06	5.0	<0.1	<0.05	4	1.0	<0.2
1429343	Soil	19	20	0.19	218	0.010	1	0.95	0.006	0.09	<0.1	0.14	6.8	<0.1	<0.05	3	1.1	<0.2
1429340	Soil	37	28	0.36	380	0.020	<1	1.42	0.008	0.22	<0.1	0.11	10.1	0.2	<0.05	5	<0.5	<0.2
1429341	Soil	29	23	0.25	351	0.010	3	1.12	0.009	0.14	<0.1	0.36	9.9	0.2	<0.05	4	0.8	<0.2
1429342	Soil	24	46	0.74	331	0.055	2	2.03	0.009	0.20	0.1	0.11	7.9	0.2	<0.05	6	0.5	<0.2
1429339	Soil	24	46	0.94	312	0.148	2	1.99	0.009	0.71	<0.1	0.02	11.0	0.4	<0.05	8	<0.5	<0.2
1429345	Soil	19	36	1.62	346	0.212	2	2.75	0.013	0.85	0.2	0.02	5.5	0.3	<0.05	7	<0.5	<0.2
1429346	Soil	6	33	2.31	612	0.186	<1	3.13	0.015	0.90	<0.1	0.08	12.4	0.4	<0.05	11	<0.5	<0.2
1429349	Soil	11	29	0.64	202	0.093	<1	1.33	0.010	0.31	0.2	0.02	5.0	0.2	<0.05	4	<0.5	<0.2
1429348	Soil	13	22	0.28	350	0.030	3	1.16	0.014	0.13	0.1	0.03	3.2	<0.1	<0.05	3	<0.5	<0.2
1352839	Soil	18	18	1.50	416	0.166	2	2.68	0.011	0.80	0.1	0.13	5.1	0.3	<0.05	8	<0.5	0.2
1352838	Soil	11	98	2.19	585	0.228	2	3.45	0.014	1.18	<0.1	0.02	12.8	0.3	<0.05	10	<0.5	<0.2
1429347	Soil	16	26	0.53	317	0.042	2	1.33	0.019	0.26	0.1	0.12	10.0	0.2	<0.05	5	0.5	<0.2
1392848	Soil	11	33	0.40	204	0.070	<1	1.77	0.014	0.15	0.2	0.03	3.6	0.1	<0.05	6	<0.5	<0.2
1392847	Soil	22	26	0.32	380	0.027	2	1.22	0.009	0.24	<0.1	0.05	7.4	0.2	<0.05	4	<0.5	<0.2
1429327	Soil	12	26	0.31	381	0.030	2	1.24	0.008	0.16	<0.1	0.03	5.3	0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV
Report Date: August 09, 2016

Page: 4 of 9

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI16000144.1

Method Analyte	AQ201																				
	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
1392850	Soil	0.9	9.4	9.9	41	<0.1	14.2	6.7	225	2.13	6.8	0.4	2.3	3.1	14	<0.1	0.4	0.1	44	0.23	0.015
1429335	Soil	1.2	13.3	13.1	49	<0.1	15.3	6.1	152	2.71	16.2	0.5	6.4	3.0	13	<0.1	0.7	0.2	68	0.16	0.039
1429330	Soil	1.2	38.2	10.8	69	<0.1	42.2	15.4	533	3.86	5.3	1.1	1.7	7.3	31	<0.1	0.4	0.1	80	0.44	0.065
1429350	Soil	0.7	18.6	15.4	49	0.1	18.6	9.3	290	2.69	9.1	0.6	2.3	3.5	20	<0.1	0.5	0.2	61	0.30	0.022
1429329	Soil	1.5	46.0	11.4	93	<0.1	58.0	25.2	955	4.80	4.8	0.8	1.2	6.6	27	<0.1	0.3	<0.1	132	0.43	0.130
1429333	Soil	2.1	35.5	11.9	87	<0.1	49.9	15.9	442	3.88	6.9	0.9	<0.5	8.0	21	0.1	0.3	0.2	80	0.26	0.061
1429332	Soil	1.6	41.8	15.8	64	0.1	36.8	12.9	364	3.47	15.1	0.8	3.6	5.0	22	<0.1	1.0	0.2	68	0.21	0.054
1429331	Soil	1.0	21.0	13.9	50	<0.1	24.2	11.0	296	2.73	6.9	0.8	1.6	4.1	24	<0.1	0.4	<0.1	56	0.32	0.048
1429334	Soil	1.2	17.1	8.2	57	<0.1	22.6	8.8	357	2.75	12.5	0.6	3.6	3.4	21	0.1	0.4	0.1	55	0.30	0.052
1429328	Soil	0.8	19.8	8.0	49	<0.1	29.2	10.5	275	2.86	6.1	0.6	1.9	4.6	21	<0.1	0.4	<0.1	52	0.32	0.036
1392840	Soil	1.0	36.8	8.8	54	<0.1	41.9	13.2	404	3.05	13.3	0.8	1.9	6.1	37	<0.1	0.6	<0.1	63	0.53	0.059
1392828	Soil	0.8	23.4	11.7	57	<0.1	23.9	10.8	251	3.21	10.4	0.7	1.6	4.8	23	<0.1	0.7	0.1	59	0.32	0.046
1392830	Soil	1.1	34.9	25.0	75	<0.1	29.1	13.6	455	3.74	19.6	1.2	1.8	7.4	18	<0.1	0.9	0.2	53	0.35	0.045
1392846	Soil	1.0	26.5	22.0	141	<0.1	33.7	13.4	411	3.42	16.0	0.8	<0.5	8.5	28	0.3	0.9	0.1	43	0.34	0.050
1392849	Soil	0.9	15.4	16.1	68	<0.1	18.8	9.2	315	3.02	11.9	0.7	1.8	6.4	17	<0.1	0.4	0.1	39	0.25	0.022
1392839	Soil	1.2	21.9	9.8	54	<0.1	25.8	12.1	525	3.00	12.0	0.7	2.3	4.6	19	<0.1	0.7	0.1	55	0.22	0.019
1392844	Soil	0.8	34.3	11.9	69	0.1	36.0	12.4	427	3.01	9.0	1.3	3.5	6.0	63	0.2	0.7	0.1	51	0.78	0.101
1392838	Soil	1.0	20.5	16.6	61	0.1	20.6	13.3	1878	2.74	5.9	0.7	1.9	4.1	31	0.2	0.4	0.1	43	0.40	0.060
1392845	Soil	0.5	24.1	7.9	63	0.1	23.5	9.1	401	2.08	7.2	1.0	3.5	2.8	53	0.3	0.6	<0.1	37	1.21	0.069
1392837	Soil	3.3	24.0	10.7	71	<0.1	31.5	13.0	515	4.10	9.1	0.5	<0.5	4.2	17	<0.1	0.4	<0.1	82	0.29	0.032
1392843	Soil	1.2	31.0	13.3	70	0.1	32.2	12.4	444	3.07	8.6	1.3	3.0	6.2	62	0.2	0.6	0.1	55	0.73	0.105
1392841	Soil	1.3	51.1	14.4	68	<0.1	66.5	21.7	525	4.48	12.7	1.3	2.6	7.5	38	<0.1	0.8	0.1	69	0.56	0.086
1392827	Soil	1.1	20.7	14.9	75	<0.1	13.3	11.2	481	3.38	10.7	0.6	1.8	3.1	26	0.1	0.7	0.1	52	0.40	0.082
1392834	Soil	0.9	27.0	14.4	78	<0.1	21.1	12.2	458	3.75	6.6	0.9	1.7	5.7	25	<0.1	0.5	0.1	73	0.43	0.055
1392831	Soil	0.9	23.3	10.5	78	<0.1	14.0	12.2	426	3.95	9.4	0.6	0.8	4.4	16	<0.1	0.3	<0.1	77	0.28	0.053
1392836	Soil	0.7	17.3	12.0	56	<0.1	16.7	8.2	382	2.52	8.9	0.5	1.7	3.7	19	<0.1	0.5	0.2	49	0.31	0.034
1392833	Soil	1.2	19.5	9.3	109	<0.1	10.1	17.2	687	5.71	6.7	0.5	<0.5	4.3	11	<0.1	0.2	0.1	110	0.24	0.075
1392832	Soil	1.8	46.7	31.6	154	<0.1	42.9	19.6	1325	4.95	124.1	1.8	2.2	9.9	25	0.3	2.6	0.3	40	0.36	0.061
1392842	Soil	1.3	38.5	31.8	39	0.2	22.2	8.7	290	2.36	12.0	1.0	3.5	2.5	81	0.1	2.0	0.3	41	0.94	0.036
1392835	Soil	1.6	13.9	10.2	60	<0.1	17.7	7.7	314	3.05	12.5	0.4	3.7	3.5	12	<0.1	0.5	0.1	64	0.16	0.044



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Comstock Metals Ltd.**

310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV

Report Date: August 09, 2016

Page: 4 of 9

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI16000144.1

Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te	
	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1392850	Soil	9	24	0.38	327	0.039	<1	1.32	0.008	0.06	0.1	0.02	2.9	<0.1	<0.05	4	<0.5	<0.2
1429335	Soil	11	30	0.35	206	0.033	1	1.73	0.007	0.09	0.2	0.02	3.1	0.1	<0.05	6	<0.5	<0.2
1429330	Soil	22	58	0.58	455	0.057	2	1.66	0.011	0.20	<0.1	0.04	8.7	0.2	<0.05	6	<0.5	<0.2
1429350	Soil	11	31	0.61	224	0.096	2	1.43	0.012	0.36	0.2	0.03	5.0	0.2	<0.05	4	<0.5	<0.2
1429329	Soil	24	99	1.34	373	0.137	2	2.36	0.011	0.63	0.2	0.02	8.5	0.4	<0.05	9	<0.5	<0.2
1429333	Soil	29	64	0.68	256	0.077	1	1.81	0.008	0.29	0.1	0.01	5.6	0.3	<0.05	8	<0.5	<0.2
1429332	Soil	16	33	0.27	269	0.013	3	1.21	0.006	0.09	0.1	0.06	5.9	0.1	<0.05	4	0.8	<0.2
1429331	Soil	17	45	0.44	328	0.052	2	1.52	0.009	0.11	0.2	0.06	5.0	0.2	<0.05	6	0.6	<0.2
1429334	Soil	13	31	0.42	274	0.042	<1	1.34	0.009	0.08	0.2	0.04	3.5	0.1	<0.05	5	<0.5	<0.2
1429328	Soil	19	45	0.60	239	0.079	1	1.50	0.011	0.18	0.1	0.02	4.3	0.2	<0.05	5	<0.5	<0.2
1392840	Soil	25	51	0.55	452	0.059	2	1.45	0.019	0.12	0.2	0.08	7.7	0.1	<0.05	5	<0.5	<0.2
1392828	Soil	13	37	0.43	410	0.040	2	1.62	0.010	0.13	0.1	0.04	6.1	0.1	<0.05	6	<0.5	<0.2
1392830	Soil	20	31	0.43	553	0.054	2	1.34	0.012	0.19	0.1	0.09	10.0	0.2	<0.05	5	<0.5	<0.2
1392846	Soil	16	34	0.29	357	0.015	1	1.16	0.007	0.14	<0.1	0.07	6.5	0.1	<0.05	4	<0.5	<0.2
1392849	Soil	14	21	0.27	352	0.015	2	1.07	0.007	0.11	<0.1	0.03	3.8	0.1	<0.05	4	<0.5	<0.2
1392839	Soil	15	33	0.38	304	0.050	1	1.36	0.010	0.11	<0.1	0.03	4.6	0.1	<0.05	5	0.6	<0.2
1392844	Soil	26	39	0.58	528	0.062	2	1.42	0.021	0.17	0.2	0.09	7.1	0.1	<0.05	5	1.1	<0.2
1392838	Soil	17	24	0.30	519	0.042	2	1.29	0.014	0.23	<0.1	0.05	3.6	0.1	<0.05	5	<0.5	<0.2
1392845	Soil	14	21	0.39	458	0.032	2	0.99	0.015	0.07	0.1	0.07	3.8	<0.1	<0.05	3	<0.5	<0.2
1392837	Soil	10	54	0.74	452	0.102	1	1.80	0.011	0.61	<0.1	0.03	8.4	0.3	<0.05	7	<0.5	<0.2
1392843	Soil	25	37	0.51	467	0.055	3	1.35	0.016	0.17	0.2	0.09	6.6	0.1	<0.05	5	<0.5	<0.2
1392841	Soil	29	65	0.53	534	0.035	<1	1.43	0.016	0.20	0.1	0.07	11.8	0.2	<0.05	5	1.8	<0.2
1392827	Soil	10	24	0.31	420	0.015	2	1.11	0.008	0.16	<0.1	0.07	7.5	0.1	<0.05	4	0.6	<0.2
1392834	Soil	21	35	0.82	379	0.125	2	1.86	0.018	0.45	0.2	0.07	10.6	0.2	<0.05	7	0.9	<0.2
1392831	Soil	15	32	0.96	326	0.137	<1	1.96	0.011	0.56	<0.1	0.04	8.5	0.3	<0.05	7	0.8	<0.2
1392836	Soil	11	26	0.39	297	0.046	2	1.24	0.010	0.09	0.1	0.04	4.1	<0.1	<0.05	4	<0.5	<0.2
1392833	Soil	11	30	1.88	321	0.264	2	3.06	0.010	1.32	<0.1	0.01	10.9	0.6	<0.05	11	<0.5	<0.2
1392832	Soil	22	27	0.27	435	0.011	3	1.04	0.007	0.21	<0.1	0.23	14.6	0.2	<0.05	3	<0.5	<0.2
1392842	Soil	14	24	0.32	434	0.020	3	0.91	0.014	0.14	0.2	0.10	4.6	<0.1	<0.05	3	<0.5	<0.2
1392835	Soil	10	32	0.46	187	0.077	1	1.21	0.007	0.35	0.2	0.02	4.4	0.2	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV
Report Date: August 09, 2016

Page: 5 of 9

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI16000144.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1392829	Soil	0.9	24.6	12.7	55	<0.1	20.3	9.2	256	2.92	18.3	0.7	2.3	3.7	18	<0.1	0.8	0.1	50	0.27	0.045
1390450	Soil	0.7	33.5	20.5	48	0.1	24.4	14.8	580	2.83	15.1	1.9	2.7	3.8	34	0.1	0.9	0.2	52	1.01	0.058
1374678	Soil	1.6	39.0	33.8	97	0.2	35.6	17.0	634	4.54	17.2	1.7	8.4	6.9	29	0.2	0.6	0.5	70	0.68	0.089
1374679	Soil	1.0	31.6	22.6	66	0.2	24.3	12.3	740	2.47	14.0	2.6	2.0	3.5	48	0.3	0.8	0.3	39	1.44	0.062
1374677	Soil	1.8	14.9	33.3	45	0.1	14.2	7.0	236	2.01	9.8	0.7	2.9	2.1	19	0.1	0.8	0.4	53	0.28	0.032
1390448	Soil	0.3	34.4	15.8	81	<0.1	21.9	21.1	827	5.03	5.0	0.5	0.8	4.2	15	<0.1	0.2	0.1	94	0.48	0.059
1390449	Soil	0.8	35.5	27.5	53	0.2	27.3	14.8	660	2.66	18.0	1.9	3.8	3.6	37	0.2	1.1	0.3	46	1.12	0.066
1374676	Soil	1.1	16.9	38.9	55	<0.1	15.9	10.7	305	2.79	20.2	0.7	2.2	2.8	28	0.2	1.0	0.3	55	0.53	0.040
1390446	Soil	1.5	58.6	112.9	102	0.1	39.5	12.9	469	4.08	37.0	1.8	2.5	10.3	25	<0.1	2.6	1.6	69	0.22	0.072
1390447	Soil	0.7	28.1	10.9	93	<0.1	29.1	19.6	1196	4.86	5.2	0.5	2.0	5.1	24	0.1	0.5	<0.1	81	0.74	0.062
1390445	Soil	2.2	42.8	29.4	104	<0.1	38.6	13.6	542	4.23	199.1	1.4	0.6	7.1	27	0.1	10.7	0.3	45	0.14	0.052
1390444	Soil	1.3	48.6	31.2	140	<0.1	47.5	14.6	442	4.60	63.0	2.8	1.8	14.5	22	<0.1	2.0	0.3	38	0.24	0.059
1390443	Soil	1.6	81.6	15.3	194	<0.1	56.0	19.6	620	5.83	18.7	2.9	4.3	15.5	19	0.1	0.7	0.2	41	0.35	0.073
1390442	Soil	1.7	46.6	73.8	129	<0.1	40.2	12.6	443	4.72	38.1	1.9	2.6	12.5	19	0.2	1.3	0.7	59	0.19	0.046
1390441	Soil	1.6	42.1	35.7	119	<0.1	36.5	11.9	335	3.85	41.2	1.4	2.4	8.6	19	0.1	1.9	0.4	59	0.18	0.045
1390440	Soil	1.5	20.0	37.2	70	<0.1	22.7	8.8	446	2.74	9.8	0.8	0.9	4.8	18	0.1	1.0	0.3	58	0.29	0.040
1390439	Soil	1.6	53.3	23.7	93	<0.1	35.0	12.7	422	4.06	36.8	1.6	3.2	9.0	19	<0.1	0.7	0.3	76	0.36	0.049
1390438	Soil	1.3	41.4	35.7	120	<0.1	35.5	11.3	348	3.77	32.2	2.6	4.2	9.6	17	<0.1	1.0	0.6	39	0.22	0.050
1390437	Soil	1.7	34.8	44.2	85	<0.1	29.2	11.0	424	3.52	18.3	1.4	3.2	6.8	20	<0.1	1.0	0.4	59	0.27	0.042
1390436	Soil	0.8	16.3	13.9	47	<0.1	19.6	6.7	200	2.22	11.5	0.5	0.7	3.5	23	<0.1	0.6	0.1	50	0.31	0.044
1390435	Soil	1.8	42.5	51.2	123	<0.1	40.5	13.2	386	4.35	55.1	2.3	2.3	11.7	18	<0.1	2.4	0.6	42	0.24	0.054
1390434	Soil	1.5	46.1	23.3	92	<0.1	24.0	15.5	534	5.27	26.2	1.4	2.0	4.8	16	<0.1	0.9	0.4	85	0.32	0.079
1390433	Soil	2.2	49.7	44.1	59	<0.1	33.0	12.3	451	3.68	22.0	1.6	1.5	12.9	23	<0.1	1.0	0.5	43	0.35	0.038
1390432	Soil	1.6	25.2	32.2	55	<0.1	29.4	12.2	413	3.32	14.0	1.2	2.8	7.4	21	<0.1	0.7	0.3	60	0.43	0.046
1390431	Soil	1.2	15.8	22.7	63	<0.1	35.9	11.1	273	3.37	8.4	0.8	1.4	6.6	20	<0.1	0.5	0.3	57	0.46	0.056
1390430	Soil	1.6	38.7	36.1	103	0.1	33.1	15.6	668	4.54	21.2	1.3	2.5	8.3	23	0.2	1.4	0.4	67	0.59	0.056
1390429	Soil	0.8	24.8	19.2	62	0.1	24.7	11.4	564	2.80	14.9	2.0	3.3	4.1	52	0.2	0.7	0.2	38	1.40	0.068
1390428	Soil	1.3	18.7	23.6	67	0.1	19.0	13.0	794	2.87	18.5	1.8	1.9	4.1	42	0.2	1.2	0.2	46	1.04	0.060
1390427	Soil	0.8	24.8	38.5	51	0.2	23.0	10.0	452	2.63	41.9	2.3	2.3	4.2	45	0.2	1.9	0.4	44	0.90	0.050
1390426	Soil	1.3	15.1	21.9	52	<0.1	17.0	8.7	700	2.60	16.4	1.0	1.8	3.4	22	0.1	0.8	0.3	51	0.32	0.024



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV
Report Date: August 09, 2016

Page: 5 of 9

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI16000144.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1392829	Soil	12	29	0.38	308	0.036	2	1.25	0.009	0.10	0.1	0.04	5.9	0.1	<0.05	4	0.6	<0.2
1390450	Soil	27	28	0.42	598	0.038	2	1.30	0.014	0.21	0.1	0.18	10.9	0.1	<0.05	4	0.8	<0.2
1374678	Soil	25	54	0.73	568	0.064	2	2.11	0.009	0.50	0.1	0.12	9.7	0.4	<0.05	8	0.5	<0.2
1374679	Soil	20	23	0.30	663	0.019	3	1.16	0.013	0.12	0.1	0.20	7.5	0.1	<0.05	4	0.6	<0.2
1374677	Soil	11	28	0.30	300	0.045	3	1.03	0.012	0.16	0.2	0.06	4.0	<0.1	<0.05	5	<0.5	<0.2
1390448	Soil	14	43	1.30	596	0.137	3	2.24	0.011	1.08	0.1	0.03	18.2	0.4	<0.05	7	<0.5	<0.2
1390449	Soil	34	28	0.41	639	0.033	2	1.33	0.015	0.19	0.2	0.22	11.4	0.1	<0.05	4	0.9	<0.2
1374676	Soil	12	29	0.35	299	0.047	2	1.05	0.013	0.19	0.1	0.06	6.0	0.1	<0.05	4	<0.5	<0.2
1390446	Soil	17	36	0.18	243	0.011	2	0.87	0.008	0.10	0.1	0.04	10.2	0.1	<0.05	3	1.1	<0.2
1390447	Soil	19	63	0.60	829	0.074	2	1.40	0.015	0.44	<0.1	0.04	19.0	0.2	<0.05	5	<0.5	<0.2
1390445	Soil	20	29	0.17	165	0.007	<1	0.86	0.004	0.10	0.1	0.13	5.4	0.1	<0.05	2	0.8	<0.2
1390444	Soil	33	23	0.18	229	0.006	<1	0.77	0.005	0.12	<0.1	0.10	9.7	0.1	<0.05	3	0.9	<0.2
1390443	Soil	42	27	0.23	294	0.006	<1	0.97	0.009	0.15	<0.1	0.06	10.9	0.2	<0.05	3	0.9	<0.2
1390442	Soil	26	34	0.38	282	0.068	1	1.29	0.008	0.45	<0.1	0.06	7.4	0.4	<0.05	5	0.6	<0.2
1390441	Soil	18	31	0.32	280	0.030	<1	1.24	0.010	0.22	0.1	0.01	5.8	0.2	<0.05	5	0.8	<0.2
1390440	Soil	12	27	0.33	308	0.043	1	1.25	0.010	0.16	0.1	0.01	3.9	0.2	<0.05	4	<0.5	<0.2
1390439	Soil	20	39	0.61	320	0.097	<1	1.70	0.013	0.49	0.1	0.04	8.1	0.4	<0.05	7	0.9	<0.2
1390438	Soil	15	25	0.26	288	0.016	<1	0.98	0.007	0.20	<0.1	0.02	6.3	0.2	<0.05	4	<0.5	<0.2
1390437	Soil	18	31	0.35	411	0.037	<1	1.22	0.011	0.21	0.1	0.04	6.6	0.2	<0.05	4	<0.5	<0.2
1390436	Soil	11	26	0.45	216	0.061	<1	1.23	0.014	0.09	0.1	0.02	3.4	<0.1	<0.05	4	0.7	<0.2
1390435	Soil	27	23	0.23	333	0.010	1	1.03	0.006	0.16	<0.1	0.04	6.2	0.2	<0.05	3	0.9	<0.2
1390434	Soil	12	35	0.38	364	0.019	1	1.38	0.007	0.30	<0.1	0.03	15.8	0.2	<0.05	5	0.7	<0.2
1390433	Soil	31	25	0.21	682	0.004	1	1.29	0.006	0.17	<0.1	0.09	10.0	0.2	<0.05	4	0.9	<0.2
1390432	Soil	32	36	0.55	390	0.027	<1	1.65	0.010	0.20	0.1	0.04	9.2	0.2	<0.05	5	<0.5	<0.2
1390431	Soil	18	73	0.56	301	0.047	1	1.60	0.010	0.26	0.1	0.01	5.5	0.2	<0.05	6	<0.5	<0.2
1390430	Soil	22	35	0.37	339	0.016	<1	1.25	0.010	0.20	<0.1	0.05	11.1	0.1	<0.05	4	0.7	<0.2
1390429	Soil	25	29	0.46	468	0.037	<1	1.27	0.014	0.16	0.1	0.11	7.2	0.1	0.05	4	0.8	<0.2
1390428	Soil	17	31	0.43	348	0.034	2	1.25	0.014	0.14	0.1	0.11	6.4	0.1	<0.05	4	<0.5	<0.2
1390427	Soil	18	23	0.31	432	0.023	3	1.18	0.014	0.12	0.2	0.17	6.1	0.1	<0.05	3	0.6	<0.2
1390426	Soil	14	28	0.37	338	0.049	1	1.36	0.012	0.17	0.1	0.03	3.6	<0.1	<0.05	4	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV
Report Date: August 09, 2016

Page: 6 of 9

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI16000144.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL
1335738	Soil	1.7	33.5	45.6	127	<0.1	25.4	10.3	268	3.27	27.5	1.4	1.1	8.0	17	0.2	4.0	0.4	55	0.21	0.060
1335739	Soil	1.1	23.7	17.3	60	<0.1	29.2	10.3	431	2.86	11.8	0.8	4.3	4.4	26	<0.1	0.7	0.4	55	0.39	0.073
1335737	Soil	2.0	52.0	17.0	121	<0.1	40.9	13.7	429	4.38	13.2	1.4	0.9	12.2	18	<0.1	0.9	0.2	38	0.26	0.047
1335736	Soil	1.4	28.4	29.7	106	<0.1	32.8	12.9	328	3.94	9.8	1.2	1.0	8.9	16	0.1	0.6	0.3	46	0.23	0.034
1335734	Soil	1.2	20.5	10.9	64	<0.1	23.5	9.5	228	3.08	11.3	0.6	1.3	5.0	15	0.1	0.6	0.2	56	0.26	0.044
1335735	Soil	1.7	37.7	15.3	118	<0.1	41.5	15.4	359	4.65	29.2	1.9	0.8	10.3	16	0.1	1.0	0.1	43	0.21	0.039
1335733	Soil	0.9	116.0	7.0	83	<0.1	25.3	21.1	1592	5.92	2.2	1.0	1.7	5.2	21	<0.1	0.7	<0.1	92	0.54	0.056
1335732	Soil	0.6	35.4	11.1	101	<0.1	17.9	24.9	1497	6.67	3.7	0.8	1.0	5.8	20	<0.1	0.5	0.2	109	0.50	0.070
1335730	Soil	0.8	25.9	25.0	53	0.2	20.0	9.5	367	2.64	14.0	1.5	3.0	3.9	29	<0.1	0.9	0.3	50	0.55	0.055
1335731	Soil	0.5	40.3	20.8	71	0.1	22.9	18.3	758	4.16	6.0	0.6	1.2	3.4	23	0.1	0.7	0.2	72	0.55	0.062
1335728	Soil	1.2	34.7	21.9	71	0.1	26.5	10.6	386	3.30	15.1	1.3	1.5	5.9	26	0.1	0.8	0.3	54	0.58	0.056
1335729	Soil	1.1	31.7	50.1	56	0.1	23.2	9.2	237	2.75	21.7	1.8	3.2	6.0	32	<0.1	1.5	0.6	45	0.31	0.036
1335726	Soil	0.8	34.0	10.5	77	0.1	23.8	13.2	560	3.11	7.6	1.5	2.5	2.2	54	0.4	0.5	0.1	66	1.65	0.092
1335727	Soil	0.9	62.6	10.2	76	0.2	33.2	16.8	801	3.31	7.1	1.6	1.4	2.3	47	0.3	0.5	0.1	85	1.53	0.132
1335928	Soil	1.9	39.6	12.7	86	0.2	35.3	11.7	475	2.78	15.6	1.0	1.9	2.1	77	1.8	0.7	0.2	71	1.95	0.147
1335929	Soil	1.6	53.5	9.7	96	0.2	34.3	20.6	663	4.78	14.2	0.7	1.6	2.5	44	0.4	0.6	0.1	105	1.43	0.137
1335927	Soil	1.3	23.7	18.6	63	<0.1	23.3	9.2	299	2.97	17.5	1.3	1.8	5.4	21	<0.1	0.9	0.2	51	0.34	0.048
1335926	Soil	1.4	25.7	28.1	66	0.2	20.2	10.9	689	2.91	9.2	1.9	2.7	6.8	27	0.1	0.5	0.3	55	0.47	0.039
1335750	Soil	1.1	26.9	14.2	51	<0.1	23.6	10.5	236	2.63	13.0	1.1	3.8	4.7	22	0.1	0.8	0.2	56	0.30	0.035
1335749	Soil	1.6	18.2	19.6	45	<0.1	18.5	8.9	218	2.72	15.3	0.5	<0.5	1.5	15	<0.1	0.7	0.2	56	0.17	0.042
1335748	Soil	1.0	39.2	23.6	50	<0.1	28.0	11.4	380	2.55	12.5	1.5	2.7	5.1	27	0.1	1.0	0.3	57	0.39	0.034
1335747	Soil	0.9	14.5	11.4	51	<0.1	20.1	10.2	217	2.67	11.2	0.8	0.6	3.4	24	<0.1	0.6	0.1	56	0.46	0.050
1335746	Soil	1.0	29.5	20.7	74	<0.1	18.6	12.6	416	4.00	6.2	0.8	1.0	6.7	15	<0.1	0.5	0.2	69	0.28	0.057
1335745	Soil	1.2	18.9	9.3	69	<0.1	16.3	15.9	620	3.65	8.4	0.4	<0.5	2.7	13	<0.1	0.4	<0.1	80	0.23	0.026
1335744	Soil	0.5	49.6	8.0	64	0.1	33.2	16.0	687	3.38	10.3	0.5	1.5	4.0	26	<0.1	0.5	<0.1	74	0.93	0.054
1335740	Soil	0.7	33.9	13.6	52	<0.1	30.4	10.2	320	2.78	17.0	0.7	10.7	5.2	25	<0.1	0.8	0.1	60	0.41	0.043
1335743	Soil	1.3	23.4	8.8	77	<0.1	17.8	11.9	411	3.83	7.7	0.6	<0.5	4.6	15	<0.1	0.5	0.1	67	0.27	0.036
1335742	Soil	0.7	36.8	10.0	56	<0.1	36.9	11.3	426	2.66	12.1	0.7	3.9	5.2	27	<0.1	0.9	0.1	51	0.42	0.036
1335741	Soil	0.7	32.8	15.1	51	0.1	26.2	9.6	336	2.50	12.2	0.5	5.1	4.4	27	<0.1	0.8	0.1	52	0.41	0.043
1385480	Soil	1.3	45.9	12.6	80	0.2	57.0	20.3	1058	3.39	9.2	1.7	0.8	4.0	79	0.2	0.5	0.1	64	1.22	0.095



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV
Report Date: August 09, 2016

Page: 6 of 9

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI16000144.1

Method Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
			La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te
			ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm		
			1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.05	1	0.5	0.2	
1335738	Soil		18	23	0.25	265	0.026	<1	0.88	0.007	0.20	<0.1	0.02	5.3	0.1	<0.05	3	<0.5	<0.2
1335739	Soil		15	35	0.46	281	0.061	2	1.48	0.011	0.16	0.1	0.02	6.1	<0.1	<0.05	4	<0.5	<0.2
1335737	Soil		28	22	0.23	272	0.011	1	0.93	0.006	0.10	<0.1	0.02	5.3	<0.1	<0.05	3	1.1	<0.2
1335736	Soil		19	28	0.33	172	0.030	1	1.12	0.008	0.12	0.1	0.02	5.0	0.1	<0.05	4	0.8	<0.2
1335734	Soil		12	28	0.38	187	0.038	<1	1.34	0.008	0.09	0.1	0.02	3.6	<0.1	<0.05	4	0.6	<0.2
1335735	Soil		27	25	0.25	237	0.012	1	0.98	0.005	0.10	<0.1	0.05	6.4	0.1	<0.05	3	1.1	<0.2
1335733	Soil		19	45	0.58	724	0.030	<1	1.52	0.008	0.53	<0.1	0.11	25.0	0.3	<0.05	5	<0.5	<0.2
1335732	Soil		19	24	1.29	682	0.142	1	2.55	0.010	1.09	0.1	0.06	22.0	0.4	<0.05	9	<0.5	<0.2
1335730	Soil		14	30	0.39	531	0.033	1	1.45	0.013	0.07	0.2	0.23	7.4	<0.1	<0.05	4	<0.5	<0.2
1335731	Soil		15	30	0.54	410	0.049	2	1.23	0.011	0.33	0.1	0.19	15.6	0.2	<0.05	4	<0.5	<0.2
1335728	Soil		19	32	0.42	538	0.040	2	1.50	0.016	0.16	0.1	0.20	9.7	0.1	<0.05	5	0.7	<0.2
1335729	Soil		15	28	0.31	332	0.029	<1	1.16	0.012	0.08	0.1	0.29	7.1	<0.1	<0.05	4	<0.5	<0.2
1335726	Soil		16	29	0.57	490	0.031	2	1.45	0.015	0.11	0.1	0.11	8.2	<0.1	<0.05	5	0.8	<0.2
1335727	Soil		22	37	0.81	636	0.042	2	1.74	0.019	0.14	0.1	0.13	12.1	<0.1	<0.05	5	1.5	<0.2
1335928	Soil		19	29	0.42	554	0.030	3	1.23	0.014	0.12	0.2	0.16	6.6	<0.1	<0.05	4	1.5	<0.2
1335929	Soil		14	39	0.98	554	0.062	2	1.89	0.015	0.35	0.1	0.28	15.8	0.2	<0.05	6	0.7	<0.2
1335927	Soil		21	32	0.39	383	0.032	2	1.33	0.010	0.09	0.1	0.16	6.4	<0.1	<0.05	4	<0.5	<0.2
1335926	Soil		33	34	0.41	649	0.028	<1	1.71	0.010	0.10	0.1	0.19	10.7	<0.1	<0.05	5	0.8	<0.2
1335750	Soil		17	32	0.46	418	0.045	1	1.57	0.011	0.06	0.2	0.17	4.9	<0.1	<0.05	5	<0.5	<0.2
1335749	Soil		10	26	0.34	180	0.030	1	1.43	0.010	0.05	0.1	0.06	3.0	<0.1	<0.05	5	<0.5	<0.2
1335748	Soil		22	32	0.42	383	0.073	<1	1.78	0.017	0.07	0.1	0.22	7.4	<0.1	<0.05	5	0.6	<0.2
1335747	Soil		13	30	0.47	334	0.045	<1	1.54	0.015	0.06	0.3	0.04	3.8	<0.1	<0.05	5	<0.5	<0.2
1335746	Soil		23	26	0.59	239	0.084	1	1.59	0.009	0.39	0.1	0.02	9.2	0.2	<0.05	6	<0.5	<0.2
1335745	Soil		6	31	0.89	208	0.131	<1	1.87	0.009	0.51	0.1	0.01	4.8	0.3	<0.05	7	<0.5	<0.2
1335744	Soil		17	51	0.94	438	0.094	<1	1.69	0.023	0.28	0.2	0.08	11.4	0.2	<0.05	5	<0.5	<0.2
1335740	Soil		18	32	0.48	265	0.071	2	1.29	0.018	0.13	0.2	0.03	5.5	<0.1	<0.05	4	<0.5	<0.2
1335743	Soil		13	26	0.37	241	0.042	<1	1.27	0.009	0.18	0.1	0.02	9.1	<0.1	<0.05	4	<0.5	<0.2
1335742	Soil		20	31	0.53	477	0.076	2	1.50	0.026	0.08	0.2	0.06	6.4	<0.1	<0.05	4	<0.5	<0.2
1335741	Soil		16	29	0.47	280	0.065	1	1.12	0.019	0.08	0.1	0.05	5.4	<0.1	<0.05	3	<0.5	<0.2
1385480	Soil		28	60	0.64	584	0.027	2	1.65	0.012	0.24	<0.1	0.20	9.3	0.2	<0.05	5	0.8	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV
Report Date: August 09, 2016

Page: 7 of 9

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI16000144.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	2	0.01	0.001	
1385481	Soil	1.4	43.3	13.1	83	0.1	55.7	19.7	785	3.48	10.7	1.5	4.0	4.7	74	0.3	0.6	0.2	63	1.15	0.104
1385482	Soil	1.0	48.5	10.3	69	0.2	84.0	24.9	716	4.17	22.8	1.1	<0.5	5.7	72	0.2	0.6	<0.1	87	1.05	0.102
1385483	Soil	1.6	50.5	15.2	85	0.1	67.8	20.7	563	3.95	40.9	1.0	1.2	6.1	36	0.2	1.1	0.1	83	0.41	0.080
1385479	Soil	1.1	40.6	14.8	82	0.1	63.5	17.7	558	3.68	11.3	1.3	1.4	5.3	43	0.1	0.4	0.2	69	0.59	0.085
1385478	Soil	1.5	60.1	16.0	109	0.1	61.5	24.9	776	4.92	12.9	1.4	2.1	8.2	32	0.3	0.3	0.2	111	0.48	0.103
1385477	Soil	1.5	106.0	21.5	107	0.1	106.1	36.8	1025	7.45	12.8	1.4	4.1	9.2	45	0.2	0.2	0.2	195	0.79	0.160
1385476	Soil	1.9	62.1	25.0	110	<0.1	52.4	21.2	628	4.76	8.5	1.6	2.2	9.7	31	0.1	0.4	0.3	73	0.41	0.086
1385497	Soil	0.9	16.0	11.0	46	<0.1	16.4	7.8	207	2.44	14.9	0.8	1.6	4.8	16	<0.1	0.6	0.1	48	0.16	0.030
1385498	Soil	0.9	20.1	15.2	63	<0.1	23.3	9.8	292	3.19	22.3	1.0	5.3	10.4	17	<0.1	0.5	0.2	51	0.19	0.031
1385500	Soil	1.5	35.0	11.1	83	<0.1	34.7	10.4	245	3.31	17.9	0.9	2.5	4.6	19	<0.1	1.3	0.1	49	0.20	0.049
1385496	Soil	1.2	18.4	13.4	53	<0.1	17.6	7.8	270	2.50	30.3	0.7	5.9	5.1	18	<0.1	0.6	0.1	42	0.19	0.034
1385494	Soil	1.3	25.3	15.6	61	0.1	22.5	9.9	299	3.04	9.3	0.9	4.7	5.5	26	0.1	0.4	0.2	47	0.26	0.023
1385493	Soil	1.3	25.2	15.7	64	<0.1	23.2	10.5	353	3.30	11.0	1.0	1.5	6.6	24	<0.1	0.4	0.2	45	0.24	0.027
1385499	Soil	1.3	21.2	13.5	57	<0.1	22.4	7.4	213	2.74	14.1	0.8	1.3	3.5	20	<0.1	0.7	0.2	57	0.21	0.043
1385495	Soil	0.9	43.1	28.8	126	0.3	21.5	15.4	650	4.85	19.1	1.1	2.7	5.0	70	0.3	0.6	0.2	58	0.72	0.058
1385484	Soil	1.3	32.1	18.9	62	0.3	30.8	22.4	1156	2.99	29.7	1.2	2.6	3.2	29	0.2	0.6	0.2	55	0.30	0.047
1385492	Soil	1.5	34.4	15.2	86	<0.1	38.0	16.6	459	4.39	29.0	1.4	1.3	11.6	26	<0.1	0.4	0.2	56	0.24	0.044
1385491	Soil	1.2	31.7	18.6	80	0.2	29.1	14.4	710	3.47	18.9	2.4	1.9	9.0	64	0.3	0.6	0.2	47	0.76	0.056
1385490	Soil	0.8	21.9	9.6	70	<0.1	26.8	9.7	391	2.94	7.7	1.1	2.6	4.3	53	0.2	0.6	0.2	53	0.63	0.043
1385489	Soil	0.5	36.5	9.4	64	<0.1	30.9	11.7	441	2.71	15.3	0.6	5.5	4.8	76	0.1	0.6	0.1	48	1.86	0.078
1385488	Soil	0.5	32.6	12.5	76	0.1	30.0	12.3	549	3.28	12.2	0.9	2.5	8.3	46	0.1	0.6	0.1	51	0.74	0.066
1385487	Soil	0.7	40.1	16.4	53	0.1	25.8	10.2	557	2.63	7.7	2.1	4.1	4.4	83	0.1	0.4	0.1	36	1.61	0.063
1385486	Soil	0.5	18.8	10.7	59	<0.1	20.7	9.0	381	2.39	8.6	0.9	1.3	4.4	60	<0.1	0.4	0.1	42	1.09	0.066
1385485	Soil	0.9	20.5	9.8	95	<0.1	35.2	16.6	1037	2.92	15.5	0.8	2.1	3.9	81	0.2	0.4	<0.1	54	1.15	0.069
1390379	Soil	4.2	87.7	28.4	226	<0.1	60.4	17.0	996	5.08	21.5	1.7	1.7	9.2	20	0.4	1.2	0.2	66	0.21	0.059
1417581	Soil	2.9	46.9	21.3	85	0.2	13.5	11.6	366	4.01	21.6	1.0	2.9	4.0	33	<0.1	1.5	0.1	52	0.28	0.049
1417582	Soil	0.9	28.3	10.5	67	<0.1	20.1	9.6	489	3.00	14.3	0.9	5.7	5.0	30	<0.1	0.6	0.1	52	0.40	0.048
1417594	Soil	1.7	77.3	45.8	235	0.2	50.4	20.0	1306	4.92	11.9	1.4	4.4	12.0	32	0.5	0.5	0.2	81	0.61	0.105
1417587	Soil	1.1	61.5	17.5	122	0.1	48.7	18.3	831	4.08	11.1	1.0	2.0	8.6	31	0.3	0.6	0.2	83	0.61	0.086
1417590	Soil	2.0	50.6	22.4	104	0.1	42.7	16.6	1036	4.03	23.0	1.3	3.3	9.9	28	0.4	0.7	0.2	49	0.46	0.096



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV
Report Date: August 09, 2016

Page: 7 of 9

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI16000144.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL
1385481	Soil	24	60	0.62	477	0.031	<1	1.41	0.011	0.23	0.1	0.19	9.3	0.2	<0.05	4	1.0	<0.2
1385482	Soil	35	108	1.19	581	0.058	<1	1.89	0.014	0.34	<0.1	0.11	11.2	0.3	<0.05	6	0.8	<0.2
1385483	Soil	22	75	0.86	419	0.044	2	1.50	0.010	0.25	0.1	0.11	9.0	0.3	<0.05	5	0.6	<0.2
1385479	Soil	23	61	0.61	461	0.050	<1	1.40	0.010	0.26	0.1	0.10	8.9	0.3	<0.05	5	<0.5	<0.2
1385478	Soil	28	78	0.97	441	0.110	1	1.90	0.011	0.62	<0.1	0.12	12.6	0.4	<0.05	7	<0.5	<0.2
1385477	Soil	44	151	1.31	703	0.067	1	2.08	0.008	0.82	<0.1	0.19	29.5	0.4	<0.05	7	<0.5	<0.2
1385476	Soil	27	61	0.65	381	0.060	<1	1.67	0.008	0.46	<0.1	0.13	11.7	0.3	<0.05	6	<0.5	<0.2
1385497	Soil	17	27	0.37	285	0.055	2	1.30	0.008	0.11	0.1	0.04	3.3	0.1	<0.05	4	<0.5	<0.2
1385498	Soil	29	34	0.48	233	0.077	2	1.53	0.008	0.27	0.1	0.03	5.4	0.2	<0.05	6	<0.5	<0.2
1385500	Soil	15	27	0.32	391	0.022	2	1.21	0.006	0.10	0.1	0.07	4.1	0.1	<0.05	4	<0.5	<0.2
1385496	Soil	14	20	0.26	262	0.022	2	0.94	0.006	0.11	<0.1	0.04	3.2	0.1	<0.05	4	<0.5	<0.2
1385494	Soil	14	24	0.33	390	0.027	3	1.10	0.007	0.20	0.1	0.04	5.0	0.1	<0.05	4	<0.5	<0.2
1385493	Soil	17	24	0.37	409	0.023	3	1.21	0.008	0.16	<0.1	0.05	6.8	0.1	<0.05	4	<0.5	<0.2
1385499	Soil	14	27	0.34	416	0.030	2	1.38	0.007	0.10	0.1	0.04	3.6	0.1	<0.05	5	<0.5	<0.2
1385495	Soil	13	31	0.43	480	0.013	3	1.07	0.010	0.21	<0.1	0.35	24.6	0.2	<0.05	3	0.6	<0.2
1385484	Soil	21	33	0.35	552	0.018	2	1.41	0.007	0.15	0.1	0.13	5.3	0.2	<0.05	5	<0.5	<0.2
1385492	Soil	21	41	0.83	252	0.116	1	1.81	0.009	0.44	<0.1	0.10	6.9	0.4	<0.05	6	<0.5	<0.2
1385491	Soil	20	32	0.67	403	0.063	3	1.41	0.014	0.30	0.1	0.17	7.1	0.3	<0.05	5	0.5	<0.2
1385490	Soil	15	31	0.57	342	0.078	2	1.39	0.012	0.19	0.2	0.08	7.1	0.2	<0.05	5	<0.5	<0.2
1385489	Soil	16	29	0.77	307	0.077	2	1.18	0.023	0.18	0.2	0.09	4.6	0.1	<0.05	4	<0.5	<0.2
1385488	Soil	22	33	0.76	305	0.108	2	1.35	0.021	0.28	0.2	0.04	5.6	0.2	<0.05	5	<0.5	<0.2
1385487	Soil	24	23	0.43	363	0.039	4	0.96	0.016	0.17	0.1	0.14	6.0	0.1	<0.05	3	0.7	<0.2
1385486	Soil	14	24	0.48	248	0.056	2	1.05	0.020	0.13	0.2	0.06	4.7	0.1	<0.05	3	<0.5	<0.2
1385485	Soil	20	46	0.63	487	0.045	3	1.14	0.012	0.22	0.1	0.17	6.0	0.2	0.06	4	<0.5	<0.2
1390379	Soil	14	37	0.12	365	0.003	<1	0.76	0.003	0.12	<0.1	0.22	9.5	0.1	<0.05	2	1.2	<0.2
1417581	Soil	11	20	0.20	460	0.010	<1	0.79	0.014	0.09	<0.1	0.33	14.7	0.2	<0.05	2	<0.5	<0.2
1417582	Soil	15	30	0.37	823	0.050	2	1.35	0.014	0.12	0.1	0.19	9.2	0.1	<0.05	4	<0.5	<0.2
1417594	Soil	18	64	0.80	596	0.114	2	1.63	0.012	0.65	0.1	0.10	12.1	0.4	<0.05	7	<0.5	<0.2
1417587	Soil	21	66	0.75	520	0.080	1	1.74	0.016	0.40	0.1	0.07	12.7	0.3	<0.05	6	<0.5	<0.2
1417590	Soil	25	30	0.42	378	0.037	1	1.03	0.012	0.24	0.2	0.09	7.5	0.2	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV
Report Date: August 09, 2016

Page: 8 of 9

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI16000144.1

Method Analyte	AQ201																				
	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
1390381	Soil	1.7	35.6	56.4	94	0.1	27.0	10.2	486	3.31	12.5	1.1	3.5	7.1	25	0.1	0.7	0.7	49	0.23	0.062
1417593	Soil	1.2	61.6	11.5	88	<0.1	44.4	16.7	762	3.56	21.1	0.8	2.5	4.4	40	0.2	0.8	0.2	72	0.70	0.070
1390380	Soil	3.0	98.4	25.3	186	<0.1	51.6	20.4	608	4.41	5.8	2.2	2.4	15.5	27	0.1	0.3	0.3	63	0.34	0.101
1417595	Soil	2.1	89.9	32.2	155	0.2	82.7	30.8	1350	5.57	9.8	1.0	2.1	7.7	63	0.4	0.8	0.3	102	1.21	0.083
1417597	Soil	1.1	32.0	18.6	55	<0.1	32.4	12.5	601	2.68	10.0	1.5	2.7	2.9	106	0.1	0.8	0.1	40	1.31	0.091
1417588	Soil	1.0	29.4	14.6	71	0.1	25.8	13.2	431	3.20	11.7	1.2	2.1	4.4	37	0.1	0.8	0.5	63	0.59	0.050
1417598	Soil	1.0	32.7	11.1	68	<0.1	33.6	12.6	585	2.70	9.1	1.4	3.6	4.0	90	0.2	0.7	0.1	50	1.05	0.091
1390377	Soil	0.6	25.8	11.1	51	0.6	33.0	7.6	738	1.27	4.6	0.7	2.0	1.9	108	0.8	0.5	0.1	24	1.67	0.069
1417584	Soil	1.2	21.8	13.6	75	<0.1	20.7	10.6	576	3.45	13.5	0.8	4.4	6.3	25	0.1	0.6	0.1	56	0.38	0.061
1417596	Soil	0.6	42.8	26.6	94	0.1	36.9	16.4	602	4.16	16.8	1.6	3.9	15.2	58	<0.1	0.9	0.2	39	1.42	0.067
1417589	Soil	1.1	65.6	15.3	84	<0.1	44.0	22.6	918	4.75	10.5	0.9	2.7	6.9	24	0.1	0.6	0.1	87	0.62	0.071
1417585	Soil	1.4	42.8	12.7	135	<0.1	18.3	15.6	986	5.71	15.6	1.3	2.0	9.4	22	0.2	0.6	0.2	60	0.47	0.107
1417592	Soil	1.6	75.5	15.8	142	<0.1	63.9	22.0	1114	4.97	23.0	1.3	1.1	8.5	23	0.2	0.5	0.2	113	0.63	0.122
1390378	Soil	2.8	72.6	39.7	181	0.2	70.8	16.7	841	4.07	16.7	2.0	7.2	11.1	36	0.7	2.1	0.5	58	0.59	0.178
1390382	Soil	1.3	93.4	14.1	107	0.2	75.9	32.6	1325	6.11	2.5	0.9	1.3	4.3	51	0.3	0.7	0.4	125	3.19	0.088
1417586	Soil	1.2	39.6	20.2	78	<0.1	35.2	14.3	644	3.95	90.7	1.3	0.6	11.5	29	0.1	0.9	0.2	48	0.42	0.068
1417583	Soil	0.9	20.6	9.9	66	<0.1	15.8	8.5	351	3.07	12.2	0.7	1.5	4.4	22	<0.1	0.5	0.1	51	0.37	0.049
1417591	Soil	1.8	45.9	20.2	131	<0.1	37.2	15.2	830	4.08	11.5	0.9	1.3	9.7	22	0.1	0.5	0.2	76	0.48	0.098
1417600	Soil	1.7	39.0	28.8	101	0.2	35.3	13.4	734	3.14	27.8	1.6	0.8	5.4	50	0.5	0.7	0.2	57	0.64	0.083
1390376	Soil	1.9	53.2	35.3	117	0.3	60.0	16.9	765	3.57	84.6	1.5	3.3	3.8	54	0.8	0.9	0.3	56	0.76	0.087
1417599	Soil	1.9	46.5	27.0	110	0.2	38.9	12.3	711	3.10	25.1	1.9	1.4	4.8	63	0.5	0.7	0.2	57	0.89	0.092
1390383	Soil	2.7	83.8	50.1	221	0.2	59.4	19.5	1328	3.95	7.1	1.2	5.2	8.4	32	0.9	2.2	0.2	54	0.95	0.100
1418573	Soil	1.3	27.5	22.0	81	<0.1	27.5	12.0	347	3.65	26.2	1.1	<0.5	9.8	20	<0.1	0.7	0.2	44	0.18	0.042
1418572	Soil	1.3	28.8	14.2	73	<0.1	33.6	12.1	345	3.79	8.8	1.1	0.6	9.1	21	0.1	0.8	0.2	57	0.25	0.045
1418569	Soil	1.3	27.9	16.7	71	<0.1	40.5	14.4	390	3.74	28.6	1.2	1.6	10.5	21	<0.1	0.5	0.1	60	0.23	0.035
1418570	Soil	1.5	31.2	19.2	82	<0.1	42.7	13.8	629	4.21	38.8	1.3	3.5	9.1	15	0.1	0.5	0.2	65	0.14	0.076
1418571	Soil	0.9	25.5	13.0	63	<0.1	35.4	11.9	358	3.37	14.7	1.2	0.9	8.4	26	<0.1	0.5	0.1	59	0.31	0.042
1418565	Soil	1.1	16.5	10.5	65	<0.1	13.8	10.1	772	3.24	8.8	1.1	<0.5	4.2	40	<0.1	0.4	0.1	51	0.41	0.037
1418568	Soil	1.2	25.7	9.7	60	<0.1	20.1	13.4	388	3.71	22.6	1.0	1.0	5.4	21	<0.1	0.5	0.2	65	0.33	0.047
1418567	Soil	2.0	50.8	38.5	108	<0.1	44.4	15.6	722	4.40	48.4	1.3	<0.5	7.2	34	<0.1	2.2	0.3	56	0.29	0.069



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV
Report Date: August 09, 2016

Page: 8 of 9

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI16000144.1

Method Analyte Unit MDL	AQ201																	
	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te	
	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1390381	Soil	19	25	0.19	311	0.009	<1	0.88	0.008	0.10	<0.1	0.04	7.1	0.1	<0.05	3	<0.5	<0.2
1417593	Soil	16	42	0.49	519	0.044	1	1.23	0.019	0.19	0.1	0.06	10.7	0.1	<0.05	4	<0.5	<0.2
1390380	Soil	38	36	0.19	292	0.006	<1	0.91	0.006	0.21	<0.1	0.10	13.4	0.2	<0.05	3	<0.5	<0.2
1417595	Soil	16	90	0.91	761	0.036	1	1.43	0.012	0.47	<0.1	0.23	20.9	0.3	<0.05	5	0.6	<0.2
1417597	Soil	19	29	0.37	418	0.029	4	0.81	0.015	0.12	0.2	0.10	4.5	0.1	0.06	3	<0.5	<0.2
1417588	Soil	13	34	0.50	508	0.054	2	1.52	0.018	0.10	0.1	0.05	6.9	0.1	<0.05	5	<0.5	<0.2
1417598	Soil	20	33	0.50	476	0.050	2	1.15	0.018	0.10	0.2	0.06	5.3	<0.1	<0.05	4	<0.5	<0.2
1390377	Soil	15	14	0.18	1880	0.004	6	1.17	0.013	0.12	<0.1	0.34	8.0	0.2	0.10	2	<0.5	<0.2
1417584	Soil	14	34	0.49	324	0.072	1	1.43	0.014	0.23	0.2	0.06	7.3	0.2	<0.05	5	<0.5	<0.2
1417596	Soil	32	30	0.61	311	0.029	<1	1.03	0.012	0.33	<0.1	0.16	9.7	0.2	<0.05	4	<0.5	<0.2
1417589	Soil	18	69	0.67	492	0.035	1	1.46	0.028	0.30	<0.1	0.12	17.5	0.2	<0.05	5	<0.5	<0.2
1417585	Soil	15	17	0.38	430	0.021	2	1.14	0.006	0.35	<0.1	0.17	19.1	0.2	<0.05	4	<0.5	<0.2
1417592	Soil	25	93	0.94	817	0.129	1	1.91	0.010	0.65	0.1	0.12	15.9	0.4	<0.05	7	<0.5	<0.2
1390378	Soil	25	22	0.12	697	0.002	2	0.71	0.003	0.17	<0.1	0.25	13.5	0.2	<0.05	2	<0.5	<0.2
1390382	Soil	20	81	0.56	833	0.024	3	1.36	0.009	0.43	<0.1	0.10	25.5	0.2	<0.05	5	0.7	<0.2
1417586	Soil	27	32	0.39	333	0.043	2	1.09	0.010	0.28	0.1	0.08	8.9	0.2	<0.05	4	<0.5	<0.2
1417583	Soil	12	29	0.34	352	0.045	2	1.21	0.013	0.12	0.1	0.06	7.1	0.1	<0.05	4	<0.5	<0.2
1417591	Soil	17	52	0.77	500	0.115	3	1.73	0.012	0.60	<0.1	0.03	9.0	0.3	<0.05	6	<0.5	<0.2
1417600	Soil	18	34	0.40	564	0.024	3	1.03	0.011	0.12	0.1	0.18	8.7	0.1	<0.05	3	<0.5	<0.2
1390376	Soil	22	39	0.34	852	0.010	2	0.99	0.009	0.13	<0.1	0.20	11.0	0.1	<0.05	3	1.3	<0.2
1417599	Soil	18	32	0.42	710	0.021	3	0.99	0.011	0.12	0.1	0.19	9.7	0.2	0.05	3	1.0	<0.2
1390383	Soil	22	26	0.19	328	0.004	2	0.76	0.007	0.13	<0.1	0.42	9.9	0.2	<0.05	2	0.9	<0.2
1418573	Soil	22	31	0.37	289	0.038	2	1.49	0.007	0.29	<0.1	0.05	5.6	0.2	<0.05	5	<0.5	<0.2
1418572	Soil	30	48	0.75	345	0.073	1	1.93	0.009	0.36	0.1	0.03	5.4	0.3	<0.05	6	<0.5	<0.2
1418569	Soil	24	53	0.75	289	0.142	2	1.72	0.010	0.56	0.1	0.01	6.3	0.4	<0.05	6	<0.5	<0.2
1418570	Soil	28	57	0.87	251	0.112	2	2.30	0.012	0.57	0.1	0.04	6.1	0.4	<0.05	8	<0.5	<0.2
1418571	Soil	27	45	0.73	341	0.120	1	1.74	0.013	0.34	0.1	0.04	5.9	0.2	<0.05	6	<0.5	<0.2
1418565	Soil	14	21	0.38	618	0.022	2	1.40	0.012	0.11	0.1	0.06	9.4	0.1	<0.05	5	<0.5	<0.2
1418568	Soil	22	35	0.71	451	0.069	2	1.59	0.009	0.31	0.1	0.05	9.2	0.2	<0.05	5	<0.5	<0.2
1418567	Soil	15	27	0.15	495	0.002	3	0.89	0.004	0.09	<0.1	0.22	9.5	<0.1	<0.05	2	0.7	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV
Report Date: August 09, 2016

Page: 9 of 9

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI16000144.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL
1418566	Soil	0.8	16.9	10.5	46	<0.1	15.1	8.2	373	2.57	9.2	0.9	4.4	3.6	27	0.1	0.4	<0.1	43	0.30	0.042
1418562	Soil	1.0	26.5	14.6	62	<0.1	26.9	11.5	377	3.02	11.7	1.0	3.1	6.8	30	<0.1	0.6	0.2	52	0.41	0.051
1418563	Soil	1.2	13.6	24.4	60	<0.1	20.0	11.0	485	2.81	24.9	0.5	<0.5	5.1	23	<0.1	0.6	0.2	44	0.27	0.051
1418564	Soil	0.7	17.2	8.2	54	<0.1	16.0	9.4	387	3.07	10.0	0.9	4.1	4.4	37	<0.1	0.4	0.1	55	0.45	0.043
1418560	Soil	0.9	29.4	14.7	63	<0.1	29.1	11.1	686	2.89	11.5	0.7	3.5	5.9	34	<0.1	0.6	0.2	50	0.54	0.050
1418561	Soil	1.2	21.0	14.4	53	<0.1	22.9	10.3	588	2.87	10.7	0.6	1.9	5.6	21	<0.1	0.5	0.2	52	0.23	0.032
1418557	Soil	0.8	31.1	12.1	52	<0.1	28.1	9.3	281	2.60	29.2	1.4	2.7	3.9	65	0.1	1.1	0.2	49	0.81	0.053
1418558	Soil	1.2	17.8	9.9	45	<0.1	23.3	9.3	273	2.56	13.8	0.7	1.6	3.8	26	<0.1	0.8	0.1	57	0.31	0.017
1418554	Soil	1.6	33.5	21.1	96	0.1	42.0	24.6	1173	4.18	8.8	1.0	2.7	4.7	55	0.2	0.2	0.2	123	0.62	0.118
1418556	Soil	0.6	39.3	10.2	59	<0.1	40.8	15.9	595	3.04	11.5	1.1	6.9	4.1	93	0.2	0.6	0.1	60	1.17	0.070
1418559	Soil	1.3	30.6	19.1	75	<0.1	30.5	12.5	425	3.68	23.1	1.0	1.2	9.2	32	<0.1	1.2	<0.1	50	0.35	0.035
1418553	Soil	1.4	53.1	14.2	91	0.1	54.9	23.9	831	5.41	7.7	1.1	2.9	7.7	84	0.1	0.3	0.2	161	0.90	0.123
1418555	Soil	1.0	27.1	15.3	44	0.1	28.1	12.7	605	2.65	18.0	1.3	<0.5	3.8	125	<0.1	0.9	0.2	35	1.37	0.053
1418552	Soil	2.1	55.0	18.7	110	<0.1	63.1	27.7	1056	5.78	15.8	1.4	3.9	7.2	72	0.2	0.5	0.2	107	0.86	0.121
1418551	Soil	1.3	25.3	12.2	65	<0.1	28.9	16.8	590	3.47	7.7	1.0	1.7	5.7	30	<0.1	0.4	0.1	60	0.33	0.042
1418586	Soil	1.9	39.8	17.9	65	<0.1	37.5	13.9	598	3.51	13.7	1.3	0.7	8.2	39	<0.1	1.0	0.2	50	0.27	0.049
1418585	Soil	0.6	62.9	10.7	76	<0.1	109.9	36.5	757	5.97	2.3	0.7	4.5	8.5	68	<0.1	0.2	0.1	253	1.00	0.168
1418584	Soil	1.4	41.2	13.2	78	<0.1	50.6	17.1	514	4.04	8.7	1.4	3.3	9.3	88	<0.1	0.7	0.1	58	0.65	0.183
1418583	Soil	1.1	31.6	12.1	73	<0.1	33.8	11.6	441	3.28	7.1	1.4	2.0	6.8	53	<0.1	0.6	0.2	56	0.56	0.102
1418582	Soil	1.2	35.1	12.9	71	<0.1	34.2	14.1	470	3.53	6.6	1.2	2.0	9.8	49	<0.1	0.5	0.2	49	0.47	0.093
1418581	Soil	1.0	44.2	12.5	64	<0.1	42.5	14.4	676	3.46	7.0	1.0	4.2	6.4	49	<0.1	0.6	0.2	69	0.66	0.090
1418580	Soil	1.0	32.5	17.9	64	<0.1	69.2	20.9	397	3.89	7.4	0.7	1.8	4.9	36	<0.1	0.5	0.2	90	0.45	0.056
1418579	Soil	1.5	23.1	11.6	56	<0.1	28.1	10.8	371	2.64	8.9	0.6	2.3	3.8	30	<0.1	0.6	0.2	57	0.42	0.039
1418578	Soil	1.1	36.2	11.8	71	<0.1	56.8	18.4	454	4.09	8.9	1.2	1.7	8.8	30	<0.1	0.6	0.1	62	0.48	0.082
1418577	Soil	1.2	10.2	7.6	43	<0.1	16.4	6.9	292	2.16	9.0	0.4	0.7	2.8	20	<0.1	0.3	0.1	55	0.24	0.057
1418575	Soil	0.9	20.8	13.3	55	<0.1	19.5	9.0	230	2.76	8.7	0.9	<0.5	7.0	17	<0.1	0.5	0.1	42	0.21	0.040
1418574	Soil	0.9	17.4	12.1	53	<0.1	21.5	10.0	240	2.80	9.2	1.0	0.8	7.5	18	<0.1	0.5	0.1	46	0.22	0.035
1418576	Soil	1.0	22.7	13.9	55	<0.1	23.2	9.5	240	2.77	11.8	0.8	3.9	6.8	21	<0.1	0.7	0.1	44	0.25	0.042



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV
Report Date: August 09, 2016

Page: 9 of 9

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI16000144.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	
1418566	Soil	14	21	0.35	353	0.033	2	1.29	0.012	0.11	0.1	0.06	5.8	<0.1	<0.05	4	<0.5	<0.2
1418562	Soil	23	33	0.38	540	0.044	2	1.46	0.010	0.14	0.1	0.06	6.6	0.1	<0.05	4	<0.5	<0.2
1418563	Soil	13	23	0.29	292	0.029	3	0.99	0.007	0.15	0.1	0.03	4.0	0.1	<0.05	3	<0.5	<0.2
1418564	Soil	15	25	0.52	465	0.050	3	1.47	0.015	0.22	0.1	0.04	9.2	0.1	<0.05	5	<0.5	<0.2
1418560	Soil	17	29	0.45	344	0.053	2	1.29	0.018	0.14	0.1	0.08	6.4	0.1	<0.05	4	<0.5	<0.2
1418561	Soil	13	29	0.32	324	0.049	1	1.34	0.012	0.13	0.1	0.03	4.8	0.1	<0.05	4	<0.5	<0.2
1418557	Soil	16	30	0.46	449	0.044	2	1.32	0.017	0.10	0.1	0.23	5.8	<0.1	<0.05	4	<0.5	<0.2
1418558	Soil	12	34	0.42	417	0.055	2	1.50	0.011	0.07	0.1	0.02	5.0	<0.1	<0.05	4	<0.5	<0.2
1418554	Soil	26	69	1.04	436	0.093	3	1.79	0.015	0.42	0.1	0.16	9.3	0.3	<0.05	6	<0.5	<0.2
1418556	Soil	20	37	0.51	456	0.044	3	1.28	0.017	0.17	0.1	0.12	8.6	0.1	<0.05	4	<0.5	<0.2
1418559	Soil	18	31	0.33	394	0.038	2	1.27	0.012	0.14	0.1	0.06	6.5	0.1	<0.05	4	<0.5	<0.2
1418553	Soil	40	85	1.37	513	0.119	3	2.10	0.013	0.62	<0.1	0.10	17.1	0.4	<0.05	7	<0.5	<0.2
1418555	Soil	15	22	0.43	292	0.018	3	0.81	0.014	0.13	<0.1	0.27	5.8	0.1	0.05	2	<0.5	<0.2
1418552	Soil	34	56	0.54	634	0.028	2	1.35	0.009	0.31	<0.1	0.09	16.6	0.2	<0.05	4	<0.5	<0.2
1418551	Soil	21	33	0.41	375	0.050	2	1.53	0.010	0.16	<0.1	0.04	6.0	0.2	<0.05	5	<0.5	<0.2
1418586	Soil	27	30	0.31	419	0.019	<1	1.23	0.009	0.14	<0.1	0.04	6.6	0.1	<0.05	4	<0.5	<0.2
1418585	Soil	33	258	3.50	755	0.229	1	3.60	0.015	1.37	<0.1	0.03	10.3	0.6	<0.05	12	<0.5	<0.2
1418584	Soil	39	52	0.63	475	0.067	1	1.64	0.012	0.27	<0.1	0.09	8.5	0.2	<0.05	5	<0.5	<0.2
1418583	Soil	29	38	0.54	534	0.063	<1	1.53	0.012	0.21	0.1	0.09	7.3	0.1	<0.05	5	<0.5	<0.2
1418582	Soil	29	34	0.43	390	0.056	2	1.15	0.014	0.21	0.2	0.05	6.3	0.2	<0.05	4	<0.5	<0.2
1418581	Soil	26	47	0.63	439	0.065	2	1.42	0.020	0.19	0.2	0.06	8.2	0.2	<0.05	5	<0.5	<0.2
1418580	Soil	17	90	0.90	345	0.075	2	1.68	0.012	0.18	<0.1	0.04	7.6	0.2	<0.05	6	<0.5	<0.2
1418579	Soil	13	34	0.38	326	0.048	3	1.33	0.010	0.11	<0.1	0.05	4.2	0.1	<0.05	4	<0.5	<0.2
1418578	Soil	23	63	0.57	374	0.037	2	1.54	0.009	0.18	<0.1	0.07	8.4	0.1	<0.05	5	<0.5	<0.2
1418577	Soil	12	28	0.36	186	0.066	2	0.95	0.008	0.12	0.1	0.02	2.6	<0.1	<0.05	5	0.6	<0.2
1418575	Soil	16	24	0.32	243	0.027	1	1.30	0.008	0.13	0.1	0.03	4.1	0.1	<0.05	4	<0.5	<0.2
1418574	Soil	19	29	0.40	353	0.043	2	1.37	0.008	0.13	<0.1	0.02	4.4	0.1	<0.05	4	<0.5	<0.2
1418576	Soil	17	26	0.36	286	0.030	2	1.18	0.008	0.09	<0.1	0.03	4.1	<0.1	<0.05	3	<0.5	<0.2



QUALITY CONTROL REPORT

WHI16000144.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
1390390	Soil	2.6	44.4	40.5	148	<0.1	33.1	12.1	484	3.98	15.7	1.5	0.7	9.0	20	0.3	0.6	0.3	66	0.17	0.069
REP 1390390	QC	2.6	42.2	39.5	140	<0.1	30.9	11.6	462	3.92	15.4	1.5	2.5	9.0	17	0.3	0.5	0.2	66	0.17	0.064
1352835	Soil	1.1	16.2	8.5	80	<0.1	20.2	12.6	473	4.27	6.4	0.7	<0.5	5.6	21	<0.1	0.3	<0.1	72	0.34	0.048
REP 1352835	QC	1.1	16.1	8.5	80	<0.1	19.8	12.7	489	4.64	6.3	0.7	<0.5	5.7	20	<0.1	0.3	<0.1	75	0.34	0.049
1392844	Soil	0.8	34.3	11.9	69	0.1	36.0	12.4	427	3.01	9.0	1.3	3.5	6.0	63	0.2	0.7	0.1	51	0.78	0.101
REP 1392844	QC	0.8	36.3	11.5	71	0.1	36.6	12.9	450	3.15	8.8	1.3	4.8	5.8	61	0.1	0.6	0.1	51	0.77	0.099
1390441	Soil	1.6	42.1	35.7	119	<0.1	36.5	11.9	335	3.85	41.2	1.4	2.4	8.6	19	0.1	1.9	0.4	59	0.18	0.045
REP 1390441	QC	1.4	39.7	35.8	114	<0.1	36.4	12.4	322	3.87	39.8	1.4	0.5	8.7	19	0.2	1.9	0.4	56	0.18	0.044
1335741	Soil	0.7	32.8	15.1	51	0.1	26.2	9.6	336	2.50	12.2	0.5	5.1	4.4	27	<0.1	0.8	0.1	52	0.41	0.043
REP 1335741	QC	0.7	35.0	15.8	54	0.1	27.6	9.7	347	2.69	12.9	0.5	5.3	4.6	27	<0.1	0.7	0.2	55	0.43	0.041
1417597	Soil	1.1	32.0	18.6	55	<0.1	32.4	12.5	601	2.68	10.0	1.5	2.7	2.9	106	0.1	0.8	0.1	40	1.31	0.091
REP 1417597	QC	1.3	34.7	19.4	58	<0.1	34.1	12.7	624	2.81	10.0	1.6	7.3	2.9	111	0.1	0.8	0.2	42	1.34	0.094
1418556	Soil	0.6	39.3	10.2	59	<0.1	40.8	15.9	595	3.04	11.5	1.1	6.9	4.1	93	0.2	0.6	0.1	60	1.17	0.070
REP 1418556	QC	0.8	39.5	9.9	58	<0.1	40.5	15.7	585	3.03	10.9	1.1	4.0	3.9	88	<0.1	0.6	0.1	58	1.10	0.065
1418576	Soil	1.0	22.7	13.9	55	<0.1	23.2	9.5	240	2.77	11.8	0.8	3.9	6.8	21	<0.1	0.7	0.1	44	0.25	0.042
REP 1418576	QC	0.9	22.3	13.6	53	<0.1	22.8	9.3	236	2.74	11.2	0.8	2.7	7.0	20	<0.1	0.8	0.1	43	0.25	0.041
Reference Materials																					
STD DS10	Standard	15.0	150.5	148.7	364	1.8	73.4	12.5	873	2.75	45.6	2.7	68.0	7.7	71	2.4	9.9	12.3	44	1.07	0.073
STD DS10	Standard	14.6	156.9	152.2	373	1.8	75.8	13.2	925	2.87	46.0	2.7	82.7	7.8	72	2.6	10.1	12.7	44	1.06	0.074
STD DS10	Standard	15.3	152.1	145.1	364	1.9	74.5	13.0	881	2.72	47.0	2.6	73.3	7.4	63	2.8	9.3	11.4	42	1.10	0.072
STD DS10	Standard	14.7	158.6	150.4	365	2.0	75.0	13.3	914	2.77	46.1	2.6	74.3	7.3	65	2.5	9.7	11.4	43	1.01	0.075
STD DS10	Standard	14.9	140.1	146.2	369	1.9	72.2	12.1	891	2.76	45.7	2.6	75.3	7.4	65	2.9	9.1	11.9	42	1.03	0.071
STD DS10	Standard	14.1	143.0	141.4	367	1.8	74.7	12.9	871	2.80	43.5	2.6	70.3	7.4	62	2.6	9.3	10.9	42	1.02	0.070
STD DS10	Standard	14.2	158.1	150.1	367	1.9	74.5	12.5	908	2.77	46.2	2.7	68.3	7.8	73	2.6	10.0	12.6	45	1.08	0.079
STD DS10	Standard	14.1	153.9	147.7	366	1.8	72.6	12.9	877	2.71	43.8	2.6	99.2	7.7	71	2.4	10.1	12.4	44	1.03	0.076
STD OXC129	Standard	1.1	26.4	6.6	41	<0.1	78.3	20.0	427	3.03	<0.5	0.7	197.0	2.0	196	<0.1	<0.1	<0.1	52	0.69	0.102
STD OXC129	Standard	1.2	26.7	6.4	39	<0.1	77.1	19.4	420	2.96	<0.5	0.7	194.8	1.8	186	<0.1	<0.1	<0.1	51	0.66	0.101
STD OXC129	Standard	1.4	27.2	6.3	41	<0.1	77.0	20.5	408	3.13	0.7	0.6	195.0	1.7	186	<0.1	<0.1	<0.1	54	0.69	0.099



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV
Report Date: August 09, 2016

Page: 1 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI16000144.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																		
1390390	Soil	17	33	0.25	265	0.029	<1	1.31	0.007	0.13	<0.1	0.06	6.3	0.1	<0.05	4	<0.5	<0.2
REP 1390390	QC	18	32	0.25	261	0.029	<1	1.25	0.008	0.13	0.1	0.06	5.9	0.1	<0.05	5	0.8	<0.2
1352835	Soil	11	59	1.39	328	0.187	1	2.48	0.010	0.86	0.2	0.01	9.8	0.4	<0.05	11	0.7	<0.2
REP 1352835	QC	11	59	1.45	327	0.180	<1	2.58	0.011	0.76	0.1	<0.01	9.7	0.3	<0.05	11	<0.5	<0.2
1392844	Soil	26	39	0.58	528	0.062	2	1.42	0.021	0.17	0.2	0.09	7.1	0.1	<0.05	5	1.1	<0.2
REP 1392844	QC	26	39	0.56	515	0.062	3	1.39	0.020	0.18	0.2	0.09	7.0	0.1	<0.05	4	0.8	<0.2
1390441	Soil	18	31	0.32	280	0.030	<1	1.24	0.010	0.22	0.1	0.01	5.8	0.2	<0.05	5	0.8	<0.2
REP 1390441	QC	18	29	0.31	285	0.030	1	1.25	0.009	0.21	<0.1	0.02	5.7	0.2	<0.05	4	1.0	<0.2
1335741	Soil	16	29	0.47	280	0.065	1	1.12	0.019	0.08	0.1	0.05	5.4	<0.1	<0.05	3	<0.5	<0.2
REP 1335741	QC	16	29	0.46	277	0.067	<1	1.15	0.021	0.09	0.2	0.06	5.6	<0.1	<0.05	3	<0.5	<0.2
1417597	Soil	19	29	0.37	418	0.029	4	0.81	0.015	0.12	0.2	0.10	4.5	0.1	0.06	3	<0.5	<0.2
REP 1417597	QC	19	30	0.36	432	0.029	4	0.84	0.015	0.13	0.2	0.10	4.5	0.1	0.05	3	<0.5	<0.2
1418556	Soil	20	37	0.51	456	0.044	3	1.28	0.017	0.17	0.1	0.12	8.6	0.1	<0.05	4	<0.5	<0.2
REP 1418556	QC	20	35	0.50	443	0.041	2	1.21	0.016	0.16	0.1	0.12	7.9	0.1	<0.05	4	<0.5	<0.2
1418576	Soil	17	26	0.36	286	0.030	2	1.18	0.008	0.09	<0.1	0.03	4.1	<0.1	<0.05	3	<0.5	<0.2
REP 1418576	QC	17	25	0.35	281	0.029	1	1.18	0.008	0.09	0.1	0.03	4.2	<0.1	<0.05	3	0.6	<0.2
Reference Materials																		
STD DS10	Standard	18	55	0.76	374	0.083	7	1.05	0.068	0.34	3.4	0.29	3.1	5.2	0.26	4	2.0	5.0
STD DS10	Standard	18	55	0.81	349	0.082	8	1.07	0.071	0.34	3.5	0.28	2.9	5.4	0.29	4	2.1	5.1
STD DS10	Standard	18	54	0.77	375	0.079	9	1.05	0.064	0.37	3.5	0.31	3.4	5.1	0.24	5	2.6	4.9
STD DS10	Standard	17	56	0.80	358	0.075	6	1.04	0.065	0.32	3.4	0.27	3.2	5.3	0.23	5	2.8	5.0
STD DS10	Standard	18	55	0.81	350	0.076	5	1.09	0.066	0.31	3.2	0.28	3.1	5.1	0.30	5	2.8	5.0
STD DS10	Standard	18	54	0.74	362	0.073	7	0.99	0.062	0.32	3.2	0.28	2.8	5.0	0.24	5	2.8	4.6
STD DS10	Standard	18	56	0.78	362	0.084	8	1.07	0.076	0.34	3.1	0.30	3.1	5.0	0.30	4	2.2	4.8
STD DS10	Standard	18	56	0.76	362	0.082	8	1.07	0.069	0.33	3.2	0.29	3.1	4.9	0.28	4	2.1	4.4
STD OXC129	Standard	13	52	1.53	51	0.406	2	1.57	0.572	0.35	<0.1	<0.01	1.0	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	13	49	1.54	49	0.400	<1	1.50	0.585	0.36	<0.1	<0.01	0.6	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	12	54	1.57	49	0.371	<1	1.65	0.616	0.38	0.1	<0.01	1.5	<0.1	<0.05	6	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV
Report Date: August 09, 2016

Page: 2 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI16000144.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
STD OXC129	Standard	1.3	26.6	6.4	40	<0.1	78.6	19.6	441	3.04	<0.5	0.6	202.9	1.7	175	<0.1	<0.1	<0.1	49	0.60	0.109
STD OXC129	Standard	1.3	26.2	6.3	41	<0.1	80.4	20.3	396	3.05	0.7	0.7	199.2	1.8	185	<0.1	<0.1	<0.1	53	0.71	0.103
STD OXC129	Standard	1.2	26.6	6.2	40	<0.1	79.5	20.2	416	3.19	0.7	0.7	191.8	1.9	185	<0.1	<0.1	<0.1	54	0.76	0.094
STD OXC129	Standard	1.4	27.9	6.4	41	<0.1	80.0	20.6	427	3.07	<0.5	0.7	199.7	1.8	188	<0.1	<0.1	<0.1	55	0.66	0.108
STD OXC129	Standard	1.2	27.1	6.4	41	<0.1	78.5	19.8	424	3.05	<0.5	0.7	191.1	1.8	186	<0.1	<0.1	<0.1	53	0.66	0.104
STD DS10 Expected		15.1	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	2.59	91.9	7.5	67.1	2.62	9	11.65	43	1.0625	0.0765
STD OXC129 Expected		1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	0.72	195	1.9					51	0.665	0.102
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001



QUALITY CONTROL REPORT

WHI16000144.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD OXC129	Standard	12	47	1.59	49	0.352	<1	1.56	0.599	0.38	<0.1	<0.01	1.5	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	12	51	1.54	51	0.370	1	1.59	0.604	0.35	<0.1	0.01	1.3	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	11	51	1.55	50	0.386	2	1.51	0.559	0.36	0.1	<0.01	1.0	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	13	53	1.56	51	0.409	1	1.57	0.600	0.38	<0.1	<0.01	0.9	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	13	51	1.53	49	0.400	2	1.54	0.608	0.37	<0.1	<0.01	0.7	<0.1	<0.05	5	<0.5	<0.2
STD DS10 Expected		17.5	54.6	0.775	359	0.0817		1.0755	0.067	0.338	3.32	0.3	3	5.1	0.29	4.5	2.3	5.01
STD OXC129 Expected		13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1			5.6		
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver British Columbia V6C 1E1 Canada

Submitted By: David Terry
Receiving Lab: Canada-Whitehorse
Received: August 23, 2016
Report Date: September 09, 2016
Page: 1 of 9

CERTIFICATE OF ANALYSIS

WHI16000209.1

CLIENT JOB INFORMATION

Project: QV
Shipment ID: QVV2016-08-19Soil
P.O. Number
Number of Samples: 213

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver British Columbia V6C 1E1
Canada

CC: Jodie Gibson

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	213	Dry at 60C			WHI
SS80	213	Dry at 60C sieve 100g to -80 mesh			WHI
AQ201	213	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	213	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver British Columbia V6C 1E1 Canada

Project: QV
Report Date: September 09, 2016

Page: 2 of 9 Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI16000209.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	2	0.01	0.001	
1390489	Soil	1.5	21.5	24.3	72	0.1	17.1	9.1	609	3.36	13.3	1.8	15.0	23.2	21	0.2	0.5	0.3	44	0.39	0.052
1390491	Soil	0.8	30.6	8.4	71	<0.1	26.0	10.5	430	2.60	10.3	0.9	6.1	4.1	39	0.2	0.7	0.2	52	0.75	0.077
1390493	Soil	0.8	34.1	9.0	71	0.1	24.3	9.2	337	2.55	9.0	1.0	4.1	4.2	48	0.3	0.7	0.2	52	0.96	0.094
1390492	Soil	0.6	21.2	7.2	70	<0.1	19.6	8.7	335	2.23	6.4	1.1	6.3	4.8	44	0.3	0.4	0.2	45	0.89	0.097
1390497	Soil	1.0	27.0	19.0	56	0.1	21.1	9.1	448	2.93	14.7	1.1	21.7	13.3	23	<0.1	0.5	0.2	50	0.40	0.055
1390495	Soil	0.6	10.3	26.2	64	0.2	7.1	6.0	574	3.49	16.7	1.3	22.6	20.2	17	0.1	0.4	0.9	51	0.56	0.057
1390494	Soil	3.0	15.7	33.0	97	0.2	10.2	10.4	803	3.80	14.5	1.7	55.8	22.0	33	0.3	0.4	0.6	46	0.76	0.123
1390496	Soil	1.3	16.1	10.8	58	0.1	19.2	10.2	483	2.91	9.5	0.7	2.9	9.0	24	<0.1	0.5	0.2	52	0.43	0.053
1390499	Soil	1.4	23.0	20.4	66	0.1	27.7	10.9	447	2.90	10.3	0.7	4.8	8.5	30	<0.1	0.7	0.2	57	0.46	0.045
1390500	Soil	0.6	28.3	18.4	94	<0.1	20.8	12.4	766	3.93	6.7	0.8	3.2	14.6	32	<0.1	0.5	0.2	59	0.68	0.083
1390498	Soil	0.6	32.4	17.5	105	<0.1	18.8	13.1	883	4.46	10.4	1.1	8.0	19.6	25	<0.1	0.5	0.2	60	0.52	0.088
1390476	Soil	1.1	26.0	16.5	63	<0.1	22.1	9.9	344	2.74	8.9	2.1	7.3	7.6	40	0.2	0.5	0.2	57	0.56	0.073
1390478	Soil	0.9	33.0	10.9	66	0.1	26.9	10.7	463	2.70	8.8	1.0	3.5	4.9	45	0.3	0.6	0.2	55	0.90	0.075
1390477	Soil	1.2	27.3	14.4	66	0.1	24.0	9.6	463	2.81	7.6	1.1	1.1	5.7	38	0.2	0.6	0.2	56	0.63	0.075
1390479	Soil	1.1	35.0	9.5	74	0.1	28.1	10.6	492	2.65	10.5	0.9	3.3	4.3	64	0.5	0.9	0.1	55	2.07	0.087
1390481	Soil	0.7	27.4	8.7	83	0.1	25.9	9.1	425	2.26	8.6	0.6	3.9	3.7	45	0.5	0.8	0.1	39	1.47	0.079
1390480	Soil	1.0	32.2	10.8	66	0.1	27.3	11.2	495	2.47	9.8	1.9	3.6	4.8	53	0.3	0.8	0.1	52	0.87	0.074
1390483	Soil	1.1	26.4	10.1	87	<0.1	16.4	14.0	797	3.74	5.7	1.0	2.6	13.4	29	<0.1	0.4	<0.1	59	0.55	0.120
1390488	Soil	3.0	16.4	22.3	55	0.2	17.2	9.7	602	2.79	36.8	1.3	24.8	10.1	29	0.1	0.6	0.3	45	0.31	0.052
1390482	Soil	0.9	27.1	13.6	70	<0.1	22.4	11.0	607	2.89	10.0	0.7	4.9	6.1	32	0.2	0.7	0.2	56	0.57	0.053
1390484	Soil	0.9	19.0	12.4	111	<0.1	18.1	16.7	1002	4.96	6.6	1.3	2.3	19.9	23	<0.1	0.4	<0.1	74	0.37	0.065
1390486	Soil	0.9	25.3	40.1	76	0.1	21.8	11.8	682	3.63	7.7	1.0	3.6	12.2	26	0.2	0.5	0.7	60	0.40	0.055
1390485	Soil	1.7	25.2	16.9	94	<0.1	22.4	11.8	677	4.07	11.8	1.3	9.0	14.8	24	0.2	0.5	0.1	65	0.36	0.074
1390487	Soil	1.4	34.0	88.3	107	<0.1	23.6	14.1	708	4.58	9.3	1.7	1.3	22.2	34	0.1	0.6	0.9	69	0.49	0.071
1418663	Soil	0.5	25.2	17.3	90	<0.1	19.3	11.7	595	3.92	10.6	1.4	7.9	22.2	25	<0.1	0.5	0.2	55	0.45	0.092
1418662	Soil	0.2	20.8	28.4	85	0.1	8.6	10.9	817	4.27	37.0	2.4	41.9	23.7	23	<0.1	0.3	0.2	31	0.45	0.090
1418664	Soil	0.5	14.0	21.5	68	<0.1	7.3	8.3	656	3.21	6.3	1.1	6.1	12.2	16	0.1	0.2	0.3	46	0.41	0.113
1418661	Soil	0.5	20.2	8.9	105	<0.1	17.7	12.6	778	4.45	6.5	1.9	5.3	22.1	20	<0.1	0.3	0.2	63	0.46	0.101
1418660	Soil	0.6	19.2	13.3	116	<0.1	9.8	14.2	1030	4.94	2.6	1.9	11.6	36.5	18	<0.1	0.2	0.2	62	0.59	0.161
1418659	Soil	3.6	21.7	19.0	131	0.1	11.1	14.6	1096	5.19	8.2	3.9	26.3	28.7	25	0.2	0.3	0.3	67	0.66	0.096



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver British Columbia V6C 1E1 Canada

Project: QV
Report Date: September 09, 2016

Page: 2 of 9

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI16000209.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2
1390489	Soil	54	22	0.37	206	0.031	1	1.49	0.008	0.28	0.3	0.03	6.8	0.2	<0.05	5	<0.5	<0.2
1390491	Soil	16	29	0.59	318	0.078	2	1.34	0.033	0.06	0.2	0.04	4.8	<0.1	<0.05	4	<0.5	<0.2
1390493	Soil	17	27	0.59	312	0.079	3	1.24	0.033	0.10	0.3	0.03	4.5	<0.1	<0.05	4	0.6	<0.2
1390492	Soil	16	25	0.53	272	0.076	3	1.10	0.027	0.10	0.3	0.02	3.8	<0.1	<0.05	4	<0.5	<0.2
1390497	Soil	29	26	0.48	240	0.061	<1	1.44	0.014	0.28	0.4	<0.01	6.2	0.2	<0.05	5	<0.5	<0.2
1390495	Soil	45	10	0.19	138	0.004	2	1.32	0.005	0.30	0.3	<0.01	6.5	0.1	<0.05	5	<0.5	<0.2
1390494	Soil	62	14	0.34	260	0.017	2	1.40	0.010	0.33	0.3	0.03	8.6	0.1	<0.05	6	<0.5	<0.2
1390496	Soil	21	31	0.42	255	0.063	1	1.73	0.010	0.22	0.2	<0.01	6.1	0.1	<0.05	5	<0.5	<0.2
1390499	Soil	27	39	0.52	275	0.104	2	1.69	0.017	0.26	0.2	0.01	7.1	0.1	<0.05	6	<0.5	<0.2
1390500	Soil	44	23	0.93	269	0.112	2	2.01	0.018	0.56	0.2	0.03	7.2	0.3	<0.05	9	<0.5	<0.2
1390498	Soil	66	22	1.04	300	0.150	<1	2.35	0.013	0.97	0.2	0.02	7.9	0.5	<0.05	10	<0.5	<0.2
1390476	Soil	27	36	0.53	247	0.107	1	1.64	0.023	0.08	0.3	<0.01	6.6	0.1	<0.05	6	<0.5	<0.2
1390478	Soil	21	29	0.60	362	0.081	2	1.46	0.030	0.07	0.2	0.03	4.8	<0.1	<0.05	5	<0.5	<0.2
1390477	Soil	22	32	0.58	315	0.078	2	1.68	0.025	0.07	0.2	0.04	5.5	<0.1	<0.05	6	<0.5	<0.2
1390479	Soil	16	28	0.78	396	0.086	2	1.25	0.038	0.09	0.2	0.02	4.5	<0.1	<0.05	4	<0.5	<0.2
1390481	Soil	14	23	0.71	394	0.054	2	1.04	0.022	0.05	0.2	0.03	3.4	<0.1	<0.05	3	0.6	<0.2
1390480	Soil	21	32	0.52	388	0.087	2	1.45	0.028	0.07	0.3	0.03	4.9	<0.1	<0.05	5	<0.5	<0.2
1390483	Soil	40	24	0.69	362	0.091	1	2.15	0.011	0.45	0.1	0.02	6.8	0.2	<0.05	9	<0.5	<0.2
1390488	Soil	29	25	0.35	246	0.045	<1	1.36	0.011	0.23	0.2	<0.01	5.6	0.1	<0.05	4	<0.5	0.2
1390482	Soil	20	31	0.53	303	0.085	<1	1.76	0.022	0.13	0.2	0.03	5.7	0.1	<0.05	6	<0.5	<0.2
1390484	Soil	27	28	1.18	321	0.188	<1	2.65	0.010	0.94	0.1	<0.01	7.2	0.4	<0.05	12	<0.5	<0.2
1390486	Soil	39	29	0.79	234	0.111	1	2.14	0.010	0.53	0.2	0.01	6.8	0.2	<0.05	8	<0.5	<0.2
1390485	Soil	35	34	0.80	258	0.144	2	2.29	0.011	0.59	0.1	<0.01	9.6	0.3	<0.05	9	<0.5	<0.2
1390487	Soil	44	30	1.02	253	0.150	2	2.56	0.009	0.55	0.3	<0.01	8.0	0.3	<0.05	12	<0.5	<0.2
1418663	Soil	58	27	0.72	322	0.076	<1	2.11	0.015	0.55	0.1	<0.01	8.0	0.2	<0.05	8	<0.5	<0.2
1418662	Soil	59	9	0.46	278	0.003	<1	1.75	0.007	0.26	0.4	0.06	5.8	0.1	<0.05	5	<0.5	<0.2
1418664	Soil	17	13	0.61	235	0.103	<1	1.62	0.009	0.29	0.2	<0.01	4.2	0.1	<0.05	8	<0.5	<0.2
1418661	Soil	59	25	0.95	312	0.136	<1	2.22	0.013	0.63	0.1	0.01	8.0	0.3	<0.05	11	<0.5	<0.2
1418660	Soil	91	15	1.22	271	0.176	1	2.56	0.008	1.22	<0.1	<0.01	6.8	0.5	<0.05	12	<0.5	<0.2
1418659	Soil	67	15	0.97	379	0.116	<1	2.37	0.010	0.71	0.2	0.02	10.0	0.4	<0.05	11	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver British Columbia V6C 1E1 Canada

Project: QV
Report Date: September 09, 2016

Page: 3 of 9 Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI16000209.1

Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	
	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
1418658	Soil	0.8	30.4	14.3	70	0.1	21.9	10.4	482	2.76	7.9	1.4	3.2	6.0	44	0.3	0.4	0.3	52	0.86	0.054
1418665	Soil	0.3	9.3	7.4	76	<0.1	5.8	7.9	706	3.50	4.3	1.1	1.0	10.0	18	<0.1	0.1	<0.1	50	0.40	0.135
1418656	Soil	0.9	35.9	18.1	133	0.1	25.8	16.4	1180	4.89	11.6	2.1	18.7	23.4	32	0.3	0.4	0.8	68	0.58	0.086
1418657	Soil	0.5	40.3	8.4	63	0.1	23.4	8.6	449	2.29	6.3	1.4	2.4	4.2	54	0.5	0.5	0.3	44	1.02	0.070
1418654	Soil	0.8	28.1	8.9	62	<0.1	24.6	9.8	484	2.67	8.5	1.1	5.6	6.7	37	0.1	0.5	0.4	54	0.64	0.084
1418655	Soil	0.5	37.0	9.1	55	0.1	23.0	9.5	539	2.53	7.9	1.1	3.6	4.9	44	0.1	0.4	0.6	49	0.80	0.076
1418653	Soil	0.9	31.6	28.9	82	0.1	21.6	11.7	433	2.96	8.4	3.4	8.6	8.5	40	0.2	0.5	0.6	54	0.69	0.090
1418650	Soil	2.0	43.4	10.1	124	0.1	21.9	14.5	722	4.15	6.8	1.9	4.6	18.8	33	0.4	0.4	0.4	64	0.70	0.119
1418649	Soil	1.8	48.0	10.8	133	0.1	20.8	16.7	822	4.71	7.1	2.1	16.1	21.3	32	0.4	0.3	0.3	69	0.74	0.141
1418651	Soil	0.9	39.8	11.0	87	0.1	29.5	12.4	479	2.97	10.3	0.8	3.7	4.6	50	0.4	0.7	0.3	58	1.13	0.086
1418652	Soil	1.0	45.2	11.2	82	0.1	25.4	9.9	485	2.77	6.6	1.7	5.2	7.1	45	0.4	0.6	0.3	53	0.87	0.082
1418720	Soil	1.5	63.2	74.0	146	<0.1	14.0	14.4	987	4.78	4.6	1.8	1.3	33.9	18	0.1	0.2	1.0	66	0.47	0.138
1418713	Soil	0.7	12.1	6.5	103	<0.1	8.0	11.4	883	4.06	2.0	1.3	5.4	20.4	22	<0.1	0.3	<0.1	47	1.10	0.073
1418721	Soil	1.5	19.3	10.6	94	<0.1	12.0	11.2	637	4.06	5.0	1.5	1.2	21.4	17	<0.1	0.4	0.3	57	0.31	0.090
1418714	Soil	1.7	31.5	12.7	80	0.1	18.9	10.9	563	2.63	9.7	1.3	20.2	5.1	36	0.5	0.5	1.9	52	0.72	0.084
1418715	Soil	1.9	308.8	15.3	176	<0.1	9.0	14.2	811	4.60	3.8	1.6	1.6	29.5	20	0.2	0.2	4.9	54	0.47	0.137
1418722	Soil	2.1	6.3	6.2	63	<0.1	7.0	9.4	777	2.87	3.7	0.9	1.9	13.0	9	<0.1	0.2	0.1	39	0.24	0.083
1418709	Soil	1.5	24.8	15.5	60	<0.1	18.1	8.9	559	2.99	6.4	1.6	5.3	11.3	24	<0.1	0.3	0.2	46	0.34	0.049
1418712	Soil	1.9	9.5	23.3	56	<0.1	12.5	6.7	1330	2.32	6.1	1.0	8.3	6.2	25	0.3	0.3	0.2	40	0.35	0.058
1418711	Soil	1.0	17.0	6.9	112	<0.1	11.0	14.6	1028	4.50	2.3	2.5	<0.5	21.0	27	<0.1	0.1	<0.1	54	0.52	0.113
1418718	Soil	2.1	221.7	55.7	194	0.2	8.6	15.7	394	4.52	79.7	7.3	8.9	15.8	49	0.3	0.4	2.4	24	0.22	0.039
1418716	Soil	1.1	45.3	11.5	151	<0.1	11.5	15.6	1253	5.23	2.9	1.8	2.8	24.7	32	0.3	0.3	0.7	82	0.79	0.190
1418719	Soil	2.8	158.9	22.6	183	0.2	13.3	13.1	798	5.08	17.0	3.9	13.5	15.2	17	0.3	0.3	1.7	58	0.27	0.068
1368494	Soil	1.0	32.4	10.3	78	0.1	25.2	10.7	489	2.75	9.2	1.1	3.8	7.0	40	0.3	0.7	0.2	52	0.78	0.093
1368497	Soil	1.5	17.5	13.6	86	<0.1	11.4	9.9	389	3.92	6.6	1.6	2.1	19.8	24	<0.1	0.3	0.2	56	0.45	0.060
1368498	Soil	0.7	31.2	12.6	109	<0.1	22.8	13.1	840	4.35	7.3	1.3	5.0	18.5	31	<0.1	0.4	0.1	65	0.56	0.081
1418710	Soil	1.2	21.5	28.3	90	<0.1	10.7	7.7	521	3.52	7.8	1.4	0.9	5.6	17	0.1	0.4	0.3	53	0.21	0.031
1368492	Soil	0.7	30.0	7.7	63	<0.1	25.1	10.1	434	2.36	9.3	0.7	3.6	3.7	70	0.4	0.7	0.1	50	2.15	0.083
1368495	Soil	0.5	27.7	9.3	59	<0.1	18.7	8.6	391	2.54	7.2	1.2	3.0	4.8	53	<0.1	0.3	0.3	47	1.10	0.091
1368496	Soil	0.6	36.9	22.2	58	0.3	18.9	8.8	526	2.22	7.6	1.4	14.8	6.6	165	0.4	0.8	0.2	39	11.89	0.093

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Comstock Metals Ltd.**
310 - 850 West Hastings St.
Vancouver British Columbia V6C 1E1 Canada

Project: QV
Report Date: September 09, 2016

Page: 3 of 9

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI16000209.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	
1418658	Soil	22	28	0.59	297	0.083	1	1.49	0.026	0.20	0.2	0.02	5.0	0.1	<0.05	5	<0.5	<0.2
1418665	Soil	16	11	0.79	172	0.164	<1	1.92	0.008	0.50	0.2	<0.01	5.9	0.2	<0.05	9	<0.5	<0.2
1418656	Soil	56	29	1.15	402	0.130	<1	2.40	0.022	0.86	0.2	0.04	8.6	0.4	<0.05	11	<0.5	<0.2
1418657	Soil	22	25	0.54	308	0.078	2	1.33	0.028	0.16	0.2	0.02	4.5	0.1	<0.05	4	<0.5	<0.2
1418654	Soil	20	29	0.64	190	0.094	1	1.30	0.035	0.17	0.2	0.01	4.3	0.1	<0.05	5	<0.5	<0.2
1418655	Soil	22	26	0.57	356	0.084	1	1.33	0.033	0.11	0.2	0.03	4.4	<0.1	<0.05	5	0.6	<0.2
1418653	Soil	24	27	0.65	241	0.097	2	1.33	0.028	0.22	0.2	0.03	4.4	0.1	<0.05	5	0.7	<0.2
1418650	Soil	51	32	0.87	318	0.111	2	1.89	0.021	0.45	0.2	0.03	8.3	0.3	<0.05	8	<0.5	<0.2
1418649	Soil	54	30	0.98	302	0.114	2	1.98	0.019	0.53	0.2	0.04	9.0	0.3	<0.05	9	0.5	<0.2
1418651	Soil	18	32	0.84	299	0.091	3	1.47	0.038	0.14	0.2	0.02	5.1	0.1	<0.05	5	<0.5	<0.2
1418652	Soil	30	28	0.68	321	0.090	3	1.44	0.030	0.21	0.2	0.04	5.0	0.1	<0.05	5	<0.5	<0.2
1418720	Soil	47	25	1.22	363	0.230	<1	2.52	0.011	1.32	<0.1	<0.01	7.7	0.6	<0.05	12	<0.5	<0.2
1418713	Soil	41	13	1.15	304	0.174	1	2.19	0.010	0.64	<0.1	0.01	6.7	0.4	<0.05	11	<0.5	<0.2
1418721	Soil	29	20	0.94	209	0.100	<1	2.06	0.010	0.52	0.1	0.02	5.3	0.3	<0.05	10	<0.5	<0.2
1418714	Soil	19	26	0.50	276	0.080	1	1.27	0.021	0.13	0.4	0.04	4.4	0.1	<0.05	4	<0.5	0.3
1418715	Soil	36	22	0.99	206	0.201	<1	2.21	0.010	1.24	0.6	<0.01	4.6	0.6	<0.05	11	<0.5	<0.2
1418722	Soil	18	16	0.56	223	0.090	<1	1.48	0.010	0.49	<0.1	0.02	5.3	0.2	<0.05	7	<0.5	<0.2
1418709	Soil	35	26	0.55	271	0.066	<1	1.76	0.012	0.24	0.4	0.02	6.9	0.1	<0.05	7	<0.5	<0.2
1418712	Soil	19	19	0.25	345	0.041	<1	1.11	0.009	0.20	0.4	0.01	3.3	<0.1	<0.05	4	<0.5	<0.2
1418711	Soil	57	17	1.16	268	0.232	<1	2.46	0.010	1.03	<0.1	<0.01	5.6	0.6	<0.05	12	<0.5	<0.2
1418718	Soil	42	15	0.43	278	0.054	<1	1.51	0.024	0.34	<0.1	0.04	2.9	0.5	0.20	5	3.7	<0.2
1418716	Soil	73	16	1.34	464	0.202	<1	2.61	0.010	1.27	0.1	0.01	7.3	0.5	<0.05	11	<0.5	<0.2
1418719	Soil	35	30	0.93	404	0.186	1	2.41	0.009	1.13	0.2	<0.01	6.3	0.6	<0.05	9	0.5	0.3
1368494	Soil	21	27	0.59	307	0.083	3	1.31	0.030	0.16	0.2	0.03	5.1	0.1	<0.05	5	0.6	<0.2
1368497	Soil	58	18	0.63	234	0.066	<1	2.02	0.009	0.45	0.2	0.01	6.0	0.3	<0.05	8	<0.5	<0.2
1368498	Soil	49	23	1.18	281	0.138	1	2.23	0.013	0.49	0.1	0.02	7.7	0.3	<0.05	10	<0.5	<0.2
1418710	Soil	22	18	0.72	220	0.056	<1	2.18	0.009	0.28	0.2	0.01	6.8	0.2	<0.05	10	<0.5	<0.2
1368492	Soil	14	26	0.80	285	0.083	3	1.17	0.042	0.12	0.3	0.01	4.0	<0.1	<0.05	4	0.5	<0.2
1368495	Soil	24	24	0.54	283	0.073	2	1.28	0.027	0.18	0.2	0.03	4.3	0.1	<0.05	4	0.5	<0.2
1368496	Soil	30	16	0.65	584	0.050	3	1.14	0.019	0.28	0.2	0.04	4.0	0.1	<0.05	4	0.6	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver British Columbia V6C 1E1 Canada

Project: QV
Report Date: September 09, 2016

Page: 4 of 9

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI16000209.1

Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	
1418717	Soil	1.4	371.6	26.1	326	<0.1	7.7	11.8	635	6.35	10.3	5.6	6.3	20.2	39	0.5	0.2	4.1	76	0.30	0.096
1368490	Soil	0.4	36.7	60.9	115	<0.1	16.4	13.4	601	5.53	7.8	1.3	25.4	27.5	32	<0.1	0.4	1.2	70	0.69	0.120
1368491	Soil	1.0	28.8	11.7	85	<0.1	17.8	9.3	422	2.77	8.1	1.3	2.0	6.3	32	0.2	0.5	0.3	54	0.54	0.070
1368493	Soil	0.9	38.3	11.9	80	0.1	22.5	10.1	562	2.78	6.3	2.7	5.3	10.1	44	0.4	0.5	0.4	50	0.91	0.074
1368488	Soil	0.8	12.3	11.5	52	<0.1	11.2	7.1	352	2.66	5.5	0.6	2.2	5.3	18	0.1	0.3	0.1	53	0.29	0.051
1368489	Soil	0.5	25.0	38.6	76	<0.1	18.0	12.3	796	3.94	11.4	1.2	8.2	18.1	23	0.3	0.4	0.3	59	0.37	0.094
1368484	Soil	0.5	23.6	24.9	63	<0.1	19.7	10.0	309	2.88	8.8	1.3	8.9	5.4	32	<0.1	0.4	0.3	52	0.50	0.080
1368486	Soil	1.4	18.8	22.2	64	0.1	18.7	8.9	347	2.75	8.1	1.7	7.5	8.0	33	<0.1	0.5	0.2	55	0.45	0.067
1368487	Soil	0.6	14.6	24.0	54	<0.1	13.5	7.5	241	2.79	7.7	1.0	4.3	6.4	26	<0.1	0.4	0.4	57	0.37	0.041
1368479	Soil	1.1	30.9	15.2	88	<0.1	27.1	11.0	682	3.58	10.1	0.7	4.1	16.5	31	0.1	0.5	0.1	53	0.59	0.058
1368483	Soil	0.4	20.2	14.1	115	<0.1	13.0	14.7	763	4.85	4.0	0.9	1.4	23.8	21	<0.1	0.2	0.1	53	0.46	0.137
1368485	Soil	0.5	17.4	22.3	65	0.1	14.7	8.5	359	2.85	5.7	1.2	61.4	6.2	33	0.1	0.4	0.2	54	0.58	0.087
1368478	Soil	0.7	22.9	9.3	120	<0.1	10.9	15.2	784	5.25	4.9	2.0	<0.5	37.0	32	0.1	0.2	0.4	62	0.77	0.164
1368480	Soil	0.8	31.2	19.2	70	0.1	14.6	10.7	794	3.59	19.9	1.5	21.8	16.0	25	0.1	0.6	0.2	38	0.57	0.088
1368482	Soil	0.7	18.1	28.7	116	<0.1	14.2	14.0	765	4.75	5.0	1.1	0.6	20.6	23	0.3	0.5	0.4	56	0.42	0.101
1335975	Soil	1.0	11.0	10.8	64	<0.1	14.0	8.2	586	2.53	5.4	0.9	0.9	4.4	17	0.1	0.3	0.1	52	0.23	0.041
1368477	Soil	0.9	31.6	10.0	67	<0.1	23.3	10.5	320	2.74	11.0	1.2	7.8	6.0	41	0.3	0.6	0.4	58	0.79	0.111
1368476	Soil	1.0	36.5	8.4	72	0.1	29.4	11.0	437	2.57	10.0	0.7	2.0	3.9	50	0.4	0.7	0.2	55	1.51	0.094
1368481	Soil	0.6	35.5	15.6	57	<0.1	31.9	9.7	325	3.12	13.9	1.1	4.6	7.4	28	<0.1	0.7	0.2	62	0.44	0.061
1335974	Soil	1.0	14.1	16.2	152	<0.1	22.9	18.1	709	5.39	5.9	1.9	1.1	9.0	20	<0.1	0.3	0.1	108	0.39	0.071
1335973	Soil	1.0	14.8	13.6	108	<0.1	15.3	12.4	736	4.04	7.3	0.8	2.0	7.2	18	0.2	0.5	0.2	73	0.26	0.084
1335971	Soil	0.8	18.6	8.8	55	<0.1	20.0	9.5	250	2.75	9.8	0.8	15.8	5.9	19	<0.1	0.5	0.2	54	0.21	0.041
1335972	Soil	0.9	14.0	8.4	83	<0.1	16.7	10.7	923	3.43	8.0	0.6	1.1	4.8	19	0.1	0.5	0.1	63	0.28	0.067
1335970	Soil	1.0	9.2	8.5	76	<0.1	8.2	8.6	702	3.36	4.6	0.7	0.8	6.6	16	0.2	0.2	0.2	60	0.22	0.084
1335968	Soil	0.8	16.9	13.1	56	<0.1	15.8	8.5	287	2.69	8.7	1.0	2.9	7.5	24	<0.1	0.3	0.2	53	0.32	0.048
1335969	Soil	0.5	8.9	7.6	66	<0.1	7.8	7.4	449	3.27	4.4	0.7	<0.5	8.0	14	<0.1	0.2	0.1	54	0.21	0.047
1335967	Soil	0.9	20.2	15.3	57	<0.1	16.7	9.4	290	2.65	9.7	1.4	5.7	8.3	23	<0.1	0.5	0.2	53	0.30	0.041
1335966	Soil	0.8	15.9	18.1	65	<0.1	13.0	9.3	413	2.80	8.4	1.1	1.2	8.1	25	<0.1	0.3	0.2	57	0.37	0.058
1335965	Soil	0.7	27.1	11.2	94	<0.1	23.7	12.5	748	4.12	8.4	1.5	<0.5	24.5	22	<0.1	0.4	<0.1	61	0.43	0.080
1335964	Soil	0.8	22.3	10.3	68	<0.1	23.9	11.1	599	3.26	10.6	1.0	2.7	11.7	23	<0.1	0.5	0.1	61	0.36	0.056

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Comstock Metals Ltd.**
310 - 850 West Hastings St.
Vancouver British Columbia V6C 1E1 Canada

Project: QV
Report Date: September 09, 2016

Page: 4 of 9

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI16000209.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1418717	Soil	38	15	1.36	453	0.216	<1	3.12	0.012	1.56	<0.1	<0.01	10.8	1.0	<0.05	11	1.7	<0.2
1368490	Soil	89	33	1.09	465	0.070	<1	2.86	0.008	0.55	0.1	0.02	10.0	0.3	<0.05	12	<0.5	<0.2
1368491	Soil	21	27	0.56	319	0.088	1	1.50	0.022	0.12	0.3	0.04	4.8	0.1	<0.05	5	<0.5	<0.2
1368493	Soil	35	27	0.57	336	0.082	3	1.55	0.025	0.25	0.2	0.04	6.1	0.2	<0.05	5	<0.5	<0.2
1368488	Soil	18	21	0.50	176	0.072	1	1.67	0.010	0.09	0.2	0.02	3.9	<0.1	<0.05	7	<0.5	<0.2
1368489	Soil	55	27	0.58	313	0.056	2	2.00	0.010	0.27	0.4	0.01	6.5	0.2	<0.05	7	<0.5	<0.2
1368484	Soil	21	31	0.60	261	0.088	1	1.64	0.018	0.09	0.2	0.02	5.4	<0.1	<0.05	6	<0.5	<0.2
1368486	Soil	26	35	0.49	290	0.092	<1	1.77	0.015	0.09	0.3	0.02	6.0	<0.1	<0.05	6	<0.5	<0.2
1368487	Soil	19	29	0.51	213	0.067	<1	1.78	0.012	0.05	0.2	0.03	5.1	<0.1	<0.05	7	<0.5	<0.2
1368479	Soil	29	23	0.81	311	0.095	1	1.87	0.021	0.40	0.1	0.02	6.3	0.2	<0.05	8	<0.5	<0.2
1368483	Soil	50	18	1.07	322	0.105	<1	2.33	0.009	0.86	<0.1	<0.01	4.9	0.3	<0.05	12	<0.5	<0.2
1368485	Soil	24	23	0.64	231	0.089	<1	1.65	0.021	0.12	0.2	0.03	4.7	0.1	<0.05	6	<0.5	<0.2
1368478	Soil	85	17	1.13	307	0.188	2	2.45	0.015	1.15	<0.1	0.01	9.5	0.5	<0.05	12	<0.5	<0.2
1368480	Soil	54	15	0.52	321	0.015	1	1.73	0.010	0.27	0.2	0.06	6.2	0.2	<0.05	6	<0.5	<0.2
1368482	Soil	47	19	0.96	214	0.118	1	2.30	0.008	1.00	0.1	0.02	5.3	0.5	<0.05	10	<0.5	<0.2
1335975	Soil	16	24	0.34	245	0.037	1	1.25	0.008	0.08	0.3	0.01	3.5	<0.1	<0.05	5	<0.5	<0.2
1368477	Soil	20	29	0.56	305	0.088	4	1.08	0.027	0.12	0.6	0.04	4.3	0.1	<0.05	4	0.6	<0.2
1368476	Soil	14	29	0.86	266	0.078	2	1.22	0.036	0.09	0.2	0.05	4.4	0.1	<0.05	4	0.9	<0.2
1368481	Soil	26	36	0.54	237	0.093	2	1.44	0.020	0.13	0.2	0.05	7.1	0.1	<0.05	5	<0.5	<0.2
1335974	Soil	48	35	1.53	264	0.154	2	2.79	0.012	1.29	0.4	0.03	11.0	0.6	<0.05	11	<0.5	<0.2
1335973	Soil	20	28	0.74	237	0.063	2	2.10	0.010	0.10	0.1	0.04	8.2	0.1	<0.05	9	<0.5	<0.2
1335971	Soil	16	32	0.51	193	0.083	1	1.42	0.011	0.14	0.2	0.03	4.9	0.2	<0.05	5	<0.5	<0.2
1335972	Soil	17	27	0.71	287	0.097	2	1.94	0.012	0.17	0.2	0.01	7.0	0.1	<0.05	8	<0.5	<0.2
1335970	Soil	13	14	0.76	161	0.168	2	1.77	0.009	0.47	0.2	0.02	5.2	0.3	<0.05	10	<0.5	<0.2
1335968	Soil	28	25	0.52	261	0.086	<1	1.58	0.012	0.09	0.2	0.03	4.6	0.1	<0.05	6	<0.5	<0.2
1335969	Soil	14	12	0.64	162	0.131	1	1.79	0.009	0.28	0.4	0.02	5.0	0.2	<0.05	8	<0.5	<0.2
1335967	Soil	30	32	0.49	302	0.076	<1	1.57	0.013	0.06	0.2	0.02	5.7	<0.1	<0.05	5	<0.5	<0.2
1335966	Soil	25	27	0.55	284	0.104	<1	1.54	0.013	0.11	0.3	0.04	5.1	<0.1	<0.05	7	<0.5	<0.2
1335965	Soil	54	28	0.98	252	0.199	2	2.08	0.013	0.85	0.2	<0.01	7.9	0.4	<0.05	9	<0.5	<0.2
1335964	Soil	30	35	0.67	219	0.124	2	1.67	0.016	0.36	0.2	0.03	7.2	0.2	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver British Columbia V6C 1E1 Canada

Project: QV
Report Date: September 09, 2016

Page: 5 of 9

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI16000209.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	2	0.01	0.001	
1335963	Soil	1.2	74.9	22.8	113	0.2	16.5	11.7	611	3.62	7.2	1.4	1.1	11.2	38	0.2	0.4	1.2	60	0.56	0.065
1335960	Soil	0.7	35.3	12.0	108	<0.1	17.4	12.7	616	4.23	8.9	1.6	19.4	28.3	23	<0.1	0.4	0.3	56	0.47	0.113
1335961	Soil	1.1	51.8	11.5	63	0.2	31.8	12.2	531	2.77	10.5	0.7	3.4	4.9	48	0.1	0.6	0.4	58	1.71	0.065
1335962	Soil	0.8	39.9	10.3	82	<0.1	20.3	11.8	608	3.51	7.2	1.2	8.0	11.7	29	<0.1	0.5	0.9	68	0.60	0.114
1335959	Soil	1.5	18.3	21.7	60	<0.1	23.0	11.2	283	2.74	11.7	0.5	14.7	4.3	24	0.2	0.5	0.4	62	0.33	0.024
1335957	Soil	0.9	29.1	10.4	84	<0.1	25.2	12.6	453	3.51	10.1	1.1	<0.5	12.3	22	<0.1	0.5	0.3	68	0.30	0.044
1335951	Soil	1.0	27.7	9.5	69	0.1	22.1	9.8	412	2.25	7.9	1.0	5.1	3.2	46	0.4	0.7	0.2	46	0.91	0.069
1335954	Soil	0.7	35.9	11.0	85	0.1	18.4	9.6	478	3.18	7.1	0.9	3.9	11.0	52	0.2	0.5	0.4	57	0.97	0.085
1418743	Soil	0.6	67.4	22.6	87	<0.1	21.1	13.4	651	4.04	7.5	1.4	4.8	13.9	32	0.1	0.5	0.2	61	0.59	0.094
1418741	Soil	0.6	13.5	11.6	124	<0.1	16.7	17.9	772	5.68	6.2	1.4	0.9	26.6	21	<0.1	0.4	0.1	57	0.48	0.134
1335956	Soil	0.8	45.4	7.4	120	<0.1	19.7	13.1	808	4.59	6.6	1.6	2.5	27.0	19	<0.1	0.3	0.8	64	0.39	0.102
1335953	Soil	0.9	34.4	10.8	68	0.1	20.6	10.1	789	2.53	6.1	2.1	5.0	5.4	55	0.4	0.5	0.4	49	1.13	0.074
1418748	Soil	0.4	42.2	9.7	90	0.1	19.5	11.9	723	3.50	6.4	2.0	6.4	18.5	131	0.2	0.5	<0.1	49	7.26	0.105
1418746	Soil	0.7	33.0	38.8	54	<0.1	19.8	7.8	475	2.18	9.3	1.2	25.7	7.2	22	<0.1	0.4	0.3	35	0.39	0.047
1335955	Soil	1.0	35.1	11.5	182	<0.1	12.4	16.0	818	5.44	5.9	1.8	1.6	31.6	25	0.2	0.3	0.3	76	0.67	0.168
1335952	Soil	0.9	28.6	10.6	73	<0.1	21.8	10.0	381	2.35	8.2	0.8	3.4	3.4	37	0.3	0.6	0.5	50	0.74	0.076
1418744	Soil	0.5	28.7	12.4	60	<0.1	20.8	9.9	474	2.76	9.4	0.8	3.7	7.7	34	0.2	0.6	0.1	55	0.66	0.097
1418742	Soil	1.0	14.0	15.0	71	<0.1	19.1	10.8	339	2.91	8.0	0.6	0.5	7.2	23	0.2	0.5	0.2	56	0.32	0.042
1335958	Soil	1.3	40.9	12.5	92	<0.1	21.8	12.4	581	3.71	8.8	1.3	3.7	10.5	32	0.2	0.6	0.8	69	0.42	0.045
1418735	Soil	0.5	16.7	43.7	78	<0.1	10.9	9.8	428	3.59	6.4	0.8	4.2	9.1	32	0.1	0.4	0.6	60	0.52	0.103
1418745	Soil	0.5	19.7	26.3	108	<0.1	13.0	13.1	765	3.78	5.7	1.0	15.2	14.2	63	0.3	0.4	0.3	52	2.53	0.104
1418747	Soil	0.6	21.5	30.7	104	<0.1	30.9	13.5	833	3.97	4.7	1.1	9.2	22.6	37	0.2	0.4	0.2	27	0.76	0.100
1418737	Soil	0.7	27.7	25.8	106	<0.1	14.1	14.3	741	5.01	6.0	1.1	6.4	16.1	38	<0.1	0.5	0.4	66	0.60	0.156
1418730	Soil	1.1	14.8	38.6	88	<0.1	14.5	11.7	739	3.47	6.7	1.2	4.0	10.6	46	0.1	0.3	0.5	56	0.50	0.093
1418732	Soil	0.7	13.8	22.8	61	<0.1	14.8	8.1	298	3.01	6.8	0.7	4.2	6.1	31	<0.1	0.3	0.4	53	0.40	0.060
1418736	Soil	0.3	28.6	28.3	126	<0.1	15.4	17.9	871	5.45	4.1	1.8	5.9	23.2	54	0.2	0.3	0.3	67	0.92	0.226
1418738	Soil	0.5	38.0	24.3	133	<0.1	16.7	18.2	762	6.27	4.8	1.1	3.5	19.0	38	<0.1	0.3	0.3	87	0.82	0.238
1418733	Soil	0.5	13.9	44.3	93	<0.1	12.7	14.5	735	4.77	6.2	0.9	1.8	11.6	28	0.5	0.4	0.8	63	0.56	0.143
1418739	Soil	0.7	27.2	10.8	117	<0.1	16.0	15.5	826	4.39	6.4	1.2	1.6	17.0	28	0.1	0.5	0.2	56	0.44	0.102
1418726	Soil	0.7	27.7	25.8	69	0.1	19.5	9.9	401	2.93	8.2	1.3	12.4	6.9	40	<0.1	0.5	0.5	57	0.56	0.078



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Comstock Metals Ltd.**
310 - 850 West Hastings St.
Vancouver British Columbia V6C 1E1 Canada

Project: QV
Report Date: September 09, 2016

Page: 5 of 9

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI16000209.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1335963	Soil	32	27	0.77	395	0.141	2	1.96	0.016	0.55	0.3	0.02	6.1	0.3	<0.05	7	<0.5	<0.2
1335960	Soil	79	22	0.85	290	0.146	<1	2.13	0.011	0.80	<0.1	0.04	8.2	0.5	<0.05	10	0.9	<0.2
1335961	Soil	20	31	0.66	329	0.084	2	1.41	0.026	0.14	0.2	0.05	5.1	0.1	<0.05	4	<0.5	<0.2
1335962	Soil	39	28	0.84	254	0.127	1	1.69	0.022	0.42	0.2	0.03	6.1	0.2	<0.05	6	<0.5	<0.2
1335959	Soil	12	37	0.42	421	0.070	1	1.76	0.009	0.13	0.1	0.02	5.4	0.1	<0.05	5	<0.5	<0.2
1335957	Soil	22	39	0.70	262	0.127	2	1.96	0.014	0.37	0.2	0.03	7.1	0.2	<0.05	7	<0.5	<0.2
1335951	Soil	15	25	0.49	348	0.061	3	1.24	0.024	0.08	0.2	0.05	4.0	<0.1	<0.05	4	<0.5	<0.2
1335954	Soil	35	26	0.73	348	0.097	3	1.55	0.023	0.42	0.2	0.04	5.7	0.2	<0.05	6	0.6	<0.2
1418743	Soil	51	28	0.81	328	0.093	2	2.03	0.013	0.44	0.3	0.03	7.4	0.2	<0.05	8	<0.5	<0.2
1418741	Soil	41	22	1.17	345	0.085	<1	2.66	0.008	0.74	0.1	<0.01	7.1	0.4	<0.05	12	<0.5	<0.2
1335956	Soil	43	30	1.10	258	0.208	1	2.29	0.010	1.02	<0.1	0.02	9.1	0.5	<0.05	11	<0.5	<0.2
1335953	Soil	32	25	0.55	326	0.073	3	1.36	0.023	0.22	0.2	0.05	5.0	0.1	<0.05	4	1.0	<0.2
1418748	Soil	44	15	1.06	391	0.145	2	1.68	0.023	0.46	<0.1	0.05	6.8	0.4	<0.05	8	<0.5	<0.2
1418746	Soil	25	16	0.32	227	0.018	<1	1.15	0.010	0.15	0.3	0.06	5.1	0.1	<0.05	5	0.7	<0.2
1335955	Soil	38	24	1.17	299	0.237	2	2.44	0.013	1.29	0.2	0.02	6.5	0.6	<0.05	13	0.9	<0.2
1335952	Soil	15	27	0.54	269	0.077	3	1.24	0.028	0.09	0.3	0.04	4.4	<0.1	<0.05	4	0.6	<0.2
1418744	Soil	25	25	0.58	235	0.079	3	1.24	0.026	0.15	0.3	0.02	4.8	0.1	<0.05	5	<0.5	<0.2
1418742	Soil	18	32	0.53	224	0.066	2	1.70	0.008	0.30	0.2	<0.01	4.6	0.1	<0.05	6	0.6	<0.2
1335958	Soil	31	34	0.81	365	0.120	2	2.02	0.011	0.43	0.2	0.03	6.8	0.3	<0.05	7	<0.5	<0.2
1418735	Soil	28	21	0.75	208	0.069	<1	1.82	0.013	0.16	0.2	0.01	4.4	0.1	<0.05	8	<0.5	<0.2
1418745	Soil	47	14	0.66	424	0.034	1	1.64	0.014	0.35	0.2	0.02	7.5	0.3	<0.05	7	<0.5	<0.2
1418747	Soil	58	32	0.68	311	0.008	2	1.77	0.010	0.25	0.2	0.02	4.8	0.3	<0.05	5	<0.5	<0.2
1418737	Soil	58	25	1.04	300	0.090	2	2.47	0.008	0.48	0.2	<0.01	5.7	0.2	<0.05	11	<0.5	<0.2
1418730	Soil	30	24	0.66	215	0.105	2	1.75	0.011	0.22	0.3	<0.01	3.8	0.1	<0.05	8	<0.5	<0.2
1418732	Soil	19	24	0.60	186	0.051	<1	1.78	0.015	0.12	0.2	<0.01	3.5	<0.1	<0.05	6	<0.5	<0.2
1418736	Soil	55	24	1.28	311	0.114	1	2.57	0.012	0.59	0.1	<0.01	5.6	0.3	<0.05	12	<0.5	<0.2
1418738	Soil	62	35	1.54	368	0.091	<1	3.02	0.009	0.41	0.1	<0.01	8.4	0.2	<0.05	13	<0.5	<0.2
1418733	Soil	29	22	1.08	324	0.045	<1	2.33	0.009	0.14	0.2	<0.01	5.6	<0.1	<0.05	10	<0.5	<0.2
1418739	Soil	33	23	0.95	310	0.103	2	2.19	0.009	0.59	0.1	0.01	5.6	0.3	<0.05	10	<0.5	<0.2
1418726	Soil	22	28	0.62	256	0.095	2	1.48	0.022	0.14	0.2	0.02	5.4	0.1	<0.05	5	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver British Columbia V6C 1E1 Canada

Project: QV
Report Date: September 09, 2016

Page: 6 of 9

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI16000209.1

Method Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	2	0.01	0.001	
1418729	Soil		0.9	19.6	20.9	66	<0.1	17.2	8.8	283	2.73	9.7	1.5	8.1	7.4	35	0.2	0.5	0.3	53	0.42	0.070
1418731	Soil		1.0	16.3	27.7	65	0.1	15.6	8.8	470	2.95	7.8	1.0	3.5	6.7	40	0.1	0.3	0.4	56	0.49	0.059
1418740	Soil		0.9	20.1	15.4	81	<0.1	14.2	10.6	604	3.07	6.9	0.8	6.1	15.2	28	0.2	0.5	0.2	51	0.38	0.085
1390490	Soil		1.2	31.7	19.4	72	0.2	22.4	9.1	544	2.51	8.3	2.0	7.4	6.2	57	0.3	0.5	0.4	48	0.96	0.080
1418728	Soil		1.2	19.0	19.0	60	0.1	17.8	9.4	376	2.60	8.3	1.4	13.7	6.4	39	0.2	0.5	0.3	54	0.53	0.078
1418734	Soil		0.6	23.6	149.3	100	0.2	16.5	11.4	1065	4.66	9.5	1.9	133.6	20.1	39	0.4	0.6	1.3	64	0.66	0.154
1418727	Soil		1.2	33.1	24.7	59	0.2	19.8	11.2	409	2.69	7.7	1.6	7.6	6.0	47	0.2	0.5	0.3	58	0.63	0.062
1348977	Soil		0.9	13.4	33.8	57	<0.1	11.2	8.2	244	2.98	6.4	0.9	522.8	5.1	34	0.1	0.3	0.4	57	0.49	0.086
1348978	Soil		0.7	14.0	62.1	100	<0.1	7.3	11.4	594	4.32	4.7	1.0	1.7	5.5	37	0.2	0.2	1.1	68	0.80	0.189
1348986	Soil		1.0	12.1	9.7	49	<0.1	11.4	6.7	338	2.36	5.0	0.5	2.4	5.5	13	<0.1	0.3	0.2	47	0.16	0.048
1335976	Soil		1.1	23.8	19.6	68	<0.1	17.5	10.8	429	3.19	9.4	2.0	10.4	12.5	33	<0.1	0.5	0.3	61	0.45	0.057
1348984	Soil		0.7	8.4	17.4	47	<0.1	5.3	4.2	271	1.99	2.4	0.5	2.2	2.8	15	0.1	0.1	0.3	36	0.21	0.070
1348979	Soil		0.9	16.8	66.6	106	<0.1	11.1	13.4	615	4.48	5.6	1.1	12.9	11.4	31	0.2	0.3	2.2	66	0.68	0.189
1348985	Soil		0.9	13.1	13.8	52	<0.1	12.8	7.6	321	3.03	5.9	0.7	2.6	6.9	24	<0.1	0.3	0.2	60	0.29	0.042
1418750	Soil		0.8	20.2	15.7	59	<0.1	14.6	8.4	310	2.83	7.1	1.2	3.5	10.0	29	<0.1	0.5	0.3	52	0.41	0.056
1348983	Soil		1.0	13.6	15.2	51	<0.1	12.9	7.2	257	2.51	6.4	0.7	1.3	5.8	23	<0.1	0.3	0.2	50	0.30	0.052
1348981	Soil		1.1	18.5	27.8	62	<0.1	17.8	10.5	610	3.06	8.3	1.3	10.8	8.3	41	0.1	0.5	0.3	61	0.58	0.075
1348982	Soil		0.8	13.1	28.2	53	<0.1	12.4	7.3	291	2.44	7.4	1.2	10.4	7.8	28	<0.1	0.3	0.4	48	0.37	0.064
1418749	Soil		1.1	24.1	16.9	64	<0.1	17.5	9.1	382	2.97	7.3	1.6	15.9	12.2	31	0.1	0.5	0.3	56	0.45	0.061
1348987	Soil		0.9	14.3	30.9	71	<0.1	8.2	7.8	646	3.28	5.0	0.7	5.3	4.5	15	0.2	0.2	0.4	51	0.24	0.154
1348976	Soil		0.8	15.6	38.6	75	<0.1	11.8	9.3	419	3.45	6.2	1.2	7.6	6.0	42	<0.1	0.4	0.5	58	0.60	0.080
1348980	Soil		0.8	23.6	21.2	67	0.1	18.2	10.1	475	3.11	8.0	1.5	15.5	7.4	46	0.2	0.4	0.3	64	0.69	0.106
1335981	Soil		0.9	16.7	17.3	103	<0.1	15.6	13.9	916	4.73	6.8	2.2	3.4	23.4	18	0.1	0.4	0.3	70	0.25	0.072
1335977	Soil		1.1	18.0	17.8	56	<0.1	15.8	8.1	274	2.81	7.4	1.2	8.1	11.2	25	<0.1	0.6	0.3	54	0.29	0.034
1335984	Soil		0.9	40.0	12.4	115	<0.1	15.2	8.8	615	3.27	5.6	0.9	10.0	9.2	16	0.2	0.4	0.4	54	0.17	0.040
1418701	Soil		2.4	16.7	21.5	97	0.2	14.2	11.9	912	3.99	22.6	1.5	76.6	18.9	30	0.2	0.5	0.5	59	0.47	0.060
1418705	Soil		1.1	38.9	32.1	116	<0.1	13.6	12.4	671	4.18	3.7	1.6	3.0	31.1	47	0.2	0.2	0.5	58	1.42	0.103
1348996	Soil		0.9	62.7	11.0	82	0.2	23.0	8.9	466	2.46	5.9	1.4	2.8	5.4	50	0.5	0.4	0.6	50	0.83	0.070
1335985	Soil		1.0	34.9	16.4	67	<0.1	20.8	9.9	501	3.04	7.4	1.2	3.1	10.2	27	<0.1	0.5	0.7	58	0.32	0.037
1418703	Soil		1.0	23.5	9.5	70	<0.1	20.2	9.7	399	2.82	12.3	1.1	13.5	6.3	41	0.2	0.6	0.4	55	0.75	0.107



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Comstock Metals Ltd.**
310 - 850 West Hastings St.
Vancouver British Columbia V6C 1E1 Canada

Project: QV
Report Date: September 09, 2016

Page: 6 of 9

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI16000209.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.1	0.05	1	0.5	0.2	
1418729	Soil	25	27	0.50	258	0.070	<1	1.42	0.018	0.07	0.2	0.02	4.7	<0.1	<0.05	5	<0.5	<0.2
1418731	Soil	24	27	0.58	232	0.062	2	1.59	0.017	0.10	0.2	0.02	4.6	<0.1	<0.05	6	<0.5	<0.2
1418740	Soil	32	23	0.46	312	0.033	1	1.60	0.009	0.18	0.1	0.01	4.6	0.1	<0.05	6	0.6	<0.2
1390490	Soil	22	25	0.50	302	0.065	2	1.23	0.023	0.13	0.2	0.03	4.5	<0.1	<0.05	4	<0.5	<0.2
1418728	Soil	24	28	0.50	255	0.074	2	1.32	0.018	0.06	0.3	0.04	4.8	<0.1	<0.05	5	<0.5	<0.2
1418734	Soil	54	22	0.51	337	0.019	<1	1.67	0.011	0.14	0.5	0.03	10.7	<0.1	<0.05	7	<0.5	<0.2
1418727	Soil	26	30	0.54	299	0.084	3	1.50	0.021	0.07	0.2	0.04	5.4	<0.1	<0.05	6	<0.5	<0.2
1348977	Soil	17	19	0.51	173	0.085	2	1.48	0.013	0.12	0.2	0.01	4.3	<0.1	<0.05	6	<0.5	<0.2
1348978	Soil	15	12	0.89	200	0.179	1	2.01	0.015	0.56	0.1	<0.01	6.0	0.2	<0.05	9	<0.5	<0.2
1348986	Soil	17	19	0.44	124	0.051	1	1.38	0.008	0.12	0.4	0.01	3.1	<0.1	<0.05	6	<0.5	<0.2
1335976	Soil	40	32	0.58	313	0.110	<1	1.85	0.014	0.17	0.2	0.04	7.8	0.1	<0.05	7	<0.5	<0.2
1348984	Soil	16	11	0.35	130	0.031	<1	1.17	0.008	0.12	0.1	0.01	2.9	<0.1	<0.05	5	<0.5	<0.2
1348979	Soil	28	19	0.95	201	0.134	<1	2.30	0.009	0.79	0.3	0.02	4.4	0.4	<0.05	10	<0.5	<0.2
1348985	Soil	27	26	0.59	221	0.065	1	1.95	0.009	0.11	0.1	<0.01	4.6	<0.1	<0.05	7	<0.5	<0.2
1418750	Soil	26	25	0.55	260	0.085	1	1.59	0.013	0.14	0.2	0.01	4.8	0.1	<0.05	6	<0.5	<0.2
1348983	Soil	22	23	0.49	173	0.057	1	1.54	0.010	0.07	0.2	<0.01	3.8	<0.1	<0.05	6	<0.5	<0.2
1348981	Soil	27	30	0.56	287	0.095	2	1.72	0.019	0.10	0.3	0.04	5.6	<0.1	<0.05	6	<0.5	<0.2
1348982	Soil	25	24	0.42	194	0.062	<1	1.30	0.013	0.08	0.3	0.02	4.7	<0.1	<0.05	5	<0.5	<0.2
1418749	Soil	36	30	0.57	281	0.100	1	1.68	0.016	0.17	0.2	0.02	5.9	0.1	<0.05	6	<0.5	<0.2
1348987	Soil	24	16	0.49	176	0.027	1	1.68	0.007	0.21	0.2	0.02	4.5	0.1	<0.05	7	<0.5	<0.2
1348976	Soil	22	19	0.70	190	0.120	<1	1.81	0.019	0.16	0.2	0.04	5.8	<0.1	<0.05	7	<0.5	<0.2
1348980	Soil	27	29	0.70	282	0.085	2	1.72	0.025	0.08	0.2	0.03	6.2	<0.1	<0.05	6	<0.5	<0.2
1335981	Soil	41	28	1.01	285	0.214	2	2.35	0.009	0.99	0.1	0.02	7.5	0.4	<0.05	10	<0.5	<0.2
1335977	Soil	37	30	0.53	238	0.090	<1	1.73	0.010	0.13	0.2	0.01	5.3	0.1	<0.05	6	<0.5	<0.2
1335984	Soil	20	24	0.73	335	0.121	2	1.76	0.009	0.48	0.1	0.03	5.3	0.3	<0.05	7	<0.5	<0.2
1418701	Soil	53	24	0.70	338	0.115	3	1.99	0.010	0.71	0.2	0.05	7.4	0.3	<0.05	8	<0.5	<0.2
1418705	Soil	63	19	1.04	337	0.195	<1	2.05	0.017	0.96	<0.1	0.03	4.9	0.5	<0.05	10	<0.5	<0.2
1348996	Soil	25	29	0.62	392	0.081	2	1.43	0.021	0.19	0.1	0.06	5.4	0.1	<0.05	5	0.8	<0.2
1335985	Soil	39	32	0.65	338	0.111	1	1.68	0.014	0.36	0.2	0.04	6.0	0.2	<0.05	6	<0.5	<0.2
1418703	Soil	20	24	0.53	284	0.075	3	1.08	0.022	0.12	0.5	0.05	3.8	<0.1	<0.05	4	<0.5	0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver British Columbia V6C 1E1 Canada

Project: QV
Report Date: September 09, 2016

Page: 7 of 9 Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI16000209.1

Method Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	2	0.01	0.001	
1418707	Soil		1.7	54.0	34.9	121	<0.1	20.1	12.5	1267	4.40	10.7	2.1	15.9	32.3	26	0.4	0.7	1.0	54	0.51	0.083
1348997	Soil		1.8	20.5	18.6	83	<0.1	19.9	10.8	479	3.67	6.4	1.7	22.4	36.3	22	0.2	0.6	0.3	57	0.39	0.068
1335983	Soil		0.7	47.6	8.5	129	<0.1	13.8	13.4	671	5.11	4.4	1.8	9.6	31.9	21	0.2	0.3	0.6	76	0.39	0.130
1418704	Soil		1.7	23.9	16.9	113	<0.1	13.4	12.1	1116	4.21	5.6	2.0	3.6	26.8	37	0.4	0.6	1.0	54	0.66	0.115
1418614	Soil		1.3	23.3	66.9	139	<0.1	14.1	15.9	849	5.23	3.4	2.0	3.4	18.0	40	0.3	0.2	0.4	65	0.61	0.139
1348994	Soil		1.9	36.7	15.4	77	0.2	25.1	9.6	399	2.49	8.2	1.4	16.1	4.8	43	0.4	0.6	1.6	53	0.72	0.070
1418702	Soil		1.1	27.5	15.9	89	0.1	19.3	9.7	567	2.96	5.4	2.7	14.2	10.3	60	0.4	0.6	0.3	50	1.08	0.083
1418706	Soil		1.7	51.2	15.1	81	<0.1	25.5	11.6	635	3.06	9.7	1.3	7.5	8.1	39	0.1	0.7	3.3	57	0.58	0.077
1418613	Soil		1.5	18.0	15.8	60	0.1	19.2	8.8	411	2.35	7.0	1.5	6.6	6.1	39	0.2	0.4	0.3	50	0.53	0.080
1348995	Soil		2.0	43.4	14.5	82	0.2	28.2	10.6	457	2.73	7.9	1.2	11.9	5.9	45	0.4	0.6	1.1	56	0.74	0.075
1335982	Soil		1.0	45.1	12.4	102	<0.1	21.0	11.1	648	4.02	7.4	1.3	1.1	14.6	24	0.1	0.4	0.5	71	0.36	0.089
1335979	Soil		0.4	13.3	30.6	60	0.1	9.3	8.5	375	2.98	10.2	1.3	11.9	12.9	21	<0.1	0.4	0.4	40	0.29	0.052
1348993	Soil		1.0	35.2	18.3	85	0.2	22.7	10.5	499	2.70	8.2	1.2	4.1	5.1	41	0.2	0.7	1.4	56	0.67	0.066
1348989	Soil		0.8	41.9	21.5	107	<0.1	14.2	14.2	645	4.76	4.4	1.0	7.6	14.9	33	0.2	0.3	0.2	70	0.49	0.112
1335989	Soil		0.8	66.5	14.8	184	<0.1	17.0	14.4	1207	5.32	5.0	1.7	11.9	25.2	36	0.3	0.5	0.7	77	0.73	0.126
1335978	Soil		0.7	17.5	23.7	50	<0.1	14.7	6.9	221	2.54	6.9	0.8	11.8	8.1	17	<0.1	0.5	0.4	50	0.21	0.041
1348991	Soil		1.0	35.6	31.9	111	0.1	25.5	14.8	669	4.69	8.8	1.3	<0.5	20.8	30	0.2	0.6	0.4	82	0.37	0.087
1348988	Soil		1.1	25.8	21.5	84	<0.1	17.3	11.9	494	4.30	7.0	1.0	0.7	15.0	31	0.1	0.5	0.3	62	0.36	0.059
1335990	Soil		0.8	24.0	12.0	58	<0.1	24.3	10.7	456	2.80	9.0	0.8	10.2	6.7	30	0.2	0.6	0.3	56	0.35	0.030
1335987	Soil		1.8	160.0	41.7	231	0.1	14.1	10.2	497	4.12	10.6	6.1	20.8	14.9	39	0.2	0.4	4.7	45	0.24	0.036
1335980	Soil		1.2	22.2	63.9	94	0.4	10.3	11.2	718	4.57	95.6	3.6	43.9	25.2	22	0.5	0.8	1.7	53	0.33	0.101
1348990	Soil		0.7	37.1	9.7	112	<0.1	18.7	14.0	683	4.91	6.3	1.4	2.1	23.5	34	<0.1	0.5	0.1	73	0.47	0.113
1335992	Soil		1.0	39.4	13.0	127	<0.1	20.1	15.7	900	5.16	2.6	3.7	1.5	43.4	27	0.1	0.2	0.8	76	0.51	0.135
1335986	Soil		0.9	44.3	14.2	87	<0.1	16.5	7.8	297	2.67	10.3	0.8	0.7	6.8	23	0.1	0.5	0.8	50	0.24	0.026
1335988	Soil		2.1	348.9	21.2	170	0.1	16.5	25.6	518	5.31	17.3	5.4	1.6	18.7	34	0.2	0.6	1.8	54	0.24	0.042
1348992	Soil		0.8	44.2	13.6	111	<0.1	18.5	12.5	733	4.82	6.1	1.8	0.8	31.6	31	0.2	0.5	0.1	66	0.44	0.099
1418635	Soil		1.0	37.2	12.8	80	0.1	30.8	11.3	540	2.76	10.1	0.8	2.6	5.3	58	0.4	0.9	0.2	54	1.33	0.084
1418622	Soil		0.9	15.0	38.1	143	0.1	13.5	17.3	1358	5.54	3.2	2.0	18.7	30.4	34	0.2	0.3	0.4	58	0.68	0.153
1418624	Soil		1.2	25.5	94.0	105	0.3	17.5	11.8	776	4.04	6.3	2.0	14.5	19.9	40	0.2	0.4	1.3	54	0.66	0.108
1335993	Soil		1.0	41.2	8.5	83	<0.1	13.4	13.5	854	4.92	6.3	1.7	0.9	18.2	30	0.1	0.4	0.7	81	0.50	0.140

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver British Columbia V6C 1E1 Canada

Project: QV
Report Date: September 09, 2016

Page: 7 of 9

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI16000209.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te
MDL	MDL	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2
1418707	Soil	66	21	0.56	413	0.076	4	1.94	0.010	0.63	0.1	0.18	9.3	0.6	<0.05	8	<0.5	0.2
1348997	Soil	30	31	0.79	173	0.119	3	1.84	0.009	0.59	0.1	0.16	8.5	0.3	<0.05	8	1.3	0.8
1335983	Soil	38	22	1.42	272	0.232	1	2.60	0.009	1.29	0.9	0.08	5.7	0.5	<0.05	12	0.9	0.4
1418704	Soil	84	21	0.93	342	0.088	2	1.99	0.011	0.82	0.1	0.08	6.6	0.4	<0.05	9	1.0	0.3
1418614	Soil	66	23	1.09	274	0.165	2	2.49	0.013	1.03	0.2	0.09	4.5	0.5	<0.05	12	0.9	0.4
1348994	Soil	18	31	0.54	300	0.080	3	1.35	0.022	0.09	0.3	0.12	5.2	<0.1	<0.05	4	1.5	0.6
1418702	Soil	38	24	0.62	352	0.075	3	1.47	0.019	0.31	0.2	0.09	5.5	0.1	<0.05	6	1.1	0.3
1418706	Soil	24	28	0.69	326	0.094	2	1.39	0.030	0.19	0.2	0.07	5.1	0.2	<0.05	5	0.7	0.3
1418613	Soil	23	31	0.46	266	0.074	2	1.38	0.018	0.06	0.3	0.05	4.5	<0.1	<0.05	4	0.7	<0.2
1348995	Soil	21	37	0.64	390	0.086	3	1.54	0.022	0.11	0.2	0.09	5.7	0.1	<0.05	5	1.5	0.5
1335982	Soil	31	33	1.24	311	0.130	2	2.37	0.010	0.42	0.1	0.03	5.5	0.3	<0.05	10	<0.5	<0.2
1335979	Soil	31	13	0.51	306	0.066	1	1.64	0.008	0.44	0.1	0.03	5.5	0.2	<0.05	6	0.6	<0.2
1348993	Soil	18	34	0.59	347	0.093	1	1.54	0.022	0.10	0.3	0.04	5.6	<0.1	<0.05	5	<0.5	0.2
1348989	Soil	30	23	1.19	337	0.191	1	2.50	0.008	0.73	<0.1	0.06	4.5	0.4	<0.05	10	1.3	0.2
1335989	Soil	70	24	1.37	580	0.234	1	2.58	0.014	1.03	0.1	0.08	7.3	0.6	<0.05	11	1.0	0.3
1335978	Soil	19	24	0.44	157	0.065	1	1.55	0.010	0.11	0.2	0.07	3.5	<0.1	<0.05	5	0.8	0.2
1348991	Soil	33	33	1.15	322	0.208	2	2.67	0.010	0.92	0.1	<0.01	8.3	0.4	<0.05	10	<0.5	<0.2
1348988	Soil	58	27	0.97	331	0.087	1	2.41	0.010	0.31	0.1	0.02	5.5	0.2	<0.05	9	<0.5	<0.2
1335990	Soil	25	32	0.51	351	0.088	3	1.49	0.017	0.19	0.2	0.07	5.9	<0.1	<0.05	5	0.8	0.2
1335987	Soil	39	38	0.83	281	0.115	2	2.13	0.010	0.62	0.1	0.15	6.6	0.6	<0.05	6	4.4	0.8
1335980	Soil	43	16	0.47	282	0.061	3	1.65	0.007	0.49	0.4	0.17	5.6	0.3	<0.05	7	1.9	1.6
1348990	Soil	64	27	1.35	304	0.143	1	2.61	0.008	0.69	0.1	0.04	7.2	0.3	<0.05	11	<0.5	<0.2
1335992	Soil	120	26	1.35	374	0.228	<1	2.59	0.009	1.29	<0.1	0.03	8.7	0.6	<0.05	12	<0.5	<0.2
1335986	Soil	16	24	0.58	263	0.105	2	1.45	0.010	0.28	0.1	0.02	4.0	0.2	<0.05	5	<0.5	<0.2
1335988	Soil	35	25	0.68	366	0.132	1	2.17	0.010	0.71	0.1	0.04	6.3	0.5	<0.05	8	2.3	<0.2
1348992	Soil	72	25	0.94	410	0.145	1	2.38	0.008	0.93	0.1	0.02	7.6	0.3	<0.05	10	<0.5	<0.2
1418635	Soil	19	29	0.72	439	0.076	2	1.34	0.028	0.08	0.3	0.04	4.7	<0.1	<0.05	4	<0.5	<0.2
1418622	Soil	88	16	1.20	378	0.182	1	2.47	0.010	1.14	0.1	0.01	7.4	0.7	<0.05	12	<0.5	<0.2
1418624	Soil	46	24	0.61	360	0.064	3	1.49	0.021	0.37	0.3	0.02	7.1	0.2	<0.05	6	<0.5	<0.2
1335993	Soil	45	19	1.25	479	0.234	2	2.52	0.014	1.28	0.1	0.02	8.0	0.5	<0.05	8	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver British Columbia V6C 1E1 Canada

Project: QV
Report Date: September 09, 2016

Page: 8 of 9 Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI16000209.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1418633	Soil	1.0	28.2	11.3	75	0.1	24.0	9.7	402	2.45	8.6	0.9	7.6	4.7	43	0.5	0.8	0.2	47	0.66	0.064
1418620	Soil	2.2	23.8	25.9	68	<0.1	14.7	11.2	1158	3.69	9.8	1.2	22.7	12.8	18	0.2	0.7	0.6	52	0.21	0.031
1418623	Soil	0.8	22.4	59.3	118	0.1	16.2	15.2	949	4.49	4.5	1.4	9.1	22.7	47	0.2	0.4	0.7	55	0.95	0.115
1335991	Soil	1.4	56.6	10.0	139	<0.1	12.8	12.3	671	4.61	3.0	2.6	5.4	22.7	28	0.2	0.3	0.8	67	0.64	0.143
1418625	Soil	1.0	25.1	22.1	70	0.2	21.1	9.6	454	2.76	8.8	1.2	14.8	8.0	43	0.1	0.5	0.3	51	0.74	0.096
1418618	Soil	1.1	15.0	16.9	103	<0.1	10.9	13.2	733	4.47	4.1	1.1	7.4	16.6	29	0.1	0.2	0.2	56	0.54	0.136
1418616	Soil	2.6	16.3	25.5	127	<0.1	11.8	14.6	884	4.07	3.5	1.3	15.2	19.4	40	0.2	0.2	0.3	49	0.56	0.123
1418708	Soil	1.2	42.3	13.0	75	0.1	24.7	9.8	473	2.66	7.4	1.1	6.2	6.3	66	0.3	0.6	0.5	49	1.37	0.082
1418621	Soil	1.3	26.2	22.4	101	<0.1	24.7	14.0	646	3.89	6.6	1.1	1.7	11.2	33	0.1	0.4	0.3	62	0.44	0.076
1418619	Soil	1.1	21.1	13.0	101	<0.1	17.2	14.6	926	4.51	4.3	1.5	7.8	24.7	30	<0.1	0.4	0.3	58	0.52	0.105
1418617	Soil	1.7	30.3	20.5	85	0.1	26.1	12.2	545	3.12	9.2	1.2	9.1	8.6	38	0.2	0.8	0.3	56	0.51	0.070
1418615	Soil	2.5	17.3	38.0	89	<0.1	12.5	12.4	666	3.38	4.8	1.0	2.5	10.1	38	0.2	0.3	0.4	54	0.43	0.097
1418626	Soil	1.4	20.3	121.8	80	0.5	16.0	11.1	504	3.38	55.9	2.5	89.5	12.5	36	0.2	0.6	2.1	55	0.52	0.094
1418632	Soil	0.9	25.8	11.2	62	<0.1	22.3	9.8	474	2.45	8.5	1.0	5.0	5.1	44	0.3	0.7	0.2	47	0.71	0.070
1418638	Soil	0.2	12.2	14.6	98	<0.1	10.5	13.0	762	4.22	2.1	1.7	2.9	19.5	31	0.2	0.1	0.2	49	0.59	0.127
1418634	Soil	1.0	30.1	11.3	65	0.1	26.0	10.6	442	2.50	8.9	1.0	3.9	5.3	47	0.4	0.8	0.2	49	0.83	0.070
1418631	Soil	1.3	21.3	18.0	67	0.1	19.2	10.1	468	2.81	7.8	1.3	6.2	7.3	40	0.1	0.6	0.4	55	0.54	0.077
1418627	Soil	1.0	18.6	38.1	83	<0.1	11.4	8.2	434	2.96	6.7	1.8	30.3	11.3	35	0.2	0.3	0.4	44	0.51	0.104
1418637	Soil	0.8	30.2	10.8	66	0.1	25.0	9.8	429	2.34	9.6	0.6	3.5	4.5	49	0.4	0.9	0.2	45	1.47	0.069
1418640	Soil	0.3	26.0	22.2	114	<0.1	14.5	14.3	843	4.04	3.5	1.1	4.1	19.8	25	0.2	0.3	0.2	51	0.56	0.113
1418629	Soil	0.5	16.6	31.6	86	<0.1	10.3	10.4	379	3.31	4.0	1.7	10.7	12.7	39	0.1	0.3	0.3	51	0.50	0.099
1418630	Soil	0.5	18.8	20.7	85	<0.1	12.7	9.9	402	3.14	5.8	1.8	8.2	9.8	38	0.1	0.3	0.3	50	0.58	0.106
1418636	Soil	0.9	39.3	11.2	66	0.1	30.4	10.9	479	2.47	10.3	1.3	3.0	4.3	66	0.3	1.0	0.2	49	1.44	0.070
1418639	Soil	0.9	16.1	22.1	102	<0.1	12.3	15.5	852	4.49	3.8	1.0	2.0	15.9	23	0.2	0.2	0.2	66	0.53	0.136
1418645	Soil	0.2	13.9	24.2	145	<0.1	10.8	13.6	1995	4.09	2.1	1.3	6.1	18.9	47	0.4	0.3	0.2	42	1.28	0.110
1418642	Soil	0.3	16.5	12.5	85	<0.1	8.6	10.1	479	3.51	2.7	1.0	13.7	18.6	24	<0.1	0.3	0.1	34	0.40	0.086
1418643	Soil	0.9	15.0	11.1	79	<0.1	14.1	11.2	461	3.35	11.9	1.0	19.5	10.9	26	0.1	0.4	0.2	52	0.37	0.038
1418628	Soil	0.9	22.4	45.6	114	<0.1	12.1	10.2	622	3.48	4.8	1.6	14.9	13.9	35	<0.1	0.3	0.5	45	0.52	0.107
1418646	Soil	0.8	21.0	20.8	119	<0.1	10.9	17.0	867	5.11	3.0	2.0	4.5	26.5	28	0.1	0.5	0.2	59	0.48	0.107
1418647	Soil	1.0	28.8	79.2	107	0.1	15.1	13.7	694	4.28	4.6	1.9	7.3	21.7	24	0.2	0.5	1.0	65	0.30	0.057

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Comstock Metals Ltd.**
310 - 850 West Hastings St.
Vancouver British Columbia V6C 1E1 Canada

Project: QV
Report Date: September 09, 2016

Page: 8 of 9

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI16000209.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2
1418633	Soil	17	26	0.50	374	0.058	2	1.18	0.021	0.05	0.2	0.05	3.8	<0.1	<0.05	4	0.7	<0.2
1418620	Soil	42	25	0.39	304	0.024	2	1.47	0.007	0.11	0.8	0.04	6.2	<0.1	<0.05	5	<0.5	<0.2
1418623	Soil	60	18	1.00	379	0.137	3	2.14	0.015	0.95	0.1	0.02	5.8	0.5	<0.05	9	<0.5	<0.2
1335991	Soil	61	22	1.23	359	0.208	1	2.39	0.010	1.05	<0.1	<0.01	7.0	0.6	<0.05	11	<0.5	<0.2
1418625	Soil	24	23	0.60	252	0.054	3	1.22	0.023	0.15	0.3	0.04	5.0	<0.1	<0.05	4	<0.5	<0.2
1418618	Soil	30	21	1.01	252	0.114	1	2.29	0.009	0.65	0.2	<0.01	4.1	0.3	<0.05	10	<0.5	<0.2
1418616	Soil	50	25	0.92	201	0.060	1	1.85	0.014	0.30	0.4	0.01	5.1	0.2	<0.05	9	<0.5	<0.2
1418708	Soil	24	29	0.63	359	0.094	3	1.37	0.027	0.19	0.2	0.03	4.6	0.1	<0.05	5	<0.5	<0.2
1418621	Soil	39	31	0.92	270	0.151	2	2.07	0.011	0.61	0.1	0.01	5.8	0.4	<0.05	8	<0.5	<0.2
1418619	Soil	54	26	0.97	285	0.128	1	2.43	0.011	0.77	0.1	0.02	8.6	0.4	<0.05	10	<0.5	<0.2
1418617	Soil	27	33	0.63	324	0.092	3	1.62	0.018	0.13	0.2	0.05	4.9	0.1	<0.05	6	<0.5	<0.2
1418615	Soil	25	27	0.66	232	0.130	2	1.75	0.014	0.36	0.2	0.02	3.9	0.2	<0.05	8	<0.5	<0.2
1418626	Soil	37	24	0.74	187	0.065	<1	1.56	0.016	0.19	0.2	0.03	6.2	0.2	<0.05	6	<0.5	0.4
1418632	Soil	19	25	0.52	315	0.060	1	1.23	0.022	0.06	0.2	0.03	4.0	<0.1	<0.05	4	<0.5	<0.2
1418638	Soil	87	15	1.06	278	0.149	<1	2.40	0.008	0.97	<0.1	<0.01	4.0	0.4	<0.05	10	<0.5	<0.2
1418634	Soil	19	27	0.59	360	0.066	2	1.29	0.024	0.07	0.2	0.03	4.5	<0.1	<0.05	4	<0.5	<0.2
1418631	Soil	30	29	0.55	275	0.081	2	1.54	0.019	0.09	0.3	0.05	4.8	<0.1	<0.05	5	0.9	<0.2
1418627	Soil	29	18	0.46	231	0.035	<1	1.43	0.010	0.19	0.2	0.02	4.2	0.1	<0.05	6	<0.5	<0.2
1418637	Soil	17	25	0.63	353	0.061	3	1.17	0.022	0.07	0.2	0.05	4.1	<0.1	<0.05	3	0.5	<0.2
1418640	Soil	48	21	0.83	338	0.102	1	2.08	0.009	0.68	<0.1	0.02	7.8	0.3	<0.05	10	<0.5	<0.2
1418629	Soil	35	18	0.64	194	0.095	<1	1.63	0.014	0.31	0.2	0.01	4.8	0.2	<0.05	7	<0.5	<0.2
1418630	Soil	32	20	0.67	158	0.080	<1	1.55	0.018	0.24	0.2	0.02	5.7	0.2	<0.05	7	<0.5	<0.2
1418636	Soil	16	27	0.67	424	0.058	2	1.19	0.026	0.06	0.2	0.05	4.1	<0.1	<0.05	3	0.8	<0.2
1418639	Soil	32	21	1.10	310	0.199	<1	2.50	0.009	1.06	0.1	<0.01	7.3	0.4	<0.05	11	<0.5	<0.2
1418645	Soil	71	17	0.99	306	0.098	<1	2.07	0.008	0.65	<0.1	0.02	7.7	0.4	<0.05	10	<0.5	<0.2
1418642	Soil	43	12	0.67	225	0.044	<1	1.84	0.009	0.54	0.3	0.03	5.1	0.3	<0.05	6	<0.5	<0.2
1418643	Soil	37	22	0.70	234	0.084	<1	1.91	0.009	0.52	0.1	0.02	5.1	0.3	<0.05	7	<0.5	<0.2
1418628	Soil	34	18	0.63	309	0.062	<1	1.77	0.010	0.39	0.2	<0.01	5.1	0.2	<0.05	8	0.8	<0.2
1418646	Soil	95	16	1.26	280	0.201	<1	2.72	0.011	1.25	0.1	<0.01	4.4	0.8	<0.05	12	<0.5	<0.2
1418647	Soil	58	19	0.96	271	0.129	<1	2.15	0.009	0.93	0.1	0.01	6.5	0.5	<0.05	10	<0.5	<0.2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Comstock Metals Ltd.**
310 - 850 West Hastings St.
Vancouver British Columbia V6C 1E1 Canada

Project: QV
Report Date: September 09, 2016

Page: 9 of 9

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI16000209.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1418648	Soil	0.8	13.3	13.1	58	<0.1	10.6	8.6	436	2.73	5.6	0.6	2.7	5.8	13	<0.1	0.3	0.2	51	0.20	0.076
1418641	Soil	0.5	22.4	20.8	79	<0.1	13.6	11.5	513	3.46	9.7	1.2	13.3	13.1	34	0.1	0.4	0.2	45	0.58	0.120
1418644	Soil	1.9	18.2	34.2	63	0.1	24.5	11.2	516	2.98	32.4	1.3	18.6	8.5	26	0.2	0.5	0.5	51	0.37	0.043



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver British Columbia V6C 1E1 Canada

Project: QV
Report Date: September 09, 2016

Page: 9 of 9

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI16000209.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.01	0.1	0.05	1	0.5	0.2		
1418648	Soil	16	21	0.56	122	0.080	<1	1.60	0.008	0.18	0.2	0.01	4.3	0.1	<0.05	6	<0.5	<0.2	
1418641	Soil	40	19	0.58	363	0.032	<1	1.93	0.010	0.37	0.2	0.02	7.1	0.2	<0.05	6	<0.5	<0.2	
1418644	Soil	24	43	0.44	270	0.060	<1	1.59	0.009	0.22	0.2	0.01	6.1	0.1	<0.05	5	<0.5	0.3	



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver British Columbia V6C 1E1 Canada

Project: QV
Report Date: September 09, 2016

Page: 1 of 2 Part: 1 of 2

QUALITY CONTROL REPORT

WHI16000209.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
1390481	Soil	0.7	27.4	8.7	83	0.1	25.9	9.1	425	2.26	8.6	0.6	3.9	3.7	45	0.5	0.8	0.1	39	1.47	0.079
REP 1390481	QC	0.6	27.9	8.8	83	0.1	26.8	9.3	430	2.29	9.2	0.6	1.7	3.6	45	0.4	0.9	0.1	39	1.48	0.082
1418721	Soil	1.5	19.3	10.6	94	<0.1	12.0	11.2	637	4.06	5.0	1.5	1.2	21.4	17	<0.1	0.4	0.3	57	0.31	0.090
REP 1418721	QC	1.3	18.7	10.7	95	<0.1	12.7	11.6	636	4.05	4.7	1.5	1.6	20.8	18	<0.1	0.4	0.2	58	0.30	0.084
1335971	Soil	0.8	18.6	8.8	55	<0.1	20.0	9.5	250	2.75	9.8	0.8	15.8	5.9	19	<0.1	0.5	0.2	54	0.21	0.041
REP 1335971	QC	0.8	18.0	8.9	52	<0.1	20.2	9.2	248	2.71	9.1	0.8	15.0	6.0	18	<0.1	0.6	0.1	54	0.21	0.040
1390490	Soil	1.2	31.7	19.4	72	0.2	22.4	9.1	544	2.51	8.3	2.0	7.4	6.2	57	0.3	0.5	0.4	48	0.96	0.080
REP 1390490	QC	1.2	30.9	19.8	72	0.2	21.8	9.0	547	2.51	8.7	2.0	8.8	6.3	58	0.3	0.6	0.4	49	0.96	0.077
1418613	Soil	1.5	18.0	15.8	60	0.1	19.2	8.8	411	2.35	7.0	1.5	6.6	6.1	39	0.2	0.4	0.3	50	0.53	0.080
REP 1418613	QC	1.5	18.9	15.7	63	0.1	19.3	9.0	419	2.39	7.3	1.6	5.9	6.0	40	0.2	0.4	0.2	51	0.54	0.080
1418634	Soil	1.0	30.1	11.3	65	0.1	26.0	10.6	442	2.50	8.9	1.0	3.9	5.3	47	0.4	0.8	0.2	49	0.83	0.070
REP 1418634	QC	0.9	31.1	11.3	67	0.1	27.3	10.9	450	2.53	9.1	1.0	3.1	5.2	49	0.4	0.8	0.2	49	0.83	0.071
Reference Materials																					
STD DS10	Standard	14.8	145.2	143.3	347	1.8	73.2	13.0	870	2.80	43.3	2.7	74.9	7.5	63	2.2	8.5	10.5	43	1.09	0.077
STD DS10	Standard	14.9	151.9	149.5	357	1.8	76.4	12.8	882	2.80	45.2	2.6	70.2	7.3	62	2.0	8.1	10.4	42	1.07	0.074
STD DS10	Standard	15.3	159.9	147.7	373	1.8	76.0	13.5	901	2.90	47.1	2.6	79.3	7.3	64	2.4	8.3	11.1	46	1.11	0.076
STD DS10	Standard	14.9	153.0	149.2	364	1.8	74.4	12.6	882	2.82	46.0	2.8	77.5	7.8	73	2.8	9.8	13.5	44	1.06	0.078
STD DS10	Standard	14.2	150.1	144.4	359	1.8	71.9	12.5	850	2.69	44.0	2.7	86.6	7.6	70	2.7	9.5	12.7	43	1.04	0.072
STD DS10	Standard	15.4	156.6	153.1	367	1.8	79.4	13.1	897	2.90	46.3	3.0	79.0	8.1	71	2.5	9.9	13.4	45	1.10	0.076
STD OXC129	Standard	1.1	25.9	5.8	39	<0.1	74.4	19.9	416	3.01	0.8	0.7	191.0	1.6	182	<0.1	<0.1	<0.1	50	0.75	0.097
STD OXC129	Standard	1.1	26.4	6.3	40	<0.1	79.1	20.5	416	3.03	0.9	0.7	197.8	1.7	162	<0.1	<0.1	<0.1	49	0.68	0.099
STD OXC129	Standard	1.3	26.8	6.2	40	<0.1	76.5	20.6	422	3.06	<0.5	0.7	205.9	1.8	165	<0.1	<0.1	<0.1	54	0.66	0.103
STD OXC129	Standard	1.2	27.5	6.7	44	<0.1	77.1	20.3	421	3.12	0.6	0.7	194.0	2.0	196	<0.1	<0.1	<0.1	53	0.68	0.101
STD OXC129	Standard	1.2	27.3	6.5	41	<0.1	75.6	19.7	403	2.94	<0.5	0.7	203.1	1.9	185	<0.1	<0.1	<0.1	50	0.57	0.096
STD OXC129	Standard	1.3	27.0	6.7	43	<0.1	79.7	20.2	420	3.12	<0.5	0.7	204.0	2.0	196	0.2	<0.1	<0.1	54	0.69	0.102
STD DS10 Expected		15.1	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	2.59	91.9	7.5	67.1	2.62	9	11.65	43	1.0625	0.0765
STD OXC129 Expected		1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	0.72	195	1.9					51	0.665	0.102
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001



QUALITY CONTROL REPORT

WHI16000209.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																		
1390481	Soil	14	23	0.71	394	0.054	2	1.04	0.022	0.05	0.2	0.03	3.4	<0.1	<0.05	3	0.6	<0.2
REP 1390481	QC	14	23	0.72	412	0.057	2	1.05	0.022	0.05	0.2	0.03	3.5	<0.1	<0.05	3	<0.5	<0.2
1418721	Soil	29	20	0.94	209	0.100	<1	2.06	0.010	0.52	0.1	0.02	5.3	0.3	<0.05	10	<0.5	<0.2
REP 1418721	QC	29	19	0.94	196	0.103	<1	2.09	0.010	0.54	<0.1	0.01	5.1	0.3	<0.05	11	<0.5	<0.2
1335971	Soil	16	32	0.51	193	0.083	1	1.42	0.011	0.14	0.2	0.03	4.9	0.2	<0.05	5	<0.5	<0.2
REP 1335971	QC	16	33	0.51	191	0.083	<1	1.41	0.010	0.14	0.1	0.02	4.6	<0.1	<0.05	5	<0.5	<0.2
1390490	Soil	22	25	0.50	302	0.065	2	1.23	0.023	0.13	0.2	0.03	4.5	<0.1	<0.05	4	<0.5	<0.2
REP 1390490	QC	23	25	0.50	306	0.063	2	1.25	0.023	0.13	0.3	0.05	4.3	<0.1	<0.05	4	<0.5	<0.2
1418613	Soil	23	31	0.46	266	0.074	2	1.38	0.018	0.06	0.3	0.05	4.5	<0.1	<0.05	4	0.7	<0.2
REP 1418613	QC	23	31	0.47	271	0.075	2	1.38	0.018	0.05	0.3	0.03	4.6	<0.1	<0.05	5	<0.5	<0.2
1418634	Soil	19	27	0.59	360	0.066	2	1.29	0.024	0.07	0.2	0.03	4.5	<0.1	<0.05	4	<0.5	<0.2
REP 1418634	QC	20	26	0.59	369	0.064	3	1.29	0.024	0.07	0.2	0.04	4.6	<0.1	<0.05	4	<0.5	<0.2
Reference Materials																		
STD DS10	Standard	19	55	0.79	376	0.090	6	1.15	0.077	0.36	3.2	0.27	3.3	4.9	0.26	5	2.6	5.0
STD DS10	Standard	17	55	0.78	352	0.085	8	1.09	0.074	0.35	3.2	0.27	3.1	5.1	0.27	5	2.1	4.8
STD DS10	Standard	18	59	0.79	347	0.082	7	1.08	0.074	0.34	3.5	0.28	3.2	5.2	0.29	4	2.6	4.7
STD DS10	Standard	19	55	0.80	351	0.081	8	1.07	0.071	0.33	3.2	0.29	3.0	5.1	0.28	4	2.6	4.7
STD DS10	Standard	18	54	0.77	344	0.077	7	1.03	0.072	0.33	3.1	0.29	3.0	5.0	0.28	4	2.5	4.8
STD DS10	Standard	19	57	0.82	370	0.084	8	1.07	0.070	0.34	3.5	0.27	3.1	5.3	0.29	5	2.1	5.2
STD OXC129	Standard	12	50	1.52	49	0.396	<1	1.65	0.612	0.39	<0.1	<0.01	1.1	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	12	50	1.52	47	0.395	<1	1.57	0.604	0.38	<0.1	<0.01	1.4	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	12	52	1.54	48	0.406	1	1.55	0.587	0.36	<0.1	<0.01	1.1	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	13	51	1.52	50	0.403	2	1.57	0.588	0.37	<0.1	<0.01	0.7	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	13	49	1.46	47	0.368	2	1.49	0.584	0.39	<0.1	<0.01	0.9	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	13	53	1.51	52	0.417	2	1.54	0.579	0.37	0.1	0.06	1.1	<0.1	<0.05	6	0.8	0.3
STD DS10 Expected		17.5	54.6	0.775	359	0.0817		1.0755	0.067	0.338	3.32	0.3	3	5.1	0.29	4.5	2.3	5.01
STD OXC129 Expected		13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1			5.6		
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver British Columbia V6C 1E1 Canada

Project: QV
Report Date: September 09, 2016

Page: 2 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI16000209.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver British Columbia V6C 1E1 Canada

Project: QV
Report Date: September 09, 2016

Page: 2 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI16000209.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

Appendix C: GT Probe Samples Assay Certificate



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Submitted By: David Terry
Receiving Lab: Canada-Whitehorse
Received: August 02, 2016
Report Date: August 12, 2016
Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI16000140.1

CLIENT JOB INFORMATION

Project: QV
Shipment ID: QVV-2016-07-26-Rock-GTP
P.O. Number
Number of Samples: 138

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1
CANADA

CC: Jodie Gibson

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	134	Crush, split and pulverize 250 g rock to 200 mesh			WHI
FA430	134	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
AQ200	134	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	134	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV
Report Date: August 12, 2016

Page: 2 of 6

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI16000140.1

Method	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
1335660	Rock	0.97	0.036	4.1	80.1	96.6	232	0.2	101.4	20.9	1687	4.00	43.7	32.3	6.4	40	0.7	1.5	0.4	94	0.39
1335661	Rock	1.33	0.013	2.6	66.7	12.6	131	0.1	69.6	14.8	922	3.22	31.9	7.7	7.9	49	0.7	1.7	0.2	83	0.89
1335662	Rock	1.11	0.043	1.6	28.2	10.7	51	<0.1	26.2	9.2	221	2.39	33.5	62.4	6.4	70	0.1	1.4	0.2	36	0.55
1335663	Rock	0.94	0.008	1.4	22.3	7.7	44	<0.1	27.8	8.6	220	2.36	34.7	6.7	5.8	47	0.2	1.4	0.2	39	0.25
1335664	Rock	1.27	0.008	0.7	21.4	8.0	46	<0.1	22.1	10.2	235	2.35	17.8	3.5	8.1	42	0.2	0.8	0.2	37	0.30
1335665	Rock	1.54	0.021	1.1	25.0	8.8	57	<0.1	25.3	9.0	283	2.45	24.2	3.2	8.9	46	0.4	1.0	0.3	39	0.31
1338651	Rock	0.85	0.060	9.7	50.9	17.9	117	0.6	102.8	16.9	513	4.42	54.1	50.1	2.2	24	0.3	1.0	0.2	73	0.10
1338652	Rock	1.28	0.146	11.6	138.1	20.6	109	0.6	90.4	14.6	655	4.06	49.3	139.6	1.9	29	0.4	0.5	0.3	69	0.09
1338653	Rock	0.92	0.211	10.1	35.4	174.8	75	0.9	78.5	11.0	373	2.85	80.5	241.4	1.1	50	0.2	0.9	1.0	69	0.79
1338654	Rock	1.23	0.051	8.9	144.8	5.7	110	<0.1	21.3	33.6	1755	7.25	22.6	59.8	1.0	22	0.1	1.4	<0.1	165	0.34
1338655	Rock	1.60	0.023	4.3	186.8	3.6	88	<0.1	21.8	28.3	1161	5.76	9.3	19.9	0.8	42	0.2	0.6	<0.1	150	0.65
1338656	Rock	1.45	0.010	0.9	27.1	9.9	52	<0.1	11.5	6.4	306	2.16	14.2	6.7	7.6	25	0.1	0.6	0.1	22	0.14
1338657	Rock	1.21	0.014	1.0	43.9	2.8	54	<0.1	71.6	25.0	713	3.85	15.4	10.2	3.8	39	0.1	0.3	<0.1	80	0.71
1338658	Rock	1.20	0.069	1.2	52.4	5.9	65	0.1	59.9	29.6	947	4.55	23.3	61.9	6.3	65	<0.1	0.4	<0.1	95	0.66
1338659	Rock	1.27	0.049	1.4	21.0	9.0	44	0.3	13.4	6.5	344	2.13	20.0	39.3	3.0	35	<0.1	0.4	<0.1	29	0.14
1338660	Rock	1.16	0.028	2.3	47.4	21.2	69	0.2	45.2	22.7	993	4.09	56.5	30.1	5.9	56	0.1	2.4	0.1	77	0.26
1338661	Rock	1.79	0.008	1.2	10.4	14.8	18	<0.1	10.8	4.7	304	1.24	16.1	11.0	7.2	39	<0.1	0.4	0.2	17	0.10
1338662	Rock	1.09	0.078	1.4	42.4	12.8	69	0.2	57.1	23.2	858	4.25	40.8	83.5	6.6	73	0.2	1.4	<0.1	86	0.47
1338663	Rock	1.11	0.167	2.0	48.6	10.9	71	0.3	28.4	13.6	744	3.66	26.1	136.1	4.7	47	0.2	0.8	<0.1	70	0.31
1338664	Rock	1.16	<0.005	0.8	144.5	0.8	99	<0.1	21.5	33.6	1484	6.84	1.9	2.3	0.2	56	<0.1	0.1	<0.1	211	0.53
1338665	Rock	1.25	<0.005	0.2	137.2	5.7	52	<0.1	39.3	19.9	493	3.18	2.9	3.5	2.0	32	0.1	0.1	<0.1	103	0.70
1338666	Rock	1.50	<0.005	0.1	85.7	1.9	24	<0.1	16.3	7.6	218	1.34	0.8	<0.5	1.6	21	<0.1	<0.1	<0.1	47	0.89
1338667	Rock	1.70	0.010	0.2	94.0	2.0	82	<0.1	22.3	18.0	751	4.41	1.7	8.1	0.4	55	<0.1	<0.1	<0.1	129	0.65
1338668	Rock	1.24	<0.005	<0.1	30.5	2.7	50	<0.1	52.0	18.1	512	2.34	0.9	<0.5	1.0	37	<0.1	<0.1	<0.1	62	0.82
1338669	Rock	1.28	<0.005	0.2	98.7	1.5	45	<0.1	16.6	16.4	381	2.62	<0.5	<0.5	1.4	24	<0.1	<0.1	<0.1	84	0.73
1338670	Rock	1.10	<0.005	0.1	74.0	1.2	44	<0.1	23.3	18.8	533	2.89	0.8	<0.5	0.7	31	<0.1	<0.1	<0.1	87	0.72
1338671	Rock	0.91	<0.005	0.3	97.7	13.5	47	<0.1	21.3	15.3	633	3.03	0.7	0.7	0.9	36	<0.1	0.1	0.2	109	0.78
1338672	Rock	1.19	<0.005	0.3	34.8	8.9	133	<0.1	12.4	19.6	864	3.63	1.6	<0.5	0.4	29	0.2	0.2	0.1	101	0.71
1338673	Rock	1.82	<0.005	0.2	130.3	2.1	58	<0.1	13.8	15.3	442	2.80	1.7	1.2	0.3	30	0.1	0.1	0.3	95	1.11
1338674	Rock	1.76	0.006	<0.1	118.4	1.3	86	<0.1	8.0	25.6	558	4.99	1.8	4.8	0.4	45	<0.1	<0.1	<0.1	170	0.91



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV
Report Date: August 12, 2016

Page: 2 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI16000140.1

Method Analyte	Unit	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
MDL		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm		
1335660	Rock	0.094	20	79	0.91	821	0.054	<20	1.45	0.024	0.45	0.1	0.13	9.0	0.3	<0.05	6	<0.5	<0.2	
1335661	Rock	0.077	19	70	0.83	1079	0.085	<20	1.48	0.030	0.63	0.1	0.10	8.8	0.4	<0.05	6	<0.5	<0.2	
1335662	Rock	0.046	13	24	0.40	1307	0.044	<20	0.88	0.033	0.27	<0.1	0.06	4.5	0.2	<0.05	3	<0.5	<0.2	
1335663	Rock	0.029	15	31	0.37	421	0.048	<20	0.95	0.047	0.24	<0.1	0.07	4.3	0.1	<0.05	3	<0.5	<0.2	
1335664	Rock	0.045	17	23	0.40	470	0.049	<20	0.89	0.036	0.23	0.1	0.06	3.9	0.1	<0.05	3	<0.5	<0.2	
1335665	Rock	0.054	18	27	0.40	1226	0.043	<20	0.95	0.041	0.29	0.1	0.07	4.3	0.1	<0.05	3	<0.5	<0.2	
1338651	Rock	0.029	9	64	0.12	917	0.002	<20	0.53	0.031	0.20	0.2	0.21	16.1	0.2	<0.05	2	0.7	0.4	
1338652	Rock	0.022	5	62	0.10	1247	0.002	<20	0.51	0.036	0.16	<0.1	0.26	12.3	0.2	<0.05	2	<0.5	0.7	
1338653	Rock	0.014	4	63	0.18	2433	0.003	<20	0.73	0.007	0.20	0.2	0.37	8.5	0.2	0.06	2	<0.5	1.3	
1338654	Rock	0.119	7	11	0.20	687	0.007	<20	0.96	0.015	0.41	0.2	0.36	23.8	0.7	<0.05	3	<0.5	<0.2	
1338655	Rock	0.104	6	18	0.69	1060	0.041	<20	1.60	0.062	0.50	0.3	0.12	18.9	0.2	<0.05	7	<0.5	<0.2	
1338656	Rock	0.035	16	18	0.32	1294	0.026	<20	0.93	0.020	0.52	0.5	0.08	5.6	0.2	<0.05	3	<0.5	<0.2	
1338657	Rock	0.112	14	150	1.37	1297	0.081	<20	1.77	0.063	0.82	0.2	0.05	14.5	0.2	<0.05	6	<0.5	<0.2	
1338658	Rock	0.140	26	121	1.49	2414	0.103	<20	1.88	0.039	0.93	0.6	0.07	17.8	0.3	<0.05	7	<0.5	<0.2	
1338659	Rock	0.026	8	21	0.18	1041	0.008	<20	0.72	0.030	0.32	0.7	0.20	6.3	0.2	<0.05	2	<0.5	<0.2	
1338660	Rock	0.067	13	52	0.25	1334	0.003	<20	0.75	0.012	0.33	0.4	0.20	14.1	0.4	<0.05	3	<0.5	<0.2	
1338661	Rock	0.013	11	13	0.11	1047	<0.001	<20	0.56	0.004	0.26	0.3	0.15	2.6	<0.1	<0.05	1	<0.5	<0.2	
1338662	Rock	0.082	18	93	0.82	2872	0.033	<20	1.42	0.024	0.65	0.7	0.19	16.0	0.4	0.06	5	<0.5	<0.2	
1338663	Rock	0.031	12	40	0.50	2297	0.021	<20	1.27	0.030	0.48	0.5	0.24	13.2	0.3	0.05	4	<0.5	0.3	
1338664	Rock	0.080	2	14	3.30	1097	0.374	<20	3.81	0.036	2.57	0.1	0.02	25.4	0.8	<0.05	13	<0.5	<0.2	
1338665	Rock	0.051	7	201	1.85	215	0.199	<20	1.41	0.094	0.29	0.1	0.02	10.1	0.1	<0.05	6	<0.5	<0.2	
1338666	Rock	0.070	6	74	0.76	229	0.144	<20	0.60	0.137	0.04	<0.1	<0.01	5.9	<0.1	<0.05	3	<0.5	<0.2	
1338667	Rock	0.070	2	35	2.11	1107	0.364	<20	2.59	0.040	1.58	<0.1	0.07	6.5	0.3	<0.05	9	<0.5	<0.2	
1338668	Rock	0.069	5	197	1.89	841	0.202	<20	1.58	0.086	0.71	<0.1	0.01	6.5	0.3	<0.05	6	<0.5	<0.2	
1338669	Rock	0.058	6	54	1.49	354	0.218	<20	1.36	0.096	0.70	<0.1	0.01	6.6	0.3	<0.05	5	<0.5	<0.2	
1338670	Rock	0.058	3	94	1.93	392	0.240	<20	1.81	0.102	0.79	<0.1	<0.01	7.6	0.1	<0.05	7	<0.5	<0.2	
1338671	Rock	0.052	5	78	1.38	262	0.194	<20	1.37	0.106	0.46	<0.1	0.02	12.0	0.1	<0.05	6	<0.5	<0.2	
1338672	Rock	0.055	2	91	1.76	423	0.233	<20	1.93	0.057	1.00	0.1	0.02	10.4	0.3	<0.05	7	<0.5	<0.2	
1338673	Rock	0.054	2	91	1.34	157	0.174	<20	1.45	0.196	0.36	<0.1	<0.01	9.8	<0.1	<0.05	5	<0.5	<0.2	
1338674	Rock	0.053	2	8	1.65	266	0.180	<20	2.14	0.121	0.55	<0.1	<0.01	18.1	0.1	<0.05	7	<0.5	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV
Report Date: August 12, 2016

Page: 3 of 6

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI16000140.1

Method	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
1338675	Rock	0.97	0.019	0.5	55.1	1.8	79	<0.1	13.6	25.4	1140	5.78	13.8	14.1	1.5	45	0.1	0.4	<0.1	150	1.49
1338676	Rock	0.88	<0.005	0.7	39.0	2.2	58	<0.1	11.3	14.3	763	4.17	13.1	<0.5	8.4	39	<0.1	0.8	0.3	49	0.53
1338677	Rock	1.29	<0.005	1.1	10.4	1.6	57	<0.1	6.5	7.3	675	2.70	5.4	<0.5	8.8	26	<0.1	0.2	<0.1	24	0.37
1338678	Rock	0.85	<0.005	1.2	4.5	8.4	23	<0.1	5.2	4.7	699	1.43	7.4	<0.5	8.0	21	<0.1	0.2	0.4	16	0.20
1338679	Rock	1.03	<0.005	0.4	4.6	2.4	50	<0.1	8.9	8.2	631	2.43	1.6	1.7	7.7	34	<0.1	0.3	<0.1	48	0.44
1338680	Rock	1.04	<0.005	1.1	11.5	5.0	70	<0.1	17.1	9.1	1423	3.52	4.7	5.1	9.4	67	<0.1	0.8	0.3	76	0.31
1338681	Rock	1.83	<0.005	0.3	4.2	9.5	48	<0.1	12.8	7.1	664	2.41	1.3	2.7	11.8	22	<0.1	0.4	0.2	41	0.26
1338682	Rock	0.76	<0.005	0.4	5.3	1.7	35	<0.1	7.9	11.3	500	2.78	1.7	<0.5	4.7	34	<0.1	0.1	<0.1	76	0.52
1338683	Rock	1.66	<0.005	0.5	3.6	2.3	36	<0.1	8.7	5.8	521	1.96	2.0	1.0	9.4	33	<0.1	0.2	<0.1	48	0.29
1338684	Rock	1.27	<0.005	0.7	7.5	5.5	53	<0.1	13.4	6.8	733	2.45	3.9	<0.5	11.7	24	<0.1	0.3	0.2	43	0.24
1338685	Rock	0.80	<0.005	0.3	4.4	4.0	33	<0.1	9.7	5.8	449	2.19	1.3	2.2	11.4	17	<0.1	0.2	<0.1	40	0.24
1338686	Rock	1.26	<0.005	0.2	4.9	1.9	46	<0.1	6.3	7.2	607	2.28	0.7	<0.5	4.3	27	<0.1	<0.1	<0.1	40	0.39
1338687	Rock	1.25	<0.005	0.4	5.1	3.9	38	<0.1	6.4	8.7	712	2.79	1.5	<0.5	9.3	24	<0.1	0.2	<0.1	41	0.29
1338688	Rock	0.88	<0.005	0.5	4.7	6.0	39	<0.1	9.1	6.9	876	2.43	1.4	3.8	10.9	78	<0.1	0.2	<0.1	43	0.32
1338689	Rock	1.23	<0.005	0.8	2.9	2.1	37	<0.1	7.7	7.8	815	2.37	2.1	23.5	10.0	21	<0.1	0.3	0.2	34	0.22
1338690	Rock	1.35	0.009	0.7	4.7	4.1	39	<0.1	8.6	7.2	832	2.30	2.5	7.2	10.8	24	<0.1	0.4	0.2	44	0.29
1338691	Rock	1.19	0.029	1.2	5.4	5.0	41	<0.1	7.8	7.8	1156	2.81	6.9	18.9	8.3	36	<0.1	0.4	0.2	41	0.32
1338692	Rock	0.91	0.056	3.2	18.8	21.0	65	0.3	13.5	10.1	880	3.71	13.7	41.9	4.8	58	0.1	1.6	0.1	67	0.19
1338693	Rock	1.51	0.047	0.8	10.3	9.7	41	0.2	8.4	6.3	563	2.21	4.0	43.1	7.4	33	<0.1	0.7	0.1	36	0.34
1338694	Rock	1.04	0.063	2.2	20.6	8.0	87	0.4	7.3	9.5	983	2.99	15.4	70.9	4.3	72	0.3	2.8	0.1	63	0.28
1338695	Rock	1.19	0.017	0.9	13.9	6.7	54	0.2	7.5	7.9	750	2.83	1.9	20.4	5.4	69	0.3	0.3	0.2	60	1.19
1338696	Rock	0.68	0.012	2.5	68.2	3.6	97	<0.1	56.6	23.0	2364	4.81	4.7	11.5	1.3	55	0.1	1.2	<0.1	90	1.19
1338697	Rock	1.11	0.006	1.7	49.8	2.3	92	<0.1	26.4	26.3	1306	5.74	4.0	6.9	1.3	29	0.2	0.4	<0.1	146	0.34
1338698	Rock	0.96	0.025	3.4	90.9	5.8	107	<0.1	79.0	27.4	1757	5.38	29.3	23.1	2.0	38	0.2	1.8	<0.1	111	0.25
1338699	Rock	0.97	0.531	0.8	83.0	3.7	79	0.2	35.8	18.9	850	3.72	13.2	628.4	1.0	50	<0.1	0.4	<0.1	112	0.69
1338700	Rock	1.11	0.049	1.3	83.1	5.1	103	<0.1	55.1	24.7	1364	4.43	29.8	33.6	2.0	38	0.2	0.6	<0.1	143	0.31
1338701	Rock	1.17	0.012	1.0	103.6	3.6	103	<0.1	41.6	23.8	1026	4.71	18.7	10.2	0.7	36	0.2	0.7	<0.1	158	0.45
1338702	Rock	0.96	0.006	0.6	151.1	4.4	101	<0.1	24.6	24.3	948	4.96	19.4	8.2	1.0	50	0.1	0.4	<0.1	157	0.55
1338703	Rock	1.24	0.011	0.4	120.9	3.7	91	<0.1	24.4	21.9	833	3.96	8.0	13.6	1.1	39	<0.1	0.3	<0.1	115	0.63
1338704	Rock	0.69	<0.005	0.6	38.4	5.7	49	<0.1	21.4	7.7	419	2.27	15.5	0.8	8.3	67	0.1	0.4	<0.1	47	1.71



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Comstock Metals Ltd.**

310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV

Report Date: August 12, 2016

Page: 3 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI16000140.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm		
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1338675	Rock	0.079	9	11	1.25	449	0.061	<20	1.87	0.041	0.46	<0.1	0.03	22.1	0.1	<0.05	8	<0.5	<0.2	
1338676	Rock	0.058	31	44	0.77	517	0.142	<20	1.58	0.067	0.65	<0.1	0.09	9.3	0.2	<0.05	7	<0.5	0.2	
1338677	Rock	0.055	33	18	0.61	710	0.176	<20	1.36	0.049	0.81	0.2	0.01	5.5	0.3	<0.05	6	<0.5	<0.2	
1338678	Rock	0.045	7	7	0.17	429	0.002	<20	0.73	0.021	0.31	<0.1	0.02	7.1	<0.1	<0.05	3	<0.5	<0.2	
1338679	Rock	0.054	20	24	0.86	1211	0.186	<20	1.50	0.051	1.04	0.1	<0.01	5.3	0.3	<0.05	7	<0.5	<0.2	
1338680	Rock	0.095	30	33	0.78	3841	0.087	<20	1.79	0.034	0.88	<0.1	0.03	12.5	0.2	0.08	9	<0.5	<0.2	
1338681	Rock	0.059	34	27	0.84	642	0.163	<20	1.41	0.040	1.02	0.2	<0.01	5.6	0.3	<0.05	7	<0.5	<0.2	
1338682	Rock	0.069	15	19	1.37	806	0.202	<20	1.89	0.050	1.14	<0.1	0.01	7.5	0.3	<0.05	8	<0.5	<0.2	
1338683	Rock	0.067	22	22	0.79	965	0.105	<20	1.21	0.048	0.70	0.1	<0.01	7.5	0.1	<0.05	7	<0.5	<0.2	
1338684	Rock	0.052	39	24	0.74	483	0.103	<20	1.35	0.046	0.82	0.2	<0.01	6.2	0.2	<0.05	8	<0.5	<0.2	
1338685	Rock	0.053	40	24	0.86	376	0.112	<20	1.41	0.025	0.91	<0.1	<0.01	5.0	0.3	<0.05	7	<0.5	<0.2	
1338686	Rock	0.056	10	23	1.13	528	0.205	<20	1.60	0.054	1.04	0.1	<0.01	5.5	0.3	<0.05	7	<0.5	<0.2	
1338687	Rock	0.067	28	17	1.04	1198	0.141	<20	1.68	0.026	1.00	0.1	<0.01	7.8	0.3	<0.05	8	<0.5	<0.2	
1338688	Rock	0.058	16	25	1.01	2067	0.099	<20	1.64	0.032	1.04	0.1	0.01	7.0	0.4	<0.05	7	<0.5	<0.2	
1338689	Rock	0.047	21	21	0.59	936	0.084	<20	1.14	0.030	0.74	0.2	0.02	6.6	0.3	<0.05	5	<0.5	<0.2	
1338690	Rock	0.055	27	22	0.56	786	0.095	<20	1.10	0.057	0.66	0.2	0.05	10.5	0.2	<0.05	5	<0.5	<0.2	
1338691	Rock	0.040	13	15	0.38	873	0.033	<20	0.99	0.027	0.50	0.2	0.22	10.6	0.2	<0.05	4	<0.5	<0.2	
1338692	Rock	0.021	14	17	0.16	2116	0.008	<20	1.00	0.009	0.21	0.2	0.52	13.2	0.1	<0.05	3	<0.5	<0.2	
1338693	Rock	0.035	14	13	0.35	767	0.035	<20	0.81	0.019	0.38	0.2	0.19	7.3	0.1	<0.05	3	<0.5	<0.2	
1338694	Rock	0.017	11	13	0.09	2710	0.002	<20	0.69	0.004	0.10	<0.1	0.74	13.1	<0.1	0.06	2	<0.5	0.4	
1338695	Rock	0.034	14	16	0.37	1372	0.031	<20	0.74	0.037	0.43	0.1	0.10	12.9	0.1	<0.05	3	<0.5	<0.2	
1338696	Rock	0.092	8	68	0.80	891	0.053	<20	1.53	0.046	0.74	0.2	0.14	20.4	0.2	<0.05	6	<0.5	<0.2	
1338697	Rock	0.062	9	67	1.70	712	0.151	<20	2.27	0.029	1.57	<0.1	0.12	25.0	0.4	<0.05	8	<0.5	<0.2	
1338698	Rock	0.073	8	93	0.59	1331	0.022	<20	1.22	0.027	0.70	<0.1	0.48	21.8	0.2	<0.05	4	<0.5	<0.2	
1338699	Rock	0.047	5	69	1.05	1106	0.090	<20	1.52	0.083	0.53	0.6	0.19	17.7	0.2	<0.05	5	<0.5	0.8	
1338700	Rock	0.053	7	133	0.70	3741	0.029	<20	1.29	0.054	0.64	0.1	0.21	24.0	0.2	0.08	6	<0.5	<0.2	
1338701	Rock	0.055	4	61	1.07	1344	0.077	<20	1.54	0.061	0.74	0.1	0.13	25.6	0.2	<0.05	6	<0.5	<0.2	
1338702	Rock	0.069	6	41	1.41	2150	0.138	<20	2.28	0.067	1.07	0.2	0.10	18.5	0.3	<0.05	8	<0.5	<0.2	
1338703	Rock	0.066	4	37	1.59	644	0.169	<20	2.23	0.051	1.04	0.1	0.13	11.6	0.2	<0.05	6	<0.5	<0.2	
1338704	Rock	0.045	27	28	0.76	671	0.118	<20	1.16	0.060	0.47	0.2	0.08	5.7	0.2	<0.05	5	<0.5	<0.2	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV
Report Date: August 12, 2016

Page: 4 of 6

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI16000140.1

Method	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
1338705	Rock	1.38	<0.005	0.5	49.7	6.5	85	<0.1	51.0	28.9	1071	5.03	18.9	2.5	9.6	54	0.1	0.6	<0.1	138	0.58
1338706	Rock	1.24	0.007	1.7	49.7	13.5	79	<0.1	19.7	13.5	904	3.86	52.7	10.4	7.0	39	0.2	0.7	<0.1	89	0.32
1338707	Rock	1.23	<0.005	0.4	51.1	7.4	72	<0.1	21.5	10.5	800	3.31	14.7	<0.5	5.3	54	0.1	0.4	<0.1	76	0.61
1338708	Rock	0.98	<0.005	0.3	31.4	10.8	68	<0.1	9.3	6.4	432	2.34	11.2	<0.5	8.6	40	<0.1	0.3	0.2	33	0.48
1338709	Rock	1.10	0.006	1.6	94.2	8.6	57	<0.1	12.5	10.9	616	2.99	28.0	3.3	2.7	46	<0.1	0.7	<0.1	96	0.57
1338710	Rock	1.20	<0.005	0.2	9.7	9.9	40	<0.1	3.4	3.1	262	1.24	12.3	<0.5	6.5	18	<0.1	0.3	0.1	14	0.12
1338711	Rock	1.67	<0.005	0.3	72.7	5.4	78	<0.1	11.8	14.1	584	3.32	14.7	<0.5	2.6	40	0.1	0.3	<0.1	97	0.59
1338712	Rock	0.96	<0.005	0.2	55.2	5.4	89	<0.1	40.1	13.7	533	3.44	3.6	<0.5	7.3	50	<0.1	0.2	<0.1	90	0.29
1338713	Rock	1.02	<0.005	0.3	22.5	5.5	53	<0.1	11.9	6.5	300	2.13	3.0	<0.5	4.1	29	<0.1	0.1	<0.1	30	0.31
1338714	Rock	0.91	0.008	<0.1	162.2	1.3	76	<0.1	18.9	23.0	741	4.35	3.0	1.9	0.6	58	<0.1	0.1	<0.1	191	1.48
1338715	Rock	0.96	1.359	0.3	314.2	6.5	58	2.9	10.8	9.2	498	2.58	6.3	4597.0	5.7	21	<0.1	0.2	0.1	69	0.30
1338716	Rock	1.09	0.031	<0.1	80.0	2.5	81	0.1	10.1	13.7	506	3.60	3.2	25.2	1.5	31	<0.1	0.1	<0.1	119	0.54
1338717	Rock	1.07	0.018	0.2	39.6	8.6	82	<0.1	7.2	8.3	550	2.69	10.6	11.0	6.5	28	0.2	1.2	<0.1	39	0.20
1338718	Rock	0.50	0.011	0.6	41.9	7.9	53	<0.1	32.5	11.6	383	2.68	14.4	6.8	4.3	37	<0.1	0.6	0.1	64	0.50
1338719	Rock	0.98	0.013	0.3	67.1	7.7	74	<0.1	32.0	12.7	616	3.21	20.7	10.8	6.2	37	<0.1	0.4	<0.1	70	0.54
1338720	Rock	0.83	<0.005	0.3	49.1	8.4	72	<0.1	55.8	30.4	1048	5.03	2.9	1.9	10.3	89	0.1	0.3	0.1	141	2.36
1338721	Rock	1.01	<0.005	0.4	41.9	5.7	64	<0.1	108.9	30.4	849	4.23	2.2	2.1	3.7	62	<0.1	2.2	<0.1	96	4.86
1338722	Rock	1.11	<0.005	0.3	253.1	1.0	64	<0.1	15.7	22.2	829	3.78	2.2	1.5	0.3	40	0.1	0.5	<0.1	143	1.29
1338723	Rock	1.34	0.006	0.1	206.0	1.0	88	<0.1	19.3	24.1	920	4.79	3.4	3.0	0.6	38	<0.1	0.2	<0.1	203	1.19
1338724	Rock	1.43	0.005	<0.1	151.5	0.8	76	<0.1	26.3	22.3	623	3.74	3.8	1.7	0.4	44	<0.1	0.1	<0.1	155	1.05
1338725	Rock	1.82	<0.005	<0.1	120.6	2.4	79	<0.1	18.7	19.4	516	3.56	3.0	3.8	0.3	51	<0.1	0.1	<0.1	121	1.20
1338726	Rock	1.19	<0.005	0.1	130.9	2.1	75	<0.1	24.1	18.4	719	4.04	7.4	1.4	0.9	45	<0.1	0.2	<0.1	142	1.10
1338727	Rock	1.06	<0.005	0.1	28.8	0.8	46	<0.1	100.1	29.4	499	3.90	3.7	1.7	0.5	30	<0.1	0.1	<0.1	106	0.69
1338728	Rock	0.99	<0.005	<0.1	57.1	0.6	40	<0.1	22.5	18.0	517	2.87	1.4	<0.5	0.1	33	<0.1	0.1	<0.1	100	1.52
1338729	Rock	1.32	<0.005	0.2	13.9	6.3	37	<0.1	5.6	3.3	208	1.07	1.8	1.5	4.0	75	0.1	0.2	<0.1	20	1.67
1338730	Rock	1.20	0.006	0.4	185.9	2.3	91	<0.1	15.0	21.2	980	4.96	3.4	4.7	0.6	82	0.2	0.5	<0.1	198	0.77
1338731	Rock	1.65	0.012	0.6	123.2	4.2	85	<0.1	64.9	23.9	1709	4.62	10.7	6.7	0.7	82	0.1	0.9	<0.1	166	0.52
1338732	Rock	1.06	0.017	0.6	150.0	2.4	98	<0.1	91.0	28.0	1360	5.35	8.0	7.5	0.9	41	0.1	1.5	<0.1	137	0.33
1338733	Rock	1.68	0.029	0.2	88.4	1.3	65	<0.1	20.9	21.2	972	4.01	1.1	4.6	0.8	35	<0.1	0.1	<0.1	130	0.75
1338734	Rock	1.16	0.006	0.1	91.6	1.4	37	<0.1	127.2	22.5	532	2.50	2.2	2.8	1.1	50	<0.1	0.1	<0.1	60	0.77



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV
Report Date: August 12, 2016

Page: 4 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI16000140.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm		
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1338705	Rock	0.156	34	117	1.77	3798	0.164	<20	2.08	0.027	1.40	0.1	0.11	19.2	0.3	0.07	8	<0.5	<0.2	
1338706	Rock	0.049	18	29	0.57	2230	0.044	<20	1.34	0.021	0.69	0.1	0.36	14.1	0.3	<0.05	6	<0.5	<0.2	
1338707	Rock	0.070	18	32	1.09	1610	0.141	<20	1.77	0.050	0.88	0.2	0.15	8.6	0.4	<0.05	6	<0.5	<0.2	
1338708	Rock	0.034	25	18	0.66	2257	0.106	<20	1.45	0.027	0.83	0.2	0.16	6.9	0.5	<0.05	6	<0.5	<0.2	
1338709	Rock	0.072	10	23	0.47	2087	0.055	<20	1.06	0.064	0.39	2.4	0.15	9.9	0.2	<0.05	5	<0.5	<0.2	
1338710	Rock	0.016	22	8	0.27	1686	0.013	<20	0.89	0.032	0.35	0.1	0.14	4.8	0.2	<0.05	3	<0.5	<0.2	
1338711	Rock	0.050	11	15	0.91	1743	0.138	<20	1.55	0.051	0.90	0.1	0.08	9.4	0.4	<0.05	6	<0.5	<0.2	
1338712	Rock	0.048	22	61	1.22	917	0.196	<20	1.75	0.029	1.05	0.2	0.02	7.4	0.4	<0.05	8	<0.5	<0.2	
1338713	Rock	0.028	18	18	0.72	469	0.117	<20	1.35	0.042	0.62	0.1	0.01	3.8	0.3	<0.05	5	<0.5	<0.2	
1338714	Rock	0.087	6	14	1.59	544	0.221	<20	2.23	0.233	0.84	<0.1	0.03	12.9	0.2	<0.05	8	<0.5	<0.2	
1338715	Rock	0.033	21	12	0.67	347	0.080	<20	1.32	0.060	0.63	0.2	0.33	7.3	0.3	<0.05	5	<0.5	2.9	
1338716	Rock	0.055	7	14	1.13	1420	0.206	<20	1.95	0.075	1.20	<0.1	0.19	7.3	0.4	<0.05	7	<0.5	<0.2	
1338717	Rock	0.051	16	19	0.57	1988	0.073	<20	1.20	0.033	0.73	0.2	1.03	7.7	0.4	<0.05	4	<0.5	<0.2	
1338718	Rock	0.034	19	34	0.65	325	0.095	<20	1.42	0.066	0.21	0.2	0.10	6.3	0.2	<0.05	4	<0.5	<0.2	
1338719	Rock	0.053	19	41	1.33	1371	0.149	<20	2.07	0.058	0.84	0.2	0.32	7.3	0.4	<0.05	7	<0.5	<0.2	
1338720	Rock	0.158	39	144	2.07	2712	0.250	<20	2.50	0.045	1.46	<0.1	0.06	19.8	0.4	<0.05	9	<0.5	<0.2	
1338721	Rock	0.066	15	161	1.60	2669	0.076	<20	2.02	0.033	1.05	<0.1	0.08	17.0	0.3	<0.05	6	<0.5	<0.2	
1338722	Rock	0.095	3	9	0.98	409	0.156	<20	1.61	0.178	0.58	<0.1	0.05	11.4	0.1	<0.05	5	<0.5	<0.2	
1338723	Rock	0.099	3	13	1.28	691	0.161	<20	2.27	0.147	0.63	<0.1	0.10	16.7	0.2	<0.05	9	<0.5	<0.2	
1338724	Rock	0.078	3	32	1.39	395	0.173	<20	2.01	0.162	0.68	0.2	0.04	11.1	0.1	<0.05	7	<0.5	<0.2	
1338725	Rock	0.059	2	23	1.30	339	0.203	<20	2.18	0.140	0.70	<0.1	0.04	8.4	0.2	<0.05	6	<0.5	<0.2	
1338726	Rock	0.056	4	40	1.48	429	0.202	<20	2.33	0.156	0.89	1.0	0.07	13.1	0.3	<0.05	7	<0.5	<0.2	
1338727	Rock	0.037	2	353	3.20	331	0.113	<20	3.05	0.053	0.53	<0.1	0.02	14.0	0.2	<0.05	8	<0.5	<0.2	
1338728	Rock	0.045	<1	35	1.34	814	0.130	<20	1.65	0.284	0.21	<0.1	<0.01	13.0	<0.1	<0.05	6	<0.5	<0.2	
1338729	Rock	0.021	16	12	0.35	410	0.037	<20	0.64	0.040	0.23	0.2	0.01	2.8	0.1	<0.05	3	<0.5	<0.2	
1338730	Rock	0.105	5	16	1.13	4117	0.161	<20	1.79	0.077	0.74	0.2	0.02	15.2	0.2	0.09	8	<0.5	<0.2	
1338731	Rock	0.065	6	113	1.36	3761	0.105	<20	1.86	0.047	0.94	2.5	0.06	19.7	0.3	0.08	8	<0.5	<0.2	
1338732	Rock	0.064	6	149	1.03	1424	0.064	<20	1.62	0.033	0.90	0.2	0.22	23.0	0.3	<0.05	7	<0.5	<0.2	
1338733	Rock	0.061	4	71	1.99	584	0.187	<20	2.14	0.092	0.93	<0.1	0.05	16.6	0.3	<0.05	8	<0.5	<0.2	
1338734	Rock	0.042	6	330	1.78	1845	0.082	<20	1.54	0.089	0.42	<0.1	0.12	9.3	0.2	<0.05	5	<0.5	<0.2	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV
Report Date: August 12, 2016

Page: 5 of 6

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI16000140.1

Method	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
1338735	Rock	1.26	0.006	0.2	53.7	18.1	51	<0.1	81.3	17.9	765	2.95	188.0	4.9	1.1	92	0.1	5.0	<0.1	88	1.33
1338736	Rock	1.41	0.006	0.1	74.6	0.9	68	<0.1	21.8	20.0	615	4.26	15.3	0.5	0.6	33	<0.1	0.2	<0.1	113	0.60
1338737	Rock	1.44	0.008	0.5	58.6	5.7	79	<0.1	47.8	23.7	1316	4.95	164.0	4.0	1.3	61	<0.1	6.1	<0.1	136	1.20
1338738	Rock	1.36	<0.005	0.8	77.4	6.8	98	<0.1	14.1	16.5	783	4.65	127.9	<0.5	0.6	49	0.2	12.8	<0.1	129	0.13
1338739	Rock	0.97	<0.005	0.7	59.2	11.1	75	<0.1	16.9	12.4	858	4.10	121.6	2.1	0.5	136	0.2	12.0	<0.1	130	0.44
1338740	Rock	0.97	<0.005	0.8	7.2	2.9	143	<0.1	8.3	23.9	931	5.28	14.7	1.7	2.0	41	<0.1	1.6	<0.1	107	0.49
1338741	Rock	1.18	0.007	0.7	19.7	3.0	84	<0.1	11.3	18.5	880	4.35	17.1	5.6	1.5	36	0.1	1.6	<0.1	110	0.47
1338742	Rock	1.31	0.009	0.4	115.5	1.3	58	<0.1	5.3	17.2	712	4.15	2.4	10.3	0.7	32	0.1	0.3	<0.1	139	0.84
1338743	Rock	1.09	0.029	1.8	26.7	10.6	74	0.2	9.5	17.6	1570	4.11	23.9	14.6	2.9	61	0.4	1.1	0.4	83	0.21
1338744	Rock	1.06	1.802	1.0	33.8	10.2	36	0.3	7.1	5.6	429	1.71	18.9	629.5	4.4	31	0.1	1.6	0.1	36	0.10
1338745	Rock	0.87	0.267	3.3	16.4	7.4	75	0.1	5.8	8.5	1041	3.24	8.2	130.8	1.7	56	0.2	1.8	0.4	31	0.20
1345926	Rock	1.29	<0.005	0.7	20.3	6.9	69	<0.1	24.1	14.9	393	2.67	1.8	4.9	22.8	13	<0.1	0.2	<0.1	19	0.28
1345927	Rock	0.97	<0.005	0.3	16.5	6.6	17	<0.1	8.9	6.2	346	1.36	6.2	3.7	10.4	63	<0.1	0.4	<0.1	11	3.19
1345928	Rock	1.23	<0.005	2.2	17.7	16.2	27	<0.1	16.4	7.4	692	2.72	146.4	4.0	17.0	14	<0.1	0.9	0.2	22	0.21
1345929	Rock	0.70	<0.005	0.2	15.4	21.7	52	<0.1	14.3	7.2	427	1.98	4.0	1.7	14.0	30	0.1	0.1	0.2	24	1.66
1345930	Rock	0.85	0.005	0.5	35.4	8.6	59	<0.1	29.9	12.9	277	3.34	8.4	3.4	18.9	21	<0.1	0.2	0.3	26	0.64
1345931	Rock	0.87	0.022	0.4	19.6	5.8	45	<0.1	22.9	14.0	602	3.07	28.7	3.5	17.6	16	<0.1	0.5	0.2	28	0.18
1345932	Rock	1.17	0.024	0.6	25.2	9.1	40	<0.1	18.7	13.5	740	2.76	41.6	27.1	11.7	41	<0.1	0.8	0.2	17	1.44
1345933	Rock	1.38	0.050	0.7	22.6	18.1	54	0.1	21.7	12.9	641	3.07	43.1	32.7	11.9	47	0.1	1.4	0.1	33	3.37
1345934	Rock	1.08	0.061	10.9	17.7	25.0	55	0.2	32.0	17.4	1815	4.36	73.7	27.6	5.5	125	0.1	1.0	0.3	30	8.59
1345935	Rock	1.36	0.035	1.1	8.0	12.0	28	<0.1	8.7	4.2	667	2.38	51.1	27.7	9.7	70	<0.1	0.7	0.1	22	1.07
1345936	Rock	0.87	0.023	1.1	13.1	6.5	33	<0.1	13.6	6.1	683	1.71	12.9	10.7	9.8	48	0.1	0.6	<0.1	22	1.34
1345937	Rock	0.96	0.007	1.5	43.7	19.2	73	0.2	31.8	11.1	590	2.46	29.0	4.6	5.8	65	0.4	1.0	0.4	48	1.52
1345938	Rock	0.91	0.010	2.7	54.3	22.9	88	0.2	36.9	13.3	647	2.86	33.3	5.6	7.6	83	0.5	1.3	0.5	57	2.33
1345939	Rock	1.00	0.108	1.3	31.7	14.7	57	0.1	27.8	11.2	522	2.42	23.0	6.5	4.9	66	0.3	1.0	0.2	43	1.40
1345940	Rock	0.71	<0.005	0.5	30.2	6.6	65	0.1	23.0	9.8	490	2.29	7.9	2.4	5.2	64	0.4	0.5	0.1	52	1.64
1345941	Rock	1.21	<0.005	1.0	23.5	8.9	44	0.1	19.3	7.4	453	1.89	11.9	2.3	5.3	49	0.2	0.7	0.2	37	1.16
1345942	Rock	0.97	<0.005	1.3	37.2	10.0	86	0.1	35.7	13.4	653	3.03	14.3	1.9	7.2	57	0.4	0.7	0.2	53	1.39
1345943	Rock	1.16	0.006	0.9	25.2	9.2	50	0.1	23.2	7.9	540	2.05	14.3	1.6	5.1	36	0.3	0.7	0.2	38	0.56
1345944	Rock	1.15	<0.005	0.7	22.4	7.8	37	<0.1	20.0	7.2	511	1.61	13.5	0.6	3.6	35	0.2	0.7	0.1	35	0.37



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Comstock Metals Ltd.**
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV
Report Date: August 12, 2016

Page: 5 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI16000140.1

Method Analyte	Unit	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
MDL		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm		
1338735	Rock	0.038	11	160	0.77	2057	0.046	<20	1.14	0.050	0.25	0.5	2.16	12.8	0.9	<0.05	4	<0.5	<0.2	
1338736	Rock	0.055	3	72	1.81	439	0.188	<20	2.33	0.051	1.28	<0.1	0.29	12.8	0.4	<0.05	8	<0.5	<0.2	
1338737	Rock	0.043	6	68	0.54	1287	0.018	<20	1.16	0.018	0.33	0.7	2.24	20.3	1.5	<0.05	4	<0.5	<0.2	
1338738	Rock	0.020	2	16	0.10	2377	0.003	<20	0.60	0.003	0.11	0.5	1.23	23.0	0.5	0.06	2	<0.5	<0.2	
1338739	Rock	0.016	3	27	0.13	4129	0.005	<20	0.65	0.008	0.06	1.4	2.21	14.4	1.1	0.11	2	<0.5	<0.2	
1338740	Rock	0.089	13	32	2.00	681	0.205	<20	2.61	0.021	1.58	0.1	0.13	17.4	0.3	<0.05	9	<0.5	<0.2	
1338741	Rock	0.066	8	36	0.88	439	0.049	<20	1.54	0.036	0.61	0.1	0.14	16.0	0.2	<0.05	7	<0.5	<0.2	
1338742	Rock	0.060	4	7	1.21	287	0.134	<20	1.56	0.135	0.48	0.2	0.03	13.1	0.1	<0.05	7	<0.5	<0.2	
1338743	Rock	0.052	8	24	0.65	2525	0.044	<20	1.17	0.025	0.77	0.7	0.12	17.4	0.3	<0.05	5	<0.5	<0.2	
1338744	Rock	0.020	9	11	0.09	536	0.001	<20	0.45	0.005	0.25	0.3	0.20	4.9	0.1	<0.05	2	<0.5	<0.2	
1338745	Rock	0.006	2	9	0.09	2416	<0.001	<20	0.38	0.004	0.21	0.1	0.83	13.4	0.2	0.06	<1	<0.5	0.3	
1345926	Rock	0.035	53	17	0.59	170	0.098	<20	1.24	0.015	0.89	<0.1	0.04	3.8	0.4	<0.05	4	<0.5	<0.2	
1345927	Rock	0.024	7	10	0.20	233	0.003	<20	0.54	0.008	0.25	0.1	0.22	3.0	0.1	<0.05	2	<0.5	<0.2	
1345928	Rock	0.019	28	10	0.12	197	0.006	<20	0.59	0.007	0.30	0.2	0.08	3.5	<0.1	<0.05	2	<0.5	<0.2	
1345929	Rock	0.024	32	25	0.49	224	0.094	<20	0.95	0.030	0.46	<0.1	0.01	3.0	0.2	<0.05	5	<0.5	<0.2	
1345930	Rock	0.042	60	25	0.93	204	0.184	<20	1.79	0.016	1.31	<0.1	<0.01	4.2	0.6	<0.05	5	<0.5	<0.2	
1345931	Rock	0.039	43	25	0.98	295	0.165	<20	1.60	0.028	1.32	0.1	0.02	5.5	0.5	<0.05	6	<0.5	<0.2	
1345932	Rock	0.027	23	10	0.19	1136	0.008	<20	0.65	0.009	0.45	<0.1	0.05	4.8	0.1	<0.05	2	<0.5	<0.2	
1345933	Rock	0.044	28	17	0.18	612	0.006	<20	0.68	0.018	0.42	<0.1	0.21	7.5	0.2	<0.05	3	<0.5	<0.2	
1345934	Rock	0.062	13	14	0.25	3764	0.001	<20	0.56	0.005	0.28	0.3	0.38	17.8	0.2	0.09	1	<0.5	0.3	
1345935	Rock	0.041	19	8	0.13	3550	0.003	<20	0.56	0.017	0.25	0.2	0.48	5.4	0.1	0.08	1	<0.5	<0.2	
1345936	Rock	0.049	22	15	0.29	857	0.029	<20	0.67	0.029	0.20	<0.1	0.12	2.9	<0.1	<0.05	2	<0.5	<0.2	
1345937	Rock	0.096	17	35	0.72	388	0.075	<20	1.07	0.048	0.19	0.2	0.03	5.5	0.1	<0.05	3	<0.5	<0.2	
1345938	Rock	0.115	21	41	0.95	309	0.089	<20	1.33	0.049	0.22	0.2	0.03	6.2	0.2	<0.05	5	<0.5	<0.2	
1345939	Rock	0.087	16	33	0.66	312	0.069	<20	0.92	0.053	0.17	0.1	0.03	4.7	0.1	<0.05	3	<0.5	<0.2	
1345940	Rock	0.095	19	30	0.69	247	0.129	<20	1.32	0.066	0.20	0.2	0.04	4.8	0.1	<0.05	5	<0.5	<0.2	
1345941	Rock	0.053	16	22	0.47	242	0.061	<20	0.83	0.056	0.18	0.3	0.02	3.3	<0.1	<0.05	3	<0.5	<0.2	
1345942	Rock	0.085	22	38	0.91	409	0.078	<20	1.48	0.034	0.27	<0.1	0.06	5.9	0.2	<0.05	5	<0.5	<0.2	
1345943	Rock	0.066	14	23	0.50	262	0.061	<20	0.93	0.050	0.20	0.1	0.04	3.8	0.1	<0.05	3	<0.5	<0.2	
1345944	Rock	0.062	11	18	0.46	236	0.052	<20	0.74	0.048	0.15	<0.1	0.03	3.0	<0.1	<0.05	3	<0.5	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV
Report Date: August 12, 2016

Page: 6 of 6

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI16000140.1

Method	Analyte	Unit	MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
				Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	ppm	2	0.01
1345945	Rock	1.08	<0.005	1.6	32.7	12.3	73	0.1	29.7	11.6	890	2.90	44.7	2.1	7.4	53	0.3	1.2	0.3	45	1.34	
1345946	Rock	1.39	<0.005	1.2	13.7	10.6	42	<0.1	4.8	3.6	901	2.37	127.2	<0.5	8.3	51	0.1	1.3	<0.1	7	6.09	
1345947	Rock	1.12	0.007	1.0	15.0	19.9	52	<0.1	8.9	5.6	298	2.33	106.0	5.0	9.4	59	0.2	1.1	0.3	13	0.38	
1345948	Rock	1.15	0.030	0.7	19.1	13.4	43	<0.1	14.1	5.6	248	2.35	96.9	20.0	8.7	55	0.1	1.2	0.1	21	0.28	
1345999	Rock	1.03	0.089	6.3	23.5	15.2	33	0.2	32.3	9.3	342	2.26	23.0	216.4	19.6	82	0.1	1.0	<0.1	22	0.38	
1346000	Rock	0.85	0.119	5.7	41.5	26.4	67	0.3	40.4	10.7	818	2.77	21.7	141.1	40.4	81	0.3	3.4	0.2	38	0.23	
1347947	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
1347948	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
1347949	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
1347950	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
1347951	Rock	1.51	0.100	1.1	13.5	28.9	58	0.2	8.7	7.5	782	2.40	6.1	96.8	11.2	52	0.2	1.2	0.4	37	1.08	
1347952	Rock	1.17	0.067	1.2	11.0	11.2	36	0.1	4.2	4.7	499	1.95	3.9	50.3	8.6	55	0.1	0.9	0.2	23	0.66	
1347953	Rock	1.30	0.209	3.0	16.9	37.4	68	0.7	6.4	6.2	617	2.46	5.4	200.2	9.3	74	0.2	1.5	0.3	32	0.60	
1347954	Rock	1.38	0.382	2.6	21.4	47.7	130	1.0	10.2	9.1	717	3.24	8.3	304.7	8.7	75	0.4	2.1	0.2	49	0.65	
1347955	Rock	1.15	2.364	7.9	30.6	106.5	173	4.8	9.0	8.6	607	4.07	19.2	2386.3	8.0	107	0.7	2.5	0.4	31	0.24	
1347956	Rock	0.85	0.307	3.6	18.4	49.4	97	0.8	11.5	9.2	628	3.82	30.6	268.8	7.0	60	0.3	1.3	0.2	44	0.56	
1347957	Rock	1.55	0.275	2.6	12.8	53.0	22	0.4	3.6	7.6	82	3.21	4.4	326.7	8.0	84	0.3	1.3	0.2	17	0.11	
1347958	Rock	1.55	0.006	1.9	22.2	41.0	52	<0.1	2.9	3.6	361	2.21	8.2	8.4	9.7	52	0.1	4.0	0.3	11	0.17	



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV
Report Date: August 12, 2016

Page: 6 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI16000140.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2		
1345945	Rock	0.068	19	30	0.56	1967	0.045	<20	1.29	0.023	0.27	<0.1	0.29	5.7	0.2	<0.05	4	<0.5	<0.2	
1345946	Rock	0.027	10	3	0.13	1541	<0.001	<20	0.45	0.002	0.21	<0.1	0.10	5.5	<0.1	<0.05	1	<0.5	<0.2	
1345947	Rock	0.032	11	9	0.17	3959	0.004	<20	0.64	0.012	0.27	<0.1	0.45	4.2	0.1	0.09	2	<0.5	<0.2	
1345948	Rock	0.023	15	12	0.20	3159	0.006	<20	0.80	0.010	0.22	0.1	0.39	4.4	0.2	0.07	2	<0.5	<0.2	
1345999	Rock	0.052	16	16	0.10	1030	0.004	<20	0.58	0.012	0.27	0.1	0.10	5.8	0.1	<0.05	2	<0.5	<0.2	
1346000	Rock	0.050	19	20	0.14	1082	0.008	<20	0.85	0.008	0.27	<0.1	0.20	7.6	0.1	<0.05	2	<0.5	<0.2	
1347947	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
1347948	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
1347949	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
1347950	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
1347951	Rock	0.050	22	16	0.31	889	0.029	<20	0.71	0.053	0.32	0.2	0.09	8.3	0.1	<0.05	3	<0.5	<0.2	
1347952	Rock	0.038	22	8	0.16	1340	0.022	<20	0.47	0.046	0.25	0.2	0.06	6.8	<0.1	<0.05	2	<0.5	<0.2	
1347953	Rock	0.055	24	11	0.13	2227	0.007	<20	0.47	0.054	0.18	0.2	0.35	9.8	<0.1	<0.05	2	<0.5	0.7	
1347954	Rock	0.046	20	18	0.12	1953	0.004	<20	0.53	0.057	0.19	<0.1	0.22	14.2	<0.1	<0.05	2	<0.5	0.9	
1347955	Rock	0.041	18	11	0.10	4058	0.003	<20	0.49	0.048	0.13	0.1	0.66	14.4	<0.1	0.10	2	0.8	7.4	
1347956	Rock	0.050	15	16	0.20	1875	0.004	<20	0.78	0.024	0.18	1.1	0.37	13.2	<0.1	<0.05	3	<0.5	0.9	
1347957	Rock	0.040	28	5	0.04	3912	0.002	<20	0.31	0.081	0.07	0.1	0.33	6.6	<0.1	0.10	<1	0.7	0.7	
1347958	Rock	0.013	12	4	0.08	1872	0.003	<20	0.51	0.024	0.22	0.3	0.26	5.2	0.1	<0.05	2	<0.5	<0.2	



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Comstock Metals Ltd.**
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV
Report Date: August 12, 2016

Page: 1 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI16000140.1

Method	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm		
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
REP 1338678	QC		0.9	4.3	7.7	22	<0.1	4.6	4.4	683	1.40	7.1	<0.5	7.3	18	<0.1	0.2	0.4	16	0.20	
REP 1338712	QC		0.2	56.9	5.6	89	<0.1	41.1	12.8	554	3.57	4.0	<0.5	7.6	54	<0.1	0.2	<0.1	91	0.30	
1338713	Rock	1.02	<0.005	0.3	22.5	5.5	53	<0.1	11.9	6.5	300	2.13	3.0	<0.5	4.1	29	<0.1	0.1	<0.1	30	0.31
REP 1338713	QC		<0.005																		
1338714	Rock	0.91	0.008	<0.1	162.2	1.3	76	<0.1	18.9	23.0	741	4.35	3.0	1.9	0.6	58	<0.1	0.1	<0.1	191	1.48
REP 1338714	QC		0.005																		
1345927	Rock	0.97	<0.005	0.3	16.5	6.6	17	<0.1	8.9	6.2	346	1.36	6.2	3.7	10.4	63	<0.1	0.4	<0.1	11	3.19
REP 1345927	QC			0.4	15.5	6.6	17	<0.1	8.9	6.0	354	1.40	6.1	2.9	9.9	63	<0.1	0.5	<0.1	11	3.29
1347958	Rock	1.55	0.006	1.9	22.2	41.0	52	<0.1	2.9	3.6	361	2.21	8.2	8.4	9.7	52	0.1	4.0	0.3	11	0.17
REP 1347958	QC			2.0	21.4	40.3	52	<0.1	3.0	3.4	358	2.22	7.7	7.8	8.7	48	0.3	3.9	0.3	12	0.17
Core Reject Duplicates																					
1338678	Rock	0.85	<0.005	1.2	4.5	8.4	23	<0.1	5.2	4.7	699	1.43	7.4	<0.5	8.0	21	<0.1	0.2	0.4	16	0.20
DUP 1338678	QC		<0.005	1.3	4.9	9.0	24	<0.1	5.6	4.9	710	1.50	7.3	2.5	8.8	23	<0.1	0.2	0.5	17	0.20
1338712	Rock	0.96	<0.005	0.2	55.2	5.4	89	<0.1	40.1	13.7	533	3.44	3.6	<0.5	7.3	50	<0.1	0.2	<0.1	90	0.29
DUP 1338712	QC		<0.005	0.2	51.2	5.4	86	<0.1	39.0	13.3	533	3.44	3.8	<0.5	7.2	49	<0.1	0.1	<0.1	89	0.29
1345926	Rock	1.29	<0.005	0.7	20.3	6.9	69	<0.1	24.1	14.9	393	2.67	1.8	4.9	22.8	13	<0.1	0.2	<0.1	19	0.28
DUP 1345926	QC		<0.005	0.7	18.4	6.5	62	<0.1	20.9	12.4	376	2.52	1.7	4.4	20.8	11	<0.1	0.2	<0.1	18	0.27
1347956	Rock	0.85	0.307	3.6	18.4	49.4	97	0.8	11.5	9.2	628	3.82	30.6	268.8	7.0	60	0.3	1.3	0.2	44	0.56
DUP 1347956	QC		0.301	3.6	20.2	50.4	103	0.7	11.9	9.7	626	3.85	33.1	260.6	7.5	65	0.3	1.5	0.2	43	0.55
Reference Materials																					
STD DS10	Standard			15.3	151.5	137.8	373	1.8	79.3	13.2	880	2.79	45.6	53.1	6.8	64	2.7	7.7	12.0	46	1.09
STD DS10	Standard			14.7	154.6	157.4	376	2.0	82.6	14.3	920	2.84	45.7	52.9	7.2	66	2.6	7.3	12.3	46	1.13
STD DS10	Standard			15.5	168.9	157.4	390	1.9	85.3	14.3	910	2.82	46.1	61.5	7.3	68	2.3	7.4	11.7	46	1.12
STD DS10	Standard			15.4	155.1	143.0	368	1.8	78.4	13.2	887	2.84	44.2	56.2	7.2	64	2.6	7.2	10.7	45	1.08
STD OREAS45EA	Standard			1.7	689.1	13.5	32	0.3	398.7	54.9	395	21.08	11.2	57.9	9.6	4	<0.1	0.2	0.2	312	0.03
STD OREAS45EA	Standard			1.8	698.5	14.0	31	0.3	406.1	52.9	401	22.18	10.1	53.7	9.8	4	<0.1	0.2	0.2	316	0.03
STD OREAS45EA	Standard			1.5	681.1	14.2	32	0.3	389.2	52.1	387	21.09	10.5	48.1	9.3	3	<0.1	0.3	0.2	306	0.03
STD OREAS45EA	Standard			1.6	719.1	14.6	33	0.3	389.5	53.1	419	21.56	11.5	57.2	9.7	4	<0.1	0.3	0.3	311	0.03



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Comstock Metals Ltd.**
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV
Report Date: August 12, 2016

Page: 1 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI16000140.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																			
REP 1338678	QC	0.038	6	6	0.15	366	0.002	<20	0.71	0.021	0.30	<0.1	0.02	6.0	<0.1	<0.05	2	<0.5	<0.2
REP 1338712	QC	0.050	22	66	1.25	950	0.198	<20	1.82	0.035	1.10	0.1	0.02	6.7	0.5	<0.05	8	<0.5	<0.2
1338713	Rock	0.028	18	18	0.72	469	0.117	<20	1.35	0.042	0.62	0.1	0.01	3.8	0.3	<0.05	5	<0.5	<0.2
REP 1338713	QC																		
1338714	Rock	0.087	6	14	1.59	544	0.221	<20	2.23	0.233	0.84	<0.1	0.03	12.9	0.2	<0.05	8	<0.5	<0.2
REP 1338714	QC																		
1345927	Rock	0.024	7	10	0.20	233	0.003	<20	0.54	0.008	0.25	0.1	0.22	3.0	0.1	<0.05	2	<0.5	<0.2
REP 1345927	QC	0.025	7	11	0.21	232	0.003	<20	0.54	0.009	0.26	<0.1	0.21	3.0	<0.1	<0.05	2	<0.5	<0.2
1347958	Rock	0.013	12	4	0.08	1872	0.003	<20	0.51	0.024	0.22	0.3	0.26	5.2	0.1	<0.05	2	<0.5	<0.2
REP 1347958	QC	0.012	11	3	0.08	1726	0.003	<20	0.50	0.023	0.22	0.2	0.26	5.2	0.1	<0.05	2	<0.5	<0.2
Core Reject Duplicates																			
1338678	Rock	0.045	7	7	0.17	429	0.002	<20	0.73	0.021	0.31	<0.1	0.02	7.1	<0.1	<0.05	3	<0.5	<0.2
DUP 1338678	QC	0.050	8	8	0.18	466	0.002	<20	0.86	0.025	0.37	<0.1	0.02	6.8	<0.1	<0.05	3	<0.5	<0.2
1338712	Rock	0.048	22	61	1.22	917	0.196	<20	1.75	0.029	1.05	0.2	0.02	7.4	0.4	<0.05	8	<0.5	<0.2
DUP 1338712	QC	0.047	20	63	1.20	930	0.191	<20	1.75	0.035	1.06	0.1	0.02	7.1	0.4	<0.05	8	<0.5	<0.2
1345926	Rock	0.035	53	17	0.59	170	0.098	<20	1.24	0.015	0.89	<0.1	0.04	3.8	0.4	<0.05	4	<0.5	<0.2
DUP 1345926	QC	0.032	47	15	0.56	158	0.095	<20	1.18	0.014	0.83	<0.1	0.03	3.5	0.3	<0.05	4	<0.5	<0.2
1347956	Rock	0.050	15	16	0.20	1875	0.004	<20	0.78	0.024	0.18	1.1	0.37	13.2	<0.1	<0.05	3	<0.5	0.9
DUP 1347956	QC	0.052	16	18	0.20	1809	0.004	<20	0.79	0.025	0.18	1.2	0.41	14.3	<0.1	<0.05	3	<0.5	0.9
Reference Materials																			
STD DS10	Standard	0.075	18	54	0.80	403	0.086	<20	1.06	0.071	0.34	3.2	0.30	3.0	5.1	0.30	5	2.2	4.8
STD DS10	Standard	0.081	19	59	0.82	428	0.084	<20	1.12	0.075	0.35	2.8	0.28	3.3	5.3	0.30	5	3.1	5.1
STD DS10	Standard	0.073	18	61	0.82	439	0.090	<20	1.07	0.072	0.35	3.3	0.32	3.0	5.7	0.31	5	2.4	4.8
STD DS10	Standard	0.069	17	55	0.78	403	0.085	<20	1.05	0.072	0.34	3.1	0.28	3.2	5.0	0.28	4	2.0	4.4
STD OREAS45EA	Standard	0.027	7	856	0.10	130	0.101	<20	3.39	0.020	0.06	<0.1	0.01	77.3	<0.1	<0.05	13	1.9	<0.2
STD OREAS45EA	Standard	0.029	7	849	0.10	136	0.099	<20	3.41	0.021	0.06	<0.1	<0.01	76.0	<0.1	<0.05	13	1.1	<0.2
STD OREAS45EA	Standard	0.026	7	807	0.10	136	0.098	<20	3.28	0.019	0.06	<0.1	0.02	79.4	<0.1	<0.05	13	1.0	<0.2
STD OREAS45EA	Standard	0.026	7	846	0.10	140	0.102	<20	3.45	0.026	0.06	<0.1	0.02	77.0	<0.1	<0.05	13	1.0	<0.2



QUALITY CONTROL REPORT

WHI16000140.1

		WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
STD OXD108	Standard		0.421																		
STD OXD108	Standard		0.407																		
STD OXI121	Standard		1.827																		
STD OXI121	Standard		1.809																		
STD OXN117	Standard		7.735																		
STD OXN117	Standard		7.658																		
STD OXD108 Expected			0.414																		
STD OXN117 Expected			7.679																		
STD OXI121 Expected			1.834																		
STD DS10 Expected				13.6	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	91.9	7.5	67.1	2.62	9	11.65	43	1.0625
STD OREAS45EA Expected				1.6	709	14.3	31.4	0.26	381	52	400	23.51	10.3	53	10.7	3.5	0.03	0.32	0.26	303	0.036
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
ROCK-WHI	Prep Blank		<0.005	0.6	6.6	1.5	36	<0.1	7.6	4.1	432	1.81	0.7	<0.5	2.2	29	<0.1	<0.1	<0.1	25	0.69
ROCK-WHI	Prep Blank		<0.005	0.7	8.7	2.5	62	<0.1	7.3	4.4	448	1.85	1.2	0.8	2.2	26	0.1	<0.1	<0.1	25	0.70



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV
Report Date: August 12, 2016

Page: 2 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI16000140.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200		
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
STD OXD108	Standard																			
STD OXD108	Standard																			
STD OXI121	Standard																			
STD OXI121	Standard																			
STD OXN117	Standard																			
STD OXN117	Standard																			
STD OXD108 Expected																				
STD OXN117 Expected																				
STD OXI121 Expected																				
STD DS10 Expected		0.0765	17.5	54.6	0.775	412	0.0817		1.0259	0.067	0.338	3.32	0.3	2.8	5.1	0.29	4.3	2.3	5.01	
STD OREAS45EA Expected		0.029	7.06	849	0.095	148	0.0984		3.13	0.02	0.053			78	0.072	0.036	12.4	0.78	0.07	
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	0.02	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
Prep Wash																				
ROCK-WHI	Prep Blank	0.036	6	11	0.48	70	0.102	<20	1.00	0.091	0.10	0.1	<0.01	3.3	<0.1	<0.05	4	<0.5	<0.2	
ROCK-WHI	Prep Blank	0.036	6	10	0.47	69	0.098	<20	1.02	0.108	0.12	0.2	<0.01	3.1	<0.1	<0.05	4	<0.5	<0.2	



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Submitted By: David Terry
Receiving Lab: Canada-Whitehorse
Received: August 02, 2016
Report Date: August 11, 2016
Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI16000142.1

CLIENT JOB INFORMATION

Project: QV
Shipment ID: QVV-2016-07-26-Rock-GTP
P.O. Number
Number of Samples: 138

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1
CANADA

CC: Jodie Gibson

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	138	Crush, split and pulverize 250 g rock to 200 mesh			WHI
FA430	138	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
AQ200	138	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	138	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV
Report Date: August 11, 2016

Page: 2 of 6

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI16000142.1

Method	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
1347959	Rock	1.28	0.012	2.3	7.1	12.7	58	<0.1	2.9	4.2	749	2.53	17.3	12.9	15.4	47	0.3	1.6	<0.1	27	0.19
1347960	Rock	0.95	0.006	2.7	9.1	6.5	41	<0.1	2.5	4.0	1042	2.30	11.2	9.1	9.6	45	0.2	2.0	0.1	14	0.23
1347961	Rock	1.24	0.071	1.7	21.1	18.7	39	0.2	7.0	3.1	221	3.12	156.3	74.1	8.8	91	<0.1	2.4	<0.1	22	0.59
1347962	Rock	1.04	0.320	2.0	12.8	18.0	27	0.7	4.3	2.5	146	2.60	269.0	485.5	8.6	134	0.1	10.4	<0.1	21	0.14
1347963	Rock	0.82	0.047	1.7	8.0	6.1	45	<0.1	4.8	5.2	815	2.02	44.9	46.6	7.1	42	0.2	1.6	0.2	9	0.20
1347964	Rock	1.28	0.098	1.5	15.1	8.8	31	0.2	4.0	2.9	203	1.88	19.3	91.0	12.4	49	<0.1	2.7	0.2	16	0.32
1347965	Rock	0.51	0.029	1.0	12.4	8.9	26	<0.1	5.2	2.9	131	1.23	16.7	24.5	10.3	65	<0.1	2.0	0.1	18	0.30
1347966	Rock	1.13	0.038	2.0	20.0	6.2	28	<0.1	9.2	3.9	552	1.77	55.9	48.1	10.9	133	0.1	2.2	<0.1	21	2.86
1347967	Rock	1.66	0.079	1.6	13.4	9.7	35	<0.1	3.6	4.2	588	2.77	19.5	62.0	9.8	36	0.2	2.2	0.1	12	0.16
1347968	Rock	0.96	0.106	3.6	9.2	13.9	51	<0.1	2.4	5.3	1210	3.68	65.7	29.1	7.7	38	0.1	1.1	0.1	8	0.23
1347969	Rock	0.95	0.011	1.2	7.3	10.4	22	<0.1	2.5	2.1	404	1.63	16.8	10.9	10.4	43	<0.1	1.0	0.1	6	0.45
1347970	Rock	0.83	0.011	3.8	12.4	12.8	53	<0.1	7.4	6.4	2217	3.66	12.6	7.8	9.8	55	0.2	1.8	<0.1	20	0.26
1347971	Rock	0.98	0.015	2.0	23.2	14.9	45	<0.1	6.3	6.3	1376	2.82	15.9	9.2	8.0	67	0.2	3.4	0.2	22	0.16
1390451	Rock	1.66	0.010	1.8	49.3	14.6	115	0.2	42.3	14.5	560	3.25	24.6	4.1	7.3	57	0.5	1.1	0.3	62	1.29
1390452	Rock	0.99	0.005	0.9	31.9	10.6	72	0.1	27.7	10.8	507	2.55	18.3	5.2	5.5	53	0.4	0.8	0.1	42	1.00
1390453	Rock	1.07	0.006	1.0	31.2	10.4	65	0.1	25.7	11.2	388	2.58	25.7	3.1	5.2	51	0.4	0.9	0.1	45	0.58
1390454	Rock	1.49	0.029	1.0	27.1	10.7	45	<0.1	24.2	13.7	1007	3.87	120.3	26.1	10.2	74	0.1	2.3	0.3	59	0.41
1390455	Rock	1.04	0.010	1.4	30.6	9.6	52	<0.1	23.1	10.8	597	2.81	63.3	7.2	6.9	63	0.2	1.5	0.2	48	1.58
1390456	Rock	0.93	0.043	1.9	41.6	13.1	49	0.2	33.0	13.5	778	3.08	311.7	43.8	6.3	39	0.2	8.7	0.1	45	0.42
1390457	Rock	1.14	0.006	0.8	26.0	7.9	51	<0.1	24.7	10.2	475	2.40	26.5	4.5	4.6	83	0.3	0.8	0.1	47	2.58
1390458	Rock	1.07	0.025	1.5	32.8	10.2	59	0.1	26.6	12.6	629	2.97	82.6	16.6	5.3	68	0.2	2.0	0.1	53	1.65
1390459	Rock	1.09	0.051	2.0	39.3	11.9	55	0.2	39.0	18.7	1348	4.38	361.5	52.2	6.7	65	0.3	2.5	0.5	71	0.98
1390460	Rock	1.20	0.012	1.8	46.9	14.3	55	<0.1	31.7	10.8	694	3.12	125.4	9.3	5.6	42	0.1	2.2	0.2	33	0.31
1390461	Rock	0.90	0.005	2.5	80.9	18.5	73	<0.1	36.9	13.6	1136	4.07	79.1	3.4	6.6	43	0.1	2.4	0.2	35	0.23
1390462	Rock	0.98	0.007	1.6	52.9	10.6	63	<0.1	29.7	12.7	1052	3.27	56.6	3.6	5.5	52	0.1	2.5	0.1	40	0.66
1390463	Rock	1.31	0.007	1.0	33.4	39.8	74	<0.1	26.0	8.2	126	2.75	29.7	4.4	13.1	27	<0.1	1.7	0.4	22	0.17
1390464	Rock	1.13	<0.005	0.9	32.2	36.2	78	<0.1	20.0	6.3	88	2.54	39.1	2.7	9.8	27	<0.1	3.2	0.2	19	0.13
1390465	Rock	1.05	<0.005	1.7	31.7	17.6	56	<0.1	24.9	10.0	254	3.41	73.0	1.2	7.2	73	0.1	4.8	0.1	19	0.17
1390466	Rock	0.99	<0.005	1.6	42.7	27.5	78	<0.1	25.7	10.3	287	3.36	98.3	<0.5	10.8	55	0.1	57.1	0.2	23	0.19
1390467	Rock	1.32	<0.005	1.7	16.9	19.5	43	<0.1	14.4	6.7	206	2.10	83.6	1.2	4.7	49	<0.1	8.3	0.2	10	0.09



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV
Report Date: August 11, 2016

Page: 2 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI16000142.1

Method Analyte	Unit	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
MDL		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
1347959	Rock	0.039	28	3	0.04	1458	0.002	<20	0.45	0.075	0.18	0.5	0.42	5.2	0.1	<0.05	2	<0.5	<0.2	
1347960	Rock	0.022	15	2	0.10	1002	0.006	<20	0.52	0.043	0.24	0.2	0.32	4.5	0.2	<0.05	2	<0.5	<0.2	
1347961	Rock	0.012	13	6	0.11	3380	0.003	<20	0.62	0.056	0.17	0.7	0.50	3.7	<0.1	0.13	2	0.8	0.4	
1347962	Rock	0.022	19	4	0.04	2768	<0.001	<20	0.41	0.085	0.14	1.0	0.67	4.8	0.1	0.15	2	<0.5	0.7	
1347963	Rock	0.014	18	3	0.09	1265	0.002	<20	0.69	0.027	0.31	0.1	0.37	4.6	0.2	<0.05	2	<0.5	<0.2	
1347964	Rock	0.020	27	5	0.07	1639	0.002	<20	0.42	0.060	0.11	0.2	0.29	4.2	<0.1	<0.05	2	<0.5	0.3	
1347965	Rock	0.015	21	8	0.08	4477	0.005	<20	0.50	0.055	0.13	0.2	0.47	3.0	0.1	0.09	2	<0.5	<0.2	
1347966	Rock	0.014	22	6	0.16	3383	0.002	<20	0.64	0.051	0.09	1.0	0.42	3.7	<0.1	0.08	2	<0.5	<0.2	
1347967	Rock	0.034	18	4	0.07	1335	0.003	<20	0.71	0.039	0.28	0.2	0.41	4.0	0.2	<0.05	3	<0.5	<0.2	
1347968	Rock	0.055	17	3	0.06	2304	<0.001	<20	0.65	0.015	0.24	0.1	0.29	3.5	0.1	<0.05	2	<0.5	<0.2	
1347969	Rock	0.020	16	3	0.06	831	<0.001	<20	0.47	0.060	0.15	<0.1	0.14	2.1	<0.1	<0.05	2	<0.5	<0.2	
1347970	Rock	0.022	18	9	0.12	4848	0.003	<20	0.67	0.039	0.18	<0.1	0.23	4.6	0.1	0.09	3	<0.5	<0.2	
1347971	Rock	0.029	14	8	0.13	4263	0.002	<20	0.59	0.033	0.23	0.1	0.28	5.4	0.1	0.09	2	<0.5	<0.2	
1390451	Rock	0.082	20	39	0.84	547	0.052	<20	1.96	0.035	0.34	0.1	0.09	6.5	0.2	<0.05	6	<0.5	<0.2	
1390452	Rock	0.074	19	27	0.65	756	0.067	<20	1.43	0.045	0.20	0.2	0.08	4.1	0.1	<0.05	4	<0.5	<0.2	
1390453	Rock	0.058	18	25	0.51	783	0.060	<20	1.58	0.050	0.18	0.1	0.06	3.9	0.1	<0.05	5	<0.5	<0.2	
1390454	Rock	0.075	23	29	0.32	4112	0.014	<20	1.50	0.016	0.43	<0.1	0.43	12.4	0.3	0.08	5	<0.5	<0.2	
1390455	Rock	0.062	18	24	0.46	1041	0.040	<20	1.37	0.042	0.24	<0.1	0.15	6.6	0.2	<0.05	4	<0.5	<0.2	
1390456	Rock	0.077	18	38	0.22	942	0.013	<20	1.04	0.014	0.27	<0.1	0.49	7.7	0.2	<0.05	3	<0.5	<0.2	
1390457	Rock	0.065	16	30	0.67	523	0.070	<20	1.27	0.056	0.16	0.1	0.04	4.5	0.1	<0.05	4	<0.5	<0.2	
1390458	Rock	0.073	17	29	0.57	930	0.055	<20	1.48	0.047	0.20	<0.1	0.13	6.2	0.2	<0.05	4	<0.5	<0.2	
1390459	Rock	0.104	19	29	0.40	2242	0.012	<20	1.55	0.019	0.33	<0.1	0.36	16.8	0.2	<0.05	4	<0.5	<0.2	
1390460	Rock	0.034	15	23	0.20	1241	0.010	<20	1.02	0.012	0.29	<0.1	0.16	6.9	0.1	<0.05	3	<0.5	<0.2	
1390461	Rock	0.037	17	20	0.16	1298	0.006	<20	0.96	0.013	0.27	<0.1	0.31	8.8	0.2	<0.05	3	<0.5	<0.2	
1390462	Rock	0.058	16	25	0.37	1162	0.028	<20	1.12	0.025	0.33	<0.1	0.12	6.2	0.2	<0.05	4	<0.5	<0.2	
1390463	Rock	0.048	28	23	0.20	379	0.021	<20	1.34	0.027	0.44	<0.1	0.12	5.9	0.2	<0.05	4	<0.5	<0.2	
1390464	Rock	0.029	14	16	0.12	537	0.008	<20	0.99	0.021	0.36	<0.1	0.13	4.7	0.1	<0.05	3	<0.5	<0.2	
1390465	Rock	0.036	14	15	0.13	4638	0.005	<20	0.93	0.014	0.37	<0.1	0.14	6.0	0.1	0.09	3	<0.5	<0.2	
1390466	Rock	0.055	21	14	0.14	124	0.006	<20	1.02	0.020	0.51	<0.1	0.10	6.6	0.2	<0.05	4	0.9	<0.2	
1390467	Rock	0.007	6	8	0.08	1327	0.001	<20	0.60	0.007	0.35	<0.1	0.18	3.8	0.1	<0.05	2	<0.5	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV
Report Date: August 11, 2016

Page: 3 of 6

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI16000142.1

Method	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
1390468	Rock	1.46	<0.005	2.6	22.6	13.1	67	<0.1	20.5	10.2	632	3.19	55.8	<0.5	9.5	31	<0.1	3.1	0.1	13	0.10
1390469	Rock	1.28	0.009	2.7	35.8	21.1	77	<0.1	27.9	14.6	643	3.27	111.4	16.4	6.5	43	<0.1	3.0	0.2	14	0.13
1392926	Rock	1.28	0.018	0.5	25.8	6.8	60	<0.1	22.4	11.6	591	3.03	7.6	4.2	15.7	17	<0.1	0.4	0.1	29	0.19
1392927	Rock	1.49	0.009	0.9	15.6	6.1	29	<0.1	16.4	6.8	289	2.07	6.8	1.4	17.6	24	<0.1	0.5	<0.1	22	0.15
1392928	Rock	0.58	<0.005	1.6	40.3	17.4	74	<0.1	31.6	10.2	693	2.35	26.1	3.1	6.1	36	0.4	1.2	0.3	43	0.51
1392929	Rock	1.92	<0.005	0.9	43.9	5.2	90	<0.1	41.7	17.3	417	4.85	15.5	1.9	15.5	19	<0.1	1.2	0.2	32	0.17
1392930	Rock	0.93	0.010	1.1	20.6	5.0	82	<0.1	35.4	17.9	654	3.93	5.8	10.4	15.8	30	<0.1	0.3	0.1	31	0.35
1392931	Rock	1.07	0.046	1.1	35.9	5.0	77	<0.1	35.4	16.3	815	3.54	9.5	2.8	16.0	19	<0.1	0.4	0.1	23	0.22
1392932	Rock	1.84	0.007	0.8	42.1	5.9	94	<0.1	48.1	19.6	604	4.27	11.3	3.1	16.0	19	<0.1	0.5	0.1	37	0.19
1392933	Rock	1.32	0.013	0.7	38.6	9.3	58	<0.1	36.5	17.2	683	3.95	21.1	7.2	13.5	27	<0.1	1.1	<0.1	54	0.18
1392934	Rock	1.58	0.013	0.7	35.4	10.9	54	<0.1	28.1	11.1	541	3.02	67.3	9.6	13.6	31	<0.1	1.9	0.2	30	0.17
1392935	Rock	1.26	0.007	0.6	29.3	10.3	52	<0.1	27.2	10.1	592	2.90	116.8	3.9	10.5	34	<0.1	2.8	0.1	34	0.20
1392936	Rock	1.26	0.009	0.7	37.2	15.1	51	0.1	29.5	10.0	658	3.22	41.1	8.9	12.5	31	<0.1	1.3	0.2	37	0.24
1392937	Rock	1.13	0.007	1.3	29.8	7.3	42	<0.1	25.1	10.6	476	2.91	17.0	3.0	18.4	19	<0.1	0.8	<0.1	36	0.17
1392938	Rock	1.60	0.073	1.1	28.7	10.0	52	0.3	29.7	13.4	658	3.56	54.2	60.1	8.3	44	<0.1	2.3	0.1	36	0.18
1392939	Rock	1.48	0.108	2.7	30.7	8.9	30	0.2	28.9	11.1	943	2.96	216.4	94.6	5.2	69	<0.1	3.4	0.2	28	0.15
1418251	Rock	1.60	<0.005	1.6	47.5	32.4	96	0.2	30.7	19.3	1166	4.33	2.8	0.5	2.2	19	<0.1	0.1	0.2	63	0.18
1418252	Rock	1.18	<0.005	0.3	81.8	11.4	108	0.2	19.5	23.8	961	5.42	2.1	<0.5	2.8	27	0.3	<0.1	0.2	111	0.46
1418253	Rock	0.95	<0.005	0.4	25.7	5.7	59	<0.1	5.4	6.4	462	2.66	3.5	<0.5	3.1	24	<0.1	0.2	<0.1	22	0.16
1418254	Rock	0.95	<0.005	0.3	17.8	3.5	39	<0.1	14.8	9.1	290	2.50	3.8	<0.5	6.2	37	<0.1	0.2	<0.1	22	0.69
1418255	Rock	1.38	<0.005	0.3	29.8	8.9	68	<0.1	17.3	12.4	286	1.82	3.2	1.2	5.6	25	0.5	0.1	0.2	13	0.17
1418256	Rock	1.14	0.016	0.7	13.0	17.5	20	0.4	3.2	1.9	239	0.97	7.6	16.5	2.8	33	0.1	0.5	<0.1	3	0.06
1418257	Rock	1.66	0.047	0.4	10.5	13.5	20	0.3	3.0	1.9	192	1.00	5.6	43.9	1.7	35	0.1	0.4	<0.1	5	0.08
1418258	Rock	1.05	0.047	0.8	17.7	10.9	21	0.5	5.7	3.4	453	1.39	8.1	48.1	2.2	51	0.1	0.3	<0.1	7	0.06
1418259	Rock	1.04	0.104	0.9	12.4	6.8	30	0.5	4.3	3.8	363	1.64	10.5	98.5	6.7	46	<0.1	0.3	<0.1	11	0.10
1418260	Rock	1.47	0.074	0.6	15.6	4.5	34	0.2	6.1	6.3	533	1.93	3.8	75.8	6.5	28	<0.1	0.4	<0.1	9	0.11
1418261	Rock	1.42	0.122	0.6	12.2	7.5	39	0.3	5.1	5.0	654	2.21	3.6	110.1	7.3	36	0.1	0.2	<0.1	9	0.11
1418262	Rock	1.75	0.063	0.5	16.3	8.1	31	0.6	4.6	4.3	482	1.71	7.1	62.8	6.6	58	<0.1	1.4	<0.1	10	0.10
1418263	Rock	1.64	0.041	0.9	14.7	6.6	27	0.4	6.8	6.3	425	1.67	6.4	40.1	5.1	35	<0.1	1.0	<0.1	13	0.09
1418264	Rock	1.77	0.031	0.4	11.3	3.7	16	0.1	3.5	3.1	478	1.15	3.8	28.1	2.8	35	<0.1	0.9	<0.1	5	0.04



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV
Report Date: August 11, 2016

Page: 3 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI16000142.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
1390468	Rock	0.024	15	9	0.08	239	0.002	<20	0.64	0.015	0.40	<0.1	0.08	4.4	0.2	<0.05	2	<0.5	<0.2
1390469	Rock	0.022	10	11	0.08	612	0.001	<20	0.62	0.012	0.33	<0.1	0.13	5.4	0.2	<0.05	2	<0.5	<0.2
1392926	Rock	0.027	30	25	0.72	407	0.120	<20	1.68	0.030	0.99	<0.1	0.03	4.6	0.4	<0.05	5	<0.5	<0.2
1392927	Rock	0.029	29	21	0.33	523	0.068	<20	0.94	0.038	0.45	<0.1	0.03	3.9	0.2	<0.05	3	<0.5	<0.2
1392928	Rock	0.081	16	32	0.57	255	0.057	<20	1.07	0.051	0.20	0.2	0.02	4.7	0.1	<0.05	4	<0.5	<0.2
1392929	Rock	0.055	59	29	0.63	344	0.105	<20	1.91	0.015	1.07	<0.1	0.08	7.9	0.4	<0.05	5	<0.5	<0.2
1392930	Rock	0.035	48	27	0.71	579	0.112	<20	1.64	0.022	1.06	0.2	0.04	6.3	0.4	<0.05	5	<0.5	<0.2
1392931	Rock	0.045	47	24	0.48	318	0.028	<20	1.41	0.024	0.42	0.2	0.03	6.4	0.1	<0.05	4	<0.5	<0.2
1392932	Rock	0.046	56	37	0.67	321	0.089	<20	1.84	0.024	0.92	0.1	0.05	7.4	0.4	<0.05	6	<0.5	<0.2
1392933	Rock	0.042	44	37	0.33	415	0.050	<20	1.25	0.052	0.43	<0.1	0.14	9.9	0.2	<0.05	4	<0.5	<0.2
1392934	Rock	0.036	54	26	0.24	502	0.019	<20	1.26	0.008	0.45	<0.1	0.16	7.6	0.2	<0.05	3	<0.5	<0.2
1392935	Rock	0.029	45	27	0.24	607	0.015	<20	1.14	0.007	0.35	<0.1	0.17	7.2	0.2	<0.05	3	<0.5	<0.2
1392936	Rock	0.049	42	33	0.35	415	0.031	<20	1.75	0.010	0.48	<0.1	0.22	8.7	0.2	<0.05	5	<0.5	<0.2
1392937	Rock	0.039	44	29	0.33	241	0.057	<20	1.19	0.031	0.51	<0.1	0.08	6.5	0.2	<0.05	4	<0.5	<0.2
1392938	Rock	0.025	28	26	0.21	938	0.012	<20	1.31	0.013	0.36	<0.1	0.79	9.8	0.2	<0.05	3	<0.5	<0.2
1392939	Rock	0.017	17	19	0.17	2072	0.006	<20	1.07	0.006	0.30	<0.1	0.49	9.0	0.2	<0.05	3	<0.5	0.3
1418251	Rock	0.029	6	65	0.11	663	0.002	<20	0.71	0.042	0.29	<0.1	0.10	21.3	<0.1	<0.05	3	<0.5	<0.2
1418252	Rock	0.115	7	34	0.14	411	0.003	<20	0.95	0.032	0.44	<0.1	0.04	25.5	0.1	<0.05	5	<0.5	<0.2
1418253	Rock	0.038	7	5	0.05	583	0.001	<20	0.50	0.049	0.21	<0.1	0.11	4.5	<0.1	<0.05	2	<0.5	<0.2
1418254	Rock	0.021	8	16	0.11	680	0.008	<20	0.63	0.047	0.37	<0.1	0.10	4.6	0.1	<0.05	3	<0.5	<0.2
1418255	Rock	0.013	10	7	0.06	2673	0.001	<20	0.49	0.011	0.34	<0.1	0.05	3.9	<0.1	0.06	1	<0.5	<0.2
1418256	Rock	0.015	3	4	0.02	320	<0.001	<20	0.40	0.016	0.27	<0.1	0.05	1.2	<0.1	<0.05	1	<0.5	0.3
1418257	Rock	0.018	6	3	0.04	408	0.001	<20	0.40	0.055	0.17	<0.1	0.04	1.7	<0.1	<0.05	1	<0.5	0.5
1418258	Rock	0.021	9	4	0.02	686	0.001	<20	0.35	0.069	0.19	<0.1	0.02	2.8	<0.1	<0.05	1	<0.5	0.4
1418259	Rock	0.032	21	4	0.04	363	0.002	<20	0.39	0.055	0.20	<0.1	0.05	4.5	<0.1	<0.05	1	<0.5	1.3
1418260	Rock	0.035	21	4	0.05	929	0.002	<20	0.46	0.052	0.23	<0.1	0.04	4.4	<0.1	<0.05	1	<0.5	<0.2
1418261	Rock	0.035	22	3	0.04	679	0.001	<20	0.45	0.048	0.23	<0.1	0.02	4.0	<0.1	<0.05	1	<0.5	0.4
1418262	Rock	0.025	19	6	0.06	824	0.005	<20	0.40	0.039	0.18	<0.1	0.02	4.0	<0.1	<0.05	1	<0.5	0.5
1418263	Rock	0.022	15	9	0.10	348	0.010	<20	0.51	0.033	0.22	<0.1	0.03	4.3	<0.1	<0.05	1	<0.5	0.5
1418264	Rock	0.008	7	3	0.03	340	0.001	<20	0.33	0.039	0.18	<0.1	0.01	2.3	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV
Report Date: August 11, 2016

Page: 4 of 6

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI16000142.1

Method	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
1418265	Rock	1.40	0.069	0.6	11.7	8.9	22	0.4	4.3	3.1	277	1.38	9.2	66.8	5.7	39	<0.1	0.5	<0.1	9	0.05
1418266	Rock	1.19	0.110	1.0	11.2	22.2	19	1.1	3.6	2.1	111	2.74	22.5	105.2	5.1	47	<0.1	0.9	<0.1	13	0.06
1418267	Rock	1.38	0.086	0.9	9.9	22.9	8	0.7	2.6	1.1	72	1.42	18.7	94.6	2.9	41	<0.1	0.6	<0.1	8	0.04
1418268	Rock	1.57	0.093	0.8	28.7	9.5	49	0.8	10.6	16.1	808	3.00	23.4	82.4	2.1	40	<0.1	0.7	<0.1	44	0.10
1418269	Rock	1.64	0.040	0.7	27.1	5.4	46	0.4	13.1	12.0	708	2.37	16.4	34.3	1.2	39	<0.1	0.3	<0.1	44	0.09
1418270	Rock	1.70	0.029	2.9	17.0	15.4	26	0.4	6.2	5.5	284	1.47	16.2	26.4	3.2	32	<0.1	0.5	0.3	20	0.06
1418271	Rock	1.03	0.050	1.5	12.2	16.1	17	0.6	2.8	1.0	76	1.17	18.3	46.9	4.1	54	<0.1	0.4	<0.1	11	0.06
1418272	Rock	1.12	0.025	1.7	10.8	14.5	17	0.3	4.3	2.9	188	1.02	18.8	23.8	2.9	31	<0.1	0.5	<0.1	14	0.08
1418273	Rock	1.04	0.050	1.6	5.8	8.3	6	0.4	2.5	0.8	56	0.81	27.4	46.9	2.3	40	<0.1	0.4	<0.1	10	0.03
1418274	Rock	1.71	0.031	5.3	11.1	19.5	16	0.3	4.5	1.6	77	1.49	24.1	34.4	3.1	36	<0.1	0.6	0.1	14	0.07
1418275	Rock	1.38	0.045	3.1	14.0	14.6	21	0.5	6.3	3.0	125	1.55	33.4	41.9	3.9	34	<0.1	0.7	0.1	26	0.12
1418276	Rock	1.29	0.031	2.7	10.0	14.3	14	0.3	5.3	2.3	101	1.18	26.5	56.1	2.5	30	<0.1	0.4	<0.1	18	0.09
1418277	Rock	1.25	0.032	19.2	13.4	20.8	17	0.4	6.8	2.4	99	1.32	24.5	33.8	2.3	34	<0.1	0.4	0.4	21	0.10
1418278	Rock	1.52	0.040	27.2	20.0	18.3	39	0.3	6.7	2.8	98	1.77	23.9	37.4	2.5	29	<0.1	0.3	<0.1	21	0.13
1418279	Rock	1.30	0.015	6.0	12.1	16.8	18	0.2	8.2	4.4	134	1.48	20.9	12.8	2.0	35	<0.1	0.4	0.1	27	0.17
1418280	Rock	1.77	0.048	7.1	9.5	18.8	22	0.4	5.0	2.6	89	1.10	24.2	50.5	2.0	43	<0.1	0.3	0.1	15	0.07
1418281	Rock	1.79	0.036	5.1	13.1	17.3	30	0.3	5.3	2.7	146	1.36	15.0	32.8	2.2	37	<0.1	0.4	<0.1	19	0.11
1418282	Rock	1.47	0.022	5.6	10.3	16.7	16	0.3	4.6	2.2	97	1.01	15.5	19.1	1.8	33	<0.1	0.8	0.1	15	0.08
1418283	Rock	1.22	0.012	5.4	10.9	16.4	17	0.2	5.8	3.3	161	1.17	16.2	7.9	1.7	28	<0.1	0.7	<0.1	18	0.10
1418284	Rock	1.40	0.007	16.4	7.8	7.7	10	0.1	4.3	2.2	85	0.89	9.3	5.4	1.4	27	<0.1	0.5	<0.1	13	0.06
1418302	Rock	1.22	<0.005	0.6	18.6	5.7	60	<0.1	7.0	8.8	421	3.15	4.0	<0.5	4.2	23	<0.1	0.3	<0.1	35	0.13
1418303	Rock	1.16	<0.005	0.5	24.8	67.1	26	0.4	4.1	3.5	210	1.14	11.8	<0.5	4.1	44	0.1	1.0	1.4	10	0.81
1418304	Rock	1.21	<0.005	0.3	9.5	12.7	34	0.1	11.0	5.5	333	1.73	2.2	0.8	2.7	28	<0.1	0.2	0.2	22	0.18
1418305	Rock	1.07	<0.005	0.9	60.5	4.4	67	<0.1	4.7	9.5	440	2.88	0.9	0.9	6.0	62	0.1	<0.1	0.1	34	1.88
1418306	Rock	1.75	<0.005	0.4	17.4	5.1	56	<0.1	16.9	7.1	426	2.24	5.2	<0.5	5.7	58	<0.1	<0.1	<0.1	33	1.08
1418307	Rock	1.55	<0.005	0.4	18.5	2.4	50	<0.1	5.3	4.6	326	2.03	3.7	<0.5	5.9	24	<0.1	0.1	<0.1	25	0.18
1418308	Rock	0.89	<0.005	0.3	12.1	3.4	57	<0.1	8.0	4.8	330	1.76	6.6	<0.5	2.7	88	<0.1	<0.1	<0.1	25	0.94
1418309	Rock	1.14	<0.005	0.3	4.6	12.5	55	<0.1	5.8	6.1	1143	2.53	1.3	<0.5	2.5	79	0.2	<0.1	0.2	33	3.78
1418310	Rock	1.72	<0.005	0.2	57.4	6.5	107	<0.1	26.2	22.4	985	5.60	2.7	0.6	4.0	126	<0.1	<0.1	0.2	92	5.01
1418311	Rock	1.20	0.011	2.6	32.8	19.7	86	0.2	18.6	14.5	1231	5.03	28.0	8.6	1.6	157	0.3	0.2	0.2	69	7.15



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV
Report Date: August 11, 2016

Page: 4 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI16000142.1

Method Analyte	Unit	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
MDL		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm		
1418265	Rock	0.025	17	5	0.03	470	0.002	<20	0.39	0.032	0.30	<0.1	0.01	3.6	<0.1	0.07	1	<0.5	0.5	
1418266	Rock	0.039	19	5	0.04	443	0.006	<20	0.36	0.009	0.44	<0.1	0.04	4.6	<0.1	0.41	1	1.6	1.4	
1418267	Rock	0.017	10	5	0.02	632	0.003	<20	0.36	0.009	0.38	0.1	0.02	2.3	<0.1	0.15	1	1.0	1.0	
1418268	Rock	0.017	5	8	0.09	1105	0.004	<20	0.54	0.017	0.28	<0.1	0.05	10.9	<0.1	<0.05	2	<0.5	0.4	
1418269	Rock	0.009	3	13	0.11	1322	0.004	<20	0.63	0.044	0.26	0.1	0.03	10.5	<0.1	<0.05	2	<0.5	0.2	
1418270	Rock	0.009	9	6	0.06	1025	0.004	<20	0.42	0.030	0.17	<0.1	0.02	4.3	<0.1	<0.05	1	0.5	0.4	
1418271	Rock	0.008	4	4	0.03	359	0.002	<20	0.42	0.009	0.24	0.1	0.02	2.3	<0.1	<0.05	2	1.4	0.4	
1418272	Rock	0.010	6	7	0.07	479	0.013	<20	0.35	0.017	0.13	0.2	0.02	2.5	<0.1	<0.05	1	0.7	0.5	
1418273	Rock	0.004	4	9	0.02	519	0.005	<20	0.23	0.011	0.25	0.2	0.01	0.7	<0.1	0.13	<1	0.7	0.6	
1418274	Rock	0.009	5	12	0.06	802	0.021	<20	0.37	0.017	0.24	<0.1	0.02	1.5	<0.1	0.19	2	0.9	0.6	
1418275	Rock	0.012	10	11	0.11	384	0.040	<20	0.51	0.022	0.19	<0.1	0.02	2.1	0.1	0.14	2	1.0	0.6	
1418276	Rock	0.008	7	10	0.08	541	0.027	<20	0.43	0.019	0.18	<0.1	0.02	1.8	<0.1	0.11	2	0.9	0.6	
1418277	Rock	0.010	6	12	0.09	727	0.027	<20	0.50	0.021	0.15	<0.1	<0.01	2.2	<0.1	0.07	2	<0.5	0.5	
1418278	Rock	0.022	7	9	0.09	303	0.021	<20	0.71	0.026	0.17	<0.1	0.02	3.0	<0.1	0.10	2	<0.5	0.3	
1418279	Rock	0.020	6	15	0.18	704	0.033	<20	0.68	0.022	0.16	0.1	<0.01	2.3	<0.1	0.09	2	<0.5	<0.2	
1418280	Rock	0.014	6	9	0.07	389	0.020	<20	0.39	0.025	0.17	0.1	<0.01	1.8	<0.1	0.12	1	0.8	0.5	
1418281	Rock	0.018	7	10	0.09	352	0.029	<20	0.48	0.033	0.16	<0.1	<0.01	2.7	<0.1	0.11	1	<0.5	0.3	
1418282	Rock	0.012	5	9	0.07	677	0.017	<20	0.38	0.027	0.16	<0.1	<0.01	1.8	<0.1	0.08	1	<0.5	0.3	
1418283	Rock	0.011	6	11	0.08	443	0.027	<20	0.40	0.025	0.14	<0.1	<0.01	1.5	<0.1	<0.05	1	0.6	0.3	
1418284	Rock	0.009	4	9	0.05	369	0.011	<20	0.35	0.030	0.14	<0.1	<0.01	1.3	<0.1	<0.05	1	<0.5	<0.2	
1418302	Rock	0.017	7	8	0.15	1166	0.005	<20	0.81	0.029	0.32	<0.1	0.81	9.6	0.1	<0.05	5	<0.5	<0.2	
1418303	Rock	0.032	2	7	0.20	1450	<0.001	<20	0.41	0.027	0.16	<0.1	0.64	2.4	<0.1	<0.05	2	<0.5	<0.2	
1418304	Rock	0.032	5	17	0.07	909	0.002	<20	0.52	0.042	0.18	<0.1	0.21	6.0	<0.1	<0.05	2	<0.5	<0.2	
1418305	Rock	0.056	10	8	0.56	558	0.002	<20	0.49	0.041	0.21	<0.1	0.15	8.3	<0.1	0.05	3	<0.5	<0.2	
1418306	Rock	0.035	13	39	0.37	375	0.007	<20	0.53	0.051	0.24	<0.1	0.23	8.1	0.1	<0.05	3	<0.5	<0.2	
1418307	Rock	0.034	13	11	0.20	371	0.020	<20	0.62	0.061	0.29	<0.1	0.07	5.8	0.1	<0.05	4	<0.5	<0.2	
1418308	Rock	0.025	5	15	0.38	818	0.007	<20	0.42	0.065	0.14	<0.1	0.15	5.1	<0.1	<0.05	2	<0.5	<0.2	
1418309	Rock	0.021	3	7	1.27	1989	<0.001	<20	0.25	0.033	0.11	<0.1	0.79	4.2	<0.1	0.07	<1	<0.5	<0.2	
1418310	Rock	0.091	5	26	2.02	1184	0.001	<20	0.63	0.037	0.25	<0.1	0.13	12.4	<0.1	0.06	2	<0.5	<0.2	
1418311	Rock	0.004	3	15	3.33	1084	<0.001	<20	0.66	0.043	0.29	<0.1	0.13	11.1	0.1	<0.05	2	<0.5	<0.2	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV
Report Date: August 11, 2016

Page: 5 of 6

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI16000142.1

Method	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
1418312	Rock	1.23	0.019	4.8	21.4	28.2	29	0.3	3.8	3.3	384	1.45	7.5	37.8	9.1	22	<0.1	<0.1	0.4	6	0.20
1418313	Rock	1.52	0.060	1.1	12.0	12.0	27	0.2	2.6	2.9	509	1.60	17.3	69.0	12.3	20	<0.1	0.1	<0.1	7	0.66
1418314	Rock	1.57	0.030	2.1	11.3	6.7	37	0.2	3.1	2.9	345	1.63	11.8	27.8	7.6	18	<0.1	<0.1	0.1	7	0.10
1418315	Rock	1.70	0.007	1.7	27.3	6.9	76	<0.1	6.3	13.4	868	4.13	2.1	7.2	12.2	58	<0.1	<0.1	<0.1	28	1.24
1418316	Rock	1.49	<0.005	1.2	14.6	10.0	48	<0.1	4.5	7.6	730	3.24	1.3	3.9	10.0	87	<0.1	<0.1	0.2	24	2.60
1418317	Rock	2.06	<0.005	0.8	15.4	12.4	44	<0.1	3.5	7.1	862	2.78	1.7	5.3	11.3	100	<0.1	<0.1	0.1	22	2.96
1418318	Rock	1.37	<0.005	0.6	12.3	8.9	35	<0.1	3.6	10.5	646	2.70	2.3	4.2	8.7	77	0.1	<0.1	0.1	15	2.22
1418319	Rock	0.81	<0.005	1.3	29.6	4.5	65	<0.1	18.6	13.3	608	3.22	1.1	3.0	3.8	71	<0.1	<0.1	0.1	14	2.65
1418320	Rock	1.31	0.071	4.1	16.1	34.0	40	0.6	8.0	7.0	587	2.08	32.6	63.5	4.9	85	0.2	0.2	0.4	7	2.05
1418321	Rock	1.21	0.025	9.4	45.5	28.3	55	0.5	25.8	15.4	697	2.88	33.2	21.1	1.6	104	0.2	0.3	0.5	15	2.64
1418322	Rock	0.76	0.019	4.4	34.0	16.7	50	0.3	22.6	12.5	753	2.95	19.7	16.4	2.3	122	0.2	0.2	0.3	15	3.47
1418323	Rock	1.18	<0.005	0.8	19.4	4.4	39	<0.1	10.0	9.3	546	2.29	7.0	2.9	2.6	87	<0.1	0.1	<0.1	10	2.42
1418324	Rock	1.26	0.038	5.9	45.2	12.5	37	0.9	20.1	11.1	508	2.27	37.6	36.7	2.9	34	0.2	0.7	0.3	10	0.60
1418325	Rock	1.48	0.059	11.9	52.0	23.6	40	1.2	47.6	18.2	850	2.61	58.9	52.0	2.4	40	0.3	0.5	0.4	15	0.93
1418326	Rock	1.50	0.020	1.0	21.9	8.8	14	0.3	4.7	2.6	244	0.96	8.0	18.6	2.3	49	<0.1	0.2	0.1	6	0.06
1418327	Rock	1.64	0.041	1.8	109.2	23.5	20	1.2	4.2	2.6	352	1.45	12.0	31.1	3.6	46	<0.1	0.4	0.6	6	0.05
1418328	Rock	1.38	0.023	0.4	24.3	7.4	19	0.4	5.5	4.1	263	1.55	12.9	20.9	7.8	31	<0.1	0.3	0.1	8	0.08
1418329	Rock	1.17	0.027	44.9	39.9	13.9	15	1.1	2.4	3.6	365	1.73	8.9	25.5	5.1	80	0.2	0.7	0.4	5	0.07
1418330	Rock	0.98	0.023	8.4	20.7	18.4	15	0.8	2.5	5.1	661	2.22	6.9	20.3	6.4	56	0.1	0.2	0.3	7	0.10
1418331	Rock	0.93	0.037	3.4	43.1	17.5	19	1.1	3.2	4.8	588	2.14	7.6	30.9	6.0	36	<0.1	0.4	0.3	8	0.11
1418332	Rock	1.06	0.054	2.1	29.6	30.7	25	1.6	3.8	9.8	1018	2.80	17.4	53.3	6.4	43	0.1	0.4	0.2	13	0.15
1418333	Rock	0.90	0.051	0.8	23.6	17.7	38	1.3	5.5	9.4	767	2.99	22.4	46.3	9.1	40	<0.1	0.3	0.2	13	0.34
1418334	Rock	1.21	0.035	2.0	56.2	15.1	22	1.1	7.0	6.0	407	2.43	15.5	34.8	7.1	29	0.1	0.4	0.3	13	0.12
1418335	Rock	1.67	0.032	4.9	51.4	23.8	24	1.2	5.9	6.7	671	2.12	11.7	35.1	4.5	42	0.2	0.4	0.3	13	0.72
1418336	Rock	1.29	0.016	3.2	158.8	24.2	18	1.1	6.0	3.8	503	1.24	32.4	11.0	2.3	31	0.2	2.5	0.5	9	0.09
1418337	Rock	1.84	0.022	2.7	71.5	15.7	24	1.4	4.5	4.4	535	1.85	17.0	21.3	4.7	35	0.1	0.6	0.3	12	0.10
1418338	Rock	0.98	0.033	1.9	57.6	18.6	21	0.4	15.3	6.0	564	1.58	10.9	27.4	3.2	32	<0.1	0.5	0.2	17	0.13
1418339	Rock	1.32	0.013	0.6	33.9	8.6	14	0.3	4.2	2.8	428	1.27	7.1	10.0	2.6	41	<0.1	0.3	0.2	8	0.06
1418340	Rock	1.45	0.018	3.3	47.1	6.3	37	0.5	5.3	6.2	674	2.37	13.5	15.9	4.9	31	<0.1	0.5	0.3	18	0.09
1418341	Rock	1.15	0.015	0.8	36.2	6.1	33	0.6	4.7	4.8	519	1.83	28.2	21.4	4.7	30	0.1	0.5	0.2	17	0.11



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV
Report Date: August 11, 2016

Page: 5 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI16000142.1

Method Analyte Unit MDL		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
1418312	Rock	0.025	25	6	0.09	1291	0.001	<20	0.29	0.045	0.13	<0.1	0.09	3.2	<0.1	0.08	<1	<0.5	<0.2	
1418313	Rock	0.028	26	4	0.23	84	<0.001	<20	0.35	0.038	0.19	<0.1	0.07	2.3	<0.1	<0.05	<1	<0.5	<0.2	
1418314	Rock	0.019	16	6	0.05	379	<0.001	<20	0.29	0.054	0.11	<0.1	0.06	2.7	<0.1	<0.05	<1	<0.5	<0.2	
1418315	Rock	0.074	18	10	0.10	391	0.002	<20	0.51	0.025	0.32	<0.1	0.04	9.2	<0.1	<0.05	2	<0.5	<0.2	
1418316	Rock	0.046	27	6	0.15	475	0.002	<20	0.41	0.034	0.23	<0.1	0.02	4.1	<0.1	<0.05	1	<0.5	<0.2	
1418317	Rock	0.050	33	5	0.94	154	<0.001	<20	0.43	0.036	0.26	<0.1	0.03	4.9	<0.1	<0.05	2	<0.5	<0.2	
1418318	Rock	0.037	16	6	0.62	588	<0.001	<20	0.39	0.037	0.25	<0.1	0.06	3.3	<0.1	0.08	1	<0.5	<0.2	
1418319	Rock	0.004	10	9	0.94	934	<0.001	<20	0.36	0.010	0.25	<0.1	0.09	3.7	<0.1	<0.05	<1	<0.5	<0.2	
1418320	Rock	0.013	10	4	0.61	1858	<0.001	<20	0.37	0.007	0.22	<0.1	0.27	2.8	<0.1	0.07	<1	<0.5	0.4	
1418321	Rock	0.010	1	5	0.59	581	<0.001	<20	0.46	0.007	0.25	<0.1	0.27	7.5	0.1	<0.05	<1	<0.5	0.2	
1418322	Rock	0.007	2	7	0.68	472	<0.001	<20	0.49	0.008	0.24	<0.1	0.23	5.6	0.1	<0.05	1	<0.5	<0.2	
1418323	Rock	0.010	3	7	0.51	711	<0.001	<20	0.43	0.015	0.25	<0.1	0.12	3.7	<0.1	<0.05	<1	<0.5	<0.2	
1418324	Rock	0.023	8	6	0.20	584	<0.001	<20	0.38	0.007	0.22	<0.1	0.25	4.5	<0.1	<0.05	<1	<0.5	0.3	
1418325	Rock	0.018	4	8	0.49	1285	<0.001	<20	0.44	0.005	0.24	<0.1	0.37	6.5	0.1	<0.05	<1	0.6	0.4	
1418326	Rock	0.009	6	6	0.03	1616	0.001	<20	0.25	0.036	0.16	<0.1	0.03	1.7	<0.1	<0.05	<1	<0.5	0.3	
1418327	Rock	0.014	11	5	0.03	797	0.001	<20	0.27	0.015	0.17	<0.1	0.03	2.7	<0.1	<0.05	<1	0.8	0.7	
1418328	Rock	0.025	19	5	0.03	489	0.001	<20	0.33	0.024	0.20	<0.1	0.03	3.3	<0.1	<0.05	<1	<0.5	0.5	
1418329	Rock	0.026	21	5	0.02	551	0.001	<20	0.22	0.006	0.21	<0.1	0.04	3.5	<0.1	0.14	<1	0.7	0.3	
1418330	Rock	0.038	45	4	0.03	510	0.001	<20	0.28	0.005	0.24	<0.1	0.04	4.4	<0.1	0.19	<1	<0.5	0.4	
1418331	Rock	0.037	19	4	0.03	328	0.001	<20	0.34	0.016	0.24	<0.1	0.04	4.0	<0.1	0.11	<1	1.3	0.3	
1418332	Rock	0.050	18	4	0.05	572	0.001	<20	0.31	0.008	0.25	0.1	0.06	7.4	<0.1	0.12	<1	1.6	0.9	
1418333	Rock	0.044	24	5	0.10	319	0.001	<20	0.36	0.018	0.25	0.1	0.07	6.6	<0.1	0.07	1	1.9	0.4	
1418334	Rock	0.035	24	6	0.07	313	0.005	<20	0.48	0.015	0.25	<0.1	0.04	3.9	<0.1	<0.05	1	<0.5	0.6	
1418335	Rock	0.035	12	12	0.05	397	0.002	<20	0.36	0.024	0.22	0.1	0.04	4.9	<0.1	<0.05	1	1.1	0.5	
1418336	Rock	0.015	8	6	0.05	500	0.005	<20	0.33	0.022	0.19	<0.1	0.02	2.3	<0.1	<0.05	1	<0.5	0.5	
1418337	Rock	0.025	14	8	0.05	336	0.005	<20	0.32	0.019	0.20	<0.1	0.03	2.9	<0.1	<0.05	1	<0.5	0.6	
1418338	Rock	0.008	12	12	0.12	389	0.013	<20	0.59	0.017	0.14	<0.1	0.06	4.1	<0.1	<0.05	2	<0.5	0.4	
1418339	Rock	0.011	4	6	0.05	216	0.001	<20	0.30	0.022	0.17	<0.1	0.05	2.3	<0.1	<0.05	<1	<0.5	0.3	
1418340	Rock	0.029	14	6	0.05	299	0.002	<20	0.36	0.023	0.18	<0.1	0.05	6.0	<0.1	<0.05	1	1.0	0.3	
1418341	Rock	0.026	9	5	0.04	225	0.002	<20	0.32	0.031	0.18	<0.1	0.03	4.9	<0.1	<0.05	1	0.8	0.2	



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV
Report Date: August 11, 2016

Page: 6 of 6

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI16000142.1

Method	Analyte	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
1418342	Rock	1.49	0.016	1.6	55.4	24.4	25	0.5	3.7	3.3	412	1.21	19.3	15.2	2.5	31	<0.1	0.7	0.3	10	0.08
1418343	Rock	1.91	0.029	2.1	34.9	14.3	24	0.5	6.7	4.0	510	1.31	12.7	18.5	2.0	34	0.2	0.8	0.2	15	0.12
1418344	Rock	1.25	0.019	1.2	36.1	11.4	32	0.5	5.4	6.2	666	1.66	14.4	14.3	3.6	26	0.1	0.5	0.2	17	0.15
1418345	Rock	1.46	0.011	1.9	45.1	24.5	35	0.8	6.6	6.1	677	2.41	13.6	11.4	6.1	26	0.2	0.6	0.3	15	0.11
1418346	Rock	1.54	0.036	2.1	25.9	26.5	21	0.8	5.4	5.0	579	1.36	9.5	27.2	4.9	39	<0.1	0.8	0.2	11	0.10
1418347	Rock	1.48	0.020	2.2	56.8	13.7	35	0.6	9.1	6.6	568	2.12	14.6	13.5	4.4	34	0.1	0.8	0.2	23	0.16
1418366	Rock	1.70	<0.005	0.4	11.2	2.3	43	<0.1	15.6	13.0	519	3.09	0.8	<0.5	5.4	53	<0.1	<0.1	<0.1	33	2.01
1418367	Rock	1.33	<0.005	1.0	21.7	3.3	31	<0.1	19.9	12.5	613	2.80	3.8	<0.5	5.2	103	<0.1	0.1	0.2	17	6.46
1418368	Rock	1.05	0.101	0.8	53.8	12.5	114	3.2	9.8	18.4	334	4.30	44.6	93.1	0.8	57	<0.1	0.5	0.2	44	0.17
1418369	Rock	1.90	0.038	2.7	49.3	27.4	78	1.3	8.6	8.8	287	3.05	31.7	37.2	6.4	40	0.1	1.5	0.2	19	0.06
1418370	Rock	1.25	0.007	0.5	30.6	4.2	85	0.1	11.7	32.6	1622	7.54	2.0	4.0	0.5	138	0.3	0.2	<0.1	153	6.06
1418371	Rock	1.29	<0.005	0.3	53.1	2.5	67	<0.1	7.4	31.4	1240	6.96	1.7	0.8	0.5	225	0.1	0.1	<0.1	144	4.84
1418372	Rock	1.06	0.019	0.6	53.5	2.7	72	0.6	8.7	33.1	1399	7.11	5.7	14.2	0.5	93	0.2	0.3	<0.1	223	5.06
1418373	Rock	1.17	<0.005	0.4	33.3	4.1	60	<0.1	13.5	32.9	1676	7.13	1.1	1.2	0.4	97	0.1	<0.1	<0.1	128	5.81
1418374	Rock	1.09	0.050	4.1	43.7	31.5	63	1.1	5.0	5.3	1123	2.58	10.1	50.2	1.0	29	0.2	1.8	0.3	19	0.18
1418375	Rock	1.42	0.033	17.9	141.6	109.8	84	1.6	4.8	7.1	692	2.31	9.2	27.7	1.6	22	0.3	1.0	0.9	10	0.04
1418376	Rock	0.99	0.027	4.9	93.6	55.2	40	1.9	4.6	3.8	165	2.70	29.2	23.7	2.0	44	0.3	5.4	0.7	11	0.06
1418377	Rock	1.20	0.025	0.8	33.8	18.5	41	0.8	3.0	5.0	512	2.34	5.0	21.2	1.9	29	0.3	0.8	0.1	11	0.08



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Comstock Metals Ltd.**

310 - 850 West Hastings St.

Vancouver BC V6C 1E1 CANADA

Project: QV

Report Date: August 11, 2016

Page: 6 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI16000142.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2
1418342	Rock	0.020	6	8	0.04	260	0.006	<20	0.34	0.030	0.18	<0.1	0.03	2.8	<0.1	<0.05	1	<0.5	0.4
1418343	Rock	0.016	7	11	0.08	360	0.019	<20	0.45	0.029	0.16	<0.1	0.05	2.9	<0.1	<0.05	1	<0.5	0.3
1418344	Rock	0.031	12	9	0.08	353	0.017	<20	0.48	0.046	0.18	<0.1	0.04	3.9	<0.1	<0.05	1	0.7	<0.2
1418345	Rock	0.037	18	6	0.05	353	0.004	<20	0.36	0.026	0.21	<0.1	0.06	5.7	<0.1	<0.05	1	0.6	0.4
1418346	Rock	0.015	6	8	0.06	1063	0.011	<20	0.42	0.020	0.18	<0.1	0.09	2.8	<0.1	<0.05	1	<0.5	0.3
1418347	Rock	0.028	13	12	0.13	497	0.021	<20	0.59	0.033	0.16	0.1	0.06	5.1	<0.1	<0.05	2	0.7	0.4
1418366	Rock	0.035	9	11	0.44	568	0.002	<20	0.47	0.033	0.27	<0.1	0.47	3.7	<0.1	<0.05	2	<0.5	<0.2
1418367	Rock	0.035	9	12	0.65	274	0.001	<20	0.43	0.023	0.28	<0.1	0.63	3.0	<0.1	0.15	1	<0.5	<0.2
1418368	Rock	0.050	2	5	0.09	399	0.001	<20	0.80	0.019	0.45	<0.1	0.65	12.6	0.1	0.47	2	1.7	1.5
1418369	Rock	0.037	19	4	0.04	252	<0.001	<20	0.55	0.013	0.41	<0.1	0.05	6.8	<0.1	0.47	<1	1.6	1.2
1418370	Rock	0.069	6	8	1.38	537	0.005	<20	0.82	0.029	0.42	<0.1	0.03	25.3	<0.1	<0.05	3	<0.5	<0.2
1418371	Rock	0.077	8	2	1.42	2223	0.005	<20	0.69	0.022	0.39	<0.1	0.01	20.9	<0.1	0.07	2	<0.5	<0.2
1418372	Rock	0.086	7	6	1.42	89	0.056	<20	1.71	0.031	0.19	0.8	0.02	19.3	<0.1	<0.05	8	<0.5	0.5
1418373	Rock	0.075	6	8	2.26	54	0.002	<20	0.78	0.028	0.39	<0.1	<0.01	23.7	<0.1	<0.05	2	<0.5	<0.2
1418374	Rock	0.052	4	4	0.07	585	0.001	<20	0.40	0.028	0.20	<0.1	0.05	5.1	<0.1	0.05	1	0.7	0.6
1418375	Rock	0.022	7	5	0.03	142	<0.001	<20	0.34	0.014	0.25	<0.1	0.13	7.4	<0.1	0.18	<1	1.7	1.1
1418376	Rock	0.027	11	5	0.02	258	<0.001	<20	0.30	0.011	0.40	<0.1	0.35	8.7	<0.1	0.51	1	1.4	1.7
1418377	Rock	0.029	7	4	0.04	552	<0.001	<20	0.26	0.024	0.18	<0.1	0.05	6.6	<0.1	<0.05	<1	1.0	0.5



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Comstock Metals Ltd.**
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV
Report Date: August 11, 2016

Page: 1 of 3

Part: 1 of 2

QUALITY CONTROL REPORT

WHI16000142.1

Method	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm		
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
1347966	Rock	1.13	0.038	2.0	20.0	6.2	28	<0.1	9.2	3.9	552	1.77	55.9	48.1	10.9	133	0.1	2.2	<0.1	21	2.86
REP 1347966	QC	0.039																			
1347967	Rock	1.66	0.079	1.6	13.4	9.7	35	<0.1	3.6	4.2	588	2.77	19.5	62.0	9.8	36	0.2	2.2	0.1	12	0.16
REP 1347967	QC	0.061																			
1390467	Rock	1.32	<0.005	1.7	16.9	19.5	43	<0.1	14.4	6.7	206	2.10	83.6	1.2	4.7	49	<0.1	8.3	0.2	10	0.09
REP 1390467	QC	1.6 17.0 18.7 42 <0.1 14.4 6.5 203 2.02 81.7 <0.5 4.6 47 <0.1 7.7 0.2 10 0.09																			
1418267	Rock	1.38	0.086	0.9	9.9	22.9	8	0.7	2.6	1.1	72	1.42	18.7	94.6	2.9	41	<0.1	0.6	<0.1	8	0.04
REP 1418267	QC	0.6 9.7 22.8 8 0.6 2.4 0.9 69 1.32 16.9 82.7 2.6 38 <0.1 0.6 <0.1 8 0.03																			
1418304	Rock	1.21	<0.005	0.3	9.5	12.7	34	0.1	11.0	5.5	333	1.73	2.2	0.8	2.7	28	<0.1	0.2	0.2	22	0.18
REP 1418304	QC	<0.005																			
1418305	Rock	1.07	<0.005	0.9	60.5	4.4	67	<0.1	4.7	9.5	440	2.88	0.9	0.9	6.0	62	0.1	<0.1	0.1	34	1.88
REP 1418305	QC	<0.005																			
1418319	Rock	0.81	<0.005	1.3	29.6	4.5	65	<0.1	18.6	13.3	608	3.22	1.1	3.0	3.8	71	<0.1	<0.1	0.1	14	2.65
REP 1418319	QC	1.0 28.3 4.4 60 <0.1 17.3 12.5 615 3.29 1.7 3.2 3.6 72 <0.1 <0.1 <0.1 13 2.70																			
1418372	Rock	1.06	0.019	0.6	53.5	2.7	72	0.6	8.7	33.1	1399	7.11	5.7	14.2	0.5	93	0.2	0.3	<0.1	223	5.06
REP 1418372	QC	0.4 51.0 2.6 72 0.6 8.3 32.3 1392 7.06 6.1 15.1 0.4 85 0.1 0.3 <0.1 220 4.95																			
Core Reject Duplicates																					
1390460	Rock	1.20	0.012	1.8	46.9	14.3	55	<0.1	31.7	10.8	694	3.12	125.4	9.3	5.6	42	0.1	2.2	0.2	33	0.31
DUP 1390460	QC	0.012 1.9 48.2 14.8 56 <0.1 31.8 11.0 695 3.08 128.2 9.5 5.8 44 0.1 2.3 0.2 32 0.29																			
1418261	Rock	1.42	0.122	0.6	12.2	7.5	39	0.3	5.1	5.0	654	2.21	3.6	110.1	7.3	36	0.1	0.2	<0.1	9	0.11
DUP 1418261	QC	0.118 0.6 13.1 8.0 36 0.4 5.8 5.5 643 2.19 3.6 253.2 8.3 39 <0.1 0.2 <0.1 9 0.11																			
1418312	Rock	1.23	0.019	4.8	21.4	28.2	29	0.3	3.8	3.3	384	1.45	7.5	37.8	9.1	22	<0.1	<0.1	0.4	6	0.20
DUP 1418312	QC	0.017 4.2 19.5 29.5 28 0.3 3.9 3.3 387 1.51 7.0 17.2 8.4 19 <0.1 0.1 0.4 6 0.19																			
1418346	Rock	1.54	0.036	2.1	25.9	26.5	21	0.8	5.4	5.0	579	1.36	9.5	27.2	4.9	39	<0.1	0.8	0.2	11	0.10
DUP 1418346	QC	0.037 1.8 24.7 24.3 18 0.7 5.5 4.6 561 1.35 9.1 23.8 4.4 39 0.1 0.8 0.2 11 0.10																			
Reference Materials																					
STD DS10	Standard	13.5 155.2 142.2 367 1.8 74.6 12.8 865 2.69 49.1 95.1 6.6 61 2.8 7.9 10.7 39 1.06																			
STD DS10	Standard	13.6 153.2 139.8 361 1.9 73.5 13.0 920 2.78 48.6 56.2 6.8 61 2.5 7.4 11.1 42 1.08																			



QUALITY CONTROL REPORT

WHI16000142.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																			
1347966	Rock	0.014	22	6	0.16	3383	0.002	<20	0.64	0.051	0.09	1.0	0.42	3.7	<0.1	0.08	2	<0.5	<0.2
REP 1347966	QC																		
1347967	Rock	0.034	18	4	0.07	1335	0.003	<20	0.71	0.039	0.28	0.2	0.41	4.0	0.2	<0.05	3	<0.5	<0.2
REP 1347967	QC																		
1390467	Rock	0.007	6	8	0.08	1327	0.001	<20	0.60	0.007	0.35	<0.1	0.18	3.8	0.1	<0.05	2	<0.5	<0.2
REP 1390467	QC	0.007	6	8	0.08	1304	<0.001	<20	0.57	0.007	0.35	<0.1	0.16	4.0	0.1	<0.05	1	<0.5	<0.2
1418267	Rock	0.017	10	5	0.02	632	0.003	<20	0.36	0.009	0.38	0.1	0.02	2.3	<0.1	0.15	1	1.0	1.0
REP 1418267	QC	0.016	8	4	0.02	628	0.003	<20	0.34	0.009	0.36	<0.1	0.02	2.1	<0.1	0.15	1	0.8	1.0
1418304	Rock	0.032	5	17	0.07	909	0.002	<20	0.52	0.042	0.18	<0.1	0.21	6.0	<0.1	<0.05	2	<0.5	<0.2
REP 1418304	QC																		
1418305	Rock	0.056	10	8	0.56	558	0.002	<20	0.49	0.041	0.21	<0.1	0.15	8.3	<0.1	0.05	3	<0.5	<0.2
REP 1418305	QC																		
1418319	Rock	0.004	10	9	0.94	934	<0.001	<20	0.36	0.010	0.25	<0.1	0.09	3.7	<0.1	<0.05	<1	<0.5	<0.2
REP 1418319	QC	0.004	10	9	0.95	884	<0.001	<20	0.36	0.012	0.26	<0.1	0.08	3.6	<0.1	<0.05	<1	<0.5	<0.2
1418372	Rock	0.086	7	6	1.42	89	0.056	<20	1.71	0.031	0.19	0.8	0.02	19.3	<0.1	<0.05	8	<0.5	0.5
REP 1418372	QC	0.083	6	6	1.43	85	0.052	<20	1.74	0.031	0.19	0.8	0.02	18.4	<0.1	<0.05	8	<0.5	0.3
Core Reject Duplicates																			
1390460	Rock	0.034	15	23	0.20	1241	0.010	<20	1.02	0.012	0.29	<0.1	0.16	6.9	0.1	<0.05	3	<0.5	<0.2
DUP 1390460	QC	0.035	15	23	0.19	1284	0.011	<20	0.99	0.010	0.28	<0.1	0.15	7.1	0.1	<0.05	3	<0.5	<0.2
1418261	Rock	0.035	22	3	0.04	679	0.001	<20	0.45	0.048	0.23	<0.1	0.02	4.0	<0.1	<0.05	1	<0.5	0.4
DUP 1418261	QC	0.036	23	4	0.04	695	0.001	<20	0.50	0.053	0.26	<0.1	0.02	4.6	<0.1	<0.05	1	<0.5	0.3
1418312	Rock	0.025	25	6	0.09	1291	0.001	<20	0.29	0.045	0.13	<0.1	0.09	3.2	<0.1	0.08	<1	<0.5	<0.2
DUP 1418312	QC	0.022	22	7	0.08	997	0.001	<20	0.31	0.052	0.13	<0.1	0.08	2.7	<0.1	0.08	<1	<0.5	<0.2
1418346	Rock	0.015	6	8	0.06	1063	0.011	<20	0.42	0.020	0.18	<0.1	0.09	2.8	<0.1	<0.05	1	<0.5	0.3
DUP 1418346	QC	0.015	6	8	0.06	985	0.011	<20	0.41	0.018	0.17	<0.1	0.09	2.6	<0.1	<0.05	1	<0.5	0.4
Reference Materials																			
STD DS10	Standard	0.083	17	52	0.76	415	0.075	<20	1.01	0.066	0.33	2.7	0.24	2.7	4.6	0.27	5	1.6	4.6
STD DS10	Standard	0.078	17	54	0.79	421	0.073	<20	1.05	0.070	0.34	3.0	0.33	2.9	5.1	0.28	5	2.3	4.8



QUALITY CONTROL REPORT

WHI16000142.1

		WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
STD DS10	Standard			15.2	153.4	132.6	349	1.8	78.0	13.8	904	2.84	45.6	85.7	6.7	66	2.8	7.9	11.6	46	1.11
STD DS10	Standard			15.5	151.0	145.9	356	2.0	74.5	13.1	922	2.91	49.2	82.8	7.5	70	2.1	8.5	12.1	49	1.11
STD OREAS45EA	Standard			1.5	663.7	13.0	28	0.3	367.1	45.2	407	20.37	10.9	50.3	8.3	3	<0.1	0.3	0.2	295	0.03
STD OREAS45EA	Standard			1.4	687.7	12.8	30	0.2	400.3	50.7	432	20.66	11.5	62.5	8.5	3	<0.1	0.2	0.2	307	0.03
STD OREAS45EA	Standard			1.3	697.6	13.9	32	0.3	402.5	52.5	394	21.93	10.8	51.7	9.2	3	<0.1	0.3	0.2	316	0.03
STD OREAS45EA	Standard			1.7	726.6	15.2	34	0.3	396.7	51.2	421	21.18	12.3	51.0	9.8	3	<0.1	0.3	0.3	321	0.03
STD OXD108	Standard		0.421																		
STD OXD108	Standard		0.426																		
STD OXD108	Standard		0.406																		
STD OXI121	Standard		1.827																		
STD OXI121	Standard		1.812																		
STD OXI121	Standard		1.825																		
STD OXN117	Standard		7.735																		
STD OXN117	Standard		7.795																		
STD OXN117	Standard		7.608																		
STD DS10 Expected				13.6	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	91.9	7.5	67.1	2.62	9	11.65	43	1.0625
STD OREAS45EA Expected				1.6	709	14.3	31.4	0.26	381	52	400	23.51	10.3	53	10.7	3.5	0.03	0.32	0.26	303	0.036
STD OXD108 Expected			0.414																		
STD OXN117 Expected			7.679																		
STD OXI121 Expected			1.834																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.005																		



QUALITY CONTROL REPORT

WHI16000142.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.5	0.2
STD DS10	Standard	0.076	18	59	0.81	418	0.083	<20	1.08	0.074	0.35	3.1	0.28	2.9	5.2	0.30	5	2.0	5.0
STD DS10	Standard	0.080	20	60	0.80	456	0.090	<20	1.07	0.071	0.33	3.3	0.28	3.1	5.6	0.30	4	2.5	4.9
STD OREAS45EA	Standard	0.027	6	788	0.09	128	0.090	<20	3.13	0.018	0.05	<0.1	0.01	65.9	<0.1	<0.05	11	1.0	<0.2
STD OREAS45EA	Standard	0.029	6	897	0.09	136	0.086	<20	3.14	0.019	0.05	<0.1	0.01	74.2	<0.1	<0.05	12	1.0	<0.2
STD OREAS45EA	Standard	0.026	7	865	0.10	147	0.101	<20	3.36	0.024	0.06	<0.1	<0.01	74.8	<0.1	<0.05	14	1.1	<0.2
STD OREAS45EA	Standard	0.028	7	838	0.10	140	0.103	<20	3.28	0.025	0.06	<0.1	<0.01	73.7	<0.1	<0.05	14	1.4	<0.2
STD OXD108	Standard																		
STD OXD108	Standard																		
STD OXD108	Standard																		
STD OXI121	Standard																		
STD OXI121	Standard																		
STD OXI121	Standard																		
STD OXN117	Standard																		
STD OXN117	Standard																		
STD OXN117	Standard																		
STD DS10 Expected		0.0765	17.5	54.6	0.775	412	0.0817		1.0259	0.067	0.338	3.32	0.3	2.8	5.1	0.29	4.3	2.3	5.01
STD OREAS45EA Expected		0.029	7.06	849	0.095	148	0.0984		3.13	0.02	0.053			78	0.072	0.036	12.4	0.78	0.07
STD OXD108 Expected																			
STD OXN117 Expected																			
STD OXI121 Expected																			
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank																		



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV
Report Date: August 11, 2016

Page: 3 of 3

Part: 1 of 2

QUALITY CONTROL REPORT

WHI16000142.1

		WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
BLK	Blank	<0.005																				
Prep Wash																						
ROCK-WHI	Prep Blank	<0.005	0.5	4.2	2.3	38	<0.1	1.4	3.7	425	1.75	0.9	<0.5	2.1	27	<0.1	<0.1	<0.1	23	0.66		
ROCK-WHI	Prep Blank	<0.005	0.7	3.3	1.5	32	<0.1	0.7	3.6	427	1.74	1.0	1.0	2.1	26	<0.1	<0.1	<0.1	23	0.63		



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV
Report Date: August 11, 2016

Page: 3 of 3

Part: 2 of 2

QUALITY CONTROL REPORT

WHI16000142.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
BLK	Blank																		
Prep Wash																			
ROCK-WHI	Prep Blank	0.042	5	3	0.40	75	0.084	<20	1.00	0.110	0.10	0.1	0.01	2.7	<0.1	<0.05	4	<0.5	<0.2
ROCK-WHI	Prep Blank	0.041	5	2	0.40	72	0.083	<20	0.99	0.103	0.10	0.1	<0.01	2.6	<0.1	<0.05	4	<0.5	<0.2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Submitted By: David Terry
Receiving Lab: Canada-Whitehorse
Received: August 02, 2016
Report Date: August 17, 2016
Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000143.1

CLIENT JOB INFORMATION

Project: QV
Shipment ID: QVV-2016-07-26-Rock-GTP
P.O. Number
Number of Samples: 42

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1
CANADA

CC: Jodie Gibson

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	42	Crush, split and pulverize 250 g rock to 200 mesh			WHI
FA430	42	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
AQ200	42	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	42	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS


JEFFREY CANNON
Geochemistry Department Supervisor

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV
Report Date: August 17, 2016

Page: 2 of 3

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI16000143.1

Method Analyte	Unit	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
			Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
MDL		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	0.1	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
1418378	Rock	1.49	0.030	0.9	76.5	42.7	90	1.1	5.7	14.6	1341	4.79	3.1	31.0	2.6	17	<0.1	0.3	0.5	49	0.21
1338746	Rock	1.09	0.344	2.3	28.2	4.5	53	1.0	9.4	8.2	483	2.57	5.0	659.6	4.4	91	0.2	3.5	0.1	26	2.05
1338747	Rock	0.89	0.149	2.2	12.3	3.1	60	0.3	10.3	10.6	685	3.46	2.2	141.0	5.0	49	0.1	0.9	0.1	47	1.09
1338748	Rock	1.06	0.323	4.8	15.9	26.4	121	1.0	11.6	13.0	791	3.51	3.7	331.7	5.1	81	0.4	1.5	0.5	44	0.37
1338749	Rock	0.75	0.293	2.6	23.3	10.1	83	0.6	9.8	11.0	628	3.17	5.9	270.8	4.0	66	0.3	1.7	0.1	37	0.26
1338750	Rock	1.08	0.106	2.2	14.1	27.8	55	0.2	9.3	8.4	681	2.23	3.6	192.3	9.7	69	0.2	1.3	0.3	33	0.85
1345976	Rock	1.71	0.006	1.2	11.1	6.5	30	<0.1	2.7	3.0	379	1.89	1.5	2.7	16.2	51	<0.1	0.3	0.4	8	0.53
1345977	Rock	1.07	0.006	2.3	13.2	7.0	32	<0.1	3.3	3.6	402	2.02	1.8	2.9	16.5	62	<0.1	0.6	0.4	9	0.38
1345978	Rock	1.43	<0.005	1.8	13.4	5.5	31	<0.1	18.4	8.4	496	2.51	12.0	2.8	12.9	67	<0.1	0.9	0.6	20	0.69
1345979	Rock	1.07	<0.005	1.4	10.8	10.5	32	<0.1	5.7	4.3	393	2.00	6.3	2.1	15.6	55	0.1	0.4	0.7	12	0.37
1345980	Rock	1.20	<0.005	1.7	20.7	8.8	37	<0.1	7.2	4.3	381	2.40	8.1	4.4	16.8	99	0.2	0.5	0.7	16	2.47
1345981	Rock	1.11	<0.005	1.2	16.3	8.2	35	<0.1	6.3	4.7	410	2.08	2.6	3.2	17.6	64	<0.1	0.5	0.4	15	0.74
1345982	Rock	1.42	<0.005	1.4	7.9	10.5	30	<0.1	5.4	4.8	452	2.26	3.4	1.2	7.0	80	<0.1	0.7	0.4	10	1.22
1345983	Rock	0.96	<0.005	1.4	5.9	5.7	26	<0.1	6.8	4.6	336	1.71	2.1	1.7	13.7	80	<0.1	0.5	0.1	16	1.89
1345984	Rock	1.55	0.042	2.1	16.0	10.7	30	<0.1	3.0	4.0	598	2.04	2.1	19.2	17.1	56	<0.1	0.9	0.2	8	0.61
1345985	Rock	1.25	0.011	2.0	19.8	10.2	33	<0.1	6.6	5.4	485	2.19	2.7	11.0	12.2	50	<0.1	1.0	0.5	14	0.32
1345986	Rock	0.75	0.014	2.0	13.2	12.0	39	<0.1	5.0	5.4	433	2.40	9.2	11.8	10.4	89	<0.1	0.7	<0.1	9	0.48
1345987	Rock	0.84	0.025	1.9	11.8	6.3	33	<0.1	10.7	8.3	753	2.64	4.4	19.2	11.4	59	<0.1	0.5	0.1	24	0.24
1345988	Rock	1.26	0.018	1.7	5.9	6.9	13	<0.1	2.5	2.6	351	1.27	13.0	12.9	4.1	42	<0.1	0.3	0.2	6	0.13
1345989	Rock	0.98	0.015	1.8	5.9	5.9	17	<0.1	2.5	2.1	333	1.45	3.8	13.7	10.8	65	<0.1	0.4	<0.1	7	0.10
1345990	Rock	1.07	0.036	2.8	11.1	9.0	24	<0.1	2.9	2.7	429	1.74	4.7	24.2	12.0	50	<0.1	1.0	0.2	10	0.11
1345991	Rock	1.51	0.018	2.6	8.9	8.6	33	<0.1	3.6	3.0	478	1.72	2.8	12.6	15.0	60	<0.1	1.4	0.2	10	0.30
1345992	Rock	1.33	0.028	5.2	11.1	6.3	14	<0.1	7.4	3.0	383	1.73	9.0	30.2	19.8	89	<0.1	2.3	0.2	7	0.11
1345993	Rock	1.17	0.229	6.4	12.5	7.4	18	<0.1	28.6	7.8	670	2.63	41.7	114.0	14.8	157	0.1	3.5	0.2	19	0.44
1345994	Rock	0.92	0.447	9.9	12.1	6.1	37	0.4	28.7	9.2	940	3.03	19.7	1804.6	8.2	81	0.2	3.4	0.2	32	0.29
1345995	Rock	1.14	0.324	5.3	39.5	13.2	33	0.3	34.0	12.7	660	2.43	47.7	237.6	11.5	108	0.2	8.8	0.2	22	0.95
1345996	Rock	0.70	2.183	9.5	73.3	12.2	90	0.6	123.3	23.8	860	4.95	85.8	1872.3	14.0	89	0.3	6.8	0.2	53	0.76
1345997	Rock	1.13	1.544	8.1	54.2	14.7	69	0.9	111.6	21.4	1075	3.84	44.3	1019.8	30.9	135	0.3	4.5	0.2	38	0.24
1345998	Rock	1.38	0.018	4.3	16.4	8.7	50	<0.1	67.9	14.9	492	3.20	32.2	16.8	23.4	53	0.2	1.3	0.2	42	0.19
1418353	Rock	1.55	<0.005	0.9	13.1	4.1	50	<0.1	23.0	15.4	668	3.31	1.2	1.7	8.8	21	<0.1	0.1	0.2	41	0.71



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Comstock Metals Ltd.**
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV
Report Date: August 17, 2016

Page: 2 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI16000143.1

Method Analyte Unit	AQ200																		
	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
MDL	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
1418378	Rock	0.064	16	4	0.33	192	0.009	<20	0.82	0.026	0.16	0.2	0.04	16.3	<0.1	<0.05	4	0.9	0.6
1338746	Rock	0.009	12	7	0.11	1077	0.001	<20	0.34	0.042	0.15	<0.1	0.31	9.9	<0.1	<0.05	<1	<0.5	0.7
1338747	Rock	0.042	9	22	0.37	760	0.026	<20	0.93	0.016	0.54	<0.1	0.11	12.8	0.2	<0.05	3	<0.5	0.2
1338748	Rock	0.032	14	15	0.11	1922	0.004	<20	0.53	0.030	0.18	<0.1	0.18	15.6	<0.1	<0.05	2	0.8	0.7
1338749	Rock	0.029	10	9	0.08	1600	0.002	<20	0.45	0.026	0.17	<0.1	0.16	11.7	<0.1	<0.05	2	<0.5	0.5
1338750	Rock	0.046	20	13	0.25	1409	0.029	<20	0.55	0.046	0.25	0.1	0.07	8.9	<0.1	<0.05	3	<0.5	<0.2
1345976	Rock	0.025	32	5	0.16	1115	0.029	<20	0.58	0.041	0.27	0.1	0.17	2.9	0.1	<0.05	3	<0.5	<0.2
1345977	Rock	0.031	39	4	0.25	711	0.023	<20	0.68	0.038	0.24	<0.1	0.25	3.5	0.1	<0.05	4	0.5	<0.2
1345978	Rock	0.017	24	16	0.17	1926	0.006	<20	0.50	0.030	0.26	0.2	0.55	6.9	0.1	<0.05	2	<0.5	<0.2
1345979	Rock	0.021	34	7	0.20	1079	0.029	<20	0.57	0.039	0.29	0.1	0.45	4.0	0.2	<0.05	3	<0.5	0.3
1345980	Rock	0.035	34	8	0.32	626	0.034	<20	0.67	0.034	0.27	0.1	0.27	4.2	0.2	0.07	3	0.6	0.2
1345981	Rock	0.031	43	10	0.35	758	0.037	<20	0.70	0.038	0.31	0.1	0.17	4.2	0.2	<0.05	4	<0.5	<0.2
1345982	Rock	0.017	9	6	0.07	614	0.001	<20	0.39	0.026	0.18	<0.1	0.40	5.7	<0.1	<0.05	2	<0.5	<0.2
1345983	Rock	0.018	25	8	0.09	1187	0.003	<20	0.38	0.038	0.17	<0.1	0.24	4.3	<0.1	<0.05	2	<0.5	<0.2
1345984	Rock	0.020	26	4	0.06	1141	0.003	<20	0.46	0.022	0.21	<0.1	0.26	3.2	<0.1	<0.05	2	<0.5	<0.2
1345985	Rock	0.024	21	8	0.12	933	0.006	<20	0.63	0.023	0.25	<0.1	0.29	5.4	0.1	<0.05	2	<0.5	<0.2
1345986	Rock	0.043	18	4	0.06	2563	0.001	<20	0.45	0.018	0.19	<0.1	0.28	5.1	<0.1	0.06	2	<0.5	<0.2
1345987	Rock	0.035	19	13	0.18	1055	0.009	<20	0.88	0.020	0.32	<0.1	0.08	8.0	0.1	<0.05	3	<0.5	<0.2
1345988	Rock	0.007	11	3	0.07	1007	0.001	<20	0.54	0.006	0.18	0.3	0.11	2.5	<0.1	<0.05	1	<0.5	<0.2
1345989	Rock	0.023	24	4	0.04	2179	0.002	<20	0.42	0.026	0.15	<0.1	0.13	2.5	<0.1	<0.05	1	<0.5	<0.2
1345990	Rock	0.015	29	4	0.06	1176	0.002	<20	0.59	0.021	0.16	<0.1	0.12	3.3	<0.1	<0.05	2	<0.5	<0.2
1345991	Rock	0.022	26	4	0.03	1537	0.002	<20	0.33	0.033	0.16	<0.1	0.13	1.6	<0.1	<0.05	1	<0.5	<0.2
1345992	Rock	0.009	26	5	0.04	3254	<0.001	<20	0.37	0.006	0.16	0.2	0.35	1.4	<0.1	0.08	1	<0.5	<0.2
1345993	Rock	0.021	24	5	0.09	4087	<0.001	<20	0.46	0.006	0.19	0.3	0.47	2.3	0.1	0.09	1	<0.5	<0.2
1345994	Rock	0.056	21	8	0.09	1402	0.003	<20	0.53	0.008	0.17	0.3	0.66	10.6	0.1	<0.05	2	<0.5	<0.2
1345995	Rock	0.044	19	13	0.06	1476	0.002	<20	0.38	0.008	0.24	0.2	0.28	6.9	0.1	<0.05	1	<0.5	<0.2
1345996	Rock	0.107	14	50	0.19	171	0.007	<20	0.64	0.007	0.29	0.1	0.29	15.2	0.2	<0.05	3	<0.5	1.3
1345997	Rock	0.043	25	49	0.28	2207	0.010	<20	0.83	0.020	0.30	<0.1	0.88	12.3	0.2	<0.05	3	<0.5	0.9
1345998	Rock	0.041	19	75	0.27	353	0.013	<20	0.79	0.023	0.35	0.1	0.27	9.5	0.2	<0.05	3	<0.5	<0.2
1418353	Rock	0.036	17	42	0.36	394	0.031	<20	0.94	0.017	0.49	<0.1	0.08	11.1	0.2	<0.05	3	<0.5	<0.2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV
Report Date: August 17, 2016

Page: 3 of 3

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI16000143.1

Method	Analyte	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		MDL	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
1418354	Rock	1.31	<0.005	0.7	26.2	7.1	34	<0.1	10.4	8.4	378	1.43	1.1	<0.5	5.0	20	<0.1	<0.1	0.1	8	1.48
1418355	Rock	1.63	<0.005	1.1	34.4	8.7	86	<0.1	35.2	22.6	535	4.36	1.5	0.6	18.7	19	<0.1	<0.1	0.6	20	0.14
1418356	Rock	1.28	<0.005	2.7	44.0	38.4	74	0.1	15.1	8.7	656	2.04	39.0	<0.5	3.2	644	1.0	1.4	0.1	16	19.39
1418357	Rock	1.31	<0.005	1.2	26.3	3.5	54	<0.1	21.7	12.9	482	2.73	2.0	<0.5	11.7	68	<0.1	0.3	0.2	16	2.83
1418358	Rock	1.53	<0.005	1.4	55.2	17.8	142	0.1	24.0	15.9	523	3.50	15.0	<0.5	10.4	109	3.1	0.5	0.7	24	4.34
1418359	Rock	1.41	<0.005	1.1	39.5	6.6	91	<0.1	23.8	16.0	410	3.24	6.8	<0.5	9.5	54	0.1	0.2	0.3	16	2.17
1418360	Rock	1.40	<0.005	1.8	38.5	16.5	68	0.1	22.4	11.8	567	2.46	22.3	<0.5	5.9	244	0.5	0.4	0.3	21	14.10
1418361	Rock	1.50	<0.005	6.4	47.7	16.9	36	<0.1	15.8	7.6	321	1.54	30.7	<0.5	2.5	627	0.4	0.3	0.1	13	15.20
1418362	Rock	0.76	<0.005	1.8	40.1	8.8	51	<0.1	21.2	13.1	373	2.63	11.4	1.6	3.6	204	0.1	0.5	0.3	38	6.53
1418363	Rock	1.28	<0.005	0.6	65.6	5.4	79	<0.1	20.8	10.5	391	2.57	9.0	<0.5	11.5	106	0.4	0.2	0.3	21	2.69
1418364	Rock	1.50	<0.005	0.4	18.1	2.5	37	<0.1	17.8	10.7	356	2.36	2.9	<0.5	7.8	52	<0.1	0.1	0.1	10	1.50
1418365	Rock	1.62	<0.005	0.5	32.8	1.8	40	<0.1	21.5	12.1	361	2.76	5.0	<0.5	10.1	44	<0.1	0.2	0.1	11	1.07



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV
Report Date: August 17, 2016

Page: 3 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI16000143.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1418354	Rock	0.008	10	8	0.05	155	<0.001	<20	0.32	0.040	0.12	<0.1	0.01	2.7	<0.1	<0.05	1	<0.5	<0.2
1418355	Rock	0.031	27	18	0.35	451	0.055	<20	1.00	0.017	0.62	<0.1	0.02	4.3	0.2	<0.05	4	<0.5	<0.2
1418356	Rock	0.065	8	7	0.26	286	<0.001	<20	0.35	0.017	0.15	<0.1	0.24	6.0	<0.1	<0.05	<1	0.8	<0.2
1418357	Rock	0.042	25	12	0.15	471	0.004	<20	0.50	0.027	0.30	<0.1	0.05	4.3	0.1	<0.05	2	<0.5	<0.2
1418358	Rock	0.027	16	15	0.08	472	<0.001	<20	0.40	0.024	0.19	<0.1	0.61	7.7	<0.1	<0.05	1	<0.5	<0.2
1418359	Rock	0.016	16	13	0.17	519	0.001	<20	0.49	0.017	0.24	<0.1	0.14	4.8	<0.1	<0.05	1	<0.5	<0.2
1418360	Rock	0.048	11	12	0.33	202	<0.001	<20	0.33	0.022	0.12	<0.1	0.53	8.1	<0.1	<0.05	<1	1.0	<0.2
1418361	Rock	0.029	6	7	0.21	362	<0.001	<20	0.29	0.022	0.10	<0.1	0.29	4.2	<0.1	<0.05	<1	<0.5	<0.2
1418362	Rock	0.019	8	13	0.34	402	0.007	<20	0.73	0.030	0.11	<0.1	0.13	4.7	<0.1	<0.05	2	<0.5	<0.2
1418363	Rock	0.015	17	12	0.17	677	0.001	<20	0.40	0.032	0.19	<0.1	0.24	6.7	<0.1	<0.05	1	<0.5	<0.2
1418364	Rock	0.030	12	9	0.46	676	0.002	<20	0.38	0.025	0.24	<0.1	0.30	2.6	<0.1	<0.05	<1	<0.5	<0.2
1418365	Rock	0.031	14	8	0.24	466	0.001	<20	0.40	0.025	0.26	<0.1	0.96	2.5	<0.1	<0.05	1	<0.5	<0.2



QUALITY CONTROL REPORT

WHI16000143.1

Method	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
1345981	Rock	1.11	<0.005	1.2	16.3	8.2	35	<0.1	6.3	4.7	410	2.08	2.6	3.2	17.6	64	<0.1	0.5	0.4	15	0.74
REP 1345981	QC		0.006																		
1345995	Rock	1.14	0.324	5.3	39.5	13.2	33	0.3	34.0	12.7	660	2.43	47.7	237.6	11.5	108	0.2	8.8	0.2	22	0.95
REP 1345995	QC			5.2	37.7	12.4	32	0.3	32.8	11.7	625	2.37	46.7	402.5	10.5	108	0.2	8.2	0.2	21	0.91
1345996	Rock	0.70	2.183	9.5	73.3	12.2	90	0.6	123.3	23.8	860	4.95	85.8	1872.3	14.0	89	0.3	6.8	0.2	53	0.76
REP 1345996	QC		2.051																		
1418358	Rock	1.53	<0.005	1.4	55.2	17.8	142	0.1	24.0	15.9	523	3.50	15.0	<0.5	10.4	109	3.1	0.5	0.7	24	4.34
REP 1418358	QC		<0.005																		
Core Reject Duplicates																					
1345989	Rock	0.98	0.015	1.8	5.9	5.9	17	<0.1	2.5	2.1	333	1.45	3.8	13.7	10.8	65	<0.1	0.4	<0.1	7	0.10
DUP 1345989	QC		0.016	1.8	6.6	5.9	17	<0.1	2.7	2.3	335	1.46	4.0	13.7	11.0	65	<0.1	0.5	<0.1	7	0.10
Reference Materials																					
STD DS10	Standard			13.4	155.9	140.7	352	1.8	72.8	13.7	882	2.69	46.1	129.4	7.2	67	2.9	8.8	13.2	40	1.03
STD DS10	Standard			14.5	167.3	153.5	372	2.1	76.7	13.8	918	2.82	46.7	64.4	8.2	70	2.9	8.9	13.3	42	1.10
STD OREAS45EA	Standard			1.7	670.8	14.4	31	0.3	362.9	52.8	418	21.31	11.6	54.2	9.9	4	<0.1	0.4	0.3	305	0.03
STD OREAS45EA	Standard			1.5	696.5	14.9	32	0.3	384.2	54.2	420	21.44	11.4	58.1	10.4	4	<0.1	0.3	0.3	314	0.03
STD OXD108	Standard		0.416																		
STD OXD108	Standard		0.416																		
STD OXD108	Standard		0.424																		
STD OXI121	Standard		1.786																		
STD OXI121	Standard		1.902																		
STD OXI121	Standard		1.786																		
STD OXN117	Standard		7.616																		
STD OXN117	Standard		7.753																		
STD OXN117	Standard		7.737																		
STD DS10 Expected				13.6	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	91.9	7.5	67.1	2.62	9	11.65	43	1.0625
STD OREAS45EA Expected				1.6	709	14.3	31.4	0.26	381	52	400	23.51	10.3	53	10.7	3.5	0.03	0.32	0.26	303	0.036
STD OXD108 Expected			0.414																		



QUALITY CONTROL REPORT

WHI16000143.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2		
Pulp Duplicates																			
1345981	Rock	0.031	43	10	0.35	758	0.037	<20	0.70	0.038	0.31	0.1	0.17	4.2	0.2	<0.05	4	<0.5	<0.2
REP 1345981	QC																		
1345995	Rock	0.044	19	13	0.06	1476	0.002	<20	0.38	0.008	0.24	0.2	0.28	6.9	0.1	<0.05	1	<0.5	<0.2
REP 1345995	QC	0.041	18	12	0.06	1427	0.002	<20	0.37	0.007	0.23	0.2	0.27	6.3	0.1	<0.05	1	<0.5	0.2
1345996	Rock	0.107	14	50	0.19	171	0.007	<20	0.64	0.007	0.29	0.1	0.29	15.2	0.2	<0.05	3	<0.5	1.3
REP 1345996	QC																		
1418358	Rock	0.027	16	15	0.08	472	<0.001	<20	0.40	0.024	0.19	<0.1	0.61	7.7	<0.1	<0.05	1	<0.5	<0.2
REP 1418358	QC																		
Core Reject Duplicates																			
1345989	Rock	0.023	24	4	0.04	2179	0.002	<20	0.42	0.026	0.15	<0.1	0.13	2.5	<0.1	<0.05	1	<0.5	<0.2
DUP 1345989	QC	0.022	23	4	0.04	2238	0.002	<20	0.41	0.025	0.15	0.1	0.15	2.5	<0.1	<0.05	1	<0.5	<0.2
Reference Materials																			
STD DS10	Standard	0.072	17	54	0.77	394	0.080	<20	1.00	0.066	0.33	3.5	0.26	2.8	4.9	0.27	4	2.5	4.9
STD DS10	Standard	0.077	19	55	0.79	408	0.085	<20	1.07	0.070	0.35	3.6	0.28	3.0	5.2	0.28	4	2.2	4.9
STD OREAS45EA	Standard	0.027	7	777	0.09	150	0.098	<20	3.08	0.019	0.05	<0.1	0.01	75.5	<0.1	<0.05	12	1.2	<0.2
STD OREAS45EA	Standard	0.027	7	803	0.09	152	0.102	<20	3.18	0.019	0.05	<0.1	0.01	78.4	<0.1	<0.05	13	0.9	<0.2
STD OXD108	Standard																		
STD OXD108	Standard																		
STD OXD108	Standard																		
STD OXI121	Standard																		
STD OXI121	Standard																		
STD OXI121	Standard																		
STD OXN117	Standard																		
STD OXN117	Standard																		
STD OXN117	Standard																		
STD DS10 Expected		0.0765	17.5	54.6	0.775	412	0.0817		1.0259	0.067	0.338	3.32	0.3	2.8	5.1	0.29	4.3	2.3	5.01
STD OREAS45EA Expected		0.029	7.06	849	0.095	148	0.0984		3.13	0.02	0.053			78	0.072	0.036	12.4	0.78	0.07
STD OXD108 Expected																			



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV
Report Date: August 17, 2016

Page: 2 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI16000143.1

		WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
STD OXN117 Expected		7.679																			
STD OXI121 Expected		1.834																			
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
Prep Wash																					
ROCK-WHI	Prep Blank	<0.005	0.7	4.7	1.5	31	<0.1	1.5	4.2	424	1.80	0.9	0.9	2.6	31	<0.1	<0.1	<0.1	23	0.62	
ROCK-WHI	Prep Blank	<0.005	0.6	3.8	1.5	32	<0.1	1.6	4.0	439	1.85	0.9	<0.5	2.9	31	<0.1	<0.1	<0.1	23	0.68	



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV
Report Date: August 17, 2016

Page: 2 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI16000143.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD OXN117	Expected																		
STD OXI121	Expected																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
ROCK-WHI	Prep Blank	0.040	6	4	0.42	86	0.093	<20	0.98	0.100	0.09	0.1	<0.01	2.7	<0.1	<0.05	4	<0.5	<0.2
ROCK-WHI	Prep Blank	0.044	6	4	0.41	79	0.094	<20	1.05	0.109	0.11	0.1	<0.01	3.0	<0.1	<0.05	4	<0.5	<0.2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver British Columbia V6C 1E1 Canada

Submitted By: David Terry
Receiving Lab: Canada-Whitehorse
Received: August 23, 2016
Report Date: September 13, 2016
Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000210.1

CLIENT JOB INFORMATION

Project: QV
Shipment ID: QVV2016-08-19Rock
P.O. Number
Number of Samples: 44

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver British Columbia V6C 1E1
Canada

CC: Jodie Gibson

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	44	Crush, split and pulverize 250 g rock to 200 mesh			WHI
FA430	44	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
AQ200	44	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	44	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. *** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver British Columbia V6C 1E1 Canada

Project: QV
Report Date: September 13, 2016

Page: 2 of 3 Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI16000210.1

Method	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
1419751	Rock	1.71	0.032	0.6	11.9	16.2	74	<0.1	5.0	7.8	736	2.87	30.3	31.6	17.9	20	0.1	0.1	0.2	28	0.26
1419752	Rock	0.93	0.007	0.3	4.4	19.5	68	<0.1	3.0	7.1	362	2.22	2.9	5.1	18.9	17	0.1	<0.1	<0.1	22	0.25
1419753	Rock	0.92	<0.005	0.5	3.4	3.7	103	<0.1	3.4	6.5	745	2.79	2.0	3.1	11.8	17	0.1	<0.1	<0.1	37	0.51
1419754	Rock	1.03	0.014	4.6	56.8	24.1	73	<0.1	7.3	9.5	1225	3.30	109.6	9.7	22.4	25	0.5	0.2	0.3	37	0.18
1419755	Rock	1.06	0.025	0.3	10.2	6.6	69	<0.1	4.3	8.6	452	3.11	4.1	22.9	14.5	16	<0.1	<0.1	<0.1	28	0.25
1419756	Rock	1.12	0.013	1.5	39.7	19.2	24	<0.1	3.1	3.4	1098	2.20	7.5	11.7	19.1	47	0.4	0.3	0.3	169	0.18
1419757	Rock	1.31	0.354	3.0	83.3	357.8	85	0.8	5.7	9.5	1004	2.88	44.8	196.4	16.9	23	0.9	0.2	2.9	60	0.16
1419758	Rock	1.18	0.024	0.6	22.8	30.9	62	<0.1	4.6	8.9	531	2.57	27.8	4.6	19.4	18	0.2	<0.1	0.3	37	0.20
1419759	Rock	1.31	<0.005	0.5	8.4	12.4	62	<0.1	4.2	8.0	508	2.43	2.7	2.9	18.6	30	<0.1	<0.1	<0.1	26	0.27
1419760	Rock	1.30	0.008	0.4	26.1	73.8	71	<0.1	5.0	7.6	512	3.01	3.7	4.1	20.8	24	0.2	0.1	0.3	38	0.24
1419761	Rock	1.18	<0.005	0.5	11.6	19.2	59	<0.1	4.7	6.7	471	2.33	3.0	5.5	17.7	43	0.2	<0.1	0.3	28	0.27
1419762	Rock	1.14	<0.005	0.5	16.8	26.2	61	<0.1	5.0	7.1	444	2.47	2.0	1.8	18.3	31	0.1	<0.1	0.3	27	0.30
1419763	Rock	0.80	0.006	1.6	23.5	20.2	54	<0.1	4.8	7.3	543	2.47	6.1	8.8	18.4	17	<0.1	<0.1	0.3	29	0.18
1419764	Rock	1.10	0.042	0.6	6.3	6.2	51	0.1	4.4	6.0	426	2.32	10.9	37.0	18.4	20	<0.1	<0.1	<0.1	21	0.18
1419765	Rock	1.22	0.357	1.0	11.5	81.9	84	0.9	3.7	4.5	252	2.29	189.4	371.2	15.9	33	0.3	0.2	0.2	11	0.06
1419766	Rock	1.15	0.019	0.4	11.9	38.0	56	0.2	4.3	7.7	909	2.46	33.2	16.0	17.9	21	0.4	<0.1	0.5	23	0.26
1419767	Rock	1.16	0.014	0.6	6.5	15.3	73	<0.1	5.1	7.8	524	2.85	4.2	12.9	18.0	20	0.2	0.1	0.2	29	0.26
1419768	Rock	1.07	0.007	0.4	8.7	47.9	53	<0.1	4.8	7.8	447	2.55	2.8	7.0	15.7	28	0.1	<0.1	0.2	28	0.28
1419769	Rock	1.08	0.015	0.4	22.4	38.8	69	<0.1	6.6	9.1	538	2.88	3.4	14.0	16.4	29	0.2	<0.1	0.4	32	0.30
1419770	Rock	1.77	0.015	0.4	20.4	77.3	67	0.2	8.8	8.2	700	2.80	6.0	14.1	15.4	41	0.5	0.1	1.0	42	0.31
1419771	Rock	1.06	0.006	0.3	10.9	60.3	56	<0.1	6.5	7.7	464	2.54	4.2	5.6	17.7	31	0.1	<0.1	0.6	33	0.29
1419772	Rock	0.66	0.058	0.7	15.6	73.7	47	0.2	8.1	8.6	311	2.38	14.3	47.2	13.2	28	<0.1	0.2	0.5	36	0.24
1419773	Rock	1.17	0.016	0.2	14.3	14.8	73	<0.1	5.8	8.0	797	2.99	4.2	10.5	17.4	25	0.1	<0.1	0.2	35	0.29
1419774	Rock	0.93	0.024	0.5	9.5	33.0	133	0.1	4.6	7.5	557	2.64	10.9	25.9	17.7	20	0.4	0.1	0.1	23	0.23
1419775	Rock	1.23	0.011	0.2	33.7	16.6	125	0.1	14.5	17.8	1310	4.65	4.4	11.4	12.1	33	0.5	0.1	0.2	95	0.50
1419776	Rock	1.55	0.011	0.5	23.7	51.1	75	<0.1	11.9	9.3	682	2.85	6.1	9.5	14.6	28	0.2	0.2	0.5	48	0.32
1419779	Rock	1.05	0.302	0.4	16.6	42.3	51	0.2	5.3	7.0	495	2.39	24.6	87.5	16.1	21	0.4	0.1	0.7	24	0.23
1419780	Rock	0.94	0.015	0.7	17.3	31.5	53	0.1	11.8	7.5	279	2.59	10.3	14.5	9.9	31	0.2	0.3	0.5	47	0.27
1419781	Rock	1.31	0.112	0.2	11.5	30.5	73	<0.1	5.0	8.4	615	2.84	3.5	10.7	14.5	26	0.3	<0.1	0.4	33	0.29
1419782	Rock	1.10	0.012	0.4	9.4	21.1	76	<0.1	5.7	9.1	758	3.24	2.6	11.2	18.8	28	0.1	<0.1	0.4	35	0.38



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver British Columbia V6C 1E1 Canada

Project: QV
Report Date: September 13, 2016

Page: 2 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI16000210.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
1419751	Rock	0.053	53	8	0.38	185	0.023	<20	1.31	0.034	0.39	<0.1	0.04	4.4	0.2	<0.05	7	<0.5	<0.2
1419752	Rock	0.056	50	6	0.25	152	0.016	<20	0.96	0.031	0.31	0.2	<0.01	4.3	0.1	<0.05	4	<0.5	<0.2
1419753	Rock	0.046	30	8	0.79	129	0.126	<20	1.20	0.057	0.57	<0.1	<0.01	6.8	0.1	<0.05	7	<0.5	<0.2
1419754	Rock	0.053	33	6	0.17	260	0.007	<20	0.72	0.016	0.34	<0.1	0.02	10.7	0.7	<0.05	4	0.5	<0.2
1419755	Rock	0.061	35	7	0.54	185	0.066	<20	1.37	0.035	0.63	<0.1	<0.01	3.8	0.3	<0.05	6	<0.5	<0.2
1419756	Rock	0.053	39	7	0.07	191	0.021	<20	0.43	0.024	0.25	0.4	<0.01	4.4	0.1	<0.05	2	<0.5	<0.2
1419757	Rock	0.056	22	5	0.08	182	0.009	<20	0.52	0.012	0.26	0.6	0.04	7.5	0.3	<0.05	3	0.7	1.2
1419758	Rock	0.061	55	9	0.47	119	0.053	<20	1.08	0.048	0.48	<0.1	<0.01	4.7	0.3	<0.05	6	<0.5	<0.2
1419759	Rock	0.050	41	8	0.44	121	0.056	<20	0.97	0.050	0.38	<0.1	<0.01	3.2	0.2	<0.05	5	<0.5	<0.2
1419760	Rock	0.063	48	9	0.40	177	0.029	<20	1.07	0.062	0.32	0.1	<0.01	5.8	0.1	<0.05	6	<0.5	<0.2
1419761	Rock	0.055	37	8	0.39	121	0.031	<20	1.04	0.051	0.34	<0.1	<0.01	4.0	0.2	<0.05	6	<0.5	<0.2
1419762	Rock	0.046	31	9	0.43	128	0.120	<20	1.14	0.064	0.54	0.2	<0.01	3.5	0.3	<0.05	6	<0.5	<0.2
1419763	Rock	0.050	53	8	0.34	169	0.045	<20	1.00	0.034	0.45	0.2	<0.01	4.8	0.3	<0.05	5	<0.5	<0.2
1419764	Rock	0.050	48	8	0.30	171	0.044	<20	1.02	0.036	0.47	0.1	0.02	3.4	0.3	<0.05	6	<0.5	<0.2
1419765	Rock	0.036	39	4	0.06	124	0.002	<20	0.53	0.007	0.24	<0.1	0.04	2.0	0.8	<0.05	2	<0.5	2.7
1419766	Rock	0.052	64	8	0.32	306	0.014	<20	1.11	0.028	0.36	0.1	0.02	4.3	0.3	<0.05	6	<0.5	<0.2
1419767	Rock	0.056	46	9	0.47	176	0.062	<20	1.24	0.033	0.50	0.1	<0.01	4.9	0.3	<0.05	7	<0.5	<0.2
1419768	Rock	0.051	26	9	0.46	186	0.079	<20	1.18	0.046	0.45	0.1	<0.01	3.3	0.2	<0.05	6	<0.5	<0.2
1419769	Rock	0.051	39	11	0.53	211	0.096	<20	1.28	0.041	0.55	<0.1	0.01	4.2	0.3	<0.05	7	<0.5	<0.2
1419770	Rock	0.057	52	22	0.51	213	0.049	<20	1.10	0.048	0.28	0.1	<0.01	5.8	0.2	<0.05	6	<0.5	<0.2
1419771	Rock	0.052	37	9	0.48	192	0.087	<20	1.09	0.048	0.49	<0.1	<0.01	4.0	0.3	<0.05	6	<0.5	<0.2
1419772	Rock	0.035	43	15	0.36	207	0.074	<20	1.14	0.038	0.32	0.1	0.02	4.3	0.2	<0.05	5	<0.5	0.4
1419773	Rock	0.064	51	12	0.58	244	0.053	<20	1.30	0.036	0.39	0.1	0.02	5.8	0.2	<0.05	8	<0.5	<0.2
1419774	Rock	0.051	55	7	0.36	300	0.039	<20	1.27	0.019	0.55	0.1	0.02	3.6	0.3	<0.05	6	<0.5	<0.2
1419775	Rock	0.109	51	26	1.20	344	0.057	<20	1.91	0.033	0.35	0.1	0.01	11.6	0.1	<0.05	11	<0.5	<0.2
1419776	Rock	0.058	43	40	0.59	236	0.087	<20	1.34	0.036	0.43	0.1	0.01	5.9	0.2	<0.05	7	<0.5	<0.2
1419779	Rock	0.050	47	9	0.27	180	0.029	<20	0.92	0.021	0.31	0.3	0.02	4.2	0.2	<0.05	4	<0.5	0.5
1419780	Rock	0.039	36	24	0.41	241	0.068	<20	1.43	0.036	0.15	0.2	0.02	5.0	0.1	<0.05	5	<0.5	<0.2
1419781	Rock	0.059	31	11	0.53	190	0.094	<20	1.23	0.043	0.54	<0.1	<0.01	3.5	0.3	<0.05	6	<0.5	<0.2
1419782	Rock	0.078	45	11	0.68	193	0.123	<20	1.50	0.038	0.74	0.1	<0.01	4.0	0.4	<0.05	7	<0.5	<0.2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver British Columbia V6C 1E1 Canada

Project: QV
Report Date: September 13, 2016

Page: 3 of 3

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI16000210.1

Method	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
1419783	Rock	1.09	0.008	0.4	13.3	21.0	70	<0.1	5.6	8.0	469	2.87	3.2	5.9	16.5	23	0.3	0.1	0.3	31	0.31
1419784	Rock	1.43	0.035	0.4	15.4	70.7	58	<0.1	6.5	7.6	553	2.61	4.1	12.8	13.8	24	0.2	0.1	0.9	33	0.30
1418379	Rock	1.36	0.033	0.4	26.1	189.2	54	1.1	3.4	5.3	1079	2.55	1.1	16.4	3.7	26	0.3	0.1	1.8	26	0.12
1418380	Rock	1.91	0.094	0.9	20.2	24.5	59	1.8	2.4	3.4	654	2.00	2.4	88.2	3.6	28	0.5	0.2	0.3	16	0.18
1418381	Rock	1.36	0.121	10.8	127.2	112.3	83	5.7	10.8	14.5	1186	3.46	31.4	115.0	1.0	54	0.6	7.4	1.7	33	1.82
1418382	Rock	1.17	0.048	2.8	105.3	9.2	77	0.6	3.7	10.2	729	4.34	9.3	42.4	2.1	32	0.2	1.8	0.3	39	0.10
1418383	Rock	1.52	0.119	1.3	24.8	11.6	57	2.4	4.9	5.6	380	2.83	20.0	110.4	5.3	37	<0.1	1.5	0.1	14	0.06
1418384	Rock	1.30	0.082	3.3	22.4	6.6	22	0.8	1.3	1.5	44	1.01	8.6	74.3	1.1	37	<0.1	1.9	0.2	4	0.02
1418385	Rock	1.20	0.262	2.2	15.0	9.9	37	0.8	3.4	4.3	486	1.89	9.3	288.2	6.3	37	0.1	0.3	0.1	8	0.03
1418386	Rock	1.43	0.102	4.3	32.4	11.3	23	1.3	7.8	8.7	533	2.68	10.3	89.1	6.5	25	0.1	0.4	0.3	18	0.13
1418387	Rock	1.17	0.121	1.4	21.1	12.8	34	0.9	3.8	6.0	490	2.08	5.5	110.6	8.4	27	<0.1	0.1	0.2	15	0.68
1418388	Rock	1.56	0.253	1.7	27.9	11.9	27	2.1	2.9	7.3	540	2.32	6.4	230.0	6.6	35	0.1	0.2	0.2	13	0.61
1419777	Rock	1.06	0.009	0.4	11.4	32.2	87	<0.1	6.4	8.3	623	2.75	4.7	5.2	18.5	28	0.4	<0.1	0.4	34	0.30
1419778	Rock	1.55	0.013	0.4	16.6	33.9	68	<0.1	5.4	7.2	680	2.78	2.8	9.8	17.9	21	0.2	<0.1	0.7	39	0.24



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver British Columbia V6C 1E1 Canada

Project: QV
Report Date: September 13, 2016

Page: 3 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI16000210.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
1419783	Rock	0.065	37	11	0.49	174	0.085	<20	1.31	0.034	0.57	<0.1	<0.01	3.9	0.3	<0.05	7	<0.5	<0.2
1419784	Rock	0.056	34	10	0.46	190	0.072	<20	1.25	0.035	0.51	0.2	0.01	3.5	0.3	<0.05	6	<0.5	<0.2
1418379	Rock	0.031	14	5	0.06	426	0.006	<20	0.39	0.040	0.12	0.2	0.04	8.3	<0.1	<0.05	1	<0.5	<0.2
1418380	Rock	0.031	16	3	0.05	196	0.001	<20	0.37	0.038	0.15	<0.1	0.06	6.0	<0.1	<0.05	2	<0.5	0.6
1418381	Rock	0.018	6	7	0.09	417	0.001	<20	0.46	0.006	0.25	<0.1	0.11	17.2	<0.1	0.06	2	0.9	2.5
1418382	Rock	0.055	10	3	0.10	200	0.003	<20	0.55	0.016	0.22	<0.1	0.12	13.6	<0.1	0.07	2	0.7	0.9
1418383	Rock	0.056	20	4	0.03	570	<0.001	<20	0.35	0.004	0.25	0.1	0.15	6.5	<0.1	0.06	<1	1.2	3.1
1418384	Rock	0.014	3	3	<0.01	589	<0.001	<20	0.31	0.007	0.30	<0.1	<0.01	2.1	<0.1	0.24	<1	0.6	0.8
1418385	Rock	0.026	21	4	0.02	222	0.002	<20	0.32	0.007	0.29	<0.1	0.01	3.3	<0.1	0.15	<1	0.7	1.2
1418386	Rock	0.060	20	6	0.03	119	0.001	<20	0.35	0.009	0.24	<0.1	0.02	7.9	<0.1	<0.05	<1	<0.5	1.4
1418387	Rock	0.042	22	7	0.06	119	0.002	<20	0.45	0.022	0.29	<0.1	0.03	4.9	<0.1	<0.05	1	<0.5	1.1
1418388	Rock	0.050	21	4	0.04	316	0.001	<20	0.33	0.007	0.25	<0.1	0.05	7.5	<0.1	<0.05	1	<0.5	2.1
1419777	Rock	0.054	37	12	0.57	180	0.091	<20	1.28	0.050	0.44	<0.1	<0.01	3.6	0.2	<0.05	7	<0.5	<0.2
1419778	Rock	0.055	44	10	0.53	165	0.089	<20	1.21	0.040	0.58	0.1	<0.01	4.6	0.2	<0.05	6	<0.5	<0.2



QUALITY CONTROL REPORT

WHI16000210.1

Method	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
1419779	Rock	1.05	0.302	0.4	16.6	42.3	51	0.2	5.3	7.0	495	2.39	24.6	87.5	16.1	21	0.4	0.1	0.7	24	0.23
REP 1419779	QC			0.4	17.1	45.0	55	0.2	5.5	7.7	508	2.45	26.1	109.9	17.6	22	0.4	0.1	0.8	24	0.23
1419778	Rock	1.55	0.013	0.4	16.6	33.9	68	<0.1	5.4	7.2	680	2.78	2.8	9.8	17.9	21	0.2	<0.1	0.7	39	0.24
REP 1419778	QC			0.3	16.9	33.3	67	<0.1	5.5	7.8	690	2.81	3.0	9.1	18.5	21	0.2	<0.1	0.6	39	0.25
Core Reject Duplicates																					
1419784	Rock	1.43	0.035	0.4	15.4	70.7	58	<0.1	6.5	7.6	553	2.61	4.1	12.8	13.8	24	0.2	0.1	0.9	33	0.30
DUP 1419784	QC		0.039	0.4	16.0	68.2	63	<0.1	6.0	7.6	550	2.65	4.0	17.5	13.4	26	0.2	0.1	0.9	33	0.30
Reference Materials																					
STD DS10	Standard			13.8	151.0	151.0	359	1.9	67.9	12.2	870	2.74	46.5	90.2	7.4	67	2.6	8.2	12.8	42	1.06
STD DS10	Standard			15.2	152.8	147.3	350	1.7	72.8	12.4	881	2.81	43.1	61.3	7.4	63	2.7	6.7	11.2	43	1.08
STD OREAS45EA	Standard			1.7	730.3	16.8	36	0.3	427.1	54.3	435	24.27	12.8	58.1	11.6	4	<0.1	0.3	0.3	323	0.03
STD OREAS45EA	Standard			1.6	711.2	15.7	33	0.3	403.9	53.1	416	22.22	11.0	53.9	11.0	4	<0.1	0.3	0.3	304	0.03
STD OXD108	Standard		0.410																		
STD OXI121	Standard		1.784																		
STD OXN117	Standard		7.473																		
STD OXD108 Expected			0.414																		
STD OXN117 Expected			7.679																		
STD OXI121 Expected			1.834																		
STD DS10 Expected			13.6	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	91.9	7.5	67.1	2.62	9	11.65	43	1.0625	
STD OREAS45EA Expected			1.6	709	14.3	31.4	0.26	381	52	400	23.51	10.3	53	10.7	3.5	0.03	0.32	0.26	303	0.036	
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	
Prep Wash																					
ROCK-WHI	Prep Blank		<0.005	0.8	3.8	2.2	30	<0.1	1.5	3.3	412	1.70	1.0	2.2	2.3	25	<0.1	<0.1	<0.1	23	0.56
ROCK-WHI	Prep Blank		<0.005	0.9	5.6	1.6	35	<0.1	1.4	3.7	429	1.82	1.2	1.3	2.6	31	<0.1	<0.1	<0.1	24	0.60



QUALITY CONTROL REPORT

WHI16000210.1

Method		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																			
1419779	Rock	0.050	47	9	0.27	180	0.029	<20	0.92	0.021	0.31	0.3	0.02	4.2	0.2	<0.05	4	<0.5	0.5
REP 1419779	QC	0.057	51	8	0.28	188	0.030	<20	0.93	0.023	0.32	0.3	0.02	4.2	0.2	<0.05	5	<0.5	0.7
1419778	Rock	0.055	44	10	0.53	165	0.089	<20	1.21	0.040	0.58	0.1	<0.01	4.6	0.2	<0.05	6	<0.5	<0.2
REP 1419778	QC	0.053	45	11	0.54	169	0.091	<20	1.23	0.040	0.58	0.2	0.01	4.4	0.2	<0.05	6	<0.5	<0.2
Core Reject Duplicates																			
1419784	Rock	0.056	34	10	0.46	190	0.072	<20	1.25	0.035	0.51	0.2	0.01	3.5	0.3	<0.05	6	<0.5	<0.2
DUP 1419784	QC	0.058	32	10	0.46	196	0.070	<20	1.23	0.038	0.51	0.1	<0.01	3.5	0.3	<0.05	6	<0.5	<0.2
Reference Materials																			
STD DS10	Standard	0.078	18	55	0.78	434	0.079	<20	1.02	0.072	0.33	3.9	0.34	3.1	5.5	0.28	5	2.2	5.3
STD DS10	Standard	0.076	17	53	0.80	400	0.079	<20	1.05	0.074	0.34	3.6	0.25	2.8	4.8	0.29	4	2.1	4.9
STD OREAS45EA	Standard	0.032	9	908	0.10	173	0.106	<20	3.47	0.027	0.06	<0.1	0.01	83.3	<0.1	<0.05	14	0.9	<0.2
STD OREAS45EA	Standard	0.032	8	882	0.10	157	0.105	<20	3.32	0.024	0.06	<0.1	0.01	77.9	<0.1	<0.05	13	1.1	<0.2
STD OXD108	Standard																		
STD OXI121	Standard																		
STD OXN117	Standard																		
STD OXD108 Expected																			
STD OXN117 Expected																			
STD OXI121 Expected																			
STD DS10 Expected		0.0765	17.5	54.6	0.775	412	0.0817		1.0259	0.067	0.338	3.32	0.3	2.8	5.1	0.29	4.3	2.3	5.01
STD OREAS45EA Expected		0.029	7.06	849	0.095	148	0.0984		3.13	0.02	0.053			78	0.072	0.036	12.4	0.78	0.07
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																			
ROCK-WHI	Prep Blank	0.045	5	6	0.39	75	0.087	<20	0.85	0.092	0.09	0.1	<0.01	2.5	<0.1	<0.05	4	<0.5	<0.2
ROCK-WHI	Prep Blank	0.045	6	4	0.40	77	0.095	<20	0.92	0.101	0.10	0.1	<0.01	2.6	<0.1	<0.05	4	<0.5	<0.2