



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Comstock Metals Ltd.**
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Submitted By: David Terry
Receiving Lab: Canada-Whitehorse
Received: August 02, 2016
Report Date: August 17, 2016
Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000143.1

CLIENT JOB INFORMATION

Project: QV
Shipment ID: QVV-2016-07-26-Rock-GTP
P.O. Number
Number of Samples: 42

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1
CANADA

CC: Jodie Gibson

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	42	Crush, split and pulverize 250 g rock to 200 mesh			WHI
FA430	42	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
AQ200	42	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	42	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS


JEFFREY CANNON
Geochemistry Department Supervisor

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV
Report Date: August 17, 2016

Page: 2 of 3

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI16000143.1

Method Analyte	Unit	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
			Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
MDL		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	0.1	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
1418378	Rock	1.49	0.030	0.9	76.5	42.7	90	1.1	5.7	14.6	1341	4.79	3.1	31.0	2.6	17	<0.1	0.3	0.5	49	0.21
1338746	Rock	1.09	0.344	2.3	28.2	4.5	53	1.0	9.4	8.2	483	2.57	5.0	659.6	4.4	91	0.2	3.5	0.1	26	2.05
1338747	Rock	0.89	0.149	2.2	12.3	3.1	60	0.3	10.3	10.6	685	3.46	2.2	141.0	5.0	49	0.1	0.9	0.1	47	1.09
1338748	Rock	1.06	0.323	4.8	15.9	26.4	121	1.0	11.6	13.0	791	3.51	3.7	331.7	5.1	81	0.4	1.5	0.5	44	0.37
1338749	Rock	0.75	0.293	2.6	23.3	10.1	83	0.6	9.8	11.0	628	3.17	5.9	270.8	4.0	66	0.3	1.7	0.1	37	0.26
1338750	Rock	1.08	0.106	2.2	14.1	27.8	55	0.2	9.3	8.4	681	2.23	3.6	192.3	9.7	69	0.2	1.3	0.3	33	0.85
1345976	Rock	1.71	0.006	1.2	11.1	6.5	30	<0.1	2.7	3.0	379	1.89	1.5	2.7	16.2	51	<0.1	0.3	0.4	8	0.53
1345977	Rock	1.07	0.006	2.3	13.2	7.0	32	<0.1	3.3	3.6	402	2.02	1.8	2.9	16.5	62	<0.1	0.6	0.4	9	0.38
1345978	Rock	1.43	<0.005	1.8	13.4	5.5	31	<0.1	18.4	8.4	496	2.51	12.0	2.8	12.9	67	<0.1	0.9	0.6	20	0.69
1345979	Rock	1.07	<0.005	1.4	10.8	10.5	32	<0.1	5.7	4.3	393	2.00	6.3	2.1	15.6	55	0.1	0.4	0.7	12	0.37
1345980	Rock	1.20	<0.005	1.7	20.7	8.8	37	<0.1	7.2	4.3	381	2.40	8.1	4.4	16.8	99	0.2	0.5	0.7	16	2.47
1345981	Rock	1.11	<0.005	1.2	16.3	8.2	35	<0.1	6.3	4.7	410	2.08	2.6	3.2	17.6	64	<0.1	0.5	0.4	15	0.74
1345982	Rock	1.42	<0.005	1.4	7.9	10.5	30	<0.1	5.4	4.8	452	2.26	3.4	1.2	7.0	80	<0.1	0.7	0.4	10	1.22
1345983	Rock	0.96	<0.005	1.4	5.9	5.7	26	<0.1	6.8	4.6	336	1.71	2.1	1.7	13.7	80	<0.1	0.5	0.1	16	1.89
1345984	Rock	1.55	0.042	2.1	16.0	10.7	30	<0.1	3.0	4.0	598	2.04	2.1	19.2	17.1	56	<0.1	0.9	0.2	8	0.61
1345985	Rock	1.25	0.011	2.0	19.8	10.2	33	<0.1	6.6	5.4	485	2.19	2.7	11.0	12.2	50	<0.1	1.0	0.5	14	0.32
1345986	Rock	0.75	0.014	2.0	13.2	12.0	39	<0.1	5.0	5.4	433	2.40	9.2	11.8	10.4	89	<0.1	0.7	<0.1	9	0.48
1345987	Rock	0.84	0.025	1.9	11.8	6.3	33	<0.1	10.7	8.3	753	2.64	4.4	19.2	11.4	59	<0.1	0.5	0.1	24	0.24
1345988	Rock	1.26	0.018	1.7	5.9	6.9	13	<0.1	2.5	2.6	351	1.27	13.0	12.9	4.1	42	<0.1	0.3	0.2	6	0.13
1345989	Rock	0.98	0.015	1.8	5.9	5.9	17	<0.1	2.5	2.1	333	1.45	3.8	13.7	10.8	65	<0.1	0.4	<0.1	7	0.10
1345990	Rock	1.07	0.036	2.8	11.1	9.0	24	<0.1	2.9	2.7	429	1.74	4.7	24.2	12.0	50	<0.1	1.0	0.2	10	0.11
1345991	Rock	1.51	0.018	2.6	8.9	8.6	33	<0.1	3.6	3.0	478	1.72	2.8	12.6	15.0	60	<0.1	1.4	0.2	10	0.30
1345992	Rock	1.33	0.028	5.2	11.1	6.3	14	<0.1	7.4	3.0	383	1.73	9.0	30.2	19.8	89	<0.1	2.3	0.2	7	0.11
1345993	Rock	1.17	0.229	6.4	12.5	7.4	18	<0.1	28.6	7.8	670	2.63	41.7	114.0	14.8	157	0.1	3.5	0.2	19	0.44
1345994	Rock	0.92	0.447	9.9	12.1	6.1	37	0.4	28.7	9.2	940	3.03	19.7	1804.6	8.2	81	0.2	3.4	0.2	32	0.29
1345995	Rock	1.14	0.324	5.3	39.5	13.2	33	0.3	34.0	12.7	660	2.43	47.7	237.6	11.5	108	0.2	8.8	0.2	22	0.95
1345996	Rock	0.70	2.183	9.5	73.3	12.2	90	0.6	123.3	23.8	860	4.95	85.8	1872.3	14.0	89	0.3	6.8	0.2	53	0.76
1345997	Rock	1.13	1.544	8.1	54.2	14.7	69	0.9	111.6	21.4	1075	3.84	44.3	1019.8	30.9	135	0.3	4.5	0.2	38	0.24
1345998	Rock	1.38	0.018	4.3	16.4	8.7	50	<0.1	67.9	14.9	492	3.20	32.2	16.8	23.4	53	0.2	1.3	0.2	42	0.19
1418353	Rock	1.55	<0.005	0.9	13.1	4.1	50	<0.1	23.0	15.4	668	3.31	1.2	1.7	8.8	21	<0.1	0.1	0.2	41	0.71



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV
Report Date: August 17, 2016

Page: 2 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI16000143.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
1418378	Rock	0.064	16	4	0.33	192	0.009	<20	0.82	0.026	0.16	0.2	0.04	16.3	<0.1	<0.05	4	0.9	0.6
1338746	Rock	0.009	12	7	0.11	1077	0.001	<20	0.34	0.042	0.15	<0.1	0.31	9.9	<0.1	<0.05	<1	<0.5	0.7
1338747	Rock	0.042	9	22	0.37	760	0.026	<20	0.93	0.016	0.54	<0.1	0.11	12.8	0.2	<0.05	3	<0.5	0.2
1338748	Rock	0.032	14	15	0.11	1922	0.004	<20	0.53	0.030	0.18	<0.1	0.18	15.6	<0.1	<0.05	2	0.8	0.7
1338749	Rock	0.029	10	9	0.08	1600	0.002	<20	0.45	0.026	0.17	<0.1	0.16	11.7	<0.1	<0.05	2	<0.5	0.5
1338750	Rock	0.046	20	13	0.25	1409	0.029	<20	0.55	0.046	0.25	0.1	0.07	8.9	<0.1	<0.05	3	<0.5	<0.2
1345976	Rock	0.025	32	5	0.16	1115	0.029	<20	0.58	0.041	0.27	0.1	0.17	2.9	0.1	<0.05	3	<0.5	<0.2
1345977	Rock	0.031	39	4	0.25	711	0.023	<20	0.68	0.038	0.24	<0.1	0.25	3.5	0.1	<0.05	4	0.5	<0.2
1345978	Rock	0.017	24	16	0.17	1926	0.006	<20	0.50	0.030	0.26	0.2	0.55	6.9	0.1	<0.05	2	<0.5	<0.2
1345979	Rock	0.021	34	7	0.20	1079	0.029	<20	0.57	0.039	0.29	0.1	0.45	4.0	0.2	<0.05	3	<0.5	0.3
1345980	Rock	0.035	34	8	0.32	626	0.034	<20	0.67	0.034	0.27	0.1	0.27	4.2	0.2	0.07	3	0.6	0.2
1345981	Rock	0.031	43	10	0.35	758	0.037	<20	0.70	0.038	0.31	0.1	0.17	4.2	0.2	<0.05	4	<0.5	<0.2
1345982	Rock	0.017	9	6	0.07	614	0.001	<20	0.39	0.026	0.18	<0.1	0.40	5.7	<0.1	<0.05	2	<0.5	<0.2
1345983	Rock	0.018	25	8	0.09	1187	0.003	<20	0.38	0.038	0.17	<0.1	0.24	4.3	<0.1	<0.05	2	<0.5	<0.2
1345984	Rock	0.020	26	4	0.06	1141	0.003	<20	0.46	0.022	0.21	<0.1	0.26	3.2	<0.1	<0.05	2	<0.5	<0.2
1345985	Rock	0.024	21	8	0.12	933	0.006	<20	0.63	0.023	0.25	<0.1	0.29	5.4	0.1	<0.05	2	<0.5	<0.2
1345986	Rock	0.043	18	4	0.06	2563	0.001	<20	0.45	0.018	0.19	<0.1	0.28	5.1	<0.1	0.06	2	<0.5	<0.2
1345987	Rock	0.035	19	13	0.18	1055	0.009	<20	0.88	0.020	0.32	<0.1	0.08	8.0	0.1	<0.05	3	<0.5	<0.2
1345988	Rock	0.007	11	3	0.07	1007	0.001	<20	0.54	0.006	0.18	0.3	0.11	2.5	<0.1	<0.05	1	<0.5	<0.2
1345989	Rock	0.023	24	4	0.04	2179	0.002	<20	0.42	0.026	0.15	<0.1	0.13	2.5	<0.1	<0.05	1	<0.5	<0.2
1345990	Rock	0.015	29	4	0.06	1176	0.002	<20	0.59	0.021	0.16	<0.1	0.12	3.3	<0.1	<0.05	2	<0.5	<0.2
1345991	Rock	0.022	26	4	0.03	1537	0.002	<20	0.33	0.033	0.16	<0.1	0.13	1.6	<0.1	<0.05	1	<0.5	<0.2
1345992	Rock	0.009	26	5	0.04	3254	<0.001	<20	0.37	0.006	0.16	0.2	0.35	1.4	<0.1	0.08	1	<0.5	<0.2
1345993	Rock	0.021	24	5	0.09	4087	<0.001	<20	0.46	0.006	0.19	0.3	0.47	2.3	0.1	0.09	1	<0.5	<0.2
1345994	Rock	0.056	21	8	0.09	1402	0.003	<20	0.53	0.008	0.17	0.3	0.66	10.6	0.1	<0.05	2	<0.5	<0.2
1345995	Rock	0.044	19	13	0.06	1476	0.002	<20	0.38	0.008	0.24	0.2	0.28	6.9	0.1	<0.05	1	<0.5	<0.2
1345996	Rock	0.107	14	50	0.19	171	0.007	<20	0.64	0.007	0.29	0.1	0.29	15.2	0.2	<0.05	3	<0.5	1.3
1345997	Rock	0.043	25	49	0.28	2207	0.010	<20	0.83	0.020	0.30	<0.1	0.88	12.3	0.2	<0.05	3	<0.5	0.9
1345998	Rock	0.041	19	75	0.27	353	0.013	<20	0.79	0.023	0.35	0.1	0.27	9.5	0.2	<0.05	3	<0.5	<0.2
1418353	Rock	0.036	17	42	0.36	394	0.031	<20	0.94	0.017	0.49	<0.1	0.08	11.1	0.2	<0.05	3	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV
Report Date: August 17, 2016

Page: 3 of 3

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI16000143.1

Method	Analyte	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		MDL	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
1418354	Rock	1.31	<0.005	0.7	26.2	7.1	34	<0.1	10.4	8.4	378	1.43	1.1	<0.5	5.0	20	<0.1	<0.1	0.1	8	1.48
1418355	Rock	1.63	<0.005	1.1	34.4	8.7	86	<0.1	35.2	22.6	535	4.36	1.5	0.6	18.7	19	<0.1	<0.1	0.6	20	0.14
1418356	Rock	1.28	<0.005	2.7	44.0	38.4	74	0.1	15.1	8.7	656	2.04	39.0	<0.5	3.2	644	1.0	1.4	0.1	16	19.39
1418357	Rock	1.31	<0.005	1.2	26.3	3.5	54	<0.1	21.7	12.9	482	2.73	2.0	<0.5	11.7	68	<0.1	0.3	0.2	16	2.83
1418358	Rock	1.53	<0.005	1.4	55.2	17.8	142	0.1	24.0	15.9	523	3.50	15.0	<0.5	10.4	109	3.1	0.5	0.7	24	4.34
1418359	Rock	1.41	<0.005	1.1	39.5	6.6	91	<0.1	23.8	16.0	410	3.24	6.8	<0.5	9.5	54	0.1	0.2	0.3	16	2.17
1418360	Rock	1.40	<0.005	1.8	38.5	16.5	68	0.1	22.4	11.8	567	2.46	22.3	<0.5	5.9	244	0.5	0.4	0.3	21	14.10
1418361	Rock	1.50	<0.005	6.4	47.7	16.9	36	<0.1	15.8	7.6	321	1.54	30.7	<0.5	2.5	627	0.4	0.3	0.1	13	15.20
1418362	Rock	0.76	<0.005	1.8	40.1	8.8	51	<0.1	21.2	13.1	373	2.63	11.4	1.6	3.6	204	0.1	0.5	0.3	38	6.53
1418363	Rock	1.28	<0.005	0.6	65.6	5.4	79	<0.1	20.8	10.5	391	2.57	9.0	<0.5	11.5	106	0.4	0.2	0.3	21	2.69
1418364	Rock	1.50	<0.005	0.4	18.1	2.5	37	<0.1	17.8	10.7	356	2.36	2.9	<0.5	7.8	52	<0.1	0.1	0.1	10	1.50
1418365	Rock	1.62	<0.005	0.5	32.8	1.8	40	<0.1	21.5	12.1	361	2.76	5.0	<0.5	10.1	44	<0.1	0.2	0.1	11	1.07



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Comstock Metals Ltd.

310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV

Report Date: August 17, 2016

Page: 3 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI16000143.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1418354	Rock	0.008	10	8	0.05	155	<0.001	<20	0.32	0.040	0.12	<0.1	0.01	2.7	<0.1	<0.05	1	<0.5	<0.2
1418355	Rock	0.031	27	18	0.35	451	0.055	<20	1.00	0.017	0.62	<0.1	0.02	4.3	0.2	<0.05	4	<0.5	<0.2
1418356	Rock	0.065	8	7	0.26	286	<0.001	<20	0.35	0.017	0.15	<0.1	0.24	6.0	<0.1	<0.05	<1	0.8	<0.2
1418357	Rock	0.042	25	12	0.15	471	0.004	<20	0.50	0.027	0.30	<0.1	0.05	4.3	0.1	<0.05	2	<0.5	<0.2
1418358	Rock	0.027	16	15	0.08	472	<0.001	<20	0.40	0.024	0.19	<0.1	0.61	7.7	<0.1	<0.05	1	<0.5	<0.2
1418359	Rock	0.016	16	13	0.17	519	0.001	<20	0.49	0.017	0.24	<0.1	0.14	4.8	<0.1	<0.05	1	<0.5	<0.2
1418360	Rock	0.048	11	12	0.33	202	<0.001	<20	0.33	0.022	0.12	<0.1	0.53	8.1	<0.1	<0.05	<1	1.0	<0.2
1418361	Rock	0.029	6	7	0.21	362	<0.001	<20	0.29	0.022	0.10	<0.1	0.29	4.2	<0.1	<0.05	<1	<0.5	<0.2
1418362	Rock	0.019	8	13	0.34	402	0.007	<20	0.73	0.030	0.11	<0.1	0.13	4.7	<0.1	<0.05	2	<0.5	<0.2
1418363	Rock	0.015	17	12	0.17	677	0.001	<20	0.40	0.032	0.19	<0.1	0.24	6.7	<0.1	<0.05	1	<0.5	<0.2
1418364	Rock	0.030	12	9	0.46	676	0.002	<20	0.38	0.025	0.24	<0.1	0.30	2.6	<0.1	<0.05	<1	<0.5	<0.2
1418365	Rock	0.031	14	8	0.24	466	0.001	<20	0.40	0.025	0.26	<0.1	0.96	2.5	<0.1	<0.05	1	<0.5	<0.2



QUALITY CONTROL REPORT

WHI16000143.1

Method	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm		
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
1345981	Rock	1.11	<0.005	1.2	16.3	8.2	35	<0.1	6.3	4.7	410	2.08	2.6	3.2	17.6	64	<0.1	0.5	0.4	15	0.74
REP 1345981	QC	0.006																			
1345995	Rock	1.14	0.324	5.3	39.5	13.2	33	0.3	34.0	12.7	660	2.43	47.7	237.6	11.5	108	0.2	8.8	0.2	22	0.95
REP 1345995	QC	5.2 37.7 12.4 32 0.3 32.8 11.7 625 2.37 46.7 402.5 10.5 108 0.2 8.2 0.2 21 0.91																			
1345996	Rock	0.70	2.183	9.5	73.3	12.2	90	0.6	123.3	23.8	860	4.95	85.8	1872.3	14.0	89	0.3	6.8	0.2	53	0.76
REP 1345996	QC	2.051																			
1418358	Rock	1.53	<0.005	1.4	55.2	17.8	142	0.1	24.0	15.9	523	3.50	15.0	<0.5	10.4	109	3.1	0.5	0.7	24	4.34
REP 1418358	QC	<0.005																			
Core Reject Duplicates																					
1345989	Rock	0.98	0.015	1.8	5.9	5.9	17	<0.1	2.5	2.1	333	1.45	3.8	13.7	10.8	65	<0.1	0.4	<0.1	7	0.10
DUP 1345989	QC	0.016 1.8 6.6 5.9 17 <0.1 2.7 2.3 335 1.46 4.0 13.7 11.0 65 <0.1 0.5 <0.1 7 0.10																			
Reference Materials																					
STD DS10	Standard	13.4 155.9 140.7 352 1.8 72.8 13.7 882 2.69 46.1 129.4 7.2 67 2.9 8.8 13.2 40 1.03																			
STD DS10	Standard	14.5 167.3 153.5 372 2.1 76.7 13.8 918 2.82 46.7 64.4 8.2 70 2.9 8.9 13.3 42 1.10																			
STD OREAS45EA	Standard	1.7 670.8 14.4 31 0.3 362.9 52.8 418 21.31 11.6 54.2 9.9 4 <0.1 0.4 0.3 305 0.03																			
STD OREAS45EA	Standard	1.5 696.5 14.9 32 0.3 384.2 54.2 420 21.44 11.4 58.1 10.4 4 <0.1 0.3 0.3 314 0.03																			
STD OXD108	Standard	0.416																			
STD OXD108	Standard	0.416																			
STD OXD108	Standard	0.424																			
STD OXI121	Standard	1.786																			
STD OXI121	Standard	1.902																			
STD OXI121	Standard	1.786																			
STD OXN117	Standard	7.616																			
STD OXN117	Standard	7.753																			
STD OXN117	Standard	7.737																			
STD DS10 Expected		13.6 154.61 150.55 370 2.02 74.6 12.9 875 2.7188 46.2 91.9 7.5 67.1 2.62 9 11.65 43 1.0625																			
STD OREAS45EA Expected		1.6 709 14.3 31.4 0.26 381 52 400 23.51 10.3 53 10.7 3.5 0.03 0.32 0.26 303 0.036																			
STD OXD108 Expected		0.414																			



QUALITY CONTROL REPORT

WHI16000143.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2		
Pulp Duplicates																			
1345981	Rock	0.031	43	10	0.35	758	0.037	<20	0.70	0.038	0.31	0.1	0.17	4.2	0.2	<0.05	4	<0.5	<0.2
REP 1345981	QC																		
1345995	Rock	0.044	19	13	0.06	1476	0.002	<20	0.38	0.008	0.24	0.2	0.28	6.9	0.1	<0.05	1	<0.5	<0.2
REP 1345995	QC	0.041	18	12	0.06	1427	0.002	<20	0.37	0.007	0.23	0.2	0.27	6.3	0.1	<0.05	1	<0.5	0.2
1345996	Rock	0.107	14	50	0.19	171	0.007	<20	0.64	0.007	0.29	0.1	0.29	15.2	0.2	<0.05	3	<0.5	1.3
REP 1345996	QC																		
1418358	Rock	0.027	16	15	0.08	472	<0.001	<20	0.40	0.024	0.19	<0.1	0.61	7.7	<0.1	<0.05	1	<0.5	<0.2
REP 1418358	QC																		
Core Reject Duplicates																			
1345989	Rock	0.023	24	4	0.04	2179	0.002	<20	0.42	0.026	0.15	<0.1	0.13	2.5	<0.1	<0.05	1	<0.5	<0.2
DUP 1345989	QC	0.022	23	4	0.04	2238	0.002	<20	0.41	0.025	0.15	0.1	0.15	2.5	<0.1	<0.05	1	<0.5	<0.2
Reference Materials																			
STD DS10	Standard	0.072	17	54	0.77	394	0.080	<20	1.00	0.066	0.33	3.5	0.26	2.8	4.9	0.27	4	2.5	4.9
STD DS10	Standard	0.077	19	55	0.79	408	0.085	<20	1.07	0.070	0.35	3.6	0.28	3.0	5.2	0.28	4	2.2	4.9
STD OREAS45EA	Standard	0.027	7	777	0.09	150	0.098	<20	3.08	0.019	0.05	<0.1	0.01	75.5	<0.1	<0.05	12	1.2	<0.2
STD OREAS45EA	Standard	0.027	7	803	0.09	152	0.102	<20	3.18	0.019	0.05	<0.1	0.01	78.4	<0.1	<0.05	13	0.9	<0.2
STD OXD108	Standard																		
STD OXD108	Standard																		
STD OXD108	Standard																		
STD OXI121	Standard																		
STD OXI121	Standard																		
STD OXI121	Standard																		
STD OXN117	Standard																		
STD OXN117	Standard																		
STD OXN117	Standard																		
STD DS10 Expected		0.0765	17.5	54.6	0.775	412	0.0817		1.0259	0.067	0.338	3.32	0.3	2.8	5.1	0.29	4.3	2.3	5.01
STD OREAS45EA Expected		0.029	7.06	849	0.095	148	0.0984		3.13	0.02	0.053			78	0.072	0.036	12.4	0.78	0.07
STD OXD108 Expected																			



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV
Report Date: August 17, 2016

Page: 2 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI16000143.1

		WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
STD OXN117 Expected		7.679																			
STD OXI121 Expected		1.834																			
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
Prep Wash																					
ROCK-WHI	Prep Blank	<0.005	0.7	4.7	1.5	31	<0.1	1.5	4.2	424	1.80	0.9	0.9	2.6	31	<0.1	<0.1	<0.1	23	0.62	
ROCK-WHI	Prep Blank	<0.005	0.6	3.8	1.5	32	<0.1	1.6	4.0	439	1.85	0.9	<0.5	2.9	31	<0.1	<0.1	<0.1	23	0.68	



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: Comstock Metals Ltd.
310 - 850 West Hastings St.
Vancouver BC V6C 1E1 CANADA

Project: QV
Report Date: August 17, 2016

Page: 2 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI16000143.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te		
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm		
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2		
STD OXN117	Expected																				
STD OXI121	Expected																				
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.040	6	4	0.42	86	0.093	<20	0.98	0.100	0.09	0.1	<0.01	2.7	<0.1	<0.05	4	<0.5	<0.2		
ROCK-WHI	Prep Blank	0.044	6	4	0.41	79	0.094	<20	1.05	0.109	0.11	0.1	<0.01	3.0	<0.1	<0.05	4	<0.5	<0.2		