



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: BACHYNSKI, RYAN
 11 TRAILS END CRESCENT
 YELLOWKNIFE NT X1A 1A4

Page: 1
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 28-JUN-2017
 This copy reported on
 12-JUL-2017
 Account: BACHRY

CERTIFICATE YW17124066

This report is for 112 Rock samples submitted to our lab in Yellowknife, NT, Canada on 20-JUN-2017.
 The following have access to data associated with this certificate:
 RYAN BACHYNSKI

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: BACHYNSKI, RYAN
 11 TRAILS END CRESCENT
 YELLOWKNIFE NT X1A 1A4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: BACHYNSKI, RYAN
 11 TRAILS END CRESCENT
 YELLOWKNIFE NT X1A 1A4

Page: 2 - A
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 28-JUN-2017
 Account: BACHRY

CERTIFICATE OF ANALYSIS YW17124066

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR															
RG17-RC-001		0.85	<0.2	0.39	<2	<10	30	0.9	2	0.08	<0.5	3	9	12	0.78	<10
RG17-RC-002		0.83	0.2	2.49	<2	<10	130	<0.5	<2	0.10	<0.5	5	49	32	3.46	10
RG17-RC-003		0.53	0.3	2.86	2	<10	430	<0.5	<2	0.04	<0.5	5	55	23	4.04	10
RG17-RC-004		0.41	<0.2	0.24	<2	<10	10	<0.5	9	0.03	<0.5	<1	5	6	0.45	<10
RG17-RC-005		1.04	0.4	0.99	3	<10	50	1.3	<2	0.10	0.8	3	21	66	3.79	<10
RG17-RC-006		0.33	<0.2	0.15	<2	<10	<10	<0.5	<2	0.03	<0.5	<1	6	2	0.35	<10
RG17-RC-007		0.92	0.3	0.50	3	<10	10	<0.5	4	0.07	<0.5	<1	17	46	1.21	<10
RG17-RC-008		0.34	0.2	1.56	<2	<10	90	<0.5	<2	0.11	<0.5	2	35	31	1.50	<10
RG17-RC-009		0.35	<0.2	0.07	<2	<10	10	<0.5	<2	0.04	<0.5	1	9	2	0.55	<10
RG17-RC-010		0.42	<0.2	0.02	<2	<10	<10	<0.5	2	0.02	<0.5	<1	18	3	0.54	<10
RG17-RC-011		0.44	<0.2	0.26	<2	<10	20	0.8	<2	0.08	<0.5	1	12	19	0.74	<10
RG17-RC-012		0.46	<0.2	0.16	2	<10	20	<0.5	<2	0.02	<0.5	1	9	4	0.53	<10
RG17-RC-013		1.11	<0.2	0.20	<2	<10	10	0.5	<2	0.04	<0.5	1	11	5	0.58	<10
RG17-RC-014		0.48	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	13	1	0.41	<10
RG17-RC-015		0.43	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	19	1	0.43	<10
RG17-RC-016		0.76	<0.2	0.66	<2	<10	30	<0.5	<2	0.06	<0.5	5	18	15	1.50	<10
RG17-RC-017		0.37	<0.2	0.14	<2	<10	10	<0.5	<2	0.01	<0.5	<1	12	2	0.45	<10
RG17-RC-018		0.33	<0.2	0.54	<2	<10	20	<0.5	2	0.51	<0.5	5	20	14	0.99	<10
RG17-RC-019		0.15	<0.2	0.22	<2	<10	10	<0.5	2	1.06	<0.5	1	11	4	0.72	<10
RG17-RC-020		0.49	<0.2	0.72	<2	<10	10	<0.5	<2	0.68	<0.5	5	21	12	1.02	<10
RG17-RC-021		0.57	<0.2	0.32	<2	<10	10	<0.5	<2	0.94	<0.5	2	13	6	0.64	<10
RG17-RC-022		0.51	<0.2	0.57	<2	<10	10	0.5	<2	2.55	<0.5	2	11	10	0.66	<10
RG17-RC-023		0.31	<0.2	1.02	2	<10	70	<0.5	2	0.17	<0.5	5	14	7	1.88	10
RG17-RC-024		0.19	<0.2	1.00	<2	<10	80	<0.5	<2	0.19	<0.5	3	15	5	1.75	10
RG17-RC-025		0.38	<0.2	0.12	<2	<10	<10	<0.5	<2	0.02	<0.5	1	7	1	0.83	<10
RG17-RC-026		0.49	<0.2	1.03	<2	<10	50	<0.5	<2	0.23	<0.5	4	5	5	2.47	10
RG17-RC-027		0.23	<0.2	0.93	<2	<10	70	<0.5	<2	0.14	<0.5	3	12	3	1.70	10
RG17-RC-028		0.20	<0.2	0.04	<2	<10	<10	<0.5	<2	0.01	<0.5	1	8	3	0.53	<10
RG17-RC-029		0.24	<0.2	0.20	<2	<10	10	0.5	<2	0.08	<0.5	<1	6	1	0.44	<10
RG17-RC-030		0.29	<0.2	0.59	2	<10	40	0.6	<2	0.09	<0.5	2	8	6	1.06	<10
RG17-RC-031		0.34	<0.2	0.85	<2	<10	50	<0.5	<2	0.14	<0.5	3	12	6	1.60	<10
RG17-RC-032		0.38	<0.2	0.90	<2	<10	60	<0.5	<2	0.13	<0.5	3	9	5	1.54	<10
RG17-RC-033		0.35	<0.2	0.69	<2	<10	40	<0.5	<2	0.09	<0.5	2	9	2	1.13	<10
RG17-RC-034		0.28	<0.2	0.57	<2	<10	30	<0.5	<2	0.08	<0.5	1	6	1	0.91	<10
RG17-RC-035		0.23	<0.2	0.20	4	<10	20	<0.5	<2	0.06	<0.5	<1	5	1	0.37	<10
RG17-RC-036		0.43	<0.2	0.73	<2	<10	50	<0.5	<2	0.10	<0.5	2	11	5	1.34	<10
RG17-RC-037		0.35	<0.2	0.85	<2	<10	50	<0.5	<2	0.12	<0.5	2	8	4	1.47	<10
RG17-RC-038		0.42	<0.2	0.51	<2	<10	20	<0.5	<2	0.09	<0.5	1	5	1	1.31	<10
RG17-RC-039		0.25	<0.2	0.14	<2	<10	10	<0.5	<2	0.03	<0.5	<1	7	1	0.40	<10
RG17-RC-040		0.64	<0.2	2.21	4	<10	580	0.8	2	1.53	<0.5	17	32	21	4.05	10



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: BACHYNSKI, RYAN
 11 TRAILS END CRESCENT
 YELLOWKNIFE NT X1A 1A4

Page: 2 - B
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 28-JUN-2017
 Account: BACHRY

CERTIFICATE OF ANALYSIS YW17124066

Sample Description	Method Analyte Units LOR	ME-ICP41 Hg ppm	ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm	ME-ICP41 Sr ppm	ME-ICP41 Th ppm
		1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
RG17-RC-001	<1	0.15	10	0.07	196	5	0.02	7	260	11	0.05	<2	<1	10	<20	
RG17-RC-002	<1	1.56	20	1.30	927	1	0.03	15	240	2	0.16	<2	8	37	<20	
RG17-RC-003	<1	1.97	20	1.53	505	2	0.03	10	340	4	0.11	<2	5	19	<20	
RG17-RC-004	<1	0.11	<10	0.03	85	<1	0.03	2	70	4	0.01	<2	<1	2	<20	
RG17-RC-005	<1	0.32	40	0.29	175	5	0.01	37	640	19	0.08	<2	2	49	<20	
RG17-RC-006	<1	0.10	<10	0.01	124	<1	0.02	1	90	3	<0.01	<2	<1	1	<20	
RG17-RC-007	<1	0.21	<10	0.20	280	59	0.01	4	350	12	0.06	<2	1	2	<20	
RG17-RC-008	<1	0.68	10	0.73	571	1	<0.01	41	220	2	0.02	<2	4	10	<20	
RG17-RC-009	<1	0.02	<10	0.03	144	<1	<0.01	1	30	<2	<0.01	<2	<1	2	<20	
RG17-RC-010	<1	0.01	<10	<0.01	115	1	<0.01	2	110	6	<0.01	<2	<1	1	<20	
RG17-RC-011	<1	0.14	10	0.01	133	<1	0.03	2	300	6	<0.01	<2	<1	3	<20	
RG17-RC-012	<1	0.10	10	0.01	45	1	<0.01	3	130	2	<0.01	<2	<1	3	<20	
RG17-RC-013	<1	0.08	10	0.03	219	<1	0.01	2	170	2	<0.01	<2	<1	1	<20	
RG17-RC-014	<1	0.01	<10	<0.01	52	<1	<0.01	<1	40	<2	<0.01	<2	<1	<1	<20	
RG17-RC-015	<1	0.01	<10	<0.01	49	<1	<0.01	1	50	<2	<0.01	<2	<1	<1	<20	
RG17-RC-016	<1	0.12	10	0.32	231	<1	<0.01	11	230	3	<0.01	<2	1	3	<20	
RG17-RC-017	<1	0.03	<10	0.01	56	<1	<0.01	2	40	2	<0.01	<2	<1	2	<20	
RG17-RC-018	<1	0.14	<10	0.42	179	1	0.02	11	160	2	<0.01	<2	1	14	<20	
RG17-RC-019	<1	0.06	<10	0.11	182	1	0.01	3	130	6	<0.01	<2	<1	29	<20	
RG17-RC-020	<1	0.23	10	0.39	111	5	0.02	11	270	3	0.01	<2	1	12	<20	
RG17-RC-021	<1	0.01	<10	0.10	113	1	<0.01	4	380	<2	<0.01	<2	<1	12	<20	
RG17-RC-022	<1	0.09	<10	0.23	121	1	0.02	5	140	3	<0.01	<2	<1	19	<20	
RG17-RC-023	<1	0.73	10	0.52	362	<1	0.05	4	560	2	<0.01	<2	5	10	<20	
RG17-RC-024	<1	0.68	10	0.47	349	<1	0.05	4	520	2	<0.01	<2	4	13	<20	
RG17-RC-025	<1	0.08	<10	0.02	70	<1	0.03	<1	70	5	<0.01	<2	1	2	20	
RG17-RC-026	<1	0.76	50	0.39	348	<1	0.05	2	1000	3	<0.01	<2	7	6	40	
RG17-RC-027	<1	0.62	10	0.44	295	<1	0.05	3	480	<2	<0.01	<2	3	12	<20	
RG17-RC-028	<1	0.01	20	0.01	131	1	<0.01	2	50	<2	<0.01	<2	<1	1	<20	
RG17-RC-029	<1	0.10	<10	0.02	84	<1	0.02	1	340	3	<0.01	<2	<1	4	<20	
RG17-RC-030	<1	0.38	10	0.23	242	<1	0.03	1	400	3	<0.01	<2	2	6	<20	
RG17-RC-031	<1	0.59	10	0.39	267	<1	0.04	2	540	2	<0.01	<2	3	11	<20	
RG17-RC-032	<1	0.60	10	0.41	297	<1	0.04	3	500	2	<0.01	<2	3	8	<20	
RG17-RC-033	<1	0.43	10	0.25	281	<1	0.03	2	340	2	<0.01	<2	2	5	<20	
RG17-RC-034	<1	0.35	10	0.19	244	<1	0.03	1	320	<2	<0.01	<2	1	5	<20	
RG17-RC-035	<1	0.12	<10	0.03	188	<1	0.03	1	110	<2	<0.01	<2	<1	3	<20	
RG17-RC-036	<1	0.48	10	0.33	253	<1	0.04	2	400	2	<0.01	<2	2	8	<20	
RG17-RC-037	<1	0.53	10	0.35	316	<1	0.04	2	440	2	<0.01	<2	3	7	<20	
RG17-RC-038	<1	0.30	20	0.13	160	<1	0.03	1	460	4	<0.01	<2	2	3	40	
RG17-RC-039	<1	0.10	<10	0.02	63	<1	0.02	<1	80	3	<0.01	<2	<1	4	<20	
RG17-RC-040	<1	0.30	70	2.10	813	<1	0.11	45	3400	8	0.01	<2	9	142	<20	



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: BACHYNSKI, RYAN
 11 TRAILS END CRESCENT
 YELLOWKNIFE NT X1A 1A4

Page: 2 - C
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 28-JUN-2017
 Account: BACHRY

CERTIFICATE OF ANALYSIS YW17124066

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm
RG17-RC-001		0.01	<10	10	7	<10	17
RG17-RC-002		0.31	<10	<10	77	<10	123
RG17-RC-003		0.35	<10	<10	68	<10	108
RG17-RC-004		<0.01	<10	<10	2	<10	11
RG17-RC-005		0.02	<10	<10	32	<10	119
RG17-RC-006		<0.01	<10	<10	<1	<10	4
RG17-RC-007		0.02	<10	10	11	<10	16
RG17-RC-008		0.07	<10	<10	28	<10	47
RG17-RC-009		<0.01	<10	<10	2	<10	6
RG17-RC-010		<0.01	<10	<10	<1	<10	2
RG17-RC-011		<0.01	<10	<10	3	<10	19
RG17-RC-012		<0.01	<10	<10	2	<10	11
RG17-RC-013		<0.01	<10	<10	2	<10	16
RG17-RC-014		<0.01	<10	<10	<1	<10	<2
RG17-RC-015		<0.01	<10	<10	<1	<10	<2
RG17-RC-016		0.01	<10	<10	8	<10	20
RG17-RC-017		<0.01	<10	<10	1	<10	2
RG17-RC-018		0.05	<10	<10	11	10	18
RG17-RC-019		0.02	<10	<10	4	<10	12
RG17-RC-020		0.06	<10	<10	14	120	20
RG17-RC-021		0.03	<10	<10	7	<10	7
RG17-RC-022		0.04	<10	<10	8	<10	12
RG17-RC-023		0.18	<10	<10	39	<10	53
RG17-RC-024		0.16	<10	<10	36	<10	48
RG17-RC-025		0.01	<10	60	1	<10	5
RG17-RC-026		0.19	<10	<10	21	<10	60
RG17-RC-027		0.14	<10	<10	32	<10	49
RG17-RC-028		<0.01	<10	<10	1	180	2
RG17-RC-029		<0.01	<10	<10	2	<10	5
RG17-RC-030		0.07	<10	<10	16	<10	32
RG17-RC-031		0.14	<10	10	29	<10	45
RG17-RC-032		0.12	<10	<10	28	<10	46
RG17-RC-033		0.08	<10	<10	16	<10	36
RG17-RC-034		0.05	<10	<10	11	<10	29
RG17-RC-035		0.01	<10	20	2	<10	9
RG17-RC-036		0.10	<10	<10	23	<10	42
RG17-RC-037		0.10	<10	<10	24	<10	44
RG17-RC-038		0.06	<10	10	10	<10	26
RG17-RC-039		0.01	<10	30	1	<10	2
RG17-RC-040		0.36	<10	<10	119	<10	83



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: BACHYNSKI, RYAN
 11 TRAILS END CRESCENT
 YELLOWKNIFE NT X1A 1A4

Page: 3 - A
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 28-JUN-2017
 Account: BACHRY

CERTIFICATE OF ANALYSIS YW17124066

Sample Description	Method Analyte Units LOR	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
RG17-RC-041		0.30	<0.2	0.62	<2	<10	50	<0.5	<2	0.09	<0.5	2	8	1	1.19	<10
RG17-RC-042		0.36	<0.2	1.09	<2	<10	60	<0.5	<2	0.14	<0.5	3	8	4	1.66	10
RG17-RC-043		0.55	<0.2	0.27	<2	<10	40	<0.5	<2	0.37	<0.5	2	6	1	0.69	<10
RG17-RC-044		0.27	<0.2	0.66	<2	<10	50	<0.5	<2	0.08	<0.5	2	7	6	1.18	<10
RG17-RC-045		0.33	<0.2	0.81	<2	<10	90	<0.5	2	0.21	<0.5	3	9	7	1.49	<10
RG17-RC-046		0.26	<0.2	0.88	<2	<10	60	<0.5	<2	0.14	<0.5	3	10	3	1.61	<10
RG17-RC-047		0.42	<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	12	1	0.44	<10
RG17-RC-048		0.30	<0.2	0.06	<2	<10	10	<0.5	<2	0.15	<0.5	<1	8	1	0.53	<10
RG17-RC-049		0.27	<0.2	0.42	<2	<10	30	<0.5	<2	0.16	<0.5	1	7	2	0.74	<10
RG17-RC-050		0.30	<0.2	0.20	<2	<10	<10	<0.5	<2	0.02	<0.5	1	5	2	0.46	<10
RG17-RC-051		0.34	<0.2	0.20	<2	<10	<10	<0.5	<2	0.02	<0.5	<1	8	3	0.54	<10
RG17-RC-052		0.45	<0.2	0.08	<2	<10	10	<0.5	<2	0.09	<0.5	1	12	1	0.53	<10
RG17-RC-053		0.56	<0.2	1.10	<2	<10	70	<0.5	<2	0.50	<0.5	8	6	3	1.57	<10
RG17-RC-054		0.26	<0.2	0.02	<2	<10	10	<0.5	<2	0.01	<0.5	1	12	5	0.55	<10
RG17-RC-055		0.17	<0.2	0.86	<2	<10	10	<0.5	<2	0.23	<0.5	10	25	9	1.23	<10
RG17-RC-056		0.42	<0.2	2.24	<2	<10	170	<0.5	<2	1.27	<0.5	31	156	9	2.11	<10
RG17-RC-057		0.42	<0.2	0.04	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	16	2	0.46	<10
RG17-RC-058		0.50	<0.2	0.11	<2	<10	10	<0.5	<2	0.06	<0.5	1	15	4	0.58	<10
RG17-RC-059		0.55	<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	22	1	0.42	<10
RG17-RC-060		0.71	1.2	0.47	9	<10	<10	<0.5	2	0.03	<0.5	150	9	108	3.48	<10
RG17-RC-061		0.59	<0.2	0.36	<2	<10	160	<0.5	<2	0.16	<0.5	1	6	5	0.38	<10
RG17-RC-062		0.40	2.3	0.39	<2	<10	20	<0.5	<2	0.18	<0.5	9	11	1860	1.36	<10
RG17-RC-063		0.72	<0.2	3.98	<2	<10	70	1.4	<2	1.81	<0.5	17	75	42	4.20	10
RG17-RC-064		0.40	<0.2	2.17	<2	<10	30	<0.5	<2	1.16	<0.5	8	52	22	2.56	10
RG17-RC-065		0.30	<0.2	4.86	<2	<10	180	1.5	<2	2.50	<0.5	8	65	9	3.21	10
RG17-RC-066		0.38	<0.2	0.04	<2	<10	<10	<0.5	<2	0.71	<0.5	1	15	5	0.49	<10
RG17-RC-067		0.46	<0.2	1.77	<2	<10	20	<0.5	2	1.76	<0.5	11	78	53	2.85	<10
RG17-RC-068		0.42	0.3	0.67	<2	<10	120	<0.5	2	1.29	1.4	15	73	63	2.08	<10
RG17-RC-069		0.53	<0.2	0.01	<2	<10	<10	<0.5	<2	0.02	<0.5	<1	17	2	0.45	<10
RG17-RC-070		0.50	<0.2	3.58	<2	<10	130	1.4	<2	1.12	<0.5	15	53	109	4.00	10
RG17-RC-071		0.64	0.6	2.72	<2	<10	80	1.1	<2	0.92	0.6	3	59	62	2.71	10
RG17-RC-072		0.62	0.2	3.11	2	<10	70	1.5	<2	1.08	0.7	20	56	101	3.19	10
RG17-RC-073		0.46	<0.2	0.05	2	<10	10	<0.5	<2	0.02	<0.5	1	13	11	0.54	<10
RG17-RC-074		0.39	<0.2	1.92	<2	<10	210	<0.5	<2	0.51	<0.5	13	10	6	2.80	<10
RG17-RC-075		0.24	<0.2	1.11	<2	<10	30	<0.5	<2	0.30	<0.5	7	7	5	1.95	<10
RG17-RC-076		0.30	0.2	0.34	<2	<10	20	<0.5	<2	0.04	1.3	<1	4	5	0.34	<10
RG17-RC-077		0.45	<0.2	0.45	6	<10	10	<0.5	<2	1.90	<0.5	9	14	21	1.30	<10
RG17-RC-078		0.33	<0.2	3.71	<2	<10	170	0.6	<2	0.42	<0.5	28	78	30	7.29	10
RG17-RC-079		0.24	<0.2	1.21	<2	<10	70	<0.5	<2	0.45	<0.5	11	9	4	2.17	<10
RG17-RC-080		0.30	<0.2	1.00	<2	<10	80	<0.5	2	0.67	<0.5	7	9	5	1.55	<10



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: BACHYNSKI, RYAN
 11 TRAILS END CRESCENT
 YELLOWKNIFE NT X1A 1A4

Page: 3 - B
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 28-JUN-2017
 Account: BACHRY

CERTIFICATE OF ANALYSIS YW17124066

Sample Description	Method Analyte Units LOR	ME-ICP41 Hg ppm	ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm	ME-ICP41 Sr ppm	ME-ICP41 Th ppm
		1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
RG17-RC-041		<1	0.42	10	0.27	202	<1	0.02	1	320	2	<0.01	<2	2	12	<20
RG17-RC-042		1	0.63	10	0.42	314	<1	0.04	3	470	2	<0.01	<2	3	10	<20
RG17-RC-043		<1	0.05	20	0.20	316	<1	0.06	2	630	3	<0.01	<2	2	17	<20
RG17-RC-044		<1	0.41	10	0.26	204	<1	0.03	2	320	<2	<0.01	<2	2	7	<20
RG17-RC-045		<1	0.53	10	0.35	370	<1	0.03	3	430	<2	<0.01	<2	3	9	<20
RG17-RC-046		<1	0.61	10	0.39	359	<1	0.04	3	500	<2	<0.01	<2	3	7	<20
RG17-RC-047		<1	<0.01	<10	<0.01	50	<1	<0.01	1	<10	<2	<0.01	<2	<1	<1	<20
RG17-RC-048		<1	0.04	<10	0.01	92	<1	<0.01	1	10	2	<0.01	<2	<1	6	<20
RG17-RC-049		<1	0.20	10	0.09	218	<1	0.03	2	140	5	<0.01	2	1	21	<20
RG17-RC-050		<1	0.12	<10	0.02	80	<1	0.03	1	50	5	<0.01	<2	<1	1	<20
RG17-RC-051		<1	0.09	<10	0.01	120	<1	0.04	1	50	7	<0.01	<2	<1	1	<20
RG17-RC-052		<1	0.01	<10	0.04	72	<1	<0.01	1	160	<2	<0.01	<2	<1	3	<20
RG17-RC-053		<1	0.23	10	0.64	295	<1	0.06	2	370	<2	0.01	<2	2	24	<20
RG17-RC-054		<1	0.01	<10	0.01	62	<1	<0.01	1	10	<2	<0.01	<2	<1	1	<20
RG17-RC-055		<1	<0.01	<10	0.97	202	<1	0.03	11	50	<2	<0.01	<2	2	8	<20
RG17-RC-056		<1	0.01	<10	3.04	363	<1	0.03	60	170	<2	0.03	<2	6	21	<20
RG17-RC-057		<1	0.01	<10	0.02	52	<1	<0.01	1	<10	<2	<0.01	<2	<1	<1	<20
RG17-RC-058		<1	0.01	<10	0.05	60	<1	0.01	2	30	<2	<0.01	<2	<1	4	<20
RG17-RC-059		<1	<0.01	<10	<0.01	43	<1	<0.01	1	<10	<2	<0.01	<2	<1	<1	<20
RG17-RC-060		<1	0.01	<10	0.15	114	5	0.06	1	260	8	1.77	<2	1	3	<20
RG17-RC-061		<1	0.10	<10	0.06	136	<1	0.04	1	120	<2	<0.01	<2	<1	15	<20
RG17-RC-062		<1	0.04	<10	0.24	186	1	0.01	2	230	<2	0.31	<2	1	9	<20
RG17-RC-063		1	1.71	10	2.02	380	<1	0.18	51	420	6	0.02	<2	10	51	<20
RG17-RC-064		1	0.87	20	1.57	280	<1	0.10	22	590	9	<0.01	<2	7	18	<20
RG17-RC-065		<1	1.58	20	1.72	398	1	0.16	31	510	3	0.01	<2	10	40	<20
RG17-RC-066		<1	<0.01	<10	0.02	121	5	<0.01	1	10	<2	<0.01	<2	<1	3	<20
RG17-RC-067		1	0.14	<10	0.62	290	<1	0.22	19	710	15	0.12	<2	10	27	<20
RG17-RC-068		<1	0.23	<10	0.87	283	<1	0.07	46	190	95	0.52	<2	5	22	<20
RG17-RC-069		<1	<0.01	<10	<0.01	58	<1	<0.01	2	<10	<2	<0.01	<2	<1	<1	<20
RG17-RC-070		<1	1.21	20	1.06	923	<1	0.12	60	340	6	0.67	<2	11	62	<20
RG17-RC-071		1	0.96	20	1.13	817	48	0.23	17	1910	79	0.59	<2	6	60	<20
RG17-RC-072		<1	0.77	20	0.93	751	7	0.13	85	490	13	0.92	<2	9	49	<20
RG17-RC-073		<1	0.02	<10	0.03	90	1	<0.01	1	10	<2	<0.01	<2	<1	1	<20
RG17-RC-074		<1	0.66	10	1.35	490	<1	0.03	3	410	<2	<0.01	<2	2	25	<20
RG17-RC-075		<1	0.05	10	0.61	486	<1	0.05	1	420	<2	<0.01	<2	1	21	<20
RG17-RC-076		<1	0.11	10	0.01	135	<1	<0.01	1	20	61	<0.01	<2	1	3	40
RG17-RC-077		<1	0.04	20	0.09	154	<1	0.01	15	550	6	0.04	<2	1	98	<20
RG17-RC-078		<1	0.31	20	2.12	980	<1	<0.01	52	160	<2	<0.01	<2	5	17	30
RG17-RC-079		<1	0.16	10	0.93	482	<1	0.02	6	670	<2	<0.01	<2	2	33	<20
RG17-RC-080		<1	0.19	10	0.41	264	<1	0.02	4	660	2	<0.01	<2	1	54	<20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: BACHYNSKI, RYAN
 11 TRAILS END CRESCENT
 YELLOWKNIFE NT X1A 1A4

Page: 3 - C
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 28-JUN-2017
 Account: BACHRY

CERTIFICATE OF ANALYSIS YW17124066

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm
		0.01	10	10	1	10	2
RG17-RC-041		0.09	<10	<10	21	<10	32
RG17-RC-042		0.14	<10	<10	31	<10	46
RG17-RC-043		0.05	<10	<10	11	<10	33
RG17-RC-044		0.08	<10	<10	19	<10	31
RG17-RC-045		0.11	<10	<10	25	<10	44
RG17-RC-046		0.12	<10	<10	28	<10	50
RG17-RC-047		<0.01	<10	<10	<1	<10	<2
RG17-RC-048		<0.01	<10	<10	1	<10	2
RG17-RC-049		0.02	<10	<10	6	<10	18
RG17-RC-050		0.01	<10	<10	1	<10	7
RG17-RC-051		<0.01	<10	<10	1	<10	8
RG17-RC-052		<0.01	<10	<10	2	<10	2
RG17-RC-053		0.04	<10	<10	28	<10	31
RG17-RC-054		<0.01	<10	<10	1	<10	<2
RG17-RC-055		0.02	<10	<10	15	<10	12
RG17-RC-056		0.08	<10	<10	54	<10	22
RG17-RC-057		<0.01	<10	<10	1	<10	<2
RG17-RC-058		<0.01	<10	<10	2	<10	2
RG17-RC-059		<0.01	<10	<10	<1	<10	<2
RG17-RC-060		<0.01	<10	<10	8	<10	20
RG17-RC-061		<0.01	<10	<10	2	<10	3
RG17-RC-062		<0.01	<10	<10	10	<10	12
RG17-RC-063		0.20	<10	<10	98	<10	79
RG17-RC-064		0.17	<10	<10	51	<10	59
RG17-RC-065		0.18	<10	<10	80	<10	68
RG17-RC-066		<0.01	<10	<10	1	<10	<2
RG17-RC-067		0.31	<10	<10	114	<10	40
RG17-RC-068		0.22	<10	<10	70	<10	73
RG17-RC-069		<0.01	<10	<10	1	<10	2
RG17-RC-070		0.17	<10	<10	90	<10	111
RG17-RC-071		0.07	<10	10	306	<10	56
RG17-RC-072		0.11	<10	<10	114	<10	88
RG17-RC-073		<0.01	<10	<10	2	<10	2
RG17-RC-074		0.16	<10	<10	53	<10	57
RG17-RC-075		0.01	<10	<10	12	<10	42
RG17-RC-076		<0.01	<10	<10	1	<10	38
RG17-RC-077		0.12	<10	<10	11	<10	30
RG17-RC-078		0.33	<10	<10	40	<10	117
RG17-RC-079		0.10	<10	<10	29	<10	40
RG17-RC-080		0.11	<10	<10	32	<10	23



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: BACHYNSKI, RYAN
 11 TRAILS END CRESCENT
 YELLOWKNIFE NT X1A 1A4

Page: 4 - A
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 28-JUN-2017
 Account: BACHRY

CERTIFICATE OF ANALYSIS YW17124066

Sample Description	WEI-21 Recvd Wt. kg	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %	ME-ICP41 Ga ppm
	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
RG17-RC-081	0.40	<0.2	2.12	4	<10	90	<0.5	<2	0.14	<0.5	16	36	34	4.71	<10
RG17-RC-082	0.48	<0.2	0.64	4	<10	60	<0.5	<2	0.08	<0.5	3	13	21	1.55	<10
RG17-RC-083	0.33	<0.2	0.53	9	<10	10	<0.5	<2	1.14	<0.5	3	20	8	1.03	<10
RG17-RC-084	0.47	<0.2	0.20	<2	<10	<10	<0.5	<2	0.25	<0.5	<1	10	1	0.63	<10
RG17-RC-085	0.51	<0.2	0.08	<2	<10	130	<0.5	<2	0.08	<0.5	1	15	107	0.57	<10
RG17-RC-086	0.30	<0.2	0.24	<2	<10	10	1.6	<2	0.10	<0.5	<1	5	6	0.47	<10
RG17-RC-087	0.45	<0.2	3.76	2	<10	220	1.7	<2	1.38	<0.5	11	49	61	2.91	10
RG17-RC-088	0.38	<0.2	1.54	<2	<10	80	<0.5	<2	0.05	<0.5	7	25	1	1.95	10
RG17-RC-089	1.04	18.3	0.07	5	<10	10	<0.5	598	0.18	<0.5	3	14	21	1.47	<10
RG17-RC-089-REP	0.81	32.5	0.15	5	<10	20	0.5	2340	0.38	<0.5	3	11	22	1.34	<10
RG17-RC-090	0.71	0.3	0.26	<2	<10	20	1.0	6	0.89	<0.5	2	7	9	1.23	<10
RG17-RC-091	0.54	0.4	0.14	3	<10	20	<0.5	3	0.32	<0.5	2	10	52	0.82	<10
RG17-G-001	0.45	<0.2	0.22	3	<10	10	<0.5	<2	0.06	<0.5	<1	7	10	0.43	<10
RG17-G-002	0.35	<0.2	0.03	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	16	1	0.42	<10
RG17-G-003	0.41	0.2	0.29	2	<10	10	<0.5	<2	0.02	<0.5	<1	6	9	0.75	<10
RG17-G-004	0.38	<0.2	0.49	<2	<10	20	0.6	<2	0.43	<0.5	1	7	4	1.00	<10
RG17-G-005	0.33	9.4	0.51	<2	<10	10	0.7	16	0.10	<0.5	2	4	23	1.59	<10
RG17-G-006	0.38	<0.2	0.86	<2	<10	60	<0.5	<2	0.11	<0.5	3	9	5	1.39	<10
RG17-G-007	0.40	<0.2	0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	11	1	0.43	<10
RG17-G-008	0.54	<0.2	0.01	<2	<10	<10	<0.5	<2	0.05	<0.5	<1	16	2	0.44	<10
RG17-G-009	0.41	<0.2	0.02	<2	<10	10	<0.5	<2	0.07	<0.5	<1	15	8	0.55	<10
RG17-G-010	0.31	<0.2	0.06	<2	<10	10	<0.5	<2	0.01	<0.5	<1	20	2	0.49	<10
RG17-G-011	0.44	<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	19	1	0.51	<10
RG17-G-012	0.34	<0.2	0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	18	1	0.46	<10
RG17-G-013	0.97	<0.2	0.40	18	<10	70	0.5	<2	2.71	<0.5	8	22	30	2.80	<10
RG17-G-014	0.51	<0.2	3.83	<2	<10	90	0.6	<2	1.92	<0.5	12	134	36	2.35	10
RG17-G-015	0.36	<0.2	1.83	2	<10	90	<0.5	<2	1.38	<0.5	17	78	47	2.95	<10
RG17-G-016	0.37	<0.2	1.49	2	<10	20	<0.5	<2	1.55	<0.5	13	78	60	2.79	<10
RG17-G-017	0.32	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	15	1	0.51	<10
RG17-G-018	0.56	<0.2	0.13	2	<10	10	<0.5	<2	0.02	<0.5	1	12	2	0.64	<10
RG17-G-019	0.44	<0.2	1.15	5	<10	10	<0.5	<2	17.9	<0.5	12	27	34	2.49	<10
RG17-G-020	0.54	0.4	6.44	<2	<10	100	2.5	<2	2.57	<0.5	15	85	70	4.41	20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: BACHYNSKI, RYAN
 11 TRAILS END CRESCENT
 YELLOWKNIFE NT X1A 1A4

Page: 4 - B
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 28-JUN-2017
 Account: BACHRY

CERTIFICATE OF ANALYSIS YW17124066

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
Units		ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
LOR		1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
RG17-RC-081		<1	0.20	20	0.94	568	<1	<0.01	33	210	5	0.01	<2	2	4	20
RG17-RC-082		<1	0.23	10	0.14	120	<1	0.01	7	180	24	0.06	<2	3	14	<20
RG17-RC-083		<1	0.04	10	0.09	92	<1	<0.01	10	560	9	0.03	<2	1	24	<20
RG17-RC-084		<1	0.01	<10	0.01	50	<1	<0.01	2	20	2	<0.01	<2	<1	33	<20
RG17-RC-085		<1	0.04	<10	0.02	83	<1	<0.01	2	180	<2	0.01	<2	<1	4	<20
RG17-RC-086		<1	0.11	<10	0.07	168	<1	0.02	2	350	5	0.01	<2	<1	2	<20
RG17-RC-087		<1	1.28	20	1.13	960	1	0.14	45	220	4	0.14	<2	8	64	<20
RG17-RC-088		<1	1.13	20	0.98	763	<1	0.02	20	140	3	<0.01	<2	7	2	20
RG17-RC-089		<1	0.06	<10	0.01	81	206	<0.01	2	80	787	1.13	6	<1	5	<20
RG17-RC-089-REP		<1	0.10	<10	0.02	144	421	0.02	3	210	1315	0.81	20	<1	8	<20
RG17-RC-090		<1	0.14	10	0.07	360	14	0.03	2	380	18	0.37	<2	<1	16	<20
RG17-RC-091		<1	0.10	10	0.02	152	1520	0.02	2	340	21	0.46	<2	<1	6	<20
RG17-G-001		<1	0.09	<10	0.02	70	3	0.02	2	80	8	0.01	3	<1	4	<20
RG17-G-002		<1	0.03	<10	<0.01	45	1	<0.01	1	10	2	<0.01	<2	<1	<1	<20
RG17-G-003		<1	0.15	10	0.04	122	2	0.02	2	90	15	0.03	<2	<1	1	<20
RG17-G-004		<1	0.12	20	0.18	266	<1	0.02	2	400	7	0.01	<2	<1	7	<20
RG17-G-005		<1	0.06	50	0.04	111	1	0.02	2	490	113	0.01	<2	1	3	40
RG17-G-006		<1	0.49	10	0.31	257	<1	0.04	2	380	2	0.01	<2	2	7	<20
RG17-G-007		<1	<0.01	<10	<0.01	49	<1	<0.01	1	<10	<2	<0.01	<2	<1	<1	<20
RG17-G-008		<1	<0.01	<10	<0.01	55	<1	<0.01	2	<10	<2	<0.01	<2	<1	1	<20
RG17-G-009		<1	0.01	<10	<0.01	50	<1	<0.01	1	330	<2	0.01	<2	<1	1	<20
RG17-G-010		<1	0.02	<10	0.01	53	<1	0.01	1	40	<2	0.01	<2	<1	1	<20
RG17-G-011		<1	<0.01	<10	<0.01	51	<1	<0.01	2	<10	<2	<0.01	<2	<1	<1	<20
RG17-G-012		<1	<0.01	<10	<0.01	48	<1	<0.01	1	<10	<2	<0.01	<2	<1	<1	<20
RG17-G-013		<1	0.07	10	0.20	557	1	<0.01	22	450	14	0.01	<2	4	22	<20
RG17-G-014		<1	0.74	<10	1.26	190	<1	0.26	48	330	7	0.27	<2	8	39	<20
RG17-G-015		<1	0.44	<10	0.87	306	<1	0.11	35	430	4	0.05	<2	7	21	<20
RG17-G-016		<1	0.07	<10	0.75	309	<1	0.11	28	630	3	0.04	<2	8	15	<20
RG17-G-017		<1	<0.01	<10	<0.01	60	<1	<0.01	1	<10	<2	0.01	<2	<1	<1	<20
RG17-G-018		<1	0.03	<10	0.05	76	<1	<0.01	3	50	6	0.01	<2	<1	1	<20
RG17-G-019		<1	<0.01	10	1.14	1905	<1	0.01	40	1240	15	0.04	<2	12	1405	<20
RG17-G-020		<1	2.09	10	2.01	831	1	0.18	46	480	6	0.69	<2	16	254	<20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: BACHYNSKI, RYAN
 11 TRAILS END CRESCENT
 YELLOWKNIFE NT X1A 1A4

Page: 4 - C
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 28-JUN-2017
 Account: BACHRY

CERTIFICATE OF ANALYSIS YW17124066

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm
		0.01	10	10	1	10	2
RG17-RC-081		0.10	<10	<10	22	<10	81
RG17-RC-082		0.13	<10	<10	12	<10	14
RG17-RC-083		0.16	<10	<10	12	<10	13
RG17-RC-084		0.01	<10	<10	2	<10	3
RG17-RC-085		<0.01	<10	<10	1	<10	5
RG17-RC-086		<0.01	<10	<10	1	<10	9
RG17-RC-087		0.17	<10	<10	59	<10	96
RG17-RC-088		0.13	<10	<10	45	<10	70
RG17-RC-089		<0.01	<10	<10	1	<10	16
RG17-RC-089-REP		<0.01	<10	10	1	<10	23
RG17-RC-090		<0.01	<10	10	3	<10	39
RG17-RC-091		<0.01	<10	<10	1	<10	8
RG17-G-001		<0.01	<10	10	1	<10	8
RG17-G-002		<0.01	<10	<10	<1	<10	<2
RG17-G-003		<0.01	<10	10	2	<10	11
RG17-G-004		<0.01	<10	<10	5	<10	32
RG17-G-005		<0.01	<10	10	6	<10	42
RG17-G-006		0.09	<10	<10	22	<10	39
RG17-G-007		<0.01	<10	<10	<1	<10	<2
RG17-G-008		<0.01	<10	<10	<1	<10	<2
RG17-G-009		<0.01	<10	<10	<1	<10	<2
RG17-G-010		<0.01	<10	<10	1	<10	<2
RG17-G-011		<0.01	<10	<10	<1	<10	<2
RG17-G-012		<0.01	<10	<10	<1	<10	<2
RG17-G-013		<0.01	<10	<10	31	<10	73
RG17-G-014		0.13	<10	<10	85	40	39
RG17-G-015		0.26	<10	<10	118	<10	51
RG17-G-016		0.33	<10	<10	92	<10	40
RG17-G-017		<0.01	<10	<10	1	<10	<2
RG17-G-018		<0.01	<10	<10	2	<10	4
RG17-G-019		0.09	<10	<10	43	<10	33
RG17-G-020		0.30	<10	<10	143	<10	102



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: BACHYNSKI, RYAN
 11 TRAILS END CRESCENT
 YELLOWKNIFE NT X1A 1A4

Page: Appendix 1
 Total # Appendix Pages: 1
 Finalized Date: 28-JUN-2017
 Account: BACHRY

CERTIFICATE OF ANALYSIS YW17124066

	CERTIFICATE COMMENTS								
	LABORATORY ADDRESSES								
Applies to Method:	<p>Processed at ALS Yellowknife located at 3 Coronation Drive, PO Box 1919, Yellowknife, NT, Canada.</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">CRU-31</td> <td style="width: 33%;">CRU-QC</td> <td style="width: 33%;">LOG-22</td> <td style="width: 33%;">PUL-31</td> </tr> <tr> <td>PUL-QC</td> <td>SPL-21</td> <td>WEI-21</td> <td></td> </tr> </table>	CRU-31	CRU-QC	LOG-22	PUL-31	PUL-QC	SPL-21	WEI-21	
CRU-31	CRU-QC	LOG-22	PUL-31						
PUL-QC	SPL-21	WEI-21							
Applies to Method:	<p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.</p> <p>ME-ICP41</p>								