



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Metallic Minerals Corp.**
#904 - 409 Granville Street
Vancouver British Columbia V6C 1T2 Canada

Submitted By: Scott Petsel
Receiving Lab: Canada-Whitehorse
Received: July 24, 2017
Report Date: September 11, 2017
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI17000352.2

CLIENT JOB INFORMATION

Project: Keno Silver
Shipment ID: Keno 3
P.O. Number
Number of Samples: 13

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	13	Crush, split and pulverize 250 g rock to 200 mesh			WHI
AQ202	13	1:1:1 Aqua Regia digestion ICP-MS analysis	30	Completed	VAN
SHP01	13	Per sample shipping charges for branch shipments			VAN
AR402	5	Aqua Regia Digestion 0.5g / 100 mL (SCH)	0.5	Completed	VAN
FA430	2	Lead collection fire assay fusion - AAS finish	30	Completed	VAN
GC817	4	Lead Assay by Classical Titration	0.5	Completed	VAN
GC816	1	Zinc Assay by Classical Titration	0.5	Completed	VAN
MA404	1	4 Acid Digest AAS Finish Vancouver	0.5	Completed	VAN
FA530-Au	1	Lead collection fire assay fusion - Grav finish	30	Completed	VAN
EN002	1	Environmental disposal charge-Fire assay lead waste			VAN

ADDITIONAL COMMENTS

Version 2 : GC817, GC816, MA404 & FA530 included.

Invoice To: **Metallic Minerals Corp.**
#904 - 409 Granville Street
Vancouver British Columbia V6C 1T2
Canada

CC: Debbie James
Stuart Morris



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Metallic Minerals Corp.**
#904 - 409 Granville Street
Vancouver British Columbia V6C 1T2 Canada

Project: Keno Silver
Report Date: September 11, 2017

Page: 2 of 2

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI17000352.2

Method	WGHT	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
113351	Rock	2.38	0.4	>10000	601.7	9505	82.0	6.3	2.1	46	0.55	824.1	280.3	<0.1	7	123.3	>2000	12.2	<2	0.05	<0.001
113352	Rock	0.78	0.3	202.4	17.4	110	0.4	269.8	66.0	1163	7.28	246.9	3.3	0.9	121	0.8	94.4	<0.1	33	9.30	0.208
113353	Rock	1.63	0.3	84.7	18.6	70	0.2	91.4	28.9	1606	4.03	138.2	2.9	0.4	567	0.7	50.0	<0.1	17	21.86	0.103
113354	Rock	1.52	0.3	8.3	2.1	25	<0.1	6.6	6.9	1603	3.44	1.8	0.8	0.2	148	0.1	5.4	<0.1	44	8.40	0.016
1907516	Rock	1.36	4.3	8098.5	>10000	>10000	>100	52.8	26.7	381	0.75	145.2	270.9	<0.1	36	>2000	>2000	3.2	<2	0.11	0.003
1907517	Rock	1.23	0.3	>10000	>10000	>10000	>100	13.4	3.0	71	0.98	564.4	28665.4	<0.1	122	>2000	>2000	65.9	<2	0.08	0.004
1907518	Rock	0.48	0.6	4818.2	>10000	5322	>100	3.7	1.5	51	0.27	18.6	617.8	<0.1	65	230.1	>2000	1.4	<2	0.03	0.003
1907519	Rock	1.60	2.4	>10000	>10000	>10000	>100	3.5	4.5	88	0.44	647.9	2310.2	<0.1	35	>2000	>2000	1.2	<2	0.05	0.005
114151	Rock	3.70	0.7	66.7	1496.8	4828	1.7	32.2	15.8	2856	5.04	44.2	6.8	0.8	364	54.0	29.5	<0.1	51	8.80	0.068
114152	Rock	3.18	0.8	51.0	290.3	294	0.6	28.7	15.2	966	3.49	48.4	2.0	7.4	62	4.2	18.3	0.2	17	2.53	0.023
114153	Rock	4.52	2.0	25.0	603.1	2155	0.5	73.0	21.9	7302	8.01	76.8	2.1	1.8	235	44.4	35.5	<0.1	61	19.18	0.115
114154	Rock	1.89	0.6	54.2	77.9	319	0.2	18.8	39.4	1715	9.05	6.7	2.0	1.6	317	1.9	5.4	<0.1	245	6.89	0.183
114155	Rock	2.95	0.1	8.7	80.4	36	0.1	16.0	4.7	922	3.46	1.2	3.7	0.8	1259	0.4	3.8	<0.1	39	19.83	0.037



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Metallic Minerals Corp.**
#904 - 409 Granville Street
Vancouver British Columbia V6C 1T2 Canada

Project: Keno Silver
Report Date: September 11, 2017

Page: 2 of 2

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI17000352.2

Method	Analyte	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AR402	AR402	AR402
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Ag	Cu	Pb
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	2	0.001	0.01	
113351	Rock	<1	5	<0.01	33	<0.001	1	0.01	0.006	<0.01	<0.1	19.68	0.2	<0.1	1.13	<1	10.6	<0.2	80	3.400	0.06
113352	Rock	7	45	0.13	93	0.003	1	0.50	0.079	0.09	<0.1	0.09	13.3	<0.1	<0.05	1	1.0	<0.2			
113353	Rock	5	23	0.66	40	0.001	<1	0.21	0.036	0.06	<0.1	0.07	6.5	<0.1	0.23	<1	0.6	<0.2			
113354	Rock	5	2	2.53	44	0.001	1	0.24	0.015	<0.01	<0.1	2.99	3.7	<0.1	<0.05	<1	<0.5	<0.2			
1907516	Rock	<1	2	0.05	15	<0.001	1	0.09	0.001	0.01	<0.1	>50	0.5	0.2	2.60	2	11.1	1.1	297	0.814	>10
1907517	Rock	<1	2	0.01	37	<0.001	<1	0.05	0.001	0.01	<0.1	>50	<0.1	1.1	6.18	1	>100	0.3	988	7.971	>10
1907518	Rock	<1	3	<0.01	20	<0.001	4	0.02	<0.001	<0.01	<0.1	>50	<0.1	0.4	5.85	<1	13.8	1.2	442	0.478	>10
1907519	Rock	<1	<1	0.02	22	<0.001	<1	0.06	<0.001	<0.01	<0.1	>50	0.2	0.4	2.85	1	8.4	<0.2	742	2.915	>10
114151	Rock	6	33	2.88	370	<0.001	3	0.57	0.029	0.10	<0.1	2.47	8.4	0.2	0.16	2	<0.5	<0.2			
114152	Rock	18	13	0.54	86	<0.001	4	0.57	0.006	0.10	<0.1	0.72	5.8	<0.1	<0.05	1	<0.5	<0.2			
114153	Rock	7	41	3.05	73	0.002	6	0.31	0.006	0.05	<0.1	1.67	8.3	0.3	0.06	<1	0.7	<0.2			
114154	Rock	17	2	2.46	61	0.006	4	2.02	0.023	<0.01	<0.1	0.18	11.9	<0.1	0.29	11	0.8	<0.2			
114155	Rock	7	35	8.24	330	0.002	<1	0.18	0.026	<0.01	<0.1	0.19	2.8	<0.1	<0.05	<1	<0.5	<0.2			



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Metallic Minerals Corp.**
#904 - 409 Granville Street
Vancouver British Columbia V6C 1T2 Canada

Project: Keno Silver
Report Date: September 11, 2017

Page: 2 of 2

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI17000352.2

Method	Analyte	AR402	FA430	GC817	GC816	MA404	FA530
		Zn	Au	Pb	Zn	Zn	Au
Unit		%	ppm	%	%	%	gm/t
MDL		0.01	0.005	2	1	0.01	0.9
113351	Rock	0.93					
113352	Rock						
113353	Rock						
113354	Rock						
1907516	Rock	>10		34.13	30.84		
1907517	Rock	3.71	>10	37.74			24.4
1907518	Rock	0.51		43.87			
1907519	Rock	>10	2.355	40.02		14.72	
114151	Rock						
114152	Rock						
114153	Rock						
114154	Rock						
114155	Rock						



QUALITY CONTROL REPORT

WHI17000352.2

Method	WGHT	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
113351	Rock	2.38	0.4	>10000	601.7	9505	82.0	6.3	2.1	46	0.55	824.1	280.3	<0.1	7	123.3	>2000	12.2	<2	0.05	<0.001
REP 113351	QC																				
113353	Rock	1.63	0.3	84.7	18.6	70	0.2	91.4	28.9	1606	4.03	138.2	2.9	0.4	567	0.7	50.0	<0.1	17	21.86	0.103
REP 113353	QC		0.2	85.0	18.7	69	0.2	93.5	29.2	1643	4.05	136.9	3.1	0.4	583	0.7	51.0	<0.1	17	22.18	0.104
1907516	Rock	1.36	4.3	8098.5	>10000	>10000	>100	52.8	26.7	381	0.75	145.2	270.9	<0.1	36	>2000	>2000	3.2	<2	0.11	0.003
REP 1907516	QC																				
1907519	Rock	1.60	2.4	>10000	>10000	>10000	>100	3.5	4.5	88	0.44	647.9	2310.2	<0.1	35	>2000	>2000	1.2	<2	0.05	0.005
REP 1907519	QC																				
114151	Rock	3.70	0.7	66.7	1496.8	4828	1.7	32.2	15.8	2856	5.04	44.2	6.8	0.8	364	54.0	29.5	<0.1	51	8.80	0.068
REP 114151	QC		0.8	64.1	1487.0	4889	1.6	31.4	15.8	2878	5.02	45.0	5.7	0.8	349	54.9	31.2	<0.1	50	8.87	0.071
Reference Materials																					
STD AGPROOF	Standard																				
STD CPB-2	Standard																				
STD CPB-2	Standard																				
STD CZN-4	Standard																				
STD CZN-4	Standard																				
STD DS11	Standard		14.4	149.4	135.0	353	1.8	81.8	13.7	1073	3.12	42.1	69.3	8.0	68	2.2	7.9	11.7	51	1.07	0.071
STD DS11	Standard		14.9	149.2	137.6	342	1.7	81.2	14.5	1048	3.12	43.4	84.0	7.7	64	2.3	8.0	11.4	50	1.05	0.069
STD OREAS132A	Standard																				
STD OREAS134B	Standard																				
STD OREAS132A	Standard																				
STD OREAS134B	Standard																				
STD OXC129	Standard		1.4	30.4	6.4	43	<0.1	82.9	20.9	434	3.08	0.5	207.1	1.8	195	<0.1	2.2	<0.1	54	0.73	0.104
STD OXC129	Standard		1.4	28.0	6.2	42	<0.1	82.4	21.3	417	3.04	0.7	192.4	1.8	185	<0.1	<0.1	<0.1	53	0.68	0.094
STD OXC145	Standard																				
STD OXH122	Standard																				
STD OXN117	Standard																				
STD SP49	Standard																				



QUALITY CONTROL REPORT

WHI17000352.2

Method	Analyte	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AR402	AR402	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Pb	Zn	Ag
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	%	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	0.01	0.01	2	
Pulp Duplicates																					
113351	Rock	<1	5	<0.01	33	<0.001	1	0.01	0.006	<0.01	<0.1	19.68	0.2	<0.1	1.13	<1	10.6	<0.2	0.06	0.93	80
REP 113351	QC																		0.06	0.93	81
113353	Rock	5	23	0.66	40	0.001	<1	0.21	0.036	0.06	<0.1	0.07	6.5	<0.1	0.23	<1	0.6	<0.2			
REP 113353	QC	5	23	0.67	41	0.001	<1	0.22	0.036	0.06	<0.1	0.07	6.8	<0.1	0.24	<1	0.8	<0.2			
1907516	Rock	<1	2	0.05	15	<0.001	1	0.09	0.001	0.01	<0.1	>50	0.5	0.2	2.60	2	11.1	1.1	>10	>10	297
REP 1907516	QC																				
1907519	Rock	<1	<1	0.02	22	<0.001	<1	0.06	<0.001	<0.01	<0.1	>50	0.2	0.4	2.85	1	8.4	<0.2	>10	>10	742
REP 1907519	QC																				
114151	Rock	6	33	2.88	370	<0.001	3	0.57	0.029	0.10	<0.1	2.47	8.4	0.2	0.16	2	<0.5	<0.2			
REP 114151	QC	6	33	2.87	374	<0.001	3	0.56	0.029	0.10	<0.1	2.45	8.4	0.2	0.16	2	<0.5	<0.2			
Reference Materials																					
STD AGPROOF	Standard																				
STD CPB-2	Standard																				
STD CPB-2	Standard																				
STD CZN-4	Standard																				
STD CZN-4	Standard																				
STD DS11	Standard	20	61	0.85	369	0.101	7	1.17	0.070	0.40	3.1	0.25	3.4	4.8	0.28	5	1.4	4.9			
STD DS11	Standard	19	61	0.85	370	0.095	9	1.18	0.072	0.40	3.1	0.24	3.1	4.8	0.28	5	2.1	4.8			
STD OREAS132A	Standard																		3.77	5.06	56
STD OREAS134B	Standard																		>10	>10	199
STD OREAS132A	Standard																				
STD OREAS134B	Standard																				
STD OXC129	Standard	14	55	1.62	53	0.428	<1	1.60	0.600	0.36	<0.1	0.01	0.8	<0.1	<0.05	5	<0.5	<0.2			
STD OXC129	Standard	13	54	1.57	52	0.407	2	1.59	0.583	0.37	<0.1	<0.01	0.9	<0.1	<0.05	6	<0.5	<0.2			
STD OXC145	Standard																				
STD OXH122	Standard																				
STD OXN117	Standard																				
STD SP49	Standard																				



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Metallic Minerals Corp.**
#904 - 409 Granville Street
Vancouver British Columbia V6C 1T2 Canada

Project: Keno Silver
Report Date: September 11, 2017

Page: 1 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI17000352.2

Method	AR402	FA430	GC817	GC816	MA404	FA530
Analyte	Cu	Au	Pb	Zn	Zn	Au
Unit	%	ppm	%	%	%	gm/t
MDL	0.001	0.005	2	1	0.01	0.9
Pulp Duplicates						
113351	Rock	3.400				
REP 113351	QC	3.426				
113353	Rock					
REP 113353	QC					
1907516	Rock	0.814	34.13	30.84		
REP 1907516	QC			29.88		
1907519	Rock	2.915	2.355	40.02	14.72	
REP 1907519	QC		2.576	39.50		
114151	Rock					
REP 114151	QC					
Reference Materials						
STD AGPROOF	Standard					<0.9
STD CPB-2	Standard		62.49			
STD CPB-2	Standard		62.74			
STD CZN-4	Standard			55.14		
STD CZN-4	Standard			55.40		
STD DS11	Standard					
STD DS11	Standard					
STD OREAS132A	Standard	0.046				
STD OREAS134B	Standard	0.131				
STD OREAS132A	Standard				5.07	
STD OREAS134B	Standard				17.63	
STD OXC129	Standard					
STD OXC129	Standard					
STD OXC145	Standard		0.214			
STD OXH122	Standard		1.177			
STD OXN117	Standard		7.315			
STD SP49	Standard					17.6



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: Metallic Minerals Corp.
#904 - 409 Granville Street
Vancouver British Columbia V6C 1T2 Canada

Project: Keno Silver
Report Date: September 11, 2017

Page: 2 of 2 Part: 1 of 3

QUALITY CONTROL REPORT

WHI17000352.2

		WGHT	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
STD SQ70	Standard																				
STD OXC129 Expected			1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	195	1.9					51	0.665	0.102
STD DS11 Expected			14.6	156	138	345	1.71	81.9	14.2	1055	3.2082	42.8	79	7.65	67.3	2.37	8.74	12.2	50	1.063	0.0701
STD OXN117 Expected																					
STD OXC145 Expected																					
STD OXH122 Expected																					
STD CZN-4 Expected																					
STD AGPROOF Expected																					
STD SP49 Expected																					
STD SQ70 Expected																					
STD CPB-2 Expected																					
STD OREAS132A Expected																					
STD OREAS134B Expected																					
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank		0.7	4.9	1.9	39	<0.1	1.1	3.8	547	1.69	1.9	2.4	2.4	20	<0.1	<0.1	<0.1	21	0.53	0.037
ROCK-WHI	Prep Blank		0.8	3.9	1.8	34	<0.1	1.3	3.9	510	1.74	1.3	1.8	2.4	21	<0.1	<0.1	<0.1	23	0.58	0.038



QUALITY CONTROL REPORT

WHI17000352.2

		AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AR402	AR402		
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Pb	Zn	Ag	
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	%	ppm	
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.01	0.01	2	
STD SQ70	Standard																					
STD OXC129 Expected		13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1			5.6						
STD DS11 Expected		18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.3	3.4	4.9	0.2835	5.1	1.9	4.56				
STD OXN117 Expected																						
STD OXC145 Expected																						
STD OXH122 Expected																						
STD CZN-4 Expected																						
STD AGPROOF Expected																						
STD SP49 Expected																						
STD SQ70 Expected																						
STD CPB-2 Expected																						
STD OREAS132A Expected																			3.66	4.96	58	
STD OREAS134B Expected																			13.31	17.7	204	
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2				
BLK	Blank																		<0.01	<0.01	<2	
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
Prep Wash																						
ROCK-WHI	Prep Blank	6	3	0.47	66	0.079	3	0.95	0.114	0.11	<0.1	<0.01	3.2	<0.1	<0.05	4	<0.5	<0.2				
ROCK-WHI	Prep Blank	6	4	0.44	63	0.083	1	0.93	0.106	0.09	<0.1	<0.01	3.2	<0.1	<0.05	4	<0.5	<0.2				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Metallic Minerals Corp.
#904 - 409 Granville Street
Vancouver British Columbia V6C 1T2 Canada

Project: Keno Silver
Report Date: September 11, 2017

Page: 2 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI17000352.2

		AR402	FA430	GC817	GC816	MA404	FA530
		Cu	Au	Pb	Zn	Zn	Au
		%	ppm	%	%	%	gm/t
		0.001	0.005	2	1	0.01	0.9
STD SQ70	Standard						40.0
STD OXC129	Expected						
STD DS11	Expected						
STD OXN117	Expected		7.679				
STD OXC145	Expected		0.212				
STD OXH122	Expected		1.247				
STD CZN-4	Expected				55.24		
STD AGPROOF	Expected						0
STD SP49	Expected						18.34
STD SQ70	Expected						39.62
STD CPB-2	Expected			63.52			
STD OREAS132A	Expected	0.0458				4.96	
STD OREAS134B	Expected	0.1363				18.03	
BLK	Blank						
BLK	Blank	0.002					
BLK	Blank		<0.005				
BLK	Blank						<0.9
BLK	Blank					<0.01	
Prep Wash							
ROCK-WHI	Prep Blank						
ROCK-WHI	Prep Blank						