



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Richards, Gordon

6410 Holly Park Drive

Delta British Columbia V4K 4W6 Canada

Submitted By: Gordon Richards

Receiving Lab: Canada-Vancouver

Received: October 02, 2018

Report Date: October 19, 2018

Page: 1 of 2

CERTIFICATE OF ANALYSIS

VAN18002761.1

CLIENT JOB INFORMATION

Project: KRYPTOS

Shipment ID:

P.O. Number

Number of Samples: 10

SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps

PICKUP-RJT Client to Pickup Rejects

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Richards, Gordon
6410 Holly Park Drive
Delta British Columbia V4K 4W6
Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
DY060	10	Dry at 60C			VAN
SS80	10	Dry at 60C sieve 100g to -80 mesh			VAN
SVRJT	10	Save all or part of Soil Reject			VAN
AQ251_EXT	10	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS


KERRY JAY
Geochem Project Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Richards, Gordon**
6410 Holly Park Drive
Delta British Columbia V4K 4W6 Canada

Project: KRYPTOS
Report Date: October 19, 2018

Page: 2 of 2

Part: 1 of 3

CERTIFICATE OF ANALYSIS

VAN18002761.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	1	0.01
KR1C	Soil	1.01	24.54	8.19	48.6	80	27.2	9.0	240	2.50	13.1	1.3	6.2	5.8	15.0	0.08	0.80	0.17	49	0.13
KR3C	Soil	1.29	27.12	8.87	66.1	136	25.5	10.8	416	2.52	11.9	1.1	3.3	4.9	29.6	0.16	0.88	0.22	44	0.39
KR4C	Soil	1.61	27.72	22.24	61.3	119	54.5	18.3	736	3.54	8.5	0.7	1.1	8.0	45.4	0.19	2.50	0.24	46	0.72
Z5C	Soil	1.16	18.92	10.54	52.6	32	19.6	10.4	459	2.42	12.3	0.9	0.5	7.5	24.6	0.10	1.08	0.19	37	0.29
Z6C	Soil	0.79	28.52	7.19	52.7	141	21.2	7.7	235	2.02	11.0	1.0	1.9	4.1	32.2	0.22	0.96	0.13	36	0.39
KR7C	Soil	0.77	25.45	8.11	52.7	111	21.2	8.6	289	2.14	11.2	0.9	1.6	4.3	25.6	0.21	0.79	0.13	40	0.32
KR8C	Soil	1.03	25.79	8.38	54.1	129	20.4	9.0	425	2.11	10.8	1.9	3.6	4.5	74.0	0.46	1.06	0.13	36	2.04
KR7-37	Soil	0.75	19.28	9.45	45.3	84	16.4	12.1	306	1.78	9.7	0.8	0.7	5.8	37.8	0.20	0.54	0.16	21	0.65
KR8-37	Soil	0.45	28.38	7.96	70.7	120	21.6	7.1	151	1.37	2.8	0.9	2.0	5.1	26.9	0.42	0.87	0.14	43	0.39
KR9-37	Soil	1.56	30.89	13.66	69.1	134	22.3	13.1	628	2.48	14.8	1.0	2.7	7.0	50.6	0.44	1.76	0.21	33	1.03



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Richards, Gordon**
6410 Holly Park Drive
Delta British Columbia V4K 4W6 Canada

Project: KRYPTOS
Report Date: October 19, 2018

Page: 2 of 2

Part: 2 of 3

CERTIFICATE OF ANALYSIS

VAN18002761.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Cs	Ge	Hf
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02
KR1C	Soil	16.3	31.7	0.40	338.9	0.034	2	1.52	0.007	0.06	0.3	4.8	0.09	<0.02	24	0.2	0.04	4.0	0.63	<0.1	0.08
KR3C	Soil	16.8	37.0	0.51	396.0	0.043	<1	1.51	0.010	0.07	1.7	4.0	0.09	<0.02	29	0.3	0.02	4.7	0.72	<0.1	0.02
KR4C	Soil	17.8	416.1	0.93	227.0	0.074	1	1.50	0.027	0.20	6.5	3.6	0.14	<0.02	23	0.2	0.02	4.6	0.83	<0.1	0.18
Z5C	Soil	15.9	24.4	0.50	276.6	0.051	<1	1.31	0.010	0.12	0.7	3.4	0.12	<0.02	14	0.3	0.03	4.5	0.83	<0.1	0.07
Z6C	Soil	14.2	25.7	0.36	322.3	0.037	1	0.83	0.013	0.06	0.6	3.4	0.07	<0.02	42	0.3	0.02	2.8	0.55	<0.1	0.05
KR7C	Soil	15.4	24.2	0.37	321.0	0.038	<1	0.98	0.013	0.05	1.2	3.6	0.07	<0.02	44	0.4	<0.02	3.0	0.51	<0.1	0.04
KR8C	Soil	14.3	21.0	0.51	337.8	0.040	3	0.79	0.016	0.09	1.9	3.0	0.08	0.03	46	0.4	0.02	2.7	0.57	<0.1	0.05
KR7-37	Soil	13.8	37.8	0.32	188.2	0.034	<1	0.70	0.014	0.10	21.2	2.2	0.09	<0.02	21	0.2	<0.02	2.4	0.68	<0.1	0.07
KR8-37	Soil	15.4	30.3	0.42	146.2	0.066	1	0.99	0.018	0.13	1.4	4.5	0.10	<0.02	22	0.2	<0.02	3.3	0.75	<0.1	0.21
KR9-37	Soil	17.2	21.7	0.46	289.8	0.042	1	0.90	0.017	0.14	15.3	3.5	0.11	<0.02	35	0.2	0.02	2.8	0.82	<0.1	0.10



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Richards, Gordon**
6410 Holly Park Drive
Delta British Columbia V4K 4W6 Canada

Project: KRYPTOS
Report Date: October 19, 2018

Page: 2 of 2

Part: 3 of 3

CERTIFICATE OF ANALYSIS

VAN18002761.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
KR1C	Soil	0.50	8.4	0.4	<0.05	4.2	5.26	37.7	0.03	2	0.6	11.2	<10	<2
KR3C	Soil	0.92	10.9	0.5	<0.05	2.0	7.51	32.1	0.02	<1	0.5	15.0	<10	<2
KR4C	Soil	0.37	14.9	0.6	<0.05	7.1	9.24	34.5	<0.02	<1	0.4	10.1	<10	<2
Z5C	Soil	1.16	16.0	0.5	<0.05	3.9	6.10	31.9	0.02	2	0.5	14.3	<10	3
Z6C	Soil	0.45	5.9	0.3	<0.05	2.0	8.18	27.0	<0.02	<1	0.4	8.3	<10	<2
KR7C	Soil	0.44	5.4	0.3	<0.05	1.9	8.27	29.1	<0.02	<1	0.3	10.5	<10	<2
KR8C	Soil	0.67	6.7	0.3	<0.05	2.9	7.97	27.5	<0.02	2	0.5	8.0	<10	<2
KR7-37	Soil	0.42	8.1	0.3	<0.05	3.5	5.83	27.3	<0.02	2	0.2	11.7	<10	<2
KR8-37	Soil	0.62	8.7	0.4	<0.05	8.1	8.60	28.8	<0.02	1	0.5	8.8	<10	<2
KR9-37	Soil	0.54	9.9	0.3	<0.05	4.3	8.60	32.8	<0.02	1	0.4	9.5	<10	2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Richards, Gordon**
6410 Holly Park Drive
Delta British Columbia V4K 4W6 Canada

Project: KRYPTOS
Report Date: October 19, 2018

Page: 1 of 1

Part: 1 of 3

QUALITY CONTROL REPORT

VAN18002761.1

Method Analyte Unit MDL	AQ251																					
	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P		
	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%		
	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	1	0.01	0.001		
Reference Materials																						
STD DS11	Standard	14.60	159.16	143.59	344.3	1855	81.8	14.6	1016	3.15	46.8	2.7	73.2	8.0	71.7	2.70	8.59	13.03	50	1.04	0.071	
STD OXC129	Standard	1.21	27.00	6.25	38.8	14	79.1	21.0	404	3.09	0.5	0.7	197.7	1.9	191.8	0.01	0.04	<0.02	52	0.65	0.095	
STD OXC129 Expected		1.3	28	6.3	42.9	13	79.5	20.3	421	3.065	0.6	0.69	195	1.9		0.03	0.04		51	0.684	0.102	
STD DS11 Expected		14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3	2.37	8.74	12.2	50	1.063	0.0701	
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<1	<0.01	<0.001	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Richards, Gordon**
6410 Holly Park Drive
Delta British Columbia V4K 4W6 Canada

Project: KRYPTOS
Report Date: October 19, 2018

Page: 1 of 1

Part: 2 of 3

QUALITY CONTROL REPORT

VAN18002761.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02
Reference Materials																					
STD DS11	Standard	19.0	58.8	0.83	369.8	0.091	7	1.14	0.075	0.40	3.4	3.4	5.14	0.29	290	2.1	4.99	5.4	3.15	0.1	0.07
STD OXC129	Standard	12.8	48.9	1.54	49.8	0.391	<1	1.58	0.600	0.37	<0.1	0.6	0.03	<0.02	<5	<0.1	<0.02	5.6	0.16	<0.1	0.28
STD OXC129 Expected		12.5	52	1.545	50	0.4	1	1.58	0.59	0.3655	0.08	1.1	0.03					5.5	0.16		0.24
STD DS11 Expected		18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260	2.2	4.56	5.1	2.88	0.08	0.06
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Richards, Gordon**
6410 Holly Park Drive
Delta British Columbia V4K 4W6 Canada

Project: KRYPTOS
Report Date: October 19, 2018

Page: 1 of 1

Part: 3 of 3

QUALITY CONTROL REPORT

VAN18002761.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Reference Materials														
STD DS11	Standard	1.63	37.0	1.9	<0.05	3.1	8.24	37.9	0.26	50	0.7	24.1	98	192
STD OXC129	Standard	1.21	16.0	0.7	<0.05	21.4	4.68	23.1	<0.02	<1	0.8	2.1	<10	<2
STD OXC129 Expected		1.4		0.7		21	4.7	23.7			0.8	2.22		
STD DS11 Expected		1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
BLK	Blank	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2