

2018 Field Season

**Geochemical Sampling And Prospecting Report
On The
Grabben Property**

Claims

**Sask-1 to 20: YE78821 to 840,
Basal 1 to 10: YF49070 to 079,
Uran 1 to 8: YF49080 to 087,
Nug 1 to 3: YE90324 to 326**

**Located In
Dawson Mining District**

**On
NTS 115-O-11
At
63° 40' north and 139° 6' west**

**By
Bernie Kreft
November 30th, 2018**

Table Of Contents

| | |
|-------------------------------------|----------------|
| Location | Page 1 |
| Access | Page 1 |
| Topography And Vegetation | Page 1 |
| Claims And Land Status | Page 1 |
| Claim Status Table | Page 1 |
| History And Previous Work | Page 1 |
| Yukon Map (figure 1) | Page 2 |
| Regional Map (figure 2) | Page 3 |
| Claim Map (figure 3) | Page 4 |
| Geology Metallogeny Mineralization | Page 7 |
| Geology Map (figure 4) | Page 8 |
| Geology Map Legend (figure 4A) | Page 9 |
| Airborne Geophysical Data | Page 10 |
| Current Work And Results | Page 10 |
| FVD Overview Map (figure 5) | Page 11 |
| Potassium Detail Map (figure 6) | Page 12 |
| FVD Detail Map (figure 7) | Page 13 |
| RTF Detail Map (figure 8) | Page 14 |
| Conclusions | Page 15 |
| Recommendations | Page 16 |
| Sample Label Maps (figures 9 to 17) | Pages 17 to 25 |
| Rock Sample Table | Page 26 |
| Soil Sample Table | Pages 27 to 29 |
| Statement Of Qualifications | Page 30 |
| Statement Of Costs | Page 31 |
| Assay Sheets | At Back |

Location – The Grabben Gold Project is located in the Dawson Mining District on NTS mapsheet 115-O-11 southwest of the Indian River and northeast of Haystack Mountain, at approximately 63° 41’ north and 139° 7’ west.

Access – Access to the project was achieved by helicopter from Dawson City with a one-way distance of approximately 45 kilometres resulting in an approximate 20 minute one-way flight. Several shutdown style helicopter pads have been constructed proximal to the various work areas to provide ready access to these sites. Old poor quality bulldozer roads extend from the Indian River placer workings up both Mackinnon Creek and Ruby Creek with the Mackinnon Creek bulldozer road passing within approximately 3.5 kilometres of the soil grid at Grabben North.

Topography And Vegetation – The property lies within the un-glaciated Klondike Plateau, characterized by low rolling hills dissected by deeply incised stream valleys. This region experienced strong surficial weathering during the early and mid-Tertiary, as a result, bedrock exposure is extremely limited with the effects of surface weathering extending to depths of as much as 80 metres or more. Overburden and regolithic material averages about 1.0 metre which allows for effective soil sampling (via hand held augers) and hand trenching in most areas. Permafrost is widespread on north facing slopes, but rarely occurs in other areas. Although snow cover is mostly gone by early May, frost does not leave the ground sufficiently for exploration purposes until about mid-June. The property is below tree line, higher elevations are covered by mixed spruce, birch, poplar and brush, with tree cover generally increasing at lower elevations and on south facing slopes, with brush and stunted trees predominating on north facing slopes, at higher elevations and in areas of permafrost. Much of the project area was burnt by a recent forest fire, which destroyed moss cover in many areas, with the effect of providing somewhat more bedrock exposure than is typically present in the Dawson area.

Claims And Land Status – The property is located within Trondek Hwichin (Dawson) traditional territory, with no active First Nation land claim blocks in the immediate area of the project. A total of 41 claims comprise the property with claim data found on the following table:

| Grant | Claim | Number | Owner | Expiry D/M/Y | Map | Project Area |
|----------------|-------|---------|---------------|--------------|--------|--------------|
| YF49071 | Basal | 1 | Bernard Kreft | 07/03/2025 | 115O11 | Grabben |
| YF49070 | Basal | 2 | Bernard Kreft | 07/03/2025 | 115O11 | Grabben |
| YF49073 | Basal | 3 | Bernard Kreft | 07/03/2025 | 115O11 | Grabben |
| YF49072 | Basal | 4 | Bernard Kreft | 07/03/2025 | 115O11 | Grabben |
| YF49074 to 79 | Basal | 5 to 10 | Bernard Kreft | 07/03/2025 | 115O11 | Grabben |
| YF49081 | Uran | 1 | Bernard Kreft | 07/03/2025 | 115O11 | Grabben |
| YF49080 | Uran | 2 | Bernard Kreft | 07/03/2025 | 115O11 | Grabben |
| YF49082 to 087 | Uran | 3 to 8 | Bernard Kreft | 07/03/2025 | 115O11 | Grabben |
| YE78821 to 840 | Sask | 1 to 20 | Bernard Kreft | 07/03/2022 | 115O11 | Grabben |
| YE90324 to 326 | Nug | 1 to 3 | Bernard Kreft | 06/08/2019 | 115O11 | Grabben |

History And Previous Work – Hardrock exploration efforts in the area date back to early 1899 when the Mackinnon brothers, Donald and Archibald, first discovered gold in the area. Over an approximate 20 year period they sank a total of 3 shafts, drove 3 adits and cut numerous trenches. At the peak of activity over 3,000 claims were staked to cover the conglomerates which were thought to have similarities to the Witwatersrand Goldfields discovered in 1886. Although numerous promising assays of up to 48 oz/T gold were reported, and a small mill was erected on the Mackinnon Property, no significant gold was produced and the exploration “play” eventually died.




Grabben Project ★


To Accompany: 2018 Grabben Report

December 1st, 2018

By: Bernie Kreft

Figure 1




Regional Map - Grabben Project 
figure 2

Scale approx. 1:600,000

SR
N
GLOW 13
GLOW 14
YE78842
YE78809
YE78810
Grabben claim map

Basal, Uran, Sask, Nug claims
Zone 7, Nad 83
115-O-11
1:20,000 scale

YC98278 YC98277 YC98242 YC98241 YC98222
KOA 186 KOA 185 KOA 32 KOA 31 KOA 13
YC98280 YC98279 YC98244 YC98243 YC98219
7064000



KOA 338 KOA 336
YF09388 YF09387
KOA 337 KOA 335
YF09378 YF09377

KOA 324 7063000
YF09374 YF09373
KOA 323 KOA 322

MB 5 7062000
YE277
MB 3
YE277
MB 1
7061000
YE277

7060000

Numerous assessment reports and scientific studies, most of which detail work completed on the historic Mackinnon Property, currently covered by the Glow 1-24 claims and located immediately to the north of the Grabben Property, are available in the public domain. Short summaries of each report are as follows:

AR 060902 – T.Lisle p.Eng for Andac Resources – 1973 – Mapping, prospecting and soil sampling was conducted on the Mackinnon Property. Geology consists of a conglomerate unit, intruded and overlain by andesite and rhyolite dykes and flows, sitting on a bed of Nasina series schist. Although rock sampling failed to outline any significant gold-silver trends or anomalies within the conglomerate, several areas of silicification were noted in association with a NNW trending fault paralleling Mackinnon Creek.

AR 061474 – Don Tully p.Eng for Yukon Revenue Mines – 1973 – Exploration on the Mackinnon Property returned grab samples of conglomerate with up to 0.07 oz/ton Au while silicification and a potential fault zone along Mackinnon Creek were also noted.

AR 061475 – Ron Granger for Yukon Revenue Mines – 1974 – A rotary drilling program consisting of 4 five inch in diameter holes totalling 920 feet was completed in an effort to test the gold potential of the conglomerate outcrops of the Mackinnon Property. Assays returned a maximum of 0.005 oz/T gold and 0.64 oz/T silver from a 10 foot interval of white quartz pebble conglomerate. Several sections of black conglomerate were noted, with the dark coloring due to abundant fine graphite within the conglomerate matrix. It was also noted that significant gold was produced when samples of conglomerate were processed using placer recovery methods and that gold may exist within the conglomerate but not report to traditional fire assay procedures.

AR091354 – Paul Richardson for Dome Exploration – 1979 – Dome completed a total of 4 diamond drill holes (4,135 feet) in the area of the historical shafts of the Mackinnon Property. Drilling encountered a mixed sequence of mudstone to conglomerate with rare occurrences of Carmacks group volcanics. Assaying was focused almost entirely on intersections of conglomerate which returned only background values except for one intersection of 0.18 g/t Au over 4 feet of quartz pebble conglomerate. Only drill logs exist for this report.

AR 091406 – R.D. Cruickshank for Eldorado Nuclear – 1981 – Eldorado Nuclear completed exploration designed to locate a basal-type uranium deposit, with limited exploration for epithermal precious metals also completed. Work was conducted in the area south of Haystack Mountain and consisted of mapping, aeromagnetic interpretation, scintilometer readings, thin section work and a total of 20 rock samples. Mapping showed that the late Cretaceous to Eocene sedimentary to volcanic rocks in the project area occupy a presumed graben setting cut by numerous high angle normal faults active during the period of volcanism. Interpretation of regional aeromagnetic data suggests that the graben straddles a major WNW trending discontinuity interpreted to be a major basement structure. Rock sampling returned values of up to 100 ppb gold from a sample of conglomerate and up to 1400 ppb Hg and 22 ppm As from samples of rhyolite.

During 1983 Grant Lowey conducted a study of the Mackinnon Creek conglomerates in the area of the Mackinnon Property in an effort to ascertain whether the gold bearing conglomerate was a result of epithermal processes or a paleoplacer deposit. He noted the presence of fine gold within the conglomerate in the vicinity of the Britannia adit and based on various studies concluded that the faulting and alteration, fine gold particle size and close proximity to intermediate to felsic intrusions suggested a likely epithermal origin for the gold.

AR 091941 – Dave Waugh for Volcano Resources – 1986 – Mapping confirmed the presence of visible gold within the Mackinnon Property area but associated sampling and assaying failed to return strongly supportive gold assays. Silicification suggesting hydrothermal alteration and the potential for a Carlin-type low-grade gold deposit was noted in the vicinity of the old workings while the black conglomerate "McKinnon

Conglomerate Unit" with abundant graphite in the matrix was considered a favourable host for an epigenetic hydrothermal type gold deposit.

AR 092082 – Dave Waugh for Volcano Resources – 1987 – A nine-hole 1521 foot drill program was designed to test bedrock in the area of the Mackinnon Property showings, specifically the potential for the conglomerates to host epithermal style precious metals mineralization. Drill hole 87-1 encountered a program high of 0.195 g/t Au over a 24 foot interval (76'-100') of intensely argillic altered and brecciated limonitic quartz pebble conglomerate in contact with a similarly clay altered and brecciated andesite porphyry body.

AR 093167 – Graham Davidson for Richlode Investments – 1993 – A total of six 500 kilogram bulk samples were extracted from conglomerate in the immediate vicinity of the Mackinnon Property showings. The samples were processed for both fine gold and coarse gold using industry accepted methodology with the best result being 0.118 g/t gold.

During 2006-07 Bond and Chapman from the University of Leeds conducted a study on the origins of gold hosted by the conglomerates of the Indian River formation (Mackinnon Creek conglomerate). Results were generally inconclusive mostly due to a failure to definitively locate gold within the conglomerate unit; however the chemical and mineral signature of gold derived from unconsolidated areas of the conglomerate unit is consistent with that of gold grains obtained from Eureka Creek hardrock project, which has been described as a low sulphidation precious metals enriched epithermal system.

2009 – Minconsult for Westar Resources – A limited soil sampling program consisting of two parallel soil lines totalling 167 samples was completed at the time of staking. Results show numerous moderate to highly anomalous gold values of up to 70 ppb along with highly anomalous arsenic values of up to 240 ppm found clustered in two areas northeast of Haystack Mountain. No follow up work was conducted.

2009 – Mark Fekete for Taku Gold – A limited soil sampling program consisting of several reconnaissance ridge and spur sample lines returned values of up to 88.8 ppb Au and numerous samples with greater than 66.3 ppm arsenic to a high of 257 ppm arsenic existing as two clusters, one in the general vicinity of the Westar anomalies and one east of Haystack Mountain. No follow up work appears to have been conducted.

2016 – Kreft and Sons – A YMIP funded grassroots prospecting program focusing on the Taku (Grabben Main) and Westar (Grabben North) anomalies confirmed and significantly expanded the reported soil anomalies. At Grabben Main values of up to 62.4 ppm Ag, 7,911.7 ppb Au, >10,000 ppm As, 2,419.8 ppm Pb and 300.9 ppm Sb were returned from a 0.65m channel sample of variably fractured or sheared limonitic and weakly scoroditic bleached intermediate intrusive while up to 810 ppm Ag, 4,362 ppm Au, >10,000 ppm As, >10,000 ppm Pb, >2,000 ppm Sb and 104 ppm Bi were returned from a 1.0cm wide grey quartz sulphide vein cutting conglomerate. At Grabben North a grab sample of a quartz limonite vein with dark patches cutting mudstone with dark patches and mineralized with trace disseminated pyrite returned 20.6 ppm Ag, 189.8 ppb Au, 8,484.9 ppm As, 196.1 ppm Pb, 98.3 ppm Sb and 113 ppm Bi.

2017 – Kreft and Sons – A YMIP funded grassroots prospecting program focusing on the Grabben North areas as well as regional targets resulted in the discovery of two main anomalous areas (Grabben North Anomaly A and Grabben East) as well as several smaller anomalies. Grabben North Anomaly A ("GNAA") is a 200m wide by 600m long Au-As-Sb-Bi +/- Ag anomaly that is strongly open to the east and west. A total of 28 soil samples ranging from 0.019 ppm Au to 0.225 ppm Au and averaging 0.063 ppm Au comprise this anomaly. Metal zonation within the anomaly is apparent, with the east end exhibiting moderate gold with high arsenic and weak to moderate silver while the west end exhibits higher gold values and anomalous bismuth but only weakly anomalous arsenic and no silver. Geology underlying the anomaly consists of a mixed sequence of variably limonitic bleached, brecciated and clay altered intermediate intrusive and fine


clastics. Prospecting and hand trenching within this anomaly failed to encounter a source for the highly anomalous gold in soil values. Work at Grabben East consisted of prospecting and soil sampling yielding 12 soil samples. This work resulted in the partial definition of a southwest trending 100m wide by 150m long Au-As anomaly strongly open to the northeast and southwest. A total of 6 soil samples ranging from 0.025 ppm Au to 0.346 ppm Au and averaging 0.113 ppm Au comprise this anomaly. Geology, based on rock fragments within area soils, consists of a mixed sedimentary sequence ranging from fine clastics to quartz pebble conglomerate with rare intermediate intrusive fragments.

This historical exploration data shows that although significant amounts of advanced work such as drilling, trenching and bulk-sampling have been completed within the project area, the vast majority of this work was focused on the economic potential of the conglomerate bodies located in the vicinity of the McKinnon showing. Recent work outbound of the historical showings and within different lithologies has been extremely successful in locating potentially significant auriferous zones and anomalies including GNAA, Grabben East and Grabben Main.

Geology Metallogeny And Mineralization – Based on information contained in the various publically available assessment reports, academic studies, government mapping efforts and results of the 2016 and 2017 field seasons, the geological setting of the Grabben Gold Project is thought to consist of a graben filled with presumed early Cretaceous Indian River Group clastic sedimentary rocks comprised predominantly of conglomerates and sandstones intruded and overlain by late Cretaceous presumably Carmacks Group (age dates of 64.8 to 69 ma) rhyodacite, dacite, andesite and intermediate intrusive units as well as early Eocene rhyolite to rhyodacite stocks, dykes and flows. This package is cut by numerous normal faults and overlies a possible major basement structure within the bounding Nasina series schists and gneisses. The outline of this presumed graben complex highlights well using the first vertical derivative (“FVD”) aeromagnetic map from the Stewart River regional multi-parameter airborne geophysical survey. As can be seen from the FVD overview map accompanying this report, the Grabben Gold complex is one of several presumed complexes within the immediate area.

The Carmacks Group is an approximate 72-64 Ma volcanic succession, generally including a lower fragmental unit and an upper flood basalt unit, dominated by basic volcanic strata including augite-olivine basalt and breccia, hornblende feldspar porphyry andesite and dacite flows, and trachyte, but also including intermediate and locally felsic volcanic rocks. The thickest and coarsest volcanoclastic sections are occasionally cored by small high-level potassic plugs likely belonging to the Prospector Mountain Suite (72-68 Ma) or possibly representing late stage Casino Suite (79-74 Ma) activity. These intrusive suites are broadly correlative with the metallogenically significant Bulkley Suite intrusives located in central BC. Bulkley Suite (88-70 Ma) intrusives are highly prospective for porphyry copper targets such as Huckelberry, while significant epithermal precious metal deposits such as Blackwater (70-67 Ma; reserves of 8.6 million ounces of gold and 57.5 million ounces of silver) are associated with the waning stages of Bulkley Suite magmatism. Worldwide, shoshonitic and high-K calc-alkaline magmatism is associated with world-class hydrothermal gold and copper-gold mineralization. Examples are: 1) Ladolam gold mine, Lihir Island, Papua New Guinea; 2) Bingham copper-gold mine, Utah; 3) Grasberg copper-gold mine, Indonesia; 4) Oyu Tolgoi copper-gold mine, Mongolia.

Numerous geologically similar mixed sedimentary to volcanic early Cretaceous to early Eocene sequences occur throughout the area south and west of Dawson. Of these similar Yukon sequences, the only one which has received significant amounts of hardrock exploration work is located in the Sixtymile placer district approximately 85 kilometres to the northwest. Exploration by Erwin Kreft during 1986 located a zone (Per occurrence) of variably clay altered, silicified, pyritic and sheared Carmacks Group andesitic volcanics in the floor of a placer mining cut near the mouth of Miller Creek. In 1988 Klondike Gold Mining Corporation optioned this occurrence from Mr. Kreft and drilled 7 holes (765 m) with a program best intersection of 8.76 g/t Au over 10.5 m in DDH D4/88-02.



**Geological Legend to accompany
2018 Kreft Grabben Report
Fig 4a**

| | | | |
|-----------|--------------------------------|-------------------------------|---|
| CENOZOIC | QUATERNARY | Qs | Fluvial silt, sand and gravel |
| | | Basalt | |
| CENOZOIC | TERTIARY EOCENE | P | PORPHYRY: Smokey quartz and K-feldspar phyric rhyolite to rhyodacite stocks and dykes, and possible rare flows |
| | CRETACEOUS UPPER CRETACEOUS | uKcV | CARMACKS GROUP: rhyodacite and dacite, commonly biotite and hornblende phyric, dominated by lesser andesite and basalt; minor rhyolite |
| MESOZOIC | MID?-CRETACEOUS | Kg Kgd | GRANITE/GRANODIORITE: Kg, pink to grey, locally porphyritic syenogranite to monzogranite plutons and dykes; Kgd, biotite-hornblende bearing granodiorite, locally foliated |
| | LOWER CRETACEOUS | IKTg | TANTALUS(?) FORMATION: clast-supported pebble to cobble conglomerate with clasts of vein quartz and foliated quartzite |
| | PERMIAN | Pogg Pogg Poga Pogg Pogg Pogt | ORTHOgneiss (YOUNGER, 264-259 Ma): Pog, undivided orthogneiss; Pogg, pink to orange K-feldspar rich, granitic orthogneiss, commonly includes or associated with Poga; Poga, mainly K-feldspar augen orthogneiss, exhibits various states of strain including porphyroclastic straight gneiss, commonly includes or associated with Pogg; Pogt, rare, mainly tonalitic orthogneiss; Poga, orthogneiss derived from quartz monzonite; refers to highly strained, mafic poor, Sulphur Creek orthogneiss; ?-age assignment probable, ??-age assignment assumed (alternatively could be part of DMog). |
| | DEVONIAN TO MISSISSIPPIAN | DMNq DMNI | NASINA ASSEMBLAGE: DMNq, fine-grained, dark-grey to black carbonaceous quartzite and metapelite; DMNI, marble |
| PALEOZOIC | | DMogg DMoga | ORTHOgneiss (OLDER, 363-343 Ma): DMog, undivided orthogneiss; DMogg, pink to orange K-feldspar rich, granitic orthogneiss, commonly with biotite, banded to layered, commonly includes or associated with DMoga; DMoga, mainly K-feldspar augen orthogneiss, commonly includes or associated with DMogg; DMogt, mainly tonalitic or intermediate to mafic orthogneiss, generally grey, banded to layered, commonly veined; commonly interlayered with amphibolite schist and gneiss, biotite and/or hornblende bearing; ?-age assignment probable, ??-age assignment assumed (alternatively could be part of Pog) |
| | | DMogta | Undivided DMogt (ORTHOgneiss (OLDER)) and DMA (AMPHIBOLITE) |
| | | DMA | AMPHIBOLITE: amphibolite schist and gneiss, metabasite, probably derived from mafic to intermediate volcanic or volcaniclastic rocks; locally associated with psammite or interlayered with orthogneiss |
| | | DMm | MAFIC SCHIST: biotite-hornblende +/- plagioclase +/- quartz metabasite?; generally associated with amphibolite; main locality on Thistle Mountain |
| | | DMc | MARBLE: marble (metacarbonate) derived from pure to impure limestone; associated calc-silicate schist derived from calcareous metapelite |
| | | DMps | QUARTZ-MICA SCHIST: undivided metasedimentary rocks dominated by metapsammite, semipelite and metapelite; commonly quartz-garnet-biotite-muscovite schist possibly derived from siliceous siltstone; commonly finely interlayered with garnet metapelite; commonly contains members of micaceous quartzite; rare conglomerate; grades locally to paragneiss |


In 2010 Radius Gold/Rackla Resources recognized the epithermal precious metal potential in the Sixty Mile River valley and acquired much of the ground in the area. Their work identified the presence of a down dropped half graben within which the Carmacks group andesites are variably silicified, sheared and clay altered. Subsequent exploration included drilling of the historic Per showing which lies within a broad zone of illite alteration. DDH11-08 intersected strongly bleached and sericite altered Carmacks Group andesite crosscut by narrow dolomite pyrite veins that returned an interval of 19.0 g/t Au over 1.0m. Drill hole DDH11-10 intersected 132.0 g/t Au over 1.5m. This hole was drilled 1.4km east northeast of hole DDH11-08. The interval consisted of bleached, hematized and sericite altered quartz feldspar biotite schist cross cut by minor quartz/pyrite veins. Several holes also cut a blind, potassic and sericitically altered feldspar porphyry body as part of a Cretaceous volcanic-intrusive package located in a pull-apart basin located along the Sixty Mile River valley bottom. The porphyry body contains disseminated pyrite and pyrite +/- chalcopyrite-molybdenite bearing fractures and stockworks with silica-sericite alteration haloes yielding a best interval of 542 ppm Cu and 41 ppm Mo over 271.27 m starting at 8.8 m to EOH in DDH11-05.


Airborne Geophysical Survey – During 2000 the GSC and Yukon Geological Survey co-sponsored an airborne geophysical survey (Multisensor Airborne Geophysical Survey; GSC Open File 3992) covering much of the Klondike Goldfields including the Grabben Gold project area. Results of the airborne survey in conjunction with government mapping efforts and 2017 fieldwork appear to suggest that areas underlain by Carmacks Group volcanics correlate well with FVD aeromagnetic highs of 0.300 nT/m or greater while RTF aeromagnetic data suggests large or smaller unaltered volcanic bodies represent strong positive highs while smaller or more altered bodies manifest as weak to moderate positive anomalies. Areas with strong potassium response likely represent large, fresh and relatively un-altered volcanic bodies while areas of moderate potassium response may represent altered volcanics, un-altered bodies with a small surficial expression or perhaps sediments metasomatically altered by intrusive activity. Ultimately the data contained in Open File 3992 will prove of great value when used in conjunction with a field mapping project.

Current Work And Results – The 2018 field program on the Grabben project consisted of prospecting and sampling, yielding a total of 115 soil samples and 31 rock samples. The majority of soil samples were taken from the C horizon except where alluvial matter was encountered, or the presence of frozen ground limited sampling to B horizon material. Rock samples were sourced from occasional bedrock exposures as well as small hand dug prospecting pits. Sample sites were marked in the field using flagging inscribed with the sample code, with soil samples placed in industry standard soil sample envelopes and rock samples in industry standard poly sample bags. All samples were analyzed by Bureau Veritas, with soils prepped by SS80 (sieve 100g of soil to -80 mesh), and rocks prepped using PRP70-250 (crush 70% to 10 mesh and pulverize a 250g split). All samples were analyzed using FA430 (30g Au fire assay) and AQ300 (35 element ICP with 0.5g sample size).

Work was designed to explore for both westerly and easterly extensions to Grabben North Anomaly A (“GNAA”), confirm 2017 results at Grabben East and to provide detailed sampling within select areas of GNAA in an effort to fully define trenching targets.


Work designed to explore for westerly extensions of GNAA consisted of soil sampling and prospecting yielding a total of 36 soil samples and 2 rock samples. Results extend GNAA approximately 150m further to the northwest with a total of 4 consecutive samples averaging 0.042 ppm Au along with variably anomalous As-Bi-Sb. Although only weakly anomalous gold in soil values occur beyond this area, the lack of highly anomalous values may be a reflection of increasing overburden depths and the presence of scattered areas of frozen soil which hindered sampling of the C horizon at several sample sites. Numerous old trenches and pits, probably dating to the 1899 McKinnon Creek Gold Rush, were found in this area. Rocks found within the spoil piles of these workings consisted predominantly of quartz pebble to cobble conglomerate, 2 samples of which failed to return anomalous precious metal values.





2018 Grabben Potassium
 * = mineralized showings discussed in text
 / = Kreft claims
 / = competitor claims

0m 500m 1000m 1500m 2000m
 Scale 1cm = 500m or 1:50,000 fig 6



Grabben Gold Overview
FVD aeromag map
Zone 7, Nad 83
115-O-various
1:100,000 scale
* = areas of
interest
discussed in
text
NAD83, Zone 7
figure 5

Outline Grabben Gold area of interest
(early Cretaceous to early Eocene
volcanic to sedimentary complex)

McKinnon *

Grabben East *



Grabben North
(GNAA) *

Grabben Main *

Eldorado Nuclear *

Stowe Creek Placer *

Other presumed early Cretaceous to
early Eocene volcanic to sedimentary
complexes



145-O-11
Zone 7, NAD 83

McKirmon


Grabben North
GNAA

Grabben East

Grabben Main

HAYSTACK
MOUNTAIN

2018 Grabben RTF Mag
 * = mineralized showings discussed
 in text
 / = Krefit claims
 - = competitor claims



Work designed to explore for easterly extensions to GNAA consisted of soil sampling and prospecting yielding a total of 25 soil samples. Results extended GNAA 300m further to the east with a total of 16 samples averaging 0.047 ppm Au along with consistently weakly anomalous arsenic to 98 ppm and occasional weakly anomalous Ag. Further sampling to the east is precluded by the presence of alluvial deposits related to the Indian River drainage.

Work at Grabben East (2017 results to 0.346 ppm Au in soil) failed to confirm the presence of this anomaly with a maximum value of 0.021 ppm Au returned from the confirmation soil sampling conducted. Material underlying Grabben East consists of locally derived talus mixed with alluvial matter from the Indian River, with the highly anomalous 2017 results likely a result of fluviually reworked talus from GNAA. A total of 9 rock samples were taken in this area, with the only sample with significantly anomalous values consisting of a sandstone cut by two 2mm wide vuggy quartz limonite veins, the analyses of which returned 0.028 ppm Au, 4.0 ppm Ag and 692 ppm As.

Detailed sampling within GNAA was designed to define trenching targets in the vicinity of 2017 soil sample sites with highly anomalous gold. Work outlined strong trenching targets at each detailed sample site (see inset maps) with one area encountering an approximate 50m wide zone from which deep C horizon soils average 0.261 ppm Au along with highly anomalous arsenic and lesser bismuth (see Inset Map A). Rock sampling and geological observations based on rock fragments from small pits dug in the vicinity of the various trenching targets suggests geology consists of a variably fractured and limonitic intermediate quartz biotite intrusive that is moderately to heavily bleached and clay altered in contact with bleached and clay altered fine clastics.

Conclusions – The Grabben Gold project represents the first modern precious metals discovery within the historically active MacKinnon Creek/Haystack Mountain area, and one of the few Yukon based discoveries in this geological setting. Mineralization consists of extremely fine-grained sulphides, with a Au-Ag-As-Pb-Sb-Bi signature, found within veins, shears and breccia zones developed in both early-mid Cretaceous clastic sediments and late Cretaceous Carmacks Group (69-64.8 Ma) andesite and intermediate intrusives with these units occupying a presumed graben setting. Mineralization appears to be best developed within fine clastics and the intrusive bodies, with lesser amounts occurring within conglomerates. Mineralization may be associated with the waning stages of Casino Suite (72-79 Ma) or perhaps Prospector Mountain Suite (68-72 Ma) magmatism which is the sub-volcanic equivalent of the Carmacks Group. Late Cretaceous intrusives such as the Casino and Prospector Mountain Suites in the Yukon and the correlative Bulkley Suite in BC are highly prospective for both porphyry (Casino deposit and Huckleberry Mine) and epithermal style deposits such as Blackwater in central BC where reserves of 8.6 million ounces of gold and 57.5 million ounces of silver are associated with the waning stages of Bulkley Suite (88-70) magmatism. Although significant amounts of advanced work such as drilling, trenching and bulk-sampling have been conducted in the Grabben Gold area, the vast majority of this work was focused on the economic potential of the conglomerate bodies and the amount of modern vectoring methods such as soil sampling was extremely limited in both scale and extent, thereby leaving significant potential for a grassroots discovery especially in areas underlain by volcanic to intrusive bodies and fine clastics.

GNAA is an east-west trending 1.0km long and from 100-250m wide Au +/- Ag-As-Bi-Sb soil anomaly open to the east (extending under alluvial cover related to the Indian River) and possibly open to the northwest. Geology underlying GNAA is presumed to consist of a mixed sequence of variably limonitic bleached, brecciated and clay altered intermediate quartz biotite intrusive and fine clastics. Several strong trenching targets exist within GNAA, with their overall characteristics suggestive of targets 20-50m in width. Sampling designed to test for westerly extensions to GNAA was hampered by the presence of sporadic permafrost.

Recommendations – Further work at Grabben is highly recommended. Initial efforts should focus on further tight spaced soil sampling within the core of GNAA and at Grabben Main in an effort to better define trenching targets, with this work possibly starting in mid-June pending the progression of spring thaw. Results from this sampling should be used to guide an excavator trenching program at GNAA and Grabben Main which shouldn't begin earlier than early to mid-July to ensure that the ground is sufficiently thawed to allow this work to be completed un-impeded. Based on the results of this work a percussion or reverse circulation drill program should be contemplated as well as further soil sampling to the NW of GNAA.

592500

593000

593500



115-O-11
Scale: 1:5,000

7062500

7062000

GNAA Sample Labels

Soils (Au ppm)

- 0.000 - 0.011
- 0.012 - 0.018
- 0.019 - 0.030
- 0.031 - 0.049
- 0.050 - 0.416

Rocks (Au ppm)


- 0.000 - 0.099
- 0.100 - 0.499
- 0.500 - 4.000

— Grabben Claim Outline

0 50 100 150 m



fig 9



2018 Western Extension to GNAA
(in red)

Old Pits

Old Pits

A

B

C

GNAA Outline
(2017 work)

Approximate outlines of
Insets A, B and C

592500

593000

593500



115-O-11
Scale: 1:5,000

7062500

7062000

GNAA Au Map

Soils (Au ppm)

- 0.000 - 0.011
- 0.012 - 0.018
- 0.019 - 0.030
- 0.031 - 0.049
- 0.050 - 0.416


Rocks (Au ppm)

- 0.000 - 0.099
- 0.100 - 0.499
- 0.500 - 4.000


— Grabben Claim Outline

0 50 100 150 m

fig 10



2018 Western Extension to GNAA
(in red)



Approximate outlines of
Insets A, B and C

GNAA Outline
(2017 work)

592500

593000

593500



115-O-11
Scale: 1:5,000

7062500

7062000

GNAA As Map

Soils (As ppm)

- 0.0 - 51.0
- 52.0 - 109.0
- 110.0 - 179.0
- 180.0 - 299.0
- 300.0 - 700.0


Rocks (As ppm)

- 0 - 299
- 300 - 599
- 600 - 4000

— Grabben Claim Outline

0 50 100 150 m

fig 11



2018 Western Extension to GNAA
(in red)

Old Pits

Old Pits

A

B

C

GNAA Outline
(2017 work)

Approximate outlines of
Insets A, B and C

594000

594500



115-O-11
Scale: 1:5,000

Grabben East

GSS-15
GSS-21
GSS-14
GSS-20
GSS-19
GSS-16
GSS-17
GSS-18

DGD-09

DGD-10

DGD-11

DGD-12

DGD-13

DGD-14

DGD-15

DGD-16

DGD-17

DGD-18

DGD-19

DGD-20

GSS-10

GSS-09

GSS-08

GSS-07

GSS-06

GSS-05

GSS-04

GSS-03

GSS-02

DGD-08

DGD-07

DGD-06

DGD-05

DGD-04

DGD-03

DGD-02

DGD-01

2018 Eastern Extension to GNAA
(in red)

Approximate
Western Extent Of
Indian River Alluvial Deposits

GNAA Outline
(2017 work in black)

PKGR-01,02,03,04,05
PKGD-04 PKGD-03
PKGD-01
PKGD-02

GSS-01

Grabben East Sample Label Map

Soils (Au ppm)

- 0.000 - 0.011
- 0.012 - 0.018
- 0.019 - 0.030
- 0.031 - 0.049
- 0.050 - 0.416

Rocks (Au ppm)

- 0.000 - 0.099
- 0.100 - 0.499
- 0.500 - 4.000

Grabben Claim Outline

0 75 150 m



fig 12

7062000

7061500

594000

594500



115-O-11
Scale: 1:5,000

Grabben East

2018 Eastern Extension to GNAA
(in red)

Approximate
Western Extent Of
Indian River Alluvial Deposits

GNAA Outline
(2017 work in black)

Grabben East Au Map

Soils (Au ppm)

- 0.000 - 0.011
- 0.012 - 0.018
- 0.019 - 0.030
- 0.031 - 0.049
- 0.050 - 0.416

Rocks (Au ppm)


- 0.000 - 0.099
- 0.100 - 0.499
- 0.500 - 4.000

— Grabben Claim Outline

0 75 150 m

7062000

7061500



594000

594500



115-O-11
Scale: 1:5,000

Grabben East

393,157,72,24,233,692,113,779,37

2018 Eastern Extension to GNAA
(in red)

Approximate
Western Extent Of
Indian River Alluvial Deposits

GNAA Outline
(2017 work in black)

Grabben East As Map

Soils (As ppm)

- 0.0 - 51.0
- 52.0 - 109.0
- 110.0 - 179.0
- 180.0 - 299.0
- 300.0 - 700.0

Rocks (As ppm)

- 0 - 299
- 300 - 599
- 600 - 4000

— Grabben Claim Outline

0 75 150 m

fig 14

7062000

7061500

53

72

75

64

65

91

71

127

159

129

70

153

32

52

89

66

74

47

64

77

52

54

81

77

83

144

61

93

54

64

64

69

93

52

77

77

140

209

49

64

64

88





245,2733,40,160,443





132 88





94

117

37







2018 Grabben Gold Rock Samples

| Sample | NAD83/E | NAD83/N | Descriptions | Au | Mo | Ag | As | Sb | Bi |
|---------|---------|---------|---|--------|----|------|------|----|----|
| GGBR-01 | 593199 | 7061850 | vuggy pitted lim bleached and clay alt silicic qtz rich int or clastic | 0.006 | 2 | 0.4 | 193 | <3 | 6 |
| GGBR-02 | 593199 | 7061850 | bleached qtz biotite int with lim and oxides on fracs and faces | 0.05 | 3 | <0.3 | 111 | 5 | 8 |
| GGBR-03 | 593199 | 7061850 | fine qtz rich clastic with poss graphite specks, weak lim stkwrk | 0.009 | <1 | 0.7 | 368 | 8 | 8 |
| GGBR-04 | 593199 | 7061850 | vuggy silicic clay alt and weakly lim bleached fine qtz rich int or clastic | 0.005 | 2 | 1.1 | 54 | 7 | 8 |
| GGBR-05 | 593299 | 7062053 | un-alt intermediate qtz biotite int silicic weakly clay alt lim on fracs | 0.01 | 2 | <0.3 | 4 | <3 | <3 |
| GGBR-06 | 593299 | 7062053 | as above with more bleaching more clay more lim | 0.012 | 1 | <0.3 | 6 | <3 | <3 |
| GGBR-07 | 593299 | 7062053 | a completely alt punky/leached and lim qtz biotite intrusive | 0.291 | 3 | 0.5 | 18 | <3 | 14 |
| GGBR-08 | 593096 | 7062150 | fine grey clastic lim on fracs poss scorodite | <0.005 | <1 | <0.3 | 27 | <3 | <3 |
| GGBR-09 | 593096 | 7062150 | weathered sandstone yellow to red lim in matrix | 0.042 | <1 | <0.3 | 728 | <3 | 5 |
| GGBR-10 | 593096 | 7062150 | bleached and leached white sandstone with patchy lim | 0.426 | <1 | 0.4 | 233 | <3 | 28 |
| GGBR-11 | 593096 | 7062150 | weakly clay alt and lim qtz ped cong | <0.005 | <1 | <0.3 | 7 | <3 | <3 |
| GGBR-12 | 593096 | 7062150 | weakly clay alt weathered white sandstone with lim diss and patchy | 0.01 | <1 | <0.3 | 101 | <3 | 4 |
| GGBR-13 | 593096 | 7062150 | dacite with patchy lim and poss epidote | 0.005 | <1 | <0.3 | 23 | <3 | <3 |
| GGBR-14 | 593096 | 7062150 | vfg dark rock with minor lim and poss epidote | 0.006 | <1 | <0.3 | 24 | <3 | <3 |
| GGBR-15 | 593096 | 7062150 | weakly sericite alt and lim sandstone, sericite may be primary | 0.006 | <1 | <0.3 | 122 | <3 | <3 |
| KGR-01 | 592901 | 7062248 | variably limonitic qtz pebble conglomerate | <0.005 | <1 | <0.3 | 8 | <3 | <3 |
| KGR-02 | 592901 | 7062248 | variably limonitic qtz pebble conglomerate | <0.005 | <1 | <0.3 | 59 | <3 | <3 |
| PKGR-01 | 594448 | 7061929 | variably lim sandstone | 0.019 | 1 | 0.9 | 245 | 4 | <3 |
| PKGR-02 | 594448 | 7061929 | brx and lim qtz vn or qtz cobble conglomerate | 0.034 | 3 | 1.4 | 2733 | 34 | <3 |
| PKGR-03 | 594448 | 7061929 | blue-grey sandstone or volcanic sandstone | 0.007 | 2 | <0.3 | 40 | <3 | <3 |
| PKGR-04 | 594448 | 7061929 | relatively fresh intermediate int | <0.005 | 2 | <0.3 | 160 | <3 | <3 |
| PKGR-05 | 594448 | 7061929 | bleached and lim version of above | 0.016 | 2 | 1.1 | 443 | <3 | <3 |
| PKGR-06 | 593985 | 7062302 | variably lim pitted qtz peb conglomerate | 0.005 | <1 | 0.4 | 393 | <3 | <3 |
| PKGR-07 | 593985 | 7062302 | as above fine pebbles to coarse sandstone | <0.005 | 1 | 1.5 | 157 | <3 | <3 |
| PKGR-08 | 593985 | 7062302 | coarse sandstone with weak stkwrk of qtz lim lined fracs | <0.005 | 3 | 0.4 | 72 | <3 | <3 |
| PKGR-09 | 593985 | 7062302 | relatively fresh and un-alt fine grained biotite andesite | <0.005 | 2 | 0.6 | 24 | <3 | <3 |
| PKGR-10 | 593985 | 7062302 | bleached leached lim version of above poss trace scorodite | <0.005 | 4 | <0.3 | 233 | <3 | <3 |
| PKGR-11 | 593985 | 7062302 | sandstone cut by two 2mm wide vuggy qv with lim, veins are weathered | 0.028 | <1 | 4 | 692 | <3 | 4 |
| PKGR-12 | 593985 | 7062302 | moderately to intensely lim alt and bleached sandstone | <0.005 | 1 | <0.3 | 113 | <3 | 4 |
| PKGR-13 | 593985 | 7062302 | lim and goethite cemented brx siltstone | 0.006 | 4 | <0.3 | 779 | 10 | <3 |
| PKGR-14 | 593985 | 7062302 | ?rock with fine lim frac stkwrk fe-carb and sericite alt adjacent to fracs | <0.005 | 5 | <0.3 | 37 | <3 | <3 |

2018 Grabben Soils

| Sample | Type | NAD83/E | NAD83/N | Descriptions | Au | Mo | Ag | As | Sb | Bi |
|----------|------|---------|---------|--|--------|----|------|-----|----|----|
| DGD-01 | Soil | 593601 | 7061751 | Frozen B horizon material | 0.011 | 1 | 0.3 | 32 | <3 | <3 |
| DGD-02 | Soil | 593600 | 7061800 | Frozen B horizon material | 0.036 | 2 | 0.7 | 153 | <3 | <3 |
| DGD-03 | Soil | 593601 | 7061852 | | 0.043 | 1 | <0.3 | 70 | <3 | <3 |
| DGD-04 | Soil | 593600 | 7061900 | | 0.034 | 2 | 0.5 | 129 | <3 | <3 |
| DGD-05 | Soil | 593600 | 7061950 | | 0.043 | 1 | 0.6 | 159 | <3 | <3 |
| DGD-06 | Soil | 593599 | 7061999 | | 0.011 | <1 | 0.5 | 127 | <3 | <3 |
| DGD-07 | Soil | 593599 | 7062050 | | 0.01 | 1 | 0.3 | 71 | <3 | <3 |
| DGD-08 | Soil | 593600 | 7062101 | | 0.011 | 1 | 0.4 | 91 | <3 | <3 |
| DGD-09 | Soil | 593800 | 7062350 | | 0.012 | 8 | 0.4 | 53 | <3 | <3 |
| DGD-10 | Soil | 593800 | 7062301 | | 0.013 | 3 | 0.5 | 72 | <3 | <3 |
| DGD-11 | Soil | 593800 | 7062251 | | 0.013 | 3 | 1.1 | 75 | <3 | <3 |
| DGD-12 | Soil | 593800 | 7062200 | | 0.011 | 1 | <0.3 | 64 | <3 | <3 |
| DGD-13 | Soil | 593800 | 7062150 | | 0.011 | 2 | <0.3 | 65 | <3 | <3 |
| DGD-14 | Soil | 593800 | 7062100 | | 0.011 | 1 | <0.3 | 59 | <3 | <3 |
| DGD-15 | Soil | 593801 | 7062050 | | 0.053 | 1 | <0.3 | 69 | <3 | <3 |
| DGD-16 | Soil | 593800 | 7062001 | | 0.021 | <1 | <0.3 | 69 | <3 | <3 |
| DGD-17 | Soil | 593800 | 7061949 | | 0.243 | 1 | <0.3 | 81 | <3 | <3 |
| DGD-18 | Soil | 593797 | 7061899 | | 0.013 | 1 | <0.3 | 77 | <3 | <3 |
| DGD-19 | Soil | 593800 | 7061849 | | 0.036 | 2 | 0.7 | 144 | 3 | <3 |
| DGD-20 | Soil | 593986 | 7061849 | handle deep at heli pad, likely alluvial | 0.012 | 4 | 0.5 | 140 | 4 | <3 |
| GGBD-01 | Soil | 593196 | 7061844 | clayey soil with rusty fragments | 0.023 | <1 | 0.3 | 181 | 5 | <3 |
| GGBD-02 | Soil | 593193 | 7061853 | yellow clay rich c horizon | 0.134 | 2 | 0.9 | 594 | 13 | 7 |
| GGBD-03 | Soil | 593202 | 7061858 | clayey soil with rusty fragments | 0.029 | 2 | 0.7 | 111 | 9 | 7 |
| GGBD-04 | Soil | 593199 | 7061850 | | 0.184 | 2 | 0.4 | 203 | 4 | <3 |
| GGBD-04A | Soil | 593248 | 7061997 | old trench at this site | 0.055 | 2 | 0.4 | 165 | 8 | 7 |
| GGBD-05 | Soil | 593302 | 7062057 | | 0.145 | 3 | 0.8 | 200 | 5 | 5 |
| GGBD-06 | Soil | 593289 | 7062040 | | 0.026 | 2 | <0.3 | 40 | <3 | <3 |
| GGBD-07 | Soil | 593296 | 7062049 | | 0.157 | 3 | 0.4 | 101 | <3 | <3 |
| GGBD-08 | Soil | 593286 | 7062055 | | 0.101 | 3 | 0.4 | 41 | <3 | <3 |
| GGBD-09 | Soil | 593277 | 7062060 | | 0.026 | 3 | <0.3 | 30 | <3 | <3 |
| GGBD-10 | Soil | 593096 | 7062150 | | 0.176 | 2 | <0.3 | 192 | <3 | <3 |
| GGBD-11 | Soil | 593000 | 7062150 | mostly sed and clastics in soil hole | 0.04 | <1 | <0.3 | 89 | <3 | <3 |
| GGBD-12 | Soil | 593031 | 7062156 | mostly interm intrusive in soil hole | 0.185 | 1 | 0.3 | 244 | 4 | 33 |
| GGBD-13 | Soil | 593235 | 7062050 | qtz peb congl outcrops nearby, heli pad | <0.005 | 1 | <0.3 | 28 | <3 | <3 |
| GSS-01 | Soil | 594750 | 7062029 | | 0.009 | 1 | <0.3 | 37 | <3 | <3 |
| GSS-02 | Soil | 593698 | 7061750 | | 0.027 | 1 | <0.3 | 49 | <3 | <3 |
| GSS-03 | Soil | 593698 | 7061801 | | 0.048 | 2 | 0.6 | 209 | <3 | 4 |
| GSS-04 | Soil | 593698 | 7061847 | | 0.019 | 1 | 0.4 | 83 | <3 | <3 |
| GSS-05 | Soil | 593697 | 7061901 | | 0.026 | 2 | 0.4 | 77 | <3 | <3 |
| GSS-06 | Soil | 593699 | 7061952 | | 0.007 | <1 | <0.3 | 54 | <3 | <3 |
| GSS-07 | Soil | 593700 | 7062002 | | 0.009 | <1 | <0.3 | 52 | <3 | <3 |
| GSS-08 | Soil | 593700 | 7062050 | | 0.087 | 1 | <0.3 | 93 | <3 | <3 |
| GSS-09 | Soil | 593700 | 7062100 | | 0.008 | 1 | <0.3 | 77 | <3 | <3 |
| GSS-10 | Soil | 593697 | 7062153 | | 0.013 | 2 | 0.4 | 64 | <3 | <3 |
| GSS-11 | Soil | 593899 | 7062150 | | 0.006 | <1 | <0.3 | 47 | <3 | <3 |
| GSS-12 | Soil | 593898 | 7062200 | | 0.059 | 1 | <0.3 | 74 | <3 | <3 |
| GSS-13 | Soil | 593897 | 7062252 | | 0.018 | 2 | <0.3 | 66 | <3 | <3 |
| GSS-14 | Soil | 593898 | 7062301 | | 0.016 | 4 | 0.4 | 89 | 5 | <3 |
| GSS-15 | Soil | 593900 | 7062351 | | 0.015 | 4 | 0.3 | 52 | <3 | <3 |
| GSS-16 | Soil | 593999 | 7062303 | possible alluvial mixed with talus | 0.011 | 2 | <0.3 | 64 | <3 | <3 |
| GSS-17 | Soil | 594002 | 7062275 | possible alluvial mixed with talus | 0.008 | 2 | <0.3 | 64 | <3 | <3 |
| GSS-18 | Soil | 594000 | 7062251 | possible alluvial mixed with talus | 0.021 | 2 | <0.3 | 88 | <3 | <3 |

| Sample | Type | NAD83/E | NAD83/N | Descriptions | Au | Mo | Ag | As | Sb | Bi |
|--------|------|---------|---------|---------------------------|-------|----|------|-----|----|----|
| GSS-19 | Soil | 593948 | 7062275 | | 0.013 | 2 | <0.3 | 54 | <3 | <3 |
| GSS-20 | Soil | 593950 | 7062300 | | 0.03 | 3 | <0.3 | 93 | 3 | <3 |
| GSS-21 | Soil | 593950 | 7062324 | | 0.019 | 3 | 0.4 | 61 | <3 | <3 |
| KGD-01 | Soil | 592600 | 7062000 | Frozen B horizon material | 0.012 | 2 | <0.3 | 26 | <3 | <3 |
| KGD-02 | Soil | 592601 | 7062051 | muddy c-b | 0.013 | 1 | <0.3 | 17 | <3 | <3 |
| KGD-03 | Soil | 592599 | 7062100 | frozen c-b | 0.008 | 2 | <0.3 | 14 | <3 | <3 |
| KGD-04 | Soil | 592599 | 7062150 | nice c | 0.011 | 2 | <0.3 | 53 | <3 | <3 |
| KGD-05 | Soil | 592600 | 7062201 | frozen c-b | 0.007 | <1 | <0.3 | 21 | <3 | <3 |
| KGD-06 | Soil | 592600 | 7062250 | frozen b | 0.01 | <1 | <0.3 | 20 | <3 | <3 |
| KGD-07 | Soil | 592600 | 7062298 | frozen c-b | 0.046 | 1 | <0.3 | 19 | <3 | <3 |
| KGD-08 | Soil | 592601 | 7062350 | frozen c-b | 0.011 | <1 | <0.3 | 24 | <3 | <3 |
| KGD-09 | Soil | 592600 | 7062401 | frozen c-b | 0.008 | <1 | <0.3 | 24 | <3 | <3 |
| KGD-10 | Soil | 592900 | 7062400 | | 0.024 | <1 | 0.5 | 60 | <3 | <3 |
| KGD-11 | Soil | 592899 | 7062350 | | 0.043 | 1 | 0.5 | 486 | 10 | 8 |
| KGD-12 | Soil | 592900 | 7062301 | | 0.048 | <1 | <0.3 | 99 | <3 | 4 |
| KGD-13 | Soil | 592901 | 7062248 | | 0.016 | <1 | <0.3 | 33 | <3 | <3 |
| KGD-14 | Soil | 592900 | 7062200 | | 0.062 | <1 | <0.3 | 30 | <3 | <3 |
| KGD-15 | Soil | 592900 | 7062151 | | 0.011 | <1 | <0.3 | 32 | <3 | <3 |
| KGD-16 | Soil | 592899 | 7062099 | | 0.011 | <1 | <0.3 | 23 | <3 | <3 |
| KGD-17 | Soil | 592901 | 7062048 | | 0.006 | <1 | <0.3 | 16 | <3 | <3 |
| KGD-18 | Soil | 592902 | 7062000 | | 0.011 | <1 | <0.3 | 26 | <3 | <3 |
| KGD-19 | Soil | 593002 | 7062053 | | 0.021 | <1 | <0.3 | 38 | <3 | <3 |
| KGD-20 | Soil | 593006 | 7062065 | | 0.008 | <1 | <0.3 | 27 | <3 | <3 |
| KGD-21 | Soil | 593013 | 7062076 | | 0.014 | <1 | <0.3 | 35 | <3 | <3 |
| KGD-22 | Soil | 593021 | 7062087 | | 0.015 | <1 | <0.3 | 48 | <3 | <3 |
| KGD-23 | Soil | 593027 | 7062100 | | 0.059 | <1 | <0.3 | 113 | <3 | 5 |
| KGD-24 | Soil | 593032 | 7062115 | | 0.024 | <1 | <0.3 | 62 | <3 | <3 |
| KGD-25 | Soil | 593041 | 7062122 | | 0.102 | 1 | 0.3 | 247 | 8 | 22 |
| KGD-26 | Soil | 593049 | 7062137 | | 0.051 | <1 | <0.3 | 130 | <3 | 10 |
| KGD-27 | Soil | 593057 | 7062149 | | 0.025 | <1 | <0.3 | 47 | <3 | <3 |
| KGD-28 | Soil | 593062 | 7062163 | | 0.16 | <1 | <0.3 | 140 | <3 | 8 |
| KGD-29 | Soil | 593069 | 7062175 | | 0.415 | <1 | <0.3 | 50 | <3 | <3 |
| KGD-30 | Soil | 593075 | 7062183 | | 0.266 | <1 | 0.3 | 353 | <3 | 4 |
| KGD-31 | Soil | 593080 | 7062194 | | 0.204 | <1 | <0.3 | 160 | <3 | <3 |
| KGD-32 | Soil | 593086 | 7062204 | | 0.095 | <1 | <0.3 | 73 | <3 | <3 |
| KGD-33 | Soil | 593092 | 7062214 | | 0.076 | 2 | 0.6 | 195 | <3 | 5 |
| KGD-34 | Soil | 593100 | 706226 | | 0.079 | 2 | 1.2 | 546 | 9 | 5 |
| KGD-35 | Soil | 593105 | 7062236 | | 0.023 | 2 | 1 | 130 | 6 | <3 |
| KGD-36 | Soil | 593095 | 7062145 | | 0.358 | 2 | 2 | 143 | <3 | 8 |
| KGD-37 | Soil | 593109 | 7062149 | | 0.034 | 1 | <0.3 | 190 | <3 | <3 |
| KGD-38 | Soil | 593107 | 7062165 | | 0.065 | 1 | <0.3 | 83 | <3 | <3 |
| NGD-01 | Soil | 592700 | 7062001 | | 0.009 | 1 | <0.3 | 26 | <3 | <3 |
| NGD-02 | Soil | 592700 | 7062051 | | 0.019 | <1 | <0.3 | 23 | <3 | <3 |
| NGD-03 | Soil | 592701 | 7062099 | | 0.007 | <1 | <0.3 | 19 | <3 | <3 |
| NGD-04 | Soil | 592701 | 7062152 | | 0.011 | <1 | <0.3 | 16 | <3 | <3 |
| NGD-05 | Soil | 592702 | 7062201 | | 0.019 | 1 | <0.3 | 23 | <3 | <3 |
| NGD-06 | Soil | 592701 | 7062251 | | 0.012 | <1 | <0.3 | 26 | <3 | <3 |
| NGD-07 | Soil | 592701 | 7062299 | | 0.011 | <1 | 0.4 | 38 | <3 | 4 |
| NGD-08 | Soil | 592699 | 7062349 | | 0.017 | <1 | 0.3 | 46 | <3 | 3 |
| NGD-09 | Soil | 592702 | 7062399 | | 0.016 | <1 | 0.4 | 75 | <3 | 4 |
| NGD-10 | Soil | 592800 | 7062400 | | 0.019 | <1 | <0.3 | 63 | <3 | <3 |
| NGD-11 | Soil | 592800 | 7062348 | | 0.02 | <1 | <0.3 | 71 | <3 | 3 |
| NGD-12 | Soil | 592799 | 7062300 | | 0.025 | 1 | <0.3 | 117 | <3 | 15 |
| NGD-13 | Soil | 592800 | 7062250 | | 0.012 | <1 | <0.3 | 38 | <3 | <3 |

| Sample | Type | NAD83/E | NAD83/N | Descriptions | Au | Mo | Ag | As | Sb | Bi |
|---------|------|---------|---------|--|-------|----|------|-----|----|----|
| NGD-14 | Soil | 592801 | 7062199 | | 0.013 | <1 | <0.3 | 39 | <3 | <3 |
| NGD-15 | Soil | 592798 | 7062151 | | 0.009 | <1 | <0.3 | 21 | <3 | <3 |
| NGD-16 | Soil | 592802 | 7062100 | | 0.008 | <1 | <0.3 | 16 | <3 | <3 |
| NGD-17 | Soil | 592800 | 7062050 | | 0.009 | <1 | <0.3 | 23 | <3 | <3 |
| NGD-18 | Soil | 592800 | 7062000 | | 0.025 | <1 | <0.3 | 35 | <3 | <3 |
| PKGD-01 | Soil | 594448 | 7061929 | possible fluvial matter mixed with talus | 0.011 | 2 | <0.3 | 94 | <3 | <3 |
| PKGD-02 | Soil | 594450 | 7061921 | possible fluvial matter mixed with talus | 0.017 | 1 | <0.3 | 117 | <3 | <3 |
| PKGD-03 | Soil | 594454 | 7061946 | possible fluvial matter mixed with talus | 0.014 | 2 | 0.3 | 88 | <3 | <3 |
| PKGD-04 | Soil | 594431 | 7061949 | possible fluvial matter mixed with talus | 0.02 | 2 | <0.3 | 132 | <3 | <3 |

Statement Of Qualifications

I Bernie Kreft directed and participated in the exploration work described herein.

I have 31 years prospecting experience in the Yukon and BC.

This report is based on fieldwork directed or conducted by the author, and includes information from various publicly available assessment reports.

This report is based on fieldwork completed July 6th to July 29th of the 2018 field season.

This report is based on fieldwork completed on the Grabben Project

Respectfully submitted,

Bernie Kreft

Cost Statement

| | |
|---|----------------------------|
| Fireweed Helicopters 1.0 hour | = \$1,411.83 |
| TNTA Helicopters 2.4 hours | = \$3,035.60 |
| Assaying 115 soils and 31 rocks (30g Au fire assay, 35 element icp) | = \$3,867.66 |
| Wages Bernie Kreft 5 man days x \$350/day | = \$1,750.00 |
| Wages Justin Kreft 5 man days x \$350/day | = \$1,750.00 |
| Wages Jarret Kreft 5 man days x \$350/day | = \$1,750.00 |
| Food, field and Camp 15 man days \$100/day | = \$1,500.00 |
| Truck Travel 2 round trips Whitehorse-Dawson + around Dawson 2150km x \$0.60/km | = \$1,290.00 |
| Report Prep | = <u>\$2,500.00</u> |
| | TOTAL = \$18,855.09 |



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Kreft, Bernie

1 Locust Place

Whitehorse Yukon Y1A 5G9 Canada

Submitted By: Bernie Kreft

Receiving Lab: Canada-Whitehorse

Received: July 13, 2018

Report Date: August 08, 2018

Page: 1 of 10

CERTIFICATE OF ANALYSIS

WHI18000338.1

CLIENT JOB INFORMATION

Project: None Given
Shipment ID:
P.O. Number
Number of Samples: 266

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Kreft, Bernie
1 Locust Place
Whitehorse Yukon Y1A 5G9
Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

| Procedure Code | Number of Samples | Code Description | Test Wgt (g) | Report Status | Lab |
|----------------|-------------------|---|--------------|---------------|-----|
| DY060 | 265 | Dry at 60C | | | WHI |
| SS80 | 265 | Dry at 60C sieve 100g to -80 mesh | | | WHI |
| FA430 | 265 | Lead Collection Fire - Assay Fusion - AAS Finish | 30 | Completed | VAN |
| EN002 | 265 | Environmental disposal charge-Fire assay lead waste | | | VAN |
| AQ300 | 263 | 1:1:1 Aqua Regia digestion ICP-ES analysis | 0.5 | Completed | VAN |
| DISPL | 265 | Disposal of pulps | | | VAN |
| SHP01 | 265 | Per sample shipping charges for branch shipments | | | VAN |

ADDITIONAL COMMENTS


JEFFREY CANNON
Geochemistry Department Supervisor

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Kreft, Bernie
1 Locust Place
Whitehorse Yukon Y1A 5G9 Canada

Project: None Given
Report Date: August 08, 2018

Page: 2 of 10

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000338.1

| Method | FA430 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | |
|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----|
| Analyte | Au | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | Th | Sr | Cd | Sb | Bi | V | Ca | P | La | |
| Unit | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | % | ppm | |
| MDL | 0.005 | 1 | 1 | 3 | 1 | 0.3 | 1 | 1 | 2 | 0.01 | 2 | 2 | 1 | 0.5 | 3 | 3 | 1 | 0.01 | 0.001 | 1 | |
| NGD-01 | Soil | 0.009 | 1 | 15 | 12 | 70 | <0.3 | 13 | 7 | 369 | 1.96 | 26 | 8 | 13 | <0.5 | <3 | <3 | 24 | 0.11 | 0.027 | 28 |
| NGD-02 | Soil | 0.019 | <1 | 13 | 8 | 33 | <0.3 | 10 | 3 | 118 | 1.42 | 23 | 5 | 16 | <0.5 | <3 | <3 | 23 | 0.16 | 0.028 | 22 |
| NGD-03 | Soil | 0.007 | <1 | 15 | <3 | 31 | <0.3 | 9 | 3 | 123 | 1.35 | 19 | 7 | 13 | <0.5 | <3 | <3 | 17 | 0.12 | 0.022 | 27 |
| NGD-04 | Soil | 0.011 | <1 | 10 | <3 | 26 | <0.3 | 9 | 4 | 126 | 1.67 | 16 | 6 | 12 | <0.5 | <3 | <3 | 30 | 0.10 | 0.014 | 18 |
| NGD-05 | Soil | 0.019 | 1 | 21 | 5 | 35 | <0.3 | 13 | 4 | 158 | 1.85 | 23 | 7 | 23 | <0.5 | <3 | <3 | 27 | 0.22 | 0.037 | 25 |
| NGD-06 | Soil | 0.012 | <1 | 30 | 4 | 50 | <0.3 | 12 | 4 | 180 | 2.25 | 26 | 7 | 19 | <0.5 | <3 | <3 | 34 | 0.18 | 0.034 | 21 |
| NGD-07 | Soil | 0.011 | <1 | 29 | 3 | 34 | 0.4 | 11 | 4 | 122 | 1.83 | 38 | 7 | 18 | <0.5 | <3 | 4 | 25 | 0.16 | 0.028 | 25 |
| NGD-08 | Soil | 0.017 | <1 | 31 | <3 | 37 | 0.3 | 12 | 4 | 162 | 1.98 | 46 | 6 | 21 | <0.5 | <3 | 3 | 29 | 0.20 | 0.038 | 20 |
| NGD-09 | Soil | 0.016 | <1 | 34 | 5 | 41 | 0.4 | 15 | 5 | 153 | 2.46 | 75 | 5 | 23 | <0.5 | <3 | 4 | 34 | 0.20 | 0.043 | 20 |
| NGD-10 | Soil | 0.019 | <1 | 22 | <3 | 26 | <0.3 | 10 | 4 | 98 | 1.63 | 63 | 6 | 19 | <0.5 | <3 | <3 | 27 | 0.16 | 0.022 | 21 |
| NGD-11 | Soil | 0.020 | <1 | 33 | 4 | 33 | <0.3 | 12 | 5 | 137 | 2.36 | 71 | 7 | 22 | <0.5 | <3 | 3 | 32 | 0.15 | 0.035 | 22 |
| NGD-12 | Soil | 0.025 | 1 | 68 | 4 | 37 | <0.3 | 14 | 6 | 185 | 3.22 | 117 | 9 | 20 | <0.5 | <3 | 15 | 38 | 0.10 | 0.046 | 28 |
| NGD-13 | Soil | 0.012 | <1 | 24 | 4 | 35 | <0.3 | 12 | 4 | 152 | 2.44 | 38 | 5 | 17 | <0.5 | <3 | <3 | 38 | 0.14 | 0.033 | 16 |
| NGD-14 | Soil | 0.013 | <1 | 22 | 4 | 24 | <0.3 | 10 | 4 | 118 | 1.72 | 39 | 6 | 15 | <0.5 | <3 | <3 | 27 | 0.13 | 0.020 | 22 |
| NGD-15 | Soil | 0.009 | <1 | 16 | <3 | 24 | <0.3 | 9 | 3 | 112 | 1.47 | 21 | 7 | 14 | <0.5 | <3 | <3 | 22 | 0.11 | 0.018 | 21 |
| NGD-16 | Soil | 0.008 | <1 | 15 | <3 | 27 | <0.3 | 10 | 3 | 110 | 1.34 | 16 | 7 | 12 | <0.5 | <3 | <3 | 16 | 0.13 | 0.019 | 26 |
| NGD-17 | Soil | 0.009 | <1 | 12 | 6 | 30 | <0.3 | 8 | 3 | 108 | 1.16 | 23 | 7 | 13 | <0.5 | <3 | <3 | 14 | 0.10 | 0.014 | 25 |
| NGD-18 | Soil | 0.025 | <1 | 13 | 6 | 30 | <0.3 | 8 | 3 | 116 | 1.28 | 35 | 7 | 13 | <0.5 | <3 | <3 | 16 | 0.12 | 0.019 | 26 |
| GGBD-01 | Soil | 0.023 | <1 | 24 | 4 | 20 | 0.3 | 7 | 3 | 108 | 1.63 | 181 | 7 | 18 | <0.5 | 5 | <3 | 22 | 0.11 | 0.022 | 23 |
| GGBD-02 | Soil | 0.134 | 2 | 105 | 14 | 31 | 0.9 | 5 | 3 | 99 | 4.02 | 594 | 9 | 57 | <0.5 | 13 | 7 | 39 | 0.07 | 0.068 | 27 |
| GGBD-03 | Soil | 0.029 | 2 | 42 | 10 | 43 | 0.7 | 11 | 5 | 205 | 4.17 | 111 | 5 | 32 | <0.5 | 9 | 7 | 45 | 0.10 | 0.055 | 21 |
| GGBD-04 | Soil | 0.184 | 2 | 60 | 8 | 23 | 0.4 | 6 | 3 | 94 | 3.70 | 203 | 13 | 34 | <0.5 | 4 | <3 | 24 | 0.04 | 0.050 | 32 |
| GGBD-4A | Soil | 0.055 | 2 | 46 | 8 | 48 | 0.4 | 9 | 5 | 196 | 4.68 | 165 | 6 | 25 | <0.5 | 8 | 7 | 48 | 0.07 | 0.069 | 21 |
| GGBD-05 | Soil | 0.145 | 3 | 131 | 13 | 24 | 0.8 | 6 | 2 | 115 | 5.22 | 200 | 10 | 69 | <0.5 | 5 | 5 | 51 | 0.09 | 0.122 | 42 |
| GGBD-06 | Soil | 0.026 | 2 | 40 | 4 | 30 | <0.3 | 13 | 7 | 162 | 3.63 | 40 | 8 | 44 | <0.5 | <3 | <3 | 62 | 0.10 | 0.036 | 20 |
| GGBD-07 | Soil | 0.157 | 3 | 74 | 8 | 35 | 0.4 | 10 | 5 | 143 | 5.35 | 101 | 8 | 62 | <0.5 | <3 | <3 | 72 | 0.06 | 0.073 | 25 |
| GGBD-08 | Soil | 0.101 | 3 | 94 | 10 | 27 | 0.4 | 9 | 4 | 98 | 6.43 | 41 | 7 | 72 | <0.5 | <3 | <3 | 58 | 0.06 | 0.083 | 31 |
| GGBD-09 | Soil | 0.026 | 3 | 89 | 11 | 34 | <0.3 | 12 | 6 | 151 | 5.95 | 30 | 8 | 110 | <0.5 | <3 | <3 | 95 | 0.14 | 0.076 | 25 |
| GGBD-10 | Soil | 0.176 | 2 | 70 | 7 | 35 | <0.3 | 13 | 9 | 277 | 4.13 | 192 | 7 | 31 | <0.5 | <3 | <3 | 55 | 0.09 | 0.056 | 22 |



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Kreft, Bernie**
1 Locust Place
Whitehorse Yukon Y1A 5G9 Canada

Project: None Given
Report Date: August 08, 2018

Page: 2 of 10

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000338.1

| Method | Analyte | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 |
|---------|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | Cr | Mg | Ba | Ti | B | Al | Na | K | W | S | Hg | Tl | Ga | Sc |
| Unit | | ppm | % | ppm | % | ppm | % | % | % | ppm | % | ppm | ppm | ppm | ppm |
| MDL | | 1 | 0.01 | 1 | 0.001 | 20 | 0.01 | 0.01 | 0.01 | 2 | 0.05 | 1 | 5 | 5 | 5 |
| NGD-01 | Soil | 13 | 0.18 | 178 | 0.016 | <20 | 0.86 | <0.01 | 0.10 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| NGD-02 | Soil | 14 | 0.21 | 177 | 0.020 | <20 | 0.74 | <0.01 | 0.06 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| NGD-03 | Soil | 10 | 0.13 | 170 | 0.009 | <20 | 0.63 | <0.01 | 0.10 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| NGD-04 | Soil | 15 | 0.24 | 144 | 0.022 | <20 | 1.04 | <0.01 | 0.06 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| NGD-05 | Soil | 16 | 0.29 | 205 | 0.025 | <20 | 1.00 | <0.01 | 0.09 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| NGD-06 | Soil | 19 | 0.29 | 239 | 0.039 | <20 | 1.06 | <0.01 | 0.07 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| NGD-07 | Soil | 15 | 0.23 | 224 | 0.022 | <20 | 0.95 | <0.01 | 0.08 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| NGD-08 | Soil | 17 | 0.26 | 260 | 0.032 | <20 | 0.98 | <0.01 | 0.07 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| NGD-09 | Soil | 19 | 0.29 | 267 | 0.030 | <20 | 1.30 | <0.01 | 0.07 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| NGD-10 | Soil | 15 | 0.23 | 195 | 0.032 | <20 | 0.96 | <0.01 | 0.07 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| NGD-11 | Soil | 15 | 0.23 | 265 | 0.029 | <20 | 0.90 | <0.01 | 0.08 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| NGD-12 | Soil | 14 | 0.15 | 271 | 0.021 | <20 | 0.96 | <0.01 | 0.13 | <2 | 0.05 | <1 | <5 | <5 | <5 |
| NGD-13 | Soil | 18 | 0.29 | 197 | 0.040 | <20 | 1.06 | <0.01 | 0.04 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| NGD-14 | Soil | 16 | 0.25 | 207 | 0.026 | <20 | 0.92 | <0.01 | 0.07 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| NGD-15 | Soil | 13 | 0.21 | 157 | 0.018 | <20 | 0.76 | <0.01 | 0.08 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| NGD-16 | Soil | 10 | 0.15 | 163 | 0.010 | <20 | 0.57 | <0.01 | 0.08 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| NGD-17 | Soil | 8 | 0.13 | 159 | 0.009 | <20 | 0.45 | <0.01 | 0.09 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| NGD-18 | Soil | 10 | 0.15 | 181 | 0.010 | <20 | 0.59 | <0.01 | 0.09 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| GGBD-01 | Soil | 11 | 0.18 | 195 | 0.016 | <20 | 0.76 | <0.01 | 0.09 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| GGBD-02 | Soil | 8 | 0.15 | 450 | 0.021 | <20 | 1.11 | 0.01 | 0.17 | <2 | 0.24 | <1 | <5 | <5 | <5 |
| GGBD-03 | Soil | 18 | 0.27 | 251 | 0.022 | <20 | 1.11 | <0.01 | 0.11 | <2 | 0.12 | <1 | <5 | <5 | <5 |
| GGBD-04 | Soil | 10 | 0.11 | 189 | 0.011 | <20 | 0.70 | 0.02 | 0.13 | <2 | 0.25 | <1 | <5 | <5 | <5 |
| GGBD-4A | Soil | 17 | 0.21 | 287 | 0.022 | <20 | 1.10 | <0.01 | 0.13 | <2 | 0.19 | <1 | <5 | <5 | <5 |
| GGBD-05 | Soil | 15 | 0.37 | 365 | 0.016 | <20 | 1.47 | 0.05 | 0.16 | <2 | 0.32 | <1 | <5 | <5 | <5 |
| GGBD-06 | Soil | 23 | 0.43 | 195 | 0.086 | <20 | 2.07 | 0.01 | 0.06 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| GGBD-07 | Soil | 22 | 0.44 | 300 | 0.049 | <20 | 2.37 | 0.03 | 0.11 | <2 | 0.21 | <1 | <5 | <5 | <5 |
| GGBD-08 | Soil | 20 | 0.29 | 263 | 0.032 | <20 | 1.95 | 0.03 | 0.10 | <2 | 0.19 | <1 | <5 | <5 | <5 |
| GGBD-09 | Soil | 24 | 0.58 | 297 | 0.120 | <20 | 2.85 | 0.03 | 0.06 | <2 | 0.15 | <1 | <5 | <5 | 6 |
| GGBD-10 | Soil | 22 | 0.30 | 178 | 0.023 | <20 | 1.41 | <0.01 | 0.08 | <2 | <0.05 | <1 | <5 | <5 | <5 |



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Kreft, Bernie**
1 Locust Place
Whitehorse Yukon Y1A 5G9 Canada

Project: None Given
Report Date: August 08, 2018

Page: 3 of 10

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000338.1

| Method | Analyte | FA430 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 |
|---------|---------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | Au | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | Th | Sr | Cd | Sb | Bi | V | Ca | P | La |
| Unit | | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | % | % | ppm |
| MDL | | 0.005 | 1 | 1 | 3 | 1 | 0.3 | 1 | 1 | 2 | 0.01 | 2 | 2 | 1 | 0.5 | 3 | 3 | 1 | 0.01 | 0.001 | 1 |
| GGBD-11 | Soil | 0.040 | <1 | 29 | <3 | 26 | <0.3 | 11 | 4 | 134 | 2.03 | 89 | 8 | 14 | <0.5 | <3 | <3 | 28 | 0.10 | 0.017 | 21 |
| GGBD-12 | Soil | 0.185 | 1 | 98 | 9 | 36 | 0.3 | 10 | 5 | 136 | 3.45 | 244 | 7 | 39 | <0.5 | 4 | 33 | 37 | 0.13 | 0.056 | 29 |
| GGBD-13 | Soil | <0.005 | 1 | 25 | 9 | 66 | <0.3 | 30 | 11 | 253 | 3.77 | 28 | 5 | 12 | <0.5 | <3 | <3 | 70 | 0.09 | 0.035 | 12 |
| KGD-01 | Soil | 0.012 | 2 | 20 | 21 | 60 | <0.3 | 13 | 6 | 295 | 2.09 | 26 | 5 | 21 | <0.5 | <3 | <3 | 31 | 0.22 | 0.046 | 24 |
| KGD-02 | Soil | 0.013 | 1 | 16 | 6 | 42 | <0.3 | 12 | 4 | 207 | 1.73 | 17 | 6 | 21 | <0.5 | <3 | <3 | 27 | 0.22 | 0.035 | 23 |
| KGD-03 | Soil | 0.008 | 2 | 19 | 6 | 49 | <0.3 | 13 | 5 | 220 | 2.03 | 14 | 8 | 20 | <0.5 | <3 | <3 | 24 | 0.18 | 0.041 | 31 |
| KGD-04 | Soil | 0.011 | 2 | 22 | 41 | 276 | <0.3 | 20 | 9 | 645 | 3.90 | 53 | 6 | 18 | <0.5 | <3 | <3 | 52 | 0.13 | 0.064 | 29 |
| KGD-05 | Soil | 0.007 | <1 | 20 | 31 | 74 | <0.3 | 17 | 6 | 359 | 2.59 | 21 | 5 | 22 | <0.5 | <3 | <3 | 44 | 0.23 | 0.045 | 20 |
| KGD-06 | Soil | 0.010 | <1 | 18 | 9 | 47 | <0.3 | 12 | 5 | 140 | 1.99 | 20 | <2 | 15 | <0.5 | <3 | <3 | 31 | 0.17 | 0.046 | 17 |
| KGD-07 | Soil | 0.046 | 1 | 25 | 10 | 60 | <0.3 | 14 | 5 | 219 | 2.05 | 19 | 3 | 21 | <0.5 | <3 | <3 | 29 | 0.21 | 0.040 | 24 |
| KGD-08 | Soil | 0.011 | <1 | 24 | 9 | 40 | <0.3 | 13 | 4 | 140 | 1.90 | 24 | 3 | 21 | <0.5 | <3 | <3 | 32 | 0.22 | 0.032 | 21 |
| KGD-09 | Soil | 0.008 | <1 | 18 | 7 | 36 | <0.3 | 10 | 3 | 151 | 1.59 | 24 | 5 | 18 | <0.5 | <3 | <3 | 23 | 0.19 | 0.029 | 24 |
| KGD-10 | Soil | 0.024 | <1 | 23 | 7 | 27 | 0.5 | 10 | 3 | 87 | 1.83 | 60 | <2 | 17 | <0.5 | <3 | <3 | 27 | 0.14 | 0.027 | 20 |
| KGD-11 | Soil | 0.043 | 1 | 30 | 11 | 26 | 0.5 | 9 | 3 | 81 | 1.87 | 486 | 8 | 31 | <0.5 | 10 | 8 | 18 | 0.13 | 0.034 | 28 |
| KGD-12 | Soil | 0.048 | <1 | 26 | 6 | 24 | <0.3 | 9 | 3 | 85 | 1.68 | 99 | 6 | 16 | <0.5 | <3 | 4 | 25 | 0.13 | 0.020 | 19 |
| KGD-13 | Soil | 0.016 | <1 | 33 | 4 | 18 | <0.3 | 7 | 2 | 68 | 1.44 | 33 | 8 | 9 | <0.5 | <3 | <3 | 19 | 0.06 | 0.013 | 23 |
| KGD-14 | Soil | 0.062 | <1 | 27 | 5 | 21 | <0.3 | 8 | 3 | 78 | 1.53 | 30 | 10 | 10 | <0.5 | <3 | <3 | 21 | 0.06 | 0.010 | 26 |
| KGD-15 | Soil | 0.011 | <1 | 22 | 4 | 24 | <0.3 | 10 | 3 | 100 | 1.59 | 32 | 8 | 14 | <0.5 | <3 | <3 | 24 | 0.13 | 0.012 | 22 |
| KGD-16 | Soil | 0.011 | <1 | 16 | 6 | 31 | <0.3 | 11 | 4 | 161 | 1.69 | 23 | 6 | 12 | <0.5 | <3 | <3 | 28 | 0.11 | 0.011 | 21 |
| KGD-17 | Soil | 0.006 | <1 | 15 | 4 | 26 | <0.3 | 10 | 3 | 116 | 1.47 | 16 | 5 | 14 | <0.5 | <3 | <3 | 25 | 0.13 | 0.015 | 18 |
| KGD-18 | Soil | 0.011 | <1 | 18 | 5 | 34 | <0.3 | 10 | 4 | 150 | 1.50 | 26 | 7 | 15 | <0.5 | <3 | <3 | 21 | 0.13 | 0.011 | 25 |
| KGD-19 | Soil | 0.021 | <1 | 28 | 8 | 33 | <0.3 | 13 | 6 | 176 | 2.01 | 38 | 10 | 14 | <0.5 | <3 | <3 | 28 | 0.11 | 0.010 | 28 |
| KGD-20 | Soil | 0.008 | <1 | 21 | 5 | 27 | <0.3 | 11 | 4 | 122 | 1.76 | 27 | 9 | 11 | <0.5 | <3 | <3 | 25 | 0.09 | 0.010 | 25 |
| KGD-21 | Soil | 0.014 | <1 | 26 | 9 | 38 | <0.3 | 16 | 4 | 156 | 1.99 | 35 | 6 | 20 | <0.5 | <3 | <3 | 35 | 0.21 | 0.019 | 19 |
| KGD-22 | Soil | 0.015 | <1 | 36 | 8 | 33 | <0.3 | 13 | 6 | 174 | 2.10 | 48 | 7 | 15 | <0.5 | <3 | <3 | 32 | 0.11 | 0.011 | 21 |
| KGD-23 | Soil | 0.059 | <1 | 35 | 7 | 25 | <0.3 | 9 | 4 | 109 | 1.95 | 113 | 6 | 14 | <0.5 | <3 | 5 | 24 | 0.09 | 0.013 | 20 |
| KGD-24 | Soil | 0.024 | <1 | 35 | 4 | 21 | <0.3 | 10 | 5 | 87 | 1.80 | 62 | 11 | 10 | <0.5 | <3 | <3 | 20 | 0.06 | 0.011 | 25 |
| KGD-25 | Soil | 0.102 | 1 | 69 | 13 | 25 | 0.3 | 7 | 4 | 116 | 3.48 | 247 | 8 | 23 | <0.5 | 8 | 22 | 25 | 0.03 | 0.045 | 29 |
| KGD-26 | Soil | 0.051 | <1 | 48 | 8 | 33 | <0.3 | 11 | 5 | 149 | 2.31 | 130 | 4 | 22 | <0.5 | <3 | 10 | 34 | 0.14 | 0.032 | 20 |
| KGD-27 | Soil | 0.025 | <1 | 51 | 9 | 37 | <0.3 | 13 | 5 | 163 | 2.69 | 47 | 5 | 24 | <0.5 | <3 | <3 | 45 | 0.13 | 0.024 | 21 |



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Kreft, Bernie**
1 Locust Place
Whitehorse Yukon Y1A 5G9 Canada

Project: None Given
Report Date: August 08, 2018

Page: 3 of 10

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000338.1

| Method | Analyte | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 |
|---------|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | Cr | Mg | Ba | Ti | B | Al | Na | K | W | S | Hg | Tl | Ga | Sc |
| Unit | | ppm | % | ppm | % | ppm | % | % | % | ppm | % | ppm | ppm | ppm | ppm |
| MDL | | 1 | 0.01 | 1 | 0.001 | 20 | 0.01 | 0.01 | 0.01 | 2 | 0.05 | 1 | 5 | 5 | 5 |
| GGBD-11 | Soil | 16 | 0.26 | 164 | 0.023 | <20 | 0.88 | <0.01 | 0.07 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| GGBD-12 | Soil | 15 | 0.28 | 270 | 0.027 | <20 | 0.91 | <0.01 | 0.10 | <2 | 0.13 | <1 | <5 | <5 | <5 |
| GGBD-13 | Soil | 37 | 0.54 | 260 | 0.054 | <20 | 2.75 | <0.01 | 0.09 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| KGD-01 | Soil | 17 | 0.24 | 249 | 0.018 | <20 | 0.96 | <0.01 | 0.08 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| KGD-02 | Soil | 16 | 0.24 | 269 | 0.023 | <20 | 0.88 | <0.01 | 0.06 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| KGD-03 | Soil | 14 | 0.22 | 194 | 0.013 | <20 | 0.90 | <0.01 | 0.09 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| KGD-04 | Soil | 26 | 0.28 | 302 | 0.016 | <20 | 1.44 | <0.01 | 0.05 | <2 | <0.05 | <1 | <5 | 5 | 6 |
| KGD-05 | Soil | 23 | 0.41 | 243 | 0.038 | <20 | 1.31 | <0.01 | 0.06 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| KGD-06 | Soil | 18 | 0.30 | 161 | 0.026 | <20 | 1.17 | <0.01 | 0.06 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| KGD-07 | Soil | 19 | 0.27 | 245 | 0.023 | <20 | 1.10 | <0.01 | 0.07 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| KGD-08 | Soil | 18 | 0.31 | 245 | 0.028 | <20 | 1.13 | <0.01 | 0.05 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| KGD-09 | Soil | 13 | 0.21 | 214 | 0.024 | <20 | 0.73 | <0.01 | 0.06 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| KGD-10 | Soil | 16 | 0.24 | 245 | 0.024 | <20 | 1.09 | <0.01 | 0.07 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| KGD-11 | Soil | 10 | 0.16 | 210 | 0.014 | <20 | 0.58 | <0.01 | 0.12 | <2 | 0.13 | <1 | <5 | <5 | <5 |
| KGD-12 | Soil | 14 | 0.21 | 174 | 0.025 | <20 | 0.74 | <0.01 | 0.07 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| KGD-13 | Soil | 9 | 0.15 | 123 | 0.015 | <20 | 0.61 | <0.01 | 0.09 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| KGD-14 | Soil | 12 | 0.15 | 154 | 0.016 | <20 | 0.71 | <0.01 | 0.09 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| KGD-15 | Soil | 14 | 0.22 | 188 | 0.021 | <20 | 0.74 | <0.01 | 0.07 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| KGD-16 | Soil | 14 | 0.26 | 169 | 0.023 | <20 | 0.94 | <0.01 | 0.06 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| KGD-17 | Soil | 15 | 0.26 | 176 | 0.026 | <20 | 0.79 | <0.01 | 0.05 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| KGD-18 | Soil | 13 | 0.19 | 224 | 0.017 | <20 | 0.68 | <0.01 | 0.08 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| KGD-19 | Soil | 16 | 0.25 | 245 | 0.024 | <20 | 0.95 | <0.01 | 0.08 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| KGD-20 | Soil | 13 | 0.21 | 193 | 0.019 | <20 | 0.83 | <0.01 | 0.07 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| KGD-21 | Soil | 20 | 0.35 | 327 | 0.038 | <20 | 1.06 | <0.01 | 0.05 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| KGD-22 | Soil | 18 | 0.27 | 246 | 0.033 | <20 | 1.02 | <0.01 | 0.06 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| KGD-23 | Soil | 15 | 0.20 | 190 | 0.023 | <20 | 0.77 | <0.01 | 0.06 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| KGD-24 | Soil | 11 | 0.15 | 150 | 0.014 | <20 | 0.81 | <0.01 | 0.09 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| KGD-25 | Soil | 6 | 0.10 | 187 | 0.009 | <20 | 0.73 | <0.01 | 0.12 | <2 | 0.15 | <1 | <5 | <5 | <5 |
| KGD-26 | Soil | 14 | 0.29 | 224 | 0.033 | <20 | 0.99 | <0.01 | 0.07 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| KGD-27 | Soil | 21 | 0.34 | 242 | 0.044 | <20 | 1.30 | <0.01 | 0.06 | <2 | <0.05 | <1 | <5 | <5 | <5 |



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Kreft, Bernie
1 Locust Place
Whitehorse Yukon Y1A 5G9 Canada

Project: None Given
Report Date: August 08, 2018

Page: 4 of 10

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000338.1

| Method | Analyte | FA430 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 |
|--------|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | Au | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | Th | Sr | Cd | Sb | Bi | V | Ca | P | La |
| Unit | | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | % | ppm |
| MDL | | 0.005 | 1 | 1 | 3 | 1 | 0.3 | 1 | 1 | 2 | 0.01 | 2 | 2 | 1 | 0.5 | 3 | 3 | 1 | 0.01 | 0.001 | 1 |
| KGD-28 | Soil | 0.160 | <1 | 64 | 7 | 25 | <0.3 | 11 | 4 | 114 | 2.92 | 140 | 8 | 23 | <0.5 | <3 | 8 | 36 | 0.08 | 0.027 | 24 |
| KGD-29 | Soil | 0.415 | <1 | 37 | 8 | 34 | <0.3 | 16 | 6 | 178 | 2.45 | 50 | 5 | 19 | <0.5 | <3 | <3 | 37 | 0.10 | 0.023 | 19 |
| KGD-30 | Soil | 0.266 | <1 | 50 | 11 | 33 | 0.3 | 13 | 7 | 171 | 2.36 | 353 | 5 | 24 | <0.5 | <3 | 4 | 32 | 0.11 | 0.028 | 20 |
| KGD-31 | Soil | 0.204 | <1 | 44 | 8 | 36 | <0.3 | 14 | 6 | 159 | 2.47 | 160 | 6 | 34 | <0.5 | <3 | <3 | 36 | 0.13 | 0.026 | 19 |
| KGD-32 | Soil | 0.095 | <1 | 51 | 11 | 34 | <0.3 | 12 | 5 | 131 | 2.66 | 73 | 5 | 42 | <0.5 | <3 | <3 | 37 | 0.13 | 0.030 | 26 |
| KGD-33 | Soil | 0.076 | 2 | 127 | 20 | 81 | 0.6 | 12 | 7 | 226 | 4.98 | 195 | 6 | 90 | <0.5 | <3 | 5 | 61 | 0.17 | 0.092 | 38 |
| KGD-34 | Soil | 0.079 | 2 | 40 | 17 | 43 | 1.2 | 14 | 7 | 222 | 3.90 | 546 | 4 | 43 | <0.5 | 9 | 5 | 50 | 0.09 | 0.056 | 19 |
| KGD-35 | Soil | 0.023 | 2 | 106 | 20 | 50 | 1.0 | 10 | 7 | 212 | 5.18 | 130 | 7 | 48 | <0.5 | 6 | <3 | 44 | 0.09 | 0.096 | 25 |
| KGD-36 | Soil | 0.358 | 2 | 142 | 19 | 40 | 2.0 | 14 | 6 | 188 | 4.30 | 143 | 8 | 66 | <0.5 | <3 | 8 | 54 | 0.10 | 0.044 | 45 |
| KGD-37 | Soil | 0.034 | 1 | 73 | 7 | 41 | <0.3 | 19 | 9 | 214 | 2.90 | 190 | 7 | 26 | <0.5 | <3 | <3 | 42 | 0.11 | 0.019 | 23 |
| KGD-38 | Soil | 0.065 | 1 | 47 | 7 | 34 | <0.3 | 15 | 9 | 456 | 2.68 | 83 | 6 | 22 | <0.5 | <3 | <3 | 36 | 0.11 | 0.025 | 20 |



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Kreft, Bernie**
1 Locust Place
Whitehorse Yukon Y1A 5G9 Canada

Project: None Given
Report Date: August 08, 2018

Page: 4 of 10

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000338.1

| Method | Analyte | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 |
|--------|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | Cr | Mg | Ba | Ti | B | Al | Na | K | W | S | Hg | Tl | Ga | Sc |
| Unit | | ppm | % | ppm | % | ppm | % | % | ppm | % | ppm | ppm | ppm | ppm | ppm |
| MDL | | 1 | 0.01 | 1 | 0.001 | 20 | 0.01 | 0.01 | 0.01 | 2 | 0.05 | 1 | 5 | 5 | 5 |
| KGD-28 | Soil | 15 | 0.21 | 208 | 0.042 | <20 | 1.22 | <0.01 | 0.07 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| KGD-29 | Soil | 19 | 0.28 | 158 | 0.042 | <20 | 1.53 | <0.01 | 0.07 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| KGD-30 | Soil | 17 | 0.26 | 173 | 0.031 | <20 | 0.86 | <0.01 | 0.06 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| KGD-31 | Soil | 19 | 0.33 | 229 | 0.035 | <20 | 1.07 | <0.01 | 0.05 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| KGD-32 | Soil | 19 | 0.29 | 237 | 0.039 | <20 | 1.10 | <0.01 | 0.06 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| KGD-33 | Soil | 23 | 0.46 | 329 | 0.031 | <20 | 1.28 | 0.02 | 0.11 | <2 | 0.21 | <1 | <5 | <5 | 6 |
| KGD-34 | Soil | 24 | 0.29 | 227 | 0.037 | <20 | 1.67 | <0.01 | 0.10 | <2 | 0.12 | <1 | <5 | <5 | <5 |
| KGD-35 | Soil | 17 | 0.24 | 250 | 0.018 | <20 | 0.90 | 0.01 | 0.14 | <2 | 0.23 | <1 | <5 | <5 | <5 |
| KGD-36 | Soil | 26 | 0.50 | 258 | 0.029 | <20 | 1.43 | 0.02 | 0.06 | <2 | 0.08 | <1 | <5 | <5 | 5 |
| KGD-37 | Soil | 25 | 0.35 | 238 | 0.044 | <20 | 1.30 | <0.01 | 0.06 | <2 | <0.05 | <1 | <5 | <5 | 5 |
| KGD-38 | Soil | 18 | 0.27 | 165 | 0.024 | <20 | 1.21 | <0.01 | 0.08 | <2 | <0.05 | <1 | <5 | <5 | <5 |



QUALITY CONTROL REPORT

WHI18000338.1

| Method | FA430 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | |
|-----------------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----|
| Analyte | Au | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | Th | Sr | Cd | Sb | Bi | V | Ca | P | La | |
| Unit | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | % | ppm | |
| MDL | 0.005 | 1 | 1 | 3 | 1 | 0.3 | 1 | 1 | 2 | 0.01 | 2 | 2 | 1 | 0.5 | 3 | 3 | 1 | 0.01 | 0.001 | 1 | |
| Pulp Duplicates | | | | | | | | | | | | | | | | | | | | | |
| GGBD-04 | Soil | 0.184 | 2 | 60 | 8 | 23 | 0.4 | 6 | 3 | 94 | 3.70 | 203 | 13 | 34 | <0.5 | 4 | <3 | 24 | 0.04 | 0.050 | 32 |
| REP GGBD-04 | QC | | 2 | 61 | 9 | 23 | 0.4 | 7 | 3 | 98 | 3.79 | 208 | 13 | 35 | <0.5 | 5 | <3 | 25 | 0.05 | 0.052 | 32 |
| KGD-23 | Soil | 0.059 | <1 | 35 | 7 | 25 | <0.3 | 9 | 4 | 109 | 1.95 | 113 | 6 | 14 | <0.5 | <3 | 5 | 24 | 0.09 | 0.013 | 20 |
| REP KGD-23 | QC | 0.055 | | | | | | | | | | | | | | | | | | | |
| KGD-26 | Soil | 0.051 | <1 | 48 | 8 | 33 | <0.3 | 11 | 5 | 149 | 2.31 | 130 | 4 | 22 | <0.5 | <3 | 10 | 34 | 0.14 | 0.032 | 20 |
| REP KGD-26 | QC | | <1 | 50 | 7 | 34 | 0.3 | 12 | 5 | 154 | 2.40 | 135 | 5 | 23 | <0.5 | <3 | 13 | 34 | 0.15 | 0.034 | 20 |
| KGD-31 | Soil | 0.204 | <1 | 44 | 8 | 36 | <0.3 | 14 | 6 | 159 | 2.47 | 160 | 6 | 34 | <0.5 | <3 | <3 | 36 | 0.13 | 0.026 | 19 |
| REP KGD-31 | QC | 0.125 | | | | | | | | | | | | | | | | | | | |
| KVD-24 | Soil | 0.028 | <1 | 23 | 10 | 42 | <0.3 | 20 | 8 | 470 | 2.46 | 7 | 4 | 213 | <0.5 | <3 | <3 | 51 | 0.72 | 0.026 | 13 |
| REP KVD-24 | QC | | <1 | 23 | 8 | 42 | <0.3 | 20 | 8 | 467 | 2.45 | 7 | 3 | 211 | <0.5 | <3 | <3 | 50 | 0.72 | 0.026 | 12 |
| SMS-13 | Soil | 0.027 | 2 | 42 | 11 | 72 | 0.8 | 27 | 10 | 418 | 3.28 | 42 | 3 | 20 | <0.5 | <3 | <3 | 59 | 0.14 | 0.066 | 16 |
| REP SMS-13 | QC | | 2 | 43 | 10 | 74 | 0.9 | 27 | 10 | 422 | 3.32 | 41 | 4 | 21 | <0.5 | <3 | <3 | 59 | 0.14 | 0.066 | 16 |
| SMS-34 | Soil | 0.007 | 2 | 36 | 13 | 73 | <0.3 | 44 | 12 | 861 | 3.23 | 27 | <2 | 16 | <0.5 | <3 | <3 | 59 | 0.20 | 0.067 | 13 |
| REP SMS-34 | QC | 0.006 | | | | | | | | | | | | | | | | | | | |
| SMS-37 | Soil | 0.010 | 2 | 41 | 12 | 116 | 0.4 | 42 | 12 | 653 | 3.15 | 15 | 4 | 18 | <0.5 | <3 | <3 | 54 | 0.21 | 0.076 | 15 |
| REP SMS-37 | QC | 0.015 | | | | | | | | | | | | | | | | | | | |
| SMS-48 | Soil | <0.005 | 1 | 20 | 10 | 55 | <0.3 | 23 | 12 | 354 | 3.39 | 15 | 3 | 13 | <0.5 | <3 | <3 | 66 | 0.14 | 0.053 | 13 |
| REP SMS-48 | QC | | 1 | 19 | 10 | 54 | <0.3 | 22 | 11 | 345 | 3.29 | 15 | 3 | 13 | <0.5 | <3 | <3 | 64 | 0.13 | 0.052 | 12 |
| NUD-14 | Soil | 0.011 | <1 | 23 | 12 | 50 | <0.3 | 22 | 9 | 440 | 2.68 | 7 | 3 | 249 | <0.5 | <3 | <3 | 52 | 1.04 | 0.031 | 14 |
| REP NUD-14 | QC | 0.018 | | | | | | | | | | | | | | | | | | | |
| NUD-23 | Soil | 0.023 | <1 | 27 | 10 | 54 | <0.3 | 23 | 10 | 445 | 2.80 | 10 | 4 | 138 | <0.5 | <3 | <3 | 60 | 0.81 | 0.017 | 15 |
| REP NUD-23 | QC | | <1 | 27 | 9 | 53 | <0.3 | 23 | 10 | 449 | 2.83 | 9 | 5 | 141 | <0.5 | <3 | <3 | 60 | 0.81 | 0.017 | 16 |
| XTBD-01 | Soil | 0.013 | 2 | 26 | 20 | 60 | 0.3 | 26 | 11 | 370 | 2.84 | 33 | 4 | 17 | <0.5 | <3 | <3 | 54 | 0.18 | 0.061 | 13 |
| REP XTBD-01 | QC | 0.012 | | | | | | | | | | | | | | | | | | | |
| XTBD-14 | Soil | 0.007 | 2 | 57 | 12 | 126 | <0.3 | 66 | 16 | 691 | 4.02 | 11 | 6 | 16 | <0.5 | <3 | <3 | 68 | 0.19 | 0.081 | 21 |
| REP XTBD-14 | QC | | 2 | 57 | 12 | 125 | 0.3 | 65 | 16 | 709 | 4.00 | 11 | 5 | 16 | <0.5 | <3 | <3 | 67 | 0.19 | 0.080 | 20 |
| TSD-21 | Soil | 0.043 | 1 | 63 | 7 | 94 | <0.3 | 92 | 16 | 822 | 3.92 | 125 | 3 | 11 | <0.5 | <3 | <3 | 87 | 0.11 | 0.052 | 15 |
| REP TSD-21 | QC | | 1 | 64 | 8 | 95 | <0.3 | 92 | 16 | 829 | 3.95 | 128 | 5 | 11 | <0.5 | <3 | <3 | 88 | 0.11 | 0.051 | 15 |



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Project: None Given
Report Date: August 08, 2018

Page: 1 of 3

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000338.1

| Method | Analyte | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 |
|-----------------|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | Cr | Mg | Ba | Ti | B | Al | Na | K | W | S | Hg | Tl | Ga | Sc |
| Unit | | ppm | % | ppm | % | ppm | % | % | % | ppm | % | ppm | ppm | ppm | ppm |
| MDL | | 1 | 0.01 | 1 | 0.001 | 20 | 0.01 | 0.01 | 0.01 | 2 | 0.05 | 1 | 5 | 5 | 5 |
| Pulp Duplicates | | | | | | | | | | | | | | | |
| GGBD-04 | Soil | 10 | 0.11 | 189 | 0.011 | <20 | 0.70 | 0.02 | 0.13 | <2 | 0.25 | <1 | <5 | <5 | <5 |
| REP GGBD-04 | QC | 10 | 0.11 | 192 | 0.011 | <20 | 0.71 | 0.02 | 0.14 | <2 | 0.24 | <1 | <5 | <5 | <5 |
| KGD-23 | Soil | 15 | 0.20 | 190 | 0.023 | <20 | 0.77 | <0.01 | 0.06 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| REP KGD-23 | QC | | | | | | | | | | | | | | |
| KGD-26 | Soil | 14 | 0.29 | 224 | 0.033 | <20 | 0.99 | <0.01 | 0.07 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| REP KGD-26 | QC | 17 | 0.30 | 231 | 0.033 | <20 | 1.02 | <0.01 | 0.07 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| KGD-31 | Soil | 19 | 0.33 | 229 | 0.035 | <20 | 1.07 | <0.01 | 0.05 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| REP KGD-31 | QC | | | | | | | | | | | | | | |
| KVD-24 | Soil | 28 | 0.45 | 545 | 0.067 | <20 | 1.56 | 0.03 | 0.06 | <2 | <0.05 | <1 | <5 | <5 | 5 |
| REP KVD-24 | QC | 26 | 0.46 | 540 | 0.064 | <20 | 1.54 | 0.03 | 0.06 | <2 | <0.05 | <1 | <5 | <5 | 5 |
| SMS-13 | Soil | 33 | 0.51 | 142 | 0.052 | <20 | 2.10 | <0.01 | 0.08 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| REP SMS-13 | QC | 33 | 0.51 | 143 | 0.052 | <20 | 2.12 | <0.01 | 0.08 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| SMS-34 | Soil | 40 | 0.46 | 214 | 0.041 | <20 | 1.57 | <0.01 | 0.05 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| REP SMS-34 | QC | | | | | | | | | | | | | | |
| SMS-37 | Soil | 31 | 0.43 | 138 | 0.055 | <20 | 1.36 | <0.01 | 0.06 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| REP SMS-37 | QC | | | | | | | | | | | | | | |
| SMS-48 | Soil | 35 | 0.45 | 159 | 0.061 | <20 | 2.62 | <0.01 | 0.05 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| REP SMS-48 | QC | 34 | 0.44 | 155 | 0.059 | <20 | 2.59 | <0.01 | 0.05 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| NUD-14 | Soil | 29 | 0.55 | 516 | 0.061 | <20 | 1.62 | 0.02 | 0.08 | <2 | <0.05 | <1 | <5 | <5 | 5 |
| REP NUD-14 | QC | | | | | | | | | | | | | | |
| NUD-23 | Soil | 31 | 0.54 | 551 | 0.082 | <20 | 1.82 | 0.03 | 0.07 | <2 | <0.05 | <1 | <5 | <5 | 6 |
| REP NUD-23 | QC | 31 | 0.54 | 565 | 0.085 | <20 | 1.87 | 0.03 | 0.07 | <2 | <0.05 | <1 | <5 | <5 | 6 |
| XTBD-01 | Soil | 29 | 0.40 | 169 | 0.068 | <20 | 1.72 | <0.01 | 0.07 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| REP XTBD-01 | QC | | | | | | | | | | | | | | |
| XTBD-14 | Soil | 82 | 1.25 | 143 | 0.048 | <20 | 2.02 | <0.01 | 0.10 | <2 | <0.05 | <1 | <5 | <5 | 6 |
| REP XTBD-14 | QC | 81 | 1.25 | 147 | 0.048 | <20 | 2.02 | <0.01 | 0.10 | <2 | <0.05 | <1 | <5 | <5 | 6 |
| TSD-21 | Soil | 133 | 1.80 | 247 | 0.060 | <20 | 2.51 | <0.01 | 0.17 | <2 | <0.05 | <1 | <5 | 7 | 10 |
| REP TSD-21 | QC | 138 | 1.80 | 248 | 0.059 | <20 | 2.53 | <0.01 | 0.17 | <2 | <0.05 | <1 | <5 | 7 | 10 |



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: Kreft, Bernie
1 Locust Place
Whitehorse Yukon Y1A 5G9 Canada

Project: None Given
Report Date: August 08, 2018

Page: 2 of 3

Part: 1 of 2

QUALITY CONTROL REPORT

WHI18000338.1

| | | FA430 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | |
|---------------------|----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----|
| | | Au | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | Th | Sr | Cd | Sb | Bi | V | Ca | P | La |
| | | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | % | ppm |
| | | 0.005 | 1 | 1 | 3 | 1 | 0.3 | 1 | 1 | 2 | 0.01 | 2 | 2 | 1 | 0.5 | 3 | 3 | 1 | 0.01 | 0.001 | 1 |
| Reference Materials | | | | | | | | | | | | | | | | | | | | | |
| STD DS11 | Standard | | 14 | 147 | 140 | 344 | 1.4 | 78 | 12 | 1077 | 3.19 | 43 | 8 | 70 | 2.1 | 7 | 9 | 48 | 1.07 | 0.071 | 18 |
| STD DS11 | Standard | | 15 | 143 | 138 | 340 | 1.5 | 76 | 12 | 1011 | 3.01 | 42 | 6 | 66 | 2.0 | 6 | 11 | 48 | 1.04 | 0.070 | 17 |
| STD DS11 | Standard | | 13 | 144 | 129 | 348 | 1.4 | 76 | 12 | 1025 | 3.10 | 46 | 8 | 67 | 2.2 | 6 | 10 | 48 | 1.04 | 0.070 | 18 |
| STD DS11 | Standard | | 13 | 140 | 118 | 325 | 1.7 | 74 | 12 | 970 | 3.04 | 41 | 8 | 61 | 1.8 | 6 | 11 | 45 | 1.01 | 0.066 | 16 |
| STD DS11 | Standard | | 13 | 145 | 133 | 328 | 1.7 | 76 | 13 | 978 | 3.07 | 40 | 7 | 61 | 2.1 | 7 | 12 | 47 | 1.01 | 0.067 | 16 |
| STD DS11 | Standard | | 14 | 148 | 132 | 333 | 1.6 | 77 | 13 | 996 | 3.13 | 41 | 8 | 66 | 2.4 | 7 | 10 | 49 | 1.07 | 0.070 | 17 |
| STD DS11 | Standard | | 15 | 141 | 127 | 326 | 1.6 | 75 | 13 | 990 | 3.05 | 41 | 7 | 63 | 2.2 | 6 | 13 | 48 | 1.02 | 0.068 | 17 |
| STD DS11 | Standard | | 14 | 149 | 134 | 345 | 1.4 | 79 | 13 | 1031 | 3.27 | 44 | 6 | 68 | 2.2 | 7 | 12 | 49 | 1.08 | 0.070 | 18 |
| STD DS11 | Standard | | 13 | 145 | 128 | 346 | 1.5 | 77 | 12 | 1037 | 3.28 | 43 | 6 | 68 | 2.2 | 8 | 11 | 49 | 1.06 | 0.070 | 17 |
| STD OREAS45EA | Standard | | 1 | 689 | 14 | 32 | <0.3 | 379 | 51 | 405 | 22.15 | 4 | 9 | 4 | <0.5 | <3 | <3 | 303 | 0.04 | 0.030 | 8 |
| STD OREAS45EA | Standard | | 2 | 680 | 14 | 32 | 0.4 | 374 | 50 | 398 | 21.02 | 4 | 6 | 4 | <0.5 | <3 | <3 | 298 | 0.04 | 0.029 | 8 |
| STD OREAS45EA | Standard | | 2 | 703 | 10 | 33 | <0.3 | 396 | 52 | 409 | 22.89 | 4 | 5 | 4 | <0.5 | <3 | <3 | 313 | 0.04 | 0.030 | 9 |
| STD OREAS45EA | Standard | | 2 | 671 | 13 | 29 | 0.5 | 362 | 47 | 396 | 20.56 | 10 | 10 | 4 | <0.5 | <3 | <3 | 294 | 0.03 | 0.028 | 7 |
| STD OREAS45EA | Standard | | 2 | 696 | 13 | 30 | 0.5 | 380 | 52 | 416 | 22.85 | 11 | 11 | 4 | <0.5 | <3 | <3 | 306 | 0.03 | 0.030 | 8 |
| STD OREAS45EA | Standard | | 2 | 688 | 14 | 30 | 0.4 | 375 | 51 | 413 | 22.59 | 12 | 11 | 4 | <0.5 | <3 | <3 | 303 | 0.03 | 0.030 | 8 |
| STD OREAS45EA | Standard | | 2 | 691 | 12 | 31 | 0.4 | 382 | 52 | 418 | 23.89 | 12 | 11 | 4 | <0.5 | <3 | <3 | 308 | 0.03 | 0.030 | 8 |
| STD OREAS45EA | Standard | | 2 | 716 | 14 | 33 | <0.3 | 414 | 54 | 411 | 23.52 | 5 | 6 | 4 | <0.5 | <3 | <3 | 323 | 0.04 | 0.030 | 9 |
| STD OREAS45EA | Standard | | 2 | 731 | 13 | 34 | <0.3 | 415 | 54 | 424 | 23.33 | 5 | 5 | 4 | <0.5 | <3 | <3 | 322 | 0.04 | 0.031 | 9 |
| STD OXC145 | Standard | 0.211 | | | | | | | | | | | | | | | | | | | |
| STD OXC145 | Standard | 0.216 | | | | | | | | | | | | | | | | | | | |
| STD OXC145 | Standard | 0.211 | | | | | | | | | | | | | | | | | | | |
| STD OXC145 | Standard | 0.221 | | | | | | | | | | | | | | | | | | | |
| STD OXC145 | Standard | 0.216 | | | | | | | | | | | | | | | | | | | |
| STD OXH139 | Standard | 1.326 | | | | | | | | | | | | | | | | | | | |
| STD OXH139 | Standard | 1.399 | | | | | | | | | | | | | | | | | | | |
| STD OXH139 | Standard | 1.377 | | | | | | | | | | | | | | | | | | | |
| STD OXH139 | Standard | 1.367 | | | | | | | | | | | | | | | | | | | |
| STD OXH139 | Standard | 1.357 | | | | | | | | | | | | | | | | | | | |



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Kreft, Bernie**
1 Locust Place
Whitehorse Yukon Y1A 5G9 Canada

Project: None Given
Report Date: August 08, 2018

Page: 2 of 3

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000338.1

| | | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 |
|---------------------|----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | Cr | Mg | Ba | Ti | B | Al | Na | K | W | S | Hg | Tl | Ga | Sc |
| | | ppm | % | ppm | % | ppm | % | % | % | ppm | % | ppm | ppm | ppm | ppm |
| | | 1 | 0.01 | 1 | 0.001 | 20 | 0.01 | 0.01 | 0.01 | 2 | 0.05 | 1 | 5 | 5 | 5 |
| Reference Materials | | | | | | | | | | | | | | | |
| STD DS11 | Standard | 58 | 0.84 | 435 | 0.094 | <20 | 1.20 | 0.07 | 0.41 | 3 | 0.28 | <1 | 5 | <5 | <5 |
| STD DS11 | Standard | 57 | 0.83 | 404 | 0.089 | <20 | 1.12 | 0.07 | 0.40 | 3 | 0.28 | <1 | <5 | <5 | <5 |
| STD DS11 | Standard | 56 | 0.82 | 416 | 0.089 | <20 | 1.15 | 0.07 | 0.40 | 3 | 0.28 | <1 | 6 | <5 | <5 |
| STD DS11 | Standard | 57 | 0.80 | 372 | 0.083 | <20 | 1.08 | 0.07 | 0.38 | 2 | 0.26 | <1 | <5 | <5 | <5 |
| STD DS11 | Standard | 58 | 0.80 | 367 | 0.086 | <20 | 1.08 | 0.07 | 0.39 | <2 | 0.26 | <1 | <5 | <5 | <5 |
| STD DS11 | Standard | 59 | 0.83 | 427 | 0.089 | <20 | 1.15 | 0.07 | 0.41 | 2 | 0.29 | <1 | <5 | <5 | <5 |
| STD DS11 | Standard | 58 | 0.81 | 383 | 0.088 | <20 | 1.12 | 0.07 | 0.39 | 2 | 0.27 | <1 | 5 | <5 | <5 |
| STD DS11 | Standard | 58 | 0.84 | 405 | 0.094 | <20 | 1.17 | 0.07 | 0.41 | 3 | 0.28 | <1 | 5 | 5 | <5 |
| STD DS11 | Standard | 57 | 0.84 | 414 | 0.093 | <20 | 1.15 | 0.07 | 0.41 | 3 | 0.28 | <1 | 5 | <5 | <5 |
| STD OREAS45EA | Standard | 857 | 0.09 | 148 | 0.096 | <20 | 3.26 | 0.02 | 0.05 | <2 | <0.05 | <1 | <5 | 7 | 83 |
| STD OREAS45EA | Standard | 848 | 0.09 | 144 | 0.097 | <20 | 3.22 | 0.02 | 0.05 | <2 | <0.05 | <1 | <5 | 11 | 81 |
| STD OREAS45EA | Standard | 884 | 0.10 | 150 | 0.097 | <20 | 3.44 | 0.01 | 0.06 | <2 | <0.05 | <1 | <5 | 13 | 86 |
| STD OREAS45EA | Standard | 911 | 0.09 | 144 | 0.095 | <20 | 3.29 | 0.02 | 0.05 | <2 | <0.05 | <1 | <5 | 10 | 83 |
| STD OREAS45EA | Standard | 916 | 0.09 | 150 | 0.101 | <20 | 3.47 | 0.02 | 0.05 | <2 | <0.05 | <1 | <5 | 12 | 87 |
| STD OREAS45EA | Standard | 917 | 0.09 | 148 | 0.100 | <20 | 3.43 | 0.02 | 0.06 | <2 | <0.05 | <1 | <5 | 11 | 87 |
| STD OREAS45EA | Standard | 907 | 0.10 | 151 | 0.099 | <20 | 3.45 | 0.02 | 0.06 | <2 | <0.05 | <1 | <5 | 9 | 88 |
| STD OREAS45EA | Standard | 922 | 0.10 | 149 | 0.103 | 20 | 3.52 | 0.02 | 0.06 | <2 | <0.05 | <1 | <5 | 27 | 88 |
| STD OREAS45EA | Standard | 918 | 0.10 | 152 | 0.111 | 24 | 3.62 | 0.02 | 0.06 | <2 | <0.05 | <1 | <5 | 26 | 89 |
| STD OXC145 | Standard | | | | | | | | | | | | | | |
| STD OXC145 | Standard | | | | | | | | | | | | | | |
| STD OXC145 | Standard | | | | | | | | | | | | | | |
| STD OXC145 | Standard | | | | | | | | | | | | | | |
| STD OXC145 | Standard | | | | | | | | | | | | | | |
| STD OXH139 | Standard | | | | | | | | | | | | | | |
| STD OXH139 | Standard | | | | | | | | | | | | | | |
| STD OXH139 | Standard | | | | | | | | | | | | | | |
| STD OXH139 | Standard | | | | | | | | | | | | | | |
| STD OXH139 | Standard | | | | | | | | | | | | | | |



QUALITY CONTROL REPORT

WHI18000338.1

| | | FA430 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | |
|------------------------|----------|--------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|--------|------|
| | | Au | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | Th | Sr | Cd | Sb | Bi | V | Ca | P | La |
| | | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | % | ppm |
| STD OXN134 | Standard | 7.980 | | | | | | | | | | | | | | | | | | | |
| STD OXN134 | Standard | 8.112 | | | | | | | | | | | | | | | | | | | |
| STD OXN134 | Standard | 8.055 | | | | | | | | | | | | | | | | | | | |
| STD OXN134 | Standard | 7.692 | | | | | | | | | | | | | | | | | | | |
| STD OXN134 | Standard | 8.016 | | | | | | | | | | | | | | | | | | | |
| STD OXN134 Expected | | 7.667 | | | | | | | | | | | | | | | | | | | |
| STD OXC145 Expected | | 0.212 | | | | | | | | | | | | | | | | | | | |
| STD OXH139 Expected | | 1.312 | | | | | | | | | | | | | | | | | | | |
| STD OREAS45EA Expected | | | 1.6 | 709 | 14.3 | 31.4 | 0.26 | 381 | 52 | 400 | 22.65 | 11 | 10.7 | 4.05 | | | 303 | 0.036 | 0.029 | 7.06 | |
| STD DS11 Expected | | | 13.9 | 156 | 138 | 345 | 1.71 | 81.9 | 14.2 | 1055 | 3.2082 | 42.8 | 7.65 | 67.3 | 2.37 | 7.2 | 12.2 | 50 | 1.063 | 0.0701 | 18.6 |
| BLK | Blank | <0.005 | | | | | | | | | | | | | | | | | | | |
| BLK | Blank | <0.005 | | | | | | | | | | | | | | | | | | | |
| BLK | Blank | <0.005 | | | | | | | | | | | | | | | | | | | |
| BLK | Blank | <0.005 | | | | | | | | | | | | | | | | | | | |
| BLK | Blank | <0.005 | | | | | | | | | | | | | | | | | | | |
| BLK | Blank | <0.005 | | | | | | | | | | | | | | | | | | | |
| BLK | Blank | <0.005 | | | | | | | | | | | | | | | | | | | |
| BLK | Blank | <0.005 | | | | | | | | | | | | | | | | | | | |
| BLK | Blank | <0.005 | | | | | | | | | | | | | | | | | | | |
| BLK | Blank | <0.005 | | | | | | | | | | | | | | | | | | | |
| BLK | Blank | <0.005 | | | | | | | | | | | | | | | | | | | |
| BLK | Blank | <0.005 | <1 | <1 | <3 | <1 | <0.3 | <1 | <1 | <2 | <0.01 | <2 | <2 | <1 | <0.5 | <3 | <3 | <1 | <0.01 | <0.001 | <1 |
| BLK | Blank | <0.005 | <1 | <1 | <3 | <1 | <0.3 | <1 | <1 | <2 | <0.01 | <2 | <2 | <1 | <0.5 | <3 | <3 | <1 | <0.01 | <0.001 | <1 |
| BLK | Blank | <0.005 | <1 | <1 | <3 | <1 | <0.3 | <1 | <1 | <2 | <0.01 | <2 | <2 | <1 | <0.5 | <3 | <3 | <1 | <0.01 | <0.001 | <1 |
| BLK | Blank | <0.005 | <1 | <1 | <3 | <1 | <0.3 | <1 | <1 | <2 | <0.01 | <2 | <2 | <1 | <0.5 | <3 | <3 | <1 | <0.01 | <0.001 | <1 |
| BLK | Blank | <0.005 | <1 | <1 | <3 | <1 | <0.3 | <1 | <1 | <2 | <0.01 | <2 | <2 | <1 | <0.5 | <3 | <3 | <1 | <0.01 | <0.001 | <1 |
| BLK | Blank | <0.005 | <1 | <1 | <3 | <1 | <0.3 | <1 | <1 | <2 | <0.01 | <2 | <2 | <1 | <0.5 | <3 | <3 | <1 | <0.01 | <0.001 | <1 |
| BLK | Blank | <0.005 | <1 | <1 | <3 | <1 | <0.3 | <1 | <1 | <2 | <0.01 | <2 | <2 | <1 | <0.5 | <3 | <3 | <1 | <0.01 | <0.001 | <1 |
| BLK | Blank | <0.005 | <1 | <1 | <3 | <1 | <0.3 | <1 | <1 | <2 | <0.01 | <2 | <2 | <1 | <0.5 | <3 | <3 | <1 | <0.01 | <0.001 | <1 |
| BLK | Blank | <0.005 | <1 | <1 | <3 | <1 | <0.3 | <1 | <1 | <2 | <0.01 | <2 | <2 | <1 | <0.5 | <3 | <3 | <1 | <0.01 | <0.001 | <1 |



QUALITY CONTROL REPORT

WHI18000338.1

| | | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | |
|------------------------|----------|-------|-------|-------|--------|-------|-------|--------|-------|-------|--------|-------|-------|-------|-----|
| | | Cr | Mg | Ba | Ti | B | Al | Na | K | W | S | Hg | Tl | Ga | Sc |
| | | ppm | % | ppm | % | ppm | % | % | % | ppm | % | ppm | ppm | ppm | ppm |
| | | 1 | 0.01 | 1 | 0.001 | 20 | 0.01 | 0.01 | 0.01 | 2 | 0.05 | 1 | 5 | 5 | 5 |
| STD OXN134 | Standard | | | | | | | | | | | | | | |
| STD OXN134 | Standard | | | | | | | | | | | | | | |
| STD OXN134 | Standard | | | | | | | | | | | | | | |
| STD OXN134 | Standard | | | | | | | | | | | | | | |
| STD OXN134 | Standard | | | | | | | | | | | | | | |
| STD OXN134 Expected | | | | | | | | | | | | | | | |
| STD OXC145 Expected | | | | | | | | | | | | | | | |
| STD OXH139 Expected | | | | | | | | | | | | | | | |
| STD OREAS45EA Expected | | 849 | 0.095 | 148 | 0.0984 | | 3.32 | 0.02 | 0.053 | | 0.036 | | | 12.4 | 78 |
| STD DS11 Expected | | 61.5 | 0.85 | 417 | 0.0976 | 6 | 1.129 | 0.0694 | 0.4 | 2.9 | 0.2835 | 0.3 | 4.9 | 4.7 | 3.1 |
| BLK | Blank | | | | | | | | | | | | | | |
| BLK | Blank | | | | | | | | | | | | | | |
| BLK | Blank | | | | | | | | | | | | | | |
| BLK | Blank | | | | | | | | | | | | | | |
| BLK | Blank | | | | | | | | | | | | | | |
| BLK | Blank | | | | | | | | | | | | | | |
| BLK | Blank | | | | | | | | | | | | | | |
| BLK | Blank | | | | | | | | | | | | | | |
| BLK | Blank | | | | | | | | | | | | | | |
| BLK | Blank | | | | | | | | | | | | | | |
| BLK | Blank | 2 | <0.01 | <1 | <0.001 | <20 | <0.01 | <0.01 | <0.01 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| BLK | Blank | 1 | <0.01 | <1 | <0.001 | <20 | <0.01 | <0.01 | <0.01 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| BLK | Blank | <1 | <0.01 | <1 | <0.001 | <20 | <0.01 | <0.01 | <0.01 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| BLK | Blank | <1 | <0.01 | <1 | <0.001 | <20 | <0.01 | <0.01 | <0.01 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| BLK | Blank | <1 | <0.01 | <1 | <0.001 | <20 | <0.01 | <0.01 | <0.01 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| BLK | Blank | <1 | <0.01 | <1 | <0.001 | <20 | <0.01 | <0.01 | <0.01 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| BLK | Blank | <1 | <0.01 | <1 | <0.001 | <20 | <0.01 | <0.01 | <0.01 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| BLK | Blank | 1 | <0.01 | <1 | <0.001 | <20 | <0.01 | <0.01 | <0.01 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| BLK | Blank | 1 | <0.01 | <1 | <0.001 | <20 | <0.01 | <0.01 | <0.01 | <2 | <0.05 | <1 | <5 | <5 | <5 |



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: Kreft, Bernie
1 Locust Place
Whitehorse Yukon Y1A 5G9 Canada

Submitted By: Bernie Kreft
Receiving Lab: Canada-Whitehorse
Received: July 30, 2018
Report Date: August 21, 2018
Page: 1 of 8

CERTIFICATE OF ANALYSIS

WHI18000496.1

CLIENT JOB INFORMATION

Project: None Given
Shipment ID:
P.O. Number
Number of Samples: 203

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Kreft, Bernie
1 Locust Place
Whitehorse Yukon Y1A 5G9
Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

| Procedure Code | Number of Samples | Code Description | Test Wgt (g) | Report Status | Lab |
|----------------|-------------------|---|--------------|---------------|-----|
| DY060 | 203 | Dry at 60C | | | WHI |
| SS80 | 203 | Dry at 60C sieve 100g to -80 mesh | | | WHI |
| FA430 | 202 | Lead Collection Fire - Assay Fusion - AAS Finish | 30 | Completed | VAN |
| EN002 | 203 | Environmental disposal charge-Fire assay lead waste | | | VAN |
| AQ300 | 202 | 1:1:1 Aqua Regia digestion ICP-ES analysis | 0.5 | Completed | VAN |
| SVRJT | 203 | Save all or part of Soil Reject | | | WHI |
| SHP01 | 203 | Per sample shipping charges for branch shipments | | | VAN |

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Kreft, Bernie**
1 Locust Place
Whitehorse Yukon Y1A 5G9 Canada

Project: None Given
Report Date: August 21, 2018

Page: 2 of 8

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000496.1

| Method | FA430 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 |
|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Analyte | Au | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | Th | Sr | Cd | Sb | Bi | V | Ca | P | La | |
| Unit | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | % | ppm | |
| MDL | 0.005 | 1 | 1 | 3 | 1 | 0.3 | 1 | 1 | 2 | 0.01 | 2 | 2 | 1 | 0.5 | 3 | 3 | 1 | 0.01 | 0.001 | 1 | |

| | | | | | | | | | | | | | | | | | | | | | |
|---------|------|-------|---|----|----|----|------|----|----|-----|------|-----|---|----|------|----|----|----|------|-------|----|
| PKGD-01 | Soil | 0.011 | 2 | 21 | 13 | 50 | <0.3 | 16 | 8 | 697 | 2.56 | 94 | 4 | 23 | <0.5 | <3 | <3 | 36 | 0.24 | 0.062 | 21 |
| PKGD-02 | Soil | 0.017 | 1 | 29 | 12 | 46 | <0.3 | 17 | 6 | 298 | 2.64 | 117 | 4 | 31 | <0.5 | <3 | <3 | 43 | 0.34 | 0.064 | 19 |
| PKGD-03 | Soil | 0.014 | 2 | 28 | 12 | 55 | 0.3 | 23 | 7 | 279 | 2.68 | 88 | 7 | 32 | <0.5 | <3 | <3 | 41 | 0.35 | 0.062 | 23 |
| PKGD-04 | Soil | 0.020 | 2 | 25 | 17 | 48 | <0.3 | 15 | 10 | 812 | 2.84 | 132 | 7 | 21 | <0.5 | <3 | <3 | 35 | 0.19 | 0.059 | 29 |



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Kreft, Bernie**
1 Locust Place
Whitehorse Yukon Y1A 5G9 Canada

Project: None Given
Report Date: August 21, 2018

Page: 2 of 8

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000496.1

| Method | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 |
|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Analyte | Cr | Mg | Ba | Ti | B | Al | Na | K | W | S | Hg | Tl | Ga | Sc |
| Unit | ppm | % | ppm | % | ppm | % | % | % | ppm | % | ppm | ppm | ppm | ppm |
| MDL | 1 | 0.01 | 1 | 0.001 | 20 | 0.01 | 0.01 | 0.01 | 2 | 0.05 | 1 | 5 | 5 | 5 |

| Sample ID | Soil | Cr | Mg | Ba | Ti | B | Al | Na | K | W | S | Hg | Tl | Ga | Sc |
|-----------|------|----|------|-----|-------|-----|------|-------|------|----|-------|----|----|----|----|
| PKGD-01 | Soil | 18 | 0.24 | 219 | 0.030 | <20 | 0.90 | <0.01 | 0.08 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| PKGD-02 | Soil | 22 | 0.31 | 314 | 0.041 | <20 | 1.02 | 0.01 | 0.06 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| PKGD-03 | Soil | 28 | 0.32 | 283 | 0.048 | <20 | 1.16 | 0.01 | 0.08 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| PKGD-04 | Soil | 16 | 0.17 | 233 | 0.019 | <20 | 0.79 | <0.01 | 0.10 | <2 | <0.05 | <1 | <5 | <5 | <5 |



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Kreft, Bernie**
1 Locust Place
Whitehorse Yukon Y1A 5G9 Canada

Project: None Given
Report Date: August 21, 2018

Page: 4 of 8

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000496.1

| Method | FA430 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 |
|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Analyte | Au | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | Th | Sr | Cd | Sb | Bi | V | Ca | P | La | |
| Unit | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | % | ppm | |
| MDL | 0.005 | 1 | 1 | 3 | 1 | 0.3 | 1 | 1 | 2 | 0.01 | 2 | 2 | 1 | 0.5 | 3 | 3 | 1 | 0.01 | 0.001 | 1 | |

| | | | | | | | | | | | | | | | | | | | | | |
|--------|------|-------|---|----|---|----|------|----|---|-----|------|-----|---|----|------|----|----|----|------|-------|----|
| GSS-01 | Soil | 0.009 | 1 | 24 | 6 | 67 | <0.3 | 21 | 9 | 407 | 2.75 | 37 | 4 | 29 | <0.5 | <3 | <3 | 49 | 0.38 | 0.072 | 16 |
| GSS-02 | Soil | 0.027 | 1 | 15 | 9 | 51 | <0.3 | 17 | 7 | 294 | 2.29 | 49 | 3 | 35 | <0.5 | <3 | <3 | 40 | 0.28 | 0.062 | 16 |
| GSS-03 | Soil | 0.048 | 2 | 39 | 7 | 39 | 0.6 | 11 | 4 | 83 | 3.44 | 209 | 4 | 21 | <0.5 | <3 | 4 | 43 | 0.15 | 0.073 | 21 |



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Kreft, Bernie**
1 Locust Place
Whitehorse Yukon Y1A 5G9 Canada

Project: None Given
Report Date: August 21, 2018

Page: 4 of 8

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000496.1

| Method | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 |
|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Analyte | Cr | Mg | Ba | Ti | B | Al | Na | K | W | S | Hg | Tl | Ga | Sc |
| Unit | ppm | % | ppm | % | ppm | % | % | % | ppm | % | ppm | ppm | ppm | ppm |
| MDL | 1 | 0.01 | 1 | 0.001 | 20 | 0.01 | 0.01 | 0.01 | 2 | 0.05 | 1 | 5 | 5 | 5 |

| | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

| | | | | | | | | | | | | | | | |
|--------|------|----|------|-----|-------|-----|------|-------|------|----|-------|----|----|----|----|
| GSS-01 | Soil | 27 | 0.44 | 349 | 0.054 | <20 | 1.24 | 0.01 | 0.06 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| GSS-02 | Soil | 27 | 0.36 | 286 | 0.040 | <20 | 1.31 | <0.01 | 0.07 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| GSS-03 | Soil | 19 | 0.24 | 282 | 0.015 | <20 | 1.52 | <0.01 | 0.08 | <2 | <0.05 | <1 | <5 | <5 | <5 |



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Kreft, Bernie**
1 Locust Place
Whitehorse Yukon Y1A 5G9 Canada

Project: None Given
Report Date: August 21, 2018

Page: 5 of 8

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000496.1

| Method | Analyte | FA430 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 |
|--------|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | Au | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | Th | Sr | Cd | Sb | Bi | V | Ca | P | La |
| Unit | | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | % | ppm | |
| MDL | | 0.005 | 1 | 1 | 3 | 1 | 0.3 | 1 | 1 | 2 | 0.01 | 2 | 2 | 1 | 0.5 | 3 | 3 | 1 | 0.01 | 0.001 | |
| GSS-04 | Soil | 0.019 | 1 | 24 | 5 | 39 | 0.4 | 13 | 6 | 126 | 2.57 | 83 | 4 | 23 | <0.5 | <3 | <3 | 47 | 0.19 | 0.032 | 16 |
| GSS-05 | Soil | 0.026 | 2 | 31 | 6 | 52 | 0.4 | 19 | 8 | 304 | 2.66 | 77 | 5 | 32 | <0.5 | <3 | <3 | 48 | 0.32 | 0.060 | 18 |
| GSS-06 | Soil | 0.007 | <1 | 20 | 5 | 51 | <0.3 | 17 | 7 | 229 | 2.46 | 54 | 4 | 30 | <0.5 | <3 | <3 | 47 | 0.39 | 0.052 | 13 |
| GSS-07 | Soil | 0.009 | <1 | 27 | 6 | 49 | <0.3 | 20 | 8 | 256 | 2.50 | 52 | 4 | 32 | <0.5 | <3 | <3 | 45 | 0.43 | 0.064 | 15 |
| GSS-08 | Soil | 0.087 | 1 | 22 | 6 | 36 | <0.3 | 15 | 5 | 180 | 2.26 | 93 | 6 | 24 | <0.5 | <3 | <3 | 34 | 0.26 | 0.049 | 18 |
| GSS-09 | Soil | 0.008 | 1 | 22 | 6 | 41 | <0.3 | 15 | 7 | 347 | 2.37 | 77 | 6 | 22 | <0.5 | <3 | <3 | 38 | 0.23 | 0.035 | 19 |
| GSS-10 | Soil | 0.013 | 2 | 29 | 6 | 42 | 0.4 | 17 | 6 | 231 | 2.68 | 64 | 5 | 16 | <0.5 | <3 | <3 | 48 | 0.14 | 0.043 | 16 |
| GSS-11 | Soil | 0.006 | <1 | 19 | 3 | 32 | <0.3 | 13 | 5 | 143 | 1.97 | 47 | 5 | 20 | <0.5 | <3 | <3 | 34 | 0.22 | 0.031 | 15 |
| GSS-12 | Soil | 0.059 | 1 | 22 | 5 | 38 | <0.3 | 14 | 6 | 206 | 2.21 | 74 | 5 | 21 | <0.5 | <3 | <3 | 40 | 0.22 | 0.030 | 15 |
| GSS-13 | Soil | 0.018 | 2 | 22 | 8 | 41 | <0.3 | 14 | 7 | 201 | 2.31 | 66 | 5 | 20 | <0.5 | <3 | <3 | 42 | 0.20 | 0.031 | 16 |
| GSS-14 | Soil | 0.016 | 4 | 94 | 13 | 47 | 0.4 | 16 | 10 | 300 | 3.31 | 89 | 9 | 32 | <0.5 | 5 | <3 | 44 | 0.22 | 0.061 | 24 |
| GSS-15 | Soil | 0.015 | 4 | 35 | 7 | 47 | 0.3 | 18 | 7 | 189 | 2.40 | 52 | 5 | 24 | <0.5 | <3 | <3 | 43 | 0.27 | 0.045 | 16 |
| GSS-16 | Soil | 0.011 | 2 | 33 | 8 | 45 | <0.3 | 17 | 6 | 183 | 2.28 | 64 | 5 | 26 | <0.5 | <3 | <3 | 39 | 0.29 | 0.045 | 17 |
| GSS-17 | Soil | 0.008 | 2 | 44 | 7 | 59 | <0.3 | 20 | 8 | 249 | 2.58 | 64 | 5 | 31 | <0.5 | <3 | <3 | 44 | 0.37 | 0.064 | 19 |
| GSS-18 | Soil | 0.021 | 2 | 28 | 7 | 40 | <0.3 | 15 | 7 | 302 | 2.41 | 88 | 6 | 24 | <0.5 | <3 | <3 | 42 | 0.23 | 0.033 | 18 |
| GSS-19 | Soil | 0.013 | 2 | 29 | 8 | 42 | <0.3 | 16 | 6 | 191 | 2.32 | 54 | 6 | 27 | <0.5 | <3 | <3 | 41 | 0.30 | 0.043 | 18 |
| GSS-20 | Soil | 0.030 | 3 | 46 | 10 | 48 | <0.3 | 19 | 7 | 215 | 2.67 | 93 | 5 | 26 | <0.5 | 3 | <3 | 43 | 0.24 | 0.053 | 17 |
| GSS-21 | Soil | 0.019 | 3 | 41 | 9 | 40 | 0.4 | 15 | 6 | 150 | 2.33 | 61 | 5 | 24 | <0.5 | <3 | <3 | 38 | 0.24 | 0.048 | 17 |



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Kreft, Bernie**
1 Locust Place
Whitehorse Yukon Y1A 5G9 Canada

Project: None Given
Report Date: August 21, 2018

Page: 5 of 8

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000496.1

| Method | Analyte | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 |
|--------|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | Cr | Mg | Ba | Ti | B | Al | Na | K | W | S | Hg | Tl | Ga | Sc |
| Unit | | ppm | % | ppm | % | ppm | % | % | ppm | % | ppm | ppm | ppm | ppm | |
| MDL | | 1 | 0.01 | 1 | 0.001 | 20 | 0.01 | 0.01 | 0.01 | 2 | 0.05 | 1 | 5 | 5 | |
| GSS-04 | Soil | 22 | 0.34 | 281 | 0.035 | <20 | 1.48 | <0.01 | 0.05 | <2 | <0.05 | <1 | <5 | <5 | |
| GSS-05 | Soil | 28 | 0.42 | 390 | 0.049 | <20 | 1.46 | 0.01 | 0.05 | <2 | <0.05 | <1 | <5 | <5 | |
| GSS-06 | Soil | 24 | 0.46 | 319 | 0.052 | <20 | 1.31 | 0.01 | 0.05 | <2 | <0.05 | <1 | <5 | <5 | |
| GSS-07 | Soil | 24 | 0.46 | 354 | 0.052 | <20 | 1.33 | 0.02 | 0.05 | <2 | <0.05 | <1 | <5 | <5 | |
| GSS-08 | Soil | 19 | 0.29 | 247 | 0.034 | <20 | 0.92 | <0.01 | 0.05 | <2 | <0.05 | <1 | <5 | <5 | |
| GSS-09 | Soil | 20 | 0.33 | 270 | 0.038 | <20 | 1.05 | <0.01 | 0.06 | <2 | <0.05 | <1 | <5 | <5 | |
| GSS-10 | Soil | 24 | 0.35 | 284 | 0.032 | <20 | 1.58 | <0.01 | 0.06 | <2 | <0.05 | <1 | <5 | <5 | |
| GSS-11 | Soil | 18 | 0.30 | 234 | 0.041 | <20 | 1.06 | <0.01 | 0.04 | <2 | <0.05 | <1 | <5 | <5 | |
| GSS-12 | Soil | 20 | 0.32 | 218 | 0.052 | <20 | 1.19 | <0.01 | 0.05 | <2 | <0.05 | <1 | <5 | <5 | |
| GSS-13 | Soil | 21 | 0.32 | 229 | 0.046 | <20 | 1.34 | <0.01 | 0.05 | <2 | <0.05 | <1 | <5 | <5 | |
| GSS-14 | Soil | 21 | 0.36 | 318 | 0.046 | <20 | 1.46 | <0.01 | 0.13 | <2 | <0.05 | <1 | <5 | <5 | |
| GSS-15 | Soil | 24 | 0.39 | 283 | 0.046 | <20 | 1.34 | <0.01 | 0.05 | <2 | <0.05 | <1 | <5 | <5 | |
| GSS-16 | Soil | 23 | 0.36 | 281 | 0.054 | <20 | 1.17 | 0.01 | 0.05 | <2 | <0.05 | <1 | <5 | <5 | |
| GSS-17 | Soil | 26 | 0.39 | 313 | 0.062 | <20 | 1.20 | 0.01 | 0.06 | <2 | <0.05 | <1 | <5 | <5 | |
| GSS-18 | Soil | 21 | 0.32 | 269 | 0.053 | <20 | 1.16 | <0.01 | 0.06 | <2 | <0.05 | <1 | <5 | <5 | |
| GSS-19 | Soil | 23 | 0.37 | 296 | 0.059 | <20 | 1.23 | 0.01 | 0.05 | <2 | <0.05 | <1 | <5 | <5 | |
| GSS-20 | Soil | 27 | 0.34 | 227 | 0.054 | <20 | 1.27 | <0.01 | 0.06 | <2 | <0.05 | <1 | <5 | <5 | |
| GSS-21 | Soil | 22 | 0.34 | 200 | 0.043 | <20 | 1.25 | <0.01 | 0.05 | <2 | <0.05 | <1 | <5 | <5 | |



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Kreft, Bernie
1 Locust Place
Whitehorse Yukon Y1A 5G9 Canada

Project: None Given
Report Date: August 21, 2018

Page: 8 of 8

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000496.1

| Method | FA430 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 |
|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Analyte | Au | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | Th | Sr | Cd | Sb | Bi | V | Ca | P | La | |
| Unit | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | % | ppm | |
| MDL | 0.005 | 1 | 1 | 3 | 1 | 0.3 | 1 | 1 | 2 | 0.01 | 2 | 2 | 1 | 0.5 | 3 | 3 | 1 | 0.01 | 0.001 | 1 | |

| | | | | | | | | | | | | | | | | | | | | | |
|--------|------|-------|----|----|----|----|------|----|---|-----|------|-----|---|----|------|----|----|----|------|-------|----|
| DGD-01 | Soil | 0.011 | 1 | 23 | 16 | 60 | 0.3 | 15 | 8 | 543 | 2.67 | 32 | 2 | 42 | <0.5 | <3 | <3 | 44 | 0.32 | 0.068 | 20 |
| DGD-02 | Soil | 0.036 | 2 | 41 | 12 | 37 | 0.7 | 11 | 4 | 95 | 2.59 | 153 | 2 | 23 | <0.5 | <3 | <3 | 39 | 0.16 | 0.056 | 23 |
| DGD-03 | Soil | 0.043 | 1 | 28 | 11 | 45 | <0.3 | 17 | 7 | 261 | 2.73 | 70 | 4 | 31 | <0.5 | <3 | <3 | 48 | 0.30 | 0.052 | 18 |
| DGD-04 | Soil | 0.034 | 2 | 42 | 13 | 53 | 0.5 | 18 | 7 | 233 | 3.16 | 129 | 5 | 28 | <0.5 | <3 | <3 | 54 | 0.22 | 0.051 | 18 |
| DGD-05 | Soil | 0.043 | 1 | 38 | 16 | 50 | 0.6 | 20 | 7 | 247 | 2.62 | 159 | 6 | 34 | <0.5 | <3 | <3 | 47 | 0.36 | 0.055 | 20 |
| DGD-06 | Soil | 0.011 | <1 | 18 | 10 | 43 | 0.5 | 15 | 6 | 211 | 2.44 | 127 | 4 | 21 | <0.5 | <3 | <3 | 51 | 0.19 | 0.022 | 15 |
| DGD-07 | Soil | 0.010 | 1 | 22 | 11 | 45 | 0.3 | 18 | 7 | 260 | 2.68 | 71 | 4 | 25 | <0.5 | <3 | <3 | 51 | 0.28 | 0.036 | 16 |
| DGD-08 | Soil | 0.011 | 1 | 22 | 11 | 42 | 0.4 | 16 | 6 | 245 | 2.35 | 91 | 4 | 23 | <0.5 | <3 | <3 | 45 | 0.21 | 0.038 | 16 |
| DGD-09 | Soil | 0.012 | 8 | 36 | 22 | 53 | 0.4 | 17 | 8 | 287 | 2.79 | 53 | 5 | 28 | <0.5 | <3 | <3 | 49 | 0.27 | 0.058 | 18 |
| DGD-10 | Soil | 0.013 | 3 | 42 | 20 | 45 | 0.5 | 15 | 7 | 213 | 2.72 | 72 | 5 | 28 | <0.5 | <3 | <3 | 45 | 0.24 | 0.055 | 17 |
| DGD-11 | Soil | 0.013 | 3 | 49 | 14 | 44 | 1.1 | 16 | 8 | 238 | 2.67 | 75 | 4 | 23 | <0.5 | <3 | <3 | 43 | 0.21 | 0.046 | 19 |
| DGD-12 | Soil | 0.011 | 1 | 19 | 11 | 37 | <0.3 | 14 | 6 | 184 | 2.22 | 64 | 5 | 19 | <0.5 | <3 | <3 | 44 | 0.19 | 0.021 | 17 |
| DGD-13 | Soil | 0.011 | 2 | 23 | 12 | 42 | <0.3 | 17 | 7 | 244 | 2.49 | 65 | 4 | 22 | <0.5 | <3 | <3 | 47 | 0.22 | 0.032 | 18 |
| DGD-14 | Soil | 0.011 | 1 | 24 | 13 | 42 | <0.3 | 18 | 7 | 289 | 2.53 | 59 | 5 | 27 | <0.5 | <3 | <3 | 48 | 0.29 | 0.037 | 17 |
| DGD-15 | Soil | 0.053 | 1 | 23 | 11 | 45 | <0.3 | 18 | 6 | 206 | 2.39 | 69 | 5 | 29 | <0.5 | <3 | <3 | 43 | 0.34 | 0.053 | 18 |
| DGD-16 | Soil | 0.021 | <1 | 22 | 10 | 49 | <0.3 | 18 | 7 | 279 | 2.40 | 69 | 5 | 33 | <0.5 | <3 | <3 | 45 | 0.43 | 0.063 | 16 |
| DGD-17 | Soil | 0.243 | 1 | 22 | 12 | 52 | <0.3 | 18 | 7 | 283 | 2.52 | 81 | 4 | 32 | <0.5 | <3 | <3 | 46 | 0.38 | 0.055 | 17 |
| DGD-18 | Soil | 0.013 | 1 | 25 | 12 | 44 | <0.3 | 17 | 7 | 212 | 2.58 | 77 | 5 | 28 | <0.5 | <3 | <3 | 45 | 0.28 | 0.048 | 19 |
| DGD-19 | Soil | 0.036 | 2 | 36 | 13 | 38 | 0.7 | 13 | 4 | 102 | 3.04 | 144 | 5 | 19 | <0.5 | 3 | <3 | 43 | 0.14 | 0.058 | 22 |
| DGD-20 | Soil | 0.012 | 4 | 92 | 24 | 51 | 0.5 | 21 | 8 | 240 | 3.32 | 140 | 8 | 36 | <0.5 | 4 | <3 | 50 | 0.34 | 0.051 | 24 |



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Kreft, Bernie**
1 Locust Place
Whitehorse Yukon Y1A 5G9 Canada

Project: None Given
Report Date: August 21, 2018

Page: 8 of 8

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000496.1

| Method | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 |
|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Analyte | Cr | Mg | Ba | Ti | B | Al | Na | K | W | S | Hg | Tl | Ga | Sc |
| Unit | ppm | % | ppm | % | ppm | % | % | % | ppm | % | ppm | ppm | ppm | ppm |
| MDL | 1 | 0.01 | 1 | 0.001 | 20 | 0.01 | 0.01 | 0.01 | 2 | 0.05 | 1 | 5 | 5 | 5 |

| | | | | | | | | | | | | | | | |
|--------|------|----|------|-----|-------|-----|------|-------|------|----|-------|----|----|----|----|
| DGD-01 | Soil | 18 | 0.37 | 436 | 0.024 | <20 | 1.90 | <0.01 | 0.08 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| DGD-02 | Soil | 14 | 0.28 | 302 | 0.019 | <20 | 1.29 | <0.01 | 0.07 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| DGD-03 | Soil | 21 | 0.42 | 347 | 0.055 | <20 | 1.50 | 0.01 | 0.05 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| DGD-04 | Soil | 25 | 0.43 | 339 | 0.046 | <20 | 1.85 | <0.01 | 0.06 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| DGD-05 | Soil | 20 | 0.43 | 357 | 0.059 | <20 | 1.30 | 0.02 | 0.07 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| DGD-06 | Soil | 21 | 0.43 | 289 | 0.050 | <20 | 1.44 | <0.01 | 0.06 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| DGD-07 | Soil | 24 | 0.45 | 356 | 0.055 | <20 | 1.56 | 0.01 | 0.07 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| DGD-08 | Soil | 19 | 0.39 | 252 | 0.049 | <20 | 1.29 | <0.01 | 0.06 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| DGD-09 | Soil | 20 | 0.43 | 221 | 0.058 | <20 | 1.54 | 0.01 | 0.06 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| DGD-10 | Soil | 18 | 0.38 | 246 | 0.045 | <20 | 1.37 | 0.01 | 0.06 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| DGD-11 | Soil | 15 | 0.38 | 268 | 0.037 | <20 | 1.55 | <0.01 | 0.08 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| DGD-12 | Soil | 20 | 0.40 | 250 | 0.052 | <20 | 1.30 | <0.01 | 0.05 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| DGD-13 | Soil | 19 | 0.40 | 308 | 0.048 | <20 | 1.48 | <0.01 | 0.06 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| DGD-14 | Soil | 21 | 0.38 | 326 | 0.044 | <20 | 1.52 | <0.01 | 0.06 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| DGD-15 | Soil | 20 | 0.41 | 297 | 0.058 | <20 | 1.31 | 0.01 | 0.06 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| DGD-16 | Soil | 21 | 0.44 | 328 | 0.057 | <20 | 1.32 | 0.02 | 0.07 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| DGD-17 | Soil | 21 | 0.43 | 330 | 0.053 | <20 | 1.37 | 0.01 | 0.06 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| DGD-18 | Soil | 19 | 0.37 | 345 | 0.045 | <20 | 1.36 | 0.01 | 0.06 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| DGD-19 | Soil | 16 | 0.25 | 185 | 0.022 | <20 | 1.32 | <0.01 | 0.06 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| DGD-20 | Soil | 22 | 0.39 | 295 | 0.070 | <20 | 1.64 | 0.01 | 0.09 | <2 | <0.05 | <1 | <5 | <5 | <5 |



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: Kreft, Bernie
1 Locust Place
Whitehorse Yukon Y1A 5G9 Canada

Project: None Given
Report Date: August 21, 2018

Page: 1 of 3

Part: 1 of 2

QUALITY CONTROL REPORT

WHI18000496.1

| Method | FA430 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | |
|---------------------|----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----|
| Analyte | Au | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | Th | Sr | Cd | Sb | Bi | V | Ca | P | La | |
| Unit | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | % | ppm | |
| MDL | 0.005 | 1 | 1 | 3 | 1 | 0.3 | 1 | 1 | 2 | 0.01 | 2 | 2 | 1 | 0.5 | 3 | 3 | 1 | 0.01 | 0.001 | 1 | |
| Pulp Duplicates | | | | | | | | | | | | | | | | | | | | | |
| TCD-06 | Soil | 0.114 | 1 | 61 | 10 | 81 | <0.3 | 45 | 21 | 581 | 4.35 | 627 | 5 | 37 | <0.5 | <3 | <3 | 92 | 0.25 | 0.091 | 23 |
| REP TCD-06 | QC | | 1 | 63 | 12 | 83 | <0.3 | 47 | 21 | 623 | 4.63 | 642 | 6 | 40 | <0.5 | <3 | <3 | 95 | 0.27 | 0.094 | 24 |
| BLPD-04 | Soil | 0.220 | 1 | 23 | 313 | 146 | 1.4 | 19 | 9 | 388 | 3.43 | 133 | 3 | 20 | 0.6 | 3 | <3 | 54 | 0.11 | 0.031 | 10 |
| REP BLPD-04 | QC | 0.262 | | | | | | | | | | | | | | | | | | | |
| UQS-09 | Soil | 0.018 | 1 | 10 | 26 | 103 | <0.3 | 9 | 8 | 461 | 3.32 | 11 | 4 | 30 | <0.5 | <3 | <3 | 74 | 0.12 | 0.037 | 14 |
| REP UQS-09 | QC | 0.019 | | | | | | | | | | | | | | | | | | | |
| UQS-14 | Soil | 0.016 | <1 | 26 | 25 | 92 | <0.3 | 14 | 7 | 518 | 2.49 | 8 | 3 | 32 | <0.5 | <3 | <3 | 54 | 0.17 | 0.016 | 11 |
| REP UQS-14 | QC | | <1 | 26 | 25 | 92 | <0.3 | 14 | 7 | 518 | 2.49 | 8 | 3 | 32 | <0.5 | <3 | <3 | 54 | 0.17 | 0.016 | 11 |
| UTPD-24 | Soil | 0.007 | <1 | 76 | 9 | 53 | <0.3 | 15 | 23 | 860 | 4.92 | 6 | <2 | 361 | <0.5 | <3 | 4 | 90 | 8.68 | 0.148 | 16 |
| REP UTPD-24 | QC | | <1 | 75 | 9 | 54 | <0.3 | 15 | 23 | 870 | 5.04 | 6 | <2 | 357 | <0.5 | <3 | 5 | 89 | 8.75 | 0.152 | 16 |
| GSS-03 | Soil | 0.048 | 2 | 39 | 7 | 39 | 0.6 | 11 | 4 | 83 | 3.44 | 209 | 4 | 21 | <0.5 | <3 | 4 | 43 | 0.15 | 0.073 | 21 |
| REP GSS-03 | QC | 0.067 | | | | | | | | | | | | | | | | | | | |
| DTVD-06 | Soil | 0.288 | 1 | 19 | 171 | 84 | 0.7 | 16 | 7 | 326 | 2.90 | 287 | 2 | 16 | <0.5 | <3 | <3 | 45 | 0.15 | 0.026 | 9 |
| REP DTVD-06 | QC | 0.470 | 1 | 19 | 176 | 85 | 1.6 | 16 | 7 | 324 | 2.91 | 283 | 3 | 16 | <0.5 | <3 | <3 | 45 | 0.15 | 0.027 | 9 |
| DTVD-42 | Soil | 0.047 | <1 | 16 | 41 | 106 | <0.3 | 18 | 7 | 253 | 3.13 | 18 | 5 | 29 | <0.5 | <3 | <3 | 68 | 0.17 | 0.020 | 14 |
| REP DTVD-42 | QC | | <1 | 16 | 42 | 105 | <0.3 | 18 | 7 | 250 | 3.14 | 18 | 5 | 29 | <0.5 | <3 | <3 | 68 | 0.17 | 0.020 | 14 |
| BQCD-03 | Soil | 0.019 | 1 | 25 | 24 | 77 | <0.3 | 25 | 8 | 348 | 3.39 | 19 | 6 | 26 | <0.5 | <3 | <3 | 65 | 0.24 | 0.016 | 22 |
| REP BQCD-03 | QC | 0.023 | | | | | | | | | | | | | | | | | | | |
| BQCD-18 | Soil | 0.016 | 1 | 16 | 32 | 106 | <0.3 | 18 | 13 | 1237 | 4.75 | 19 | 4 | 14 | <0.5 | <3 | <3 | 75 | 0.12 | 0.055 | 13 |
| REP BQCD-18 | QC | 0.017 | | | | | | | | | | | | | | | | | | | |
| DGD-01 | Soil | 0.011 | 1 | 23 | 16 | 60 | 0.3 | 15 | 8 | 543 | 2.67 | 32 | 2 | 42 | <0.5 | <3 | <3 | 44 | 0.32 | 0.068 | 20 |
| REP DGD-01 | QC | | 1 | 23 | 16 | 59 | 0.4 | 15 | 8 | 524 | 2.60 | 32 | 2 | 41 | <0.5 | <3 | <3 | 43 | 0.31 | 0.066 | 19 |
| Reference Materials | | | | | | | | | | | | | | | | | | | | | |
| STD DS11 | Standard | | 15 | 144 | 134 | 332 | 2.0 | 76 | 13 | 1020 | 3.07 | 44 | 5 | 67 | 2.3 | 7 | 10 | 50 | 1.03 | 0.072 | 18 |
| STD DS11 | Standard | | 14 | 154 | 141 | 351 | 1.7 | 81 | 14 | 1070 | 3.29 | 43 | 7 | 66 | 2.1 | 8 | 15 | 50 | 1.09 | 0.073 | 17 |
| STD DS11 | Standard | | 13 | 152 | 130 | 351 | 1.7 | 78 | 14 | 1043 | 3.18 | 45 | 7 | 63 | 2.1 | 6 | 13 | 48 | 1.05 | 0.072 | 16 |
| STD DS11 | Standard | | 14 | 154 | 130 | 365 | 1.8 | 80 | 14 | 1083 | 3.34 | 44 | 7 | 67 | 2.0 | 7 | 13 | 49 | 1.11 | 0.073 | 17 |
| STD DS11 | Standard | | 14 | 148 | 138 | 340 | 1.6 | 74 | 13 | 1039 | 3.11 | 45 | 7 | 66 | 2.2 | 8 | 10 | 48 | 1.05 | 0.070 | 17 |



QUALITY CONTROL REPORT

WHI18000496.1

| Method | Analyte | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 |
|---------------------|----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | Cr | Mg | Ba | Ti | B | Al | Na | K | W | S | Hg | Tl | Ga | Sc |
| Unit | | ppm | % | ppm | % | ppm | % | % | % | ppm | % | ppm | ppm | ppm | ppm |
| MDL | | 1 | 0.01 | 1 | 0.001 | 20 | 0.01 | 0.01 | 0.01 | 2 | 0.05 | 1 | 5 | 5 | 5 |
| Pulp Duplicates | | | | | | | | | | | | | | | |
| TCD-06 | Soil | 102 | 1.13 | 674 | 0.203 | <20 | 2.36 | <0.01 | 0.72 | 8 | 0.09 | <1 | <5 | 12 | 7 |
| REP TCD-06 | QC | 108 | 1.21 | 723 | 0.213 | <20 | 2.53 | <0.01 | 0.74 | 7 | 0.09 | <1 | <5 | 9 | 7 |
| BLPD-04 | Soil | 27 | 0.39 | 290 | 0.048 | <20 | 2.03 | <0.01 | 0.13 | <2 | 0.12 | <1 | <5 | <5 | <5 |
| REP BLPD-04 | QC | | | | | | | | | | | | | | |
| UQS-09 | Soil | 17 | 0.21 | 229 | 0.031 | <20 | 1.45 | <0.01 | 0.06 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| REP UQS-09 | QC | | | | | | | | | | | | | | |
| UQS-14 | Soil | 21 | 0.36 | 203 | 0.037 | <20 | 1.54 | <0.01 | 0.06 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| REP UQS-14 | QC | 22 | 0.36 | 203 | 0.035 | <20 | 1.52 | <0.01 | 0.06 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| UTPD-24 | Soil | 14 | 0.92 | 409 | 0.013 | <20 | 1.59 | 0.01 | 0.15 | <2 | 0.08 | <1 | <5 | <5 | 14 |
| REP UTPD-24 | QC | 14 | 0.90 | 414 | 0.014 | <20 | 1.56 | 0.01 | 0.15 | <2 | 0.08 | <1 | <5 | <5 | 14 |
| GSS-03 | Soil | 19 | 0.24 | 282 | 0.015 | <20 | 1.52 | <0.01 | 0.08 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| REP GSS-03 | QC | | | | | | | | | | | | | | |
| DTVD-06 | Soil | 22 | 0.31 | 281 | 0.045 | <20 | 1.39 | <0.01 | 0.06 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| REP DTVD-06 | QC | 22 | 0.31 | 279 | 0.044 | <20 | 1.39 | <0.01 | 0.06 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| DTVD-42 | Soil | 26 | 0.40 | 271 | 0.031 | <20 | 2.09 | <0.01 | 0.08 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| REP DTVD-42 | QC | 25 | 0.40 | 272 | 0.034 | <20 | 2.08 | <0.01 | 0.08 | <2 | <0.05 | <1 | <5 | 6 | <5 |
| BQCD-03 | Soil | 36 | 0.51 | 346 | 0.069 | <20 | 2.04 | 0.01 | 0.06 | <2 | <0.05 | <1 | <5 | <5 | 8 |
| REP BQCD-03 | QC | | | | | | | | | | | | | | |
| BQCD-18 | Soil | 34 | 0.62 | 169 | 0.064 | <20 | 2.42 | <0.01 | 0.08 | <2 | <0.05 | <1 | <5 | 6 | 5 |
| REP BQCD-18 | QC | | | | | | | | | | | | | | |
| DGD-01 | Soil | 18 | 0.37 | 436 | 0.024 | <20 | 1.90 | <0.01 | 0.08 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| REP DGD-01 | QC | 17 | 0.36 | 419 | 0.022 | <20 | 1.80 | <0.01 | 0.08 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| Reference Materials | | | | | | | | | | | | | | | |
| STD DS11 | Standard | 61 | 0.83 | 402 | 0.092 | <20 | 1.13 | 0.07 | 0.40 | 4 | 0.29 | <1 | 6 | 6 | <5 |
| STD DS11 | Standard | 62 | 0.87 | 407 | 0.093 | <20 | 1.17 | 0.07 | 0.41 | 3 | 0.28 | <1 | 5 | <5 | <5 |
| STD DS11 | Standard | 58 | 0.85 | 389 | 0.087 | <20 | 1.12 | 0.07 | 0.39 | 3 | 0.28 | <1 | 5 | <5 | <5 |
| STD DS11 | Standard | 59 | 0.88 | 427 | 0.093 | <20 | 1.18 | 0.07 | 0.40 | 4 | 0.28 | <1 | <5 | <5 | <5 |
| STD DS11 | Standard | 56 | 0.83 | 371 | 0.094 | <20 | 1.13 | 0.07 | 0.40 | 2 | 0.27 | <1 | <5 | <5 | <5 |



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: Kreft, Bernie
1 Locust Place
Whitehorse Yukon Y1A 5G9 Canada

Project: None Given
Report Date: August 21, 2018

Page: 2 of 3

Part: 1 of 2

QUALITY CONTROL REPORT

WHI18000496.1

| | | FA430 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 |
|------------------------|----------|--------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|
| | | Au | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | Th | Sr | Cd | Sb | Bi | V | Ca | P | La |
| | | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | % | ppm |
| | | 0.005 | 1 | 1 | 3 | 1 | 0.3 | 1 | 1 | 2 | 0.01 | 2 | 2 | 1 | 0.5 | 3 | 3 | 1 | 0.01 | 0.001 | 1 |
| STD DS11 | Standard | | 15 | 147 | 141 | 339 | 1.7 | 76 | 13 | 1030 | 3.10 | 44 | 7 | 69 | 2.2 | 6 | 11 | 49 | 1.04 | 0.069 | 18 |
| STD OREAS45EA | Standard | | 2 | 743 | 17 | 35 | 0.6 | 420 | 55 | 435 | 23.36 | 3 | 9 | 4 | <0.5 | <3 | <3 | 328 | 0.04 | 0.033 | 8 |
| STD OREAS45EA | Standard | | 3 | 707 | 16 | 30 | 0.5 | 378 | 51 | 420 | 22.04 | 10 | 11 | 4 | 1.4 | <3 | 7 | 309 | 0.03 | 0.030 | 8 |
| STD OREAS45EA | Standard | | 2 | 728 | 15 | 32 | 0.5 | 397 | 53 | 442 | 23.69 | 11 | 10 | 4 | <0.5 | <3 | <3 | 319 | 0.03 | 0.032 | 8 |
| STD OREAS45EA | Standard | | 2 | 731 | 12 | 33 | 0.4 | 415 | 54 | 456 | 25.64 | 10 | 10 | 4 | <0.5 | <3 | <3 | 332 | 0.03 | 0.032 | 8 |
| STD OREAS45EA | Standard | | 3 | 732 | 17 | 32 | 0.5 | 437 | 54 | 426 | 25.79 | 17 | 9 | 4 | <0.5 | <3 | <3 | 331 | 0.04 | 0.032 | 8 |
| STD OREAS45EA | Standard | | 2 | 739 | 18 | 33 | 0.4 | 432 | 54 | 428 | 25.18 | 16 | 8 | 4 | <0.5 | <3 | <3 | 328 | 0.04 | 0.032 | 8 |
| STD OXC145 | Standard | 0.222 | | | | | | | | | | | | | | | | | | | |
| STD OXC145 | Standard | 0.213 | | | | | | | | | | | | | | | | | | | |
| STD OXC145 | Standard | 0.219 | | | | | | | | | | | | | | | | | | | |
| STD OXC145 | Standard | 0.216 | | | | | | | | | | | | | | | | | | | |
| STD OXH139 | Standard | 1.311 | | | | | | | | | | | | | | | | | | | |
| STD OXH139 | Standard | 1.358 | | | | | | | | | | | | | | | | | | | |
| STD OXH139 | Standard | 1.327 | | | | | | | | | | | | | | | | | | | |
| STD OXH139 | Standard | 1.292 | | | | | | | | | | | | | | | | | | | |
| STD OXN134 | Standard | 7.861 | | | | | | | | | | | | | | | | | | | |
| STD OXN134 | Standard | 7.971 | | | | | | | | | | | | | | | | | | | |
| STD OXN134 | Standard | 7.779 | | | | | | | | | | | | | | | | | | | |
| STD OXN134 | Standard | 7.940 | | | | | | | | | | | | | | | | | | | |
| STD OXN134 Expected | | 7.667 | | | | | | | | | | | | | | | | | | | |
| STD OXC145 Expected | | 0.212 | | | | | | | | | | | | | | | | | | | |
| STD OXH139 Expected | | 1.312 | | | | | | | | | | | | | | | | | | | |
| STD OREAS45EA Expected | | | 1.6 | 709 | 14.3 | 31.4 | 0.26 | 381 | 52 | 400 | 22.65 | 11 | 10.7 | 4.05 | | | | 303 | 0.036 | 0.029 | 7.06 |
| STD DS11 Expected | | | 13.9 | 156 | 138 | 345 | 1.71 | 81.9 | 14.2 | 1055 | 3.2082 | 42.8 | 7.65 | 67.3 | 2.37 | 7.2 | 12.2 | 50 | 1.063 | 0.0701 | 18.6 |
| BLK | Blank | <0.005 | | | | | | | | | | | | | | | | | | | |
| BLK | Blank | <0.005 | | | | | | | | | | | | | | | | | | | |
| BLK | Blank | <0.005 | | | | | | | | | | | | | | | | | | | |
| BLK | Blank | <0.005 | | | | | | | | | | | | | | | | | | | |
| BLK | Blank | <0.005 | | | | | | | | | | | | | | | | | | | |



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: Kreft, Bernie
1 Locust Place
Whitehorse Yukon Y1A 5G9 Canada

Project: None Given
Report Date: August 21, 2018

Page: 2 of 3

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000496.1

| | | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | |
|------------------------|----------|-------|-------|-------|--------|-------|-------|--------|-------|-------|--------|-------|-------|-------|-----|
| | | Cr | Mg | Ba | Ti | B | Al | Na | K | W | S | Hg | Tl | Ga | Sc |
| | | ppm | % | ppm | % | ppm | % | % | % | ppm | % | ppm | ppm | ppm | ppm |
| | | 1 | 0.01 | 1 | 0.001 | 20 | 0.01 | 0.01 | 0.01 | 2 | 0.05 | 1 | 5 | 5 | 5 |
| STD DS11 | Standard | 54 | 0.83 | 412 | 0.098 | <20 | 1.17 | 0.07 | 0.40 | 3 | 0.27 | <1 | <5 | <5 | <5 |
| STD OREAS45EA | Standard | 946 | 0.11 | 158 | 0.109 | <20 | 3.66 | 0.02 | 0.06 | <2 | <0.05 | <1 | <5 | 28 | 91 |
| STD OREAS45EA | Standard | 942 | 0.09 | 147 | 0.101 | <20 | 3.36 | 0.02 | 0.05 | <2 | <0.05 | <1 | <5 | 9 | 87 |
| STD OREAS45EA | Standard | 960 | 0.10 | 156 | 0.105 | <20 | 3.44 | 0.02 | 0.05 | <2 | <0.05 | <1 | <5 | 8 | 92 |
| STD OREAS45EA | Standard | 959 | 0.10 | 163 | 0.106 | <20 | 3.51 | 0.02 | 0.05 | <2 | <0.05 | <1 | <5 | <5 | 95 |
| STD OREAS45EA | Standard | 947 | 0.10 | 161 | 0.112 | <20 | 3.71 | 0.02 | 0.06 | <2 | <0.05 | <1 | 9 | <5 | 86 |
| STD OREAS45EA | Standard | 932 | 0.10 | 157 | 0.116 | <20 | 3.80 | 0.02 | 0.06 | <2 | <0.05 | <1 | 10 | 7 | 86 |
| STD OXC145 | Standard | | | | | | | | | | | | | | |
| STD OXC145 | Standard | | | | | | | | | | | | | | |
| STD OXC145 | Standard | | | | | | | | | | | | | | |
| STD OXC145 | Standard | | | | | | | | | | | | | | |
| STD OXH139 | Standard | | | | | | | | | | | | | | |
| STD OXH139 | Standard | | | | | | | | | | | | | | |
| STD OXH139 | Standard | | | | | | | | | | | | | | |
| STD OXH139 | Standard | | | | | | | | | | | | | | |
| STD OXH139 | Standard | | | | | | | | | | | | | | |
| STD OXN134 | Standard | | | | | | | | | | | | | | |
| STD OXN134 | Standard | | | | | | | | | | | | | | |
| STD OXN134 | Standard | | | | | | | | | | | | | | |
| STD OXN134 | Standard | | | | | | | | | | | | | | |
| STD OXN134 | Standard | | | | | | | | | | | | | | |
| STD OXN134 Expected | | | | | | | | | | | | | | | |
| STD OXC145 Expected | | | | | | | | | | | | | | | |
| STD OXH139 Expected | | | | | | | | | | | | | | | |
| STD OREAS45EA Expected | | 849 | 0.095 | 148 | 0.0984 | | 3.32 | 0.02 | 0.053 | | 0.036 | | | 12.4 | 78 |
| STD DS11 Expected | | 61.5 | 0.85 | 417 | 0.0976 | 6 | 1.129 | 0.0694 | 0.4 | 2.9 | 0.2835 | 0.3 | 4.9 | 4.7 | 3.1 |
| BLK | Blank | | | | | | | | | | | | | | |
| BLK | Blank | | | | | | | | | | | | | | |
| BLK | Blank | | | | | | | | | | | | | | |
| BLK | Blank | | | | | | | | | | | | | | |
| BLK | Blank | | | | | | | | | | | | | | |



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Kreft, Bernie
1 Locust Place
Whitehorse Yukon Y1A 5G9 Canada

Project: None Given
Report Date: August 21, 2018

Page: 3 of 3

Part: 1 of 2

QUALITY CONTROL REPORT

WHI18000496.1

| | | FA430 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 |
|-----|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|
| | | Au | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | Th | Sr | Cd | Sb | Bi | V | Ca | P | La |
| | | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | % | ppm |
| BLK | Blank | <0.005 | | | | | | | | | | | | | | | | | | | |
| BLK | Blank | <0.005 | | | | | | | | | | | | | | | | | | | |
| BLK | Blank | <0.005 | | | | | | | | | | | | | | | | | | | |
| BLK | Blank | | <1 | <1 | <3 | <1 | <0.3 | <1 | <1 | <2 | <0.01 | <2 | <2 | <1 | <0.5 | <3 | <3 | <1 | <0.01 | <0.001 | <1 |
| BLK | Blank | | <1 | <1 | <3 | <1 | <0.3 | <1 | <1 | <2 | <0.01 | <2 | <2 | <1 | <0.5 | <3 | <3 | <1 | <0.01 | <0.001 | <1 |
| BLK | Blank | | <1 | <1 | <3 | <1 | <0.3 | <1 | <1 | <2 | <0.01 | <2 | <2 | <1 | <0.5 | <3 | <3 | <1 | <0.01 | <0.001 | <1 |
| BLK | Blank | | <1 | <1 | <3 | <1 | <0.3 | <1 | <1 | <2 | <0.01 | <2 | <2 | <1 | <0.5 | <3 | <3 | <1 | <0.01 | <0.001 | <1 |
| BLK | Blank | | <1 | <1 | <3 | <1 | <0.3 | <1 | <1 | <2 | <0.01 | <2 | <2 | <1 | <0.5 | <3 | <3 | <1 | <0.01 | <0.001 | <1 |



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: Kreft, Bernie
1 Locust Place
Whitehorse Yukon Y1A 5G9 Canada

Project: None Given
Report Date: August 21, 2018

Page: 3 of 3

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000496.1

| | | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | |
|-----|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----|
| | | Cr | Mg | Ba | Ti | B | Al | Na | K | W | S | Hg | Tl | Ga | Sc |
| | | ppm | % | ppm | % | ppm | % | % | % | ppm | % | ppm | ppm | ppm | ppm |
| | | 1 | 0.01 | 1 | 0.001 | 20 | 0.01 | 0.01 | 0.01 | 2 | 0.05 | 1 | 5 | 5 | 5 |
| BLK | Blank | | | | | | | | | | | | | | |
| BLK | Blank | | | | | | | | | | | | | | |
| BLK | Blank | | | | | | | | | | | | | | |
| BLK | Blank | <1 | <0.01 | <1 | <0.001 | <20 | <0.01 | <0.01 | <0.01 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| BLK | Blank | <1 | <0.01 | <1 | <0.001 | <20 | <0.01 | <0.01 | <0.01 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| BLK | Blank | <1 | <0.01 | <1 | <0.001 | <20 | <0.01 | <0.01 | <0.01 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| BLK | Blank | <1 | <0.01 | <1 | <0.001 | <20 | <0.01 | <0.01 | <0.01 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| BLK | Blank | <1 | <0.01 | <1 | <0.001 | <20 | <0.01 | <0.01 | <0.01 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| BLK | Blank | <1 | <0.01 | <1 | <0.001 | <20 | <0.01 | <0.01 | <0.01 | <2 | <0.05 | <1 | <5 | <5 | <5 |



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: Kreft, Bernie
1 Locust Place
Whitehorse Yukon Y1A 5G9 Canada

Submitted By: Bernie Kreft
Receiving Lab: Canada-Whitehorse
Received: July 13, 2018
Report Date: August 11, 2018
Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI18000339.1

CLIENT JOB INFORMATION

Project: None Given
Shipment ID:
P.O. Number
Number of Samples: 52

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Kreft, Bernie
1 Locust Place
Whitehorse Yukon Y1A 5G9
Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

| Procedure Code | Number of Samples | Code Description | Test Wgt (g) | Report Status | Lab |
|----------------|-------------------|---|--------------|---------------|-----|
| PRP70-250 | 51 | Crush, split and pulverize 250 g rock to 200 mesh | | | WHI |
| FA430 | 51 | Lead Collection Fire - Assay Fusion - AAS Finish | 30 | Completed | VAN |
| EN002 | 51 | Environmental disposal charge-Fire assay lead waste | | | VAN |
| AQ300 | 51 | 1:1:1 Aqua Regia digestion ICP-ES analysis | 0.5 | Completed | VAN |
| SHP01 | 51 | Per sample shipping charges for branch shipments | | | VAN |

ADDITIONAL COMMENTS


JEFFREY CANNON
Geochemistry Department Supervisor

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Kreft, Bernie
1 Locust Place
Whitehorse Yukon Y1A 5G9 Canada

Project: None Given
Report Date: August 11, 2018

Page: 2 of 3

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000339.1

| Method | WGHT | FA430 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 |
|---------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Analyte | Wgt | Au | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | Th | Sr | Cd | Sb | Bi | V | Ca | P | |
| Unit | kg | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | % | |
| MDL | 0.01 | 0.005 | 1 | 1 | 3 | 1 | 0.3 | 1 | 1 | 2 | 0.01 | 2 | 2 | 1 | 0.5 | 3 | 3 | 1 | 0.01 | 0.001 | |

| | | | | | | | | | | | | | | | | | | | | | |
|---------|------|------|--------|----|-----|----|-----|------|----|----|-----|-------|-----|----|----|------|----|----|----|-------|-------|
| GGBR-01 | Rock | 0.11 | 0.006 | 2 | 58 | 10 | 20 | 0.4 | 3 | 2 | 96 | 2.81 | 193 | 11 | 69 | <0.5 | <3 | 6 | 26 | 0.02 | 0.077 |
| GGBR-02 | Rock | 0.34 | 0.050 | 3 | 179 | 10 | 120 | <0.3 | 8 | 14 | 359 | 10.84 | 111 | 11 | 16 | <0.5 | 5 | 8 | 78 | 0.03 | 0.169 |
| GGBR-03 | Rock | 0.41 | 0.009 | <1 | 73 | <3 | 15 | 0.7 | 2 | <1 | 49 | 3.67 | 368 | 3 | 4 | <0.5 | 8 | 8 | 9 | <0.01 | 0.033 |
| GGBR-04 | Rock | 0.23 | 0.005 | 2 | 22 | <3 | 8 | 1.1 | <1 | 1 | 66 | 1.66 | 54 | 4 | 18 | <0.5 | 7 | 8 | 10 | 0.01 | 0.029 |
| GGBR-05 | Rock | 0.21 | 0.010 | 2 | 18 | 5 | 43 | <0.3 | 8 | 8 | 435 | 4.37 | 4 | 8 | 91 | <0.5 | <3 | <3 | 76 | 0.82 | 0.148 |
| GGBR-06 | Rock | 0.46 | 0.012 | 1 | 25 | 6 | 26 | <0.3 | 7 | 3 | 276 | 3.49 | 6 | 8 | 61 | <0.5 | <3 | <3 | 99 | 0.28 | 0.092 |
| GGBR-07 | Rock | 0.66 | 0.291 | 3 | 259 | 22 | 35 | 0.5 | 4 | 1 | 66 | 7.54 | 18 | 9 | 35 | <0.5 | <3 | 14 | 44 | 0.01 | 0.131 |
| GGBR-08 | Rock | 0.52 | <0.005 | <1 | 32 | <3 | 13 | <0.3 | 8 | 5 | 93 | 1.39 | 27 | 18 | 10 | <0.5 | <3 | <3 | 6 | 0.02 | 0.013 |
| GGBR-09 | Rock | 0.32 | 0.042 | <1 | 154 | 4 | 39 | <0.3 | 25 | 16 | 258 | 4.04 | 728 | 5 | 10 | <0.5 | <3 | 5 | 27 | 0.02 | 0.013 |
| GGBR-10 | Rock | 0.31 | 0.426 | <1 | 18 | 22 | 7 | 0.4 | 3 | 1 | 45 | 1.39 | 233 | 3 | 8 | <0.5 | <3 | 28 | 2 | 0.01 | 0.006 |
| GGBR-11 | Rock | 0.24 | <0.005 | <1 | 24 | <3 | 13 | <0.3 | 6 | 2 | 131 | 1.52 | 7 | 15 | 9 | <0.5 | <3 | <3 | 4 | 0.01 | 0.012 |
| GGBR-12 | Rock | 0.65 | 0.010 | <1 | 93 | <3 | 12 | <0.3 | 11 | 14 | 135 | 1.84 | 101 | 4 | 3 | <0.5 | <3 | 4 | 5 | 0.01 | 0.011 |
| GGBR-13 | Rock | 0.15 | 0.005 | <1 | 26 | <3 | 10 | <0.3 | 2 | 1 | 31 | 0.80 | 23 | 25 | 18 | <0.5 | <3 | <3 | 6 | 0.02 | 0.012 |
| GGBR-14 | Rock | 0.26 | 0.006 | <1 | 65 | <3 | 21 | <0.3 | 12 | 4 | 146 | 2.50 | 24 | 29 | 11 | <0.5 | <3 | <3 | 8 | 0.02 | 0.021 |
| GGBR-15 | Rock | 0.50 | 0.006 | <1 | 40 | <3 | 16 | <0.3 | 13 | 11 | 162 | 0.74 | 122 | 13 | 7 | <0.5 | <3 | <3 | 6 | 0.02 | 0.009 |



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Kreft, Bernie**
1 Locust Place
Whitehorse Yukon Y1A 5G9 Canada

Project: None Given
Report Date: August 11, 2018

Page: 2 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000339.1

| Method | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 |
|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | | | | | | | | | | | | | | | |
| Unit | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | % | ppm | ppm | ppm | ppm | ppm |
| MDL | 1 | 1 | 0.01 | 1 | 0.001 | 20 | 0.01 | 0.01 | 0.01 | 0.01 | 2 | 0.05 | 1 | 5 | 5 | 5 |
| GGBR-01 | Rock | 43 | 6 | 0.08 | 771 | 0.004 | <20 | 0.91 | 0.01 | 0.66 | <2 | 0.49 | <1 | <5 | <5 | <5 |
| GGBR-02 | Rock | 18 | 11 | 0.24 | 279 | 0.003 | <20 | 1.18 | <0.01 | 0.19 | <2 | 0.16 | <1 | <5 | 5 | 9 |
| GGBR-03 | Rock | 22 | 3 | 0.03 | 90 | 0.003 | <20 | 0.29 | <0.01 | 0.19 | <2 | 0.05 | <1 | <5 | <5 | <5 |
| GGBR-04 | Rock | 26 | 2 | 0.06 | 176 | 0.002 | <20 | 0.47 | <0.01 | 0.32 | <2 | 0.06 | <1 | <5 | <5 | <5 |
| GGBR-05 | Rock | 24 | 12 | 0.90 | 442 | 0.166 | <20 | 1.82 | 0.10 | 0.13 | <2 | 0.65 | <1 | <5 | <5 | 5 |
| GGBR-06 | Rock | 19 | 17 | 1.00 | 195 | 0.172 | <20 | 2.58 | 0.04 | 0.09 | <2 | <0.05 | <1 | <5 | <5 | 8 |
| GGBR-07 | Rock | 32 | 6 | 0.12 | 293 | 0.003 | <20 | 1.14 | 0.04 | 0.22 | <2 | 0.21 | <1 | <5 | <5 | <5 |
| GGBR-08 | Rock | 32 | 5 | 0.07 | 227 | 0.003 | <20 | 0.68 | 0.01 | 0.33 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| GGBR-09 | Rock | 10 | 13 | 0.30 | 60 | 0.003 | <20 | 0.86 | <0.01 | 0.10 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| GGBR-10 | Rock | 2 | 2 | 0.03 | 68 | 0.002 | <20 | 0.27 | <0.01 | 0.15 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| GGBR-11 | Rock | 27 | 5 | 0.07 | 252 | 0.003 | <20 | 0.65 | 0.02 | 0.31 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| GGBR-12 | Rock | 2 | 5 | 0.04 | 56 | 0.001 | <20 | 0.33 | <0.01 | 0.14 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| GGBR-13 | Rock | 39 | 5 | 0.05 | 273 | 0.007 | <20 | 0.80 | 0.02 | 0.45 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| GGBR-14 | Rock | 39 | 7 | 0.16 | 271 | 0.014 | <20 | 1.19 | 0.01 | 0.33 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| GGBR-15 | Rock | 21 | 3 | 0.05 | 188 | 0.001 | <20 | 0.57 | <0.01 | 0.30 | <2 | <0.05 | <1 | <5 | <5 | <5 |



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Kreft, Bernie**
1 Locust Place
Whitehorse Yukon Y1A 5G9 Canada

Project: None Given
Report Date: August 11, 2018

Page: 3 of 3

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000339.1

| Method | WGHT | FA430 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 |
|---------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Analyte | Wgt | Au | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | Th | Sr | Cd | Sb | Bi | V | Ca | P | |
| Unit | kg | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | % | |
| MDL | 0.01 | 0.005 | 1 | 1 | 3 | 1 | 0.3 | 1 | 1 | 2 | 0.01 | 2 | 2 | 1 | 0.5 | 3 | 3 | 1 | 0.01 | 0.001 | |

| | | | | | | | | | | | | | | | | | | | | | |
|--------|------|------|--------|----|----|----|---|------|---|----|----|------|----|---|---|------|----|----|---|-------|-------|
| KGR-01 | Rock | 0.46 | <0.005 | <1 | 77 | <3 | 9 | <0.3 | 2 | <1 | 31 | 1.94 | 8 | 8 | 2 | <0.5 | <3 | <3 | 5 | <0.01 | 0.004 |
| KGR-02 | Rock | 0.50 | <0.005 | <1 | 48 | <3 | 9 | <0.3 | 2 | <1 | 24 | 1.16 | 59 | 8 | 2 | <0.5 | <3 | <3 | 2 | <0.01 | 0.005 |



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Kreft, Bernie**
1 Locust Place
Whitehorse Yukon Y1A 5G9 Canada

Project: None Given
Report Date: August 11, 2018

Page: 3 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000339.1

| Method | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 |
|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Analyte | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | S | Hg | Tl | Ga | Sc |
| Unit | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | % | ppm | ppm | ppm | ppm |
| MDL | 1 | 1 | 0.01 | 1 | 0.001 | 20 | 0.01 | 0.01 | 0.01 | 2 | 0.05 | 1 | 5 | 5 | 5 |

| | | | | | | | | | | | | | | | | |
|--------|------|----|---|-------|----|--------|-----|------|-------|------|----|-------|----|----|----|----|
| KGR-01 | Rock | 14 | 5 | <0.01 | 36 | <0.001 | <20 | 0.20 | <0.01 | 0.12 | <2 | <0.05 | <1 | <5 | <5 | <5 |
| KGR-02 | Rock | 7 | 2 | <0.01 | 50 | 0.001 | <20 | 0.13 | <0.01 | 0.08 | <2 | <0.05 | <1 | <5 | <5 | <5 |



QUALITY CONTROL REPORT

WHI18000339.1

| Method | WGHT | FA430 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 |
|------------------------|----------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|--------|
| Analyte | Wgt | Au | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | Th | Sr | Cd | Sb | Bi | V | Ca | P | |
| Unit | kg | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | % | |
| MDL | 0.01 | 0.005 | 1 | 1 | 3 | 1 | 0.3 | 1 | 1 | 2 | 0.01 | 2 | 2 | 1 | 0.5 | 3 | 3 | 1 | 0.01 | 0.001 | |
| Pulp Duplicates | | | | | | | | | | | | | | | | | | | | | |
| GGBR-08 | Rock | 0.52 | <0.005 | <1 | 32 | <3 | 13 | <0.3 | 8 | 5 | 93 | 1.39 | 27 | 18 | 10 | <0.5 | <3 | <3 | 6 | 0.02 | 0.013 |
| REP GGBR-08 | QC | | | <1 | 32 | <3 | 13 | <0.3 | 8 | 5 | 92 | 1.39 | 26 | 18 | 10 | <0.5 | <3 | <3 | 6 | 0.02 | 0.012 |
| TSR-09 | Rock | 0.80 | 0.018 | 2 | 24 | <3 | 38 | <0.3 | 7 | 1 | 43 | 1.38 | 106 | 2 | 6 | <0.5 | <3 | <3 | 11 | 0.01 | 0.034 |
| REP TSR-09 | QC | | 0.018 | | | | | | | | | | | | | | | | | | |
| TSR-22 | Rock | 0.84 | 0.341 | <1 | 8 | 3 | 12 | 1.6 | 6 | <1 | 44 | 1.11 | 726 | <2 | 11 | <0.5 | 10 | <3 | 4 | <0.01 | 0.011 |
| REP TSR-22 | QC | | | <1 | 6 | <3 | 11 | 1.6 | 6 | <1 | 43 | 1.11 | 720 | <2 | 11 | <0.5 | 9 | <3 | 4 | <0.01 | 0.011 |
| Core Reject Duplicates | | | | | | | | | | | | | | | | | | | | | |
| GGBR-12 | Rock | 0.65 | 0.010 | <1 | 93 | <3 | 12 | <0.3 | 11 | 14 | 135 | 1.84 | 101 | 4 | 3 | <0.5 | <3 | 4 | 5 | 0.01 | 0.011 |
| DUP GGBR-12 | QC | | 0.013 | <1 | 91 | <3 | 12 | <0.3 | 11 | 14 | 136 | 1.83 | 103 | 4 | 3 | <0.5 | <3 | 3 | 5 | 0.01 | 0.011 |
| CUBR-06 | Rock | 0.29 | 0.045 | <1 | 5 | <3 | 8 | <0.3 | 1 | <1 | 45 | 0.57 | <2 | 5 | 23 | <0.5 | <3 | <3 | 3 | <0.01 | 0.004 |
| DUP CUBR-06 | QC | I.S. | I.S. | I.S. | I.S. | I.S. | I.S. | I.S. | I.S. | I.S. | I.S. | I.S. | I.S. | I.S. | I.S. | I.S. | I.S. | I.S. | I.S. | I.S. | I.S. |
| Reference Materials | | | | | | | | | | | | | | | | | | | | | |
| STD DS11 | Standard | | | 14 | 145 | 139 | 338 | 1.7 | 78 | 13 | 1003 | 3.18 | 42 | 7 | 64 | 2.7 | 6 | 13 | 49 | 1.04 | 0.069 |
| STD DS11 | Standard | | | 13 | 144 | 138 | 337 | 2.4 | 76 | 12 | 1006 | 3.07 | 41 | 7 | 62 | 2.1 | 7 | 12 | 47 | 1.03 | 0.069 |
| STD OREAS45EA | Standard | | | 2 | 670 | 16 | 29 | 0.5 | 364 | 49 | 403 | 20.98 | 11 | 10 | 4 | 1.8 | <3 | 3 | 295 | 0.03 | 0.029 |
| STD OREAS45EA | Standard | | | 2 | 663 | 15 | 29 | 0.4 | 348 | 48 | 396 | 21.15 | 10 | 10 | 4 | <0.5 | <3 | 3 | 283 | 0.03 | 0.028 |
| STD OXC145 | Standard | | 0.220 | | | | | | | | | | | | | | | | | | |
| STD OXH139 | Standard | | 1.396 | | | | | | | | | | | | | | | | | | |
| STD OXN134 | Standard | | 8.056 | | | | | | | | | | | | | | | | | | |
| STD OXN134 Expected | | | 7.667 | | | | | | | | | | | | | | | | | | |
| STD OXC145 Expected | | | 0.212 | | | | | | | | | | | | | | | | | | |
| STD OXH139 Expected | | | 1.312 | | | | | | | | | | | | | | | | | | |
| STD OREAS45EA Expected | | | | 1.6 | 709 | 14.3 | 31.4 | 0.26 | 381 | 52 | 400 | 22.65 | 11 | 10.7 | 4.05 | | | | 303 | 0.036 | 0.029 |
| STD DS11 Expected | | | | 13.9 | 156 | 138 | 345 | 1.71 | 81.9 | 14.2 | 1055 | 3.2082 | 42.8 | 7.65 | 67.3 | 2.37 | 7.2 | 12.2 | 50 | 1.063 | 0.0701 |
| BLK | Blank | | <0.005 | | | | | | | | | | | | | | | | | | |
| BLK | Blank | | <0.005 | | | | | | | | | | | | | | | | | | |
| BLK | Blank | | | <1 | <1 | <3 | <1 | <0.3 | <1 | <1 | <2 | <0.01 | <2 | <2 | <1 | <0.5 | <3 | <3 | <1 | <0.01 | <0.001 |
| BLK | Blank | | | <1 | <1 | <3 | <1 | <0.3 | <1 | <1 | <2 | <0.01 | <2 | <2 | <1 | <0.5 | <3 | <3 | <1 | <0.01 | <0.001 |



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: Kreft, Bernie
1 Locust Place
Whitehorse Yukon Y1A 5G9 Canada

Project: None Given
Report Date: August 11, 2018

Page: 1 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000339.1

| Method | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | |
|------------------------|----------|-------|-------|-------|-------|--------|-------|-------|--------|-------|-------|--------|-------|-------|-------|-----|
| Analyte | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | S | Hg | Tl | Ga | Sc | |
| Unit | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | % | ppm | ppm | ppm | ppm | |
| MDL | 1 | 1 | 0.01 | 1 | 0.001 | 20 | 0.01 | 0.01 | 0.01 | 2 | 0.05 | 1 | 5 | 5 | 5 | |
| Pulp Duplicates | | | | | | | | | | | | | | | | |
| GGBR-08 | Rock | 32 | 5 | 0.07 | 227 | 0.003 | <20 | 0.68 | 0.01 | 0.33 | <2 | <0.05 | <1 | <5 | <5 | |
| REP GGBR-08 | QC | 32 | 4 | 0.06 | 227 | 0.003 | <20 | 0.68 | 0.01 | 0.32 | <2 | <0.05 | <1 | <5 | <5 | |
| TSR-09 | Rock | 3 | 8 | 0.02 | 36 | <0.001 | <20 | 0.28 | <0.01 | 0.09 | <2 | <0.05 | <1 | <5 | <5 | |
| REP TSR-09 | QC | | | | | | | | | | | | | | | |
| TSR-22 | Rock | 2 | 5 | <0.01 | 229 | <0.001 | <20 | 0.18 | <0.01 | 0.07 | <2 | 0.08 | <1 | <5 | <5 | |
| REP TSR-22 | QC | 2 | 6 | <0.01 | 231 | <0.001 | <20 | 0.18 | <0.01 | 0.07 | <2 | 0.08 | <1 | <5 | <5 | |
| Core Reject Duplicates | | | | | | | | | | | | | | | | |
| GGBR-12 | Rock | 2 | 5 | 0.04 | 56 | 0.001 | <20 | 0.33 | <0.01 | 0.14 | <2 | <0.05 | <1 | <5 | <5 | |
| DUP GGBR-12 | QC | 2 | 4 | 0.04 | 51 | 0.001 | <20 | 0.33 | <0.01 | 0.14 | <2 | <0.05 | <1 | <5 | <5 | |
| CUBR-06 | Rock | 13 | 2 | <0.01 | 142 | 0.001 | <20 | 0.10 | 0.02 | 0.10 | <2 | <0.05 | <1 | <5 | <5 | |
| DUP CUBR-06 | QC | I.S. | I.S. | I.S. | I.S. | I.S. | I.S. | I.S. | I.S. | I.S. | I.S. | I.S. | I.S. | I.S. | I.S. | |
| Reference Materials | | | | | | | | | | | | | | | | |
| STD DS11 | Standard | 17 | 60 | 0.83 | 426 | 0.088 | <20 | 1.13 | 0.07 | 0.40 | <2 | 0.29 | <1 | <5 | <5 | |
| STD DS11 | Standard | 16 | 58 | 0.81 | 417 | 0.085 | <20 | 1.09 | 0.07 | 0.38 | 3 | 0.26 | <1 | <5 | <5 | |
| STD OREAS45EA | Standard | 7 | 900 | 0.09 | 146 | 0.096 | <20 | 3.22 | 0.02 | 0.05 | <2 | <0.05 | <1 | <5 | 17 | |
| STD OREAS45EA | Standard | 7 | 879 | 0.09 | 140 | 0.094 | <20 | 3.14 | 0.02 | 0.05 | <2 | <0.05 | <1 | <5 | 12 | |
| STD OXC145 | Standard | | | | | | | | | | | | | | | |
| STD OXH139 | Standard | | | | | | | | | | | | | | | |
| STD OXN134 | Standard | | | | | | | | | | | | | | | |
| STD OXN134 Expected | | | | | | | | | | | | | | | | |
| STD OXC145 Expected | | | | | | | | | | | | | | | | |
| STD OXH139 Expected | | | | | | | | | | | | | | | | |
| STD OREAS45EA Expected | | 7.06 | 849 | 0.095 | 148 | 0.0984 | | 3.32 | 0.02 | 0.053 | | 0.036 | | 12.4 | 78 | |
| STD DS11 Expected | | 18.6 | 61.5 | 0.85 | 417 | 0.0976 | 6 | 1.129 | 0.0694 | 0.4 | 2.9 | 0.2835 | 0.3 | 4.9 | 4.7 | 3.1 |
| BLK | Blank | | | | | | | | | | | | | | | |
| BLK | Blank | | | | | | | | | | | | | | | |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.001 | <20 | <0.01 | <0.01 | <0.01 | <2 | <0.05 | <1 | <5 | <5 | |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.001 | <20 | <0.01 | <0.01 | <0.01 | <2 | <0.05 | <1 | <5 | <5 | |



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: Kreft, Bernie
1 Locust Place
Whitehorse Yukon Y1A 5G9 Canada

Project: None Given
Report Date: August 11, 2018

Page: 2 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI18000339.1

| | | WGHT | FA430 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 |
|-----------|------------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | Wgt | Au | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | Th | Sr | Cd | Sb | Bi | V | Ca | P |
| | | kg | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | % |
| Prep Wash | | 0.01 | 0.005 | 1 | 1 | 3 | 1 | 0.3 | 1 | 1 | 2 | 0.01 | 2 | 2 | 1 | 0.5 | 3 | 3 | 1 | 0.01 | 0.001 |
| ROCK-WHI | Prep Blank | <0.005 | 1 | 5 | <3 | 36 | <0.3 | <1 | 4 | 580 | 1.85 | <2 | 2 | 22 | <0.5 | <3 | <3 | 22 | 0.65 | 0.040 | |
| ROCK-WHI | Prep Blank | <0.005 | 2 | 6 | <3 | 36 | <0.3 | 1 | 4 | 578 | 1.89 | <2 | 3 | 37 | <0.5 | <3 | <3 | 25 | 0.77 | 0.041 | |



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Kreft, Bernie**
1 Locust Place
Whitehorse Yukon Y1A 5G9 Canada

Project: None Given
Report Date: August 11, 2018

Page: 2 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000339.1

| | | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | |
|-----------|------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----|
| | | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | S | Hg | Tl | Ga | Sc |
| | | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | % | ppm | ppm | ppm | ppm |
| Prep Wash | | 1 | 1 | 0.01 | 1 | 0.001 | 20 | 0.01 | 0.01 | 0.01 | 2 | 0.05 | 1 | 5 | 5 | 5 |
| ROCK-WHI | Prep Blank | 6 | 2 | 0.54 | 51 | 0.081 | <20 | 0.97 | 0.07 | 0.10 | <2 | 0.05 | <1 | <5 | <5 | <5 |
| ROCK-WHI | Prep Blank | 5 | 4 | 0.53 | 73 | 0.086 | <20 | 1.05 | 0.08 | 0.09 | <2 | 0.06 | <1 | <5 | <5 | <5 |



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Kreft, Bernie

1 Locust Place

Whitehorse Yukon Y1A 5G9 Canada

Submitted By: Bernie Kreft

Receiving Lab: Canada-Whitehorse

Received: July 30, 2018

Report Date: September 13, 2018

Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI18000497.1

CLIENT JOB INFORMATION

Project: None Given
Shipment ID:
P.O. Number
Number of Samples: 42

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Kreft, Bernie
1 Locust Place
Whitehorse Yukon Y1A 5G9
Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

| Procedure Code | Number of Samples | Code Description | Test Wgt (g) | Report Status | Lab |
|----------------|-------------------|---|--------------|---------------|-----|
| PRP70-250 | 42 | Crush, split and pulverize 250 g rock to 200 mesh | | | WHI |
| FA430 | 42 | Lead Collection Fire - Assay Fusion - AAS Finish | 30 | Completed | VAN |
| EN002 | 42 | Environmental disposal charge-Fire assay lead waste | | | VAN |
| AQ300 | 42 | 1:1:1 Aqua Regia digestion ICP-ES analysis | 0.5 | Completed | VAN |
| SHP01 | 42 | Per sample shipping charges for branch shipments | | | VAN |
| FA530 | 2 | Lead collection fire assay 30G fusion - Grav finish | 30 | Completed | VAN |

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. *** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Kreft, Bernie**
1 Locust Place
Whitehorse Yukon Y1A 5G9 Canada

Project: None Given
Report Date: September 13, 2018

Page: 2 of 3

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000497.1

| Method | WGHT | FA430 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 |
|---------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Analyte | Wgt | Au | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | Th | Sr | Cd | Sb | Bi | V | Ca | P | |
| Unit | kg | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | % | |
| MDL | 0.01 | 0.005 | 1 | 1 | 3 | 1 | 0.3 | 1 | 1 | 2 | 0.01 | 2 | 2 | 1 | 0.5 | 3 | 3 | 1 | 0.01 | 0.001 | |

| | | | | | | | | | | | | | | | | | | | | | |
|---------|------|------|-------|---|----|-----|---|-----|---|---|-----|------|------|---|----|------|----|----|----|------|-------|
| PKGR-01 | Rock | 0.90 | 0.019 | 1 | 13 | 34 | 5 | 0.9 | 2 | 1 | 99 | 1.13 | 245 | 4 | 3 | <0.5 | 4 | <3 | 6 | 0.01 | 0.010 |
| PKGR-02 | Rock | 1.00 | 0.034 | 3 | 94 | 133 | 9 | 1.4 | 2 | 3 | 411 | 5.04 | 2733 | 2 | 28 | <0.5 | 34 | <3 | 30 | 0.04 | 0.131 |



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Kreft, Bernie**
1 Locust Place
Whitehorse Yukon Y1A 5G9 Canada

Project: None Given
Report Date: September 13, 2018

Page: 2 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000497.1

| Method | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | FA530 |
|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Analyte | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | S | Hg | Tl | Ga | Sc | Au | |
| Unit | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | % | ppm | ppm | ppm | ppm | gm/t | |
| MDL | 1 | 1 | 0.01 | 1 | 0.001 | 20 | 0.01 | 0.01 | 0.01 | 2 | 0.05 | 1 | 5 | 5 | 5 | 0.9 | |

| | | | | | | | | | | | | | | | | |
|---------|------|----|----|------|-----|-------|-----|------|-------|------|---|-------|----|----|----|----|
| PKGR-01 | Rock | 9 | 5 | 0.02 | 115 | 0.002 | <20 | 0.31 | <0.01 | 0.17 | 9 | <0.05 | <1 | <5 | <5 | <5 |
| PKGR-02 | Rock | 20 | 13 | 0.02 | 228 | 0.002 | <20 | 0.34 | <0.01 | 0.11 | 5 | <0.05 | <1 | <5 | <5 | <5 |



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Kreft, Bernie
1 Locust Place
Whitehorse Yukon Y1A 5G9 Canada

Project: None Given
Report Date: September 13, 2018

Page: 3 of 3

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000497.1

| Method | WGHT | FA430 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | |
|---------|------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Analyte | Wgt | Au | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | Th | Sr | Cd | Sb | Bi | V | Ca | P | |
| Unit | kg | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | % | |
| MDL | 0.01 | 0.005 | 1 | 1 | 3 | 1 | 0.3 | 1 | 1 | 2 | 0.01 | 2 | 2 | 1 | 0.5 | 3 | 3 | 1 | 0.01 | 0.001 | |
| PKGR-03 | Rock | 0.39 | 0.007 | 2 | 9 | 5 | 39 | <0.3 | 8 | 4 | 425 | 2.46 | 40 | 8 | 15 | <0.5 | <3 | <3 | 24 | 0.04 | 0.019 |
| PKGR-04 | Rock | 0.25 | <0.005 | 2 | 14 | 16 | 90 | <0.3 | 14 | 11 | 1171 | 4.13 | 160 | 9 | 83 | <0.5 | <3 | <3 | 81 | 0.98 | 0.194 |
| PKGR-05 | Rock | 0.14 | 0.016 | 2 | 14 | 35 | 50 | 1.1 | 11 | 4 | 1170 | 3.57 | 443 | 9 | 10 | <0.5 | <3 | <3 | 19 | 0.06 | 0.079 |
| PKGR-06 | Rock | 0.98 | 0.005 | <1 | 5 | 3 | 3 | 0.4 | 2 | <1 | 77 | 0.60 | 393 | <2 | 4 | <0.5 | <3 | <3 | 3 | 0.01 | 0.008 |
| PKGR-07 | Rock | 0.93 | <0.005 | 1 | 11 | 9 | 3 | 1.5 | 1 | <1 | 42 | 0.76 | 157 | 3 | 4 | <0.5 | <3 | <3 | 5 | <0.01 | 0.005 |
| PKGR-08 | Rock | 1.02 | <0.005 | 3 | 7 | 7 | 3 | 0.4 | 2 | <1 | 67 | 0.49 | 72 | 4 | 4 | <0.5 | <3 | <3 | 3 | <0.01 | 0.004 |
| PKGR-09 | Rock | 0.43 | <0.005 | 2 | 7 | 7 | 74 | 0.6 | 26 | 26 | 316 | 3.22 | 24 | 9 | 72 | 0.6 | <3 | <3 | 55 | 0.55 | 0.111 |
| PKGR-10 | Rock | 0.48 | <0.005 | 4 | 91 | 18 | 27 | <0.3 | 6 | 10 | 345 | 3.20 | 233 | 9 | 41 | <0.5 | <3 | <3 | 23 | 0.11 | 0.094 |
| PKGR-11 | Rock | 0.34 | 0.028 | <1 | 5 | 84 | 2 | 4.0 | <1 | <1 | 26 | 0.41 | 692 | <2 | 5 | <0.5 | <3 | 4 | 2 | <0.01 | 0.007 |
| PKGR-12 | Rock | 0.84 | <0.005 | 1 | 15 | 9 | 11 | <0.3 | 6 | 4 | 126 | 1.29 | 113 | 5 | 4 | <0.5 | <3 | 4 | 9 | 0.02 | 0.013 |
| PKGR-13 | Rock | 0.34 | 0.006 | 4 | 50 | 27 | 71 | <0.3 | 15 | 6 | 300 | 11.11 | 779 | 31 | 9 | <0.5 | 10 | <3 | 28 | 0.05 | 0.066 |
| PKGR-14 | Rock | 0.16 | <0.005 | 5 | 29 | 9 | 81 | <0.3 | 17 | 10 | 645 | 8.55 | 37 | 15 | 12 | 0.6 | <3 | <3 | 35 | 0.05 | 0.037 |



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Kreft, Bernie**
1 Locust Place
Whitehorse Yukon Y1A 5G9 Canada

Project: None Given
Report Date: September 13, 2018

Page: 3 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000497.1

| Method | Analyte | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | FA530 |
|---------|---------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | S | Hg | Tl | Ga | Sc | Au |
| Unit | | ppm | ppm | % | ppm | % | ppm | % | % | ppm | % | ppm | ppm | ppm | ppm | ppm | gm/t |
| MDL | | 1 | 1 | 0.01 | 1 | 0.001 | 20 | 0.01 | 0.01 | 0.01 | 2 | 0.05 | 1 | 5 | 5 | 5 | 0.9 |
| PKGR-03 | Rock | 34 | 16 | 0.03 | 207 | <0.001 | <20 | 0.75 | 0.01 | 0.31 | <2 | <0.05 | <1 | <5 | <5 | <5 | |
| PKGR-04 | Rock | 25 | 14 | 0.72 | 770 | 0.246 | <20 | 1.50 | 0.13 | 0.17 | <2 | <0.05 | <1 | <5 | 7 | 6 | |
| PKGR-05 | Rock | 35 | 7 | 0.04 | 201 | <0.001 | <20 | 0.70 | <0.01 | 0.36 | <2 | <0.05 | <1 | <5 | <5 | <5 | |
| PKGR-06 | Rock | 5 | 4 | 0.03 | 82 | 0.002 | <20 | 0.34 | <0.01 | 0.19 | <2 | <0.05 | <1 | <5 | <5 | <5 | |
| PKGR-07 | Rock | 5 | 6 | 0.03 | 102 | 0.001 | <20 | 0.53 | <0.01 | 0.29 | <2 | <0.05 | <1 | <5 | <5 | <5 | |
| PKGR-08 | Rock | 12 | 3 | 0.02 | 97 | 0.001 | <20 | 0.37 | <0.01 | 0.22 | <2 | <0.05 | <1 | <5 | <5 | <5 | |
| PKGR-09 | Rock | 18 | 5 | 0.54 | 994 | 0.159 | <20 | 1.33 | 0.06 | 0.19 | <2 | 0.19 | <1 | <5 | <5 | <5 | |
| PKGR-10 | Rock | 24 | 6 | 0.29 | 244 | 0.002 | <20 | 1.08 | 0.03 | 0.31 | <2 | 0.10 | <1 | <5 | <5 | <5 | |
| PKGR-11 | Rock | 2 | 2 | 0.01 | 93 | 0.001 | <20 | 0.20 | <0.01 | 0.14 | <2 | <0.05 | <1 | <5 | <5 | <5 | |
| PKGR-12 | Rock | 9 | 4 | 0.04 | 83 | 0.001 | <20 | 0.51 | 0.01 | 0.21 | <2 | <0.05 | <1 | <5 | <5 | <5 | |
| PKGR-13 | Rock | 29 | 14 | 0.02 | 133 | <0.001 | <20 | 0.86 | 0.03 | 0.18 | <2 | <0.05 | <1 | <5 | <5 | <5 | |
| PKGR-14 | Rock | 12 | 32 | 0.20 | 431 | 0.003 | <20 | 2.06 | 0.03 | 0.20 | <2 | <0.05 | <1 | <5 | <5 | <5 | |



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: Kreft, Bernie
1 Locust Place
Whitehorse Yukon Y1A 5G9 Canada

Project: None Given
Report Date: September 13, 2018

Page: 1 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI18000497.1

| Method | WGHT | FA430 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 |
|------------------------|----------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|--------|
| Analyte | Wgt | Au | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | Th | Sr | Cd | Sb | Bi | V | Ca | P | |
| Unit | kg | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | % | |
| MDL | 0.01 | 0.005 | 1 | 1 | 3 | 1 | 0.3 | 1 | 1 | 2 | 0.01 | 2 | 2 | 1 | 0.5 | 3 | 3 | 1 | 0.01 | 0.001 | |
| Pulp Duplicates | | | | | | | | | | | | | | | | | | | | | |
| CB18R-01 | Rock | 1.26 | 0.073 | <1 | 10 | 4 | 51 | 0.3 | 35 | 14 | 307 | 3.59 | 391 | 13 | 7 | <0.5 | <3 | <3 | 60 | 0.06 | 0.028 |
| REP CB18R-01 | QC | | | <1 | 10 | 4 | 50 | <0.3 | 34 | 14 | 300 | 3.52 | 391 | 13 | 7 | <0.5 | <3 | <3 | 59 | 0.06 | 0.028 |
| TCR-04 | Rock | 0.52 | >10 | 1 | 26 | <3 | 14 | 2.5 | 23 | 9 | 165 | 2.12 | 5428 | 7 | 134 | <0.5 | 11 | 383 | 39 | 1.08 | 0.023 |
| REP TCR-04 | QC | | | | | | | | | | | | | | | | | | | | |
| PKGR-04 | Rock | 0.25 | <0.005 | 2 | 14 | 16 | 90 | <0.3 | 14 | 11 | 1171 | 4.13 | 160 | 9 | 83 | <0.5 | <3 | <3 | 81 | 0.98 | 0.194 |
| REP PKGR-04 | QC | | 0.008 | | | | | | | | | | | | | | | | | | |
| PKGR-09 | Rock | 0.43 | <0.005 | 2 | 7 | 7 | 74 | 0.6 | 26 | 26 | 316 | 3.22 | 24 | 9 | 72 | 0.6 | <3 | <3 | 55 | 0.55 | 0.111 |
| REP PKGR-09 | QC | | | 2 | 7 | 8 | 73 | 0.6 | 26 | 26 | 316 | 3.24 | 23 | 9 | 75 | 0.6 | <3 | <3 | 55 | 0.59 | 0.108 |
| Core Reject Duplicates | | | | | | | | | | | | | | | | | | | | | |
| CB18R-05 | Rock | 0.98 | 2.097 | <1 | 19 | 5 | 52 | 0.6 | 19 | 10 | 227 | 3.40 | 17 | 6 | 4 | <0.5 | <3 | 20 | 43 | 0.07 | 0.032 |
| DUP CB18R-05 | QC | | 2.439 | <1 | 19 | 6 | 52 | 0.6 | 19 | 10 | 219 | 3.33 | 13 | 6 | 4 | <0.5 | <3 | 20 | 43 | 0.06 | 0.032 |
| Reference Materials | | | | | | | | | | | | | | | | | | | | | |
| STD AGPROOF | Standard | | | | | | | | | | | | | | | | | | | | |
| STD DS11 | Standard | | | 13 | 140 | 134 | 330 | 1.9 | 71 | 12 | 999 | 2.94 | 42 | 8 | 60 | 2.4 | 6 | 13 | 46 | 0.98 | 0.066 |
| STD DS11 | Standard | | | 15 | 148 | 138 | 343 | 1.9 | 76 | 13 | 1030 | 3.16 | 46 | 7 | 70 | 2.3 | 7 | 10 | 49 | 1.05 | 0.072 |
| STD OREAS45EA | Standard | | | 2 | 678 | 15 | 29 | 0.9 | 360 | 47 | 399 | 21.17 | 12 | 11 | 3 | 1.6 | <3 | 4 | 294 | 0.03 | 0.029 |
| STD OREAS45EA | Standard | | | 2 | 706 | 12 | 32 | 0.3 | 398 | 50 | 412 | 22.80 | 3 | 10 | 4 | <0.5 | <3 | <3 | 308 | 0.04 | 0.030 |
| STD OXC145 | Standard | | 0.208 | | | | | | | | | | | | | | | | | | |
| STD OXH139 | Standard | | 1.338 | | | | | | | | | | | | | | | | | | |
| STD OXN134 | Standard | | 7.774 | | | | | | | | | | | | | | | | | | |
| STD OXQ114 | Standard | | | | | | | | | | | | | | | | | | | | |
| STD SP49 | Standard | | | | | | | | | | | | | | | | | | | | |
| STD OXN134 Expected | | | 7.667 | | | | | | | | | | | | | | | | | | |
| STD OXC145 Expected | | | 0.212 | | | | | | | | | | | | | | | | | | |
| STD OXH139 Expected | | | 1.312 | | | | | | | | | | | | | | | | | | |
| STD OREAS45EA Expected | | | | 1.6 | 709 | 14.3 | 31.4 | 0.26 | 381 | 52 | 400 | 22.65 | 11 | 10.7 | 4.05 | | | | 303 | 0.036 | 0.029 |
| STD DS11 Expected | | | | 13.9 | 156 | 138 | 345 | 1.71 | 81.9 | 14.2 | 1055 | 3.2082 | 42.8 | 7.65 | 67.3 | 2.37 | 7.2 | 12.2 | 50 | 1.063 | 0.0701 |
| STD AGPROOF Expected | | | | | | | | | | | | | | | | | | | | | |



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: Kreft, Bernie
1 Locust Place
Whitehorse Yukon Y1A 5G9 Canada

Project: None Given
Report Date: September 13, 2018

Page: 1 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000497.1

| Method | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | FA530 | |
|------------------------|----------|-------|-------|-------|-------|--------|-------|-------|--------|-------|-------|--------|-------|-------|-------|-------|------|
| Analyte | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | S | Hg | Tl | Ga | Sc | Au | |
| Unit | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | % | ppm | ppm | ppm | ppm | gm/t | |
| MDL | 1 | 1 | 0.01 | 1 | 0.001 | 20 | 0.01 | 0.01 | 0.01 | 2 | 0.05 | 1 | 5 | 5 | 5 | 0.9 | |
| Pulp Duplicates | | | | | | | | | | | | | | | | | |
| CB18R-01 | Rock | 40 | 55 | 0.84 | 146 | 0.195 | <20 | 2.21 | 0.02 | 1.42 | <2 | <0.05 | <1 | <5 | 8 | 6 | |
| REP CB18R-01 | QC | 38 | 53 | 0.82 | 141 | 0.193 | <20 | 2.17 | 0.02 | 1.39 | <2 | <0.05 | <1 | <5 | <5 | 6 | |
| TCR-04 | Rock | 16 | 33 | 0.84 | 72 | 0.110 | <20 | 2.20 | 0.12 | 0.69 | >100 | 0.32 | <1 | <5 | 8 | 6 | 25.1 |
| REP TCR-04 | QC | | | | | | | | | | | | | | | | 25.4 |
| PKGR-04 | Rock | 25 | 14 | 0.72 | 770 | 0.246 | <20 | 1.50 | 0.13 | 0.17 | <2 | <0.05 | <1 | <5 | 7 | 6 | |
| REP PKGR-04 | QC | | | | | | | | | | | | | | | | |
| PKGR-09 | Rock | 18 | 5 | 0.54 | 994 | 0.159 | <20 | 1.33 | 0.06 | 0.19 | <2 | 0.19 | <1 | <5 | <5 | <5 | |
| REP PKGR-09 | QC | 18 | 6 | 0.54 | 1001 | 0.169 | <20 | 1.36 | 0.06 | 0.19 | <2 | 0.19 | <1 | <5 | <5 | <5 | |
| Core Reject Duplicates | | | | | | | | | | | | | | | | | |
| CB18R-05 | Rock | 17 | 37 | 0.79 | 114 | 0.192 | <20 | 2.03 | 0.04 | 1.27 | <2 | <0.05 | <1 | <5 | 11 | <5 | |
| DUP CB18R-05 | QC | 16 | 38 | 0.78 | 110 | 0.191 | <20 | 2.01 | 0.04 | 1.24 | <2 | <0.05 | <1 | <5 | 5 | <5 | |
| Reference Materials | | | | | | | | | | | | | | | | | |
| STD AGPROOF | Standard | | | | | | | | | | | | | | | <0.9 | |
| STD DS11 | Standard | 15 | 61 | 0.80 | 403 | 0.084 | <20 | 1.05 | 0.07 | 0.37 | 2 | 0.26 | <1 | <5 | <5 | <5 | |
| STD DS11 | Standard | 17 | 62 | 0.83 | 431 | 0.096 | <20 | 1.17 | 0.07 | 0.41 | <2 | 0.27 | <1 | <5 | 5 | <5 | |
| STD OREAS45EA | Standard | 7 | 941 | 0.09 | 143 | 0.099 | <20 | 3.23 | 0.02 | 0.06 | <2 | <0.05 | <1 | <5 | 13 | 82 | |
| STD OREAS45EA | Standard | 8 | 894 | 0.10 | 147 | 0.103 | <20 | 3.53 | 0.02 | 0.06 | <2 | <0.05 | <1 | <5 | 13 | 85 | |
| STD OXC145 | Standard | | | | | | | | | | | | | | | | |
| STD OXH139 | Standard | | | | | | | | | | | | | | | | |
| STD OXN134 | Standard | | | | | | | | | | | | | | | | |
| STD OXQ114 | Standard | | | | | | | | | | | | | | | 35.6 | |
| STD SP49 | Standard | | | | | | | | | | | | | | | 18.5 | |
| STD OXN134 Expected | | | | | | | | | | | | | | | | | |
| STD OXC145 Expected | | | | | | | | | | | | | | | | | |
| STD OXH139 Expected | | | | | | | | | | | | | | | | | |
| STD OREAS45EA Expected | | 7.06 | 849 | 0.095 | 148 | 0.0984 | | 3.32 | 0.02 | 0.053 | | 0.036 | | 12.4 | 78 | | |
| STD DS11 Expected | | 18.6 | 61.5 | 0.85 | 417 | 0.0976 | 6 | 1.129 | 0.0694 | 0.4 | 2.9 | 0.2835 | 0.3 | 4.9 | 4.7 | 3.1 | |
| STD AGPROOF Expected | | | | | | | | | | | | | | | | 0 | |



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: Kreft, Bernie
1 Locust Place
Whitehorse Yukon Y1A 5G9 Canada

Project: None Given
Report Date: September 13, 2018

Page: 2 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI18000497.1

| | | WGHT | FA430 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 |
|---------------------|------------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|
| | | Wgt | Au | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | Th | Sr | Cd | Sb | Bi | V | Ca | P | |
| | | kg | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | % | |
| | | 0.01 | 0.005 | 1 | 1 | 3 | 1 | 0.3 | 1 | 1 | 2 | 0.01 | 2 | 2 | 1 | 0.5 | 3 | 3 | 1 | 0.01 | 0.001 | |
| STD SP49 Expected | | | | | | | | | | | | | | | | | | | | | | |
| STD OXQ114 Expected | | | | | | | | | | | | | | | | | | | | | | |
| BLK | Blank | <0.005 | | | | | | | | | | | | | | | | | | | | |
| BLK | Blank | <0.005 | | | | | | | | | | | | | | | | | | | | |
| BLK | Blank | | | <1 | <1 | <3 | <1 | <0.3 | <1 | <1 | <2 | <0.01 | <2 | <2 | <1 | <0.5 | <3 | <3 | <1 | <0.01 | <0.001 | |
| BLK | Blank | | | <1 | <1 | <3 | <1 | <0.3 | <1 | <1 | <2 | <0.01 | <2 | <2 | <1 | <0.5 | <3 | <3 | <1 | <0.01 | <0.001 | |
| BLK | Blank | | | | | | | | | | | | | | | | | | | | | |
| Prep Wash | | | | | | | | | | | | | | | | | | | | | | |
| ROCK-WHI | Prep Blank | <0.005 | 1 | 2 | <3 | 40 | <0.3 | 4 | 4 | 568 | 1.98 | <2 | <2 | 29 | <0.5 | <3 | <3 | 27 | 0.80 | 0.044 | | |
| ROCK-WHI | Prep Blank | <0.005 | 1 | 2 | <3 | 34 | <0.3 | 4 | 4 | 568 | 2.04 | <2 | <2 | 27 | <0.5 | <3 | <3 | 27 | 0.72 | 0.044 | | |



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: Kreft, Bernie
1 Locust Place
Whitehorse Yukon Y1A 5G9 Canada

Project: None Given
Report Date: September 13, 2018

Page: 2 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000497.1

| | | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | FA530 | |
|---------------------|------------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | S | Hg | Tl | Ga | Sc | Au |
| | | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | % | ppm | ppm | ppm | ppm | gm/t |
| STD SP49 Expected | | 1 | 1 | 0.01 | 1 | 0.001 | 20 | 0.01 | 0.01 | 0.01 | 2 | 0.05 | 1 | 5 | 5 | 5 | 18.34 |
| STD OXQ114 Expected | | | | | | | | | | | | | | | | | 35.2 |
| BLK | Blank | | | | | | | | | | | | | | | | |
| BLK | Blank | | | | | | | | | | | | | | | | |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.001 | <20 | <0.01 | <0.01 | <0.01 | <2 | <0.05 | <1 | <5 | <5 | <5 | |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.001 | <20 | <0.01 | <0.01 | <0.01 | <2 | <0.05 | <1 | <5 | <5 | <5 | |
| BLK | Blank | | | | | | | | | | | | | | | | <0.9 |
| Prep Wash | | | | | | | | | | | | | | | | | |
| ROCK-WHI | Prep Blank | 6 | 11 | 0.50 | 74 | 0.099 | <20 | 1.04 | 0.09 | 0.11 | <2 | <0.05 | <1 | <5 | <5 | <5 | |
| ROCK-WHI | Prep Blank | 7 | 10 | 0.50 | 76 | 0.104 | <20 | 0.97 | 0.09 | 0.11 | <2 | 0.05 | <1 | <5 | <5 | <5 | |