



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **AdVantage GeoConsulting**
Box 382
New Denver British Columbia V0G 1S0 Canada

Submitted By: Van Krichbaum
Receiving Lab: Canada-Vancouver
Received: October 22, 2018
Report Date: November 28, 2018
Page: 1 of 3

CERTIFICATE OF ANALYSIS

VAN18002951.1

CLIENT JOB INFORMATION

Project: Van Gogh East
Shipment ID: 1
P.O. Number: YMEP 18-022
Number of Samples: 34

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: AdVantage GeoConsulting
Box 382
New Denver British Columbia V0G 1S0
Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
DY060	34	Dry at 60C			VAN
SS80	34	Dry at 60C sieve 100g to -80 mesh			VAN
AQ201	34	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
DISPL	34	Disposal of pulps			VAN

ADDITIONAL COMMENTS


KERRY JAY
Geochem Project Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **AdVantage GeoConsulting**
Box 382
New Denver British Columbia V0G 1S0 Canada

Project: Van Gogh East
Report Date: November 28, 2018

Page: 2 of 3

Part: 1 of 2

CERTIFICATE OF ANALYSIS

VAN18002951.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
NW Gorge Silt	Silt	1.1	35.7	11.9	89	0.4	46.0	11.1	717	2.56	7.5	3.6	1.9	50	0.5	0.8	0.2	30	1.00	0.100	19
L1-NE-S-2018	Soil	2.1	57.4	26.5	140	0.4	93.4	16.4	1602	4.63	24.0	2.6	2.9	23	1.0	1.7	0.4	58	0.45	0.151	18
536-S-2018	Soil	1.1	43.7	20.2	86	0.2	51.4	12.8	518	3.09	11.3	5.2	6.1	22	0.2	1.1	0.3	44	0.38	0.083	24
537-S-2018	Soil	0.8	37.3	16.3	72	0.1	49.2	11.4	559	2.69	10.5	3.4	5.8	19	0.1	1.1	0.2	42	0.34	0.084	24
538-S-2018	Soil	0.9	35.0	17.2	78	0.3	55.0	12.4	888	2.43	9.9	2.7	2.0	36	0.6	1.0	0.3	33	1.11	0.095	19
539-S-2018	Soil	0.3	30.2	3.5	12	0.3	26.1	2.8	872	0.49	1.8	2.8	0.3	102	1.4	0.9	0.3	4	4.79	0.084	10
540-S-2018	Soil	1.5	20.0	17.7	89	<0.1	43.5	16.4	857	3.08	13.8	1.0	3.9	13	0.9	1.3	0.3	41	0.11	0.066	20
541-S-2018	Soil	1.6	20.5	19.9	89	<0.1	44.8	10.7	434	4.00	16.7	0.9	4.9	10	0.8	1.4	0.3	36	0.12	0.053	17
L2-NE-S-2018	Soil	0.8	29.4	13.7	62	<0.1	34.9	8.1	363	2.39	7.8	4.2	5.9	15	0.2	0.8	0.2	41	0.21	0.056	27
542-S-2018	Soil	0.9	38.8	18.1	85	0.1	51.5	14.1	594	2.83	10.2	2.4	6.4	19	0.3	1.1	0.2	43	0.30	0.083	24
543-S-2018	Soil	1.3	23.7	16.5	81	0.2	44.1	20.0	1476	2.87	11.4	1.2	1.8	13	0.3	0.8	0.3	51	0.14	0.084	21
544-S-2018	Soil	<0.1	4.4	0.5	5	<0.1	1.1	0.6	27	0.22	<0.5	<0.5	<0.1	12	<0.1	<0.1	<0.1	9	0.32	0.025	1
545-S-2018	Soil	1.2	29.4	26.0	89	0.2	61.4	16.2	974	3.09	16.6	1.6	2.0	24	0.7	1.4	0.2	29	0.85	0.091	18
546-S-2018	Soil	0.6	30.7	8.1	31	0.4	29.3	5.2	974	1.08	2.3	0.5	0.3	44	1.5	0.4	0.2	21	1.94	0.130	18
547-S-2018	Soil	1.0	42.6	22.0	89	0.2	48.4	12.9	469	3.01	17.6	2.7	5.9	27	0.2	1.6	0.2	39	0.67	0.089	23
548-S-2018	Soil	1.0	17.7	15.7	66	<0.1	44.9	11.9	474	2.43	9.6	<0.5	3.4	18	0.3	0.7	0.2	36	0.52	0.049	22
549-S-2018	Soil	1.2	33.0	15.1	77	0.3	45.7	10.0	454	2.62	14.6	2.9	4.3	21	0.2	1.3	0.2	35	0.54	0.055	24
L3-NE-S-2018	Soil	0.9	37.2	17.3	79	<0.1	47.2	13.6	568	2.86	9.6	2.7	6.3	19	0.2	1.0	0.2	46	0.29	0.071	26
550-S-2018	Soil	0.7	22.3	13.8	58	<0.1	28.0	6.8	272	2.26	7.9	1.7	4.3	13	<0.1	0.8	0.2	37	0.16	0.053	27
551-S-2018	Soil	1.8	26.3	16.8	92	0.1	53.9	10.1	500	4.66	19.6	1.4	4.3	10	0.3	1.3	0.3	42	0.07	0.190	21
552-S-2018	Soil	1.6	22.5	16.5	119	0.1	47.7	10.9	624	3.90	16.2	1.7	4.7	12	0.5	1.1	0.3	46	0.11	0.137	20
553-S-2018	Soil	1.6	14.5	15.9	102	0.1	35.8	9.6	1206	3.64	10.2	0.8	2.9	8	0.8	0.7	0.2	32	0.08	0.075	15
554-S-2018	Soil	1.0	29.5	16.4	187	1.5	89.7	17.4	5115	3.00	11.1	2.0	2.5	27	4.1	0.7	0.1	58	1.52	0.640	25
555-S-2018	Soil	0.6	36.7	7.2	54	0.5	21.8	5.5	1629	0.94	1.9	1.0	0.3	65	1.1	0.5	0.1	13	3.58	0.142	9
556-S-2018	Soil	0.8	32.3	16.1	62	0.3	38.8	8.8	548	2.57	11.7	1.3	2.0	28	0.3	1.0	0.2	40	1.01	0.085	19
557-S-2018	Soil	1.9	27.4	20.8	93	0.2	62.7	15.7	587	3.61	24.4	6.9	4.0	15	0.4	1.7	0.3	39	0.29	0.052	20
L4-NE-S-2018	Soil	1.2	42.5	23.8	97	0.2	53.8	14.5	687	3.01	15.5	2.5	6.7	23	0.4	1.4	0.2	40	0.37	0.104	24
558-S-2018	Soil	0.8	32.5	14.0	73	0.1	37.7	8.9	416	2.69	9.5	2.8	5.1	19	0.2	0.9	0.2	40	0.30	0.077	25
559-S-2018	Soil	1.1	45.0	14.5	80	0.1	58.9	14.6	679	2.92	10.2	2.3	6.8	22	0.1	1.1	0.2	48	0.35	0.075	26
560-S-2018	Soil	0.9	36.5	13.8	74	<0.1	46.2	11.7	471	2.89	9.7	2.5	5.6	18	0.1	0.9	0.2	45	0.29	0.064	26



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **AdVantage GeoConsulting**
Box 382
New Denver British Columbia V0G 1S0 Canada

Project: Van Gogh East
Report Date: November 28, 2018

Page: 2 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

VAN18002951.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2		
NW Gorge Silt	Silt	47	0.60	419	0.017	4	1.29	0.010	0.06	<0.1	0.22	3.3	0.1	0.09	3	2.1	<0.2	
L1-NE-S-2018	Soil	92	0.80	491	0.008	3	2.66	0.007	0.14	0.2	0.14	5.3	0.3	<0.05	6	<0.5	<0.2	
536-S-2018	Soil	58	0.84	390	0.047	3	1.42	0.008	0.07	0.1	0.13	5.3	0.1	<0.05	4	<0.5	<0.2	
537-S-2018	Soil	55	0.72	337	0.051	1	1.31	0.007	0.06	0.1	0.11	4.6	0.1	<0.05	4	<0.5	<0.2	
538-S-2018	Soil	51	0.58	452	0.017	2	1.33	0.007	0.07	<0.1	0.17	4.0	0.2	<0.05	4	<0.5	<0.2	
539-S-2018	Soil	7	0.07	629	0.007	6	0.53	0.007	0.01	1.0	0.22	0.9	<0.1	0.15	1	1.3	<0.2	
540-S-2018	Soil	68	0.53	180	0.024	1	0.97	0.005	0.08	<0.1	0.05	2.0	0.2	<0.05	5	<0.5	<0.2	
541-S-2018	Soil	57	0.57	119	0.018	2	1.31	0.004	0.07	0.1	0.06	2.2	0.2	<0.05	5	<0.5	<0.2	
L2-NE-S-2018	Soil	49	0.63	204	0.054	2	1.21	0.005	0.05	0.1	0.06	4.0	<0.1	<0.05	4	<0.5	<0.2	
542-S-2018	Soil	54	0.75	301	0.061	2	1.27	0.007	0.07	0.1	0.11	5.1	0.1	<0.05	4	<0.5	<0.2	
543-S-2018	Soil	71	0.61	274	0.022	2	1.56	0.006	0.09	0.2	0.05	3.0	0.2	<0.05	5	<0.5	<0.2	
544-S-2018	Soil	2	0.03	51	0.015	<1	0.30	0.049	0.02	<0.1	0.03	0.2	<0.1	<0.05	<1	<0.5	<0.2	
545-S-2018	Soil	59	0.76	307	0.005	2	1.40	0.006	0.09	<0.1	0.12	3.2	0.2	<0.05	3	<0.5	<0.2	
546-S-2018	Soil	18	0.15	555	0.010	2	1.11	0.014	0.03	<0.1	0.17	1.4	0.1	0.10	3	0.7	<0.2	
547-S-2018	Soil	51	0.89	499	0.033	2	1.48	0.007	0.09	<0.1	0.17	4.7	0.2	<0.05	4	<0.5	<0.2	
548-S-2018	Soil	60	0.53	483	0.005	2	1.58	0.005	0.08	0.1	0.05	2.6	0.3	<0.05	4	<0.5	<0.2	
549-S-2018	Soil	41	0.62	388	0.016	2	1.50	0.007	0.08	0.1	0.21	4.3	0.3	<0.05	4	<0.5	<0.2	
L3-NE-S-2018	Soil	60	0.76	300	0.059	2	1.39	0.007	0.07	<0.1	0.11	5.2	0.1	<0.05	4	<0.5	<0.2	
550-S-2018	Soil	43	0.58	143	0.037	<1	1.37	0.006	0.05	<0.1	0.05	3.0	<0.1	<0.05	4	<0.5	<0.2	
551-S-2018	Soil	79	0.70	122	0.008	<1	1.68	0.004	0.10	<0.1	0.03	2.6	0.3	<0.05	5	<0.5	<0.2	
552-S-2018	Soil	62	0.60	177	0.009	2	1.68	0.005	0.08	0.1	0.03	2.7	0.2	<0.05	5	<0.5	<0.2	
553-S-2018	Soil	41	0.42	175	0.006	<1	1.69	0.003	0.05	<0.1	0.04	1.8	0.2	<0.05	4	<0.5	<0.2	
554-S-2018	Soil	57	0.45	281	0.010	2	2.87	0.006	0.05	<0.1	0.22	4.6	0.2	<0.05	3	1.8	<0.2	
555-S-2018	Soil	15	0.11	519	0.006	3	0.90	0.008	0.02	<0.1	0.19	0.9	0.2	0.16	2	0.7	<0.2	
556-S-2018	Soil	46	0.57	840	0.012	2	1.62	0.006	0.06	0.1	0.13	3.7	0.2	<0.05	4	<0.5	<0.2	
557-S-2018	Soil	52	0.60	374	0.006	2	1.79	0.005	0.07	0.1	0.07	3.0	0.7	<0.05	4	<0.5	<0.2	
L4-NE-S-2018	Soil	54	0.82	367	0.047	2	1.29	0.008	0.09	0.1	0.12	4.7	0.2	<0.05	4	<0.5	<0.2	
558-S-2018	Soil	52	0.74	249	0.046	2	1.31	0.008	0.07	0.1	0.09	4.0	0.1	<0.05	4	<0.5	<0.2	
559-S-2018	Soil	58	0.73	345	0.067	2	1.31	0.008	0.08	0.1	0.12	5.4	<0.1	<0.05	4	<0.5	<0.2	
560-S-2018	Soil	54	0.75	265	0.053	2	1.38	0.006	0.07	0.1	0.09	4.7	0.1	<0.05	4	<0.5	<0.2	



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **AdVantage GeoConsulting**
Box 382
New Denver British Columbia V0G 1S0 Canada

Project: Van Gogh East
Report Date: November 28, 2018

Page: 3 of 3

Part: 1 of 2

CERTIFICATE OF ANALYSIS

VAN18002951.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
561-S-2018	Soil	0.9	34.9	14.9	77	<0.1	45.3	11.4	506	2.74	10.3	3.8	5.6	19	0.2	0.9	0.2	43	0.30	0.066	24
562-S-2018	Soil	0.8	39.6	14.1	77	0.1	53.9	12.9	510	2.66	9.4	3.0	6.8	20	0.1	1.1	0.2	45	0.36	0.078	26
563-S-2018	Soil	0.8	36.1	14.0	73	<0.1	40.6	13.1	525	2.78	8.8	4.5	6.0	18	0.1	1.0	0.2	46	0.30	0.062	24
565-S-2018	Soil	1.3	36.6	17.7	111	0.4	27.9	16.6	3638	1.37	2.5	<0.5	0.5	30	6.2	0.3	0.3	26	0.65	0.112	19



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **AdVantage GeoConsulting**
Box 382
New Denver British Columbia V0G 1S0 Canada

Project: Van Gogh East
Report Date: November 28, 2018

Page: 3 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

VAN18002951.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
561-S-2018	Soil	53	0.77	291	0.049	2	1.39	0.009	0.08	0.1	0.08	4.3	0.1	<0.05	4	<0.5	<0.2
562-S-2018	Soil	54	0.75	284	0.060	1	1.30	0.007	0.07	0.1	0.10	4.7	<0.1	<0.05	4	<0.5	<0.2
563-S-2018	Soil	53	0.70	218	0.055	1	1.37	0.007	0.07	0.1	0.09	4.6	<0.1	<0.05	4	<0.5	<0.2
565-S-2018	Soil	18	0.17	682	0.016	2	1.20	0.007	0.08	<0.1	0.06	1.6	0.2	<0.05	4	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: AdVantage GeoConsulting
Box 382
New Denver British Columbia V0G 1S0 Canada

Project: Van Gogh East
Report Date: November 28, 2018

Page: 1 of 1

Part: 1 of 2

QUALITY CONTROL REPORT

VAN18002951.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	
Pulp Duplicates																					
L3-NE-S-2018	Soil	0.9	37.2	17.3	79	<0.1	47.2	13.6	568	2.86	9.6	2.7	6.3	19	0.2	1.0	0.2	46	0.29	0.071	26
REP L3-NE-S-2018	QC	0.9	37.8	17.2	79	<0.1	45.5	13.2	551	2.84	9.5	3.2	6.1	18	0.2	1.0	0.2	45	0.28	0.069	25
Reference Materials																					
STD DS11	Standard	15.2	155.2	138.8	341	1.6	80.5	14.0	1015	3.07	44.5	78.5	8.6	65	2.4	8.7	11.8	51	0.99	0.077	20
STD DS11	Standard	14.3	144.6	134.7	333	1.7	75.4	13.0	971	3.01	41.5	117.1	8.6	73	2.3	9.6	11.8	49	1.01	0.065	20
STD OREAS262	Standard	0.7	119.0	59.0	150	0.4	64.6	27.9	527	3.22	37.1	57.3	9.8	35	0.7	5.5	1.2	22	2.82	0.041	17
STD OREAS262	Standard	0.6	113.4	58.2	144	0.5	60.2	25.4	508	3.17	34.9	75.2	9.9	37	0.6	6.8	1.0	23	2.83	0.038	18
STD OXC129	Standard	1.3	29.2	6.7	43	<0.1	82.0	21.0	432	3.12	<0.5	188.8	2.0	195	<0.1	<0.1	<0.1	58	0.72	0.109	13
STD OXC129	Standard	1.4	26.9	6.6	40	<0.1	80.0	20.2	424	3.10	0.8	203.7	2.0	196	<0.1	<0.1	<0.1	54	0.74	0.106	13
STD OXC129 Expected		1.3	28	6.2	42.9		79.5	20.3	421	3.065	0.6	195	1.9					51	0.684	0.102	12.5
STD DS11 Expected		14.6	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	8.74	12.2	50	1.063	0.0701	18.6
STD OREAS262 Expected		0.68	118	56	154	0.45	62	26.9	530	3.45	35.8	72	9.33	36	0.61	5.06	0.98	22.5	2.98	0.04	15.9
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	3	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1



QUALITY CONTROL REPORT

VAN18002951.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																	
L3-NE-S-2018	Soil	60	0.76	300	0.059	2	1.39	0.007	0.07	<0.1	0.11	5.2	0.1	<0.05	4	<0.5	<0.2
REP L3-NE-S-2018	QC	57	0.74	307	0.057	1	1.32	0.006	0.07	0.1	0.12	5.0	<0.1	<0.05	4	<0.5	<0.2
Reference Materials																	
STD DS11	Standard	60	0.82	359	0.095	8	1.12	0.074	0.37	3.0	0.24	3.3	4.9	0.26	5	2.5	4.6
STD DS11	Standard	56	0.83	355	0.094	5	1.22	0.072	0.39	2.8	0.27	3.2	4.9	0.25	5	2.3	4.9
STD OREAS262	Standard	45	1.13	249	0.003	4	1.27	0.064	0.27	0.2	0.15	3.4	0.5	0.25	4	0.5	0.2
STD OREAS262	Standard	41	1.14	248	0.003	3	1.38	0.061	0.31	0.2	0.16	3.3	0.5	0.24	4	0.5	0.3
STD OXC129	Standard	55	1.45	51	0.417	1	1.56	0.565	0.35	<0.1	<0.01	0.9	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	52	1.59	48	0.413	<1	1.60	0.586	0.36	<0.1	<0.01	0.9	<0.1	<0.05	6	<0.5	<0.2
STD OXC129 Expected		52	1.545	50	0.4	1	1.58	0.59	0.3655			1.1			5.5		
STD DS11 Expected		61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.26	3.4	4.9	0.2835	5.1	2.2	4.56
STD OREAS262 Expected		41.7	1.17	248	0.003	4	1.3	0.071	0.295	0.2	0.17	3.49	0.47	0.272	4.59	0.67	0.23
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2