



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Bill Mann**
19 Hayes Cres.
Whitehorse Yukon Y1A 0E1 Canada

Submitted By: Bill Mann
Receiving Lab: Canada-Whitehorse
Received: August 14, 2018
Report Date: September 13, 2018
Page: 1 of 8

CERTIFICATE OF ANALYSIS

WHI18000627.1

CLIENT JOB INFORMATION

Project: MAGA
Shipment ID:
P.O. Number
Number of Samples: 209

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: **Bill Mann**
19 Hayes Cres.
Whitehorse Yukon Y1A 0E1
Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
DY060	209	Dry at 60C			WHI
SS80	209	Dry at 60C sieve 100g to -80 mesh			WHI
AQ201	208	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	209	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS


KERRY JAY
Geochem Project Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Bill Mann**
19 Hayes Cres.
Whitehorse Yukon Y1A 0E1 Canada

Project: MAGA
Report Date: September 13, 2018

Page: 8 of 8

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000627.1

Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	
5272760	Soil	0.9	20.3	15.6	522	0.5	41.0	6.6	553	1.82	12.7	1.8	3.2	34	10.7	0.8	0.7	53	0.42	0.149	16
5272761	Soil	2.5	19.7	44.3	134	0.6	20.4	5.4	216	1.93	11.4	11.8	1.3	22	1.4	0.7	1.0	47	0.19	0.089	15
5272762	Soil	1.3	131.1	215.0	713	1.1	74.7	16.1	1659	2.55	38.2	2.6	1.5	66	25.5	3.2	2.6	86	0.85	0.302	36
5272763	Soil	0.6	83.5	41.2	753	2.2	125.5	6.2	437	1.58	20.0	3.2	4.3	190	12.4	2.8	2.2	148	2.02	0.543	23
5272764	Soil	1.0	23.8	25.8	459	0.2	18.3	4.0	392	1.50	6.1	1.2	0.2	24	2.7	0.4	2.2	36	0.15	0.100	13
5272765	Soil	0.3	19.7	31.2	886	2.0	40.6	1.8	461	0.87	5.0	1.1	1.6	112	25.1	1.1	1.5	31	2.55	1.131	12
5272766	Soil	0.4	14.3	18.1	124	0.5	30.2	4.6	549	1.12	5.6	1.9	3.4	46	2.2	0.6	0.7	30	0.75	0.207	18
5272767	Soil	1.4	55.4	33.7	1408	1.9	91.2	7.9	452	2.49	19.7	5.9	5.8	84	17.8	1.3	2.6	68	1.45	0.382	21
5272768	Soil	2.3	23.4	16.6	55	0.3	22.9	7.6	288	2.42	10.7	1.9	4.5	61	0.3	1.1	0.4	50	0.23	0.029	14
5272769	Soil	3.1	28.0	35.1	76	0.4	25.3	8.0	197	3.20	32.0	0.7	4.9	96	0.6	1.0	0.5	44	0.19	0.034	12
5272770	Soil	5.7	33.5	36.8	101	0.3	33.9	9.1	208	3.51	17.5	1.2	6.2	99	1.0	1.7	0.8	61	0.12	0.049	16
5272771	Soil	13.7	52.8	35.1	201	0.3	51.7	17.0	680	4.00	29.3	2.3	2.3	41	1.1	4.9	0.3	54	0.08	0.092	22
5272772	Soil	21.2	58.8	121.3	326	0.6	85.2	20.5	578	3.60	55.2	2.8	3.9	48	3.4	3.9	0.2	60	0.13	0.086	26
65901	Soil	1.6	32.9	18.5	83	0.1	27.3	12.8	445	2.93	12.6	3.4	8.2	12	<0.1	1.0	0.3	41	0.07	0.053	27
65908	Soil	1.3	40.4	17.1	78	<0.1	29.3	12.8	376	2.68	10.4	1.8	8.4	10	0.2	0.9	0.3	28	0.06	0.041	25
65915	Soil	1.2	34.1	39.9	63	<0.1	24.8	11.8	221	2.85	9.8	0.9	11.2	27	<0.1	0.6	0.5	21	0.02	0.043	27
65922	Soil	1.2	116.0	21.8	142	<0.1	179.0	88.7	1651	2.79	9.4	1.6	11.6	12	0.2	0.8	0.3	21	0.05	0.045	31
65929	Soil	1.7	32.2	24.1	61	0.1	26.1	10.9	183	3.07	13.4	2.0	11.3	7	<0.1	0.7	0.3	42	0.03	0.022	31
65937	Soil	0.3	42.5	20.9	93	<0.1	38.3	14.3	520	4.48	8.0	<0.5	18.4	10	<0.1	0.3	0.2	15	0.06	0.034	62
65943	Soil	0.6	72.5	82.0	79	0.2	57.3	36.4	336	3.74	37.9	3.1	14.4	29	<0.1	0.4	2.2	21	0.25	0.074	40
862005	Soil	1.3	21.0	30.7	70	<0.1	15.0	6.5	222	3.42	13.5	1.3	12.6	8	<0.1	1.0	0.6	27	0.02	0.032	25
862006	Soil	0.8	21.1	24.3	73	<0.1	18.7	6.0	212	4.17	15.3	2.7	16.0	10	<0.1	1.3	0.4	16	0.02	0.028	51
862009	Soil	1.7	13.5	19.8	58	<0.1	15.7	6.3	163	2.99	12.0	1.0	6.1	9	<0.1	0.9	0.3	50	0.06	0.036	21
862011	Soil	0.8	53.9	29.7	88	<0.1	45.4	22.9	299	4.21	22.1	2.0	27.0	7	<0.1	0.2	0.4	15	0.02	0.030	75
862019	Soil	1.5	37.3	53.0	49	0.1	25.1	7.5	130	3.64	18.6	7.3	14.1	11	<0.1	0.8	0.9	19	0.02	0.031	52
862025	Soil	1.6	31.2	77.1	55	<0.1	7.7	3.0	132	3.98	17.1	1.5	15.6	14	<0.1	0.7	1.0	14	0.01	0.036	50
862037	Soil	0.9	45.6	31.8	83	<0.1	39.7	23.6	489	3.51	12.0	3.2	14.4	9	0.2	0.9	0.4	20	0.08	0.051	33
862039	Soil	1.6	40.8	45.6	57	0.1	23.2	10.5	211	3.17	9.6	2.5	13.0	7	<0.1	0.9	0.5	26	0.02	0.032	34
5272775	Soil	1.7	22.6	24.2	63	<0.1	22.2	6.4	194	2.99	19.0	1.0	3.0	27	0.3	1.0	0.2	61	0.08	0.036	15



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Bill Mann**
19 Hayes Cres.
Whitehorse Yukon Y1A 0E1 Canada

Project: MAGA
Report Date: September 13, 2018

Page: 8 of 8

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000627.1

Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
5272760	Soil	31	0.37	224	0.021	1	1.42	0.007	0.04	0.2	0.03	4.1	0.2	<0.05	4	<0.5	<0.2
5272761	Soil	26	0.31	189	0.022	1	1.31	0.007	0.04	0.2	0.04	2.3	0.2	<0.05	4	<0.5	<0.2
5272762	Soil	47	0.48	288	0.012	1	1.51	0.005	0.09	0.5	0.04	3.4	1.0	<0.05	5	<0.5	<0.2
5272763	Soil	104	0.37	256	0.040	2	1.70	0.004	0.04	0.3	0.03	6.2	0.3	<0.05	6	<0.5	0.2
5272764	Soil	23	0.24	170	0.008	1	1.06	0.006	0.04	0.1	0.03	0.4	0.4	<0.05	4	<0.5	<0.2
5272765	Soil	30	0.27	113	0.009	1	0.89	0.003	0.06	0.2	0.01	2.5	0.3	<0.05	3	<0.5	<0.2
5272766	Soil	20	0.13	129	0.003	<1	1.22	0.004	0.04	0.1	0.02	4.8	0.4	<0.05	3	<0.5	<0.2
5272767	Soil	43	0.39	167	0.018	1	1.93	0.007	0.06	0.2	0.06	6.8	0.5	<0.05	5	<0.5	0.3
5272768	Soil	28	0.44	156	0.038	<1	1.74	0.011	0.05	0.2	0.02	2.8	0.2	<0.05	5	1.1	<0.2
5272769	Soil	25	0.44	148	0.042	<1	1.81	0.013	0.08	0.2	0.01	2.1	0.3	<0.05	5	2.3	<0.2
5272770	Soil	33	0.54	152	0.057	1	2.36	0.019	0.10	0.2	0.02	3.0	0.3	<0.05	7	4.4	<0.2
5272771	Soil	31	0.62	76	0.017	1	1.38	0.011	0.05	<0.1	0.02	1.8	0.2	<0.05	5	3.6	<0.2
5272772	Soil	33	0.55	134	0.020	<1	1.23	0.010	0.05	<0.1	0.03	2.5	0.3	<0.05	4	3.4	<0.2
65901	Soil	24	0.37	287	0.015	2	1.39	0.005	0.09	0.2	0.15	4.2	0.1	<0.05	4	<0.5	<0.2
65908	Soil	17	0.27	342	0.009	2	1.06	0.005	0.10	<0.1	0.08	2.9	0.1	<0.05	3	<0.5	<0.2
65915	Soil	19	0.44	99	0.005	1	1.37	0.007	0.07	<0.1	0.02	1.4	<0.1	<0.05	3	<0.5	<0.2
65922	Soil	14	0.29	387	0.005	2	1.40	0.005	0.14	<0.1	0.12	4.0	0.1	<0.05	3	<0.5	<0.2
65929	Soil	25	0.40	185	0.009	1	1.67	0.004	0.06	0.1	0.03	2.3	0.1	<0.05	4	<0.5	<0.2
65937	Soil	29	0.82	117	0.003	2	2.13	0.003	0.05	<0.1	0.02	2.0	<0.1	<0.05	5	<0.5	<0.2
65943	Soil	29	0.63	162	0.003	1	1.76	0.004	0.04	<0.1	0.05	2.6	<0.1	<0.05	5	<0.5	0.2
862005	Soil	25	0.59	43	0.006	<1	1.52	0.005	0.03	<0.1	0.02	1.1	<0.1	<0.05	5	<0.5	<0.2
862006	Soil	26	0.67	84	0.001	<1	1.75	0.005	0.05	<0.1	0.07	1.3	<0.1	<0.05	5	<0.5	<0.2
862009	Soil	25	0.36	129	0.018	1	1.49	0.005	0.04	0.2	0.02	1.9	0.1	<0.05	5	<0.5	<0.2
862011	Soil	22	0.69	55	0.002	<1	1.50	0.004	0.05	<0.1	0.03	1.9	<0.1	<0.05	4	<0.5	<0.2
862019	Soil	19	0.47	133	0.002	<1	1.38	0.005	0.05	<0.1	0.03	1.4	<0.1	<0.05	3	<0.5	<0.2
862025	Soil	22	0.51	56	0.001	<1	1.21	0.007	0.03	<0.1	0.03	1.0	<0.1	<0.05	4	0.5	<0.2
862037	Soil	20	0.47	69	0.008	<1	1.37	0.004	0.05	<0.1	0.02	1.7	<0.1	<0.05	3	0.5	<0.2
862039	Soil	20	0.37	134	0.006	<1	1.33	0.005	0.04	<0.1	0.05	1.8	<0.1	<0.05	3	0.5	<0.2
5272775	Soil	31	0.49	89	0.043	<1	1.24	0.006	0.05	0.1	0.01	2.5	0.1	<0.05	6	0.9	<0.2



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: Bill Mann
19 Hayes Cres.
Whitehorse Yukon Y1A 0E1 Canada

Project: MAGA
Report Date: September 13, 2018

Page: 1 of 2 Part: 1 of 2

QUALITY CONTROL REPORT

WHI18000627.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
Pulp Duplicates																					
5272579	Soil	4.8	78.1	32.9	102	0.8	14.2	7.6	914	2.57	20.1	1.0	1.4	11	0.6	0.6	1.9	58	0.09	0.038	10
REP 5272579	QC	4.9	77.3	33.7	104	0.8	15.0	8.1	897	2.60	20.5	2.4	1.4	11	0.5	0.6	1.9	60	0.09	0.038	10
5272615	Soil	2.8	19.3	17.4	64	<0.1	19.8	6.8	457	2.41	23.1	1.1	5.9	17	0.1	0.8	0.2	51	0.14	0.022	17
REP 5272615	QC	2.8	18.7	17.0	67	<0.1	19.0	6.8	420	2.31	22.0	13.7	5.9	16	0.1	0.8	0.3	53	0.13	0.021	18
5272651	Soil	1.1	31.0	22.1	74	0.2	24.0	6.6	167	2.35	8.0	4.0	4.0	19	0.3	0.5	0.2	41	0.13	0.039	29
REP 5272651	QC	1.0	30.1	21.0	69	0.2	22.3	6.3	164	2.25	7.7	2.0	3.9	18	0.3	0.6	0.2	41	0.13	0.038	28
5272687	Soil	0.6	50.9	67.1	186	0.4	121.2	13.8	1046	3.02	70.6	1.4	4.2	23	2.3	1.7	0.2	49	0.13	0.048	17
REP 5272687	QC	0.6	50.1	66.6	184	0.4	122.4	13.7	1093	2.93	70.4	0.7	4.2	22	2.2	1.7	0.2	49	0.13	0.046	17
5272748	Soil	1.3	21.0	23.4	72	0.2	16.5	6.0	225	1.96	9.3	2.8	3.5	22	0.5	0.5	0.5	47	0.25	0.041	17
REP 5272748	QC	1.3	21.5	22.9	69	0.2	16.2	6.1	217	2.01	9.4	3.5	3.2	21	0.5	0.5	0.4	47	0.23	0.037	16
862005	Soil	1.3	21.0	30.7	70	<0.1	15.0	6.5	222	3.42	13.5	1.3	12.6	8	<0.1	1.0	0.6	27	0.02	0.032	25
REP 862005	QC	1.3	21.2	30.2	69	<0.1	14.6	6.5	219	3.46	13.0	2.0	12.2	8	<0.1	1.0	0.5	26	0.01	0.030	24
Reference Materials																					
STD DS11	Standard	15.0	153.6	135.0	327	1.6	77.5	14.0	931	2.92	39.9	66.0	8.0	63	2.1	7.9	11.1	53	0.96	0.068	19
STD DS11	Standard	15.6	167.1	143.5	349	1.7	86.1	15.2	1039	3.24	45.5	74.1	8.6	70	2.5	8.6	12.6	57	1.08	0.075	21
STD DS11	Standard	15.3	161.9	141.7	344	1.6	83.2	14.6	1017	3.22	44.8	75.1	8.2	66	2.2	8.5	11.9	54	1.01	0.072	19
STD DS11	Standard	14.3	154.5	138.1	346	1.6	81.9	13.9	1029	3.17	43.0	69.4	8.0	66	2.4	8.1	11.9	54	0.97	0.072	19
STD DS11	Standard	15.4	152.9	141.8	362	1.7	80.5	13.9	1046	3.13	45.5	71.1	8.1	66	2.4	8.5	12.1	57	0.99	0.075	21
STD DS11	Standard	15.7	150.1	141.5	319	1.7	79.3	14.0	1025	3.07	45.6	83.4	8.2	65	2.4	8.2	12.7	56	1.02	0.066	20
STD OXC129	Standard	1.3	27.7	6.0	41	<0.1	79.1	19.8	395	2.95	<0.5	182.4	1.8	171	<0.1	<0.1	<0.1	55	0.60	0.089	13
STD OXC129	Standard	1.4	30.5	6.5	43	<0.1	89.0	22.5	453	3.27	0.6	200.9	2.0	202	<0.1	<0.1	<0.1	61	0.76	0.111	14
STD OXC129	Standard	1.5	30.7	6.4	45	<0.1	86.1	22.8	431	3.19	0.9	191.7	1.9	190	<0.1	<0.1	<0.1	59	0.68	0.105	13
STD OXC129	Standard	1.3	30.4	6.3	45	<0.1	82.8	21.7	410	3.07	0.6	197.1	1.9	183	<0.1	<0.1	<0.1	58	0.66	0.101	13
STD OXC129	Standard	1.2	29.1	6.1	43	<0.1	78.7	21.8	429	3.23	0.9	195.4	1.9	184	<0.1	<0.1	<0.1	55	0.69	0.101	13
STD OXC129	Standard	1.3	26.7	6.5	41	<0.1	84.4	20.6	453	3.13	0.5	200.9	2.0	185	<0.1	<0.1	0.2	55	0.72	0.102	13
STD OXC129 Expected		1.3	28	6.2	42.9		79.5	20.3	421	3.065	0.6	195	1.9				51	0.684	0.102	12.5	
STD DS11 Expected		14.6	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	8.74	12.2	50	1.063	0.0701	18.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Bill Mann**
19 Hayes Cres.
Whitehorse Yukon Y1A 0E1 Canada

Project: MAGA
Report Date: September 13, 2018

Page: 1 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000627.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																	
5272579	Soil	24	0.22	123	0.040	<1	1.45	0.009	0.05	0.2	0.06	1.8	0.2	<0.05	5	<0.5	<0.2
REP 5272579	QC	24	0.23	129	0.041	<1	1.47	0.009	0.05	0.2	0.06	1.8	0.2	<0.05	5	<0.5	<0.2
5272615	Soil	30	0.39	170	0.055	<1	1.43	0.008	0.06	0.3	0.02	3.7	0.1	<0.05	4	<0.5	<0.2
REP 5272615	QC	29	0.38	170	0.054	1	1.30	0.008	0.06	0.2	0.02	3.7	0.1	<0.05	5	<0.5	<0.2
5272651	Soil	22	0.26	241	0.021	2	1.28	0.007	0.08	<0.1	0.04	2.9	<0.1	<0.05	3	<0.5	<0.2
REP 5272651	QC	22	0.25	232	0.021	1	1.22	0.006	0.08	<0.1	0.03	2.8	<0.1	<0.05	3	<0.5	<0.2
5272687	Soil	156	0.90	237	0.023	<1	1.48	0.006	0.07	<0.1	0.02	4.4	0.2	<0.05	5	<0.5	<0.2
REP 5272687	QC	160	0.91	232	0.023	<1	1.49	0.006	0.07	<0.1	0.02	4.2	0.2	<0.05	5	<0.5	<0.2
5272748	Soil	24	0.33	269	0.040	1	1.40	0.009	0.05	0.2	0.03	2.5	0.2	<0.05	4	<0.5	<0.2
REP 5272748	QC	22	0.33	246	0.040	<1	1.34	0.010	0.05	0.3	0.02	2.5	0.2	<0.05	4	<0.5	<0.2
862005	Soil	25	0.59	43	0.006	<1	1.52	0.005	0.03	<0.1	0.02	1.1	<0.1	<0.05	5	<0.5	<0.2
REP 862005	QC	24	0.55	42	0.005	<1	1.44	0.005	0.03	<0.1	0.01	1.1	<0.1	<0.05	4	<0.5	<0.2
Reference Materials																	
STD DS11	Standard	59	0.80	340	0.090	6	1.09	0.072	0.36	2.8	0.24	3.1	4.6	0.26	5	2.0	4.3
STD DS11	Standard	67	0.84	390	0.101	8	1.15	0.073	0.42	3.2	0.22	3.4	4.9	0.30	5	2.1	4.7
STD DS11	Standard	63	0.78	377	0.097	7	1.06	0.067	0.40	2.9	0.25	3.2	4.8	0.32	5	2.1	4.5
STD DS11	Standard	62	0.83	365	0.096	6	1.13	0.071	0.38	3.0	0.26	3.3	4.8	0.32	5	2.3	4.6
STD DS11	Standard	60	0.87	374	0.097	6	1.18	0.070	0.38	2.9	0.25	3.3	5.1	0.26	5	1.9	4.3
STD DS11	Standard	61	0.82	373	0.093	7	1.11	0.068	0.40	3.1	0.26	3.4	5.2	0.30	4	1.9	4.5
STD OXC129	Standard	52	1.49	49	0.373	1	1.46	0.557	0.32	<0.1	<0.01	0.8	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	60	1.57	54	0.445	1	1.59	0.589	0.38	<0.1	<0.01	1.2	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	56	1.52	51	0.434	<1	1.54	0.587	0.36	<0.1	<0.01	1.0	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	57	1.50	50	0.435	2	1.51	0.531	0.33	<0.1	<0.01	1.1	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	51	1.46	51	0.394	2	1.57	0.526	0.34	<0.1	<0.01	0.9	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	56	1.39	51	0.406	1	1.48	0.543	0.38	<0.1	<0.01	0.9	<0.1	<0.05	6	<0.5	<0.2
STD OXC129 Expected		52	1.545	50	0.4	1	1.58	0.59	0.3655			1.1			5.5		
STD DS11 Expected		61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.26	3.4	4.9	0.2835	5.1	2.2	4.56
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Bill Mann**
19 Hayes Cres.
Whitehorse Yukon Y1A 0E1 Canada

Project: MAGA
Report Date: September 13, 2018

Page: 2 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI18000627.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	0.2	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Bill Mann**
19 Hayes Cres.
Whitehorse Yukon Y1A 0E1 Canada

Project: MAGA
Report Date: September 13, 2018

Page: 2 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000627.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2