



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Luckystrike Resources Ltd.**  
1010 – 1130 West Pender Street  
Vancouver British Columbia V6E 4A4 Canada

Submitted By: Email Distribution  
Receiving Lab: Canada-Whitehorse  
Received: September 11, 2018  
Report Date: November 07, 2018  
Page: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI18000902.1

## CLIENT JOB INFORMATION

Project: HS  
Shipment ID: HS-2018-ROCK\_02  
P.O. Number  
Number of Samples: 18

## SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
STOR-RJT Store After 60 days Invoice for Storage

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Luckystrike Resources Ltd.  
1010 – 1130 West Pender Street  
Vancouver British Columbia V6E 4A4  
Canada

CC:

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	18	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	18	Sort, label and box pulps			WHI
FA350-Au	18	50g Fire assay fusion Au by ICP-ES	50	Completed	VAN
EN002	18	Environmental disposal charge-Fire assay lead waste			VAN
MA200	18	4 Acid digestion ICP-MS analysis	0.25	Completed	VAN
AQ200-HG	18	Hg by AR digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	18	Per sample shipping charges for branch shipments			VAN

## ADDITIONAL COMMENTS

  
JEFFREY CANNON  
Geochemistry Department Supervisor



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Luckystrike Resources Ltd.**  
1010 – 1130 West Pender Street  
Vancouver British Columbia V6E 4A4 Canada

Project: HS  
Report Date: November 07, 2018

Page: 2 of 2

Part: 1 of 3

# CERTIFICATE OF ANALYSIS

# WHI18000902.1

Method	Analyte	WGHT	FA350	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		MDL	2	0.1	0.1	0.1	1	0.1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	1	0.1	0.1	0.1	1
1878201	Rock	0.39	<2	0.2	2.4	27.7	63	<0.1	0.6	<0.2	82	0.56	3	12.4	40.9	46	<0.1	3.6	1.1	<1	0.32
1878202	Rock	0.69	<2	0.4	2.0	27.7	106	<0.1	1.0	1.6	169	1.61	12	11.8	41.0	152	<0.1	3.6	1.1	5	0.48
1878203	Rock	0.99	<2	1.0	1.6	28.8	72	<0.1	1.1	0.9	203	1.30	11	7.5	32.5	68	<0.1	2.0	1.4	2	0.43
1878204	Rock	1.16	<2	1.7	2.8	37.0	66	<0.1	1.3	1.1	126	1.59	5	5.3	25.9	17	<0.1	0.3	<0.1	12	0.15
1878205	Rock	0.77	5	3.4	1.4	16.9	30	<0.1	0.8	0.6	98	0.82	20	6.5	22.1	6	<0.1	3.8	0.8	1	0.05
1878206	Rock	0.90	6	3.4	1.4	37.7	65	<0.1	0.8	0.6	143	1.27	23	6.3	23.4	8	<0.1	4.6	1.1	<1	0.06
1878207	Rock	1.03	22	2.1	2.1	20.5	11	<0.1	0.7	1.2	132	0.79	34	7.8	24.7	11	<0.1	6.4	0.4	4	0.05
1878208	Rock	1.15	22	2.0	2.3	22.3	12	<0.1	0.7	1.0	119	0.71	32	7.7	23.8	11	<0.1	6.4	0.4	4	0.05
1878209	Rock	1.32	114	7.0	2.7	25.9	15	1.0	0.9	0.5	77	0.85	100	8.1	26.6	19	<0.1	27.3	0.5	5	0.06
1878210	Rock	1.02	298	1.5	3.7	14.6	25	0.2	2.0	2.3	207	1.00	22	5.9	22.9	20	<0.1	9.3	0.4	17	0.11
1878211	Rock	0.78	21	2.3	3.5	30.8	75	<0.1	2.1	1.3	222	1.46	6	5.2	21.5	23	<0.1	0.8	<0.1	10	0.16
1878212	Rock	0.35	595	1.5	4.9	12.2	10	0.2	3.0	1.6	150	1.12	27	6.5	27.1	24	<0.1	15.9	0.7	22	0.13
1878213	Rock	1.35	49	2.4	1.2	11.5	10	0.4	0.5	<0.2	110	0.67	22	9.3	30.7	8	<0.1	6.6	0.5	4	0.05
1878214	Rock	1.22	383	0.9	1.0	20.9	18	0.1	0.8	0.3	114	0.85	84	7.2	31.3	9	<0.1	5.3	0.4	6	0.03
1878215	Rock	1.32	26	1.9	1.7	13.7	16	<0.1	0.5	<0.2	108	0.87	51	7.8	29.5	8	<0.1	4.5	0.5	3	0.04
1878216	Rock	1.49	137	3.7	1.5	27.7	13	0.2	0.6	<0.2	79	0.82	45	6.6	26.2	12	<0.1	7.0	0.5	7	0.05
1878217	Rock	1.20	4	1.2	1.8	29.7	32	<0.1	0.5	0.2	59	1.00	18	7.8	27.5	4	<0.1	4.6	0.6	<1	0.12
1878218	Rock	1.05	<2	1.9	4.1	24.8	83	<0.1	2.3	1.0	403	1.71	<1	4.9	25.8	33	<0.1	0.1	0.1	2	0.15



**BUREAU VERITAS**  
MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Luckystrike Resources Ltd.**  
1010 – 1130 West Pender Street  
Vancouver British Columbia V6E 4A4 Canada

**Project:** HS  
**Report Date:** November 07, 2018

**Page:** 2 of 2

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI18000902.1

Method	Analyte	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	
Unit		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL		0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	1	0.1	0.1
1878201	Rock	0.003	8.9	1	0.04	89	0.030	5.77	0.804	4.17	1.7	109.9	19	12.2	66.9	71.3	5.2	7	<1	23.2	<0.1	
1878202	Rock	0.007	13.3	1	0.07	417	0.032	5.75	0.999	3.92	2.4	113.4	30	10.7	64.2	70.8	5.3	12	<1	20.0	<0.1	
1878203	Rock	0.007	24.5	1	0.03	258	0.042	5.45	1.125	3.91	1.9	109.7	46	9.9	36.5	43.2	3.4	7	1	30.8	<0.1	
1878204	Rock	0.011	33.9	2	0.02	115	0.062	5.57	2.195	3.74	2.1	111.5	57	4.9	34.4	37.2	2.7	4	1	52.4	<0.1	
1878205	Rock	0.003	14.9	1	0.05	40	0.056	4.60	0.130	3.79	1.5	213.6	38	4.7	40.0	37.5	2.3	2	<1	36.5	<0.1	
1878206	Rock	0.004	15.2	1	0.05	39	0.057	4.76	0.335	3.15	2.2	231.2	37	4.8	39.2	40.9	2.5	2	<1	36.0	<0.1	
1878207	Rock	0.005	18.5	4	0.05	79	0.063	5.21	0.639	3.60	3.4	166.2	44	5.2	34.1	45.2	2.9	4	<1	24.2	<0.1	
1878208	Rock	0.006	18.9	4	0.05	90	0.061	5.00	0.593	3.64	3.2	153.8	44	5.7	35.9	43.9	2.9	3	<1	24.1	<0.1	
1878209	Rock	0.004	31.9	2	0.03	86	0.061	5.69	0.720	4.20	3.0	192.7	72	6.0	37.0	45.8	2.9	4	<1	19.9	0.1	
1878210	Rock	0.006	16.7	6	0.09	206	0.079	4.96	0.691	3.73	1.4	91.3	39	6.4	36.1	35.8	2.6	4	2	28.7	<0.1	
1878211	Rock	0.005	17.0	3	0.04	125	0.071	5.86	2.397	3.93	1.8	111.8	41	5.8	26.6	36.7	2.6	4	1	26.5	<0.1	
1878212	Rock	0.008	18.8	8	0.13	216	0.085	5.10	0.153	3.60	1.3	100.4	44	7.6	48.9	43.1	3.0	5	2	27.8	<0.1	
1878213	Rock	0.004	19.1	4	0.06	84	0.056	4.90	0.464	3.26	3.4	123.0	45	7.0	60.4	43.7	3.0	3	1	27.0	<0.1	
1878214	Rock	0.003	34.5	3	0.07	97	0.064	5.16	0.318	3.79	2.2	139.1	73	9.5	39.1	46.1	3.1	4	2	19.3	<0.1	
1878215	Rock	0.003	29.4	2	0.05	87	0.057	5.29	0.374	3.57	2.5	141.9	66	6.2	38.2	46.0	3.2	3	<1	17.8	<0.1	
1878216	Rock	0.002	19.3	4	0.06	120	0.054	4.85	0.578	3.76	2.5	114.4	43	6.5	41.2	40.4	2.8	3	1	24.0	<0.1	
1878217	Rock	0.001	6.3	1	0.01	18	0.055	5.46	2.410	3.23	3.3	140.4	14	8.0	29.8	55.4	4.0	5	<1	26.8	<0.1	
1878218	Rock	0.009	74.0	1	0.04	255	0.101	6.23	2.265	4.22	1.2	147.5	177	2.6	30.0	28.3	1.7	3	2	27.9	<0.1	



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Luckystrike Resources Ltd.**  
1010 – 1130 West Pender Street  
Vancouver British Columbia V6E 4A4 Canada

Project: HS  
Report Date: November 07, 2018

Page: 2 of 2

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI18000902.1

Method	Analyte	MA200	MA200	MA200	MA200	MA200	MA200	AQ200	
		Rb	Hf	In	Re	Se	Te	Tl	Hg
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.1	0.1	0.05	0.005	1	0.5	0.5	0.01
1878201	Rock	441.2	6.4	<0.05	<0.005	<1	<0.5	3.2	0.02
1878202	Rock	430.2	6.5	0.08	<0.005	<1	<0.5	2.5	0.05
1878203	Rock	301.4	5.2	0.08	<0.005	<1	<0.5	2.2	<0.01
1878204	Rock	232.0	4.7	<0.05	<0.005	<1	<0.5	1.5	<0.01
1878205	Rock	201.0	6.8	<0.05	<0.005	<1	<0.5	1.5	<0.01
1878206	Rock	187.6	7.9	<0.05	<0.005	<1	<0.5	1.6	<0.01
1878207	Rock	258.1	6.4	<0.05	<0.005	<1	<0.5	2.4	0.01
1878208	Rock	266.1	5.7	<0.05	<0.005	<1	<0.5	2.3	<0.01
1878209	Rock	274.9	6.9	<0.05	<0.005	<1	<0.5	3.3	0.14
1878210	Rock	252.1	4.1	<0.05	<0.005	<1	<0.5	2.0	<0.01
1878211	Rock	229.3	4.6	0.05	<0.005	<1	<0.5	1.6	<0.01
1878212	Rock	262.7	4.4	<0.05	<0.005	<1	<0.5	2.2	0.02
1878213	Rock	241.3	5.0	<0.05	<0.005	<1	<0.5	2.0	0.01
1878214	Rock	269.8	5.6	<0.05	<0.005	<1	<0.5	2.5	<0.01
1878215	Rock	233.4	5.9	<0.05	<0.005	<1	<0.5	2.2	<0.01
1878216	Rock	249.8	5.0	0.07	<0.005	<1	<0.5	2.5	0.02
1878217	Rock	249.2	6.3	0.10	<0.005	<1	<0.5	1.4	0.01
1878218	Rock	159.3	4.8	0.07	<0.005	<1	<0.5	1.1	<0.01



# QUALITY CONTROL REPORT

WHI18000902.1

Method	WGHT	FA350	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	
Pulp Duplicates																					
REP 1878206	QC																				
1878210	Rock	1.02	298	1.5	3.7	14.6	25	0.2	2.0	2.3	207	1.00	22	5.9	22.9	20	<0.1	9.3	0.4	17	0.11
REP 1878210	QC			1.6	3.6	14.5	24	0.2	2.2	2.3	207	0.99	23	5.8	22.6	20	<0.1	9.6	0.5	17	0.11
1878218	Rock	1.05	<2	1.9	4.1	24.8	83	<0.1	2.3	1.0	403	1.71	<1	4.9	25.8	33	<0.1	0.1	0.1	2	0.15
REP 1878218	QC		<2																		
Core Reject Duplicates																					
1878206	Rock	0.90	6	3.4	1.4	37.7	65	<0.1	0.8	0.6	143	1.27	23	6.3	23.4	8	<0.1	4.6	1.1	<1	0.06
DUP 1878206	QC		5	3.0	1.9	36.1	61	<0.1	0.8	0.5	132	1.21	21	6.1	22.8	7	<0.1	4.6	1.2	<1	0.05
Reference Materials																					
STD DS11	Standard																				
STD OREAS25A-4A	Standard			2.2	32.1	24.5	43	<0.1	44.7	7.4	498	6.51	10	2.8	15.1	47	<0.1	0.6	0.4	164	0.28
STD OREAS25A-4A	Standard			2.6	34.7	25.7	44	<0.1	45.0	8.1	534	6.75	10	3.0	16.1	54	<0.1	0.5	0.4	165	0.30
STD OREAS45EA	Standard																				
STD OREAS45E	Standard			2.5	797.7	19.5	48	0.3	483.3	59.0	584	24.20	16	2.7	13.6	17	<0.1	1.1	0.4	351	0.07
STD OREAS45E	Standard			2.5	783.1	19.3	46	0.3	472.3	59.2	604	25.12	16	2.6	13.9	17	<0.1	1.0	0.4	318	0.07
STD OXC145	Standard		208																		
STD OXH139	Standard		1349																		
STD DS11 Expected																					
STD OXC145 Expected			212																		
STD OXH139 Expected			1312																		
STD OREAS25A-4A Expected				2.55	33.9	25.2	44.4		45.8	8.2	470	6.6	9.94	2.94	15.8	48.5		0.67	0.35	157	0.309
STD OREAS45E Expected				2.4	780	18.2	46.7	0.311	454	57	570	24.12	16.3	2.41	12.9	15.9	0.06	1	0.28	322	0.065
BLK	Blank																				
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		2																		
BLK	Blank		3																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
Prep Wash																					



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Luckystrike Resources Ltd.**  
1010 – 1130 West Pender Street  
Vancouver British Columbia V6E 4A4 Canada

Project: HS  
Report Date: November 07, 2018

Page: 1 of 2 Part: 2 of 3

# QUALITY CONTROL REPORT

WHI18000902.1

Method	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200
Analyte	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	
Unit	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1	
Pulp Duplicates																					
REP 1878206	QC																				
1878210	Rock	0.006	16.7	6	0.09	206	0.079	4.96	0.691	3.73	1.4	91.3	39	6.4	36.1	35.8	2.6	4	2	28.7	<0.1
REP 1878210	QC	0.006	16.2	6	0.09	208	0.073	4.91	0.683	3.76	1.2	89.6	38	6.4	35.9	35.2	2.3	4	2	28.2	<0.1
1878218	Rock	0.009	74.0	1	0.04	255	0.101	6.23	2.265	4.22	1.2	147.5	177	2.6	30.0	28.3	1.7	3	2	27.9	<0.1
REP 1878218	QC																				
Core Reject Duplicates																					
1878206	Rock	0.004	15.2	1	0.05	39	0.057	4.76	0.335	3.15	2.2	231.2	37	4.8	39.2	40.9	2.5	2	<1	36.0	<0.1
DUP 1878206	QC	0.003	15.4	1	0.05	38	0.054	4.46	0.321	3.27	1.9	220.9	36	4.9	37.2	38.5	2.4	3	<1	37.6	<0.1
Reference Materials																					
STD DS11	Standard																				
STD OREAS25A-4A	Standard	0.046	20.7	107	0.30	147	0.901	9.07	0.116	0.47	1.7	146.1	46	3.8	10.0	19.0	1.3	<1	12	36.8	<0.1
STD OREAS25A-4A	Standard	0.046	23.2	111	0.32	156	0.938	9.47	0.118	0.49	1.9	156.4	51	3.8	10.5	19.6	1.4	<1	12	36.6	<0.1
STD OREAS45EA	Standard																				
STD OREAS45E	Standard	0.033	11.7	977	0.15	253	0.536	7.19	0.054	0.33	1.1	98.3	25	1.3	7.9	6.4	0.5	<1	89	7.1	<0.1
STD OREAS45E	Standard	0.033	11.3	1047	0.16	260	0.549	7.01	0.053	0.34	1.0	97.9	25	1.4	7.8	6.3	0.6	1	91	7.0	<0.1
STD OXC145	Standard																				
STD OXH139	Standard																				
STD DS11 Expected																					
STD OXC145 Expected																					
STD OXH139 Expected																					
STD OREAS25A-4A Expected		0.048	21.8	115	0.327	147	0.977	8.87	0.134	0.482	2	155	48.9	4.06	10.5	20.9	1.5	0.93	13.7	36.7	0.047
STD OREAS45E Expected		0.034	11	979	0.156	252	0.559	6.78	0.059	0.324	1.07	97	23.5	1.32	8.28	6.8	0.54		93	6.58	0.046
BLK	Blank																				
BLK	Blank	<0.001	<0.1	<1	<0.01	<1	0.005	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1
Prep Wash																					



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Luckystrike Resources Ltd.**  
1010 – 1130 West Pender Street  
Vancouver British Columbia V6E 4A4 Canada

Project: HS  
Report Date: November 07, 2018

Page: 1 of 2 Part: 3 of 3

# QUALITY CONTROL REPORT

WHI18000902.1

Method Analyte	Unit	MA200	MA200	MA200	MA200	MA200	MA200	MA200	AQ200
		Rb	Hf	In	Re	Se	Te	Tl	Hg
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.1	0.05	0.005	1	0.5	0.5	0.01
Pulp Duplicates									
REP 1878206	QC								<0.01
1878210	Rock	252.1	4.1	<0.05	<0.005	<1	<0.5	2.0	<0.01
REP 1878210	QC	248.8	4.0	<0.05	<0.005	<1	<0.5	1.9	
1878218	Rock	159.3	4.8	0.07	<0.005	<1	<0.5	1.1	<0.01
REP 1878218	QC								
Core Reject Duplicates									
1878206	Rock	187.6	7.9	<0.05	<0.005	<1	<0.5	1.6	<0.01
DUP 1878206	QC	189.4	7.8	<0.05	<0.005	<1	<0.5	1.7	<0.01
Reference Materials									
STD DS11	Standard								0.25
STD OREAS25A-4A	Standard	56.4	3.8	0.05	<0.005	1	<0.5	<0.5	
STD OREAS25A-4A	Standard	62.4	4.5	<0.05	<0.005	2	<0.5	<0.5	
STD OREAS45EA	Standard								0.01
STD OREAS45E	Standard	22.0	2.9	0.07	<0.005	3	<0.5	<0.5	
STD OREAS45E	Standard	21.9	3.1	<0.05	<0.005	2	<0.5	<0.5	
STD OXC145	Standard								
STD OXH139	Standard								
STD DS11 Expected									0.26
STD OXC145 Expected									
STD OXH139 Expected									
STD OREAS25A-4A Expected		61	4.28	0.09		2.5		0.35	
STD OREAS45E Expected		21.2	3.11	0.099		2.97	0.1	0.15	
BLK	Blank								<0.01
BLK	Blank	0.1	<0.1	<0.05	<0.005	<1	<0.5	<0.5	
BLK	Blank								
BLK	Blank								
BLK	Blank	<0.1	<0.1	<0.05	<0.005	<1	<0.5	<0.5	
Prep Wash									



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Luckystrike Resources Ltd.**  
1010 – 1130 West Pender Street  
Vancouver British Columbia V6E 4A4 Canada

Project: HS  
Report Date: November 07, 2018

Page: 2 of 2

Part: 1 of 3

# QUALITY CONTROL REPORT

WHI18000902.1

WGHT	FA350	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200
Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	
kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	
ROCK-WHI	Prep Blank	<2	0.9	3.2	2.7	35	<0.1	1.0	3.3	641	1.89	4	1.1	2.6	185	<0.1	0.2	<0.1	32	1.34
ROCK-WHI	Prep Blank	<2	1.2	2.9	3.1	39	<0.1	0.8	3.6	665	2.07	4	1.1	2.7	213	<0.1	0.2	<0.1	33	1.50





**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Luckystrike Resources Ltd.**  
1010 – 1130 West Pender Street  
Vancouver British Columbia V6E 4A4 Canada

Project: HS  
Report Date: November 07, 2018

Page: 2 of 2

Part: 2 of 3

# QUALITY CONTROL REPORT

WHI18000902.1

		MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S
		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1
ROCK-WHI	Prep Blank	0.037	11.4	2	0.45	696	0.192	6.27	3.313	1.50	0.3	48.3	24	0.6	14.3	5.0	0.3	1	5	2.0	<0.1
ROCK-WHI	Prep Blank	0.039	11.7	2	0.47	855	0.199	6.70	3.279	1.65	0.3	51.8	24	0.8	15.2	5.4	0.4	1	6	2.8	<0.1



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Luckystrike Resources Ltd.**  
1010 – 1130 West Pender Street  
Vancouver British Columbia V6E 4A4 Canada

Project: HS  
Report Date: November 07, 2018

Page: 2 of 2

Part: 3 of 3

## QUALITY CONTROL REPORT

WHI18000902.1

		MA200	MA200	MA200	MA200	MA200	MA200	MA200	AQ200
		Rb	Hf	In	Re	Se	Te	Tl	Hg
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.1	0.05	0.005	1	0.5	0.5	0.01
ROCK-WHI	Prep Blank	30.3	1.4	<0.05	<0.005	2	<0.5	<0.5	<0.01
ROCK-WHI	Prep Blank	32.7	1.7	<0.05	<0.005	<1	<0.5	<0.5	<0.01