



## ANALYSIS REPORT BBM19-01143

To Stratagold Corporation  
HELENA KUIKKA  
SUITE 1000- 1050 W PENDER ST  
VANCOUVER V6E 3S7  
BC  
CANADA

Order Number	Vitgrab B1/ Eagle Gold/ 12 Rocks	Date Received	19-Sep-2019
Submission Number	Vitgrab B1/ Eagle Gold/ 12 Rocks	Date Analysed	25-Sep-2019 - 19-Oct-2019
Number of Samples	12	Date Completed	21-Oct-2019
		SGS Order Number	BBM19-01143

### Methods Summary

Number of Sample	Method Code	Description
12	G_LOG	Sample Registration Fee
12	G_WGH_KG	Weight of samples received
12	GE_FAA50V5	Au, FAS, exploration grade, AAS, 50g-5mL
12	GE_ICP40Q12	4 Acid Digest (HCL/HClO4/HF/HNO3), ICP, 0.2g-12ml

Authorised Signatory

**VP, Global Minerals**

This document is issued by the Company under its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**WARNING:** The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received

22-Oct-2019 10:30AM BBM\_U0001215980

Page 1 of 5

MIN-M\_COA\_ROW-Last Modified Date: 24-Jul-2019



Order Number Vitgrab B1/ Eagle Gold/ 12 Rocks  
 Submission Number Vitgrab B1/ Eagle Gold/ 12 Rocks  
 Number of Samples 12

**ANALYSIS REPORT BBM19-01143**

Element Method	Wtkg G_WGH_KG	@Au GE_FAA50V5	@Ag GE_ICP40Q12	@Al GE_ICP40Q12	@As GE_ICP40Q12	@Ba GE_ICP40Q12
Lower Limit	0.01	0.005	2	0.01	3	1
Upper Limit	--	10	100	15	10,000	10,000
Unit	kg	ppm m / m	ppm m / m	%	ppm m / m	ppm m / m
C00068207	3.06	<0.005	<2	2.09	15	86
C00068208	0.58	<0.005	<2	0.23	<3	189
C00068209	0.32	<0.005	<2	0.29	3	562
C00068210	0.48	<0.005	<2	0.28	5	66
C00068211	0.40	<0.005	<2	0.27	<3	33
C00068212	0.82	<0.005	<2	0.29	<3	57
C00068213	0.58	<0.005	<2	0.35	<3	111
C00068214	0.84	<0.005	<2	0.15	<3	10
C00068215	0.46	<0.005	<2	0.79	16	130
C00068216	0.74	<0.005	<2	0.06	<3	30
C00068217	0.56	<0.005	<2	0.32	7	44
C00068218	0.66	<0.005	<2	0.04	<3	22
*Rep C00068212	-	<0.005	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std OREAS223	-	1.678	-	-	-	-
*Std OREAS520	-	-	<2	5.82	162	755
*Blk BLANK	-	-	<2	<0.01	<3	<1

Element Method	@Be GE_ICP40Q12	@Bi GE_ICP40Q12	@Ca GE_ICP40Q12	@Cd GE_ICP40Q12	@Co GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.5	5	0.01	1	1	1
Upper Limit	2,500	10,000	15	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	%	ppm m / m	ppm m / m	ppm m / m
C00068207	1.1	5	0.02	3	24	42
C00068208	<0.5	8	4.62	<1	<1	18
C00068209	<0.5	<5	0.02	<1	<1	19
C00068210	<0.5	6	7.51	<1	<1	22
C00068211	<0.5	<5	0.02	<1	1	44
C00068212	<0.5	<5	0.02	<1	<1	38
C00068213	<0.5	<5	5.01	<1	<1	16

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number Vitgrab B1/ Eagle Gold/ 12 Rocks  
 Submission Number Vitgrab B1/ Eagle Gold/ 12 Rocks  
 Number of Samples 12

**ANALYSIS REPORT BBM19-01143**

Element	@Be	@Bi	@Ca	@Cd	@Co	@Cr
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	5	0.01	1	1	1
Upper Limit	2,500	10,000	15	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	%	ppm m / m	ppm m / m	ppm m / m
C00068214	<0.5	<5	0.12	<1	4	32
C00068215	<0.5	<5	0.02	<1	<1	40
C00068216	<0.5	28	>15.00	<1	<1	<1
C00068217	<0.5	<5	0.17	<1	1	38
C00068218	<0.5	<5	0.04	<1	<1	21
*Std OREAS520	1.2	9	4.02	2	188	28
*Blk BLANK	<0.5	<5	<0.01	<1	<1	<1

Element	@Cu	@Fe	@K	@La	@Li	@Mg
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	0.5	1	0.01
Upper Limit	10,000	15	15	10,000	10,000	15
Unit	ppm m / m	%	%	ppm m / m	ppm m / m	%
C00068207	56.7	>15.00	0.08	12.4	30	0.04
C00068208	<0.5	4.43	0.02	2.9	3	1.83
C00068209	5.3	1.10	0.03	4.5	1	<0.01
C00068210	<0.5	4.26	0.10	3.8	2	0.98
C00068211	2.6	1.35	0.02	5.3	2	<0.01
C00068212	3.3	0.92	0.04	6.0	2	<0.01
C00068213	2.3	1.49	0.11	3.9	3	0.08
C00068214	2.1	1.74	<0.01	<0.5	1	0.01
C00068215	5.5	2.86	0.06	4.0	14	0.01
C00068216	1.1	0.09	0.02	1.8	1	1.08
C00068217	45.9	1.96	0.01	1.8	50	0.02
C00068218	1.3	0.86	<0.01	0.9	1	<0.01
*Std OREAS520	2832	>15.00	3.55	79.4	18	1.16
*Blk BLANK	<0.5	<0.01	<0.01	<0.5	<1	<0.01

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number Vitgrab B1/ Eagle Gold/ 12 Rocks  
 Submission Number Vitgrab B1/ Eagle Gold/ 12 Rocks  
 Number of Samples 12

## ANALYSIS REPORT BBM19-01143

Element Method	@Mn GE_ICP40Q12	@Mo GE_ICP40Q12	@Ni GE_ICP40Q12	@Na GE_ICP40Q12	@P GE_ICP40Q12	@Pb GE_ICP40Q12
Lower Limit	2	1	1	0.01	0.01	2
Upper Limit	10,000	10,000	10,000	15	15	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	%	%	ppm m / m
C00068207	252	4	91	0.02	0.07	4
C00068208	509	1	3	0.01	<0.01	3
C00068209	90	3	4	<0.01	0.06	<2
C00068210	566	2	6	0.02	0.06	2
C00068211	115	6	10	<0.01	<0.01	3
C00068212	86	5	6	0.02	<0.01	3
C00068213	248	2	5	0.02	0.03	13
C00068214	192	4	20	<0.01	0.01	<2
C00068215	88	4	6	0.01	0.06	<2
C00068216	93	<1	<1	0.02	<0.01	<2
C00068217	154	6	11	0.01	0.02	<2
C00068218	89	5	2	<0.01	<0.01	<2
*Std OREAS520	2366	63	72	1.32	0.08	3
*Blk BLANK	<2	<1	<1	<0.01	<0.01	<2

Element Method	@S GE_ICP40Q12	@Sb GE_ICP40Q12	@Sc GE_ICP40Q12	@Sn GE_ICP40Q12	@Sr GE_ICP40Q12	@Ti GE_ICP40Q12
Lower Limit	0.01	5	0.5	10	0.5	0.01
Upper Limit	5	10,000	10,000	10,000	10,000	15
Unit	%	ppm m / m	ppm m / m	ppm m / m	ppm m / m	%
C00068207	0.05	<5	2.6	<10	20.2	0.04
C00068208	<0.01	<5	0.6	<10	72.9	0.02
C00068209	<0.01	<5	<0.5	<10	509	0.02
C00068210	<0.01	<5	1.3	<10	59.6	0.02
C00068211	<0.01	<5	0.5	<10	5.6	0.04
C00068212	<0.01	<5	<0.5	<10	8.6	0.04
C00068213	<0.01	<5	2.0	<10	191	0.01
C00068214	<0.01	<5	<0.5	<10	3.0	<0.01
C00068215	0.02	<5	1.0	<10	10.6	0.02
C00068216	<0.01	<5	<0.5	14	85.3	<0.01

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number Vitgrab B1/ Eagle Gold/ 12 Rocks  
 Submission Number Vitgrab B1/ Eagle Gold/ 12 Rocks  
 Number of Samples 12

## ANALYSIS REPORT BBM19-01143

Element	@S	@Sb	@Sc	@Sn	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	5	0.5	10	0.5	0.01
Upper Limit	5	10,000	10,000	10,000	10,000	15
Unit	%	ppm m / m	ppm m / m	ppm m / m	ppm m / m	%
C00068217	0.01	<5	1.0	<10	19.1	0.02
C00068218	<0.01	<5	<0.5	<10	2.2	<0.01
*Std OREAS520	1.06	8	15.0	<10	98.9	0.38
*Blk BLANK	<0.01	<5	<0.5	<10	<0.5	<0.01

Element	@V	@W	@Y	@Zn	@Zr
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	2	10	0.5	1	0.5
Upper Limit	10,000	10,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
C00068207	27	22	8.3	311	36.1
C00068208	3	<10	6.6	14	8.8
C00068209	7	<10	1.9	14	8.9
C00068210	8	<10	9.1	21	14.4
C00068211	5	<10	1.1	11	13.9
C00068212	5	<10	1.1	6	17.6
C00068213	8	<10	15.0	14	6.9
C00068214	3	<10	2.0	37	2.1
C00068215	11	<10	1.3	24	11.8
C00068216	<2	<10	1.9	2	1.2
C00068217	11	<10	1.6	29	11.8
C00068218	2	<10	<0.5	1	4.5
*Std OREAS520	250	57	19.5	20	130
*Blk BLANK	<2	<10	<0.5	<1	<0.5

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>  
 Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received