

# Appendix I

## AUREX-McQUESTEN CLAIM LIST

# AUREX CLAIM LIST

Grant Number	Label	Owner	Stake Date	Recorded	Expiry Date	District
YB28429	AUREX 1	STRATAGO	19920410	19920421	20220206	Mayo
YB28430	AUREX 2	STRATAGO	19920410	19920421	20220206	Mayo
YB28431	AUREX 3	STRATAGO	19920410	19920421	20220206	Mayo
YB28432	AUREX 4	STRATAGO	19920410	19920421	20220206	Mayo
YB28433	AUREX 5	STRATAGO	19920410	19920421	20220206	Mayo
YB28434	AUREX 6	STRATAGO	19920410	19920421	20220206	Mayo
YB28435	AUREX 7	STRATAGO	19920410	19920421	20220206	Mayo
YB28436	AUREX 8	STRATAGO	19920410	19920421	20220206	Mayo
YB28437	AUREX 9	STRATAGO	19920410	19920421	20220206	Mayo
YB28438	AUREX 10	STRATAGO	19920410	19920421	20220206	Mayo
YB28439	AUREX 11	STRATAGO	19920410	19920421	20220206	Mayo
YB28440	AUREX 12	STRATAGO	19920410	19920421	20220206	Mayo
YB28441	AUREX 13	STRATAGO	19920412	19920421	20220206	Mayo
YB28442	AUREX 14	STRATAGO	19920412	19920421	20220206	Mayo
YB28443	AUREX 15	STRATAGO	19920412	19920421	20220206	Mayo
YB28444	AUREX 16	STRATAGO	19920412	19920421	20220206	Mayo
YB28445	AUREX 17	STRATAGO	19920412	19920421	20220206	Mayo
YB28446	AUREX 18	STRATAGO	19920412	19920421	20220206	Mayo
YB28447	AUREX 19	STRATAGO	19920412	19920421	20220206	Mayo
YB28448	AUREX 20	STRATAGO	19920412	19920421	20220206	Mayo
YB28449	AUREX 21	STRATAGO	19920412	19920421	20220206	Mayo
YB28450	AUREX 22	STRATAGO	19920412	19920421	20220206	Mayo
YB28451	AUREX 23	STRATAGO	19920412	19920421	20220206	Mayo
YB28452	AUREX 24	STRATAGO	19920412	19920421	20220206	Mayo
YB28453	AUREX 25	STRATAGO	19920413	19920421	20220206	Mayo
YB28454	AUREX 26	STRATAGO	19920413	19920421	20220206	Mayo
YB28455	AUREX 27	STRATAGO	19920413	19920421	20220206	Mayo
YB28456	AUREX 28	STRATAGO	19920413	19920421	20220206	Mayo
YB28457	AUREX 29	STRATAGO	19920413	19920421	20220206	Mayo
YB28458	AUREX 30	STRATAGO	19920413	19920421	20220206	Mayo
YB28459	AUREX 31	STRATAGO	19920413	19920421	20220206	Mayo
YB28460	AUREX 32	STRATAGO	19920413	19920421	20220206	Mayo
YB28461	AUREX 33	STRATAGO	19920413	19920421	20220206	Mayo
YB28462	AUREX 34	STRATAGO	19920413	19920421	20220206	Mayo
YB28465	AUREX 51	STRATAGO	19920415	19920421	20220206	Mayo
YB28466	AUREX 52	STRATAGO	19920415	19920421	20220206	Mayo
YB28467	AUREX 53	STRATAGO	19920410	19920421	20220206	Mayo
YB28468	AUREX 54	STRATAGO	19920410	19920421	20220206	Mayo
YB28469	AUREX 55	STRATAGO	19920410	19920421	20220206	Mayo
YB28470	AUREX 56	STRATAGO	19920410	19920421	20220206	Mayo
YB28471	AUREX 57	STRATAGO	19920410	19920421	20220206	Mayo
YB28472	AUREX 58	STRATAGO	19920410	19920421	20220206	Mayo
YB28473	AUREX 59	STRATAGO	19920410	19920421	20220206	Mayo
YB28474	AUREX 60	STRATAGO	19920410	19920421	20220206	Mayo

Grant Number	Label	Owner	Stake Date	Recorded	Expiry Date	District
YB28475	AUREX 61	STRATAGO	19920410	19920421	20220206	Mayo
YB28476	AUREX 62	STRATAGO	19920410	19920421	20220206	Mayo
YB28477	AUREX 63	STRATAGO	19920412	19920421	20220206	Mayo
YB28478	AUREX 64	STRATAGO	19920412	19920421	20220206	Mayo
YB28479	AUREX 65	STRATAGO	19920412	19920421	20220206	Mayo
YB28480	AUREX 66	STRATAGO	19920412	19920421	20220206	Mayo
YB28481	AUREX 67	STRATAGO	19920412	19920421	20220206	Mayo
YB28482	AUREX 68	STRATAGO	19920412	19920421	20220206	Mayo
YB28483	AUREX 69	STRATAGO	19920412	19920421	20220206	Mayo
YB28484	AUREX 70	STRATAGO	19920412	19920421	20220206	Mayo
YB28485	AUREX 71	STRATAGO	19920412	19920421	20220206	Mayo
YB28486	AUREX 72	STRATAGO	19920412	19920421	20220206	Mayo
YB28487	AUREX 73	STRATAGO	19920413	19920421	20220206	Mayo
YB28488	AUREX 74	STRATAGO	19920413	19920421	20220206	Mayo
YB28489	AUREX 75	STRATAGO	19920413	19920421	20220206	Mayo
YB28490	AUREX 76	STRATAGO	19920413	19920421	20220206	Mayo
YB28491	AUREX 77	STRATAGO	19920413	19920421	20220206	Mayo
YB28492	AUREX 78	STRATAGO	19920413	19920421	20220206	Mayo
YB28493	AUREX 79	STRATAGO	19920413	19920421	20220206	Mayo
YB28494	AUREX 80	STRATAGO	19920413	19920421	20220206	Mayo
YB28495	AUREX 81	STRATAGO	19920413	19920421	20220206	Mayo
YB28496	AUREX 82	STRATAGO	19920413	19920421	20220206	Mayo
YB28497	AUREX 83	STRATAGO	19920413	19920421	20220206	Mayo
YB28498	AUREX 84	STRATAGO	19920413	19920421	20220206	Mayo
YB28499	AUREX 85	STRATAGO	19920413	19920421	20220206	Mayo
YB28500	AUREX 86	STRATAGO	19920413	19920421	20220206	Mayo
YB29366	AUREX 87	STRATAGO	19921015	19921021	20220206	Mayo
YB29367	AUREX 88	STRATAGO	19921015	19921021	20220206	Mayo
YB29368	AUREX 89	STRATAGO	19921015	19921021	20220206	Mayo
YB29369	AUREX 90	STRATAGO	19921015	19921021	20220206	Mayo
YB29370	AUREX 91	STRATAGO	19921015	19921021	20220206	Mayo
YB29371	AUREX 92	STRATAGO	19921015	19921021	20220206	Mayo
YB29372	AUREX 93	STRATAGO	19921015	19921021	20220206	Mayo
YB29373	AUREX 94	STRATAGO	19921015	19921021	20220206	Mayo
YB29374	AUREX 95	STRATAGO	19921015	19921021	20220206	Mayo
YB29375	AUREX 96	STRATAGO	19921015	19921021	20220206	Mayo
YB29376	AUREX 97	STRATAGO	19921015	19921021	20220206	Mayo
YB29377	AUREX 98	STRATAGO	19921015	19921021	20220206	Mayo
YB29378	AUREX 99	STRATAGO	19921015	19921021	20220206	Mayo
YB29379	AUREX 100	STRATAGO	19921015	19921021	20220206	Mayo
YB29380	AUREX 101	STRATAGO	19921015	19921021	20220206	Mayo
YB29381	AUREX 102	STRATAGO	19921015	19921021	20220206	Mayo
YB29382	AUREX 103	STRATAGO	19921015	19921021	20220206	Mayo
YB29383	AUREX 104	STRATAGO	19921015	19921021	20220206	Mayo



Grant Number	Label	Owner	Stake Date	Recorded	Expiry Date	District
YB29384	AUREX 105	STRATAGO	19921015	19921021	20220206	Mayo
YB29385	AUREX 106	STRATAGO	19921015	19921021	20220206	Mayo
YB29386	AUREX 107	STRATAGO	19921015	19921021	20220206	Mayo
YB29387	AUREX 108	STRATAGO	19921015	19921021	20220206	Mayo
YB29388	AUREX 109	STRATAGO	19921015	19921021	20220206	Mayo
YB29389	AUREX 110	STRATAGO	19921015	19921021	20220206	Mayo
YB29390	AUREX 111	STRATAGO	19921015	19921021	20220206	Mayo
YB29391	AUREX 112	STRATAGO	19921015	19921021	20220206	Mayo
YB29392	AUREX 113	STRATAGO	19921015	19921021	20220206	Mayo
YB29669	AUREX 114	STRATAGO	19930303	19930310	20220206	Mayo
YB29670	AUREX 115	STRATAGO	19930303	19930310	20220206	Mayo
YB29671	AUREX 116	STRATAGO	19930303	19930310	20220206	Mayo
YB29672	AUREX 117	STRATAGO	19930303	19930310	20220206	Mayo
YB29673	AUREX 118	STRATAGO	19930303	19930310	20220206	Mayo
YB29674	AUREX 119	STRATAGO	19930303	19930310	20220206	Mayo
YB29675	AUREX 120	STRATAGO	19930303	19930310	20220206	Mayo
YB29676	AUREX 121	STRATAGO	19930304	19930310	20220206	Mayo
YB29677	AUREX 122	STRATAGO	19930304	19930310	20220206	Mayo
YB29678	AUREX 123	STRATAGO	19930304	19930310	20220206	Mayo
YB29679	AUREX 124	STRATAGO	19930304	19930310	20220206	Mayo
YB29680	AUREX 125	STRATAGO	19930304	19930310	20220206	Mayo
YB29681	AUREX 126	STRATAGO	19930304	19930310	20220206	Mayo
YB29682	AUREX 127	STRATAGO	19930304	19930310	20220206	Mayo
YB29683	AUREX 128	STRATAGO	19930304	19930310	20220206	Mayo
YB29684	AUREX 129	STRATAGO	19930304	19930310	20220206	Mayo
YB29685	AUREX 130	STRATAGO	19930304	19930310	20220206	Mayo
YB29686	AUREX 131	STRATAGO	19930304	19930310	20220206	Mayo
YB29687	AUREX 132	STRATAGO	19930304	19930310	20220206	Mayo
YB29688	AUREX 133	STRATAGO	19930303	19930310	20220206	Mayo
YB29689	AUREX 134	STRATAGO	19930303	19930310	20220206	Mayo
YB29690	AUREX 135	STRATAGO	19930303	19930310	20220206	Mayo
YB29691	AUREX 136	STRATAGO	19930303	19930310	20220206	Mayo
YB29692	AUREX 137	STRATAGO	19930303	19930310	20220206	Mayo
YB29693	AUREX 138	STRATAGO	19930303	19930310	20220206	Mayo
YB29694	AUREX 139	STRATAGO	19930303	19930310	20220206	Mayo
YB29695	AUREX 140	STRATAGO	19930303	19930310	20220206	Mayo
YB29696	AUREX 141	STRATAGO	19930303	19930310	20220206	Mayo
YB29697	AUREX 142	STRATAGO	19930304	19930310	20220206	Mayo
YB29698	AUREX 143	STRATAGO	19930304	19930310	20220206	Mayo
YB29699	AUREX 144	STRATAGO	19930304	19930310	20220206	Mayo
YB29700	AUREX 145	STRATAGO	19930304	19930310	20220206	Mayo
YB29701	AUREX 146	STRATAGO	19930304	19930310	20220206	Mayo
YB29702	AUREX 147	STRATAGO	19930304	19930310	20220206	Mayo
YB29703	AUREX 148	STRATAGO	19930304	19930310	20220206	Mayo

Grant Number	Label	Owner	Stake Date	Recorded	Expiry Date	District
YB29704	AUREX 149	STRATAGO	19930304	19930310	20220206	Mayo
YB29705	AUREX 150	STRATAGO	19930304	19930310	20220206	Mayo
YB29706	AUREX 151	STRATAGO	19930304	19930310	20220206	Mayo
YB29707	AUREX 152	STRATAGO	19930303	19930310	20220206	Mayo
YB29708	AUREX 153	STRATAGO	19930303	19930310	20220206	Mayo
YB29709	AUREX 154	STRATAGO	19930303	19930310	20220206	Mayo
YB29710	AUREX 155	STRATAGO	19930303	19930310	20220206	Mayo
YB29711	AUREX 156	STRATAGO	19930303	19930310	20220206	Mayo
YB29712	AUREX 157	STRATAGO	19930303	19930310	20220206	Mayo
YB29713	AUREX 158	STRATAGO	19930303	19930310	20220206	Mayo
YB29714	AUREX 159	STRATAGO	19930303	19930310	20220206	Mayo
YB29715	AUREX 160	STRATAGO	19930303	19930310	20220206	Mayo
YB29716	AUREX 161	STRATAGO	19930303	19930310	20220206	Mayo
YB29717	AUREX 162	STRATAGO	19930304	19930310	20220206	Mayo
YB29718	AUREX 163	STRATAGO	19930304	19930310	20220206	Mayo
YB29719	AUREX 164	STRATAGO	19930304	19930310	20220206	Mayo
YB29720	AUREX 165	STRATAGO	19930304	19930310	20220206	Mayo
YB29721	AUREX 166	STRATAGO	19930304	19930310	20220206	Mayo
YB29722	AUREX 167	STRATAGO	19930304	19930310	20220206	Mayo
YB29723	AUREX 168	STRATAGO	19930304	19930310	20220206	Mayo
YB29724	AUREX 169	STRATAGO	19930304	19930310	20220206	Mayo
YB29725	AUREX 170	STRATAGO	19930304	19930310	20220206	Mayo
YB29726	AUREX 171	STRATAGO	19930304	19930310	20220206	Mayo
YC10862	Aurex 172	STRATAGO	20030628	20030630	20220206	Mayo
YC10863	Aurex 173	STRATAGO	20030628	20030630	20220206	Mayo
YC10864	Aurex 174	STRATAGO	20030628	20030630	20220206	Mayo
YC10865	Aurex 175	STRATAGO	20030628	20030630	20220206	Mayo
YC10866	Aurex 176	STRATAGO	20030628	20030630	20220206	Mayo
YC10867	Aurex 177	STRATAGO	20030628	20030630	20220206	Mayo
YC10868	Aurex 178	STRATAGO	20030628	20030630	20220206	Mayo
YC10869	Aurex 179	STRATAGO	20030628	20030630	20220206	Mayo
YC10870	Aurex 180	STRATAGO	20030628	20030630	20220206	Mayo
YC10871	Aurex 181	STRATAGO	20030628	20030630	20220206	Mayo
YC10872	Aurex 182	STRATAGO	20030628	20030630	20220206	Mayo
YC10873	Aurex 183	STRATAGO	20030628	20030630	20220206	Mayo
YC10874	Aurex 184	STRATAGO	20030628	20030630	20220206	Mayo
YC10875	Aurex 185	STRATAGO	20030628	20030630	20220206	Mayo
YC10876	Aurex 186	STRATAGO	20030628	20030630	20220206	Mayo
YC10877	Aurex 187	STRATAGO	20030628	20030630	20220206	Mayo
YC01769	Fisher 1	STRATAGO	19990529	19990607	20210306	Mayo
YC01770	Fisher 2	STRATAGO	19990529	19990607	20210306	Mayo
YC01771	Fisher 3	STRATAGO	19990529	19990607	20210306	Mayo
YC01772	Fisher 4	STRATAGO	19990529	19990607	20210306	Mayo
YC01773	Fisher 5	STRATAGO	19990529	19990607	20210306	Mayo

Grant Number	Label	Owner	Stake Date	Recorded	Expiry Date	District
YC01774	Fisher 6	STRATAGO	19990529	19990607	20210306	Mayo
YC01775	Fisher 7	STRATAGO	19990529	19990607	20210306	Mayo
YC01776	Fisher 8	STRATAGO	19990529	19990607	20210306	Mayo
YC01777	Fisher 9	STRATAGO	19990529	19990607	20210306	Mayo
YC01778	Fisher 10	STRATAGO	19990529	19990607	20210306	Mayo
YC01779	Fisher 11	STRATAGO	19990529	19990607	20210306	Mayo
YC01780	Fisher 12	STRATAGO	19990529	19990607	20210306	Mayo
YC01781	Fisher 13	STRATAGO	19990529	19990607	20210306	Mayo
YC01782	Fisher 14	STRATAGO	19990529	19990607	20210306	Mayo
YC01783	Fisher 15	STRATAGO	19990529	19990607	20210306	Mayo
YC01784	Fisher 16	STRATAGO	19990529	19990607	20210306	Mayo
YC01785	Fisher 17	STRATAGO	19990529	19990607	20210306	Mayo
YC01786	Fisher 18	STRATAGO	19990529	19990607	20210306	Mayo
YC01787	Fisher 19	STRATAGO	19990529	19990607	20210306	Mayo
YC01788	Fisher 20	STRATAGO	19990529	19990607	20210306	Mayo
YC01789	Fisher 21	STRATAGO	19990529	19990607	20210306	Mayo
YC01790	Fisher 22	STRATAGO	19990529	19990607	20210306	Mayo
YC01996	Fisher 23	STRATAGO	19991111	19991122	20220222	Mayo
YC01997	Fisher 24	STRATAGO	19991111	19991122	20220222	Mayo
YC01998	Fisher 25	STRATAGO	19991111	19991122	20220222	Mayo
YC01999	Fisher 26	STRATAGO	19991111	19991122	20220222	Mayo
YC02000	Fisher 27	STRATAGO	19991111	19991122	20220222	Mayo
YC02001	Fisher 28	STRATAGO	19991111	19991122	20220222	Mayo
YC02002	Fisher 29	STRATAGO	19991111	19991122	20220222	Mayo
YC02003	Fisher 30	STRATAGO	19991111	19991122	20220222	Mayo
YC02004	Fisher 31	STRATAGO	19991112	19991122	20220222	Mayo
YC02005	Fisher 32	STRATAGO	19991112	19991122	20220222	Mayo
YC02006	Fisher 33	STRATAGO	19991112	19991122	20220222	Mayo
YC02007	Fisher 34	STRATAGO	19991112	19991122	20220222	Mayo
YC02008	Fisher 35	STRATAGO	19991112	19991122	20220222	Mayo
YC02009	Fisher 36	STRATAGO	19991112	19991122	20220222	Mayo
YC02010	Fisher 37	STRATAGO	19991112	19991122	20220222	Mayo
YC02011	Fisher 38	STRATAGO	19991112	19991122	20220222	Mayo
YC02012	Fisher 39	STRATAGO	19991113	19991122	20220222	Mayo
YC02013	Fisher 40	STRATAGO	19991112	19991122	20220222	Mayo
YC02014	Fisher 41	STRATAGO	19991112	19991122	20220222	Mayo
YC02015	Fisher 42	STRATAGO	19991112	19991122	20220222	Mayo
YC02016	Fisher 43	STRATAGO	19991112	19991122	20220222	Mayo
YC02017	Fisher 44	STRATAGO	19991112	19991122	20220222	Mayo
YC02018	Fisher 45	STRATAGO	19991112	19991122	20220222	Mayo
YC02019	Fisher 46	STRATAGO	19991112	19991122	20220222	Mayo
YC02020	Fisher 47	STRATAGO	19991112	19991122	20220222	Mayo
YC02021	Fisher 48	STRATAGO	19991112	19991122	20220222	Mayo
YC02022	Fisher 49	STRATAGO	19991112	19991122	20220222	Mayo

Grant Number	Label	Owner	Stake Date	Recorded	Expiry Date	District
YC02023	Fisher 50	STRATAGO	19991112	19991122	20220222	Mayo
YC02024	Fisher 51	STRATAGO	19991112	19991122	20220222	Mayo
YC02025	Fisher 52	STRATAGO	19991112	19991122	20210222	Mayo
YC02026	Fisher 53	STRATAGO	19991112	19991122	20210222	Mayo
YC02027	Fisher 54	STRATAGO	19991112	19991122	20210222	Mayo
YC02028	Fisher 55	STRATAGO	19991112	19991122	20210222	Mayo
YC02029	Fisher 56	STRATAGO	19991111	19991122	20210222	Mayo
YC02030	Fisher 57	STRATAGO	19991111	19991122	20210222	Mayo
YC02031	Fisher 58	STRATAGO	19991111	19991122	20210222	Mayo
YC02032	Fisher 59	STRATAGO	19991111	19991122	20210222	Mayo
YC02033	Fisher 60	STRATAGO	19991111	19991122	20210222	Mayo
YC02034	Fisher 61	STRATAGO	19991111	19991122	20210222	Mayo
YC02035	Fisher 62	STRATAGO	19991111	19991122	20210222	Mayo
YC02036	Fisher 63	STRATAGO	19991111	19991122	20210222	Mayo
YC02037	Fisher 64	STRATAGO	19991111	19991122	20210222	Mayo
YC02038	Fisher 65	STRATAGO	19991111	19991122	20210222	Mayo
YC02039	Fisher 66	STRATAGO	19991113	19991122	20210222	Mayo
YC02040	Fisher 67	STRATAGO	19991113	19991122	20210222	Mayo
YC10751	Moon 2	STRATAGO	20030111	20030113	20220206	Mayo
YC10753	Moon 4	STRATAGO	20030111	20030113	20220206	Mayo
YC10754	Moon 5	STRATAGO	20030111	20030113	20220206	Mayo
YC10755	Moon 6	STRATAGO	20030111	20030113	20220206	Mayo
YC10756	Moon 7	STRATAGO	20030111	20030113	20220206	Mayo
YC10757	Moon 8	STRATAGO	20030111	20030113	20220206	Mayo
YC10758	Moon 9	STRATAGO	20030111	20030113	20220206	Mayo
YC10759	Moon 10	STRATAGO	20030111	20030113	20220206	Mayo
YC10895	Moon 12	STRATAGO	20030628	20030630	20220206	Mayo
YC10896	Moon 13	STRATAGO	20030628	20030630	20220206	Mayo
YC01589	Nis 1	STRATAGO	19981101	19981106	20220206	Mayo
YC01590	Nis 2	STRATAGO	19981101	19981106	20220206	Mayo
YC01591	Nis 3	STRATAGO	19981101	19981106	20220206	Mayo
YC01592	Nis 4	STRATAGO	19981101	19981106	20220206	Mayo
YC01593	Nis 5	STRATAGO	19981101	19981106	20220206	Mayo
YC01594	Nis 6	STRATAGO	19981101	19981106	20220206	Mayo
YC01595	Nis 7	STRATAGO	19981101	19981106	20220206	Mayo
YC01596	Nis 8	STRATAGO	19981101	19981106	20220206	Mayo
YC01597	Nis 9	STRATAGO	19981101	19981106	20220206	Mayo
YC01598	Nis 10	STRATAGO	19981101	19981106	20220206	Mayo
YC01599	Nis 11	STRATAGO	19981101	19981106	20220206	Mayo
YC01600	Nis 12	STRATAGO	19981101	19981106	20220206	Mayo
YC01601	Nis 13	STRATAGO	19981101	19981106	20220206	Mayo
YC01602	Nis 14	STRATAGO	19981101	19981106	20220206	Mayo
YC01603	Nis 15	STRATAGO	19981101	19981106	20220206	Mayo
YC01604	Nis 16	STRATAGO	19981101	19981106	20220206	Mayo

Grant Number	Label	Owner	Stake Date	Recorded	Expiry Date	District
YC01605	Nis 17	STRATAGO	19981101	19981106	20220206	Mayo
YC01606	Nis 18	STRATAGO	19981101	19981106	20220206	Mayo
YC01607	Nis 19	STRATAGO	19981101	19981106	20220206	Mayo
YC01608	Nis 20	STRATAGO	19981101	19981106	20220206	Mayo
YC01609	Nis 21	STRATAGO	19981101	19981106	20220206	Mayo
YC01610	Nis 22	STRATAGO	19981101	19981106	20220206	Mayo
YC01611	Nis 23	STRATAGO	19981101	19981106	20220206	Mayo
YC01612	Nis 24	STRATAGO	19981101	19981106	20220206	Mayo
YC01613	Nis 25	STRATAGO	19981102	19981106	20220206	Mayo
YC01614	Nis 26	STRATAGO	19981102	19981106	20220206	Mayo
YC01615	Nis 27	STRATAGO	19981102	19981106	20220206	Mayo
YC01616	Nis 28	STRATAGO	19981102	19981106	20220206	Mayo
YC01617	Nis 29	STRATAGO	19981101	19981106	20220206	Mayo
YC01618	Nis 30	STRATAGO	19981101	19981106	20220206	Mayo
YC01619	Nis 31	STRATAGO	19981101	19981106	20220206	Mayo
YC01620	Nis 32	STRATAGO	19981101	19981106	20220206	Mayo
YC01621	Nis 33	STRATAGO	19981101	19981106	20220206	Mayo
YC01622	Nis 34	STRATAGO	19981101	19981106	20220206	Mayo
YC01623	Nis 35	STRATAGO	19981101	19981106	20220206	Mayo
YC01624	Nis 36	STRATAGO	19981101	19981106	20220206	Mayo
YC01625	Nis 37	STRATAGO	19981101	19981106	20220206	Mayo
YC01626	Nis 38	STRATAGO	19981101	19981106	20220206	Mayo
YC01627	Nis 39	STRATAGO	19981101	19981106	20220206	Mayo
YC01628	Nis 40	STRATAGO	19981101	19981106	20220206	Mayo
YC01629	Nis 41	STRATAGO	19981102	19981106	20220206	Mayo
YC01630	Nis 42	STRATAGO	19981102	19981106	20220206	Mayo
YC01631	Nis 43	STRATAGO	19981102	19981106	20220206	Mayo
YC01632	Nis 44	STRATAGO	19981102	19981106	20220206	Mayo
YC01633	Nis 45	STRATAGO	19981102	19981106	20220206	Mayo
YC01634	Nis 46	STRATAGO	19981102	19981106	20220206	Mayo
YC01635	Nis 47	STRATAGO	19981102	19981106	20220206	Mayo
YC01636	Nis 48	STRATAGO	19981102	19981106	20220206	Mayo
YC01637	Nis 49	STRATAGO	19981102	19981106	20220206	Mayo
YC01638	Nis 50	STRATAGO	19981102	19981106	20220206	Mayo
YC01639	Nis 51	STRATAGO	19981102	19981106	20220206	Mayo
YC01640	Nis 52	STRATAGO	19981102	19981106	20220206	Mayo
YC01641	Nis 53	STRATAGO	19981102	19981106	20220206	Mayo
YC01642	Nis 54	STRATAGO	19981102	19981106	20220206	Mayo
YC01643	Nis 55	STRATAGO	19981102	19981106	20220206	Mayo
YC01644	Nis 56	STRATAGO	19981102	19981106	20220206	Mayo
YC01645	Nis 57	STRATAGO	19981102	19981106	20220206	Mayo
YC01646	Nis 58	STRATAGO	19981102	19981106	20220206	Mayo
YC01647	Nis 59	STRATAGO	19981102	19981106	20220206	Mayo
YC01648	Nis 60	STRATAGO	19981102	19981106	20220206	Mayo

Grant Number	Label	Owner	Stake Date	Recorded	Expiry Date	District
YC01649	Nis 61	STRATAGO	19981102	19981106	20220206	Mayo
YC01650	Nis 62	STRATAGO	19981102	19981106	20220206	Mayo
YC01651	Nis 63	STRATAGO	19981102	19981106	20220206	Mayo
YC01652	Nis 64	STRATAGO	19981102	19981106	20220206	Mayo
YC01653	Nis 65	STRATAGO	19981102	19981106	20220206	Mayo
YC01654	Nis 66	STRATAGO	19981102	19981106	20220206	Mayo
YC01655	Nis 67	STRATAGO	19981102	19981106	20220206	Mayo
YC01656	Nis 68	STRATAGO	19981102	19981106	20220206	Mayo
YC01657	Nis 69	STRATAGO	19981102	19981106	20220206	Mayo
YC01658	Nis 70	STRATAGO	19981102	19981106	20220206	Mayo
YC01659	Nis 71	STRATAGO	19981102	19981106	20220206	Mayo
YC01660	Nis 72	STRATAGO	19981102	19981106	20220206	Mayo
YC01661	Nis 73	STRATAGO	19981102	19981106	20220206	Mayo
YC01662	Nis 74	STRATAGO	19981102	19981106	20220206	Mayo
YC01663	Nis 75	STRATAGO	19981101	19981106	20220206	Mayo
YC02041	Rex 1	STRATAGO	19991113	19991122	20220206	Mayo
YC02042	Rex 2	STRATAGO	19991113	19991122	20220206	Mayo
YC02043	Rex 3	STRATAGO	19991113	19991122	20220206	Mayo
YC02044	Rex 4	STRATAGO	19991113	19991122	20220206	Mayo
YC02045	Rex 5	STRATAGO	19991113	19991122	20220206	Mayo
YC02046	Rex 6	STRATAGO	19991113	19991122	20220206	Mayo
YC02047	Rex 7	STRATAGO	19991113	19991122	20220206	Mayo
YC02048	Rex 8	STRATAGO	19991113	19991122	20220206	Mayo
YC02049	Rex 9	STRATAGO	19991113	19991122	20220206	Mayo
YC02050	Rex 10	STRATAGO	19991113	19991122	20220206	Mayo
YC02051	Rex 11	STRATAGO	19991113	19991122	20220206	Mayo
YC02052	Rex 12	STRATAGO	19991113	19991122	20220206	Mayo
YC02053	Rex 13	STRATAGO	19991113	19991122	20220206	Mayo
YC02054	Rex 14	STRATAGO	19991113	19991122	20220206	Mayo
YC02069	Rex 29	STRATAGO	19991111	19991122	20220206	Mayo
YC02070	Rex 30	STRATAGO	19991111	19991122	20220206	Mayo
YC02071	Rex 31	STRATAGO	19991111	19991122	20220206	Mayo
YC02072	Rex 32	STRATAGO	19991111	19991122	20220206	Mayo
YC02073	Rex 33	STRATAGO	19991111	19991122	20220206	Mayo
YC02074	Rex 34	STRATAGO	19991111	19991122	20220206	Mayo
YC02075	Rex 35	STRATAGO	19991111	19991122	20220206	Mayo
YC02076	Rex 36	STRATAGO	19991111	19991122	20220206	Mayo
YC02077	Rex 37	STRATAGO	19991113	19991122	20220206	Mayo
YC02078	Rex 38	STRATAGO	19991113	19991122	20220206	Mayo
YC02079	Rex 39	STRATAGO	19991113	19991122	20220206	Mayo
YC02080	Rex 40	STRATAGO	19991111	19991122	20220206	Mayo
YC02081	Rex 41	STRATAGO	19991111	19991122	20220206	Mayo
YC02082	Rex 42	STRATAGO	19991111	19991122	20220206	Mayo
YC02083	Rex 43	STRATAGO	19991111	19991122	20220206	Mayo

Grant Number	Label	Owner	Stake Date	Recorded	Expiry Date	District
YC02084	Rex 44	STRATAGO	19991112	19991122	20220206	Mayo
YC02085	Rex 45	STRATAGO	19991112	19991122	20220206	Mayo
YC02086	Rex 46	STRATAGO	19991112	19991122	20220206	Mayo
YC02087	Rex 47	STRATAGO	19991112	19991122	20220206	Mayo
YC02088	Rex 48	STRATAGO	19991118	19991123	20220206	Mayo
YC02089	Rex 49	STRATAGO	19991118	19991123	20220206	Mayo
YC11041	Rex 63	STRATAGO	20031126	20031211	20220206	Mayo
YC11043	Rex 65	STRATAGO	20031126	20031211	20220206	Mayo
YC11044	Rex 66	STRATAGO	20031126	20031211	20220206	Mayo
YC11045	Rex 67	STRATAGO	20031126	20031211	20220206	Mayo
YC11046	Rex 68	STRATAGO	20031126	20031211	20220206	Mayo
YC11047	Rex 69	STRATAGO	20031126	20031211	20220206	Mayo
YC11048	Rex 70	STRATAGO	20031126	20031211	20220206	Mayo
YC11049	Rex 71	STRATAGO	20031126	20031211	20220206	Mayo
YC11050	Rex 72	STRATAGO	20031126	20031211	20220206	Mayo
YC11051	Rex 73	STRATAGO	20031127	20031211	20220206	Mayo
YC11052	Rex 74	STRATAGO	20031127	20031211	20220206	Mayo
YC11063	Rex 75	STRATAGO	20031214	20031215	20220206	Mayo
YC11064	Rex 76	STRATAGO	20031214	20031215	20220206	Mayo
YC11065	Rex 77	STRATAGO	20031214	20031215	20220206	Mayo
YC11066	Rex 78	STRATAGO	20031214	20031215	20220206	Mayo
YC11067	Rex 79	STRATAGO	20031214	20031215	20220206	Mayo
YC11068	Rex 80	STRATAGO	20031214	20031215	20220206	Mayo
YC11069	Rex 81	STRATAGO	20031214	20031215	20220206	Mayo
YC11070	Rex 82	STRATAGO	20031214	20031215	20220206	Mayo
YA39499	Sin 1	STRATAGO	19790404	19790409	20220206	Mayo
YA39500	Sin 2	STRATAGO	19790404	19790409	20220206	Mayo
YA39501	Sin 3	STRATAGO	19790404	19790409	20220206	Mayo
YA39502	Sin 4	STRATAGO	19790404	19790409	20220206	Mayo
YA39503	Sin 5	STRATAGO	19790404	19790409	20220206	Mayo
YA39504	Sin 6	STRATAGO	19790404	19790409	20220206	Mayo
YA39505	Sin 7	STRATAGO	19790404	19790409	20220206	Mayo
YA39506	Sin 8	STRATAGO	19790404	19790409	20220206	Mayo
YA39507	Sin 9	STRATAGO	19790404	19790409	20220206	Mayo
YA39508	Sin 10	STRATAGO	19790404	19790409	20220206	Mayo
YA39509	Sin 11	STRATAGO	19790404	19790409	20220206	Mayo
YA39511	Sin 13	STRATAGO	19790404	19790409	20220206	Mayo
YA39512	Sin 14	STRATAGO	19790404	19790409	20220206	Mayo
YA39513	Sin 15	STRATAGO	19790404	19790409	20220206	Mayo
YA39514	Sin 16	STRATAGO	19790404	19790409	20220206	Mayo
YA39515	Sin 17	STRATAGO	19790404	19790409	20220206	Mayo
YA39516	Sin 18	STRATAGO	19790404	19790409	20220206	Mayo
YA39517	Sin 19	STRATAGO	19790404	19790409	20220206	Mayo
YA39518	Sin 20	STRATAGO	19790404	19790409	20220206	Mayo

Grant Number	Label	Owner	Stake Date	Recorded	Expiry Date	District
YA39519	Sin 21	STRATAGO	19790404	19790409	20220206	Mayo
YA39520	Sin 22	STRATAGO	19790404	19790409	20220206	Mayo
YA39521	Sin 23	STRATAGO	19790404	19790409	20220206	Mayo
YA39522	Sin 24	STRATAGO	19790404	19790409	20220206	Mayo
YA39523	Sin 25	STRATAGO	19790404	19790409	20220206	Mayo
YA39524	Sin 26	STRATAGO	19790404	19790409	20220206	Mayo
YA39525	Sin 27	STRATAGO	19790404	19790409	20220206	Mayo
YA39526	Sin 28	STRATAGO	19790404	19790409	20220206	Mayo
YA39527	Sin 29	STRATAGO	19790404	19790409	20220206	Mayo
YA39528	Sin 30	STRATAGO	19790404	19790409	20220206	Mayo
YA39529	Sin 31	STRATAGO	19790404	19790409	20220206	Mayo
YA39530	Sin 32	STRATAGO	19790404	19790409	20220206	Mayo
YA39531	Sin 33	STRATAGO	19790404	19790409	20220206	Mayo
YA39533	Sin 35	STRATAGO	19790404	19790409	20220206	Mayo
YA39535	Sin 37	STRATAGO	19790404	19790409	20220206	Mayo
YA39537	Sin 39	STRATAGO	19790404	19790409	20220206	Mayo
YA39538	Sin 40	STRATAGO	19790404	19790409	20220206	Mayo
YC10882	Sin 45	STRATAGO	20030629	20030630	20220206	Mayo
YC10884	Sin 47	STRATAGO	20030629	20030630	20220206	Mayo
YC10885	Sin 48	STRATAGO	20030629	20030630	20220206	Mayo
YC10886	Sin 49	STRATAGO	20030630	20030630	20220206	Mayo
YC10893	Sin 56	STRATAGO	20030629	20030630	20220206	Mayo
YC10894	Sin 57	STRATAGO	20030629	20030630	20220206	Mayo
YC10698	Sun 1	STRATAGO	20020813	20020815	20220206	Mayo
YC10699	Sun 2	STRATAGO	20020813	20020815	20220206	Mayo
YC10700	Sun 3	STRATAGO	20020813	20020815	20220206	Mayo
YC10701	Sun 4	STRATAGO	20020813	20020815	20220206	Mayo
YC10702	Sun 5	STRATAGO	20020813	20020815	20220206	Mayo
YC10703	Sun 6	STRATAGO	20020813	20020815	20220206	Mayo
YC10704	Sun 7	STRATAGO	20020813	20020815	20220206	Mayo
YC10705	Sun 8	STRATAGO	20020813	20020815	20220206	Mayo
YC10706	Sun 9	STRATAGO	20020815	20020815	20250212	Mayo
YC10707	Sun 10	STRATAGO	20020815	20020815	20250212	Mayo
YC10708	Sun 11	STRATAGO	20020815	20020815	20250212	Mayo
YC10709	Sun 12	STRATAGO	20020815	20020815	20250212	Mayo



# McQUESTEN CLAIM LIST

Grant Number	Lease Number	Label	Owner	Stake Date	Recorded	Expiry Date	District
YB29728		ALLA 5	Elsa Reclamation & Development Company Ltd. - 100%	19930316	19930319	20281231	Mayo
YB29729		ALLA 6	Elsa Reclamation & Development Company Ltd. - 100%	19930316	19930319	20281231	Mayo
62152	NM00319	BUCK	Elsa Reclamation & Development Company Ltd. - 100%	19520614	19520702	20250201	Mayo
55504	NM00302	BUCONJO 1	Elsa Reclamation & Development Company Ltd. - 100%	19460914	19470201	20250131	Mayo
55505	NM00303	BUCONJO 2	Elsa Reclamation & Development Company Ltd. - 100%	19460914	19470201	20250131	Mayo
55506	NM00304	BUCONJO 3	Elsa Reclamation & Development Company Ltd. - 100%	19460914	19470201	20250131	Mayo
55507	NM00305	BUCONJO 4	Elsa Reclamation & Development Company Ltd. - 100%	19460914	19470201	20250131	Mayo
55508	NM00306	BUCONJO 5	Elsa Reclamation & Development Company Ltd. - 100%	19460914	19470201	20250131	Mayo
55510	NM00308	BUCONJO 7	Elsa Reclamation & Development Company Ltd. - 100%	19040914	19470201	20250131	Mayo
55516	NM00314	BUCONJO 13	Elsa Reclamation & Development Company Ltd. - 100%	19460919	19470203	20250131	Mayo
55517	NM00315	BUCONJO 14	Elsa Reclamation & Development Company Ltd. - 100%	19460924	19470203	20250131	Mayo
55518	NM00316	BUCONJO 15	Elsa Reclamation & Development Company Ltd. - 100%	19460919	19470203	20250131	Mayo
62154	NM00317	BUCONJO 16	Elsa Reclamation & Development Company Ltd. - 100%	19520616	19520702	20250131	Mayo
55503	NM00301	BUCONJO FRACTIO	Elsa Reclamation & Development Company Ltd. - 100%	19460914	19470201	20250131	Mayo
YB28942		DOUG 1	Alexco Keno Hill Mining Corp. - 100%	19920831	19920904	20321231	Mayo
YB28943		DOUG 2	Alexco Keno Hill Mining Corp. - 100%	19920831	19920904	20321231	Mayo
YB28944		DOUG 3	Alexco Keno Hill Mining Corp. - 100%	19920831	19920904	20321231	Mayo
YB28945		DOUG 4	Alexco Keno Hill Mining Corp. - 100%	19920831	19920904	20321231	Mayo
YB28998		Doug 5	Alexco Keno Hill Mining Corp. - 100%	19920910	19920925	20321231	Mayo
YB28999		Doug 6	Alexco Keno Hill Mining Corp. - 100%	19920910	19920925	20321231	Mayo
YB29000		Doug 7	Alexco Keno Hill Mining Corp. - 100%	19920910	19920925	20321231	Mayo
YB29001		Doug 8	Alexco Keno Hill Mining Corp. - 100%	19920910	19920925	20321231	Mayo
YB29395		DOUG 9	Alexco Keno Hill Mining Corp. - 100%	19921118	19921118	20321231	Mayo
YC02325		Hoito 3	Alexco Keno Hill Mining Corp. - 100%	19991212	19991229	20301229	Mayo
YC02327		Hoito 5	Alexco Keno Hill Mining Corp. - 100%	19991212	19991229	20301229	Mayo
YC02329		Hoito 7	Alexco Keno Hill Mining Corp. - 100%	19991212	19991229	20301229	Mayo
YB29440		JARRET 1	Alexco Keno Hill Mining Corp. - 100%	19921218	19921218	20321231	Mayo
YC01768		Jarret 2	Alexco Keno Hill Mining Corp. - 100%	19990424	19990430	20281231	Mayo
YC42603		K 55	Alexco Keno Hill Mining Corp. - 100%	20051205	20051215	20231215	Mayo
YC42604		K 56	Alexco Keno Hill Mining Corp. - 100%	20051205	20051215	20231215	Mayo
YB64184		Lakehead 1	Alexco Keno Hill Mining Corp. - 100%	19950627	19950628	20261231	Mayo

Grant Number	Lease Number	Label	Owner	Stake Date	Recorded	Expiry Date	District
YB64185		Lakehead 2	Alexco Keno Hill Mining Corp. - 100%	19950627	19950628	20261231	Mayo
YB64192		Lakehead 3	Alexco Keno Hill Mining Corp. - 100%	19950629	19950630	20311231	Mayo
YB64193		Lakehead 4	Alexco Keno Hill Mining Corp. - 100%	19950629	19950630	20311231	Mayo
YB64186		Lakehead 5	Alexco Keno Hill Mining Corp. - 100%	19950627	19950628	20311231	Mayo
YB64187		Lakehead 6	Alexco Keno Hill Mining Corp. - 100%	19950627	19950628	20311231	Mayo
YB64188		Lakehead 7	Alexco Keno Hill Mining Corp. - 100%	19950627	19950628	20311231	Mayo
YB64189		Lakehead 8	Alexco Keno Hill Mining Corp. - 100%	19950627	19950628	20311231	Mayo
YB64190		Lakehead 9	Alexco Keno Hill Mining Corp. - 100%	19950627	19950628	20311231	Mayo
YB64191		Lakehead 10	Alexco Keno Hill Mining Corp. - 100%	19950627	19950628	20311231	Mayo
YB64194		Lakehead 11	Alexco Keno Hill Mining Corp. - 100%	19950629	19950630	20311231	Mayo
YB64195		Lakehead 12	Alexco Keno Hill Mining Corp. - 100%	19950629	19950630	20311231	Mayo
YB64196		Lakehead 13	Alexco Keno Hill Mining Corp. - 100%	19950629	19950630	20311231	Mayo
YB29002		Mary 1	Alexco Keno Hill Mining Corp. - 100%	19020910	19920925	20301231	Mayo
YB29003		Mary 2	Alexco Keno Hill Mining Corp. - 100%	19920910	19920925	20301231	Mayo
YB29004		Mary 3	Alexco Keno Hill Mining Corp. - 100%	19020910	19920925	20341231	Mayo
YB29005		Mary 4	Alexco Keno Hill Mining Corp. - 100%	19020910	19920925	20341231	Mayo
YB29394		MARY 6	Alexco Keno Hill Mining Corp. - 100%	19921118	19921118	20301231	Mayo
YC10995		Mary A 0	Alexco Keno Hill Mining Corp. - 100%	20030819	20030902	20271231	Mayo
YC10996		Mary B 0	Alexco Keno Hill Mining Corp. - 100%	20030819	20030902	20271231	Mayo
YC10897		North F.	Alexco Keno Hill Mining Corp. - 100%	20030807	20030808	20271231	Mayo
YB43729		Raven	Elsa Reclamation & Development Company Ltd. - 100%	19941018	19941018	20231231	Mayo
Y 88686		Snowdrift	Elsa Reclamation & Development Company Ltd. - 100%	19740531	19740605	20281231	Mayo
Y 87462		Snowdrift 1	Elsa Reclamation & Development Company Ltd. - 100%	19740315	19740321	20281231	Mayo
Y 87463		Snowdrift 2	Elsa Reclamation & Development Company Ltd. - 100%	19740315	19740321	20271231	Mayo
Y 87464		Snowdrift 3	Elsa Reclamation & Development Company Ltd. - 100%	19740315	19740321	20271231	Mayo
Y 87465		Snowdrift 4	Elsa Reclamation & Development Company Ltd. - 100%	19740318	19740321	20261231	Mayo
Y 87466		Snowdrift 5	Elsa Reclamation & Development Company Ltd. - 100%	19740318	19740321	20261231	Mayo
Y 87467		Snowdrift 6	Elsa Reclamation & Development Company Ltd. - 100%	19740318	19740321	20261231	Mayo
Y 87468		Snowdrift 7	Elsa Reclamation & Development Company Ltd. - 100%	19740318	19740321	20261231	Mayo
Y 87469		Snowdrift 8	Elsa Reclamation & Development Company Ltd. - 100%	19740318	19740321	20261231	Mayo
Y 97219		Snowdrift 12	Elsa Reclamation & Development Company Ltd. - 100%	19741218	19741223	20281231	Mayo
Y 97220		Snowdrift 13	Elsa Reclamation & Development Company Ltd. - 100%	19741218	19741223	20271231	Mayo

Grant Number	Lease Number	Label	Owner	Stake Date	Recorded	Expiry Date	District
Y 97221		Snowdrift 14	Elsa Reclamation & Development Company Ltd. - 100%	19741218	19741223	20271231	Mayo
Y 97222		Snowdrift 15	Elsa Reclamation & Development Company Ltd. - 100%	19741218	19741223	20271231	Mayo
Y 97223		Snowdrift 16	Elsa Reclamation & Development Company Ltd. - 100%	19741218	19741223	20271231	Mayo
YA01413		Snowdrift 18	Elsa Reclamation & Development Company Ltd. - 100%	19750922	19751008	20271231	Mayo
YA01414		Snowdrift 19	Elsa Reclamation & Development Company Ltd. - 100%	19750922	19751008	20271231	Mayo
YA01415		Snowdrift 20	Elsa Reclamation & Development Company Ltd. - 100%	19750922	19751008	20261231	Mayo
YA01416		Snowdrift 21	Elsa Reclamation & Development Company Ltd. - 100%	19750922	19751008	20271231	Mayo
YC01212		South F	Alexco Keno Hill Mining Corp. - 100%	19980704	19980706	20261231	Mayo
YC02322		Twins 7	Alexco Keno Hill Mining Corp. - 100%	19991214	19991229	20271229	Mayo
YC10946		Wedge 1	Alexco Keno Hill Mining Corp. - 100%	20030909	20030909	20261231	Mayo

# APPENDIX 2

## AUREX-MCQUESTEN LAND USE PERMIT



Department of Energy, Mines & Resources  
PO Box 2703, Whitehorse, Yukon Y1A 2C6

May 15, 2018

Banyan Gold Corp.  
Suite 250, 2237 2nd Ave  
Whitehorse, Yukon



File No: LQ00482

Dear Sir/Madam:

**Re: Class 4 Quartz Mining Land Use Approval**

Your application for a Class 4 approval has been approved and is subject to the attached conditions.

A security deposit is a condition of this Class 4 approval and will be determined following a cost assessment and analysis of the Access Management and Reclamation Plan.

The effective date of this approval will be May 15, 2018. All work, including restoration, must be completed by May 14, 2028, and inspected before full security and/or completion certificates can be applied for.

The attached 'Operational Guidelines' offer additional mitigations that would enable you to maximize the environmental performance of your program, but are not approval conditions.

Please ensure that pre-season and post-season reports are provided before and after each exploration season. Pre- and post-season reports assist the Mineral Resources Branch in monitoring exploration activity and reclamation. Not providing reports may result in additional security being required.

Please feel free to contact our office at (867) 996-2256 should you have any questions.

Regards,

Robert Savard  
A/Chief, Mining Land Use

cc: EMR Natural Resources Officer, Compliance Monitoring and Inspections  
ENV Environmental Affairs, Environmental Protection Branch

## Operational Guidelines

### *Exploration activities*

The Yukon Chamber of Mines has developed an informative Best Management Practices document that should be reviewed in the context of project activities. The Operator should reference the following document when planning and conducting project activities:

- Yukon Mineral and Coal Exploration Best Management Practices and Regulatory Guide ([http://yukonminers.org/wp-content/uploads/2017/06/BMP\\_RG\\_Aug29\\_FINAL\\_WebFile.pdf](http://yukonminers.org/wp-content/uploads/2017/06/BMP_RG_Aug29_FINAL_WebFile.pdf)).

### *Bears and other wildlife*

To increase worker safety, reduce potential conflicts and prevent unnecessary wildlife mortality, the Operator should implement pertinent components of:

- Guidelines for Industrial Activity in Bear Country for the Mineral Exploration, Placer Mining and Oil & Gas Industries ([http://www.env.gov.yk.ca/publications-maps/documents/Guidelines for Industrial Activity in Bear Country.pdf](http://www.env.gov.yk.ca/publications-maps/documents/Guidelines%20for%20Industrial%20Activity%20in%20Bear%20Country.pdf))
- If an electric fence is an appropriate precaution, or a requirement, the Operator should reference the following comprehensive and highly informative guide: Reducing Wildlife Conflict with Electric Fencing: A Beginner's Guide (<http://www.env.gov.yk.ca/publications-maps/documents/ElectricFencing.pdf>)

### *Invasive species*

To minimize the risk and consequences of spreading invasive plant species the Operator should:

- Become familiar with the Yukon invasive species and how to manage them by referring to the Yukon Invasive Species Council document, "Why Should I Care About Invasive Species" ([http://yukoninvasives.com/pdf\\_docs/WhyshouldIcare2011\\_sm.pdf](http://yukoninvasives.com/pdf_docs/WhyshouldIcare2011_sm.pdf))

### *Heritage Resources*

To better understand how to manage potential impacts to heritage resources, the Operator should refer to the following document(s):

- Mineral Exploration Best Management Practices for Heritage Resources ([http://www.tc.gov.yk.ca/pdf/Mineral\\_Exploration\\_BMP\\_for\\_Heritage\\_Resources.pdf](http://www.tc.gov.yk.ca/pdf/Mineral_Exploration_BMP_for_Heritage_Resources.pdf))
- Best Management Practices for Burial Sites and Human Remains in Yukon ([http://www.tc.gov.yk.ca/pdf/BurialSites\\_BMP\\_2014.pdf](http://www.tc.gov.yk.ca/pdf/BurialSites_BMP_2014.pdf))

### *Work in/near water*

Project activities have the potential to affect water quantity, quality and/or rate of flow. The Operator should provide for the protection of water by applying practices described in:

- Best Management Practices for Works Affecting Water in Yukon ([http://www.env.gov.yk.ca/publications-maps/documents/bestpractes\\_water.pdf](http://www.env.gov.yk.ca/publications-maps/documents/bestpractes_water.pdf)).

### *Aircraft use*

Project activities are authorized in an area known to be inhabited by sheep and/or caribou. The Operator and/or aircraft pilots should plan flight paths and protocols based on the published guideline(s):

- Flying in Sheep Country: How to Minimize Disturbance from Aircraft ([http://www.env.gov.yk.ca/publications-maps/documents/flying\\_in\\_sheep\\_country.pdf](http://www.env.gov.yk.ca/publications-maps/documents/flying_in_sheep_country.pdf)).
- Flying in Caribou Country: How to Minimize Disturbance from Aircraft ([http://www.env.gov.yk.ca/publications-maps/documents/flying\\_caribou\\_country.pdf](http://www.env.gov.yk.ca/publications-maps/documents/flying_caribou_country.pdf)).



**MINING LANDS  
MINERAL RESOURCES BRANCH  
GOVERNMENT OF YUKON**

Pursuant to the *Quartz Mining Act* and *Quartz Mining Land Use Regulation*, the Chief, Mining Land Use hereby grants a Class 4 approval to:

Banyan Gold Corp.  
Suite 250, 2237 2nd Ave  
Whitehorse, Yukon

APPROVAL NUMBER: LQ00482  
PROPERTY NAME: Aurex/McQuesten Property  
UNDERTAKING: Quartz  
CLASS: Class 4 Approval  
EFFECTIVE DATE: May 15, 2018  
EXPIRY DATE: May 14, 2028

This approval shall be subject to the restrictions and conditions contained herein and to the restrictions and conditions contained in the *Quartz Mining Act* and the *Quartz Mining Land Use Regulation* made there under as proposed in Mining Land Use Application LQ00482.

Dated this May 15, 2018

  
Robert Savard  
A/Chief, Mining Land Use



**MINING LAND USE  
APPROVAL  
Class 4**

<b>SCOPE OF APPROVAL:</b>				
Claim Status Report (Appendix A)			LQ00482	
Operating Season	January 1st- December 31 <sup>st</sup>		Aurex/McQuesten Property	
<b>PROJECT ACTIVITIES (ON-CLAIM):</b>				
<b>USE OF VEHICLES/EQUIPMENT</b>				
Use of vehicles on existing roads or trails			<input type="radio"/> No <input checked="" type="radio"/> Yes	
Gross vehicle weight	On-roads: >40t		On-trails: >20t	
Off-road use of vehicles in summer			<input type="radio"/> No <input checked="" type="radio"/> Yes	
Off-road use of vehicles in winter			<input type="radio"/> No <input checked="" type="radio"/> Yes	
<b>NEW &amp; EXISTING ACCESS</b>				
Upgrading of existing access	<input type="radio"/> No <input checked="" type="radio"/> Yes	Length: 25 km	Width: 5 m	
New roads	<input type="radio"/> No <input checked="" type="radio"/> Yes	Length: 20 km	Width: 7 m	
Winter roads	<input type="radio"/> No <input checked="" type="radio"/> Yes	Length: 10km	Width: 5m	
Existing roads	<input type="radio"/> No <input checked="" type="radio"/> Yes	.157 km	Width: 5m	
New trails	<input type="radio"/> No <input checked="" type="radio"/> Yes	Length: 30 km	Width: 7 m	
Existing trails	<input type="radio"/> No <input checked="" type="radio"/> Yes	Length: .1km	Width: 5m	
New temporary trails	<input checked="" type="radio"/> No <input type="radio"/> Yes	Length: x km	Width: x m	
Other access: Existing Airstrip- Elsa Strip				
<b>LINES &amp; CORRIDORS</b>				
Lines/ Corridors	<input type="radio"/> No <input checked="" type="radio"/> Yes	Length: 15 km	Width: 5 m	
Existing Lines/ Corridors	<input type="radio"/> No <input checked="" type="radio"/> Yes	Length: 1975m	Width: 5m	
<b>SITE PREPARATION</b>				
Number of clearings per claim: 8-10		Area: 1,000 m <sup>2</sup> where vegetative mat removed Area: 800 m <sup>2</sup> where vegetative mat not removed		
Number of clearings for helicopter pads and camps: 5 helipads per year		Area: 500 m <sup>2</sup>		
Removal of the vegetative mat			<input type="radio"/> No <input checked="" type="radio"/> Yes	
<b>EXPLORATION TRENCHING &amp; BULK SAMPLING</b>				
Hand-dug			<input checked="" type="radio"/> No <input type="radio"/> Yes	
Mechanized			<input type="radio"/> No <input checked="" type="radio"/> Yes	
Number: 100	Length: 100 m	Width: 2 m	Depth: 2 m	Total volume: 120,000 m <sup>3</sup> Up to 5, 000 m per claim/per year Total up to 10,000 m per claim
OR	Length: 300 m	Width: 1.5 m	Depth: 3 m	
Bulk sampling			<input checked="" type="radio"/> No <input type="radio"/> Yes Amount/year: x tonnes	
Explosives		<input checked="" type="radio"/> No <input type="radio"/> Yes		Total amount: x kg Max. in 30 days: x kg


**MINING LAND USE  
APPROVAL  
Class 4**

SCOPE OF APPROVAL:		
Claim Status Report (Appendix A)		LQ00482
Operating Season	January 1st- December 31 <sup>st</sup>	Aurex/McQuesten Property
EXPLORATION DRILLING		
TYPE	NUMBER OF HOLES	DEPTH (m)
Diamond	500	100,000 m
Reverse Circulation	500	300,000 m
Existing Diamond	15	2697.02m
FUEL STORAGE		
FUEL TYPE	STORAGE TYPE & CAPACITY	TOTAL VOLUME
Diesel	205 L drums or large tanks	40,000 L
Gasoline	205 L drums or large tanks	56, 781 L
FACILITIES & STRUCTURES		
Camp structures: Frame/log structures, trailers, tent/tent frame structures.		
Number of persons in camp at any one time: Main camp: up to 25 people, temporary camp: up to 5 people		Number of person days: camp: 9,125, temporary camp: 1825
Construction of underground structures		<input checked="" type="radio"/> No <input type="radio"/> Yes
Amount per year:		Amount per program:

All other applicable legislation, regulations, laws, by-laws and ordinances must be complied with. Additional authorizations or approvals may be required. Any doubt as to whether an additional authorization or approval is required should be verified by a duly authorized official at the appropriate government body or bodies.

**MINING LAND USE  
APPROVAL  
Class 4**

**LQ00482  
Aurex/McQuesten Property  
Banyan Gold Corp.**



**MINING LAND USE  
APPROVAL  
Class 4**

**DEFINITIONS**

“**Act**” means the *Quartz Mining Act*, S.Y. 2003, c.14;

“**Access road**” means a road that provides access to a public highway or to a private road;

“**Adverse effects**” of an exploration program means its adverse environmental or socio-economic effects and any adverse effects it may have on the existing or asserted aboriginal or treaty rights of any First Nation;

“**Chief**” means the Chief of Mining Land Use designated pursuant to the Act;

“**Clearing**” means an area that is cleared of trees, brush or vegetative mat for the purpose of establishing a campsite or carrying out mining exploration, but does not include an area cleared for the purpose of establishing a corridor or trail;

“**Corridor**” means a path from which trees and brush have been cut to accommodate a water line, fuel line or power line;

“**Effective date**” means the date this Approval comes into force as evidence by the date of the signature of the Chief;

“**Exploration program**” means any activity or group of activities undertaken for the sole or principal purpose of assessing land for its suitability for the production of minerals;

“**Foundation**” means the part of a structure that penetrates the ground and supports the structure;

“**Isolated road**” means a road that does not provide access to a public highway directly or through a private road;

“**Inspector**” means an inspector designated pursuant to the Act;

“**Line**” means a line cut for the purpose of carrying out a geophysical, geological, or engineering survey;

“**Low ground pressure vehicle**” means a vehicle that applies 35 kPa of pressure or less to the ground surface;

“**Operator**” means a person who is engaging in an exploration program, or in development or production;

“**Person-day**” in respect of the use of a campsite, means the use of the campsite by one person during a period of 24 hours;

“**Response**” means a notice given by the Chief that indicates whether or not an exploration program may be carried out or that extends the time for the Chief’s review of a Notification or operating plan;

“**Road**” means a pathway for vehicular traffic the construction of which requires the movement of rock or earth;

“**Site**” means the area bounded by the sum of the mineral claims described above under ‘Scope of Approval’;

“**Summer**” means the period of a year that is not winter;

“**Trail**” means an access to a site within a claim or lease that is constructed with little or no movement of rock or earth; and

“**Trenching**” means excavation carried out on a mineral claim for the purpose of obtaining geological information;

“**Upgrading**”, in relation to a road, means re-establishing a road that has not been useable for more than five years by vehicles of a type the road was originally designed to serve, modifying a road to provide usability for vehicles that are of a different type than those for which the road was originally designed to serve and any other upgrading or modifying of a road, other than for maintenance or erosion control;

“**Vegetative mat**” means the organic surface of soil, characterized by the accumulation of organic matter, or partly decomposed organic matter, derived mainly from leaves, twigs, and woody materials, and includes the root mass of living vegetation;

“**Winter**” means the period of the year during which (a) the ground is frozen sufficiently to support a vehicle, other than a low ground pressure vehicle, without rutting or gouging of the surface; and (b) there is a sufficient amount of snow on the ground to produce a packed base of 10 cm.

## **PART ONE – GENERAL REQUIREMENTS**

### **Duration of Approval**

- 1.0 This approval is valid upon signature of the Chief until the expiry date. In the event that claims lapse, or that agreements to operate on claims are dissolved, the approval becomes null and void for that portion of the operating plan, where there is no right to the minerals.

### **Compliance with Operating Conditions**

- 1.1 All mineral exploration activities must comply with the Operating Conditions contained in Schedule 1 of the *Quartz Mining Land Use Regulation* and within the approval. Where there is a difference between the operating conditions and approval, the terms of this approval shall prevail. These Operating Conditions are enforceable.

### **Reporting Requirements**

#### **Contact Information**

- 1.2 Submissions and reports to the Chief should be made to both the following addresses:

Chief, Mining Land Use  
Box 2703, K-9  
Whitehorse, Yukon  
Y1A 2C6

Mining Lands Officer  
Box 10, K-MA  
Mayo, YT Y0B 1G0  
mayo.mining@gov.yk.ca

- 1.3 The contact for the Operator will be:

Banyan Gold Corp.  
Suite 250, 2237 2nd Ave  
Whitehorse, Yukon  
Tara Christie  
[tchristie@banyangold.com](mailto:tchristie@banyangold.com)  
778-928-0556

#### **Pre-season and Post-season Reporting**

- 1.4 A report shall be submitted at the beginning of each mining season outlining the exploration activities planned for the season including the proposed locations.
- 1.5 A report shall be submitted at the end of each mining season indicating exploration activities completed during that season. This report shall include but is not limited to:
- detailed mapping of all areas worked;
  - location of new construction;
  - new areas of disturbance;
  - map data, in the form of SHP files or GIS compatible, of all new roads and trails;
  - map data, in the form of SHP files or GIS compatible, of all reclaimed roads and trails;
  - areas of permafrost encountered;
  - total disturbed area;
  - pre-activity survey results, if applicable;

- reclamation activities; and
- documentation produced by environmental monitors.

- 1.6 The operator shall contact the Mayo Mining Inspections Office (Compliance, Monitoring and Inspections) at (867) 996-2568 at least 14 days prior to commencing the field season.
- 1.7 The operator shall contact the Mayo Mining Inspections Office (Compliance, Monitoring and Inspections) at (867) 996-2568 at least 14 days prior to leaving the site at the end of the operation.

### **Spill Reporting**

- 1.8 All spills must be reported immediately to the 24-Hour Yukon Spill Reporting Line (867) 667-7244 and to the Mayo Mining Inspections Office (Compliance, Monitoring and Inspections) at (867) 996-2568.
- 1.9 An operator who takes an emergency remedial measure shall, as soon as possible but not later than 10 days after taking it, send a written report to the Chief describing the duration, nature and extent of the emergency and the measures taken to respond to it.

### **Heritage Reporting**

- 1.10 All paleontological resources uncovered during operations shall be reported to the Yukon Paleontology Program, Government of Yukon in Whitehorse at (867) 667-8089 or (867) 667-5386 and the Chief.
- 1.11 All archaeological resources uncovered during operations shall be reported to the Yukon Archaeology Program, Government of Yukon in Whitehorse at (867) 667-3771 or (867) 667-5386 and the Chief.
- 1.12 The report(s) developed for Section(s) 2.19 and 2.20, shall be submitted to Government of Yukon – Heritage Resources Unit, Cultural Services Branch.

### **Wildlife Reporting**

- 1.13 All incidents with wildlife shall be reported to the District Conservation Officer in Mayo (Northern Tutchone Region) at (867) 996-2247.



## **PART TWO – PROJECT SPECIFIC OPERATING CONDITIONS**

### **Schedule 1 Operating Conditions (Appendix B)**

The operator is bound by the Schedule 1 Operating Conditions per the *Quartz Mining Land Use Regulation*. In addition to the Schedule 1 Operating Conditions, the operator must also comply with the following terms and conditions:

#### **Erosion Control and Permafrost**

- 2.0 The operator shall insulate the ground surface beneath all temporary structures and temporary facilities used in the project where permafrost is present to:
- a) prevent any vegetation from being removed; and
  - b) prevent the ground from settling or eroding.

#### **Trenching**

- 2.1 Open trenches shall be sloped at one end to avoid entrapment of wildlife.
- 2.2 The operator must ensure that all employees and contractors working at the trench sites are aware of the operating conditions for trenching.

#### **Solid Waste**

- 2.3 The operator shall keep all garbage, including kitchen waste, in a container that prevents access by bears and other wildlife, until properly disposed of in accordance with the *Solid Waste Regulations*.
- 2.4 When burning kitchen waste on site it must be burned regularly to reduce odours that might attract wildlife and be burned to ash by forced air or fuel fired incineration.

#### **Petroleum Fuel and Hazardous Substances**

- 2.5 The operator shall, with indelible marker or paint, clearly identify the owner, the contents and the date on fuel drums to establish and manage ownership and responsibility.
- 2.6 All fuel cache(s) must be protected with an earthen berm and flagged to prevent spills resulting from accidental contact with heavy equipment. Flags should be visible above the snow pack.
- 2.7 The location of any spills shall be clearly marked with stakes or flags.

#### **Drilling**

- 2.8 The operator must ensure that all employees and contractors working at the drill sites are aware of the operating conditions for drilling.

#### **Road Construction and Road Upgrading**

- 2.9 An Access Management and Reclamation Plan shall be submitted to the Chief for review and approval 90 days prior to the construction of new access or alteration of existing access.

The Chief may require any additional information that they consider necessary. The approved plan will be incorporated as a condition of approval LQ00474.

- 2.10 The Access Management and Reclamation Plan shall detail the locations of existing and proposed roads; road construction and upgrading; operating procedures; maintenance; water, dust and erosion management; and, final decommissioning and reclamation.
- 2.11 The Access Management and Reclamation Plan shall detail methods for airstrip construction, drainage, maintenance, and final decommissioning and reclamation.
- 2.12 The operator shall submit, as a part of their annual post-season report, detailed maps and information regarding all new access development and upgrading of existing access.

### **Reclamation**

- 2.13 Reclamation and/or decommissioning of roads and trails shall be progressive in nature and shall be documented annually in the post season report. Reclamation and/or decommissioning of roads and trails shall occur as soon as roads and trails are no longer needed for exploration activities unless the need is documented in the post and pre-season reports. The status of roads and trails (i.e. active or inactive) and on-going/completed reclamation activities shall be reported to the Chief, Mining Land Use annually via post-season reports.

### **Wildlife**

- 2.14 If wildlife is encountered on the roads and trails within the project property, right of way shall be given to wildlife.
- 2.15 The operator shall carry out all phases of the project in a manner that protects and avoids harming, killing or disturbing migratory birds or destroying or taking their nests or eggs.
- 2.16 If active bird nests are discovered, project activities shall be postpone in the nesting area until nesting is completed.

### **Use of Vehicles**

- 2.17 Equipment shall be cleaned of foreign soil and plant material prior to moving it into the project property.

### **Invasive Species**

- 2.18 The operator shall familiarize themselves with Yukon invasive species and how to manage them by referring to the Yukon Invasive Species Council (YISC) document "Why Should I Care About Invasive Species?"

### **Heritage**

- 2.19 A Heritage Resources Overview Assessment shall be completed in advance of ground disturbing activities. Areas with elevated potential for the presence of archaeological or



historic sites shall be avoided until a heritage resources impact assessment can be completed.

- 2.20 A Heritage Resources Impact Assessment shall be completed in advance of ground disturbing activities in the areas with elevated potential for the presence of archaeological or historic sites.

### **Security**

- 2.21 Security will be determined by the Chief based on the amount of new access and clearings proposed (20kms roads) and (1,000m<sup>2</sup> clearings), access developed under previous approvals (0.157 km), and upgrading of existing access (25km)
- 2.22 Security must be paid within thirty (30) days of receiving the written notice from the Chief.
- 2.23 Adjustments to the initial security may be required at any time by the Chief.
- 2.24 Any changes to the security requirements as a result of Part 2, term 2.23 shall become a term of the approval and the operator must furnish security within thirty (30) days of receiving the written notice from the Chief.
- 2.25 Security will be retained as per Section 139 of the Quartz Mining Act and section 18 of the *Quartz Mining Land Use Regulation*.

### **PART THREE – RECLAMATION AND/OR DECOMMISSIONING**

- 3.0 Reclamation and/or decommissioning shall be progressive in nature where possible and will occur prior to the expiry of the exploration program or prior to the expiry of this approval, whichever comes first, according to standards outlined in the operating conditions, unless otherwise specified by the Chief.
- 3.1 Debris, equipment, fuel barrels, scrap metal and other waste at the work site shall be completely disposed of, so as not to attract wildlife, by removal to an authorized disposal site at the cessation of the exploration program.
- 3.2 Structures must be removed and the site restored at the end of the exploration program or prior to the expiry of this approval, whichever comes first, to a level of utility comparable to its previous level of utility.
- 3.3 If an amendment to this approval or new approval is granted, for the claims within the scope of this approval (Appendix A), all outstanding reclamation continues to be the responsibility of the operator.

#### **PART FOUR – OTHER MATTERS**

- 4.0 Security may be required at any time by the Chief.
- 4.1 Notice of Schedule III must be provided to the Yukon Water Board ten (10) days prior to use of water.
- 4.2 Attached (Appendix C) are the commitments that form part of this operating plan.



# LQ00482 Appendix A Claim Status Report

15 May 2018

Claim Name and Nbr.	Grant No.	Expiry Date	Registered Owner	% Owned	NTIS #'s	Grouping	Permit
R ALLA 5 - 6	YB29728 - YB29729	2024/12/31	Elsa Reclamation & Development Company Ltd.	100.00	105M13	F HM03234	LQ00240, LQ00482
R Aurex 172 - 179	YC10862 - YC10869	2022/02/06	STRATAGOLD CORPORATION	100.00	105M13	HM03244	LQ00482
R AUREX 1 - 34	YB28429 - YB28462	2022/02/06	STRATAGOLD CORPORATION	100.00	105M13	HM03244	LQ00482
R AUREX 51 - 86	YB28465 - YB28500	2022/02/06	STRATAGOLD CORPORATION	100.00	105M13	HM03244	LQ00482
R AUREX 87 - 113	YB29366 - YB29392	2022/02/06	STRATAGOLD CORPORATION	100.00	105M13	HM03244	LQ00482
R AUREX 114 - 171	YB29669 - YB29726	2022/02/06	STRATAGOLD CORPORATION	100.00	105M13	HM03244	LQ00482
R Aurex 180 - 187	YC10870 - YC10877	2022/02/06	STRATAGOLD CORPORATION	100.00	105M13	HM03244	LQ00482
BUCK	62152	2025/02/01	Elsa Reclamation & Development Company Ltd.	100.00	105M13	L P M 335	LQ00240, LQ00482
BUCONJO 1 - 3	55504 - 55506	2025/01/31	Elsa Reclamation & Development Company Ltd.	100.00	105M13	L M 374	LQ00240, LQ00482
BUCONJO 4	55507	2025/01/31	Elsa Reclamation & Development Company Ltd.	100.00	105M13	L P M 374	LQ00240, LQ00482
BUCONJO 5	55508	2025/01/31	Elsa Reclamation & Development Company Ltd.	100.00	105M13	L M 374	LQ00240, LQ00482
BUCONJO 7	55510	2025/01/31	Elsa Reclamation & Development Company Ltd.	100.00	105M13	L M 374	LQ00240, LQ00482
BUCONJO 13	55516	2025/01/31	Elsa Reclamation & Development Company Ltd.	100.00	105M13	L M 335	LQ00240, LQ00482
BUCONJO 14	55517	2025/01/31	Elsa Reclamation & Development Company Ltd.	100.00	105M13	L M 374	LQ00240, LQ00482
BUCONJO 15	55518	2025/01/31	Elsa Reclamation & Development Company Ltd.	100.00	105M13	L M 335	LQ00240, LQ00482
BUCONJO 16	62154	2025/01/31	Elsa Reclamation & Development Company Ltd.	100.00	105M13	L P M 374	LQ00240, LQ00482
BUCONJO FRACTIO	55503	2025/01/31	Elsa Reclamation & Development Company Ltd.	100.00	105M13	L P M 374	LQ00240, LQ00482
R Doug 5 - 8	YB28998 - YB29001	2028/12/31	Alexco Keno Hill Mining Corp.	100.00	105M13	HM03234	LQ00482
R DOUG 1 - 4	YB28942 - YB28945	2028/12/31	Alexco Keno Hill Mining Corp.	100.00	105M13	HM03234	LQ00482
R DOUG 9	YB29395	2028/12/31	Alexco Keno Hill Mining Corp.	100.00	105M13	P HM03234	LQ00482

Total claims selected : 506

Left column indicator legend

R - Indicates the claim is on one or more pending renewal(s)  
P - Indicates the claim is pending

Right column indicator legend

L - Indicates the Quartz Lease  
F - Indicates Full Quartz fraction (25+ acres)  
P - Indicates Partial Quartz fraction (<25 acres)  
D - Indicates Placer Discovery  
C - Indicates Placer Codiscovery  
B - Indicates Placer Fraction



# Claim Status Report

15 May 2018

Claim Name and Nbr:	Grant No.	Expiry Date	Registered Owner	% Owned	NTIS #'s	Grouping	Permit
R Fisher 1 - 22	YC01769 - YC01790	2021/03/06	STRATAGOLD CORPORATION	100.00	105M14	HM03244	LQ00482
R Fisher 23 - 38	YC01996 - YC02011	2022/02/22	STRATAGOLD CORPORATION	100.00	105M14	HM03244	LQ00482
R Fisher 39	YC02012	2022/02/22	STRATAGOLD CORPORATION	100.00	105M14	F HM03244	LQ00482
R Fisher 40 - 41	YC02013 - YC02014	2022/02/22	STRATAGOLD CORPORATION	100.00	105M14	HM03244	LQ00482
R Fisher 42	YC02015	2022/02/22	STRATAGOLD CORPORATION	100.00	105M14	F HM03244	LQ00482
R Fisher 43	YC02016	2022/02/22	STRATAGOLD CORPORATION	100.00	105M14	HM03244	LQ00482
R Fisher 44	YC02017	2022/02/22	STRATAGOLD CORPORATION	100.00	105M14	F HM03244	LQ00482
R Fisher 45 - 51	YC02018 - YC02024	2022/02/22	STRATAGOLD CORPORATION	100.00	105M14	HM03244	LQ00482
R Fisher 52 - 65	YC02025 - YC02038	2021/02/22	STRATAGOLD CORPORATION	100.00	105M14	HM03244	LQ00482
R Fisher 66 - 67	YC02039 - YC02040	2021/02/22	STRATAGOLD CORPORATION	100.00	105M14	F HM03244	LQ00482
R Hoito 3	YC02325	2026/12/29	Alexco Keno Hill Mining Corp.	100.00	105M13	HM03234	LQ00482
R Hoito 5	YC02327	2026/12/29	Alexco Keno Hill Mining Corp.	100.00	105M13	HM03234	LQ00482
R Hoito 7	YC02329	2026/12/29	Alexco Keno Hill Mining Corp.	100.00	105M13	HM03234	LQ00482
R Jarret 2	YC01768	2024/12/31	Alexco Keno Hill Mining Corp.	100.00	105M13	F HM03234	LQ00482
R JARRET 1	YB29440	2028/12/31	Alexco Keno Hill Mining Corp.	100.00	105M13	HM03234	LQ00482
R K 55 - 56	YC42603 - YC42604	2023/12/15	Alexco Keno Hill Mining Corp.	100.00	105M14	HM03234	LQ00240, LQ00482
R Lakehead 3 - 4	YB64192 - YB64193	2027/12/31	Alexco Keno Hill Mining Corp.	100.00	105M13	HM03234	LQ00482
R Lakehead 5 - 10	YB64186 - YB64191	2027/12/31	Alexco Keno Hill Mining Corp.	100.00	105M13	HM03234	LQ00482
R Lakehead 11 - 13	YB64194 - YB64196	2027/12/31	Alexco Keno Hill Mining Corp.	100.00	105M13	HM03234	LQ00482
R Mary 1 - 2	YB29002 - YB29003	2026/12/31	Alexco Keno Hill Mining Corp.	100.00	105M13	HM03234	LQ00482
R Mary 3 - 4	YB29004 - YB29005	2030/12/31	Alexco Keno Hill Mining Corp.	100.00	105M13	HM03234	LQ00482
R MARY 6	YB29394	2026/12/31	Alexco Keno Hill Mining Corp.	100.00	105M13	HM03234	LQ00482
R Mary A 0	YC10995	2023/12/31	Alexco Keno Hill Mining Corp.	100.00	105M13	HM03234	LQ00482
R Mary B 0	YC10996	2023/12/31	Alexco Keno Hill Mining Corp.	100.00	105M13	P HM03234	LQ00482
R Moon 1 - 2	YC10750 - YC10751	2022/02/06	STRATAGOLD CORPORATION	100.00	105M13	P HM03244	LQ00482
R Moon 4 - 11	YC10753 - YC10760	2022/02/06	STRATAGOLD CORPORATION	100.00	105M13	F HM03244	LQ00482
R Moon 12 - 13	YC10895 - YC10896	2022/02/06	STRATAGOLD CORPORATION	100.00	105M13	HM03244	LQ00482

Total claims selected : 506

Left column indicator legend:  
 R - Indicates the claim is on one or more pending renewal(s)  
 P - Indicates the claim is pending

Right column indicator legend:  
 L - Indicates the Quartz Lease  
 F - Indicates Full Quartz fraction (25+ acres)  
 P - Indicates Partial Quartz fraction (<25 acres)

D - Indicates Placer Discovery  
 C - Indicates Placer Codiscovery  
 B - Indicates Placer Fraction



# Claim Status Report

15 May 2018

Claim Name and Nbr.	Grant No.	Expiry Date	Registered Owner	% Owned	NTS #'s	Grouping	Permit
R Nis 1 - 16	YC01589 - YC01604	2022/02/06	STRATAGOLD CORPORATION	100.00	105M13	HM03244	LQ00482
R Nis 29 - 48	YC01617 - YC01636	2022/02/06	STRATAGOLD CORPORATION	100.00	105M13	HM03244	LQ00482
R Nis 69 - 70	YC01657 - YC01658	2022/02/06	STRATAGOLD CORPORATION	100.00	105M13	HM03244	LQ00482
R Nis 71	YC01659	2022/02/06	STRATAGOLD CORPORATION	100.00	105M13	F HM03244	LQ00482
R Nis 17 - 28	YC01605 - YC01616	2022/02/06	STRATAGOLD CORPORATION	100.00	105M13	HM03244	LQ00482
R Nis 49 - 68	YC01637 - YC01656	2022/02/06	STRATAGOLD CORPORATION	100.00	105M13	HM03244	LQ00482
R Nis 72 - 75	YC01660 - YC01663	2022/02/06	STRATAGOLD CORPORATION	100.00	105M13	F HM03244	LQ00482
R North F.	YC10897	2023/12/31	Alexco Keno Hill Mining Corp.	100.00	105M13	P HM03234	LQ00482
R Raven	YB43729	2023/12/31	Elsa Reclamation & Development Company Ltd.	100.00	105M13		LQ00240, LQ00482
R Rex 1 - 14	YC02041 - YC02054	2022/02/06	STRATAGOLD CORPORATION	100.00	105M13	HM03244	LQ00482
R Rex 29	YC02069	2022/02/06	STRATAGOLD CORPORATION	100.00	105M13, 105M14	HM03244	LQ00482
R Rex 30	YC02070	2022/02/06	STRATAGOLD CORPORATION	100.00	105M14	F HM03244	LQ00482
R Rex 31 - 32	YC02071 - YC02072	2022/02/06	STRATAGOLD CORPORATION	100.00	105M13, 105M14	HM03244	LQ00482
R Rex 33	YC02073	2022/02/06	STRATAGOLD CORPORATION	100.00	105M14	F HM03244	LQ00482
R Rex 34 - 36	YC02074 - YC02076	2022/02/06	STRATAGOLD CORPORATION	100.00	105M13, 105M14	HM03244	LQ00482
R Rex 37	YC02077	2022/02/06	STRATAGOLD CORPORATION	100.00	105M14	F HM03244	LQ00482
R Rex 38	YC02078	2022/02/06	STRATAGOLD CORPORATION	100.00	105M14	HM03244	LQ00482
R Rex 39	YC02079	2022/02/06	STRATAGOLD CORPORATION	100.00	105M14	F HM03244	LQ00482
R Rex 40 - 49	YC02080 - YC02089	2022/02/06	STRATAGOLD CORPORATION	100.00	105M14, 105M13	HM03244	LQ00482
R Rex 63	YC11041	2022/02/06	STRATAGOLD CORPORATION	100.00	105M13	HM03244	LQ00482
R Rex 65 - 72	YC11043 - YC11050	2022/02/06	STRATAGOLD CORPORATION	100.00	105M14	HM03244	LQ00482
R Rex 73 - 74	YC11051 - YC11052	2022/02/06	STRATAGOLD CORPORATION	100.00	105M14	F HM03244	LQ00482
R Rex 75 - 78	YC11063 - YC11066	2022/02/06	STRATAGOLD CORPORATION	100.00	105M14	HM03244	LQ00482
R P Rex 79 - 80	YC11067 - YC11068	2022/02/06	STRATAGOLD CORPORATION	100.00	105M14	HM03244	LQ00482

Total claims selected : 506

Left column indicator legend  
 R - Indicates the claim is on one or more pending renewal(s)  
 P - Indicates the claim is pending

Right column indicator legend  
 L - Indicates the Quartz Lease  
 F - Indicates Full Quartz fraction (25+ acres)  
 P - Indicates Partial Quartz fraction (<25 acres)

D - Indicates Placer Discovery  
 C - Indicates Placer Codiscovery  
 B - Indicates Placer Fraction



# Claim Status Report

15 May 2018

Claim Name and Nbr.	Grant No.	Expiry Date	Registered Owner	% Owned	NTS #'s	Grouping	Permit
R Rex 81 - 82	YC11069 - YC11070	2022/02/06	STRATAGOLD CORPORATION	100.00	105M14	HM03244	LQ00482
R Sin 1 - 11	YA39499 - YA39509	2022/02/06	STRATAGOLD CORPORATION	100.00	105M13	HM03244	LQ00482
R Sin 13 - 33	YA39511 - YA39531	2022/02/06	STRATAGOLD CORPORATION	100.00	105M13	HM03244	LQ00482
R Sin 35	YA39533	2022/02/06	STRATAGOLD CORPORATION	100.00	105M13	HM03244	LQ00482
R Sin 37	YA39535	2022/02/06	STRATAGOLD CORPORATION	100.00	105M13	HM03244	LQ00482
R Sin 39 - 40	YA39537 - YA39538	2022/02/06	STRATAGOLD CORPORATION	100.00	105M13	HM03244	LQ00482
R Sin 45	YC10882	2022/02/06	STRATAGOLD CORPORATION	100.00	105M13	HM03244	LQ00482
R Sin 47 - 49	YC10884 - YC10886	2022/02/06	STRATAGOLD CORPORATION	100.00	105M13	HM03244	LQ00482
R Sin 56 - 57	YC10893 - YC10894	2022/02/06	STRATAGOLD CORPORATION	100.00	105M13	HM03244	LQ00482
R Snowdrift	Y 88686	2024/12/31	Elsa Reclamation & Development Company Ltd.	100.00	105M13	F HM03234	LQ00240, LQ00482
R Snowdrift 1 - 3	Y 87462 - Y 87464	2024/12/31	Elsa Reclamation & Development Company Ltd.	100.00	105M13	HM03234	LQ00240, LQ00482
R Snowdrift 4 - 8	Y 87465 - Y 87469	2023/12/31	Elsa Reclamation & Development Company Ltd.	100.00	105M13	HM03234	LQ00240, LQ00482
R Snowdrift 12	Y 97219	2024/12/31	Elsa Reclamation & Development Company Ltd.	100.00	105M13	HM03234	LQ00240, LQ00482
R Snowdrift 13 - 16	Y 97220 - Y 97223	2023/12/31	Elsa Reclamation & Development Company Ltd.	100.00	105M13	HM03234	LQ00240, LQ00482
R Snowdrift 18	YA01413	2023/12/31	Elsa Reclamation & Development Company Ltd.	100.00	105M13	F HM03234	LQ00240, LQ00482
R Snowdrift 19	YA01414	2024/12/31	Elsa Reclamation & Development Company Ltd.	100.00	105M13	HM03234	LQ00240, LQ00482
R Snowdrift 20	YA01415	2023/12/31	Elsa Reclamation & Development Company Ltd.	100.00	105M13	HM03234	LQ00240, LQ00482
R Snowdrift 21	YA01416	2024/12/31	Elsa Reclamation & Development Company Ltd.	100.00	105M13	HM03234	LQ00240, LQ00482
R South F	YC01212	2023/12/31	Alexco Keno Hill Mining Corp.	100.00	105M13	P HM03234	LQ00482
R Sun 1 - 8	YC10698 - YC10705	2022/02/06	STRATAGOLD CORPORATION	100.00	105M13	HM03244	LQ00482
R Sun 9 - 10	YC10706 - YC10707	2022/02/12	STRATAGOLD CORPORATION	100.00	105M13	F HM03234	LQ00482

Total claims selected : 506

Left column indicator legend

R - Indicates the claim is on one or more pending renewal(s)  
 P - Indicates the claim is pending

Right column indicator legend

L - Indicates the Quartz Lease  
 F - Indicates Full Quartz fraction (25+ acres)  
 P - Indicates Partial Quartz fraction (<25 acres)  
 D - Indicates Placer Discovery  
 C - Indicates Placer Codiscovery  
 B - Indicates Placer Fraction



# Claim Status Report

15 May 2018

Claim Name and Nbr.	Grant No.	Expiry Date	Registered Owner	% Owned	NTS #'s	Grouping	Permit
R Sun 11 - 12	YC10708 - YC10709	2022/02/12	STRATAGOLD CORPORATION	100.00	105M13	HM03234	LQ00482
R Twins 7	YC02322	2024/12/29	Alexco Keno Hill Mining Corp.	100.00	105M13	HM03234	LQ00482
R Wedge 1	YC10946	2023/12/31	Alexco Keno Hill Mining Corp.	100.00	105M13	HM03234	LQ00482
R Wedge 2 - 3	YC10993 - YC10994	2023/12/31	Alexco Keno Hill Mining Corp.	100.00	105M13	HM03234	LQ00482

Criteria(s) used for search:

CLAIM DISTRICT: 1000003 CLAIM STATUS: ACTIVE & PENDING DOCUMENT NUMBER: LQ00482 REGULATION TYPE: QUARTZ

Left column indicator legend  
 R - Indicates the claim is on one or more pending renewal(s)  
 P - Indicates the claim is pending.

Right column indicator legend  
 L - Indicates the Quartz Lease  
 F - Indicates Full Quartz fraction (25+ acres)  
 P - Indicates Partial Quartz fraction (<25 acres)

Total claims selected : 506

D - Indicates Placer Discovery  
 C - Indicates Placer Codiscovery  
 B - Indicates Placer Fraction

## APPENDIX B

### *Quartz Mining Land Use Regulation*

#### **Schedule 1** **Operating Conditions**

##### **Removal of the Vegetative Mat**

1. If the vegetative mat must be removed to carry out exploration activities, it must be removed so as to protect the seed and root stock contained within the mat and be stored separately from other overburden or bedrock removed for use in re-establishing the vegetative mat when the exploration program ceases.

##### **Re-establishment of the Vegetative Mat**

2. (1) All vegetated areas disturbed by exploration activities, including fuel and waste storage areas, clearings, corridors, temporary trails, camps and supporting infrastructure, and trenches and drill sites, must be left in a condition conducive to re-vegetation by native plant species or other species adaptable to the local environment to encourage re-vegetation comparable to similar, naturally occurring, environments in the area.

(2) Conditions conducive to re-vegetation include provision of adequate soil layer with moisture retaining ability, no soil contamination by hydrocarbons or other hazardous substances, provision of adequate seed or root stock, and contoured or otherwise stable slopes.

3. If adequate seed or root stock is not naturally available, re-seeding or transplanting of vegetation is required. Only non-invasive species may be used for re-seeding or transplanting. Consult with the Mining Inspector prior to seeding.

##### **Erosion Control and Permafrost**

4. All areas disturbed during an exploration program must be re-sloped, contoured or otherwise stabilized to prevent long-term soil erosion, slumping and subsidence.
5. All exploration activities must be carried out to avoid or minimize damage to and loss of permafrost.

##### **Trenching**

6. Trenching carried out by hand or using hand-held tools must be methodical. All trenches must be stabilized and marked to minimize risk to the public.
7. Trenches constructed with mechanized equipment must be back filled by first depositing any removed overburden and bedrock and then replacing the vegetative mat that was removed to construct the trench.



### **Historic Objects and Burial Grounds**

8. Exploration activities must not be carried out within 30m of a known archeological site unless the Chief indicates, in writing, that such activities may be carried out.
9. Any sites containing archeological objects, paleontological objects or human remains or burial sites discovered in the course of carrying out an exploration program must be immediately marked and protected from further disturbance and, as soon as practicable, the discovery reported to the Chief. No further activities may be carried out within 30m of the site until the Chief indicates, in writing, that activities may be resumed.

### **Solid Waste**

10. All solid waste, including debris, equipment, barrels, drums, and scrap metal, must be safely stored on the site of the exploration program while the program is carried out and must be disposed of in accordance with the *Solid Waste Regulation* when the program ceases.
11. Camps must be kept clean and tidy.

### **Petroleum Fuel and Hazardous Substances**

12. If petroleum fuel storage capacity exceeds 4000 L, a secondary containment structure must be constructed. The containment structure must be made of a material impervious to petroleum products and:
  - a) if there is a single storage tank, be of sufficient size to accommodate at least 110% of the capacity of the storage tank; or
  - b) if there is more than one storage tank, be of sufficient size to accommodate 110% of the capacity of the largest storage tank or 10% of the total capacity of all the tanks, whichever is larger.
13. All petroleum products, including waste petroleum products, and any other hazardous substances must be stored in a secure fashion no less than 30m from the ordinary high water mark of any water body.
14. All petroleum products, including waste petroleum products, and any other hazardous substance, must be transferred and handled without spillage.
15. All petroleum products and any other hazardous substances must be removed from the site of the exploration program when the program ceases.
16. All waste petroleum products and any other special waste, as defined in the *Special Waste Regulations*, generated in the course of carrying out the exploration program must be disposed of in accordance with the *Special Waste Regulations* when the program ceases.

### **Spills and Spill Contingency Plans**

17. A spill contingency plan for petroleum products and other hazardous waste must be prepared and posted in the camp and at all fuel handling locations used in carrying out the exploration program.

18. All spill clean-up equipment and material must be maintained in a state of readiness sufficient at all times to contain and clean-up any hazardous material spills.
19. If a spill occurs, the spill contingency plan must be immediately implemented and notice given to the 24-hour Yukon Spill Report Line. As soon as practicable, an inspector must be contacted. Whatever remedial action is required to clean-up the spill and reclaim the affected land and water must be taken.

#### **Use of Vehicles**

20. Vehicles must be maintained and operated to prevent spills of fuel, lubricants, coolants and oil.

#### **Timber and Brush**

21. Cut brush must not be piled so that it blocks movement of wildlife or people.
22. Leaning trees created by cutting of lines, corridors, temporary trails, and clearings must be felled.
23. When it is economically viable to do so, timber suitable for sale must be salvaged and stockpiled.
24. All risk of fire hazard must be avoided.

#### **Drilling**

25. All reasonable efforts must be made when drilling to minimize the impact on wildlife and the public.
26. Vegetation other than that within a drill sump, must not be covered with drill cuttings.
27. Core must be stored in a stable fashion.
28. Drill mud must be re-circulated when possible.
29. All drill fluids must be contained in a sump.
30. Drill holes that pose a hazard or that lead to ground water must be plugged to prevent flow of water to the surface.
31. The location of drill holes must be marked on the ground by flagging or other suitable means at the location of the drill hole.
32. Drilling waste, including fluid, cuttings and mud must not be left within 30m of a water body.

### **Roads, Trails, and Off-road Trail Use**

33. All vehicles must be operated to avoid rutting and gouging of roads and trails.
34. Off road and trail routes must be reconnoitered and must be used in a way that minimizes ground disturbance, including damage to permafrost and sensitive wildlife habitat.
35. If rutting, gouging, ponding or permafrost degradation occurs off road or trail, vehicle use must be suspended or relocated to ground that is capable of bearing the weight of the vehicle without causing such damage.
36. Use of skids on permafrost or wet ground is only permitted outside of winter where it is not reasonable to use any other means of transporting equipment.
37. Routes for temporary trails must be reconnoitered and flagged.
38. In addition to any remedial action required in relation to item 2 of this schedule, temporary trails must be blocked to prevent further vehicular access.

### **Release of Sediment**

39. All reasonable care must be taken in carrying out exploration activities near or adjacent to a water body to prevent sediment from entering a water body, unless otherwise permitted by law.

### **Use of Explosives**

40. Explosives must be set off in a manner to minimize impact on wildlife and the public to ensure that forest fires, unplanned landslides, or artificial damming of water bodies does not occur.

### **Waste Rock**

41. Waste rock piles must be located at least 30m from any water body and be physically stable.
42. Waste rock containing sulfides must be returned underground.
43. Access to underground openings must be blocked to prevent access by wildlife and people.

## APPENDIX C

### Proponent Commitments

- Employees and contractors are prohibited from hunting while employed by Banyan Gold on the project site or in its vicinity, including during travel between the project site and accommodation. Infringement of this policy may result in disciplinary measures or termination (exceptions may be made for NNDFN citizens).
- Employees will not be permitted to have firearms on the project sit.
- All new road/trail will be planned very carefully and reclaimed when no longer needed or by the end of the permit.
- Every effort shall be made to avoid disturbing wildlife.
- Every precaution will be taken to avoid disturbance of wildlife sensitive areas.
- All new road/trail will be planned very carefully and reclaimed when no longer needed or by the end of the permit.
- When mapping and sampling of trenches are completed they will be backfilled and reclaimed.
- Once a drill hole has been completed and the sump has naturally drained its water, the sump will be backfilled and the site will be re-contoured back to the original slope. When drill sites and pump sites are no longer needed, the areas will be cleaned of any rubbish, any vegetative material removed will be spread across open soil and/or areas scarified to promote re-vegetation.
- Measures will be implemented to reduce any impediment of wildlife movements, including ploughing back snow banks and ensuring sufficient breaks in the bank to provide adequate sightlines for drivers and wildlife escape.
- Employees will follow a bear awareness program.
- The camps will be equipped with bear deterrent devices and the devices will be maintained in good working order throughout the duration of the Project.
- Routine garbage collection and clean-up will be undertaken to remove attractants and materials potentially harmful to wildlife. Garbage and debris destined for disposal will be collected routinely and taken to the Mayo dump.

- Nuisance bears will be reported to Government of Yukon authorities and a plan made in discussion with conservation officers.
- In the event that bears or other wildlife become a direct threat to safety of personnel at site, appropriate measures will be taken and Government of Yukon Conservation Officers will be informed after any immediate threat has been resolved or personnel at risk have been removed from the site.
- Wildlife monitoring will include maintaining a wildlife observation log onsite as well as reporting/discussing wildlife encounters or problems with conservation officers.
- Every precaution will be taken to avoid disturbance of wildlife sensitive areas, including but not limited to calving, denning or nesting sites.
- Road construction will be minimized and low ground pressure and low disturbance techniques will be used during early exploration.
- Prior to road or trail construction, routes will be planned in order to avoid large timber (when possible) or wet areas.
- Trails and roads will utilize existing cut lines, trenches or disturbance as much as possible.
- Once a drill hole has been completed and the sump has naturally drained its water, the sump will be backfilled and the site will be re-contoured back to the original slope of the hill.
- Vegetative material removed will be spread across open soil and/or areas scarified to promote re-vegetation.
- If water crossings are required for the winter roads, DFO guidelines will be followed and the mining inspector notified.
- Use of off-trail/road vehicles would likely occur during the summer season when the conditions are dry.
- Usage of off-trail/road vehicles would be for one time access to an area for soil sampling.
- Once a drill hole has been completed and the sump has naturally drained its water, the sump will be backfilled and the site will be re-contoured back to the original slope of the hill.
- When mapping and sampling of trenches are completed they will be backfilled and reclaimed.
- When planning road and trail construction, the Proponent will adapt the route to avoid areas of high potential for the presence of heritage resources.

**APPENDIX 3**

**TRENCH SAMPLE LOCATION**

**AND LITHOLOGY**

Trench_ID	From_m	To_m	Interval_m	Sample_ID	Lab_Certificate	Lith Code	Lithology
MQ-TR-19-01	0	2	2	1475411	WHI19000175	GSCH	Graphitic Schist
MQ-TR-19-01	2	4	2	1475412	WHI19000175		
MQ-TR-19-01	4	6	2	1475413	WHI19000175	CSCH	Calcareous Schist
MQ-TR-19-01	6	8	2	1475414	WHI19000175	LMST	Limestone
MQ-TR-19-01	8	10	2	1475415	WHI19000175		
MQ-TR-19-01	10	12	2	1475416	WHI19000175		
MQ-TR-19-01	12	14	2	1475417	WHI19000175	CSCH	Calcareous Schist
MQ-TR-19-01	14	16	2	1475418	WHI19000175		
MQ-TR-19-01	16	18	2	1475419	WHI19000175		
MQ-TR-19-01	18	20	2	1475420	WHI19000175	LMST	Limestone
MQ-TR-19-01	20	22	2	1475421	WHI19000175		
MQ-TR-19-01	22	24	2	1475422	WHI19000175	CSCH	Calcareous Schist
MQ-TR-19-01	24	26	2	1475423	WHI19000175	LMST	Limestone
MQ-TR-19-01	26	28	2	1475424	WHI19000175	CSCH	Calcareous Schist
MQ-TR-19-01	28	29	1	1475425	WHI19000175		
MQ-TR-19-01	29	30	2	NoSample	NoSample	OVB	Overburden
MQ-TR-19-01	31	32	1	1475426	WHI19000175	CSCH	Calcareous Schist
MQ-TR-19-01	32	34	2	1475427	WHI19000175		
MQ-TR-19-01	34	36	2	1475428	WHI19000175		
MQ-TR-19-01	36	38	2	1475429	WHI19000175		
MQ-TR-19-01	38	40	2	1475430	WHI19000175		
MQ-TR-19-01	40	42	2	1475431	WHI19000175		
MQ-TR-19-01	42	44	2	1475432	WHI19000175	LMST	Limestone
MQ-TR-19-01	44	46	2	1475433	WHI19000175		
MQ-TR-19-01	46	48	2	1475434	WHI19000175	CSCH	Calcareous Schist
MQ-TR-19-01	48	50	2	1475435	WHI19000175		
MQ-TR-19-01	50	52	2	1475436	WHI19000175		
MQ-TR-19-01	52	54	2	1475437	WHI19000175	GSCH	Graphitic Schist
MQ-TR-19-01	54	56	2	1475438	WHI19000175		
MQ-TR-19-01	56	58	2	1475439	WHI19000175	GSCH	Graphitic Schist
MQ-TR-19-01	58	60	2	1475440	WHI19000175	CSCH	Calcareous Schist
MQ-TR-19-01	60	62	2	1475441	WHI19000175	GSCH	Graphitic Schist
MQ-TR-19-01	62	64	2	1475442	WHI19000175		
MQ-TR-19-01	64	66	2	1475443	WHI19000175		
MQ-TR-19-01	66	68	2	1475444	WHI19000175		
MQ-TR-19-01	68	70	2	1475445	WHI19000175		
MQ-TR-19-01	70	72	2	1475446	WHI19000175		
MQ-TR-19-01	72	74	2	1475447	WHI19000175	CSCH	Calcareous Schist
MQ-TR-19-01	74	76	2	1475448	WHI19000175	GSCH	Graphitic Schist
MQ-TR-19-01	76	78	2	1475449	WHI19000175		
MQ-TR-19-01	78	80	2	1475450	WHI19000175		
MQ-TR-19-01	80	82	2	1475451	WHI19000175		
MQ-TR-19-01	82	84	2	1475452	WHI19000175		
MQ-TR-19-01	84	86	2	1475453	WHI19000175		
MQ-TR-19-01	86	88	2	1475454	WHI19000175		

Trench_ID	From_m	To_m	Interval_m	Sample_ID	Lab_Certificate	Lith Code	Lithology
MQ-TR-19-01	88	90	2	1475455	WHI19000175	CSCH	Calcareous Schist
MQ-TR-19-01	90	92	2	1475456	WHI19000175		
MQ-TR-19-01	92	94	2	1475457	WHI19000175	GSCH	Graphitic Schist
MQ-TR-19-01	94	96	2	1475458	WHI19000175		
MQ-TR-19-01	96	98	2	1475459	WHI19000175	CSCH	Calcareous Schist
MQ-TR-19-01	98	100	2	1475460	WHI19000175		
MQ-TR-19-01	100	102	2	1475461	WHI19000175		
MQ-TR-19-01	102	104	2	1475462	WHI19000175		
MQ-TR-19-01	104	106	2	1475463	WHI19000175		
MQ-TR-19-01	106	108	2	1475464	WHI19000175		
MQ-TR-19-01	108	110	2	1475465	WHI19000175		
MQ-TR-19-01	110	112	2	1475466	WHI19000175		
MQ-TR-19-01	112	114	2	1475467	WHI19000175	GSCH	Graphitic Schist
MQ-TR-19-01	114	116	2	1475468	WHI19000175		
MQ-TR-19-01	116	118	2	1475469	WHI19000175	CSCH	Calcareous Schist
MQ-TR-19-01	118	120	2	1475470	WHI19000175		
MQ-TR-19-01	120	122	2	1475471	WHI19000175	CSCH	Calcareous Schist
MQ-TR-19-01	122	124	2	1475472	WHI19000175		
MQ-TR-19-01	124	126	2	1475473	WHI19000175	GSCH	Graphitic Schist
MQ-TR-19-01	126	128	2	1475474	WHI19000175		
MQ-TR-19-01	128	130	2	1475475	WHI19000175		
MQ-TR-19-01	130	132	2	1475476	WHI19000175		
MQ-TR-19-01	132	134	2	1475477	WHI19000175		
MQ-TR-19-01	134	136	2	1475478	WHI19000175		
MQ-TR-19-01	136	138	2	1475479	WHI19000175		
MQ-TR-19-01	138	140	2	1475480	WHI19000175		
MQ-TR-19-01	140	142	2	1475481	WHI19000175	CSCH	Calcareous Schist
MQ-TR-19-01	142	144	2	1475482	WHI19000175		
MQ-TR-19-02	0	2	2	1475483	WHI19000175	LMST	Limestone
MQ-TR-19-02	2	4	2	1475484	WHI19000175		
MQ-TR-19-02	4	6	2	1475485	WHI19000175		
MQ-TR-19-02	6	8	2	1475486	WHI19000175	CSCH	Calcareous Schist
MQ-TR-19-02	8	10	2	1475487	WHI19000175		
MQ-TR-19-02	10	12	2	1475488	WHI19000175	GSCH	Graphitic Schist
MQ-TR-19-02	12	14	2	1475489	WHI19000175		
MQ-TR-19-02	14	16	2	1475490	WHI19000175		
MQ-TR-19-02	16	18	2	1475491	WHI19000175		
MQ-TR-19-02	18	20	2	1475492	WHI19000175		
MQ-TR-19-02	20	22	2	1475493	WHI19000175	CSCH	Calcareous Schist
MQ-TR-19-02	22	24	2	1475494	WHI19000175		
MQ-TR-19-02	24	26	2	1475495	WHI19000175	LMST	Limestone
MQ-TR-19-02	26	28	2	1475496	WHI19000175		
MQ-TR-19-02	28	30	2	1475497	WHI19000175	GSCH	Graphitic Schist
MQ-TR-19-02	30	31	1	1475498	WHI19000175		



**APPENDIX 4**

**TRENCH SAMPLE LAB**

**CERTIFICATES**



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Submitted By: James Thom  
Receiving Lab: Canada-Whitehorse  
Received: July 08, 2019  
Report Date: August 19, 2019  
Page: 1 of 4

## CERTIFICATE OF ANALYSIS

WHI19000175.1

### CLIENT JOB INFORMATION

Project: McQuesten  
Shipment ID: MQ-19-09  
P.O. Number  
Number of Samples: 88

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
RTRN-RJT Return After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Banyan Gold Corp.  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7  
Canada

CC: Paul Gray

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	88	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	0	Sort, label and box pulps			WHI
FA450	88	50g Lead Collection Fire Assay Fusion - AAS Finish	50	Completed	VAN
EN002	88	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	88	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	88	Per sample shipping charges for branch shipments			VAN
FA550	1	Lead collection fire assay 50G fusion - Grav finish	50	Completed	VAN

### ADDITIONAL COMMENTS

  
SOFIA DEVOTA  
XRF Manager

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. \*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 19, 2019

Page: 2 of 4

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000175.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1475411	Rock	4.70	0.328	12.3	70.2	11.9	608	0.6	162.0	27.8	861	5.99	189.9	220.1	11.2	94	8.1	1.1	11.1	56	0.89
1475412	Rock	4.50	0.058	7.3	57.0	8.9	287	0.6	84.3	16.0	237	4.74	182.7	9.4	16.8	22	3.3	0.9	5.2	18	0.16
1475413	Rock	5.18	0.135	13.0	96.8	14.5	639	0.5	174.0	27.4	542	7.69	343.4	40.3	9.4	139	5.4	1.5	5.9	24	2.29
1475414	Rock	4.55	0.085	4.4	70.7	9.9	307	0.4	99.2	22.0	689	3.62	106.1	15.7	8.0	632	3.9	0.5	3.2	21	12.12
1475415	Rock	4.49	0.102	1.6	56.3	7.7	165	0.4	55.5	13.7	610	2.89	32.7	54.8	8.4	310	3.3	0.3	4.2	19	6.72
1475416	Rock	3.89	0.242	2.2	65.1	6.2	201	0.3	71.2	22.3	753	2.58	93.9	132.9	7.3	256	4.4	0.4	6.7	16	5.87
1475417	Rock	4.53	0.164	1.3	70.0	8.1	165	0.5	60.9	19.8	627	2.72	81.0	108.8	9.9	239	3.6	0.3	6.1	21	4.94
1475418	Rock	4.97	0.125	0.5	25.4	5.9	42	0.1	22.0	7.9	807	1.12	75.4	55.0	2.6	931	1.1	0.2	3.9	9	22.36
1475419	Rock	5.06	>10	6.6	242.0	6.0	140	2.6	49.9	32.0	690	6.84	91.0	15226.8	7.8	335	3.9	1.0	366.6	13	9.05
1475420	Rock	4.72	0.053	0.6	13.8	5.4	37	0.1	16.2	3.9	508	0.72	20.4	66.7	1.8	1279	1.1	0.3	1.9	4	30.26
1475421	Rock	4.79	0.232	0.9	40.4	6.2	110	0.4	40.9	9.8	356	2.42	70.6	119.8	11.1	91	0.8	0.4	7.1	29	2.26
1475422	Rock	5.11	0.252	1.3	84.3	5.8	85	0.5	51.5	18.7	546	2.85	48.6	143.2	9.6	56	1.4	0.5	8.0	10	3.19
1475423	Rock	4.95	0.414	1.6	80.0	17.9	134	0.6	60.7	17.3	540	2.91	82.5	230.0	9.1	288	2.4	0.3	10.4	22	7.20
1475424	Rock	4.53	0.212	1.4	47.8	13.7	141	0.6	48.4	23.2	536	2.77	430.1	215.3	12.8	96	2.6	0.5	6.4	22	2.88
1475425	Rock	4.58	0.090	1.5	21.9	5.1	183	0.3	62.1	33.8	793	2.71	130.2	147.0	11.8	53	1.6	0.9	2.5	33	2.92
1475426	Rock	5.57	0.080	2.7	30.0	6.5	254	0.2	57.3	30.1	2750	3.19	332.9	50.3	5.1	243	5.8	1.9	2.2	19	12.53
1475427	Rock	4.62	0.317	2.4	37.4	9.5	315	0.3	58.6	24.6	1644	3.92	426.8	73.7	6.1	194	5.8	3.0	4.3	23	11.32
1475428	Rock	5.52	0.069	1.5	21.6	6.5	282	0.2	52.2	11.1	1319	2.89	197.0	65.5	5.7	255	2.9	1.0	1.7	17	13.24
1475429	Rock	4.97	0.094	2.5	28.3	11.6	271	0.3	50.9	14.5	1606	3.35	500.0	63.6	6.3	302	5.7	2.2	3.0	19	13.65
1475430	Rock	4.23	0.078	0.8	26.6	9.6	205	0.4	33.8	11.8	1219	2.68	422.1	70.0	7.7	266	5.1	1.5	3.1	23	10.66
1475431	Rock	5.13	0.089	0.3	19.6	6.1	163	0.2	23.6	11.2	953	1.94	78.3	56.8	6.7	259	2.7	0.5	2.3	21	11.22
1475432	Rock	6.91	0.510	1.1	27.7	6.3	116	0.4	20.1	9.1	1599	2.34	124.0	509.5	5.4	353	1.9	0.8	12.6	17	14.59
1475433	Rock	7.06	0.306	0.7	48.0	5.0	85	0.5	39.3	15.6	274	1.72	102.9	230.3	9.1	132	0.9	0.2	7.7	21	2.93
1475434	Rock	6.69	0.656	1.2	44.6	4.7	62	0.4	22.0	10.9	279	1.70	76.4	546.7	7.1	117	0.8	0.2	18.2	14	2.38
1475435	Rock	4.85	0.209	0.9	67.9	8.0	90	0.7	50.2	22.5	233	3.13	104.3	277.2	9.1	124	2.4	0.2	9.4	25	1.14
1475436	Rock	5.94	0.162	1.4	53.2	6.0	97	0.4	45.5	13.0	208	3.02	121.0	23.1	10.4	53	1.7	0.3	7.9	16	0.33
1475437	Rock	6.96	0.170	1.4	56.0	9.0	89	0.8	45.2	12.8	238	3.59	108.0	23.6	13.7	29	1.6	0.6	8.0	15	0.17
1475438	Rock	6.33	0.598	2.0	73.1	9.5	180	1.1	64.9	16.5	381	4.31	257.9	441.7	9.5	44	1.9	0.5	13.1	18	0.25
1475439	Rock	6.46	0.073	1.8	71.7	5.6	262	0.4	87.4	14.3	600	4.24	110.9	35.1	9.4	56	2.0	0.6	3.0	29	1.52
1475440	Rock	7.64	0.573	1.8	56.6	30.8	212	1.4	57.8	16.3	745	3.64	128.3	390.0	8.3	94	1.8	1.1	14.7	24	4.18



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** August 19, 2019

**Page:** 2 of 4

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000175.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	Au gm/t	
1475411	Rock	0.102	26	27	0.94	723	0.101	<20	2.42	0.040	0.21	6.7	0.02	3.5	0.3	0.06	6	4.0	0.5	
1475412	Rock	0.053	25	14	0.48	190	0.116	<20	1.24	0.007	0.22	<0.1	0.01	2.0	0.1	<0.05	3	1.4	<0.2	
1475413	Rock	0.102	20	16	0.53	305	0.025	<20	1.70	0.034	0.17	0.5	0.02	3.0	0.1	<0.05	4	2.4	<0.2	
1475414	Rock	0.077	14	19	0.68	322	0.075	<20	1.98	0.037	0.19	0.8	<0.01	2.9	0.1	<0.05	4	1.4	<0.2	
1475415	Rock	0.040	15	19	0.71	313	0.100	<20	2.01	0.045	0.28	0.9	0.02	2.6	0.3	<0.05	4	1.5	<0.2	
1475416	Rock	0.047	18	18	0.54	396	0.080	<20	1.68	0.039	0.18	21.0	0.02	2.4	0.2	0.05	4	1.6	0.2	
1475417	Rock	0.042	16	21	0.66	339	0.095	<20	2.46	0.125	0.26	0.9	0.01	2.8	0.2	0.24	6	2.9	0.2	
1475418	Rock	0.043	4	10	0.33	91	0.023	<20	1.33	0.055	0.06	0.7	0.01	1.8	<0.1	0.11	3	0.7	<0.2	
1475419	Rock	0.107	9	11	0.33	229	0.025	<20	1.76	0.071	0.09	>100	*	1.5	<0.1	0.12	6	6.4	14.8	16.8
1475420	Rock	0.028	4	4	0.29	48	0.011	<20	0.49	0.030	0.07	2.6	0.02	1.1	<0.1	<0.05	1	<0.5	<0.2	
1475421	Rock	0.052	16	21	0.81	129	0.040	<20	2.28	0.108	0.17	3.2	<0.01	2.1	<0.1	0.07	5	0.7	0.4	
1475422	Rock	0.062	10	11	0.61	100	0.031	<20	1.34	0.047	0.21	35.3	<0.01	1.4	0.1	0.40	3	2.5	0.3	
1475423	Rock	0.048	13	21	0.69	98	0.065	<20	2.86	0.116	0.14	>100	0.02	2.8	0.1	0.26	7	3.2	0.4	
1475424	Rock	0.043	28	19	0.70	80	0.080	<20	1.64	0.033	0.14	19.0	<0.01	3.2	0.1	0.06	4	1.5	0.3	
1475425	Rock	0.067	28	24	0.86	103	0.038	<20	2.13	0.031	0.14	0.9	<0.01	4.0	0.1	<0.05	6	0.9	<0.2	
1475426	Rock	0.050	8	13	1.04	222	0.017	<20	1.39	0.041	0.09	13.3	0.01	3.0	0.2	0.13	4	<0.5	<0.2	
1475427	Rock	0.056	12	16	1.09	189	0.019	<20	1.70	0.042	0.12	90.3	<0.01	4.0	0.2	0.08	6	<0.5	0.3	
1475428	Rock	0.056	9	13	0.91	155	0.022	<20	1.61	0.041	0.11	10.0	0.01	3.0	0.1	<0.05	4	<0.5	<0.2	
1475429	Rock	0.054	11	14	0.83	174	0.013	<20	1.26	0.035	0.12	1.3	0.03	3.9	0.1	0.07	4	0.9	0.3	
1475430	Rock	0.049	11	18	1.13	168	0.029	<20	2.06	0.072	0.18	31.2	0.02	3.6	0.1	0.12	6	0.7	<0.2	
1475431	Rock	0.053	7	16	0.88	154	0.050	<20	2.27	0.127	0.19	7.7	0.02	2.4	0.2	0.21	6	0.7	<0.2	
1475432	Rock	0.043	6	13	1.21	98	0.026	<20	1.52	0.045	0.16	>100	*	2.7	0.1	0.22	5	1.3	0.5	
1475433	Rock	0.048	13	22	0.77	217	0.094	<20	2.92	0.139	0.23	6.8	<0.01	2.4	0.2	0.43	7	2.4	0.4	
1475434	Rock	0.051	10	16	0.73	200	0.069	<20	1.92	0.083	0.28	1.9	0.01	1.7	0.3	0.35	5	1.0	0.8	
1475435	Rock	0.047	12	26	1.20	235	0.108	<20	3.25	0.122	0.42	1.0	<0.01	3.2	0.4	0.57	7	2.8	0.3	
1475436	Rock	0.044	16	17	0.83	153	0.149	<20	1.65	0.017	0.20	0.3	<0.01	2.2	0.2	<0.05	4	1.6	0.3	
1475437	Rock	0.034	14	18	0.90	101	0.163	<20	1.40	0.010	0.15	0.2	<0.01	2.4	0.1	<0.05	4	1.2	0.3	
1475438	Rock	0.051	16	19	1.10	150	0.147	<20	1.66	0.012	0.18	0.3	<0.01	2.8	0.1	<0.05	4	1.9	0.4	
1475439	Rock	0.037	20	22	1.16	116	0.122	<20	1.98	0.008	0.13	8.3	<0.01	3.8	<0.1	<0.05	5	1.3	<0.2	
1475440	Rock	0.073	14	21	1.08	135	0.043	<20	1.85	0.014	0.15	>100	*	3.0	0.2	0.06	5	0.6	0.5	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: McQuesten  
Report Date: August 19, 2019

Page: 3 of 4

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000175.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1475441	Rock	7.47	0.108	1.4	51.0	5.7	141	0.5	42.6	10.7	253	2.90	138.9	37.8	10.7	67	2.0	0.2	4.0	20	0.57
1475442	Rock	8.16	0.223	1.2	60.0	5.8	126	0.5	52.8	14.3	307	2.75	95.2	173.1	11.0	75	1.7	0.3	5.8	21	1.43
1475443	Rock	5.65	0.112	3.9	87.7	10.8	203	0.7	78.3	20.3	703	4.63	143.2	16.2	10.0	269	2.9	1.3	5.5	18	4.99
1475444	Rock	7.05	0.786	1.8	94.6	6.9	107	0.5	48.4	17.8	455	3.28	163.1	606.2	8.7	160	3.1	0.2	17.8	20	3.43
1475445	Rock	7.15	5.622	2.7	155.5	8.1	191	1.5	61.2	22.1	849	6.09	287.0	5075.2	7.2	401	4.7	0.2	104.1	36	8.15
1475446	Rock	7.61	0.707	2.8	87.7	8.5	190	0.7	59.7	25.2	687	3.78	116.8	654.7	9.5	235	2.9	1.2	17.5	21	5.20
1475447	Rock	6.87	0.277	3.3	87.1	12.5	249	1.4	76.1	22.8	585	4.97	677.3	191.2	12.0	95	3.9	3.5	11.7	17	2.72
1475448	Rock	6.88	0.146	1.3	76.9	7.5	115	0.7	60.0	20.1	274	4.40	226.6	127.9	12.9	38	1.4	1.2	7.2	18	0.79
1475449	Rock	6.06	0.406	1.5	109.9	8.4	145	0.7	69.1	26.0	375	4.57	591.2	319.1	12.2	141	3.0	0.4	11.4	31	1.12
1475450	Rock	6.39	1.576	1.4	80.3	9.4	129	1.2	47.9	14.1	312	4.28	163.2	1439.9	11.8	104	1.6	0.3	29.2	21	1.41
1475451	Rock	7.32	0.688	1.6	73.4	7.7	144	0.4	50.1	13.2	542	3.26	265.2	334.2	9.0	504	2.8	0.3	18.5	20	11.94
1475452	Rock	5.98	1.670	1.7	112.6	11.0	92	1.2	46.0	16.9	522	4.00	58.8	1688.7	11.4	255	1.9	0.3	32.1	20	4.88
1475453	Rock	6.09	0.108	1.9	74.3	9.5	155	0.6	48.3	15.5	567	3.31	90.1	34.2	10.8	170	4.1	0.3	5.2	19	4.64
1475454	Rock	6.86	0.256	3.1	88.3	9.5	216	0.6	51.9	11.7	305	3.44	171.7	86.1	12.2	182	4.8	0.5	10.4	21	3.65
1475455	Rock	5.54	0.025	3.2	75.6	7.3	180	0.5	48.0	14.0	245	3.44	157.6	16.9	12.7	43	11.0	0.5	2.3	30	0.37
1475456	Rock	4.97	0.011	3.6	45.8	6.9	256	0.4	45.8	7.7	183	2.85	100.8	1.2	11.7	17	6.3	0.6	1.6	25	0.16
1475457	Rock	5.98	0.025	8.3	63.0	8.9	389	0.5	65.3	6.9	201	2.13	157.8	5.2	8.9	40	18.0	0.7	2.8	202	0.60
1475458	Rock	4.59	0.087	4.8	49.4	9.0	171	0.6	48.9	11.7	440	2.85	108.8	22.4	16.5	63	2.8	0.4	5.1	54	1.62
1475459	Rock	4.04	0.494	7.6	16.1	4.8	140	0.3	22.0	5.3	569	1.56	30.4	379.4	7.7	51	0.7	0.5	13.5	26	3.27
1475460	Rock	4.77	0.339	4.8	54.5	6.9	100	0.5	37.4	12.5	248	2.14	49.9	221.4	11.3	93	0.9	0.3	9.4	30	1.33
1475461	Rock	5.25	1.093	2.7	65.5	7.2	118	0.5	51.1	19.2	474	2.64	33.8	932.6	9.2	344	1.7	0.3	27.4	22	5.14
1475462	Rock	6.13	0.163	3.8	68.0	10.4	124	0.6	41.8	10.1	222	3.54	39.2	78.6	15.8	83	2.8	0.3	8.0	23	0.54
1475463	Rock	5.59	0.054	3.5	63.4	12.0	208	0.6	73.1	16.3	274	3.36	143.8	24.6	12.2	108	6.8	0.4	4.6	22	0.95
1475464	Rock	4.55	0.012	3.7	26.0	7.3	85	0.4	19.3	4.4	155	2.50	140.3	2.9	14.0	28	1.6	0.3	2.9	9	0.12
1475465	Rock	5.24	0.011	1.0	13.4	5.8	33	0.2	9.9	2.4	141	1.33	26.4	2.1	10.1	24	0.7	0.1	0.8	6	0.11
1475466	Rock	4.80	0.011	2.5	27.9	5.9	97	0.2	30.1	5.3	157	2.07	39.6	2.5	12.3	76	1.1	0.2	1.0	9	0.22
1475467	Rock	6.16	0.043	3.4	66.5	9.6	124	0.5	40.4	7.8	208	3.10	43.3	21.9	14.8	106	2.7	0.2	2.9	24	0.40
1475468	Rock	5.70	0.296	3.0	73.3	9.6	116	0.8	39.9	10.6	203	3.19	83.7	398.6	13.7	80	2.0	0.2	8.5	22	0.57
1475469	Rock	6.42	0.135	12.6	63.5	13.0	517	0.4	122.8	19.3	498	5.16	112.1	36.6	8.3	341	6.8	0.9	4.8	50	4.75
1475470	Rock	6.33	0.135	6.2	83.1	8.1	356	0.6	93.1	16.4	414	3.03	36.9	31.4	9.0	99	4.9	0.7	4.9	56	1.58



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** August 19, 2019

**Page:** 3 of 4

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000175.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	Au gm/t	
1475441	Rock	0.037	17	18	0.86	200	0.135	<20	1.86	0.022	0.19	0.7	<0.01	2.4	0.2	<0.05	5	1.2	<0.2	
1475442	Rock	0.049	14	21	0.89	265	0.089	<20	2.72	0.087	0.23	1.0	<0.01	3.0	0.2	0.14	7	2.1	0.4	
1475443	Rock	0.061	16	16	0.84	130	0.023	<20	1.53	0.021	0.15	2.3	<0.01	3.0	<0.1	<0.05	4	1.3	<0.2	
1475444	Rock	0.041	11	18	0.74	145	0.068	<20	2.73	0.090	0.15	38.6	0.01	2.3	<0.1	0.18	6	2.6	0.8	
1475445	Rock	0.080	13	19	0.87	115	0.053	<20	3.20	0.134	0.20	>100	*	2.4	0.2	0.21	10	7.4	4.2	
1475446	Rock	0.057	14	17	0.71	143	0.053	<20	1.98	0.071	0.16	>100	0.04	2.8	0.1	0.24	5	2.7	0.7	
1475447	Rock	0.060	26	13	0.56	131	0.003	<20	1.10	0.023	0.24	>100	<0.01	4.4	<0.1	<0.05	3	3.3	0.7	
1475448	Rock	0.039	24	16	0.56	131	0.028	<20	1.44	0.031	0.23	0.9	<0.01	4.1	0.1	<0.05	4	3.7	0.3	
1475449	Rock	0.049	15	29	1.11	221	0.088	<20	3.50	0.092	0.25	1.2	<0.01	3.2	0.2	0.18	8	4.7	0.4	
1475450	Rock	0.034	20	20	0.87	175	0.138	<20	2.06	0.027	0.21	0.6	0.01	2.8	0.2	0.06	5	1.5	1.8	
1475451	Rock	0.060	18	17	0.72	168	0.084	<20	1.80	0.029	0.15	37.3	0.02	2.3	<0.1	<0.05	4	2.6	0.7	
1475452	Rock	0.050	14	16	0.41	242	0.081	<20	2.80	0.182	0.16	4.5	0.02	2.1	<0.1	0.18	8	2.7	1.1	
1475453	Rock	0.042	17	21	0.94	153	0.132	<20	1.98	0.041	0.21	0.9	<0.01	2.5	0.1	0.05	4	3.1	<0.2	
1475454	Rock	0.040	18	17	0.80	127	0.127	<20	1.50	0.011	0.15	9.7	0.02	2.8	<0.1	<0.05	4	2.8	0.4	
1475455	Rock	0.039	14	20	1.04	124	0.106	<20	2.01	0.037	0.15	0.5	0.02	3.0	0.1	0.07	5	5.7	<0.2	
1475456	Rock	0.052	16	12	0.45	126	0.103	<20	0.85	0.007	0.17	<0.1	0.02	1.6	<0.1	<0.05	2	7.7	<0.2	
1475457	Rock	0.134	13	28	0.71	274	0.079	<20	1.32	0.019	0.17	0.3	0.11	2.5	0.1	<0.05	4	7.6	<0.2	
1475458	Rock	0.063	22	32	1.50	280	0.144	<20	2.20	0.024	0.26	0.8	<0.01	3.3	0.3	<0.05	5	6.1	<0.2	
1475459	Rock	0.057	12	12	1.23	165	0.053	<20	1.18	0.012	0.07	38.2	<0.01	1.3	<0.1	0.06	3	<0.5	0.6	
1475460	Rock	0.054	18	22	0.95	421	0.101	<20	2.03	0.058	0.24	5.5	<0.01	2.4	0.3	0.30	5	3.2	0.5	
1475461	Rock	0.064	16	20	0.73	433	0.084	<20	1.80	0.052	0.19	19.4	<0.01	2.3	0.2	0.15	5	2.6	1.1	
1475462	Rock	0.058	26	20	0.75	319	0.152	<20	1.78	0.027	0.20	<0.1	<0.01	2.5	0.2	0.09	4	5.1	0.2	
1475463	Rock	0.073	18	20	0.66	429	0.090	<20	2.16	0.063	0.19	0.2	0.02	2.3	0.2	0.19	5	6.3	<0.2	
1475464	Rock	0.031	18	10	0.31	159	0.132	<20	0.75	0.009	0.18	<0.1	0.01	1.3	0.1	<0.05	2	2.3	<0.2	
1475465	Rock	0.016	8	8	0.29	163	0.035	<20	0.76	0.007	0.15	<0.1	<0.01	0.7	0.1	<0.05	2	<0.5	<0.2	
1475466	Rock	0.031	17	9	0.34	274	0.058	<20	1.01	0.012	0.18	0.5	<0.01	1.1	0.1	<0.05	2	0.9	<0.2	
1475467	Rock	0.058	23	20	0.73	404	0.140	<20	1.95	0.043	0.21	<0.1	<0.01	2.5	0.2	0.10	4	2.0	<0.2	
1475468	Rock	0.057	21	20	0.80	342	0.147	<20	1.78	0.035	0.19	<0.1	0.01	2.5	0.1	0.15	4	2.7	0.4	
1475469	Rock	0.121	17	18	0.74	428	0.051	<20	1.62	0.031	0.14	3.6	0.04	3.0	0.1	0.09	4	3.7	<0.2	
1475470	Rock	0.075	18	20	0.92	324	0.072	<20	1.50	0.007	0.12	71.4	0.03	2.7	0.1	<0.05	4	4.7	<0.2	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** August 19, 2019

**Page:** 4 of 4

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000175.1

Method	Analyte	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit	MDL	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1475471	Rock	6.10	0.046	8.7	52.2	7.7	338	0.5	76.0	6.6	183	2.37	26.6	7.2	5.5	67	3.4	1.0	1.8	109	0.41
1475472	Rock	3.41	0.025	17.2	69.2	10.1	434	0.8	94.0	6.4	158	2.58	31.5	2.0	5.3	89	2.6	1.7	0.8	134	0.30
1475473	Rock	3.18	0.020	11.9	40.5	7.0	211	0.4	53.6	4.4	125	1.55	24.5	<0.5	3.9	13	1.6	1.4	1.0	193	0.21
1475474	Rock	6.42	0.007	4.2	45.4	11.8	194	1.0	49.2	7.2	177	2.76	67.4	2.5	11.1	18	2.5	0.8	4.0	43	0.14
1475475	Rock	5.05	0.122	4.1	80.2	12.2	299	0.8	71.1	10.4	342	3.98	242.9	51.9	13.0	159	5.3	1.4	7.7	29	2.70
1475476	Rock	4.85	0.024	3.9	81.2	12.8	300	0.9	72.2	10.0	272	4.96	146.4	4.9	14.6	46	3.9	1.7	5.8	37	0.55
1475477	Rock	5.80	0.038	2.0	52.1	8.8	141	0.5	50.7	9.9	433	2.56	74.9	11.3	6.4	527	3.8	0.4	3.0	19	9.18
1475478	Rock	5.44	0.086	5.0	100.0	8.4	420	0.4	104.4	10.9	567	4.54	163.0	40.7	12.1	254	6.5	0.8	3.4	49	5.24
1475479	Rock	7.11	0.185	0.8	22.4	7.5	64	0.2	30.9	8.3	811	1.10	18.2	66.1	3.6	1285	3.1	0.2	4.1	9	24.25
1475480	Rock	5.04	0.076	3.1	71.1	8.5	212	0.5	65.6	12.4	253	2.82	40.2	26.9	12.6	100	4.1	0.4	5.5	32	1.59
1475481	Rock	5.63	0.508	3.0	101.0	8.3	336	0.5	103.0	21.3	364	3.47	28.5	315.2	10.2	155	9.9	0.5	14.1	31	2.86
1475482	Rock	5.27	0.226	2.1	47.9	9.7	149	0.4	41.1	8.7	565	2.32	30.3	122.0	6.5	1128	4.2	0.6	8.5	23	19.36
1475483	Rock	8.07	0.064	69.5	51.1	402.6	2168	7.3	335.5	123.6	>10000	10.82	669.7	48.1	5.6	242	46.9	5.9	4.1	75	7.22
1475484	Rock	5.73	0.239	10.1	38.0	39.8	210	1.1	63.0	6.9	377	2.29	138.7	141.3	4.9	26	2.0	1.2	4.5	212	1.10
1475485	Rock	8.70	5.411	8.8	93.4	6.8	88	1.6	26.8	5.2	470	4.90	94.7	4900.9	3.1	85	1.8	0.6	75.4	185	2.91
1475486	Rock	7.35	3.152	8.3	125.1	5.6	175	1.9	38.5	6.8	369	7.46	125.4	4238.1	5.1	60	1.7	0.5	48.9	158	1.17
1475487	Rock	7.06	0.546	5.1	75.5	12.2	131	0.5	42.8	7.3	344	2.35	82.8	428.2	5.3	135	1.6	0.4	9.8	77	3.43
1475488	Rock	8.15	0.043	3.3	10.4	4.0	55	<0.1	28.2	4.9	209	1.21	71.2	23.9	3.9	24	0.4	0.3	0.8	165	0.64
1475489	Rock	9.42	0.072	5.0	22.5	5.1	96	0.2	55.9	7.0	324	1.55	130.0	56.8	10.6	78	1.0	0.3	1.4	165	1.47
1475490	Rock	9.22	1.902	4.9	57.2	6.2	169	0.7	54.3	12.4	716	2.76	109.7	2560.8	8.1	78	1.7	0.6	36.3	127	2.44
1475491	Rock	8.75	0.116	6.0	18.6	4.7	104	0.2	57.0	6.1	421	1.35	148.0	78.2	5.0	83	1.2	0.3	2.3	160	1.79
1475492	Rock	8.62	0.201	7.4	15.6	4.7	152	0.3	59.7	6.4	419	1.59	161.6	194.9	5.3	73	5.8	1.0	4.2	234	1.88
1475493	Rock	5.71	0.102	2.6	30.9	4.5	156	0.2	35.3	6.2	552	1.97	74.3	66.2	6.6	55	1.8	0.9	2.2	51	2.39
1475494	Rock	7.24	0.071	5.6	23.1	6.5	93	0.2	37.5	5.2	302	1.63	160.3	39.6	6.2	136	1.1	0.8	2.4	93	4.33
1475495	Rock	6.76	4.225	1.8	107.0	7.6	116	1.0	28.3	9.5	612	3.73	150.9	4520.1	7.3	365	1.3	0.7	61.9	48	9.86
1475496	Rock	6.31	0.031	1.2	31.1	6.5	100	0.3	27.2	8.1	260	2.35	266.0	12.9	10.7	14	0.7	0.4	1.4	13	0.26
1475497	Rock	5.03	0.150	6.5	53.8	7.3	144	0.4	54.5	7.5	203	2.33	587.3	71.4	7.4	27	1.6	1.4	3.8	131	0.52
1475498	Rock	2.25	0.120	7.3	45.5	6.8	99	0.2	51.0	6.3	126	1.87	240.2	97.9	4.5	17	0.8	0.5	8.7	236	0.25



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** August 19, 2019

**Page:** 4 of 4

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000175.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	Au gm/t	
1475471	Rock	0.095	13	17	0.50	267	0.029	<20	0.95	0.010	0.15	0.4	0.05	2.0	<0.1	<0.05	3	3.6	<0.2	
1475472	Rock	0.127	14	15	0.30	332	0.006	<20	0.74	0.007	0.18	0.2	0.07	1.5	0.1	<0.05	2	8.0	<0.2	
1475473	Rock	0.063	8	15	0.35	270	0.010	<20	0.63	0.007	0.16	0.2	0.07	1.5	<0.1	<0.05	2	4.0	<0.2	
1475474	Rock	0.045	20	15	0.67	152	0.035	<20	1.01	0.018	0.15	<0.1	0.03	1.8	<0.1	<0.05	2	4.5	<0.2	
1475475	Rock	0.061	22	23	0.91	170	0.091	<20	1.44	0.034	0.14	2.9	0.02	3.4	<0.1	<0.05	4	5.1	0.4	
1475476	Rock	0.046	25	26	0.96	148	0.142	<20	1.58	0.033	0.15	0.3	0.02	5.0	<0.1	<0.05	4	3.3	0.2	
1475477	Rock	0.047	10	14	0.61	167	0.067	<20	1.50	0.025	0.08	1.4	<0.01	2.8	<0.1	0.05	3	3.4	<0.2	
1475478	Rock	0.069	19	31	1.12	359	0.080	<20	2.59	0.066	0.11	5.1	0.02	4.8	<0.1	<0.05	7	4.3	0.2	
1475479	Rock	0.089	5	9	0.33	203	0.023	<20	0.88	0.032	0.04	0.1	0.01	1.8	<0.1	0.11	2	1.2	<0.2	
1475480	Rock	0.047	19	22	0.88	611	0.119	<20	2.45	0.085	0.16	0.8	0.01	3.0	<0.1	0.27	6	2.9	0.2	
1475481	Rock	0.050	13	24	0.98	845	0.089	<20	2.82	0.123	0.13	1.2	0.02	3.4	0.1	0.36	7	5.4	0.5	
1475482	Rock	0.051	10	15	0.76	223	0.039	<20	1.33	0.038	0.14	90.7	0.02	2.5	<0.1	0.07	3	1.8	0.3	
1475483	Rock	0.095	15	19	0.27	700	0.003	<20	0.92	0.009	0.16	3.3	0.03	5.3	0.5	0.18	2	3.0	0.3	
1475484	Rock	0.186	15	28	0.44	592	0.008	<20	1.07	0.008	0.21	>100	*	2.0	0.3	<0.05	3	0.8	0.2	
1475485	Rock	0.071	7	14	0.29	431	0.023	<20	0.75	0.016	0.10	>100	*	1.3	0.1	0.06	3	6.1	2.9	
1475486	Rock	0.034	8	14	0.49	367	0.066	<20	1.35	0.064	0.09	>100	*	1.6	0.1	0.24	6	8.9	1.7	
1475487	Rock	0.044	10	15	0.43	695	0.046	<20	1.35	0.048	0.14	>100	*	2.3	0.2	<0.05	4	1.8	0.5	
1475488	Rock	0.042	9	22	0.42	647	0.047	<20	1.08	0.024	0.24	10.0	<0.01	2.5	0.3	<0.05	4	<0.5	<0.2	
1475489	Rock	0.086	16	31	0.52	1505	0.071	<20	1.97	0.062	0.18	3.1	0.02	3.1	0.2	<0.05	6	1.0	<0.2	
1475490	Rock	0.040	14	20	0.60	876	0.037	<20	1.55	0.022	0.11	>100	<0.01	3.8	0.2	<0.05	5	1.5	1.2	
1475491	Rock	0.045	11	19	0.50	1172	0.050	<20	1.54	0.083	0.10	4.1	<0.01	2.4	<0.1	<0.05	6	1.1	<0.2	
1475492	Rock	0.161	13	32	0.42	931	0.027	<20	1.19	0.046	0.16	29.0	<0.01	2.6	0.2	<0.05	4	0.9	<0.2	
1475493	Rock	0.033	12	10	0.68	425	0.006	<20	0.87	0.013	0.11	1.7	<0.01	1.8	<0.1	0.09	3	1.2	<0.2	
1475494	Rock	0.040	15	14	0.32	446	0.006	<20	0.76	0.019	0.19	11.1	<0.01	2.2	0.1	0.07	2	1.3	<0.2	
1475495	Rock	0.033	11	12	0.55	235	0.023	<20	1.07	0.027	0.15	>100	<0.01	2.4	0.1	0.05	3	3.0	2.6	
1475496	Rock	0.023	23	10	0.40	193	0.004	<20	0.81	0.019	0.17	1.4	<0.01	1.8	0.1	<0.05	2	1.1	<0.2	
1475497	Rock	0.064	19	18	0.29	730	0.021	<20	1.10	0.055	0.17	2.5	<0.01	2.2	0.1	<0.05	4	1.2	0.3	
1475498	Rock	0.083	15	31	0.27	1226	0.056	<20	0.87	0.010	0.37	3.9	0.01	2.7	0.4	<0.05	3	1.4	0.3	





Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 19, 2019

Page: 1 of 2

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000175.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
Pulp Duplicates																					
1475413	Rock	5.18	0.135	13.0	96.8	14.5	639	0.5	174.0	27.4	542	7.69	343.4	40.3	9.4	139	5.4	1.5	5.9	24	2.29
REP 1475413	QC		0.155																		
1475416	Rock	3.89	0.242	2.2	65.1	6.2	201	0.3	71.2	22.3	753	2.58	93.9	132.9	7.3	256	4.4	0.4	6.7	16	5.87
REP 1475416	QC		0.231																		
1475432	Rock	6.91	0.510	1.1	27.7	6.3	116	0.4	20.1	9.1	1599	2.34	124.0	509.5	5.4	353	1.9	0.8	12.6	17	14.59
REP 1475432	QC			1.2	27.9	6.4	119	0.4	21.6	9.2	1627	2.36	120.6	488.5	5.5	357	1.7	0.8	13.6	17	14.72
1475467	Rock	6.16	0.043	3.4	66.5	9.6	124	0.5	40.4	7.8	208	3.10	43.3	21.9	14.8	106	2.7	0.2	2.9	24	0.40
REP 1475467	QC			3.2	67.5	9.8	129	0.5	40.5	7.7	203	3.10	44.3	14.8	14.8	107	3.0	0.2	2.8	24	0.40
1475481	Rock	5.63	0.508	3.0	101.0	8.3	336	0.5	103.0	21.3	364	3.47	28.5	315.2	10.2	155	9.9	0.5	14.1	31	2.86
REP 1475481	QC		0.448																		
1475484	Rock	5.73	0.239	10.1	38.0	39.8	210	1.1	63.0	6.9	377	2.29	138.7	141.3	4.9	26	2.0	1.2	4.5	212	1.10
REP 1475484	QC		0.237																		
Core Reject Duplicates																					
1475435	Rock	4.85	0.209	0.9	67.9	8.0	90	0.7	50.2	22.5	233	3.13	104.3	277.2	9.1	124	2.4	0.2	9.4	25	1.14
DUP 1475435	QC		0.196	1.0	64.6	7.9	90	0.5	49.3	22.5	225	3.06	112.8	100.1	8.6	119	2.0	0.2	9.2	24	1.09
1475469	Rock	6.42	0.135	12.6	63.5	13.0	517	0.4	122.8	19.3	498	5.16	112.1	36.6	8.3	341	6.8	0.9	4.8	50	4.75
DUP 1475469	QC		0.140	13.5	65.6	13.1	542	0.4	123.5	19.9	514	5.22	115.8	42.2	8.4	345	7.1	1.0	4.8	51	4.89
Reference Materials																					
STD AGPROOF	Standard																				
STD BVGEO01	Standard			10.7	4445.4	190.8	1755	2.6	164.2	24.4	726	3.79	119.2	231.4	17.3	54	6.1	2.3	25.1	72	1.32
STD BVGEO01	Standard			10.5	4457.0	198.3	1719	2.6	167.5	24.4	742	3.82	116.4	223.4	17.1	60	6.7	1.9	25.6	76	1.33
STD DS11	Standard			14.6	159.8	135.0	345	1.6	79.8	14.1	995	3.18	43.8	91.0	8.9	69	2.3	6.5	11.5	49	1.05
STD DS11	Standard			15.1	155.2	144.0	340	1.8	78.6	13.3	1023	3.18	42.8	52.1	8.7	68	2.4	6.7	12.4	51	1.05
STD OREAS262	Standard			0.6	116.8	55.7	150	0.5	63.7	26.7	531	3.30	36.1	68.8	10.3	35	0.6	3.9	1.0	22	3.07
STD OREAS262	Standard			0.5	121.3	58.4	153	0.5	64.9	27.5	543	3.36	36.5	58.1	10.6	38	0.7	2.6	1.0	23	3.02
STD OREAS262	Standard			0.4	114.1	53.3	146	0.5	63.6	26.8	525	3.18	35.2	53.0	9.3	33	0.7	2.4	0.9	22	2.89
STD OREAS262	Standard			0.6	120.3	60.7	156	0.5	65.5	27.3	559	3.41	36.2	56.7	10.0	37	0.7	1.7	1.0	24	3.04
STD OXC145	Standard		0.207																		



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 19, 2019

Page: 1 of 2

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000175.1

Method		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.9
Pulp Duplicates																				
1475413	Rock	0.102	20	16	0.53	305	0.025	<20	1.70	0.034	0.17	0.5	0.02	3.0	0.1	<0.05	4	2.4	<0.2	
REP 1475413	QC																			
1475416	Rock	0.047	18	18	0.54	396	0.080	<20	1.68	0.039	0.18	21.0	0.02	2.4	0.2	0.05	4	1.6	0.2	
REP 1475416	QC																			
1475432	Rock	0.043	6	13	1.21	98	0.026	<20	1.52	0.045	0.16	>100	*	2.7	0.1	0.22	5	1.3	0.5	
REP 1475432	QC	0.044	6	13	1.22	102	0.026	<20	1.55	0.046	0.16	>100	*	2.7	0.1	0.21	4	0.5	0.5	
1475467	Rock	0.058	23	20	0.73	404	0.140	<20	1.95	0.043	0.21	<0.1	<0.01	2.5	0.2	0.10	4	2.0	<0.2	
REP 1475467	QC	0.058	24	20	0.74	406	0.140	<20	1.98	0.044	0.21	<0.1	<0.01	2.5	0.2	0.10	5	2.2	<0.2	
1475481	Rock	0.050	13	24	0.98	845	0.089	<20	2.82	0.123	0.13	1.2	0.02	3.4	0.1	0.36	7	5.4	0.5	
REP 1475481	QC																			
1475484	Rock	0.186	15	28	0.44	592	0.008	<20	1.07	0.008	0.21	>100	*	2.0	0.3	<0.05	3	0.8	0.2	
REP 1475484	QC																			
Core Reject Duplicates																				
1475435	Rock	0.047	12	26	1.20	235	0.108	<20	3.25	0.122	0.42	1.0	<0.01	3.2	0.4	0.57	7	2.8	0.3	
DUP 1475435	QC	0.046	11	25	1.17	237	0.104	<20	3.16	0.119	0.41	1.0	<0.01	2.9	0.4	0.56	7	3.1	0.4	
1475469	Rock	0.121	17	18	0.74	428	0.051	<20	1.62	0.031	0.14	3.6	0.04	3.0	0.1	0.09	4	3.7	<0.2	
DUP 1475469	QC	0.119	17	19	0.76	439	0.054	<20	1.68	0.031	0.15	5.0	0.03	3.0	0.1	0.09	4	4.4	<0.2	
Reference Materials																				
STD AGPROOF	Standard																			<0.9
STD BVGEO01	Standard	0.075	26	163	1.30	337	0.243	<20	2.33	0.187	0.92	4.4	0.10	5.9	0.6	0.67	7	4.1	1.1	
STD BVGEO01	Standard	0.074	28	185	1.31	355	0.255	<20	2.30	0.185	0.90	3.3	0.11	6.1	0.6	0.67	7	4.8	0.9	
STD DS11	Standard	0.070	19	59	0.86	421	0.094	<20	1.18	0.071	0.40	2.7	0.22	3.3	4.9	0.28	5	2.2	4.7	
STD DS11	Standard	0.073	19	60	0.85	432	0.099	<20	1.16	0.068	0.40	3.3	0.28	3.2	5.1	0.28	5	1.7	4.4	
STD OREAS262	Standard	0.038	16	41	1.17	240	0.003	<20	1.18	0.067	0.30	0.1	0.16	3.1	0.4	0.27	4	<0.5	0.3	
STD OREAS262	Standard	0.042	19	44	1.18	252	0.004	<20	1.32	0.068	0.34	<0.1	0.16	3.5	0.5	0.27	4	<0.5	0.3	
STD OREAS262	Standard	0.036	14	40	1.16	233	0.003	<20	1.26	0.068	0.29	0.4	0.16	3.1	0.4	0.27	4	<0.5	0.2	
STD OREAS262	Standard	0.040	19	45	1.21	261	0.003	<20	1.39	0.070	0.33	0.1	0.16	3.6	0.5	0.27	4	0.6	<0.2	
STD OXC145	Standard																			



# QUALITY CONTROL REPORT

WHI19000175.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
STD OXC145	Standard		0.217																		
STD OXH139	Standard		1.347																		
STD OXH139	Standard		1.301																		
STD OXN134	Standard		7.742																		
STD OXN134	Standard		7.684																		
STD OXQ114	Standard																				
STD SP49	Standard																				
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063
STD BVGEO01 Expected				10.8	4415	187	1741	2.53	163	25	733	3.7	121	219	14.4	55	6.5	2.2	25.6	73	1.3219
STD OREAS262 Expected				0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	65	9.33	36	0.61	3.39	1.03	22.5	2.98
STD OXC145 Expected			0.212																		
STD OXH139 Expected			1.312																		
STD OXN134 Expected			7.667																		
STD AGPROOF Expected																					
STD SP49 Expected																					
STD OXQ114 Expected																					
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		<0.1	0.2	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		<0.1	<0.1	0.3	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		0.005																		
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank		<0.005	0.7	2.6	1.3	29	<0.1	0.8	3.5	465	1.80	1.1	0.9	2.6	19	<0.1	<0.1	<0.1	24	0.58
ROCK-WHI	Prep Blank		<0.005	0.7	2.8	1.3	27	<0.1	0.9	3.5	466	1.85	1.1	1.1	2.6	23	<0.1	<0.1	<0.1	26	0.61



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 19, 2019

Page: 2 of 2 Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000175.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550		
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t	
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.9	
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ114	Standard																				35.0
STD SP49	Standard																				18.3
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56		
STD BVGEO01 Expected		0.0727	25.9	171	1.2963	340	0.233		2.347	0.1924	0.89	3.5	0.1	5.97	0.62	0.6655	7.37	4.84	1.02		
STD OREAS262 Expected		0.04	15.9	41.7	1.17	248	0.003		1.204	0.071	0.312	0.13	0.17	3.24	0.47	0.253	3.73	0.4	0.23		
STD OXC145 Expected																					
STD OXH139 Expected																					
STD OXN134 Expected																					
STD AGPROOF Expected																					0
STD SP49 Expected																					18.34
STD OXQ114 Expected																					35.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	0.2	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				<0.9
Prep Wash																					
ROCK-WHI	Prep Blank	0.043	6	3	0.45	47	0.081	<20	0.84	0.067	0.08	<0.1	<0.01	2.6	<0.1	<0.05	4	<0.5	<0.2		
ROCK-WHI	Prep Blank	0.041	7	3	0.43	60	0.095	<20	0.86	0.080	0.09	<0.1	<0.01	3.1	<0.1	<0.05	4	<0.5	<0.2		

# APPENDIX 5

## DRILL LOGS

# Lithology

Hole_ID	From_m	to_m	Lith_Code	Description
AX-19-30	0.00	6.55	OVB	sandy ovb with moderate cobbles and clasts throughout.
AX-19-30	6.55	13.50	OVB	dark grey/black clay rich till some large boulders and cobbles.
AX-19-30	13.50	18.00	CHSCH	dark grey/green chlorite schist. Foliations approximately 60 degrees tca. Contains small discordant calc vnlt 15 degrees tca with very minor py throughout and some small flts. Contains numerous foliaform quartz veining with minor discordant veins
AX-19-30	18.00	19.81	CHSCH	dark grey/green chlorite schist. Foliations approximately 60 degrees tca. Contains small discordant calc vnlt 15 degrees tca with very minor py throughout and some small flts. Contains numerous foliaform quartz veining with minor discordant veins
AX-19-30	19.81	30.48	SSCH	light grey/green sericite schist.
AX-19-30	30.48	33.60	CHSCH	Banded (60 degrees tca) greenish limey layers with burgundy pyrite/pyrrhotite layers
AX-19-30	33.60	39.55	SSCH	Quartz gritty Schist light grey color with 4mm sized quartz clast
AX-19-30	39.55	47.42	CSCH	Calcareous quartzite with sericite/muscovite foliations
AX-19-30	47.42	48.74	LMST	Limey layers with ICQS layers, foliation 80 tca
AX-19-30	48.74	53.34	CSCH	Calcareous quartzite with sericite/muscovite foliations
AX-19-30	53.34	54.14	LMST	Limey layers with ICQS layers, foliation 80 tca
AX-19-30	54.14	58.00	CSCH	calcareous sericite schist, midly effervescent dominantly tan colored sercite schist layers with qtz veins with minor pyrrhotite; foliation 80 tca
AX-19-30	58.00	64.17	SSCH	interbedded quartzite with sericite/muscovite foliations
AX-19-30	64.17	66.15	CSCH	Greenish limey layers with burgundy layers (possible greenstone in 2003 logs)
AX-19-30	66.15	74.37	SSCH	sericite schist with chlorite bands.
AX-19-30	74.37	83.52	CHSCH	Greenish limey layers with burgundy layers (possible greenstone in 2003 logs)
AX-19-30	83.52	89.39	GNST	calcreous greenstone
AX-19-30	89.39	91.35	CHSCH	Greenish limey layers with burgundy layers (possible greenstone in 2003 logs)
AX-19-30	91.35	99.06	SSCH	interbedded quartzite with sericite/muscovite foliations
AX-19-30	99.06	101.70	CHSCH	calcareous chlorite schist with burgandy layers; 60 tca foliation
AX-19-30	101.70	109.30	GNST	calcreous greenstone
AX-19-30	109.30	116.26	SSCH	calcreous sericite schist
AX-19-30	116.26	118.87	CHSCH	calcareous chlorite schist with burgandy layers; 60 tca foliation
AX-19-30	118.87	120.62	SSCH	calcreous sericite schist
AX-19-30	120.62	135.61	CHSCH	calcareous chlorite schist with burgandy layers; 60 tca foliation
AX-19-30	135.61	147.26	SSCH	light grey/green sericite schist.
AX-19-30	147.26	152.03	CSCH	Calcareous quartzite with sericite/muscovite foliations
AX-19-30	152.03	160.32	SSCH	light grey/green sericite schist.
AX-19-30	160.32	175.06	CSCH	calcareous sericit schist with minor chlorite schist horizons
AX-19-30	175.06	177.26	LMST	limestone
AX-19-30	177.26	178.31	CSCH	calcareous sericit schist with minor chlorite schist horizons
AX-19-31	0.00	11.70	ovb	overburden no recovery
AX-19-31	11.70	15.24	CHSCH	calcareous chlorite schist - limey layers
AX-19-31	15.24	16.77	LMST	limey layers in a sericite schist
AX-19-31	16.77	23.55	SSCH	sericite schist with numerous foliaform veins and discordant veins

AX-19-31	23.55	24.66	CHSCH	calcareous chlorite schist
AX-19-31	24.66	30.48	SSCH	calcareous sericite schist (biede colored schist)
AX-19-31	30.48	32.33	CHSCH	calcareous chlorite schist with burgandy layers
AX-19-31	32.33	33.53	CSCH	calcareous sericite schist (biede colored schist)
AX-19-31	33.53	35.05	CHSCH	calcareous chlorite schist with burgandy layers
AX-19-31	35.05	39.62	SSCH	sericite schist with few foliaform veins
AX-19-31	39.62	41.15	CHSCH	calcareous chlorite schist with burgandy layers
AX-19-31	41.15	48.28	SSCH	sericite schist with few foliaform veins
AX-19-31	48.28	72.00	GNST	calcareous medium grained (quartz, feldspar, amphibole, chlorite) foliated greenstone
AX-19-31	72.00	74.26	SSCH	sericite schist with few foliaform veins
AX-19-31	74.26	76.90	CHSCH	calcareous chlorite schist - foliation 80 tca
AX-19-31	76.90	82.22	SSCH	sericite schist with few foliaform veins
AX-19-31	82.22	83.21	CHSCH	calcareous chlorite schist - foliation 80 tca
AX-19-31	83.21	85.00	SSCH	sericite schist with few foliaform veins
AX-19-31	85.00	86.50	CHSCH	calcareous chlorite schist - foliation 80 tca
AX-19-31	86.50	88.00	SSCH	sericite schist with few foliaform veins
AX-19-31	88.00	88.90	CHSCH	calcareous chlorite schist - foliation 80 tca
AX-19-31	88.90	111.86	SSCH	sericite schist with few foliaform veins
AX-19-32	<b>0.00</b>	<b>8.66</b>	<b>ovb</b>	overburden no recovery
AX-19-32	8.66	19.81	CHSCH	oxidized chlorite schist with thin foliaform and discordant veins - foliation 65 tca
AX-19-32	19.81	26.48	GNST	calcareous Greenstone massive green in appearance lack of foliation
AX-19-32	26.48	32.76	SSCH	calcareous sericite schist
AX-19-32	32.76	44.67	CHSCH	calcareous chlorite schist with sericite schist horizons
AX-19-32	44.67	61.76	SSCH	calcareous sericite schist
AX-19-32	61.76	65.53	CHSCH	calcareous chlorite schist with sericite schist horizons
AX-19-32	65.53	73.15	SSCH	calcareous sericite schist
AX-19-32	73.15	83.82	CHSCH	calcareous chlorite schist with sericite schist horizons
AX-19-32	83.82	85.88	SSCH	calcareous sericite schist
AX-19-32	85.88	86.52	LMST	limey layers in chlorite schist
AX-19-32	86.52	92.96	CHSCH	calcareous chlorite schist with sericite schist horizons
AX-19-32	92.96	94.49	SSCH	calcareous sericite schist
AX-19-32	94.49	96.00	LMST	limey layers in chlorite schist
AX-19-32	96.00	108.20	SSCH	sericite schist
AX-19-33	<b>0.00</b>	<b>12.19</b>	<b>OVB</b>	Gravwl, Clay, Cobbles
AX-19-33	12.19	28.96	SSCH	calcareous quartz-sericite schist
AX-19-33	28.96	35.05	CHSCH	calcareous quartz-chlorite serticite schist
AX-19-33	35.05	36.58	SSCH	calcareous quartz-sericite schist
AX-19-33	36.58	40.02	CHSCH	calcareous quartz-chlorite serticite schist
AX-19-33	40.02	49.60	SSCH	
AX-19-33	49.60	51.82	LMST	Limestone with schist layers and quartz veins
AX-19-33	51.82	53.77	CSCH	calcareous schist



AX-19-33	53.77	56.28	LMST	Limestone with schist layers and quartz veins
AX-19-33	56.28	59.44	CSCH	
AX-19-33	59.44	74.78	SSCH	calcareous quartz-sericite schist with the occasional limey layer
AX-19-33	74.78	91.43	CSCH	
AX-19-33	91.43	105.16	SSCH	calcareous quartz-sericite schist with the occasional limey layer
AX-19-34	0.00	4.72	OVV	
AX-19-34	4.72	10.66	SSCH	weathered and moderately oxidized ssch. Foliated tan olive colour with minor conc qtz cb vns. Extremely weathered towards top of interval. Minor calc alt towards bottom of unit. Diss po center of interval. Folliations at approx 70 degrees tca.
AX-19-34	10.66	14.02	CHSCH	somewhat more massive frabric in csch with mod conc qtz cb vning towards top of interval with minor ser alt towards top of interval. Mod diss po in stronger calcareous. segments. Dark blue grey colour. Folliations at approx 75 degrees tca. 14.02 to 14.98 - fault: csch hosted flt zone with mod ser alt throughout. Minor competent sectionings of core.
AX-19-34	14.02	33.53	SSCH	strong ser alt csch. Minor reaction to hcl. Foliated at approx 80 degrees tca. Pale olive green colour. Contains mod discor qtz cb vns at approx 50 degrees tca. Mod diss po throughout interval. With small flt towards bottom. 10cm.
AX-19-34	33.53	37.57	CHSCH	mod to strong ser alt throughout and mod calc alt throughout. Tan olive green colour with some smaller dark blue less ser alt segments. Contains mod conc qtz cb vning throughout. Well foliated at approx 60 degrees tca. Very minor and discrete diss po. seems more concentrated in the darker material. competent core.
AX-19-34	37.57	39.34	SSCH	strong ser alt csch. Minor reaction to hcl. Foliated at approx 80 degrees tca. Pale olive green colour. Contains mod discor qtz cb vns at approx 50 degrees tca. Mod diss po throughout interval. With small flt towards bottom. 10cm.
AX-19-34	39.34	44.92	CHSCH	mod to strong ser alt throughout and mod calc alt throughout. Tan olive green colour with some smaller dark blue less ser alt segments. Contains mod conc qtz cb vning throughout. Well foliated at approx 60 degrees tca. Very minor and discrete diss po. seems more concentrated in the darker material. competent core.
AX-19-34	44.92	45.11	LMST	small segment of pale blue lmst. Strongly reactive to hcl and folliations at approx 80 degrees tca. Less obvious folliations. Diss po
AX-19-34	45.11	48.11	SSCH	strong ser alt csch. Minor reaction to hcl. Foliated at approx 80 degrees tca. Pale olive green colour. Contains mod discor qtz cb vns at approx 50 degrees tca. Mod diss po throughout interval. With small flt towards bottom. 10cm.
AX-19-34	48.11	52.81	LMST	folliated dirty lmst unit. Short intervals of lmst and csch units. Lmst very strongly reactive to hcl with a brown grey colour. Csch is more domoinantely ser alt with olive green colour. Mod to strong diss po throughout with a small sliver of sms and a discor qtz cb vn with blebs of apy at 51.30. folliationsn at approx 80 degrees tca.
AX-19-34	52.81	69.98	SSCH	folliated pale olive and dark blue csch. Contains mod conc and discor qtz cb vning throughout. Pale olive contains strong ser alt while the dark blue is less altered. Folliations at approx 70 degrees tca. Minor discreet diss po throughout unit. Mod reactive to hcl. mod chl alt along margins of larger qtz cb vns both conc and discor.

AX-19-34	69.98	71.35	CHSCH	dark green and dark brown grnst with mod discor qtz cb vning throughout. More subtle folliations but approx 65 degrees tca. Some intervals are slightly more calc alt likely due to their proximity to larger discor qtz cb vns. Contains minor conc qtz cb vn. mod to strong diss po throughout.
AX-19-34	71.35	81.47	SSCH	folliated pale olive and dark blue csch. Contains mod conc and discor qtz cb vning throughout. Pale olive contains strong ser alt while the dark blue is less altered. Folliations at approx 70 degrees tca. Minor discreet diss po throughout unit. Mod reactive to hcl. mod chl alt along margins of larger qtz cb vns both conc and discor.
AX-19-34	81.47	100.17	GNST	dark green and dark brown grnst with mod discor qtz cb vning throughout. More subtle folliations but approx 65 degrees tca. Some intervals are slightly more calc alt likely due to their proximity to larger discor qtz cb vns. Contains minor conc qtz cb vn. mod to strong diss po throughout.
AX-19-34	100.17	113.19	SSCH	dark grey blue folliated csch with some minor intervals of more ser altered segments. Contains mod to strong discor qtz cb vning throughout with mod conc qtz cb vning. Fairly competent core throughout with minor diss po. Folliations at approx 70 degrees tca.
AX-19-34	113.19	123.80	GNST	folliated dark green and brown grnst, variably reactive to hcl from minor to mod. Contains minor discor and conc qtz cb vning throughout. Folliations are more prominant at approx 45 degrees tca. Mod to strong diss po throughout.
AX-19-34	123.80	125.78	SSCH	silica flooded and minor calc alt qtzt grey blue and brown colour. Minor discor qtz cb vnlt throughout. Folliations at approx 60 degrees tca. No diss po.
AX-19-34	125.78	126.63	LMST	grey brown lmst unit. Folliated at approx 65 degrees tca. Very strongly reactive to hcl. Discor qtz cb vns at bottom of interval.
AX-19-34	126.63	129.06	SSCH	mod ser alt and silica flooded csch contains mod conc qtz cb vning throughout interval. Minor diss po towards top and bottom of itnerval. Folliations at approx 45 degrees tca.
AX-19-34	129.06	129.46	LMST	folliated grey brown lmst. Folliations at approx 40 degrees tca. Minor diss po
AX-19-34	129.46	130.05	SSCH	same as 126.63-129.06
AX-19-34	130.05	130.18	LMST	folliated brown lmst unit at approx 55 degrees tca.
AX-19-34	130.18	133.40	SSCH	folliated pale olive and dark blue csch. Mod reactive to hcl. Contains large conc qtz cb vn at bottom of inerval. Mod diss po towards top of interval.
AX-19-34	133.40	137.29	CHSCH	dark green blue chl and calc alt qtzt. Contains mod to strong diss po. Folliated at approx 70 degrees tca. Very minor conc qtz cb vning. Very competent core. Silica flooded.
AX-19-34	137.29	140.61	SSCH	mod to strong ser alt csch. Contains some large discor qtz cb vns towards top of itnerval with mod discor qtz cb vning throughout. Folliated at approx 60 degrees tca. Mod diss po throughout interval.
AX-19-34	140.61	143.77	CHSCH	mod to strong chl alt in silica flooded dark green csch. Strong diss po throughout. Folliated at approx 65 degrees tca.
AX-19-34	143.77	163.00	SSCH	strong ser alt folliated pale olive and small segmetns of dark blue csch. Contains mod diss po throughout mostly in slightly darker segments. Contains mod conc qtz cb vning throughout. Consistently fragmented and broken core throughout with minor flting throughout. 5-10cm flt zones throughout unit. strongest ser alt surrounding small flts. moderately reactive to hcl. folliations highly variable from 45-70 degrees tca.
AX-19-34	163.00	168.80	SSCH	silica flooded sch with mod calc alt. folliated brown and pale blue colour. Folliations at approx 60 degrees tca. Mod diss po towards bottom of unit. Mod conc qtz cb vning throughout.

AX-19-34	168.80	172.32	SSCH	strong ser alt folliated pale blue olive green csch. Mod ser alt throughout. Contains minor conc and discor qtz cb vning. Mod diss po. Folliations at approx 70 degrees tca.
AX-19-34	172.32	178.31	SSCH	dark blue and brown csch. Very dominant discor qtz cb vning throughout. Mod to strong diss po. Folliations are deformed and fractured brittle. Domiant folliations are at approx 70 degrees tca. Minor chl alt.
AX-19-35	<b>0.00</b>	<b>1.44</b>	<b>OVB</b>	
AX-19-35	1.44	5.79	CHSCH	strongly weathered and mod oxidization. Contains mostly gouge or completely weathered ssch towards top of itnerval. Minor conc qtz cb vning towards bottom of unit. No diss po
AX-19-35	5.79	15.42	SSCH	grey blue folliated csch. Contains mod conc qtz cb vning. Small deformations discrete among small segments within the interval. Very minor diss po, mod calc alt throughout. Folliations at approx 70 degrees tca. alternating units of blue grey and pale cream ser and calc alt csch. Strongly folliated throughout with mod to strong conc qtz cb vning throughout. Minor to mod diss po throughout interval. Folliations at approx 55 degrees tca.
AX-19-35	15.42	18.19	LMST	very strongly reactive to hcl folliated lmst. Contains small slivers of csch throughout. With strong diss po. Mod discor qtz cb vning and minor conc qtz cb vning. Folliations are at approx 75 degrees tca.
AX-19-35	18.19	38.57	SSCH	grey blue folliated csch. Contains mod conc qtz cb vning. Small deformations discrete among small segments within the interval. Very minor diss po, mod calc alt throughout. Folliations at approx 70 degrees tca. alternating units of blue grey and pale cream ser and calc alt csch. Strongly folliated throughout with mod to strong conc qtz cb vning throughout. Minor to mod diss po throughout interval. Folliations at approx 55 degrees tca.
AX-19-35	38.57	40.14	CHSCH	mod folliated dark green and brown grstn. Contains mod to strong diss po throughout interval. Minor discor and conc qtz cb vns throughout. Competent core throughout. Mod calc alt stronger around discor and conc qtz cb vn selvages. Folliations at approx 65 degrees tca.
AX-19-35	40.14	55.82	SSCH	mod ser alt and calc alt csch. Contains very large discor qtz cb vn towards center of unit 40cm. Folliated throughout at approx 60 degrees tca.
AX-19-35	55.82	80.72	GNST	fairly altered grnst dark green and brown coloured grnst. With mod discor qtz cb vns throughout. 1 discor qtz cb vn towards top of itnerval contains mod diss py. Contains mod diss po throughout. Weakly folliated at approx 60 degrees tca.
AX-19-35	80.72	89.92	SSCH	sericite altered shcist hosted fragmented flt zone. Mostly fractured and fragmented core with some small intervals of vn exploited gouge/breccia. Strong ser alt throughout. With very strong discor qtz cb vning towards bottom of interval. Folliations at approx 65 degrees tca. nearly no diss po.
AX-19-35	89.92	95.56	GNST	fairly altered grnst dark green and brown coloured grnst. With mod discor qtz cb vns throughout. 1 discor qtz cb vn towards top of itnerval contains mod diss py. Contains mod diss po throughout. Weakly folliated at approx 60 degrees tca.
AX-19-35	95.56	106.53	SSCH	minor to mod ser alt csch. Alternating grey blue and pale blue material throughout. Fairly competent core with some intervals surrounding small flts with stronger ser alt more fragmented. Contains mod discor qtz cb vns with some fairly large conc qtz cb vning throughout. contains mod diss po towards bottom of interval. nice discor qtz cb vn towards bottom of interval with blebs of apy. folliations are at approx 70 degrees tca.

AX-19-36	0.00	10.67	ovb	
AX-19-36	10.67	14.86	SSCH	strongly weathered and oxidized folliated csch, less calc alt in the more strongly ser alt material. Contains mod diss po and minor discor qtz cb vning, more discor qtz cb vning towards bottom of itnerval. Folliations are at approx 70 degrees tca.
AX-19-36	14.86	32.15	GNST	weakly folliated dark green and smaller units of brown grnst. Mod to strong pervasive diss po throughout unit. Contains minor discor and conc vning. Mod calc alt with stronger reaction to hcl surrounding vn selvages.
AX-19-36	32.15	33.57	SSCH	dark blue grey folliated ssch. Contains mod conc qtz cb vning towards bottom of interval. Mod calc alt throughout. Contains very minor chl alt in some segments. Mod diss po throughout. Folliations at approx 70 degrees.
AX-19-36	33.57	43.75	GNST	weakly folliated dark green and smaller units of brown grnst. Mod to strong pervasive diss po throughout unit. Contains minor discor and conc vning. Mod calc alt with stronger reaction to hcl surrounding vn selvages.
AX-19-36	43.75	45.22	SSCH	dark grey black ssch, lots of discor qtz cb vning throughout. Folliated at approx 45 degrees tca. Contains minor diss po.
AX-19-36	45.22	50.48	grnst	weakly folliated dark green and smaller units of brown grnst. Mod to strong pervasive diss po throughout unit. Contains minor discor and conc vning. Mod calc alt with stronger reaction to hcl surrounding vn selvages.
AX-19-36	50.48	78.62	SSCH	strong and pervasive ser alt throughout pale olive green folliated sch contains mod calc alt throughout as well. Lot's of conc qtz cb vns as well as mod discor qtz cb vning throughout interval. Minor diss po. Folliated at approx 70 degrees tca.
AX-19-36	78.62	80.06	CHSCH	chs ch folliated with mod chl alt throughout. Darker oliver green colour. Contains mod conc qtz cb vning throughout with chl alt along vn margins. Mod to strong diss po. Folliated at approx 60 degrees tca.
AX-19-36	80.06	81.53	SSCH	strong and pervasive ser alt throughout pale olive green folliated sch contains mod calc alt throughout as well. Lot's of conc qtz cb vns as well as mod discor qtz cb vning throughout interval. Minor diss po. Folliated at approx 70 degrees tca.
AX-19-36	81.53	94.72	CHSCH	chs ch folliated with mod chl alt throughout. Darker oliver green colour. Contains mod conc qtz cb vning throughout with chl alt along vn margins. Mod to strong diss po. Folliated at approx 60 degrees tca.
AX-19-36	94.72	96.16	SSCH	strong and pervasive ser alt throughout pale olive green folliated sch contains mod calc alt throughout as well. Lot's of conc qtz cb vns as well as mod discor qtz cb vning throughout interval. Minor diss po. Folliated at approx 70 degrees tca.
AX-19-36	96.16	97.63	CHSCH	chs ch folliated with mod chl alt throughout. Darker oliver green colour. Contains mod conc qtz cb vning throughout with chl alt along vn margins. Mod to strong diss po. Folliated at approx 60 degrees tca.
AX-19-36	97.63	101.93	SSCH	strong and pervasive ser alt throughout pale olive green folliated sch contains mod calc alt throughout as well. Lot's of conc qtz cb vns as well as mod discor qtz cb vning throughout interval. Minor diss po. Folliated at approx 70 degrees tca.

AX-19-36	101.93	103.36	CHSCH	chs sch folliated with mod chl alt throughout. Darker olive green colour. Contains mod conc qtz cb vning throughout with chl alt along vn margins. Mod to strong diss po. Folliated at approx 60 degrees tca.
AX-19-36	103.36	104.50	LMST	fresh grey and white folliated lmst unit. No diss po strongly reactive to hcl folliations at approx 75 degrees tca.
AX-19-36	104.50	112.86	SSCH	strong and pervasive ser alt throughout pale olive green folliated sch contains mod calc alt throughout as well. Lot's of conc qtz cb vns as well as mod discor qtz cb vning throughout interval. Minor diss po. Folliated at approx 70 degrees tca.
AX-19-36	112.86	117.04	csch	dark grey blue folliated csch contains strong discor qtz cb vhl vning towards bottom of interval. Mod to strong diss po. Folliations at approx 60 degrees tca.
AX-19-37	<b>0.00</b>	<b>8.20</b>	<b>OVB</b>	
AX-19-37	8.20	31.40	SSCH	strongly weathered, oxidized and fragmented material. Mod calc alt throughout. Contains mod conc qtz cb vning throughout with some small flting along much more weathered material. Contains minor intervals of gouge. Very minor diss po along more competent material. folliated at about 60 degrees tca.
AX-19-37	31.40	34.35	CSCH	very strong ser and carbinat alt throughout very fragmented material. Contains minor conc qtz cb vning throughout. With very minor diss po. Entirely fragmented core throughout. Folliated ssch at approx 65 degrees tca. Pale blue white colour throughout. Mod calc alt throughout.
AX-19-37	34.35	36.20	CHSCH	quartz chlorite schist interlayered with sericite schist. Contains minor conc qtz cb vning with mod discor qtz vns, folliated throughout at approx 70 degrees tca. Mod to strong diss po throughout interval. Small intervals of flting. Blue grey colour. Some minor diss apy. Small bed of lmst 23cm towards bottom of unit.
AX-19-37	36.20	40.62	SSCH	sericite altered schist. Light grey in color. Contains mod conc qtz cb vning throughout with some small flting. Contains minor intervals of gouge. Very minor diss po along more competent material. folliated at about 60 degrees tca.
AX-19-37	40.62	52.72	CSCH	blue grey folliated csch. Mod ser alt throughout with very fragmented core. Contains some minor flting throughout. Contains mod to strong conc qtz cb vning with minor diss po. Folliations at approx 60 degrees tca.
AX-19-37	52.72	56.33	LMST	folliated lmst with discor qtz cb vning throughout. Contains minor diss po. Folliations at approx 55 degrees tca. Some more graphitic alt hosted flt zones. Very strong reaction to hcl.
AX-19-37	56.33	67.10	CSCH	pale blue grey folliated calc and ser alt csch. Contains minor conc qtz cb vning throughout with mostly fragmented core. Contains mod diss po. Folliations at approx 65 degrees tca. Mod calc alt throughout. Ser alt hosted mostly surrounding more fragmented core.
AX-19-37	67.10	95.65	CSCH	blue grey folliated competent csch. Contains minor chl alt throughout. Strong conc qtz cb vning throughout with some very large qtz cb vns towards top of interval. Stronger ser alt towards bottom of interval with stronger ser alt surrounding small flt zone gouge 5-10cm, strong diss po throughout. weaker diss po around ser alt segments. folliations are at approx 70 degrees tca. some stronger discor qtz cb vning towards top and bottom of interval.

AX-19-37	95.65	105.12	CSCH	silica flooded folliated pale blue grey csch. Contains mod calc alt along fracture fillings and vn selvages. Very competent and hard core throughout. Folliations at approx 70 degrees tca. Contains mod to strong diss po towards bottom of interval.
AX-19-37	105.12	106.11	CSCH	flt zone with a large conc qtz cb vn. Contains graphitic gouge in strongest flted zone.
AX-19-37	106.11	112.18	CSCH	same as 95.65-105.12
AX-19-37	112.18	112.80	CSCH	qsch hosted flt zone with strong ser alt and gouge towards center of interval. Very minor diss po.
AX-19-37	112.80	120.40	CSCH	blue grey folliated csch. Contains alternating units of silica flooded intervals, predominately calc alt material throughout. Contains stronger diss po towards bottom of interval. Some mod discor qtz cb vning throughout. With strongest diss po at very bottom of interval. should probably follow up next year.
AX-19-38	<b>0.00</b>	<b>6.21</b>	<b>ovb</b>	
AX-19-38	6.21	12.66	SSCH	extremely weathered tan colour ssch. Folliations are difficult to determine as mostly gouge but appears to be 20 degrees tca. No diss po. Mostly gouge like material
AX-19-38	12.66	17.32	CHSCH	folliated grey dark blue csch. Moderately fragmented core throughout. More strongly fragmented towards top of interval. Mod conc qtz cb vning throughout. Minor to mod diss po throughout. No oxidation throughout. Folliations at approx 65 degrees tca. lighter colour more ser alt towards top of interval.
AX-19-38	17.32	18.82	LMST	folliated light grey lmst. Strongly reactive to hcl fairly fresh looking. Folliations at approx 70 degrees tca.
AX-19-38	18.82	23.25	SSCH	large discor qtz cb vn with minor flt towards top of interval. Vn is at approx 55 degrees tca. Contains no diss po. Flt zone is 15cm at center of interval. hosted in tan colour ssch. Folliations 80 degrees tca. No diss po.
AX-19-38	23.25	24.03	CSCH	dark grey blue and light grey folliated csch. Mod diss po throughout. With mod conc qtz cb vning as well as mod discor qtz cb vning. Variable ser alt throughout, stronger surrounding selvages of discor qtz cb vns. Folliations at approx 70 degrees tca. discor qtz cb vning is at approx 50 degrees tca at approx right angles to folliations.
AX-19-38	24.03	24.40	LMST	dirty intercallated lmst and csch unit. Short but strongly reactive to hcl. Minor chl alt within lmst unit. Mod diss po throughout. 1 conc qtz cb vn. Folliations at approx 70 degrees tca.
AX-19-38	24.40	27.74	CSCH	fragmented folliated core with pale blue grey and slightly brown segments. Moderately silica flooding in slightly browner material. Extremely fragmented core towards bottom of interval. Mod ser alt throughout. Minor discor qtz cb vning. Contains minor diss po. stronger calc alt towards top of interval.
AX-19-38	27.74	28.93	LMST	dirty folliated lmst unit. Contains discrete folliations of minor chl alt units. Contains some segments of csch throughout with a minor flt towards bottom of interval. Lmst units are strongly reactive to hcl. Very minor diss po. Folliations at approx 60 degrees tca.
AX-19-38	28.93	30.68	CSCH	dark grey blue with olive green folliated csch. Some very minor discor cb stringers throughout. Green colour appears to be chl alt. minor conc qtz cb vning. Mod diss po. Folliations at approx 70 degrees tca. 29.90 to 30.68 fault - ser alt folliated csch hosted flt zone. Contains a single larger discor qtz cb vn. Mod calc alt within gouge. Folliations that have been preserved at approx 60 degrees tca. Minor diss po.

AX-19-38	30.68	48.24	CSCH	blue grey and pale blue folliated csch. Contains mod diss po throughout. Mod conc qtz cb vning. Minor discor qtz cb vning towards top of interval with mod discor qtz cb vning towards bottom of unit. Minor discreet silica flooding throughout interval. folliations at approx 70 degrees tca. discor qtz cb vns are at approx 40 degrees tca.
AX-19-38	48.24	49.70	LMST	dirty folliated grey blue lmst unit. More csch present throughout with lmst beds about 1-5cm in diameter, still strongly reactive to hcl within more evident lmst beds. Contains mod diss po throughout with slightly lower po values in less altered lmst. folliations at approx 70 degrees tca.
AX-19-38	49.70	51.70	CSCH	same as 30.68-48.24
AX-19-38	51.70	58.36	SSCH	dirty folliated dark blue grey and light blue ssch. Contains minor discor qtz cb vning. Darker blue seems to be minor graphitic alt stronger diss po within dark blue graph alt units. Small ser and calc alt hosted flt zone towards center of interval 50cm, mod diss po throughout interval. folliations at approx 70 degrees tca. paler blue grey colour towards bottom of unit.
AX-19-38	58.36	67.35	CSCH	mod silica flooded pale grey blue csch. Contains minor conc and discor qtz cb vning throughout. Mod diss po throughout. Silica alt has fewer vns and more competent core. Folliations are at approx 55 degrees tca. Diss po is more closely tied to darker coloured material.
AX-19-38	67.35	69.09	SSCH	dark grey blue folliated SSCH. Very minor discor qtz cb vning and conc vning. Contains strong diss po throughout. Discor qtz cb vning has small ser selvages. Folliations at approx 75 degrees tca. Discor qtz cb vns at approx 45 degrees tca.
AX-19-38	69.90	78.50	SSCH	grey blue light blue folliated ssch, mod silica flooded mod ser alt throughout. Mod to strong conc qtz cb vning. Contains mod diss po. Minor discor qtz cb vning. Folliations at approx 60 degrees tca. Discor qtz cb vning is at approx 40 degrees tca, opposite folliations.
AX-19-38	78.50	82.09	SSCH	dark grey blue folliated ssch. Contains mod conc qtz cb vning and minor discor qtz cb vning. Mod diss po throughout with mod calc alt throughout. Folliations at approx 60 degrees tca. Discor qtz cb vns are at approx 40 degrees tca.
AX-19-38	82.09	88.30	CSCH	pale blue grey folliated csch, trends towards cream olive colour towards bottom with increasing ser alt. middle of unit contains some dirty lmst unit with minor chl and ank alt within lmst. Lmst unit contains 2 very low angle cb ank vns at approx 15 degrees tca, mod reactive to hcl. slightly more brittle deformed material towards bottom of unit. folliations at approx 60 degrees tca. discor qtz cb vns at approx 40 degrees tca.
AX-19-38	88.30	89.10	LMST	folliated lmst unit mod diss po throughout. Strongly reactive to hcl. Folliations at approx 70 degrees tca.
AX-19-38	89.10	90.60	LMST	grey blue and light blue folliated lmst, grittier and slightly less schistose frabric with stronger calc alt throughout. Less fine grained material. Mod ser alt towards bottom of unit minor conc and discor qtz cb vning. Mod diss po throughout. folliations at approx 70 degrees tca.
AX-19-38	90.60	96.82	LMST	gritty dirty dark grey blue and brown lmst/csch. Contains mod to strong diss po with very minor conc and discor qtz cb vning throughout. Very strongly reactive to hcl in discreet lmst beds. Folliations at approx 65 degrees tca.
AX-19-38	96.82	108.30	CSCH	pale blue grey folliated lmst. Mod conc qtz cb vning throughout. Minor discor qtz cb vning throughout. Mod to strong diss po. Folliations at approx 70 degrees tca. Stronger calc alt towards bottom of interval within darker grey brown csch.

AX-19-38	108.30	109.38	LMST	dirty folliated grey blue and browm lmst. Contains segments of strongly calc alt csch. Mod conc qtz cb vning. Mod diss po throughout. Lmst strongly reactive to hcl. Folliations at approx 70 degrees tca.
AX-19-38	109.38	121.92	CSCH	dark blue grey and light blue grey folliated csch. Contains mod conc qtz cb vning throughout with mod discor qtz cb vning throughout. Mod diss po. Folliations at approx 75 degrees tca. Conc qtz cb vns have more dominant ser alt selvages. Discor qtz cb vning is at approx 60 degrees tca.
AX-19-38	121.92	122.12	LMST	small folliated grey blue lmst unit with mod diss po. Folliations at approx 75 degrees tca.
AX-19-38	122.12	135.75	CHSCH	dark grey blue and brown folliated chsch. Mod small flting throughout interval. Contains small segments of very dirty lmst. Grittier more coarse texture trhoughout. Perhaps some graphitic alt throughout causing it to be a darker brown colour. The stronger calc alt has very low angle cb vnlt. stronger conc qtz cb vning towards bottom of interval. folliations at approx 80 degrees tca.
AX-19-38	135.75	146.30	SSCH	pale blue grey folliated csch. Mod to strong conc qtz cb vning throughout itnerval. Contains minor discor qtz cb vning. And minor diss po. Folliations at approx 75 degrees tca. Contains stronger calc alt towards bottom of unit with some very minor discor qtz cb vning towards bottom of interval.
AX-19-39	0.00	5.60	OVB	
AX-19-39	5.60	8.75	SSCH	very strongly weathered and oxidized ssch. Mod calc alt with minor conc qtz cb vning towards bottom of interval.
AX-19-39	8.75	9.95	CSCH	fragmented folliated dark grey blue silica flooded csch. Contains mod discor qtz cb vning with a fairly large qtz cb vn at top of interval 30cm, minor diss po. Weak oxidation along fracture fillings towards top of interval. Folliations at approx 70 degrees tca.
AX-19-39	9.95	12.40	CSCH	gritty dirty lmst and csch. Mod to strong but very localized to slim beds lmst. Minor conc qtz cb vning. Dark grey blue colour. Folliated at approx 75 degrees tca. Mod diss po
AX-19-39	12.40	17.15	CSCH	slightly coarser grained csch. Folliated light grey blue csch. Contains minor diss po with mod silica alt throughout. Contains mod discor qtz cb vning throughout. Discrete ser alt surrounding stronger vn'ed components. Folliations at approx 60 degrees tca.
AX-19-39	17.15	18.25	CSCH	segment hosted in folliated ser alt csch. Contains a very large qtz cb vn with what looks like minor lead zinc sx. Minor breccia but largely fragmented core so difficult to determine too much about orrientation. Very minor diss po.
AX-19-39	18.25	36.90	CSCH	mod ser alt folliated light grey blue csch. Contains mod conc and mod to strong discor qtz cb vning. Some of the discor vning contains minor blebs of apy throughout. Contains some reasonably large segments of fragmented core with minor flt zones throughout 5cm. mod diss po throughout interval. folliations at approx 70 degrees tca.
AX-19-39	36.90	37.85	LMST	foliated ser and chl alt lmst. Folliations at approx 70 degrees tca. Very minor vning. Minor to mod diss po.
AX-19-39	37.85	54.86	CSCH	light grey blue folliated csch with some mod segments of fragmented core surrounding mod flt zones, 5-15cm, contains mod to strong diss po throughout. Mod conc qtz cb vning minor discor qtz cb vning stronger towards bottom of the unit. Mod calc alt throughout. small interval 50cm of gsch towards top of interval on bottom side of small flt.flt at approx 40 degrees tca.
AX-19-39	54.86	55.70	CSCH	large flt zone almost entirely composed of gouge. Strong calc alt throughout. Conatins minor qtz cb vn fragments. No diss po. Pale grey colour.



AX-19-39	55.70	61.50	LMST	larger unit of banded white and pale grey lmst. Strongly reactive to hcl. More strongly fragmented towards stop of interval with some small slivers of csch throughout. Contains very minor conc and discor qtz cb vning. Mod diss po throughout interval. folliated at approx 65 degrees tca.
AX-19-39	61.50	70.75	CSCH	pale blue grey folliated csch. Contains mod discor and conc qtz cb vning throughout. Small flt towards top of the interval with mod crackle breccia conc qtz cb vning on either margin of small flt zone 20cm. Strong diss po in darker grey segments of csch.
AX-19-39	70.75	72.30	CSCH	small unit of stronger ser alt with minor ank alt throughout. Contains some creamy low angle discor qtz cb vning ank? Folliated at approx 70 degrees tca. Discor qtz cb vn at approx 30 degrees tca.
AX-19-39	72.30	81.00	CSCH	pale blue grey folliated csch. Contains mod discor and mod conc qtz cb vning. Some conc qtz cb vning towards center of interval contain blebs od po. Some fairly large discor qtz cb vning towards venter of interval. Small unit of folliated black gsch towards center of unit folliated at approx 80 degrees tca. csch is folliated at approx 70 degrees tca. mod calc alt throughout. discor qtz cb vning is at approx 40 degrees tca. mod to strong diss po throughout interval. more competent minor silica alt material towards bottom of unit.
AX-19-39	81.00	96.00	CHSCH	folliated dark green grnst/chlorite schist. Minor discreet calc alt. strong to weak diss magnetite? Competent intact core except at eoh.
AX-19-39	96.00	115.00	SSCH	biege to light grey sericite schist. Mod calc alt with minor conc qtz cb vning towards bottom of interval.
AX-19-39	115.00	118.87	CHSCH	folliated dark green grnst. Minor discreet calc alt. strong to weak diss magnetite? Competent intact core except at eoh.
AX-19-40	0	9.14	OVB	
AX-19-40	<b>9.14</b>	<b>19.00</b>	GNST	Calcareous Chlorite schist dark grey blue with mild discreet chl alt within certain segments. Folliated throughout at approx 65 degrees tca. Minor conc qtz cb vning towards bottom of unit. Mod to strongly reactive to hcl. Quite fragmented core throughout increasing competence towards bottom of interval.
AX-19-40	19.00	20.00	LMST	gritty lmst unit with some small segments of csch. Folliated throughout with dark grey blue and minor chl alt green colour much stronger oxidation towards bottom of unit that's less calc alt. contains slender qtz cb discor vns throughout. Minor diss po. folliated at approx 70 degrees tca.
AX-19-40	20.00	26.00	CSCH	fragmented folliated light grey blue csch. Contains mod oxidation throughout with some much stronger oxidation along small flt zones. Very minor diss po throughout. Contains mod discor and conc qtz cb vning towards top of unit. Folliations at approx 70 degrees tca.
AX-19-40	26.00	30.35	SSCH	brown/tan and gray alternating sericite altered schist
AX-19-40	30.35	31.10	CSCH	small unit of chl and ser alt gritty folliated lmst unit. Less reactive to hcl than previous lmst unit. Contains mod to strong diss po, grnst?? Folliations at approx 60 degrees tca.
AX-19-40	31.10	37.25	SSCH	pale grey blue folliated sericite altered schist. Contains mod ser alt throughout with mod conc qtz cb vning. Mod fragmented core throughout with no oxidation, folliations at approx 65 degrees tca.
AX-19-40	37.25	43.15	GNST	very large chlorite schist hosted flt zone. Intense gouge towards top of unit. Bottom of unit is vn healed bx in certain places. Contains fragments of qtz cb vns unsure whether conc or discor. Almost no diss po throughout. interesting bx texture at bottom of unit with stronger diss po.
AX-19-40	43.15	44.42	GNST	strongly alt folliated grnst. Contains mod to strong diss po. Colour is pale green and brown. Folliations at approx 60 degrees tca. Mod calc alt throughout.
AX-19-40	44.42	44.65	GNST	white cream coloured bx lmst. Contains folliations at approx 75 degrees tca. Contains fragments of qtz vning and mod diss po throughout unit.

AX-19-40	44.65	48.35	GNST	very alt folliated grnst. Minor discor qtz cb vns with some larger conc qtz cb vns. Mod to strong diss po. Some small segments of csch. Grnst is bleached as well as containing segments of brown colour in some parts. Mod calc alt throughout some units where the vning is more prevalent. folliated at approx 70 degrees tca.
AX-19-40	48.35	57.50	SSCH	pale grey blue folliated sericite altered schist. Contains mod silica flooding throughout with some intervals of very fragmented core. Contains mod discor qtz vning towards top of interval. Small segment of much stronger calc alt towards center of unit. Folliations at approx 75 degrees tca.
AX-19-40	57.50	66.00	GNST	green and brown coloured grnst. Contains some small slivers of csch with mod conc qtz cb vning. Conc qtz cb vning within csch unit. Folliations at approx 60 degrees tca as well as mod to strong diss po.
AX-19-40	66.00	74.00	SSCH	strongly fragmented folliated pale grey blue sericite altered schist. Contains strong conc qtz cb vning throughout. Some small foliaform fliting throughout. Minor diss po. Folliations at approx 65 degrees tca.
AX-19-40	74.00	78.82	CSCH	csch hosted flt zone. Contains lots of complete gouge intervals. Fliting appears to be at approx 45 degrees tca. Mod diss po within more competent intervals in darker blue grey material. Fliting contains large segments of qtz cb vn clasts.
AX-19-40	78.82	83.82	SSCH	fragmented strong conc qtz cb vning. Pale blue grey folliated sericite altered. Minor discor qtz cb vning throughout. Folliations at approx 60 degrees tca. Contains strong ser alt throughout.
MQ-19-42	0.00	4.57	OVB	Gravel and clay
MQ-19-42	4.57	15.24	CSCH	Oxidized and strongly fractured calcareous schist, with a 50cm limsetone horizon at 7.62m, Oxidation is along fracture planes and pervasively through select horizons. Quartz veining is present but orientation is obscured due to rubblely nature of core. There is no magsusc (>1) readings in this section
MQ-19-42	15.24	29.90	CSCH	Less oxidized calcareous schist than above interval, with some limey, chlorite-actinolite altered (retrograde skarn alteration) horizons containing disseminated pyrrhotite
MQ-19-42	29.90	33.24	GSCH	graphitic sericite schist, noticeably less calcareous (audiable effervescence only)
MQ-19-42	33.24	37.80	CSCH	calcareous schist
MQ-19-42	37.80	41.25	GSCH	graphitic sericite schist, noticeably less calcareous (audiable effervescence only)
MQ-19-42	41.25	53.80	CSCH	calcareous schist
MQ-19-42	53.80	58.37	CSCH	calcareous schist with limey layers
MQ-19-42	58.82	61.28	LMST	Limestone, dark grey limestone with white banding
MQ-19-42	61.28	70.95	CSCH	calcareous schist with limey layers
MQ-19-42	70.95	78.05	GSCH	Dark grey
MQ-19-42	78.05	94.65	DYKE	quartz-feldspar apalitic (fine-grained, equigranular) sericite and calcite altered dyke with disseminated pyrite and multiple quartz-arsenopyrite veins. Lower contact is sharp 35 tca
MQ-19-42	94.65	101.50	CSCH	actinolite-chlorite-quartz altered CSCH with semi massive to massive replacement of carbonate by pyrrhotite-arsenopyrite-pyrite with minor scheelite and trace chalcopyrite, ; foliation 80 tca
MQ-19-42	101.50	104.18	DYKE	quartz-feldspar apalitic (fine-grained, equigranular) sericite and calcite altered dyke with disseminated pyrite and multiple quartz-arsenopyrite veins. upper contact is irregular ~50 tca
MQ-19-42	104.18	111.25	CQTZT	calcareous quartzite that is thin bedded at top of interval and massive lower down interval
MQ-19-43	0.00	2.25	OVB	

MQ-19-43	2.25	7.00	SCH	non-calcareous schist (sericite-quartz-graphitic-schist), moderate to strongly oxidized and well fractured
MQ-19-43	7.00	8.22	LMST	banded limestone
MQ-19-43	8.22	10.44	SCH	non-calcareous schist (sericite-quartz-graphitic-schist), moderate to strongly oxidized and well fractured
MQ-19-43	10.44	21.37	CSCH	calcareous schist (sericite-quartz-graphitic-schist), moderate to strongly oxidized and well fractured, foliation 70 tca
MQ-19-43	21.37	23.50	GSCH	dark grey graphitic schist, foliation 70 tca
MQ-19-43	23.50	28.14	CSCH	calcareous schist (sericite-quartz-graphitic-schist), moderate to strongly oxidized and well fractured, foliation 70 tca
MQ-19-43	28.14	29.00	LMST	banded (white & dark grey) limestone
MQ-19-43	29.00	34.97	GSCH	dark grey graphitic schist with boudanaged foliaform white quartz veins
MQ-19-43	34.97	58.31	CSCH	calcareous schist with numerous concordant white quartz veins ranging in width from 1cm to 30cm and few discordant quartz veins ranging in width from 5mm do 3cm.
MQ-19-43	58.31	58.46	LMST	deformed banded (white & dark grey) limestone
MQ-19-43	58.46	61.85	CSCH	calcareous schist with numerous concordant white quartz veins ranging in width from 1cm to 6cm and few discordant quartz veins ranging in width from 5mm do 2cm.
MQ-19-43	61.85	62.45	LMST	banded (white & dark grey) limestone
MQ-19-43	62.45	65.15	CSCH	calcareous schist with numerous concordant white quartz veins ranging in width from 1cm to 6cm and few discordant quartz veins ranging in width from 5mm do 2cm.
MQ-19-43	65.15	66.39	LMST	banded (white & dark grey) limestone
MQ-19-43	66.39	70.60	CSCH	calcareous schist with numerous concordant white quartz veins ranging in width from 1cm to 4cm and few discordant quartz veins ranging in width from 5mm do 2cm.
MQ-19-43	70.60	71.64	LMST	banded (white & dark grey) limestone slightly deformed near the end of the interval
MQ-19-43	71.64	77.93	CSCH	calcareous schist with numerous concordant white quartz veins ranging in width from 1cm to 30cm and few discordant quartz veins ranging in width from 5mm do 3cm.
MQ-19-43	77.93	82.20	GSCH	dark grey graphitic schist with boudanaged foliaform white quartz veins with large sections of non-cohesive fault-brecciation
MQ-19-43	82.20	89.29	CSCH	calcareous schist with numerous concordant white quartz veins ranging in width from 1cm to 4cm and few discordant quartz veins ranging in width from 5mm do 2cm.
MQ-19-43	89.29	92.00	CSCH	calcareous schist with large sections of chlorite-actinolite alteration with scheelite- semi-massive pyrrhotite mineralization\
MQ-19-43	92.00	98.40	DYKE	fine grained light gray aplitic textured felsic (quartz-feldspar) dyke, lower contact 60 degrees TCA; sericite-carbonate altered with disseminetaed pyrite
MQ-19-43	98.40	101.10	CSCH	calcareous schist with large sections of chlorite-actinolite alteration with scheelite- semi-massive pyrrhotite mineralization\
MQ-19-43	101.10	106.60	QTZT	calcareous thin bedded quartzite; beds seperated by graphitic horizons
MQ-19-43	106.60	109.73	QTZT	thin bedded quartzite; beds seperated by graphitic horizons
MQ-19-44	0.00	3.30	OVB	
MQ-19-44	3.30	6.80	CSCH	moderate to strongly oxidized calcareous schist; foliation 40 TCA

MQ-19-44	6.80	7.00	SCH	non calcareous strongly oxidized schist
MQ-19-44	7.00	9.40	GSCH	graphitic schist oxidized along fractures; foliation 55 TCA
MQ-19-44	9.40	10.73	SCH	non calcareous strongly oxidized schist; foliation 50 TCA
MQ-19-44	10.73	12.40	CSCH	moderate to strongly oxidized calcareous schist; foliation 40 TCA
MQ-19-44	12.40	14.64	LMST	banded limestone; banding 35 TCA
MQ-19-44	14.64	19.60	CSCH	calcareous schist; oxidized along some foliation plane; foliation 50 TCA
MQ-19-44	19.60	20.70	SCH	non calcareous strongly oxidized schist; foliation 40 TCA
MQ-19-44	20.70	21.00	LMST	banded limestone; banding 30 TCA
MQ-19-44	21.00	21.70	CSCH	calcareous schist; oxidized along some foliation plane; foliation 60 TCA
MQ-19-44	21.70	22.56	SCH	non calcareous strongly oxidized schist; foliation 40 TCA
MQ-19-44	22.56	30.87	CSCH	calcareous schist; oxidized along some foliation plane; foliation 50 TCA
MQ-19-44	30.87	31.40	SCH	non calcareous strongly oxidized schist; foliation 50 TCA
MQ-19-44	31.40	68.71	CSCH	calcareous schist; foliation 50 TCA
MQ-19-44	68.71	71.03	GSCH	graphitic schist; foliation 50 TCA
MQ-19-44	71.03	79.80	CSCH	calcareous schist; foliation 50 TCA
MQ-19-44	79.80	81.58	GRIT	silicified gritty (quartz grains-rounded and flattened parallel to foliation)
MQ-19-44	81.58	92.73	CSCH	calcareous schist; foliation 30 TCA
MQ-19-44	92.73	93.89	LMST	banded limestone
MQ-19-44	93.89	94.68	CSCH	calcareous schist; foliation 40 degrees TCA; with disseminated pyrrhotite
MQ-19-44	94.68	96.93	LMST	banded limestone; 38 degrees TCA
MQ-19-44	96.93	106.78	CSCH	mixed assemblage (graphitic thin beds, limey bands, calcareous clastic "sand" layers) calcareous schist; foliation 35-50 degrees TCA, with disseminated pyrrhotite throughout interval
MQ-19-44	106.78	107.78	CSCH	strongly mineralized (pyrrhotite, arsenopyrite, chalcopyrite, scheelite), and altered (actinolite, chlorite, quartz) Zone
MQ-19-44	107.78	120.09	GSCH	dark grey calcareous graphitic schist with disseminated pyrrhotite and pyrite and bands of accicular andalusite; and abundant foliaform quartz veins
MQ-19-44	120.09	127.04	GSCH	mixed assemblage of GSCH/QTZT/CSCH
MQ-19-44	127.39	136.23	CSCH	mixed assemblage of CSCH with LMST. LMST being replaced by pyrrhotite-scheelite-quartz-actinolite-chlorite
MQ-19-44	136.23	144.75	CSCH	mixed assemblage of GSCH/QTZT/CSCH
MQ-19-44	144.75	153.92	QTZT	thin bedded quartzite; beds separated by graphitic horizons
MQ-19-45	0.00	3.05	OVB	Overburden no recovery
MQ-19-45	3.05	9.66	CSCH	moderately oxidized calcareous schist
MQ-19-45	9.66	10.35	GSCH	moderately oxidized graphitic schist
MQ-19-45	10.35	10.67	CSCH	moderately oxidized calcareous schist
MQ-19-45	10.67	17.00	GSCH	weakly oxidized graphitic schist
MQ-19-45	17.00	77.64	CSCH	calcareous schist
MQ-19-45	77.64	86.65	GSCH	graphitic schist
MQ-19-45	86.65	90.40	CSCH	calcareous schist
MQ-19-45	90.40	94.18	LMST	banded (white & dark grey) limestone

MQ-19-45	94.18	96.62	GSCH	dark grey calcareous graphitic schist with disseminated pyrrhotite and pyrite and bands of accicular andalusite; and abundant foliaform quartz veins
MQ-19-45	96.62	100.60	DYKE	fine grained light gray aplitic textured felsic (quartz-feldspar) dyke, lower contact 60 degrees TCA; sericite-carbonate altered with disseminated pyrite
MQ-19-45	100.60	101.83	CSCH	calcareous schist
MQ-19-45	101.83	118.87	QTZT	thin bedded quartzite; beds separated by graphitic horizons
MQ-19-46	0	3.1	OVB	mud and cobbles
MQ-19-46	3.1	9.3	SSCH	pervasive oxidation throughout fractured and fragmented core minor Mn staining. Pale yellow or dark grey bands. Some very minor qtz conc veining. Short interval of moderately more calc sch towards bottom 50 cm it is interbedded and along margins of conc qtz VNs. mod sulphides towards bottom of interval.
MQ-19-46	9.3	10.45	LMST	strongly calc unit with some conc qtz VNs. Chl and actnl along margins of qtz VNs. Minor oxidation along fracture fillings.
MQ-19-46	10.45	14.3	CSCH	minor to mod calc alt throughout interval. Stronger alt along less oxidized intervals. Stronger calc alt along darker grey material, interbedded lmst and sch likely? Minor to mod oxidation. Moderate conc qtz VNs and several disconc VNs that are moderately to well mineralized mostly apy minor po.
MQ-19-46	14.3	15.3	LMST	strong calc unit with dark grey and white bands. Minor oxidation towards top of interval and along fractures of less calc bands.
MQ-19-46	15.3	19.05	CSCH	minor to mod calc alt throughout. Well foliated and not deformed. Folliations are approx 75 degrees. Mod oxidation along fracture fillings. Minor conc qtz VNs. Lighter grey folliations stronger calc alt.
MQ-19-46	19.05	20.7	dyke	foliaform aplitic dyke with very minor calc VNs along fracture fillings.
MQ-19-46	20.7	23.85	CSCH	moderately calc alt unit. 2 large conc VNs towards middle of interval. Some small lenses of diss po throughout blebs of what looks like sph in large qtz VN.
MQ-19-46	23.85	24.38	LMST	strong calc unit with brecciation at top of interval, FLT? No gouge. Towards bottom of interval more strongly chl and actnl alt with mod blebs, diss po.
MQ-19-46	24.38	37.3	GSCH	mostly strongly foliated GSCH. Contains minor conc VNs with a lot of small very boudined qtz beds throughout. Black rock with small rounded qtz segments. Some small units of lmst throughout strongly reactive to hcl. Some low angle qtz,cb VNs disconc.
MQ-19-46	37.3	37.83	LMST	strong calc unit with diss po contains mod alt of chl and actnl. Minor conc qtz VNs with mod apy,po and sph.
MQ-19-46	37.83	40.3	GSCH	dark grey,black graphitic nit with mod conc qtz VNs. Some of the larger conc VNs with chl alt contains diss apy and po within chl. Fault gouge of GSCH from 40.0 to 40.30
MQ-19-46	40.3	47.4	CSCH	mod to strong chl and atcnl alt throughout. Mod conc qtz VNs throughout. Mod diss po throughout more darker black slightly graphitic segments. Folliations much more deformed although still able to see original bedding plane approx 70 degrees tca. 46.00-46.66 lmst unit.
MQ-19-46	47.4	48.1	csch	strong FLT half composed of gouge towards center of unit. Hosted largely in graphitic and calc sch.
MQ-19-46	48.1	48.5	LMST	strong calc unit. Minor chl and atcnl towards top of interval more fresh slightly deformed and foliated lmst towards bottom of interval.

MQ-19-46	48.5	49.75	GSCH	mostly GSCH but some minor csch throughout unit. Strongly folliated and hocky pucked towards top of unit in more strongly graphitic alt unit, likely fractured from small FLT at 48.77. 5cm conc qtz VN with large blebs of po at 49.5
MQ-19-46	49.75	51	LMST	fairly fresh looking lmst with mod conc qtz VNs. Very strongly reactive to hcl. Small parallel cb VNIts.
MQ-19-46	51	57.91	CSCH	moderately calcaerous unit with some conc qtz VNs with a couple of fairly large disconc qtz VNs towards center of interval. Diss po throughoutout majority of unit. Small graphitic segments towards top of the unit.
MQ-19-46	57.91	62	CSCH	much stronger calc alt still not lmst but strongly deformed and FLTed units throughout. Strong brecciation contains po, py, apy and sph throughout. Very nice interval. Contains many disconc ankorite VNs with mod ankorite alt throughout wall rock. Sits on top of fairly large FLT zone.
MQ-19-46	62	63.5	GSCH	moderate graphitic and csch gouge with nearly no competent material throughout. Not magnetic.
MQ-19-46	63.5	66.9	CSCH	same as unit 57.91-62.00. more strongly VN'ed by disconc qtz VNs contains moderate ankorite VNing and strong amounts of diss py,apy minor sph. Very nice unit looks like there might just be some gold here.
MQ-19-46	66.9	72.2	GSCH	mostlyl graphitic sch with some smaller units of csch. Contains mod conc qtz VNs with some larger disconc qtz VNs. Conc qtz VNs have been deformed boudined. Blebs of diss py and po minor. Mostly py. Fairly competent unit.
MQ-19-46	72.2	73.6	GSCH	GSCH hosted FLT with large qtz VN healed bx. Mostly composed of gouge nicely mineralized qtz VNs with py and some minor po.
MQ-19-46	73.6	75.75	GSCH	dark black folliated GSCH with lot's of small rounded boudined qtz grains. Contains blebs of py and po throughout mod. Weakly magnetic.
MQ-19-46	75.75	76.3	GSCH	completely fragmented clay gouge.
MQ-19-46	76.3	80.7	LMST	folliated lmst. Alternating black and light grey segments. Contains mod diss po and py throughout some mod conc qtz VNing throughout. Some mod disconc qtz cb VNing. Disconc VNs cross cut by brittle FLTing. Sinistral
MQ-19-46	80.7	89.35	QTZT	interbedded slender units of qtzt and GSCH. Dark black unit very strongly folliated contains mod-strong levels of diss blebs of po and py throughout. Some minor conc qtz VNs throughout. Quite competent and hard material except for the much softer GSCH folliations.
MQ-19-46	89.35	90.35	GSC	some gouge hosted in fragmented and folliated qtzt and GSCH contains mod amounts of py and minor po. 2 small qtz VNs conc.
MQ-19-46	90.35	94.7	QTZT	moderately folliated qtzt dark grey and black. Very siliceous contains min qtz conc VNs throughout. Very small FLT at 94.49. very fine diss py and minor diss apy along fracture fillings.
MQ-19-46	94.7	108.2	QTZT	semi massive qtzt with some folliated segments throughout. Contains some very large conc and disconc qtz VNs throughout. Some diss py, po and minor apy throughout and along fracture fillings. A coarse grained lmst unit from 103.20-103.45.
MQ-19-47	0.00	1.52	OVB	
MQ-19-47	1.52	11.10	SSCH	mostly ser alt sch with mod to strong oxidation throughout pervasive and strong along fracture fillings. Minor calc reaction along very small cb VNIts. Light grey core with some small segments of interbedded GSCH.

MQ-19-47	11.10	15.60	SSCH	similar to previous unit. Slightly less oxidation and more mod calc alt throughout. Still has small segments of GSCH. Small black banding. Mod oxidation throughout. Stronger oxidation along fracture fillings.
MQ-19-47	15.60	20.20	GSCH	more dominantly GSCH. Dark black folliated material with small segmetns of ssch interbedded. Mild oxidation along fracture fillings. Qtz cb VNs are boudined strongly towards bottom of unit, Rounded and rolled.
MQ-19-47	20.20	28.15	CSCH	mildly reactive csch. Strong folliations with some conc qtz VNs throughout, mostly rounded and boudined but some nice disconc qtz VNs mild mineralization within VNs py,apy. Some intervals that are less calcareous appear to be mod qtz flooded. Minor diss po towards top and bottom of interval.
MQ-19-47	28.15	31.50	LMST	dirty lmst so some segments are strongly reactive to hcl and other smaller segments of interbedded csch. Large intervals of retrograde skarn, semi massive po with mod chl and actnl alt throughout. Very nice interval likely to run quite a bit. Folliations are over printed by retrograde skarn.
MQ-19-47	31.50	33.45	CSCH	strongly folliated csch. Mod reactive to hcl. Minor idss po mostly just conc qtz VNs some minor disconc qtz VNs towards top of interval with some very nice apy at 30.9 blebs along margin of disconc qtz VN.
MQ-19-47	33.45	40.60	DYKE	large mod oxidized and mod calc alt dyke. Minor porphyritic texture. Contains a larger crystal grain with a very fine grained ground mass.
MQ-19-47	40.60	45.50	CSCH	folliated csch with some small segments of qtz flooded intervals as well as minor GSCH layers. Thin black laminations. Minor diss po. Contains mod conc qtz cb VNs throughout. Fairly competent core with few fractures. Disconc qtz cb VNs contain minor po,py and very minor cpy.
MQ-19-47	45.50	47.68	LMST	strong calc alt throughout with large segments of SMS po throughout. Where the po is present the folliations have been completely deformed/overprinted. Segments of fresher folliated lmst that contain significantly less po. Very nice interval likely to run. 1 particular VN of massive po at 45.30 3cm diameter 60 degrees tca.
MQ-19-47	47.68	56.60	CSCH	light grey strongly folliated csch. Contains some very minor FLTing throughout. Folliations at approx 80 degrees tca. Mod diss po throughout interval within darker grey folliations. Moderately reactive to hcl.
MQ-19-47	56.60	56.75	VN	nicely mineralized disconc qtz cb VN with mod apy and po.
MQ-19-47	56.75	67.06	CSCH	same as 47.68-56.60 upper contact of dyke at bottom of interval 70 degrees tca.
MQ-19-47	67.06	83.30	DYKE	same as dyke at 33.46-40.60 but completely lacks oxidation reacts moderately to hcl and is weakly magnetic.
MQ-19-47	83.30	88.39	CSCH	moderate to strong reaction to hcl contains some very nice SMS po, py and apy. Several disconc ancorite VNs. Nice unit well mineralized throughout. Some of the more strongly mineralized segments have started to overprint the folliations mild chl and actnl alt surrounding most strongly mineralized segments.
MQ-19-47	88.39	100.58	GSCH	interbedded unit of silica flooded qtzt with small units of dark black folliations, GSCH. Diss po and diss py throughout. Some decent VNing throughout with minor cpy and apy along VN margins. Competent core very hard.
MQ-19-47	100.58	103.30	QTZT	very nicely brecciated FLT zone hosted in qtz VNing with qtzt and ssch. Contains moderate amounts of py, cpy and apy throughout. Looks fairly good throughout. Fairly large components of qtz VNing, fragmenting.

MQ-19-47	103.30	107.30	QTZT	fairly brecciated qtzt unit with minor cpy,py and apy throughout. Some conc Vning but largely crackle breccia healed by qtz Vning. Strong competent hard material. Minor sericite alt
MQ-19-47	107.30	109.85	GSCH	qtz flooded GSCH. Dark black laminations diss py and po throughout. Dark black laminations but softer than previous interval. Contains much less Vning and foliations are not fractured or deformed.
MQ-19-47	109.85	111.25	QTZT	crackle breccia qtz flooded qtz contains minor diss py and po. Minor cpy very siliceous material.
MQ-19-48	0.00	7.90	OVb	mostly cobbles contain some stream gravel.
MQ-19-48	7.90	12.35	SSCH	foliated alternating dark grey and tan brown ssch. Verve minor calc alt. contains mostly fractured material and strongly pervasive oxidation throughout. Some very small FLting?
MQ-19-48	12.35	14.40	GSCH	moderately oxidized foliated and deformed GSCH contains some small intervals of silica flooded segments.
MQ-19-48	14.40	22.00	SCH	foliated light grey schist;. moderately fragmented some small FLting throughout interval. Contains mostly conc qtz Vning with a small segment of pyrite mineralization at 18.80-18-95. most foliations at 70 degrees tca.
MQ-19-48	22.00	34.70	GSCH	dark grey-black strongly foliated material. Contains mostly deformed foliations with very boudined and rounded qtz grains conc. There are some mod disconc qtz VNs throughout. Minor to mod calc alt throughout concentrated around lighter foliations. diss po throughout.
MQ-19-48	34.70	36.75	GSCH	FLT gouge hosted in GSCH completely destroyed foliations and original texture of material.
MQ-19-48	36.75	37.82	GSCH	same as 22.00-34.70.
MQ-19-48	37.82	45.25	CSCH	mostly csch with deformed foliations throughout. Appears to have some brittle deformation, very weak crackle breccia contains some small intervals of GSCH interbedded throughout. Well mineralized diss po throughout. Some large disconc qtz VNs, moderately nice interval.
MQ-19-48	45.25	45.90	SMS	very nice disconc qtz VN with slip surface at 40 degrees tca and well mineralized SMS py,cpy and sph. Will almost certainly run.
MQ-19-48	45.90	58.40	CSCH	well foliated less deformed csch. Contains some mod FLting along what appears to be small units of GSCH. FLting exploiting softer more easily deformed segments. Mostly light grey some minor conc qtz Vning and some larger disconc qtz VNs with minor to mod py and po blebs throughout. some minor cb VNlts throughout. foliations roughly at 65 degrees tca. more heavily mineralized towards top of interval.
MQ-19-48	58.40	59.60	CSCH	gouge and fractured very large qtz cb VN. Fragmented core throughout.
MQ-19-48	59.60	65.45	CSCH	fairly siliceous light grey foliated interval. Very large VN towards top of interval 45cm. Contains some small beds of graphite towards bottom of interval slight crackle breccia towards bottom of interval. Not much movement.
MQ-19-48	65.45	67.06	CSCH	FLT hosted in grey blue foliated csch. Contains mod crackle brecciate surrounding small FLT zones 4cm diamter. Crackle bx healed with small cb stringers. Not much movement, slightly more than the previous interval.
MQ-19-48	67.06	68.90	CSCH	csch hosted breccia. Mod crackle breccia throughout interval. Mod calc alt throughout. Contains minor diss py throughout fracture fillings.
MQ-19-48	68.90	69.40	CSCH	nice breccia hosted in csch contains mod py and cpy along fracture fillings with nice disconc qtz cb VNs bisecting the core at approx 40 degrees.



MQ-19-48	69.40	79.15	CSCH	calc altered grit unit with some small segments of csch. Silica flooded throughout. Where there is more silica flooded grit you see less calc alt. calc alt strongest towards top and bottom of interval. Oblong grains throughout indicate strain. Mod conc qtz Vning throughout.
MQ-19-48	79.15	84.24	CSCH	very large FLT zone completely fractured and fragmented core. Mostly hosted in grit silica flooded unit. Bottom of interval trends towards much more calc altered sch. Diss py throughout and not much magnetism.
MQ-19-48	84.24	84.95	CSCH	gouge completely destroying original textures.
MQ-19-48	84.95	87.70	CSCH	foliated csch light grey fairly undeformed. Contains some small cb filled fracture fillings mod po diss throughout unit with some py.
MQ-19-48	87.70	88.60	CSCH	crackle breccia healed by py and cb Vning hosted in csch throughout interval. Nice looking segment mod py and cpy. Some minor sph. Disconc qtz cb sx VNs appear to bisect core at 50 degrees.
MQ-19-48	88.60	96.01	CSCH	moderately deformed and calc alt csch. Mod mineralization throughout mostly py and cpy some po. Minor magnetism. Contains foliations where less deformed at approx 60 degrees tca. Dark grey blue foliated sch. Quite nice bx healed FLT from 93.65-96.01.
MQ-19-48	96.01	103.35	CSCH	csch with small intervals of graphitic sch throughout. Mod po diss throughout. Mod calc alt particularly along lighter grey segments of csch. Fairly nice disconc qtz cb VNs with po, py and minor cpy.
MQ-19-48	103.35	103.65	CSCH	very nice interval of SMS po py and minor cpy with minor sph. Hosted in retrograde skarn min chl and actl alt. mod reactive to hcl. Very nice unit will run.
MQ-19-48	103.65	107.60	CSCH	pale blue grey csch mod calc alt throughout. Mod brittle deformed foliations with small cb VNIts filling fractures. Contains mod diss po. Minor chl alt?
MQ-19-48	107.60	109.35	CSCH	SMS po,py with small FLT zone in the center of interval. Very nice interval deformed foliations in the strongly mineralized segments contains minor chl, actnl throughout strongly mineralized zones. Nice interval. Minor GSCH along margins of FLT.
MQ-19-48	109.35	127.80	CSCH	predominantly csch throughout interval with small segments of GSCH foliations throughout. Lots of conc qtz cb VNs throughout interval. Some mod diss po intervals in the more chl alt segments that have less well formed foliations. Segments dominated by GSCH contain well deformed foliations and boudined qtz VNs.
MQ-19-48	127.80	128.70	CSCH	very nice interval of SMS po and py minor sph contains a distinct qtz cb VN in the center of the most strongly mineralized zone at 30 degrees tca. Minor chl and actnl alt with mod calc alt throughout. Nicely brecciated throughout exploiting small FLT zone healed?
MQ-19-48	128.70	129.05	CSCH	cb healed FLT breccia a small interval of ser gouge. Approx 60 degrees tca.
MQ-19-48	129.05	133.25	CSCH	well foliated csch with small intervals of GSCH throughout interval. Contains mod calc alt throughout some mod conc qtz boudined VNs. Minor disconc cb stringers and minor disconc qtz cb VNs. Mod diss po throughout.
MQ-19-48	133.25	135.64	CSCH	strongly fractured and ser alt interval nearly no competent core throughout mod to strong calc alt. some intervals of gouge but drill has pounded it all to broken segments hard to determine edges or angles of FLT.

MQ-19-48	135.64	145.30	CSCH	well folliated light grey blue csch. Contains moderate sections of bx intervals pale white. Bx contains mod diss py throughout, minor chl. Not bx segments very consistent folliations 80 degrees tca. Very minor diss po in slightly darker folliations.
MQ-19-48	145.30	154.30	DYKE	felsic dyke strong calc alt throughout. Mostly fractured and soft core. Only slightly magnetic towards bottom of interval. Contains fracture fillings with mod py at approx 30 degrees tca.
MQ-19-48	154.30	157.20	QTZT	folliated light grey blue thin bedded quartzite. Minor disconc qtz vb VNs, fairly competent core. Minor diss po.
MQ-19-48	157.20	160.65	QTZT	thin bedded quartzite hosted breccia, minor to mod mineralization throughout. Contains mostly py but mod blebs of po towards the center of the interval. Minor chl alt throughout. Quite fractured core and minor FLT zone towards top of interval. Mod calc alt mod reaction to hcl.
MQ-19-48	160.65	170.60	QTZT	mild calc alt silica flooded qtzt. Contains some small itnervals of csch. Light pale blue grey csch and the dark blue grey is the qtzt. Qtzt contains disconc qtz VNs. Some very minor disconc cb VNIts throughout. Strong competent core throughout. consistent folliations at approx 80 degrees tca.
MQ-19-48	170.60	171.75	GSCH	GSCH hosted breccia. Contains mod calc alt. upper and bottom contact at approx 80 degrees tca.
MQ-19-48	171.75	178.13	GSCH	mod silican flooded GSCH. The more GSCH present the less silica flooded it is. Minor to mod calc alt throughout. Small cb stringers fill tension gashes in small segments towards bottom of itnerval. Minor disconc qtz VNs towards top of interval. Mod diss po
MQ-19-48	178.13	180.60	DYKE	strong calc alt felsic dyke porphyritic texture. Not magnetic. Top contact at approx 75 degrees tca.
MQ-19-48	180.60	210.31	QTZT	dominantly qtzt with small intervals of GSCH and csch. Lot's of disconc qtz VNs towards bottom of interval. Large sections of conc deformed qtz VNs throughout, boudined. Folliations towards top of interval at approx 80 degrees. Folliations shift to 60 degrees tca. minor mineralized SMS units throughout. contains mod diss po throughout in more GSCH units.
MQ-19-49	0.00	9.88	OVB	Overburden
MQ-19-49	9.88	19.90	CSCH	very strongly oxidized material. Contains mostly weak csch but some mod ssch. Very fractured material nearly no competent core. Contains large qtz cb VNs towards bottom of the interval. Minor GSCH layers throughout. Contains small FLTing or extremely weathered material towards top of interval.
MQ-19-49	19.90	39.70	CSCH	light blue grey folliated csch. Weak to mod calc alt throughout. Calc alt slightly stronger along lighter grey segments that are less deformed. Contains some very small FLTs throughout. Mostly contains conc qtz cb VNs throughout interval with very minor discor qtz VNs. weak diss po towards center of interval.
MQ-19-49	39.70	50.70	GRIT	what appears to be mostly silica rich grit that's very weakly calc, contains some small units of csch. Appears to be brittle fractures throughout. Has a crackle texture to the more siliceous components. Minor FLTs towards bottom of interval and increase levels of GSCH interbedding towards bottom of itnerval. mod ser alt throughout along fracture fillings. quite fractured unit with small FLT at about 45.72.
MQ-19-49	50.70	58.75	CSCH	folliated pale grey blue csch. Moderate calc alt throughout. Folliations at approx 40 degrees tca. Contains minor conc qtz cb VNs throughout. Minor diss po towards top of interval increasing in intensity towards bottom of unit.
MQ-19-49	58.75	60.75	GSCH	GSCH and csch FLT zone mostly gouge towards top of itnerval and trends more dominantly to GSCH towards bottom of itnerval. No diss po throughout. Minor calc alt throughout.

MQ-19-49	60.75	72.49	CSCH	retrograde skarn, minor to mod chl and actnl throughout interval. Strong calc alt. contains very nice interval of SMS po and py, very nicely mineralized. Fairly strongly deformed not well folliated throughout the interval.
MQ-19-49	72.49	76.15	CSCH	pale blue grey folliated csch. Contains mod calc alt throughout. Fairly competent core with some small intervals of GSCH. Bottom of interval is very weak skarn type alt with mod po and py diss throughout. Still not fully skarn but still fairly good zone. bottom of interval trends towards GSCH.
MQ-19-49	76.15	76.40	GSCH	GSCH dark black gouge hosted FLT.
MQ-19-49	76.40	84.60	CSCH	pale blue grey folliated csch. Mod calc alt throughout. Contains some very small FLTING throughout. Very minor discor qtz cb VNs. Fairly competent core with mostly solid recovery.
MQ-19-49	84.60	86.90	CSCH	SMS skarn. Strongly calc alt with mod chl and actnl throughout. Very nicely mineralized with some discor qtz cb VNs. Strong po and mod py throughout interval. Folliations overprinted by SMS and chl, actnl alt.
MQ-19-49	86.90	100.65	GSCH	mostly GSCH with minor csch throughout. Contains mod calc alt in pale blue grey segments. Contains much more deformed and boudined qtz cb VNs in more strongly graphitic sch.
MQ-19-49	100.65	103.63	CSCH	FLT zone hosted in csch with some mod segments of gouge and other small intervals of very fragmented core. Contains almost no diss po throughout. Mod chl alt throughout.
MQ-19-49	103.63	106.15	CSCH	folliated pale blue csch with very small intervals of qtzt. Mod calc alt throughout with folliations in csch at approx 70 degrees tca. Stronger calc alt along fracture fillings, cb stringers?
MQ-19-49	106.15	108.70	SMS	SMS skarn with mod chl and actnl throughout. Very nice interval with massive po and mod py, contains deformed folliations completely overprinted by alt throughout. Contains minor discor cb stringers throughout and mod discor larger qtz cb VNs within the more mineralized segments.
MQ-19-49	108.70	110.35	CSCH	folliated pale blue csch with fairly fragmented and fracture core. Folliations at approx 80 degrees tca. Some minor SMS intervals throughout likely still a good interval. Mod to strong magnetism.
MQ-19-49	110.35	128.25	DYKE	felsic porphoritic dyke no magnetism and mod calc alt throughout. Stronger calc alt along fracture fillings and gouge intervals. Fairly competent core largely not fractured.
MQ-19-49	128.25	144.96	GSCH	mostly graphitic sch with minor segments of csch. Mostly dark black folliated GSCH. Folliations are largely deformed surrounding very boudined qtz cb VNs throughout. Some minor FLTING throughout interval and is mostly constrained to more dominantly GSCH.
MQ-19-49	144.96	147.83	QTZT	very siliceous moderately VNed qtzt. Mostly contains qtz VNs and very siliceous.
MQ-19-50	0	3.05	OVB	ovb no recovery
MQ-19-50	3.05	14	SSCH	highly oxidized highly fragmented core. Extremely weathred. Contains some very small segments of strongly weathered lmst. Small FLT gouge throughout. Not magnetized. Folliations are approx 70 degrees tca.
MQ-19-50	14	16.5	LMST	minor chl alt lmst. Highly reactive to hcl and moderately folliated some level of folliation deformation around conc qtz cb VNs. Folliations 70 degrees tca.
MQ-19-50	16.5	31.8	CSCH	mostly csch throughout interval with some segments towards the top of the interval of chl alt lmst. Mod reactive to hcl in the alt lmst. Strongly oxidized throughout. With very fragmented core. Contains a moderate FLT zone at 18.29-19.50. alt lmst contains diss po mod magnetic. folliations throughout interval is approx 70 degrees tca.

MQ-19-50	31.8	53.7	CSCH	mod oxidized and ser alt csch. Contains some smaller intervals of more qtz alt csch. Some conc qtz cb VNs throughout and several small cb VNlts throughout. Very minor po towards center of interval and moderately mag towards bottom of interval. More siliceous towards bottom of interval trending from pale yellow grey to light blue grey. very boudined VNs in more silica flooded segments towards bottom of interval.
MQ-19-50	53.7	55.75	CSCH	mod to strong chl and actnl skarn. Fairly preserved folliations throughout. Mod to strong po diss throughout, SMS. Strongly magnetic. Folliations are approx 70 degrees tca.
MQ-19-50	55.75	57.91	DYKE	felsic dyke mod calc alt throughout. Pale cream coloured nearly equigranular grain distribution but some slightly larger black grains fairly soft. Alt amphiboles?
MQ-19-50	57.91	60.5	CSCH	folliated minor oxidized csch pale grey blue. Mod boudined qtz cb VNs throughout. Augens.
MQ-19-50	60.5	61.65	CSCH	strongly calc skarn with strong chl and actnl alt throughout. SMS mostly po very nice interval. Contains completely overprinted folliations no measurements possible. Strongly magnetic. Minor scheelite crystals.
MQ-19-50	61.65	63.1	CSCH	moderately altered and deformed csch mod diss po throughout. Still a good interval just not quite as strongly altered as the skarn unit. Mild chl and actnl throughout. Folliations still deformed but somewhat preserved.
MQ-19-50	63.1	63.35	CSCH	same as 60.50-61.65.
MQ-19-50	63.35	72.4	GSCH	mostly GSCH with several decent intervals of chl and actnl alt csch with mod po. The chl and actnl alt intervals are slender 10-20cm throughout. Contains mod to minor calc throughout whole interval with stronger calc alt in the chl and actnl alt segments. chl and actnl alt appear to be somewhat related to conc qtz cb VNs. minor oxidation along fracture fillings towards top of interval. mod-strong magnetism throughout interval.
MQ-19-50	72.4	88.55	CSCH	pale blue grey folliated csch. Folliations are more deformed surrounding mod conc qtz cb VNs. Min-mod chl actnl alt surrounding very narrow discor cb-py VNlts with stronger diss po along these units. Folliations are approx 60 degrees tca. Mod magnetism throughout.
MQ-19-50	88.55	89.65	LMST	moderately fresh lmst strongly reactive to hcl. Less fresh towards margins of interval. Contains folliations at approx 70 degrees tca.
MQ-19-50	89.65	95.85	GSCH	mostly GSCH with some smaller segmetns of csch throughout. Much stronger more pervasive GSCH towards bottom of interval. Mod mag throughout. Contains folliations with boudined qtz VNs and some mod large conc qtz cb VNs. Folliations at approx 70 degrees tca.
MQ-19-50	95.85	96.8	CSCH	csch pale blue grey folliated FLT zone. Mostly fragmented solid segments of core but some intervals of gouge towards top of interval.
MQ-19-50	96.8	99.97	CSCH	GSCH hosted SMS po unit. Short but strongly magnetic.
MQ-19-50	99.97	100.25	GSCH	GSCH hosted FLT zone nearly all gouge. Contains mod movement towards margins in preserved folliations approx 50 degrees tca.
MQ-19-50	100.25	100.7	GSCH	mostly GSCH with mod diss po throughout. Contains some smaller segments of csch throughout. Mostly dark grey black folliated material. Boudined qtz VNs throughout and mod conc qtz cb VNs. Some small units of SMS po very narrow. Folliations approx 70 degrees tca.

MQ-19-50	100.7	106.85	CSCH	mostly csch throughout but contains mod amounts of GSCH interbedded. Contains mod qtz cb conc boudined VNs. Mod magnetic and mod diss po throughout within more strongly mineralized beds. Well folliated more deformed surrounding conc boudined qtz cb VNs.
MQ-19-50	106.85	108.8	CSCH	SMS very well mineralized strongly calc alt throughout. Contains mod to strong chl and actnl alt throughout. Dominated by po but some py and sph. Amphiboles strongly altered, still dark black but very soft. Some mod discor qtz cb VNIts throughout and partial digestion of lmst towards top of interval.
MQ-19-50	108.8	114.05	GSCH	folliated GSCH with mod discor qtz cb VNIts throughout, tension gashes and fracture fillings mod calc alt. contains diss po throughout nearly entire interval. Very consistent folliations at approx 75 degrees tca.
MQ-19-50	114.05	121.9	QTZT	siliceous qtzt with mod amounts of interbedded GSCH, gives the qtzt a darker colour dark blue,grey. Contains mod conc qtz cb VNs throughout itnerval.
MQ-19-50	121.9	129.35	DYKE	felsic dyke mod calc alt throughout. Pale cream coloured nearly equigranular grain distribution but some slightly larger black grains fairly soft. Alt amphiboles?
MQ-19-50	129.35	131.5	CSCH	very folliated pale blue grey csch, 80 degrees tca. Contains diss py throughout. Quite siliceous but still minor to mod calc alt. fairly competent core contains small discor cb stringers throughout.
MQ-19-50	131.5	137.65	DYKE	same as 121.90-129.35 but much more fragmented and calc altered. Contains some small segments of siliceous wall rock.
MQ-19-50	137.65	144	GSCH	strongly folliated GSCH moderately fractured and fragmented along small FLT zones throughout. Contains some small beds of SMS py. Folliations at approx 80 degrees tca. Dark black throughout not much conc VNing.
MQ-19-50	144	153.93	QTZT	folliated qtzt with some small intervals of more calc alt csch and small segments of GSCH throughout. Contains a lot of conc qtz cb VNs and discor qtz cb VNs throughout. Folliations at approx 80 degrees tca. Mod diss po throughout. Mod magnetic. Some small intervals of quite strong diss po. very siliceous.
MQ-19-51	0	6.2	OVB	gravel and large boulder clasts.
MQ-19-51	6.2	9.1	DYKE	weathered cream coloured calc alt felsic dyke.
MQ-19-51	9.1	49.45	CSCH	predominantly csch with alternating units of ssch throughout. Stronger csch towards bottom of interval. Contains some very narrow lmst units towards bottom of unit. Small FLTs and more strongly weathered and oxidized csch towards top of interval. pervasive oxidation throughout particularly along fracture fillings and small FLTing. contains mod to minor conc and discor qtz cb VNing throughout. well folliated throughout with folliations at approx 80 degrees tca. contains mod diss po towards bottom of interval. nearly no diss po for the first 2/3rds of interval.
MQ-19-51	49.45	53.4	LMST	lmst fresh units with strong calc alt csch along margins of fresh lmst. Contains mod diss po towards bottom of itnerval. Moderately folliated with deformations surrounding conc qtz cb VNs, csch has minor oxidation along fracture fillings. Folliations at approx 70 degrees.
MQ-19-51	53.4	57.53	CSCH	mod calc alt throughout folliated pale blue grey csch. Contains low angle FLTing towards center eeof unit. Mod to strong diss po throughout with small SMS for top 10cm of interval. Suprisingly high diss po values. Contains mod conc qtz cb VNing throughout with mod disconc cb stringers, some very small units of GSCH towards bottom of itnerval.

MQ-19-51	57.53	57.91	CSCH	nice SMS unit with strong chl and actnl alt throughout. Strong calc alt as well and very well mineralized largely with po and some level of py. Contains a very small unit of fresh lmst in the middle of the interval.
MQ-19-51	57.91	64.8	CSCH	foliated but mod deformed pale blue grey csch. Minor silica alt towards top of interval. Mod calc alt throughout. Contains mod conc qtz cb VNs throughout and fairly competent core. Diss po throughout.
MQ-19-51	64.8	65.4	DYKE	small interval of felsic dyke. Different alt then usual looks to be minor silica alt. mod calc throughout.
MQ-19-51	65.4	76.75	CSCH	mostly csch pale blue grey but some small intervals hosted around small FLT of GSCH. Mostly foliated however more deformed then previous interval. Mod calc alt throughout. Quite a bit of mod conc qtz cb VNs throughout and some minor cb cnlts discor. mod diss po throughout.
MQ-19-51	76.75	81.3	DYKE	felsic pale cream coloured dyke. Mod calc alt throughout with mod diss po.
MQ-19-51	81.3	85.25	CSCH	SMS throughout. Very nice interval of SMS po. Contains mod to strong chl and actnl surrounding the more strongly mineralized segment of the unit. Contains some discor qtz cb VNs along most mineralized interval. Very magnetic and quite a strong calc alt.
MQ-19-51	85.25	90.1	DYKE	felsic pale cream coloured dyke. Mod calc alt throughout with mod diss po.
MQ-19-51	90.1	96.05	CSCH	pale blue grey csch with mod diss po. Fairly foliated but there are a lot of very large qtz cb VNs towards bottom of interval. Folliations are approx 70 degrees tca. VNs towards bottom of the interval contain components of xenoliths, foliated pale blue csch. minor chl alt towards bottom of interval.
MQ-19-51	96.05	108.2	QTZT	mostly qtzt highly siliceous with components of strongly foliated GSCH. Qtzt contains lots of conc qtz cb VNs and discor qtz cb VNs. Folliations at approx 80 degrees tca. Minor diss po.
MQ-19-52	0	3.25	OVV	
MQ-19-52	3.25	24.3	CSCH	mod to strong calc alt throughout. Contains mod to minor chl and actnl alt with mod diss po throughout. Contains small intervals of GSCH less reactive to acid. Mod conc VNs towards top of interval. Conc qtz cb VNs have a pale pink colour ankorite, rhodochrosite? mod oxidation along fracture fillings and folliations throughout. quite competent core throughout. deceptively nice unit I believe.
MQ-19-52	24.3	25.45	DYKE	dark grey massive felsic dyke. Fine grained reasonably altered contains strong calc alt throughout. Competent core.
MQ-19-52	25.45	36	CSCH	same as unit 3.25-24.30. contains slightly more GSCH throughout unit. Folliated at approx 70 degrees tca.
MQ-19-52	36	41.45	GSCH	very evident and large GSCH unit. Extremely folliated with crenulation cleavage throughout. A small unit of csch towards the center of the interval. Folliations at approx 75 degrees tca. Very boudined qtz clasts throughout.
MQ-19-52	41.45	42.8	GSCH	GSCH hosted FLT contains mostly gouge and very fragmented and fractured core.
MQ-19-52	42.8	46.8	GSCH	same as unit 36.00-41.45. no csch unit within interval however.
MQ-19-52	46.8	56.75	CSCH	mostly csch with large amounts of GSCH throughout. Strongly folliated at approx 70 degrees tca. Mod amounts of conc qtz cb VNs throughout. Minor chl alt within stronger csch alt segments. Contains some small cb stringers towards bottom of unit.
MQ-19-52	56.75	73.1	CSCH	less interbedded GSCH throughout but much stronger chl and actnl alt within csch segments. Strong po diss throughout. With small FLT's withing GSCH segments, small and minor. Contains some large discor qtz cb chl VNs throughout.

MQ-19-52	73.1	75	LMST	retrograde skarn with some fresher intervals of lmst. Contains minor SMS po towards center of unit around more strongly alt segment. Minor discor qtz cb VNing.
MQ-19-52	75	77.72	CSCH	pale blue grey folliated mod-strong diss po stronger retro skarn surrounding some conc qtz cb VNing. Mod magetic. Folliations at approx 80 degrees tca.
MQ-19-52	77.72	78.15	CSCH	nice interval of csch hosted SMS po. Strongly mag. Folliations at approx 75 degrees tca.
MQ-19-52	78.15	81	CSCH	pale blue grey folliated mod-strong diss po stronger retro skarn surrounding some conc qtz cb VNing. Mod magetic. Folliations at approx 70 degrees tca. Moderate silica alt throughout.
MQ-19-52	81	82.4	CSCH	segment of strongly VN'ed sch. Contains lot's of large discor qtz cb VNs. Some small intervals of SMS po. Minor chl alt within some of larger qtz cb VNs.
MQ-19-52	82.4	82.9	CSCH	large SMS po interval semi qtz flooded within less mineralized segment.
MQ-19-52	82.9	88.5	CSCH	pale blue blue folliated csch mod discor qtz cb VNing throughout interval. Competent core with folliations at approx 70 degrees tca. Very minor conc qtz cb VNs.
MQ-19-52	88.5	88.9	CSCH	csch hosted FLT zone
MQ-19-52	88.9	91.3	CSCH	same as interval 82.90-88.50.
MQ-19-52	91.3	110.7	GSCH	folliated moderately deformed GSCH with mod andalusite throughout. Moderate silica flooded graphitic alt sch. Folliations are strongly crenulated but approx 85 degrees tca. Minor segments of diss po SMS.
MQ-19-52	110.7	112.78	GSCH	GSCH hosted FLT zone very fractured and mod gouge throughout.
MQ-19-52	112.78	115.65	CSCH	SMS skarn very nice interval. Retrograde skarn strong chl and actnl alt throughout. Mod discor qtz cb VNs. Very strong po throughout. 10/10 unit.
MQ-19-52	115.65	128.3	GSCH	strongly folliated GSCH. Lots of conc qtz cb VNs throughout and very fragmented core nearly no segments above 10cm. Very stronog graphitic alt.
MQ-19-52	128.3	131.06	QTZT	strong silica flooding throughout with lots of discor and conc qtz cb VNs.
MQ-19-53	0	13.72	CSCH	strongly weathered and fragmented csch. Contains quite a few conc qtz cb VNs towards top of itnerval. Strong oxidation throughout unit pervasive and very strong along fracture fillings. Pale blue and folliated likely ser alt throughout due to meteoric water. folliations at approx 80 degrees tca.
MQ-19-53	13.72	15	CSCH	nearly entirely FLT gouge throughout interval. Largely hosted in GSCH with some less black gouge likely csch hosted.
MQ-19-53	15	19.3	GSCH	strong GSCH alt unit mostly with some small slivers of csch. GSCH is strongly folliated and moderate to strong weathering throughout. Strong oxidations along fracture fillings and mod pervasive oxidation throughout. Very minor diss po.
MQ-19-53	19.3	20.75	CSCH	dominantely csch throughout interval with some small slivers of GSCH 10cms, moderately folliated but contains some conc qtz cb VNs that over print the folliation throughout interval. Folliated intervals 70 degrees tca. Minor diss po throughout. Mod to strong calc alt especially along fracture fillings. strong oxidation along fracture fillings. mod chl and actnl alt.
MQ-19-53	20.75	21.9	CSCH	csch and GSCH hosted FLT zone. Very fragmented core throughout with strong oxidation throughout whole interval. Mod to strong calc alt in smaller segments.
MQ-19-53	21.9	25.95	CSCH	fragmented csch throughout interval. Nearly no intact core longer then 10cm. Contains minor discor qtz cb VNs. Mod oxiation along fracture fillings. Some strong calc filled fracture fillings. Mod chl and actnl alt.

MQ-19-53	25.95	29.5	CSCH	csch fragmented core with some gouge towards center of interval contains mod calc alt and no intact core.
MQ-19-53	29.5	35.5	CSCH	pale blue folliated csch. Contains mod to strong qtz cb discor and conc VNs. Some segments towards center of interval are more silica flooded then either end. Contains a small units of GSCH towards end of interval. Mild to mod chl and actnl alt surrounding some of the discor qtz cb VNs. mod diss po throughout.
MQ-19-53	35.5	36.88	GSCH	folliated grey and black GSCH, mod GSCH alt with silica flooding towards bottom of interval. Contains mod conc qtz cb VNs throughout . Minor diss po. Folliations at approx 80 degrees tca.
MQ-19-53	36.88	60.25	CSCH	same as 29.50-35.5
MQ-19-53	60.25	60.95	CSCH	very peculiar SMS unit with strong chl and actnl alt contains a very interesting texture appears to be mod silica flooded. Strong mag throughout and has 2 discor qtz cb VNs at each end.
MQ-19-53	60.95	64.45	CSCH	folliated grey blue csch. Mod calc alt throughout. Some very large qtz cb VNs discor towards top of interval. Mod conc qtz cb VNs throughout unit. Mostly competent core and mod diss po throughout. Folliations at approx 65 degrees tca.
MQ-19-53	64.45	79.4	GSCH	dark black folliated GSCH. Contains a lot of conc and discor qtz cb VNs boudined. Mod to strong diss po throughout. With some small intervals 10cm SMS spo. Folliations at approx 70 degrees tca. Mod to minor calc alt throughout. Lots of cb stringers throughout.
MQ-19-53	79.4	81.95	CSCH	lot's of large discor qtz cb VNs in a plae blue mild chl alt csch. Contains minor diss po and follatioins at approx 60 degrees tca.
MQ-19-53	81.95	83.82	GSCH	GSCH host FLT zone complete gouge throughout.
MQ-19-53	83.82	87.43	CSCH	strong calc alt throughout. Appears to have mod to strong chl and actnl alt throughout. Should be the zone where we see massive po throughout but appears to be more distal to the heat source and as a result replacement hasn't taken place as a strongly. mod diss po throughout. pale green blue grey colour. and contains mod discor qtz cb VNs throughout.
MQ-19-53	87.43	105.16	GSCH	strongly folliated GSCH throughout. Lot's of discor qtz cb VNs towards top of itnervals cause stronger deformation of follations towards bottom and center of itnerval folliations are at approx 80 degrees tca. Mod calc alt throughout. Fairly competent core with strong diss po throughout.
MQ-19-53	105.16	106.68	QTZT	silica flood qtzt semi massive with some discor qtz cb VNs very minor diss po minor segments of folliations.
MQ-19-54	0	3.05	OVB	
MQ-19-54	3.05	4.57	SSCH	very strongly alt, weathered and fragmented core. Strong ser alt throughout. Very friable and folliated core. Pale yellow and very strongly oxidized
MQ-19-54	4.57	11.7	GSCH	very strongly folliated and very weathered/oxidized GSCH. Folliations are very strongly oxidized and pervasive mod oxidation throughout. Contains an interesting VN and FLT zone towards center of interval healed FLT zone. Folliations approx 60 degrees tca. nearly no diss po.
MQ-19-54	11.7	22.6	SSCH	ssch with small intervals of GSCH and csch throughout. Pervasive mod oxidation with strong oxidation along fracture fillings and between folliations. Some very small FLT zones throughout interval with stronger silicification towards bottom of itnerval with mod conc and discor qtz cb VNs. very minor diss po in some small 10cm segments. folliations at approx 60 degrees tca, deformed along margins of discor and conc qtz cb VNs.



MQ-19-54	22.6	23.4	CSCH	large segment of nearly entirely qtz cb VN, contains crackle textured mn oxidation within in VN, cream coloured VN with dark brown,black oxidation within crackle fracture fillings.
MQ-19-54	23.4	35.2	CSCH	pale blue grey csch folliated, folliations at approx 70 degrees tca. Contains some intervals of minor to mod chl and actnl alt th;roughout. Some small units of silicified csch more massive texture. With minor FLTing towards bottom of itnerval. Minor to mod oxidation along fracture fillings and very weak pervasive oxidation throughout. contains mod diss po. mod discor and conc qtz cb VNs throughout.
MQ-19-54	35.2	51.38	CSCH	mild to mod retrograde skarn throughout interval. Contains stronger calc alt on top half of interval more white calc grains gives the core a whiter colour, greener and less white grains towards bottom of itnerval. Contains deformed folliations throughout along margins of discor qtz cb VNs associated with strong chl and actnl alt. stronger diss po on bottom half of interval. minor FLTing/fracturing towards top and middle of interval. minor to mod oxidation along fracture fillings throughout.
MQ-19-54	51.38	56.75	CSCH	csch mod silica flooding throughout interval mod folliations at approx 75 degrees tca, contains mod conc boudined/augen qtz grains throughout. Much stronger diss po towards bottom of interval. Minor chl alt at bottom of interval where it contacts the top of the dyke
MQ-19-54	56.75	58.05	DYKE	top contact of dyke at approx 80 degrees tca. Fine grained grey felsic dyke with mod calc alt diss throughout.
MQ-19-54	58.05	70.4	CSCH	alternating units of chl and actnl alt csch and silica flooded graphitic banded csch. Chl and actnl alt are more prevalent along large deformed discor qtz cb VNs. Mod calc alt throughout along lighter coloured material. Contains mod to strong diss po throughout interval. folliations at approx 80 degrees tca.
MQ-19-54	70.4	70.7	CSCH	csch hosted FLT gouge minor
MQ-19-54	70.7	118.35	CSCH	large interval of csch with small interbedded segments of GSCH throughout. Contains mod chl and actnl alt surrounding discor qtz cb VNs throughout. Mod to very strong diss po. Contains much more dominant and pervasive chl and actnl alt towards bottom of interval likely due to increase in discor qtz cb VNING. some quite large discor qtz cb VNs throughout. very nice unit not high grade but consistently good material. folliations at approx 70 degrees tca. contains some intervals of fresh lmst towards bottom of itnerval further from VNING that likely caused chl actnl alt.
MQ-19-54	118.35	141	GSCH	folliated and deformed GSCH, contains lots of discor and conc VNING throughout. Folliations at approx 55-75 degrees. Many of the conc VNs are boudined. Contains mod to strong diss po throughout interval. Dark black with some small SMS po units. Blebs of py within some of the less magnetic intervals.
MQ-19-54	141	143.5	GSCH	GSCH hosted FLT gouge. Mostly gouge but some small intervals of folliated GSCH
MQ-19-54	143.5	144.9	GSCH	same as 118.35-141.00 but slightly stronger calc alt. not magnetic.
MQ-19-54	144.9	150.88	LMST	fairly fresh discor VN'ed lsmt. Contains min or units towards top and bottom of interval chl and actnl alt. stronglyl reactive to hclt minor folliations throughout at about 65 degrees tca. Trends towards GSCH towards bottom of interval with a decent GSCH hosted minor SMS unit for about 40cm towards very bottom of interval.
MQ-19-54	150.88	151	GSCH	likely cavity formed with some nice large euhedral py formed a py flower.
MQ-19-54	151	159.3	GSCH	folliated and deformed GSCH, contains minor discor and conc VNING throughout. Folliations at approx 75 degrees. Many of the conc VNs are boudined. Contains min to mod diss po throughout interval.
MQ-19-54	159.3	161.54	QTZT	graphitic alt qtz with minor discor qtz cb VNING. Competent and silicified core throughout.

MQ-19-55	0	22.58	CSCH	strongly oxidized orange and dark grey foliated csch. Contains mod to minor calc alt throughout. There is some minor diss po around dark grey intervals. Folliations are at approximately 70 degrees tca. Minor conc and discor qtz cb VNs
MQ-19-55	22.58	23.69	CSCH	retrograde skarn with mod to strong chl and actnl alt throughout. Folliated 80 degrees tca. Strong calc alt in less alt fresher lmst unit. Minor diss po.
MQ-19-55	23.69	28.68	CSCH	same as unit 0-22.58. slightly less oxidized contains minor 10cm discor qtz cb VNs.
MQ-19-55	28.68	34.12	CSCH	interbedded csch skarn and lmst. Lmst are narrow and light grey. Some intervals are mod chl and actnl alt throughout. Contains some minor slivers of blue grey csch folliated. Folliations throughout are at approx 65 degrees tca. Lmst is very strongly reactive to hcl.
MQ-19-55	34.12	40.65	CSCH	dark grey csch folliated at approx 65 degrees tca. Contains minor segments of skarn chl and actnl alt about 10cm. Contains mod discor qtz cb VNs throughout with mod to strong diss po throughout.
MQ-19-55	40.65	42.2	DYKE	grey calc fine grained felsic dyke.
MQ-19-55	42.2	51.95	CSCH	alternating units of skarn and csch. Mod to strong chl and actnl alt throughout skarn units. Some of the skarns are not completely altered and contain small units of lmst towards center of their respective segments. Folliations at approx 65 degrees tca.
MQ-19-55	51.95	54.6	GSCH	black strongly folliated GSCH. Mostly fractured and minor conc qtz cb VNs. Folliations approx 45 degrees tca.
MQ-19-55	54.6	55.08	GSCH	GSCH FLT gouge almost entirely gouge.
MQ-19-55	55.08	55.78	GSCH	complete FLT gouge GSCH unit
MQ-19-55	55.78	56.44	CSCH	folliated csch with a lot of sid discor VNing. VNs have been cross cut and deformed britally. Folliations have largely been overprinted by sid VNing but where it can be measure it is at approx 80 degrees tca.
MQ-19-55	56.44	61.4	GSCH	GSCH host FLT zone large gouge some deformed GSCH folliations
MQ-19-55	61.4	69	GSCH	folliated GSCH, folliations at approx 70 degrees tca. Lmst unit towards top of interval approx 1m. Reasonable discor qtz cb VNs throughout. Augens throughout GSCH.
MQ-19-55	69	70.71	GSCH	complete FLT gouge GSCH unit
MQ-19-55	70.71	76.63	CSCH	mostly csch with mod amounts of GSCH throughout interval. Contains minor discor qtz cb VNs and minor sid VNing towards bottom of interval. Folliations are at approx 65 degrees tca.
MQ-19-55	76.63	77.42	CSCH	healed FLT at approx 20 degrees tca. Lot's of sid VNing throughout minor diss sph and galena. Interesting interval for lead zinc silver values. Crackle and bx.
MQ-19-55	77.42	77.93	GSCH	GSCH hosted FLT zone mostly gouge.
MQ-19-55	77.93	84.49	GSCH	folliated moderately deformed GSCH. Contains mod sid and discor qtz cb VNing throughout. Folliations between 40-60 degrees tca. Mod diss po throughout.
MQ-19-55	84.49	86.16	QTZT	folliated graphitic qtzt. Contains several large discor qtz cb VNs throughout. Folliations at approx 30 degrees tca. Contains minor diss po. Black colour throughout.
MQ-19-55	86.16	86.97	GSCH	GSCH hosted FLT zone mostly gouge.
MQ-19-55	86.97	103.58	GSCH	black folliated GSCH throughout. Lot's of strong discor qtz cb VNs with po,cpy throughout. Contains minor sid VNing throughout with minor sph and galena. Some intervals surrounding discor VNing contains very deformed and FLTed segments 5cms. Minor calc alt throughout. folliations at approx 70 degrees tca.
MQ-19-55	103.58	104.21	GSCH	GSCH hosted FLT gouge

MQ-19-55	104.21	112.24	GSCH	same as unit 86.37-103.58. very strongly VN'ed discor qtz unit closer to bottom of interval sitting on top of SMS po unit.
MQ-19-55	112.24	112.82	SMS	SMS po with minor cpy and py 1 discor qtz cb VN almost entirely po.
MQ-19-55	112.82	125.18	GSCH	mod calc folliated black GSCH with minor segments of csch throughout. Contains a strong amount of siderite VNing through, large vens with a lot of small VNlts and stringers throughout interval. Contains blebs of cpy along margins of sid VNing. folliations at approx 70cm,
MQ-19-55	125.18	126	GSCH	GSCH hosted FLT gouge
MQ-19-55	126	147.83	QTZT	graphitic alt qtzt, discor qtz cb VNs throughout, moderately folliated and competent core. Folliations at approx 70 degrees tca.
MQ-19-56	0	4	OVB	
MQ-19-56	4	6.15	SSCH	extremely oxidized and weathered material very fragmented and gouge like material
MQ-19-56	6.15	14.84	CSCH	alternating units of moderately reactive calc alt csch and strongly pervasive oxidized ssch throughout interval. Some csch is weakly chl and actnl alt, very retrograde skarn. Mostly competent core with discreet but very strong oxidation. Minor diss po. folliations at approx 80 degrees tca.
MQ-19-56	14.84	18.55	GSCH	folliated and deformed GSCH with small FLT zone towards center of interval. Folliations at approx 75 degrees tca. Minor conc VNing. Gouge is about 10cm.
MQ-19-56	18.55	19	SMS	skarn style SMS but massive and not folliated. Contains small FLT on bottom of SMS unit 3cm. Yellow green host material moderate calc alt throughout.
MQ-19-56	19	22.85	CSCH	same as unit 6.15-14.84.
MQ-19-56	22.85	37.1	CSCH	alternating units of mod chl and actnl alt skarn and minor graphitic calc alt csch. Contains mod discor qtz cb VNs throughout. Some slivers of lmst towards centers of larger skarn units. Mod to strong diss po throughout unit. Graphitic csch folliated throughout at approx 70 degrees tca. folliations become more deformed towards bottom of interval sitting on top of dyke.
MQ-19-56	37.1	38.7	DYKE	felsic fine grained grey calc alt dyke with mod oxidation along fracture fillings.
MQ-19-56	38.7	44.35	CSCH	mod calc altered csch with some minor skarn components in the more strongly chl and actnl alt intervals. Contains some large discor qtz cb VNs which seemed to have imposed a crackle bx texture. Mod to strong diss po towards top and bottom of interval. largely folliated at approx 50 degrees tca.
MQ-19-56	44.35	46.3	CSCH	very strong sid alt throughout unit cross cutting older qtz cb VNs. Hosted in csch unit with variable folliations 40-70 degrees tca. Evidence of deformation and FLTing throughout. Very strong sid swarm towards bottom of interval.. Contains some blebs of apy and diss po .
MQ-19-56	46.3	56.8	GSCH	folliated black GSCH with mod to strong discor qtz cb VNing throughout interval with large blebs of po along stronger discor qtz cb VNs. Minor discor sid VNs towards top and bottom of interval. Mod to strong diss po throughout unit. Folliations at approx 70 degrees tca.
MQ-19-56	56.8	84.4	CSCH	alternating segments of reasonably siliceous GSCH and then variably chl and actnl alt skarns. Skarns are mod reactive to hcl in more alt sections and very strong reaction in the less alt lmst units. Contains mod to strong discor qtz cb VNs. Moderately folliated throughout with folliations at approx 80 degrees tca. skarn segments contain some large cpy blebs throughout. mod to strong po diss throughout interval. dark blue black GSCH and dark green/grey skarn. skarns are slightly less folliated with some folliations being strongly deformed by discor qtz cb VNs.

MQ-19-56	84.4	86.65	CSCH	strong discor qtz cb Vning throughout, crackle breccia with some mod sid Vning throughout. Contains mod blebs of cpy and apy.
MQ-19-56	86.65	94.3	CSCH	similar to unit 56.80-84.40. however less prominent skarns throughout. Contains strongly folliated material dark blue/grey folliations at approx 80 degrees tca. Contains mod discor qtz cb VNs throughout.
MQ-19-56	94.3	94.65	CSCH	large discor qtz cb VN 15cm with a reasonable segment of SMS po, 10cm. Predominantly po but some minor cpy.
MQ-19-56	94.65	99.25	GSCH	folliated mildly silicious GSCH trending towards minor andalucite alt towards bottom of interval in less siliceous strongly folliated GSCH. Contains 15cm SMS po unit at contact between siliceous GSCH and not siliceous GSCH.
MQ-19-56	99.25	100	GSCH	GSCH hosted FLT zone
MQ-19-56	100	105.16	GSCH	strongly folliated GSCH minor calc alt throughout. Folliations at approx 80 degrees tca. Contains mod discor and conc qtz cb VNs. Minor sid VNits.
MQ-19-56	105.16	106.63	GSCH	GSCH hosted FLT zone
MQ-19-56	106.63	130.95	GSCH	black moderately folliated GSCH with some units of more massive GSCH. Contains diss py and po throughout with folliations at approx 60 degrees tca. Minor andalucite alt in select beds. Stronger cpy blebs along the margins of discor and conc qtz cb VNs.
MQ-19-56	130.95	133.06	CSCH	csch hosted sid bx. Slightly more than crackle bx, contains mod cpy throughout interval. Small FLT hosted in GSCH towards bottom of interval minor sph.
MQ-19-56	133.06	133.99	GSCH	folliated black GSCH folliations at approx 70 degrees tca. Minor mag mod calc alt. minor SMS po. 9cm
MQ-19-56	133.99	134.23	CSCH	SMS po hosted in GSCH/csch. Contains mostly po but mod cpy throughout. With a single discor mineralized qtz cb VN.
MQ-19-56	134.23	156.39	QTZT	alternating units of GSCH and graphitic alt qtzt. Mostly qtzt but trends back into a folliated more graphitic sch towards bottom of interval. A lot of large discor qtz cb VNs throughout. Contains a segment of crackle bx from 150.80-151.75. very minor diss po and minor cpy throughout. folliations at approx 70 degrees tca.
MQ-19-57	0	3.05	OVB	
MQ-19-57	3.05	4.6	CSCH	extremely weathered and oxidized folliated csch. Contains mod calc alt throughout. Pale blue grey with very minor chl alt.
MQ-19-57	4.6	8.95	GSCH	folliated black GSCH. Folliations at approx 75 degrees tca. Contains some small boudined conc and discor qtz cb VNs. No diss po weathered but only mildly oxidized throughout unit.
MQ-19-57	8.95	17.2	CSCH	very jumbled and weathered unit mostly csch but contains mod amounts of GSCH and ssch. Mod oxidation along fracture fillings throughout less pervasive oxidation. Folliations at approx 70 degrees tca. Contains some small FLTing. Not very competent core throughout with mod calc alt.
MQ-19-57	17.2	17.85	CSCH	csch hosted FLT gouge with some ssch clasts mixed in. large discor qtz cb VN on top of FLT within interval partial healing.
MQ-19-57	17.85	18.49	CSCH	small segment of dark blue grey csch folliated. Folliations at approx 80 degrees tca.
MQ-19-57	18.49	28.15	CSCH	alternating units of lmst and skarn. Mod to strong chl and actnl alt throughout skarn units. Contains mod to strong diss po values throughout. Mod discor qtz cb VNs throughout. Very strongly reactive to hcl throughout. Folliated at approx 80 degrees tca.

MQ-19-57	28.15	32.95	CSCH	foliated light blue grey csch with mod diss po throughout. Contains moderately deformed foliations surrounding discor qtz cb VNs throughout interval. Folliations at approx 85 degrees tca.
MQ-19-57	32.95	47.24	CSCH	alternating units of lmst and skarn. Mod to strong chl and actnl alt throughout skarn units. Contains mod to strong diss po values throughout. Mod discor qtz cb VNs throughout. Very strongly reactive to hcl throughout. Folliated at approx 80 degrees tca.
MQ-19-57	47.24	53.34	QTZT	foliated but siliceous dark grey qtzt and GSCH, folliated with folliations at approx 80 degrees tca. Contains a small SMS po unit 5cm, and a large discor qtz cb VN at top of interval with a small discor qtz cb VN with a large bleb 4cm of apy. Mod diss po towards bottom of unit.
MQ-19-57	53.34	56.39	LMST	fairly fresh lmst with deformed folliations at approx 75 degrees tca. Minor chl alt along margins of more fresh lmst.
MQ-19-57	56.39	62.3	GSCH	folliated mod calc alt GSCH. Contains mod conc and discor qtz cb VNs, contains a SMS po unit towards top of interval 10cm, folliations at approx 80 degrees tca.
MQ-19-57	62.3	62.85	GSCH	GSCH hosted FLT zone
MQ-19-57	62.85	84.75	GSCH	folliated black GSCH with folliations at approx 60-70 degrees tca. Contains mod to strong discor qtz cb Vning throughout with mod to strong diss po along segments with fewer discor qtz cb VNs. Small FLTing throughout interval. Small segment of lmst towards center of interval.
MQ-19-57	84.75	87.25	GSCH	GSCH hosted FLT zone
MQ-19-57	87.25	87.6	CSCH	py and po SMS strongly magnetic, nice interval.
MQ-19-57	87.6	89.5	GSCH	folliated black GSCH , mod to strong diss po. Folliations at approx 80 degrees tca. Minor discor qtz cb VNs.
MQ-19-57	89.5	94.65	CSCH	light blue grey folliated csch. Mod to strong large discor qtz cb VNs throughout interval. Mod to strong diss po. Competent intact core with somewhat deformed folliations surrounding discor qtz cb VNs, folliations at approx 80 degrees tca.
MQ-19-57	94.65	102.75	GSCH	folliated black GSCH. Mod diss po throughout interval. Contains minor discor qtz cb VNs with some mod discor cb stringers throughout. Weird mud FLT gouge? 97.5-97.9. folliations at approx 85 degrees tca.
MQ-19-57	102.75	116	QTZT	hard competent very siliceous graphitic alt qtzt. Contains very little Vning throughout with the exception of the last 100cm which contains a crackle breccia texture and large set of discor qtz cb VNs minor cpy.
MQ-19-58	0.00	5.70	OVV	
MQ-19-58	5.70	16.30	SSCH	very strongly weathered and oxidized ssch, contains small bands of GSCH and csch throughout interval. With small units of strong diss po. Several small FLT zones? Very weathered material. Consistent discor qtz cb Vning throughout. Folliated with approx folliations from 65-85 degrees tca.
MQ-19-58	16.30	28.85	CSCH	predominantly csch with some segmetns of lmst. Contains consistent folliations in csch with more deformed units of lmst. Large segment of discor qtz cb VNs towards center of itnerval. Mod diss po throughout. Lmst very strongly reactive to hcl. folliations at approx 75 degrees tca. fairly competent core throughout. light blue grey colour.
MQ-19-58	28.85	48.00	GSCH	folliated deformed GSCH throughout interval with several small FLT zones. Contains a lot of large discor qtz cb VNs throughout. Small interval of SMS po towards top of itnerval. Folliations where not deformed at approx 70 degrees tca. Lot's of extremely boudined qtz cb VNs. moderately silica flooded trending towards qtzt towards bottom of interval.

MQ-19-58	48.00	60.10	GSCH	silica flooded and andalucite alt GSCH that is less folliated then previous unit. Modereately deformed VNing and folliations throughout. Lot's of FLTing throughout mostly small but larger 50cm zones towards bottom of itnerval. Stronger andalucite alt towards bottom of interval.
MQ-19-58	60.10	63.00	GSCH	GSCH hosted FLT zone some intact material but some degree of gouge.
MQ-19-58	63.00	73.80	GSCH	same as 48.00-60.10.
MQ-19-58	73.80	76.65	LMST	lmst strongly reactive to hcl with mod diss po along darker margins of lmst. Mod brecciation towards bottom of unit. Folliated with folliations at approx 80 degrees tca.
MQ-19-58	76.65	78.80	GSCH	GSCH hosted FLT zone with large qtz cb breccia healing throughout. Mod reactive to hcl and no diss po .
MQ-19-58	78.80	96.01	QTZT	alternating units of GSCH and qtzt throughout itnerval. GSCH is more massive and is mod mag. Folliations in GSCH approx 85 degrees tca. A small unit of lmst at 84.00-85.34.
MQ-19-59	0	3.05	OVB	
MQ-19-59	3.05	5.3	CSCH	chl and actnl skarn with some nice smaller highly weathered intervals of SMS. Would like to see it at depth on a different hole. Strongly oxidized throughout with folliations at approx 40 degrees tca.
MQ-19-59	5.3	7.3	SSCH	very strongly oxidized ssch. Pale orange colour with no diss po. Folliated with folliations at approx 75 degrees tca.
MQ-19-59	7.3	10.55	CSCH	mostly skarn with strong chl and actnl alt throughout. Some more strongly oxidized material along folliations towards top of interval. There is a segment of SMS po from center of interval to the bottom. Contains moderately deformed folliations within the more strongly alt skarn units but folliations are at approx 60-70 degrees tca.
MQ-19-59	10.55	12.8	GSCH	small unit of black strongly folliated GSCH. Contains some small clasts of qtz. Folliations at approx 65 degrees tca. Moderately oxidized along VN margins and folliations and fracture fillings.
MQ-19-59	12.8	20.55	CSCH	alternating units of csch and ssch with stronger oxidation along ssch units. Mod to strong diss po throughout. With lots of discor qtz cb VNs. Folliations at approx 60 degrees tca. With some minor segments of chl alt csch.
MQ-19-59	20.55	25.5	CSCH	alternating units of chl and actnl alt skarn and csch. Contains large discor qtz cb VNs throughout. Mod to strong diss po throughout. Very deformed folliations throughout. Intact folliations 60 degrees tca. Moderately silica flooded throughout itnerval.
MQ-19-59	25.5	27.05	GSCH	strongly folliated black GSCH. Contains mod to strong diss po throughout. With minor large discor qtz VNs.
MQ-19-59	27.05	28.55	CSCH	same as 20.55-25.50.
MQ-19-59	28.55	30.38	DYKE	felsic dyke, calc alt and no diss po
MQ-19-59	30.38	34.55	CSCH	chl and calc alt folliated unit. Mod to strong diss po throughout. Blue green colour and deformed folliations where folliations are present at approx 70 degrees tca. Minor discor qtz cb VNing.
MQ-19-59	34.55	50.88	CSCH	pale blue grey folliated mod discor qtz cb VNing throughout interval. Contains mod discor and conc qtz cb VNing with mod diss po throughout. Contains some small slivers of chl and actnl alt towards bottom of interval. Small unit of SMS po at 43.00. folliations at approx 75 degrees tca.
MQ-19-59	50.88	56.39	CSCH	chl actnl alt skarn with overprinted folliations contains small slivers of un alt lmst highly reactive to hcl. Contains some large discor bx qtz cb VNs with strong diss po towards bottom of interval. Folliations at approx 60 degrees tca.
MQ-19-59	56.39	57	LMST	fresh folliated un altered lmst. Folliations at approx 80 degrees tca.

MQ-19-59	57	65.7	CSCH	pale blue grey foliated csch with some small intervals of skarn alt lmst actnl and chl alt throughout those small segments. Consistent foliations throughout csch with more deformed foliations along small skarn intervals. Strong diss po throughout. foliations at approx 65 degrees tca.
MQ-19-59	65.7	66.8	CSCH	complete chl and actnl alt throughout with large bx segment with large calc clasts throughout. Seen within other holes interesting diagnostic unit.
MQ-19-59	66.8	82.8	CSCH	same as 57.00-65.70. contains slightly more siliceous material towards bottom of interval and slightly more discor qtz cb VNs and stronger diss po.
MQ-19-59	82.8	87.1	QTZT	silica flooded qtzt and csch. Contains several very large qtz cb VNs throughout interval. Some moderate diss po towards center of unit. Foliations at approx 70 degrees tca. Largest qtz cb VN at bottom of interval bisects core at approx 15 degrees tca.
MQ-19-59	87.1	95.85	GSCH	strong conc and discor qtz cb Vning throughout interval. Contains minor and alt within some of the more deformed GSCH intervals, discreet. Contains some small 5cm FLT gouge zones throughout. Foliations throughout interval are at approx 60 degrees tca.
MQ-19-59	95.85	98.7	GSCH	GSCH hosted FLT zone with some small segments of relatively intact qtzt with discor qtz cb VNs.
MQ-19-59	98.7	113.6	GSCH	well foliated GSCH with more prevalent andalucite alt present in darker black less foliated GSCH. Contains a lot of strong qtz cb conc and discor Vning throughout. Small FLT zones present throughout with some small intervals of SMS po throughout. foliations are at approx 80 degrees tca. slightly more FLting towards bottom of unit.
MQ-19-59	113.6	115.25	GSCH	GSCH hosted FLT zone
MQ-19-59	115.25	121.9	GSCH	predominantly strongly foliated GSCH. Contains some segments of lmst and csch with mod graphitic alt towards bottom of unit. Minor conc qtz cb Vning throughout with some minor discor qtz cb Vning. Stronger diss po towards bottom of interval. Bottom of interval is mod to strongly reactive to hcl. foliations are at approx 75 degrees tca.
MQ-19-59	121.9	123.8	CSCH	csch/skarn interval with nicely mineralized SMS po units throughout. Some small bands of GSCH throughout with strong diss po throughout unit. Mod silicification throughout.
MQ-19-59	123.8	128.05	GSCH	same as 115.25-121.90. no lmst segments
MQ-19-59	128.05	138.17	QTZT	graphitic alt qtzt with some moderate conc qtz cb Vning. Stronger discor qtz cb Vning towards bottom of interval, fracture and broken core. Foliated with small SMS po unit at 133.60-133.75. foliations at approx 70 degrees tca.
MQ-19-59	138.17	138.55	QTZT	large discor qtz cb VN with cpy and py.
MQ-19-59	138.55	155.14	QTZT	same as 128.05-138.17. large discor qtz Vning towards bottom of unit.
MQ-19-60	0	8.7	OVB	overburden no sampling
MQ-19-60	8.7	10.9	CSCH	broken/blocky calcareous schist slightly oxidized
MQ-19-60	10.9	15.87	CSCH	calcareous schist variably silicified with sericite alteration, moderate oxidation dominately along fracture planes; with a number of discordant quartz veins - foliation 65 tca
MQ-19-60	15.87	18.6	CSCH	calcareous schist similar to above interval but more oxidized
MQ-19-60	18.6	22.34	CSCH	calcareous schist with 3 >10cm intervals of actinolite-chlorite altered limey layers
MQ-19-60	22.34	23.6	LMST	fine banded limestone alternating dark and light layers - banding 75 tca
MQ-19-60	23.6	25.83	CSCH	calcareous schist with 3 limey layers - foliation 70 tca
MQ-19-60	25.83	27.43	LMST	coarse banded limestone with several discordant veins

MQ-19-60	27.43	28	CSCH	calcareous schist with no concordant or discordant veins
MQ-19-60	28	29.63	LMST	coarse banded limestone with several discordant veins
MQ-19-60	29.63	30.15	CSCH	Siderite replacement
MQ-19-60	30.15	32.77	LMST	fine grained banded limestone with 1 >10cm discordant vein
MQ-19-60	32.77	34.26	CSCH	calcareous schist with several limey layers, alternating dark and light green layers with laminations of pyrrhotite
MQ-19-60	34.26	35.1	GSCH	graphitic schist with significant disseminated pyrite and pyrrhotite and pyrite clusters
MQ-19-60	35.1	54.29	CSCH	calcareous schist with several limey layers, alternating dark and light green layers with laminations of pyrrhotite
MQ-19-60	54.29	55.03	LMST	finely banded limestone
MQ-19-60	55.03	62.55	CSCH	calcareous schist with several limey layers, alternating dark and light green layers with laminations of pyrrhotite
MQ-19-60	62.55	64.47	DYKE	Fine grained equigranular aplitic dyke - salt and pepper sandy colored - upper and lower contact are roughly foliaform
MQ-19-60	64.47	106.68	CSCH	calcareous schist with several limey layers, alternating dark and light green layers with laminations of pyrrhotite
MQ-19-60	106.68	107.73	LMST	finely laminated limestone -
MQ-19-60	107.73	113.13	CSCH	calcareous schist with increasing graphitic horizons
MQ-19-60	113.13	122.2	GSCH	graphitic schist with disseminated pyrite and pyrite clusters
MQ-19-60	122.2	146.91	GSCH	graphitic schist interlayered with thin beds of quartzite
MQ-19-61	0	7.92	OVB	overburden no sampling
MQ-19-61	7.92	11	CSCH	mixed csch and sch (noncalcareous) broken and blocky, oxidized along fracture and foliation planes, with significant sphalerite mineralization
MQ-19-61	11	13.72	LMST	broken and blocky limestone
MQ-19-61	13.72	21.69	CSCH	calcareous schist with some limey layers, some siderite discordant veining 40cm
MQ-19-61	21.69	22.78	LMST	fine grained laminated limestone
MQ-19-61	22.78	23.11	CSCH	calcareous schist, alternating green and maroon layers, foliation 80 tca
MQ-19-61	23.11	26.14	LMST	laminated (clay layers) limestone
MQ-19-61	26.14	30.54	CSCH	calcareous schist with minor patches of disseminated pyrrhotite
MQ-19-61	30.54	30.98	DYKE	fine-grained salt and pepper dyke - aplitic in texture upper contact is foliaform, lower contact is irregular and discordant
MQ-19-61	30.98	32.55	GSCH	intercalated GSCH and csch
MQ-19-61	32.55	35.6	DYKE	fine-grained salt and pepper dyke - aplitic in texture upper contact and lower contact is foliaform
MQ-19-61	35.6	46.4	GSCH	intercalated GSCH and csch
MQ-19-61	46.4	50.2	CSCH	calcareous schist with sections of disseminated pyrrhotite - foliation 65 tca
MQ-19-61	50.2	51.32	GSCH	graphitic schist with with a number of small limey bands
MQ-19-61	51.32	52.88	CSCH	calcareous schist with sections of disseminated pyrrhotite - foliation 60 tca
MQ-19-61	52.88	53.78	GSCH	graphitic schist with with a number of small limey bands
MQ-19-61	53.78	57.35	CSCH	calcareous schist with sections of disseminated pyrrhotite - foliation 80 tca
MQ-19-61	57.35	59.92	LMST	banded limestone green and dark grey
MQ-19-61	59.92	65.98	CSCH	calcareous schist with disseminated pyrrhotite - foliation 80 tca



MQ-19-61	65.98	66.66	LMST	banded limestone green and dark graey
MQ-19-61	66.66	67.06	CSCH	calcareous schist with disseminated pyrrhotite - foliation 80 tca
MQ-19-61	67.06	67.79	LMST	laminated limestone with numerous quartz chlorite sulfide veins
MQ-19-61	67.79	69.84	CSCH	calcareous schist with sections of disseminated pyrrhotite - foliation 80 tca
MQ-19-61	69.84	70.45	LMST	laminated limestone
MQ-19-61	70.45	77.72	CSCH	calcareous schist with disseminated pyrrhotite throughout section - foliation 80 tca
MQ-19-61	77.72	79.25	LMST	finely laminated dark limestone
MQ-19-61	79.25	80.05	GSCH	graphitic schist with with a number of small limey bands
MQ-19-61	80.05	84.25	LMST	fine to coarsely laminated limeston
MQ-19-61	84.25	85.45	CSCH	calcareous schist with disseminated pyrrhotite throughout section - foliation 80 tca
MQ-19-61	85.45	105.16	GSCH	graphitic schist with with a number of small limey bands and some sections of disseminated pyrhotite
MQ-19-62	0	6.1	OVB	
MQ-19-62	6.1	12.88	GSCH	weathered and broken graphite schist with a number of concordant and discordant veins, oxidized along foliation planes
MQ-19-62	12.88	14.43	CSCH	retrograde skarn altered (quartz-chlorite-actinolite) limey layer
MQ-19-62	14.43	17.72	CSCH	similar to section above but with slivers of schist in between altered limey units
MQ-19-62	17.72	19.25	GSCH	graphitic schist with a number of concordant quartz veins
MQ-19-62	19.25	26.06	CSCH	retrograde skarn altered (quartz-chlorite-actinolite) limey layers with graphitic schist layers with sections of disseminated po
MQ-19-62	26.06	28.08	GSCH	graphitic schist with a number of concordant quartz veins and disemmindated with po throughout section
MQ-19-62	28.08	30.55	CSCH	interbedded gphaitic schist with retrograde skarn altered limey sections with disseminated po in the dark grey graphitic sections
MQ-19-62	30.55	32.17	GSCH	graphitic schist with a number of concordant quartz veins and disemmindated with po throughout section
MQ-19-62	32.17	33.02	CSCH	interbedded gphaitic schist with retrograde skarn altered limey sections with disseminated po through out
MQ-19-62	33.02	38	GSCH	graphitic schist with a number of concordant quartz veins and disemmindated with po throughout section
MQ-19-62	38	38.35	LMST	laminated dark limestone
MQ-19-62	38.35	40.97	CSCH	interbedded gphaitic schist with retrograde skarn altered limey sections with disseminated po through out
MQ-19-62	40.97	41.89	GSCH	graphitic/clatic (sandy) schist with disseminated po throughout
MQ-19-62	41.89	42.62	CSCH	interbedded gphaitic schist with retrograde skarn altered limey sections with disseminated po through out
MQ-19-62	42.62	48.08	GSCH	graphitic/clatic (sandy) schist and quartzite with large sections of disseminated po
MQ-19-62	48.08	50.15	LMST	graphitic limestone
MQ-19-62	50.15	60.35	GSCH	graphitic schist with a number of concordant quartz veins and disemmindated with po throughout section
MQ-19-63	0	4.86	OVB	MOSS SAND AND COBBLES
MQ-19-63	4.86	6.97	LMST	fractured and strongly weathered lmst. Strongly reactive to hcl. Minor oxidation along fracture fillings.

MQ-19-63	6.97	7.77	SSCH	tan brown ssch strongly folliated. Very weathered and fragmented core. Minor small FLT zones throughout or very strongly weathered fracture fillings. Minor discor and conc qtz cb VNs.
MQ-19-63	7.77	8	SSCH	ssch hosted sph and galena ankorite VN discor. 2cm VN width. Minor conc qtz cb VNs.
MQ-19-63	8	12.19	SSCH	same as 6.97-7.77.
MQ-19-63	12.19	15.24	CSCH	less weathered and oxidized material. Contains mostly conc VNs but minor discor qtz cb stringers. Mildly reactive to hcl throughout. Pale blue grey lith. Contains minor limey units towards top and bottom of itnerval. Lmst is generally not folliated and less oxidized.
MQ-19-63	15.24	17.11	LMST	folliated dirty lmst unit. Contains small segmetns of csch and minor ssch. Folliations are at approx 80 degrees tca. Mod conc qtz cb VNing with a small discor ank sph VNIts towards bottom of unit.
MQ-19-63	17.11	24.27	CSCH	folliated tan grey csch. Contains mod conc qtz cb VNing throughout. Some small FLTing throughout. Pervasive oxidation throughout but mod stronger oxidation along fracture fillings. Minor diss po. Folliations at approx 80 degrees tca.
MQ-19-63	24.27	24.94	LMST	folliated lmst unit folliations at approx 85 degrees tca.
MQ-19-63	24.94	26.64	CSCH	tan grey csch with pervasive oxidation. Contains mod conc qtz cb VNing throughout. Folliations at approx 80 degrees tca. Contains small skarn units towards bottom of interval weak chl and actnl alt.
MQ-19-63	26.64	27.15	CSCH	lmst and skarn unit. Skarn is more strongly folliated. Lmst contains more deformed folliations. Skarns are weakly chl and actnl alt. mod diss po.
MQ-19-63	27.15	30.73	CSCH	folliated pale blue grey csch, contains mod conc qtz cb VNing throughout itnerval. Weakly oxidized along fracture fillings. Folliations at approx 75 degrees tca. Minor diss po.
MQ-19-63	30.73	31	LMST	small black green lmst unit. Likely mild skarn alt. strongly reactive to hcl.
MQ-19-63	31	50.7	CSCH	folliated pale blue grey csch unit with mod conc qtz cb VNing and mod discor qtz cb stringers, perhaps ank? Folliations are consistent throughout with small sections of brittle deformation. Mod diss po throughout with stronger diss po towards bottom of unit. folliations at approx 75 degrees tca.
MQ-19-63	50.7	57.05	CSCH	low angle healed FLT zone with pervasive but weak ank alt throughout select folliations contains minor chl alt towards bottom of unit minor. Long angle FLT has been exploited by qtz cb VN and ank VNing throughout interval. Minor conc qtz cb VNing. folliations at approx 70 degrees tca. FLT approx 20 degrees tca. pale cream colour with slightly green select folliations.
MQ-19-63	57.05	60.15	CSCH	folliated light blue grey csch. Contains mod to large conc VNing throughout. Minor discor qtz cb VNIts. Contains mod diss po throughout. Folliations at approx 70 degrees tca. Minor chl alt towards top of interval. More strongly fractured and broken core towards bottom of itnerval.
MQ-19-63	60.15	60.96	DYKE	felsic fine grained calc alt dyke.
MQ-19-63	60.96	62	CSCH	mod ser alt folliated light grey blue csch. Folliations at approx 55 degrees tca.
MQ-19-63	62	63.3	DYKE	felsic fine grained calc alt dyke.
MQ-19-63	63.3	71.07	CSCH	alternating units of deformed acntl and chl alt skarn with small slivers of fresher lmst. Contains mod to strong ank alt throughout itnerval gives the core a creamy tan colour. Contains mod diss po along the darker grey blue units. Mod deformed conc qtz cb VNs throughout. folliated at approx 60-80 degrees tca. deformed qtz cb VNs are most deformed in the most strongly chl and actnl units.
MQ-19-63	71.07	73.15	LMST	large interval of very low angle ank VN hosted in ank alt folliated lmst. VN is at approx 10 degrees tca and folliations are at approx 80 degrees tca. No diss po

MQ-19-63	73.15	76.7	CSCH	foliated dark grey blue olive green unit. Messy mixture of csch with some small units of ank alt lmst and fresher lmst. Contains mod diss po towards bottom of interval. Foliations at approx 75 degrees tca. Mod conc qtz cb VNing minor discor ank VNing.
MQ-19-63	76.7	79.85	LMST	gritty and deformed lmst with momd ank alt throughout. Foliations are narrow and consistent that have evidence of brittle deformation contains mod conc VNing throughout. No diss po.
MQ-19-63	79.85	90.72	CSCH	csch mostly throughout with units towards top and bottom of interval are lmst and skarn alt. contains mod conc qtz cb VNs throughout. With some mod discor qtz cb VNs towards center of interval. Mod diss po throughout. Consistently foliated at approx 80 degrees tca.
MQ-19-63	90.72	94.9	LMST	foliated lmst throughout with mod to strong ank alt throughout. Very foliated at approx 70 degrees tca. Very little diss except at very bottom of interval. Contains minor conc qtz cb VNing. Fresher lmst towards bottom of interval.
MQ-19-63	94.9	95.3	LMST	lmst hosted FLT zone
MQ-19-63	95.3	102.11	LMST	foliated lmst trending towards csch towards bottom of unit. Dark grey blue unit with foliations at approx 80 degrees tca. Contains mod diss po towards bottom of interval. More conc qtz VNing towards bottom of interval. The most fresh lmst contains no diss po.
MQ-19-63	102.11	132.59	GSCH	predominantly GSCH with mod and alt throughout. Contains slivers of qtzt towards bottom of unit with more stiolitic VNing within qtzt units. GSCH units contain strong amounts of boudined and deformed qtz cb VNs throughout. With mod diss py towards bottom of unit blebs. andalucite alt throughout in most black coloured units. minor diss po throughout.
MQ-19-64	<b>0.00</b>	<b>12.00</b>	<b>ovb</b>	mud and sand and moss
MQ-19-64	12.00	14.81	GSCH	strongly weathered and fragmented gsch with a small sliver of csch at the very top of interval. Minor conc qtz cb vns. Minor oxidation along fracture fillings and follitions. No diss po. Foliations at approx 70 degrees tca.
MQ-19-64	14.81	15.71	CSCH	small interval of csch. Moderately weathered and minor oxidation along fracture fillings. Mod conc qtz cb vning throughout. Contains foliations at approx 50 degrees tca. Minor reaction to hcl. Minor diss po at end of interval. Tan cream colour.
MQ-19-64	15.71	19.76	GSCH	foliated very strongly weathered gsch with mod to minor oxidation along fracture fillings and foliations. Mod conc qtz cb vning throughout interval. No diss po. Very fragmented core throughout. Foliations at approx 60 degrees tca.
MQ-19-64	19.76	28.98	CSCH	dirty csch unit with minor graphitic alt colouring the unit a darker brown colour. Contains a small sliver of gsch towards the center of the unit. Strong conc qtz cb vning towards top of interval. Fragmented core towards top and bottom of unit with mod discor qtz cb vning throughout, stronger deformation among foliations towards top of interval. very consistent foliations towards bottom of unit at approx 70 degrees. minor diss po.
MQ-19-64	28.98	42.98	CSCH	predominantly csch with fairly large and consistent intervals of retrograde skarn mod to strong actnl and chl alt throughout the skarn units. Contains small slivers off lmst towards center of larger skarn units where the alteration hasn't quite penetrated. foliations are overprinted by skarn alteration throughout but where foliations are present the are at approx 70 degrees tca. contains mod conc qtz cb vns throughout with minor discor cb vnlt throughout. consistent and mod diss po throughout. pale blue grey csch and green skarn.

MQ-19-64	42.98	43.52	LMST	larger interval of fresh lmst moderately folliated at approx 65 degrees tca.
MQ-19-64	43.52	65.17	SMS	dominately skarn units throughout interval with smaller segments of csch slivers wtihin. Contains mod conc qtz cb vns with some nice deformed discor qtz cb vns within strongest skarn alts. Skarns contain actnl and chl alt strong. Mod diss po throughout. where folliations are preserved at approx 65 degrees tca. diss po seems to be more strongly hosted within darker csch units and along margins of skarn intervals.
MQ-19-64	65.17	66.53	DYKE	fine grained felsic dyke calcareous.
MQ-19-64	66.53	77.17	CSCH	predominantly csch with some small intervals of skarn. Contains mod graphitic alt and mod silica flooding throughout. Silica alt is more prevalent surrounding large conc and discor qtz cb vns. Dark grey blue colour. Consistently folliated throughout at approx 70 degrees tca. contains strong diss po. stronger skarn alteration towards top of interval with 3 fairly nice large discor qtz cb vns towards bottom of iternal.
MQ-19-64	77.17	81.24	skarn	very strong chl and actnl alt skarn unit. Very interesting partial melt textures throughout. Strong green blue colour throughout. No diss po. Deformed partially melted qtz cb vns throughout. Contains some small discor cb stringers throughout. Some folliations have been preserved at approx 75 degrees.
MQ-19-64	81.24	87.44	CSCH	dark grey blue csch with some small intervals of slightly ser alt segments minor. Minor conc and discor qtz cb vns throughout. Well folliated at approx 75 degrees tca. Strong diss po throughout. Fairly intact core.
MQ-19-64	87.44	88.21	ANK VN	large very nice ankorite vn with sph and galena throughout interval. Small flt at bottom of unit. Ankorite alt throughout whole interval. Dominant vn structure is at approx 35 degrees tca. Tan cream colour mod diss po.
MQ-19-64	88.21	94.17	CSCH	dark grey blue folliated csch. Contains mod conc qtz cb vning throughout with mod discor qtz cb vnlts. Folliations at approx 55 degrees tca. Discor qtz cb vnlts at low angle tca.
MQ-19-64	94.17	100.82	skarn	mod to weak chl actnl alt skarn. Some small intervals of csch. Well folliated throughout except for strongest skarn units. Folliations at approx 75 degrees tca. Mod to strong diss po throughout. Contains mod conc qtz cb vns throughout with some minor discor qtz cb vnlts. predominately pale green grey colour.
MQ-19-64	100.82	107.65	CSCH	dominantly dark grey blue csch with small intervals of localized skarn weak chl and actnl alt. contains mod to strong diss po. Consistent conc qtz cb vning throughout with some mod discor qtz cb vns. Mod ser and ank alt towards bottom of interval pale cream green/tan colour. folliations at approx 75 degrees tca.
MQ-19-64	107.65	107.92	ANK VN	small interval of ank vning with py, cpy and sph. Vn is at approx 30 degrees tca. No diss po.
MQ-19-64	107.92	119.53	CSCH	dark blue folliated csch with consistent conc qtz cb vn throughout. Contains mod diss po. Some minor discor qtz cb vnlts. 2 small intervals of lmst 63cm total. Folliations at approx 75 degrees tca. Very minor discreet actnl and chl alt.
MQ-19-64	119.53	121.92	VN	large discor unit of qtz cb vns. Large hosted in csch with minor ser alt along margins of some of the qtz cb vns within the host rock. Vns are at approx 35 degrees tca. Modd diss po throughout.

MQ-19-64	121.92	160.65	GSCH	consistently foliated gsch with mod conc qtz cb vning throughout with minor groupings of discor qtz cb vns. Contains blebs of py and po diss throughout folliations. Contains mod to very strong and alt throughout select beds. Strong evidence of qtz cb vn boudins completely rounded augens. contains mod to strong diss po throughout. with some minor fliting throughout interval. some very small localized sms units towards bottom of interval. folliations at apropx 70 degrees tca.
MQ-19-64	160.65	163.07	LMST	folliated but deformed lmst. Contains some interesting discor qtz cb vnlt mineralized throughout with po,py and cpy?? Mod diss po throughout interval. Folliations at approx 75 degrees tca.

# Survey

Collar_ID	Depth	Azimuth	Dip
AX-19-30	0	9.74	-59.91
AX-19-30	25	9.74	-59.91
AX-19-30	50	9.57	-59.46
AX-19-30	75	8.76	-59.27
AX-19-30	100	8.61	-59.1
AX-19-30	125	7.67	-57.96
AX-19-30	150	5.59	-57.56
AX-19-30	175	5.37	-57.4
AX-19-31	0	359.16	-59.79
AX-19-31	25	359.16	-59.79
AX-19-31	49	358.49	-59.85
AX-19-31	80	358.41	-59.12
AX-19-31	100	358.74	-58.21
AX-19-32	0	357.72	-59.33
AX-19-32	25	357.72	-59.33
AX-19-32	60	356.25	-58.26
AX-19-32	85	356.25	-58.26
AX-19-32	108	357.25	-56.96
AX-19-33	0	355.35	-59.61
AX-19-33	50	355.35	-59.61
AX-19-33	75	355.82	-58.82
AX-19-33	100	355.68	-58.31
AX-19-34	0	7.89	-61.59
AX-19-34	28	7.89	-61.59
AX-19-34	53	6.07	-61.05
AX-19-34	78	4.29	-60.69
AX-19-34	103	5.11	-60.15
AX-19-34	128	5.85	-59.74
AX-19-34	153	5.32	-59.18
AX-19-34	173	6.78	-58.82
AX-19-35	0	355.74	-61.59
AX-19-35	25	355.74	-61.59
AX-19-35	50	359.12	-61.03
AX-19-35	75	359.08	-60.44
AX-19-35	100	356.32	-60.35
AX-19-36	0	359.95	-59.47
AX-19-36	25	359.95	-59.47
AX-19-36	50	0.96	-58.91
AX-19-36	75	1.01	-58.7
AX-19-36	100	3.05	-58.11
AX-19-36	117	0.06	-57.93
AX-19-37	0	355.19	-60.7
AX-19-37	30	355.19	-60.7
AX-19-37	50	355.76	-60.53
AX-19-37	76	354.9	-59.86
AX-19-37	100	354.19	-59.44

Collar_ID	Depth	Azimuth	Dip
AX-19-37	120	357.23	-58.83
AX-19-38	0	353.08	-58.49
AX-19-38	25	353.08	-58.49
AX-19-38	50	355.14	-57.61
AX-19-38	75	352.03	-57.24
AX-19-38	100	355.98	-56.47
AX-19-38	125	353.32	-56.23
AX-19-38	146	352.32	-55.72
AX-19-39	0	355.17	-60.22
AX-19-39	25	355.17	-60.22
AX-19-39	54	352.32	-59.59
AX-19-39	75	352.84	-58.85
AX-19-39	102	353.96	-58.13
AX-19-39	118	354.29	-57.74
AX-19-40	0	354.42	-61.02
AX-19-40	25	354.42	-61.02
AX-19-40	53	354.02	-60.5
AX-19-40	76	352.61	-60.5
AX-19-40	83	353.62	-60.29
MQ-19-42	0	357.92	-59.42
MQ-19-42	25	357.92	-59.42
MQ-19-42	50	357.46	-59.14
MQ-19-42	75	357.96	-58.82
MQ-19-42	100	354.31	-58.78
MQ-19-43	0	0.12	-61.09
MQ-19-43	25	0.12	-61.09
MQ-19-43	50	359.62	-60.62
MQ-19-43	75	0.59	-60.29
MQ-19-43	100	0.35	-60.17
MQ-19-44	0	284.09	-48.74
MQ-19-44	50	284.09	-48.74
MQ-19-44	75	285.87	-48.54
MQ-19-44	100	283.81	-49.23
MQ-19-44	125	286.22	-49.31
MQ-19-44	150	287.21	-49.6
MQ-19-45	0	0.88	-60.66
MQ-19-45	25	0.88	-60.66
MQ-19-45	50	359.86	-60.49
MQ-19-45	75	359.24	-60.06
MQ-19-45	100	0.32	-59.96
MQ-19-45	118	0.28	-59.82
MQ-19-46	0	355.77	-59.45
MQ-19-46	25	355.77	-59.45
MQ-19-46	50	355.78	-59.46
MQ-19-46	79	353.96	-59.39
MQ-19-46	100	355.05	-59.27



Collar_ID	Depth	Azimuth	Dip
MQ-19-47	0	356.06	-59.97
MQ-19-47	25	356.06	-59.97
MQ-19-47	50	356.41	-59.5
MQ-19-47	75	355.61	-59.43
MQ-19-47	100	356.78	-59.31
MQ-19-48	0	353.67	-60.77
MQ-19-48	25	353.67	-60.77
MQ-19-48	50	350.5	-60.51
MQ-19-48	75	352.07	-60.2
MQ-19-48	100	352.09	-60.25
MQ-19-48	125	350.28	-60.51
MQ-19-48	149	353.64	-60.66
MQ-19-48	175	355.93	-60.51
MQ-19-48	200	354.8	-60.42
MQ-19-49	0	1.27	-62.55
MQ-19-49	25	1.27	-62.55
MQ-19-49	50	359.84	-61.88
MQ-19-49	75	359.19	-61.43
MQ-19-49	100	359.25	-61.02
MQ-19-49	125	0.85	-60.65
MQ-19-49	147.83	0.3	-60.1
MQ-19-50	0	1.24	-62.09
MQ-19-50	25	1.24	-62.09
MQ-19-50	50	2.83	-61.53
MQ-19-50	75	359.73	-61.23
MQ-19-50	100	1.14	-60.68
MQ-19-50	125	2.65	-60.28
MQ-19-50	153	2.11	-59.92
MQ-19-51	0	354.21	-62.57
MQ-19-51	25	354.21	-62.57
MQ-19-51	50	355.76	-61.45
MQ-19-51	74	351.98	-59.98
MQ-19-51	100	352.52	-59.45
MQ-19-52	0	359.32	-60.77
MQ-19-52	25	359.32	-60.77
MQ-19-52	50	358.65	-60.48
MQ-19-52	75	357.16	-60.09
MQ-19-52	102	357.45	-59.8
MQ-19-52	125	356.37	-59.04
MQ-19-53	0	2.12	-63.29
MQ-19-53	30	2.12	-63.29
MQ-19-53	50	1.47	-63.03
MQ-19-53	74.68	0.51	-62.48
MQ-19-53	102	359.25	-61.99
MQ-19-54	0	5.39	-61.48
MQ-19-54	25	5.39	-61.48

Collar_ID	Depth	Azimuth	Dip
MQ-19-54	50	1.65	-61.25
MQ-19-54	75	359.99	-61.02
MQ-19-54	100	1.04	-60.67
MQ-19-54	126	3.4	-60.2
MQ-19-54	150	0.93	-59.97
MQ-19-55	0	349.09	-62.04
MQ-19-55	24	349.09	-62.04
MQ-19-55	60	348.21	-61.57
MQ-19-55	75	343.52	-61.48
MQ-19-55	105	347.4	-61.56
MQ-19-55	125	349.17	-61.73
MQ-19-55	147	351.83	-61.66
MQ-19-56	0	355.63	-61.54
MQ-19-56	25	355.63	-61.54
MQ-19-56	50	356.65	-61.2
MQ-19-56	75	352.96	-61.05
MQ-19-56	100	354.79	-60.75
MQ-19-56	125	354.3	-60.78
MQ-19-56	150	354.02	-60.65
MQ-19-57	0	2.02	-60.77
MQ-19-57	24	2.02	-60.77
MQ-19-57	50	359.31	-60.67
MQ-19-57	75	2.81	-60.39
MQ-19-57	103	2.45	-60.04
MQ-19-58	0	2.98	-61.75
MQ-19-58	25	2.98	-61.75
MQ-19-58	50	0.48	-61.93
MQ-19-58	75	3.43	-61.62
MQ-19-58	95	0.37	-61.9
MQ-19-59	0	1.33	-62.81
MQ-19-59	25	1.33	-62.81
MQ-19-59	50	2.37	-62.34
MQ-19-59	74	4.83	-62.15
MQ-19-59	102	1.27	-62.08
MQ-19-59	126	2.34	-61.51
MQ-19-59	155	1.77	-60.99
MQ-19-60	0	353.19	-61.42
MQ-19-60	24	353.19	-61.42
MQ-19-60	50	351.62	-60.72
MQ-19-60	75	353.26	-59.96
MQ-19-60	102	353.76	-59.5
MQ-19-60	129	350.63	-59.16
MQ-19-60	146	353.32	-58.74
MQ-19-61	0	359.48	-63.06
MQ-19-61	24	359.48	-63.06
MQ-19-61	51	356.89	-62.41

Collar_ID	Depth	Azimuth	Dip
MQ-19-61	80	356.53	-61.59
MQ-19-61	105	355.57	-61.53
MQ-19-62	0.00	355.1	-60.47
MQ-19-62	24.00	355.1	-60.47
MQ-19-62	51.00	355.3	-59.79
MQ-19-63	0.00	354.12	-59.05
MQ-19-63	7.00	354.12	-59.05
MQ-19-63	32.00	353.12	-58.92
MQ-19-63	57.00	354.87	-58.56
MQ-19-63	82.00	353.87	-58.37
MQ-19-63	107.00	354.96	-58.07
MQ-19-63	132.00	355.53	-57.66
MQ-19-64	0.00	358.93	-59.07
MQ-19-64	25.00	358.93	-59.07
MQ-19-64	50.00	358.06	-58.73
MQ-19-64	75.00	359.72	-58.42
MQ-19-64	100.00	358.34	-58.04
MQ-19-64	130.00	0.85	-57.58
MQ-19-64	163.00	1.52	-57.22
MQRC-19-01	0	0	-90
MQRC-19-01	120.00	0	-90
MQRC-19-04	0	0	-90
MQRC-19-04	50.00	0	-90
MQRC-19-05	0	0	-90
MQRC-19-05	145.00	0	-90

# Mag Susc

Hole_ID	Depth	MagSusc
AX-19-30	13.5	0.248
AX-19-30	15	10.2
AX-19-30	16.5	2.82
AX-19-30	17.25	3.27
AX-19-30	18	1.5
AX-19-30	19	1.46
AX-19-30	19.5	0.467
AX-19-30	19.81	0.658
AX-19-30	20.5	0.233
AX-19-30	21.36	0.085
AX-19-30	22.11	0.332
AX-19-30	22.86	0.489
AX-19-30	23.61	0.149
AX-19-30	24.36	1.3
AX-19-30	25.11	0.395
AX-19-30	25.86	0.633
AX-19-30	26.61	0.206
AX-19-30	27.43	1.21
AX-19-30	28.18	0.429
AX-19-30	28.96	0.19
AX-19-30	29.75	0.313
AX-19-30	30.48	1.95
AX-19-30	31.25	1.56
AX-19-30	32	1.7
AX-19-30	32.75	3.78
AX-19-30	33.6	0.623
AX-19-30	34.05	0.126
AX-19-30	35.05	0.383
AX-19-30	35.9	0.235
AX-19-30	36.47	0.203
AX-19-30	37.3	0.403
AX-19-30	38.1	0.279
AX-19-30	38.85	0.324
AX-19-30	39.55	0.552
AX-19-30	40.3	0.573
AX-19-30	41.15	0.446
AX-19-30	41.875	0.45
AX-19-30	42.6	3.36
AX-19-30	43.4	2.32
AX-19-30	44.2	1.82
AX-19-30	44.96	1.43
AX-19-30	45.72	0.397
AX-19-30	46.57	0.259
AX-19-30	47.42	4.11
AX-19-30	48.08	7.16
AX-19-30	48.74	5

Hole_ID	Depth	MagSusc
AX-19-30	49.27	0.804
AX-19-30	49.8	0.314
AX-19-30	50.715	0.685
AX-19-30	51.63	0.646
AX-19-30	52.485	0.866
AX-19-30	53.34	1.07
AX-19-30	53.74	3.71
AX-19-30	54.14	0.416
AX-19-30	55.07	1.24
AX-19-30	56	1.21
AX-19-30	57	0.249
AX-19-30	58	0.226
AX-19-30	58.595	0.143
AX-19-30	59.19	0.304
AX-19-30	60.075	0.474
AX-19-30	60.96	1.41
AX-19-30	62.23	1.15
AX-19-30	63.5	0.364
AX-19-30	63.835	0.622
AX-19-30	64.17	8.98
AX-19-30	65.16	9.98
AX-19-30	66.15	0.519
AX-19-30	66.7	2.83
AX-19-30	67.25	0.246
AX-19-30	67.915	1.03
AX-19-30	68.58	4.09
AX-19-30	69.34	0.755
AX-19-30	70.1	0.515
AX-19-30	70.865	0.679
AX-19-30	71.63	1.08
AX-19-30	72.39	0.412
AX-19-30	73.15	0.539
AX-19-30	73.76	0.3
AX-19-30	74.37	1.33
AX-19-30	75.285	0.871
AX-19-30	76.2	0.657
AX-19-30	76.975	1
AX-19-30	77.75	1.64
AX-19-30	78.5	3.73
AX-19-30	79.25	0.646
AX-19-30	80.01	0.426
AX-19-30	80.77	0.424
AX-19-30	81.535	0.625
AX-19-30	82.3	0.263
AX-19-30	83.06	4.35
AX-19-30	83.82	1.61

Hole_ID	Depth	MagSusc
AX-19-30	84.585	4.01
AX-19-30	85.35	1.38
AX-19-30	86.11	1.66
AX-19-30	86.87	3.4
AX-19-30	87.61	0.625
AX-19-30	88.35	2.97
AX-19-30	89.025	1.67
AX-19-30	89.7	7.85
AX-19-30	90.525	0.496
AX-19-30	91.35	0.337
AX-19-30	92.155	0.663
AX-19-30	92.96	0.635
AX-19-30	93.655	0.276
AX-19-30	94.35	1.23
AX-19-30	95.18	0.109
AX-19-30	96.01	0.809
AX-19-30	96.915	0.591
AX-19-30	97.82	0.378
AX-19-30	98.44	0.345
AX-19-30	99.06	2.16
AX-19-30	99.82	0.341
AX-19-30	100.58	0.811
AX-19-30	101.29	0.442
AX-19-30	102	6.52
AX-19-30	102.815	13
AX-19-30	103.63	9.77
AX-19-30	104.465	2.8
AX-19-30	105.3	5.55
AX-19-30	105.99	0.607
AX-19-30	106.68	3.33
AX-19-30	107.48	1.45
AX-19-30	108.28	0.75
AX-19-30	108.965	2.75
AX-19-30	109.65	1.05
AX-19-30	110.34	0.238
AX-19-30	111.03	0.423
AX-19-30	111.905	0.559
AX-19-30	112.78	0.194
AX-19-30	113.645	0.738
AX-19-30	114.51	0.471
AX-19-30	115.385	1.63
AX-19-30	116.26	24.2
AX-19-30	116.38	4.39
AX-19-30	117.12	0.767
AX-19-30	117.86	4.14
AX-19-30	118.365	24.5

Hole_ID	Depth	MagSusc
AX-19-30	118.87	0.718
AX-19-30	119.745	0.379
AX-19-30	120.62	0.301
AX-19-30	121.365	0.476
AX-19-30	122.11	10.3
AX-19-30	122.86	0.696
AX-19-30	123.61	1.32
AX-19-30	124.29	0.765
AX-19-30	124.97	3.31
AX-19-30	125.575	0.35
AX-19-30	126.18	0.551
AX-19-30	127.1	1
AX-19-30	128.02	0.638
AX-19-30	128.845	0.184
AX-19-30	129.67	4.3
AX-19-30	130.365	1.2
AX-19-30	131.06	0.89
AX-19-30	131.79	0.551
AX-19-30	132.52	2.22
AX-19-30	133.32	6.03
AX-19-30	134.12	6.73
AX-19-30	134.865	1.4
AX-19-30	135.61	1.49
AX-19-30	136.385	3.21
AX-19-30	137.16	4.74
AX-19-30	137.91	0.398
AX-19-30	138.66	0.656
AX-19-30	139.435	1.1
AX-19-30	140.21	1.93
AX-19-30	140.97	0.81
AX-19-30	141.73	0.343
AX-19-30	142.48	0.812
AX-19-30	143.23	7.27
AX-19-30	144.005	0.9
AX-19-30	144.78	1.65
AX-19-30	145.48	0.518
AX-19-30	146.18	2.13
AX-19-30	146.72	0.886
AX-19-30	147.26	0.934
AX-19-30	148.185	0.45
AX-19-30	149.11	0.289
AX-19-30	149.995	0.726
AX-19-30	150.88	1.21
AX-19-30	151.455	0.403
AX-19-30	152.03	1.66
AX-19-30	152.975	1.16



Hole_ID	Depth	MagSusc
AX-19-30	153.92	0.837
AX-19-30	154.67	0.942
AX-19-30	155.42	1.55
AX-19-30	156.195	0.486
AX-19-30	156.97	0.569
AX-19-30	157.72	0.21
AX-19-30	158.47	0.412
AX-19-30	159.395	0.289
AX-19-30	160.32	0.687
AX-19-30	161.01	0.345
AX-19-30	161.7	0.193
AX-19-30	162.08	0.441
AX-19-30	162.46	0.586
AX-19-30	163.44	0.432
AX-19-30	164.42	0.53
AX-19-30	165.27	0.501
AX-19-30	166.12	1.39
AX-19-30	167.185	1.17
AX-19-30	168.25	1.55
AX-19-30	168.96	0.33
AX-19-30	169.67	1.54
AX-19-30	170.635	2.09
AX-19-30	171.6	0.686
AX-19-30	172.29	1.38
AX-19-30	172.98	2.24
AX-19-30	174.015	1.53
AX-19-30	175.05	0.89
AX-19-30	176.155	0.067
AX-19-30	177.26	0.632
AX-19-30	177.79	5.76
AX-19-31	11.7	0.89
AX-19-31	12.39667	0.56
AX-19-31	13.09333	0.89
AX-19-31	13.79	0.65
AX-19-31	14.27333	0.28
AX-19-31	14.75667	0.22
AX-19-31	15.24	0.58
AX-19-31	15.75	0.62
AX-19-31	16.26	2.78
AX-19-31	16.77	1.81
AX-19-31	17.27667	0.121
AX-19-31	17.78333	0.698
AX-19-31	18.29	0.284
AX-19-31	18.79667	0.221
AX-19-31	19.30333	0.437
AX-19-31	19.81	0.527

Hole_ID	Depth	MagSus
AX-19-31	20.32	0.536
AX-19-31	20.83	0.93
AX-19-31	21.34	1.03
AX-19-31	22.07667	0.426
AX-19-31	22.81333	0.479
AX-19-31	23.55	0.343
AX-19-31	23.92	0.439
AX-19-31	24.29	0.426
AX-19-31	24.66	0.662
AX-19-31	25.07667	0.333
AX-19-31	25.49333	0.231
AX-19-31	25.91	0.382
AX-19-31	26.41667	0.593
AX-19-31	26.92333	0.672
AX-19-31	27.43	0.822
AX-19-31	27.94	0.491
AX-19-31	28.45	0.566
AX-19-31	28.96	0.467
AX-19-31	29.46667	0.875
AX-19-31	29.97333	0.168
AX-19-31	30.48	0.757
AX-19-31	31.09667	10
AX-19-31	31.71333	3.47
AX-19-31	32.33	1.01
AX-19-31	32.73	1.1
AX-19-31	33.13	0.388
AX-19-31	33.53	4.33
AX-19-31	34.03667	4.74
AX-19-31	34.54333	4.58
AX-19-31	35.05	1.75
AX-19-31	35.56	0.652
AX-19-31	36.07	1.7
AX-19-31	36.58	3.43
AX-19-31	37.08	1.11
AX-19-31	37.58	0.481
AX-19-31	38.08	2.51
AX-19-31	38.59333	1.24
AX-19-31	39.10667	2.49
AX-19-31	39.62	8.86
AX-19-31	40.13	1.69
AX-19-31	40.64	0.901
AX-19-31	41.15	1.72
AX-19-31	41.65667	0.584
AX-19-31	42.16333	0.426
AX-19-31	42.67	0.926
AX-19-31	43.15	13.7

Hole_ID	Depth	MagSusc
AX-19-31	43.63	2.34
AX-19-31	44.11	0.727
AX-19-31	44.64667	1.39
AX-19-31	45.18333	1.07
AX-19-31	45.72	2.69
AX-19-31	46.22667	1.26
AX-19-31	46.73333	1.23
AX-19-31	47.24	2.88
AX-19-31	47.58667	0.465
AX-19-31	47.93333	0.782
AX-19-31	48.28	0.71
AX-19-31	48.95	2.92
AX-19-31	49.62	1.69
AX-19-31	50.29	1.18
AX-19-31	50.59667	0.915
AX-19-31	50.90333	0.727
AX-19-31	51.21	0.96
AX-19-31	51.92	1
AX-19-31	52.63	0.806
AX-19-31	53.34	1.09
AX-19-31	53.86667	1.8
AX-19-31	54.39333	0.867
AX-19-31	54.92	1.6
AX-19-31	55.41	1.78
AX-19-31	55.9	2.1
AX-19-31	56.39	5.52
AX-19-31	56.85333	1.82
AX-19-31	57.31667	1.28
AX-19-31	57.78	1.55
AX-19-31	58.33333	2.5
AX-19-31	58.88667	2.38
AX-19-31	59.44	1.86
AX-19-31	59.91333	1.6
AX-19-31	60.38667	2.06
AX-19-31	60.86	2.58
AX-19-31	61.4	1.75
AX-19-31	61.94	2.53
AX-19-31	62.48	0.866
AX-19-31	62.98667	3.33
AX-19-31	63.49333	0.714
AX-19-31	64	0.809
AX-19-31	64.51	0.622
AX-19-31	65.02	3.89
AX-19-31	65.53	1.3
AX-19-31	66.06333	1.4
AX-19-31	66.59667	4.64

Hole_ID	Depth	MagSusc
AX-19-31	67.13	2.14
AX-19-31	67.61333	2.72
AX-19-31	68.09667	0.64
AX-19-31	68.58	3.99
AX-19-31	69.18667	3.55
AX-19-31	69.79333	4.15
AX-19-31	70.4	2.78
AX-19-31	70.81	3.22
AX-19-31	71.22	2.19
AX-19-31	71.63	4.26
AX-19-31	71.75333	5.13
AX-19-31	71.87667	12
AX-19-31	72	3.53
AX-19-31	72.75333	2.22
AX-19-31	73.50667	2.2
AX-19-31	74.26	2.59
AX-19-31	74.65333	3.5
AX-19-31	75.04667	1.29
AX-19-31	75.44	0.315
AX-19-31	75.92667	0.543
AX-19-31	76.41333	0.723
AX-19-31	76.90	1.42
AX-19-31	77.29	0.44
AX-19-31	77.68	0.61
AX-19-31	78.07	1.42
AX-19-31	78.54667	0.248
AX-19-31	79.02333	0.988
AX-19-31	79.5	0.886
AX-19-31	79.92333	0.641
AX-19-31	80.34667	0.173
AX-19-31	80.77	0.949
AX-19-31	81.25333	0.835
AX-19-31	81.73667	1.48
AX-19-31	82.22	1.95
AX-19-31	82.55	2.24
AX-19-31	82.88	23.3
AX-19-31	83.21	16.6
AX-19-31	83.80667	0.774
AX-19-31	84.40333	0.546
AX-19-31	85	3.78
AX-19-31	85.5	0.287
AX-19-31	86	0.687
AX-19-31	86.5	1.07
AX-19-31	87	1.66
AX-19-31	87.5	1.83
AX-19-31	88	7.84

Hole_ID	Depth	MagSusc
AX-19-31	88.3	3.3
AX-19-31	88.6	0.81
AX-19-31	88.9	1.29
AX-19-31	89.34	1.41
AX-19-31	89.78	0.624
AX-19-31	90.22	1.11
AX-19-31	90.93	0.725
AX-19-31	91.64	0.689
AX-19-31	92.35	0.999
AX-19-31	92.76667	1.04
AX-19-31	93.18333	1.63
AX-19-31	93.6	0.841
AX-19-31	94.2	0.511
AX-19-31	94.8	0.571
AX-19-31	95.4	0.575
AX-19-31	96.11333	0.706
AX-19-31	96.82667	0.998
AX-19-31	97.54	0.695
AX-19-31	98.02667	0.747
AX-19-31	98.51333	1.04
AX-19-31	99	4.91
AX-19-31	99.52667	3.82
AX-19-31	100.0533	2.54
AX-19-31	100.58	1.93
AX-19-31	101.0533	1.45
AX-19-31	101.5267	2.03
AX-19-31	102	1.68
AX-19-31	102.5433	1.33
AX-19-31	103.0867	1.17
AX-19-31	103.63	0.356
AX-19-31	104.15	0.802
AX-19-31	104.67	0.722
AX-19-31	105.19	0.407
AX-19-31	105.6867	0.108
AX-19-31	106.1833	0.116
AX-19-31	106.68	0.147
AX-19-31	107.1867	0.41
AX-19-31	107.6933	0.356
AX-19-31	108.2	1.09
AX-19-31	108.71	0.557
AX-19-31	109.22	0.282
AX-19-31	109.73	1.28
AX-19-31	110.44	0.321
AX-19-31	111.15	0.373
AX-19-32	8.66	5.9
AX-19-32	9.523333	0.372

Hole_ID	Depth	MagSusc
AX-19-32	10.38667	0.256
AX-19-32	11.25	0.274
AX-19-32	11.90333	1.02
AX-19-32	12.55667	0.584
AX-19-32	13.21	3.57
AX-19-32	13.88	5.44
AX-19-32	14.55	0.122
AX-19-32	15.22	0.459
AX-19-32	15.89667	0.311
AX-19-32	16.57333	0.237
AX-19-32	17.25	6.92
AX-19-32	17.59667	1.23
AX-19-32	17.94333	0.814
AX-19-32	18.29	0.723
AX-19-32	18.79667	3.23
AX-19-32	19.30333	1.06
AX-19-32	19.81	15.9
AX-19-32	20.45667	1.65
AX-19-32	21.10333	1.78
AX-19-32	21.75	3.52
AX-19-32	22.49	2.98
AX-19-32	23.23	2.58
AX-19-32	23.97	7.28
AX-19-32	24.61667	2.76
AX-19-32	25.26333	4.11
AX-19-32	25.91	2.3
AX-19-32	26.1	2.14
AX-19-32	26.29	2.57
AX-19-32	26.48	2.08
AX-19-32	27.18333	1.09
AX-19-32	27.88667	0.467
AX-19-32	28.59	0.092
AX-19-32	29.32	0.151
AX-19-32	30.05	1.65
AX-19-32	30.78	0.326
AX-19-32	31.44	0.302
AX-19-32	32.1	9.36
AX-19-32	32.76	7.9
AX-19-32	33.42333	5.3
AX-19-32	34.08667	0.61
AX-19-32	34.75	3.99
AX-19-32	35.46667	0.91
AX-19-32	36.18333	0.979
AX-19-32	36.9	0.849
AX-19-32	37.44667	0.804
AX-19-32	37.99333	0.413

Hole_ID	Depth	MagSusc
AX-19-32	38.54	0.595
AX-19-32	39.02667	2.76
AX-19-32	39.51333	1.38
AX-19-32	40	1.12
AX-19-32	40.5	1.37
AX-19-32	41	1.01
AX-19-32	41.5	0.333
AX-19-32	41.89	0.861
AX-19-32	42.28	0.403
AX-19-32	42.67	0.781
AX-19-32	43.33667	0.367
AX-19-32	44.00333	0.783
AX-19-32	44.67	0.267
AX-19-32	45.07	0.172
AX-19-32	45.47	0.725
AX-19-32	45.87	0.5
AX-19-32	46.43	0.234
AX-19-32	46.99	0.9
AX-19-32	47.55	1.74
AX-19-32	48.36333	1.56
AX-19-32	49.17667	0.151
AX-19-32	49.99	0.254
AX-19-32	50.53333	0.093
AX-19-32	51.07667	0.287
AX-19-32	51.62	0.203
AX-19-32	52.33	0.509
AX-19-32	53.04	0.802
AX-19-32	53.75	0.695
AX-19-32	54.26667	0.964
AX-19-32	54.78333	0.834
AX-19-32	55.3	0.463
AX-19-32	56.02	1.53
AX-19-32	56.74	1.41
AX-19-32	57.46	0.128
AX-19-32	58.12	0.441
AX-19-32	58.78	0.375
AX-19-32	59.44	0.767
AX-19-32	59.9	1.31
AX-19-32	60.36	1.05
AX-19-32	60.82	4.71
AX-19-32	61.10667	3.41
AX-19-32	61.39333	2.78
AX-19-32	61.68	3.55
AX-19-32	62.35333	6.05
AX-19-32	63.02667	9.55
AX-19-32	63.7	5.6

Hole_ID	Depth	MagSus
AX-19-32	64.31	8.32
AX-19-32	64.92	0.658
AX-19-32	65.53	0.474
AX-19-32	66.25333	0.808
AX-19-32	66.97667	1.63
AX-19-32	67.7	2.43
AX-19-32	68.5	1.22
AX-19-32	69.3	1.2
AX-19-32	70.1	2.11
AX-19-32	70.48	1.8
AX-19-32	70.86	1.36
AX-19-32	71.24	1.44
AX-19-32	71.87667	1.57
AX-19-32	72.51333	0.991
AX-19-32	73.15	0.852
AX-19-32	73.66667	0.8
AX-19-32	74.18333	1.23
AX-19-32	74.7	1.01
AX-19-32	75.2	0.828
AX-19-32	75.7	0.924
AX-19-32	76.2	0.974
AX-19-32	76.68333	1.23
AX-19-32	77.16667	2.1
AX-19-32	77.65	0.842
AX-19-32	78.08	0.293
AX-19-32	78.51	1.82
AX-19-32	78.94	1.06
AX-19-32	79.55	1.71
AX-19-32	80.16	0.725
AX-19-32	80.77	0.309
AX-19-32	81.28667	0.464
AX-19-32	81.80333	0.915
AX-19-32	82.32	1.57
AX-19-32	82.82	0.729
AX-19-32	83.32	0.506
AX-19-32	83.82	1.57
AX-19-32	84.50667	1
AX-19-32	85.19333	0.314
AX-19-32	85.88	1
AX-19-32	86.09333	0.295
AX-19-32	86.30667	0.272
AX-19-32	86.52	0.474
AX-19-32	87.14333	1.13
AX-19-32	87.76667	0.372
AX-19-32	88.39	0.694
AX-19-32	88.63	1.67



Hole_ID	Depth	MagSusc
AX-19-32	88.87	1.28
AX-19-32	89.11	1.97
AX-19-32	89.47	4.2
AX-19-32	89.83	0.499
AX-19-32	90.19	0.906
AX-19-32	90.60667	2.73
AX-19-32	91.02333	2.26
AX-19-32	91.44	0.641
AX-19-32	91.94667	3.03
AX-19-32	92.45333	1.55
AX-19-32	92.96	0.451
AX-19-32	93.47	0.378
AX-19-32	93.98	0.74
AX-19-32	94.49	0.419
AX-19-32	94.99333	0.208
AX-19-32	95.49667	0.296
AX-19-32	96	0.288
AX-19-32	96.51333	2.86
AX-19-32	97.02667	19.8
AX-19-32	97.54	1.61
AX-19-32	97.89	3.5
AX-19-32	98.24	0.58
AX-19-32	98.59	4.84
AX-19-32	98.91667	1
AX-19-32	99.24333	0.716
AX-19-32	99.57	5.6
AX-19-32	99.90667	3.64
AX-19-32	100.2433	2.2
AX-19-32	100.58	3.14
AX-19-32	100.97	3.33
AX-19-32	101.36	2.91
AX-19-32	101.75	1.16
AX-19-32	102.11	0.495
AX-19-32	102.6167	0.266
AX-19-32	103.1233	0.348
AX-19-32	103.63	0
AX-19-32	104.14	0
AX-19-32	104.65	0
AX-19-32	105.16	0
AX-19-32	105.54	0
AX-19-32	105.92	0
AX-19-32	106.3	1.02
AX-19-32	106.9333	0
AX-19-32	107.5667	3.11
AX-19-33	12.19	0.129
AX-19-33	13.20667	0.826

Hole_ID	Depth	MagSusc
AX-19-33	14.22333	0.183
AX-19-33	15.24	0.166
AX-19-33	15.74667	0.174
AX-19-33	16.25333	0.261
AX-19-33	16.76	0.377
AX-19-33	17.01333	0.22
AX-19-33	17.26667	0.385
AX-19-33	17.52	0.856
AX-19-33	18.28333	3.92
AX-19-33	19.04667	1.07
AX-19-33	19.81	0.393
AX-19-33	20.24667	0.387
AX-19-33	20.68333	0.863
AX-19-33	21.12	0.838
AX-19-33	21.7	0.491
AX-19-33	22.28	1.2
AX-19-33	22.86	0.47
AX-19-33	23.34	1.89
AX-19-33	23.82	1.63
AX-19-33	24.3	0.498
AX-19-33	24.83667	1.65
AX-19-33	25.37333	2.03
AX-19-33	25.91	0.925
AX-19-33	26.44	2.11
AX-19-33	26.97	1.47
AX-19-33	27.5	0.651
AX-19-33	27.98667	2.54
AX-19-33	28.47333	0.824
AX-19-33	28.96	3.67
AX-19-33	29.5	1.07
AX-19-33	30.04	5.93
AX-19-33	30.58	3.41
AX-19-33	31.05333	1.39
AX-19-33	31.52667	3.9
AX-19-33	32	2.34
AX-19-33	32.51	8.52
AX-19-33	33.02	4.64
AX-19-33	33.53	3.75
AX-19-33	34.03667	5.88
AX-19-33	34.54333	2.23
AX-19-33	35.05	7.17
AX-19-33	35.56	3.96
AX-19-33	36.07	3.41
AX-19-33	36.58	7.23
AX-19-33	37.15667	5.54
AX-19-33	37.73333	4.59

Hole_ID	Depth	MagSusc
AX-19-33	38.31	3.5
AX-19-33	38.88	2.3
AX-19-33	39.45	6.06
AX-19-33	40.02	1.89
AX-19-33	40.74667	2.07
AX-19-33	41.47333	1.07
AX-19-33	42.2	0.72
AX-19-33	42.86667	0.473
AX-19-33	43.53333	1.58
AX-19-33	44.2	2.82
AX-19-33	44.91667	8.09
AX-19-33	45.63333	4.07
AX-19-33	46.35	2.47
AX-19-33	47.08667	2.94
AX-19-33	47.82333	2.44
AX-19-33	48.56	2.08
AX-19-33	48.90667	4.18
AX-19-33	49.25333	1.49
AX-19-33	49.6	0.465
AX-19-33	50.34	1.89
AX-19-33	51.08	4.74
AX-19-33	51.82	1.98
AX-19-33	52.47	2.39
AX-19-33	53.12	5.19
AX-19-33	53.77	1.63
AX-19-33	54.49667	4.24
AX-19-33	55.22333	3.19
AX-19-33	55.95	5.8
AX-19-33	56.06	16.2
AX-19-33	56.17	19.5
AX-19-33	56.28	1.27
AX-19-33	56.80333	1.45
AX-19-33	57.32667	3.36
AX-19-33	57.85	1.28
AX-19-33	58.38	2.15
AX-19-33	58.91	1.98
AX-19-33	59.44	2.44
AX-19-33	59.96	1.57
AX-19-33	60.48	0.645
AX-19-33	61	0.636
AX-19-33	61.49333	0.876
AX-19-33	61.98667	0.286
AX-19-33	62.48	0.479
AX-19-33	62.98667	0.079
AX-19-33	63.49333	0.665
AX-19-33	64	1.26

Hole_ID	Depth	MagSusc
AX-19-33	64.51	5.46
AX-19-33	65.02	0.857
AX-19-33	65.53	0.775
AX-19-33	66.02	0.91
AX-19-33	66.51	1.2
AX-19-33	67	0.698
AX-19-33	67.52667	1.75
AX-19-33	68.05333	1.68
AX-19-33	68.58	1.13
AX-19-33	69.05333	0.582
AX-19-33	69.52667	0.488
AX-19-33	70	0.348
AX-19-33	70.54333	3.7
AX-19-33	71.08667	1.32
AX-19-33	71.63	1.79
AX-19-33	72.41333	1.54
AX-19-33	73.19667	2.22
AX-19-33	73.98	4.1
AX-19-33	74.24667	7.97
AX-19-33	74.51333	4.91
AX-19-33	74.78	34.8
AX-19-33	75.07	0.688
AX-19-33	75.36	3.89
AX-19-33	75.65	1.31
AX-19-33	76.34	0.631
AX-19-33	77.03	0.378
AX-19-33	77.72	0.467
AX-19-33	78.17	0.554
AX-19-33	78.62	1.58
AX-19-33	79.07	0.594
AX-19-33	79.63667	0.805
AX-19-33	80.20333	1.13
AX-19-33	80.77	0.681
AX-19-33	81.26	0.667
AX-19-33	81.75	0.581
AX-19-33	82.24	1.34
AX-19-33	82.76667	0.971
AX-19-33	83.29333	0.491
AX-19-33	83.82	0.739
AX-19-33	84.53	0.86
AX-19-33	85.24	4.69
AX-19-33	85.95	41.8
AX-19-33	86.25667	9.49
AX-19-33	86.56333	17.4
AX-19-33	86.87	2.27
AX-19-33	87.21333	0.376

Hole_ID	Depth	MagSusc
AX-19-33	87.55667	1.72
AX-19-33	87.9	2.01
AX-19-33	88.64667	1.65
AX-19-33	89.39333	0.593
AX-19-33	90.14	3.28
AX-19-33	90.57	12.1
AX-19-33	91	6
AX-19-33	91.43	2.64
AX-19-33	91.92	1.18
AX-19-33	92.41	4.77
AX-19-33	92.9	1.09
AX-19-33	93.53333	1.4
AX-19-33	94.16667	1.21
AX-19-33	94.8	2.73
AX-19-33	95.2	8.11
AX-19-33	95.6	4.52
AX-19-33	96	0.279
AX-19-33	96.10667	0.317
AX-19-33	96.21333	0.969
AX-19-33	96.32	0.26
AX-19-33	96.88	9.84
AX-19-33	97.44	5.73
AX-19-33	98	17.1
AX-19-33	98.22	1.01
AX-19-33	98.45667	8.36
AX-19-33	98.69333	11.4
AX-19-33	98.93	1.07
AX-19-33	99.38667	1.22
AX-19-33	99.84333	5
AX-19-33	100.3	3.21
AX-19-33	100.7	6.29
AX-19-33	101.1	12.1
AX-19-33	101.5	1.88
AX-19-33	101.8667	1.03
AX-19-33	102.2333	0.473
AX-19-33	102.6	5.81
AX-19-33	103.01	3.41
AX-19-33	103.42	9.51
AX-19-33	103.83	1.17
AX-19-33	104.2733	0.678
AX-19-33	104.7167	0
AX-19-34	4.72	0.18
AX-19-34	5.18	0.33
AX-19-34	5.64	1.8
AX-19-34	6.10	1.1
AX-19-34	6.61	1.36

Hole_ID	Depth	MagSusc
AX-19-34	7.11	1.03
AX-19-34	7.62	1.39
AX-19-34	8.13	2.29
AX-19-34	8.63	1.82
AX-19-34	9.14	0.68
AX-19-34	9.65	0.2
AX-19-34	10.15	1.08
AX-19-34	10.66	1.73
AX-19-34	11.00	1.37
AX-19-34	11.35	10.8
AX-19-34	11.69	3.71
AX-19-34	12.06	2.75
AX-19-34	12.44	1.35
AX-19-34	12.81	1.22
AX-19-34	13.21	1.42
AX-19-34	13.62	0.19
AX-19-34	14.02	0.19
AX-19-34	14.34	0.32
AX-19-34	14.66	0.39
AX-19-34	14.98	1.41
AX-19-34	15.45	1.35
AX-19-34	15.92	2.32
AX-19-34	16.39	0.6
AX-19-34	16.84	0.76
AX-19-34	17.30	1.41
AX-19-34	17.75	1.16
AX-19-34	18.21	1.17
AX-19-34	18.68	1.97
AX-19-34	19.14	0.28
AX-19-34	19.61	0.32
AX-19-34	20.07	0.31
AX-19-34	20.54	0.13
AX-19-34	21.00	0.26
AX-19-34	21.46	0.15
AX-19-34	21.92	0.31
AX-19-34	22.37	0.52
AX-19-34	22.81	0.23
AX-19-34	23.26	0.21
AX-19-34	23.73	0.24
AX-19-34	24.20	0.13
AX-19-34	24.67	0.67
AX-19-34	25.17	0.41
AX-19-34	25.67	0.25
AX-19-34	26.17	0.26
AX-19-34	26.66	0.55
AX-19-34	27.16	1.47

Hole_ID	Depth	MagSusc
AX-19-34	27.65	2.2
AX-19-34	28.11	0.41
AX-19-34	28.57	0.56
AX-19-34	29.03	0.42
AX-19-34	29.51	0.93
AX-19-34	30.00	3.41
AX-19-34	30.48	2.09
AX-19-34	30.95	1.13
AX-19-34	31.42	0.94
AX-19-34	31.89	0.57
AX-19-34	32.35	0.86
AX-19-34	32.82	0.31
AX-19-34	33.28	0.27
AX-19-34	33.78	0.56
AX-19-34	34.28	1.1
AX-19-34	34.78	0.69
AX-19-34	35.21	3.69
AX-19-34	35.64	0
AX-19-34	36.07	0.4
AX-19-34	36.57	0.95
AX-19-34	37.07	2.83
AX-19-34	37.57	0.39
AX-19-34	38.06	0.09
AX-19-34	38.56	0.52
AX-19-34	39.05	0.48
AX-19-34	39.15	0.15
AX-19-34	39.24	0.27
AX-19-34	39.34	0.32
AX-19-34	39.84	0.2
AX-19-34	40.34	0.6
AX-19-34	40.84	0.17
AX-19-34	41.33	0.43
AX-19-34	41.81	0.68
AX-19-34	42.30	0.75
AX-19-34	42.73	0.58
AX-19-34	43.17	3.43
AX-19-34	43.60	0.32
AX-19-34	44.04	0.59
AX-19-34	44.48	1.78
AX-19-34	44.92	2.03
AX-19-34	44.98	1.68
AX-19-34	45.05	3.6
AX-19-34	45.11	9.46
AX-19-34	45.61	0.29
AX-19-34	46.11	0.45
AX-19-34	46.61	0.7

Hole_ID	Depth	MagSusc
AX-19-34	47.11	2.65
AX-19-34	47.61	2.74
AX-19-34	48.11	5.24
AX-19-34	48.60	10.1
AX-19-34	49.09	2.32
AX-19-34	49.58	5.15
AX-19-34	49.84	1.52
AX-19-34	50.11	3.36
AX-19-34	50.37	1.01
AX-19-34	50.85	2.23
AX-19-34	51.34	2.01
AX-19-34	51.82	1.03
AX-19-34	52.15	0.85
AX-19-34	52.48	0.59
AX-19-34	52.81	0.296
AX-19-34	53.27	0.39
AX-19-34	53.73	0.68
AX-19-34	54.19	0.42
AX-19-34	54.68	0.4
AX-19-34	55.17	1.05
AX-19-34	55.66	5.49
AX-19-34	56.11	2.77
AX-19-34	56.55	0.27
AX-19-34	57.00	1.89
AX-19-34	57.47	1.23
AX-19-34	57.95	1.53
AX-19-34	58.42	1.17
AX-19-34	58.91	1
AX-19-34	59.41	2.19
AX-19-34	59.90	1.75
AX-19-34	60.37	0.43
AX-19-34	60.84	2.37
AX-19-34	61.31	3.06
AX-19-34	61.80	0
AX-19-34	62.29	0.26
AX-19-34	62.78	0.56
AX-19-34	63.22	0.23
AX-19-34	63.67	1.41
AX-19-34	64.11	2.27
AX-19-34	64.58	0.62
AX-19-34	65.04	0.28
AX-19-34	65.51	0.61
AX-19-34	66.01	1.99
AX-19-34	66.50	2.53
AX-19-34	67.00	0.43
AX-19-34	67.49	0.46



Hole_ID	Depth	MagSusc
AX-19-34	67.99	0.3
AX-19-34	68.48	0.68
AX-19-34	68.98	0.3
AX-19-34	69.48	0.58
AX-19-34	69.98	0.51
AX-19-34	70.44	1.02
AX-19-34	70.89	0.8
AX-19-34	71.35	1.15
AX-19-34	71.82	1.32
AX-19-34	72.30	3.06
AX-19-34	72.77	2.24
AX-19-34	73.23	0.6
AX-19-34	73.69	0.92
AX-19-34	74.15	0.82
AX-19-34	74.64	0.74
AX-19-34	75.14	2.81
AX-19-34	75.63	1.11
AX-19-34	76.12	0.44
AX-19-34	76.60	0.5
AX-19-34	77.09	0.93
AX-19-34	77.54	0.7
AX-19-34	77.99	0.6
AX-19-34	78.44	1.22
AX-19-34	78.95	1.39
AX-19-34	79.46	1.85
AX-19-34	79.97	1.83
AX-19-34	80.47	1.6
AX-19-34	80.97	4.53
AX-19-34	81.47	0.99
AX-19-34	81.71	0.64
AX-19-34	81.96	1.9
AX-19-34	82.20	0.53
AX-19-34	82.63	0.49
AX-19-34	83.07	0.3
AX-19-34	83.50	1.5
AX-19-34	83.99	0.61
AX-19-34	84.48	0.58
AX-19-34	84.97	4.89
AX-19-34	85.47	2.32
AX-19-34	85.97	3.76
AX-19-34	86.47	1.37
AX-19-34	86.95	3.14
AX-19-34	87.43	0.6
AX-19-34	87.91	1.92
AX-19-34	88.24	2.22
AX-19-34	88.57	0.44

Hole_ID	Depth	MagSusc
AX-19-34	88.90	0.79
AX-19-34	89.14	0.85
AX-19-34	89.38	0.96
AX-19-34	89.62	1.49
AX-19-34	89.91	0.87
AX-19-34	90.21	0.92
AX-19-34	90.50	2.9
AX-19-34	91.00	2.75
AX-19-34	91.50	3.67
AX-19-34	92.00	1.94
AX-19-34	92.48	1.5
AX-19-34	92.97	2.1
AX-19-34	93.45	1.7
AX-19-34	93.90	1.4
AX-19-34	94.36	1.94
AX-19-34	94.81	6.23
AX-19-34	95.30	0.75
AX-19-34	95.79	1.97
AX-19-34	96.28	0.65
AX-19-34	96.76	1.36
AX-19-34	97.24	0.62
AX-19-34	97.72	1.55
AX-19-34	98.06	1.73
AX-19-34	98.41	5.74
AX-19-34	98.75	3.87
AX-19-34	99.22	2.39
AX-19-34	99.70	4.01
AX-19-34	100.17	4.94
AX-19-34	100.67	0.61
AX-19-34	101.17	0.28
AX-19-34	101.67	0.35
AX-19-34	102.16	0.18
AX-19-34	102.65	1.17
AX-19-34	103.14	0.45
AX-19-34	103.64	0.38
AX-19-34	104.14	0.53
AX-19-34	104.64	0.79
AX-19-34	105.12	0.26
AX-19-34	105.60	0.33
AX-19-34	106.08	0.2
AX-19-34	106.54	0.89
AX-19-34	107.00	0.54
AX-19-34	107.46	0.19
AX-19-34	107.94	0.12
AX-19-34	108.41	0.39
AX-19-34	108.89	0.54

Hole_ID	Depth	MagSusc
AX-19-34	109.38	1.33
AX-19-34	109.86	0.86
AX-19-34	110.35	1.07
AX-19-34	110.83	0.61
AX-19-34	111.30	0.71
AX-19-34	111.78	0.45
AX-19-34	112.25	1.4
AX-19-34	112.72	0
AX-19-34	113.19	1.24
AX-19-34	113.56	0.38
AX-19-34	113.93	0.57
AX-19-34	114.30	1.28
AX-19-34	114.73	0.5
AX-19-34	115.16	0.44
AX-19-34	115.59	4.65
AX-19-34	116.05	9.33
AX-19-34	116.52	4.02
AX-19-34	116.98	5.27
AX-19-34	117.42	1.07
AX-19-34	117.86	2.63
AX-19-34	118.30	1.13
AX-19-34	118.81	1.99
AX-19-34	119.31	2.91
AX-19-34	119.82	0.71
AX-19-34	119.91	1.41
AX-19-34	120.00	3.57
AX-19-34	120.09	1.92
AX-19-34	120.58	5.81
AX-19-34	121.08	2.71
AX-19-34	121.57	4.3
AX-19-34	121.98	1.5
AX-19-34	122.38	1.63
AX-19-34	122.79	1.98
AX-19-34	123.13	4.36
AX-19-34	123.46	2.16
AX-19-34	123.80	0.45
AX-19-34	124.13	0.49
AX-19-34	124.46	0.43
AX-19-34	124.79	0.67
AX-19-34	125.12	0.74
AX-19-34	125.45	0.65
AX-19-34	125.78	0.44
AX-19-34	126.06	1.55
AX-19-34	126.35	0.41
AX-19-34	126.63	4.99
AX-19-34	127.08	5.46

Hole_ID	Depth	MagSusc
AX-19-34	127.52	0.24
AX-19-34	127.97	0.69
AX-19-34	128.33	1.06
AX-19-34	128.70	0.61
AX-19-34	129.06	0.61
AX-19-34	129.19	0.5
AX-19-34	129.33	1.3
AX-19-34	129.46	2.91
AX-19-34	129.66	1.47
AX-19-34	129.85	2.44
AX-19-34	130.05	0.67
AX-19-34	130.09	0.45
AX-19-34	130.14	0.71
AX-19-34	130.18	1.08
AX-19-34	130.68	0.52
AX-19-34	131.18	0.99
AX-19-34	131.68	6.15
AX-19-34	131.92	0.93
AX-19-34	132.16	1.73
AX-19-34	132.4	0.92
AX-19-34	132.73	0.42
AX-19-34	133.07	0.65
AX-19-34	133.4	2.13
AX-19-34	133.82	4.65
AX-19-34	134.24	1.95
AX-19-34	134.66	3.94
AX-19-34	135.07	1.7
AX-19-34	135.47	1.73
AX-19-34	135.88	4.2
AX-19-34	136.35	0.1
AX-19-34	136.82	1.57
AX-19-34	137.29	2.27
AX-19-34	137.71	0.34
AX-19-34	138.14	0.17
AX-19-34	138.56	0.17
AX-19-34	138.84	0.59
AX-19-34	139.12	0.18
AX-19-34	139.4	1.76
AX-19-34	139.80	1.82
AX-19-34	140.21	0.2
AX-19-34	140.61	11.2
AX-19-34	140.79	6.47
AX-19-34	140.96	9.16
AX-19-34	141.14	0.19
AX-19-34	141.18	0.13
AX-19-34	141.22	0.24

Hole_ID	Depth	MagSusc
AX-19-34	141.26	0.42
AX-19-34	142.10	2.27
AX-19-34	142.93	1.59
AX-19-34	143.77	1.7
AX-19-34	144.18	0.82
AX-19-34	144.58	1.21
AX-19-34	144.99	0.55
AX-19-34	145.48	6.03
AX-19-34	145.96	0.96
AX-19-34	146.45	2.82
AX-19-34	146.95	0.78
AX-19-34	147.45	3.24
AX-19-34	147.95	29
AX-19-34	148.45	0.41
AX-19-34	148.95	0.33
AX-19-34	149.45	0.4
AX-19-34	149.93	2.17
AX-19-34	150.4	0.57
AX-19-34	150.88	0
AX-19-34	151.38	1.66
AX-19-34	151.88	0.02
AX-19-34	152.38	0.24
AX-19-34	152.87	1.32
AX-19-34	153.37	1.18
AX-19-34	153.86	0.19
AX-19-34	154.34	1.58
AX-19-34	154.81	1.35
AX-19-34	155.29	0.66
AX-19-34	155.78	0.46
AX-19-34	156.27	0
AX-19-34	156.76	0.21
AX-19-34	157.24	0.53
AX-19-34	157.73	0.56
AX-19-34	158.21	0.63
AX-19-34	158.69	0.47
AX-19-34	159.16	0.5
AX-19-34	159.64	0.48
AX-19-34	160.09	0.3
AX-19-34	160.55	0.47
AX-19-34	161	0.46
AX-19-34	161.34	0.33
AX-19-34	161.68	1.83
AX-19-34	162.02	0.31
AX-19-34	162.35	1.95
AX-19-34	162.67	1.34
AX-19-34	163	0.47

Hole_ID	Depth	MagSusc
AX-19-34	163.5	1
AX-19-34	163.99	1.34
AX-19-34	164.49	1.26
AX-19-34	164.92	0.34
AX-19-34	165.34	1.35
AX-19-34	165.77	0.47
AX-19-34	166.21	1.32
AX-19-34	166.66	2.68
AX-19-34	167.1	1.28
AX-19-34	167.4	1.63
AX-19-34	167.7	1.56
AX-19-34	168	1.83
AX-19-34	168.27	0.32
AX-19-34	168.53	0.41
AX-19-34	168.8	0.82
AX-19-34	169.27	0.53
AX-19-34	169.73	0.28
AX-19-34	170.2	0.6
AX-19-34	170.62	1.12
AX-19-34	171.04	2.47
AX-19-34	171.46	1.07
AX-19-34	171.75	0.83
AX-19-34	172.03	2.51
AX-19-34	172.32	0.49
AX-19-34	172.79	1.27
AX-19-34	173.27	1.16
AX-19-34	173.74	0.49
AX-19-34	174.24	4.46
AX-19-34	174.74	3.35
AX-19-34	175.24	3.46
AX-19-34	175.75	2.27
AX-19-34	176.27	4.46
AX-19-34	176.78	1.16
AX-19-34	177.05	3.45
AX-19-34	177.31	1.55
AX-19-34	177.58	0.49
AX-19-34	177.82	1.53
AX-19-34	178.07	0.06
AX-19-34	178.31	0.43
AX-19-35	1.44	0.17
AX-19-35	2.19	0.27
AX-19-35	2.95	0.29
AX-19-35	3.70	0.17
AX-19-35	4.03	0.22
AX-19-35	4.37	0.22
AX-19-35	4.70	0.35

Hole_ID	Depth	MagSusc
AX-19-35	5.06	0.38
AX-19-35	5.43	0.17
AX-19-35	5.79	0.54
AX-19-35	6.08	0.25
AX-19-35	6.38	0.5
AX-19-35	6.67	3.76
AX-19-35	7.04	0.37
AX-19-35	7.41	0.81
AX-19-35	7.78	0.18
AX-19-35	8.14	0.13
AX-19-35	8.50	0.7
AX-19-35	8.86	0.93
AX-19-35	9.32	0.31
AX-19-35	9.79	2.29
AX-19-35	10.25	0.37
AX-19-35	10.74	0.45
AX-19-35	11.22	1.27
AX-19-35	11.71	0.92
AX-19-35	12.20	0.28
AX-19-35	12.69	2.79
AX-19-35	13.18	1.39
AX-19-35	13.54	2.56
AX-19-35	13.90	2.47
AX-19-35	14.26	0.73
AX-19-35	14.65	0.35
AX-19-35	15.03	0.89
AX-19-35	15.42	2.74
AX-19-35	15.87	4.76
AX-19-35	16.31	2.04
AX-19-35	16.76	1.41
AX-19-35	17.24	6.27
AX-19-35	17.71	1.54
AX-19-35	18.19	0.56
AX-19-35	18.68	0.24
AX-19-35	19.17	0.43
AX-19-35	19.66	0
AX-19-35	20.15	1.19
AX-19-35	20.63	1.24
AX-19-35	21.12	0.42
AX-19-35	21.61	0.48
AX-19-35	22.11	0.55
AX-19-35	22.60	0.39
AX-19-35	23.07	0.14
AX-19-35	23.55	0.71
AX-19-35	24.02	0.4
AX-19-35	24.49	0.82

Hole_ID	Depth	MagSusc
AX-19-35	24.96	0
AX-19-35	25.43	0.4
AX-19-35	25.92	1.04
AX-19-35	26.42	0.85
AX-19-35	26.91	0.95
AX-19-35	27.40	2.25
AX-19-35	27.89	1.36
AX-19-35	28.38	1.02
AX-19-35	28.88	0.99
AX-19-35	29.38	1.02
AX-19-35	29.88	1.06
AX-19-35	30.37	1.06
AX-19-35	30.86	1.09
AX-19-35	31.35	0.42
AX-19-35	31.82	6.77
AX-19-35	32.30	2.77
AX-19-35	32.77	1.39
AX-19-35	33.25	1.25
AX-19-35	33.73	1.08
AX-19-35	34.21	0.64
AX-19-35	34.67	3.54
AX-19-35	35.13	2.58
AX-19-35	35.59	0.6
AX-19-35	36.08	1
AX-19-35	36.56	1.96
AX-19-35	37.05	1.91
AX-19-35	37.56	6.76
AX-19-35	38.06	2.36
AX-19-35	38.57	0.46
AX-19-35	39.09	2.92
AX-19-35	39.62	1.03
AX-19-35	40.14	2.27
AX-19-35	40.63	3.59
AX-19-35	41.12	1.72
AX-19-35	41.61	1.2
AX-19-35	42.10	1.22
AX-19-35	42.58	2.42
AX-19-35	43.07	1.1
AX-19-35	43.56	1.1
AX-19-35	44.05	1.17
AX-19-35	44.54	0.39
AX-19-35	45.03	5.25
AX-19-35	45.53	3.31
AX-19-35	46.02	0.52
AX-19-35	46.48	1.27
AX-19-35	46.94	0



Hole_ID	Depth	MagSusc
AX-19-35	47.40	4.13
AX-19-35	47.89	1.03
AX-19-35	48.38	2.57
AX-19-35	48.87	1.28
AX-19-35	49.34	0.59
AX-19-35	49.82	2.41
AX-19-35	50.29	0.59
AX-19-35	50.77	1.16
AX-19-35	51.24	2.89
AX-19-35	51.72	4.33
AX-19-35	52.20	4.33
AX-19-35	52.67	2.02
AX-19-35	53.15	4.16
AX-19-35	53.63	0.77
AX-19-35	54.10	0.08
AX-19-35	54.58	0.61
AX-19-35	54.99	1.08
AX-19-35	55.41	0.96
AX-19-35	55.82	4.83
AX-19-35	56.23	0.93
AX-19-35	56.63	1.22
AX-19-35	57.04	0.99
AX-19-35	57.48	1.85
AX-19-35	57.92	1.01
AX-19-35	58.36	0.99
AX-19-35	58.87	0.41
AX-19-35	59.39	0.12
AX-19-35	59.90	0.18
AX-19-35	60.35	1.39
AX-19-35	60.79	0.46
AX-19-35	61.24	1.35
AX-19-35	61.61	1.08
AX-19-35	61.97	2.6
AX-19-35	62.34	1.08
AX-19-35	62.84	2.52
AX-19-35	63.34	1.54
AX-19-35	63.84	2.54
AX-19-35	64.31	6.53
AX-19-35	64.78	5.41
AX-19-35	65.25	6.76
AX-19-35	65.73	1.95
AX-19-35	66.22	1.53
AX-19-35	66.70	3.18
AX-19-35	67.17	1.72
AX-19-35	67.65	2.57
AX-19-35	68.12	0.72

Hole_ID	Depth	MagSusc
AX-19-35	68.61	2.83
AX-19-35	69.09	0.95
AX-19-35	69.58	2.7
AX-19-35	70.06	5.42
AX-19-35	70.55	4.53
AX-19-35	71.03	4.66
AX-19-35	71.52	1.85
AX-19-35	72.01	2.83
AX-19-35	72.50	2.37
AX-19-35	73.00	1.54
AX-19-35	73.50	2.29
AX-19-35	74.00	0.54
AX-19-35	74.44	3.11
AX-19-35	74.89	1.62
AX-19-35	75.33	0.7
AX-19-35	75.82	1.54
AX-19-35	76.31	1.12
AX-19-35	76.80	1.67
AX-19-35	77.30	1.04
AX-19-35	77.80	1.15
AX-19-35	78.30	1.25
AX-19-35	78.72	1.54
AX-19-35	79.15	4.86
AX-19-35	79.57	4.23
AX-19-35	79.95	1.72
AX-19-35	80.34	7.81
AX-19-35	80.72	0.27
AX-19-35	81.22	0.53
AX-19-35	81.71	0.97
AX-19-35	82.21	0.33
AX-19-35	82.61	0.09
AX-19-35	83.00	0.23
AX-19-35	83.40	0.34
AX-19-35	83.81	0.56
AX-19-35	84.21	0.41
AX-19-35	84.62	0.63
AX-19-35	84.93	0.06
AX-19-35	85.25	0.23
AX-19-35	85.56	0.87
AX-19-35	86.04	1.58
AX-19-35	86.51	0.87
AX-19-35	86.99	1.15
AX-19-35	87.46	0.3
AX-19-35	87.94	0.11
AX-19-35	88.41	1.57
AX-19-35	88.91	0.25

Hole_ID	Depth	MagSusc
AX-19-35	89.42	0.31
AX-19-35	89.92	0.29
AX-19-35	90.42	0.67
AX-19-35	90.92	1.8
AX-19-35	91.42	8.41
AX-19-35	91.90	1.34
AX-19-35	92.37	0.99
AX-19-35	92.85	0.67
AX-19-35	93.32	1.51
AX-19-35	93.80	2.43
AX-19-35	94.27	1.49
AX-19-35	94.70	3.56
AX-19-35	95.13	1.1
AX-19-35	95.56	0.44
AX-19-35	96.06	1.93
AX-19-35	96.55	1.39
AX-19-35	97.05	0.75
AX-19-35	97.56	2.95
AX-19-35	98.07	8.06
AX-19-35	98.58	1.36
AX-19-35	99.05	1.48
AX-19-35	99.53	3.99
AX-19-35	100.00	3.5
AX-19-35	100.50	2.92
AX-19-35	100.99	2.63
AX-19-35	101.49	3.01
AX-19-35	101.98	7.38
AX-19-35	102.46	0.88
AX-19-35	102.95	4.71
AX-19-35	103.43	4.43
AX-19-35	103.92	1.97
AX-19-35	104.40	1.4
AX-19-35	104.73	8.46
AX-19-35	105.07	2.39
AX-19-35	105.40	0.51
AX-19-35	105.78	1.35
AX-19-35	106.15	0.33
AX-19-35	106.53	1.97
AX-19-36	10.67	0.66
AX-19-36	11.18	1.92
AX-19-36	11.68	1.12
AX-19-36	12.19	1.92
AX-19-36	12.59	2.2
AX-19-36	12.98	1.61
AX-19-36	13.38	1.77
AX-19-36	13.87	1.4

Hole_ID	Depth	MagSusc
AX-19-36	14.37	2.34
AX-19-36	14.86	5.29
AX-19-36	15.35	7.11
AX-19-36	15.83	11.81
AX-19-36	16.32	14.6
AX-19-36	16.80	7.39
AX-19-36	17.29	3.19
AX-19-36	17.77	4.05
AX-19-36	18.07	3.44
AX-19-36	18.38	3.14
AX-19-36	18.68	2.3
AX-19-36	19.03	1.78
AX-19-36	19.38	9.2
AX-19-36	19.73	2.83
AX-19-36	20.21	0.69
AX-19-36	20.69	0.53
AX-19-36	21.17	6.49
AX-19-36	21.67	1.62
AX-19-36	22.17	0.46
AX-19-36	22.67	1.09
AX-19-36	23.13	2.58
AX-19-36	23.58	4.89
AX-19-36	24.04	2.58
AX-19-36	24.47	5.74
AX-19-36	24.89	4.24
AX-19-36	25.32	2.61
AX-19-36	25.75	1.51
AX-19-36	26.19	0.42
AX-19-36	26.62	10.9
AX-19-36	27.08	5.41
AX-19-36	27.54	4.12
AX-19-36	28.00	2.51
AX-19-36	28.46	0.9
AX-19-36	28.92	1.86
AX-19-36	29.38	1.17
AX-19-36	29.82	5.29
AX-19-36	30.25	7.07
AX-19-36	30.69	0.63
AX-19-36	31.18	0.58
AX-19-36	31.66	1.22
AX-19-36	32.15	0.78
AX-19-36	32.62	0.62
AX-19-36	33.10	2.06
AX-19-36	33.57	0.58
AX-19-36	34.08	2.91
AX-19-36	34.60	11.4

Hole_ID	Depth	MagSusc
AX-19-36	35.11	4.82
AX-19-36	35.62	2.44
AX-19-36	36.12	2.99
AX-19-36	36.63	0.88
AX-19-36	37.12	1.41
AX-19-36	37.61	0.45
AX-19-36	38.10	0.18
AX-19-36	38.60	2.61
AX-19-36	39.09	4.7
AX-19-36	39.59	0.3
AX-19-36	40.04	7.81
AX-19-36	40.48	4.13
AX-19-36	40.93	0.12
AX-19-36	41.42	0.96
AX-19-36	41.90	2.11
AX-19-36	42.39	7.65
AX-19-36	42.84	1.37
AX-19-36	43.30	0.49
AX-19-36	43.75	0.4
AX-19-36	44.24	0.36
AX-19-36	44.73	0.24
AX-19-36	45.22	4.43
AX-19-36	45.69	0.69
AX-19-36	46.15	0.63
AX-19-36	46.62	1.58
AX-19-36	47.02	1.19
AX-19-36	47.42	0.32
AX-19-36	47.82	2.42
AX-19-36	48.21	1.06
AX-19-36	48.61	3.31
AX-19-36	49.00	5.27
AX-19-36	49.49	1.99
AX-19-36	49.99	4.47
AX-19-36	50.48	3.29
AX-19-36	50.93	1.17
AX-19-36	51.37	2.28
AX-19-36	51.82	5.56
AX-19-36	52.29	1.67
AX-19-36	52.75	1.55
AX-19-36	53.22	1.28
AX-19-36	53.68	2.91
AX-19-36	54.13	1.14
AX-19-36	54.59	0.75
AX-19-36	55.06	4.36
AX-19-36	55.53	0.48
AX-19-36	56.00	1.9

Hole_ID	Depth	MagSusc
AX-19-36	56.50	2.97
AX-19-36	57.00	3.11
AX-19-36	57.50	3.29
AX-19-36	57.92	1.71
AX-19-36	58.33	3.44
AX-19-36	58.75	5.44
AX-19-36	59.24	6.98
AX-19-36	59.73	2.57
AX-19-36	60.22	1
AX-19-36	60.61	2.54
AX-19-36	61.01	2.01
AX-19-36	61.40	2.21
AX-19-36	61.86	1.53
AX-19-36	62.32	2.75
AX-19-36	62.78	2.08
AX-19-36	63.28	0.51
AX-19-36	63.77	0.64
AX-19-36	64.27	10.6
AX-19-36	64.75	2.72
AX-19-36	65.22	1.49
AX-19-36	65.70	0.35
AX-19-36	66.15	0.16
AX-19-36	66.61	0.19
AX-19-36	67.06	0.44
AX-19-36	67.53	0.5
AX-19-36	68.01	0.18
AX-19-36	68.48	2.8
AX-19-36	68.98	2.72
AX-19-36	69.48	1.84
AX-19-36	69.98	0.6
AX-19-36	70.45	0.33
AX-19-36	70.91	0
AX-19-36	71.38	0.42
AX-19-36	71.87	0.26
AX-19-36	72.37	0.5
AX-19-36	72.86	1.09
AX-19-36	73.31	0.59
AX-19-36	73.76	2.58
AX-19-36	74.21	1.77
AX-19-36	74.69	1.82
AX-19-36	75.18	1.37
AX-19-36	75.66	1.86
AX-19-36	76.15	0.6
AX-19-36	76.64	0.46
AX-19-36	77.13	1.09
AX-19-36	77.63	0.32

Hole_ID	Depth	MagSusc
AX-19-36	78.12	0.03
AX-19-36	78.62	0.42
AX-19-36	79.10	1.75
AX-19-36	79.58	1.78
AX-19-36	80.06	0.9
AX-19-36	80.55	0.72
AX-19-36	81.04	3.9
AX-19-36	81.53	0.51
AX-19-36	82.05	0.32
AX-19-36	82.58	1.38
AX-19-36	83.10	0.32
AX-19-36	83.62	0.15
AX-19-36	84.14	2.19
AX-19-36	84.66	1.38
AX-19-36	85.13	1.39
AX-19-36	85.61	2.28
AX-19-36	86.08	1.44
AX-19-36	86.56	1.98
AX-19-36	87.05	2.82
AX-19-36	87.53	1.8
AX-19-36	88.03	3.43
AX-19-36	88.53	1.35
AX-19-36	89.03	0.94
AX-19-36	89.49	3.08
AX-19-36	89.94	1.59
AX-19-36	90.40	2.3
AX-19-36	90.88	1.93
AX-19-36	91.37	3.67
AX-19-36	91.85	1.96
AX-19-36	92.34	4.01
AX-19-36	92.83	1.36
AX-19-36	93.32	8.02
AX-19-36	93.79	0.94
AX-19-36	94.25	1.99
AX-19-36	94.72	2.42
AX-19-36	95.20	2.63
AX-19-36	95.68	1.66
AX-19-36	96.16	1.75
AX-19-36	96.65	2.02
AX-19-36	97.14	0.79
AX-19-36	97.63	2.57
AX-19-36	98.11	1.03
AX-19-36	98.58	0
AX-19-36	99.06	0.49
AX-19-36	99.54	0.31
AX-19-36	100.02	0.51

Hole_ID	Depth	MagSusc
AX-19-36	100.50	0.59
AX-19-36	100.98	0.46
AX-19-36	101.45	0.97
AX-19-36	101.93	2.07
AX-19-36	102.41	0.58
AX-19-36	102.88	2.49
AX-19-36	103.36	0.74
AX-19-36	103.74	1.88
AX-19-36	104.12	0.39
AX-19-36	104.50	1
AX-19-36	104.97	0.47
AX-19-36	105.45	0.94
AX-19-36	105.92	0.3
AX-19-36	106.43	0.35
AX-19-36	106.94	0.48
AX-19-36	107.45	0
AX-19-36	107.95	0.84
AX-19-36	108.45	1.45
AX-19-36	108.95	2.22
AX-19-36	109.40	0.74
AX-19-36	109.85	0.09
AX-19-36	110.30	0.61
AX-19-36	110.67	0.13
AX-19-36	111.04	0.53
AX-19-36	111.41	0.2
AX-19-36	111.89	0.12
AX-19-36	112.38	0.45
AX-19-36	112.86	1.48
AX-19-36	113.36	1.97
AX-19-36	113.86	4.32
AX-19-36	114.36	1.19
AX-19-36	114.85	1.05
AX-19-36	115.35	6.98
AX-19-36	115.84	5.95
AX-19-36	116.24	6.61
AX-19-36	116.64	0.54
AX-19-36	117.04	0.35
AX-19-37	8.2	0.32
AX-19-37	8.83	0.3
AX-19-37	9.47	0.38
AX-19-37	10.1	0.69
AX-19-37	10.57	0.24
AX-19-37	11.04	0.44
AX-19-37	11.51	0.25
AX-19-37	12.01	0.81
AX-19-37	12.50	0.43



Hole_ID	Depth	MagSusc
AX-19-37	13	0.25
AX-19-37	13.50	0.5
AX-19-37	14.00	0.28
AX-19-37	14.5	0.31
AX-19-37	15.00	0.45
AX-19-37	15.50	0.16
AX-19-37	16	1.2
AX-19-37	16.49	1.6
AX-19-37	16.99	0.27
AX-19-37	17.48	0.26
AX-19-37	17.99	1.6
AX-19-37	18.49	0.41
AX-19-37	19	0.24
AX-19-37	19.50	0.59
AX-19-37	20.00	0.74
AX-19-37	20.5	0.37
AX-19-37	21.04	0.14
AX-19-37	21.57	0.26
AX-19-37	22.11	0.32
AX-19-37	22.60	0.13
AX-19-37	23.09	0.15
AX-19-37	23.58	0.05
AX-19-37	23.80	0.15
AX-19-37	24.02	0.12
AX-19-37	24.24	0.41
AX-19-37	24.73	0.19
AX-19-37	25.21	0.22
AX-19-37	25.7	0.11
AX-19-37	26.19	0.29
AX-19-37	26.67	1.6
AX-19-37	27.16	0.36
AX-19-37	27.64	0.17
AX-19-37	28.12	2
AX-19-37	28.6	0.68
AX-19-37	29.07	0.28
AX-19-37	29.53	0.26
AX-19-37	30	0.2
AX-19-37	30.47	0.4
AX-19-37	30.93	0.67
AX-19-37	31.4	0.76
AX-19-37	31.89	3.9
AX-19-37	32.39	2
AX-19-37	32.88	0.27
AX-19-37	33.37	0.28
AX-19-37	33.86	0.39
AX-19-37	34.35	2.7

Hole_ID	Depth	MagSusc
AX-19-37	34.63	2.9
AX-19-37	34.92	0.36
AX-19-37	35.2	0.52
AX-19-37	35.53	0.76
AX-19-37	35.87	8.8
AX-19-37	36.2	4.9
AX-19-37	36.70	4.5
AX-19-37	37.19	3.1
AX-19-37	37.69	1.2
AX-19-37	38.19	5.8
AX-19-37	38.69	1.9
AX-19-37	39.19	2.4
AX-19-37	39.67	5.5
AX-19-37	40.14	1.9
AX-19-37	40.62	1.7
AX-19-37	41.05	2.3
AX-19-37	41.47	2
AX-19-37	41.9	4.2
AX-19-37	42.25	5
AX-19-37	42.61	4.6
AX-19-37	42.96	5
AX-19-37	43.33	0.53
AX-19-37	43.70	0.94
AX-19-37	44.07	0.83
AX-19-37	44.31	0.87
AX-19-37	44.56	0.48
AX-19-37	44.8	0.43
AX-19-37	45.12	1.4
AX-19-37	45.43	0.52
AX-19-37	45.75	0.32
AX-19-37	46.22	1.6
AX-19-37	46.70	0.24
AX-19-37	47.17	1.7
AX-19-37	47.66	4.5
AX-19-37	48.14	2.6
AX-19-37	48.63	1.4
AX-19-37	49.06	0.58
AX-19-37	49.49	1.9
AX-19-37	49.92	1.1
AX-19-37	50.38	0.52
AX-19-37	50.84	3.3
AX-19-37	51.3	0.28
AX-19-37	51.72	3
AX-19-37	52.13	0.94
AX-19-37	52.55	0.94
AX-19-37	52.61	0.64

Hole_ID	Depth	MagSusc
AX-19-37	52.66	0.47
AX-19-37	52.72	0.28
AX-19-37	53.21	0.54
AX-19-37	53.69	0.63
AX-19-37	54.18	0.49
AX-19-37	54.57	1.1
AX-19-37	54.96	0.99
AX-19-37	55.35	0.32
AX-19-37	55.68	0.36
AX-19-37	56.00	0.26
AX-19-37	56.33	3
AX-19-37	56.82	1.3
AX-19-37	57.31	2.1
AX-19-37	57.8	1.7
AX-19-37	58.30	1.3
AX-19-37	58.81	2.6
AX-19-37	59.31	1.1
AX-19-37	59.76	0.33
AX-19-37	60.20	0.55
AX-19-37	60.65	0.46
AX-19-37	61.15	0.43
AX-19-37	61.64	0.39
AX-19-37	62.14	0.56
AX-19-37	62.63	1.2
AX-19-37	63.11	1.8
AX-19-37	63.6	1.5
AX-19-37	64.10	3.6
AX-19-37	64.60	0.51
AX-19-37	65.1	1.8
AX-19-37	65.40	0.44
AX-19-37	65.70	1.4
AX-19-37	66	0.72
AX-19-37	66.37	1.6
AX-19-37	66.73	1.8
AX-19-37	67.1	1.4
AX-19-37	67.59	0.54
AX-19-37	68.09	1.6
AX-19-37	68.58	4.6
AX-19-37	69.09	4.4
AX-19-37	69.59	9
AX-19-37	70.1	0.18
AX-19-37	70.57	1.9
AX-19-37	71.03	3
AX-19-37	71.5	3.3
AX-19-37	71.99	2.1
AX-19-37	72.49	4.2

Hole_ID	Depth	MagSusc
AX-19-37	72.98	2.1
AX-19-37	73.47	0.98
AX-19-37	73.95	1.4
AX-19-37	74.44	1.9
AX-19-37	74.93	2.1
AX-19-37	75.42	3
AX-19-37	75.91	2
AX-19-37	76.40	2.7
AX-19-37	76.88	1.9
AX-19-37	77.37	3
AX-19-37	77.87	2.1
AX-19-37	78.36	2.6
AX-19-37	78.86	4.7
AX-19-37	79.33	2
AX-19-37	79.81	2.6
AX-19-37	80.28	6.5
AX-19-37	80.72	6.6
AX-19-37	81.15	8.4
AX-19-37	81.59	6.4
AX-19-37	82.06	5.2
AX-19-37	82.53	1.6
AX-19-37	83	2.6
AX-19-37	83.50	2.6
AX-19-37	83.99	7.4
AX-19-37	84.49	2.8
AX-19-37	84.99	6.2
AX-19-37	85.48	3.6
AX-19-37	85.98	1.7
AX-19-37	86.46	3.1
AX-19-37	86.94	1.9
AX-19-37	87.42	1.4
AX-19-37	87.90	2
AX-19-37	88.39	2
AX-19-37	88.87	1.9
AX-19-37	89.33	0.33
AX-19-37	89.79	1.3
AX-19-37	90.25	2.9
AX-19-37	90.73	2.1
AX-19-37	91.21	4.2
AX-19-37	91.69	0.26
AX-19-37	92.18	4
AX-19-37	92.66	4.7
AX-19-37	93.15	1.1
AX-19-37	93.55	2.7
AX-19-37	93.95	4
AX-19-37	94.35	0.89

Hole_ID	Depth	MagSusc
AX-19-37	94.78	3.8
AX-19-37	95.22	3.3
AX-19-37	95.65	2.3
AX-19-37	96.15	1
AX-19-37	96.64	1.7
AX-19-37	97.14	0.55
AX-19-37	97.63	0.38
AX-19-37	98.13	1
AX-19-37	98.62	0.59
AX-19-37	99.11	0.19
AX-19-37	99.60	1.2
AX-19-37	100.09	3
AX-19-37	100.58	1.5
AX-19-37	101.08	1.9
AX-19-37	101.57	2.1
AX-19-37	102.06	0.81
AX-19-37	102.55	3.5
AX-19-37	103.04	3.6
AX-19-37	103.38	3.6
AX-19-37	103.73	2
AX-19-37	104.07	1
AX-19-37	104.42	3.2
AX-19-37	104.77	0.19
AX-19-37	105.12	0.27
AX-19-37	105.45	3.3
AX-19-37	105.78	2.2
AX-19-37	106.11	0.32
AX-19-37	106.58	1.5
AX-19-37	107.05	1.8
AX-19-37	107.52	4.9
AX-19-37	108.01	4.3
AX-19-37	108.51	3.1
AX-19-37	109	2.2
AX-19-37	109.49	11.9
AX-19-37	109.99	1.2
AX-19-37	110.48	2
AX-19-37	110.74	2.1
AX-19-37	110.99	2.5
AX-19-37	111.25	0.77
AX-19-37	111.56	2.4
AX-19-37	111.87	0.45
AX-19-37	112.18	1.1
AX-19-37	112.39	0.21
AX-19-37	112.59	0.13
AX-19-37	112.8	0.26
AX-19-37	113.30	0.41

Hole_ID	Depth	MagSusc
AX-19-37	113.80	0.3
AX-19-37	114.3	0.28
AX-19-37	114.80	0.26
AX-19-37	115.30	1.2
AX-19-37	115.8	1.4
AX-19-37	116.28	0.21
AX-19-37	116.77	1.2
AX-19-37	117.25	11.6
AX-19-37	117.64	2.5
AX-19-37	118.04	1.9
AX-19-37	118.43	1.9
AX-19-37	118.76	0.87
AX-19-37	119.09	2
AX-19-37	119.42	2.3
AX-19-37	119.75	6.9
AX-19-37	120.07	4.8
AX-19-37	120.40	1.9
AX-19-38	6.21	0.67
AX-19-38	6.37	0.36
AX-19-38	6.54	0.49
AX-19-38	6.70	0.54
AX-19-38	7.20	1.3
AX-19-38	7.70	0.43
AX-19-38	8.20	0.39
AX-19-38	8.70	1.2
AX-19-38	9.20	0.32
AX-19-38	9.70	1.1
AX-19-38	10.20	0.34
AX-19-38	10.70	5.6
AX-19-38	11.20	2.4
AX-19-38	11.69	2.3
AX-19-38	12.17	2.2
AX-19-38	12.66	0.7
AX-19-38	13.16	4.7
AX-19-38	13.66	2.7
AX-19-38	14.16	5
AX-19-38	14.67	0.77
AX-19-38	15.18	1.3
AX-19-38	15.69	2.3
AX-19-38	15.94	3.1
AX-19-38	16.20	4.7
AX-19-38	16.45	4
AX-19-38	16.74	6.1
AX-19-38	17.03	3.1
AX-19-38	17.32	11
AX-19-38	17.82	2.3

Hole_ID	Depth	MagSusc
AX-19-38	18.32	1.4
AX-19-38	18.82	6
AX-19-38	19.05	0.41
AX-19-38	19.28	0.29
AX-19-38	19.51	0.18
AX-19-38	19.96	0.51
AX-19-38	20.41	1.3
AX-19-38	20.86	0.8
AX-19-38	21.34	2.2
AX-19-38	21.82	1.8
AX-19-38	22.30	1.7
AX-19-38	22.62	0.55
AX-19-38	22.93	2.8
AX-19-38	23.25	1.8
AX-19-38	23.51	2.2
AX-19-38	23.77	0.42
AX-19-38	24.03	5.4
AX-19-38	24.15	1.1
AX-19-38	24.28	2.7
AX-19-38	24.40	0.79
AX-19-38	24.90	4.5
AX-19-38	25.41	3.2
AX-19-38	25.91	2.2
AX-19-38	26.32	2.4
AX-19-38	26.72	0.21
AX-19-38	27.13	0.278
AX-19-38	27.33	0.67
AX-19-38	27.54	0.67
AX-19-38	27.74	0.25
AX-19-38	28.14	0.46
AX-19-38	28.53	0.36
AX-19-38	28.93	2.3
AX-19-38	29.25	1.3
AX-19-38	29.58	3.2
AX-19-38	29.90	1.7
AX-19-38	30.16	0.24
AX-19-38	30.42	0.97
AX-19-38	30.68	1.5
AX-19-38	31.18	4
AX-19-38	31.67	5
AX-19-38	32.17	2.1
AX-19-38	32.66	1.8
AX-19-38	33.16	4.9
AX-19-38	33.65	2.8
AX-19-38	34.13	9.9
AX-19-38	34.61	8

Hole_ID	Depth	MagSusc
AX-19-38	35.09	1.6
AX-19-38	35.59	0.82
AX-19-38	36.08	1.7
AX-19-38	36.58	1.9
AX-19-38	37.08	0.33
AX-19-38	37.58	0.88
AX-19-38	38.08	1.2
AX-19-38	38.56	2.4
AX-19-38	39.04	3
AX-19-38	39.52	1.4
AX-19-38	39.99	2.5
AX-19-38	40.47	2
AX-19-38	40.94	1.7
AX-19-38	41.42	3.1
AX-19-38	41.89	11.1
AX-19-38	42.37	4.1
AX-19-38	42.85	0.48
AX-19-38	43.32	1.3
AX-19-38	43.80	1.8
AX-19-38	44.28	3.1
AX-19-38	44.77	2.3
AX-19-38	45.25	0.23
AX-19-38	45.75	2.2
AX-19-38	46.24	2.3
AX-19-38	46.74	1.9
AX-19-38	47.24	2.2
AX-19-38	47.74	1.4
AX-19-38	48.24	2.3
AX-19-38	48.73	2.2
AX-19-38	49.21	3.5
AX-19-38	49.70	7.7
AX-19-38	50.08	3.8
AX-19-38	50.47	1
AX-19-38	50.85	2.1
AX-19-38	51.13	3.7
AX-19-38	51.42	5.7
AX-19-38	51.70	18
AX-19-38	52.20	6.8
AX-19-38	52.70	12.2
AX-19-38	53.20	7.7
AX-19-38	53.69	6.9
AX-19-38	54.17	8.8
AX-19-38	54.66	5
AX-19-38	55.14	5.4
AX-19-38	55.63	6.6
AX-19-38	56.11	4.4



Hole_ID	Depth	MagSusc
AX-19-38	56.60	2.7
AX-19-38	57.10	7.4
AX-19-38	57.59	6.6
AX-19-38	57.85	4.4
AX-19-38	58.10	3.8
AX-19-38	58.36	6.2
AX-19-38	58.76	8.4
AX-19-38	59.17	6
AX-19-38	59.57	1.2
AX-19-38	60.03	2.1
AX-19-38	60.50	0.34
AX-19-38	60.96	9.6
AX-19-38	61.43	2.4
AX-19-38	61.91	6.6
AX-19-38	62.38	2.3
AX-19-38	62.78	2.9
AX-19-38	63.19	3.1
AX-19-38	63.59	1.6
AX-19-38	63.97	2.8
AX-19-38	64.35	0.35
AX-19-38	64.73	0.86
AX-19-38	65.11	2.2
AX-19-38	65.49	2.8
AX-19-38	65.87	3.8
AX-19-38	66.36	3
AX-19-38	66.86	3.7
AX-19-38	67.35	6
AX-19-38	67.74	3.4
AX-19-38	68.14	1.9
AX-19-38	68.53	2.2
AX-19-38	68.99	3.1
AX-19-38	69.44	2.1
AX-19-38	69.90	1.4
AX-19-38	70.40	3.7
AX-19-38	70.89	3.6
AX-19-38	71.39	4.4
AX-19-38	71.89	0.75
AX-19-38	72.38	0.62
AX-19-38	72.88	2.5
AX-19-38	73.34	3.5
AX-19-38	73.81	2.6
AX-19-38	74.27	0.28
AX-19-38	74.73	0.46
AX-19-38	75.18	2.6
AX-19-38	75.64	1.8
AX-19-38	76.09	2

Hole_ID	Depth	MagSusc
AX-19-38	76.53	2.6
AX-19-38	76.98	1.8
AX-19-38	77.49	2
AX-19-38	77.99	3.2
AX-19-38	78.50	1.5
AX-19-38	78.86	3.2
AX-19-38	79.22	4
AX-19-38	79.58	0.22
AX-19-38	80.07	0.3
AX-19-38	80.56	2.7
AX-19-38	81.05	2.2
AX-19-38	81.40	7.8
AX-19-38	81.74	0.94
AX-19-38	82.09	2.3
AX-19-38	82.59	3.2
AX-19-38	83.09	2.7
AX-19-38	83.59	4
AX-19-38	84.07	2.8
AX-19-38	84.56	0.67
AX-19-38	85.04	5
AX-19-38	85.42	5.6
AX-19-38	85.81	1.3
AX-19-38	86.19	4.9
AX-19-38	86.63	2.5
AX-19-38	87.07	2.2
AX-19-38	87.51	4.4
AX-19-38	87.77	3.6
AX-19-38	88.04	4.8
AX-19-38	88.30	3.7
AX-19-38	88.57	0.97
AX-19-38	88.83	2.9
AX-19-38	89.10	0.47
AX-19-38	89.60	2.8
AX-19-38	90.10	5.6
AX-19-38	90.60	3.6
AX-19-38	91.09	2.3
AX-19-38	91.58	2.1
AX-19-38	92.07	0.87
AX-19-38	92.56	2
AX-19-38	93.04	3.7
AX-19-38	93.53	2.2
AX-19-38	93.92	1.5
AX-19-38	94.32	3.8
AX-19-38	94.71	2.2
AX-19-38	95.10	5.3
AX-19-38	95.49	2.5

Hole_ID	Depth	MagSusc
AX-19-38	95.88	2.4
AX-19-38	96.19	6
AX-19-38	96.51	3.3
AX-19-38	96.82	1.1
AX-19-38	97.32	1.1
AX-19-38	97.82	1.9
AX-19-38	98.32	4.9
AX-19-38	98.81	7.6
AX-19-38	99.31	0.98
AX-19-38	99.80	6.8
AX-19-38	100.23	0.13
AX-19-38	100.67	2.8
AX-19-38	101.10	0.72
AX-19-38	101.57	5.1
AX-19-38	102.03	1.3
AX-19-38	102.50	0.94
AX-19-38	103.01	5
AX-19-38	103.52	1.9
AX-19-38	104.03	1.9
AX-19-38	104.55	1.9
AX-19-38	105.06	1.4
AX-19-38	105.58	4.5
AX-19-38	106.08	1.1
AX-19-38	106.58	2.1
AX-19-38	107.08	3.6
AX-19-38	107.49	1.1
AX-19-38	107.89	2.9
AX-19-38	108.30	1.8
AX-19-38	108.66	3.7
AX-19-38	109.02	4.6
AX-19-38	109.38	6.3
AX-19-38	109.87	0.15
AX-19-38	110.37	2.1
AX-19-38	110.86	1.5
AX-19-38	111.36	0.63
AX-19-38	111.86	1.6
AX-19-38	112.36	2.3
AX-19-38	112.83	0.68
AX-19-38	113.31	1.8
AX-19-38	113.78	1.7
AX-19-38	114.27	0.4
AX-19-38	114.77	1.5
AX-19-38	115.26	4.7
AX-19-38	115.71	5.7
AX-19-38	116.17	1.7
AX-19-38	116.62	2.9

Hole_ID	Depth	MagSusc
AX-19-38	117.08	2.5
AX-19-38	117.54	1.8
AX-19-38	118.00	0.54
AX-19-38	118.50	1.2
AX-19-38	119.00	1.1
AX-19-38	119.50	0.68
AX-19-38	120.00	0.95
AX-19-38	120.50	1.1
AX-19-38	121.00	2
AX-19-38	121.31	1.8
AX-19-38	121.61	1.1
AX-19-38	121.92	1.6
AX-19-38	121.99	1.1
AX-19-38	122.05	1
AX-19-38	122.12	1.7
AX-19-38	122.58	0.29
AX-19-38	123.04	1.2
AX-19-38	123.50	0.55
AX-19-38	124.00	3.5
AX-19-38	124.50	1.9
AX-19-38	125.00	1.4
AX-19-38	125.50	2.3
AX-19-38	126.00	1.6
AX-19-38	126.50	4.1
AX-19-38	126.75	3.8
AX-19-38	127.00	1.4
AX-19-38	127.25	0.58
AX-19-38	127.67	0.21
AX-19-38	128.08	0.38
AX-19-38	128.50	1.5
AX-19-38	129.00	1.3
AX-19-38	129.50	1.1
AX-19-38	130.00	3.8
AX-19-38	130.50	2.2
AX-19-38	131.00	4.3
AX-19-38	131.50	2.7
AX-19-38	132.00	2.2
AX-19-38	132.50	0.61
AX-19-38	133.00	2
AX-19-38	133.50	2.6
AX-19-38	134.00	1.6
AX-19-38	134.50	3.9
AX-19-38	134.92	10.1
AX-19-38	135.33	2.1
AX-19-38	135.75	3.1
AX-19-38	136.17	2.2

Hole_ID	Depth	MagSusc
AX-19-38	136.58	0.64
AX-19-38	137.00	0.67
AX-19-38	137.50	1
AX-19-38	138.00	0.9
AX-19-38	138.50	1.4
AX-19-38	139.00	2
AX-19-38	139.50	1.3
AX-19-38	140.00	0.62
AX-19-38	140.50	1
AX-19-38	141.00	1.1
AX-19-38	141.50	0.73
AX-19-38	142.00	1.7
AX-19-38	142.50	0.48
AX-19-38	143.00	0.88
AX-19-38	143.50	0.19
AX-19-38	144.00	1.1
AX-19-38	144.50	0.32
AX-19-38	144.83	0.76
AX-19-38	145.17	0.81
AX-19-38	145.50	0.67
AX-19-38	145.77	1
AX-19-38	146.03	0.47
AX-19-38	146.30	0.18
AX-19-39	5.60	0.24
AX-19-39	5.78	0.29
AX-19-39	5.97	0.23
AX-19-39	6.15	0.29
AX-19-39	6.60	0.32
AX-19-39	7.05	0.07
AX-19-39	7.50	0.27
AX-19-39	7.92	0.41
AX-19-39	8.33	2.2
AX-19-39	8.75	1.5
AX-19-39	9.15	0.4
AX-19-39	9.55	0.45
AX-19-39	9.95	3.2
AX-19-39	10.37	2.5
AX-19-39	10.78	2.3
AX-19-39	11.20	4.8
AX-19-39	11.60	8.7
AX-19-39	12.00	2.2
AX-19-39	12.40	2.9
AX-19-39	12.77	0.72
AX-19-39	13.13	0.82
AX-19-39	13.50	1.3
AX-19-39	14.00	2.4

Hole_ID	Depth	MagSusc
AX-19-39	14.50	1.7
AX-19-39	15.00	1.5
AX-19-39	15.33	0.53
AX-19-39	15.67	0.34
AX-19-39	16.00	0.28
AX-19-39	16.38	0.32
AX-19-39	16.77	0.36
AX-19-39	17.15	1.1
AX-19-39	17.52	0.24
AX-19-39	17.88	0.09
AX-19-39	18.25	2
AX-19-39	18.67	5.4
AX-19-39	19.08	7.5
AX-19-39	19.50	1.5
AX-19-39	20.00	4.4
AX-19-39	20.50	4.9
AX-19-39	21.00	6.9
AX-19-39	21.50	3.3
AX-19-39	22.00	1.3
AX-19-39	22.50	1.9
AX-19-39	23.00	4.4
AX-19-39	23.50	0.28
AX-19-39	24.00	4.2
AX-19-39	24.50	1.9
AX-19-39	25.00	0.56
AX-19-39	25.50	2.8
AX-19-39	26.00	0.51
AX-19-39	26.50	2.3
AX-19-39	27.00	2.5
AX-19-39	27.50	2.4
AX-19-39	28.00	2.2
AX-19-39	28.50	3.1
AX-19-39	29.00	2
AX-19-39	29.50	0.92
AX-19-39	30.00	1.6
AX-19-39	30.50	3.9
AX-19-39	31.00	2.2
AX-19-39	31.50	6.2
AX-19-39	32.00	4.6
AX-19-39	32.50	6.5
AX-19-39	33.00	4.9
AX-19-39	33.50	2.4
AX-19-39	34.00	2.8
AX-19-39	34.50	0.82
AX-19-39	35.00	1.5
AX-19-39	35.50	6.2

Hole_ID	Depth	MagSusc
AX-19-39	36.00	0.86
AX-19-39	36.30	0.5
AX-19-39	36.60	1.4
AX-19-39	36.90	1.6
AX-19-39	37.22	1.4
AX-19-39	37.53	3.5
AX-19-39	37.85	4.8
AX-19-39	38.23	2.8
AX-19-39	38.62	13.2
AX-19-39	39.00	5
AX-19-39	39.50	1.5
AX-19-39	40.00	3.3
AX-19-39	40.50	0.95
AX-19-39	41.00	6.66
AX-19-39	41.50	1.1
AX-19-39	42.00	1.3
AX-19-39	42.50	6.73
AX-19-39	43.00	1.6
AX-19-39	43.50	2
AX-19-39	44.00	4.3
AX-19-39	44.50	1.3
AX-19-39	45.00	1.5
AX-19-39	45.50	1.3
AX-19-39	46.00	1.8
AX-19-39	46.50	3.1
AX-19-39	47.00	1
AX-19-39	47.50	1.1
AX-19-39	48.00	1.2
AX-19-39	48.50	1.8
AX-19-39	49.00	1.6
AX-19-39	49.50	4.3
AX-19-39	50.00	1
AX-19-39	50.50	1.8
AX-19-39	51.00	0.63
AX-19-39	51.50	1.3
AX-19-39	52.00	0.74
AX-19-39	52.50	0.36
AX-19-39	52.83	1.3
AX-19-39	53.17	11.7
AX-19-39	53.50	0.19
AX-19-39	53.95	0.75
AX-19-39	54.41	2.2
AX-19-39	54.86	0.3
AX-19-39	55.14	0.19
AX-19-39	55.42	0.15
AX-19-39	55.70	0.39

Hole_ID	Depth	MagSusc
AX-19-39	56.13	0.76
AX-19-39	56.57	1
AX-19-39	57.00	1.2
AX-19-39	57.50	2.2
AX-19-39	58.00	3
AX-19-39	58.50	1.2
AX-19-39	59.00	3.7
AX-19-39	59.50	1.9
AX-19-39	60.00	1.5
AX-19-39	60.50	3
AX-19-39	61.00	5
AX-19-39	61.50	1.5
AX-19-39	61.77	3.3
AX-19-39	62.05	1.8
AX-19-39	62.32	4.4
AX-19-39	62.71	1.7
AX-19-39	63.11	6.4
AX-19-39	63.50	0.24
AX-19-39	64.00	2.2
AX-19-39	64.50	1.6
AX-19-39	65.00	1.5
AX-19-39	65.50	2.2
AX-19-39	66.00	2.2
AX-19-39	66.50	1.9
AX-19-39	67.00	7.2
AX-19-39	67.50	2.1
AX-19-39	68.00	1.9
AX-19-39	68.50	1.9
AX-19-39	69.00	1.3
AX-19-39	69.50	0.86
AX-19-39	69.92	0.48
AX-19-39	70.33	1.9
AX-19-39	70.75	2.8
AX-19-39	71.27	4.8
AX-19-39	71.78	6.7
AX-19-39	72.30	2.4
AX-19-39	72.70	2.3
AX-19-39	73.10	0.79
AX-19-39	73.50	0.5
AX-19-39	74.00	2
AX-19-39	74.50	1.9
AX-19-39	75.00	2.2
AX-19-39	75.50	3.3
AX-19-39	76.00	1.3
AX-19-39	76.50	1.9
AX-19-39	77.00	1.7



Hole_ID	Depth	MagSusc
AX-19-39	77.50	6.4
AX-19-39	78.00	2.5
AX-19-39	78.50	2.7
AX-19-39	79.00	1.8
AX-19-39	79.50	0.82
AX-19-39	80.00	1.7
AX-19-39	80.50	2.9
AX-19-39	81.00	2.2
AX-19-39	81.50	1.3
AX-19-39	82.00	3.1
AX-19-39	82.50	0.5
AX-19-39	83.00	4.4
AX-19-39	83.50	3.8
AX-19-39	84.00	2.9
AX-19-39	84.50	4.1
AX-19-39	85.00	2.3
AX-19-39	85.50	0.75
AX-19-39	86.00	4
AX-19-39	86.50	8
AX-19-39	87.00	2.4
AX-19-39	87.50	3
AX-19-39	88.00	8
AX-19-39	88.50	0.63
AX-19-39	89.00	6
AX-19-39	89.50	2.3
AX-19-39	90.00	0.55
AX-19-39	90.50	1.4
AX-19-39	91.00	2.6
AX-19-39	91.50	2.2
AX-19-39	92.00	4.8
AX-19-39	92.50	1.2
AX-19-39	93.00	1.8
AX-19-39	93.50	2.1
AX-19-39	94.00	13.1
AX-19-39	94.50	2.3
AX-19-39	95.00	5.2
AX-19-39	95.50	2.5
AX-19-39	96.00	0.23
AX-19-39	96.50	0.49
AX-19-39	97.00	0.57
AX-19-39	97.50	0.22
AX-19-39	98.00	0.11
AX-19-39	98.50	1.3
AX-19-39	99.00	0.54
AX-19-39	99.50	2
AX-19-39	100.00	2.3

Hole_ID	Depth	MagSusc
AX-19-39	100.50	0.35
AX-19-39	101.00	4.7
AX-19-39	101.50	1.2
AX-19-39	102.00	2
AX-19-39	102.50	1.1
AX-19-39	103.00	0.45
AX-19-39	103.50	1.3
AX-19-39	104.00	2.9
AX-19-39	104.50	3.4
AX-19-39	105.00	1.5
AX-19-39	105.50	2.3
AX-19-39	106.00	0.27
AX-19-39	106.50	0.666
AX-19-39	107.00	0.33
AX-19-39	107.50	2.6
AX-19-39	108.00	0.86
AX-19-39	108.50	1.3
AX-19-39	109.00	2.1
AX-19-39	109.50	1.3
AX-19-39	110.00	1.1
AX-19-39	110.50	3.7
AX-19-39	111.00	1.8
AX-19-39	111.50	1.6
AX-19-39	112.00	1.4
AX-19-39	112.50	1.3
AX-19-39	113.00	2.3
AX-19-39	113.50	0.43
AX-19-39	114.00	0.7
AX-19-39	114.33	1.3
AX-19-39	114.67	2
AX-19-39	115.00	0.56
AX-19-39	115.38	0.69
AX-19-39	115.77	0.32
AX-19-39	116.15	14.1
AX-19-39	116.60	1.5
AX-19-39	117.05	13
AX-19-39	117.50	1.7
AX-19-39	117.96	0.96
AX-19-39	118.41	4.5
AX-19-39	118.87	0.97
AX-19-40	0	0.37
AX-19-40	3.56	0.81
AX-19-40	7.11	0.86
AX-19-40	10.67	0.57
AX-19-40	11.11	0.1
AX-19-40	11.56	1.4

Hole_ID	Depth	MagSusc
AX-19-40	12	0.49
AX-19-40	12.50	0.69
AX-19-40	13.00	0.71
AX-19-40	13.5	0.79
AX-19-40	13.85	0.96
AX-19-40	14.20	1
AX-19-40	14.55	0.45
AX-19-40	14.68	0.81
AX-19-40	14.82	0.28
AX-19-40	14.95	4.6
AX-19-40	15.47	0.48
AX-19-40	15.98	1.5
AX-19-40	16.5	0.85
AX-19-40	17.00	0.75
AX-19-40	17.50	1.3
AX-19-40	18	0.99
AX-19-40	18.33	1.1
AX-19-40	18.67	0.6
AX-19-40	19	0.21
AX-19-40	19.33	0.5
AX-19-40	19.67	0.37
AX-19-40	20	0.29
AX-19-40	20.50	0.38
AX-19-40	21.00	0.2
AX-19-40	21.5	1.1
AX-19-40	22.00	0.32
AX-19-40	22.50	0.24
AX-19-40	23	0.19
AX-19-40	23.50	0.06
AX-19-40	24.00	0.13
AX-19-40	24.5	2.3
AX-19-40	25.00	0.61
AX-19-40	25.50	3.7
AX-19-40	26	0.8
AX-19-40	26.50	0.4
AX-19-40	27.00	0.6
AX-19-40	27.5	0.78
AX-19-40	28.00	1.2
AX-19-40	28.50	0.26
AX-19-40	29	0.25
AX-19-40	29.45	0.31
AX-19-40	29.90	1.4
AX-19-40	30.35	6.3
AX-19-40	30.60	1.2
AX-19-40	30.85	3.6
AX-19-40	31.1	0.75

Hole_ID	Depth	MagSusc
AX-19-40	31.57	0.98
AX-19-40	32.03	0.94
AX-19-40	32.5	1.6
AX-19-40	33.00	1.1
AX-19-40	33.50	1.1
AX-19-40	34	0.33
AX-19-40	34.50	3.1
AX-19-40	35.00	3.1
AX-19-40	35.5	2.5
AX-19-40	35.83	0.79
AX-19-40	36.17	2.9
AX-19-40	36.5	0.43
AX-19-40	36.75	0.61
AX-19-40	37.00	1.9
AX-19-40	37.25	0.31
AX-19-40	37.67	0.2
AX-19-40	38.08	0.61
AX-19-40	38.5	0.68
AX-19-40	39.00	0.55
AX-19-40	39.50	0.47
AX-19-40	40	0.8
AX-19-40	40.52	0.25
AX-19-40	41.03	0.64
AX-19-40	41.55	0.5
AX-19-40	42.08	1.4
AX-19-40	42.62	2.6
AX-19-40	43.15	5.7
AX-19-40	43.57	4.8
AX-19-40	44.00	5.4
AX-19-40	44.42	4.3
AX-19-40	44.56	2.9
AX-19-40	44.71	1.6
AX-19-40	44.85	12.9
AX-19-40	45.23	6.8
AX-19-40	45.62	5.6
AX-19-40	46	6.3
AX-19-40	46.33	2.3
AX-19-40	46.67	1
AX-19-40	47	0.25
AX-19-40	47.45	13.9
AX-19-40	47.90	2
AX-19-40	48.35	1.4
AX-19-40	48.90	0.24
AX-19-40	49.45	1.3
AX-19-40	50	1.4
AX-19-40	50.50	2.2

Hole_ID	Depth	MagSusc
AX-19-40	51.00	2.8
AX-19-40	51.5	1.4
AX-19-40	52.00	1.3
AX-19-40	52.50	1.2
AX-19-40	53	1.7
AX-19-40	53.50	0.17
AX-19-40	54.00	2.9
AX-19-40	54.5	0.9
AX-19-40	55.00	0.36
AX-19-40	55.50	2.7
AX-19-40	56	0.93
AX-19-40	56.50	0.75
AX-19-40	57.00	2
AX-19-40	57.5	2.1
AX-19-40	58.00	3.6
AX-19-40	58.50	2.7
AX-19-40	59	3.1
AX-19-40	59.50	9.4
AX-19-40	60.00	2.8
AX-19-40	60.5	0.41
AX-19-40	61.00	0.63
AX-19-40	61.50	2.3
AX-19-40	62	2
AX-19-40	62.50	6.8
AX-19-40	63.00	2.7
AX-19-40	63.5	3.2
AX-19-40	64.00	1.7
AX-19-40	64.50	1.3
AX-19-40	65	3.3
AX-19-40	65.33	1.9
AX-19-40	65.67	1.7
AX-19-40	66	0.52
AX-19-40	66.50	1.1
AX-19-40	67.00	12.4
AX-19-40	67.5	1.4
AX-19-40	68.00	0.85
AX-19-40	68.50	1.3
AX-19-40	69	0.97
AX-19-40	69.50	2.1
AX-19-40	70.00	1.3
AX-19-40	70.5	0.6
AX-19-40	70.83	2.4
AX-19-40	71.17	0.43
AX-19-40	71.5	0.45
AX-19-40	71.90	0.29
AX-19-40	72.30	3.5

Hole_ID	Depth	MagSusc
AX-19-40	72.7	2.1
AX-19-40	73.13	1.1
AX-19-40	73.57	2.5
AX-19-40	74	1.3
AX-19-40	74.50	1
AX-19-40	75.00	1.1
AX-19-40	75.5	1
AX-19-40	76.00	1.1
AX-19-40	76.50	0.33
AX-19-40	77	0.25
AX-19-40	77.24	0.22
AX-19-40	77.48	1.5
AX-19-40	77.72	0.53
AX-19-40	78.09	2.4
AX-19-40	78.45	0.42
AX-19-40	78.82	0.58
AX-19-40	79.21	1.8
AX-19-40	79.61	0.67
AX-19-40	80	2.6
AX-19-40	80.50	0.46
AX-19-40	81.00	1.2
AX-19-40	81.5	0.51
AX-19-40	81.83	6.5
AX-19-40	82.17	2.9
AX-19-40	82.5	0.86
AX-19-40	82.94	2
AX-19-40	83.38	2
AX-19-40	83.82	1.1
MQ-19-42	4.57	0.135
MQ-19-42	5.08	0.127
MQ-19-42	5.59	0.319
MQ-19-42	6.1	0.173
MQ-19-42	6.606667	0.147
MQ-19-42	7.113333	0.221
MQ-19-42	7.62	0.421
MQ-19-42	8.126667	0.146
MQ-19-42	8.633333	0.12
MQ-19-42	9.14	0.245
MQ-19-42	9.65	0.362
MQ-19-42	10.16	0.199
MQ-19-42	10.67	0.109
MQ-19-42	11.17667	0.396
MQ-19-42	11.68333	0.195
MQ-19-42	12.19	0.362
MQ-19-42	12.7	0.932
MQ-19-42	13.21	0.329

Hole_ID	Depth	MagSusc
MQ-19-42	13.72	0.217
MQ-19-42	14.22667	0.209
MQ-19-42	14.73333	0.205
MQ-19-42	15.24	0.23
MQ-19-42	15.74667	0.343
MQ-19-42	16.25333	0.236
MQ-19-42	16.76	0.383
MQ-19-42	17.27	0.223
MQ-19-42	17.78	0.29
MQ-19-42	18.29	0.306
MQ-19-42	18.79667	0.461
MQ-19-42	19.30333	0.321
MQ-19-42	19.81	0.121
MQ-19-42	20.32	0.26
MQ-19-42	20.83	0.121
MQ-19-42	21.34	0.158
MQ-19-42	21.84667	0.455
MQ-19-42	22.35333	0.178
MQ-19-42	22.86	0.273
MQ-19-42	23.36667	4.63
MQ-19-42	23.87333	3.37
MQ-19-42	24.38	0.417
MQ-19-42	24.95	2.12
MQ-19-42	25.52	0.268
MQ-19-42	26.09	0.416
MQ-19-42	26.42667	1.24
MQ-19-42	26.76333	7.06
MQ-19-42	27.1	0.976
MQ-19-42	27.83333	0.154
MQ-19-42	28.56667	0.125
MQ-19-42	29.3	0.204
MQ-19-42	29.5	0.194
MQ-19-42	29.7	0.663
MQ-19-42	29.9	1.9
MQ-19-42	30.4	0.673
MQ-19-42	30.9	0.439
MQ-19-42	31.4	0.63
MQ-19-42	32.01333	0.594
MQ-19-42	32.62667	0.431
MQ-19-42	33.24	1.5
MQ-19-42	33.74333	4.12
MQ-19-42	34.24667	4.71
MQ-19-42	34.75	34.75
MQ-19-42	35.33333	2.99
MQ-19-42	35.91667	2.94
MQ-19-42	36.5	2.36

Hole_ID	Depth	MagSusc
MQ-19-42	36.93333	4.52
MQ-19-42	37.36667	5.99
MQ-19-42	37.8	0.711
MQ-19-42	38.31	1.79
MQ-19-42	38.82	0.78
MQ-19-42	39.33	0.586
MQ-19-42	39.82	0.757
MQ-19-42	40.31	0.479
MQ-19-42	40.8	3.49
MQ-19-42	40.95	1.78
MQ-19-42	41.1	1.18
MQ-19-42	41.25	3.22
MQ-19-42	41.72333	1.3
MQ-19-42	42.19667	2.79
MQ-19-42	42.67	1.35
MQ-19-42	43.18	5.15
MQ-19-42	43.69	3.13
MQ-19-42	44.2	2.67
MQ-19-42	44.70667	1.62
MQ-19-42	45.21333	1.05
MQ-19-42	45.72	3.02
MQ-19-42	46.15667	1.14
MQ-19-42	46.59333	3.19
MQ-19-42	47.03	0.855
MQ-19-42	47.26333	0.323
MQ-19-42	47.49667	0.566
MQ-19-42	47.73	0.465
MQ-19-42	47.85333	1.01
MQ-19-42	47.97667	0.751
MQ-19-42	48.1	0.823
MQ-19-42	48.4	0.296
MQ-19-42	48.7	0.468
MQ-19-42	49	0.323
MQ-19-42	49.3	0.891
MQ-19-42	49.6	0.697
MQ-19-42	49.9	0.586
MQ-19-42	50.43333	0.268
MQ-19-42	50.96667	0.27
MQ-19-42	51.5	0.546
MQ-19-42	51.78667	0.09
MQ-19-42	52.07333	0.118
MQ-19-42	52.36	0.319
MQ-19-42	52.84	0.303
MQ-19-42	53.32	0.229
MQ-19-42	53.8	18.2
MQ-19-42	54.32333	5.08



Hole_ID	Depth	MagSusc
MQ-19-42	54.84667	2.26
MQ-19-42	55.37	1.73
MQ-19-42	55.88667	0.091
MQ-19-42	56.40333	1.31
MQ-19-42	56.92	1.43
MQ-19-42	57.25	2.93
MQ-19-42	57.58	5.58
MQ-19-42	57.91	0.981
MQ-19-42	57.96	1.11
MQ-19-42	58.01	0.117
MQ-19-42	58.06	0.813
MQ-19-42	58.16333	0.656
MQ-19-42	58.26667	0.992
MQ-19-42	58.37	0.228
MQ-19-42	58.52667	0.355
MQ-19-42	58.68333	0.848
MQ-19-42	58.84	0.191
MQ-19-42	59.65333	0.143
MQ-19-42	60.46667	0.142
MQ-19-42	61.28	0.364
MQ-19-42	62.02	0.189
MQ-19-42	62.76	0.843
MQ-19-42	63.5	1.7
MQ-19-42	64	3.31
MQ-19-42	64.5	3.84
MQ-19-42	65	1.4
MQ-19-42	65.22	2.05
MQ-19-42	65.44	0.835
MQ-19-42	65.66	0.284
MQ-19-42	65.85667	0.397
MQ-19-42	66.05333	0.401
MQ-19-42	66.25	3.55
MQ-19-42	66.56667	3.01
MQ-19-42	66.88333	4.02
MQ-19-42	67.2	12.6
MQ-19-42	68.16667	1.67
MQ-19-42	69.13333	7.06
MQ-19-42	70.1	2.27
MQ-19-42	70.38333	2.89
MQ-19-42	70.66667	3.44
MQ-19-42	70.95	4.97
MQ-19-42	71.15	2.91
MQ-19-42	71.35	0.261
MQ-19-42	71.55	3.78
MQ-19-42	72.08333	1.44
MQ-19-42	72.61667	2.8

Hole_ID	Depth	MagSusc
MQ-19-42	73.15	1.7
MQ-19-42	73.93333	1.11
MQ-19-42	74.71667	1.24
MQ-19-42	75.5	0.339
MQ-19-42	76.35	0.248
MQ-19-42	77.2	0.172
MQ-19-42	78.05	1.17
MQ-19-42	78.65333	0.332
MQ-19-42	79.25667	1.63
MQ-19-42	79.86	0.842
MQ-19-42	80.57	0.82
MQ-19-42	81.28	0.679
MQ-19-42	81.99	0.756
MQ-19-42	82.22667	0.76
MQ-19-42	82.46333	0.645
MQ-19-42	82.7	0.448
MQ-19-42	83.48	0.188
MQ-19-42	84.26	0.449
MQ-19-42	85.04	11.9
MQ-19-42	85.65	0.219
MQ-19-42	86.26	0.79
MQ-19-42	86.87	0.129
MQ-19-42	87.35	0.221
MQ-19-42	87.83	0.356
MQ-19-42	88.31	0.826
MQ-19-42	88.88	0.087
MQ-19-42	89.45	0.495
MQ-19-42	90.02	0.909
MQ-19-42	90.70667	1.31
MQ-19-42	91.39333	0.783
MQ-19-42	92.08	0.496
MQ-19-42	92.37333	1.41
MQ-19-42	92.66667	1.03
MQ-19-42	92.96	1.04
MQ-19-42	93.52333	0.565
MQ-19-42	94.08667	1.86
MQ-19-42	94.65	5.04
MQ-19-42	94.73	10.01
MQ-19-42	94.81	5.17
MQ-19-42	94.89	8.5
MQ-19-42	95.11333	7.32
MQ-19-42	95.33667	18.1
MQ-19-42	95.56	13.5
MQ-19-42	95.67333	8.6
MQ-19-42	95.78667	17.6
MQ-19-42	95.9	8.6

Hole_ID	Depth	MagSusc
MQ-19-42	96.3	3.39
MQ-19-42	96.7	21.5
MQ-19-42	97.1	0.79
MQ-19-42	97.28	0.167
MQ-19-42	97.46	0.133
MQ-19-42	97.64	1.16
MQ-19-42	98.11333	15.5
MQ-19-42	98.58667	18.7
MQ-19-42	99.06	22
MQ-19-42	99.34333	19.3
MQ-19-42	99.62667	31.6
MQ-19-42	99.91	3.73
MQ-19-42	100.44	3.5
MQ-19-42	100.97	4.78
MQ-19-42	101.5	0
MQ-19-42	101.8367	0
MQ-19-42	102.1733	0
MQ-19-42	102.51	0
MQ-19-42	103.0667	0
MQ-19-42	103.6233	0
MQ-19-42	104.18	0
MQ-19-42	104.3333	0
MQ-19-42	104.4867	0.332
MQ-19-42	104.64	1.59
MQ-19-42	104.8133	2.34
MQ-19-42	104.9867	0
MQ-19-42	105.16	1.05
MQ-19-42	105.6067	0
MQ-19-42	106.0533	0
MQ-19-42	106.5	0
MQ-19-42	107.0667	0
MQ-19-42	107.6333	0
MQ-19-42	108.2	2.17
MQ-19-42	108.6967	0
MQ-19-42	109.1933	0
MQ-19-42	109.69	0
MQ-19-42	109.9433	0
MQ-19-42	110.1967	0
MQ-19-42	110.45	0
MQ-19-42	110.7167	0
MQ-19-42	110.9833	0
MQ-19-43	2.25	0.081
MQ-19-43	2.516667	0.08
MQ-19-43	2.783333	0.162
MQ-19-43	3.05	0.057
MQ-19-43	3.556667	0.09

Hole_ID	Depth	MagSusc
MQ-19-43	4.063333	0.179
MQ-19-43	4.57	0.108
MQ-19-43	5.08	0.102
MQ-19-43	5.59	0.091
MQ-19-43	6.1	0.076
MQ-19-43	6.4	0.242
MQ-19-43	6.7	0.089
MQ-19-43	7	0.515
MQ-19-43	7.406667	0.082
MQ-19-43	7.813333	0.623
MQ-19-43	8.22	0.314
MQ-19-43	8.526667	0.061
MQ-19-43	8.833333	0.071
MQ-19-43	9.14	0.256
MQ-19-43	9.573333	1.7
MQ-19-43	10.00667	0.198
MQ-19-43	10.44	0.321
MQ-19-43	11.02333	0.641
MQ-19-43	11.60667	0.212
MQ-19-43	12.19	0.081
MQ-19-43	12.7	0.211
MQ-19-43	13.21	0.137
MQ-19-43	13.72	0.718
MQ-19-43	14.02333	0.238
MQ-19-43	14.32667	0.08
MQ-19-44	3.3	0.198
MQ-19-44	3.723333	0.263
MQ-19-44	4.146667	0.112
MQ-19-44	4.57	0.287
MQ-19-44	5.08	0.205
MQ-19-44	5.59	0.116
MQ-19-44	6.1	0.12
MQ-19-44	6.333333	0.163
MQ-19-44	6.566667	0.126
MQ-19-44	6.8	0.174
MQ-19-44	6.866667	0.075
MQ-19-44	6.933333	0.077
MQ-19-44	7	0.262
MQ-19-44	7.8	0.094
MQ-19-44	8.6	0.065
MQ-19-44	9.4	0.115
MQ-19-44	9.843333	0.276
MQ-19-44	10.28667	0.239
MQ-19-44	10.73	0.063
MQ-19-44	11.28667	0.048
MQ-19-44	11.84333	0.125

Hole_ID	Depth	MagSusc
MQ-19-44	12.4	0.221
MQ-19-44	12.86333	0.103
MQ-19-44	13.32667	0.231
MQ-19-44	13.79	0.246
MQ-19-44	14.07333	0.087
MQ-19-44	14.35667	0.113
MQ-19-44	14.64	0.235
MQ-19-44	14.84	0.2
MQ-19-44	15.04	0.295
MQ-19-44	15.24	0.268
MQ-19-44	15.74667	0.161
MQ-19-44	16.25333	0.212
MQ-19-44	16.76	0.32
MQ-19-44	17.27	0.326
MQ-19-44	17.78	1.84
MQ-19-44	18.29	2.75
MQ-19-44	18.72667	1.49
MQ-19-44	19.16333	0.344
MQ-19-44	19.6	1.52
MQ-19-44	19.96667	0.416
MQ-19-44	20.33333	0.328
MQ-19-44	20.7	0.733
MQ-19-44	20.8	0.617
MQ-19-44	20.9	0.836
MQ-19-44	21	3.09
MQ-19-44	21.23333	7.06
MQ-19-44	21.46667	1.6
MQ-19-44	21.7	0.722
MQ-19-44	21.98667	0.123
MQ-19-44	22.27333	0.341
MQ-19-44	22.56	1.88
MQ-19-44	22.86333	1.68
MQ-19-44	23.16667	0.234
MQ-19-44	23.47	0.437
MQ-19-44	23.77333	0.679
MQ-19-44	24.07667	0.041
MQ-19-44	24.38	0.395
MQ-19-44	24.89	0.075
MQ-19-44	25.4	2.82
MQ-19-44	25.91	0.0256
MQ-19-44	26.41667	1.45
MQ-19-44	26.92333	0.052
MQ-19-44	27.43	0.713
MQ-19-44	27.94	0.642
MQ-19-44	28.45	0.661
MQ-19-44	28.96	3.19

Hole_ID	Depth	MagSusc
MQ-19-44	29.59667	2.79
MQ-19-44	30.23333	2.5
MQ-19-44	30.87	0.192
MQ-19-44	31.04667	0.375
MQ-19-44	31.22333	0.164
MQ-19-44	31.4	0.499
MQ-19-44	32.00667	0.683
MQ-19-44	32.61333	0.636
MQ-19-44	33.22	0.24
MQ-19-44	33.73	0.283
MQ-19-44	34.24	0.176
MQ-19-44	34.75	0.294
MQ-19-44	35.23333	0.166
MQ-19-44	35.71667	0.116
MQ-19-44	36.2	0.411
MQ-19-44	36.73333	0.164
MQ-19-44	37.26667	0.132
MQ-19-44	37.8	0.196
MQ-19-44	38.40667	0.175
MQ-19-44	39.01333	0.218
MQ-19-44	39.62	0.126
MQ-19-44	40.12667	0.125
MQ-19-44	40.63333	0.478
MQ-19-44	41.14	0.201
MQ-19-44	41.65	0.083
MQ-19-44	42.16	0.103
MQ-19-44	42.67	0.703
MQ-19-44	43.13667	0.116
MQ-19-44	43.60333	0.119
MQ-19-44	44.07	0.192
MQ-19-44	44.62	0.164
MQ-19-44	45.17	0.279
MQ-19-44	45.72	0.392
MQ-19-44	46.21333	0.195
MQ-19-44	46.70667	0.163
MQ-19-44	47.2	0.169
MQ-19-44	47.72333	3.19
MQ-19-44	48.24667	0.617
MQ-19-44	48.77	0.543
MQ-19-44	49.17667	0.465
MQ-19-44	49.58333	0.908
MQ-19-44	49.99	0.101
MQ-19-44	50.6	1.51
MQ-19-44	51.21	1.2
MQ-19-44	51.82	1.06
MQ-19-44	52.34	0.658

Hole_ID	Depth	MagSusc
MQ-19-44	52.86	1.05
MQ-19-44	53.38	0.2
MQ-19-44	53.87333	0.273
MQ-19-44	54.36667	0.186
MQ-19-44	54.86	0.172
MQ-19-44	55.37333	0.099
MQ-19-44	55.88667	0.192
MQ-19-44	56.4	0.101
MQ-19-44	56.90333	0.103
MQ-19-44	57.40667	0.371
MQ-19-44	57.91	0.193
MQ-19-44	58.42333	0.292
MQ-19-44	58.93667	0.472
MQ-19-44	59.45	0.645
MQ-19-44	59.95333	0.2
MQ-19-44	60.45667	0.379
MQ-19-44	60.96	0.199
MQ-19-44	61.47333	0.293
MQ-19-44	61.98667	0.07
MQ-19-44	62.5	0.245
MQ-19-44	63.36	0.184
MQ-19-44	64.22	0.134
MQ-19-44	65.08	0.429
MQ-19-44	65.74	0.415
MQ-19-44	66.4	0.531
MQ-19-44	67.06	0.355
MQ-19-44	67.26333	0.339
MQ-19-44	67.46667	0.516
MQ-19-44	67.67	0.107
MQ-19-44	68.21333	0.256
MQ-19-44	68.75667	0.183
MQ-19-44	69.3	3.6
MQ-19-44	69.56667	1.62
MQ-19-44	69.83333	0.163
MQ-19-44	70.1	0.416
MQ-19-44	70.41	0.15
MQ-19-44	70.72	0.387
MQ-19-44	71.03	0.201
MQ-19-44	71.52	0.271
MQ-19-44	72.01	0.557
MQ-19-44	72.5	0.059
MQ-19-44	72.7	0.346
MQ-19-44	72.9	0.479
MQ-19-44	73.1	0.377
MQ-19-44	73.6	0.129
MQ-19-44	74.1	0.077

Hole_ID	Depth	MagSusc
MQ-19-44	74.6	0.578
MQ-19-44	75.24	0.953
MQ-19-44	75.88	0.12
MQ-19-44	76.52	1.13
MQ-19-44	76.62667	2.21
MQ-19-44	76.73333	0.65
MQ-19-44	76.84	1.37
MQ-19-44	77.82667	1.27
MQ-19-44	78.81333	3.21
MQ-19-44	79.8	0.379
MQ-19-44	80.39333	0.22
MQ-19-44	80.98667	0.261
MQ-19-44	81.58	4.56
MQ-19-44	82.05333	1.41
MQ-19-44	82.52667	2.56
MQ-19-44	83	1.71
MQ-19-44	83.47667	0.348
MQ-19-44	83.95333	1.91
MQ-19-44	84.43	4.14
MQ-19-44	85.08667	3.02
MQ-19-44	85.74333	3.65
MQ-19-44	86.4	3.95
MQ-19-44	86.66667	2.8
MQ-19-44	86.93333	1.12
MQ-19-44	87.2	4.36
MQ-19-44	87.71	1.22
MQ-19-44	88.22	5.52
MQ-19-44	88.73	1.57
MQ-19-44	89.29667	1.45
MQ-19-44	89.86333	0.736
MQ-19-44	90.43	0.342
MQ-19-44	90.76667	2.96
MQ-19-44	91.10333	1.44
MQ-19-44	91.44	4.12
MQ-19-44	91.87	1.9
MQ-19-44	92.3	4.65
MQ-19-44	92.73	7.45
MQ-19-44	92.98667	10.4
MQ-19-44	93.24333	11.2
MQ-19-44	93.5	0.549
MQ-19-44	93.63	0.479
MQ-19-44	93.76	0.448
MQ-19-44	93.89	3.87
MQ-19-44	94.15333	2.63
MQ-19-44	94.41667	6.26
MQ-19-44	94.68	1.27



Hole_ID	Depth	MagSusc
MQ-19-44	95.43	0.106
MQ-19-44	96.18	0.576
MQ-19-44	96.93	4.17
MQ-19-44	97.4	2.9
MQ-19-44	97.87	0.529
MQ-19-44	98.34	5.15
MQ-19-44	98.58	0.429
MQ-19-44	98.82	1.28
MQ-19-44	99.06	0.612
MQ-19-44	99.39	0.153
MQ-19-44	99.72	0.202
MQ-19-44	100.05	1.46
MQ-19-44	100.7367	1.31
MQ-19-44	101.4233	2.97
MQ-19-44	102.11	0.512
MQ-19-44	102.74	0.31
MQ-19-44	103.37	1.69
MQ-19-44	104	7.75
MQ-19-44	104.3867	3.13
MQ-19-44	104.7733	5.89
MQ-19-44	105.16	4.48
MQ-19-44	105.7	4.43
MQ-19-44	106.24	4.37
MQ-19-44	106.78	13.1
MQ-19-44	106.9933	10.7
MQ-19-44	107.2067	28.1
MQ-19-44	107.42	1.48
MQ-19-44	107.5467	1.74
MQ-19-44	107.6733	1.45
MQ-19-44	107.8	1.42
MQ-19-44	107.9333	2.27
MQ-19-44	108.0667	2.68
MQ-19-44	108.2	0.398
MQ-19-44	108.8333	0.122
MQ-19-44	109.4667	0.293
MQ-19-44	110.1	0.252
MQ-19-44	110.89	3.81
MQ-19-44	111.68	0.403
MQ-19-44	112.47	3.01
MQ-19-44	113.0733	1.4
MQ-19-44	113.6767	1.49
MQ-19-44	114.28	0.572
MQ-19-44	114.9567	0.501
MQ-19-44	115.6333	2.81
MQ-19-44	116.31	1.25
MQ-19-44	117.0167	1.54

Hole_ID	Depth	MagSusc
MQ-19-44	117.7233	0.925
MQ-19-44	118.42	19.9
MQ-19-44	118.9767	3.24
MQ-19-44	119.5333	1.99
MQ-19-44	120.09	0.13
MQ-19-44	120.8	1.26
MQ-19-44	121.51	3.94
MQ-19-44	122.22	2.9
MQ-19-44	122.5267	0.554
MQ-19-44	122.8333	1.87
MQ-19-44	123.14	4.5
MQ-19-44	123.75	10.8
MQ-19-44	124.36	4.07
MQ-19-44	124.97	3.56
MQ-19-44	125.66	5.23
MQ-19-44	126.35	0.28
MQ-19-44	127.04	0.6
MQ-19-44	127.1567	1.38
MQ-19-44	127.2733	1.58
MQ-19-44	127.39	7.16
MQ-19-44	127.6467	1.68
MQ-19-44	127.9033	12.5
MQ-19-44	128.16	10.6
MQ-19-44	128.5267	7.16
MQ-19-44	128.8933	17.1
MQ-19-44	129.26	22.4
MQ-19-44	129.6367	17.6
MQ-19-44	130.0133	4.32
MQ-19-44	130.39	21
MQ-19-44	130.7467	4.37
MQ-19-44	131.1033	20.2
MQ-19-44	131.46	4.63
MQ-19-44	131.7967	8.72
MQ-19-44	132.1333	4.52
MQ-19-44	132.47	8.6
MQ-19-44	132.8267	6.28
MQ-19-44	133.1833	18.2
MQ-19-44	133.54	8.28
MQ-19-44	133.73	7.53
MQ-19-44	133.92	29.2
MQ-19-44	134.11	2.08
MQ-19-44	134.28	41
MQ-19-44	134.45	17.2
MQ-19-44	134.62	8.31
MQ-19-44	134.9967	17.8
MQ-19-44	135.3733	20.6

Hole_ID	Depth	MagSusc
MQ-19-44	135.75	13.4
MQ-19-44	135.91	11.9
MQ-19-44	136.07	17.7
MQ-19-44	136.23	0.637
MQ-19-44	136.54	1.1
MQ-19-44	136.85	2.53
MQ-19-44	137.16	26.9
MQ-19-44	137.32	5.2
MQ-19-44	137.9067	1.09
MQ-19-44	138.4933	5.05
MQ-19-44	139.08	4.04
MQ-19-44	139.5633	4.72
MQ-19-44	140.0467	1.79
MQ-19-44	140.53	7.97
MQ-19-44	140.93	1.01
MQ-19-44	141.33	17.8
MQ-19-44	141.73	2.62
MQ-19-44	142.24	4.8
MQ-19-44	142.75	2.15
MQ-19-44	143.26	2.83
MQ-19-44	143.7567	3.06
MQ-19-44	144.2533	2.46
MQ-19-44	144.75	2.63
MQ-19-44	145.2667	3.9
MQ-19-44	145.7833	4.04
MQ-19-44	146.3	5.6
MQ-19-44	147.0133	2.31
MQ-19-44	147.7267	2.29
MQ-19-44	148.44	1.15
MQ-19-44	149.2533	1.75
MQ-19-44	150.0667	2.8
MQ-19-44	150.88	1.57
MQ-19-44	151.5567	1.95
MQ-19-44	152.2333	0.462
MQ-19-44	152.91	1.89
MQ-19-44	153.2467	8.95
MQ-19-44	153.5833	0.038
MQ-19-45	3.05	0.666
MQ-19-45	3.556667	0.397
MQ-19-45	4.063333	0.274
MQ-19-45	4.57	0.121
MQ-19-45	5.08	0.142
MQ-19-45	5.59	0.246
MQ-19-45	6.1	0.353
MQ-19-45	6.606667	0.208
MQ-19-45	7.113333	0.086

Hole_ID	Depth	MagSus
MQ-19-45	7.62	0.067
MQ-19-45	8.11	0.246
MQ-19-45	8.6	0.184
MQ-19-45	9.09	0.146
MQ-19-45	9.28	0.174
MQ-19-45	9.47	0.106
MQ-19-45	9.66	0.446
MQ-19-45	9.89	0.072
MQ-19-45	10.12	0.263
MQ-19-45	10.35	0.567
MQ-19-45	10.67	0.047
MQ-19-45	11.17667	0.139
MQ-19-45	11.68333	0.139
MQ-19-45	12.19	0.202
MQ-19-45	12.7	0.134
MQ-19-45	13.21	0.347
MQ-19-45	13.72	0.166
MQ-19-45	14.22667	0.261
MQ-19-45	14.73333	0.119
MQ-19-45	15.24	0.084
MQ-19-45	15.82667	0.088
MQ-19-45	16.41333	0.091
MQ-19-45	17	0.192
MQ-19-45	17.39333	0.082
MQ-19-45	17.78667	0.348
MQ-19-45	18.18	0.137
MQ-19-45	18.29	0.322
MQ-19-45	18.79667	0.207
MQ-19-45	19.30333	0.141
MQ-19-45	19.81	1.18
MQ-19-45	20.30667	2.97
MQ-19-45	20.80333	0.199
MQ-19-45	21.3	0.26
MQ-19-45	21.82	0.202
MQ-19-45	22.34	0.133
MQ-19-45	22.86	0.189
MQ-19-45	23.32333	0.175
MQ-19-45	23.78667	0.271
MQ-19-45	24.25	0.197
MQ-19-45	24.80333	0.142
MQ-19-45	25.35667	0.442
MQ-19-45	25.91	0.433
MQ-19-45	26.59333	0.578
MQ-19-45	27.27667	0.251
MQ-19-45	27.96	0.15
MQ-19-45	28.56667	0.127

Hole_ID	Depth	MagSusc
MQ-19-45	29.17333	0.181
MQ-19-45	29.78	0.836
MQ-19-45	30.52	1.4
MQ-19-45	31.26	0.264
MQ-19-45	32	0.996
MQ-19-45	32.33333	0.333
MQ-19-45	32.66667	0.947
MQ-19-45	33	0.351
MQ-19-45	33.49	4.32
MQ-19-45	33.98	3.69
MQ-19-45	34.47	1.61
MQ-19-45	34.62	1.02
MQ-19-45	34.92	1.43
MQ-19-45	35.60667	0.146
MQ-19-45	36.29333	0.762
MQ-19-45	36.98	0.651
MQ-19-45	37.48667	0.959
MQ-19-45	37.99333	0.211
MQ-19-45	38.5	1.54
MQ-19-45	39	1.84
MQ-19-45	39.5	0.507
MQ-19-45	40	2.45
MQ-19-45	40.57667	0.696
MQ-19-45	41.15333	0.605
MQ-19-45	41.73	1.97
MQ-19-45	42.04333	2.34
MQ-19-45	42.35667	0.215
MQ-19-45	42.67	0.23
MQ-19-45	43.03667	0.351
MQ-19-45	43.40333	0.253
MQ-19-45	43.77	0.759
MQ-19-45	44.12	6.06
MQ-19-45	44.47	0.337
MQ-19-45	44.82	0.253
MQ-19-45	45.14667	0.346
MQ-19-45	45.47333	0.257
MQ-19-45	45.8	0.652
MQ-19-45	46.1	0.093
MQ-19-45	46.4	0.141
MQ-19-45	46.7	0.356
MQ-19-45	47.35333	0.089
MQ-19-45	48.00667	0.339
MQ-19-45	48.66	0.474
MQ-19-45	49.20333	0.722
MQ-19-45	49.74667	0.48
MQ-19-45	50.29	3.04

Hole_ID	Depth	MagSusc
MQ-19-45	50.79	0.434
MQ-19-45	51.29	0.178
MQ-19-45	51.79	0.146
MQ-19-45	52.30667	0.588
MQ-19-45	52.82333	0.352
MQ-19-45	53.34	0.224
MQ-19-45	53.62	0.324
MQ-19-45	53.9	0.597
MQ-19-45	54.18	0.727
MQ-19-45	54.91667	0.797
MQ-19-45	55.65333	1.26
MQ-19-45	56.39	2.03
MQ-19-45	57.13333	1.38
MQ-19-45	57.87667	1.37
MQ-19-45	58.62	0.739
MQ-19-45	59.38	3.41
MQ-19-45	60.14	2.42
MQ-19-45	60.9	0.477
MQ-19-45	61.64333	0.189
MQ-19-45	62.38667	2.74
MQ-19-45	63.13	1.06
MQ-19-45	63.66	7.68
MQ-19-45	64.19	0.904
MQ-19-45	64.72	9.33
MQ-19-45	64.81333	12.6
MQ-19-45	64.90667	13.2
MQ-19-45	65	1
MQ-19-45	65.21333	5.1
MQ-19-45	65.42667	0.306
MQ-19-45	65.64	15.4
MQ-19-45	65.76667	0.186
MQ-19-45	65.89333	6.26
MQ-19-45	66.02	1.2
MQ-19-45	66.39333	1.78
MQ-19-45	66.76667	2.42
MQ-19-45	67.14	1.24
MQ-19-45	67.42	0.411
MQ-19-45	67.80667	0.983
MQ-19-45	68.19333	0.522
MQ-19-45	68.58	2.16
MQ-19-45	69.05333	1.15
MQ-19-45	69.52667	0.552
MQ-19-45	70	1.38
MQ-19-45	70.54333	0.499
MQ-19-45	71.08667	1.5
MQ-19-45	71.63	7.2

Hole_ID	Depth	MagSusc
MQ-19-45	72.22	4.35
MQ-19-45	72.81	1.5
MQ-19-45	73.4	0.816
MQ-19-45	73.61	0.552
MQ-19-45	73.75	0.81
MQ-19-45	73.89	0.487
MQ-19-45	74.03	0.453
MQ-19-45	74.68667	1.67
MQ-19-45	75.34333	0.527
MQ-19-45	76	1.94
MQ-19-45	76.22667	1.09
MQ-19-45	76.45333	0.215
MQ-19-45	76.68	2.59
MQ-19-45	77	2.83
MQ-19-45	77.32	1.63
MQ-19-45	77.64	0.384
MQ-19-45	78.34333	0.264
MQ-19-45	79.04667	0.492
MQ-19-45	79.75	0.288
MQ-19-45	80.16667	0.678
MQ-19-45	80.58333	2.09
MQ-19-45	81	1.66
MQ-19-45	81.75	1.46
MQ-19-45	82.5	3.37
MQ-19-45	83.25	2.2
MQ-19-45	83.92667	1.28
MQ-19-45	84.60333	0.853
MQ-19-45	85.28	1.22
MQ-19-45	85.73667	2.62
MQ-19-45	86.19333	0.342
MQ-19-45	86.65	0.213
MQ-19-45	87.09	0.52
MQ-19-45	87.53	0.087
MQ-19-45	87.97	0.359
MQ-19-45	88.24333	0.151
MQ-19-45	88.51667	0.088
MQ-19-45	88.79	0.393
MQ-19-45	89.06	0.696
MQ-19-45	89.33	0.507
MQ-19-45	89.6	0.095
MQ-19-45	89.86667	0.117
MQ-19-45	90.13333	0.384
MQ-19-45	90.4	20.2
MQ-19-45	90.59	0.524
MQ-19-45	90.75667	0.116
MQ-19-45	90.92333	0.196

Hole_ID	Depth	MagSusc
MQ-19-45	91.09	1.92
MQ-19-45	91.26667	3.27
MQ-19-45	91.44333	3.22
MQ-19-45	91.62	0.638
MQ-19-45	91.89667	0.438
MQ-19-45	92.17333	0.444
MQ-19-45	92.45	1.4
MQ-19-45	92.55667	0.243
MQ-19-45	92.66333	0.189
MQ-19-45	92.77	0.172
MQ-19-45	93.04667	0.104
MQ-19-45	93.32333	0.339
MQ-19-45	93.6	0.774
MQ-19-45	93.79333	0.432
MQ-19-45	93.98667	0.232
MQ-19-45	94.18	0.463
MQ-19-45	94.58667	2.49
MQ-19-45	94.99333	0.517
MQ-19-45	95.4	0.508
MQ-19-45	95.80667	0.162
MQ-19-45	96.21333	0.116
MQ-19-45	96.62	0.1
MQ-19-45	96.83	0.091
MQ-19-45	97.04	0.308
MQ-19-45	97.25	0.251
MQ-19-45	97.75	0.193
MQ-19-45	98.25	0.582
MQ-19-45	98.75	0.143
MQ-19-45	99.36667	1.09
MQ-19-45	99.98333	0.748
MQ-19-45	100.6	0.19
MQ-19-45	101.01	2.34
MQ-19-45	101.42	4.34
MQ-19-45	101.83	1.14
MQ-19-45	102.2267	0.331
MQ-19-45	102.6233	1.46
MQ-19-45	103.02	0.647
MQ-19-45	103.7333	3.23
MQ-19-45	104.4467	0.353
MQ-19-45	105.16	0.699
MQ-19-45	105.87	0.095
MQ-19-45	106.58	2.12
MQ-19-45	107.29	0.242
MQ-19-45	107.6967	0.144
MQ-19-45	108.1033	3.89
MQ-19-45	108.51	3.24



Hole_ID	Depth	MagSus
MQ-19-45	109.4233	0.343
MQ-19-45	110.3367	2.38
MQ-19-45	111.25	0.224
MQ-19-45	111.76	0.104
MQ-19-45	112.27	3.17
MQ-19-45	112.78	1.16
MQ-19-45	113.7933	0.327
MQ-19-45	114.8067	1.54
MQ-19-45	115.82	1.35
MQ-19-45	116.8367	0.239
MQ-19-45	117.8533	0.331
MQ-19-46	0	0.255
MQ-19-46	3.1	0.157
MQ-19-46	3.616667	0.136
MQ-19-46	4.133333	0.141
MQ-19-46	4.65	0.238
MQ-19-46	5.133333	0.298
MQ-19-46	5.616667	0.162
MQ-19-46	6.1	0.056
MQ-19-46	6.616667	0.051
MQ-19-46	7.133333	0.702
MQ-19-46	7.65	0.164
MQ-19-46	7.866667	0.183
MQ-19-46	8.083333	0.193
MQ-19-46	8.3	4.84
MQ-19-46	8.633333	1.81
MQ-19-46	8.966667	0.244
MQ-19-46	9.3	2.73
MQ-19-46	9.683333	0.459
MQ-19-46	10.06667	0.432
MQ-19-46	10.45	0.135
MQ-19-46	10.96667	0.258
MQ-19-46	11.48333	0.393
MQ-19-46	12	0.693
MQ-19-46	12.5	0.568
MQ-19-46	13	0.267
MQ-19-46	13.5	1.42
MQ-19-46	13.76667	0.39
MQ-19-46	14.03333	2.46
MQ-19-46	14.3	1.5
MQ-19-46	14.63333	0.38
MQ-19-46	14.96667	0.718
MQ-19-46	15.3	4.02
MQ-19-46	15.78333	0.256
MQ-19-46	16.26667	0.457
MQ-19-46	16.75	0.302

Hole_ID	Depth	MagSusc
MQ-19-46	17.51667	0.632
MQ-19-46	18.28333	0.469
MQ-19-46	19.05	0.126
MQ-19-46	19.6	0.288
MQ-19-46	20.15	0.303
MQ-19-46	20.7	0.576
MQ-19-46	21.23333	0.661
MQ-19-46	21.76667	0.763
MQ-19-46	22.3	0.921
MQ-19-46	22.81667	3.89
MQ-19-46	23.33333	2.28
MQ-19-46	23.85	1.5
MQ-19-46	24.02667	0.944
MQ-19-46	24.20333	3.39
MQ-19-46	24.38	1.93
MQ-19-46	24.85333	0.603
MQ-19-46	25.32667	0.456
MQ-19-46	25.8	0.45
MQ-19-46	26.31667	3.53
MQ-19-46	26.83333	7.92
MQ-19-46	27.35	1.62
MQ-19-46	27.86667	2.19
MQ-19-46	28.38333	3.02
MQ-19-46	28.9	1.86
MQ-19-46	29.4	5.84
MQ-19-46	29.9	0.498
MQ-19-46	30.4	0.734
MQ-19-46	30.9	1.12
MQ-19-46	31.4	0.736
MQ-19-46	31.9	1.15
MQ-19-46	32.4	0.457
MQ-19-46	32.9	0.455
MQ-19-46	33.4	1.79
MQ-19-46	34.23333	1.58
MQ-19-46	35.06667	2.78
MQ-19-46	35.9	1.4
MQ-19-46	36.36667	1.2
MQ-19-46	36.83333	2.82
MQ-19-46	37.3	7.41
MQ-19-46	37.47667	9.95
MQ-19-46	37.65333	7.25
MQ-19-46	37.83	4.33
MQ-19-46	38.22	4.67
MQ-19-46	38.61	5.95
MQ-19-46	39	6.64
MQ-19-46	39.33333	4.59

Hole_ID	Depth	MagSusc
MQ-19-46	39.66667	5.81
MQ-19-46	40	3.01
MQ-19-46	40.1	0.24
MQ-19-46	40.2	0.37
MQ-19-46	40.3	3.13
MQ-19-46	40.8	9.34
MQ-19-46	41.3	2.13
MQ-19-46	41.8	5.53
MQ-19-46	42.3	5.66
MQ-19-46	42.8	9.97
MQ-19-46	43.3	5.35
MQ-19-46	43.68333	2.14
MQ-19-46	44.06667	6.04
MQ-19-46	44.45	1.16
MQ-19-46	44.83333	0.715
MQ-19-46	45.21667	0.597
MQ-19-46	45.6	0.515
MQ-19-46	46.2	1.93
MQ-19-46	46.8	3.99
MQ-19-46	47.4	2.39
MQ-19-46	47.63333	0.228
MQ-19-46	47.86667	1.53
MQ-19-46	48.1	0.725
MQ-19-46	48.23333	1.69
MQ-19-46	48.36667	0.192
MQ-19-46	48.5	4
MQ-19-46	48.91667	2.1
MQ-19-46	49.33333	1.48
MQ-19-46	49.75	1.05
MQ-19-46	50.16667	5.13
MQ-19-46	50.58333	2.37
MQ-19-46	51	3.11
MQ-19-46	51.5	0.756
MQ-19-46	52	9.1
MQ-19-46	52.5	13.2
MQ-19-46	53.5	1.5
MQ-19-46	54	3.93
MQ-19-46	54.5	3.44
MQ-19-46	55	3.48
MQ-19-46	55.5	2.92
MQ-19-46	56	4.72
MQ-19-46	56.5	5.45
MQ-19-46	56.97	4.65
MQ-19-46	57.44	0.638
MQ-19-46	57.91	1.3
MQ-19-46	58.27333	0.742

Hole_ID	Depth	MagSusc
MQ-19-46	58.63667	0.201
MQ-19-46	59	2.25
MQ-19-46	59.33333	0.431
MQ-19-46	59.66667	0.377
MQ-19-46	60	1.34
MQ-19-46	60.33333	0.193
MQ-19-46	60.66667	0.486
MQ-19-46	61	0.167
MQ-19-46	61.33333	0.673
MQ-19-46	61.66667	0.154
MQ-19-46	62	0.355
MQ-19-46	62.16667	0.229
MQ-19-46	62.33333	0.106
MQ-19-46	62.5	1.42
MQ-19-46	63	0.62
MQ-19-46	63.5	0.552
MQ-19-46	64	0.222
MQ-19-46	64.23333	0.469
MQ-19-46	64.46667	0.538
MQ-19-46	64.7	0.23
MQ-19-46	65.13333	0.466
MQ-19-46	65.56667	0.226
MQ-19-46	66	0.485
MQ-19-46	66.3	0.262
MQ-19-46	66.6	0.162
MQ-19-46	66.9	0.312
MQ-19-46	67.4	0.436
MQ-19-46	67.9	0.156
MQ-19-46	68.4	0.654
MQ-19-46	68.9	0.636
MQ-19-46	69.4	0.282
MQ-19-46	69.9	0.547
MQ-19-46	70.26667	0.596
MQ-19-46	70.63333	0.439
MQ-19-46	71	0.286
MQ-19-46	71.4	0.314
MQ-19-46	71.8	0.187
MQ-19-46	72.2	0.311
MQ-19-46	72.66667	0.106
MQ-19-46	73.13333	0.056
MQ-19-46	73.6	0.767
MQ-19-46	73.95	0.149
MQ-19-46	74.3	0.291
MQ-19-46	74.65	0.194
MQ-19-46	75.01667	0.105
MQ-19-46	75.38333	0.281

Hole_ID	Depth	MagSus
MQ-19-46	75.75	0.181
MQ-19-46	75.93333	0.087
MQ-19-46	76.11667	0.085
MQ-19-46	76.3	1.83
MQ-19-46	76.8	3.98
MQ-19-46	77.3	7.25
MQ-19-46	77.8	6.34
MQ-19-46	78.3	4.6
MQ-19-46	78.8	2.62
MQ-19-46	79.3	1.7
MQ-19-46	79.76667	0.31
MQ-19-46	80.23333	1.53
MQ-19-46	80.7	5.23
MQ-19-46	81.23333	6.65
MQ-19-46	81.76667	2.19
MQ-19-46	82.3	1.19
MQ-19-46	82.81667	1.11
MQ-19-46	83.33333	1.34
MQ-19-46	83.85	1.36
MQ-19-46	84.34667	3.24
MQ-19-46	84.84333	4.05
MQ-19-46	85.34	10.6
MQ-19-46	85.86	1.06
MQ-19-46	86.38	0.525
MQ-19-46	86.9	1.39
MQ-19-46	87.26667	0.652
MQ-19-46	87.63333	0.534
MQ-19-46	88	0.265
MQ-19-46	88.45	1.81
MQ-19-46	88.9	0.93
MQ-19-46	89.35	0.144
MQ-19-46	89.68333	0.092
MQ-19-46	90.01667	0.246
MQ-19-46	90.35	0.116
MQ-19-46	90.86667	0.048
MQ-19-46	91.38333	0.106
MQ-19-46	91.9	0.147
MQ-19-46	92.33333	0.174
MQ-19-46	92.76667	0.644
MQ-19-46	93.2	0.362
MQ-19-46	93.7	0.7
MQ-19-46	94.2	0.148
MQ-19-46	94.7	0.046
MQ-19-46	95.2	0.029
MQ-19-46	95.7	0.048
MQ-19-46	96.2	0.073

Hole_ID	Depth	MagSus
MQ-19-46	96.71667	0.432
MQ-19-46	97.23333	0.172
MQ-19-46	97.75	0.286
MQ-19-46	98.26667	0.11
MQ-19-46	98.78333	0.179
MQ-19-46	99.3	0.132
MQ-19-46	99.8	0.181
MQ-19-46	100.3	0.02
MQ-19-46	100.8	0.303
MQ-19-46	101.3167	0.029
MQ-19-46	101.8333	0.522
MQ-19-46	102.35	0.194
MQ-19-46	102.8667	0.161
MQ-19-46	103.3833	2.35
MQ-19-46	103.9	0.654
MQ-19-46	104.4667	0.152
MQ-19-46	105.0333	0.137
MQ-19-46	105.6	1.15
MQ-19-46	105.96	0.643
MQ-19-46	106.32	0.128
MQ-19-46	106.68	0.182
MQ-19-46	107.1867	0.031
MQ-19-46	107.6933	0.007
MQ-19-46	108.2	0.09
MQ-19-47	1.52	0.206
MQ-19-47	2.03	0.092
MQ-19-47	2.54	0.11
MQ-19-47	3.05	0.125
MQ-19-47	3.556667	0.09
MQ-19-47	4.063333	0.216
MQ-19-47	4.57	0.14
MQ-19-47	5.08	0.14
MQ-19-47	5.59	0.136
MQ-19-47	6.1	0.157
MQ-19-47	6.606667	0.7
MQ-19-47	7.113333	0.1
MQ-19-47	7.62	0.16
MQ-19-47	8.126667	0.1
MQ-19-47	8.633333	0.17
MQ-19-47	9.14	0.176
MQ-19-47	9.46	0.34
MQ-19-47	9.78	0.058
MQ-19-47	10.1	0.264
MQ-19-47	10.43333	0.186
MQ-19-47	10.76667	0.08
MQ-19-47	11.1	0.27

Hole_ID	Depth	MagSusc
MQ-19-47	11.61	0.27
MQ-19-47	12.12	0.17
MQ-19-47	12.63	0.31
MQ-19-47	13.13667	0.8
MQ-19-47	13.64333	0.1
MQ-19-47	14.15	0.15
MQ-19-47	14.63333	0.01
MQ-19-47	15.11667	0.01
MQ-19-47	15.6	0.01
MQ-19-47	16.1	0.08
MQ-19-47	16.6	0.072
MQ-19-47	17.1	0.11
MQ-19-47	17.6	0.01
MQ-19-47	18.1	0.12
MQ-19-47	18.6	0.19
MQ-19-47	18.9	0.22
MQ-19-47	19.2	0.16
MQ-19-47	19.5	0.38
MQ-19-47	19.73333	0.315
MQ-19-47	19.96667	0.22
MQ-19-47	20.2	1.3
MQ-19-47	20.7	0.25
MQ-19-47	21.2	0.15
MQ-19-47	21.7	0.23
MQ-19-47	22.21667	0.33
MQ-19-47	22.73333	3.95
MQ-19-47	23.25	2.98
MQ-19-47	23.76667	0.42
MQ-19-47	24.28333	1
MQ-19-47	24.8	0.08
MQ-19-47	25.31667	0.18
MQ-19-47	25.83333	0.17
MQ-19-47	26.35	0.15
MQ-19-47	26.68333	0.2
MQ-19-47	27.01667	0
MQ-19-47	27.35	0.34
MQ-19-47	27.61667	2.06
MQ-19-47	27.88333	1.01
MQ-19-47	28.15	2.5
MQ-19-47	28.49667	14.4
MQ-19-47	28.84333	12.3
MQ-19-47	29.19	8.5
MQ-19-47	29.62	24.5
MQ-19-47	30.05	8.5
MQ-19-47	30.48	0.58
MQ-19-47	30.82	0.33

Hole_ID	Depth	MagSusc
MQ-19-47	31.16	3.21
MQ-19-47	31.5	3.14
MQ-19-47	31.83333	0.3
MQ-19-47	32.16667	0.25
MQ-19-47	32.5	0.58
MQ-19-47	32.81667	2.8
MQ-19-47	33.13333	0.23
MQ-19-47	33.45	0.16
MQ-19-47	33.96667	0.34
MQ-19-47	34.48333	0.14
MQ-19-47	35	0.09
MQ-19-47	35.51667	0.1
MQ-19-47	36.03333	0.11
MQ-19-47	36.55	0.22
MQ-19-47	36.98333	0.09
MQ-19-47	37.41667	0.15
MQ-19-47	37.85	0
MQ-19-47	38.44	0.08
MQ-19-47	39.03	0.09
MQ-19-47	39.62	0.17
MQ-19-47	39.94667	0.094
MQ-19-47	40.27333	0.18
MQ-19-47	40.6	0.16
MQ-19-47	41.06667	0.55
MQ-19-47	41.53333	0.33
MQ-19-47	42	0.16
MQ-19-47	42.5	0.32
MQ-19-47	43	0.6
MQ-19-47	43.5	0.55
MQ-19-47	43.83333	0.08
MQ-19-47	44.16667	0.85
MQ-19-47	44.5	1.11
MQ-19-47	44.83333	0.49
MQ-19-47	45.16667	1.1
MQ-19-47	45.5	15.9
MQ-19-47	45.9	23.9
MQ-19-47	46.3	20.4
MQ-19-47	46.7	2.37
MQ-19-47	47.02667	22.4
MQ-19-47	47.35333	30.8
MQ-19-47	47.68	0.33
MQ-19-47	48.18667	0.8
MQ-19-47	48.69333	3.85
MQ-19-47	49.2	7.48
MQ-19-47	49.71667	1.96
MQ-19-47	50.23333	0.81



Hole_ID	Depth	MagSusc
MQ-19-47	50.75	3.5
MQ-19-47	51.26667	2.54
MQ-19-47	51.78333	3.25
MQ-19-47	52.3	5.82
MQ-19-47	52.78333	6.33
MQ-19-47	53.26667	3.12
MQ-19-47	53.75	6.47
MQ-19-47	54.26667	5.97
MQ-19-47	54.78333	9.21
MQ-19-47	55.3	2.97
MQ-19-47	55.73333	1.64
MQ-19-47	56.16667	4.67
MQ-19-47	56.6	3.61
MQ-19-47	56.65	3.62
MQ-19-47	56.7	3.65
MQ-19-47	56.75	0.56
MQ-19-47	57.26667	0.5
MQ-19-47	57.78333	1
MQ-19-47	58.3	2.5
MQ-19-47	58.81667	1.3
MQ-19-47	59.33333	0.33
MQ-19-47	59.85	2.2
MQ-19-47	60.36667	2.7
MQ-19-47	60.88333	1.4
MQ-19-47	61.4	0.75
MQ-19-47	61.9	0.42
MQ-19-47	62.4	3.5
MQ-19-47	62.9	0.73
MQ-19-47	63.41667	4.1
MQ-19-47	63.93333	1.7
MQ-19-47	64.45	2.3
MQ-19-47	64.88333	0.71
MQ-19-47	65.31667	0.31
MQ-19-47	65.75	2.9
MQ-19-47	66.18667	3.45
MQ-19-47	66.62333	1.3
MQ-19-47	67.06	0.476
MQ-19-47	67.54	0.95
MQ-19-47	68.02	0.64
MQ-19-47	68.5	0.2
MQ-19-47	69	0.51
MQ-19-47	69.5	0.29
MQ-19-47	70	0.77
MQ-19-47	70.5	2.6
MQ-19-47	71	1.1
MQ-19-47	71.5	0.49

Hole_ID	Depth	MagSusc
MQ-19-47	72	0.78
MQ-19-47	72.5	0.69
MQ-19-47	73	0.76
MQ-19-47	73.5	3.6
MQ-19-47	74	0.44
MQ-19-47	74.5	0.59
MQ-19-47	75	1
MQ-19-47	75.5	0.12
MQ-19-47	76	1.3
MQ-19-47	76.5	0.43
MQ-19-47	77	0.4
MQ-19-47	77.5	0.15
MQ-19-47	78	0.18
MQ-19-47	78.5	0.11
MQ-19-47	79	0.14
MQ-19-47	79.5	0.1
MQ-19-47	80	0.1
MQ-19-47	80.5	0.15
MQ-19-47	81	0.2
MQ-19-47	81.5	0.16
MQ-19-47	82	0.28
MQ-19-47	82.43333	0.47
MQ-19-47	82.86667	0.17
MQ-19-47	83.3	0.2
MQ-19-47	84.15	4.76
MQ-19-47	84.85	0.95
MQ-19-47	85.85	7.36
MQ-19-47	86.03333	6
MQ-19-47	86.21667	6.3
MQ-19-47	86.4	2.13
MQ-19-47	86.73333	2.14
MQ-19-47	87.06667	0.586
MQ-19-47	87.4	3.83
MQ-19-47	87.73	3.64
MQ-19-47	88.06	37.5
MQ-19-47	88.39	1.63
MQ-19-47	88.89333	6.54
MQ-19-47	89.39667	1.7
MQ-19-47	89.9	1.85
MQ-19-47	90.4	2.28
MQ-19-47	90.9	1.76
MQ-19-47	91.4	2.5
MQ-19-47	91.9	2.89
MQ-19-47	92.4	10.5
MQ-19-47	92.9	3.08
MQ-19-47	93.4	2.4

Hole_ID	Depth	MagSusc
MQ-19-47	93.9	1.78
MQ-19-47	94.4	2.05
MQ-19-47	94.9	2.06
MQ-19-47	95.4	0.32
MQ-19-47	95.9	0.53
MQ-19-47	96.4	3.9
MQ-19-47	96.9	0.123
MQ-19-47	97.4	0.66
MQ-19-47	97.9	0.6
MQ-19-47	98.4	0.06
MQ-19-47	98.9	2.05
MQ-19-47	99.46	0.63
MQ-19-47	100.02	0.11
MQ-19-47	100.58	0.12
MQ-19-47	100.8867	0.17
MQ-19-47	101.1933	0.6
MQ-19-47	101.5	0.11
MQ-19-47	101.8	0.042
MQ-19-47	102.1	0.123
MQ-19-47	102.4	0.33
MQ-19-47	102.7	0.1
MQ-19-47	103	0.1
MQ-19-47	103.3	0.2
MQ-19-47	103.8167	0.15
MQ-19-47	104.3333	0.77
MQ-19-47	104.85	0.72
MQ-19-47	105.2667	0.26
MQ-19-47	105.6833	9.64
MQ-19-47	106.1	1.2
MQ-19-47	106.5	1.31
MQ-19-47	106.9	0.193
MQ-19-47	107.3	0.66
MQ-19-47	107.8	1.3
MQ-19-47	108.3	0.8
MQ-19-47	108.8	0.82
MQ-19-47	109.15	0.92
MQ-19-47	109.5	0.6
MQ-19-47	109.85	11.54
MQ-19-47	110.3167	0.6
MQ-19-47	110.7833	0.72
MQ-19-47	111.25	0.619
MQ-19-48	7.9	0.3
MQ-19-48	8.4	0.58
MQ-19-48	8.9	0.76
MQ-19-48	9.4	0.55
MQ-19-48	9.9	0.48

Hole_ID	Depth	MagSusc
MQ-19-48	10.4	0.6
MQ-19-48	10.9	0.28
MQ-19-48	11.38333	1.5
MQ-19-48	11.86667	2.4
MQ-19-48	12.35	0.18
MQ-19-48	12.68333	0.23
MQ-19-48	13.01667	0.17
MQ-19-48	13.35	0.98
MQ-19-48	13.7	0.24
MQ-19-48	14.05	0.77
MQ-19-48	14.4	0.9
MQ-19-48	14.9	0.82
MQ-19-48	15.4	1.9
MQ-19-48	15.9	0.5
MQ-19-48	16.4	1.6
MQ-19-48	16.9	0.66
MQ-19-48	17.4	0.62
MQ-19-48	17.9	0.96
MQ-19-48	18.4	1.6
MQ-19-48	18.9	1.74
MQ-19-48	19.41667	1.2
MQ-19-48	19.93333	0.4
MQ-19-48	20.45	3.3
MQ-19-48	20.96667	0.13
MQ-19-48	21.48333	0.3
MQ-19-48	22	0.65
MQ-19-48	22.5	0.58
MQ-19-48	23	1.6
MQ-19-48	23.5	0.45
MQ-19-48	24	2.2
MQ-19-48	24.5	1.1
MQ-19-48	25	1.6
MQ-19-48	25.5	2
MQ-19-48	26	0.68
MQ-19-48	26.5	3.56
MQ-19-48	27	2.8
MQ-19-48	27.5	1.4
MQ-19-48	28	1.8
MQ-19-48	28.5	2.4
MQ-19-48	29	3.3
MQ-19-48	29.5	1.9
MQ-19-48	30	2.6
MQ-19-48	30.5	1.3
MQ-19-48	31	1.5
MQ-19-48	31.5	1.3
MQ-19-48	32	2.2

Hole_ID	Depth	MagSusc
MQ-19-48	32.5	1.6
MQ-19-48	32.86667	1.4
MQ-19-48	33.23333	1.23
MQ-19-48	33.6	0.97
MQ-19-48	33.96667	1.7
MQ-19-48	34.33333	1.6
MQ-19-48	34.7	0.7
MQ-19-48	35.38333	0.4
MQ-19-48	36.06667	0.34
MQ-19-48	36.75	0.45
MQ-19-48	37.10667	4.4
MQ-19-48	37.46333	4.4
MQ-19-48	37.82	3.27
MQ-19-48	38.31333	3.7
MQ-19-48	38.80667	4
MQ-19-48	39.3	4.4
MQ-19-48	39.8	0.62
MQ-19-48	40.3	3.3
MQ-19-48	40.8	3.5
MQ-19-48	41.3	6.7
MQ-19-48	41.8	7.9
MQ-19-48	42.3	5.4
MQ-19-48	42.7	3.9
MQ-19-48	43.1	8
MQ-19-48	43.5	5
MQ-19-48	43.86667	4.6
MQ-19-48	44.23333	3.6
MQ-19-48	44.6	0.67
MQ-19-48	44.81667	1.5
MQ-19-48	45.03333	2.3
MQ-19-48	45.25	0
MQ-19-48	45.46667	5.4
MQ-19-48	45.68333	7.6
MQ-19-48	45.9	3.9
MQ-19-48	46.4	4
MQ-19-48	46.9	7.3
MQ-19-48	47.4	2.7
MQ-19-48	47.9	1.4
MQ-19-48	48.4	0.45
MQ-19-48	48.9	1.7
MQ-19-48	49.4	2.03
MQ-19-48	49.9	4.2
MQ-19-48	50.4	6.8
MQ-19-48	50.9	12.4
MQ-19-48	51.4	7.3
MQ-19-48	51.9	10.2

Hole_ID	Depth	MagSusc
MQ-19-48	52.4	4.1
MQ-19-48	52.9	8.4
MQ-19-48	53.4	8.3
MQ-19-48	53.9	6.3
MQ-19-48	54.4	11
MQ-19-48	54.9	2.53
MQ-19-48	55.4	12.1
MQ-19-48	55.9	10.6
MQ-19-48	56.4	5.4
MQ-19-48	56.73333	3.1
MQ-19-48	57.06667	1.4
MQ-19-48	57.4	3.3
MQ-19-48	57.73333	2.35
MQ-19-48	58.06667	2.34
MQ-19-48	58.4	3.1
MQ-19-48	58.8	0.96
MQ-19-48	59.2	0.75
MQ-19-48	59.6	0.23
MQ-19-48	60.06667	0.41
MQ-19-48	60.53333	0.43
MQ-19-48	61	0.09
MQ-19-48	61.5	0.06
MQ-19-48	62	4.16
MQ-19-48	62.5	8.14
MQ-19-48	63	0.11
MQ-19-48	63.5	0.07
MQ-19-48	64	0.16
MQ-19-48	64.48333	0.14
MQ-19-48	64.96667	0.2
MQ-19-48	65.45	0.18
MQ-19-48	65.98667	0.17
MQ-19-48	66.52333	0.19
MQ-19-48	67.06	0.16
MQ-19-48	67.35667	0.14
MQ-19-48	67.65333	0.2
MQ-19-48	67.95	0.54
MQ-19-48	68.26667	0.13
MQ-19-48	68.58333	0.22
MQ-19-48	68.9	0.2
MQ-19-48	69.06667	0.18
MQ-19-48	69.23333	0.16
MQ-19-48	69.4	0.39
MQ-19-48	69.9	0.31
MQ-19-48	70.4	0.14
MQ-19-48	70.9	0.19
MQ-19-48	71.44667	0.06

Hole_ID	Depth	MagSusc
MQ-19-48	71.99333	0.071
MQ-19-48	72.54	0.09
MQ-19-48	73.02667	0.05
MQ-19-48	73.51333	0.13
MQ-19-48	74	0.18
MQ-19-48	74.5	0.15
MQ-19-48	75	0.26
MQ-19-48	75.5	0.39
MQ-19-48	76	6.3
MQ-19-48	76.5	3.05
MQ-19-48	77	5.7
MQ-19-48	77.33333	0.6
MQ-19-48	77.66667	0.12
MQ-19-48	78	3.7
MQ-19-48	78.38333	2
MQ-19-48	78.76667	2.9
MQ-19-48	79.15	0.42
MQ-19-48	79.59	0.08
MQ-19-48	80.03	0.08
MQ-19-48	80.47	0.28
MQ-19-48	80.77333	0.12
MQ-19-48	81.07667	0.13
MQ-19-48	81.38	0.19
MQ-19-48	81.89	0.56
MQ-19-48	82.4	0.14
MQ-19-48	82.91	0.42
MQ-19-48	83.35333	0.08
MQ-19-48	83.79667	0.16
MQ-19-48	84.24	0.55
MQ-19-48	84.47667	0.2
MQ-19-48	84.71333	0.25
MQ-19-48	84.95	1.4
MQ-19-48	85.48667	1.4
MQ-19-48	86.02333	4.13
MQ-19-48	86.56	6.6
MQ-19-48	86.94	4.1
MQ-19-48	87.32	1.1
MQ-19-48	87.7	0.2
MQ-19-48	88	0.43
MQ-19-48	88.3	0.1
MQ-19-48	88.6	0.21
MQ-19-48	89	0.48
MQ-19-48	89.4	0.16
MQ-19-48	89.8	0.2
MQ-19-48	90.3	0.14
MQ-19-48	90.8	0.14

Hole_ID	Depth	MagSusc
MQ-19-48	91.3	0.25
MQ-19-48	91.8	2.1
MQ-19-48	92.3	0.54
MQ-19-48	92.8	2.5
MQ-19-48	93.33333	0.17
MQ-19-48	93.86667	2.5
MQ-19-48	94.4	0.37
MQ-19-48	94.93667	1.9
MQ-19-48	95.47333	9.47
MQ-19-48	96.01	4.2
MQ-19-48	96.50667	3.7
MQ-19-48	97.00333	3.8
MQ-19-48	97.5	7.5
MQ-19-48	98	12.4
MQ-19-48	98.5	14.7
MQ-19-48	99	2.9
MQ-19-48	99.5	4.9
MQ-19-48	100	0.08
MQ-19-48	100.5	2.7
MQ-19-48	101	0.3
MQ-19-48	101.5	2.3
MQ-19-48	102	0.27
MQ-19-48	102.45	0.62
MQ-19-48	102.9	0.49
MQ-19-48	103.35	43.3
MQ-19-48	103.45	40.1
MQ-19-48	103.55	9.3
MQ-19-48	103.65	9.8
MQ-19-48	104.1533	0.87
MQ-19-48	104.6567	1.8
MQ-19-48	105.16	0.7
MQ-19-48	105.6733	4.9
MQ-19-48	106.1867	2.5
MQ-19-48	106.7	1.1
MQ-19-48	107	2.7
MQ-19-48	107.3	9.8
MQ-19-48	107.6	3.8
MQ-19-48	107.9333	2.7
MQ-19-48	108.2667	1.9
MQ-19-48	108.6	3.5
MQ-19-48	108.85	4.9
MQ-19-48	109.1	3.3
MQ-19-48	109.35	1
MQ-19-48	109.8667	1.4
MQ-19-48	110.3833	3.3
MQ-19-48	110.9	0.2



Hole_ID	Depth	MagSusc
MQ-19-48	111.4	1.9
MQ-19-48	111.9	5.3
MQ-19-48	112.4	0.77
MQ-19-48	112.9	7.9
MQ-19-48	113.4	3.8
MQ-19-48	113.9	2.8
MQ-19-48	114.4	6.4
MQ-19-48	114.9	3.2
MQ-19-48	115.4	1.1
MQ-19-48	115.9	4.2
MQ-19-48	116.4	1.5
MQ-19-48	116.9	0.64
MQ-19-48	117.4	0.4
MQ-19-48	117.9	0.01
MQ-19-48	118.4	0.32
MQ-19-48	118.9	5.7
MQ-19-48	119.4	3.1
MQ-19-48	119.9	2.2
MQ-19-48	120.4	1.4
MQ-19-48	120.9	6.9
MQ-19-48	121.4	1.5
MQ-19-48	121.9	3.6
MQ-19-48	122.4	0.76
MQ-19-48	122.9	0.434
MQ-19-48	123.4	0.25
MQ-19-48	123.9	3.1
MQ-19-48	124.4	1
MQ-19-48	124.9	0.73
MQ-19-48	125.4	5.3
MQ-19-48	125.9	7
MQ-19-48	126.2333	1.9
MQ-19-48	126.5667	1.1
MQ-19-48	126.9	1.4
MQ-19-48	127.2	0.55
MQ-19-48	127.5	1.7
MQ-19-48	127.8	9.7
MQ-19-48	128.1	34.2
MQ-19-48	128.4	37.9
MQ-19-48	128.7	5.9
MQ-19-48	128.8167	3.12
MQ-19-48	128.9333	3.2
MQ-19-48	129.05	4.7
MQ-19-48	129.5333	1.7
MQ-19-48	130.0167	0.71
MQ-19-48	130.5	4
MQ-19-48	131	1.9

Hole_ID	Depth	MagSusc
MQ-19-48	131.5	1.1
MQ-19-48	132	2.4
MQ-19-48	132.4167	6.1
MQ-19-48	132.8333	0.7
MQ-19-48	133.25	1.9
MQ-19-48	133.75	0.56
MQ-19-48	134.25	0.6
MQ-19-48	134.75	0.9
MQ-19-48	135.0467	0.16
MQ-19-48	135.3433	0.8
MQ-19-48	135.64	0.3
MQ-19-48	136.1267	0.36
MQ-19-48	136.6133	0.17
MQ-19-48	137.1	0.1
MQ-19-48	137.5333	0.6
MQ-19-48	137.9667	0.04
MQ-19-48	138.4	0.11
MQ-19-48	138.9	0.74
MQ-19-48	139.4	1.7
MQ-19-48	139.9	0.96
MQ-19-48	140.4	0.09
MQ-19-48	140.9	0.11
MQ-19-48	141.4	0.27
MQ-19-48	141.9	0.08
MQ-19-48	142.4	0.6
MQ-19-48	142.9	0.41
MQ-19-48	143.4	0.17
MQ-19-48	143.9	0.51
MQ-19-48	144.4	0.76
MQ-19-48	144.7	2.5
MQ-19-48	145	0.44
MQ-19-48	145.3	0.29
MQ-19-48	145.8	0.13
MQ-19-48	146.3	0.18
MQ-19-48	146.8	0.24
MQ-19-48	147.3	0.15
MQ-19-48	147.8	0.29
MQ-19-48	148.3	1.4
MQ-19-48	148.8	0.19
MQ-19-48	149.3	0.152
MQ-19-48	149.8	0.19
MQ-19-48	150.3	0.42
MQ-19-48	150.8	0.14
MQ-19-48	151.3	0.11
MQ-19-48	151.8	0.1
MQ-19-48	152.3	0.234

Hole_ID	Depth	MagSusc
MQ-19-48	152.8	0.51
MQ-19-48	153.3	0.75
MQ-19-48	153.8	0.17
MQ-19-48	154.3	0.19
MQ-19-48	154.8	0.2
MQ-19-48	155.3	1.4
MQ-19-48	155.8	3.1
MQ-19-48	156.2667	2.5
MQ-19-48	156.7333	1
MQ-19-48	157.2	0.31
MQ-19-48	157.65	0.07
MQ-19-48	158.1	0.11
MQ-19-48	158.55	0.6
MQ-19-48	158.9167	0.26
MQ-19-48	159.2833	0.188
MQ-19-48	159.65	0.35
MQ-19-48	159.9833	0.48
MQ-19-48	160.3167	0.2
MQ-19-48	160.65	0.11
MQ-19-48	161.1	1
MQ-19-48	161.55	0.25
MQ-19-48	162	0.43
MQ-19-48	162.5	0.45
MQ-19-48	163	0.4
MQ-19-48	163.5	0.22
MQ-19-48	164	1.7
MQ-19-48	164.5	0.33
MQ-19-48	165	1.6
MQ-19-48	165.5	2.1
MQ-19-48	166	1.6
MQ-19-48	166.5	0.4
MQ-19-48	167	1.97
MQ-19-48	167.5	1.4
MQ-19-48	168	4.6
MQ-19-48	168.5	0.41
MQ-19-48	169	0.44
MQ-19-48	169.5	2.7
MQ-19-48	169.8667	0.146
MQ-19-48	170.2333	0.28
MQ-19-48	170.6	0.21
MQ-19-48	170.9833	0.11
MQ-19-48	171.3667	0.09
MQ-19-48	171.75	0.14
MQ-19-48	172.1667	0.25
MQ-19-48	172.5833	0.14
MQ-19-48	173	0.11

Hole_ID	Depth	MagSusc
MQ-19-48	173.5	0.24
MQ-19-48	174	0.23
MQ-19-48	174.5	11
MQ-19-48	175	1
MQ-19-48	175.5	0.31
MQ-19-48	176	0.34
MQ-19-48	176.3333	1.6
MQ-19-48	176.6667	1.6
MQ-19-48	177	25.5
MQ-19-48	177.3767	1.5
MQ-19-48	177.7533	2
MQ-19-48	178.13	0.17
MQ-19-48	178.62	0.95
MQ-19-48	179.11	0.16
MQ-19-48	179.6	0.57
MQ-19-48	179.9333	0.15
MQ-19-48	180.2667	0.47
MQ-19-48	180.6	0.41
MQ-19-48	181.0667	5.6
MQ-19-48	181.5333	2.2
MQ-19-48	182	1.4
MQ-19-48	182.5	1
MQ-19-48	183	3.2
MQ-19-48	183.5	2.1
MQ-19-48	184	5.8
MQ-19-48	184.5	0.56
MQ-19-48	185	3.3
MQ-19-48	185.5	3.5
MQ-19-48	186	5
MQ-19-48	186.5	0.91
MQ-19-48	187	1.9
MQ-19-48	187.5	0.19
MQ-19-48	188	0.95
MQ-19-48	188.5	3.2
MQ-19-48	189	3.1
MQ-19-48	189.5	3
MQ-19-48	190	1.6
MQ-19-48	190.5	1.2
MQ-19-48	191	0.3
MQ-19-48	191.5	0.33
MQ-19-48	192	2.7
MQ-19-48	192.5	0.45
MQ-19-48	193	3.8
MQ-19-48	193.5	1.6
MQ-19-48	194	0.22
MQ-19-48	194.5	1.1

Hole_ID	Depth	MagSusc
MQ-19-48	195	2.3
MQ-19-48	195.5	0
MQ-19-48	196	0.36
MQ-19-48	196.5	0.16
MQ-19-48	197	0.36
MQ-19-48	197.5	0.51
MQ-19-48	198	3.9
MQ-19-48	198.5	0.58
MQ-19-48	199	6.3
MQ-19-48	199.5	1
MQ-19-48	200	14.6
MQ-19-48	200.5	3.8
MQ-19-48	201	3.5
MQ-19-48	201.5	3.4
MQ-19-48	202	1.8
MQ-19-48	202.5	3.5
MQ-19-48	203	4.3
MQ-19-48	203.5	1.4
MQ-19-48	204	0.7
MQ-19-48	204.5	0.21
MQ-19-48	205	0.17
MQ-19-48	205.5	11.8
MQ-19-48	206	0.24
MQ-19-48	206.5	2.8
MQ-19-48	207	3.3
MQ-19-48	207.5	22.4
MQ-19-48	208	3.3
MQ-19-48	208.5	0.39
MQ-19-48	209	2.9
MQ-19-48	209.4367	0.95
MQ-19-48	209.8733	2.86
MQ-19-48	210.31	0.77
MQ-19-49	9.88	0.65
MQ-19-49	10.65	0.73
MQ-19-49	11.42	2.53
MQ-19-49	12.19	0.44
MQ-19-49	12.98333	0.6
MQ-19-49	13.77667	0.45
MQ-19-49	14.57	0.54
MQ-19-49	14.99667	1.3
MQ-19-49	15.42333	0.23
MQ-19-49	15.85	0.22
MQ-19-49	16.36667	0.09
MQ-19-49	16.88333	0.19
MQ-19-49	17.4	0.2
MQ-19-49	17.73	0.78

Hole_ID	Depth	MagSusc
MQ-19-49	18.06	0.28
MQ-19-49	18.39	0.12
MQ-19-49	18.89333	0.23
MQ-19-49	19.39667	0.05
MQ-19-49	19.9	0.24
MQ-19-49	20.38	0.45
MQ-19-49	20.86	0.38
MQ-19-49	21.34	0.18
MQ-19-49	21.86	0.4
MQ-19-49	22.38	1.1
MQ-19-49	22.9	1.8
MQ-19-49	23.4	2.9
MQ-19-49	23.9	1.7
MQ-19-49	24.4	0.71
MQ-19-49	24.9	2.8
MQ-19-49	25.4	0.4
MQ-19-49	25.9	6.3
MQ-19-49	26.4	5.9
MQ-19-49	26.9	1.7
MQ-19-49	27.4	0.66
MQ-19-49	27.9	0.8
MQ-19-49	28.4	2.9
MQ-19-49	28.9	0.56
MQ-19-49	29.4	3.4
MQ-19-49	29.9	0.14
MQ-19-49	30.4	0.42
MQ-19-49	30.9	0.39
MQ-19-49	31.4	0.18
MQ-19-49	31.9	0.33
MQ-19-49	32.4	0.36
MQ-19-49	32.9	0.143
MQ-19-49	33.4	0.55
MQ-19-49	33.96667	0.39
MQ-19-49	34.53333	2.5
MQ-19-49	35.1	1.37
MQ-19-49	35.6	2.9
MQ-19-49	36.1	0.21
MQ-19-49	36.6	1
MQ-19-49	37.1	3.3
MQ-19-49	37.6	2.2
MQ-19-49	38.1	3.56
MQ-19-49	38.63333	2.6
MQ-19-49	39.16667	1.3
MQ-19-49	39.7	1.7
MQ-19-49	40.2	0.85
MQ-19-49	40.7	1.5

Hole_ID	Depth	MagSusc
MQ-19-49	41.2	2.9
MQ-19-49	41.7	1.22
MQ-19-49	42.2	0.22
MQ-19-49	42.7	1
MQ-19-49	43.2	0.44
MQ-19-49	43.7	0.35
MQ-19-49	44.2	0.61
MQ-19-49	44.7	0.78
MQ-19-49	45.2	0.37
MQ-19-49	45.7	1.1
MQ-19-49	46.2	1
MQ-19-49	46.7	0.18
MQ-19-49	47.2	0.14
MQ-19-49	47.7	2.9
MQ-19-49	48.2	1.9
MQ-19-49	48.7	1
MQ-19-49	49.03333	0.48
MQ-19-49	49.36667	1.4
MQ-19-49	49.7	2
MQ-19-49	50.03333	0.97
MQ-19-49	50.36667	1.4
MQ-19-49	50.7	1.5
MQ-19-49	51.2	2.2
MQ-19-49	51.7	1.5
MQ-19-49	52.2	0.65
MQ-19-49	52.7	0.47
MQ-19-49	53.2	1.4
MQ-19-49	53.7	0.47
MQ-19-49	54.2	1.4
MQ-19-49	54.7	0.17
MQ-19-49	55.2	0.36
MQ-19-49	55.7	3.7
MQ-19-49	56.2	3.2
MQ-19-49	56.7	10
MQ-19-49	57.03333	8.5
MQ-19-49	57.36667	1.7
MQ-19-49	57.7	7.3
MQ-19-49	58.05	4.6
MQ-19-49	58.4	2.6
MQ-19-49	58.75	0.27
MQ-19-49	59.08333	0.16
MQ-19-49	59.41667	0.19
MQ-19-49	59.75	0.23
MQ-19-49	60.08333	0.8
MQ-19-49	60.41667	1.1
MQ-19-49	60.75	4.2

Hole_ID	Depth	MagSusc
MQ-19-49	61.08333	7.1
MQ-19-49	61.41667	3.5
MQ-19-49	61.75	3.2
MQ-19-49	62.08333	9.2
MQ-19-49	62.41667	7.2
MQ-19-49	62.75	3.7
MQ-19-49	63.08333	1.1
MQ-19-49	63.41667	26.9
MQ-19-49	63.75	3.9
MQ-19-49	64.08333	9.9
MQ-19-49	64.41667	4.6
MQ-19-49	64.75	1.3
MQ-19-49	65.08333	5.9
MQ-19-49	65.41667	3.2
MQ-19-49	65.75	0.9
MQ-19-49	66.25	4.1
MQ-19-49	66.75	9.7
MQ-19-49	67.25	4.9
MQ-19-49	67.75	6.6
MQ-19-49	68.25	5.7
MQ-19-49	68.75	11.4
MQ-19-49	69.25	8.8
MQ-19-49	69.75	8.6
MQ-19-49	70.25	2.4
MQ-19-49	70.75	8.4
MQ-19-49	71.25	3.7
MQ-19-49	71.75	9.1
MQ-19-49	72	0.6
MQ-19-49	72.25	0.8
MQ-19-49	72.5	2
MQ-19-49	72.83333	15
MQ-19-49	73.16667	16
MQ-19-49	73.5	5.3
MQ-19-49	73.83333	2.6
MQ-19-49	74.16667	5.1
MQ-19-49	74.5	1.7
MQ-19-49	74.83333	4.5
MQ-19-49	75.16667	2.7
MQ-19-49	75.5	1.2
MQ-19-49	75.71667	4.1
MQ-19-49	75.93333	2.9
MQ-19-49	76.15	0.6
MQ-19-49	76.23333	0.16
MQ-19-49	76.31667	0.3
MQ-19-49	76.4	0.19
MQ-19-49	76.9	0.31



Hole_ID	Depth	MagSusc
MQ-19-49	77.4	0.18
MQ-19-49	77.9	0.3
MQ-19-49	78.4	2.9
MQ-19-49	78.9	12.1
MQ-19-49	79.4	3.1
MQ-19-49	79.9	3.7
MQ-19-49	80.4	1.4
MQ-19-49	80.9	1.6
MQ-19-49	81.4	1.9
MQ-19-49	81.9	2.7
MQ-19-49	82.4	3.1
MQ-19-49	82.76667	0.7
MQ-19-49	83.13333	5.1
MQ-19-49	83.5	4.6
MQ-19-49	83.86667	1.5
MQ-19-49	84.23333	0.21
MQ-19-49	84.6	4.7
MQ-19-49	84.93333	10.9
MQ-19-49	85.26667	8.8
MQ-19-49	85.6	4.4
MQ-19-49	86.03333	18.2
MQ-19-49	86.46667	58.2
MQ-19-49	86.9	11
MQ-19-49	87.4	5.8
MQ-19-49	87.9	4.6
MQ-19-49	88.4	3.5
MQ-19-49	88.9	3.6
MQ-19-49	89.4	8.9
MQ-19-49	89.9	4.4
MQ-19-49	90.4	4.6
MQ-19-49	90.9	5.1
MQ-19-49	91.4	6
MQ-19-49	91.9	0.51
MQ-19-49	92.4	3.5
MQ-19-49	92.9	0.82
MQ-19-49	93.4	1.7
MQ-19-49	93.9	7.1
MQ-19-49	94.4	1.8
MQ-19-49	94.9	4
MQ-19-49	95.4	0.67
MQ-19-49	95.9	1.2
MQ-19-49	96.4	0.32
MQ-19-49	96.9	1.1
MQ-19-49	97.4	0.26
MQ-19-49	97.9	1.7
MQ-19-49	98.4	1.9

Hole_ID	Depth	MagSusc
MQ-19-49	98.9	0.47
MQ-19-49	99.4	1.2
MQ-19-49	99.9	0.445
MQ-19-49	100.4	1.1
MQ-19-49	100.9667	0.153
MQ-19-49	101.5333	0.54
MQ-19-49	102.1	0.99
MQ-19-49	102.61	0.28
MQ-19-49	103.12	0.11
MQ-19-49	103.63	0.26
MQ-19-49	104.0867	0.18
MQ-19-49	104.5433	0.22
MQ-19-49	105	1.1
MQ-19-49	105.3833	0.45
MQ-19-49	105.7667	4.8
MQ-19-49	106.15	2.6
MQ-19-49	106.4833	33.8
MQ-19-49	106.8167	10.7
MQ-19-49	107.15	6.4
MQ-19-49	107.6667	57
MQ-19-49	108.1833	36
MQ-19-49	108.7	15
MQ-19-49	109.0433	6.8
MQ-19-49	109.3867	0.42
MQ-19-49	109.73	0.16
MQ-19-49	109.9367	0.36
MQ-19-49	110.1433	1.3
MQ-19-49	110.35	0.09
MQ-19-49	110.9	0.37
MQ-19-49	111.45	0.52
MQ-19-49	112	0.16
MQ-19-49	112.5	0.08
MQ-19-49	113	0.1
MQ-19-49	113.5	0.12
MQ-19-49	114	0.09
MQ-19-49	114.5	0
MQ-19-49	115	0.41
MQ-19-49	115.5	0.14
MQ-19-49	116	0.11
MQ-19-49	116.5	0.15
MQ-19-49	117	0.13
MQ-19-49	117.5	0.08
MQ-19-49	118	0.11
MQ-19-49	118.5	0.19
MQ-19-49	119	0.1
MQ-19-49	119.5	0.15

Hole_ID	Depth	MagSusc
MQ-19-49	120	0.1
MQ-19-49	120.5	0.09
MQ-19-49	121	0.23
MQ-19-49	121.5	0.23
MQ-19-49	122	0.09
MQ-19-49	122.5	0.12
MQ-19-49	123	0.38
MQ-19-49	123.5	0.1
MQ-19-49	124	0.15
MQ-19-49	124.5	0.2
MQ-19-49	125	0.08
MQ-19-49	125.5	0.14
MQ-19-49	126	0.11
MQ-19-49	126.5	0.73
MQ-19-49	127	1.2
MQ-19-49	127.5	1.2
MQ-19-49	128	0.14
MQ-19-49	128.5	0.5
MQ-19-49	128.8333	0.17
MQ-19-49	129.1667	0.74
MQ-19-49	129.5	0.46
MQ-19-49	130	0.47
MQ-19-49	130.5	1.5
MQ-19-49	131	0.15
MQ-19-49	131.5	0.31
MQ-19-49	132	0.4
MQ-19-49	132.5	0.62
MQ-19-49	133	1.3
MQ-19-49	133.5	1.3
MQ-19-49	134	3.7
MQ-19-49	134.5	0.36
MQ-19-49	135	1.7
MQ-19-49	135.5	0.33
MQ-19-49	136	5.3
MQ-19-49	136.5	1.5
MQ-19-49	137	1.2
MQ-19-49	137.5	2.4
MQ-19-49	138	1.3
MQ-19-49	138.5	4.8
MQ-19-49	139	1.7
MQ-19-49	139.5	0.46
MQ-19-49	140	0.12
MQ-19-49	140.5	0.49
MQ-19-49	141	0.29
MQ-19-49	141.5	0.64
MQ-19-49	142.0833	0.24

Hole_ID	Depth	MagSusc
MQ-19-49	142.6667	0.11
MQ-19-49	143.25	0
MQ-19-49	143.82	0.45
MQ-19-49	144.39	0.08
MQ-19-49	144.96	0.05
MQ-19-49	145.4733	0.09
MQ-19-49	145.9867	0
MQ-19-49	146.5	0
MQ-19-49	146.9433	0.21
MQ-19-49	147.3867	0.14
MQ-19-49	147.83	0.08
MQ-19-50	3.05	0.198
MQ-19-50	3.566667	3.9
MQ-19-50	4.083333	0.11
MQ-19-50	4.6	0.25
MQ-19-50	5.1	0.26
MQ-19-50	5.6	0.284
MQ-19-50	6.1	0.47
MQ-19-50	6.616667	0.72
MQ-19-50	7.133333	0.05
MQ-19-50	7.65	2.8
MQ-19-50	8.166667	0.13
MQ-19-50	8.683333	0.75
MQ-19-50	9.2	0.09
MQ-19-50	9.716667	0.25
MQ-19-50	10.233333	0.28
MQ-19-50	10.75	0.21
MQ-19-50	11.16667	0.19
MQ-19-50	11.58333	0.06
MQ-19-50	12	0.14
MQ-19-50	12.33333	0.12
MQ-19-50	12.66667	0.14
MQ-19-50	13	0.21
MQ-19-50	13.33333	0.09
MQ-19-50	13.66667	0.1
MQ-19-50	14	0.36
MQ-19-50	14.5	0.22
MQ-19-50	15	0.13
MQ-19-50	15.5	0.23
MQ-19-50	15.83333	0.16
MQ-19-50	16.16667	0.3
MQ-19-50	16.5	0.26
MQ-19-50	17	0.19
MQ-19-50	17.5	0.09
MQ-19-50	18	0.38
MQ-19-50	18.5	0.16

Hole_ID	Depth	MagSusc
MQ-19-50	19	0.1
MQ-19-50	19.5	0.17
MQ-19-50	20	0.14
MQ-19-50	20.5	0.44
MQ-19-50	21	0.25
MQ-19-50	21.5	1.1
MQ-19-50	22	1.1
MQ-19-50	22.5	0.17
MQ-19-50	23	0.14
MQ-19-50	23.5	0.4
MQ-19-50	24	0.17
MQ-19-50	24.5	0.08
MQ-19-50	25	0.19
MQ-19-50	25.5	0.08
MQ-19-50	26	0.15
MQ-19-50	26.5	0.11
MQ-19-50	27	0.15
MQ-19-50	27.5	0.18
MQ-19-50	28	0.52
MQ-19-50	28.5	0.13
MQ-19-50	29.05	0.05
MQ-19-50	29.6	0.08
MQ-19-50	30.15	0.11
MQ-19-50	30.7	0.09
MQ-19-50	31.25	0.3
MQ-19-50	31.8	0.03
MQ-19-50	32.2	0.34
MQ-19-50	32.6	0.09
MQ-19-50	33	0.16
MQ-19-50	33.5	0.1
MQ-19-50	34	0.09
MQ-19-50	34.5	0.11
MQ-19-50	35	0.32
MQ-19-50	35.5	0.18
MQ-19-50	36	0.18
MQ-19-50	36.5	0.26
MQ-19-50	37	1.4
MQ-19-50	37.5	0.68
MQ-19-50	38	2.7
MQ-19-50	38.5	0.17
MQ-19-50	39	0.85
MQ-19-50	39.5	0.2
MQ-19-50	40	1.1
MQ-19-50	40.5	1.4
MQ-19-50	41	0.28
MQ-19-50	41.5	0.26

Hole_ID	Depth	MagSusc
MQ-19-50	42	0.41
MQ-19-50	42.5	0.33
MQ-19-50	43	0.18
MQ-19-50	43.5	0.18
MQ-19-50	44	0.16
MQ-19-50	44.5	0.19
MQ-19-50	45	2.5
MQ-19-50	45.5	1.9
MQ-19-50	46	0.29
MQ-19-50	46.5	3
MQ-19-50	46.83333	0
MQ-19-50	47.16667	0.57
MQ-19-50	47.5	0.55
MQ-19-50	48	0.57
MQ-19-50	48.5	0.56
MQ-19-50	49	1.6
MQ-19-50	49.5	0.85
MQ-19-50	50	0.35
MQ-19-50	50.5	0.63
MQ-19-50	51.03333	0.86
MQ-19-50	51.56667	2.4
MQ-19-50	52.1	0.68
MQ-19-50	52.63333	8.8
MQ-19-50	53.16667	6.8
MQ-19-50	53.7	2.7
MQ-19-50	54.03333	12.6
MQ-19-50	54.36667	45.4
MQ-19-50	54.7	3.7
MQ-19-50	55.05	4.4
MQ-19-50	55.4	5.2
MQ-19-50	55.75	1.2
MQ-19-50	56.16667	4.4
MQ-19-50	56.58333	0.93
MQ-19-50	57	1.1
MQ-19-50	57.30333	0.8
MQ-19-50	57.60667	0.46
MQ-19-50	57.91	0.59
MQ-19-50	58.44	1.8
MQ-19-50	58.97	0.23
MQ-19-50	59.5	1.9
MQ-19-50	59.83333	5.4
MQ-19-50	60.16667	6
MQ-19-50	60.5	18.2
MQ-19-50	60.88333	20.2
MQ-19-50	61.26667	25.6
MQ-19-50	61.65	32.3

Hole_ID	Depth	MagSusc
MQ-19-50	62.13333	1.6
MQ-19-50	62.61667	8.1
MQ-19-50	63.1	28
MQ-19-50	63.18333	18
MQ-19-50	63.26667	13.5
MQ-19-50	63.35	7.3
MQ-19-50	63.73333	1.2
MQ-19-50	64.11667	1.1
MQ-19-50	64.5	4.4
MQ-19-50	65	5
MQ-19-50	65.5	5.8
MQ-19-50	66	3.5
MQ-19-50	66.5	4.4
MQ-19-50	67	0.28
MQ-19-50	67.5	1.3
MQ-19-50	68	2.3
MQ-19-50	68.5	2.6
MQ-19-50	69	1.5
MQ-19-50	69.5	6.4
MQ-19-50	70	3.6
MQ-19-50	70.5	6.7
MQ-19-50	70.83333	7.7
MQ-19-50	71.16667	2.4
MQ-19-50	71.5	7.7
MQ-19-50	71.8	6.5
MQ-19-50	72.1	1.3
MQ-19-50	72.4	0.48
MQ-19-50	72.93333	0.93
MQ-19-50	73.46667	0.27
MQ-19-50	74	0.15
MQ-19-50	74.5	13.3
MQ-19-50	75	4
MQ-19-50	75.5	1.1
MQ-19-50	76	0.32
MQ-19-50	76.5	4.3
MQ-19-50	77	1.1
MQ-19-50	77.5	19.5
MQ-19-50	78	8.9
MQ-19-50	78.5	2.7
MQ-19-50	79	2.3
MQ-19-50	79.5	2.4
MQ-19-50	80	6.9
MQ-19-50	80.5	25.6
MQ-19-50	81	11.3
MQ-19-50	81.5	7.1
MQ-19-50	82	4

Hole_ID	Depth	MagSusc
MQ-19-50	82.5	0.83
MQ-19-50	83	2.9
MQ-19-50	83.5	2.1
MQ-19-50	84	3.5
MQ-19-50	84.5	3.1
MQ-19-50	85	5.2
MQ-19-50	85.5	1.5
MQ-19-50	86	16
MQ-19-50	86.5	4.7
MQ-19-50	87	7.5
MQ-19-50	87.5	2.6
MQ-19-50	87.85	9.2
MQ-19-50	88.2	2.2
MQ-19-50	88.55	2.2
MQ-19-50	88.91667	0.73
MQ-19-50	89.28333	0.4
MQ-19-50	89.65	3.4
MQ-19-50	90.1	3.4
MQ-19-50	90.55	2.8
MQ-19-50	91	4.6
MQ-19-50	91.5	3.5
MQ-19-50	92	2.8
MQ-19-50	92.5	0.9
MQ-19-50	93	38.7
MQ-19-50	93.5	2
MQ-19-50	94	1.5
MQ-19-50	94.61667	1.4
MQ-19-50	95.23333	0.78
MQ-19-50	95.85	1
MQ-19-50	96.16667	1
MQ-19-50	96.48333	0.44
MQ-19-50	96.8	0.89
MQ-19-50	97.2	1.1
MQ-19-50	97.6	0.9
MQ-19-50	98	0.48
MQ-19-50	98.33333	2.4
MQ-19-50	98.66667	0.7
MQ-19-50	99	5.5
MQ-19-50	99.32333	2.3
MQ-19-50	99.64667	25.6
MQ-19-50	99.97	16
MQ-19-50	100.0633	14.5
MQ-19-50	100.1567	21.7
MQ-19-50	100.25	1.1
MQ-19-50	100.4	0.72
MQ-19-50	100.55	0.4



Hole_ID	Depth	MagSus
MQ-19-50	100.7	0.63
MQ-19-50	101.1333	1.3
MQ-19-50	101.5667	3.6
MQ-19-50	102	0.97
MQ-19-50	102.5	2.2
MQ-19-50	103	1.1
MQ-19-50	103.5	2.6
MQ-19-50	104	3.6
MQ-19-50	104.5	3.7
MQ-19-50	105	0.4
MQ-19-50	105.3333	2.15
MQ-19-50	105.6667	1.9
MQ-19-50	106	0.47
MQ-19-50	106.2833	0.67
MQ-19-50	106.5667	0
MQ-19-50	106.85	1.1
MQ-19-50	107.1667	6.62
MQ-19-50	107.4833	26.6
MQ-19-50	107.8	22.3
MQ-19-50	108.1333	2.1
MQ-19-50	108.4667	3
MQ-19-50	108.8	3.5
MQ-19-50	109.2	0.27
MQ-19-50	109.6	2.97
MQ-19-50	110	4.2
MQ-19-50	111.5	3.4
MQ-19-50	112	5.1
MQ-19-50	112.45	0.79
MQ-19-50	113	2.1
MQ-19-50	113.35	0.27
MQ-19-50	113.7	0.11
MQ-19-50	114.05	2.8
MQ-19-50	114.5333	0.11
MQ-19-50	115.0167	0.12
MQ-19-50	115.5	0.04
MQ-19-50	116	0.05
MQ-19-50	116.5	0.03
MQ-19-50	117	0.02
MQ-19-50	117.5	0.09
MQ-19-50	118	1.2
MQ-19-50	118.5	0.18
MQ-19-50	119	0.13
MQ-19-50	119.5	0.11
MQ-19-50	120	0.08
MQ-19-50	120.3333	0.52
MQ-19-50	120.6667	0.23

Hole_ID	Depth	MagSusc
MQ-19-50	121	0.19
MQ-19-50	121.3	1.1
MQ-19-50	121.6	1.1
MQ-19-50	121.9	0.43
MQ-19-50	122.4333	0.24
MQ-19-50	122.9667	0.07
MQ-19-50	123.5	0.37
MQ-19-50	124	0.09
MQ-19-50	124.5	0.25
MQ-19-50	125	0.99
MQ-19-50	125.5	0.51
MQ-19-50	126	0.23
MQ-19-50	126.5	0.37
MQ-19-50	127	0.12
MQ-19-50	127.5	0.24
MQ-19-50	128	0.18
MQ-19-50	128.45	0.19
MQ-19-50	128.9	0.13
MQ-19-50	129.35	1.05
MQ-19-50	129.7333	0.15
MQ-19-50	130.1167	0.12
MQ-19-50	130.5	0.19
MQ-19-50	130.8333	0.06
MQ-19-50	131.1667	0.27
MQ-19-50	131.5	2.24
MQ-19-50	132	0.12
MQ-19-50	132.5	0.3
MQ-19-50	133	0.22
MQ-19-50	133.5	0.79
MQ-19-50	134	0.05
MQ-19-50	134.5	0.135
MQ-19-50	135.0167	0.18
MQ-19-50	135.5333	0.18
MQ-19-50	136.05	1.7
MQ-19-50	136.5833	0.14
MQ-19-50	137.1167	0.15
MQ-19-50	137.65	0.15
MQ-19-50	138.1	0.08
MQ-19-50	138.55	0.5
MQ-19-50	139	0.27
MQ-19-50	139.5	1.1
MQ-19-50	140	0.66
MQ-19-50	140.5	0.5
MQ-19-50	141	0.82
MQ-19-50	141.5	0.47
MQ-19-50	142	29.4

Hole_ID	Depth	MagSusc
MQ-19-50	142.3333	1
MQ-19-50	142.6667	2.6
MQ-19-50	143	1.7
MQ-19-50	143.3333	1.9
MQ-19-50	143.6667	1.4
MQ-19-50	144	1.6
MQ-19-50	144.5	0.73
MQ-19-50	145	1.6
MQ-19-50	145.5	0.79
MQ-19-50	146	1.6
MQ-19-50	146.5	0.95
MQ-19-50	147	0.32
MQ-19-50	147.5	0.49
MQ-19-50	148	2.5
MQ-19-50	148.5	1.8
MQ-19-50	149	3.3
MQ-19-50	149.5	2.4
MQ-19-50	150	0.66
MQ-19-50	150.5	0.57
MQ-19-50	151	1.1
MQ-19-50	151.5	1.9
MQ-19-50	152	0.65
MQ-19-50	152.5	2.5
MQ-19-50	153	2.6
MQ-19-50	153.31	2.2
MQ-19-50	153.62	0.31
MQ-19-50	153.93	1
MQ-19-51	6.2	0.12
MQ-19-51	6.7	0.13
MQ-19-51	7.2	0.12
MQ-19-51	7.7	0.12
MQ-19-51	8.166667	0.07
MQ-19-51	8.633333	0.16
MQ-19-51	9.1	0.06
MQ-19-51	9.566667	0.14
MQ-19-51	10.03333	0.12
MQ-19-51	10.5	0.12
MQ-19-51	11	0.11
MQ-19-51	11.5	0.25
MQ-19-51	12	0.23
MQ-19-51	12.5	0.09
MQ-19-51	13	0.89
MQ-19-51	13.5	0.28
MQ-19-51	14	0.27
MQ-19-51	14.5	0.28
MQ-19-51	15	1.1

Hole_ID	Depth	MagSusc
MQ-19-51	15.5	0.13
MQ-19-51	16	0.07
MQ-19-51	16.5	0.4
MQ-19-51	17	0.26
MQ-19-51	17.5	0.32
MQ-19-51	18	0.35
MQ-19-51	18.5	0.2
MQ-19-51	19	0.42
MQ-19-51	19.5	0.49
MQ-19-51	20	0.28
MQ-19-51	20.5	0.24
MQ-19-51	21	0
MQ-19-51	21.5	0.29
MQ-19-51	22	0.68
MQ-19-51	22.5	0.46
MQ-19-51	23	2.1
MQ-19-51	23.5	4.6
MQ-19-51	24	0.34
MQ-19-51	24.5	1.2
MQ-19-51	25	1.1
MQ-19-51	25.5	0.4
MQ-19-51	26	0.15
MQ-19-51	26.5	0.25
MQ-19-51	27	0.14
MQ-19-51	27.5	2.3
MQ-19-51	28	1.3
MQ-19-51	28.5	1.4
MQ-19-51	29	0.17
MQ-19-51	29.5	0.15
MQ-19-51	30	0.14
MQ-19-51	30.5	0.19
MQ-19-51	31	2.8
MQ-19-51	31.5	0.34
MQ-19-51	32	5.1
MQ-19-51	32.5	4.6
MQ-19-51	33	0.63
MQ-19-51	33.5	0.8
MQ-19-51	34	0.25
MQ-19-51	34.5	4.5
MQ-19-51	35	1.2
MQ-19-51	35.5	7.7
MQ-19-51	36	1.8
MQ-19-51	36.5	2.3
MQ-19-51	37	0.31
MQ-19-51	37.5	0.7
MQ-19-51	38	0.54

Hole_ID	Depth	MagSusc
MQ-19-51	38.5	1.5
MQ-19-51	39	0.83
MQ-19-51	39.5	0.31
MQ-19-51	40	0.4
MQ-19-51	40.5	0.58
MQ-19-51	41	1.6
MQ-19-51	41.5	4.1
MQ-19-51	42	0.24
MQ-19-51	42.5	0.27
MQ-19-51	43	2.7
MQ-19-51	43.5	1.7
MQ-19-51	44	0.45
MQ-19-51	44.5	1.1
MQ-19-51	45	0.16
MQ-19-51	45.5	0.16
MQ-19-51	46	0.34
MQ-19-51	46.5	0.22
MQ-19-51	47	1.1
MQ-19-51	47.5	0.15
MQ-19-51	48	0.83
MQ-19-51	48.48333	0.17
MQ-19-51	48.96667	0.31
MQ-19-51	49.45	0.41
MQ-19-51	49.96667	0.11
MQ-19-51	50.48333	0.29
MQ-19-51	51	1.3
MQ-19-51	51.5	1.4
MQ-19-51	52	2.6
MQ-19-51	52.5	1.1
MQ-19-51	52.8	2.5
MQ-19-51	53.1	0.1
MQ-19-51	53.4	21.8
MQ-19-51	53.93333	8.14
MQ-19-51	54.46667	4.44
MQ-19-51	55	7.3
MQ-19-51	55.5	4.7
MQ-19-51	56	7.5
MQ-19-51	56.5	14.3
MQ-19-51	56.84333	7.9
MQ-19-51	57.18667	4.3
MQ-19-51	57.53	8.5
MQ-19-51	57.65667	31.5
MQ-19-51	57.78333	15.7
MQ-19-51	57.91	7.7
MQ-19-51	58.27333	1.4
MQ-19-51	58.63667	1.12

Hole_ID	Depth	MagSusc
MQ-19-51	59	1.6
MQ-19-51	59.5	1.9
MQ-19-51	60	2.3
MQ-19-51	60.5	4
MQ-19-51	61	3.1
MQ-19-51	61.5	2.6
MQ-19-51	62	2.7
MQ-19-51	62.5	7.9
MQ-19-51	63	10
MQ-19-51	63.5	8.8
MQ-19-51	63.93333	1.6
MQ-19-51	64.36667	2.4
MQ-19-51	64.8	0.45
MQ-19-51	65	1.1
MQ-19-51	65.2	0.81
MQ-19-51	65.4	2.5
MQ-19-51	65.93333	1
MQ-19-51	66.46667	2.2
MQ-19-51	67	2.8
MQ-19-51	67.5	1.4
MQ-19-51	68	1.7
MQ-19-51	68.5	0.4
MQ-19-51	69	6.6
MQ-19-51	69.5	6.9
MQ-19-51	70	4
MQ-19-51	70.5	3.5
MQ-19-51	71	1.4
MQ-19-51	71.5	3.2
MQ-19-51	72	7.2
MQ-19-51	72.5	0.63
MQ-19-51	73	0.6
MQ-19-51	73.5	1.35
MQ-19-51	74	2
MQ-19-51	74.5	2.7
MQ-19-51	74.83333	1
MQ-19-51	75.16667	2.2
MQ-19-51	75.5	0.56
MQ-19-51	75.91667	2.5
MQ-19-51	76.33333	2.1
MQ-19-51	76.75	0.2
MQ-19-51	77.16667	1.2
MQ-19-51	77.58333	1.2
MQ-19-51	78	1.9
MQ-19-51	78.5	1.8
MQ-19-51	79	0.26
MQ-19-51	79.5	1.5

Hole_ID	Depth	MagSusc
MQ-19-51	79.83333	1.1
MQ-19-51	80.16667	0.9
MQ-19-51	80.5	0.37
MQ-19-51	80.76667	1.2
MQ-19-51	81.03333	0.54
MQ-19-51	81.3	1.3
MQ-19-51	81.7	2.7
MQ-19-51	82.1	1.5
MQ-19-51	82.5	35
MQ-19-51	83	0.75
MQ-19-51	83.5	23.6
MQ-19-51	84	60.7
MQ-19-51	84.41667	13
MQ-19-51	84.83333	46.6
MQ-19-51	85.25	0.91
MQ-19-51	85.66667	1.3
MQ-19-51	86.08333	1
MQ-19-51	86.5	1.5
MQ-19-51	87	0.63
MQ-19-51	87.5	0.83
MQ-19-51	88	1
MQ-19-51	88.33333	1.9
MQ-19-51	88.66667	1.5
MQ-19-51	89	2.7
MQ-19-51	89.36667	0.97
MQ-19-51	89.73333	2.6
MQ-19-51	90.1	0.33
MQ-19-51	90.56667	2.9
MQ-19-51	91.03333	3.41
MQ-19-51	91.5	2.6
MQ-19-51	92	2.9
MQ-19-51	92.5	1.6
MQ-19-51	93	1.5
MQ-19-51	93.5	0.14
MQ-19-51	94	4.1
MQ-19-51	94.5	0.68
MQ-19-51	95.01667	0.26
MQ-19-51	95.53333	5.1
MQ-19-51	96.05	0.58
MQ-19-51	96.53333	0.12
MQ-19-51	97.01667	0.83
MQ-19-51	97.5	0.27
MQ-19-51	98	0.18
MQ-19-51	98.5	0.56
MQ-19-51	99	1.2
MQ-19-51	99.5	1.5

Hole_ID	Depth	MagSusc
MQ-19-51	100	1.1
MQ-19-51	100.5	3.1
MQ-19-51	101	0.1
MQ-19-51	101.5	1.5
MQ-19-51	102	0.29
MQ-19-51	102.5	1.7
MQ-19-51	103	0.1
MQ-19-51	103.5	0
MQ-19-51	104	0.38
MQ-19-51	104.5	0.19
MQ-19-51	105	0.15
MQ-19-51	105.5	0.41
MQ-19-51	106	0.16
MQ-19-51	106.5	0.38
MQ-19-51	106.8333	0.46
MQ-19-51	107.1667	0.41
MQ-19-51	107.5	0.54
MQ-19-51	107.7333	0.45
MQ-19-51	107.9667	0.15
MQ-19-51	108.2	0.9
MQ-19-52	3.25	0.27
MQ-19-52	3.666667	0.18
MQ-19-52	4.083333	0.15
MQ-19-52	4.5	0.16
MQ-19-52	5	0.14
MQ-19-52	5.5	0.14
MQ-19-52	6	3.4
MQ-19-52	6.5	0.86
MQ-19-52	7	0.29
MQ-19-52	7.5	0.23
MQ-19-52	8	0.18
MQ-19-52	8.5	0.15
MQ-19-52	9	0.14
MQ-19-52	9.5	0.32
MQ-19-52	10	0.27
MQ-19-52	10.5	0.94
MQ-19-52	11	0.17
MQ-19-52	11.5	1.8
MQ-19-52	12	1.3
MQ-19-52	12.5	0.27
MQ-19-52	13	2.1
MQ-19-52	13.5	2.3
MQ-19-52	14	4.2
MQ-19-52	14.5	1.2
MQ-19-52	15	0.1
MQ-19-52	15.5	0.42



Hole_ID	Depth	MagSusc
MQ-19-52	16	0.39
MQ-19-52	16.5	0.85
MQ-19-52	17	0.34
MQ-19-52	17.5	0.55
MQ-19-52	18	0.77
MQ-19-52	18.5	2.2
MQ-19-52	19	0.62
MQ-19-52	19.5	0.46
MQ-19-52	20	0.31
MQ-19-52	20.5	4
MQ-19-52	21	9.1
MQ-19-52	21.5	9.7
MQ-19-52	22	5.7
MQ-19-52	22.5	0.16
MQ-19-52	22.83333	0.29
MQ-19-52	23.16667	0.7
MQ-19-52	23.5	0.9
MQ-19-52	23.76667	0.77
MQ-19-52	24.03333	0.36
MQ-19-52	24.3	0.33
MQ-19-52	24.68333	0.26
MQ-19-52	25.06667	0.41
MQ-19-52	25.45	0.32
MQ-19-52	25.96667	6.6
MQ-19-52	26.48333	2.9
MQ-19-52	27	0.22
MQ-19-52	27.5	1.8
MQ-19-52	28	0.49
MQ-19-52	28.5	4.5
MQ-19-52	29	5.9
MQ-19-52	29.5	0.8
MQ-19-52	30	0.15
MQ-19-52	30.5	1.5
MQ-19-52	31	0.43
MQ-19-52	31.5	4.6
MQ-19-52	32	0.3
MQ-19-52	32.5	4.1
MQ-19-52	33	0.66
MQ-19-52	33.5	3.1
MQ-19-52	34	13.9
MQ-19-52	34.5	3.5
MQ-19-52	35	2.5
MQ-19-52	35.5	5.3
MQ-19-52	36	0.62
MQ-19-52	36.5	0.28
MQ-19-52	37	0.49

Hole_ID	Depth	MagSusc
MQ-19-52	37.5	0.64
MQ-19-52	38	2.9
MQ-19-52	38.5	0.25
MQ-19-52	39	0.29
MQ-19-52	39.41667	0.11
MQ-19-52	39.83333	0.32
MQ-19-52	40.25	0.52
MQ-19-52	40.65	0.15
MQ-19-52	41.05	0.15
MQ-19-52	41.45	0.26
MQ-19-52	41.9	0.11
MQ-19-52	42.35	0.23
MQ-19-52	42.8	0.21
MQ-19-52	43.2	0.18
MQ-19-52	43.6	0.3
MQ-19-52	44	0.4
MQ-19-52	44.5	0.84
MQ-19-52	45	1.2
MQ-19-52	45.5	1.3
MQ-19-52	45.93333	1.6
MQ-19-52	46.36667	1.9
MQ-19-52	46.8	3.5
MQ-19-52	47.2	2.8
MQ-19-52	47.6	2.2
MQ-19-52	48	4.8
MQ-19-52	48.5	6.8
MQ-19-52	49	14.8
MQ-19-52	49.5	9.5
MQ-19-52	50	4.6
MQ-19-52	50.5	9.1
MQ-19-52	51	40
MQ-19-52	51.5	4.9
MQ-19-52	52	2.5
MQ-19-52	52.5	11.8
MQ-19-52	53	1.9
MQ-19-52	53.5	5.5
MQ-19-52	54	2.9
MQ-19-52	54.41667	2.4
MQ-19-52	54.83333	6.2
MQ-19-52	55.25	2.8
MQ-19-52	55.75	24.2
MQ-19-52	56.25	18.8
MQ-19-52	56.75	0.61
MQ-19-52	57.16667	2.3
MQ-19-52	57.58333	1.6
MQ-19-52	58	0.5

Hole_ID	Depth	MagSusc
MQ-19-52	58.5	1.4
MQ-19-52	59	1.7
MQ-19-52	59.5	2.1
MQ-19-52	60	7.3
MQ-19-52	60.5	2.8
MQ-19-52	61	5
MQ-19-52	61.5	2.2
MQ-19-52	62	11.6
MQ-19-52	62.5	4.6
MQ-19-52	63	2.9
MQ-19-52	63.5	9
MQ-19-52	64	4.6
MQ-19-52	64.5	3.1
MQ-19-52	65	2.7
MQ-19-52	65.5	4.4
MQ-19-52	66	3.2
MQ-19-52	66.5	5.2
MQ-19-52	67	1.6
MQ-19-52	67.5	8.2
MQ-19-52	68	7.6
MQ-19-52	68.5	4.9
MQ-19-52	69	18.1
MQ-19-52	69.5	5.7
MQ-19-52	70	7.7
MQ-19-52	70.5	6.1
MQ-19-52	71	8.1
MQ-19-52	71.5	13.8
MQ-19-52	72.03333	5.5
MQ-19-52	72.56667	6.5
MQ-19-52	73.1	8.8
MQ-19-52	73.4	10.6
MQ-19-52	73.7	12.4
MQ-19-52	74	3.6
MQ-19-52	74.33333	6.4
MQ-19-52	74.66667	1.2
MQ-19-52	75	6.1
MQ-19-52	75.5	8.9
MQ-19-52	76	7.6
MQ-19-52	76.5	22.8
MQ-19-52	76.90667	18.1
MQ-19-52	77.31333	25.5
MQ-19-52	77.72	2.3
MQ-19-52	77.86333	32.4
MQ-19-52	78.00667	3.7
MQ-19-52	78.15	7.5
MQ-19-52	78.6	1.1

Hole_ID	Depth	MagSusc
MQ-19-52	79.05	5.2
MQ-19-52	79.5	8.6
MQ-19-52	80	0.515
MQ-19-52	80.5	2
MQ-19-52	81	0.23
MQ-19-52	81.46667	22.2
MQ-19-52	81.93333	5.8
MQ-19-52	82.4	36.8
MQ-19-52	82.56667	36.3
MQ-19-52	82.73333	61
MQ-19-52	82.9	3.8
MQ-19-52	83.26667	1.2
MQ-19-52	83.63333	8.3
MQ-19-52	84	9.3
MQ-19-52	84.5	6.3
MQ-19-52	85	6.8
MQ-19-52	85.5	4.4
MQ-19-52	86	6.3
MQ-19-52	86.5	2.4
MQ-19-52	87	5.3
MQ-19-52	87.5	4
MQ-19-52	88	1.7
MQ-19-52	88.5	1.7
MQ-19-52	88.63333	2.3
MQ-19-52	88.76667	0.88
MQ-19-52	88.9	8.3
MQ-19-52	89.26667	4.8
MQ-19-52	89.63333	2.3
MQ-19-52	90	2.6
MQ-19-52	90.43333	0.72
MQ-19-52	90.86667	8.5
MQ-19-52	91.3	3.5
MQ-19-52	91.7	3.5
MQ-19-52	92.1	1.4
MQ-19-52	92.5	2.8
MQ-19-52	93	1.9
MQ-19-52	93.5	0.22
MQ-19-52	94	0.69
MQ-19-52	94.5	5.4
MQ-19-52	95	2.3
MQ-19-52	95.5	9
MQ-19-52	96	5.3
MQ-19-52	96.5	2.5
MQ-19-52	97	8.4
MQ-19-52	97.5	4.8
MQ-19-52	98	6.3

Hole_ID	Depth	MagSusc
MQ-19-52	98.5	6.2
MQ-19-52	99	12.2
MQ-19-52	99.5	8.2
MQ-19-52	100	10.6
MQ-19-52	100.5	6.5
MQ-19-52	101	0.36
MQ-19-52	101.5	0.61
MQ-19-52	102	0.47
MQ-19-52	102.5	6.56
MQ-19-52	103	0.67
MQ-19-52	103.5	0.75
MQ-19-52	104	0.89
MQ-19-52	104.5	0.69
MQ-19-52	105	4
MQ-19-52	105.5	2.9
MQ-19-52	106	0.22
MQ-19-52	106.5	27.1
MQ-19-52	107	0.2
MQ-19-52	107.5	0.93
MQ-19-52	108	0.44
MQ-19-52	108.5	6.8
MQ-19-52	109	0.41
MQ-19-52	109.3333	0.3
MQ-19-52	109.6667	0.3
MQ-19-52	110	0.23
MQ-19-52	110.2333	0.42
MQ-19-52	110.4667	0.19
MQ-19-52	110.7	0.88
MQ-19-52	111.0333	0.38
MQ-19-52	111.3667	0.07
MQ-19-52	111.7	0.127
MQ-19-52	112.06	0.15
MQ-19-52	112.42	0.23
MQ-19-52	112.78	7.1
MQ-19-52	113.1033	36.8
MQ-19-52	113.4267	59.1
MQ-19-52	113.75	4.11
MQ-19-52	114.0833	9.1
MQ-19-52	114.4167	38
MQ-19-52	114.75	43.2
MQ-19-52	115.05	43.8
MQ-19-52	115.35	75
MQ-19-52	115.65	11.7
MQ-19-52	116.1	3.81
MQ-19-52	116.55	3
MQ-19-52	117	0.61

Hole_ID	Depth	MagSusc
MQ-19-52	117.5	4.6
MQ-19-52	118	1.6
MQ-19-52	118.5	2.47
MQ-19-52	119	2.2
MQ-19-52	119.5	3.32
MQ-19-52	120	1.72
MQ-19-52	120.5	1.5
MQ-19-52	121	6.9
MQ-19-52	121.5	1.36
MQ-19-52	122	2.4
MQ-19-52	122.5	0.55
MQ-19-52	123	1.9
MQ-19-52	123.5	3.5
MQ-19-52	124	0.9
MQ-19-52	124.5	7.4
MQ-19-52	125	0.73
MQ-19-52	125.5	0.28
MQ-19-52	126	0.21
MQ-19-52	126.3333	0.42
MQ-19-52	126.6667	4.2
MQ-19-52	127	0.8
MQ-19-52	127.4333	0.21
MQ-19-52	127.8667	0.19
MQ-19-52	128.3	0.23
MQ-19-52	128.8	0.37
MQ-19-52	129.3	2.8
MQ-19-52	129.8	0.1
MQ-19-52	130.22	1.1
MQ-19-52	130.64	0.18
MQ-19-52	131.06	0.17
MQ-19-53	0	0.48
MQ-19-53	1.016667	0.827
MQ-19-53	2.033333	0.63
MQ-19-53	3.05	0.3
MQ-19-53	3.566667	0.21
MQ-19-53	4.083333	0.18
MQ-19-53	4.6	0.42
MQ-19-53	5.1	0.8
MQ-19-53	5.6	0.09
MQ-19-53	6.1	0.3
MQ-19-53	6.566667	0.27
MQ-19-53	7.033333	0.11
MQ-19-53	7.5	0.2
MQ-19-53	8	0.38
MQ-19-53	8.5	0.14
MQ-19-53	9	0.09

Hole_ID	Depth	MagSusc
MQ-19-53	9.5	4.1
MQ-19-53	10	0.18
MQ-19-53	10.5	0.22
MQ-19-53	11.03333	0.22
MQ-19-53	11.56667	0.19
MQ-19-53	12.1	0.11
MQ-19-53	12.64	1.9
MQ-19-53	13.18	0.75
MQ-19-53	13.72	0.09
MQ-19-53	14.14667	0.13
MQ-19-53	14.57333	0.15
MQ-19-53	15	0.29
MQ-19-53	15.5	0.31
MQ-19-53	16	1.9
MQ-19-53	16.5	0.33
MQ-19-53	17	0.18
MQ-19-53	17.5	0.19
MQ-19-53	18	0.24
MQ-19-53	18.43333	0.17
MQ-19-53	18.86667	0.33
MQ-19-53	19.3	0.69
MQ-19-53	19.78333	0.38
MQ-19-53	20.26667	0.45
MQ-19-53	20.75	3.9
MQ-19-53	21.13333	0.31
MQ-19-53	21.51667	3.6
MQ-19-53	21.9	2.8
MQ-19-53	22.26667	0.8
MQ-19-53	22.63333	2.2
MQ-19-53	23	1.5
MQ-19-53	23.5	1.9
MQ-19-53	24	1.4
MQ-19-53	24.5	1.8
MQ-19-53	24.98333	1.6
MQ-19-53	25.46667	0.74
MQ-19-53	25.95	0.43
MQ-19-53	26.46667	0.26
MQ-19-53	26.98333	0.42
MQ-19-53	27.5	4.5
MQ-19-53	27.83333	0.23
MQ-19-53	28.16667	0.2
MQ-19-53	28.5	0.24
MQ-19-53	28.83333	0.15
MQ-19-53	29.16667	0.13
MQ-19-53	29.5	0.15
MQ-19-53	30	0.13

Hole_ID	Depth	MagSusc
MQ-19-53	30.5	1.3
MQ-19-53	31	3.7
MQ-19-53	31.5	0.25
MQ-19-53	32	0.23
MQ-19-53	32.5	0.98
MQ-19-53	33	2.5
MQ-19-53	33.5	2.2
MQ-19-53	34	0.37
MQ-19-53	34.5	3
MQ-19-53	35	0.43
MQ-19-53	35.5	1
MQ-19-53	35.96	2.5
MQ-19-53	36.42	0.4
MQ-19-53	36.88	0.19
MQ-19-53	37.25333	0.29
MQ-19-53	37.62667	0.19
MQ-19-53	38	0.27
MQ-19-53	38.5	0.11
MQ-19-53	39	0.2
MQ-19-53	39.5	0.19
MQ-19-53	40	1.1
MQ-19-53	40.5	1.4
MQ-19-53	41	1.9
MQ-19-53	41.5	0.31
MQ-19-53	42	2.1
MQ-19-53	42.5	0.16
MQ-19-53	43	0.34
MQ-19-53	43.5	10.5
MQ-19-53	44	0.81
MQ-19-53	44.5	0.1
MQ-19-53	45	0.13
MQ-19-53	45.5	0.79
MQ-19-53	46	0.16
MQ-19-53	46.5	2.5
MQ-19-53	47	0.22
MQ-19-53	47.5	1.8
MQ-19-53	48	0.32
MQ-19-53	48.5	0.15
MQ-19-53	49	1.3
MQ-19-53	49.5	4.3
MQ-19-53	50	0.21
MQ-19-53	50.5	0.14
MQ-19-53	51	8.3
MQ-19-53	51.5	3.2
MQ-19-53	51.83333	1.3
MQ-19-53	52.16667	3.8



Hole_ID	Depth	MagSusc
MQ-19-53	52.5	1.3
MQ-19-53	52.81667	3.1
MQ-19-53	53.13333	0.38
MQ-19-53	53.45	0.36
MQ-19-53	53.78333	1.3
MQ-19-53	54.11667	1.9
MQ-19-53	54.45	0.68
MQ-19-53	54.96667	0.13
MQ-19-53	55.48333	0.19
MQ-19-53	56	0.43
MQ-19-53	56.33333	0.31
MQ-19-53	56.66667	0.36
MQ-19-53	57	1.2
MQ-19-53	57.23333	0.49
MQ-19-53	57.46667	0.59
MQ-19-53	57.7	1.2
MQ-19-53	58.13333	0.28
MQ-19-53	58.56667	1.1
MQ-19-53	59	0.28
MQ-19-53	59.41667	0.16
MQ-19-53	59.83333	0.19
MQ-19-53	60.25	8.1
MQ-19-53	60.48333	9.3
MQ-19-53	60.71667	9.6
MQ-19-53	60.95	2.4
MQ-19-53	61.46667	1.7
MQ-19-53	61.98333	2.8
MQ-19-53	62.5	4.8
MQ-19-53	62.83333	3.2
MQ-19-53	63.16667	0.28
MQ-19-53	63.5	0.76
MQ-19-53	63.81667	3.9
MQ-19-53	64.13333	1
MQ-19-53	64.45	6.6
MQ-19-53	64.96667	2.8
MQ-19-53	65.48333	1.9
MQ-19-53	66	5.5
MQ-19-53	66.5	31.5
MQ-19-53	67	1.7
MQ-19-53	67.5	1.2
MQ-19-53	68	0.37
MQ-19-53	68.5	1.2
MQ-19-53	69	3.9
MQ-19-53	69.5	9.3
MQ-19-53	70	5
MQ-19-53	70.5	6.1

Hole_ID	Depth	MagSusc
MQ-19-53	71	0.9
MQ-19-53	71.5	3.1
MQ-19-53	72	1.3
MQ-19-53	72.5	2.1
MQ-19-53	73	1.5
MQ-19-53	73.5	0.74
MQ-19-53	74	3.2
MQ-19-53	74.5	28.6
MQ-19-53	75	2.6
MQ-19-53	75.5	1.5
MQ-19-53	76	0.9
MQ-19-53	76.5	1.6
MQ-19-53	77	3.6
MQ-19-53	77.5	5
MQ-19-53	78	2.2
MQ-19-53	78.46667	3.3
MQ-19-53	78.93333	5.1
MQ-19-53	79.4	1.2
MQ-19-53	79.85667	0.41
MQ-19-53	80.31333	1
MQ-19-53	80.77	0.55
MQ-19-53	81.16333	0.23
MQ-19-53	81.55667	0.72
MQ-19-53	81.95	5.7
MQ-19-53	82.57333	0.36
MQ-19-53	83.19667	0.94
MQ-19-53	83.82	0.35
MQ-19-53	84.21333	0.67
MQ-19-53	84.60667	11.9
MQ-19-53	85	7.2
MQ-19-53	85.5	3.9
MQ-19-53	86	0.66
MQ-19-53	86.5	0.45
MQ-19-53	86.81	2.9
MQ-19-53	87.12	1.3
MQ-19-53	87.43	5
MQ-19-53	87.95333	0.11
MQ-19-53	88.47667	0.26
MQ-19-53	89	2.3
MQ-19-53	89.5	3.9
MQ-19-53	90	4.2
MQ-19-53	90.5	2.8
MQ-19-53	91	1.3
MQ-19-53	91.5	4.4
MQ-19-53	92	1.1
MQ-19-53	92.5	0.58

Hole_ID	Depth	MagSusc
MQ-19-53	93	6.9
MQ-19-53	93.5	6.4
MQ-19-53	94	0.5
MQ-19-53	94.5	1
MQ-19-53	95	2.8
MQ-19-53	95.5	1.8
MQ-19-53	96	0.75
MQ-19-53	96.5	0.68
MQ-19-53	97	2.2
MQ-19-53	97.5	4.6
MQ-19-53	98	0.18
MQ-19-53	98.5	0.16
MQ-19-53	99	0.46
MQ-19-53	99.5	0.29
MQ-19-53	100	0.9
MQ-19-53	100.5	1.5
MQ-19-53	101	0.17
MQ-19-53	101.5	0.31
MQ-19-53	102	0.19
MQ-19-53	102.5	0.12
MQ-19-53	103	2.5
MQ-19-53	103.5	1
MQ-19-53	104	0.24
MQ-19-53	104.3867	1.4
MQ-19-53	104.7733	0.23
MQ-19-53	105.16	0.18
MQ-19-53	105.6667	1.2
MQ-19-53	106.1733	3.3
MQ-19-53	106.68	0.06
MQ-19-54	3.05	0.12
MQ-19-54	3.556667	0.17
MQ-19-54	4.063333	0.27
MQ-19-54	4.57	0.19
MQ-19-54	5.046667	0.15
MQ-19-54	5.523333	0.13
MQ-19-54	6	0.14
MQ-19-54	6.5	0.08
MQ-19-54	7	0.12
MQ-19-54	7.5	0.13
MQ-19-54	8	0.13
MQ-19-54	8.5	0.09
MQ-19-54	9	0.12
MQ-19-54	9.5	0.2
MQ-19-54	10	0.11
MQ-19-54	10.5	0.16
MQ-19-54	10.9	0.09

Hole_ID	Depth	MagSusc
MQ-19-54	11.3	0.18
MQ-19-54	11.7	0.09
MQ-19-54	12.13333	0.3
MQ-19-54	12.56667	0.24
MQ-19-54	13	0.16
MQ-19-54	13.5	0.35
MQ-19-54	14	0.41
MQ-19-54	14.5	1.1
MQ-19-54	15	0.41
MQ-19-54	15.5	0.27
MQ-19-54	16	0.39
MQ-19-54	16.5	0.27
MQ-19-54	17	0.362
MQ-19-54	17.5	0.93
MQ-19-54	18	0.19
MQ-19-54	18.5	0.27
MQ-19-54	19	0.29
MQ-19-54	19.5	0.23
MQ-19-54	20	0.33
MQ-19-54	20.5	0.47
MQ-19-54	20.83333	0.18
MQ-19-54	21.16667	0.12
MQ-19-54	21.5	0.57
MQ-19-54	21.86667	3.7
MQ-19-54	22.23333	0.18
MQ-19-54	22.6	0.09
MQ-19-54	22.86667	0.12
MQ-19-54	23.13333	1.8
MQ-19-54	23.4	4.7
MQ-19-54	23.93333	3
MQ-19-54	24.46667	2.6
MQ-19-54	25	5.8
MQ-19-54	25.5	7.1
MQ-19-54	26	3.2
MQ-19-54	26.5	3.2
MQ-19-54	27	1.4
MQ-19-54	27.5	0.61
MQ-19-54	28	10.2
MQ-19-54	28.5	8.5
MQ-19-54	29	3.6
MQ-19-54	29.5	6
MQ-19-54	30	2.7
MQ-19-54	30.5	4.5
MQ-19-54	31	0.87
MQ-19-54	31.5	6.2
MQ-19-54	32	7.8

Hole_ID	Depth	MagSusc
MQ-19-54	32.5	2.2
MQ-19-54	33	2.5
MQ-19-54	33.5	2.1
MQ-19-54	34	8.1
MQ-19-54	34.4	5.6
MQ-19-54	34.8	3
MQ-19-54	35.2	0.25
MQ-19-54	35.63333	0.56
MQ-19-54	36.06667	0.19
MQ-19-54	36.5	0.2
MQ-19-54	37	0.34
MQ-19-54	37.5	0.36
MQ-19-54	38	0.25
MQ-19-54	38.5	0.27
MQ-19-54	39	5.2
MQ-19-54	39.5	0.75
MQ-19-54	40	3.4
MQ-19-54	40.5	6.2
MQ-19-54	41	7
MQ-19-54	41.5	6.1
MQ-19-54	42	9
MQ-19-54	42.5	0.4
MQ-19-54	43	7.3
MQ-19-54	43.5	7.4
MQ-19-54	44	6
MQ-19-54	44.33333	6.9
MQ-19-54	44.66667	4.6
MQ-19-54	45	2.4
MQ-19-54	45.43333	7.1
MQ-19-54	45.86667	11.5
MQ-19-54	46.3	0.98
MQ-19-54	46.41667	0.1
MQ-19-54	46.53333	0.83
MQ-19-54	46.65	2.3
MQ-19-54	47.04667	3.2
MQ-19-54	47.44333	2.4
MQ-19-54	47.84	1.5
MQ-19-54	48.22667	1.2
MQ-19-54	48.61333	1.9
MQ-19-54	49	7.23
MQ-19-54	49.33333	6.2
MQ-19-54	49.66667	6.7
MQ-19-54	50	3.4
MQ-19-54	50.43333	3.1
MQ-19-54	50.86667	11.6
MQ-19-54	51.3	3.5

Hole_ID	Depth	MagSusc
MQ-19-54	51.7	0.8
MQ-19-54	52.1	2.8
MQ-19-54	52.5	2.1
MQ-19-54	53	0.25
MQ-19-54	53.5	0.64
MQ-19-54	54	2.8
MQ-19-54	54.5	1.7
MQ-19-54	55	1.7
MQ-19-54	55.5	3.9
MQ-19-54	55.91667	10.2
MQ-19-54	56.33333	2.3
MQ-19-54	56.75	0.855
MQ-19-54	57.18333	0.32
MQ-19-54	57.61667	0.85
MQ-19-54	58.05	0.96
MQ-19-54	58.53333	2.2
MQ-19-54	59.01667	3.9
MQ-19-54	59.5	7.4
MQ-19-54	60	14.5
MQ-19-54	60.5	5.6
MQ-19-54	61	5.7
MQ-19-54	61.5	0.73
MQ-19-54	62	13.2
MQ-19-54	62.5	1.8
MQ-19-54	63	2.3
MQ-19-54	63.5	1.8
MQ-19-54	64	5.1
MQ-19-54	64.5	5.2
MQ-19-54	65	4.4
MQ-19-54	65.5	7
MQ-19-54	66	6.1
MQ-19-54	66.5	1.9
MQ-19-54	67	0.74
MQ-19-54	67.5	1.3
MQ-19-54	68	1.5
MQ-19-54	68.5	1
MQ-19-54	68.83333	1.2
MQ-19-54	69.16667	2
MQ-19-54	69.5	2
MQ-19-54	69.8	1.2
MQ-19-54	70.1	1.1
MQ-19-54	70.4	0.19
MQ-19-54	70.5	0.22
MQ-19-54	70.6	0.28
MQ-19-54	70.7	0.89
MQ-19-54	71.13333	2.3

Hole_ID	Depth	MagSusc
MQ-19-54	71.56667	1.4
MQ-19-54	72	8.7
MQ-19-54	72.5	2.9
MQ-19-54	73	2.8
MQ-19-54	73.5	3.3
MQ-19-54	74	3.4
MQ-19-54	74.5	6.4
MQ-19-54	75	6.1
MQ-19-54	75.5	0.98
MQ-19-54	76	1.8
MQ-19-54	76.5	1.6
MQ-19-54	77	8.4
MQ-19-54	77.5	12.9
MQ-19-54	78	9.5
MQ-19-54	78.5	2.6
MQ-19-54	79	7.9
MQ-19-54	79.5	8.8
MQ-19-54	80	2.8
MQ-19-54	80.5	4.2
MQ-19-54	81	0.13
MQ-19-54	81.5	4.8
MQ-19-54	82	3.3
MQ-19-54	82.5	1.3
MQ-19-54	83	1.5
MQ-19-54	83.5	2
MQ-19-54	84	4.1
MQ-19-54	84.5	4.3
MQ-19-54	85	7.7
MQ-19-54	85.5	3.1
MQ-19-54	86	1.1
MQ-19-54	86.5	11
MQ-19-54	87	4.2
MQ-19-54	87.5	5.1
MQ-19-54	88	9.6
MQ-19-54	88.5	1.9
MQ-19-54	89	2.4
MQ-19-54	89.5	1.7
MQ-19-54	90	2.5
MQ-19-54	90.5	1.9
MQ-19-54	91	0.27
MQ-19-54	91.5	6.3
MQ-19-54	92	11.7
MQ-19-54	92.5	5.2
MQ-19-54	93	7.5
MQ-19-54	93.5	10
MQ-19-54	94	7.7

Hole_ID	Depth	MagSusc
MQ-19-54	94.5	1.3
MQ-19-54	95	11
MQ-19-54	95.5	11.3
MQ-19-54	96	29.8
MQ-19-54	96.5	8.1
MQ-19-54	97	2.3
MQ-19-54	97.5	0.89
MQ-19-54	98	5.6
MQ-19-54	98.5	12.5
MQ-19-54	99	7.2
MQ-19-54	99.5	40
MQ-19-54	100	8.7
MQ-19-54	100.5	5.11
MQ-19-54	101	4
MQ-19-54	101.5	11
MQ-19-54	102	8.7
MQ-19-54	102.5	4.5
MQ-19-54	103	8.4
MQ-19-54	103.5	4
MQ-19-54	104	8.3
MQ-19-54	104.5	5
MQ-19-54	105	8.7
MQ-19-54	105.5	2.3
MQ-19-54	106	2.5
MQ-19-54	106.5	1.1
MQ-19-54	107	2.2
MQ-19-54	107.5	5.1
MQ-19-54	108	4.7
MQ-19-54	108.5	8.3
MQ-19-54	109	8.7
MQ-19-54	109.5	4.1
MQ-19-54	110	5.7
MQ-19-54	110.5	1.7
MQ-19-54	111	5.3
MQ-19-54	111.5	2.2
MQ-19-54	112	4.4
MQ-19-54	112.5	6.3
MQ-19-54	113	4.4
MQ-19-54	113.5	3.9
MQ-19-54	114	7.1
MQ-19-54	114.5	7.1
MQ-19-54	115	2.1
MQ-19-54	115.5	6.4
MQ-19-54	116	2.1
MQ-19-54	116.5	2.8
MQ-19-54	117	1.9



Hole_ID	Depth	MagSusc
MQ-19-54	117.45	3.2
MQ-19-54	117.9	0.13
MQ-19-54	118.35	3.4
MQ-19-54	118.7333	1.4
MQ-19-54	119.1167	4.5
MQ-19-54	119.5	2.4
MQ-19-54	120	2.2
MQ-19-54	120.5	5
MQ-19-54	121	3.1
MQ-19-54	121.5	2.9
MQ-19-54	122	5
MQ-19-54	122.5	3.4
MQ-19-54	123	1.9
MQ-19-54	123.5	2.2
MQ-19-54	124	4.4
MQ-19-54	124.5	3.9
MQ-19-54	125	3.9
MQ-19-54	125.5	2.2
MQ-19-54	126	5
MQ-19-54	126.5	3.5
MQ-19-54	127	3.7
MQ-19-54	127.5	8.1
MQ-19-54	128	3.9
MQ-19-54	128.5	7.8
MQ-19-54	129	2.1
MQ-19-54	129.5	1.4
MQ-19-54	130	3.2
MQ-19-54	130.5	2.8
MQ-19-54	131	3.6
MQ-19-54	131.5	6
MQ-19-54	132	3
MQ-19-54	132.5	0.5
MQ-19-54	133	0.39
MQ-19-54	133.5	1.5
MQ-19-54	134	2.2
MQ-19-54	134.5	2.2
MQ-19-54	135	0.77
MQ-19-54	135.5	0.53
MQ-19-54	136	0.81
MQ-19-54	136.5	0.43
MQ-19-54	137	0.46
MQ-19-54	137.5	2.2
MQ-19-54	138	0.73
MQ-19-54	138.5	0.48
MQ-19-54	139	1.7
MQ-19-54	139.3333	1.4

Hole_ID	Depth	MagSusc
MQ-19-54	139.6667	1
MQ-19-54	140	1.7
MQ-19-54	140.3333	1.4
MQ-19-54	140.6667	0.16
MQ-19-54	141	0.31
MQ-19-54	141.4167	0.3
MQ-19-54	141.8333	0.21
MQ-19-54	142.25	0.21
MQ-19-54	142.6667	0.23
MQ-19-54	143.0833	0.15
MQ-19-54	143.5	0.27
MQ-19-54	143.9667	0.14
MQ-19-54	144.4333	0.28
MQ-19-54	144.9	1.3
MQ-19-54	145.2667	3.4
MQ-19-54	145.6333	0.82
MQ-19-54	146	6.4
MQ-19-54	146.5	0.74
MQ-19-54	147	0.44
MQ-19-54	147.5	0.56
MQ-19-54	148	2.7
MQ-19-54	148.5	1.3
MQ-19-54	149	7.7
MQ-19-54	149.3333	19.9
MQ-19-54	149.6667	16.9
MQ-19-54	150	0.95
MQ-19-54	150.2933	2
MQ-19-54	150.5867	1.1
MQ-19-54	150.88	0.13
MQ-19-54	150.92	0.71
MQ-19-54	150.96	1.1
MQ-19-54	151	3.2
MQ-19-54	151.5	5.7
MQ-19-54	152	4
MQ-19-54	152.5	2.1
MQ-19-54	153	2.1
MQ-19-54	153.5	4
MQ-19-54	154	0.79
MQ-19-54	154.5	2.2
MQ-19-54	155	3.5
MQ-19-54	155.5	1.7
MQ-19-54	156	4.3
MQ-19-54	156.5	1
MQ-19-54	157	2
MQ-19-54	157.3333	3.3
MQ-19-54	157.6667	2.2

Hole_ID	Depth	MagSusc
MQ-19-54	158	2.7
MQ-19-54	158.4333	2.5
MQ-19-54	158.8667	0.89
MQ-19-54	159.3	3.2
MQ-19-54	159.7	1.3
MQ-19-54	160.1	0.64
MQ-19-54	160.5	0.43
MQ-19-54	160.8467	1.9
MQ-19-54	161.1933	0.11
MQ-19-54	161.54	0.63
MQ-19-55	0	0.75
MQ-19-55	2.033333	0.12
MQ-19-55	4.066667	0
MQ-19-55	6.1	0.34
MQ-19-55	6.6	0.29
MQ-19-55	7.1	0.38
MQ-19-55	7.6	0.28
MQ-19-55	8.113333	2.99
MQ-19-55	8.626667	26.1
MQ-19-55	9.14	20.5
MQ-19-55	9.66	0.57
MQ-19-55	10.18	0
MQ-19-55	10.7	0.23
MQ-19-55	11.19667	0.49
MQ-19-55	11.69333	0.29
MQ-19-55	12.19	0.75
MQ-19-55	12.69333	0.92
MQ-19-55	13.19667	0.38
MQ-19-55	13.7	0.18
MQ-19-55	14.21333	0.22
MQ-19-55	14.72667	0.41
MQ-19-55	15.24	0.24
MQ-19-55	15.71333	1.38
MQ-19-55	16.18667	0.1
MQ-19-55	16.66	0.33
MQ-19-55	17.20333	0.05
MQ-19-55	17.74667	0.17
MQ-19-55	18.29	0.24
MQ-19-55	18.79333	0.06
MQ-19-55	19.29667	0.18
MQ-19-55	19.8	0
MQ-19-55	20.31333	4.39
MQ-19-55	20.82667	0.31
MQ-19-55	21.34	1.27
MQ-19-55	21.75333	0.08
MQ-19-55	22.16667	0.11

Hole_ID	Depth	MagSusc
MQ-19-55	22.58	0.56
MQ-19-55	22.95	0.48
MQ-19-55	23.32	1.23
MQ-19-55	23.69	2.56
MQ-19-55	24.12667	1.98
MQ-19-55	24.56333	3.58
MQ-19-55	25	0.31
MQ-19-55	25.5	0.42
MQ-19-55	26	0.48
MQ-19-55	26.5	0.07
MQ-19-55	26.81	0.33
MQ-19-55	27.12	1.6
MQ-19-55	27.43	0.21
MQ-19-55	27.84667	0.3
MQ-19-55	28.26333	0.44
MQ-19-55	28.68	2.1
MQ-19-55	29.18	0.06
MQ-19-55	29.68	0.17
MQ-19-55	30.18	0.66
MQ-19-55	30.7	0.44
MQ-19-55	31.22	0.26
MQ-19-55	31.74	0.29
MQ-19-55	32.16	1.13
MQ-19-55	32.58	0.8
MQ-19-55	33	0.57
MQ-19-55	33.37333	0.31
MQ-19-55	33.74667	1.41
MQ-19-55	34.12	11.9
MQ-19-55	34.63	6.34
MQ-19-55	35.14	6.06
MQ-19-55	35.65	13.2
MQ-19-55	36.15333	10.2
MQ-19-55	36.65667	0.75
MQ-19-55	37.16	5.56
MQ-19-55	37.66	1.88
MQ-19-55	38.16	1.13
MQ-19-55	38.66	4.43
MQ-19-55	38.98	0.59
MQ-19-55	39.3	0.26
MQ-19-55	39.62	2.35
MQ-19-55	39.96333	1.19
MQ-19-55	40.30667	1.95
MQ-19-55	40.65	0.85
MQ-19-55	41.16667	0.15
MQ-19-55	41.68333	0.5
MQ-19-55	42.2	3.3

Hole_ID	Depth	MagSusc
MQ-19-55	42.66667	6.72
MQ-19-55	43.13333	8.03
MQ-19-55	43.6	5.91
MQ-19-55	44.12333	6.37
MQ-19-55	44.64667	9.09
MQ-19-55	45.17	0.57
MQ-19-55	45.67	0.92
MQ-19-55	46.17	1.51
MQ-19-55	46.67	4.84
MQ-19-55	47.11333	1.79
MQ-19-55	47.55667	1.93
MQ-19-55	48	4.03
MQ-19-55	48.5	0.37
MQ-19-55	49	3.85
MQ-19-55	49.5	1.88
MQ-19-55	49.99333	1.58
MQ-19-55	50.48667	0.9
MQ-19-55	50.98	0.52
MQ-19-55	51.30333	1.51
MQ-19-55	51.62667	1.81
MQ-19-55	51.95	0.99
MQ-19-55	52.25667	2.68
MQ-19-55	52.56333	2.03
MQ-19-55	52.87	0.56
MQ-19-55	53.18333	0.08
MQ-19-55	53.49667	0.1
MQ-19-55	53.81	0.48
MQ-19-55	54.07333	0.36
MQ-19-55	54.33667	0.23
MQ-19-55	54.6	0.09
MQ-19-55	54.76	0.47
MQ-19-55	54.92	0.06
MQ-19-55	55.08	0.4
MQ-19-55	55.31333	0.78
MQ-19-55	55.54667	0.15
MQ-19-55	55.78	0.44
MQ-19-55	56	0.44
MQ-19-55	56.22	0
MQ-19-55	56.44	0.45
MQ-19-55	56.93	4.99
MQ-19-55	57.42	0.55
MQ-19-55	57.91	0.35
MQ-19-55	58.40667	0.35
MQ-19-55	58.90333	0.14
MQ-19-55	59.4	1.06
MQ-19-55	59.84667	0.33

Hole_ID	Depth	MagSusc
MQ-19-55	60.29333	2.28
MQ-19-55	60.74	0.38
MQ-19-55	60.96	1.99
MQ-19-55	61.18	0.45
MQ-19-55	61.4	0.9
MQ-19-55	61.69333	0.12
MQ-19-55	61.98667	0.1
MQ-19-55	62.28	0.28
MQ-19-55	62.76667	0.14
MQ-19-55	63.25333	0.09
MQ-19-55	63.74	0.97
MQ-19-55	64.23	0.5
MQ-19-55	64.72	0.2
MQ-19-55	65.21	0.49
MQ-19-55	65.47333	0.1
MQ-19-55	65.73667	0.18
MQ-19-55	66	0.15
MQ-19-55	66.5	0.28
MQ-19-55	67	0.11
MQ-19-55	67.5	0.29
MQ-19-55	68	0.61
MQ-19-55	68.5	0.14
MQ-19-55	69	0.21
MQ-19-55	69.57	0.39
MQ-19-55	70.14	0.49
MQ-19-55	70.71	0.37
MQ-19-55	71.15667	1.37
MQ-19-55	71.60333	2.37
MQ-19-55	72.05	1.79
MQ-19-55	72.55	4.48
MQ-19-55	73.05	1.44
MQ-19-55	73.55	3.11
MQ-19-55	73.92667	2.12
MQ-19-55	74.30333	0.22
MQ-19-55	74.68	1.85
MQ-19-55	74.93	0.1
MQ-19-55	75.18	0.77
MQ-19-55	75.43	0.39
MQ-19-55	75.83	0.24
MQ-19-55	76.23	0.67
MQ-19-55	76.63	0.27
MQ-19-55	76.89333	0.54
MQ-19-55	77.15667	0
MQ-19-55	77.42	0.23
MQ-19-55	77.59	0.18
MQ-19-55	77.76	0.08

Hole_ID	Depth	MagSusc
MQ-19-55	77.93	0.23
MQ-19-55	78.47	0.47
MQ-19-55	79.01	0.78
MQ-19-55	79.55	0.61
MQ-19-55	80.08	0.67
MQ-19-55	80.61	0.18
MQ-19-55	81.14	1.38
MQ-19-55	81.64	0.32
MQ-19-55	82.14	0.1
MQ-19-55	82.64	2.07
MQ-19-55	83.03333	1.19
MQ-19-55	83.42667	3.43
MQ-19-55	83.82	5.29
MQ-19-55	84.04333	1.45
MQ-19-55	84.26667	5.05
MQ-19-55	84.49	4.47
MQ-19-55	84.77	0.88
MQ-19-55	85.05	0.19
MQ-19-55	85.33	2.42
MQ-19-55	85.60667	1.31
MQ-19-55	85.88333	1.2
MQ-19-55	86.16	0.3
MQ-19-55	86.43	0.24
MQ-19-55	86.7	0.22
MQ-19-55	86.97	0.81
MQ-19-55	87.48	3.48
MQ-19-55	87.99	3.12
MQ-19-55	88.5	2.91
MQ-19-55	88.97333	5.38
MQ-19-55	89.44667	2.06
MQ-19-55	89.92	0.75
MQ-19-55	90.43	0.45
MQ-19-55	90.94	1.87
MQ-19-55	91.45	1.78
MQ-19-55	91.95333	1.68
MQ-19-55	92.45667	0.9
MQ-19-55	92.96	1.86
MQ-19-55	93.45333	1
MQ-19-55	93.94667	0.31
MQ-19-55	94.44	0.1
MQ-19-55	94.96333	0.16
MQ-19-55	95.48667	1.34
MQ-19-55	96.01	0.31
MQ-19-55	96.50667	0.7
MQ-19-55	97.00333	0.32
MQ-19-55	97.5	0.22

Hole_ID	Depth	MagSusc
MQ-19-55	98.02	0.22
MQ-19-55	98.54	0.14
MQ-19-55	99.06	0.41
MQ-19-55	99.57333	9.46
MQ-19-55	100.0867	1.14
MQ-19-55	100.6	0.22
MQ-19-55	101.1033	0.44
MQ-19-55	101.6067	0.2
MQ-19-55	102.11	0.2
MQ-19-55	102.6	0.16
MQ-19-55	103.09	0.73
MQ-19-55	103.58	0.1
MQ-19-55	103.79	0.42
MQ-19-55	104	0.58
MQ-19-55	104.21	0.07
MQ-19-55	104.7067	0.13
MQ-19-55	105.2033	0.13
MQ-19-55	105.7	0.24
MQ-19-55	106.2	0.41
MQ-19-55	106.7	5.36
MQ-19-55	107.2	4.52
MQ-19-55	107.5333	5.4
MQ-19-55	107.8667	7.32
MQ-19-55	108.2	10.5
MQ-19-55	108.7167	0.27
MQ-19-55	109.2333	0.23
MQ-19-55	109.75	3.54
MQ-19-55	110.25	8.65
MQ-19-55	110.75	0.15
MQ-19-55	111.25	0.32
MQ-19-55	111.58	0.59
MQ-19-55	111.91	1.03
MQ-19-55	112.24	38.7
MQ-19-55	112.4333	37.3
MQ-19-55	112.6267	18.6
MQ-19-55	112.82	3.09
MQ-19-55	113.3133	0.33
MQ-19-55	113.8067	0.31
MQ-19-55	114.3	1
MQ-19-55	114.8067	0.26
MQ-19-55	115.3133	0.14
MQ-19-55	115.82	0.22
MQ-19-55	116.3467	0.14
MQ-19-55	116.8733	1.65
MQ-19-55	117.4	0
MQ-19-55	117.89	0.32



Hole_ID	Depth	MagSusc
MQ-19-55	118.38	0.05
MQ-19-55	118.87	1.51
MQ-19-55	119.38	1.15
MQ-19-55	119.89	1
MQ-19-55	120.4	1.25
MQ-19-55	120.9033	0.59
MQ-19-55	121.4067	0.65
MQ-19-55	121.91	0.74
MQ-19-55	122.42	1.69
MQ-19-55	122.93	1.31
MQ-19-55	123.44	0.57
MQ-19-55	123.8433	0
MQ-19-55	124.2467	0.25
MQ-19-55	124.65	0.7
MQ-19-55	124.8267	0.21
MQ-19-55	125.0033	0.34
MQ-19-55	125.18	0.2
MQ-19-55	125.4533	0.19
MQ-19-55	125.7267	0.15
MQ-19-55	126	0.13
MQ-19-55	126.5333	0.45
MQ-19-55	127.0667	0.18
MQ-19-55	127.6	1.04
MQ-19-55	128.0967	1.42
MQ-19-55	128.5933	1.68
MQ-19-55	129.09	5.82
MQ-19-55	129.5967	2.94
MQ-19-55	130.1033	2.39
MQ-19-55	130.61	2.85
MQ-19-55	131.0633	1.27
MQ-19-55	131.5167	1.86
MQ-19-55	131.97	0.48
MQ-19-55	132.48	0.54
MQ-19-55	132.99	0
MQ-19-55	133.5	0.3
MQ-19-55	134.0067	2.13
MQ-19-55	134.5133	3.92
MQ-19-55	135.02	2.92
MQ-19-55	135.3467	1.96
MQ-19-55	135.6733	2.47
MQ-19-55	136	2.03
MQ-19-55	136.4567	2.2
MQ-19-55	136.9133	5.07
MQ-19-55	137.37	2.97
MQ-19-55	137.8067	0.54
MQ-19-55	138.2433	2.94

Hole_ID	Depth	MagSusc
MQ-19-55	138.68	0.45
MQ-19-55	139.1933	0.84
MQ-19-55	139.7067	0.39
MQ-19-55	140.22	0.49
MQ-19-55	140.7233	1.03
MQ-19-55	141.2267	0.7
MQ-19-55	141.73	1.08
MQ-19-55	142.2333	0.19
MQ-19-55	142.7367	0.09
MQ-19-55	143.24	17.2
MQ-19-55	143.7533	1.31
MQ-19-55	144.2667	2.6
MQ-19-55	144.78	0.4
MQ-19-55	145.2867	0
MQ-19-55	145.7933	0.24
MQ-19-55	146.3	0.79
MQ-19-55	146.81	0.38
MQ-19-55	147.32	4.17
MQ-19-55	147.83	3.92
MQ-19-56	0.00	0.21
MQ-19-56	1.33	0.38
MQ-19-56	2.67	0.17
MQ-19-56	4.00	0.14
MQ-19-56	4.72	0.31
MQ-19-56	5.43	0.49
MQ-19-56	6.15	0.16
MQ-19-56	6.64	0.14
MQ-19-56	7.13	0.14
MQ-19-56	7.62	0.47
MQ-19-56	8.14	0.78
MQ-19-56	8.66	0
MQ-19-56	9.18	0.16
MQ-19-56	9.68	0.16
MQ-19-56	10.17	0.16
MQ-19-56	10.67	0.87
MQ-19-56	11.17	0.46
MQ-19-56	11.67	0.4
MQ-19-56	12.17	0.89
MQ-19-56	12.69	2.18
MQ-19-56	13.20	0.12
MQ-19-56	13.72	0.9
MQ-19-56	14.09	4.95
MQ-19-56	14.47	0.26
MQ-19-56	14.84	0.3
MQ-19-56	15.34	0.27
MQ-19-56	15.85	0.98

Hole_ID	Depth	MagSusc
MQ-19-56	16.35	0.14
MQ-19-56	16.71	0.08
MQ-19-56	17.08	0.05
MQ-19-56	17.44	2.73
MQ-19-56	17.81	2.89
MQ-19-56	18.18	0.37
MQ-19-56	18.55	1.67
MQ-19-56	18.70	0.39
MQ-19-56	18.85	0.5
MQ-19-56	19.00	5.98
MQ-19-56	19.51	8.85
MQ-19-56	20.03	0.5
MQ-19-56	20.54	0.62
MQ-19-56	20.91	4.58
MQ-19-56	21.29	0.11
MQ-19-56	21.66	0.99
MQ-19-56	22.06	7.83
MQ-19-56	22.45	1.42
MQ-19-56	22.85	1.78
MQ-19-56	23.37	2.99
MQ-19-56	23.90	2.42
MQ-19-56	24.42	3.75
MQ-19-56	24.92	1.56
MQ-19-56	25.41	0
MQ-19-56	25.91	0.63
MQ-19-56	26.42	0.43
MQ-19-56	26.92	1.82
MQ-19-56	27.43	0.71
MQ-19-56	27.94	1.52
MQ-19-56	28.45	1.66
MQ-19-56	28.96	7.94
MQ-19-56	29.47	0.64
MQ-19-56	29.97	9.96
MQ-19-56	30.48	7.83
MQ-19-56	30.99	4.86
MQ-19-56	31.49	2.38
MQ-19-56	32.00	7.57
MQ-19-56	32.48	2.91
MQ-19-56	32.97	0.47
MQ-19-56	33.45	16.9
MQ-19-56	33.98	2.25
MQ-19-56	34.52	12.6
MQ-19-56	35.05	1.96
MQ-19-56	35.37	1.28
MQ-19-56	35.68	10.1
MQ-19-56	36.00	1.12

Hole_ID	Depth	MagSusc
MQ-19-56	36.37	1.2
MQ-19-56	36.73	0.89
MQ-19-56	37.10	0.34
MQ-19-56	37.63	0.31
MQ-19-56	38.17	0.36
MQ-19-56	38.70	0.45
MQ-19-56	39.23	3.26
MQ-19-56	39.75	1.7
MQ-19-56	40.28	5.37
MQ-19-56	40.73	3.36
MQ-19-56	41.18	1.54
MQ-19-56	41.63	3.8
MQ-19-56	42.02	1.84
MQ-19-56	42.41	0.88
MQ-19-56	42.80	0.83
MQ-19-56	43.32	2.85
MQ-19-56	43.83	2.84
MQ-19-56	44.35	0.14
MQ-19-56	44.61	1.05
MQ-19-56	44.87	0.17
MQ-19-56	45.13	0
MQ-19-56	45.52	0.41
MQ-19-56	45.91	0.91
MQ-19-56	46.30	4.47
MQ-19-56	46.81	1.83
MQ-19-56	47.31	4.3
MQ-19-56	47.82	3.47
MQ-19-56	48.31	4.64
MQ-19-56	48.81	1.42
MQ-19-56	49.30	3.38
MQ-19-56	49.63	11.6
MQ-19-56	49.96	14.9
MQ-19-56	50.29	4.61
MQ-19-56	53.34	4.09
MQ-19-56	53.79	9.31
MQ-19-56	53.85	2.02
MQ-19-56	54.36	3.37
MQ-19-56	54.87	1.85
MQ-19-56	55.25	5.81
MQ-19-56	55.62	4.31
MQ-19-56	55.83	9.69
MQ-19-56	56.00	1.05
MQ-19-56	56.27	0
MQ-19-56	56.53	2.54
MQ-19-56	56.80	10
MQ-19-56	57.30	7.03

Hole_ID	Depth	MagSusc
MQ-19-56	57.30	0.87
MQ-19-56	57.80	1
MQ-19-56	58.30	6.72
MQ-19-56	58.31	2.63
MQ-19-56	58.68	0.24
MQ-19-56	59.06	1
MQ-19-56	59.44	0
MQ-19-56	59.96	7
MQ-19-56	60.48	6.22
MQ-19-56	60.80	5.82
MQ-19-56	61.00	9.93
MQ-19-56	61.49	6.39
MQ-19-56	61.99	8.26
MQ-19-56	62.48	4.51
MQ-19-56	62.95	10.2
MQ-19-56	63.43	12.6
MQ-19-56	63.90	13
MQ-19-56	64.40	15.1
MQ-19-56	64.90	2.82
MQ-19-56	65.40	6.29
MQ-19-56	65.93	23.1
MQ-19-56	66.47	0.87
MQ-19-56	67.00	8.9
MQ-19-56	67.53	1.05
MQ-19-56	68.07	1.1
MQ-19-56	68.60	1.2
MQ-19-56	69.10	2.06
MQ-19-56	69.60	0.811
MQ-19-56	70.10	8.21
MQ-19-56	70.62	6.82
MQ-19-56	71.13	1.87
MQ-19-56	71.65	2.72
MQ-19-56	72.15	1.53
MQ-19-56	72.65	15.7
MQ-19-56	73.15	5.24
MQ-19-56	73.65	4.44
MQ-19-56	74.16	0.1
MQ-19-56	74.66	1.28
MQ-19-56	75.17	8.17
MQ-19-56	75.69	9.41
MQ-19-56	76.20	5.94
MQ-19-56	76.74	4.42
MQ-19-56	77.29	8.34
MQ-19-56	77.83	2.24
MQ-19-56	78.30	0
MQ-19-56	78.78	13.5

Hole_ID	Depth	MagSusc
MQ-19-56	79.25	5.19
MQ-19-56	79.76	3.89
MQ-19-56	80.28	9.76
MQ-19-56	80.79	8.74
MQ-19-56	81.29	14.9
MQ-19-56	81.80	14.3
MQ-19-56	82.30	27.7
MQ-19-56	82.63	6.23
MQ-19-56	82.97	0.3
MQ-19-56	83.30	1.04
MQ-19-56	83.67	0.21
MQ-19-56	84.03	0.9
MQ-19-56	84.40	0.17
MQ-19-56	84.71	0.14
MQ-19-56	85.03	0.09
MQ-19-56	85.34	0.13
MQ-19-56	85.78	0.2
MQ-19-56	86.21	0.27
MQ-19-56	86.65	0.66
MQ-19-56	87.13	6.27
MQ-19-56	87.61	7.9
MQ-19-56	88.09	0.8
MQ-19-56	88.37	23.1
MQ-19-56	88.64	5.47
MQ-19-56	88.92	14.4
MQ-19-56	89.25	5.42
MQ-19-56	89.59	1.26
MQ-19-56	89.92	1.05
MQ-19-56	90.42	7.39
MQ-19-56	90.92	1.67
MQ-19-56	91.42	0.93
MQ-19-56	91.93	1.7
MQ-19-56	92.45	1.43
MQ-19-56	92.96	1.49
MQ-19-56	93.41	5.25
MQ-19-56	93.85	18.3
MQ-19-56	94.30	10.5
MQ-19-56	94.42	10.3
MQ-19-56	94.53	36.5
MQ-19-56	94.65	5.48
MQ-19-56	95.10	1.37
MQ-19-56	95.56	0.73
MQ-19-56	96.01	0
MQ-19-56	96.53	0.5
MQ-19-56	97.06	0
MQ-19-56	97.58	3.11

Hole_ID	Depth	MagSusc
MQ-19-56	97.96	1.66
MQ-19-56	98.34	3.53
MQ-19-56	98.72	2.43
MQ-19-56	98.90	1.68
MQ-19-56	99.07	0.34
MQ-19-56	99.25	0.23
MQ-19-56	99.50	0.4
MQ-19-56	99.75	0.12
MQ-19-56	100.00	0
MQ-19-56	100.50	0.33
MQ-19-56	101.00	1.18
MQ-19-56	101.50	0.86
MQ-19-56	102.00	0.43
MQ-19-56	102.50	1.55
MQ-19-56	103.00	2.01
MQ-19-56	103.36	2.12
MQ-19-56	103.71	1.15
MQ-19-56	104.07	1.2
MQ-19-56	104.43	0.56
MQ-19-56	104.80	0.58
MQ-19-56	105.16	0.17
MQ-19-56	105.65	0.17
MQ-19-56	106.14	0.39
MQ-19-56	106.63	0.7
MQ-19-56	107.05	1.43
MQ-19-56	107.48	1.41
MQ-19-56	107.90	0.83
MQ-19-56	108.34	0.48
MQ-19-56	108.78	7.88
MQ-19-56	109.22	0.28
MQ-19-56	109.64	0.13
MQ-19-56	110.06	8.79
MQ-19-56	110.48	1.34
MQ-19-56	111.00	1.1
MQ-19-56	111.51	3.63
MQ-19-56	112.03	0.51
MQ-19-56	112.52	1.82
MQ-19-56	113.01	3.21
MQ-19-56	113.50	2.27
MQ-19-56	114.00	0.62
MQ-19-56	114.51	2.93
MQ-19-56	115.01	4.4
MQ-19-56	115.52	0.66
MQ-19-56	116.04	15.4
MQ-19-56	116.55	0.95
MQ-19-56	117.03	4.91

Hole_ID	Depth	MagSusc
MQ-19-56	117.52	0.48
MQ-19-56	118.00	0.74
MQ-19-56	118.50	0.27
MQ-19-56	119.00	10.4
MQ-19-56	119.50	0.29
MQ-19-56	119.99	3.01
MQ-19-56	120.48	10.4
MQ-19-56	120.97	0.4
MQ-19-56	121.48	2.55
MQ-19-56	121.99	0.49
MQ-19-56	122.50	0.39
MQ-19-56	123.02	2.52
MQ-19-56	123.53	0.46
MQ-19-56	124.05	0.31
MQ-19-56	124.57	0.2
MQ-19-56	125.10	2.09
MQ-19-56	125.62	0.25
MQ-19-56	126.12	1.15
MQ-19-56	126.63	1.64
MQ-19-56	127.13	0.72
MQ-19-56	127.64	0.04
MQ-19-56	128.15	0.2
MQ-19-56	128.66	0.86
MQ-19-56	129.00	5.07
MQ-19-56	129.35	1.35
MQ-19-56	129.69	4.82
MQ-19-56	130.11	2.85
MQ-19-56	130.53	1.47
MQ-19-56	130.95	1.38
MQ-19-56	131.39	0.15
MQ-19-56	131.83	0.19
MQ-19-56	132.27	0.7
MQ-19-56	132.53	0.72
MQ-19-56	132.80	0.64
MQ-19-56	133.06	0.75
MQ-19-56	133.37	1.09
MQ-19-56	133.68	0.45
MQ-19-56	133.99	3.68
MQ-19-56	134.07	1.59
MQ-19-56	134.15	4.58
MQ-19-56	134.23	2.17
MQ-19-56	134.70	3.58
MQ-19-56	135.17	0.87
MQ-19-56	135.64	0.66
MQ-19-56	136.09	0.36
MQ-19-56	136.54	0.38



Hole_ID	Depth	MagSusc
MQ-19-56	136.99	1.09
MQ-19-56	137.49	0.34
MQ-19-56	138.00	1.16
MQ-19-56	138.5	0.79
MQ-19-56	139.02	0.16
MQ-19-56	139.55	0.32
MQ-19-56	140.07	1.28
MQ-19-56	140.58	0.08
MQ-19-56	141.09	0.11
MQ-19-56	141.6	0.2
MQ-19-56	142.10	0.1
MQ-19-56	142.60	0.09
MQ-19-56	143.1	0.24
MQ-19-56	143.63	0.1
MQ-19-56	144.17	0.1
MQ-19-56	144.7	0.22
MQ-19-56	145.20	0.07
MQ-19-56	145.70	0.05
MQ-19-56	146.2	0.23
MQ-19-56	146.70	0.06
MQ-19-56	147.20	0.07
MQ-19-56	147.7	0.37
MQ-19-56	148.25	0.06
MQ-19-56	148.80	0.04
MQ-19-56	149.35	0.08
MQ-19-56	149.83	0.05
MQ-19-56	150.32	1.87
MQ-19-56	150.8	0.15
MQ-19-56	151.12	0.08
MQ-19-56	151.43	0.13
MQ-19-56	151.75	0.15
MQ-19-56	152.26	0.05
MQ-19-56	152.78	0.03
MQ-19-56	153.29	0.28
MQ-19-56	153.80	1.12
MQ-19-56	154.31	0.29
MQ-19-56	154.82	0.13
MQ-19-56	155.34	0.26
MQ-19-56	155.87	0.48
MQ-19-56	156.39	1.63
MQ-19-57	3.05	0.6
MQ-19-57	3.8	0.33
MQ-19-57	4.55	0.373
MQ-19-57	5.3	0.1
MQ-19-57	5.81	0.17
MQ-19-57	6.32	0.12

Hole_ID	Depth	MagSusc
MQ-19-57	6.83	0.13
MQ-19-57	7.163333	0.14
MQ-19-57	7.496667	0.15
MQ-19-57	7.83	0.1
MQ-19-57	8.203333	0.08
MQ-19-57	8.576667	0.05
MQ-19-57	8.95	0.17
MQ-19-57	9.446667	0.15
MQ-19-57	9.943333	0.24
MQ-19-57	10.44	0.3
MQ-19-57	10.96	0.14
MQ-19-57	11.48	1.4
MQ-19-57	12	1.1
MQ-19-57	12.5	0.3
MQ-19-57	13	0.47
MQ-19-57	13.5	0.75
MQ-19-57	14	9.4
MQ-19-57	14.5	2.9
MQ-19-57	15	6.4
MQ-19-57	15.4	5.4
MQ-19-57	15.8	0.39
MQ-19-57	16.2	0.33
MQ-19-57	16.53333	0.23
MQ-19-57	16.86667	0.15
MQ-19-57	17.2	1.3
MQ-19-57	17.41667	0.23
MQ-19-57	17.63333	0.32
MQ-19-57	17.85	0.54
MQ-19-57	18.06333	0.42
MQ-19-57	18.27667	0.6
MQ-19-57	18.49	1.2
MQ-19-57	18.99333	6.8
MQ-19-57	19.49667	2.1
MQ-19-57	20	2.7
MQ-19-57	20.44667	0.25
MQ-19-57	20.89333	1.3
MQ-19-57	21.34	3.4
MQ-19-57	21.85333	0.49
MQ-19-57	22.36667	1.7
MQ-19-57	22.88	0.28
MQ-19-57	23.38	1.1
MQ-19-57	23.88	1.8
MQ-19-57	24.38	8.7
MQ-19-57	24.75333	0.16
MQ-19-57	25.12667	0.16
MQ-19-57	25.5	0.95

Hole_ID	Depth	MagSusc
MQ-19-57	26	0.49
MQ-19-57	26.5	0.57
MQ-19-57	27	0.55
MQ-19-57	27.38333	1.8
MQ-19-57	27.76667	2.5
MQ-19-57	28.15	3.9
MQ-19-57	28.61333	16.6
MQ-19-57	29.07667	14
MQ-19-57	29.54	0.76
MQ-19-57	30.02667	7
MQ-19-57	30.51333	7.4
MQ-19-57	31	24
MQ-19-57	31.33333	8.1
MQ-19-57	31.66667	5.3
MQ-19-57	32	21.6
MQ-19-57	32.31667	6.3
MQ-19-57	32.63333	9.9
MQ-19-57	32.95	1.1
MQ-19-57	33.46667	11.5
MQ-19-57	33.98333	13.4
MQ-19-57	34.5	10.1
MQ-19-57	35	7.1
MQ-19-57	35.5	9.4
MQ-19-57	36	14.2
MQ-19-57	36.5	15.3
MQ-19-57	37	2.5
MQ-19-57	37.5	1.2
MQ-19-57	38	10.4
MQ-19-57	38.5	12
MQ-19-57	39	1.1
MQ-19-57	39.5	8
MQ-19-57	40	10.9
MQ-19-57	40.5	18.4
MQ-19-57	41	32.6
MQ-19-57	41.5	0.57
MQ-19-57	42	2.4
MQ-19-57	42.5	5.8
MQ-19-57	43	3.8
MQ-19-57	43.5	2.6
MQ-19-57	44	6.4
MQ-19-57	44.5	1.9
MQ-19-57	45	1.1
MQ-19-57	45.33333	0.98
MQ-19-57	45.66667	0.51
MQ-19-57	46	4.4
MQ-19-57	46.41333	4.6

Hole_ID	Depth	MagSusc
MQ-19-57	46.82667	5.5
MQ-19-57	47.24	2.1
MQ-19-57	47.66	1.7
MQ-19-57	48.08	0.22
MQ-19-57	48.5	1.5
MQ-19-57	49	0.3
MQ-19-57	49.5	1.6
MQ-19-57	50	0.52
MQ-19-57	50.5	0.54
MQ-19-57	51	13.8
MQ-19-57	51.5	2.3
MQ-19-57	51.83333	12.8
MQ-19-57	52.16667	1.5
MQ-19-57	52.5	0.27
MQ-19-57	52.78	3.6
MQ-19-57	53.06	4.2
MQ-19-57	53.34	1.1
MQ-19-57	53.72667	0.34
MQ-19-57	54.11333	0.25
MQ-19-57	54.5	0.09
MQ-19-57	54.83333	0.84
MQ-19-57	55.16667	0.49
MQ-19-57	55.5	0.99
MQ-19-57	55.79667	1.5
MQ-19-57	56.09333	0.93
MQ-19-57	56.39	0.8
MQ-19-57	56.76	0.5
MQ-19-57	57.13	41.2
MQ-19-57	57.5	2
MQ-19-57	58	5.8
MQ-19-57	58.5	5.3
MQ-19-57	59	6.4
MQ-19-57	59.5	3.4
MQ-19-57	60	2.2
MQ-19-57	60.5	3.9
MQ-19-57	60.83333	2.4
MQ-19-57	61.16667	2.57
MQ-19-57	61.5	3.4
MQ-19-57	61.76667	2.7
MQ-19-57	62.03333	1.8
MQ-19-57	62.3	1.9
MQ-19-57	62.48333	0.15
MQ-19-57	62.66667	0.22
MQ-19-57	62.85	0.44
MQ-19-57	63.23333	2.5
MQ-19-57	63.61667	2.2

Hole_ID	Depth	MagSusc
MQ-19-57	64	2.3
MQ-19-57	64.5	4.8
MQ-19-57	65	1.7
MQ-19-57	65.5	4.9
MQ-19-57	66	0.37
MQ-19-57	66.5	0.47
MQ-19-57	67	0.43
MQ-19-57	67.5	6.25
MQ-19-57	68	40.8
MQ-19-57	68.5	0.95
MQ-19-57	69	1.7
MQ-19-57	69.5	0.53
MQ-19-57	70	1.9
MQ-19-57	70.5	1.1
MQ-19-57	71	0.25
MQ-19-57	71.5	2.2
MQ-19-57	72	1.9
MQ-19-57	72.5	4.5
MQ-19-57	73	0.77
MQ-19-57	73.5	0.95
MQ-19-57	74	3.8
MQ-19-57	74.5	5.2
MQ-19-57	75	0.33
MQ-19-57	75.5	0.37
MQ-19-57	76	3.2
MQ-19-57	76.5	2
MQ-19-57	77	0.72
MQ-19-57	77.5	1.9
MQ-19-57	78	1.7
MQ-19-57	78.5	0.35
MQ-19-57	79	2.7
MQ-19-57	79.5	0.23
MQ-19-57	80	1.7
MQ-19-57	80.5	0.64
MQ-19-57	81	2.1
MQ-19-57	81.5	1.4
MQ-19-57	82	0.75
MQ-19-57	82.5	1.1
MQ-19-57	83	0.88
MQ-19-57	83.5	0.73
MQ-19-57	83.91667	0.92
MQ-19-57	84.33333	1.9
MQ-19-57	84.75	1.1
MQ-19-57	85.16667	0.29
MQ-19-57	85.58333	0.92
MQ-19-57	86	0.57

Hole_ID	Depth	MagSusc
MQ-19-57	86.41667	0.22
MQ-19-57	86.83333	0.14
MQ-19-57	87.25	3.5
MQ-19-57	87.36667	6.8
MQ-19-57	87.48333	5.1
MQ-19-57	87.6	5.8
MQ-19-57	87.9	0.53
MQ-19-57	88.2	3.2
MQ-19-57	88.5	4.9
MQ-19-57	88.83333	1.9
MQ-19-57	89.16667	5.8
MQ-19-57	89.5	2.8
MQ-19-57	90	2.5
MQ-19-57	90.5	0.54
MQ-19-57	91	1.9
MQ-19-57	91.5	1.5
MQ-19-57	92	2.2
MQ-19-57	92.5	0.82
MQ-19-57	92.83333	3.2
MQ-19-57	93.16667	14.1
MQ-19-57	93.5	5.7
MQ-19-57	93.88333	2.5
MQ-19-57	94.26667	3.5
MQ-19-57	94.65	2.6
MQ-19-57	95.1	1.7
MQ-19-57	95.55	1.7
MQ-19-57	96	3
MQ-19-57	96.5	1.5
MQ-19-57	97	1.8
MQ-19-57	97.5	0.7
MQ-19-57	98	1
MQ-19-57	98.5	2.6
MQ-19-57	99	0.44
MQ-19-57	99.5	1.1
MQ-19-57	100	2.2
MQ-19-57	100.5	3.2
MQ-19-57	100.8333	2.3
MQ-19-57	101.1667	1.9
MQ-19-57	101.5	0.39
MQ-19-57	101.9167	1.3
MQ-19-57	102.3333	1.4
MQ-19-57	102.75	12.8
MQ-19-57	103.1667	4.9
MQ-19-57	103.5833	0.97
MQ-19-57	104	0.35
MQ-19-57	104.5	0.12

Hole_ID	Depth	MagSusc
MQ-19-57	105	3.4
MQ-19-57	105.5	1.3
MQ-19-57	106	2.5
MQ-19-57	106.5	2.2
MQ-19-57	107	0.44
MQ-19-57	107.5	1.5
MQ-19-57	108	0.47
MQ-19-57	108.5	0.23
MQ-19-57	109	0.38
MQ-19-57	109.5	0.4
MQ-19-57	110	0.57
MQ-19-57	110.5	9.4
MQ-19-57	111	0.46
MQ-19-57	111.5	2.8
MQ-19-57	112	0.32
MQ-19-57	112.5	7.7
MQ-19-57	113	0.35
MQ-19-57	113.5	0.14
MQ-19-57	114	0.31
MQ-19-57	114.5	1.1
MQ-19-57	115	0.7
MQ-19-57	115.5	0.42
MQ-19-57	116	0.09
MQ-19-58	5.7	1.2
MQ-19-58	6.133333	2.3
MQ-19-58	6.566667	2.4
MQ-19-58	7	0.9
MQ-19-58	7.5	0.93
MQ-19-58	8	0.23
MQ-19-58	8.5	0.87
MQ-19-58	9	0.34
MQ-19-58	9.5	0.14
MQ-19-58	10	2.9
MQ-19-58	10.5	0.35
MQ-19-58	11	6.6
MQ-19-58	11.5	0.65
MQ-19-58	12	1.4
MQ-19-58	12.5	1.7
MQ-19-58	13	2
MQ-19-58	13.5	4.4
MQ-19-58	14	3.1
MQ-19-58	14.5	4.9
MQ-19-58	14.83333	1.4
MQ-19-58	15.16667	0.19
MQ-19-58	15.5	0.27
MQ-19-58	15.76667	0.63

Hole_ID	Depth	MagSusc
MQ-19-58	16.03333	0.22
MQ-19-58	16.3	0.73
MQ-19-58	16.7	1.6
MQ-19-58	17.1	4.2
MQ-19-58	17.5	2.4
MQ-19-58	18	2.9
MQ-19-58	18.5	3.7
MQ-19-58	19	6.8
MQ-19-58	19.5	9.7
MQ-19-58	20	2.6
MQ-19-58	20.5	4.9
MQ-19-58	21	2.1
MQ-19-58	21.5	2.5
MQ-19-58	22	4.42
MQ-19-58	22.5	5.3
MQ-19-58	23	7.3
MQ-19-58	23.5	0.4
MQ-19-58	24	7.5
MQ-19-58	24.5	0.46
MQ-19-58	25	0.18
MQ-19-58	25.5	4
MQ-19-58	26	0.09
MQ-19-58	26.5	0.61
MQ-19-58	26.83333	0.48
MQ-19-58	27.16667	0.29
MQ-19-58	27.5	0.28
MQ-19-58	27.95	0.51
MQ-19-58	28.4	2
MQ-19-58	28.85	3.1
MQ-19-58	29.23333	1
MQ-19-58	29.61667	1.9
MQ-19-58	30	30.7
MQ-19-58	30.5	7.3
MQ-19-58	31	2.6
MQ-19-58	31.5	0.85
MQ-19-58	32	0.21
MQ-19-58	32.5	0.56
MQ-19-58	33	0.55
MQ-19-58	33.5	2.3
MQ-19-58	34	1.1
MQ-19-58	34.5	2.5
MQ-19-58	35	1.4
MQ-19-58	35.5	2.1
MQ-19-58	36	4.1
MQ-19-58	36.5	2
MQ-19-58	37	2.4



Hole_ID	Depth	MagSusc
MQ-19-58	37.5	2.7
MQ-19-58	38	5
MQ-19-58	38.5	1.8
MQ-19-58	39	0.67
MQ-19-58	39.5	0.83
MQ-19-58	40	0.46
MQ-19-58	40.5	0.59
MQ-19-58	41	1.2
MQ-19-58	41.5	0.2
MQ-19-58	42	3.9
MQ-19-58	42.5	2
MQ-19-58	43	1.2
MQ-19-58	43.5	0.64
MQ-19-58	44	0.52
MQ-19-58	44.5	1.6
MQ-19-58	45	1.3
MQ-19-58	45.5	2.7
MQ-19-58	46	6.9
MQ-19-58	46.5	0.7
MQ-19-58	47	0.7
MQ-19-58	47.5	0.5
MQ-19-58	48	3
MQ-19-58	48.5	2.3
MQ-19-58	49	2.4
MQ-19-58	49.5	1.3
MQ-19-58	50	1.1
MQ-19-58	50.5	2.3
MQ-19-58	51	0.69
MQ-19-58	51.5	0.29
MQ-19-58	52	1.6
MQ-19-58	52.5	0.85
MQ-19-58	53	0.34
MQ-19-58	53.5	0.18
MQ-19-58	54	0.41
MQ-19-58	54.5	0.47
MQ-19-58	55	0.78
MQ-19-58	55.5	0.9
MQ-19-58	56	1
MQ-19-58	56.5	0.54
MQ-19-58	57	0.34
MQ-19-58	57.5	4.6
MQ-19-58	58	1.9
MQ-19-58	58.5	1.9
MQ-19-58	59.03333	1.1
MQ-19-58	59.56667	3.3
MQ-19-58	60.1	0.34

Hole_ID	Depth	MagSusc
MQ-19-58	60.56667	0.41
MQ-19-58	61.03333	0.45
MQ-19-58	61.5	0.58
MQ-19-58	62	0.37
MQ-19-58	62.5	0.33
MQ-19-58	63	0.35
MQ-19-58	63.5	0.2
MQ-19-58	64	0.3
MQ-19-58	64.5	0.89
MQ-19-58	65	0.35
MQ-19-58	65.5	0.16
MQ-19-58	66	1.8
MQ-19-58	66.5	0.16
MQ-19-58	67	0.64
MQ-19-58	67.5	0.42
MQ-19-58	68	0.99
MQ-19-58	68.5	1.4
MQ-19-58	69	0.47
MQ-19-58	69.5	4.8
MQ-19-58	70	0.35
MQ-19-58	70.5	0.42
MQ-19-58	71	0.44
MQ-19-58	71.5	0.24
MQ-19-58	72	0.14
MQ-19-58	72.3	0.18
MQ-19-58	72.6	0.17
MQ-19-58	72.9	0.15
MQ-19-58	73.2	0.18
MQ-19-58	73.5	4.8
MQ-19-58	73.8	3.2
MQ-19-58	74.25	3.8
MQ-19-58	74.7	3
MQ-19-58	75.15	1.2
MQ-19-58	75.65	0.15
MQ-19-58	76.15	1
MQ-19-58	76.65	1.1
MQ-19-58	77	0.13
MQ-19-58	77.35	0.14
MQ-19-58	77.7	0.19
MQ-19-58	78.06667	0.18
MQ-19-58	78.43333	0.18
MQ-19-58	78.8	1.1
MQ-19-58	79.2	0.58
MQ-19-58	79.6	0.26
MQ-19-58	80	0.59
MQ-19-58	80.5	0.11

Hole_ID	Depth	MagSusc
MQ-19-58	81	1.3
MQ-19-58	81.5	0.15
MQ-19-58	82	1.9
MQ-19-58	82.5	19.4
MQ-19-58	83	0.96
MQ-19-58	83.5	0.4
MQ-19-58	84	0.19
MQ-19-58	84.5	0.19
MQ-19-58	85	1.9
MQ-19-58	85.5	1.5
MQ-19-58	86	0.95
MQ-19-58	86.5	0.65
MQ-19-58	87	0.39
MQ-19-58	87.5	6
MQ-19-58	88	0.98
MQ-19-58	88.5	1.3
MQ-19-58	89	1.1
MQ-19-58	89.5	1.2
MQ-19-58	90	1.1
MQ-19-58	90.5	2.9
MQ-19-58	91	0.25
MQ-19-58	91.5	2.5
MQ-19-58	92	12
MQ-19-58	92.5	0.43
MQ-19-58	93	5.1
MQ-19-58	93.5	1.5
MQ-19-58	94	2.1
MQ-19-58	94.5	3.2
MQ-19-58	95	3.6
MQ-19-58	95.33333	6.6
MQ-19-58	95.66667	1.6
MQ-19-58	96	3.3
MQ-19-59	3.05	0.57
MQ-19-59	3.56	0.87
MQ-19-59	4.06	2.3
MQ-19-59	4.57	3.3
MQ-19-59	4.81	2.2
MQ-19-59	5.06	1.5
MQ-19-59	5.3	1.1
MQ-19-59	5.63	0.19
MQ-19-59	5.97	0.23
MQ-19-59	6.3	0.22
MQ-19-59	6.63	0.23
MQ-19-59	6.97	0.3
MQ-19-59	7.3	0.49
MQ-19-59	7.63	0.35

Hole_ID	Depth	MagSusc
MQ-19-59	7.97	0.48
MQ-19-59	8.3	0.49
MQ-19-59	8.63	1.2
MQ-19-59	8.97	4.1
MQ-19-59	9.3	0.4
MQ-19-59	9.72	4.4
MQ-19-59	10.13	5.9
MQ-19-59	10.55	0.39
MQ-19-59	10.87	0.29
MQ-19-59	11.18	0.17
MQ-19-59	11.5	0.2
MQ-19-59	11.93	0.85
MQ-19-59	12.37	0.12
MQ-19-59	12.8	5.3
MQ-19-59	13.20	1.8
MQ-19-59	13.60	5.9
MQ-19-59	14	0.8
MQ-19-59	14.50	1.6
MQ-19-59	15.00	4.4
MQ-19-59	15.5	0.79
MQ-19-59	16.00	6.7
MQ-19-59	16.50	2.6
MQ-19-59	17	0.43
MQ-19-59	17.50	2.1
MQ-19-59	18.00	6.8
MQ-19-59	18.5	2.9
MQ-19-59	18.83	2
MQ-19-59	19.17	3.2
MQ-19-59	19.5	1.3
MQ-19-59	19.85	6.1
MQ-19-59	20.20	6.7
MQ-19-59	20.55	2.1
MQ-19-59	21.03	2.6
MQ-19-59	21.52	7.6
MQ-19-59	22	2.6
MQ-19-59	22.50	5.1
MQ-19-59	23.00	6.1
MQ-19-59	23.5	1.2
MQ-19-59	23.83	1.2
MQ-19-59	24.17	6.8
MQ-19-59	24.5	1.7
MQ-19-59	24.83	3.2
MQ-19-59	25.17	4.2
MQ-19-59	25.5	2.7
MQ-19-59	26.02	6.9
MQ-19-59	26.53	9

Hole_ID	Depth	MagSusc
MQ-19-59	27.05	6.3
MQ-19-59	27.55	7.7
MQ-19-59	28.05	8.5
MQ-19-59	28.55	0.8
MQ-19-59	28.87	0.31
MQ-19-59	29.18	0.54
MQ-19-59	29.5	0.47
MQ-19-59	29.79	0.42
MQ-19-59	30.09	0.67
MQ-19-59	30.38	1.9
MQ-19-59	30.75	0.92
MQ-19-59	31.13	4.1
MQ-19-59	31.5	6.1
MQ-19-59	32.00	3.2
MQ-19-59	32.50	5.9
MQ-19-59	33	7.2
MQ-19-59	33.52	1
MQ-19-59	34.03	1
MQ-19-59	34.55	4.3
MQ-19-59	35.03	4.5
MQ-19-59	35.52	2.2
MQ-19-59	36	0.68
MQ-19-59	36.50	6.2
MQ-19-59	37.00	1
MQ-19-59	37.5	1.9
MQ-19-59	38.00	0.6
MQ-19-59	38.50	4.8
MQ-19-59	39	2.9
MQ-19-59	39.50	4.6
MQ-19-59	40.00	4.3
MQ-19-59	40.5	3.3
MQ-19-59	41.00	11.5
MQ-19-59	41.50	13.2
MQ-19-59	42	7.4
MQ-19-59	42.50	6.1
MQ-19-59	43.00	3.7
MQ-19-59	43.5	6.6
MQ-19-59	44.00	6.8
MQ-19-59	44.50	7.3
MQ-19-59	45	10
MQ-19-59	45.50	9
MQ-19-59	46.00	20
MQ-19-59	46.5	2.3
MQ-19-59	47.00	6.1
MQ-19-59	47.50	8.5
MQ-19-59	48	1.9

Hole_ID	Depth	MagSusc
MQ-19-59	48.50	7.2
MQ-19-59	49.00	13.6
MQ-19-59	49.5	7.7
MQ-19-59	49.96	2.7
MQ-19-59	50.42	0.4
MQ-19-59	50.88	0.58
MQ-19-59	51.25	0.17
MQ-19-59	51.63	0.89
MQ-19-59	52	0.51
MQ-19-59	52.50	0.6
MQ-19-59	53.00	0.49
MQ-19-59	53.5	0.36
MQ-19-59	54.00	7.2
MQ-19-59	54.50	1.7
MQ-19-59	55	1
MQ-19-59	55.46	6.9
MQ-19-59	55.93	2.6
MQ-19-59	56.39	2.2
MQ-19-59	56.59	0.77
MQ-19-59	56.80	0.37
MQ-19-59	57	0.62
MQ-19-59	57.50	2.7
MQ-19-59	58.00	4.4
MQ-19-59	58.5	7
MQ-19-59	59.00	8.1
MQ-19-59	59.50	4.2
MQ-19-59	60	0.74
MQ-19-59	60.50	12.8
MQ-19-59	61.00	1.3
MQ-19-59	61.5	1.3
MQ-19-59	62.00	3.2
MQ-19-59	62.50	6.6
MQ-19-59	63	3.6
MQ-19-59	63.50	8.1
MQ-19-59	64.00	12.8
MQ-19-59	64.5	17.6
MQ-19-59	64.90	43.1
MQ-19-59	65.30	10.2
MQ-19-59	65.7	3.4
MQ-19-59	66.07	2.5
MQ-19-59	66.43	8.9
MQ-19-59	66.8	4.5
MQ-19-59	67.20	11.9
MQ-19-59	67.60	7
MQ-19-59	68	6.2
MQ-19-59	68.50	13.5

Hole_ID	Depth	MagSusc
MQ-19-59	69.00	12.9
MQ-19-59	69.5	8.3
MQ-19-59	70.00	12.8
MQ-19-59	70.50	6.6
MQ-19-59	71	1
MQ-19-59	71.50	0.67
MQ-19-59	72.00	2
MQ-19-59	72.5	1
MQ-19-59	73.00	2.4
MQ-19-59	73.50	14.9
MQ-19-59	74	9.2
MQ-19-59	74.50	13.3
MQ-19-59	75.00	0.51
MQ-19-59	75.5	1.3
MQ-19-59	76.00	45.7
MQ-19-59	76.50	7.8
MQ-19-59	77	13.5
MQ-19-59	77.50	10.5
MQ-19-59	78.00	10
MQ-19-59	78.5	32.3
MQ-19-59	79.00	7.8
MQ-19-59	79.50	4.8
MQ-19-59	80	8.7
MQ-19-59	80.50	12.1
MQ-19-59	81.00	8.1
MQ-19-59	81.5	19.1
MQ-19-59	81.93	0.26
MQ-19-59	82.37	0.67
MQ-19-59	82.8	1.9
MQ-19-59	83.14	0.86
MQ-19-59	83.48	1.5
MQ-19-59	83.82	0.74
MQ-19-59	84.15	5.4
MQ-19-59	84.47	0.72
MQ-19-59	84.8	6.9
MQ-19-59	85.13	3.6
MQ-19-59	85.47	3.5
MQ-19-59	85.8	0.1
MQ-19-59	86.23	0.66
MQ-19-59	86.67	2.9
MQ-19-59	87.1	1.5
MQ-19-59	87.57	4.1
MQ-19-59	88.03	6.8
MQ-19-59	88.5	14.2
MQ-19-59	89.00	2.1
MQ-19-59	89.50	2.2

Hole_ID	Depth	MagSusc
MQ-19-59	90	4.1
MQ-19-59	90.50	2.1
MQ-19-59	91.00	2.9
MQ-19-59	91.5	2.9
MQ-19-59	92.00	3.6
MQ-19-59	92.50	2
MQ-19-59	93	0.6
MQ-19-59	93.50	2.9
MQ-19-59	94.00	1.3
MQ-19-59	94.5	1.1
MQ-19-59	94.95	2.4
MQ-19-59	95.40	1.6
MQ-19-59	95.85	1
MQ-19-59	96.23	1.9
MQ-19-59	96.62	4.6
MQ-19-59	97	0.75
MQ-19-59	97.33	0.09
MQ-19-59	97.67	0.97
MQ-19-59	98	0.2
MQ-19-59	98.23	0.13
MQ-19-59	98.47	0.27
MQ-19-59	98.7	0.51
MQ-19-59	99.13	0.24
MQ-19-59	99.57	0.25
MQ-19-59	100	0.62
MQ-19-59	100.50	0.63
MQ-19-59	101.00	3.3
MQ-19-59	101.5	3.7
MQ-19-59	102.00	4.1
MQ-19-59	102.50	0.52
MQ-19-59	103	0.25
MQ-19-59	103.50	1.4
MQ-19-59	104.00	7.6
MQ-19-59	104.5	2
MQ-19-59	105.00	1.4
MQ-19-59	105.50	0.75
MQ-19-59	106	0.55
MQ-19-59	106.50	0.34
MQ-19-59	107.00	0.15
MQ-19-59	107.5	0.2
MQ-19-59	108.00	0.25
MQ-19-59	108.50	1.7
MQ-19-59	109	0.15
MQ-19-59	109.50	2.1
MQ-19-59	110.00	0.33
MQ-19-59	110.5	1.4



Hole_ID	Depth	MagSusc
MQ-19-59	111.00	0.93
MQ-19-59	111.50	2.1
MQ-19-59	112	0.32
MQ-19-59	112.53	0.76
MQ-19-59	113.07	0.95
MQ-19-59	113.6	0.19
MQ-19-59	113.90	0.27
MQ-19-59	114.20	0.35
MQ-19-59	114.5	0.31
MQ-19-59	114.75	0.11
MQ-19-59	115.00	0.19
MQ-19-59	115.25	0.12
MQ-19-59	115.67	0.12
MQ-19-59	116.08	0.67
MQ-19-59	116.5	0.52
MQ-19-59	117.00	0.6
MQ-19-59	117.50	1.8
MQ-19-59	118	6.6
MQ-19-59	118.50	5.4
MQ-19-59	119.00	2.1
MQ-19-59	119.5	13
MQ-19-59	120.00	2.5
MQ-19-59	120.50	7.3
MQ-19-59	121	0.47
MQ-19-59	121.30	7.9
MQ-19-59	121.60	5.4
MQ-19-59	121.9	7.9
MQ-19-59	122.18	42.2
MQ-19-59	122.47	2.3
MQ-19-59	122.75	67.8
MQ-19-59	123.10	81.6
MQ-19-59	123.45	69
MQ-19-59	123.8	4
MQ-19-59	124.20	7.2
MQ-19-59	124.60	3.2
MQ-19-59	125	5
MQ-19-59	125.50	2.4
MQ-19-59	126.00	7.7
MQ-19-59	126.5	7
MQ-19-59	127.02	1.8
MQ-19-59	127.53	2.5
MQ-19-59	128.05	4.2
MQ-19-59	128.53	0.61
MQ-19-59	129.02	0.5
MQ-19-59	129.5	0.46
MQ-19-59	130.00	4.2

Hole_ID	Depth	MagSusc
MQ-19-59	130.50	2.5
MQ-19-59	131	1
MQ-19-59	131.50	3.9
MQ-19-59	132.00	10
MQ-19-59	132.5	2
MQ-19-59	133.00	1.9
MQ-19-59	133.50	9.2
MQ-19-59	134	3.5
MQ-19-59	134.50	2
MQ-19-59	135.00	1.9
MQ-19-59	135.5	0.36
MQ-19-59	136.00	0.23
MQ-19-59	136.50	0.19
MQ-19-59	137	0.8
MQ-19-59	137.39	1.3
MQ-19-59	137.78	3.1
MQ-19-59	138.17	0.23
MQ-19-59	138.30	0.12
MQ-19-59	138.42	0.13
MQ-19-59	138.55	0.2
MQ-19-59	139.03	0.2
MQ-19-59	139.52	0.12
MQ-19-59	140	0.2
MQ-19-59	140.50	0.1
MQ-19-59	141.00	1.4
MQ-19-59	141.5	0.24
MQ-19-59	142.00	0.52
MQ-19-59	142.50	0.17
MQ-19-59	143	6.8
MQ-19-59	143.50	0.23
MQ-19-59	144.00	0.2
MQ-19-59	144.5	0.18
MQ-19-59	145.00	0.49
MQ-19-59	145.50	0.23
MQ-19-59	146	0.2
MQ-19-59	146.50	0.09
MQ-19-59	147.00	1.1
MQ-19-59	147.5	3.5
MQ-19-59	148.00	14.7
MQ-19-59	148.50	2.6
MQ-19-59	149	0.275
MQ-19-59	149.50	0.15
MQ-19-59	150.00	0.08
MQ-19-59	150.5	0.11
MQ-19-59	151.00	1.3
MQ-19-59	151.50	0.29

Hole_ID	Depth	MagSusc
MQ-19-59	152	0.41
MQ-19-59	152.50	1.6
MQ-19-59	153.00	4.5
MQ-19-59	153.5	2.2
MQ-19-59	153.85	1.4
MQ-19-59	154.20	2.9
MQ-19-59	154.55	5.9
MQ-19-59	154.75	0.37
MQ-19-59	154.95	4.5
MQ-19-59	155.15	1.4
MQ-19-60	8.7	0.29
MQ-19-60	9.4333333	0.22
MQ-19-60	10.166667	0.18
MQ-19-60	10.90	0.20
MQ-19-60	11.33	0.31
MQ-19-60	11.76	0.09
MQ-19-60	12.19	0.42
MQ-19-60	12.706667	0.04
MQ-19-60	13.223333	0.19
MQ-19-60	13.74	0.04
MQ-19-60	14.24	0.21
MQ-19-60	14.74	0.07
MQ-19-60	15.24	0.08
MQ-19-60	15.45	0.35
MQ-19-60	15.66	0.40
MQ-19-60	15.87	0.14
MQ-19-60	16.35	0.07
MQ-19-60	16.83	0.17
MQ-19-60	17.31	0.14
MQ-19-60	17.74	0.18
MQ-19-60	18.17	0.09
MQ-19-60	18.60	0.51
MQ-19-60	19.066667	0.41
MQ-19-60	19.533333	0.99
MQ-19-60	20.00	0.37
MQ-19-60	20.446667	0.25
MQ-19-60	20.893333	0.11
MQ-19-60	21.34	0.19
MQ-19-60	21.673333	0.25
MQ-19-60	22.006667	0.32
MQ-19-60	22.34	0.33
MQ-19-60	22.76	0.29
MQ-19-60	23.18	0.67
MQ-19-60	23.60	0.17
MQ-19-60	23.966667	0.16
MQ-19-60	24.333333	0.43

Hole_ID	Depth	MagSusc
MQ-19-60	24.70	6.56
MQ-19-60	25.076667	0.88
MQ-19-60	25.453333	0.44
MQ-19-60	25.83	0.23
MQ-19-60	26.363333	0.20
MQ-19-60	26.896667	0.44
MQ-19-60	27.43	2.35
MQ-19-60	27.62	8.00
MQ-19-60	27.81	5.09
MQ-19-60	28.00	0.25
MQ-19-60	28.543333	0.61
MQ-19-60	29.086667	0.14
MQ-19-60	29.63	0.58
MQ-19-60	29.803333	0.59
MQ-19-60	29.976667	1.06
MQ-19-60	30.15	1.80
MQ-19-60	30.486667	0.47
MQ-19-60	30.823333	0.90
MQ-19-60	31.16	0.28
MQ-19-60	31.696667	0.09
MQ-19-60	32.233333	3.42
MQ-19-60	32.77	2.42
MQ-19-60	33.266667	2.65
MQ-19-60	33.763333	2.46
MQ-19-60	34.26	1.52
MQ-19-60	34.54	3.82
MQ-19-60	34.82	1.97
MQ-19-60	35.10	0.83
MQ-19-60	35.593333	8.86
MQ-19-60	36.086667	0.47
MQ-19-60	36.58	0.51
MQ-19-60	37.103333	0.57
MQ-19-60	37.626667	0.22
MQ-19-60	38.15	0.23
MQ-19-60	38.64	0.26
MQ-19-60	39.13	0.15
MQ-19-60	39.62	0.21
MQ-19-60	39.826667	1.59
MQ-19-60	40.033333	2.20
MQ-19-60	40.24	4.84
MQ-19-60	41.05	0.63
MQ-19-60	41.86	0.25
MQ-19-60	42.67	0.81
MQ-19-60	43.2	0.24
MQ-19-60	43.73	0.25
MQ-19-60	44.26	0.48

Hole_ID	Depth	MagSusc
MQ-19-60	44.746667	0.31
MQ-19-60	45.233333	0.14
MQ-19-60	45.72	0.26
MQ-19-60	46.226667	0.22
MQ-19-60	46.733333	0.62
MQ-19-60	47.24	7.78
MQ-19-60	47.75	7.08
MQ-19-60	48.26	6.80
MQ-19-60	48.77	0.33
MQ-19-60	49.263333	0.36
MQ-19-60	49.756667	0.00
MQ-19-60	50.25	6.71
MQ-19-60	50.773333	9.82
MQ-19-60	51.296667	7.91
MQ-19-60	51.82	0.30
MQ-19-60	52.286667	0.39
MQ-19-60	52.753333	0.23
MQ-19-60	53.22	0.56
MQ-19-60	53.576667	0.75
MQ-19-60	53.933333	1.27
MQ-19-60	54.29	2.51
MQ-19-60	54.536667	1.41
MQ-19-60	54.783333	2.63
MQ-19-60	55.03	4.49
MQ-19-60	55.52	9.70
MQ-19-60	56.01	1.64
MQ-19-60	56.50	3.16
MQ-19-60	56.97	2.62
MQ-19-60	57.44	0.00
MQ-19-60	57.91	0.96
MQ-19-60	58.516667	1.11
MQ-19-60	59.123333	1.38
MQ-19-60	59.73	1.67
MQ-19-60	60.04	0.61
MQ-19-60	60.35	1.71
MQ-19-60	60.66	0.36
MQ-19-60	60.973333	0.25
MQ-19-60	61.286667	6.52
MQ-19-60	61.60	3.01
MQ-19-60	61.916667	7.35
MQ-19-60	62.233333	2.91
MQ-19-60	62.55	0.33
MQ-19-60	63.19	0.22
MQ-19-60	63.83	0.00
MQ-19-60	64.47	1.87
MQ-19-60	65.026667	7.65

Hole_ID	Depth	MagSusc
MQ-19-60	65.583333	3.63
MQ-19-60	66.14	3.69
MQ-19-60	66.653333	3.29
MQ-19-60	67.166667	8.65
MQ-19-60	67.68	5.00
MQ-19-60	67.98	27.60
MQ-19-60	68.28	7.90
MQ-19-60	68.58	3.99
MQ-19-60	69.12	7.74
MQ-19-60	69.66	4.53
MQ-19-60	70.20	8.75
MQ-19-60	70.676667	10.00
MQ-19-60	71.153333	9.63
MQ-19-60	71.63	1.68
MQ-19-60	72.22	7.25
MQ-19-60	72.81	2.84
MQ-19-60	73.40	0.60
MQ-19-60	73.826667	1.40
MQ-19-60	74.253333	0.52
MQ-19-60	74.68	0.26
MQ-19-60	75.186667	0.30
MQ-19-60	75.693333	0.42
MQ-19-60	76.20	0.38
MQ-19-60	76.706667	0.71
MQ-19-60	77.213333	0.40
MQ-19-60	77.72	7.19
MQ-19-60	78.263333	10.30
MQ-19-60	78.806667	3.27
MQ-19-60	79.35	11.60
MQ-19-60	79.823333	6.14
MQ-19-60	80.296667	1.47
MQ-19-60	80.77	5.95
MQ-19-60	81.253333	0.57
MQ-19-60	81.736667	0.77
MQ-19-60	82.22	0.65
MQ-19-60	82.753333	4.54
MQ-19-60	83.286667	3.37
MQ-19-60	83.82	5.48
MQ-19-60	84.336667	8.60
MQ-19-60	84.853333	3.38
MQ-19-60	85.37	6.61
MQ-19-60	85.87	7.84
MQ-19-60	86.37	13.70
MQ-19-60	86.87	1.29
MQ-19-60	87.38	2.80
MQ-19-60	87.89	0.51

Hole_ID	Depth	MagSusc
MQ-19-60	88.40	9.64
MQ-19-60	88.906667	2.07
MQ-19-60	89.413333	2.29
MQ-19-60	89.92	4.31
MQ-19-60	90.413333	3.85
MQ-19-60	90.906667	9.69
MQ-19-60	91.40	0.70
MQ-19-60	91.92	1.60
MQ-19-60	92.44	4.44
MQ-19-60	92.96	10.60
MQ-19-60	93.503333	7.12
MQ-19-60	94.046667	5.30
MQ-19-60	94.59	18.40
MQ-19-60	95.063333	8.09
MQ-19-60	95.536667	2.63
MQ-19-60	96.01	5.41
MQ-19-60	96.556667	2.15
MQ-19-60	97.103333	0.72
MQ-19-60	97.65	7.66
MQ-19-60	98.12	3.20
MQ-19-60	98.59	0.31
MQ-19-60	99.06	9.57
MQ-19-60	99.553333	1.67
MQ-19-60	100.04667	0.58
MQ-19-60	100.54	6.79
MQ-19-60	101.06333	7.63
MQ-19-60	101.58667	5.79
MQ-19-60	102.11	5.78
MQ-19-60	102.62333	0.20
MQ-19-60	103.13667	13.50
MQ-19-60	103.65	0.44
MQ-19-60	104.15333	0.36
MQ-19-60	104.65667	0.34
MQ-19-60	105.16	0.85
MQ-19-60	105.66667	0.38
MQ-19-60	106.17333	3.34
MQ-19-60	106.68	0.71
MQ-19-60	107.03	0.61
MQ-19-60	107.38	0.22
MQ-19-60	107.73	2.42
MQ-19-60	108.33	2.58
MQ-19-60	108.93	0.72
MQ-19-60	109.53	0.49
MQ-19-60	110.10333	0.52
MQ-19-60	110.67667	0.22
MQ-19-60	111.25	2.78

Hole_ID	Depth	MagSusc
MQ-19-60	111.59	3.60
MQ-19-60	111.93	5.11
MQ-19-60	112.27	1.43
MQ-19-60	112.55667	4.69
MQ-19-60	112.84333	3.84
MQ-19-60	113.13	0.39
MQ-19-60	113.52	0.41
MQ-19-60	113.91	3.13
MQ-19-60	114.30	1.11
MQ-19-60	114.8	0.68
MQ-19-60	115.3	1.21
MQ-19-60	115.80	0.26
MQ-19-60	116.31667	0.33
MQ-19-60	116.83333	0.10
MQ-19-60	117.35	0.19
MQ-19-60	117.9	0.62
MQ-19-60	118.45	0.74
MQ-19-60	119.00	0.11
MQ-19-60	119.56667	0.11
MQ-19-60	120.13333	0.31
MQ-19-60	120.70	0.22
MQ-19-60	121.03333	0.28
MQ-19-60	121.36667	0.13
MQ-19-60	121.70	0.33
MQ-19-60	122.28	1.32
MQ-19-60	122.86	1.15
MQ-19-60	123.44	0.25
MQ-19-60	123.96	0.79
MQ-19-60	124.48	0.33
MQ-19-60	125.00	1.42
MQ-19-60	125.49667	2.36
MQ-19-60	125.99333	0.26
MQ-19-60	126.49	0.75
MQ-19-60	126.94667	1.09
MQ-19-60	127.40333	0.27
MQ-19-60	127.86	0.38
MQ-19-60	128.42	0.11
MQ-19-60	128.98	1.18
MQ-19-60	129.54	0.64
MQ-19-60	130.05333	0.93
MQ-19-60	130.56667	0.32
MQ-19-60	131.08	0.55
MQ-19-60	131.58333	0.64
MQ-19-60	132.08667	0.41
MQ-19-60	132.59	0.23
MQ-19-60	133.09333	0.22



Hole_ID	Depth	MagSusc
MQ-19-60	133.59667	0.32
MQ-19-60	134.10	0.78
MQ-19-60	134.61333	0.38
MQ-19-60	135.12667	20.50
MQ-19-60	135.64	0.46
MQ-19-60	136.12667	0.44
MQ-19-60	136.61333	0.68
MQ-19-60	137.10	0.15
MQ-19-60	137.62667	0.31
MQ-19-60	138.15333	0.70
MQ-19-60	138.68	0.95
MQ-19-60	139.18333	27.20
MQ-19-60	139.68667	1.04
MQ-19-60	140.19	0.66
MQ-19-60	140.70333	0.42
MQ-19-60	141.21667	3.27
MQ-19-60	141.73	0.15
MQ-19-60	142.01	0.53
MQ-19-60	142.29	0.50
MQ-19-60	142.57	0.30
MQ-19-60	143.43	0.43
MQ-19-60	144.28	0.57
MQ-19-60	145.14	1.74
MQ-19-60	145.73	0.33
MQ-19-60	146.32	0.11
MQ-19-61	7.92	0.17
MQ-19-61	8.12	0.12
MQ-19-61	8.33	0.17
MQ-19-61	8.53	0.36
MQ-19-61	8.94	0.99
MQ-19-61	9.34	7.49
MQ-19-61	9.75	0.57
MQ-19-61	9.95	2.49
MQ-19-61	10.16	2.57
MQ-19-61	10.36	0.30
MQ-19-61	10.57	0.26
MQ-19-61	10.79	0.24
MQ-19-61	11.00	0.30
MQ-19-61	11.40	0.08
MQ-19-61	11.79	0.13
MQ-19-61	12.19	0.20
MQ-19-61	12.70	0.32
MQ-19-61	13.21	0.25
MQ-19-61	13.72	0.62
MQ-19-61	14.33	0.18
MQ-19-61	14.93	0.29

Hole_ID	Depth	MagSusc
MQ-19-61	15.54	1.17
MQ-19-61	15.95	0.32
MQ-19-61	16.35	0.89
MQ-19-61	16.76	0.10
MQ-19-61	17.27	0.25
MQ-19-61	17.78	0.07
MQ-19-61	18.29	0.15
MQ-19-61	18.43	0.28
MQ-19-61	18.58	0.32
MQ-19-61	18.72	0.72
MQ-19-61	19.23	0.81
MQ-19-61	19.74	0.51
MQ-19-61	20.25	2.53
MQ-19-61	20.73	0.62
MQ-19-61	21.21	1.00
MQ-19-61	21.69	0.40
MQ-19-61	22.05	0.16
MQ-19-61	22.42	0.45
MQ-19-61	22.78	2.68
MQ-19-61	22.89	3.06
MQ-19-61	23.00	2.02
MQ-19-61	23.11	1.19
MQ-19-61	23.53	1.43
MQ-19-61	23.96	0.63
MQ-19-61	24.38	0.27
MQ-19-61	24.97	1.45
MQ-19-61	25.55	0.52
MQ-19-61	26.14	1.02
MQ-19-61	26.57	1.40
MQ-19-61	27.00	1.49
MQ-19-61	27.43	0.38
MQ-19-61	27.77	0.90
MQ-19-61	28.11	0.69
MQ-19-61	28.45	2.24
MQ-19-61	29.15	2.74
MQ-19-61	29.84	3.45
MQ-19-61	30.54	0.42
MQ-19-61	30.69	0.64
MQ-19-61	30.83	1.01
MQ-19-61	30.98	2.13
MQ-19-61	31.50	2.51
MQ-19-61	32.03	2.12
MQ-19-61	32.55	0.65
MQ-19-61	33.06	0.44
MQ-19-61	33.57	0.25
MQ-19-61	34.08	0.46

Hole_ID	Depth	MagSusc
MQ-19-61	34.59	0.12
MQ-19-61	35.09	0.72
MQ-19-61	35.60	7.39
MQ-19-61	36.10	8.14
MQ-19-61	36.60	2.85
MQ-19-61	37.10	8.95
MQ-19-61	37.58	2.85
MQ-19-61	38.07	5.08
MQ-19-61	38.55	1.02
MQ-19-61	39.05	1.52
MQ-19-61	39.54	3.63
MQ-19-61	40.04	6.88
MQ-19-61	40.60	12.10
MQ-19-61	41.17	1.95
MQ-19-61	41.73	6.00
MQ-19-61	42.30	1.93
MQ-19-61	42.86	4.03
MQ-19-61	43.43	0.76
MQ-19-61	43.97	5.16
MQ-19-61	44.51	1.75
MQ-19-61	45.05	8.21
MQ-19-61	45.50	5.40
MQ-19-61	45.95	9.39
MQ-19-61	46.40	0.99
MQ-19-61	46.91	2.70
MQ-19-61	47.42	2.80
MQ-19-61	47.93	2.09
MQ-19-61	48.29	0.47
MQ-19-61	48.66	7.12
MQ-19-61	49.02	0.37
MQ-19-61	49.41	0.51
MQ-19-61	49.81	0.55
MQ-19-61	50.20	3.08
MQ-19-61	50.57	6.80
MQ-19-61	50.95	9.39
MQ-19-61	51.32	3.89
MQ-19-61	51.84	2.31
MQ-19-61	52.36	3.60
MQ-19-61	52.88	5.15
MQ-19-61	53.18	2.62
MQ-19-61	53.48	1.47
MQ-19-61	53.78	3.22
MQ-19-61	54.38	1.80
MQ-19-61	54.97	7.43
MQ-19-61	55.57	0.69
MQ-19-61	56.16	1.57

Hole_ID	Depth	MagSusc
MQ-19-61	56.76	0.49
MQ-19-61	57.35	0.21
MQ-19-61	57.86	0.15
MQ-19-61	58.38	0.19
MQ-19-61	58.89	0.30
MQ-19-61	59.23	0.24
MQ-19-61	59.58	0.19
MQ-19-61	59.92	0.66
MQ-19-61	60.46	2.81
MQ-19-61	61.01	8.97
MQ-19-61	61.55	4.57
MQ-19-61	62.09	6.21
MQ-19-61	62.62	3.68
MQ-19-61	63.16	5.53
MQ-19-61	63.67	10.40
MQ-19-61	64.18	4.49
MQ-19-61	64.69	3.51
MQ-19-61	65.12	0.51
MQ-19-61	65.55	5.69
MQ-19-61	65.98	0.38
MQ-19-61	66.21	0.49
MQ-19-61	66.43	1.43
MQ-19-61	66.66	5.19
MQ-19-61	66.79	8.97
MQ-19-61	66.93	5.66
MQ-19-61	67.06	1.42
MQ-19-61	67.30	0.47
MQ-19-61	67.55	1.18
MQ-19-61	67.79	1.96
MQ-19-61	68.21	1.02
MQ-19-61	68.63	2.75
MQ-19-61	69.05	0.42
MQ-19-61	69.31	0.28
MQ-19-61	69.58	0.20
MQ-19-61	69.84	0.64
MQ-19-61	70.04	0.65
MQ-19-61	70.25	0.51
MQ-19-61	70.45	1.72
MQ-19-61	71.05	7.98
MQ-19-61	71.65	3.72
MQ-19-61	72.25	4.61
MQ-19-61	72.83	2.10
MQ-19-61	73.42	4.87
MQ-19-61	74.00	10.80
MQ-19-61	74.37	6.03
MQ-19-61	74.74	6.48

Hole_ID	Depth	MagSusc
MQ-19-61	75.11	0.00
MQ-19-61	75.47	0.25
MQ-19-61	75.84	0.95
MQ-19-61	76.20	3.26
MQ-19-61	76.71	1.16
MQ-19-61	77.21	2.86
MQ-19-61	77.72	1.54
MQ-19-61	78.23	1.09
MQ-19-61	78.74	0.17
MQ-19-61	79.25	6.27
MQ-19-61	79.52	3.62
MQ-19-61	79.78	7.68
MQ-19-61	80.05	2.66
MQ-19-61	80.55	0.40
MQ-19-61	81.05	0.70
MQ-19-61	81.55	1.59
MQ-19-61	82.03	0.58
MQ-19-61	82.52	0.43
MQ-19-61	83.00	0.40
MQ-19-61	83.42	0.47
MQ-19-61	83.83	1.03
MQ-19-61	84.25	5.27
MQ-19-61	84.65	0.82
MQ-19-61	85.05	1.33
MQ-19-61	85.45	2.33
MQ-19-61	85.91	1.34
MQ-19-61	86.38	1.08
MQ-19-61	86.84	1.65
MQ-19-61	87.36	5.56
MQ-19-61	87.88	2.09
MQ-19-61	88.40	0.36
MQ-19-61	88.91	3.43
MQ-19-61	89.41	2.77
MQ-19-61	89.92	1.73
MQ-19-61	90.43	2.74
MQ-19-61	90.94	3.70
MQ-19-61	91.45	1.91
MQ-19-61	91.95	2.17
MQ-19-61	92.46	0.72
MQ-19-61	92.96	0.20
MQ-19-61	93.49	2.65
MQ-19-61	94.02	1.01
MQ-19-61	94.55	2.06
MQ-19-61	95.04	2.13
MQ-19-61	95.52	1.62
MQ-19-61	96.01	0.32

Hole_ID	Depth	MagSusc
MQ-19-61	96.52	0.57
MQ-19-61	97.03	0.11
MQ-19-61	97.54	0.55
MQ-19-61	98.05	0.14
MQ-19-61	98.55	1.25
MQ-19-61	99.06	0.07
MQ-19-61	99.55	0.35
MQ-19-61	100.03	0.07
MQ-19-61	100.52	0.41
MQ-19-61	101.05	1.58
MQ-19-61	101.58	1.20
MQ-19-61	102.11	0.61
MQ-19-61	102.62	1.01
MQ-19-61	103.12	1.14
MQ-19-61	103.63	0.97
MQ-19-61	104.14	0.33
MQ-19-61	104.65	0.42
MQ-19-62	<b>6.10</b>	0.096
MQ-19-62	<b>7.11</b>	0.198
MQ-19-62	<b>8.13</b>	0.817
MQ-19-62	9.14	0.151
MQ-19-62	<b>9.64</b>	0.153
MQ-19-62	<b>10.15</b>	0.251
MQ-19-62	<b>10.65</b>	0.158
MQ-19-62	<b>11.16</b>	0.581
MQ-19-62	<b>11.68</b>	0.525
MQ-19-62	<b>12.19</b>	1.7
MQ-19-62	<b>12.42</b>	2.42
MQ-19-62	<b>12.65</b>	2.95
MQ-19-62	<b>12.88</b>	0.468
MQ-19-62	<b>13.40</b>	0.373
MQ-19-62	<b>13.91</b>	0.388
MQ-19-62	<b>14.43</b>	0.39
MQ-19-62	<b>14.99</b>	0.567
MQ-19-62	<b>15.54</b>	0.595
MQ-19-62	<b>16.10</b>	0.459
MQ-19-62	<b>16.64</b>	1.46
MQ-19-62	<b>17.18</b>	2.7
MQ-19-62	<b>17.72</b>	0.643
MQ-19-62	<b>18.23</b>	1.52
MQ-19-62	<b>18.74</b>	3.35
MQ-19-62	<b>19.25</b>	4.08
MQ-19-62	<b>19.75</b>	3.74
MQ-19-62	<b>20.25</b>	8.06
MQ-19-62	<b>20.75</b>	0.875
MQ-19-62	<b>21.21</b>	1.08

Hole_ID	Depth	MagSusc
MQ-19-62	<b>21.68</b>	0.484
MQ-19-62	<b>22.14</b>	1.14
MQ-19-62	<b>22.65</b>	1.22
MQ-19-62	<b>23.16</b>	0.927
MQ-19-62	<b>23.67</b>	5.79
MQ-19-62	<b>24.13</b>	2.24
MQ-19-62	<b>24.59</b>	0.84
MQ-19-62	<b>25.05</b>	0.449
MQ-19-62	<b>25.39</b>	0.662
MQ-19-62	<b>25.72</b>	0.675
MQ-19-62	<b>26.06</b>	3.18
MQ-19-62	<b>26.52</b>	2.13
MQ-19-62	<b>26.97</b>	4.06
MQ-19-62	<b>27.43</b>	12.1
MQ-19-62	<b>27.89</b>	3.64
MQ-19-62	<b>28.34</b>	5.5
MQ-19-62	<b>28.80</b>	5.34
MQ-19-62	<b>29.38</b>	4.95
MQ-19-62	<b>29.97</b>	0.666
MQ-19-62	<b>30.55</b>	0.63
MQ-19-62	<b>30.68</b>	0.17
MQ-19-62	<b>30.81</b>	1.79
MQ-19-62	<b>30.94</b>	1.63
MQ-19-62	<b>31.35</b>	1.31
MQ-19-62	<b>31.76</b>	11.30
MQ-19-62	<b>32.17</b>	8
MQ-19-62	<b>32.45</b>	5.81
MQ-19-62	<b>32.74</b>	5.16
MQ-19-62	<b>33.02</b>	3.41
MQ-19-62	<b>33.53</b>	16.30
MQ-19-62	<b>34.03</b>	6.48
MQ-19-62	<b>34.54</b>	8.76
MQ-19-62	<b>35.11</b>	15.90
MQ-19-62	<b>35.69</b>	4.42
MQ-19-62	<b>36.26</b>	1.9
MQ-19-62	<b>36.84</b>	2.61
MQ-19-62	<b>37.42</b>	9.25
MQ-19-62	<b>38.00</b>	1.69
MQ-19-62	<b>38.12</b>	0.67
MQ-19-62	<b>38.23</b>	1.10
MQ-19-62	<b>38.35</b>	1.21
MQ-19-62	<b>39.22</b>	1.66
MQ-19-62	<b>40.10</b>	6.71
MQ-19-62	<b>40.97</b>	6.62
MQ-19-62	<b>41.28</b>	4.46
MQ-19-62	<b>41.58</b>	8.29

Hole_ID	Depth	MagSusc
MQ-19-62	<b>41.89</b>	2.43
MQ-19-62	<b>42.13</b>	4.08
MQ-19-62	<b>42.38</b>	1.81
MQ-19-62	<b>42.62</b>	1.81
MQ-19-62	<b>43.20</b>	0.62
MQ-19-62	<b>43.78</b>	3.58
MQ-19-62	<b>44.36</b>	3.92
MQ-19-62	<b>44.81</b>	4.00
MQ-19-62	<b>45.27</b>	3.08
MQ-19-62	<b>45.72</b>	6.01
MQ-19-62	<b>46.19</b>	4.00
MQ-19-62	<b>46.67</b>	1.94
MQ-19-62	<b>47.14</b>	1.73
MQ-19-62	<b>47.45</b>	2.68
MQ-19-62	<b>47.77</b>	4.63
MQ-19-62	<b>48.08</b>	0.59
MQ-19-62	<b>48.35</b>	0.61
MQ-19-62	<b>48.61</b>	1.14
MQ-19-62	<b>48.88</b>	1.98
MQ-19-62	<b>49.30</b>	0.65
MQ-19-62	<b>49.73</b>	0.48
MQ-19-62	<b>50.15</b>	3.65
MQ-19-62	<b>50.27</b>	16.70
MQ-19-62	<b>50.40</b>	2.72
MQ-19-62	<b>50.52</b>	1
MQ-19-62	<b>50.95</b>	3.69
MQ-19-62	<b>51.39</b>	5.44
MQ-19-62	<b>51.82</b>	3.26
MQ-19-62	<b>52.35</b>	1.44
MQ-19-62	<b>52.87</b>	2.02
MQ-19-62	<b>53.40</b>	0.904
MQ-19-62	<b>53.89</b>	1.80
MQ-19-62	<b>54.37</b>	1.62
MQ-19-62	<b>54.86</b>	2.41
MQ-19-62	<b>55.42</b>	4.15
MQ-19-62	<b>55.97</b>	0.13
MQ-19-62	<b>56.53</b>	0.736
MQ-19-62	<b>57.06</b>	0.69
MQ-19-62	<b>57.58</b>	1.29
MQ-19-62	<b>58.11</b>	1.06
MQ-19-62	<b>58.86</b>	0.15
MQ-19-62	<b>59.60</b>	0.20
MQ-19-63	4.86	0.13
MQ-19-63	5.27	0.16
MQ-19-63	5.69	0.08
MQ-19-63	6.10	0.19



Hole_ID	Depth	MagSusc
MQ-19-63	6.39	0.42
MQ-19-63	6.68	0.35
MQ-19-63	6.97	0.38
MQ-19-63	7.24	0.11
MQ-19-63	7.50	0.12
MQ-19-63	7.77	0.27
MQ-19-63	7.85	0.95
MQ-19-63	7.92	1.2
MQ-19-63	8.00	0.68
MQ-19-63	8.50	0.23
MQ-19-63	9.00	0.14
MQ-19-63	9.50	0.12
MQ-19-63	10.00	0.14
MQ-19-63	10.50	0.1
MQ-19-63	11.00	0.15
MQ-19-63	11.40	0.17
MQ-19-63	11.79	0.11
MQ-19-63	12.19	0.25
MQ-19-63	12.63	1
MQ-19-63	13.06	0.19
MQ-19-63	13.50	0.38
MQ-19-63	13.82	0.17
MQ-19-63	14.15	2.9
MQ-19-63	14.47	0.58
MQ-19-63	14.73	0.11
MQ-19-63	14.98	0.12
MQ-19-63	15.24	0.1
MQ-19-63	15.49	0.12
MQ-19-63	15.75	0.18
MQ-19-63	16.00	1.3
MQ-19-63	16.37	0.18
MQ-19-63	16.74	0.12
MQ-19-63	17.11	0.12
MQ-19-63	17.57	0.22
MQ-19-63	18.04	0.19
MQ-19-63	18.50	0.99
MQ-19-63	19.00	0.44
MQ-19-63	19.50	0.09
MQ-19-63	20.00	5.9
MQ-19-63	20.50	1.7
MQ-19-63	21.00	0.31
MQ-19-63	21.50	0.22
MQ-19-63	22.00	3.2
MQ-19-63	22.50	1.3
MQ-19-63	23.00	0.23
MQ-19-63	23.42	0.39

Hole_ID	Depth	MagSusc
MQ-19-63	23.85	0.37
MQ-19-63	24.27	0.36
MQ-19-63	24.49	0.22
MQ-19-63	24.72	0.17
MQ-19-63	24.94	0.41
MQ-19-63	25.51	1.2
MQ-19-63	26.07	0.49
MQ-19-63	26.64	0.4
MQ-19-63	26.81	1.6
MQ-19-63	26.98	0.36
MQ-19-63	27.15	0.36
MQ-19-63	27.60	0.42
MQ-19-63	28.05	2.1
MQ-19-63	28.50	0.21
MQ-19-63	28.83	0.9
MQ-19-63	29.17	0.13
MQ-19-63	29.50	0.31
MQ-19-63	29.91	0.66
MQ-19-63	30.32	1.4
MQ-19-63	30.73	0.39
MQ-19-63	30.82	0.9
MQ-19-63	30.91	0.32
MQ-19-63	31.00	1.3
MQ-19-63	31.50	2.4
MQ-19-63	32.00	1.1
MQ-19-63	32.50	1.5
MQ-19-63	33.00	0.29
MQ-19-63	33.50	0.89
MQ-19-63	34.00	3
MQ-19-63	34.50	0.58
MQ-19-63	35.00	0.3
MQ-19-63	35.50	2.5
MQ-19-63	36.00	2.2
MQ-19-63	36.50	1.6
MQ-19-63	37.00	2.4
MQ-19-63	37.50	3
MQ-19-63	38.00	5.9
MQ-19-63	38.50	1.4
MQ-19-63	39.00	4.9
MQ-19-63	39.50	2.4
MQ-19-63	40.00	3.9
MQ-19-63	40.50	1.6
MQ-19-63	41.00	5.5
MQ-19-63	41.50	2.5
MQ-19-63	42.00	0.27
MQ-19-63	42.50	5.2

Hole_ID	Depth	MagSusc
MQ-19-63	43.00	1.5
MQ-19-63	43.50	4.9
MQ-19-63	44.00	1.3
MQ-19-63	44.50	2.7
MQ-19-63	45.00	2.6
MQ-19-63	45.50	1.2
MQ-19-63	46.00	0.41
MQ-19-63	46.50	3.4
MQ-19-63	47.00	0.65
MQ-19-63	47.50	0.18
MQ-19-63	48.00	1.3
MQ-19-63	48.50	0.26
MQ-19-63	49.00	0.51
MQ-19-63	49.33	0.69
MQ-19-63	49.67	0.14
MQ-19-63	50.00	0.82
MQ-19-63	50.23	0.22
MQ-19-63	50.47	0.43
MQ-19-63	50.70	0.37
MQ-19-63	51.21	0.51
MQ-19-63	51.73	0.19
MQ-19-63	52.24	0.24
MQ-19-63	52.61	0.23
MQ-19-63	52.97	6
MQ-19-63	53.34	1.1
MQ-19-63	53.58	2.48
MQ-19-63	53.81	3.09
MQ-19-63	54.05	2.67
MQ-19-63	54.54	0.2
MQ-19-63	55.02	4.97
MQ-19-63	55.51	3.18
MQ-19-63	56.01	5.65
MQ-19-63	56.50	2.34
MQ-19-63	57.00	1.23
MQ-19-63	57.50	3.58
MQ-19-63	58.00	2.34
MQ-19-63	58.50	7.68
MQ-19-63	59.05	2.87
MQ-19-63	59.60	6.57
MQ-19-63	60.15	0.5
MQ-19-63	60.42	0.36
MQ-19-63	60.69	0.3
MQ-19-63	60.96	0.79
MQ-19-63	61.34	3.47
MQ-19-63	61.72	0.08
MQ-19-63	62.10	0.53

Hole_ID	Depth	MagSusc
MQ-19-63	62.50	0.19
MQ-19-63	62.90	0.125
MQ-19-63	63.30	1.35
MQ-19-63	63.81	0.71
MQ-19-63	64.33	5.73
MQ-19-63	64.84	4.09
MQ-19-63	65.35	3.24
MQ-19-63	65.85	4.11
MQ-19-63	66.36	0.12
MQ-19-63	66.87	0.69
MQ-19-63	67.39	0.38
MQ-19-63	67.90	0.48
MQ-19-63	68.40	0.59
MQ-19-63	68.90	0.98
MQ-19-63	69.40	9.64
MQ-19-63	69.96	0.16
MQ-19-63	70.51	0.34
MQ-19-63	71.07	0.39
MQ-19-63	71.47	0.34
MQ-19-63	71.87	0.43
MQ-19-63	72.27	0.19
MQ-19-63	72.56	0.1
MQ-19-63	72.86	0.2
MQ-19-63	73.15	0.28
MQ-19-63	73.66	0.34
MQ-19-63	74.18	11.9
MQ-19-63	74.69	2.4
MQ-19-63	74.96	10.4
MQ-19-63	75.23	0
MQ-19-63	75.50	0.67
MQ-19-63	75.90	0.33
MQ-19-63	76.30	2.51
MQ-19-63	76.70	0.64
MQ-19-63	77.20	0.38
MQ-19-63	77.70	0.19
MQ-19-63	78.20	0.34
MQ-19-63	78.75	1.11
MQ-19-63	79.30	0.24
MQ-19-63	79.85	2.41
MQ-19-63	80.34	0.46
MQ-19-63	80.83	0.36
MQ-19-63	81.32	0.57
MQ-19-63	81.83	1.15
MQ-19-63	82.34	8.74
MQ-19-63	82.85	6.96
MQ-19-63	83.34	3.47

Hole_ID	Depth	MagSusc
MQ-19-63	83.84	3.22
MQ-19-63	84.33	1.58
MQ-19-63	84.85	3.77
MQ-19-63	85.36	6.37
MQ-19-63	85.88	6.94
MQ-19-63	86.40	4.53
MQ-19-63	86.92	0.57
MQ-19-63	87.44	0.96
MQ-19-63	87.96	1.21
MQ-19-63	88.48	1.94
MQ-19-63	89.00	0.32
MQ-19-63	89.31	5.67
MQ-19-63	89.61	5.23
MQ-19-63	89.92	6.51
MQ-19-63	90.19	3.32
MQ-19-63	90.45	10.3
MQ-19-63	90.72	2.45
MQ-19-63	91.22	0.53
MQ-19-63	91.73	2.44
MQ-19-63	92.23	0.22
MQ-19-63	92.69	0.25
MQ-19-63	93.16	0.33
MQ-19-63	93.62	1.75
MQ-19-63	94.05	1.3
MQ-19-63	94.47	1.14
MQ-19-63	94.90	0.88
MQ-19-63	95.03	1.37
MQ-19-63	95.17	0.19
MQ-19-63	95.30	1.17
MQ-19-63	95.81	0.14
MQ-19-63	96.31	0.23
MQ-19-63	96.82	0.19
MQ-19-63	97.33	0.55
MQ-19-63	97.83	0.76
MQ-19-63	98.34	0.44
MQ-19-63	98.85	0.57
MQ-19-63	99.36	0.38
MQ-19-63	99.87	4
MQ-19-63	100.25	2.14
MQ-19-63	100.62	1.68
MQ-19-63	101.00	2.83
MQ-19-63	101.37	6.27
MQ-19-63	101.74	2.12
MQ-19-63	102.11	8.09
MQ-19-63	102.60	2.07
MQ-19-63	103.10	1.79

Hole_ID	Depth	MagSusc
MQ-19-63	103.59	0.34
MQ-19-63	104.11	0.32
MQ-19-63	104.64	1.6
MQ-19-63	105.16	4.77
MQ-19-63	105.66	1.8
MQ-19-63	106.16	1.77
MQ-19-63	106.66	6.33
MQ-19-63	107.17	3.98
MQ-19-63	107.69	1.48
MQ-19-63	108.20	16.5
MQ-19-63	108.71	2.89
MQ-19-63	109.23	8.82
MQ-19-63	109.74	3.47
MQ-19-63	110.24	3.42
MQ-19-63	110.75	1.77
MQ-19-63	111.25	1.48
MQ-19-63	111.75	1.99
MQ-19-63	112.26	2.61
MQ-19-63	112.76	16.4
MQ-19-63	113.27	1.67
MQ-19-63	113.79	3.08
MQ-19-63	114.30	2.11
MQ-19-63	114.80	2.79
MQ-19-63	115.30	3.32
MQ-19-63	115.80	5.77
MQ-19-63	116.32	4.53
MQ-19-63	116.83	2.43
MQ-19-63	117.35	4.81
MQ-19-63	117.85	2.87
MQ-19-63	118.36	3.4
MQ-19-63	118.86	4.53
MQ-19-63	119.37	3.46
MQ-19-63	119.89	3.39
MQ-19-63	120.40	2.59
MQ-19-63	120.91	0.13
MQ-19-63	121.41	1.24
MQ-19-63	121.92	2.33
MQ-19-63	122.43	3.04
MQ-19-63	122.93	2.31
MQ-19-63	123.44	2.94
MQ-19-63	123.96	6.33
MQ-19-63	124.48	2.35
MQ-19-63	125.00	0.31
MQ-19-63	125.50	1.39
MQ-19-63	125.99	2.75
MQ-19-63	126.49	0.49

Hole_ID	Depth	MagSusc
MQ-19-63	127.01	1.62
MQ-19-63	127.53	3.79
MQ-19-63	128.05	0.72
MQ-19-63	128.55	2.08
MQ-19-63	129.04	0.73
MQ-19-63	129.54	2.45
MQ-19-63	130.04	0.12
MQ-19-63	130.54	9.88
MQ-19-63	131.04	0.88
MQ-19-63	131.56	1.87
MQ-19-63	132.07	1.42
MQ-19-63	132.59	0.45
MQ-19-64	12	0.14
MQ-19-64	12.57	0.18
MQ-19-64	13.15	0.15
MQ-19-64	13.72	0.15
MQ-19-64	14.08	0.25
MQ-19-64	14.45	0.28
MQ-19-64	14.81	0.14
MQ-19-64	15.11	0.48
MQ-19-64	15.41	0.52
MQ-19-64	15.71	0.18
MQ-19-64	16.22	0.2
MQ-19-64	16.72	0.16
MQ-19-64	17.23	0.12
MQ-19-64	17.58	0.08
MQ-19-64	17.94	0.12
MQ-19-64	18.29	0.18
MQ-19-64	18.78	0.4
MQ-19-64	19.27	0.28
MQ-19-64	19.76	0.76
MQ-19-64	20.29	1.7
MQ-19-64	20.81	0.18
MQ-19-64	21.34	0.83
MQ-19-64	21.85	0.57
MQ-19-64	22.35	0.5
MQ-19-64	22.86	2.59
MQ-19-64	23.36	0.37
MQ-19-64	23.86	0.24
MQ-19-64	24.36	0.16
MQ-19-64	24.88	0.14
MQ-19-64	25.39	0.1
MQ-19-64	25.91	0.46
MQ-19-64	26.42	0.27
MQ-19-64	26.92	0.33
MQ-19-64	27.43	0.11

Hole_ID	Depth	MagSusc
MQ-19-64	27.95	0.31
MQ-19-64	28.46	0.2
MQ-19-64	28.98	0.55
MQ-19-64	29.48	0.21
MQ-19-64	29.98	0.22
MQ-19-64	30.48	0.17
MQ-19-64	30.99	2.76
MQ-19-64	31.49	4.02
MQ-19-64	32	10.6
MQ-19-64	32.51	4.96
MQ-19-64	33.02	0.51
MQ-19-64	33.53	1.16
MQ-19-64	34.02	0.57
MQ-19-64	34.51	1.15
MQ-19-64	35	3.39
MQ-19-64	35.53	0.98
MQ-19-64	36.05	7.13
MQ-19-64	36.58	12.6
MQ-19-64	37.10	0.57
MQ-19-64	37.61	1.36
MQ-19-64	38.13	0.34
MQ-19-64	38.63	2.04
MQ-19-64	39.12	1.57
MQ-19-64	39.62	1.9
MQ-19-64	40.13	4.22
MQ-19-64	40.64	3.3
MQ-19-64	41.15	8.3
MQ-19-64	41.47	5.02
MQ-19-64	41.78	3.69
MQ-19-64	42.1	4.4
MQ-19-64	42.39	5.29
MQ-19-64	42.69	1.35
MQ-19-64	42.98	0.52
MQ-19-64	43.16	0.45
MQ-19-64	43.34	0.5
MQ-19-64	43.52	1.63
MQ-19-64	43.88	1.2
MQ-19-64	44.24	0.75
MQ-19-64	44.6	0.56
MQ-19-64	44.97	0.44
MQ-19-64	45.35	2.35
MQ-19-64	45.72	2.19
MQ-19-64	46.23	3.34
MQ-19-64	46.73	0.57
MQ-19-64	47.24	4.13
MQ-19-64	47.75	6.01



Hole_ID	Depth	MagSusc
MQ-19-64	48.26	1.19
MQ-19-64	48.77	4.12
MQ-19-64	49.27	1.81
MQ-19-64	49.77	1.44
MQ-19-64	50.27	2.29
MQ-19-64	50.79	1.19
MQ-19-64	51.30	0.53
MQ-19-64	51.82	0.52
MQ-19-64	52.34	0.5
MQ-19-64	52.86	0.46
MQ-19-64	53.38	2.87
MQ-19-64	53.87	4.77
MQ-19-64	54.37	0.29
MQ-19-64	54.86	4.47
MQ-19-64	55.41	7.35
MQ-19-64	55.95	5.06
MQ-19-64	56.5	0.29
MQ-19-64	57.01	1.58
MQ-19-64	57.51	0.65
MQ-19-64	58.02	2.51
MQ-19-64	58.57	2.57
MQ-19-64	59.13	0.52
MQ-19-64	59.68	1.41
MQ-19-64	60.20	8.89
MQ-19-64	60.71	0.36
MQ-19-64	61.23	2.24
MQ-19-64	61.76	4.37
MQ-19-64	62.29	4.45
MQ-19-64	62.82	2.94
MQ-19-64	63.22	5.21
MQ-19-64	63.61	0.68
MQ-19-64	64.01	4.1
MQ-19-64	64.40	4.05
MQ-19-64	64.78	2.36
MQ-19-64	65.17	0.29
MQ-19-64	65.62	0.37
MQ-19-64	66.08	0.24
MQ-19-64	66.53	7.18
MQ-19-64	67.02	6.49
MQ-19-64	67.51	13
MQ-19-64	68	1.76
MQ-19-64	68.50	4.84
MQ-19-64	69.00	4.42
MQ-19-64	69.5	11.2
MQ-19-64	70.02	7.41
MQ-19-64	70.55	5.21

Hole_ID	Depth	MagSusc
MQ-19-64	71.07	13.3
MQ-19-64	71.60	3.94
MQ-19-64	72.12	6.5
MQ-19-64	72.65	10.2
MQ-19-64	73.14	5.22
MQ-19-64	73.63	7.42
MQ-19-64	74.12	7.29
MQ-19-64	74.64	12.3
MQ-19-64	75.15	7.9
MQ-19-64	75.67	2.33
MQ-19-64	76.17	0.24
MQ-19-64	76.67	3.76
MQ-19-64	77.17	0.36
MQ-19-64	77.65	0.32
MQ-19-64	78.13	0.92
MQ-19-64	78.61	0.34
MQ-19-64	79.11	0.1
MQ-19-64	79.62	0.5
MQ-19-64	80.12	0.42
MQ-19-64	80.49	0.29
MQ-19-64	80.87	4.79
MQ-19-64	81.24	3.67
MQ-19-64	81.74	1.67
MQ-19-64	82.24	0
MQ-19-64	82.74	18.3
MQ-19-64	83.25	2.46
MQ-19-64	83.77	3.45
MQ-19-64	84.28	3.51
MQ-19-64	84.79	4.76
MQ-19-64	85.29	6.75
MQ-19-64	85.8	6.59
MQ-19-64	86.35	3.37
MQ-19-64	86.89	0.44
MQ-19-64	87.44	1.66
MQ-19-64	87.70	0.55
MQ-19-64	87.95	1.22
MQ-19-64	88.21	0.39
MQ-19-64	88.71	5.64
MQ-19-64	89.21	7.01
MQ-19-64	89.71	2.18
MQ-19-64	90.22	6.17
MQ-19-64	90.73	10.6
MQ-19-64	91.24	3.99
MQ-19-64	91.75	5.96
MQ-19-64	92.27	4.95
MQ-19-64	92.78	5.92

Hole_ID	Depth	MagSusc
MQ-19-64	93.24	5.86
MQ-19-64	93.71	7
MQ-19-64	94.17	0.35
MQ-19-64	94.68	0.24
MQ-19-64	95.20	0.35
MQ-19-64	95.71	2.34
MQ-19-64	96.22	0.94
MQ-19-64	96.72	1.16
MQ-19-64	97.23	3.22
MQ-19-64	97.74	2.44
MQ-19-64	98.25	10
MQ-19-64	98.76	3.21
MQ-19-64	99.11	1.97
MQ-19-64	99.47	9.28
MQ-19-64	99.82	5.55
MQ-19-64	100.15	1.76
MQ-19-64	100.49	0.46
MQ-19-64	100.82	3.16
MQ-19-64	101.33	3.01
MQ-19-64	101.84	2.41
MQ-19-64	102.35	6.56
MQ-19-64	102.78	5.82
MQ-19-64	103.20	3.33
MQ-19-64	103.63	1.4
MQ-19-64	104.12	4.8
MQ-19-64	104.60	6.99
MQ-19-64	105.09	6.96
MQ-19-64	105.54	3.12
MQ-19-64	106.00	0.47
MQ-19-64	106.45	0.53
MQ-19-64	106.85	0.2
MQ-19-64	107.25	0.48
MQ-19-64	107.65	0.37
MQ-19-64	107.74	0.53
MQ-19-64	107.83	0.63
MQ-19-64	107.92	1.23
MQ-19-64	108.41	3.35
MQ-19-64	108.90	0.26
MQ-19-64	109.39	1.37
MQ-19-64	109.87	5.75
MQ-19-64	110.36	2.92
MQ-19-64	110.84	12.9
MQ-19-64	111.34	0.77
MQ-19-64	111.84	1.96
MQ-19-64	112.34	2.5
MQ-19-64	112.79	2.07

Hole_ID	Depth	MagSusc
MQ-19-64	113.24	2.64
MQ-19-64	113.69	3.39
MQ-19-64	114.19	0.39
MQ-19-64	114.69	5.7
MQ-19-64	115.19	0.64
MQ-19-64	115.66	1.73
MQ-19-64	116.13	0.24
MQ-19-64	116.6	1.23
MQ-19-64	117.10	0.32
MQ-19-64	117.60	3.28
MQ-19-64	118.1	4.23
MQ-19-64	118.58	1.56
MQ-19-64	119.05	9.17
MQ-19-64	119.53	2.89
MQ-19-64	119.96	37.2
MQ-19-64	120.39	0.31
MQ-19-64	120.82	12.9
MQ-19-64	121.19	6.32
MQ-19-64	121.55	1.28
MQ-19-64	121.92	12
MQ-19-64	122.42	8.82
MQ-19-64	122.91	6.23
MQ-19-64	123.41	3.68
MQ-19-64	123.91	1.87
MQ-19-64	124.42	1.53
MQ-19-64	124.92	0.63
MQ-19-64	125.41	2.39
MQ-19-64	125.90	3.31
MQ-19-64	126.39	5.11
MQ-19-64	126.87	2.71
MQ-19-64	127.36	1.84
MQ-19-64	127.84	3.28
MQ-19-64	128.34	1.15
MQ-19-64	128.84	3.17
MQ-19-64	129.34	5.21
MQ-19-64	129.91	1.34
MQ-19-64	130.49	4.43
MQ-19-64	131.06	3.01
MQ-19-64	131.55	6.36
MQ-19-64	132.05	2.47
MQ-19-64	132.54	5.42
MQ-19-64	133.04	1.71
MQ-19-64	133.54	3.06
MQ-19-64	134.04	2.63
MQ-19-64	134.54	2.18
MQ-19-64	135.03	3.4

Hole_ID	Depth	MagSusc
MQ-19-64	135.53	1.12
MQ-19-64	136.01	4.1
MQ-19-64	136.49	3.61
MQ-19-64	136.97	1.91
MQ-19-64	137.45	2.18
MQ-19-64	137.92	0.52
MQ-19-64	138.4	1.38
MQ-19-64	138.90	1.1
MQ-19-64	139.41	0.65
MQ-19-64	139.91	1.15
MQ-19-64	140.41	4.33
MQ-19-64	140.90	2.9
MQ-19-64	141.4	2.12
MQ-19-64	141.87	1.77
MQ-19-64	142.33	0.52
MQ-19-64	142.8	1.4
MQ-19-64	143.28	0.68
MQ-19-64	143.75	1.1
MQ-19-64	144.23	1.89
MQ-19-64	144.71	2.79
MQ-19-64	145.19	1.14
MQ-19-64	145.67	0.7
MQ-19-64	146.16	6.29
MQ-19-64	146.64	1.37
MQ-19-64	147.13	0.85
MQ-19-64	147.63	0.53
MQ-19-64	148.13	1.88
MQ-19-64	148.63	1.58
MQ-19-64	149.10	1.81
MQ-19-64	149.58	0.63
MQ-19-64	150.05	10.7
MQ-19-64	150.52	0.92
MQ-19-64	151.00	1.5
MQ-19-64	151.47	0.86
MQ-19-64	151.94	0.95
MQ-19-64	152.42	1.69
MQ-19-64	152.89	3.28
MQ-19-64	153.38	1.28
MQ-19-64	153.86	3.48
MQ-19-64	154.35	0.65
MQ-19-64	154.85	5.21
MQ-19-64	155.35	0.65
MQ-19-64	155.85	1.4
MQ-19-64	156.34	0.97
MQ-19-64	156.83	0.24
MQ-19-64	157.32	1.82

Hole_ID	Depth	MagSusc
MQ-19-64	157.84	0.25
MQ-19-64	158.36	0.66
MQ-19-64	158.88	0
MQ-19-64	159.18	0.12
MQ-19-64	159.48	0.24
MQ-19-64	159.78	0.25
MQ-19-64	160.07	0.1
MQ-19-64	160.36	2.19
MQ-19-64	160.65	1.16
MQ-19-64	161.07	1.31
MQ-19-64	161.48	0.3
MQ-19-64	161.9	0.275
MQ-19-64	162.29	1.71
MQ-19-64	162.68	2.53
MQ-19-64	163.07	1.34

# Structure

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
AX-19-30	24.38	25.91	1.53	50	0			13 foliaform qtz (+/-chl, +/- py) veins, 50cm accumulated width
AX-19-30	25.91	27.43	1.52	15	1			5 foliaform qtz (+/-chl, +/-py) veins (>1cm), 15cm accumulalated width, 1 discordant (70 tca) qtz vein, 1 cm wide
AX-19-30	28.96	30.48	1.52	10	0			3 foliaform qtz (+/-chl, +/-py) veins (>1cm), 10cm accumulalated width
AX-19-30	30.48	32.61	2.13	6	1			1 foliaform qta-chl vein (6cm wide), 1 discordant (70 tca)qtz vein (1cm wide)
AX-19-30	32.61	33.6	0.99	5	0			3 foliaform qtz (+/-chl, +/-py) veins (>1cm) 5cm accumulalated
AX-19-30	33.6	35.05	1.45	16	0			10 foliaform qtz, pyr veins (>1cm), 16cm accumulalated width
AX-19-30	35.05	38.1	3.05	21	10			5 foliaform qtz (+/-chl, +/-py) veins (>1cm), 21cm accumulalated width, 4 discordant (55-65 tca)qtz vein, 10 cm accumulated width
AX-19-30	38.1	41.15	3.05	47	4			13 foliaform qtz (+/-chl, +/- py) veins (>1 cm), 47cm accumulated width, 4 discordant (70-90 to foliation) quartz veins, accumulated width 4cm
AX-19-30	41.15	44.2	3.05	28	14			10 foliaform qtz-chl (+/-py) veins (>1cm), 28cm accumulalated width / 5 discordant qtz (+/- py) veins, accumulated width 14
AX-19-30	44.2	47.42	3.22	21	25			8 foliaform qtz-chl-cal (+/- po, +/- py) vein (>1cm), accumulalated widt 21cm / 5 discordant (55 to 70 to foliation)qtz veins, accumulated width 25 cm
AX-19-30	47.42	49.8	2.38	18	36			7 foliaform qtz-chl-cal (+/-po) vein (>1cm), accumulated width 18cm / 6 discordant (50 - 80 to foliation) qt-po-cpy vein, accumulated width 36cm
AX-19-30	49.8	53.34	3.54	28	66			9 foliaform qtz-cal veins (+/-chl +/-py +/-po) with 28cm accumulated width, 5 discordant (50 to 90 to foliation) qtz-carbonate-chl-po veins with 66cm accumulated width
AX-19-30	53.34	54.14	0.8	20	0			4 foliaform qtz-cal-chl-po veins with 20cm accumulated width



Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
AX-19-30	54.14	56	1.86	16	10			7 foliaform Qtz-cal-chl (+/-py +/-po) with 16cm accumulated width, 4 discordant Qtz-cal-chl (+/-po) with 10cm accumulated width
AX-19-30	56	58	2	8	9			2 foliaform Qtz-cal-chl veins with 8cm accumulated width, 3 discordant Qtz-cal-chl veins with 9cm accumulated width
AX-19-30	58	59.19	1.19	1	0			1 foliaform Qtz vein 1cm wide
AX-19-30	59.19	60.96	1.77	9	1			4 foliaform veins (9cm), 1 discordant vein (1cm)
AX-19-30	60.96	63.5	2.54	10	0			5 foliaform veins (10cm)
AX-19-30	63.5	64.17	0.67	5	15			1 foliaform vein (5cm), 4 discordant veins (15cm)
AX-19-30	64.17	66.15	1.98	5	0			3 foliaform veins (5cm)
AX-19-30	66.15	67.25	1.1	1	0			1 foliaform vein (1cm)
AX-19-30	67.25	68.58	1.33	2	15			1 foliaform vein (2cm), 1 discordant vein (15cm)
AX-19-30	68.58	70.1	1.52	16	2			9 foliaform veins (16cm), 1 discordant vein (2cm)
AX-19-30	70.1	71.63	1.53	0	10			1 discordant vein (10cm)
AX-19-30	71.63	73.15	1.52	32	0			9 foliaform veins (32cm)
AX-19-30	73.15	74.37	1.22	5	8			2 foliaform veins (5cm), 1 discordant vein (8cm)
AX-19-30	74.37	76.2	1.83	19	10			6 foliaform veins (19cm), 2 discordant veins (10cm)
AX-19-30	76.2	77.75	1.55	0	0			3 discordant veins (17cm)
AX-19-30	79.25	80.77	1.52	0	0			2 discordant veins (5cm)
AX-19-30	82.3	83.82	1.52	11	6			6 foliaform veins (11cm), 3 discordant vein (6cm)
AX-19-30	83.82	85.35	1.53	0	26			6 discordant veins (26cm)
AX-19-30	88.35	89.7	1.35	0	2			1 discordant veins (2cm)
AX-19-30	89.7	91.35	1.65	14	5			8 foliaform veins (14cm), 1 discordant vein (5cm)
AX-19-30	91.35	92.96	1.61	6	2			1 foliaform vein (6cm), 2 discordant veins (2cm)
AX-19-30	92.96	94.35	1.39	2	39			1 foliaform vein (2cm), 3 discordant veins (39cm)
AX-19-30	94.35	96.01	1.66	12	6			5 foliaform veins (12 cm), 2 discordant veins (6cm)
AX-19-30	96.01	97.82	1.81	15	47			5 foliaform veins (15cm), 4 discordant veins (47cm)
AX-19-30	97.82	99.06	1.24	23	0			13 foliaform veins (23cm)
AX-19-30	99.06	100.58	1.52	15	0			6 foliaform veins (15cm)
AX-19-30	100.58	102	1.42	48	2			16 foliaform veins (48cm), 1 discordant vein (2cm)
AX-19-30	102	103.63	1.63	58	0			13 foliaform veins (58cm)

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
AX-19-30	103.63	105.3	1.67	15	0			7 foliaform veins (15cm)
AX-19-30	105.3	106.68	1.38	7	12			3 foliaform veins (7cm), 1 discordant vein (12cm)
AX-19-30	106.68	108.78	2.1	3	0			1 foliaform vein (3cm)
AX-19-30	108.78	109.65	0.87	0	5			2 discordant veins (5cm)
AX-19-30	109.65	111.03	1.38	6	0			6 foliaform veins (6cm)
AX-19-30	111.03	112.78	1.75	14	9			4 foliaform veins (14cm) , 1 discordant vein (9cm)
AX-19-30	112.78	114.51	1.73	49	1			10 foliaform veins (49cm), 1 discordant vein (1cm)
AX-19-30	114.51	116.26	1.75	19	39			7 foliaform veins (19cm), 6 discordant veins (39 cm)
AX-19-30	116.26	116.38	0.12	0	2			1 discordant vein (2cm)
AX-19-30	116.38	117.86	1.48	0	3			1 discordant vein (3cm)
AX-19-30	118.87	120.62	1.75	41	15			9 foliaform veins (41cm), 11 discordant veins (15cm)
AX-19-30	120.62	122.11	1.49	45	2			8 foliaform veins (45cm), 1 discordant vein (2cm) with scheelite
AX-19-30	122.11	123.61	1.5	11	0			6 foliaform veins (11cm)
AX-19-30	123.61	124.97	1.36	9	4			3 foliaform veins (9cm), 1 discordant vein (4 cm)
AX-19-30	124.97	126.18	1.21	7	7			4 foliaform veins (7cm)
AX-19-30	126.18	128.02	1.84	22	3			5 foliaform veims (22cm), 1 discordant vein (3cm)
AX-19-30	128.02	129.67	1.65	48	10			16 foliaform veins (48cm), 1 discordant vein (10cm)
AX-19-30	129.67	131.06	1.39	26	5			4 foliaform veins (26cm), 2 discordant veins (5cm)
AX-19-30	131.06	132.52	1.46	36	0			10 foliaform veins (36cm)
AX-19-30	132.52	134.12	1.6	9	0			4 foliaform veins (9cm)
AX-19-30	134.12	135.61	1.49	28	0			18 foliaform veins (28cm)
AX-19-30	135.61	137.16	1.55	33	4			10 foliaform veins (33cm), 4 discordant veins (4cm)
AX-19-30	137.16	138.66	1.5	32	4			6 foliaform veins (32cm), 1 discordant vein (4cm) with aspy
AX-19-30	138.66	140.21	1.55	19	2			6 foliaform veins (19cm), 1 discordant vein (2cm) with aspy
AX-19-30	140.21	141.73	1.52	20	2			5 foliaform veins (20cm) , 2 discordant veins (2cm)
AX-19-30	141.73	143.23	1.5	11	1			5 foliaform veins (11cm), 1 discordant vein (1cm)
AX-19-30	143.23	144.78	1.55	16	0			4 foliaform veins (16cm)
AX-19-30	144.78	146.8	2.02	15	1			5 foliaform veins (15cm), 1 discordant vein (1cm)
AX-19-30	146.8	147.26	0.46	3	0			2 foliaform veins (3cm)

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
AX-19-30	149.11	150.88	1.77	40	0			13 foliaform veins (40cm)
AX-19-30	150.88	152.03	1.15	16	3			8 foliaform veins (16cm), 2 discordant veins (3cm)
AX-19-30	152.03	153.92	1.89	7	4			3 foliaform veins (7cm), 1 discordant vein (4cm)
AX-19-30	153.92	155.42	1.5	35	0			3 foliaform veins (35cm),
AX-19-30	155.42	156.97	1.55	38	0			8 foliaform veins (38cm)
AX-19-30	156.97	158.47	1.5	14	0			5 foliaform veins (14cm)
AX-19-30	158.47	160.32	1.85	39	0			8 foliaform veins (39cm)
AX-19-30	160.32	161.7	1.38	56	0			3 foliaform veins (56cm)
AX-19-30	161.7	162.46	0.76	0	0		Fault	Fault
AX-19-30	162.46	164.42	1.96	27	0			9 foliaform veins (27cm)
AX-19-30	164.42	166.12	1.7	0	2			2 discordant veins (2cm)
AX-19-30	166.12	168.25	2.13	10	0			3 foliaform veins (10cm)
AX-19-30	168.25	169.67	1.42	3	2			3 foliaform veins (3cm), 2 discordant veins (2cm)
AX-19-30	169.67	171.6	1.93	16	0			6 foliaform veins (16cm)
AX-19-30	171.6	172.98	1.38	2	2			1 foliaform vein (2cm), 1 discordant vein (2cm)
AX-19-30	172.98	175.06	2.08	57	0			10 foliaform veins (57cm)
AX-19-30	177.26	178.31	1.05	1	1			1 discordant vein (1cm)
AX-19-31	16.77	18.29	1.52	8	8			4 foliaform veins (8cm), 6 discordant veins (8cm)
AX-19-31	18.29	19.81	1.52	21	0			6 foliaform veins (21cm)
AX-19-31	19.81	21.34	1.53	9	1			4 foliaform veins (9cm), 1 discordant vein (1cm)
AX-19-31	21.34	23.55	2.21	53	2			7 foliaform veins (53cm), 2 discordant veins (2cm)
AX-19-31	23.55	24.66	1.11	14	0			5 foliaform veins (14cm)
AX-19-31	24.66	25.91	1.25	6	1			1 foliaform vein (6cm), 1 discordant vein (1cm)
AX-19-31	25.91	26.1	0.19	0	0		fault	
AX-19-31	26.1	27.43	1.33	6	1			1 foliaform (6cm), 1 discordant (1cm)
AX-19-31	27.43	28.96	1.53	10	0			3 foliaform vein (10cm)
AX-19-31	28.96	30.48	1.52	17	0			10 foliaform vein (17cm)
AX-19-31	30.48	32.33	1.85	13	12			1 foliaform vein (13cm), 5 discordant veins (12cm)
AX-19-31	32.33	33.52	1.19	27	0			6 foliaform veins (27cm)
AX-19-31	33.52	35.05	1.53	4	7			2 foliaform veins (4cm), 4 discordant veins (7cm) with aspy
AX-19-31	35.05	36.58	1.53	7	6			2 foliaform veins (7cm), 2 discordant veins (6cm)

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
AX-19-31	36.58	38.08	1.5	13	0			3 foliaform veins (13cm)
AX-19-31	38.08	39.62	1.54	5	5			1 foliaform vein (5cm), 1 discordant vein (5cm)
AX-19-31	39.62	41.15	1.53	25	0			5 foliaform veins (25cm)
AX-19-31	41.15	42.67	1.52	12	0			5 foliaform veins (12cm)
AX-19-31	42.67	44.11	1.44	17	1			6 foliaform veins (17cm), 1 discordant vein (1cm)
AX-19-31	44.11	45.72	1.61	8	1			3 foliaform veins (8cm), 1 discordant vein (1cm)
AX-19-31	45.72	47.24	1.52	6	0			2 foliaform veins (6cm)
AX-19-31	47.24	48.28	1.04	11	0			3 foliaform veins (11cm)
AX-19-31	48.28	50.29	2.01	6	1			4 foliaform veins (6cm), 1 discordant vein (1cm)
AX-19-31	50.29	51.21	0.92	20	3			4 foliaform veins (20cm), 3 discordant veins (3cm)
AX-19-31	51.21	53.34	2.13	4	0			2 foliaform veins (4cm)
AX-19-31	53.34	54.92	1.58	0	3			1 discordant vein (3cm) with scheelite
AX-19-31	54.92	56.39	1.47	3	3			3 foliaform veins (3cm), 1 discordant vein (3cm)
AX-19-31	56.39	57.78	1.39	13	0			10 foliaform veins (13cm)
AX-19-31	57.78	59.44	1.66	7	0			5 foliaform veins (7cm)
AX-19-31	59.44	60.86	1.42	10	4			10 foliaform veins (10cm), 3 discordant vein (4cm)
AX-19-31	60.86	62.48	1.62	4	2			4 foliaform veins (4cm), 2 discordant veins (2cm)
AX-19-31	62.48	64	1.52	2	2			2 foliaform veins (2cm)
AX-19-31	64	65.53	1.53	5	9			3 foliaform veins (5cm), 5 discordant veins (9cm) with scheelite
AX-19-31	65.53	67.13	1.6	0	7			7 discordant veins (7cm)
AX-19-31	67.13	68.58	1.45	6	2			6 foliaform veins (6cm), 1 discordant vein (2cm)
AX-19-31	68.58	70.4	1.82	0	1			1 discordant vein (1cm)
AX-19-31	71.63	72	0.37	0	2			1 discordant vein (2cm)
AX-19-31	72	74.26	2.26	17	0			7 foliaform veins (17cm)
AX-19-31	74.26	75.44	1.18	25	0			4 foliaform veins (25cm)
AX-19-31	75.44	76.9	1.46	20	1			5 foliaform veins (20cm), 1 discordant vein (1cm)
AX-19-31	76.9	78.07	1.17	6	0			1 foliaform vein (6cm)
AX-19-31	78.07	78.5	0.43	6	7			4 foliaform veins (6cm), 2 discordant vein (7cm)
AX-19-31	78.5	80.77	2.27	27	2			9 foliaform veins (27cm), 1 discordant vein (2cm)
AX-19-31	80.77	82.22	1.45	28	0			2 foliaform veins (28cm)
AX-19-31	82.22	83.21	0.99	0	2			1 discordant vein (2cm)

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
AX-19-31	83.21	85	1.79	5	3			1 foliaform vein (5cm), 2 discordant veins (3cm)
AX-19-31	85	86.5	1.5	14	2			3 foliaform veins (14cm), 1 discordant vein (2cm)
AX-19-31	86.5	88	1.5	23	0			3 foliaform veins (23cm)
AX-19-31	88	88.9	0.9	5	5			1 discordant vein (5cm)
AX-19-31	88.9	90.22	1.32	16	0			6 foliaform veins (16cm),
AX-19-31	90.22	92.35	2.13	6	0			2 foliaform veins (6cm)
AX-19-31	92.35	93.6	1.25	27	0			11 foliaform veins (27cm)
AX-19-31	93.6	95.4	1.8	16	2			3 foliaform veins (16cm), 1 discordant vein (2cm)
AX-19-31	95.4	97.54	2.14	25	1			9 foliaform veins (25cm), 1 discordant vein (1cm)
AX-19-31	97.54	99	1.46	10	2			3 foliaform veins (10cm), 1 discordant vein (2cm)
AX-19-31	99	100.58	1.58	22	0			10 foliaform veins (22cm)
AX-19-31	100.58	102	1.42	20	0			3 foliaform veins (20cm)
AX-19-31	102	103.63	1.63	17	0			7 foliaform veins (17cm)
AX-19-31	103.63	105.19	1.56	44	0			4 foliaform veins (44cm)
AX-19-31	105.19	106.68	1.49	15	0			11 foliaform veins (15cm)
AX-19-31	106.68	108.2	1.52	8	0			2 foliaform veins (8cm)
AX-19-31	108.2	109.73	1.53	5	2			3 foliaform veins (5cm), 1 discordant vein (2cm)
AX-19-31	109.73	111.86	2.13	22	0			3 foliaform veins (22cm)
AX-19-32	8.66	11.25	2.59	13	0			5 foliaform veins (13cm)
AX-19-32	11.25	13.21	1.96	19	3			6 foliaform veins (19cm), 3 discordant veins (3cm)
AX-19-32	13.21	15.22	2.01	7	7			3 foliaform veins (7cm), 2 discordant veins (7cm)
AX-19-32	15.22	17.25	2.03	7	0			5 foliaform veins (7cm)
AX-19-32	17.25	18.29	1.04	8	0			4 foliaform veins (8cm)
AX-19-32	18.29	19.81	1.52	47	0			11 foliaform veins (47cm) with aspy
AX-19-32	19.81	21.75	1.94	0	4			4 discordant veins (4cm)
AX-19-32	21.75	23.97	2.22	5	7			2 foliaform veins (5cm), 1 discordant vein (7cm)
AX-19-32	23.97	25.91	1.94	13	0			5 foliaform vein (13cm),
AX-19-32	25.91	26.48	0.57	0	1			1 discordant vein (1cm)
AX-19-32	26.48	28.59	2.11	4	19			1 foliaform vein (4cm), 6 discordant veins (19cm)
AX-19-32	28.59	30.78	2.19	25	35			5 foliaform veins (25cm), 5 discordant veins (35cm)
AX-19-32	30.78	32.76	1.98	65	0			12 foliaform veins (65cm)
AX-19-32	32.76	34.75	1.99	36	16			6 foliaform veins (36cm), 1 discordant vein (16cm)

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
AX-19-32	34.75	36.9	2.15	13	0			7 foliaform veins (13cm)
AX-19-32	36.9	38.54	1.64	17	0			5 foliaform veins (17cm)
AX-19-32	38.54	40	1.46	4	4			7 foliaform veins (4cm), 2 discordant veins (4cm)
AX-19-32	40	41.5	1.5	9	0			4 foliaform veins (9cm)
AX-19-32	41.5	42.67	1.17	14	0			5 foliaform veins (14cm)
AX-19-32	42.67	51.62	8.95	0	0		fault	fault zone with abundant crushed qtz veins
AX-19-32	51.62	53.75	2.13	5	0			5 foliaform veins (20cm)
AX-19-32	53.75	55.3	1.55	9	5			3 foliaform quartz veins (9cm), 5 discordant quartz veins (5cm)
AX-19-32	55.3	57.46	2.16	16	0			6 foliaform quartz veins (16cm),
AX-19-32	57.46	60.82	3.36	20	0			6 foliaform veins (20cm)
AX-19-32	60.82	61.68	0.86	4	0			2 foliaform quartz veins (4cm)
AX-19-32	61.68	63.7	2.02	16	6			9 foliaform quartz veins (16cm), 1 discordant veins (6cm)
AX-19-32	63.7	65.53	1.83	7	0			3 foliaform veins (7cm)
AX-19-32	65.53	67.7	2.17	20	0			9 foliaform quartz veins (20cm)
AX-19-32	67.7	70.1	2.4	27	2			7 foliaform quartz veins (27cm), 1 discordant quartz vein (2cm)
AX-19-32	70.1	71.24	1.14	7	0			3 foliaform quartz veins (7cm)
AX-19-32	71.24	73.15	1.91	5	6			5 foliaform quartz veins (14cm), 4 discordant quartz veins (6cm)
AX-19-32	73.15	74.7	1.55	26	0			16 foliaform quartz veins (26cm)
AX-19-32	74.7	76.2	1.5	27	0			11 foliaform veins (27cm)
AX-19-32	76.2	77.65	1.45	23	4			13 foliaform quartz veins (23cm), 2 discordant quartz veins (4cm)
AX-19-32	77.65	78.94	1.29	9	0			9 foliaform quartz veins (23cm),
AX-19-32	78.94	80.77	1.83	34	7			13 foliaform quartz veins (34cm), 3 discordant quartz veins (7cm)
AX-19-32	80.77	82.32	1.55	26	34			12 foliaform quartz veins (26cm), 4 discordant quartz veins (34cm)
AX-19-32	82.32	83.82	1.5	39	3			14 foliaform quartz veins (39cm), 1 discordant quartz veins (3cm)
AX-19-32	83.82	85.88	2.06	26	11			7 foliaform quartz veins (26cm), 5 discordant veins (11cm)

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
AX-19-32	85.88	86.52	0.64	7	0			4 foliaform quartz veins (7cm)
AX-19-32	86.52	88.39	1.87	10	4			5 foliaform quartz veins (10cm), 2 discordant quartz veins (4cm)
AX-19-32	88.39	89.11	0.72	4	0			2 foliaform vquartz veins (4cm)
AX-19-32	89.11	90.19	1.08	24	6			10 foliaform quartz veins (24cm), 2 discordant quartz veins (6cm)
AX-19-32	90.19	91.44	1.25	22	0			8 foliaform quartz veins (22cm)
AX-19-32	91.44	92.96	1.52	19	0			7 foliaform quartz veins (19cm)
AX-19-32	92.96	94.49	1.53	9	0			4 foliaform quartz veins (9cm)
AX-19-32	94.49	96	1.51	7	0			3 foliaform quartz veins (7cm)
AX-19-32	96	97.54	1.54	15	0			6 foliaform quartz veins (15cm)
AX-19-32	97.54	98.59	1.05	0	12			4 discordant quartz veins (12cm)
AX-19-32	98.59	99.57	0.98	4	2			1 foliaform quartz vein (4cm), 2 discordant quartz veins
AX-19-32	99.57	100.58	1.01	3	35			2 foliaform quartz veins (3cm), 1 discordant quartz veins (35cm)
AX-19-32	100.58	101.75	1.17	11	5			4 foliaform quartz veins (11cm), 3 discordant quartz veins (5cm)
AX-19-32	101.75	102.11	0.36	0	11			2 discordant quartz veins (11cm)
AX-19-32	102.11	103.63	1.52	0	2			1 discordant quartz veins (2cm)
AX-19-32	103.63	105.16	1.53	3	2			3 foliaform quartz veins (3cm), 2 discordant quartz veins
AX-19-32	105.16	106.3	1.14	0	2			2 discordant quartz veins (2cm)
AX-19-32	106.3	108.2	1.9	25	1			11 foliaform quartz veins (25cm), 1 discordant quartz veins (1cm)
AX-19-33	12.19	15.24	3.05	2	0			2 folaform quartz veins (9cm)
AX-19-33	15.24	16.76	1.52	1	0			1 folaform quartz vein (1cm)
AX-19-33	16.76	17.52	0.76	4	15			1 folaform quartz veins (4cm), 1 discordant quartz vein
AX-19-33	17.52	19.81	2.29	17	0			5 foliaform quartz ceins (17cm)
AX-19-33	19.81	21.12	1.31	0	7			1 discordant quartz vein (7cm)
AX-19-33	21.12	22.86	1.74	7	4			2 foliaform quartz vens (7cm), 2 discordant quartz veins
AX-19-33	22.86	24.3	1.44	17	9			9 foliaform quartz veins (17cm), 2 DISCORDANT QUARTZ
AX-19-33	24.3	25.91	1.61	35	0			6 foliaform quartz veins (35cm)

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
AX-19-33	25.91	27.5	1.59	30	4			5 foliaform quartz veins (30cm), 1 discordant quartz vein (4cm)
AX-19-33	27.5	28.96	1.46	12	1			5 foliaforme quartz veins (12cm), 1 discordant quartz veins
AX-19-33	28.96	30.58	1.62	26	0			4 foliaform quartz veins (26cm)
AX-19-33	30.58	32	1.42	12	0			4 foliaform quartz veins (12cm)
AX-19-33	32	33.53	1.53	18	0			10 foliaform quartz veins (18cm)
AX-19-33	33.53	35.05	1.52	43	3			11 foliaform quartz veins (43cm), 1 discordant quartz vein 3cm
AX-19-33	35.05	36.58	1.53	25	0			14 foliaform quartz veins (25cm)
AX-19-33	36.58	38.31	1.73	30	0			21 foliaform quartz veins (30cm),
AX-19-33	38.31	40.02	1.71	52	0			9 foliaform quartz veins (52cm)
AX-19-33	40.02	42.2	2.18	21	2			6 foliaform quartz veins (21cm), 2 discordant quartz veins (2cm)
AX-19-33	42.2	44.2	2	21	2			9 foliaform quartz veins (21cm), 1 discordant quartz veins (2cm)
AX-19-33	44.2	46.35	2.15	10	5			3 foliaform quartz veins (10cm), 2 discordant quartz veins (5cm)
AX-19-33	46.35	48.56	2.21	59	1			15 foliaform quartz veins (59cm), 1 discordant veins (1cm)
AX-19-33	48.56	49.6	1.04	27	0			7 foliaform quartz veins (27cm)
AX-19-33	49.6	51.82	2.22	65	0			13 foliaform quartz veins (65cm)
AX-19-33	51.82	53.77	1.95	31	9			11 foliaform quartz veins (31cm), 5 discordant qwuartz veins (9cm)
AX-19-33	53.77	55.95	2.18	21	9			8 foliaform quartz veins (21cm), 8 discordant quartz veins (9cm)
AX-19-33	55.95	56.28	0.33	4	3			1 foliaform quartz veins (4cm), 1 discordant quartz vein (3cm)
AX-19-33	56.28	57.85	1.57	0	3			1 discordant quartz veins (3cm)
AX-19-33	57.85	59.44	1.59	5	2			1 foliaform quartz veins (5cm), 2 discordant quartz veins (2cm)
AX-19-33	59.44	61	1.56	5	1			2 foliaform quartz veins (5 cm), 1 discordant quartz veins (1cm)



Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
AX-19-33	61	62.48	1.48	16	2			3 foliaform quartz veins (16cm), 1 discordant quartz veins (2cm)
AX-19-33	62.48	64	1.52	10	2			3 foliaform quartz veins (10cm), 1 discordant quartz vein (2cm)
AX-19-33	64	65.53	1.53	14	2			8 foliaform quartz veins (14cm), 1 discordant quartz vein (2cm)
AX-19-33	65.53	67	1.47	5	3			1 foliaform quartz vein (5cm), 3 discordant quartz veins (3cm)
AX-19-33	67	68.58	1.58	5	11			2 foliaform quartz veins (5cm), 6 discordant quartz veins (11cm)
AX-19-33	68.58	70	1.42	11	13			7 foliaform quartz veins (11cm), 7 discordant quartz veins (13cm)
AX-19-33	70	71.63	1.63	18	4			6 foliaform quartz veins (18cm), 2 discordant quartz veins (4cm)
AX-19-33	71.63	73.98	2.35	41	0			11 foliaform quartz veins (41cm),
AX-19-33	73.98	74.78	0.8	7	0			2 foliaform quartz veins (7cm)
AX-19-33	74.78	75.65	0.87	18	5			5 foliaform quartz veins (18cm), 2 discordant quartz veins (5cm)
AX-19-33	75.65	77.72	2.07	13	1			6 foliaform quartz veins (13cm), 1 discordant qtz vein (1cm)
AX-19-33	77.72	79.07	1.35	9	4			4 foliaform quartz veins (9cm), 1 discordant quartz vein (4cm)
AX-19-33	79.07	80.77	1.7	7	4			3 foliaform quartz veins (7cm), 1 discordant quartz vein (4cm)
AX-19-33	80.77	82.24	1.47	23	0			8 foliaform quartz veins (23cm),
AX-19-33	82.24	83.82	1.58	23	0			9 foliaform quartz veins (23cm)
AX-19-33	83.82	85.95	2.13	16	1			5 foliaform quartz veins (16cm), 1 deiscordant quartz veins (1cm)
AX-19-33	85.95	86.87	0.92	18	3			8 foliaform quartz veins (18cm), 2 discordant quartz veins (3cm), one vein low angle tca
AX-19-33	86.87	87.9	1.03	4	6			2 foliaform quartz veins (4cm), 2 discordant quartz veins (6cm)

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
AX-19-33	87.9	90.14	2.24	13	4			8 foliaform quartz veins (13cm), 3 discordant quartz veins (4cm)
AX-19-33	90.14	91.43	1.29	0	5			3 discordant quartz veins (5cm)
AX-19-33	91.43	92.9	1.47	7	5			3 foliaform quartz veins (7cm), 1 discordant quartz vein (5cm)
AX-19-33	92.9	94.8	1.9	10	0			6 foliaform quartz veins (10cm),
AX-19-33	94.8	96.32	1.52	32	0			1 foliaform quartz veins (32cm)
AX-19-33	96.32	98	1.68	8	0			3 foliaform quartz veins (8cm)
AX-19-33	98	98.22	0.22	22	0			1 foliaform quartz veins (22cm)
AX-19-33	98.22	98.93	0.71	10	0			2 foliaform quartz veins (10cm)
AX-19-33	98.93	100.3	1.37	2	0			2 foliaform quartz veins (2cm)
AX-19-33	100.3	101.5	1.2	7	0			2 foliaform quartz veins (7cm)
AX-19-33	104.47	105.2	0.69	0	0		fault	
AX-19-34	4.72	6.10	1.38	6	0	0		3 conc qtz cb vns 6cm,
AX-19-34	6.10	7.62	1.52	5	0	55		4 conc qtz cb vns 5cm, diss po 55cm
AX-19-34	7.62	9.14	1.52	8	0	82		5 conc qtz cb vns 8cm, diss po 82cm
AX-19-34	9.14	10.66	1.52	24	0	30		6 conc qtz cb vns 24cm, diss po 30cm
AX-19-34	10.66	11.69	1.03	17	0	95		6 conc qtz cb vns 17cm, diss po 95cm
AX-19-34	11.69	12.81	1.12	0	4	82		4 discor qtz cb vnlt 4cm, diss po 82cm
AX-19-34	12.81	14.02	1.21	0.5	0	28	flt	1 discor qtz cb vn .5cm, flt 50cm, diss po 28cm
AX-19-34	14.02	14.98	0.96	0	0	0	flt	flt 40 cm
AX-19-34	14.98	16.39	1.41	9	1	78		5 conc qtz cb vns 9cm, 3 discor qtz cb stringers 1cm, diss po 78cm
AX-19-34	16.39	17.75	1.36	3	3	31		1 conc qtz cb vn 3cm, 5 discor qtz cb vnlt 3cm, diss po 31cm
AX-19-34	17.75	19.14	1.39	10	1	33		8 conc qtz cb vns 10cm, 1 discor qtz cb vnlt 1cm, diss po 33cm
AX-19-34	19.14	20.54	1.40	8	3	0		2 conc qtz cb vns 8cm, 2 discor qtz cb vns 3cm,
AX-19-34	20.54	21.92	1.38	0	3	0		2 discor qtz cb vns 3cm,
AX-19-34	21.92	23.26	1.34	27	3	0		8 conc qtz cb vns 27cm, 2 discor qtz cb vns 3cm,
AX-19-34	23.26	24.67	1.41	53	3	0		4 conc qtz cb vns 53cm, 3 discor qtz cb vns 3cm,
AX-19-34	24.67	26.17	1.50	30	0	26		9 conc qtz cb vns 30cm, diss po 26cm
AX-19-34	26.17	27.65	1.48	22	2	8		9 conc qtz cb vns 22cm, 1 discor qtz cb vn 2cm, diss po 8cm
AX-19-34	27.65	29.03	1.38	0	5	37		8 discor qtz cb vnlt 5cm, diss po 37cm
AX-19-34	29.03	30.48	1.45	8	5	73		4 conc qtz cb vns 8cm, 2 discor qtz cb vns 5cm, diss po 73cm.

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
AX-19-34	30.48	31.89	1.41	17	1	28		7 conc qtz cb vns 17cm, 1 discor qtz cb vn 1cm, diss po 28cm
AX-19-34	31.89	33.28	1.39	5	0	31		2 conc qtz cb vns 5cm, diss po 31cm
AX-19-34	33.28	34.78	1.50	4	3	55		2 conc qtz cb vns 4cm, 3 discor qtz cb vns 3cm, diss po 55cm
AX-19-34	34.78	36.07	1.29	4	1	50		3 conc qtz cb vns 4cm, 1 discor qtz cb vnlt 1cm, diss po 50cm
AX-19-34	36.07	37.57	1.50	16	1	50		7 conc qtz cb vns 16cm, 1 discor qtz cb vnlt 1cm, diss po 50cm
AX-19-34	37.57	39.05	1.48	5	18	13		1 conc qtz cb vn 5cm, 3 discor qtz cb vns 18cm, diss po 13cm
AX-19-34	39.05	39.34	0.29	3	0	0	flt	2 conc qtz cb vns 3cm, flt 30cm
AX-19-34	39.34	40.84	1.50	0	3	0		1 discor qtz cb vn 3cm, flt 5cm
AX-19-34	40.84	42.30	1.46	13	3	5		2 conc qtz cb vns 13cm, 2 discor qtz cb vns 3cm, diss po 5cm
AX-19-34	42.30	43.60	1.30	7	1	56		4 conc qtz cb vns 7cm, 1 discor qtz cb vnlt 1cm, diss po 56cm
AX-19-34	43.60	44.92	1.32	17	2	18		5 conc qtz cb vns 17cm, 1 discor qtz cb vn 2cm, diss po 18cm
AX-19-34	44.92	45.11	0.19	0	0	19		diss po 19cm
AX-19-34	45.11	46.61	1.50	2	13	60		1 conc qtz cb vn 2cm, 6 discor qtz cb vns 13cm, diss po 60cm
AX-19-34	46.61	48.11	1.50	4	1	90		1 conc qtz cb vn 4cm, 1 discor 1cm. Diss po 90cm
AX-19-34	48.11	49.58	1.47	8	0	147		4 conc qtz cb vns 8cm, diss po 157cm
AX-19-34	49.58	50.37	0.79	1	3	85		1 conc qtz cb vn 1cm, 1 discor qtz cb vn 3cm, diss po 85cm
AX-19-34	50.37	51.82	1.45	10	6	116		7 conc qtz cb vns 10cm, 2 discor qtz cb vns 6cm, diss po 116cm
AX-19-34	51.82	52.81	0.99	17	9	25		10 conc qtz cb vns 17cm, 3 discor qtz cb vns 9cm, diss po 25cm
AX-19-34	52.81	54.19	1.38	18	2	10		8 conc qtz cb vns 18cm, 1 discor qtz cb vn 2cm, diss po 10cm
AX-19-34	54.19	55.66	1.47	9	5	60		2 conc qtz cb vns 9cm, 5 discor qtz cb vns 5cm, diss po 60cm
AX-19-34	55.66	57.00	1.34	4	35	55		2 conc qtz cb vns 4cm, 5 discor qtz cb vns 35cm, diss po 55cm
AX-19-34	57.00	58.42	1.42	30	9	104		11 conc qtz cb vns 30cm, 2 discor qtz cb vns 9cm, diss po 104cm
AX-19-34	58.42	59.90	1.48	12	6	63		6 conc qtz cb vns 12cm, 4 discor qtz cb vns 6cm, diss po 63cm
AX-19-34	59.90	61.31	1.41	10	17	60		3 conc qtz cb vns 10cm, 5 discor qtz cb vns 17cm, diss po 60cm
AX-19-34	61.31	62.78	1.47	11	5	47		5 conc qtz cb vns 11cm, 3 discor qtz cb vns 5cm, diss po 47cm
AX-19-34	62.78	64.11	1.33	1	7	15		1 conc qtz cb vn 1cm, 2 discor qtz cb vns 7cm, diss po 15cm
AX-19-34	64.11	65.51	1.40	4	7	33		3 conc qtz cb vns 4cm, 2 discor qtz cb vns 7cm, diss po 33cm
AX-19-34	65.51	67.00	1.49	6	5	50		4 conc qtz cb vns 6cm, 4 discor qtz cb vns 5cm, diss po 50cm
AX-19-34	67.00	68.48	1.48	20	13	35		10 conc qtz cb vns 20cm, 3 discor qtz cb vns 13cm, diss po 35cm
AX-19-34	68.48	69.98	1.50	35	3	17		13 conc qtz cb vns 35cm, 2 discor qtz cb vns 3cm, diss po 17cm
AX-19-34	69.98	71.35	1.37	14	8	27		6 conc qtz cb vns 14cm, 4 discor qtz cb vns 8cm, diss po 27cm
AX-19-34	71.35	72.77	1.42	17	27	41		1 conc qtz cb vn 17cm, 3 discor qtz cb vns 27cm, diss po 41cm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
AX-19-34	72.77	74.15	1.38	16	0	30		2 conc qtz cb vns 16cm, diss po 30cm
AX-19-34	74.15	75.63	1.48	9	11	31		4 conc qtz cb vns 9cm, 2 discor qtz cb vns 11cm, diss po 31cm
AX-19-34	75.63	77.09	1.46	10	0	10		3 conc qtz cb vns 10cm, diss po 10cm
AX-19-34	77.09	78.44	1.35	9	3	51		5 conc qtz cb vns 9cm, 2 discor qtz cb vns 3cm, diss po 51cm
AX-19-34	78.44	79.97	1.53	17	2	122		10 conc qtz cb vns 17cm, 1 discor qtz cb vns 2cm, diss po 122cm
AX-19-34	79.97	81.47	1.50	6	10	90		4 conc qtz cb vns 6cm, 2 discor qtz cb vns 10cm, diss po 90cm
AX-19-34	81.47	82.20	0.73	8	10	13		4 conc qtz cb vns 8cm, 2 discor qtz cb vns 10cm, diss po 13cm
AX-19-34	82.20	83.50	1.30	7	0	15		6 conc qtz cb vns 7cm, diss po 15cm,
AX-19-34	83.50	84.97	1.47	2	0	85		2 discor qtz cb vnlt 2 cm, diss po 85cm
AX-19-34	84.97	86.47	1.50	3	5	136		2 conc qtz cb vns 3cm, 4 discor qtz cb vns 5cm, diss po 136cm
AX-19-34	86.47	87.91	1.44	2	1	95		1 conc qtz cb vn 2cm, 1 discor qtz cb vn 1cm, diss po 95cm
AX-19-34	87.91	88.90	0.99	3	0	42		2 discor qtz cb vns 3cm, diss po 42cm
AX-19-34	88.90	89.62	0.72	0	0	0		
AX-19-34	89.62	90.50	0.88	8	5	0		3 conc qtz cb vns/ank 8cm, 2 discor qtz cb vns 5cm,
AX-19-34	90.50	92.00	1.50	5	0	140		1 discor qtz cb vn 5cm, diss po 140cm
AX-19-34	92.00	93.45	1.45	1	16	135		1 conc qtz cb vn 1cm, 5 discor qtz cb vns 16cm, diss po 135cm
AX-19-34	93.45	94.81	1.36	1	1	145		1 conc qtz cb vn 1cm, 1 discor qtz cb vn 1cm. Diss po 145cm
AX-19-34	94.81	96.28	1.47	10	0	147		4 conc qtz cb vns 10cm, diss po 147cm,
AX-19-34	96.28	97.72	1.44	0.2	0	70		1 discor cb stringer .2cm, diss po 70cm
AX-19-34	97.72	98.75	1.03	0	0	103		diss po 103cm
AX-19-34	98.75	100.17	1.42	2	2	100		1 conc qtz cb vn 2cm, 1 discor qtz cb vn 2cm, diss po 100cm
AX-19-34	100.17	101.67	1.50	0	2	8		5 discor cb vnlt 2cm, diss po 8cm
AX-19-34	101.67	103.14	1.47	2	11	0		2 conc qtz cb vns 2cm, 6 discor qtz cb vns 11cm,
AX-19-34	103.14	104.64	1.50	0	50	7		10 discor qtz cb vns 50cm, diss po 7cm
AX-19-34	104.64	106.08	1.44	7	2	7		4 conc qtz cb vns 7cm, 2 discor qtz cb vnlt 2cm. Diss po 7cm.
AX-19-34	106.08	107.46	1.38	6	2	0		2 conc qtz cb vns 6cm, 2 discor qtz cb vnlt 2cm,
AX-19-34	107.46	108.89	1.43	7	0	0		1 conc qtz cb vn 7cm.
AX-19-34	108.89	110.35	1.46	29	6	60		15 conc qtz cb vns 29cm, 2 discor qtz cb vns 6cm. Diss po 60cm
AX-19-34	110.35	111.78	1.43	4	15	0		2 conc qtz cb vns 4cm, 1 discor qtz cb vn 15cm
AX-19-34	111.78	113.19	1.41	14	18	0		7 conc qtz cb vns 14cm, 2 discor qtz cb vns 18cm
AX-19-34	113.19	114.30	1.11	11	0	13		3 conc qtz cb vns 11cm, diss po 13cm
AX-19-34	114.30	115.59	1.29	6	2	30		4 conc qtz cb vns 6cm, 1 discor qtz cb vnlt 2cm, diss po 30cm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
AX-19-34	115.59	116.98	1.39	0	2	139		2 discor qtz cb vns 2cm, 140cm
AX-19-34	116.98	118.30	1.32	8	0	132		3 conc qtz cb vns 8cm, diss po 132cm
AX-19-34	118.30	119.82	1.52	3	0	152		2 conc qtz cb vns 3cm, diss po 152cm
AX-19-34	119.82	120.09	0.27	0	0	0		
AX-19-34	120.09	121.57	1.48	0	1	148		1 discor qtz cb vn 1cm, diss po 148cm
AX-19-34	121.57	122.79	1.22	22	4	122		4 conc qtz cb vns 22cm, 1 discor qtz cb vn 4cm, diss po 124cm
AX-19-34	122.79	123.80	1.01	0	4	101		1 discor qtz cb vn 4cm. Diss po 101cm
AX-19-34	123.80	124.79	0.99	0	0	10		diss po 10cm
AX-19-34	124.79	125.78	0.99	0	0	0		
AX-19-34	125.78	126.63	0.85	18	0	15		5 conc qtz cb vns 18cm, diss po 15cm
AX-19-34	126.63	127.97	1.34	25	6	45		8 conc qtz cb vns 25cm, 1 discor qtz cb vn 6cm, diss po 45cm
AX-19-34	127.97	129.06	1.09	10	1	12		2 conc qtz cb vns 10cm, 1 discor qtz cb vn 1cm, diss po 12cm
AX-19-34	129.06	129.46	0.40	0	0	25		diss po 25cm
AX-19-34	129.46	130.05	0.59	9	0	35		2 conc qtz cb vns 9cm, diss po 35cm
AX-19-34	130.05	130.18	0.13	0	0	4		diss po 4cm
AX-19-34	130.18	131.68	1.50	25	0	105		7 conc qtz cb vns 25cm, diss po 105cm
AX-19-34	131.68	132.40	0.72	10	1	27		3 conc qtz cb vns 10cm, 1 discor qtz cb vn 1cm, diss po 27cm
AX-19-34	132.40	133.40	1.00	35	0	0		3 conc qtz cb vns 35cm,
AX-19-34	133.40	134.66	1.26	1	0	120		1 conc qtz cb vn 1cm, diss po 120cm
AX-19-34	134.66	135.88	1.22	2	4	110		2 conc qtz cb vns 2cm, 1 discor qtz cb vn 4cm, diss po 110cm
AX-19-34	135.88	137.29	1.41	3	23	75		1 conc qtz cb vn 3cm, 5 discor qtz cb vns 23cm, diss po 75cm
AX-19-34	137.29	138.56	1.27	0	16	8		2 discor qtz cb vns 15cm, 1 discor qtz cb vnlt 1cm, diss po 8cm,
AX-19-34	138.56	139.40	0.84	28	2	4		9 conc qtz cb vns 28cm, 2 discor qtz cb vns 2cm, diss po 4cm,
AX-19-34	139.40	140.61	1.21	18	0	35		5 conc qtz cb vns 18cm, diss po 35cm
AX-19-34	140.61	141.14	0.53	3	0	55		2 conc qtz cb vns 3cm, diss po 55cm
AX-19-34	141.14	141.73	0.59	12	0	23		4 conc qtz cb vns 12cm, diss po 23cm
AX-19-34	141.73	143.77	2.04	0	3	100		2 discor qtz cb vns 3cm, diss po 100cm, flt 28cm
AX-19-34	143.77	144.99	1.22	26	0	55		7 conc qtz cb vns 26cm, diss po 55cm
AX-19-34	144.99	146.45	1.46	23	1	90		6 conc qtz cb vns 23cm, 1 discor qtz cb vnlt 1cm, diss po 90cm, flt 20cm
AX-19-34	146.45	147.95	1.50	14	0	150		6 conc qtz cb vns 14cm, diss po 150cm
AX-19-34	147.95	149.45	1.50	0	0	40		diss po 40cm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
AX-19-34	149.45	150.88	1.43	20	0	20		8 conc qtz cb vns 20cm, diss po 20cm
AX-19-34	150.88	152.38	1.50	7	5	70		2 conc qtz cb vns 7cm, 2 discor qtz cb vns 5cm, diss po 70cm
AX-19-34	152.38	153.86	1.48	11	5	40		5 conc qtz cb vns 11cm, 3 discor qtz cb vns 5cm, diss po 40cm
AX-19-34	153.86	155.29	1.43	2	2	50		2 conc qtz cb vns 3cm, 2 discor qtz cb vns 2cm, diss po 50cm
AX-19-34	155.29	156.76	1.47	9	4	20		4 conc qtz cb vns 9cm, 3 discor qtz cb vns 4cm, diss po 20cm
AX-19-34	156.76	158.21	1.45	4	1	53		2 conc qtz cb vns 4cm, 2 discor qtz cb vnlt 1cm, diss po 53cm
AX-19-34	158.21	159.64	1.43	11	0.5	43		5 conc qtz cb vns 11cm, 1 discor cb stringer .5cm, diss po 43cm
AX-19-34	159.64	161.00	1.36	2	5	30		1 conc qtz cb vn 2cm, 2 discor qtz cb vns 5cm, diss po 30cm
AX-19-34	161.00	162.02	1.02	0	0	15		diss po 15cm
AX-19-34	162.02	163.00	0.98	1	2	41		1 conc qtz cb vn 1cm, 1 discor qtz cb vn 2cm, diss po 41cm
AX-19-34	163.00	164.49	1.49	0	1	12		2 discor qtz cb vnlt 1cm, diss po 12cm
AX-19-34	164.49	165.77	1.28	40	0	17		6 conc qtz cb vns 40cm, diss po 17cm
AX-19-34	165.77	167.10	1.33	60	0	46		15 conc qtz cb vns 60cm, diss po 46cm
AX-19-34	167.10	168.00	0.90	8	0	76		7 conc qtz cb vns 8cm, diss po 76cm
AX-19-34	168.00	168.80	0.80	0	44	10		2 discor qtz cb vns 44cm, diss po 10cm
AX-19-34	168.80	170.20	1.40	9	2	5		5 conc qtz cb vns 9cm, 2 discor qtz cb vnlt 2cm, diss po 5cm
AX-19-34	170.20	171.46	1.26	2	5	60		2 conc qtz cb vns 2 cm, 2 discor qtz cb vns 5cm, diss po 60cm
AX-19-34	171.46	172.32	0.86	6	4	40		4 conc qtz cb vns 6cm, 1 discor qtz cb vn 4cm. Diss po 40cm
AX-19-34	172.32	173.74	1.42	5	40	0		2 conc qtz cb vn 5cm, 4 discor qtz cb vns 40cm
AX-19-34	173.74	175.24	1.50	6	37	0		3 conc qtz cb vns 6cm, 5 conc qtz cb vns 37cm
AX-19-34	175.24	176.78	1.54	16	7	150		12 conc qtz cb vns 18cm, 3 discor qtz cb vns 7cm, diss po 150
AX-19-34	176.78	177.58	0.80	2	2	71		2 conc qtz cb vns 2cm, 2 discor qtz cb vns 2cm, diss po 71cm
AX-19-34	177.58	178.31	0.73	5	18	0		2 conc qtz cb vns 5cm, 3 discor qtz cb vns 18cm
AX-19-35	3.70	4.70	1.00	3	0	0		2 conc qtz cb vns 3cm
AX-19-35	4.70	5.79	1.09	5	0	0		3 conc qtz cb vns 5cm
AX-19-35	5.79	6.67	0.88	12	0	0		1 conc qtz cb vn 12cm
AX-19-35	6.67	7.78	1.11	10	0	0		2 conc qtz cb vns 10cm
AX-19-35	7.78	8.86	1.08	0	1	20	flt	1 discor qtz cb vn 1cm, flt 15cm, diss po 20cmcm
AX-19-35	8.86	10.25	1.39	9	2	18		3 conc qtz cb vns 9cm, 2 discor qtz cb vns 2cm, diss po 18cm
AX-19-35	10.25	11.71	1.46	1	15	14		1 conc qtz cb vn 1cm. 7 discor qtz cb vns 15cm, diss po 14cm
AX-19-35	11.71	13.18	1.47	5	13	82		2 conc qtz cb vns 5cm, 4 discor qtz cb vns 13cm, diss po 82cm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
AX-19-35	13.18	14.26	1.08	0	3	95		2 discor qtz cb vns 3cm, diss po 95cm
AX-19-35	14.26	15.42	1.16	5	16	40		3 conc qtz cb vns 5cm, 3 discor qtz cb vns 16cm, diss po 40cm
AX-19-35	15.42	16.76	1.34	0	4	82		3 discor qtz cb vns 4cm, diss po 82cm
AX-19-35	16.76	18.19	1.43	7	5	100		3 conc qtz cb vns 7cm, 2 discor qtz cb vns 5cm, diss po 100cm
AX-19-35	18.19	19.66	1.47	27	5	20		10 conc qtz cb vns 27cm, 3 discor qtz cb vns 5cm, diss po 20cm
AX-19-35	19.66	21.12	1.46	9	0	5		6 conc qtz cb vns 9cm, diss po 5cm.
AX-19-35	21.12	22.60	1.48	14	0	10		2 conc qtz cb vns 14cm, diss po 10cm
AX-19-35	22.60	24.02	1.42	8	0	4		2 conc qtz cb vns 8cm, diss po 4cm
AX-19-35	24.02	25.43	1.41	18	1	4		9 conc qtz cb vns 18cm, 1 discor qtz cb vn 1cm, diss po 4cm
AX-19-35	25.43	26.91	1.48	18	3	29		8 conc qtz cb vns 18cm, 3 discor qtz cb vns 3cm, diss po 29cm
AX-19-35	26.91	28.38	1.47	12	2	70		5 conc qtz cb vns 12cm, 1 discor qtz cb vn 2cm, diss po 70cm
AX-19-35	28.38	29.88	1.50	8	5	67		7 conc qtz cb vns 8cm, 1 discor qtz cb vn 5cm, diss po 67cm
AX-19-35	29.88	31.35	1.47	11	0	51		5 conc qtz cb vns 11cm, diss po 51cm
AX-19-35	31.35	32.77	1.42	7	7	75		4 conc qtz cb vns 7cm, 5 discor qtz cb vns 7cm, diss po 75cm
AX-19-35	32.77	34.21	1.44	6	2	83		3 conc qtz cb vns 6cm, 2 discor qtz cb vns 8cm, diss po 83cm
AX-19-35	34.21	35.59	1.38	8	0	100		6 conc qtz cb vns 8cm, diss po 100cm
AX-19-35	35.59	37.05	1.46	11	1	95		4 conc qtz cb vns 11cm, 1 discor qtz cb vn 1cm, diss po 95cm
AX-19-35	37.05	38.57	1.52	16	19	75		2 conc qtz cb vns 16cm, 3 discor qtz cb vns 19cm, diss po 75cm
AX-19-35	38.57	40.14	1.57	8	4	44		4 conc qtz cb vns 8cm, 3 discor qtz cb vns 4cm, diss po 44cm
AX-19-35	40.14	41.61	1.47	46	0	72		10 conc qtz cb vns 46cm, diss po 72cm
AX-19-35	41.61	43.07	1.46	18	0	114		6 conc qtz cb vns 18cm, diss po 114cm
AX-19-35	43.07	44.54	1.47	5	0	35		2 conc qtz cb vns 5cm, diss po 335cm
AX-19-35	44.54	46.02	1.48	5	5	73		2 conc qtz cb vns 5cm, 3 discor qtz cb vns 5cm, diss po 73cm
AX-19-35	46.02	47.40	1.38	10	0	14		6 conc qtz cb vns 10cm, diss po 14cm
AX-19-35	47.40	48.87	1.47	18	0	80		4 conc qtz cb vns 18cm, diss po 80cm
AX-19-35	48.87	50.29	1.42	9	7	85		4 conc qtz cb vns 9cm, 1 discor qtz cb vn 7cm, diss po 85cm
AX-19-35	50.29	51.72	1.43	8	0	47	flt	1 conc qtz cb vn 8cm, diss po 47cm, fragmented flting throughout
AX-19-35	51.72	53.15	1.43	36	0	127		11 conc qtz cb vns 36cm, diss po 127cm
AX-19-35	53.15	54.58	1.43	9	37	0		2 conc qtz cb vns 9cm, 1 discor qtz cb vn 37cm
AX-19-35	54.58	55.82	1.24	0	10	20		3 discor qtz cb vns 10cm, diss po 20cm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
AX-19-35	55.82	57.04	1.22	0	15	50		5 discor qtz cb vns 15cm, contains several cb stringers 2cm, diss po 50cm
AX-19-35	57.04	58.36	1.32	0	10	67		6 discor qtz cb vns 10cm, diss po 67cm
AX-19-35	58.36	59.90	1.54	0	15	24		2 discor qtz cb vns 15cm, diss po 24cm
AX-19-35	59.90	61.24	1.34	8	19	52	flt	3 conc qtz cb vns 8cm, 3 discor qtz cb vns 19cm, diss po 52cm, flt 30cm
AX-19-35	61.24	62.34	1.10	3	20	70	flt	1 conc qtz cb vn 3cm, 5 discor qtz cb vns 20cm, diss po 70cm, flt 15cm
AX-19-35	62.34	63.84	1.50	3	3	115		2 conc qtz cb vns 3cm, 1 discor qtz cb vn 3cm, diss po 115cm
AX-19-35	63.84	65.25	1.41	4	9	133		1 conc qtz cb vn 4cm, 4 discor qtz cb vns 9cm, diss po 133cm
AX-19-35	65.25	66.70	1.45	3	0	125		1 conc qtz cb vn 3cm. Diss po 125cm
AX-19-35	66.70	68.12	1.42	0	3	114		2 discor qtz cb vns 3cm, diss po 114cm
AX-19-35	68.12	69.58	1.46	4	8	146		1 conc qtz cb vn 4cm, 3 discor qtz cb vns 8cm, diss po 156cm
AX-19-35	69.58	71.03	1.45	6	0	135		2 conc qtz cb vns 6cm, diss po 135cm
AX-19-35	71.03	72.50	1.47	8	0	147		3 conc qtz cb vns 8cm, diss po 147cm
AX-19-35	72.50	74.00	1.50	2	6	129		1 conc qtz cb vn 2cm, 4 discor qtz cb vn lts 6cm, diss po 129cm
AX-19-35	74.00	75.33	1.33	0	7	111		2 discor qtz cb vns 7cm, diss po 111cm
AX-19-35	75.33	76.80	1.47	4	1	105		1 conc qtz cb vn 4cm, 1 discor qtz cb vn 1cm, diss po 105cm
AX-19-35	76.80	78.30	1.50	0	8	113		5 discor qtz cb vns 8 cm, diss po 113cm
AX-19-35	78.30	79.57	1.27	0	8	107		2 discor qtz cb vns 8cm, diss po 107cm
AX-19-35	79.57	80.72	1.15	0	6	111		3 discor qtz cb vns 6cm, diss po 111cm
AX-19-35	80.72	82.21	1.49	15	20	58		10 conc qtz cb vns 15cm, 5 discor qtz cb vns 20cm, diss po 58cm
AX-19-35	82.21	83.40	1.19	16	35	0		4 conc qtz cb vns 16cm, 4 discor qtz cb vns 35cm
AX-19-35	83.40	84.62	1.22	5	28	0		1 conc qtz cb vn 5cm, 4 discor qtz cb vns 28cm,
AX-19-35	84.62	85.56	0.94	0	47	5		6 discor qtz cb vns 47cm, diss po 5cm
AX-19-35	85.56	86.99	1.43	20	0	110		10 conc qtz cb vns 20cm, diss po 110cm
AX-19-35	86.99	88.41	1.42	9	2	5		6 conc qtz cb vns 9cm, 1 discor qtz cb vn 2cm, diss po 5cm
AX-19-35	88.41	89.92	1.51	25	0	12		6 conc qtz cb vns 25cm, diss po 12cm
AX-19-35	89.92	91.42	1.50	0	1	111		1 discor qtz cb vn 1cm, diss po 111cm
AX-19-35	91.42	92.85	1.43	9	20	65		3 conc qtz cb vns 9cm, 8 discor qtz cb vns 20cm, diss po 65cm



Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
AX-19-35	92.85	94.27	1.42	7	2	86		5 conc qtz cb vns 7cm, 1 discor qtz cb vns 2cm, diss po 86cm
AX-19-35	94.27	95.56	1.29	16	0	50		9 conc qtz cb vns 16cm, diss po 50cm
AX-19-35	95.56	97.05	1.49	12	22	56		7 conc qtz cb vns 12cm, 6 discor qtz cb vns 22cm, diss po 56cm
AX-19-35	97.05	98.58	1.53	17	7	97		8 conc qtz cb vns 17cm, 3 discor qtz cb vns 7cm, diss po 97cm
AX-19-35	98.58	100.00	1.42	14	1	20		5 conc qtz cb vns 14cm, 1 discor qtz cb vn 1cm, diss po 20cm
AX-19-35	100.00	101.49	1.49	13	0	143		9 conc qtz cb vns 13cm, diss po 143cm
AX-19-35	101.49	102.95	1.46	15	8	137		8 conc qtz cb vns 15cm, 4 discor qtz cb vns 8cm apy blebs in largest. Diss po 137cm
AX-19-35	102.95	104.40	1.45	18	1	120		4 conc qtz cb vns 18cm, 1 discor qtz cb vn 1cm, diss po 120cm
AX-19-35	104.40	105.40	1.00	11	2	30		3 conc qtz cb vns 11cm, 1 discor qtz cb vn 2cm, diss po 30cm
AX-19-35	105.4	106.53	1.13	43	1	23		6 conc qtz cb vns 43cm minor sliver of diss py towards bottom of conc vns. 1
AX-19-36	10.67	12.19	1.52	6	0	48		1 conc qtz cb vns 6cm, diss po 48cm
AX-19-36	12.19	13.38	1.19	3	5	100		1 conc qtz cb vn 3cm, 3 discor qtz cb vns 5cm, diss po 100cm
AX-19-36	13.38	14.86	1.48	4	20	79		2 conc qtz cb vns 4cm, 3 discor qtz cb vns 20cm, diss po 79cm
AX-19-36	14.86	16.32	1.46	8	0	146		2 conc qtz cb vns 8cm, diss po 150cm
AX-19-36	16.32	17.77	1.45	1	3	145		1 conc qtz cb vns 1cm, 1 discor qtz cb vn 3cm. Diss po 155cm
AX-19-36	17.77	18.68	0.91	0	0	90		diss po 90cm
AX-19-36	18.68	19.73	1.05	2	0	92		1 conc qtz cb vn 2cm, diss po 92cm
AX-19-36	19.73	21.17	1.44	9	0	80		4 conc qtz cb vns 9cm, diss po 80cm
AX-19-36	21.17	22.67	1.50	15	0	96		4 conc qtz cb vns 15cm, diss po 96cm
AX-19-36	22.67	24.04	1.37	16	10	74		2 conc qtz cb vn 16cm, 4 discor qtz cb vns 10cm. Diss po 74cm
AX-19-36	24.04	25.32	1.28	0	4	125		3 discor qtz cb vns 4cm, diss po 125cm
AX-19-36	25.32	26.62	1.30	6	15	0		2 conc qtz cb vns 6cm, 6 discor qtz cb vns 15cm
AX-19-36	26.62	28.00	1.38	0	1	135		1 discor qtz cb vn 1cm, diss po 135cm
AX-19-36	28.00	29.38	1.38	0	2	110		1 discor qtz cb vn 2cm, diss po 110cm
AX-19-36	29.38	30.69	1.31	4	0	120		2 conc qtz cb vns 4cm, diss po 120cm
AX-19-36	30.69	32.15	1.46	24	0	37		9 conc qtz cb vns 24cm, diss po 37cm,
AX-19-36	32.15	33.57	1.42	45	0	82		11 conc qtz cb vns 45cm, diss po 82cm
AX-19-36	33.57	35.11	1.54	28	0	95		11 conc qtz cb vns 28vcm, diss po 95cm
AX-19-36	35.11	36.63	1.52	0	2	150		2 discor qtz cb vns 2cm, diss po 150cm
AX-19-36	36.63	38.10	1.47	12	2	30		5 conc qtz cb vns 12cm, 1 discor qtz cb vn 2cm, diss po 30cm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
AX-19-36	38.10	39.59	1.49	21	26	86		6 conc qtz cb vns 21cm, 3 discor qtz cb vns 26cm, diss po 86cm,
AX-19-36	39.59	40.93	1.34	13	15	115		4 conc qtz cb vns 13cm, 3 conc qtz cb vns 15cm, diss po 115cm
AX-19-36	40.93	42.39	1.46	9	18	95		3 conc qtz cb vns 9cm, 7 discor qtz cb vns 18cm, 1 2cm discor qtz cb vn with
AX-19-36	42.39	43.75	1.36	13	10	85		3 conc qtz cb vns 13cm, 3 discor qtz cb vns 10cm, diss po 85cm
AX-19-36	43.75	45.22	1.47	9	0	15		3 conc qtz cb vns 9cm, diss po 15cm,
AX-19-36	45.22	46.62	1.40	10	2	61		4 conc qtz cb vns 10cm, 1 discor qtz cb vn 2cm, diss po 61cm
AX-19-36	46.62	47.82	1.20	27	4	28		12 conc qtz cb vns 27cm, 1 discor qtz cb vns 4cm, diss po 28cm
AX-19-36	47.82	49.00	1.18	12	0	66		3 conc qtz cb vns 12cm, diss po 66cm
AX-19-36	49.00	50.48	1.48	20	15	130		5 conc qtz cb vns 20cm, 3 discor qtz cb vns 15cm, diss po 130cm
AX-19-36	50.48	51.82	1.34	30	0	95		10 conc qtz cb vns 30cm, diss po 95cm,
AX-19-36	51.82	53.22	1.40	36	67	67		11 conc qtz cb vns 36cm, diss po 67cm
AX-19-36	53.22	54.59	1.37	10	12	94		6 conc qtz cb vns 10cm, 2 discor qtz cb vns 12cm, diss po 94cm
AX-19-36	54.59	56.00	1.41	13	8	110		5 conc qtz cb vns 13cm, dis cor qtz cb vns 8cm, diss po 110cm
AX-19-36	56.00	57.50	1.50	48	0	150		19 conc qtz cb vns 48cm, diss po 150cm
AX-19-36	57.50	58.75	1.25	21	0	125		11 conc qtz cb vns 21cm, diss po 132cm
AX-19-36	58.75	60.22	1.47	13	0	142		5 conc qtz cb vns 13cm, diss po 142cm
AX-19-36	60.22	61.40	1.18	18	0	86		10 conc qtz cb vns 18cm, diss po 86cm
AX-19-36	61.40	62.78	1.38	26	0	110		11 conc qtz cb vns 26cm, diss po 110cm
AX-19-36	62.78	64.27	1.49	26	16	0		12 conc qtz cb vns 26cm, 3 discor qtz cb vns 16cm
AX-19-36	64.27	65.70	1.43	20	7	110		8 conc qtz cb vns 20cm, 1 discor qtz cb vns 7cm, diss po 110cm
AX-19-36	65.70	67.06	1.36	8	18	13		3 conc qtz cb vns 8cm, 3 discor qtz cb vns 18cm. Diss po 13cm
AX-19-36	67.06	68.48	1.42	7	0	0		2 conc qtz cb vns 7cm,
AX-19-36	68.48	69.98	1.50	16	1	60		5 conc qtz cb vns 16cm, 2 discor cb stringers 1cm, diss po 60cm
AX-19-36	69.98	71.38	1.40	0	14	23		7 discor qtz cb vns 14cm, diss po 23cm
AX-19-36	71.38	72.86	1.48	12	0	25		4 conc qtz cb vns 12cm, diss po 25cm
AX-19-36	72.86	74.21	1.35	0	3	14		3 discor qtz cb vns 3cm, diss po 14cm
AX-19-36	74.21	75.66	1.45	27	0	35		9 conc qtz cb vns 27cm, diss po 35cm
AX-19-36	75.66	77.13	1.47	18	32	31		9 conc qtz cb vns 18cm, 8 discor qtz cb vns 32cm, diss po 31cm
AX-19-36	77.13	78.62	1.49	42	2	32		11 conc qtz cb vns 42cm, 1 discor qtz cb vn 2cm, diss po 32cm
AX-19-36	78.62	80.06	1.44	24	0	72		6 conc qtz cb vns 24cm, diss po 72cm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
AX-19-36	80.06	81.53	1.47	26	0	18		10 conc qtz cb vns 26cm, diss po 18cm,
AX-19-36	81.53	83.10	1.57	40	4	10		7 conc qtz cb vns 40cm, 2 discor qtz cb vns 4cm, diss po 10cm
AX-19-36	83.10	84.66	1.56	1	2	60	flt	1 conc qtz cb vn 1cm, 2 discor qtz cb vn 2cm, diss po 60cm, flt zone 60cm
AX-19-36	84.66	86.08	1.42	24	0	43		6 conc qtz cb vns 24cm, diss po 43cm
AX-19-36	86.08	87.53	1.45	30	6	90		16 conc qtz cb vns 30cm, 4 discor qtz cb vns 6cm, diss po 90cm
AX-19-36	87.53	89.03	1.50	38	1	145		17 conc qtz cb vns 38cm, 1 discor qtz cb vn 1cm, diss po 145cm
AX-19-36	89.03	90.40	1.37	30	2	66		14 conc qtz cb vns 30cm, 2 discor qtz cb vns 2cm, diss po 66cm
AX-19-36	90.40	91.85	1.45	28	13	135		11 conc qtz cb vns 28cm, 4 discor qtz cb vns 13cm, diss po 135cm
AX-19-36	91.85	93.32	1.47	40	0	80		14 conc qtz cb vns 40cm, diss po 80cm
AX-19-36	93.32	94.72	1.40	32	0	116		14 conc qtz cb vns 32cm, diss po 116cm
AX-19-36	94.72	96.16	1.44	25	35	69		9 conc qtz cb vns 25cm, 3 discor qtz cb vns 35cm, diss po 69cm
AX-19-36	96.16	97.63	1.47	10	2	82		2 conc qtz cb vns 10cm. 1 discor qtz cb vn 2cm, diss po 82cm
AX-19-36	97.63	99.06	1.43	20	3	46		11 conc qtz cb vns 20cm. 2 discor qtz cb vns 3cm, diss po 46cm
AX-19-36	99.06	100.50	1.44	9	0	33		4 conc qtz cb vns 9cm, diss po 33cm
AX-19-36	100.50	101.93	1.43	5	4	10		2 conc qtz cb vns 5cm, 3 discor qtz cb vns 4cm, diss po 10cm
AX-19-36	101.93	103.36	1.43	16	0	75		9 conc qtz cb vns 16cm, diss po 75cm
AX-19-36	103.36	104.50	1.14	13	0	39		7 conc qtz cb vns 13cm, diss po 39cm
AX-19-36	104.50	105.92	1.42	10	2	40		3 conc qtz cb vns 10cm, 2 discor qtz cb vns 2cm, diss po 40cm
AX-19-36	105.92	107.45	1.53	9	0.5	26		4 conc qtz cb vns 9cm, 1 discor qtz cb stringer .5cm, diss po 26cm
AX-19-36	107.45	108.95	1.50	0	1	25		1 discor qtz cb vn 1cm, diss po 25cm
AX-19-36	108.95	110.30	1.35	10	0	28		3 conc qtz cb vns 10cm, diss po 28cm
AX-19-36	110.30	111.41	1.11	6	1	5		2 conc qtz cb vns 6cm, 1 discor qtz cb vn 1cm, diss po 5cm
AX-19-36	111.41	112.86	1.45	0	0	0	flt	csch and ser alt flt zone
AX-19-36	112.86	114.36	1.50	8	0	127		3 conc qtz cb vns 8cm, diss po 127cm
AX-19-36	114.36	115.84	1.48	5	2	95		4 conc qtz cb vns 5cm, 1 discor qtz cb vns 2cm, diss po 95cm
AX-19-36	115.84	117.04	1.20	8	45	80		2 conc qtz cb vns 8cm, 6 discor qtz cb vns 45cm, diss po 80cm
AX-19-37	8.2	10.10	1.90	7	0	23		2 conc qtz cb vns 7cm, diss po 23cm
AX-19-37	10.10	11.51	1.41	6	0	0		3 conc qtz cb vns 6cm,
AX-19-37	11.51	13.00	1.49	17	0	0		3 conc qtz cb vns 17cm,
AX-19-37	13.00	14.50	1.50	16	0	8		5 conc qtz cb vns 16cm, diss po 8cm
AX-19-37	14.50	16.00	1.50	18	0	0		7 conc qtz cb vns 18cm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
AX-19-37	16.00	17.48	1.48	28	0	34		9 conc qtz cb vns 28cm, diss po 34cm
AX-19-37	17.48	19.00	1.52	3	0	13		1 conc qtz cb vns 3cm, diss po 13cm
AX-19-37	19.00	20.50	1.50	7	0	0		3 conc qtz cb vns 7cm,
AX-19-37	20.50	22.11	1.61	10	0	0		6 conc qtz cb vns 10cm,
AX-19-37	22.11	23.58	1.47	10	0	0	flt	2 conc qtz cb vns 10cm, flt 155cm
AX-19-37	23.58	24.24	0.66	0	20	0		3 discor qtz cb vns 20cm,
AX-19-37	24.24	25.70	1.46	0	0	0	flt	flt 30cm
AX-19-37	25.70	27.16	1.46	0	0	5	flt	flt 10cm, diss po 5cm
AX-19-37	27.16	28.60	1.44	16	2	7		3 conc qtz cb vns 16cm, 1 discor qtz cb vn 2cm, diss po 7cm,
AX-19-37	28.60	30.00	1.40	4	0	0		2 conc qtz cb vns 4cm, fragmented core
AX-19-37	30.00	31.40	1.40	6	0	7	flt	1 conc qtz cb vn 6cm, diss po 7cm, fragmented core. Flt zone 15cm.
AX-19-37	31.40	32.88	1.48	18	0	33		4 conc qtz cb vns 18cm, diss po 33cm.
AX-19-37	32.88	34.35	1.47	20	17	0	flt	6 conc qtz cb vns 20cm, diss po 17cm, fragmented core, flt zone 65cm
AX-19-37	34.35	35.20	0.85	10	2	34		4 conc qtz cb vns 10cm, 2 discor qtz cb vns 2cm, diss po 34cm,
AX-19-37	35.20	36.20	1.00	11	0	75		4 conc qtz cb vns 11cm, diss po 75cm
AX-19-37	36.20	37.69	1.49	4	0	115	flt	1 conc qtz cb vn 4cm, diss po 115cm, flt zone 50cm
AX-19-37	37.69	39.19	1.50	5	12	83		2 conc qtz cb vns 5cm, 3 discor qtz cb vns 12cm, diss po 83cm
AX-19-37	39.19	40.62	1.43	20	4	113		8 conc qtz cb vns 20cm, 1 discor qtz cb vn apy 4cm. Diss po 113cm
AX-19-37	40.62	41.90	1.28	9	0	125		6 conc qtz cb vns 9cm, lmst unit 23cm, diss po 125cm
AX-19-37	41.90	42.96	1.06	10	14	80		3 conc qtz cb vns 10cm, 3 discor qtz cb vns 14cm minor apy/po. Diss po 80cm
AX-19-37	42.96	44.07	1.11	17	0	49		4 conc qtz cb vns 17cm, diss po 49cm
AX-19-37	44.07	44.80	0.73	10	0	15	flt	2 conc qtz cb vns 10cm, diss po 5cm diss, flt zone 50cm,
AX-19-37	44.80	45.75	0.95	1	0	25	flt	1 conc qtz cb vn 3cm, diss po 25cm, flt zone 35cm
AX-19-37	45.75	47.17	1.42	24	0	42		7 conc qtz cb vns 24cm, diss po 42cm,
AX-19-37	47.17	48.63	1.46	23	0	64		5 conc qtz cb vns 23cm, diss po 64cm
AX-19-37	48.63	49.92	1.29	36	0	36		5 conc qtz cb vns 36cm, diss po 36cm
AX-19-37	49.92	51.30	1.38	17	0	42		9 conc qtz cb vns 17cm, diss po 42cm
AX-19-37	51.30	52.55	1.25	5	0	8		4 conc qtz cb vns 5cm, diss po 8cm
AX-19-37	52.55	52.72	0.17	0	0	0	flt	well preserved flt gouge 30 degrees tca.
AX-19-37	52.72	54.18	1.46	22	8	4		7 conc qtz cb vns 22cm, 4 discor qtz cb vns 8cm, diss po 4cm
AX-19-37	54.18	55.35	1.17	13	1	20		6 conc qtz cb vns 13cm, 1 discor qtz cb vn 1cm, diss po 20cm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
AX-19-37	55.35	56.33	0.98	7	2	0	flt	3 conc qtz cb vns 7cm, 1 discor qtz cb vn 2cm,
AX-19-37	56.33	57.80	1.47	3	0	92		1 conc qtz cb vn 3cm, flt zone 40cm, diss po 92cm
AX-19-37	57.80	59.31	1.51	34	0	85		7 conc qtz cb vns 34cm, diss po 85cm
AX-19-37	59.31	60.65	1.34	3	0	8		1 conc qtz cb vn 3cm, diss po 8cm
AX-19-37	60.65	62.14	1.49	6	0	9		2 conc qtz cb vn 6cm, diss po 9cm
AX-19-37	62.14	63.60	1.46	1	0	72		1 discor qtz cb vn 1cm, diss po 72cm
AX-19-37	63.60	65.10	1.50	2	3	60		1 conc qtz cb vn 2cm, 2 discor qtz cb vn 3cm, diss po 60cm
AX-19-37	65.10	66.00	0.90	6	0	28		1 conc qtz cb vn 6cm, diss po 28cm
AX-19-37	66.00	67.10	1.10	0	0	40		flt zone 30cm, diss po 40cm
AX-19-37	67.10	68.58	1.48	10	4	60		5 conc qtz cb vns 10cm, 4 discor qtz cb vns 4cm, diss po 60cm
AX-19-37	68.58	70.10	1.52	37	9	123		6 conc qtz cb vns 37cm, 3 discor qtz cb vns 9cm, diss po 123cm
AX-19-37	70.10	71.50	1.40	20	4	115		5 conc qtz cb vns 20cm, 4 discor qtz cb vns 4cm, diss po 115cm
AX-19-37	71.50	72.98	1.48	27	3	127		10 conc qtz cb vns 27cm, 1 discor qtz cb vn 3cm, diss po 127cm
AX-19-37	72.98	74.44	1.46	22	1	90		10 conc qtz cb vns 22cm, 1 discor qtz cb vn 1cm, diss po 90cm
AX-19-37	74.44	75.91	1.47	9	2	131		3 conc qtz cb vns 9cm, 2 discor qtz cb vns 2cm, diss po 131cm
AX-19-37	75.91	77.37	1.46	39	1	140		13 conc qtz cb vns 39cm, 1 discor qtz cb vnlt 1cm, diss po 140cm
AX-19-37	77.37	78.86	1.49	6	0	117		3 conc qtz cb vns 6cm, diss po 117cm
AX-19-37	78.86	80.28	1.42	12	0.5	120		6 conc qtz cb vns 12cm, 1 discor qtz cb vnlt .5cm, diss po 120cm
AX-19-37	80.28	81.59	1.31	12	1	122		5 conc qtz cb vns 12cm, 1 discor qtz cb vn 1cm, diss po 122cm
AX-19-37	81.59	83.00	1.41	0	14	120		3 discor qtz cb vns 14cm, diss po 120cm
AX-19-37	83.00	84.49	1.49	15	0	125		7 conc qtz cb vns 15cm, diss po 125cm
AX-19-37	84.49	85.98	1.49	20	5	150		4 conc qtz cb vns 20cm, 2 discor qtz cb vns 5cm, diss po 150cm
AX-19-37	85.98	87.42	1.44	12	4	80		1 conc qtz cb vn 12cm, 1 discor qtz cb vn 4cm, diss po 80cm,
AX-19-37	87.42	88.87	1.45	7	1	61		1 conc qtz cb vn 7cm, 1 discor qtz cb vn 1cm, diss po 61cm
AX-19-37	88.87	90.25	1.38	4	14	65		1 conc qtz cb vn 4cm, 3 discor qtz cb vns 14cm, diss po 65cm
AX-19-37	90.25	91.69	1.44	23	3	72		7 conc qtz cb vns 23cm, 1 discoro qtz cb vn 3cm, diss po 72cm
AX-19-37	91.69	93.15	1.46	5	0.5	78		1 conc qtz cb vn 5cm, 1 discor qtz cb vnlt .5cm. Diss po 78cm
AX-19-37	93.15	94.35	1.20	0	0	120	flt	flt zone 15cm, diss po 120cm
AX-19-37	94.35	95.65	1.30	8	0	135		2 conc qtz cb vns 8cm, diss po 135cm
AX-19-37	95.65	97.14	1.49	4	1	80		2 conc qtz cb vns 4cm, 1 discor qtz cb vn 1cm, diss po 80cm
AX-19-37	97.14	98.62	1.48	3	4	10		1 conc qtz cb vn 3cm, 4 discor qtz cb vns 4cm, diss po 10cm
AX-19-37	98.62	100.09	1.47	8	8	57		2 conc qtz cb vns 8cm, 4 discor qtz cb vns 8cm, diss po 57cm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
AX-19-37	100.09	101.57	1.48	0	4	136		4 discor qtz cb vns 4cm, diss po 136cm
AX-19-37	101.57	103.04	1.47	6	7	120		2 conc qtz cb vns 6cm, 2 discor qtz cb vns 7cm, diss po 120cm
AX-19-37	103.04	104.07	1.03	9	7	58		3 conc qtz cb vns 9cm, 1 discor qtz cb vn 7cm, diss po 58cm
AX-19-37	104.07	105.12	1.05	4	8	76		2 conc qtz cb vns 4cm, 2 discor qtz cb vns 8cm, diss po 76cm
AX-19-37	105.12	106.11	0.99	14	11	0	flt	2 conc qtz cb vns 14cm, diss po 11cm, flt 50cm
AX-19-37	106.11	107.52	1.41	0	4	110		3 discor qtz cb vns 4cm. Diss po 110cm
AX-19-37	107.52	109.00	1.48	14	5	131		5 conc qtz cb vns 14cm, 2 discor qtz cb vns 5cm, diss po 131cm
AX-19-37	109.00	110.48	1.48	23	1	130		10 conc qtz cb vns 23cm, 1 discor qtz cb vn 1cm, diss po 130cm
AX-19-37	110.48	111.25	0.77	10	0.4	72		4 conc qtz cb vns 10cm, 1 discor qtz cb vnlt .4cm diss po 72cm
AX-19-37	111.25	112.18	0.93	1	10	30		1 conc qtz cb vn 1cm, 2 discor qtz cb vns 10cm, diss po 30cm
AX-19-37	112.18	112.80	0.62	0	0	13	flt	flt zone 50cm, diss po 13cm
AX-19-37	112.80	114.30	1.50	4	0	0		3 conc qtz cb vns 4cm,
AX-19-37	114.30	115.80	1.50	7	0	14		3 conc qtz cb vns 7cm, diss po 14cm
AX-19-37	115.80	117.25	1.45	5	4	33		1 conc qtz cb vn 5cm, 5 discor qtz cb ank vning 4cm, diss po 33cm
AX-19-37	117.25	118.43	1.18	15	0	93		2 discor qtz cb vns 15cm, diss po 93cm
AX-19-37	118.43	119.42	0.99	7	44	75		2 conc qtz cb vns 7cm, 2 discor qtz cb vns 11cm, diss po 75cm
AX-19-37	119.42	120.40	0.98	12	10	80		6 conc qtz cb vns 12cm, 3 discor qtz cb vns 10cm, diss po 80cm
AX-19-38	6.21	6.70	0.49	0	0	0		flt zone 30cm
AX-19-38	6.70	8.20	1.50	0	0	8		diss po 8cm
AX-19-38	8.20	9.70	1.50	10	1	40		3 conc qtz cb vns 10cm, 2 discor cb vnlt 1cm, diss po 40cm,
AX-19-38	9.70	11.20	1.50	5	0	75		1 conc qtz cb vn 5cm, diss po 75cm
AX-19-38	11.20	12.66	1.46	7	5	64		2 conc qtz cb vns 7cm, 1 discor qtz cb vn 5cm, diss po 64cm
AX-19-38	12.66	14.16	1.50	20	0	112		5 conc qtz cb vns 20cm, diss po 112cm
AX-19-38	14.16	15.24	1.08	21	1	21		8 conc qtz cb vns 21cm, 1 discor qtz cb vn 1cm, diss po 21cm
AX-19-38	15.24	16.45	1.21	21	0	120		10 conc qtz cb vns 21cm, diss po 120cm
AX-19-38	16.45	17.32	0.87	12	0	87		6 conc qtz cb vns 12cm, diss po 110cm
AX-19-38	17.32	18.82	1.50	0	0	64		diss po 64cm
AX-19-38	18.82	19.51	0.69	0	34	5		2 discor qtz cb vns 34cm, diss po 5cm
AX-19-38	19.51	20.86	1.35	1	7	15		1 conc qtz cb vn 1cm, 5 discor qtz cb vns 7cm, diss po 15cm
AX-19-38	20.86	22.30	1.44	10	1	80		4 conc qtz cb vns 10cm, 2 discor qtz cb vnlt 1cm, diss po 80cm
AX-19-38	22.30	23.25	0.95	6	3	36		2 conc qtz cb vns 6cm, 2 discor qtz cb vns 3cm, diss po 36cm
AX-19-38	23.25	24.03	0.78	0	3	50		1 discor qtz cb vn 3cm, diss po 50cm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
AX-19-38	24.03	24.40	0.37	3	0	37		1 conc qtz cb vn 3cm, diss po 37cm,
AX-19-38	24.40	25.91	1.51	12	3	116		5 conc qtz cb vns 12cm, 2 discor qtz cb vns 3cm, diss po 116cm
AX-19-38	25.91	27.13	1.22	8	0	65		2 conc qtz cb vns 8cm, diss po 65cm
AX-19-38	27.13	27.74	0.61	2	0	0		1 conc qtz cb vn 2cm,
AX-19-38	27.74	28.93	1.19	0	0	17	flt	15cm flt zone. Diss po 17cm
AX-19-38	28.93	29.90	0.97	8	0	50		4 conc qtz cb vns 8cm, diss po 50cm
AX-19-38	29.90	30.68	0.78	4	10	28	flt	2 conc qtz cb vns 4cm, 1 discor qtz cb vn 10cm, flt zone 20cm, diss po 28cm
AX-19-38	30.68	32.17	1.49	30	7	145		13 conc qtz cb vns 30cm, 3 discor qtz cb vns 7cm, diss po 145cm
AX-19-38	32.17	33.65	1.48	30	2	135		9 conc qtz cb vns 30cm, 1 discor qtz cb vn 2cm, diss po 135cm
AX-19-38	33.65	35.09	1.44	40	6	144		11 conc qtz cb vns 40cm, 3 discor qtz cb vns 6cm, diss po 145cm
AX-19-38	35.09	36.58	1.49	14	9	140		6 conc qtz cb vns 14cm, 3 discor qtz cb vns 9cm, diss po 140cm
AX-19-38	36.58	38.08	1.50	30	0	70		12 conc qtz cb vns 30cm, diss po 70cm,
AX-19-38	38.08	39.52	1.44	23	5	135		17 conc qtz cb vns 23cm, 2 discor qtz cb vns 5cm, diss po 135cm
AX-19-38	39.52	40.94	1.42	12	5	125		5 conc qtz cb vns 12cm, 1 discor qtz cb vn 5cm, diss po 125cm
AX-19-38	40.94	42.37	1.43	29	2	135		11 conc qtz cb vns 29cm, 1 discor qtz cb vn 2cm, diss po 135cm
AX-19-38	42.37	43.80	1.43	21	11	103		9 conc qtz cb vns 21cm, 2 discor qtz cb vns 11cm, diss po 103cm
AX-19-38	43.80	45.25	1.45	34	4	125		16 conc qtz cb vns 34cm, 2 discor qtz cb vns 4cm, diss po 125cm
AX-19-38	45.25	46.74	1.49	14	10	92		5 conc qtz cb vns 14cm, 6 discor qtz cb vns 10cm, diss po 92cm
AX-19-38	46.74	48.24	1.50	22	0	62		13 conc qtz cb vns 22cm, diss po 62cm
AX-19-38	48.24	49.70	1.46	19	2	137		9 conc qtz cb vns 19cm, 1 discor qtz cb vn 2cm, diss po 137cm
AX-19-38	49.70	50.85	1.15	14	3	91		7 conc qtz cb vns 14cm, 1 discor qtz cb vn 3cm, diss po 91cm
AX-19-38	50.85	51.70	0.85	9	4	80		3 conc qtz cb vns 9cm, 2 discor qtz cb vns 4cm, diss po 80cm
AX-19-38	51.70	53.20	1.50	9	1	150		3 conc qtz cb vns 9cm, 1 discor qtz cb vnlt 1cm, diss po 150cm
AX-19-38	53.20	54.66	1.46	12	4	146		8 conc qtz cb vns 12cm, 1 discor qtz cb vn 4cm, diss po 146cm
AX-19-38	54.66	56.11	1.45	7	4	145		2 conc qtz cb vns 7cm, 1 discor qtz cb vn 4cm, diss po 146cm
AX-19-38	56.11	57.59	1.48	0	0	148	flt	35cm flt zone diss po 150cm
AX-19-38	57.59	58.36	0.77	3	0	84		1 conc qtz cb vn 3cm, diss po 84cm
AX-19-38	58.36	59.57	1.21	10	0	100		4 conc qtz cb vns 10cm, diss po 100cm
AX-19-38	59.57	60.96	1.39	16	1	90		7 conc qtz cb vns 16cm, 1 discor qtz cb vn 1cm, diss po 90cm
AX-19-38	60.96	62.38	1.42	6	5	107		3 conc qtz cb vns 6cm, 4 discor qtz cb vns 5cm, diss po 107cm
AX-19-38	62.38	63.59	1.21	16	2	120		7 conc qtz cb vns 16cm, 1 discor qtz cb vn 2cm, diss po 120

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
AX-19-38	63.59	64.73	1.14	10	0.5	22		4 conc qtz cb vns 10cm, 2 discor qtz cb vnlt .5cm, diss po 22cm
AX-19-38	64.73	65.87	1.14	8	2	105		2 conc qtz cb vns 8cm, 2 discor qtz cb vn 2cm, diss po 105cm
AX-19-38	65.87	67.35	1.48	0	2	148		2 discor qtz cb vns 2cm, diss po 150cm
AX-19-38	67.35	68.53	1.18	1	2	117		1 conc qtz cb vn 1cm, 1 discor qtz cb vn 2cm, diss po 117cm
AX-19-38	68.53	69.90	1.37	2	3	137		2 conc qtz cb vns 2cm, 2 discor qtz cb vns 3cm, diss po 140cm
AX-19-38	69.90	71.39	1.49	6	17	135		3 conc qtz cb vns 6cm, 5 discor qtz cb vns 17cm, diss po 135cm
AX-19-38	71.39	72.88	1.49	12	2	108		5 conc qtz cb vns 12cm, 3 discor qtz cb vnlt 2cm, diss po 108cm
AX-19-38	72.88	74.27	1.39	11	8	78		4 conc qtz cb vns 11 cm, 1 discor qtz cb vn 8cm, diss po 78cm
AX-19-38	74.27	75.64	1.37	14	5	83		5 conc qtz cb vns 14cm, 6 discor qtz cb vns, vnlt 5cm, diss po 83cm
AX-19-38	75.64	76.98	1.34	43	8	93		18 conc qtz cb vns 43cm, 1 discor qtz cb vn 8cm, diss po 93cm
AX-19-38	76.98	78.50	1.52	29	0	142		10 conc qtz cb vns 29cm, diss po 142cm
AX-19-38	78.50	79.58	1.08	23	0	100		10 conc qtz cb vns 23cm, diss po 100cm
AX-19-38	79.58	81.05	1.47	36	7	80		17 conc qtz cb vns 36cm, 3 discor qtz cb vns 7cm, diss po 80cm
AX-19-38	81.05	82.09	1.04	2	2	86		2 conc qtz cb vns 2cm, 2 discor qtz cb vnlt 2cm, diss po 86cm
AX-19-38	82.09	83.59	1.50	9	13	120		4 discor qtz cb vns 9cm, 4 discor qtz cb vns 13cm, diss po 120cm
AX-19-38	83.59	85.04	1.45	0	7	26		4 discor qtz cb vns 7cm, diss po 26cm
AX-19-38	85.04	86.19	1.15	2	5	105		2 conc qtz cb vns 2cm, 2 discor qtz cb vns 5cm, diss po 105cm
AX-19-38	86.19	87.51	1.32	15	7	120		6 conc qtz cb vns 15cm, 2 discor qtz cb vns 7cm, diss po 120cm
AX-19-38	87.51	88.30	0.79	5	0	75		2 conc qtz cb vns 5cm, diss po 75cm,
AX-19-38	88.30	89.10	0.80	0	0	80		diss po 80cm
AX-19-38	89.10	90.60	1.50	14	0	125		1 conc qtz cb vn 14cm, diss po 125cm
AX-19-38	90.60	92.07	1.47	7	0	136		5 conc qtz cb vns 7cm, diss po 136cm
AX-19-38	92.07	93.53	1.46	3	0	140		1 conc qtz cb vn 3cm, diss po 140cm
AX-19-38	93.53	94.71	1.18	3	1	115		1 conc qtz cb vns 3cm, 2 discor qtz cb vnlt 1cm, diss po 115cm
AX-19-38	94.71	95.88	1.17	7	1	118		3 conc qtz cb vns 7cm. 3 discor qtz cb vnlt 1cm, diss po 118cm
AX-19-38	95.88	96.82	0.94	2	1	90		2 conc qtz cb vns 2cm, 1 discor qtz cb vn 1cm, diss po 90cm
AX-19-38	96.82	98.32	1.50	19	0	100		12 concn qtz cb vns 19cm, diss po 100cm
AX-19-38	98.32	99.80	1.48	9	24	119		3 conc qtz cb vns 9cm, 4 discor qtz cb vns 24cm, diss po 119cm
AX-19-38	99.80	101.10	1.30	8	30	62		3 conc qtz cb vns 8cm, 6 discor qtz cb vns 30cm, diss po 62cm
AX-19-38	101.10	102.50	1.40	21	8	130		12 conc qtz cb vns 21cm. 1 discor qtz cb vn 8cm, diss po 130cm



Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
AX-19-38	102.50	104.03	1.53	26	3	153		13 conc qtz cb vns 26cm, 1 discor qtz cb vn 3cm, diss po 153cm
AX-19-38	104.03	105.58	1.55	16	2	155		9 conc qtz cb vns 16cm, 3 discor qtz cb vnlt 2cm, diss po 155cm
AX-19-38	105.58	107.08	1.50	5	0	100		3 conc qtz cb vns 5cm, diss po 100cm
AX-19-38	107.08	108.30	1.22	24	0	122		12 conc qtz cb vns 24cm, diss po 122cm
AX-19-38	108.30	109.38	1.08	12	0	108		4 conc qtz cb vns 12cm, diss po 108cm
AX-19-38	109.38	110.86	1.48	9	28	98		5 conc qtz cb vns 9cm, 5 discor qtz cb vns 28cm, diss po 98cm
AX-19-38	110.86	112.36	1.50	30	0	115		8 conc qtz cb vns 30cm, diss po 115cm
AX-19-38	112.36	113.78	1.42	21	5	100		11 conc qtz cb vns 21cm, 11 discor qtz cb stringers 3cm, 1 discor qtz cb vn 2cm, diss po 100cm
AX-19-38	113.78	115.26	1.48	16	4	45		5 conc qtz cb vns 16cm, 4 discor qtz cb vns 4cm, diss po 45cm
AX-19-38	115.26	116.62	1.36	2	6	80		1 conc qtz cb vn 2cm, 2 discor qtz cb vns 6cm, diss po 80cm
AX-19-38	116.62	118.00	1.38	16	5	120		7 conc qtz cb vns 16cm, 1 discor qtz cb vn 5cm, diss po 120cm
AX-19-38	118.00	119.50	1.50	6	12	125		2 conc qtz cb vns 6cm, 4 discor qtz cb vns 12cm, diss po 125cm
AX-19-38	119.50	121.00	1.50	12	0	96		9 conc qtz cb vns 12cm, diss po 96cm
AX-19-38	121.00	121.92	0.92	7	1	58		4 conc qtz cb vns 7cm, 1 discor qtz cb vnlt 1cm, diss po 58cm,
AX-19-38	121.92	122.12	0.20	0	0	20		diss po 20cm
AX-19-38	122.12	123.50	1.38	20	1	30		9 conc qtz cb vns 20cm, 1 discor qtz cb vn 1cm, diss po 30cm
AX-19-38	123.50	125.00	1.50	19	4	128		11 conc qtz cb vns 19cm, 2 discor qtz cb vns 4cm, diss po 128cm
AX-19-38	125.00	126.50	1.50	26	0	140		9 conc qtz cb vns 26cm, diss po 140cm
AX-19-38	126.50	127.25	0.75	6	3	65		2 conc qtz cb vns 6cm, 2 discor qtz cb vns 3cm, diss po 65cm
AX-19-38	127.25	128.50	1.25	7	0	15		2 conc qtz cb vns 7cm, diss po 15cm
AX-19-38	128.50	130.00	1.50	11	0	70	flt	4 conc qtz cb vns 11cm, diss po 70cm, flt zone 15cm
AX-19-38	130.00	131.50	1.50	9	4	125		7 conc qtz cb vns 9cm, 2 discor cb stringer vns 4cm, diss po 125cm
AX-19-38	131.50	133.00	1.50	10	0	95		3 conc qtz cb vns 10cm, diss po 95cm
AX-19-38	133.00	134.50	1.50	9	0	85		3 conc qtz cb vns 9cm, diss po 85cm
AX-19-38	134.50	135.75	1.25	30	0	78		9 conc qtz cb vns 30cm, diss po 78cm
AX-19-38	135.75	137.00	1.25	25	0	85		7 conc qtz cb vns 25cm, diss po 85cm
AX-19-38	137.00	138.50	1.50	36	0	93		10 conc qtz cb vns 36cm, diss po 93cm
AX-19-38	138.50	140.00	1.50	15	7	80		8 conc qtz cb vns 15cm, 2 discor qtz cb vns 7cm, diss po 80cm
AX-19-38	140.00	141.50	1.50	20	0	30		9 conc qtz cb vns 20cm, diss po 30cm
AX-19-38	141.50	143.00	1.50	4	4	65		1 conc qtz cb vn 4cm, 1 discor qtz cb vn 4cm, diss po 65cm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
AX-19-38	143.00	144.50	1.50	6	5	50		3 conc qtz cb vns 6cm, 2 discor qtz cb vns 5cm, diss po 50cm
AX-19-38	144.50	145.50	1.00	20	2	20		8 conc qtz cb vns 20cm, 1 discor qtz cb vn 2cm, diss po 20cm
AX-19-38	145.50	146.30	0.80	6	0	17		4 conc qtz cb vns 6cm, diss po 17cm
AX-19-39	5.60	6.10	0.50	5	0	0		2 conc qtz cb vns 5cm,
AX-19-39	6.10	7.50	1.40	7	30	10		2 conc qtz cb vns 7cm. 1 discor qtz cb vn 30cm, diss po 10cm
AX-19-39	7.50	8.75	1.25	0	6	60		3 discor qtz cb vns 6cm, diss po 60cm
AX-19-39	8.75	9.95	1.20	0	4	50		2 discor qtz cb vns 4cm, diss po 50cm
AX-19-39	9.95	11.20	1.25	0	6	125		4 discor qtz cb vns 6cm, diss po 125cm
AX-19-39	11.20	12.40	1.20	11	1	120		3 conc qtz cb vns 11cm, 1 discor qtz cb vnt 1cm, diss po 120cm
AX-19-39	12.40	13.50	1.10	5	3	53		4 conc qtz cb vns 5cm,2 discor qtz cb vns 3cm, diss po 53cm
AX-19-39	13.50	15.00	1.50	0	6	63		4 discor qtz cb vns 6cm, diss po 63cm
AX-19-39	15.00	16.00	1.00	0	2	10		2 discor qtz cb vns 2cm. Diss po 10cm
AX-19-39	16.00	17.15	1.15	2	4	0		1 conc qtz cb vn 2cm, 1 discor qtz cb vn 4cm,
AX-19-39	17.15	18.25	1.10	0	60	14		3 discor qtz cb vns 60cm. Diss po 14cm
AX-19-39	18.25	19.50	1.25	15	0	45		2 conc qtz cb vns 15cm, diss po 45cm
AX-19-39	19.50	21.00	1.50	8	17	135		5 conc qtz cb vns 8cm, 4 discor qtz cb vns 17cm, diss po 135cm
AX-19-39	21.00	22.50	1.50	7	12	100		2 conc qtz cb vns 7cmm 1 discor qtz cb vns 12cm, diss po 100cm
AX-19-39	22.50	24.00	1.50	18	12	90		8 conc qtz cb vns 18cm, 6 discor qtz cb vns 12cm, diss po 90cm
AX-19-39	24.00	25.50	1.50	12	6	80		3 conc qtz cb vns 12cm, 4 discor qtz cb vns 6cm, diss po 80cm
AX-19-39	25.50	27.00	1.50	13	4	150		7 conc qtz cb vns 13cm, 2 discor qtz cb vns 4cm, diss po 150cm
AX-19-39	27.00	28.50	1.50	14	1	150		6 conc qtz cb vns 14cm, 1 discor qtz cb vn 1cm, diss po 150cm
AX-19-39	28.50	30.00	1.50	16	4	150		7 conc qtz cb vns 16cm, 3 discor qtz cb vns 4cm, diss po 150cm
AX-19-39	30.00	31.50	1.50	26	6	150		11 conc qtz cb vns 26cm, 2 discor qtz cb vns 6cm, diss po 150cm
AX-19-39	31.50	33.00	1.50	5	2	150		3 conc qtz cb vns 5cm, 3 discor qtz cb vns 2cm, diss po 150cm
AX-19-39	33.00	34.50	1.50	17	12	145		8 conc qtz cb vns 17cm, 5 discor qtz cb vns 12cm, diss po 145cm
AX-19-39	34.50	36.00	1.50	20	5	127		10 conc qtz cb vns 20cm, 2 discor qtz cb vns 5cm, diss po 127cm
AX-19-39	36.00	36.90	0.90	37	1	67		14 conc qtz cb vns 37cn, 1 discor qtz cb vn 1cm, diss po 67cm
AX-19-39	36.90	37.85	0.95	1	1	65		1 conc qtz cb vn 1cm, 1 discor qtz cb vn 1cm, diss po 65cm
AX-19-39	37.85	39.00	1.15	7	7	115		3 conc qtz cb vns 7cm, 4 discor qtz cb vns 7cm, diss po 115cm
AX-19-39	39.00	40.50	1.50	25	4	115		6 conc qtz cb vns 25cm, 2 discor qtz cb vns 4cm, diss po 115cm
AX-19-39	40.50	42.00	1.50	17	0	39	flt	6 conc qtz cb vns 17cm, flt zone 21cm 40 degrees tca. Diss po 39cm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
AX-19-39	42.00	43.50	1.50	24	5	90	flt	6 conc qtz cb vns 24cm, 1 discor qtz cb vn 5cm, flt zone 13cm, diss po 90cm
AX-19-39	43.50	45.00	1.50	0	6	150		3 discor qtz cb vns 6cm, diss po 150cm
AX-19-39	45.00	46.50	1.50	20	4	135		8 conc qtz cb vns 20cm, 1 discor qtz cb vn 4cm, diss po 135cm
AX-19-39	46.50	48.00	1.50	10	8	70		4 conc qtz cb vns 10cm, 5 discor qtz cb vns 8cm, diss po 70cm
AX-19-39	48.00	49.50	1.50	8	3	90		3 conc qtz cb vns 8cm, 2 discor qtz cb vns 3cm, diss po 90cm
AX-19-39	49.50	51.00	1.50	26	9	55		11 conc qtz cb vns 26cm, 4 discor qtz cb vns 9cm, diss po 55cm
AX-19-39	51.00	52.50	1.50	9	3	43		4 conc qtz cb vns 9cm, 3 discor qtz cb vns 3cm, diss po 43cm
AX-19-39	52.50	53.50	1.00	10	1	26		3 conc qtz cb vns 10cm, 2 discor qtz cb vnlt 1cm, diss po 26cm
AX-19-39	53.50	54.86	1.36	0	0	10		diss po 10cm
AX-19-39	54.86	55.70	0.84	0	4	0		1 discor qtz cb vn 4cm,
AX-19-39	55.70	57.00	1.30	0	7	45		5 discor qtz cb vns 7cm, diss po 45cm
AX-19-39	57.00	58.50	1.50	0	2	107		1 discor qtz cb vn 2cm, diss po 107cm
AX-19-39	58.50	60.00	1.50	0	5	150		1 discor qtz cb vn 5cm, diss po 150cm
AX-19-39	60.00	61.50	1.50	0	2	150		1 discor qtz cb vn 2cm, diss po 150cm
AX-19-39	61.50	62.32	0.82	15	8	82		4 conc qtz cb vns 15cm, 1 discor qtz cb vn 8cm, diss po 82cm
AX-19-39	62.32	63.50	1.18	23	65	0	flt	12 conc qtz cb vns 23cm, diss po 65cm, flt zone 20cm
AX-19-39	63.50	65.00	1.50	23	1	90		6 conc qtz cb vns 23cm, 1 discor qtz cb vn 1cm, diss po 90cm
AX-19-39	65.00	66.50	1.50	0	6	90		2 discor qtz cb vns 6cm, diss po 90cm
AX-19-39	66.50	68.00	1.50	6	7	150		5 conc qtz cb vns 6cm, 3 discor qtz cb vns 7cm, diss po 150cm
AX-19-39	68.00	69.50	1.50	19	8	135		6 conc qtz cb vns 19cm, 2 discor qtz cb vns 8cm, diss po 135cm
AX-19-39	69.50	70.75	1.25	4	0	55		2 conc qtz cb vns 4cm, diss po 55cm
AX-19-39	70.75	72.30	1.55	24	7	120		15 conc qtz cb vns 24cm, 3 discor qtz cb vns 7cm, diss po 120cm
AX-19-39	72.30	73.50	1.20	11	5	50		5 conc qtz cb vns 11cm, 1 discor qtz cb vn low angle mostly cb 5cm, diss po 50cm
AX-19-39	73.50	75.00	1.50	17	6	130		6 conc qtz cb vns 17cm, 3 discor qtz cb vns 6cm, diss po 130cm
AX-19-39	75.00	76.50	1.50	17	2	90		9 conc qtz cb vns 17cm, 1 discor qtz cb vn 2cm, diss po 90cm
AX-19-39	76.50	78.00	1.50	13	0	127		6 conc qtz cb vns 13cm, diss po 127cm
AX-19-39	78.00	79.50	1.50	24	0	80		7 conc qtz cb vns 24cm, diss po 80cm
AX-19-39	79.50	81.00	1.50	20	0	126		13 conc qtz cb vns 20cm, diss po 126cm
AX-19-39	81.00	82.50	1.50	33	0	137		11 conc qtz cb vns 33cm, diss po 137cm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
AX-19-39	82.50	84.00	1.50	21	0	141		11 conc qtz cb vns 21cm, diss po 141cm
AX-19-39	84.00	85.50	1.50	12	11	111		8 conc qtz cb vns 12cm, 3 discor qtz cb vns 11cm, diss po 111cm
AX-19-39	85.50	87.00	1.50	11	1	115		3 conc qtz cb vns 11cm, 4 discor cb stringers 1cm, diss po 115cm
AX-19-39	87.00	88.50	1.50	5	20	77		3 conc qtz cb vns 5cm, 6 discor qtz cb vns 20cm, diss po 77cm
AX-19-39	88.50	90.00	1.50	5	14	85		1 conc qtz cb vn 5cm, 1 discor qtz cb vn 14cm, diss po 85cm
AX-19-39	90.00	91.50	1.50	2	13	60		1 conc qtz cb vn 2cm, 3 discor qtz cb vns 13cm, diss po 60cm
AX-19-39	91.50	93.00	1.50	27	0	122		9 conc qtz cb vns 27cm, diss po 122cm
AX-19-39	93.00	94.50	1.50	12	0	120		4 conc qtz cb vns 12cm, diss po 120cm
AX-19-39	94.50	96.00	1.50	20	3	126		6 conc qtz cb vns 20cm. 2 discor qtz cb vns 3cm, diss po 126cm
AX-19-39	96.00	97.50	1.50	11	0	5		2 conc qtz cb vns 11cm, diss po 5cm
AX-19-39	97.50	99.00	1.50	26	0	19		4 conc qtz cb vns 26cm. Diss po 19cm
AX-19-39	99.00	100.50	1.50	12	5	105		3 conc qtz cb vns 12cm, 2 discor qtz cb vns 5cm, diss po 105cm
AX-19-39	100.50	102.00	1.50	32	0	80		8 conc qtz cb vns 32cm, diss po 80cm
AX-19-39	102.00	103.50	1.50	22	10	30		6 conc qtz cb vns 22cm, 4 discor qtz cb vns 10cm, diss po 30cm
AX-19-39	103.50	105.00	1.50	22	6	123		9 conc qtz cb vns 22cm, 4 discor qtz cb vns 6cm, diss po 123cm
AX-19-39	105.00	106.50	1.50	6	2	61		2 conc qtz cb vns 6cm, 1 discor qtz cb vn 2cm, diss po 61cm
AX-19-39	106.50	108.00	1.50	4	4	72		3 conc qtz cb vns 4cm, 2 discor qtz cb vns 4cm, diss po 72cm
AX-19-39	108.00	109.50	1.50	20	0	35		4 discor qtz cb vns 20cm, diss po 35cm
AX-19-39	109.50	111.00	1.50	5	2	70		2 conc qtz cb vns 5cm, 2 discor qtz cb vn 2cm, diss po 70cm
AX-19-39	111.00	112.50	1.50	2	4	82		2 conc qtz cb vns 2cm, 1 discor qtz cb vn 4cm, diss po 82cm
AX-19-39	112.50	114.00	1.50	11	9	27		6 conc qtz cb vns 11cm, 1 discor qtz cb vn 9cm, diss po 27cm
AX-19-39	114.00	115.00	1.00	13	0	37		7 conc qtz cb vns 13cm, diss po 37cm
AX-19-39	115.00	116.15	1.15	21	3	16		9 conc qtz cb vns 21cm, 1 discor qtz cb vns 3cm, diss po 16cm
AX-19-39	116.15	117.50	1.35	2	0	134		2 conc qtz cb vns 2cm, diss po 134cm
AX-19-39	117.50	118.87	1.37	0	0	95		diss po 95cm
AX-19-40	8.80	10.67	1.87	5	0	4		1 conc qtz cb vn 5cm, diss po 4cm,
AX-19-40	10.67	12.00	1.33	3	0	18		1 conc qtz cb vn 3cm, diss po 18cm
AX-19-40	12.00	13.50	1.50	9	1	0		4 conc qtz cb vns 9cm, 1 discor qtz cb vn 1cm,
AX-19-40	13.50	14.55	1.05	7	0	0		4 conc qtz cb vns 7cm,
AX-19-40	14.55	14.95	0.40	3	4	4		1 conc qtz cb vn 3cm, 1 discor qtz cb vn 4cm, diss po 4cm
AX-19-40	14.95	16.50	1.55	8	12	45		5 conc qtz cb vns 8cm, 7 discor qtz cb vns 12cm very low angle largely cb
AX-19-40	16.50	18.00	1.50	0	4	25		4 low angle discor qtz cb vning 4cm, diss po 25cm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
AX-19-40	18.00	19.00	1.00	3	1	33		2 conc qtz cb vns 3cm, 2 discor qtz cb vns 1cm, diss po 33cm
AX-19-40	19.00	20.00	1.00	9	0	3		3 conc qtz cb vns 9cm, diss po 3cm
AX-19-40	20.00	21.50	1.50	9	7	6		2 conc qtz cb vns 9cm, 2 discor qtz cb vns 7cm, diss po 6cm
AX-19-40	21.50	23.00	1.50	5	9	5		3 conc qtz cb vns 5cm, 6 discor qtz cb vns 9cm, diss po 5cm
AX-19-40	23.00	24.50	1.50	0	10	5		8 discor qtz cb vns 10cm, diss po 5cm
AX-19-40	24.50	26.00	1.50	14	4	18		5 conc qtz cb vns 14cm, 1 discor qtz cb vn 4cm, diss po 18cm
AX-19-40	26.00	27.50	1.50	8	0	16		3 conc qtz cb vns 8cm, diss po 16cm
AX-19-40	27.50	29.00	1.50	5	2	15		3 conc qtz cb vns 5cm, 1 discor qtz cb vn 2cm, diss po 15cm
AX-19-40	29.00	30.35	1.35	9	0	5		4 conc qtz cb vns 9cm, diss po 5cm
AX-19-40	30.35	31.10	0.75	1	0	70		1 conc qtz cb vn 1cm, diss po 70cm
AX-19-40	31.10	32.50	1.40	11	0	20		6 conc qtz cb vns 11cm, diss po 20cm
AX-19-40	32.50	34.00	1.50	11	0	38		6 conc qtz cb vns 11cm, diss po 38cm
AX-19-40	34.00	35.50	1.50	6	0	125		3 conc qtz cb vns 6cm, diss po 125cm
AX-19-40	35.50	36.50	1.00	14	0	95		6 conc qtz cb vns 14cm, diss po 95cm
AX-19-40	36.50	37.25	0.75	4	0	20		2 conc qtz cb vns 4cm, diss po 20cm
AX-19-40	37.25	38.50	1.25	10	0	0	flt	2 conc qtz cb vns 10cm, flt zone 90cm,
AX-19-40	38.50	40.00	1.50	1	0	0	flt	1 discor qtz cb vn 1cm, flt zone 105cm
AX-19-40	40.00	41.55	1.55	8	4	5	flt	4 conc qtz cb vns 8cm, 1 discor qtz cb vn 4cm, diss po 5cm, flt zone 20cm
AX-19-40	41.55	43.15	1.60	10	0	55	flt	2 conc qtz cb vns 10cm, diss po 55cm, flt zone 30cm
AX-19-40	43.15	44.42	1.27	5	0	130		2 conc qtz cb vn 5cm, diss po 130cm
AX-19-40	44.42	44.85	0.43	0	0	43		bx for whole unit diss po 43cm
AX-19-40	44.85	46.00	1.15	115	0	0		1 conc qtz cb vn 115cm
AX-19-40	46.00	47.00	1.00	23	2	75		3 conc qtz cb vns 23cm, 1 discor qtz cb vn 2cm, diss po 75cm
AX-19-40	47.00	48.35	1.35	14	2	103		2 conc qtz cb vns 14cm, 1 discor qtz cb vns 2cm, diss po 103cm
AX-19-40	48.35	50.00	1.65	18	6	53		5 conc qtz cb vns 18cm, 3 discor qtz cb vns 6cm, diss po 53cm
AX-19-40	50.00	51.50	1.50	8	1	67		3 conc qtz cb vns 8cm, 1 discor qtz cb vn 1cm, diss po 67cm
AX-19-40	51.50	53.00	1.50	1	0	63		1 conc qtz cb vn 1cm, diss po 63cm
AX-19-40	53.00	54.50	1.50	23	2	30		7 conc qtz cb vns 23cm, 1 discor qtz cb vn 2cm, diss po 30cm
AX-19-40	54.50	56.00	1.50	31	0	55		11 conc qtz cb vns 31cm, diss po 55cm
AX-19-40	56.00	57.50	1.50	12	5	90		3 conc qtz cb vns 12cm, 2 discor qtz cb vns 5cm, diss po 90cm
AX-19-40	57.50	59.00	1.50	4	1	115		1 conc qtz cb vn 4cm, 5 discor cb stringers 1cm, diss po 115cm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
AX-19-40	59.00	60.50	1.50	18	0	93		6 conc Qtz cb vns 18cm, diss po 93cm
AX-19-40	60.50	62.00	1.50	3	1	68	flt	1 conc Qtz cb vn 3cm, 1 discor Qtz cb vn 1cm, flt zone 35cm, diss po 68cm
AX-19-40	62.00	63.50	1.50	0	9	134		2 discor Qtz cb vns 9cm, diss po 134cm
AX-19-40	63.50	65.00	1.50	0	9	150		1 discor Qtz cb vn 6cm, diss po 150cm
AX-19-40	65.00	66.00	1.00	0	5	70		2 discor Qtz cb vns 5cm, diss po 70cm
AX-19-40	66.00	67.50	1.50	7	5	85		3 conc Qtz cb vns 7cm, 1 discor Qtz cb vn 5cm, flt zone 20cm, diss po 85cm
AX-19-40	67.50	69.00	1.50	30	1	57		8 conc Qtz cb vns 30cm, 1 discor Qtz cb vn 1cm, diss po 57cm
AX-19-40	69.00	70.50	1.50	35	0	75		11 conc Qtz cb vns 35cm, diss po 75cm
AX-19-40	70.50	71.50	1.00	14	0	30		7 conc Qtz cb vns 14cm, diss po 30cm
AX-19-40	71.50	72.70	1.20	8	0	4		2 conc Qtz cb vns 8cm, diss po 4cm
AX-19-40	72.70	74.00	1.30	0	0	50	flt	flt zone 40cm, diss po 50cm
AX-19-40	74.00	75.50	1.50	18	0	68	flt	2 conc Qtz cb vns 18cm, flt zone 25cm, diss po 68cm
AX-19-40	75.50	77.00	1.50	5	0	66	flt	2 conc Qtz cb vns 5cm, flt zone 20cm, diss po 66cm
AX-19-40	77.00	77.72	0.72	43	0	5		5 conc Qtz cb vns 43cm, flt zone 20cm, diss po 5cm
AX-19-40	77.72	78.82	1.10	24	0	11	flt	5 conc Qtz cb vns 24cm, flt zone 75cm, diss po 11cm.
AX-19-40	78.82	80.00	1.18	13	0	26		5 conc Qtz cb vns 13cm, diss po 26cm
AX-19-40	80.00	81.50	1.50	37	0	80		13 conc Qtz cb vns 37cm, diss po 80cm
AX-19-40	81.50	82.50	1.00	17	0	40		8 conc Qtz cb vns 17cm, diss po 40cm
AX-19-40	82.50	83.82	1.32	8	0	80		diss po 80cm, 3 conc Qtz cb vns 8cm,
MQ-19-42	15.24	16.76	1.52	10	0	13		2 foliaform quartz-chlorite-calcite-pyrrhotite veins (10cm), 1 retrograde skarn altered horizon (13cm)
MQ-19-42	16.76	18.29	1.53	20	0	8		8 foliaform quartz-chlorite calcite veins (20cm), 1 retrograde skarn altered horizon (8cm)
MQ-19-42	18.29	19.81	1.52	0	0	0		broken and fractured rock several quartz veins and at least one skarn altered horizon
MQ-19-42	19.81	21.34	1.53	0	0	0		broken and fractured rock several quartz veins, at least one discordant quartz vein (3cm)
MQ-19-42	21.34	22.86	1.52	16	2	8		5 FOLIAFORM QUARTZ VEINS (16cm), 1 retrograde skarn altered horizon (8cm), 1 shallow angle discordant quartz veins (2cm)

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-42	22.86	24.38	1.52	27	0	34		12 foliaform quartz veins (27cm), 3 retrograde skarn altered horizons (34cm)
MQ-19-42	24.38	26.09	1.71	14	1	12		7 foliaform quartz veins (14cm), 1 discordant veins (1cm), 1 retrograde skarn altered horizon (12cm)
MQ-19-42	26.09	27.1	1.01	19	0	85		6 foliaform quartz veins (19cm), 2 retrograde skarn altered horizons (85cm)
MQ-19-42	27.1	29.3	2.2	8	3	0		more than two foliaform quartz veins (8cm), at least 3 discordant veins (3cm)
MQ-19-42	29.3	29.9	0.6	14	0	0		4 foliaform quartz veins (14cm)
MQ-19-42	29.9	31.4	1.5	8	3	0		8 foliaform quartz veins, 1 discordant vein (3cm)
MQ-19-42	31.4	33.24	1.84	14	8	0		4 foliaform quartz veins (14cm), 1 discordant quartz-calcitie-chlorite veins (8cm)
MQ-19-42	33.24	34.75	1.51	26	0	104		6 foliaform quartz veins (26cm), 104cm of skarn horizons
MQ-19-42	34.75	36.5	1.75	23	0	85		6 foliaform quartz veins (23cm), 85 cm of skarn horizons
MQ-19-42	36.5	37.8	1.3	28	0	83		7 foliaform quartz veins (28cm), 83 cm of disseminated pyrrhotite
MQ-19-42	37.8	39.33	1.53	7	0	0		1 foliaform quartz vein (7cm)
MQ-19-42	39.33	40.8	1.47	28	0	59		8 foloafom quartz veins (28cm), 59cm accumulated skarn horizons
MQ-19-42	40.8	41.25	0.45	0	0	45		45cm of disseminated pyrrhotite
MQ-19-42	41.25	42.67	1.42	15	0	131		4 foliaform quartz veins (15cm), 131cm of disseminated pyrrhotite
MQ-19-42	42.67	44.2	1.53	0	13	131		5 discordant quartz veins (13cm), 131cm of disseminated pyrrhotite
MQ-19-42	44.2	45.72	1.52	35	0	73		16 foliaform quartz veins (35cm), 73cm of disseminated pyrrhotite
MQ-19-42	45.72	47.03	1.31	37	0	68		9 foliaform quartz veins (37cm), 68cm of disseminated pyrrhotite
MQ-19-42	47.03	47.73	0.7	7	0	0		5 foliaform quartz veins (7cm),

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-42	47.73	48.1	0.37	0	5	0		1 shallow angle discordant siderite vein with sphalerite and galena (5cm)
MQ-19-42	48.1	49	0.9	9	0	0		3 foliaform quartz veins (9cm)
MQ-19-42	49	50.56	1.56	0	7	0		4 shallow angle discordant siderite veins with sphalerite and galena (7cm)
MQ-19-42	50.56	51.5	0.94	17	0	0		8 foliaform quartz veins (17cm)
MQ-19-42	51.5	52.36	0.86	30	0	0		9 foliaform quartz veins (30cm)
MQ-19-42	52.36	53.8	1.44	0	139	0		2 discorant quartz veins 136cm (possible shallow angle veins), 2 discordant quartz veins (3cm)
MQ-19-42	53.8	55.37	1.57	0	0	126		126cm of disseminated pyrrhotite
MQ-19-42	55.37	56.92	1.55	15	0	45		7 foliaform quartz veins (15cm), 45cm of disseminated pyrrhotite
MQ-19-42	56.92	57.91	0.99	0	1	59		56cm of disseminated pyrrhotite, including 3cm of semi-massive pyrrhotite, 1 discordant vein (1cm)
MQ-19-42	57.91	58.06	0.15	0	0	0.15		72cm of disseminated pyrrhotite including 2cm of semimassive pyrrhotite
MQ-19-42	58.06	58.37	0.31	0	1	0		1 discordant quartz veins (1cm)
MQ-19-42	58.37	58.82	0.45	4	0	0		3 foliaform quartz veins (4cm)
MQ-19-42	58.82	61.28	2.46	0	2	0		2 discordant quartz veins (2cm)
MQ-19-42	61.28	63.5	2.22	10	0	0		6 foliaform quartz veins (10cm)
MQ-19-42	63.5	65	1.5	9	1	105		4 foliaform quartz veins (9cm), 1 discordant quartz veins (1cm), 105cm of disseminated pyrrhotite
MQ-19-42	65	65.66	0.66	2	0	66		1 foliaform quartz veins (2cm), 66 cm of disseminated pyrrhotite
MQ-19-42	66.25	67.2	0.95	9	30	95		2 foliaform quartz veins (9cm), 2 discordant veins (30cm), 135cm of disseminated pyrrhotite
MQ-19-42	67.2	70.1	2.9	8	57	96		3 foliaform quartz veins (8cm), 2 discordant quartz veins (57cm), 96cm of disseminated pyrrhotite
MQ-19-42	70.1	70.95	0.85	0	0	54		54cm of disseminated pyrrhotite
MQ-19-42	70.95	71.55	0.6	0	0	37		37cm of disseminated pyrrhotite
MQ-19-42	71.55	73.55	2	0	0	116		116cm of disseminated pyrrhotite
MQ-19-42	73.55	75.5	1.95	0	0	67		67cm of disseminated pyrrhotite



Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-42	75.5	78.05	2.55	0	0	0		uncemented fault breccia of graphitic schist. McQuesten Fault
MQ-19-42	78.05	79.86	1.81	0	0	0		8 quartz carbonate veinlets (<1cm) it steep angles tca
MQ-19-42	79.86	81.99	2.13	0	0	0		11 quartz carbonate veinlets (<1cm) at steep angles tca
MQ-19-42	81.99	82.7	0.71	0	0	0		12 quartz carbonate pyrite veinlets (<1cm) at steep angles tca
MQ-19-42	82.7	85.04	2.34	0	0	0		5 quartz carbonate pyrite veinlets steep angles tca, 2 quartz carbonate pyrite veins (4cm) shallow angles tca
MQ-19-42	85.04	86.87	1.83	0	0	0		9 quartz carbonate pyrite veinlets steep angles tca, 1 quartz carbonate pyrite veins shallow angle tca running 50% length of interval
MQ-19-42	86.87	88.31	1.44	0	0	0		9 quartz carbonate pyrite veinlets steep angles tca, 1 quartz carbonate pyrite veins shallow angle tca running 25% length of interval
MQ-19-42	88.31	90.02	1.71	0	0	0		8 quartz carbonate pyrite veinlets steep angles tca
MQ-19-42	90.02	92.08	2.06	0	0	0		15 quartz carbonate pyrite veinlets steep angles tca
MQ-19-42	92.08	92.96	0.88	0	0	0		10 quartz carbonate pyrite veinlets steep angles tca
MQ-19-42	92.96	94.65	1.69	0	2	0		4quartz carbonate pyrite veinlets steep angles tca, 1 quartz-carb-asy vein (2cm)
MQ-19-42	94.65	94.89	0.24	0	0	24		semi massive replacement of carbonate by pyrrhotite
MQ-19-42	94.89	95.56	0.67	0	0	67		semi massive to massive replacement of carbonate by pyrrhotite and arsenpyrite with schelite
MQ-19-42	95.56	95.9	0.34	0	0	34		semi massive replacement of carbonate by pyrrhotite arsenpyrite pyrite and trace chalcopyrite
MQ-19-42	95.9	97.1	1.2	0	0	120		semi massive replacement of carbonate by pyrrhotite arsenpyrite pyrite and trace chalcopyrite
MQ-19-42	100.82	101.5	0.68	0	0	0		silica replacement of carbonate
MQ-19-42	104.64	105.16	0.52	0	6	0		1 discordant quartz-carb-pyrite-asy vein (6cm) running length of interval
MQ-19-42	109.69	110.45	0.76	0	0	0		1 quartz-carb-pyrite-asy vein running length of interval containing clasts of quartzite

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-43	2.25	3.05	0.8	0	0	0	brk	broken weathered sch (non calcareous) regolith
MQ-19-43	3.05	4.57	1.52	1	0	0		1 foliaform quartz vein (1cm)
MQ-19-43	4.57	6.1	1.53	7	0	0		2 foliaform quartz veins (7cm)
MQ-19-43	6.1	7	0.9	4	0	0		1 foliaform quartz vein (4cm)
MQ-19-43	7	8.22	1.22	7	0	0		2 foliaform quartz veins (7cm)
MQ-19-43	8.22	9.14	0.92	5	0	0		1 foliaform quartz vein (5cm)
MQ-19-43	9.14	10.44	1.3	7	0	0		3 foliaform quartz veins (7cm)
MQ-19-43	10.44	12.19	1.75	2	0	0		1 foliaform quartz veins (2cm)
MQ-19-43	12.19	13.72	1.53	13	0	0		3 foliaform quartz veins (13cm)
MQ-19-43	13.72	14.63	0.91	0	0	0	BRX	40cm of crushed rock (fault breccia?)
MQ-19-43	14.63	16.15	1.52	6	1	0		3 foliaform veins (6cm), 1 discordant quartz vein (1cm)
MQ-19-43	16.15	17.68	1.53	55	0	0		15 foliaform quartz veins (55cm)
MQ-19-43	17.68	19.2	1.52	48	0	0		8 foliaform quartz veins (48cm)
MQ-19-43	19.2	20.73	1.53	56	0	0		10 foliaform quartz veins (56cm)
MQ-19-43	20.73	21.37	0.64	19	0	0		9 foliaform quartz vein (19cm),
MQ-19-43	21.37	23.53	2.16	13	0	0		8 foliaform quartz veins (13cm)
MQ-19-43	23.53	25.23	1.7	4	1	0		2 foliaform quartz veins (4cm) 1 discordant quartz vein (1cm)
MQ-19-43	25.23	26.89	1.66	6	0	0		2 foliaform quartz veins (6cm)
MQ-19-43	26.89	28.14	1.25	16	2	6		7 foliaform quartz veins (16cm), 1 discordant quartz veins (2cm), 6cm of disseminated pyrrhotite
MQ-19-43	28.14	29	0.86	0	9	23		1 discordant quartz vein (9cm), 23cm of disseminated pyrrhotite
MQ-19-43	29	30.48	1.48	7	1	0		4 foliaform quartz-pyrrhotite vein (7cm), 1 discordant quartz vein (1cm)
MQ-19-43	30.48	32.5	2.02	3	0	0		3 foliaform quartz veins (3cm)
MQ-19-43	32.5	34.97	2.47	0	0	21		21cm of disseminated pyrrhotite
MQ-19-43	34.97	35.73	0.76	16	0	48		6 foliaform quartz veins (16cm), 48cm of disseminated pyrrhotite
MQ-19-43	35.73	36.92	1.19	14	0	0		4 foliaform quartz veins (14cm)
MQ-19-43	36.92	38.08	1.16	17	1	93		7 foliaform quartz-pyrrhotite veins (17cm), 1 discordant quartz vein (1cm), 93cm of disseminated pyrrhotite

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-43	38.08	38.5	0.42	15	0	0		7 foliaform quartz veins (15cm)
MQ-19-43	38.5	39.9	1.4	16	0	40		8 foliaform quartz veins (16cm), 40cm of disseminated pyrrhotite
MQ-19-43	39.9	41.5	1.6	25	1	141		8 foliaform quartz-pyrrhotite veins (25cm), 1 quartz-sphalerite discordant veins (1cm) shallow angle tca, 141cm of disseminated pyrrhotite
MQ-19-43	41.5	41.85	0.35	0	0	0		broken quartz vein
MQ-19-43	41.85	42.15	0.3	0	0	30		30cm of disseminated pyrrhotite
MQ-19-43	42.15	44	1.85	64	5	0		10 foliaform quartz veins (64cm), 1 discordant quartz vein (5cm)
MQ-19-43	44	45.72	1.72	36	0	141		12 foliaform quartz veins (36cm), 141cm of disseminated pyrrhotite
MQ-19-43	45.72	46.5	0.78	23	0	66		3 foliaform quartz veins (23cm), 3 discordant veinslets, 66cm of disseminated pyrrhotite
MQ-19-43	46.5	47.75	1.25	35	0	13		14 foliaform quartz veins (35cm), 13cm of disseminated pyrrhotite
MQ-19-43	47.75	48.72	0.97	3	0	5		2 foliaform quartz veins (3cm), 5cm of disseminated pyrrhotite
MQ-19-43	48.72	50.32	1.6	29	0	93		15 foliaform quartz veins (29cm), 93cm of disseminated pyrrhotite
MQ-19-43	50.32	52.17	1.85	16	0	100		6 foliaform quartz veins (16cm), 2 shallow angle tca quartz veins with sphalerite, 100cm of disseminated pyrrhotite
MQ-19-43	52.17	53.27	1.1	17	2	66		7 foliaform quartz veins (17cm), 1 shallow angle TCA discordant quartz vein (2cm), 66cm of disseminated pyrrhotite
MQ-19-43	53.27	54.52	1.25	28	0	125		9 foliaform quartz veins (28cm), 125cm of disseminated pyrrhotite
MQ-19-43	54.52	56.65	2.13	51	0	49		10 foliaform quartz veins (51cm), 49cm of disseminated pyrrhotite
MQ-19-43	56.65	57.51	0.86	9	0	79		4 foliaform quartz veins (9cm), 79cm of disseminated pyrrhotite

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-43	57.51	59.04	1.53	23	0	15		8 foliaform quartz veins (23cm), 15 cm of disseminated pyrrhotite
MQ-19-43	59.04	60.26	1.22	14	0	78		5 foliaform quartz veins (14cm), 78cm of disseminated pyrrhotite
MQ-19-43	60.26	61.85	1.59	37	0	57		13 foliaform quartz veins (37cm), 57cm of disseminated pyrrhotite
MQ-19-43	61.85	62.45	0.6	0	6	0		2 discordant quartz veins (6cm)
MQ-19-43	62.45	64.33	1.88	16	0	103		7 foliaform quartz veins (16cm), 2 shallow angle tca quartz veins, 103cm of disseminated pyrrhotite
MQ-19-43	64.33	65.15	0.82	7	1	47		3 foliaform quartz veins (7cm), 1 discordant shallow angle quartz vein (1cm), 47cm of disseminated pyrrhotite
MQ-19-43	65.15	66.39	1.24	0	0	44		44cm of disseminated pyrrhotite
MQ-19-43	66.39	67.84	1.45	28	0	73		8 foliaform quartz veins (28cm), 73cm of disseminated pyrrhotite
MQ-19-43	67.84	69	1.16	1	1	104		1 foliaform quartz veins (1cm), 1 discordant quartz veins (1cm), 104cm of disseminated pyrrhotite
MQ-19-43	69	69.34	0.34	0	34	34		1 discordant quartz vein (34cm), 34cm of pyrrhotite
MQ-19-43	69.34	70.6	1.26	20	0	101		6 foliaform quartz veins (20cm), 101cm of disseminated pyrrhotite
MQ-19-43	70.6	71.64	1.04	3	0	0		1 foliaform quartz vein (3cm)
MQ-19-43	71.64	73.15	1.51	14	0	140		4 foliaform quartz veins (14cm), 140cm of disseminated pyrrhotite
MQ-19-43	73.15	74.84	1.69	25	0	169		9 foliaform quartz veins (25cm), 169cm of disseminated pyrrhotite
MQ-19-43	74.84	76.2	1.36	12	0	131		4 foliaform quartz veins (12cm), 3 discordant quartz veins (14cm), 131cm of disseminated pyrrhotite
MQ-19-43	76.2	77.93	1.73	21	0	173		6 foliaform quartz veins (21cm), 173cm of disseminated pyrrhotite
MQ-19-43	77.93	81.3	3.37	0	0	0	Fault	
MQ-19-43	82.2	83.93	1.73	19	0	173		5 foliaform quartz veins (19cm), 173cm of disseminated pyrrhotite

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-43	83.93	84.65	0.72	9	0	0		4 foliaform quartz veins (9cm)
MQ-19-43	84.65	86.79	2.14	8	0	51		1 foliaform quartz veins (8cm), 51cm of disseminated pyrrhotite
MQ-19-43	86.79	88.7	1.91	15	0	23		3 foliaform quartz veins (15cm), 23cm of disseminated pyrrhotite
MQ-19-43	88.7	89.29	0.59	0	0	59		59cm of disseminated pyrrhotite
MQ-19-43	89.29	89.65	0.36	0	0	36		1 discordant quartz-pyrrhotite vein (30cm)
MQ-19-43	89.65	89.91	0.26	0	0	26		chlorite-actinolite-scheelite- semi-massive pyrrhotite
MQ-19-43	89.91	90.39	0.48	0	0	48		chlorite-actinolite-scheelite- semi-massive pyrrhotite
MQ-19-43	90.39	91.6	1.21	0	0	121		chlorite-actinolite-scheelite- semi-massive pyrrhotite
MQ-19-43	91.6	92	0.4	0	0	40		chlorite-actinolite-semi-massive pyrrhotite
MQ-19-43	98.4	99.57	1.17	0	0	117		117cm of disseminated pyrrhotite
MQ-19-43	99.57	101.1	1.53	0	3	0		1 shallow angled TCA mineralized (pyrrhotite-chalcopyrite- aspy-pyrite) quartz vein (at least 3cm)
MQ-19-44	6.1	6.8	0.7	25	0	0		quartz vein (25cm)
MQ-19-44	9.4	10.73	1.33	25	0	0		quartz vein (25cm)
MQ-19-44	15.24	16.76	1.52	6	0	6		1 foliaform quartz vein (6cm), 6cm of disseminated pyrrhotite
MQ-19-44	18.29	19.6	1.31	1	0	19		1 foliaform quartz vein , 19cm of disseminated pyrrhotite
MQ-19-44	19.6	20.7	1.1	6	0	30		3 foliaform quartz veins (6cm), 30 cm of disseminated pyrrhotite
MQ-19-44	21	21.7	0.7	0	0	70		70cm of disseminated pyrrhotite
MQ-19-44	21.7	22.56	0.86	4	0	0		2 foliaform quartz veins (4cm)
MQ-19-44	22.56	23.47	0.91	2	0	38		1 foliaform quartz vein (2cm), 38cm of disseminated pyrrhotite
MQ-19-44	24.38	25.91	1.53	13	2	22		4 foliaform quartz veins (13cm), 1 discordant quartz veins (2cm), 22cm of disseminated pyrrhotite
MQ-19-44	25.91	27.43	1.52	0	1	13		3 discordant quartz veinlets (1cm), 13cm of disseminated pyrrhotite
MQ-19-44	27.43	28.96	1.53	39	0	43		7 foliaform quartz veins (39cm), 43cm of disseminated pyrrhotite

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-44	28.96	30.87	1.91	36	0	153		13 foliaform quartz vein (36cm), 153cm of disseminated pyrrhotite
MQ-19-44	30.87	31.4	0.53	5	0	0		1 foliaform quartz vein (5cm)
MQ-19-44	31.4	33.22	1.82	14	0	7		5 foliaform quartz veins (14cm), 7cm of disseminated pyrrhotite
MQ-19-44	34.75	36.2	1.45	4	0	0		2 foliaform quartz veins (4cm), 2 discordant quartz veins (10cm)
MQ-19-44	36.2	37.8	1.6	1	0	0		1 foliaform quartz veins (1cm)
MQ-19-44	37.8	39.62	1.82	16	1	0		7 foliaform quartz veins (16cm), 1 discordant quartz veins (1cm)
MQ-19-44	39.62	41.14	1.52	10	4	0		4 foliaform quartz veins (10cm), 2 discordant quartz veins (4cm)
MQ-19-44	41.14	42.67	1.53	14	6	0		7 foliaform quartz veins (14cm), 5 discordant quartz vein (6cm)
MQ-19-44	42.67	44.07	1.4	11	1	0		5 foliaform quartz vein (11cm), 1 discordant quartz vein (1cm)
MQ-19-44	44.07	45.72	1.65	25	4	0		5 foliaform quartz veins (25cm), 1 discordant quartz vein (4cm)
MQ-19-44	45.72	47.2	1.48	18	10	0		7 foliaform quartz veins (18cm), 4 discordant quartz vein (10cm)
MQ-19-44	47.2	48.77	1.57	102	0	66		2 quartz veins (102cm), 66cm of disseminated pyrrhotite
MQ-19-44	48.77	49.99	1.22	11	7	7		2 foliaform quartz veins (11cm), 2 discordant quartz veins (7cm), 7cm of disseminated pyrrhotite
MQ-19-44	49.99	51.82	1.83	14	0	88		4 foliaform quartz veins (14cm), 88cm of disseminatedc pyrrhotite
MQ-19-44	51.82	53.38	1.56	15	16	12		3 foliaform quartz veins (15cm), 4 discordant veins (16cm), 12cm of disseminated pyrrhotite
MQ-19-44	53.38	54.86	1.48	10	0	0		5 foliaform quartz veins (10cm),
MQ-19-44	54.86	56.4	1.54	13	0	0		2 foliaform quartz veins (13cm)
MQ-19-44	56.4	57.91	1.51	20	5	0		4 foliaform quartz veins (20cm), 1 discordant quartz veins (5cm)

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-44	57.91	59.45	1.54	30	0	0		9 foliaform quartz vein (30cm),
MQ-19-44	59.45	60.96	1.51	0	5	0		1 discordant quartz veins (5cm)
MQ-19-44	60.96	62.5	1.54	0	3	0		2 discordant quartz vein (3cm)
MQ-19-44	62.5	65.8	3.3	36	0	0		3 foliaform quartz veins (36cm)
MQ-19-44	65.8	67.06	1.26	4	0	0		2 foliaform quartz veins (4cm)
MQ-19-44	67.06	67.67	0.61	0	0	0	BRX	carbonate breccia (chaotic)
MQ-19-44	67.67	69.3	1.63	0	0	0	BRX	carbonate breccia (chaotic)
MQ-19-44	72.5	73.1	0.6	60	0	0		quartz vein (60cm)
MQ-19-44	73.1	74.6	1.5	0	0	0	BRK	multiple quartz veins discordant and foliaform broken and crushed
MQ-19-44	74.6	76.52	1.92	13	4	0		3 foliaform quartz veins (13cm), 1 discordant quartz veins (4cm)
MQ-19-44	76.52	76.84	0.32	0	0	0		quartz carbonate vein with galena-sphalerite-pyrrhotite-minor chalcopyrite
MQ-19-44	76.84	79.8	2.96	7	0	99		3 foliaform quartz veins (7cm), 99cm of disseminated pyrrhotite
MQ-19-44	79.8	81.58	1.78	23	28	0		3 foliaform quartz veins (23cm) , 5 discordant quartz veins (28cm)
MQ-19-44	81.58	83	1.42	0	0	106		106cm of disseminated pyrrhotite
MQ-19-44	83	84.43	1.43	0	0	63		63cm of disseminated pyrrhotite
MQ-19-44	84.43	86.4	1.97	19	0	199		1 foliaform quartz veins (19cm), 199cm of disseminated pyrrhotite
MQ-19-44	86.4	87.2	0.8	0	0	60		60cm of disseminated pyrrhotite
MQ-19-44	87.2	88.73	1.53	0	0	153		153cm of disseminated pyrrhotite
MQ-19-44	88.73	90.43	1.7	0	0	72		72cm of disseminated pyrrhotite
MQ-19-44	90.43	91.44	1.01	0	0	82		82cm of disseminated pyrrhotite
MQ-19-44	91.44	92.73	1.29	0	0	97		97cm of disseminated pyrrhotite
MQ-19-44	92.73	93.5	0.77	0	0	77		77cm of disseminated pyrrhotite; brecciated carbonate replacement by actiniloite-pyrrhotite
MQ-19-44	93.5	93.89	0.39	0	0	10		10cm of disseminate pyrrhotite
MQ-19-44	93.89	94.68	0.79	0	0	79		79cm of disseminated pyrrhotite

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-44	94.68	96.93	2.25	14	7	58		6 foliaform quartz veins (14cm); 1 discordant quartz vein (7cm); 58cm of disseminated pyrrhotite
MQ-19-44	96.93	98.34	1.41	91	2	79		1 foliaform quartz veins 91cm, 2 discordant quartz veins (2cm), 79cm of disseminated pyrrhotite
MQ-19-44	98.34	99.06	0.72	0	10	35		1 discordant quartz veins (10cm), 35cm of disseminated pyrrhotite
MQ-19-44	99.06	100.1	0.99	0	40	10		4 discordant quartz veins (40cm), 10cm of disseminate pyrrhotite
MQ-19-44	100.05	102.1	2.06	10	0	158		4 foliaform quartz veins (10cm), 159cm of disseminated pyrrhotite
MQ-19-44	102.11	104	1.89	10	4	153		5 foliaform quartz veins (10cm), 2 discordant quartz veins (4cm), 153cm of disseminated pyrrhotite
MQ-19-44	104	105.2	1.16	19	14	0		9 foliaform quartz veins (19cm), 2 discordant quartz veins (14cm)
MQ-19-44	105.16	106.8	1.62	32	3	107		6 foliaform quartz veins (32cm), 1 shallow angle discordant vein (at least 3cm wide), 107cm of disseminated pyrrhotite
MQ-19-44	106.78	107.4	0.64	0	0	64		semi-massive pyrrhoitite
MQ-19-44	107.42	107.8	0.38	0	4	38		quartz-pyrrhotite vein, lower contact angle 30 degrees TCA,
MQ-19-44	107.8	108.2	0.4	0	0	40		silicified GSCH; 40cm of disseminated pyrrhotite
MQ-19-44	108.2	110.1	1.9	0	0	0	Fault	GSCH fault zone
MQ-19-44	110.1	112.5	2.37	0	0	116		6 foliaform quartz veins, 116cm of disseminated pyrrhotite
MQ-19-44	114.28	116.3	2.03	17	8	90		5 foliaform quartz veins (17cm), 1 discordant quartz veins (8cm), 90cm of disseminated pyrrhotite
MQ-19-44	116.31	118.4	2.12	20	0	91		7 foliaform quartz veins (20cm), 91cm of disseminated pyrrhotite and pyrite
MQ-19-44	118.43	120.1	1.66	54	0	113		15 foliaform quarttz veins (54cm), 113cm of disseminated pyrrhotite and pyrite
MQ-19-44	120.09	122.2	2.13	26	0	100		6 foliaform quartz veins (26cm), 100cm of diseminated pyrrhotite



Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-44	122.22	123.14	0.92	29	0	65		5 foliaform quartz veins (29cm), 65cm of disseminated pyrrhotite
MQ-19-44	123.14	124.97	1.83	30	0	155		15 foliaform quartz veins (30cm), 155cm of disseminated pyrrhotite
MQ-19-44	124.97	127.04	2.07	14	0	107		7 foliaforme quartz veins (14cm), 107 cm of disseminated pyrrhotite
MQ-19-44	127.04	127.39	0.35	0	0	22		22cm of disseminated pyrrhotite
MQ-19-44	127.39	134.11	6.72	0	0	672		672cm of diseeminate pyrrhotite, with bands of semi-massive pyrrhotite and retro skarn replacement of limestone
MQ-19-44	134.11	136.23	2.12	0	0	212		212cm cm of diseeminate pyrrhotite
MQ-19-44	136.23	137.16	0.93	0	0	137		137cm of diseeminate pyrrhotite
MQ-19-44	137.16	137.32	0.16	0	0	16		16cm of diseeminate pyrrhotite, with bands of semi-massive pyrrhotite and retro skarn replacement of limestone
MQ-19-44	137.32	139.08	1.76	0	0	176		176cm of disseminated pyrrhotite
MQ-19-44	139.08	140.53	1.45	0	0	112		112cm of disseminated pyrrhotite
MQ-19-44	140.53	141.73	1.2	0	0	112		112cm of disseminated pyrrhotite
MQ-19-44	141.73	144.75	3.02	0	0	302		302cm of disseminated pyrrhotite
MQ-19-44	144.75	146.3	1.55	0	0	125		2 foliaform quartz veins (6cm);1 discordant quartz vein (8cm); 125cm of disseminated pyrrhotite
MQ-19-44	146.3	148.4	2.1	26	0	210		6 foliaform quartz veins (26cm); 210cm of disseminated pyrrhotite
MQ-19-44	148.4	150.88	2.48	18	0	126		3 foliaform quartz veins (18cm); 126cm of fdisseminated pyrrhotite
MQ-19-44	150.88	152.91	2.03	58	0	56		2 foliaform quartz veins (58cm), 56cm of diseeminate pyrrhotite
MQ-19-44	152.91	153.92	1.01	0	0	37		37cm of disseminated pyrrhotite
MQ-19-45	3.06	7.62	4.56	0	0	0	BRK	broken rubbly oxidized schist
MQ-19-45	7.62	9.09	1.47	0	0	0	BRK	more coherent than the interval above

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-45	9.09	9.66	0.57	0	0	0	BRX	quartz vein / breccia with abundant arsenopyrite in a moderately oxidized schist
MQ-19-45	9.66	10.35	0.69	0	0	0		silicified Graphitic schist, oxidized along some foliation surfaces
MQ-19-45	10.35	10.67	0.32	0	0	0		calcareous silicified horizon with oxidation occurring along fracture surfaces
MQ-19-45	10.67	12.19	1.52	0	0	0		graphitic schist with oxidation on fractures surfaces and some foliation surfaces
MQ-19-45	12.19	13.72	1.53	0	0	0		graphitic schist with oxidation on fractures surfaces and some foliation surfaces
MQ-19-45	13.72	15.24	1.52	31	0	0		8 foliaform quartz veins (31cm); oxidation on fracture surfaces
MQ-19-45	15.24	17	1.76	12	0	0		6 foliaform quartz veins (12cm); foliation 30 to 80 degrees TCA; oxidation on fracture surfaces
MQ-19-45	17	18.18	1.18	25	0	0		5 foliaform quartz veins (25cm); oxidation on fracture surfaces and some foliation surfaces
MQ-19-45	18.18	18.29	0.11	11	0	0		1 foliaform quartz vein with abundant arsenopyrite; oxidation on fracture surfaces and some foliation surfaces
MQ-19-45	18.29	19.81	1.52	25	0	0		5 foliaform quartz veins (25cm); oxidation on fracture surfaces and some foliation surfaces
MQ-19-45	19.81	21.3	1.49	68	0	0		4 foliaform quartz veins (68cm); oxidation on fracture surfaces
MQ-19-45	21.3	22.86	1.56	0	0	0		oxidation on fracture surfaces and some foliation surfaces
MQ-19-45	22.86	24.25	1.39	0	0	0		multiple discordant to foliation carbonate veins, oxidation occurs along fracture surfaces and on some foliation surfaces
MQ-19-45	24.25	25.91	1.66	0	0	0		multiple discordant to foliation carbonate veins, oxidation occurs along fracture surfaces and on some foliation surfaces

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-45	25.91	27.96	2.05	16	3	0		10 foliaform quartz veins (16cm), 2 discordant quartz veins (3cm); oxidation occurs along fracture surfaces and on some foliation surfaces
MQ-19-45	27.96	29.78	1.82	10	0	15		2 foliaform quartz veins (10cm), 15cm of disseminated pyrrhotite; oxidation occurs along fracture surfaces and on some foliation surfaces
MQ-19-45	29.78	32	2.22	10	0	68		2 foliaform quartz veins (10cm), 68cm of disseminated pyrrhotite; oxidation occurs along fracture surfaces and on some foliation surfaces
MQ-19-45	32	33	1	9	0	7		3 folikaform quartz veins (9cm), 7cm of disseminated pyrrhotite, oxidation on fracture surfaces and some foliation surfaces
MQ-19-45	33	34.47	1.47	0	0	122		122cm of disseminated pyrrhotite, oxidation of nfracture surfaces and some foliation surfaces
MQ-19-45	34.47	34.62	0.15	11	0	15		3 foliaform quartz veins (11cm), 15cm of disseminated pyrrhotite, oxidation on fracture surfaces and some foliation surfaces
MQ-19-45	34.62	34.92	0.3	0	5	30		1 shallow angle discordant quartz-carbonate vein (5cm) with siderite and sphaleriter and galena; 30cm of disseminated pyrrhotite
MQ-19-45	34.92	36.98	2.06	28	0	94		8 foliaform quartz veins (28cm), 94cm of disseminated pyrrhotite, oxidation on fracture surfaces and on some foliation surfaces
MQ-19-45	36.98	38.5	1.52	23	0	17		10 foliaform quartz veins (23cm), 17cm of disseminated pyrrhotite, oxidation on fracture surfaces and on some foliation surfaces
MQ-19-45	38.5	40	1.5	19	0	70		3 foliaform quartz veins (19cm), 70cm of disseminated pyrrhotite, oxidation on fracture surfaces and on some foliation surfaces

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-45	40	41.73	1.73	8	0	52		2 foliaform quartz veins (8cm), numerous discordant carbonate veinlets, 52cm of disseminated pyrrhotite, oxidation on fracture surfaces and on some foliation surfaces
MQ-19-45	41.73	42.87	1.14	0	0	31		numerous discordant carbonate veinlets, 31cm of disseminated pyrrhotite, oxidation on fracture surfaces and on some foliation surfaces
MQ-19-45	42.87	43.77	0.9	0	1	0		numerous discordant carbonate veinlets, 1 discordant carbonate vein (1cm); oxidation on fracture surfaces and on some foliation surfaces
MQ-19-45	43.77	44.82	1.05	0	1	55		numerous discordant carbonate veinlets, 1 discordant carbonate vein (1cm); 55cm of disseminated pyrrhotite; oxidation on fracture surfaces and on some foliation surfaces
MQ-19-45	44.82	45.8	0.98	0	0	0	BRK	broken rubble zone with quartz veins and carbinatite veins; oxidation on fractures and foliation surfaces
MQ-19-45	45.8	46.7	0.9	0	0	0	BRK	broken rubble zone with quartz veins and carbinatite veins; oxidation on fractures and foliation surfaces
MQ-19-45	46.7	48.66	1.96	16	0	0		8 foliaform quartz veins (16cm), numerous discordant carbonate veinlets, oxidation on fracture surfaces and on some foliation surfaces
MQ-19-45	48.66	50.29	1.63	26	0	20		7 foliaform quartz veins (26cm), numerous discordant carbonate veinlets, 20cm of disseminate pyrrhotite; oxidation on fracture surfaces and on some foliation surfaces
MQ-19-45	50.29	51.79	1.5	39	0	20		14 foliaform quartz veins (39cm) with sphalerite, numerous discordant carbonate veinlets, 20cm of disseminate pyrrhotite; oxidation on fracture surfaces and on some foliation surfaces

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-45	51.79	53.34	1.55	49	0	11		10 foliaform quartz veins (49cm) with sphalerite, numerous discordant carbonate veinlets, 11cm of disseminate pyrrhotite; oxidation on fracture surfaces and on some foliation surfaces
MQ-19-45	53.34	54.18	0.84	14	0	8		4 foliaform quartz veins (14cm), 8cm of disseminate pyrrhotite; oxidation on fracture surfaces and on some foliation surfaces
MQ-19-45	54.18	56.39	2.21	16	0	70		5 foliaform quartz veins (16cm), 70cm of disseminate pyrrhotite; oxidation on fracture surfaces and on some foliation surfaces
MQ-19-45	56.39	58.62	2.23	53	0	223		18 foliaform quartz veins (53cm), 223cm of disseminate pyrrhotite; oxidation on fracture surfaces and on some foliation surfaces
MQ-19-45	58.62	60.9	2.28	26	0	127		13 foliaform quartz veins (26cm), 8cm of skarn-pyrrhotite; 127cm of disseminate pyrrhotite; oxidation on fracture surfaces and on some foliation surfaces
MQ-19-45	60.9	63.13	2.23	6	6	61		2foliaform quartz veins (6cm); 1 discordant quartz vein (6cm); 61cm of disseminate pyrrhotite; oxidation on fracture surfaces and on some foliation surfaces
MQ-19-45	63.13	64.72	1.59	14	0	146		7 foliaform quartz veins (14cm); 146cm of disseminate pyrrhotite;
MQ-19-45	64.72	65	0.28	0	0	28		28cm of skarn-pyrrhotite alteration
MQ-19-45	65	65.64	0.64	0	0	64		64cm of disseminated pyrrhotite
MQ-19-45	65.64	66.02	0.38	0	0	19		19cm of skarn-pyrrhotite and 20cm quartz vein
MQ-19-45	66.02	67.14	1.12	10	0	102		5 foliaform quartz veins (10cm); 6 discordant carbonate veinlets; 102cm of disseminate pyrrhotite;
MQ-19-45	67.14	67.42	0.28	0	0	8		sidferite-sphalerite-galena replacement; 8cm of disseminate pyrrhotite
MQ-19-45	67.42	68.58	1.16	8	0	48		2 foliaform quartz veins (8cm); 48cm of disseminate pyrrhotite;
MQ-19-45	68.58	70	1.42	5	0	52		2 foliaform quartz veins (5cm); 52cm of disseminate pyrrhotite;

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-45	70	71.63	1.63	10	0	113		4 foliaform quartz veins (10cm); 113cm of disseminate pyrrhotite;
MQ-19-45	71.63	73.4	1.77	16	0	145		6 foliaform quartz veins (16cm); 145cm of disseminate pyrrhotite;
MQ-19-45	73.4	73.61	0.21	0	0	0		sidferite-sphalerite-galena replacement;
MQ-19-45	74.03	76	1.97	0	0	23		54cm of graphitic schist; 23cm of disseminated pyrrhotite
MQ-19-45	76	76.68	0.68	4	0	26		26cm of disseminated pyrrhotite; 2 foliaform quartz veins (4cm)
MQ-19-45	76.68	77.72	1.04	0	0	104		104cm of disseminated pyrrhotite
MQ-19-45	77.72	79.75	2.03	0	0	0	Fault	fault zone
MQ-19-45	79.75	81	1.25	0	0	85		85cm of disseminated pyrrhotite
MQ-19-45	81	83.25	2.25	0	0	225		225cm of disseminated pyrrhotite
MQ-19-45	83.25	85.28	2.03	32	6	117		7 foliaform quartz veins (32cm); 2 discordant quartz veins (6cm); 117cm of disseminate pyrrhotite;
MQ-19-45	85.28	86.65	1.37	22	0	115		8 foliaform quartz veins (22cm); 115cm of disseminate pyrrhotite;
MQ-19-45	86.65	87.97	1.32	0	0	0	BRK	broken rubble zone
MQ-19-45	87.97	88.79	0.82	0	82	0		quartz vein
MQ-19-45	88.79	89.6	0.81	0	0	0	BRK	broken rubble zone
MQ-19-45	90.4	90.54	0.14	0	0	14		skarn-pyrrhotite-scheelite
MQ-19-45	91.09	91.62	0.53	0	0	53		sidferite-sphalerite-galena replacement; 53cm of disseminate pyrrhotite
MQ-19-45	92.45	92.77	0.32	0	0	0		sidferite-sphalerite-galena replacement;
MQ-19-45	93.6	94.18	0.58	0	0	0	BRX	sidferite-sphalerite-galena-pyrite-chalcopyrite breccia;
MQ-19-45	94.18	95.4	1.22	0	4	32		1 discordant siderite vein (4cm); 32cm of disseminated pyrrhotite
MQ-19-45	96	96.62	0.62	0	0	0	Fault	Fault zone
MQ-19-45	96.62	98.75	2.13	0	0	0	Fault	Fault breccia with siderite cement and QfP clasts
MQ-19-45	101.83	103.02	1.19	0	0	100		100cm of disseminated pyrrhotite
MQ-19-46	0.00	3.10	3.1	0	0	0		
MQ-19-46	3.10	4.65	1.55	0	0	0		oxidized fractured

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-46	4.65	6.10	1.45	0	0	0		oxidized and fractured
MQ-19-46	6.10	7.65	1.55	2	0	0		oxidized and fractured 1 qtz conc vn 2cm
MQ-19-46	7.65	8.30	0.65	0	0	0		oxidized and fractured
MQ-19-46	8.30	9.30	1	8	0	60		3 conc qtz vns 8 cm mineralized, 60cm diss po
MQ-19-46	9.30	10.45	1.15	12	0	0		4 conc qtz vns 12 cm minor min po,
MQ-19-46	10.45	12.00	1.55	10	8	22		6 conc qtz vns 10cm, 2 disconc qtz vns 8 cm apy, 22cm diss po
MQ-19-46	12.00	13.50	1.5	8	7	0		4 conc qtz vns 8cm, 1 disconc qtz vns 7cm minor apy
MQ-19-46	13.50	14.30	0.8	8	0	0		5 conc qtz vns 8cm, small flt/apy healed fracture lot's of apy very nice. 40cm diss po
MQ-19-46	14.30	15.30	1	10	0	0		3 conc qtz vns 10cm minor po
MQ-19-46	15.30	16.75	1.45	8	0	0		4 conc qtz vns 8cm, 10cm diss po.
MQ-19-46	16.75	19.05	2.3	15	0	0		8 conc qtz vns 15cm
MQ-19-46	19.05	20.70	1.65	0	2	0		grit unit tiny disconc cb vnlt 6 2cm
MQ-19-46	20.70	22.30	1.6	27	0	40		7 conc qtz vns 27cm, 40cm diss po
MQ-19-46	22.30	23.85	1.55	30	0	100		14 conc qtz vns 30cm, 100cm diss po
MQ-19-46	23.85	24.38	0.53	4	0	12		1 conc qtz vn 4cm, breccia 5cm, 12 cm diss po
MQ-19-46	24.38	25.80	1.42	9	5	25		4 conc qtz vns 9cm some mod apy, 1 disconc qtz vn .5cm nice apy. 25cm diss po
MQ-19-46	25.80	27.35	1.55	6	3	100		2 conc qtz vns 6cm, 1 very small disconc qtz cb vnlt .3cm. 100cm diss po.
MQ-19-46	27.35	28.90	1.55	0	30	104		10 disconc qtz vn 30cm, diss po 104cm
MQ-19-46	28.90	30.40	1.5	13	0	86		7 conc qtz vns 13cm minor po, 86cm diss po
MQ-19-46	30.40	31.90	1.5	10	4	22		7 conc qtz vns mod po, 1 disconc qtz vn .4cm apy. Diss po
MQ-19-46	31.90	33.40	1.5	13	1	37		6 conc qtz vns 13cm, disconc qtz 1vn 1cm, diss po 37cm
MQ-19-46	33.40	35.90	2.5	50	0	144		16 conc qtz vns 50cm, diss po 144cm
MQ-19-46	35.90	37.30	1.4	30	0	130		10 conc qtz vns 30cm, diss po 130cm
MQ-19-46	37.30	37.83	0.53	10	0	50		3 conc qtz vns blebs of po 10cm, diss po 50cm
MQ-19-46	37.83	39.00	1.17	20	0	117		5 conc qtz vns 20cm, diss po 117cm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-46	39.00	40.00	1	15	0	100		2 conc qtz vns 15cm nice po and apy. Diss po 100cm
MQ-19-46	40.00	40.30	0.3	0	0	0	Fault	gouge and fractured material
MQ-19-46	40.30	41.80	1.5	32	0	150		12 conc qtz vns 32cm blebs of po, diss po 150cm
MQ-19-46	41.80	43.30	1.5	15	0	95		5 conc qtz vns 15cm. Diss po95cm
MQ-19-46	43.30	44.45	1.15	15	0	67		6 conc qtz vns 15cm, diss po 67cm
MQ-19-46	44.45	45.60	1.15	22	3	0		9 conc qtz vns 22 cm, 1 disconc cb vn .3cm
MQ-19-46	45.60	47.40	1.8	20	0	43		6 conc qtz cb vns decent po min 20cm, diss po 43cm
MQ-19-46	47.40	48.10	0.7	0	0	0	Fault	gouge and graphite
MQ-19-46	48.10	48.50	0.4	15	0	22		2 conc qtz vns 15cm, diss po 22cm
MQ-19-46	48.50	49.75	1.25	9	0	100		2 conc qtz vb vn 9cm blebs of po, diss po 100cm
MQ-19-46	49.75	51.00	1.25	29	2	40		12 conc qtz cb vns 29cm, very small cb disconc .2cm, 40cm diss po.
MQ-19-46	51.00	52.50	1.5	5	0	150		4 conc qtz vn, diss po 150cm
MQ-19-46	52.50	53.50	1	7	0	100		2 conc qtz vn 7cm, diss po 100cm
MQ-19-46	53.5	55.00	1.5	4	0	150		2 conc qtz vn 4cm, 150cm diss po
MQ-19-46	55	56.50	1.5	2	10	140		1 conc qtz vn 2cm. 3 disconc qtz cb vn 10cm. 140cm diss po
MQ-19-46	56.5	57.91	1.41	10	1	84		4 conc qtz vns 10cm, 2 disconc qtz vn 1cm. 84cm diss po
MQ-19-46	57.91	59.00	1.09	9	2	17		4 conc qtz vn 9 cm, 2 disconc qtz cb vn 2cm. 17cm diss po
MQ-19-46	59.00	60.00	1	1	10	10		1 conc qtz vn 1cm, 4 disconc qtz cb vn 10cm py,apy,po and sph. 10cm diss po
MQ-19-46	60.00	61.00	1	0	0	100	BRX	massive ankorite unit with very nice bx throughout loads of py,apy,po and sph.
MQ-19-46	61.00	62.00	1	7	20	62		3 conc qtz vn 7cm, 6 disconc qtz vn 20 cm very nice unit lots of nv po anv and sph
MQ-19-46	62.00	62.50	0.5	0	0	0	Fault	flt gouge
MQ-19-46	62.50	64.00	1.5	8	6	0		3 conc qtz vn 8cm. 3 disconc qtz cb vn ankorite throughout reasonably fractured contains py minor po and apy.



Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-46	64.00	64.70	0.7	0	0	0	BRX	massive brecciated ankorite interval contains loads of py and mod apy,sph.
MQ-19-46	64.70	66.00	1.3	10	10	0		1 conc qtz vn 10cm. 6 disconc qtz cb vn mod py and apy throughout largely brecciated and fragmented vn components angular.
MQ-19-46	66.00	66.90	0.9	0	0	90	BRX	fractured and bx unit with mod py,po and py
MQ-19-46	66.90	68.40	1.5	8	0	8		5 conc qtz vns 8cm, semi massive po unit 8cm.
MQ-19-46	68.40	69.90	1.5	13	2	0		7 conc qtz vn 13cm. 1 disconc qtz vn 2cm.
MQ-19-46	69.90	71.00	1.1	17	0	0		7 conc qtz vns 17cm. Diss po minor and py.
MQ-19-46	71.00	72.20	1.2	20	0	0		9 conc qtz vns 20cm
MQ-19-46	72.20	73.60	1.4	0	0	0	Fault	large flt with large qtz vn component 25cm. Contains nice breccia minor py.
MQ-19-46	73.60	74.65	1.05	5	0	0		1 conc qtz cb vn 5cm. Diss py
MQ-19-46	74.65	75.75	1.1	8	0	0		1 conc qtz vn 8cm
MQ-19-46	75.75	76.30	0.55	0	0	0	Fault	flt gouge
MQ-19-46	76.30	77.80	1.5	2	0	124		1 conc qtz vn, 124 cm diss po
MQ-19-46	77.80	79.30	1.5	15	0	105		4 conc qtz vn 15cm, 105cm diss po
MQ-19-46	79.30	80.70	1.4	12	2	60		6 conc qtz vn 12cm, 2 disconc qtz cb vns 2cm. 60cm diss po.
MQ-19-46	80.70	82.30	1.6	6	0	140		5 conc qtz vn 6cm. 140cm diss po
MQ-19-46	82.30	83.85	1.55	1	0	100		1 conc qtz vn 1cm, 100cm diss po.
MQ-19-46	83.85	85.34	1.49	4	0	140		1 conc qtz vn 4cm. 140cm diss po
MQ-19-46	85.34	86.90	1.56	15	0	100		5 conc qtz vn 15cm. 100cm diss po
MQ-19-46	86.90	88.00	1.1	4	0	25		2 conc qtz vn, 25cm diss po
MQ-19-46	88.00	89.35	1.35	1	0	40		1 conc qtz vn 1cm. 40cm diss po
MQ-19-46	89.35	90.35	1	0	0	0	Fault	flt gouge dark black 3 conc qtz vns 6cm
MQ-19-46	90.35	91.90	1.55	4	0	0		3 conc qtz vn 4cm.
MQ-19-46	91.90	93.20	1.3	4	0	5		2 conc qtz vn 4cm. 5cm diss po.
MQ-19-46	93.20	94.70	1.5	25	0	0		minor flt with very larege conc qtz vn 25cm.

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-46	94.70	96.20	1.5	10	30	0		14 conc qtz vns 10cm. 2 disconc qtz vn 30cm.
MQ-19-46	96.20	97.75	1.55	10	5	0		10 conc qtz vns 10cm. 1 disconc qtz vn .5cm
MQ-19-46	97.75	99.30	1.55	5	5	0		5 conc qtz vn 5cm. 1 disconc qtz cb vn .5cm minor apy.
MQ-19-46	99.30	100.80	1.5	4	5	0		7 conc qtz vn 4cm. 1 disconc qtz vn .5cm
MQ-19-46	100.80	102.35	1.55	8	0	0		12 conc qtz vn 8cm.
MQ-19-46	102.35	103.90	1.55	5	1	35		7 conc qtz vn 5cm. 1 disconc cb vn .1cm apy. 35cm diss po
MQ-19-46	103.90	105.60	1.7	4	0	0		4 conc qtz vn 4cm.
MQ-19-46	105.60	106.68	1.08	5	0	0		6 conc qtz vn 5 cm. 5cm flt gouge
MQ-19-46	106.68	108.20	1.52	7	45	0		5 conc qtz vn 7 cm.5 disconc qtz vn 45cm.
MQ-19-47	1.52	3.05	1.53	3	0	0		1 conc qtz vn 3cm
MQ-19-47	3.05	4.57	1.52	0	0	0		
MQ-19-47	4.57	6.10	1.53	8	0	0		6 conc qtz vns 8cm
MQ-19-47	6.10	7.62	1.52	0	0	0		
MQ-19-47	7.62	9.14	1.52	0	5	0		disconc calc vning with pitted and oxidized segments 5cm
MQ-19-47	9.14	10.10	0.96	0	0	0		
MQ-19-47	10.10	11.10	1	0	0	0		
MQ-19-47	11.10	12.63	1.53	4	0	0		2 conc qtz vns 4cm
MQ-19-47	12.63	14.15	1.52	0	0	0		small fractured flt? 12.7-12.9
MQ-19-47	14.15	15.60	1.45	0	0	0		
MQ-19-47	15.60	17.10	1.5	0	0	0		
MQ-19-47	17.10	18.60	1.5	0	0	0		
MQ-19-47	18.60	19.50	0.9	3	0	0		2 conc qtz vns 3cm
MQ-19-47	19.50	20.20	0.7	0	0	0		
MQ-19-47	20.20	21.70	1.5	15	0	0		14 conc qtz vns 15cm
MQ-19-47	21.70	23.25	1.55	5	4	0		3 conc qtz vns 5cm 1 disconc qtz vn minor sph? 4cm
MQ-19-47	23.25	24.80	1.55	15	15	0		4 conc qtz vns 15cm 2 disconc qtz vns 15cm
MQ-19-47	24.80	26.35	1.55	0	0	0		
MQ-19-47	26.35	27.35	1	12	6	0		4 conc qtz vns 12cm. 1 disconc qtz cb vn 6cm
MQ-19-47	27.35	28.15	0.8	2	0	0		1 conc qtz vn 2cm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-47	28.15	29.19	1.04	0	0	104		semi massive po
MQ-19-47	29.19	30.48	1.29	0	0	129		semi massive po
MQ-19-47	30.48	31.50	1.02	3	8	0		2 conc qtz vns 3cm, 2 disconc qtz vns 8cm margins contains nice blebs of apy 1cm diameter.
MQ-19-47	31.50	32.50	1	10	0	0	Fault	flt with conc qtz vn 10cm
MQ-19-47	32.50	33.45	0.95	15	5	0		5 conc qtz vns 15cm minor chl, 2 disconc qtz vns 5cm
MQ-19-47	33.45	35.00	1.55	0	2	0		3 disconc qtz cb vnlt 2cm py,po minor
MQ-19-47	35.00	36.55	1.55	0	5	0		7 disconc qtz cb vnlt 5cm py,po minor
MQ-19-47	36.55	37.85	1.3	0	4	0		5 disconc qtz cb vnlt 4cm minor py,po
MQ-19-47	37.85	39.62	1.77	0	1	0		3 disconc qtz cb vnlt 1cm
MQ-19-47	39.62	40.60	0.98	0	1	0		2 disconc cb vnlt po 1cm
MQ-19-47	40.60	42.00	1.4	0	0	0		11 conc qtz cb vns minor ankorite contains minor diss apy.py along margins of vnsets. 50cm
MQ-19-47	42.00	43.50	1.5	0	0	25		11 conc qtz cb vns with minor po.py slightly pinkish hue to the qtz. 25cm diss po
MQ-19-47	43.50	44.50	1	15	0	15		4 conc qtz cb vns 15cm minor po throughout
MQ-19-47	44.50	45.50	1	0	0	20		20cm diss po
MQ-19-47	45.50	46.70	1.2	0	30	100		8 disconc qtz cb vns loaded with po and py 30cm. Diss po 100cm
MQ-19-47	46.70	47.68	0.98	4	0	80		2 conc qtz cb vns 4 cm, 80 cm diss po
MQ-19-47	47.68	49.20	1.52	2	0	130		1 conc qtz vn 2cm 130cm diss po
MQ-19-47	49.20	50.75	1.55	24	0	145		13 conc qtz vns with po,apy 24 cm, diss po 145cm
MQ-19-47	50.75	52.30	1.55	24	0	155		12 conc qtz vns 24cm 1 disconc qtz vn apy,po 10cm 155cm of diss po.
MQ-19-47	52.30	53.75	1.45	9	0	145		6 conc qtz vns 9cm, diss po 145cm
MQ-19-47	53.75	55.30	1.55	13	10	145		4 conc qtz vns 13cm, disconc qtz vn 10cm, diss po 145cm
MQ-19-47	55.30	56.60	1.3	7	0	105		5 conc qtz vns 7cm. Diss po 105cm diss po
MQ-19-47	56.60	56.75	0.15	0	15	15		1 disconc qtz vn lots of po 15cm
MQ-19-47	56.75	58.30	1.55	34	0	43		18 conc qtz vns 34cm, diss po 43cm
MQ-19-47	58.30	59.85	1.55	34	0	24		23 conc qtz vns 34 cm. diss po 24cm
MQ-19-47	59.85	61.40	1.55	11	0	70		6 conc qtz vns 11cm. Diss po 70cm
MQ-19-47	61.40	62.90	1.5	13	0	85		5 conc qtz vns 13cm. 85cm diss po

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-47	62.90	64.45	1.55	13	0.5	92		5 conc qtz vns 13cm 2 disconc qtz cb vnlt .5cm diss po 92cm
MQ-19-47	64.45	65.75	1.3	17	0	77		8 conc qtz cb vns 17cm, diss po 77cm
MQ-19-47	65.75	67.06	1.31	21	0	43		12 conc qtz vns 21cm. Diss po 43cm
MQ-19-47	67.06	68.50	1.44	0	0	9		diss po 9 cm
MQ-19-47	68.50	70.00	1.5	0	1	3		2 disconc cb vnlt 1cm. Diss po 3cm
MQ-19-47	70.00	71.50	1.5	0	0	0		
MQ-19-47	71.50	73.00	1.5	0	0	0		
MQ-19-47	73.00	74.50	1.5	0	2	5		4 disconc cb vnlt 2cm diss po 5cm
MQ-19-47	74.50	76.00	1.5	0	1	0		3 disconc cb vnlt 1cm
MQ-19-47	76.00	77.50	1.5	0	3.5	0		1 disconc qtz vn 3cm, 3 disconc cb vnlt .5cm
MQ-19-47	77.50	79.00	1.5	0	2.5	0		6 disconc cb vnlt 1.5cm. 1 disconc qtz vn 1cm
MQ-19-47	79.00	80.50	1.5	0	1	0		3 disconc cb vnlt 1cm
MQ-19-47	80.50	82.00	1.5	0	2	0		4 disconc cb vnlt 2cm
MQ-19-47	82.00	83.30	1.3	0	1	0		5 cb vnlt 1 cm
MQ-19-47	83.30	84.85	1.55	5	0	20		3 conc qtz vns 5cm, diss po 20cm
MQ-19-47	84.85	86.40	1.55	0	0	135		2 conc qtz vns 8cm, 5 disconc ancorite vns 9cm moderately mineralized po. Diss po 135cm
MQ-19-47	86.40	87.40	1	4	5	100		1 conc qtz vn 4cm, 3 disconc ancorite vns mod po min. diss po 100cm
MQ-19-47	87.40	88.39	0.99	0	0	99		wonderfully mineralized po throughout 100cm
MQ-19-47	88.39	89.90	1.51	25	0	90		6 conc qtz vns 25cm, diss po 90cm
MQ-19-47	89.90	91.40	1.5	6	5	150		2 conc qtz vns 6cm. 2 disconc qtz cb vns 5cm. Diss po 150cm
MQ-19-47	91.40	92.90	1.5	11	14	150		3 conc qtz vns 11cm, 2 disconc qtz vns 14cm, diss po 150cm.
MQ-19-47	92.90	94.40	1.5	7	6	150		4 conc qtz vns 7cm. 1 disconc qtz vn 6cm. Diss po 150cm
MQ-19-47	94.40	95.90	1.5	7	0	26		3 conc qtz vns 7cm. Diss po 26cm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-47	95.90	97.40	1.5	21	14	20		6 conc qtz vns 21cm. Disconc qtz vns 14cm. Diss po 20cm.
MQ-19-47	98.90	100.58	1.68	8	8	45		2 conc qtz vns 8cm, 2 disconc qtz vn 8cm, diss po 45cm
MQ-19-47	100.58	101.50	0.92	0	0	0	BRX	crackle breccia minor py and apy.
MQ-19-47	101.50	102.40	0.9	0	0	0	BRX	breccia py,cpy and apy
MQ-19-47	102.40	103.30	0.9	0	0	0	Fault	gouge and fractured rock py,cpy,apy
MQ-19-47	103.30	104.85	1.55	0	0	25	BRX	tons of brecciated qtz vning healing the more blocky breccia contains mod py,apy. Diss po 25cm
MQ-19-47	104.85	106.10	1.25	30	11	70		8 conc qtz vn 30cm, 3 disconc qtz vn 11cm. Diss po 70cm
MQ-19-47	106.10	107.30	1.2	30	7	36		10 conc qtz vns 30cm, 4 disconc qtz cb vns 7cm. Diss po 36cm
MQ-19-47	107.30	108.80	1.5	18	0	40		7 conc qtz vns 18cm. Diss po 40cm.
MQ-19-47	108.80	109.85	1.05	5	0	33		3 conc qtz vns 5cm. Diss po 33cm.
MQ-19-47	109.85	111.25	1.4	17	8	34		6 conc qtz vns 17cm, 10 disconc qtz vns 8 cm. diss po 34cm
MQ-19-48	7.90	9.40	1.5	0	0	0		
MQ-19-48	9.40	10.90	1.5	0	0	0		
MQ-19-48	10.90	12.35	1.45	0	0	65		diss po 65cm
MQ-19-48	12.35	13.35	1	0	0	0		
MQ-19-48	13.35	14.40	1.05	5	0	0		4 conc qtz vns 5cm
MQ-19-48	14.40	15.90	1.5	6	0	80		5 conc qtz vns 6cm diss po 80cm
MQ-19-48	15.90	17.40	1.5	0	0	10		10cm diss po
MQ-19-48	17.40	18.90	1.5	7	10	0		5 conc qtz vns 7cm, 3 disconc sx cb vns contains sms py,po 10cm.
MQ-19-48	18.90	20.45	1.55	15	5	25		3 conc qtz vns 15cm, 1 disconc cb vnlt .5cm py. 25cm diss po.
MQ-19-48	20.45	22.00	1.55	0	0	13		diss po 13cm
MQ-19-48	22.00	23.50	1.5	0	0	3		diss po 3 cm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-48	23.50	25.00	1.5	6	8	45		3 conc qtz vns 6cm, 2 disconc qtz cb vns .8cm. Diss po 45cm
MQ-19-48	25.00	26.50	1.5	6	0	113		5 conc qtz vns 6cm, diss po 113cm
MQ-19-48	26.50	28.00	1.5	6	0	81		4 conc qtz vns 6cm. 81cm diss po.
MQ-19-48	28.00	29.50	1.5	26	0	136		8 conc qtz vns 26cm, diss po 136cm
MQ-19-48	29.50	31.00	1.5	6	10	150		3 conc qtz vns 6cm 2 disconc cb-sx vns sms unit 10cm. Diss po 150cm
MQ-19-48	31.00	32.50	1.5	8	0	136		2 conc qtz vns 8cm, diss po 136cm
MQ-19-48	32.50	33.60	1.1	0	0	0		
MQ-19-48	33.60	34.70	1.1	9	0	0		5 conc qtz vns 9cm
MQ-19-48	34.70	36.75	2.05	0	0	0	Fault	mostly gouge
MQ-19-48	36.75	37.82	1.07	3	0	110		1 conc qtz vn 3cm, diss po 110cm
MQ-19-48	37.82	39.30	1.48	0	19	148		7 disconc qtz vns deformed contain minor py and po 19cm. Diss po 148cm
MQ-19-48	39.30	40.80	1.5	0	35	140		2 disconc qtz vns large and decent min 35cm, diss po 140cm
MQ-19-48	40.80	42.30	1.5	0	31	150		4 disconc qtz vns 31cm, diss po 150cm
MQ-19-48	42.30	43.50	1.2	4	0	120		2 conc qtz vns 4cm, diss po 120cm
MQ-19-48	43.50	44.60	1.1	3	0	110		2 conc qtz vns 3cm, diss po 110cm
MQ-19-48	44.60	45.25	0.65	0	0	0		
MQ-19-48	45.25	45.90	0.65	0	50	65		disconc qtz vns with sms py,cpy sph and minor po 50cm,
MQ-19-48	45.90	47.40	1.5	21	0	130		5 mineralized conc vns 21cm po,py. Diss po 130cm
MQ-19-48	47.40	48.90	1.5	14	0	130		4 conc qtz vns 14cm, diss po 130cm
MQ-19-48	48.90	50.40	1.5	4	0	135		2 conc qtz vns 4cm, diss po 135cm
MQ-19-48	50.40	51.90	1.5	15	1	150		4 concn qtz vns 15cm, 2 disconc qtz cb vnlt 1 cm. diss po 150cm.
MQ-19-48	51.90	53.40	1.5	6	0.5	150		3 conc qtz vns 6cm, 1 disconc qtz cb vnlt .5cm. Diss po 150cm.
MQ-19-48	53.40	54.90	1.5	17	0	150		5 conc qtz cb vns 17cm, diss po 150cm.
MQ-19-48	54.90	56.40	1.5	5	0.5	150		2 disconc cb vnlt .5cm, diss po 150cm
MQ-19-48	56.40	57.40	1	0	2	100		4 disconc qtz cb vnlt 2cm, contains mod po and py, dissp po 100cm.

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-48	57.40	58.40	1	0	1	100		4 disconc cb sx vnlt 1cm, py,po, diss po 100cm
MQ-19-48	58.40	59.60	1.2	0	40	40		4 disconc qtz cb vns with minor py 40 cm.
MQ-19-48	59.60	61.00	1.4	0	3	0		2 disconc qtz cb vns 3cm.
MQ-19-48	61.00	62.50	1.5	0	50	80	Fault	1 disconc qtz vn 50cm, diss po 80cm
MQ-19-48	62.50	64.00	1.5	6	0	30		3 conc qtz vns 6cm, diss po 30cm
MQ-19-48	64.00	65.45	1.45	0	1	0		1 disconc qtz vn 1cm
MQ-19-48	65.45	67.06	1.61	3	0.8	0		2 conc qtz vns 3 cm, 5 disconc cb vnlt .8cm,
MQ-19-48	67.06	67.95	0.89	0	0	0	BRX	bx qtz vns 30cm mod py.
MQ-19-48	67.95	68.90	0.95	0	0	0		
MQ-19-48	69.26	69.40	0.14	0	6	0	BRX	flt hosted bx with disconc qtz cb vn 6cm mod py
MQ-19-48	69.40	70.90	1.5	0	23	0		5 disconc qtz cb vns 23cm. Mod py
MQ-19-48	70.90	72.54	1.64	0	19	0		5 disconc qtz vn 19cm mod py,apy
MQ-19-48	72.54	74.00	1.46	0	3	0		10 disconc cb vnlt 3cm. Mod diss py.
MQ-19-48	74.00	75.50	1.5	16	0	0		8 conc qtz vns 16cm
MQ-19-48	75.50	77.00	1.5	26	4	85		4 conc qtz vns 26cm, 2 disconc qtz vns 4cm, diss po 85cm
MQ-19-48	77.00	78.00	1	17	0	43		2 conc qtz vns 17cm, diss po 43cm
MQ-19-48	78.00	79.15	1.15	15	0	90		7 conc qtz vns 15cm, diss po 90cm
MQ-19-48	79.15	80.47	1.32	20	0	0	Fault	qtz vn fragments 20cm
MQ-19-48	80.47	81.38	0.91	0	0	0	Fault	
MQ-19-48	81.38	82.91	1.53	0	0	0	Fault	
MQ-19-48	82.91	84.24	1.33	17	0	0	Fault	qtz vn fragments 17cm
MQ-19-48	84.24	84.95	0.71	0	0	0	Fault	flt gouge completely
MQ-19-48	84.95	86.56	1.61	6	0	120		2 conc qtz cb vns 6cm diss po 120cm
MQ-19-48	86.56	87.70	1.14	4	1	90		3 conc qtz cb vns 4cm, 5 disconc cb vnlt 1cm, diss po 90 cm
MQ-19-48	87.70	88.60	0.9	0	0	0	BRX	crackle breccia exploited by flt lots of cb sx vns throughout. Fractured and fragmented totalling 40cm.
MQ-19-48	88.60	89.80	1.2	0	0	0	BRX	very nicely vn'ed cluster of disconc qtz cb vns with diss py throughout. Total diameter of chaotic vning 50cm.

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-48	89.80	91.30	1.5	0	0	8	BRX	nice diss po in crackle breccia hosted in largely drak grey csch. Contains lots of little csch stringers. Diss po 8cm
MQ-19-48	91.30	92.80	1.5	15	17	23		1 conc qtz vn 15cm, 4 disconc qtz cb vns chaotic 17cm, diss po 23cm
MQ-19-48	92.80	94.40	1.6	0	31	29		10 disconc qtz cb vns chaotic 31cm. Diss po 29cm.
MQ-19-48	94.40	96.01	1.61	0	25	90	BRX	brittle fractured crackle breccia nice interval exploiting small flt towards top of unit. Contains diss po,py and minor cpy. 10 Disconc qtz cb vns 25m. Diss po 90cm
MQ-19-48	96.01	97.50	1.49	16	0	135		3 conc qtz vns 16cm. Diss po 135cm.
MQ-19-48	97.50	99.00	1.5	14	0	150		9 conc qtz vns 14cm, diss po 150cm
MQ-19-48	99.00	100.50	1.5	6	32	81		5 conc qtz vns 6cm. 5 disconc qtz cb vns 32cm. Diss po 81cm
MQ-19-48	100.50	102.00	1.5	3	2	30		2 conc qtz vns 3 cm, 1 disconc qtz vn 2cm, diss po 30cm
MQ-19-48	102.00	103.35	1.35	21	0	50		5 conc qtz vns 1 has sms po 4cm, total vn density 21cm, diss po 50cm.
MQ-19-48	103.35	103.65	0.3	0	0	30	SMS	very nice interval with sms po and py with minor sph.
MQ-19-48	103.65	105.16	1.51	0	15	120		3 disconc qtz cb vns 15cm. Diss po 120cm
MQ-19-48	105.16	106.70	1.54	25	0	145		7 conc qtz vns 25cm. Diss po 145cm.
MQ-19-48	106.70	107.60	0.9	14	0	130		6 conc qtz vns 14cm. Diss po 130cm
MQ-19-48	107.60	108.60	1	0	0	90		diss po 90cm
MQ-19-48	108.60	109.35	0.75	2	4	75	SMS	1 conc qtz vn 2 cm, disconc qtz cb vn 4cm, diss po 75cm.
MQ-19-48	109.35	110.90	1.55	22	0	145		7 conc qtz cb vns 22cm. Diss po 145cm
MQ-19-48	110.90	112.40	1.5	13	0	150		4 conc qtz vns 13cm, diss po 150cm.
MQ-19-48	112.40	113.90	1.5	11	35	150		6 conc qtz vns 11cm, 3 dsiconc qtz cb vns 35cm, diss po 150cm



Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-48	113.90	115.40	1.5	34	2	110		10 conc qtz vns 34cm, 3 disconc qtz cb vns 2cm, diss po 110cm.
MQ-19-48	115.40	116.90	1.5	41	0	104		7 conc qtz cb vns 41cm, diss po 104cm.
MQ-19-48	116.90	118.40	1.5	33	2	0		9 conc qtz vns 33cm, 1 disconc qtz cb vn 2cm,
MQ-19-48	118.40	119.90	1.5	23	0	33		7 conc qtz cb vns 23cm. Diss po 33cm
MQ-19-48	119.90	121.40	1.5	19	0	30		8 conc qtz vns 19cm, diss po 30 cm
MQ-19-48	121.40	122.90	1.5	44	0	67		7 conc qtz vns 44cm, diss po 67cm
MQ-19-48	122.90	124.40	1.5	4	8	80		1 conc qtz vn 4cm, 8 disconc cb stringers 2cm py, diss po 80cm.
MQ-19-48	124.40	125.90	1.5	11	0	150		6 conc qtz vns 11cm, diss po 150cm
MQ-19-48	125.90	126.90	1	10	2	135		5 conc qtz vns 10cm, disconc qtz vns 2cm, diss po 135cm
MQ-19-48	126.90	127.80	0.9	3	6	2		3 conc qtz cb vns 3cm, 2 disconc qtz sx vns 6cm, diss po 2cm.
MQ-19-48	127.80	128.70	0.9	0	2	90	SMS	disconc qtz cb vns 2cm, diss po 90cm
MQ-19-48	128.70	129.05	0.35	0	0	0	Fault	flt gouge
MQ-19-48	129.05	130.50	1.45	5	1	145		4 conc qtz vns 5cm, 3 disconc qtz cb vnlt 1cm, diss po 145cm.
MQ-19-48	130.50	132.00	1.5	4	0	100		2 conc qtz vns 4cm, diss po 100cm
MQ-19-48	132.00	133.25	1.25	16	0	125		4 conc qtz vns 16cm, diss po 125cm
MQ-19-48	133.25	134.75	1.5	0	0	0	Fault	fractured rock
MQ-19-48	134.75	135.64	0.89	0	0	0	Fault	fractured rock and gouge
MQ-19-48	135.64	137.10	1.46	14	0	4		5 conc qtz vns 14cm, diss po 4cm,
MQ-19-48	137.10	138.40	1.3	9	6	0		4 conc qtz vns 9 cm, 3 disconc qtz vns 6cm,
MQ-19-48	138.40	139.90	1.5	3	5	10		3conc qtz vns 3cm, 4 disconc qtz cb vns 5cm py, diss po 10cm.
MQ-19-48	139.90	141.40	1.5	5	4	25		3 conc qtz vns 5cm, 4 disconc qtz vns 4cm, diss po 25cm
MQ-19-48	141.40	142.90	1.5	3	3	18		2 conc qtz vns 3cm, 2 disconc qtz cb vns 3cm, diss po 18cm
MQ-19-48	142.90	144.40	1.5	0	40	26	BRX	6 disconc qtz cb vns 40cm, diss po 26cm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-48	144.40	145.30	0.9	0	50	10	BRX	10 disconc qtz cb vns 50cm, diss po 10cm.
MQ-19-48	145.30	146.80	1.5	0	4	0		3 disconc qtz cb vns 4cm.
MQ-19-48	146.80	148.30	1.5	0	7	0		7 disconc qtz vns py 7cm
MQ-19-48	148.30	149.80	1.5	0	6	0		5 disconc qtz cb vns 6cm py
MQ-19-48	149.80	151.30	1.5	0	15	0		4 disconc qtz cb vns 15cm
MQ-19-48	151.30	152.80	1.5	0	4	0		9 disconc qtz cb vnlts 4cm
MQ-19-48	152.80	154.30	1.5	0	5	0		4 disconc qtz cb vns
MQ-19-48	154.30	155.80	1.5	1	3	30	SMS	1 conc qtz vn 1 cm, 1 disconc qtz vn 3cm, sms 10cm, diss po 30cm.
MQ-19-48	155.80	157.20	1.4	0	15	50		4 disconc qtz vb vns 15cm, diss po 50cm
MQ-19-48	157.20	158.55	1.35	0	29	0	Fault	10 disconc qtz vn 29cm
MQ-19-48	158.55	159.65	1.1	0	35	0	BRX	5 disconc qtz vns 35cm
MQ-19-48	159.65	160.65	1	0	45	20	BRX	nice bx unit with diss po and py, disconc qtz vns 45cm. Diss po 20cm
MQ-19-48	160.65	162.00	1.35	0	37	0	BRX	7 disconc qtz vns 37cm.
MQ-19-48	162.00	163.50	1.5	0	0	0		
MQ-19-48	163.50	165.00	1.5	0	30	110		7 disconc qtz vns 30cm, diss po 110cm
MQ-19-48	165.00	166.50	1.5	0	0	105		2 conc qtz vns 13cm, 7 disconc qtz cb stringers apy, 3cm. Diss po 105cm
MQ-19-48	166.50	168.00	1.5	6	4	20		1 conc qtz vn 6cm, 6 disconc qtz cb vns 4cm. Diss po 20cm
MQ-19-48	168.00	169.50	1.5	20	4	60		5 conc qtz vns 20cm, 1 disconc qtz vn 4cm. Diss po 60cm.
MQ-19-48	169.50	170.60	1.1	28	0	10		11 conc qtz vns 28cm. Diss po 10cm
MQ-19-48	170.60	171.75	1.15	0	0	0	BRX	gsch hosted bx with lots of cb stringers and cement.
MQ-19-48	171.75	173.00	1.25	0	1	15		4 disconc qtz stringers 1cm, diss po 15cm
MQ-19-48	173.00	174.50	1.5	0	4	0		20 stringer qtz vnlts 4cm,
MQ-19-48	174.50	176.00	1.5	0	0	70		diss po 70cm
MQ-19-48	176.00	177.00	1	0	5	70		2 disconc qtz vb vns 5cm, diss po 70cm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-48	177.00	178.13	1.13	0	5	52		15 disconc cb stringer, tension gash 5cm. Diss po 52cm.
MQ-19-48	178.13	179.60	1.47	0	0	0		dyke
MQ-19-48	179.60	180.60	1	0	0	0		dyke
MQ-19-48	180.60	182.00	1.4	45	4	130		11 conc qtz vns 45cm, 1 disconc qtz cb vn 4cm, diss po 130cm
MQ-19-48	182.00	183.50	1.5	14	0.5	150		15 conc qtz cb vns 14cm. 1 disconc cb cnlt .5cm. Diss po 150cm
MQ-19-48	183.50	185.00	1.5	13	0	130		7 conc qtz cb vns 13cm, diss po 130cm
MQ-19-48	185.00	186.50	1.5	17	0	140		7 conc qtz vns 17cm. Diss po 140cm
MQ-19-48	186.50	188.00	1.5	0	1	15		1 disconc qtz cb vn 1cm, diss po 15cm
MQ-19-48	188.00	189.50	1.5	3	1	88		3 conc qtz vns 3cm, 5 disconc cb stringers 1cm, diss po 88cm.
MQ-19-48	189.50	191.00	1.5	7	0	28		5 conc qtz cb vns 7cm, diss po 28cm
MQ-19-48	191.00	192.50	1.5	32	2	86		8 conc qtz cb vns 32cm, disconc cb stringers 2cm. 86cm diss po
MQ-19-48	192.50	194.00	1.5	6	8	80		7 conc qtz vns 6cm, 5 disconc qtz cb vns 8cm. Diss po 80cm.
MQ-19-48	194.00	195.50	1.5	0	15	122		4 disconc qtz cb vns 15cm. Diss po 122cm
MQ-19-48	195.50	197.00	1.5	10	0	30		7 conc qtz vns 10cm. Diss po 30cm
MQ-19-48	197.00	198.50	1.5	45	0	15		12 conc qtz vns 45cm, 15cm diss po
MQ-19-48	198.50	200.00	1.5	12	0	50		8 conc qtz vns 12cm, diss po 50cm
MQ-19-48	200.00	201.50	1.5	25	0	110		8 conc qtz cb vns 25cm, diss po 110
MQ-19-48	201.50	203.00	1.5	17	0	134		7 conc qtz vns 17cm. Diss po 134cm
MQ-19-48	203.00	204.50	1.5	13	0	42		6 conc qtz vns 13cm, diss po 42cm
MQ-19-48	204.50	206.00	1.5	21	2	38		8 conc qtz vns 21cm, disconc qtz stringers 2cm, diss po 38cm
MQ-19-48	206.00	207.50	1.5	36	0	100		11 conc qtz cb vns with po and py, 36cm, diss po 100cm
MQ-19-48	207.50	209.00	1.5	0	0	0	Fault	graphitic sch flt zone

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-48	209.00	210.31	1.31	0	0	47		14 conc qtz vns and stringers 23cm, 1 disconc qtz cb vn 2cm, diss po 47cm
MQ-19-49	9.88	12.19	2.31	0	0	0		
MQ-19-49	12.19	14.57	2.38	0	0	0		
MQ-19-49	14.57	15.85	1.28	0	0	0		
MQ-19-49	15.85	17.40	1.55	0	51	0		3 discor qtz cb vns 51cm
MQ-19-49	17.40	18.39	0.99	0	30	0		1 discor qtz cb vns 30cm
MQ-19-49	18.39	19.90	1.51	0	60	0		6 discor qtz cb vns 60cm
MQ-19-49	19.90	21.34	1.44	4	4	0		3 conc qtz cb vns 4cm, 1 discor qtz cb vn 4cm.
MQ-19-49	21.34	22.90	1.56	9	0	40		6 conc qtz cb vns 9cm, diss po 40cm
MQ-19-49	22.90	24.40	1.5	2	0	120		1 conc qtz cb vn 2cm, diss po 120cm
MQ-19-49	24.40	25.90	1.5	18	0	110		9 conc qtz cb vns 18cm, diss po 110cm
MQ-19-49	25.90	27.40	1.5	24	0	113		24 conc qtz cb vns 56cm, diss po 113cm
MQ-19-49	27.40	28.90	1.5	0	7	25		3 discor qtz cb vns 7cm, diss po 25cm
MQ-19-49	28.90	30.40	1.5	0	6	0		6 discor qtz cb vns 6cm, discor cb stringers 1cm,
MQ-19-49	30.40	31.90	1.5	4	0	22		2 conc qtz vns 4cm, diss po 22cm
MQ-19-49	31.90	33.40	1.5	7	0	0		5 conc qtz cb vns 7cm,
MQ-19-49	33.40	35.10	1.7	11	2	70		8 conc qtz cb vns 11cm, 8 discor cb vnlt 2cm, diss po 70cm
MQ-19-49	35.10	36.60	1.5	24	2	65		9 conc qtz cb vns 24cm, discor cb stringers 2cm, diss po 65cm
MQ-19-49	36.60	38.10	1.5	4	0	50		2 conc qtz vns 4cm, diss po 50cm
MQ-19-49	38.10	39.70	1.6	15	13	140		5 conc qtz cb vns 15cm, discor qtz cb vns 13cm, diss po 140cm
MQ-19-49	39.70	41.20	1.5	15	0	90		6 conc qtz cb vns 15cm, diss po 90cm.
MQ-19-49	41.20	42.70	1.5	10	3	30		6 conc qtz cb vns 10cm, discor cb vnlt .3cm diss po 30cm
MQ-19-49	42.70	44.20	1.5	14	0	33		5 conc qtz cb vns 14cm, diss po 33cm
MQ-19-49	44.20	45.70	1.5	3	34	32		2 conc qtz cb vns 3cm, 2 discor qtz vns 34cm, diss po 32cm
MQ-19-49	45.70	47.20	1.5	4	11	0		1 conc qtz cb vn 4cm, 2 discor qtz cb vns 11cm,
MQ-19-49	47.20	48.70	1.5	0	0.5	80		1 discor cb vn .5cm, diss po 80cm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-49	48.70	49.70	1	0	0.5	50		discor qtz cb vn .5 diss po 50cm
MQ-19-49	49.70	50.70	1	0	1	55		1 discor qtz cb vn 1cm. Diss po 55cm
MQ-19-49	50.70	52.20	1.5	6	6	100		4 conc qtz cb vns 6cm, 2 discor qtz cb vns 4cm, diss po 100cm
MQ-19-49	52.20	53.70	1.5	6	6	41		2 conc qtz cb vns 6cm, 1 discor qtz vns 5cm, diss po 41cm
MQ-19-49	53.70	55.20	1.5	6	6	7		3 conc qtz cb vns 6cm, diss po 7cm
MQ-19-49	55.20	56.70	1.5	0	24	125		4 discor qtz cb vns 24cm, diss po 125cm.
MQ-19-49	56.70	57.70	1	0	0.5	100		1 discor qtz cb vn .5cm. Diss po 100cm\
MQ-19-49	57.70	58.75	1.05	5	5	76		2 conc qtz vns 5cm, 2 discor qtz cb vns 13cm, diss po 76cm
MQ-19-49	58.75	59.75	1	0	0	0	Fault	csch flt zone
MQ-19-49	59.75	60.75	1	0	0	0		
MQ-19-49	60.75	61.75	1	3	0	90		1 conc qtz cb vn 3cm, diss po 90cm
MQ-19-49	61.75	62.75	1	0	0	100		diss po 100cm
MQ-19-49	62.75	63.75	1	6	0	100		3 conc qtz cb vns 6cm, diss po 100cm.
MQ-19-49	63.75	64.75	1	27	0	100	SMS	very nice po interval, 5conc qtz cb vns 27cm, diss po 100cm
MQ-19-49	64.75	65.75	1	4	1	85	SMS	conc qtz cb vn 4cm, 3 discor cb vns 1cm, diss po 85cm
MQ-19-49	65.75	67.25	1.5	11	2	150		4 conc qtz cb vns 11cm, 2 discor qtz cb vns 2cm, diss po 150cm
MQ-19-49	67.25	68.75	1.5	19	0	150		8 conc qtz cb vns 19cm, diss po 150cm,
MQ-19-49	68.75	70.25	1.5	32	0	150		6 conc qtz cb vns 32cm, diss po 150cm
MQ-19-49	70.25	71.75	1.5	0	0	150		diss po 150cm
MQ-19-49	71.75	72.50	0.75	0	0	50		diss po 50cm
MQ-19-49	72.50	73.50	1	29	0	100		6 conc qtz vns 29cm, diss po 100cm
MQ-19-49	73.50	74.50	1	13	0	100		4 conc qtz cb vns 13cm, diss po 100cm
MQ-19-49	74.50	75.50	1	22	0	100		6 conc qtz cb vns 22cm, diss po 100cm
MQ-19-49	75.50	76.15	0.65	0	20	50		discor qtz cb vns 20cm, diss po 50cm
MQ-19-49	76.15	76.40	0.25	0	0	0	Fault	gsch flt gouge
MQ-19-49	76.40	77.90	1.5	0	2	7		7 discor cb vnlt 2cm, diss po 7cm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-49	77.90	79.40	1.5	5	2	90		3 conc qtz cb vns 5cm, discor cb vnlt 2cm, diss po 90cm
MQ-19-49	79.40	80.90	1.5	0	14	70		8 discor qtz cb vns 14cm, diss po 70cm
MQ-19-49	80.90	82.40	1.5	0	0	50		diss po 50cm
MQ-19-49	82.40	83.50	1.1	0	0	90		diss po 90cm
MQ-19-49	83.50	84.60	1.1	0	0	50		diss po 50cm
MQ-19-49	84.60	85.60	1	0	8	85	SMS	1 discor qtz cb vn 8cm, diss po 85cm,
MQ-19-49	85.60	86.90	1.3	0	27	130	SMS	2 discor qtz cb vn 27cm, diss po 130cm
MQ-19-49	86.90	88.40	1.5	18	0	150		5 conc qtz cb vns 18cm, diss po 150cm
MQ-19-49	88.40	89.90	1.5	1	2	140		1 conc qtz cb vn 1cm, 4 discor qtz cb vn 2cm, diss po 140cm
MQ-19-49	89.90	91.40	1.5	4	1	150		2 conc qtz cb vn 4cm, discor qtz cb vnlt 1cm, diss po 150cm
MQ-19-49	91.40	92.90	1.5	11	0	63		3 conc qtz cb vns 11cm, diss po 63cm
MQ-19-49	92.90	94.40	1.5	11	0	80		6 conc qtz cb vns 11cm. Diss po 80cm
MQ-19-49	94.40	95.90	1.5	7	0	100		3 conc qtz cb vns 7cm, diss po 100cm
MQ-19-49	95.90	97.40	1.5	0	0	65		diss po 65cm
MQ-19-49	97.40	98.90	1.5	12	0	80		7 qtz cb vns 12cm, diss po 80cm
MQ-19-49	98.90	100.65	1.75	21	4	70		6 conc qtz cb vns 21cm, 2 discor qtz cb vns 4cm, diss po 70cm
MQ-19-49	100.65	102.10	1.45	0	0	20	Fault	diss po 20cm
MQ-19-49	102.10	103.63	1.53	0	0	0		
MQ-19-49	103.63	105.00	1.37	4	5	0		1 conc qtz cb vn 4cm, 15 discor qtz cb stringers 5cm,
MQ-19-49	105.00	106.15	1.15	0	0	40		diss po 40cm
MQ-19-49	106.15	107.15	1	7	4	100	SMS	4 conc qtz cb vns 7cm, 4 discor qtz cb stringers 1cm, diss po 100cm very nice interval
MQ-19-49	107.15	108.70	1.55	0	8	155	SMS	3 discor qtz cb 8cm, diss po 155cm very nice interval
MQ-19-49	108.70	109.73	1.03	0	1	85		3 discor cb stringers 1cm, diss po 85cm
MQ-19-49	109.73	110.35	0.62	5	0	10		3 conc qtz vns 5cm, diss po 10cm
MQ-19-49	110.35	112.00	1.65	0	0	0		dyke
MQ-19-49	112.00	113.50	1.5	0	0	0		dyke
MQ-19-49	113.50	115.00	1.5	0	0	0		dyke

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-49	115.00	116.50	1.5	0	0	0		dyke
MQ-19-49	116.50	118.00	1.5	0	0	0		dyke
MQ-19-49	118.00	119.50	1.5	0	0	0		dyke
MQ-19-49	119.50	121.00	1.5	0	0	0		dyke
MQ-19-49	121.00	122.50	1.5	0	0	0		dyke
MQ-19-49	122.50	124.00	1.5	0	0	0		dyke
MQ-19-49	124.00	125.50	1.5	0	0	0		dyke
MQ-19-49	125.50	127.00	1.5	0	0	0		dyke
MQ-19-49	127.00	128.25	1.25	0	0	0		dyke
MQ-19-49	128.25	129.50	1.25	3	3	30		3 conc qtz cb vns 3cm, 10 discor cb stringers 3cm, diss po 30cm
MQ-19-49	129.50	131.00	1.5	0	2	15		3 discor cb stringers 2cm, diss po 15cm
MQ-19-49	131.00	132.50	1.5	4	45	5		4 conc qtz cb vns 4cm, 8 discor qtz cb vns 45cm diss po 5cm
MQ-19-49	132.50	134.00	1.5	13	3	42		11 conc qtz cb vns 13cm, discor cb vnlt .3cm diss po 42cm
MQ-19-49	134.00	135.50	1.5	7	23	65		3 conc qtz cb vns 7cm, discor qtz cb vns 23cm,diss po 65cm
MQ-19-49	135.50	137.00	1.5	28	3	60		13 conc qt cb vns 28cm, discor cb stringers 3cm, diss po 30cm
MQ-19-49	137.00	138.50	1.5	0	0.5	110		2 discor qtz cb vns 4cm. Discor cb stringers .5cm diss po 110cm
MQ-19-49	138.50	140.00	1.5	7	9	61		5 conc qtz cb vns 7cm, 7 discor qtz cb 9cm, diss po 61cm
MQ-19-49	140.00	141.50	1.5	0	9	0		2 discor qtz cb vns 9cm
MQ-19-49	141.50	143.25	1.75	0	8	0		15 discor cb vnlt and qtz cb vns 8cm
MQ-19-49	143.25	144.96	1.71	0	2	0		2 discor qtz cb vns 2cm
MQ-19-49	144.96	146.50	1.54	7	0	0		3 conc qtz cb vns 7cm
MQ-19-49	146.50	147.83	1.33	0	11	0		13 discor qtz cb vns 11cm,
MQ-19-50	3.05	4.60	1.55	0	0	30		diss po 30cm
MQ-19-50	4.60	6.10	1.5	0	0	10		diss po 10cm
MQ-19-50	6.10	7.65	1.55	0	0	8		diss po 8cm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-50	7.65	9.20	1.55	0	0	18		diss po 18cm
MQ-19-50	9.20	10.75	1.55	12	0	0		2 conc qtz cb vns 12cm
MQ-19-50	10.75	12.00	1.25	0	0	0		
MQ-19-50	12.00	13.00	1	0	0	0		
MQ-19-50	13.00	14.00	1	5	0	0		1 conc qtz cb vn 5cm
MQ-19-50	14.00	15.50	1.5	20	0	0		8 conc qtz cb vns 20cm,
MQ-19-50	15.50	16.50	1	11	0	0		5 conc qtz cb vns 11cm
MQ-19-50	16.50	18.00	1.5	0	0	0		
MQ-19-50	18.00	19.50	1.5	0	0	0	Fault	flt
MQ-19-50	19.50	21.00	1.5	6	7	15		2 conc qtz cb vns 6cm.2 discor qtz cb vns 7cm, diss po 15cm
MQ-19-50	21.00	22.50	1.5	17	11	69		4 conc qtz cb vns 17cm, 4 discor qtz cb vns 11cm, diss po 69cm
MQ-19-50	22.50	24.00	1.5	5	3	0		1 conc qtz cb vn 5cm, 3 discor qtz cb vns 3cm.
MQ-19-50	24.00	25.50	1.5	10	2	0		4 conc qtz cb vns 10cm, 2 discor qtz cb vns 2cm
MQ-19-50	25.50	27.00	1.5	7	18	0		4 conc qtz cb vns 7cm. 3 discor qtz cb vns 18cm,
MQ-19-50	27.00	28.50	1.5	7	20	0		4 conc qtz cb vns 7cm, 1 discor qtz cb vn orange colour 20cm.
MQ-19-50	28.50	30.15	1.65	31	1	0		12 conc qtz cb vns 31cm. 1 discor qtz cb vn 1cm
MQ-19-50	30.15	31.80	1.65	5	14	0		3 conc qtz cb vns 5cm. 4 discor qtz cb vns 14cm.
MQ-19-50	31.80	33.00	1.2	25	15	0		13 conc qtz cb vns 25cm. 3 discor qtz cb vn lts 1.5cm.
MQ-19-50	33.00	34.50	1.5	9	0.3	0		7 conc qtz cb vns 9cm, discor cb stringer .3cm,
MQ-19-50	34.50	36.00	1.5	4	1	22		2 conc qtz cb vns 4cm, 6 discor cb stringers 1cm. Diss po 22cm
MQ-19-50	36.00	37.50	1.5	16	1	12		4 conc qtz cb vns 16cm, 1 discor qtz cb vn 1cm, diss po 12cm
MQ-19-50	37.50	39.00	1.5	2	4	30		1 conc qtz cb vn 2cm, 5 discor qtz cb stringers 4cm, diss po 30cm
MQ-19-50	39.00	40.50	1.5	22	0	18		8 conc qtz cb vns 22cm, 3 discor qtz cb stringers tension gash 1cm diss po 18cm
MQ-19-50	40.50	42.00	1.5	13	0	4		7 conc qtz cb vns 13cm, 3 discor qtz cb stringers, diss po 4cm.



Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-50	42.00	43.50	1.5	2	1	0		1 conc qtz cb vn 2cm, 2 discor qtz cb vns 1cm,
MQ-19-50	43.50	45.00	1.5	1	4	0		1 conc qtz cb vn 1cm. 2 discor qtz cb vns 4cm.
MQ-19-50	45.00	46.50	1.5	0	0	15		diss po 15cm
MQ-19-50	46.50	47.50	1	12	7	44		5 conc qtz cb vns 12cm. 2 discor qtz cb vns 7cm. Diss po 44cm
MQ-19-50	47.50	49.00	1.5	16	1	15		8 conc qtz vns 16cm, 3 discor qtz cb stringers 1cm. Diss po 15cm
MQ-19-50	49.00	50.50	1.5	4	1	30		2 conc qtz vns 4cm, 4 discor qtz stringers 1 cm, diss po 30cm
MQ-19-50	50.50	52.10	1.6	0	28	105		5 discor qtz cb vns 28cm. Diss po 105cm
MQ-19-50	52.10	53.70	1.6	4	0.3	160		2 conc qtz cb vns 4cm, 1 discor cb stringer .3cm. Diss po 160cm
MQ-19-50	53.70	54.70	1	0	8	100		2 discor qtz cb vns 8cm. Diss po 100cm
MQ-19-50	54.70	55.75	1.05	14	7	105		4 conc qtz cb vns 14cm, 4 discor qtz cb vns 7cm, diss po 105 cm
MQ-19-50	55.75	57.00	1.25	0	14	34		1 discor qtz cb vns 14cm, diss po 34cm
MQ-19-50	57.00	57.91	0.91	0	0	30		2 discor sx vns? Dark black diss po 30cm
MQ-19-50	57.91	59.50	1.59	8	0	0		3 conc qtz cb vns 8cm
MQ-19-50	59.50	60.50	1	0	1	100		1 discor qtz cb vns 1 cm diss po 100cm
MQ-19-50	60.50	61.65	1.15	5	1	115	SMS	1 conc qtz cb vn 5cm, 5 discor sx vns 1cm, diss po 115cm
MQ-19-50	61.65	63.10	1.45	6	17	145		2 conc qtz cb vns 6cm, 6 discor qtz cb vns 17cm, diss po 145cm
MQ-19-50	63.10	63.35	0.25	0	4	0	SMS	2cm discor qtz sx vns 4cm
MQ-19-50	63.35	64.50	1.15	15	11	100		8 conc qtz cb vns 15cm, 4 discor qtz cb vns 11cm, diss po 100cm
MQ-19-50	64.50	66.00	1.5	8	8	150		3 conc qtz cb vns 8cm, 2 discor qtz cb vns 8cm, diss po 150cm
MQ-19-50	66.00	67.50	1.5	17	16	90		3 conc qtz cb vns 17cm. 1 discor qtz cb vns 16cm, diss po 90cm
MQ-19-50	67.50	69.00	1.5	0	3	130		5 discor qtz and cb stringers 3cm, diss po 130cm
MQ-19-50	69.00	70.50	1.5	4	0	130		3 conc qtz cb vns 4cm, 130cm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-50	70.50	71.50	1	5	0	100		1 conc qtz cb vns 5cm, diss po 150cm
MQ-19-50	71.50	72.40	0.9	4	0	90		1 conc qtz cb vn 4cm, diss po 140cm
MQ-19-50	72.40	74.00	1.6	3	0.5	102		1 conc qtz cb vn 3cm, 1 discor cb vnl .5cm, diss po 102cm.
MQ-19-50	74.00	75.50	1.5	8	70	100		4 conc qtz cb vns 8cm, 13 discor qtz cb vns 70cm. Diss po 100cm
MQ-19-50	75.50	77.00	1.5	0	0	100		diss po 100cm
MQ-19-50	77.00	78.50	1.5	0	50	90		9 discor qtz cb vns 50cm, diss po 90cm
MQ-19-50	78.50	80.00	1.5	4	21	0		2 conc qtz cb vns, 8 discor qtz cb vns 21cm
MQ-19-50	80.00	81.50	1.5	24	10	150	SMS	9 conc qtz cb vns 24cm. Discor qtz sx vn 10cm, diss po 150cm,
MQ-19-50	81.50	83.00	1.5	24	0.3	150		11 conc qtz cb vns 24cm, discor cb sx vnl .3cm, diss po 150cm
MQ-19-50	83.00	84.50	1.5	13	8	145		4 conc qtz cb vns 13cm, 3 discor qtz cb vns 8cm, diss po 145cm
MQ-19-50	84.50	86.00	1.5	10	14	150		3 conc qtz cb vns 10cm, discor qtz cb vns 14cm, diss po 150cm
MQ-19-50	86.00	87.50	1.5	7	18	150		4 conc qtz cb vns 7cm, 5 discor qtz cb vns 18cm. Diss po 150cm
MQ-19-50	87.50	88.55	1.05	16	0	105		7 conc qtz cb vns 16cm, diss po 105cm
MQ-19-50	88.55	89.65	1.1	3	0	75		1 conc qtz cb vns 3cm, diss po 75cm
MQ-19-50	89.65	91.00	1.35	24	0	135		14 qtz cb vns 24cm. Diss po 135cm
MQ-19-50	91.00	92.50	1.5	0	20	150		10 disconc qtz cb vns 20cm, diss po 150cm
MQ-19-50	92.50	94.00	1.5	20	5	150	SMS	6 conc qtz cb vns 20cm, discor po vns 5cm, diss po 150cm
MQ-19-50	94.00	95.05	1.05	12	0	60		9 conc qtz cb vns 12cm, diss po 60cm
MQ-19-50	95.05	96.80	1.75	0	2	3	Fault	flt gouge 2 qtz cb vns 3cm diss po
MQ-19-50	96.80	98.00	1.2	4	1	0		5 conc qtz cb vns 4cm, 2 discor qtz cb vns 1cm, diss po
MQ-19-50	98.00	99.00	1	4	0	60		4 conc qtz cb vns 4 cm, diss po 60cm
MQ-19-50	99.00	99.97	0.97	33	4	80		8 conc qtz cb vns 33cm, discor po vns 4cm, diss po 80cm
MQ-19-50	99.97	100.25	0.28	0	0	28	SMS	sms po

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-50	100.25	100.70	0.45	0	0	0	Fault	gsch flt
MQ-19-50	100.70	102.00	1.3	25	0	80		9 conc qtz cb vns 25cm, diss po 80cm,
MQ-19-50	102.00	103.50	1.5	15	6	105		10 conc qtz cb vns 15cm, 2 discor qtz cb vns 6cm, diss po 105cm
MQ-19-50	103.50	105.00	1.5	40	3	150		14 conc qtz cb vns 40cm, 2 discor cb po vn 3cm, diss po 150cm,
MQ-19-50	105.00	106.00	1	8	0	100		5 conc qtz cb vns 8cm, diss po 100cm
MQ-19-50	106.00	106.85	0.85	14	0.5	24		4 conc qtz cb vns 14cm, 2 cb stringers .5cm, diss po 24cm
MQ-19-50	106.85	107.80	0.95	0	85	95	SMS	4 discor cb vnlts 1cm, diss po 85cm, gorgeous sms zone
MQ-19-50	107.80	108.80	1	0	0	70		diss po 70cm
MQ-19-50	108.80	110.00	1.2	0	20	70		5 discor qtz cb vns 20cm, diss po 70cm
MQ-19-50	110.00	111.50	1.5	2	1	150		4 conc qtz cb vns 2cm, 3 discor qtz cb vnlts 1cm, diss po 150cm
MQ-19-50	111.50	113.00	1.5	2	2	115		2 conc qtz cb vns 2cm, 6 discor qtz cb stringers 2cm, diss po 115cm
MQ-19-50	113.00	114.05	1.05	4	1	45		2 conc qtz cb vns 4 cm, 1 discor qtz cb vn py 1cm, diss po 45cm
MQ-19-50	114.05	115.50	1.45	25	0	25		18 conc qtz vns 25cm, diss po 25cm,
MQ-19-50	115.50	117.00	1.5	18	0.5	0		25 qtz vns 18cm, 2 discor qtz cb vns .5cm,
MQ-19-50	117.00	118.50	1.5	0	0	20		20cm diss po
MQ-19-50	118.50	120.00	1.5	0	0	0		
MQ-19-50	120.00	121.00	1	0	0	0		
MQ-19-50	121.00	121.90	0.9	4	0	0		3 conc qtz cb vns 4cm,
MQ-19-50	121.90	123.50	1.6	3	2	40		2 conc qtz cb vns 3cm, 8cb stringers 2cm, diss po 40cm
MQ-19-50	123.50	125.00	1.5	0	1	0		discor qtz cb vn 1cm,
MQ-19-50	125.00	126.50	1.5	0	0	0		dyke
MQ-19-50	126.50	128.00	1.5	0	0	0		dyke
MQ-19-50	128.00	129.35	1.35	0	0	0		dyke
MQ-19-50	129.35	130.50	1.15	0	1	115		3 discor cb py stringers 1cm, diss py throughout,

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-50	130.50	131.50	1	2	1	0		1 conc qtz cb vn 2cm, 10cb stringers 1cm,
MQ-19-50	131.50	133.00	1.5	0	0	0		dyke
MQ-19-50	133.00	134.50	1.5	0	0	0		dyke
MQ-19-50	134.50	136.05	1.55	0	0	20		dyke, diss po 20cm
MQ-19-50	136.05	137.65	1.6	0	0	0		dyke
MQ-19-50	137.65	139.00	1.35	11	1	15		4 conc qtz cb vns 11cm, discor cb stringers 1cm,diss po 15cm
MQ-19-50	139.00	140.50	1.5	4	0	15		2 conc qtz cb vns 4cm, sms py 10cm, diss po 15cm
MQ-19-50	140.50	142.00	1.5	0	0	22		diss po 22cm
MQ-19-50	142.00	143.00	1	0	1	100		3 discor qtz cb vn lts 1cm, diss po 100cm
MQ-19-50	143.00	144.00	1	1	0	70		1 conc qtz cb vn, diss po 70cm
MQ-19-50	144.00	145.50	1.5	5	25	90		2 conc qtz cb vns 5cm, 4 discor qtz cb vns 25cm, diss po 90cm
MQ-19-50	145.50	147.00	1.5	6	6	65		2 discor qtz cb vns 6cm, diss po 65cm
MQ-19-50	147.00	148.50	1.5	12	30	80		7 conc qtz cb vns 12cm, 2 discor qtz cb vns 30cm, diss po 80cm
MQ-19-50	148.50	150.00	1.5	14	48	75		3 conc qtz cb vns 14cm, 6 discor qtz cb vns 48cm, diss po 75cm
MQ-19-50	150.00	151.50	1.5	14	17	0		4 conc qtz cb vns 14cm, 4 discor qtz cb vns py 17cm
MQ-19-50	151.50	153.00	1.5	30	0.6	85		10 conc qtz cb vns 30cm, 1 discor qtz cb vn .6cm, diss po 85cm
MQ-19-50	153.00	153.93	0.93	9	1.5	60		4 conc qtz cb vns 9cm, 3 discor qtz cb vn lts 1.5cm, diss po
MQ-19-51	6.20	7.70	1.5	0	0	0		dyke
MQ-19-51	7.70	9.10	1.4	0	0	0		dyke
MQ-19-51	9.10	10.50	1.4	0	0	0		
MQ-19-51	10.50	12.00	1.5	3	0	0		3 conc qtz cb vns
MQ-19-51	12.00	13.50	1.5	0	25	5		3 discor qtz cb vns 25cm, diss po 5cm
MQ-19-51	13.50	15.00	1.5	6	0	17		5 conc qtz cb vns 6cm, diss po 17cm.
MQ-19-51	15.00	16.50	1.5	5	0	0		4 conc qtz cb vns 5cm
MQ-19-51	16.50	18.00	1.5	11	2	0		6 conc qtz cb vns 11cm, discor qtz cb vns 2cm
MQ-19-51	18.00	19.50	1.5	16	16	4		5 conc qtz cb vns 16cm, 2 discor qtz cb vns 13cm, diss po 4cm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-51	19.50	21.00	1.5	11	11	0		3 conc qtz cb vns 11cm, 2 discor qtz cb vns 15cm,
MQ-19-51	21.00	22.50	1.5	18	13	0		10 conc qtz cb vns 18cm, 2 discor qtz cb vns 13cm,
MQ-19-51	22.50	24.00	1.5	0	14	45		3 discor qtz cb vns 14cm, diss po 45cm
MQ-19-51	24.00	25.50	1.5	5	13	28		3 conc qtz cb vns 5cm, 3 discor qtz cb vns 13cm, diss po 28cm
MQ-19-51	25.50	27.00	1.5	8	14	0		4 conc qtz cb vns 8cm, 10 qtz cb vns some stringers 14cm,
MQ-19-51	27.00	28.50	1.5	0	0.5	40		1 discor cb vnlt .5cm, diss po 40cm
MQ-19-51	28.50	30.00	1.5	4	0	10		1 conc qtz cb vn 4cm, diss po 10cm
MQ-19-51	30.00	31.50	1.5	4	13	43		2 conc qtz cb vns 4cm, 2 discor qtz cb vns 13cm, diss po 43cm
MQ-19-51	31.50	33.00	1.5	4	5	80		1 conc qtz cb vn 4cm, 1 discor qtz cb vn 5cm, diss po 80cm
MQ-19-51	33.00	34.50	1.5	6	20	15		1 conc qtz cb vn 6cm, 3 discor qtz cb vns 20cm, diss po 15cm
MQ-19-51	34.50	36.00	1.5	9	14	85		3 conc qtz cb vns 9cm, discor qtz cb vn 14cm, diss po 85cm
MQ-19-51	36.00	37.50	1.5	0	8	40		3 discor qtz cb vns 8cm, diss po 40cm
MQ-19-51	37.50	39.00	1.5	14	0	7		4 conc qtz cb vns 14cm, discor cb vnlt 1cm, diss po 7cm
MQ-19-51	39.00	40.50	1.5	0	35	20		6 discor qtz cb vns with some cb stringers 35cm.diss po 20cm
MQ-19-51	40.50	42.00	1.5	0	18	60		5 discor qtz cb vns with lots of little cb stringers 18cm, diss po 60cm
MQ-19-51	42.00	43.50	1.5	13	4	32		4 conc qtz cb vns 13cm, 1 discor qtz cb vn 4cm, diss po 32cm
MQ-19-51	43.50	45.00	1.5	20	25	9		8 conc qtz cb vns 20cm, 5 discor qtz cb vns and cb stringers 25cm, diss po 9cm
MQ-19-51	45.00	46.50	1.5	3	30	0		1 conc qtz cb vn 3cm, 4 discor qtz cb vns deformed 30cm,
MQ-19-51	46.50	48.00	1.5	0	2	33		1 discor qtz cb vn 2cm, diss po 33ecm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-51	48.00	49.45	1.45	5	14	6		3 conc qtz cb vns 5cm, 3 discor qtz cb vns 14cm, diss po 6cm,
MQ-19-51	49.45	51.00	1.55	10	8	30		4 conc qtz cb vns 10cm, 1 discor qtz cb vn 8cm, diss po 30cm
MQ-19-51	51.00	52.50	1.5	24	0	130		12 conc qtz cb vns 24cm, diss po 130cm
MQ-19-51	52.50	53.40	0.9	18	0	25		6 conc qtz cb vns 18cm, diss po 25cm
MQ-19-51	53.40	55.00	1.6	15	3	150		7 conc qtz cb vns 15cm, discor qtz cb vn/ls and stringers 3cm, diss po 150cm,
MQ-19-51	55.00	56.50	1.5	15	1	150	Fault	5 conc qtz cb vns 15cm, discor qtz cb vn 1cm, small flting low angle 3cm wide, diss po 150cm
MQ-19-51	56.50	57.53	1.03	13	0	103		5 conc qtz cb vns 13cm, diss po 113cm
MQ-19-51	57.53	57.91	0.38	0	0	38	SMS	skarn sms po and py very nice
MQ-19-51	57.91	59.00	1.09	8	2	109		7 conc qtz cb vns 8 cm, discor qtz cb vn 2cm, diss po 109cm
MQ-19-51	59.00	60.50	1.5	18	0	150		20 qtz cb vns conc 18cm,diss po 150cm
MQ-19-51	60.50	62.00	1.5	2	1	85		2 conc qtz cb vns 2cm, 1 discor qtz cb vn 1cm, diss po 85cm
MQ-19-51	62.00	63.50	1.5	6	2	140		4 conc qtz cb vns 6cm, 1 discor qtz cb vn 2cm diss po 140cm
MQ-19-51	63.50	64.80	1.3	14	0	90		9 conc qtz cb vns 14cm, diss po 90cm
MQ-19-51	64.80	65.40	0.6	0	0	0		dyke
MQ-19-51	65.40	67.00	1.6	6	8	110		4 conc qtz cb vns 6cm, 4 discor qtz cb vns 8cm, diss po 110cm
MQ-19-51	67.00	68.50	1.5	2	45	60		1 conc qtz cb vn 2cm, 10 discor qtz cb vns very deformed, 45cm. Diss po 60cm
MQ-19-51	68.50	70.00	1.5	5	110	110		5 conc qtz cb vns 5cm, 6 discor qtz cb vns 37cm, diss po 110cm
MQ-19-51	70.00	71.50	1.5	13	130	130		5 conc qtz cb vns 13cm, 2 discor qtz cb vns 6cm. Diss po 130cm
MQ-19-51	71.50	73.00	1.5	0	0	0		flt
MQ-19-51	73.00	74.50	1.5	5	8	61		3 conc qtz vns 5cm, 5 discor qtz cb vns 8cm, diss po 61cm, sms po 10cm at the very bottom of interval.

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-51	74.50	75.50	1	0	3	46		1 discor qtz cb vn 3cm, diss po 46cm
MQ-19-51	75.50	76.75	1.25	10	26	65		2 conc qtz cb vns 10cm, 5 discor qtz cb vns very deformed some apy blebs throughout, 26cm, diss po 65cm
MQ-19-51	76.75	78.00	1.25	0	0.3	50		dyke, 1 discor cb vn .3cm diss po 50cm
MQ-19-51	78.00	79.50	1.5	0	0	77		dyke, diss po 77cm
MQ-19-51	79.50	80.50	1	0	0	35		dyke diss po 35cm
MQ-19-51	80.50	81.30	0.8	0	0	34		dyke diss po 34cm
MQ-19-51	81.30	82.50	1.2	0	3	95		small 10cm segment of sms, 6 discor cb vnlt 3cm. Diss po 95cm
MQ-19-51	82.50	84.00	1.5	0	140	140	SMS	skarn with lots of sms po, diss po 140cm
MQ-19-51	84.00	85.25	1.25	0	1	125	SMS	sms unit with delicious po throughout. 8 discor cb stringers 1cm, diss po 125cm
MQ-19-51	85.25	86.50	1.25	0	0	50		dyke, diss po 50cm
MQ-19-51	86.50	88.00	1.5	0	0	55		dyke diss po 55cm
MQ-19-51	88.00	89.00	1	0	0	90		dyke diss po 90cm
MQ-19-51	89.00	90.10	1.1	0	0	30		dyke diss po 30cm
MQ-19-51	90.10	91.50	1.4	1	12	120		1 conc qtz cb vn 1cm, 1 discor qtz cb vn 10cm, 8 discor cb stringers 2cm. Diss po 120cm
MQ-19-51	91.50	93.00	1.5	0	7	150		6 discor qtz cb vns with some stringers 7cm, diss po 150cm
MQ-19-51	93.00	94.50	1.5	0	75	65		8 discor qtz cb vns 75cm, diss po 65cm,
MQ-19-51	94.50	96.05	1.55	0	96	25		9 discor qtz cb vns 96cm, diss po 25cm
MQ-19-51	96.05	97.50	1.45	5	4	5		4 conc qtz cb vns 5cm, 7 discor qtz cb vnlt 4cm, diss po 5cm
MQ-19-51	97.50	99.00	1.5	0	2	4		7 discor qtz cb vnlt 2cm. Diss po 4cm
MQ-19-51	99.00	100.50	1.5	4	2	30		2 conc qtz cb vns 4cm, 10 discor qtz cb vnlt 2cm, diss po 30cm
MQ-19-51	100.50	102.00	1.5	3	4	40		2 conc qtz cb vns 3cm. 14 discor qtz cb vnlt stringers 4cm. Diss po 40cm
MQ-19-51	102.00	103.50	1.5	8	1	20		8 conc qtz cb vns 8cm, discor qtz cb stringers 1cm. Diss po 20cm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-51	103.50	105.00	1.5	14	0.3	0.3		9 conc qtz cb vns 14cm, discor qtz cb vn .3cm,
MQ-19-51	105.00	106.50	1.5	6	0	0		4 conc qtz cb vns 6cm,
MQ-19-51	106.50	107.50	1	14	0	0		12 conc qtz cb vns 14cm,
MQ-19-51	107.50	108.20	0.7	15	0	0		6 conc qtz cb vns 15cm
MQ-19-52	3.25	4.50	1.25	0	0	0		
MQ-19-52	4.50	6.00	1.5	0	0	5		diss po 5cm
MQ-19-52	6.00	7.50	1.5	9	0	0		1 conc qtz cb vn 9cm
MQ-19-52	7.50	9.00	1.5	3	0	0		2 conc qtz cb vns 3cm
MQ-19-52	9.00	10.50	1.5	15	0	24		9 conc qtz cb vns ankorite 15cm, diss po 24cm
MQ-19-52	10.50	12.00	1.5	40	0	65		13 conc qtz cb vns 40cm, diss po 65cm
MQ-19-52	12.00	13.50	1.5	20	0	35		9 conc qtz cb ankorite vns 20cm, diss po 35cm
MQ-19-52	13.50	15.00	1.5	10	0	75		5 conc qtz cb ankorite vns 10cm, diss po 75cm
MQ-19-52	15.00	16.50	1.5	17	0	0		4 conc qtz cb vns 17cm,
MQ-19-52	16.50	18.00	1.5	17	0	20		3 conc qtz cb vns 17cm, diss po 20cm
MQ-19-52	18.00	19.50	1.5	2	0	75		1 conc qtz cb vns 2cm, diss po 75cm.
MQ-19-52	19.50	21.00	1.5	14	0	40		4 conc qtz cb vns 14cm, diss po 40cm
MQ-19-52	21.00	22.50	1.5	0	10	55		2 discor qtz cb vns 10cm, diss po 55cm
MQ-19-52	22.50	23.50	1	13	6	15		3 conc qtz cb vns 13cm, 1 discor qtz cb vn 6cm, diss po 15cm
MQ-19-52	23.50	24.30	0.8	4	0	0		2 conc qtz cb vns 4cm,
MQ-19-52	24.30	25.45	1.15	0	0	0		
MQ-19-52	25.45	27.00	1.55	7	18	38		5 conc qtz cb vns 7cm, 3 discor qtz cb ankorite vns 18cm, diss po 38cm.
MQ-19-52	27.00	28.50	1.5	10	0	13		3 conc qtz cb vns 10cm, diss po 13cm
MQ-19-52	28.50	30.00	1.5	21	12	100		6 conc qtz cb vns 21cm, 3 discor qtz cb vns ankorite 12cm, diss po 100cm
MQ-19-52	30.00	31.50	1.5	4	5	37		2 conc qtz cb vns 4cm, 3 discor qtz cb vns 5cm, diss po 37cm
MQ-19-52	31.50	33.00	1.5	24	10	130		8 conc qtz cb vns 24cm, 4 discor qtz cb vns 10cm, diss po 130cm
MQ-19-52	33.00	34.50	1.5	14	5	150		7 conc qtz cb vns 14cm, 2 discor qtz cb vns 5cm, diss po 150cm



Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-52	34.50	36.00	1.5	13	0	75		5 conc qtz cb vns 13cm, diss po 75cm
MQ-19-52	36.00	37.50	1.5	17	7	15		3 conc qtz cb vns 17cm, 1 discor qtz cb vns 7cm, diss po 15cm
MQ-19-52	37.50	39.00	1.5	8	1	47		4 conc qtz cb vns 8cm, 1 discor qtz cb sx vn po 1cm, diss po 47cm
MQ-19-52	39.00	40.25	1.25	0	0	0		
MQ-19-52	40.25	41.45	1.2	0	0	0		
MQ-19-52	41.45	42.80	1.35	0	0	0	Fault	gsch flt gouge
MQ-19-52	42.80	44.00	1.2	0	0	0		
MQ-19-52	44.00	45.50	1.5	11	8	40		4 conc qtz cb vns 11cm, 1 discor qtz cb vn .8cm, diss po 40cm
MQ-19-52	45.50	46.80	1.3	0	0	80		diss po 80cm
MQ-19-52	46.80	48.00	1.2	23	12	120		7 conc qtz cb vns 23cm, 1 discor qtz cb vhl vn 12cm, diss po 120cm
MQ-19-52	48.00	49.50	1.5	10	0	150		3 conc qtz cb vns 10cm, diss po 150cm
MQ-19-52	49.50	51.00	1.5	9	0	150		4 conc qtz cb vns 9cm, diss po 150cm
MQ-19-52	51.00	52.50	1.5	5	25	110		2 conc qtz cb vns 5cm, 2 discor qtz cb vns 25cm, diss po 110cm
MQ-19-52	52.50	54.00	1.5	18	6	150		7 conc qtz cb vns 18cm, 1 discor qtz cb vn 6cm, cb stringers 1cm, diss po 150cm
MQ-19-52	54.00	55.25	1.25	15	0	120		4 conc qtz cb vns 15cm, diss po 120cm
MQ-19-52	55.25	56.75	1.5	28	0	130		8 conc qtz cb vns 28cm, diss po 130cm
MQ-19-52	56.75	58.00	1.25	17	2	90		7 conc qtz cb vns 17cm, discor qtz cb vn 2cm, diss po 90cm
MQ-19-52	58.00	59.50	1.5	0	0	90	Fault	small gsch hosted flt, diss po 90cm
MQ-19-52	59.50	61.00	1.5	18	0	150		7 conc qtz cb vns 18cm, diss po 150cm
MQ-19-52	61.00	62.50	1.5	14	21	150		2 conc qtz cb vns 14cm, 3 discor qtz cb vns 21cm with blebs of po throughout. Diss po 150cm
MQ-19-52	62.50	64.00	1.5	15	14	150		3 conc qtz cb vns 15cm, 3 discor qtz cb vns po blebs 14cm, diss po 150cm
MQ-19-52	64.00	65.50	1.5	24	0	150		7 conc qtz cb vns 24cm, diss po 150cm
MQ-19-52	65.50	67.00	1.5	15	0	150		6 qtz cb vns 15cm. Diss po 150cm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-52	67.00	68.50	1.5	18	8	150		6 conc qtz cb vns 18cm, 2 discor qtz cb vns 8cm, diss po 150cm,
MQ-19-52	68.50	70.00	1.5	15	10	150		5 conc qtz cb vns 15cm, 4 discor qtz cb vns 10cm, discor cb stringers diss po 150cm.
MQ-19-52	70.00	71.50	1.5	18	3	150		15 conc qtz cb vns 18cm, 1 discor qtz cb vn 3cm, diss po 150cm
MQ-19-52	71.50	73.10	1.6	10	0	160		7 conc qtz cb vns 10cm, diss po 160cm.
MQ-19-52	73.10	74.00	0.9	0	15	90		2 disconc qtz cb vns 8cm, 4 discor qtz cb vns 15cm, diss po 90cm
MQ-19-52	74.00	75.00	1	0	12	60		1 disconc qtz cb vn 4cm 2 discor qtz cb vns 12cm, diss po 60cm
MQ-19-52	75.00	76.50	1.5	25	0	150		7 conc qtz cb vns 25cm, 150cm diss po.
MQ-19-52	76.50	77.72	1.22	22	0	122		12 conc qtz cb 22cm, diss po 122cm
MQ-19-52	77.72	78.15	0.43	0	10	43		2 discor sx vns po 10cm, 43cm diss po
MQ-19-52	78.15	79.50	1.35	0	8	100		2 discor qtz cb vns 8cm, diss po 100cm.
MQ-19-52	79.50	81.00	1.5	6	0.5	45		5 conc qtz cb vns 6cm, 1 discor qtz cb vnlt .5cm. Diss po 45cm
MQ-19-52	81.00	82.40	1.4	0	60	80		7 discor qtz cb vns 60cm. Diss po 80cm
MQ-19-52	82.40	82.90	0.5	0	0	50	SMS	very nice po sms, diss po 50cm.
MQ-19-52	82.90	84.00	1.1	6	10	90		2 conc qtz cb vns 6cm. 3 discor qtz cb vns 10cm, diss po 90cm
MQ-19-52	84.00	85.50	1.5	0	20	150		6 discor qtz cb vns 20cm, diss po 150cm.
MQ-19-52	85.50	87.00	1.5	8	28	130		2 conc qtz cb vns 8cm, 12 discor qtz cb vns 28cm, diss po 130cm
MQ-19-52	87.00	88.50	1.5	11	1.5	130		3 conc qtz cb vns 11cm, 2 discor 1.5cm. Diss po 130cm
MQ-19-52	88.50	88.90	0.4	0	0	0	Fault	csch flt
MQ-19-52	88.90	90.00	1.1	9	3	100		2 conc qtz cb vns 9cm, 1 discor qtz cb vn 3cm. Diss po 100cm
MQ-19-52	90.00	91.30	1.3	11	2	107		3 conc qtz cb vns 11cm, 1 discor qtz cb vn 2cm, diss po 107cm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-52	91.30	92.50	1.2	8	0	120		2 conc qtz cb vns 8cm, diss po 120cm.
MQ-19-52	92.50	94.00	1.5	7	0	150		2 conc qtz cb vns 7cm, diss po 150cm
MQ-19-52	94.00	95.50	1.5	12	5	80		7 conc qtz cb vns 12cm, 1 discor po vn 5cm, 4 discor cb stringers .5cm. Diss po 80cm
MQ-19-52	95.50	97.00	1.5	2	2	140		1 discor qtz cb vn 2cm, diss po 140cm.
MQ-19-52	97.00	98.50	1.5	20	15	140		6 conc qtz cb vn 20cm, 4 discor qtz cb vns 15cm, diss po 140cm
MQ-19-52	98.50	100.00	1.5	16	0	140		7 conc qtz cb vns 16cm, diss po 140cm
MQ-19-52	100.00	101.50	1.5	20	9	45		10 conc qtz vns 20cm, 2 discor qtz cb vns 9cm, diss po
MQ-19-52	101.50	103.00	1.5	40	1	40		15 conc qtz cb vns 40cm, 1 sms po 10cm, 2 discor qtz cb vns 1cm, diss po 40cm.
MQ-19-52	103.00	104.50	1.5	15	0	10		8 conc qtz cb vns 15cm, diss po 10cm
MQ-19-52	104.50	106.00	1.5	25	30	36		9 conc qtz cb vns 25cm, 4 discor qtz cb vns 30cm, diss po 36cm.
MQ-19-52	106.00	107.50	1.5	14	20	30		7 qtz cb vns 14cm, 5 discor qtz cb vns 20cm sms po, diss po 30cm
MQ-19-52	107.50	109.00	1.5	15	8	35		9 conc qtz cb vns 15cm, 2 disocr qtz cb vns 8cm, diss po 35cm.
MQ-19-52	109.00	110.00	1	0	45	0		5 discor qtz cb vns 45cm,
MQ-19-52	110.00	110.70	0.7	0	0	0	Fault	gsch flt gouge
MQ-19-52	110.70	111.70	1	0	0	0	Fault	gsch flt gouge
MQ-19-52	111.70	112.78	1.08	0	0	0	Fault	gsch flt gouge
MQ-19-52	112.78	113.75	0.97	0	35	70	SMS	3 discor qtz cb vns 35cm, diss po 70cm,
MQ-19-52	113.75	114.75	1	0	6	100	SMS	1 discor qtz cb vn 6cm, diss po 100cm
MQ-19-52	114.75	115.65	0.9	0	25	90	SMS	6 discor qtz cb vns 25cm, diss po 90cm
MQ-19-52	115.65	117.00	1.35	0	0	135		diss po 135cm
MQ-19-52	117.00	118.50	1.5	6	0	150		2 conc qtz cb vns 6cm, diss po 150cm
MQ-19-52	118.50	120.00	1.5	9	0	150		5 conc qtz cb vns 9cm, diss po 150cm
MQ-19-52	120.00	121.50	1.5	6	0	150		4 conc qtz cb vns 6cm, diss po 150cm
MQ-19-52	121.50	123.00	1.5	8	0	15		1 conc qtz cb vn 8cm, diss po 15cm.

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-52	123.00	124.50	1.5	0	0	20		diss po 20cm
MQ-19-52	124.50	126.00	1.5	0	40	15		1 discor qtz cb vn 40cm, diss po 15cm
MQ-19-52	126.00	127.00	1	0	15	0		1 discor qtz cb vns 15cm.
MQ-19-52	127.00	128.30	1.3	0	0	10		diss po 10cm
MQ-19-52	128.30	129.80	1.5	20	1	10		20 conc qtz cb vns 20cm, diss po 10cm, 1 discor qtz cb vn cm,
MQ-19-52	129.80	131.06	1.26	10	8	15		14 conc qtz cb vn 10cm, 2 discor qtz cb vns 8cm, diss po 15cm
MQ-19-53	0	3.05	3.05	0	0	0		
MQ-19-53	3.05	4.60	1.55	0	40	0		7 discor qtz cb vns 40cm.
MQ-19-53	4.60	6.10	1.5	0	8	0		3 discor qtz cb vns 8cm
MQ-19-53	6.10	7.50	1.4	0	0	0		
MQ-19-53	7.50	9.00	1.5	5	0	0		2 conc qtz cb vns 5cm
MQ-19-53	9.00	10.50	1.5	0	0	80		diss po 80cm
MQ-19-53	10.50	12.10	1.6	0	0	0		
MQ-19-53	12.10	13.72	1.62	16	0	5		7 conc qtz cb vns 16cm diss po 5cm
MQ-19-53	13.72	15.00	1.28	0	0	0	Fault	gsch gouge
MQ-19-53	15.00	16.50	1.5	17	9	3		6 conc qtz cb vns 17cm, 2 discor qtz cb vns 9cm, diss po 3cm
MQ-19-53	16.50	18.00	1.5	4	0	0		1 conc qtz cb vns 4cm,
MQ-19-53	18.00	19.30	1.3	0	5	20		1 discor qtz cb vn 5cm, diss po 20cm
MQ-19-53	19.30	20.75	1.45	0	0	5		diss po 5cm
MQ-19-53	20.75	21.90	1.15	0	15	8		2 discor qtz cb vns 15cm, diss po 8cm
MQ-19-53	21.90	23.00	1.1	6	0	0		2 conc qtz cb vns 6cm,
MQ-19-53	23.00	24.50	1.5	0	22	33		6 discor qtz cb vns 22cm, diss po 33cm
MQ-19-53	24.50	25.95	1.45	0	43	47		11 discor qtz cb vns 43cm, diss po 47cm diss po
MQ-19-53	25.95	27.50	1.55	0	0	20		diss po 20cm
MQ-19-53	27.50	28.50	1	0	0	10		diss po 10cm
MQ-19-53	28.50	29.50	1	0	0	0		
MQ-19-53	29.50	31.00	1.5	6	2	4		2 conc qtz cb vns 6cm, discor qtz cb vns 2cm, diss po 4cm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-53	31.00	32.50	1.5	4	8	15		2 conc qtz cb vns 4cm, 2 discor qtz cb vns 8cm, diss po
MQ-19-53	32.50	34.00	1.5	9	0	60		2 conc qtz cb vns 9cm, diss po 60cm
MQ-19-53	34.00	35.50	1.5	0	0	70		diss po 70cm
MQ-19-53	35.50	36.88	1.38	0	0	15		15cm diss po
MQ-19-53	36.88	38.00	1.12	0	23	5		4 discor qtz cb vns 23cm, diss po 5cm
MQ-19-53	38.00	39.50	1.5	3	12	0		1 conc qtz cb vns 3cm, 1 discor qtz cb vns 12cm,
MQ-19-53	39.50	41.00	1.5	10	2	43		2 conc qtz cb vns 10cm. 3 discor cb vnlt 2cm, diss po 43 diss po
MQ-19-53	41.00	42.50	1.5	9	0.3	30		4 conc qtz cb vns 9cm, discor cb stringer.3cm. Diss po 30cm
MQ-19-53	42.50	44.00	1.5	1	0.5	4		1 conc qtz cb vns 1cm, 3 discor cb stringers .5cm, sms po bleb 4cm, diss po 10cm
MQ-19-53	44.00	45.50	1.5	0	4	5		4 discor qtz cb vns 4cm, large apy bleb 3cm. Diss po 5cm
MQ-19-53	45.50	47.00	1.5	0	2	40		10 discor cb stringers 2cm. Diss po 40cm
MQ-19-53	47.00	48.50	1.5	0	7	55		2 discor qtz cb vns 7cm, diss po 55cm
MQ-19-53	48.50	50.00	1.5	8	22	42		3 conc qtz cb vns 8cm, 4 discor qtz cb vns 22cm, diss po 42cm
MQ-19-53	50.00	51.50	1.5	2	3	70		4 conc qtz cb vns 2cm, 15 discor cb stringers 3cm, diss po 70cm
MQ-19-53	51.50	52.50	1	4	8	80		4 conc qtz cb vns 4cm, 3 discor qtz cb vns 8cm, diss po 80cm
MQ-19-53	52.50	53.45	0.95	15	0	14		9 conc qtz cb vns 15cm, diss po 14cm
MQ-19-53	53.45	54.45	1	0	4	70		2 discor qtz cb vns 4cm, diss po 70cm
MQ-19-53	54.45	56.00	1.55	30	9	15		11 qtz cb vns 30cm, 1 discor qtz cb vns 9cm, diss po 15cm
MQ-19-53	56.00	57.00	1	0	0	0		
MQ-19-53	57.00	57.70	0.7	6	0.5	10		1 conc qtz cb vn 6cm, sms po 5cm, 1 discor cb stringer .5cm, diss po 10cm
MQ-19-53	57.70	59.00	1.3	9	4	15		3 conc qtz cb vns 9cm, 2 discor qtz cb vns 4cm, diss po 15cm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-53	59.00	60.25	1.25	14	2	30		4 conc qtz cb vns 14cm, 3 discor cb vnlt 2cm, diss po 30cm
MQ-19-53	60.25	60.95	0.7	0	0	0		very curious alteration and texture contains strong po throughout whole interval 70cm.
MQ-19-53	60.95	62.50	1.55	13	35	135		7 conc qtz cb vns 13cm, 5 discor qtz cb vns 35cm, diss po 135cm
MQ-19-53	62.50	63.50	1	8	8	55		3 conc qtz cb vns 8cm, 3 discor qtz cb vns 8cm, diss po 55cm
MQ-19-53	63.50	64.45	0.95	9	12	65		6 qtz cb vns 9cm, 2 discor qtz cb vns 12cm, diss po 65cm
MQ-19-53	64.45	66.00	1.55	6	7	155		3 conc qtz cb vns 6cm, 2 discor qtz cb vns 7cm, diss po 155cm
MQ-19-53	66.00	67.50	1.5	40	15	10		15 conc qtz cb vns boudins 40cm, 2 discor qtz cb vns 15cm, sms po 10cm.
MQ-19-53	67.50	69.00	1.5	24	13	150		8 conc qtz cb vns 24cm, 2 discor qtz cb vns 13cm, diss po 150cm.
MQ-19-53	69.00	70.50	1.5	9	16	150		5 conc qtz cb vns 9cm, 4 discor qtz cb vns 16cm, diss po 150cm
MQ-19-53	70.50	72.00	1.5	16	7	70		9 conc qtz cb vns 16cm, 3 discor qtz cb vns 7cm, diss po 70cm
MQ-19-53	72.00	73.50	1.5	5	35	70		3 conc qtz cb vns 5cm, 7 discor qtz cb vns 35cm, sms po in qtz cb discor vn 8cm, diss po 70cm.
MQ-19-53	73.50	75.00	1.5	17	5	60		8 conc qtz cb vns 17cm, sms discor qtz cb vn 5cm, diss po 60cm
MQ-19-53	75.00	76.50	1.5	24	7	120		8 conc qtz cb vns 24cm, 2 discor qtz cb vns 7cm, diss po 120cm
MQ-19-53	76.50	78.00	1.5	14	13	65		7 conc qtz cb vns 14cm, 4 discor qtz cb vns 13cm, diss po 65cm
MQ-19-53	78.00	79.40	1.4	4	1	36		1 conc qtz cb vn 4cm, 2 conc qtz cb vnlt 1cm, diss po 36cm
MQ-19-53	79.40	80.77	1.37	0	36	45		6 discor qtz cb vns 36cm, diss po 45cm
MQ-19-53	80.77	81.95	1.18	0	22	40		4 qtz cb vns 22cm, diss po 40cm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-53	81.95	83.82	1.87	0	0	0	Fault	gsch gouge
MQ-19-53	83.82	85.00	1.18	0	8	75		12 discor qtz cb vnlt 8cm, diss po 75cm
MQ-19-53	85.00	86.50	1.5	0	25	50		12 discor qtz cb vns 25cm, diss po 50cm
MQ-19-53	86.50	87.43	0.93	0	32	75		10 discor qtz cb vns 32cm, diss po 75cm
MQ-19-53	87.43	89.00	1.57	0	56	50		25 qtz cb vns lots of cb stringers 56cm, diss po 50cm
MQ-19-53	89.00	90.50	1.5	0	23	150		12 discor qtz cb vns 23cm, diss po 150cm
MQ-19-53	90.50	92.00	1.5	0	0	140		diss po 140cm
MQ-19-53	92.00	93.50	1.5	0	8	120		1 discor qtz cb vn 8cm, sms po 2cm, diss po 120cm
MQ-19-53	93.50	95.00	1.5	0	0.5	110		discor cb vnlt .5cm, diss po 110cm
MQ-19-53	95.00	96.50	1.5	0	6	76		2 discor qtz cb vn 6cm, diss po 76cm
MQ-19-53	96.50	98.00	1.5	2	0.5	30		1 conc qtz cb vn 2cm, discor cb stringers .5cm., diss po 30cm
MQ-19-53	98.00	99.50	1.5	1	0	5		1 conc qtz cb vn 1cm, diss po 5cm
MQ-19-53	99.50	101.00	1.5	0	2	20		6 discor cb stringers 2cm, diss po 20cm
MQ-19-53	101.00	102.50	1.5	0	25	5		discor qtz cb cpy,py 25cm, diss po 5cm.
MQ-19-53	102.50	104.00	1.5	8	0	45		2 conc qtz cb vns 8cm, diss po 45cm
MQ-19-53	104.00	105.16	1.16	0	15	5		1 discor qtz cb vn 15cm, diss po 5cm
MQ-19-53	105.16	106.68	1.52	3	10	30		3 conc qtz cb vns 3cm, 5 discor qtz cb vns 10cm. Diss po 30cm
MQ-19-54	3.05	4.57	1.52	0	0	0		
MQ-19-54	4.57	6.00	1.43	3	0	0		1 conc qtz cb 3cm,
MQ-19-54	6.00	7.50	1.5	0	7	0		1 discor qtz cb vn 7cm
MQ-19-54	7.50	9.00	1.5	0	0	3		diss po 3cm
MQ-19-54	9.00	10.50	1.5	0	2	0		1 discor qtz cb vn 2cm, small flt healed with qtz cb vn 5cm, curious texture, manganese?
MQ-19-54	10.50	11.70	1.2	0	6	0		1 discor qtz cb vn 6cm,
MQ-19-54	11.70	13.00	1.3	0	14	30		2 discor qtz cb vns 14cm, diss po 30cm
MQ-19-54	13.00	14.50	1.5	0	6	5		2 discor qtz cb vns 6cm, diss po 5cm
MQ-19-54	14.50	16.00	1.5	0	0	0		
MQ-19-54	16.00	17.50	1.5	0	4	15		2 discor qtz cb vns 4cm, diss po 15cm
MQ-19-54	17.50	19.00	1.5	6	16	15		3 conc qtz cb vns 6cm, 6 discor qtz cb vns 16cm diss po 15cm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-54	19.00	20.50	1.5	0	7	10		7 discor qtz cb vns 7cm, diss po 10cm
MQ-19-54	20.50	21.50	1	4	0	0		4 conc qtz cb vns 4cm,
MQ-19-54	21.50	22.60	1.1	4	0	21		2 conc qtz cb vns 4cm, diss po 21cm
MQ-19-54	22.60	23.40	0.8	0	60	30		7 discor qtz cb vns with mn stringers 60cm, diss po 30cm,
MQ-19-54	23.40	25.00	1.6	14	4	160		5 conc qtz cb vns 14cm, 2 discor qtz cb vns 4cm, diss po 160cm
MQ-19-54	25.00	26.50	1.5	9	7	135		5 qtz cb vns 9cm, 2 discor qtz cb vns 7cm, diss po 135cm
MQ-19-54	26.50	28.00	1.5	3	11	55		2 conc qtz cb vns 3cm, 5 discor qtz cb vns 11cm, diss po 55cm
MQ-19-54	28.00	29.50	1.5	0	7	150		2 discor qtz cb vns 7cm, diss po 150cm
MQ-19-54	29.50	31.00	1.5	3	3	150		2 conc qtz cb vns 3cm, diss po 150cm
MQ-19-54	31.00	32.50	1.5	0	15	150		5 discor qtz cb vns 15cm, diss po 150cm
MQ-19-54	32.50	34.00	1.5	0	4	105		1 discor qtz cb vn 4cm, diss po 105cm
MQ-19-54	34.00	35.20	1.2	0	0	95		diss po 95cm
MQ-19-54	35.20	36.50	1.3	4	1	0		1 conc qtz cb vn 4cm, 2 discor qtz cb vn 1cm
MQ-19-54	36.50	38.00	1.5	0	1	0		4 cb stringers 1cm discor
MQ-19-54	38.00	39.50	1.5	0	5	55		3 discor qtz cb vns 5cm, diss po 55cm
MQ-19-54	39.50	41.00	1.5	0	9	90		3 discor qtz cb vns 9cm, diss po 90cm
MQ-19-54	41.00	42.50	1.5	0	4	78		6 cb stringers 4cm, diss po 78cm
MQ-19-54	42.50	44.00	1.5	0	25	135		4 qtz cb vns discor 25cm. Diss po 135cm
MQ-19-54	44.00	45.00	1	0	21	80		7 discor qtz cb vns 21cm, diss po 80cm
MQ-19-54	45.00	46.30	1.3	0	16	108		6 discor qtz cb vns 16cm, diss po 108cm
MQ-19-54	46.30	46.65	0.35	0	35	15		1 discor qtz cb vn 35cm, diss po 15cm
MQ-19-54	46.65	47.84	1.19	0	23	105		5 discor qtz cb vns 23cm, diss po 105cm
MQ-19-54	47.84	49.00	1.16	0	1	104		1 discor qtz cb vn 1cm, diss po 104cm
MQ-19-54	49.00	50.00	1	0	8	100		2 discor qtz cb vns 8cm, diss po 130cm
MQ-19-54	50.00	51.30	1.3	0	22	120		8 discor qtz cb vns 22cm, diss po 120cm
MQ-19-54	51.30	52.50	1.2	3	16	80		1 conc qtz cb vns 3cm, 2 discor qtz cb vn 16cm, diss po 80cm
MQ-19-54	52.50	54.00	1.5	2	0	44		1 conc qtz cb vn 2cm, diss po 44cm



Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-54	54.00	55.50	1.5	7	0.5	80		4 conc qtz cb vns 7cm, 4 cb stringers .5cm, diss po 80cm
MQ-19-54	55.50	56.75	1.25	0	19	116		7 discor qtz cb vns 19cm, diss po 116cm
MQ-19-54	56.75	58.05	1.3	0	0	0		felsic dyke grey in colour and fine grained, mod diss calc alt throughout.
MQ-19-54	58.05	59.50	1.45	2	19	125		2 conc qtz cb vns 2cm, 6 discor qtz cb vns 19cm, diss po 125cm
MQ-19-54	59.50	61.00	1.5	0	33	150		7 discor qtz cb vns 33cm, diss po 150cm
MQ-19-54	61.00	62.50	1.5	0	29	83		5 discor qtz cb vns 29cm, diss po 83cm
MQ-19-54	62.50	64.00	1.5	4	15	87		3 conc qtz cb vns 4cm, 3 discor qtz cb vns 15cm, diss po 87cm
MQ-19-54	64.00	65.50	1.5	8	0	150		1 conc qtz cb vn 8cm, diss po 150cm
MQ-19-54	65.50	67.00	1.5	0	8	90		2 discor qtz cb vns 8cm, diss po 90cm
MQ-19-54	67.00	68.50	1.5	6	14	70		3 conc qtz cb vns 6cm, 4 discor qtz cb vns 14cm, diss po 70cm
MQ-19-54	68.50	69.50	1	1	1	55		1 conc qtz cb vn 1cm, 1 discor qtz cb vn 1cm, diss po 55cm
MQ-19-54	69.50	70.40	0.9	10	2	85		4 conc qtz cb vns 10cm, 2 discor qtz cb vns 2cm, diss po 85cm
MQ-19-54	70.40	70.70	0.3	0	0	0	Fault	csch host flt gouge
MQ-19-54	70.70	72.00	1.3	12	3	90		5 conc qtz cb vns 12cm, 2 discor qtz cb vns 3cm, diss po 90cm
MQ-19-54	72.00	73.50	1.5	30	25	132		10 conc qtz cb vns 30cm, 4 discor qtz cb vns 25cm, diss po 132cm
MQ-19-54	73.50	75.00	1.5	0	14	120		5 discor qtz cb vns 14cm, diss po 120cm
MQ-19-54	75.00	76.50	1.5	4	26	145		1 conc qtz cb po vn 4cm, 3 discor qtz cb vns 26cm, diss po 145cm
MQ-19-54	76.50	78.00	1.5	7	10	130		3 conc qtz cb vns 7cm, 2 discor qtz cb vns 10cm, diss po 130cm
MQ-19-54	78.00	79.50	1.5	8	19	150		3 conc qtz cb vns 8cm, 4 discor qtz cb vns 19cm, diss po 150cm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-54	79.50	81.00	1.5	19	35	135		9 conc qtz cb vns 19cm, 8 discor qtz cb vns 35cm, diss po 135cm.
MQ-19-54	81.00	82.50	1.5	3	28	73		1 conc qtz cb vn 3cm, 1 discor qtz cb vn 28cm, diss po 73cm
MQ-19-54	82.50	84.00	1.5	11	2	110		4 conc qtz cb vns 11cm, 1 discor qtz cb vn 2cm, diss po 110cm
MQ-19-54	84.00	85.50	1.5	0	28	116		4 discor qtz cb vns 1 very very large one with apy blebs 28cm, diss po 116cm
MQ-19-54	85.50	87.00	1.5	0	34	125		10 discor qtz cb vns 34cm, diss po 125cm,
MQ-19-54	87.00	88.50	1.5	22	5	150		12 conc qtz cb vns 22cm, 2 discor qtz cb vns 5cm, diss po 150cm
MQ-19-54	88.50	90.00	1.5	2	1	113		1 conc qtz cb vn 2cm, 4 discor qtz cb stringers 1cm, diss po 113cm
MQ-19-54	90.00	91.50	1.5	0	4	0		4 discor qtz cb vnlt 4cm, diss po 100cm, small flt zone 24cm
MQ-19-54	91.50	93.00	1.5	4	6	150		2 conc qtz cb vns 4cm, 2 discor qtz cb vns 6cm. Diss po 150cm
MQ-19-54	93.00	94.50	1.5	5	8	140		3 conc qtz cb vns 5cm, 6 discor qtz cb vnlt 8cm, diss po 140cm
MQ-19-54	94.50	96.00	1.5	0	25	150		10 discor qtz cb vns 25cm, diss po 150cm
MQ-19-54	96.00	97.50	1.5	6	15	130		3 conc qtz cb vns 6cm. 5 discor qtz cb vns 15cm. Diss po 130cm
MQ-19-54	97.50	99.00	1.5	3	35	140		2 conc qtz cb vns 3cm, 6 discor qtz cb vns 35cm. Diss po 140cm
MQ-19-54	99.00	100.50	1.5	9	36	150		7 conc qtz cb vns 9cm, 10 discor qtz cb vns 36cm, diss po 150cm+H6
MQ-19-54	100.50	102.00	1.5	0	24	140		5 discor qtz cb vns 24cm, diss po 140cm
MQ-19-54	102.00	103.50	1.5	0	12	150		1 discor qtz cb vn 12cm, diss po 150cm
MQ-19-54	103.50	105.00	1.5	0	11	150		1 discor qtz cb vn 11cm, diss po 150cm
MQ-19-54	105.00	106.50	1.5	0	11	115		4 discor qtz cb vns 11cm, diss po 115cm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-54	106.50	108.00	1.5	4	37	140		2 conc qtz cb vns 4cm, 5 discor qtz cb vns 37cm, diss po 140cm
MQ-19-54	108.00	109.50	1.5	8	37	140		6 conc qtz cb vns 8cm, 7 discor qtz cb vns 37cm, diss po 140cm
MQ-19-54	109.50	111.00	1.5	6	21	130		2 conc qtz cb vns 6cm, 6 discor qtz cb vns 21cm, 5 discor cb stringers 1cm, diss po 130cm
MQ-19-54	111.00	112.50	1.5	4	30	150		2 conc qtz cb vns 4cm, 6 discor qtz cb vns 30cm, diss po 150cm
MQ-19-54	112.50	114.00	1.5	6	30	150		7 conc qtz cb vns 6cm, 11 discor qtz cb vns 30cm, diss po 150cm
MQ-19-54	114.00	115.50	1.5	6	12	120		3 conc qtz cb vns 6cm, 1 discor qtz cb vn 12cm, 5 discor cb stringers 1cm, diss po 120cm
MQ-19-54	115.50	117.00	1.5	3	55	135		3 conc qtz cb vns 3cm, 10 discor qtz cb vns 55cm, diss po 135cm
MQ-19-54	117.00	118.35	1.35	14	32	96		5 conc qtz cb vns 14cm. 9 discor qtz cb vns 32cm, diss po 96cm
MQ-19-54	118.35	119.50	1.15	0	9	105		3 discor qtz cb vns 9cm, diss po 105cm
MQ-19-54	119.50	121.00	1.5	0	2	130		1 discor qtz cb vn 2cm diss po 130cm
MQ-19-54	121.00	122.50	1.5	14	14	150		3 conc qtz cb vns 14cm, diss po 150cm
MQ-19-54	122.50	124.00	1.5	33	33	140		8 conc qtz cb vns 33cm, diss po 140cm,
MQ-19-54	124.00	125.50	1.5	6	7	145		3 conc qtz cb vns 6cm, 5 discor qtz cb vns 7cm, diss po 145cm
MQ-19-54	125.50	127.00	1.5	14	25	145		7 conc qtz cb vns 14cm, 6 discor qtz cb vns 25cm, diss po 145cm
MQ-19-54	127.00	128.50	1.5	9	0	150		5 conc qtz cb vns 9cm, diss po 150cm
MQ-19-54	128.50	130.00	1.5	5	0	120		1 conc qtz cb vn 5cm, diss po 120cm
MQ-19-54	130.00	131.50	1.5	3	12	150		2 conc qtz cb vns 3cm, 2 discor qtz cb vns 12cm, diss po 150cm
MQ-19-54	131.50	133.00	1.5	9	5	40		3 conc qtz cb vns 9cm, 1 discor qtz cb vn 5cm, diss po 40cm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-54	133.00	134.50	1.5	4	7	25		4 conc qtz cb vns 4cm, 2 discor qtz cb vns 7cm, diss po 25cm
MQ-19-54	134.50	136.00	1.5	4	33	45		4 conc qtz cb vns 4cm, 8 discor qtz cb vns 33cm, diss po 45cm
MQ-19-54	136.00	137.50	1.5	8	25	22		5 conc qtz cb vns 8cm, 6 discor qtz cb vns 25cm, diss po 22cm
MQ-19-54	137.50	139.00	1.5	15	2	24		7 conc qtz cb vns 15cm, 1 discor qtz cb vn 2cm, diss po 24cm
MQ-19-54	139.00	140.00	1	9	0	30		7 conc qtz cb vns 9cm, diss po 30cm,
MQ-19-54	140.00	141.00	1	16	0	35		13 conc qtz cb vns 16cm, diss po 35cm
MQ-19-54	141.00	142.25	1.25	0	0	0	Fault	gsch flt gouge
MQ-19-54	142.25	143.50	1.25	0	0	0	Fault	gsch flt gouge
MQ-19-54	143.50	144.90	1.4	0	0	15		diss po 15cm
MQ-19-54	144.90	146.00	1.1	0	30	100		10 discor qtz cb vns 30cm, diss po 100cm
MQ-19-54	146.00	147.50	1.5	0	57	60		14 discor qtz cb vns 57cm. Diss po 60cm
MQ-19-54	147.50	149.00	1.5	0	33	107		13 discor qtz cb vns 33cm, diss po 107cm
MQ-19-54	149.00	150.00	1	0	0	73	SMS	sms po 40cm, diss po 73cm
MQ-19-54	150.00	150.88	0.88	0	0	40		40cm diss po
MQ-19-54	150.88	151.00	0.12	0	0	0		euhedral pyrite flower
MQ-19-54	151.00	152.50	1.5	7	1.5	140		4 conc qtz cb vns 7cm, 5 cb stringers 1.5cm, diss po 140cm
MQ-19-54	152.50	154.00	1.5	1	0	150		2 conc qtz cb vns 1cm, diss po 150cm
MQ-19-54	154.00	155.50	1.5	0	3	145		1 discor qtz cb vns 3cm, diss po 145cm
MQ-19-54	155.50	157.00	1.5	1.5	3	140		3 conc qtz cb vns 1.5cm, 3 discor qtz cb vns 3cm, diss po 140cm
MQ-19-54	157.00	158.00	1	1	0	130		1 conc qtz cb vn 1cm, diss po 130cm
MQ-19-54	158.00	159.30	1.3	0	0	32		dis spo 32cm
MQ-19-54	159.30	160.50	1.2	9	0	37		13 conc qtz cb vns 9cm, diss po 37cm
MQ-19-54	160.50	161.54	1.04	0	4	0		1 discor qtz cb vn 4cm,
MQ-19-55	0	6.1	6.1	0	0	0		

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-55	6.1	7.6	1.5	0	0	0		
MQ-19-55	7.6	9.14	1.54	2	9	70		1 conc qtz cb vn 2cm, 2 discor qtz cb vns 9cm, diss po 70cm
MQ-19-55	9.14	10.7	1.56	3	0	32		1 conc qtz cb vn 3cm, diss po 32cm
MQ-19-55	10.7	12.19	1.49	0	0	12		diss po 12cm
MQ-19-55	12.19	13.7	1.51	4	9	10		1 conc qtz cb vn 4cm, 2 discor qtz cb vns 9cm, diss po 10cm
MQ-19-55	13.7	15.24	1.54	15	22	3		7 conc qtz cb vns 15cm, discor qtz cb vns 22cm, diss po 3cm
MQ-19-55	15.24	16.66	1.42	0	5	5		2 discor qtz cb vns 5cm, diss po 5 cm
MQ-19-55	16.66	18.29	1.63	0	2	3		1 discor qtz cb vn 2cm, diss po 3cm,
MQ-19-55	18.29	19.8	1.51	1	0	0		1 conc qtz cb vn 1cm,
MQ-19-55	19.8	21.34	1.54	0	0	30		diss po 30cm
MQ-19-55	21.34	22.58	1.24	6	0	0		4 conc qtz cb vns 6cm,
MQ-19-55	22.58	23.69	1.11	4	5	24		2 conc qtz cb vns 4cm. 1 discor qtz cb vn 5cm, diss po 24cm
MQ-19-55	23.69	25	1.31	0	20	25		3 discor qtz cb vns 20cm, diss po 25cm
MQ-19-55	25	26.5	1.5	2	10	10		1 conc qtz cb vn 2cm, 2 discor qtz cb vns 10cm, diss po 10cm
MQ-19-55	26.5	27.43	0.93	0	1	14		discor cb tension gashes 1cm, diss po 14cm
MQ-19-55	27.43	28.68	1.25	0	15	30		3 discor qtz cb vns 15cm, diss po 30cm
MQ-19-55	28.68	30.18	1.5	2	8	0		1 conc qtz cb vn 2cm, 2 discor qtz cb vns 8cm,
MQ-19-55	30.18	31.74	1.56	0	7	5		1 discor qtz cb vn 7cm, diss po 5cm.
MQ-19-55	31.74	33	1.26	4	0	0		1 conc qtz cb vn 4cm
MQ-19-55	33	34.12	1.12	0	4	30		3 discor qtz cb vns 4cm, diss po 30cm
MQ-19-55	34.12	35.65	1.53	0	19	130		5 discor qtz cb vns 19cm, diss po 130cm
MQ-19-55	35.65	37.16	1.51	0	16	100		5 discor qtz cb vns 16cm, diss po 100cm
MQ-19-55	37.16	38.66	1.5	0	10	145		3 discor qtz cb vns 10cm, diss po 145cm,
MQ-19-55	38.66	39.62	0.96	0	22	60		7 discor qtz cb vns 22cm, diss po 60cm
MQ-19-55	39.62	40.65	1.03	1	8	100		1 conc qtz cb vn 1cm, 6 discor qtz cb vns 8cm, diss po 100cm
MQ-19-55	40.65	42.2	1.55	0	0	0		dyke

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-55	42.2	43.6	1.4	0	10	135		12 discor qtz cb vns 10cm, diss po 135cm
MQ-19-55	43.6	45.17	1.57	10	25	135		4 conc qtz cb vns 10cm, 4 discor qtz cb vns 25cm. Diss po 135cm
MQ-19-55	45.17	46.67	1.5	0	4	60		1 discor qtz cb vn 4cm, diss po 60cm
MQ-19-55	46.67	48	1.33	0	3	133		1 discor qtz cb vn 3cm, diss po 133cm
MQ-19-55	48	49.5	1.5	0	1	62		2 discor cb vnlt 1cm, diss po 62cm
MQ-19-55	49.5	50.98	1.48	0	0	35		diss po 35cm
MQ-19-55	50.98	51.95	0.97	0	6	65		2 discor qtz cb vns 6cm, diss po 65cm
MQ-19-55	51.95	52.87	0.92	7	5	0		2 conc qtz cb vns 7cm, 3 discor qtz cb vns 5cm,
MQ-19-55	52.87	53.81	0.94	0	0	0		
MQ-19-55	53.81	54.6	0.79	0	0	0		
MQ-19-55	54.6	55.08	0.48	0	0	0	Fault	gsch hosted gouge flt
MQ-19-55	55.08	55.78	0.7	1	2	0		1 conc qtz cb vn 1cm, small sid stringers 2cm,
MQ-19-55	55.78	56.44	0.66	0	40	40	Fault	lot's of discor sid stringers and vning, 40cm
MQ-19-55	56.44	57.91	1.47	0	25	56		tons of discor sid stringers and vns lot's of fractures and offsets 25cm. Sph and cpy, diss po 56cm
MQ-19-55	57.91	59.4	1.49	0	34	15		6 discor qtz cb vns 18cm, 3 sid vns 16cm, diss po 15cm
MQ-19-55	59.4	60.74	1.34	0	42	22		5 discor qtz cb vns 25cm, 8 sid vns 17cm, diss po 22cm.
MQ-19-55	60.74	61.4	0.66	0	27	40		10 sid vns 27cm, diss po 40cm
MQ-19-55	61.4	62.28	0.88	0	0	0	Fault	gsch hosted flt gouge
MQ-19-55	62.28	63.74	1.46	0	10	0		3 discor qtz cb vns 10cm,
MQ-19-55	63.74	65.21	1.47	2	7	33		1 conc qtz cb vns 2cm, 4 discor qtz cb vns 5cm, 3 sid vns 2cm, diss po 33cm
MQ-19-55	65.21	66	0.79	0	0.4	0		1 discor qtz cb vns .4cm,
MQ-19-55	66	67.5	1.5	0	35	5		8 discor qtz cb vns 34cm, 2 sid vns 1cm, 5cm diss po
MQ-19-55	67.5	69	1.5	0	5	3		2 discor qtz cb vns 5cm, diss po 3cm
MQ-19-55	69	70.71	1.71	0	0	0	Fault	large section of gsch flt gouge
MQ-19-55	70.71	72.05	1.34	0	0	120		diss po 120cm
MQ-19-55	72.05	73.55	1.5	0	6	130		3 discor qtz cb vns 6cm, diss po 130cm
MQ-19-55	73.55	74.68	1.13	0	8.5	85		2 discor qtz cb vns 8cm, 1 sid vn .5cm, diss po 85cm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-55	74.68	75.43	0.75	0	2	20		3 sid vns 2cm, diss po 20cm
MQ-19-55	75.43	76.63	1.2	0	13	35		1 discor qtz cb vn 7cm, 5 sid vns 6cm, diss po 35cm
MQ-19-55	76.63	77.42	0.79	0	25	0	BRX	3 sid vns 25cm, healed flt with sid vns crackle breccia, flt axis at approx 20 degrees tca.
MQ-19-55	77.42	77.93	0.51	0	0	0	Fault	gsch flt gouge
MQ-19-55	77.93	79.55	1.62	1	5	60		1 conc qtz cb vn 1cm, lots of sid stringers throughout 5cm, diss po 60cm
MQ-19-55	79.55	81.14	1.59	0	5	40		4 discor qtz cb vns 5cm, lots of little sid stringers 5cm, diss po 40cm
MQ-19-55	81.14	82.64	1.5	6	3	40		3 conc qtz cb vns 6cm, 1 discor qtz cb vns 3cm, diss po 40cm
MQ-19-55	82.64	83.82	1.18	0	0	90		diss po 90cm
MQ-19-55	83.82	84.49	0.67	3	0	67		2 conc qtz cb vns 3cm, diss po 75cm
MQ-19-55	84.49	85.33	0.84	0	13	15		2 discor qtz cb vns 13cm, diss po 15cm
MQ-19-55	85.33	86.16	0.83	0	36	30		6 discor qtz cb vns 35cm, 4 sid vns 1cm, diss po 30cm
MQ-19-55	86.16	86.97	0.81	0	0	0	Fault	gsch hosted flt zone
MQ-19-55	86.97	88.5	1.53	5	4	120		6 conc qtz cb vns 5cm, 3 discor qtz cb vns 4cm, diss po 120cm
MQ-19-55	88.5	89.92	1.42	2	14	137		3 conc qtz cb vns 2cm, 6 discor qtz cb vns 14cm, diss po 137cm
MQ-19-55	89.92	91.45	1.53	1	43	40		1 conc qtz cb vn 1cm, 9 discor qtz cb vns 40cm, 1 sid vn 3cm, diss po 40cm
MQ-19-55	91.45	92.96	1.51	4	18	90		6 conc qtz cb vns 4cm, 6 discor qtz cb vns 18cm, diss po 90cm
MQ-19-55	92.96	94.44	1.48	13	30	30		10 conc qtz cb vns 13cm, 4 discor qtz cb vns 30cm, diss po 30cm
MQ-19-55	94.44	96.01	1.57	0	59	35		10 discor qtz cb vns 50cm. 4 sid vns flt healed 9cm, diss po 35cm
MQ-19-55	96.01	97.5	1.49	15	20	10		20 conc qtz cb vns 15cm, 6 discor qtz cb vns 20cm, diss po 10cm
MQ-19-55	97.5	99.06	1.56	15	12	3		10 conc qtz cb vns 15cm, 2 discor qtz cb vns 12cm. Diss po 3cm.

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-55	99.06	100.6	1.54	20	22	45		13 conc qtz cb vns 20cm, 6 discor qtz cb vns 22cm, sms po 20cm, diss po 25cm
MQ-19-55	100.6	102.11	1.51	0	17	8		3 discor qtz cb vns 17cm, diss po 8cm
MQ-19-55	102.11	103.58	1.47	9	34	0		5 conc qtz cb vns 9cm, 7 discor qtz cb vns 27cm. 5 sid vns 7cm.
MQ-19-55	103.58	104.21	0.63	0	0	0	Fault	gsch flt gouge
MQ-19-55	104.21	105.7	1.49	0	7	0		2 discor qtz cb vns 3cm, 4 sid vns sph and galena 3cm
MQ-19-55	105.7	107.2	1.5	4	2	75		4 conc qtz cb vns 4cm, sid stringers 2cm, diss po 75cm
MQ-19-55	107.2	108.2	1	0	1.5	100		2 discor cb vnlt 1cm, 1 sid vn .5cm. Diss po 110cm
MQ-19-55	108.2	109.75	1.55	0	62	110		24 discor qtz cb vns 62cm, diss po 10cm
MQ-19-55	109.75	111.25	1.5	0	41	103		11 discor qtz cb vns 41cm. Diss po 103cm
MQ-19-55	111.25	112.24	0.99	1	27	25		1 conc qtz cb vns 1cm, 4 discor qtz cb vns 27cm, diss po 25cm
MQ-19-55	112.24	112.82	0.58	0	0	56	SMS	sms po with minor py and cpy. Diss po 56cm
MQ-19-55	112.82	114.3	1.48	0	5	39		3 sid vnlt 4cm, sid stringers 1cm, blebs cpy throughout, diss po 39cm
MQ-19-55	114.3	115.82	1.52	0	7	0		1 discor qtz cb vns 4cm, 5 sid vns 3cm,
MQ-19-55	115.82	117.4	1.58	0	32	12		15 sid vns and lots of sid stringers 30cm, 1 discor qtz cb vn 2cm, diss po 12cm
MQ-19-55	117.4	118.87	1.47	2	14	0		2 conc qtz cb vns 2cm, 1 discor qtz cb vn 1cm, 6 sid vnlt
MQ-19-55	118.87	120.4	1.53	0	5	0		2 sid vns 5cm, sph cpy
MQ-19-55	120.4	121.91	1.51	0	42	0		9 discor qtz cb vns 40cm, 1 sid vn 2cm,
MQ-19-55	121.91	123.44	1.53	0	10	10		mostly sid vning throughout nearly entire interval diss po 10cm.
MQ-19-55	123.44	124.65	1.21	0	21	5		sid stringers 15cm, 6 discor sid vns 6cm, diss po 5cm.
MQ-19-55	124.65	125.18	0.53	0	27	0		2 discor qtz cb vns 12cm, sid stringers 15cm,
MQ-19-55	125.18	126	0.82	0	0	0	Fault	gsch hosted flt gouge
MQ-19-55	126	127.6	1.6	0	33	40		1 sid vn 10cm, 12 discor qtz cb vns 23cm. Diss po 40cm
MQ-19-55	127.6	129.09	1.49	0	11	75		2 discor qtz cb vns 11cm, diss po 75cm
MQ-19-55	129.09	130.61	1.52	0	0	150		diss po 150cm
MQ-19-55	130.61	131.97	1.36	0	8	80		4 discor qtz cb vns 8cm, diss po 80cm



Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-55	131.97	133.5	1.53	0	30	23		9 discor qtz cb vns 30cm, diss po 23cm
MQ-19-55	133.5	135.02	1.52	0	22	120		12 discor qtz cb vns 22cm, diss po 120cm
MQ-19-55	135.02	136	0.98	7	10	90		3 conc qtz cb vns 7cm, 5 discor qtz cb vns 10cm, diss po 90cm
MQ-19-55	136	137.37	1.37	13	11	137		8 conc qtz cb vns 13cm, 1 discor qtz cb vn 11cm, diss po 150cm
MQ-19-55	137.37	138.68	1.31	2	13	60		1 conc qtz cb vn 2 cm, 1 discor qtz cb vn 13cm, diss po 60cm
MQ-19-55	138.68	140.22	1.54	0	19	63		12 discor qtz cb vns 19cm, diss po 63cm
MQ-19-55	140.22	141.73	1.51	0	25	60		10 discor qtz cb vns 25cm,60cm
MQ-19-55	141.73	143.24	1.51	0	4	0		4 discor qtz cb vns 4cm,
MQ-19-55	143.24	144.78	1.54	0	2	110		5 discor qtz cb stringers, 2cm, diss po 110cm
MQ-19-55	144.78	146.3	1.52	0	6	37		10 discor qtz cb vns 6cm, diss po 37cm
MQ-19-55	146.3	147.83	1.53	0	4	110		1 discor qtz cb vn 4cm. Diss po 110cm
MQ-19-56	0	4	4	0	0	0		OVB
MQ-19-56	4	6.15	2.15	0	5	0		1 discor qtz cb vn 5cm
MQ-19-56	6.15	7.62	1.47	3	0.5	0		2 conc qtz cb vns 3cm, 3 discor qtz cb vnlt .5cm
MQ-19-56	7.62	9.18	1.56	15	1.5	0		10 conc qtz cb vns 15cm, 9 discor qtz cb stringers 1.5cm.
MQ-19-56	9.18	10.67	1.49	0	0	10		10cm diss po
MQ-19-56	10.67	12.17	1.5	0	0	0		
MQ-19-56	12.17	13.72	1.55	0	15	50		10 discor qtz cb vns 15cm, diss po 50cm.
MQ-19-56	13.72	14.84	1.12	3	14	20		3 conc qtz cb vns 3cm, 8 discor qtz cb vns 14cm, diss po 20cm
MQ-19-56	14.84	16.35	1.51	8	15	5		5 conc qtz cb vns 8cm, 3 discor qtz cb vns 15cm, diss po 5cm
MQ-19-56	16.35	17.44	1.09	2	13	0		3 conc qtz cb vns 2cm, 4 discor qtz cb vns 13cm,
MQ-19-56	17.44	18.55	1.11	6	0	25		4 conc qtz cb vns 6cm, diss po 25cm
MQ-19-56	18.55	19	0.45	0	0	23	SMS	sms py and po, diss po 23cm
MQ-19-56	19	20.54	1.54	8	14	83		6 conc qtz cb vns 8cm, 5 discor qtz cb vns 14cm, diss po 83cm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-56	20.54	21.66	1.12	15	2	10		4 conc qtz cb vns 15cm, 5 discor qtz cb vnlt 2cm, diss po 10cm
MQ-19-56	21.66	22.85	1.19	1	14	77		1 conc qtz cb vns 1cm, 5 discor qtz cb vns 14cm, diss po 77cm
MQ-19-56	22.85	24.42	1.57	3	12	145		4 conc qtz cb vns 3cm, 4 discor qtz cb vns 12cm, diss po 145cm.
MQ-19-56	24.42	25.91	1.49	6	17	84		3 conc qtz cb vns 6cm, 9 discor qtz cb vns 17cm, diss po 84cm
MQ-19-56	25.91	27.43	1.52	2	5	9		1 conc qtz cb vn 2cm, 2 discor qtz cb vns 5cm, diss po 9cm
MQ-19-56	27.43	28.96	1.53	12	13	65		7 conc qtz cb vns 12cm, 5 discor qtz cb vns 13cm. Diss po
MQ-19-56	28.96	30.48	1.52	8	20	125		4 conc qtz cb vns 8cm, 4 discor qtz cb vns 20cm, diss po 125cm
MQ-19-56	30.48	32	1.52	3	21	142		3 conc qtz cb vns 3cm, 5 discor qtz cb vns 21cm, diss po 142cm
MQ-19-56	32	33.45	1.45	13	4	145		6 conc qtz cb vns 13cm, 2 discor qtz cb vns 4cm, diss po 150cm
MQ-19-56	33.45	35.05	1.6	10	10	140		2 conc qtz cb vns 10cm, 2 discor qtz cb vns 10cm, diss po 140cm
MQ-19-56	35.05	36	0.95	0	3	64		1 discor qtz cb vn 3cm, diss po 64cm
MQ-19-56	36	37.1	1.1	0	27	80		8 discor qtz cb vns 27cm, diss po 80cm
MQ-19-56	37.1	38.7	1.6	0	0	0		felsic dyke
MQ-19-56	38.7	40.28	1.58	4	12	120		3 conc qtz cb vns 4cm, 10 discor qtz cb vns 7cm, sid healed flt 5cm, diss po 120cm
MQ-19-56	40.28	41.63	1.35	6	4	90		3 conc qtz cb vns 6cm, 2 discor qtz cb vns 4cm, diss po 90cm
MQ-19-56	41.63	42.8	1.17	3	41	85		1 conc qtz cb vn 3cm, 6 discor qtz cb vns 40cm, 1 sid vnlt 1cm, diss po 85cm.
MQ-19-56	42.8	44.35	1.55	12	35	100		5 conc qtz cb vns 12cm, 10 discor qtz cb vns 33cm, sid stringers 2cm, diss po 100cm
MQ-19-56	44.35	45.13	0.78	0	4	14		4 discor qtz cb vns 34cm, 3 sid vns 4cm. Diss po 14cm
MQ-19-56	45.13	46.3	1.17	0	40	40	BRX	5 sid vns(sid swarm) 40cm, diss po 40cm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-56	46.3	47.82	1.52	3	27	120		1 conc qtz cb vn 3cm, 6 discor qtz cb vns 27cm, diss po 120cm
MQ-19-56	47.82	49.3	1.48	0	25	115		8 discor qtz cb vns 25cm, diss po 115cm
MQ-19-56	49.3	50.29	0.99	4	0	99		2 conc qtz cb vn 4cm, diss po 100cm
MQ-19-56	50.29	51.8	1.51	3	21	125		2 conc qtz cb vns 3cm, 7 discor qtz cb vns 21cm. Diss po 125cm
MQ-19-56	51.8	53.34	1.54	11	9	145		7 conc qtz cb vns 11 cm, 3 discor qtz cb vns 9cm, diss po 145cm,
MQ-19-56	53.34	54.87	1.53	15	23	145		12 conc qtz cb vns 15cm, 7 discor qtz cb vns 23cm, 1 sid vnlt 1cm, diss po 145cm,
MQ-19-56	54.87	56	1.13	12	0	113		9 conc qtz cb vns 12cm, diss po 120cm
MQ-19-56	56	56.8	0.8	5	9	55		4 conc qtz cb vns 5cm, 4 discor qtz cb vns 9cm, diss po 55cm
MQ-19-56	56.8	58.3	1.5	5	10	103		3 conc qtz cb vns 5cm, 4 discor qtz cb vns 10cm, diss po 103cm
MQ-19-56	58.3	59.44	1.14	1	4	38		1 conc qtz cb vn 1cm, 3 discor qtz cb vns 4cm. Diss po 38cm
MQ-19-56	59.44	61	1.56	5	10	115		4 conc qtz cb vns 5cm, 4 discor qtz cb vns 10cm, diss po 115cm
MQ-19-56	61	62.48	1.48	2	3	148		2 conc qtz cb vns 2cm, 1 discor qtz cb vns 3cm, diss po 150cm.
MQ-19-56	62.48	63.9	1.42	4	22	135		1 conc qtz cb vn 4cm, 9 discor qtz cb vns 22cm, diss po 135cm.
MQ-19-56	63.9	65.4	1.5	2	15	150		1 conc qtz cb vn 2cm, 3 discor qtz cb vns 15cm, diss po 150cm
MQ-19-56	65.4	67	1.6	0	28	120		4 discor qtz cb vns 6cm, 4 discor qtz cb vns 28cm, diss po 120cm
MQ-19-56	67	68.6	1.6	2	28	150		1 conc qtz cb vn 2cm, 6 discor qtz cb vns 28cm, large bleb of cpy, diss po 150cm
MQ-19-56	68.6	70.1	1.5	11	14	130		6 conc qtz cb vn 11cm, 10 discor qtz cb vns and vnlt 14cm, diss po 130cm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-56	70.1	71.65	1.55	14	11	155		6 conc qtz cb vns 14cm, 4 discor qtz cb vns 11cm, diss po 155cm,
MQ-19-56	71.65	73.15	1.5	5	5	122		3 conc qtz cb vns 5cm, 4 discor qtz cb vns 5cm, diss po 122cm
MQ-19-56	73.15	74.66	1.51	6	25	104		3 conc qtz cb vns 6cm, 3 discor qtz cb vns 25cm, diss po 104cm
MQ-19-56	74.66	76.2	1.54	11	21	135		4 conc qtz cb vns 11cm, 21cm, diss po 135cm
MQ-19-56	76.2	77.83	1.63	0	0	150		diss po 150cm
MQ-19-56	77.83	79.25	1.42	0	7	142		1 discor qtz cb vn 7cm, diss po 150cm
MQ-19-56	79.25	80.79	1.54	7	0	150		4 conc qtz cb vns 7cm, diss po 150cm
MQ-19-56	80.79	82.3	1.51	7	6	150		2 conc qtz cb vns 7cm, 1 discor qtz cb vn 6cm, diss po 150cm
MQ-19-56	82.3	83.3	1	5	1	70		3 conc qtz cb vns 5cm, 1 discor qtz cb vn 1cm, diss po 70cm
MQ-19-56	83.3	84.4	1.1	10	8	20		7 conc qtz cb vns 10cm, 12 discor qtz cb vnlts 8cm, diss po 20cm,
MQ-19-56	84.4	85.34	0.94	0	32	0		7 discor qtz cb vns 32, blebs of cpy
MQ-19-56	85.34	86.65	1.31	0	103	0		7 very large qtz cb vns with lots of apy 103cm
MQ-19-56	86.65	88.09	1.44	4	1	125		2 conc qtz cb vns 4cm, 3 discor qtz cb stringers 1cm, diss po 125cm
MQ-19-56	88.09	88.92	0.83	1	3	90		2 conc qtz cb vns 1cm, 4 discor qtz cb vnlts 3cm, diss po 90cm,
MQ-19-56	88.92	89.92	1	8	0	80		3 conc qtz cb vns 8cm, diss po 80cm
MQ-19-56	89.92	91.42	1.5	0	12	125		4 discor qtz cb vns 12cm, diss po 125cm
MQ-19-56	91.42	92.96	1.54	16	7	80		5 conc qtz cb vns 16cm, 1 discor qtz cb vn 7cm, diss po 80cm
MQ-19-56	92.96	94.3	1.34	40	10	125		12 conc qtz cb vns 40cm, 2 discor qtz cb vns 10cm, diss po 125cm
MQ-19-56	94.3	94.65	0.35	0	12	35		1 discor qtz cb vn 12cm. Sms po 10cm diss po 35cm
MQ-19-56	94.65	96.01	1.36	13	30	100		2 conc qtz cb vns 13cm, 7 discor qtz cb vns 30cm, diss po 100cm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-56	96.01	97.58	1.57	11	45	73		2 conc qtz cb vns 11cm, 8 discor qtz cb vns 45cm, diss po 73cm
MQ-19-56	97.58	98.72	1.14	8	0	90		2 conc qtz cb vns 8cm, diss po 90cm
MQ-19-56	98.72	99.25	0.53	0	2	45		4 discor qtz cb vns 2cm, diss po 45cm
MQ-19-56	99.25	100	0.75	0	0	0	Fault	gsch flt gouge
MQ-19-56	100	101.5	1.5	16	4	73		7 conc qtz cb vns 16cm, 5 discor qtz cb vns 4cm, diss po 73cm
MQ-19-56	101.5	103	1.5	3	6	70		3 conc qtz cb vns 3cm, 9 discor qtz cb vnlt 6cm, diss po 70cm
MQ-19-56	103	104.07	1.07	5	16	85		4 conc qtz cb vns 5cm, 7 discor qtz cb vns 16cm, diss po 85cm
MQ-19-56	104.07	105.16	1.09	7	9	16		3 conc qtz cb vns 7cm, 3 discor qtz cb vns 9cm, diss po 16cm
MQ-19-56	105.16	106.63	1.47	0	0	0	Fault	gsch flt gouge
MQ-19-56	106.63	107.9	1.27	0	35	80		14 discor qtz cb vns 35cm, diss po 80cm
MQ-19-56	107.9	109.22	1.32	0	50	35		12 discor qtz cb vns 50cm blebs of cpy, diss po 35cm
MQ-19-56	109.22	110.48	1.26	0	35	45		4 discor qtz cb vns 35cm, diss po 45cm
MQ-19-56	110.48	112.03	1.55	0	54	72		14 discor qtz cb vns 54cm, diss po 72cm
MQ-19-56	112.03	113.5	1.47	3	10	110		4 conc qtz cb vns 3cm, 1 discor qtz cb vn 10cm, diss po 110cm
MQ-19-56	113.5	115.01	1.51	9	2	101		7 conc qtz cb vns 9cm, 4 discor qtz cb vns 2cm, diss po 101cm
MQ-19-56	115.01	116.55	1.54	11	33	40		3 conc qtz cb vns 11cm, 6 discor qtz cb vns 33cm, diss po 40cm
MQ-19-56	116.55	118	1.45	13	9	80		6 conc qtz cb vns 13cm, 4 discor qtz cb vns 9cm, diss po 80cm,
MQ-19-56	118	119.5	1.5	6	0	42		8 conc qtz cb vns 6cm, diss po 42cm
MQ-19-56	119.5	120.97	1.47	3	26	37		1 conc qtz cb vn 3cm, 9 discor qtz cb vns 26cm, diss po 37cm
MQ-19-56	120.97	122.5	1.53	9	35	71		4 conc qtz cb vns 9cm, 8 discor qtz cb vns 35cm. Diss po 71cm
MQ-19-56	122.5	124.05	1.55	19	9	110		22 conc qtz cb vns 19cm, 3 discor qtz cb vns 9cm, diss po 110cm
MQ-19-56	124.05	125.62	1.57	3	11	0		2 conc qtz cb vns 3cm, 2 discor qtz cb vns 11cm
MQ-19-56	125.62	127.13	1.51	13	0	120		12 conc qtz cb vns 13cm, diss po 120cm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-56	127.13	128.66	1.53	7	13	0	Fault	flt zone gsch, 3 conc qtz cb vns 7cm, 3 discor qtz cb vns 13cm sph and cpy on bottom discor qtz cb vn slip surface.
MQ-19-56	128.66	129.69	1.03	0	10	60		3 discor qtz cb vns 10cm, diss po 60cm
MQ-19-56	129.69	130.95	1.26	4	2	100		1 conc qtz cb vn 4cm, 7 discor cb stringers 2cm, diss po 100cm
MQ-19-56	130.95	132.27	1.32	0	2	7		4 discor qtz cb vns 21cm, 6 discor cb stringers 2cm, lot's of bleby cpy, diss po 7cm
MQ-19-56	132.27	133.06	0.79	0	0	64	BRX	sid healed bx pervasive through entire interval. 64cm
MQ-19-56	133.06	133.99	0.93	8	0	25		4 conc qtz cb vns 8cm, diss po 25cm
MQ-19-56	133.99	134.23	0.24	0	4	24	SMS	sms po and cpy, 1 discor qz cb vn cpy 4cm, diss po 24cm
MQ-19-56	134.23	135.64	1.41	0	5	60		8 discor qtz cb vnlt 5cm, diss po 60cm
MQ-19-56	135.64	136.99	1.35	0	0	0	Fault	gsch hosted flt narrow 10cm
MQ-19-56	136.99	138.5	1.51	0	7	14		3 discor qtz cb vns 7cm, diss po 14cm
MQ-19-56	138.5	140.07	1.57	0	45	7		6 discor qtz cb vns 45cm, sms cpy 5 cm, diss po 7cm
MQ-19-56	140.07	141.6	1.53	0	27	10		9 discor qtz cb vns 27cm, diss po 10cm
MQ-19-56	141.6	143.1	1.5	0	12	15		4 discor qtz cb vns 12cm, diss po 15cm
MQ-19-56	143.1	144.7	1.6	0	52	0		13 discor qtz cb vns 52cm,
MQ-19-56	144.7	146.2	1.5	0	11	0		4 discor qtz cb vns 11cm,
MQ-19-56	146.2	147.7	1.5	0	60	0		10 discor qtz cb vns 60cm,
MQ-19-56	147.7	149.35	1.65	0	1	12		12 conc qtz cb vns 6cm, 5 discor qtz cb stringers 1cm, diss po 12cm
MQ-19-56	149.35	150.8	1.45	0	4	17		13 conc qtz cb vnlt 9cm, 7 discor qtz cb vnlt 4cm diss po 17cm
MQ-19-56	150.8	151.75	0.95	0	50	4	BRX	crackle bx with cb vnlt and qtz cb vnlt throughout entire interval. 50cm, diss po 4cm
MQ-19-56	151.75	153.29	1.54	8	0	0		17 conc qtz cb vnlt 8cm,
MQ-19-56	153.29	154.82	1.53	9	0	0		13 conc qtz cb vns 9cm diss po 15cm
MQ-19-56	154.82	156.39	1.57	5	3	45		7 conc qtz cb vns 5cm, 3 discor qtz cb vns 3cm, diss po 45cm
MQ-19-57	3.05	5.30	2.25	0	0	0		

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-57	5.30	6.83	1.53	3	33	0		2 conc qtz cb vns 3cm, 6 discor qtz cb vns 33cm,
MQ-19-57	6.83	7.83	1	2	0	0		2 conc qtz cb vns 2cm,
MQ-19-57	7.83	8.95	1.12	5	0	0		6 conc qtz cb vns 5cm
MQ-19-57	8.95	10.44	1.49	2	18	0		2 conc qtz cb vns 2cm, 3 discor qtz cb vns 18cm
MQ-19-57	10.44	12.00	1.56	15	3	10		5 conc qtz cb vns 15cm, 1 discor qtz cb vn 3cm, diss po
MQ-19-57	12.00	13.50	1.5	7	25	4		6 conc qtz cb vns 7cm, 5 discor qtz cb vns 25cm, diss po
MQ-19-57	13.50	15.00	1.5	10	3	10		9 conc qtz cb vns 10cm, 1 discor qtz cb vn 3cm, diss po 10cm
MQ-19-57	15.00	16.20	1.2	3	25	31		1 conc qtz cb vn 3cm, 7 discor qtz cb vns 25cm, diss po 31cm
MQ-19-57	16.20	17.20	1	0	19	0		2 discor qtz cb vns 19cm,
MQ-19-57	17.20	17.85	0.65	0	20	0	Fault	csch hosted flt with qtz cb flt healed 20cm,
MQ-19-57	17.85	18.49	0.64	2	0	5		1 conc qtz cb vn 2cm, diss po 5cm
MQ-19-57	18.49	20.00	1.51	6	0	85		3 conc qtz cb vns 6cm, diss po 85cm
MQ-19-57	20.00	21.34	1.34	2	0	75		1 conc qtz cb vn 2cm, diss po 75cm
MQ-19-57	21.34	22.88	1.54	0	18	65		3 discor qtz cb vns 18cm, diss po 65cm
MQ-19-57	22.88	24.38	1.5	0	1	84		4 discor cb stringers 1cm, diss po 84cm
MQ-19-57	24.38	25.50	1.12	0	19	30		5 discor qtz cb vns 19cm, diss po 30cm
MQ-19-57	25.50	27.00	1.5	0	0.6	0		4 discor cb stringers .6cm,
MQ-19-57	27.00	28.15	1.15	0	9	30		4 discor qtz cb vns 9cm, diss po 30cm
MQ-19-57	28.15	29.54	1.39	0	7	137		2 discor qtz cb vns 7cm, diss po 137cm
MQ-19-57	29.54	31.00	1.46	0	23	146		3 discor qtz cb vns 23cm, diss po 146cm
MQ-19-57	31.00	32.00	1	0	11	90		4 discor qtz cb vns 11cm, diss po 90cm
MQ-19-57	32.00	32.95	0.95	0	16	95		6 discor qtz cb vns 16cm, diss po 95cm
MQ-19-57	32.95	34.50	1.55	0	22	133		11 discor qtz cb vns 22cm, diss po 133cm
MQ-19-57	34.50	36.00	1.5	0	27	150		10 discor qtz cb vns .27, diss po 150cm
MQ-19-57	36.00	37.50	1.5	4	28	145		1 conc qtz cb vn 4cm, 12 discor qtz cb vns 28cm, diss po 145cm,
MQ-19-57	37.50	39.00	1.5	2	16	95		1 conc qtz cb vn 2cm, 6 discor qtz cb vns 16cm, diss po 95cm
MQ-19-57	39.00	40.50	1.5	0	18	150		6 discor qtz cb vns 18cm, diss po 150cm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-57	40.50	42.00	1.5	0	24	65		7 discor qtz cb vns 24cm, diss po 65cm,
MQ-19-57	42.00	43.50	1.5	5	15	125		4 conc qtz cb vns 5cm, 5 discor qtz cb vns 15cm, diss po 125cm
MQ-19-57	43.50	45.00	1.5	8	8	135		2 conc qtz cb vns 8cm, 6 discor qtz cb vns 8cm, diss po 135cm
MQ-19-57	45.00	46.00	1	1	15	0		1 conc qtz cb vn 1cm, 2 discor qtz cb vns 15cm
MQ-19-57	46.00	47.24	1.24	0	19	100		4 discor qtz cb vns 19cm, diss po 100cm
MQ-19-57	47.24	48.50	1.26	0	105	16		20 discor qtz cb vns 105cm, diss po 16cm
MQ-19-57	48.50	50.00	1.5	0	0	25		diss po 25cm
MQ-19-57	50.00	51.50	1.5	0	17	0		4 discor qtz cb vns 1 section of 4cm sms po large bleb of apy 3cm total vn length 17cm, diss po 90cm
MQ-19-57	51.50	52.50	1	0	10	85		1 discor qtz cb vn 10cm, diss po 85cm
MQ-19-57	52.50	53.34	0.84	0	20	54		1 discor qtz cb vn 20cm, diss po 54cm
MQ-19-57	53.34	54.50	1.16	0	0	10		diss po 10cm
MQ-19-57	54.50	55.50	1	7	0	0		3 conc qtz cb vns 7cm,
MQ-19-57	55.50	56.39	0.89	17	0	0		4 conc qtz cb vns 17cm
MQ-19-57	56.39	57.50	1.11	0	15	60		4 discor qtz cb vns 15cm, sms po 8cm, diss po 60cm
MQ-19-57	57.50	59.00	1.5	6	6	111		4 conc qtz cb vns 6cm, 2 discor qtz cb vns 6cm, diss po 111cm
MQ-19-57	59.00	60.50	1.5	8	13	150		5 conc qtz cb vns 8cm, 2 discor qtz cb vns 13cm, diss po
MQ-19-57	60.50	61.50	1	0	23	100		6 discor qtz cb vns 23cm, diss po 100cm
MQ-19-57	61.50	62.30	0.8	5	0	75		3 conc qtz cb vns 5cm, diss po 75cm
MQ-19-57	62.30	62.85	0.55	0	0	0	Fault	gsch hosted flt zones
MQ-19-57	62.85	64.00	1.15	10	2	94		6 conc qtz cb vns 10cm, 1 discor qtz cb vn 2cm, diss po 94cm
MQ-19-57	64.00	65.50	1.5	6	2	145		4 conc qtz cb vns 6cm, 1 discor qtz cb vn 2cm, diss po 145cm
MQ-19-57	65.50	67.00	1.5	0	43	30		14 discor qtz cb vns 43cm, diss po 30cm
MQ-19-57	67.00	68.50	1.5	11	24	110		8 conc qtz cb vns 11cm, 5 discor qtz cb vns 24cm, diss po 110cm
MQ-19-57	68.50	70.00	1.5	0	0	55		diss po 55cm
MQ-19-57	70.00	71.50	1.5	0	47	100		5 discor qtz cb vns 47cm, diss po 100cm



Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-57	71.50	73.00	1.5	9	6	42		10 conc qtz cb vns 9cm, 6 discor qtz cb vns with sms po 42cm
MQ-19-57	73.00	74.50	1.5	0	70	0		13 discor qtz cb vns 70cm
MQ-19-57	74.50	76.00	1.5	0	21	50		11 discor qtz cb vns 21cm, diss po 50cm
MQ-19-57	76.00	77.50	1.5	4	7	90		5 conc qtz cb vns 4cm, 2 discor qtz cb vns 7cm, diss po 90cm
MQ-19-57	77.50	79.00	1.5	6	13	90		5 conc qtz cb vns 6cm, 6 discor qtz cb vns 13cm diss po 90cm
MQ-19-57	79.00	80.50	1.5	3	7	55		3 conc qtz cb vns 3cm, 3 discor qtz cb vns 7cm, diss po 55cm
MQ-19-57	80.50	82.00	1.5	7	45	20		10 conc qtz cb vnlt 7cm. 13 discor qtz cb vns 45cm, diss po 20cm
MQ-19-57	82.00	83.50	1.5	0	17	50		3 discor qtz cb vns 17cm, diss po 50cm
MQ-19-57	83.50	84.75	1.25	0	0	25		diss po 25cm
MQ-19-57	84.75	86.00	1.25	0	0	0	Fault	gsch hosted flt zones
MQ-19-57	86.00	87.25	1.25	0	0	0	Fault	gsch hosted flt zones
MQ-19-57	87.25	87.60	0.35	0	0	35	SMS	nice massive po and py, curious texture, diss po 35cm
MQ-19-57	87.60	88.50	0.9	0	12	60		3 discor qtz cb vns 12cm, diss po 60cm
MQ-19-57	88.50	89.50	1	0	3	70		1 discor qtz cb vn 3cm, diss po 70cm
MQ-19-57	89.50	91.00	1.5	0	36	65		9 discor qtz cb vns 36cm, diss po 65cm
MQ-19-57	91.00	92.50	1.5	0	55	55		10 discor qtz cb vns 55cm, diss po 55cm
MQ-19-57	92.50	93.50	1	2	23	63		1 conc qtz cb vn 2cm, 9 discor qtz cb vns 23cm. Diss po 63
MQ-19-57	93.50	94.65	1.15	0	18	115		9 discor qtz cb vns 18cm, diss po 115cm
MQ-19-57	94.65	96.00	1.35	1	9	100		1 conc qtz cb vn 1cm, 7 discor qtz cb vns 9cm, diss po 100cm
MQ-19-57	96.00	97.50	1.5	1	1	105		1 conc qtz cb vn 1cm, 4 discor cb stringers 1cm, diss po 105cm
MQ-19-57	97.50	99.00	1.5	12	5	62	Fault	9 conc qtz cb vns 12cm, 13 discor cb stringers 5cm, flt zone mud? 30cm, diss po 62cm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-57	99.00	100.50	1.5	4	5	60		2 conc qtz cb vns 4cm, 15 discor cb stringers 5cm. Diss po 60cm
MQ-19-57	100.50	101.50	1	0	4	96		9 discor cb stringers 4cm, diss po 96cm
MQ-19-57	101.50	102.75	1.25	2	2	67		2 conc qtz cb vns 2cm, 4 dsicor qtz cb vnlts 2cm, diss po 67cm
MQ-19-57	102.75	104.00	1.25	0	10	45		4 discor qtz cb vns 10cm, diss po 45cm
MQ-19-57	104.00	105.50	1.5	0	5	40		3 discor qtz cb vns 5cm, diss po 40cm
MQ-19-57	105.50	107.00	1.5	1	1	108		1 conc qtz cb vn 1cm, 1 discor qtz cb vn 1cm, diss po 108cm
MQ-19-57	107.00	108.50	1.5	1	1	12		1 conc qtz cb vn 1cm, 3 discor cb stringers 1cm, diss po 12cm
MQ-19-57	108.50	110.00	1.5	1	0.5	15		2 conc qtz cb vns 1cm, 1 discor qtz cb vn .5cm, diss po 15cm
MQ-19-57	110.00	111.50	1.5	6	5	5		9 conc qtz cb vns 6cm, 15 discor cb stringers 5cm, diss po 5cm
MQ-19-57	111.50	113.00	1.5	0	1	25		4 discor cb stringers 1cm, diss po 25cm
MQ-19-57	113.00	114.50	1.5	2	4	19		2 conc qtz cb vns 2cm, 10 cb stringers 4cm, diss po 19cm
MQ-19-57	114.50	116.00	1.5	2	60	5		2 conc qtz cb vns 2cm, 8 discor qtz cb vns 60cm, diss po 5cm
MQ-19-58	5.7	7.00	1.3	0	7	35		4 discor qtz cb vns 7cm, diss po 35cm
MQ-19-58	7.00	8.50	1.5	0	8	5		4 discor qtz cb vns 8cm, diss po 5cm
MQ-19-58	8.50	10.00	1.5	0	15	5		9 discor qtz cb vns 15cm, diss po 5cm
MQ-19-58	10.00	11.50	1.5	0	4	40		3 discor qtz cb vns 4cm, diss po 40cm
MQ-19-58	11.50	13.00	1.5	0	13	55		7 discor qtz cb vns 13cm, diss po 55cm
MQ-19-58	13.00	14.50	1.5	2	20	115		1 conc qtz cb vn 2cm, 6 discor qtz cb vns 20cm, diss po 115cm
MQ-19-58	14.50	15.50	1	4	18	50		2 conc qtz cb vns 4cm, 9 discor qtz cb vns 18cm, diss po 50cm
MQ-19-58	15.50	16.30	0.8	0	11	10		2 discor qtz cb vns 11cm, diss po 10cm
MQ-19-58	16.30	17.50	1.2	0	15	29		3 discor qtz cb vns 15cm, diss po 29cm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-58	17.50	19.00	1.5	0	14	120		10 discor qtz cb vns 14cm, diss po 120cm
MQ-19-58	19.00	20.50	1.5	0	10	90		2 discor qtz cb vns 10cm, diss po 90cm
MQ-19-58	20.50	22.00	1.5	0	17	125		9 discor qtz cb vns 17cm, diss po 125cm
MQ-19-58	22.00	23.50	1.5	7	4	120		4 conc qtz cb vns 7cm, 3 discor qtz cb vns 4cm, diss po 120cm
MQ-19-58	23.50	25.00	1.5	5	16	73		3 conc qtz cb vns 5cm. 3 discor qtz cb vns 16cm, diss po 73cm
MQ-19-58	25.00	26.50	1.5	8	50	16		2 conc qtz cb vns 8cm, 10 discor qtz cb vns 50cm, diss po 16cm
MQ-19-58	26.50	27.50	1	0	21	20		13 discor qtz cb vns 21cm, diss po 20cm
MQ-19-58	27.50	28.85	1.35	9	2	43		6 conc qtz cb vns 9cm, 1 discor qtz cb vn py 2cm, diss po 43cm
MQ-19-58	28.85	30.00	1.15	2	22	10	SMS	3 conc qtz cb vns 2cm, 8 discor qtz cb vns 22cm. Sms po 10cm
MQ-19-58	30.00	31.50	1.5	8	6	140		7 conc qtz cb vns 8cm, 3 discor qtz cb vns 6cm, diss po 140cm
MQ-19-58	31.50	33.00	1.5	12	16	5		14 conc qtz cb vns 12cm, 3 discor qtz cb vns 16cm, diss po 5cm
MQ-19-58	33.00	34.50	1.5	5	8	90		3 conc qtz cb vns 5cm, 5 discor qtz cb vns 8cm, diss po 90cm
MQ-19-58	34.50	36.00	1.5	3	19	115		1 conc qtz cb vn 3cm, 6 discor qtz cb vns 19cm, diss po 115cm
MQ-19-58	36.00	37.50	1.5	0.5	6	127		1 conc qtz cb vn .5cm, 5 discor qtz cb vns 6cm, diss po 127cm
MQ-19-58	37.50	39.00	1.5	0.5	0.5	85	Fault	1 discor qtz cb vn .5cm, diss po 85cm, gsch hosted flt zone 22cm
MQ-19-58	39.00	40.50	1.5	0	14	5		4 discor qtz cb vns 14cm, diss po 5cm
MQ-19-58	40.50	42.00	1.5	7	15	18		8 conc qtz cb vns 7cm, 2 discor qtz cb vns 15cm, diss po 18cm
MQ-19-58	42.00	43.50	1.5	5	20	60		6 conc qtz cb vns 5cm, 3 discor qtz cb vns 20cm, diss po 60cm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-58	43.50	45.00	1.5	6	37	20		3 conc qtz cb vns 6cm, 12 dsicor qtz cb vns 37cm, diss po 20cm
MQ-19-58	45.00	46.50	1.5	22	19	30		16 conc qtz cb vns 22cm, 4 discor qtz cb vns 19cm, diss po 30cm
MQ-19-58	46.50	48.00	1.5	2	63	23		1 conc qtz cb vn 2cm, 10 discor qtz cb vns 63cm, diss po 23cm
MQ-19-58	48.00	49.50	1.5	10	30	85		13 conc qtz cb vns 10cm, 11 discor qtz cb vns 30cm, diss po 85cm
MQ-19-58	49.50	51.00	1.5	6	3	56		10 conc qtz cb vns 6cm, 3 discor qtz cb vns 3cm, diss po 56cm
MQ-19-58	51.00	52.50	1.5	4	20	20		3 conc qtz cb vns 4cm. 7 Discor qtz cb vns 20cm, diss po 20cm
MQ-19-58	52.50	54.00	1.5	9	14	27		6 conc qtz cb vns 9cm, 6 discor qtz cb vns 14cm, diss po 27cm
MQ-19-58	54.00	55.50	1.5	7	19	55		6 conc qtz cb vns 7cm, 8 discor qtz cb vns 19cm, diss po 55cm
MQ-19-58	55.50	57.00	1.5	2	32	43	Fault	2 conc qtz cb vns 2cm, 9 discor qtz cb vns 32cm, diss po 43cm, 50cm gsch flt zone
MQ-19-58	57.00	58.50	1.5	4	4	80		2 conc qtz cb vns 4cm, 2 discor qtz cb vn 4cm, diss po 80cm,
MQ-19-58	58.50	60.10	1.6	2	2	28		4 conc qtz cb vns 2cm, diss po 28cm
MQ-19-58	60.10	61.50	1.4	3	0	0	Fault	3 conc qtz cb vns 3cm, gsch flt zone 30cm
MQ-19-58	61.50	63.00	1.5	9	3	0	Fault	4 conc qtz cb vns 9cm, 1 discor qtz cb vn 3cm, 50cm of gsch hosted flt zone
MQ-19-58	63.00	64.50	1.5	0	22	7		8 discor qtz cb vns 22cm, diss po 7cm
MQ-19-58	64.50	66.00	1.5	0	8	0	Fault	5 discor qtz cb vns 8cm, 30cm gsch hosted flt zone.
MQ-19-58	66.00	67.50	1.5	5	5	20		5 conc qtz cb vns 5cm, 4 discor qtz cb vns 15cm, diss po 20cm
MQ-19-58	67.50	69.00	1.5	1	13	15		1 conc qtz cb vns 1cm, 3 discor qtz cb vns 13cm, diss po 15cm.
MQ-19-58	69.00	70.50	1.5	0	22	7		7 discor qtz cb vns 22cm, diss po 7cm
MQ-19-58	70.50	72.00	1.5	10	13	0		9 conc qtz cb vns 10cm, 6 discor qtz cb vns 13cm.

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-58	72.00	72.90	0.9	2	3	0		5 conc qtz cb vns 2cm, 1 discor qtz cb vn 3cm,
MQ-19-58	72.90	73.80	0.9	6	0	50		3 conc qtz cb vns 6cm, diss po 50cm
MQ-19-58	73.80	75.15	1.35	0	5	100		3 discor qtz cb vns 5cm, diss po 100cm
MQ-19-58	75.15	76.65	1.5	12	0.5	0	BRX	4 conc qtz cb vns 12cm, 1 discor cb stringer .5cm. Tons of crackle breccia healing of sid vns 25cm.
MQ-19-58	76.65	77.70	1.05	0	15	0	Fault	0 discor qtz cb vn 5cm. Loads of sid vning throughout 15cm. Gsch hosted flt zone 60cm
MQ-19-58	77.70	78.80	1.1	0	70	0	Fault	4 discor qtz cb vns 70cm, flt 25cm gsch.
MQ-19-58	78.80	80.00	1.2	0	12	0	Fault	6 discor qtz cb vns 12cm, 2 sid vns 3cm,
MQ-19-58	80.00	81.50	1.5	0	6	6		3 discor qtz cb vns 4cm, 3 discor sid vns 2cm, diss po 6cm.
MQ-19-58	81.50	83.00	1.5	0	10	80		1 discor qtz cb vn 8cm, 5 sid vns 2cm galena. Diss po 80cm.
MQ-19-58	83.00	84.50	1.5	3	34	0		3 conc qtz cb vns 3cm, 5 discor qtz cb vns 34cm. 7 sid vns 5cm,
MQ-19-58	84.50	86.00	1.5	10	10	37		8 conc qtz cb vns 10cm, 3 discor qtz cb vns 10cm, diss po 37cm
MQ-19-58	86.00	87.50	1.5	3	0.5	30		4 conc qtz cb vns 3cm, 1 discor cb stringer .5cm. Diss po 30cm.
MQ-19-58	87.50	89.00	1.5	0.5	5	87		1 conc qtz cb vn .5cm. 1 discor qtz cb vn 5cm po. Diss po 87cm
MQ-19-58	89.00	90.50	1.5	0	8	40		3 discor qtz cb vns 8cm. Diss po 40cm.
MQ-19-58	90.50	92.00	1.5	0	21	40		6 discor qtz cb vns 21cm, diss po 40cm
MQ-19-58	92.00	93.50	1.5	1	13	25		1 conc qtz cb vn 1cm. 8 discor qtz cb vns 13cm, diss po 25cm.
MQ-19-58	93.50	95.00	1.5	0.5	0	150		1 conc qtz cb vn .5cm. Diss po 150cm
MQ-19-58	95.00	96.00	1	6	10	100		4 conc qtz cb vns 6cm, 2 discor qtz cb vns 10cm, diss po 100cm
MQ-19-59	3.05	4.57	1.52	0	5	55		4 discor qtz cb vns 5cm, diss po 55cm
MQ-19-59	4.57	5.30	0.73	0	0	50		50cm diss po
MQ-19-59	5.30	6.30	1	5	0	0		4 conc qtz cb vns 5cm.
MQ-19-59	6.30	7.30	1	0	0	0		

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-59	7.30	8.30	1	5	5	10		5 conc qtz cb vns 5cm, 2 discor qtz cb vns 5cm, diss po 10cm
MQ-19-59	8.30	9.30	1	6	11	40	sms	3 conc qtz cb vns 6cm, 2 discor qtz cb vns 11cm, sms po 40cm.
MQ-19-59	9.30	10.55	1.25	0	0	125	sms	diss po 125cm, sms po 35cm
MQ-19-59	10.55	11.50	0.95	1	4	0		2 conc qtz cb vns 1 cm. 1 discor qtz cb vns 4cm,
MQ-19-59	11.50	12.80	1.3	6	3	13		4 conc qtz cb vns 6cm, 2 discor qtz cb vns 3cm, diss po 13cm
MQ-19-59	12.80	14.00	1.2	0	15	95		10 discor qtz cb vns 15cm, diss po 95cm
MQ-19-59	14.00	15.50	1.5	0	38	110		13 discor qtz cb vns 38cm, diss po 110cm
MQ-19-59	15.50	17.00	1.5	0	12	96		4 discor qtz cb vns 12cm, diss po 96cm,
MQ-19-59	17.00	18.50	1.5	0	23	100		8 discor qtz cb vns 23cm, diss po 100cm
MQ-19-59	18.50	19.50	1	0	16	100		7 discor qtz cb vns 16cm. Diss po 100cm
MQ-19-59	19.50	20.55	1.05	0	20	105		6 discor qtz cb vns 20cm, diss po 105cm
MQ-19-59	20.55	22.00	1.45	0	20	85		11 discor qtz cb vns 20cm, diss po 85cm\
MQ-19-59	22.00	23.50	1.5	0	55	100		7 discor qtz cb vns 55cm, diss po 100cm
MQ-19-59	23.50	24.50	1	0	42	65		16 discor qtz cb vns 42cm, diss po 65cm
MQ-19-59	24.50	25.50	1	0	25	88		6 discor qtz cb vns 25cm, diss po 88cm
MQ-19-59	25.50	27.00	1.5	0	13	150		4 discor qtz cb vns 13cm, diss po 150cm
MQ-19-59	27.00	28.55	1.55	0	35	140		9 discor qtz cb vns 35cm. Diss po 140cm
MQ-19-59	28.55	29.50	0.95	0	0	0	dyke	felsic dyke
MQ-19-59	29.50	30.38	0.88	0	0	0	dyke	felsic dyke
MQ-19-59	30.38	31.50	1.12	0	13	61		6 discor qtz cb vns 13cm, diss po 61cm
MQ-19-59	31.50	33.00	1.5	0	19	144		7 discor qtz cb vns 19cm, diss po 144cm
MQ-19-59	33.00	34.55	1.55	4	1	135		1 conc qtz cb vn 4cm, 2 discor qtz cb vn lts 1cm, diss po 1.35cm
MQ-19-59	34.55	36.00	1.45	0	4	145		1 discor qtz cb vn 4cm, diss po 145cm
MQ-19-59	36.00	37.50	1.5	9	5	150		6 conc qtz cb vns 9cm. 1 discor qtz cb vn 5cm, diss po 150cm
MQ-19-59	37.50	39.00	1.5	12	6	130		6 conc qtz cb vns 12cm, 1 discor qtz cb vn 6cm, diss po 130cm
MQ-19-59	39.00	40.50	1.5	9	15	150		3 conc qtz cb vns 5cm, 2 discor qtz cb vns 8cm, diss po 150cm
MQ-19-59	40.50	42.00	1.5	6	12	150		5 conc qtz cb vns 9cm, 4 discor qtz cb vns 15cm, diss po 150cm
MQ-19-59	42.00	43.50	1.5	6	12	150		6 conc qtz cb vns 6cm, 2 discor qtz cb vns 12cm, sms po 5cm, diss po 150cm
MQ-19-59	43.50	45.00	1.5	27	4	150		12 conc qtz cb vns 27cm, 2 discor qtz cb vns 4cm, diss po 150cm
MQ-19-59	45.00	46.50	1.5	0	45	150		13 discor qtz cb vns 45cm, diss po 150cm
MQ-19-59	46.50	48.00	1.5	0	12	150		6 discor qtz cb vns 12cm, diss po 150cm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-59	48.00	49.50	1.5	0	26	150		3 discor qtz cb vns 26cm, diss po 150cm
MQ-19-59	49.50	50.88	1.38	0	8	60		4 discor qtz cb vns 8cm, diss po 60cm
MQ-19-59	50.88	52.00	1.12	0	28	0		5 discor qtz cb vns 28cm,
MQ-19-59	52.00	53.50	1.5	0	33	15		9 discor qtz cb vns 33cm, diss po 15cm
MQ-19-59	53.50	55.00	1.5	5	40	105		3 conc qtz cb vns 5cm, 8 discor qtz cb vns 40cm, diss po 105cm
MQ-19-59	55.00	56.39	1.39	14	24	115		9 conc qtz cb vns 14cm, 5 discor qtz cb vns 24cm, diss po 115cm
MQ-19-59	56.39	57.00	0.61	0	0	5		diss po 5cm
MQ-19-59	57.00	58.50	1.5	2	12	136		2 conc qtz cb vns 2cm, 3 discor qtz cb vns 12cm, diss po 136cm
MQ-19-59	58.50	60.00	1.5	4	21	115		3 conc qtz cb vns 4cm, 6 discor qtz cb vns 21cm, diss po 115cm
MQ-19-59	60.00	61.50	1.5	8	7	150		5 discor qtz cb vns 14cm, diss po 150cm
MQ-19-59	61.50	63.00	1.5	8	7	150		4 conc qtz cb vns 8cm, 3 discor qtz cb vns 7cm, 150cm diss po
MQ-19-59	63.00	64.50	1.5	0	14	150		5 discor qtz cb vns 14cm, diss po 150cm\
MQ-19-59	64.50	65.70	1.2	2	0	120		1 conc qtz cb vn 2cm, diss po 120cm
MQ-19-59	65.70	66.80	1.1	0	22	70		4 discor qtz cb vns 22cm, diss po 70cm
MQ-19-59	66.80	68.00	1.2	3	27	90		4 conc qtz cb vns 3cm, 8 discor qtz cb vns 27cm, diss po 90cm
MQ-19-59	68.00	69.50	1.5	20	2	150		12 conc qtz cb vns 20cm, 5 discor cb stringers 2cm, diss po 150cm
MQ-19-59	69.50	71.00	1.5	2	5	150		3 conc qtz cb vns 2cm, 4 discor qtz cb vns 5cm, diss po 150cm
MQ-19-59	71.00	72.50	1.5	5	20	97		5 conc qtz cb vns 5cm, 6 discor qtz cb vns 20cm, diss po 97cm,
MQ-19-59	72.50	74.00	1.5	0	23	80		4 discor qtz cb vns 23cm, diss po 80c,
MQ-19-59	74.00	75.50	1.5	0	26	75		8 discor qtz cb vns 26cm, diss po 75cm
MQ-19-59	75.50	77.00	1.5	3	31	150		3 discor qtz cb vns 11cm, diss po 150cm
MQ-19-59	77.00	78.50	1.5	3	31	150		1 conc qtz cb vn 3cm, 7 discor qtz cb vns 31cm, diss po 150cm
MQ-19-59	78.50	80.00	1.5	6	26	103		3 conc qtz cb vns 6cm, 6 discor qtz cb vns 26cm, diss po 103cm
MQ-19-59	80.00	81.50	1.5	0	29	125		11 discor qtz cb vns 29cm, diss po 125cm
MQ-19-59	81.50	82.80	1.3	6	0	26		4 conc qtz cb vns 6cm, diss po 26cm
MQ-19-59	82.80	83.82	1.02	1	7	24		4 concn qtz cb vns 1cm, 4 discor qtz cb vns 7cm, diss po 24cm
MQ-19-59	83.82	84.80	0.98	4	24	0		5 conc qtz cb vns 4cm, 2 discor qtz cb vns 24cm
MQ-19-59	84.80	85.80	1	0	55	0		6 discor qtz cb vns 55cm
MQ-19-59	85.80	87.10	1.3	0	37	69		4 discor qtz cb vns 37cm. Diss po 69cm
MQ-19-59	87.10	88.50	1.4	6	15	112		5 conc qtz cb vns 6cm, 3 discor qtz cb vns 15cm, diss po 112cm
MQ-19-59	88.50	90.00	1.5	36	41	150		20 conc qtz cb vns 36cm, 8 discor qtz cb vns 41cm. Diss po 150cm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-59	90.00	91.50	1.5	50	15	150		22 concn qtz cb vns deformed 50cm, 4 discor qtz cb vns 15cm, diss po 150cm
MQ-19-59	91.50	93.00	1.5	30	32	0		15 conc qtz cb vns 30cm, 10 discor qtz cb vns 32cm
MQ-19-59	93.00	94.50	1.5	33	6	100		23 conc qtz cb vns 33cm, 1 discor qtz cb vn 6cm, diss po 100cm
MQ-19-59	94.50	95.85	1.35	14	0	71		11 conc qtz cb vns 14cm, diss po 71cm
MQ-19-59	95.85	97.00	1.15	6	2	0	flt	4 conc qtz cb vns 6cm, 1 discor qtz cb vn 2cm,
MQ-19-59	97.00	98.00	1	0	34	0	flt	4 discor qtz cb vns 34cm,
MQ-19-59	98.00	98.70	0.7	8	16	0	flt	6 conc qtz cb vns 8cm, 3 discor qtz cb vns 16cm,
MQ-19-59	98.70	100.00	1.3	0	43	0	bx	21 discor qtz cb vns crackle breccia 43cm
MQ-19-59	100.00	101.50	1.5	15	9	53		13 conc qtz cb vns 15cm, 1 discor qtz cb vn 9cm, diss po 53cm
MQ-19-59	101.50	103.00	1.5	27	9	44		13 conc qtz cb vns 27cm, 1 discor qtz cb vn 9cm, diss po 44cm
MQ-19-59	103.00	104.50	1.5	17	7	52	sms	15 conc qtz cb vns 17cm, 1 discor qtz cb vn 7cm, 1 sms po 5cm, diss po 52cn
MQ-19-59	104.50	106.00	1.5	9	0	25		6 conc qtz cb vns 9cm, diss po 25cm
MQ-19-59	106.00	107.50	1.5	6	27	0		3 conc qtz cb vns 6cm, 7 discor qtz cb vns 27cm
MQ-19-59	107.50	109.00	1.5	14	9	5		11 conc qtz cb vns 14cm, 4 discor qtz cb vns 9cm, diss po 5cm
MQ-19-59	109.00	110.50	1.5	5	9	9		7 conc qtz cb vns 5cm, 3 discor qtz cb vns 9cm, diss po 9cm
MQ-19-59	110.50	112.00	1.5	19	6	20		12 conc qtz cb vns 19cm, 3 discor qtz cb vns 6cm, diss po 20cm
MQ-19-59	112.00	113.60	1.6	22	5	0		9 conc qtz cb vns 22cm, 1 discor qtz cb vn 5cm,
MQ-19-59	113.60	114.50	0.9	0	0	0	flt	gsch hosted flt zone.
MQ-19-59	114.50	115.25	0.75	8	0	0	flt	gsch hosted flt zone. 5 conc qtz cb vns 8cm
MQ-19-59	115.25	116.50	1.25	2	1	0		2 conc qtz cb vns 2cm, 1 discor qtz cb vn 1cm,
MQ-19-59	116.50	118.00	1.5	22	35	0		17 conc qtz cb vns 22cm, 35cm diss po .
MQ-19-59	118.00	119.50	1.5	3	2	150		2 conc qtz cb vns 3cm, 6 discor cb stringers 2cm, diss po 150cm
MQ-19-59	119.50	121.00	1.5	1	5	140		5 conc qtz cb vns 7cm, 1 discor qtz cb vn 5cm, diss po 140cm
MQ-19-59	121.00	121.90	0.9	1	20	0		1 conc qtz cb vn 1cm, 4 discor qtz cb vns 20cm
MQ-19-59	121.90	122.75	0.85	2	0	85	sms	1 conc qtz cb vn 2cm, 4 sms units 21cm, diss po 85cm
MQ-19-59	122.75	123.80	1.05	8	0	105	sms	2 discor qtz cb vns 8cm, 5 sms units 40cm, diss po 105cm
MQ-19-59	123.80	125.00	1.2	7	2	120		3 conc qtz cb vns 7cm, 1 discor qtz cb vn 2cm, diss po 120cm
MQ-19-59	125.00	126.50	1.5	14	0	150		12 conc qtz cb vns 14cm, diss po 150cm
MQ-19-59	126.50	128.05	1.55	6	2	150		4 conc qtz cb vns 6cm, 2 discor qtz cb vns 2cm, diss po 150cm
MQ-19-59	128.05	129.50	1.45	1	5	60		1 conc qtz cb vn 1cm. 4 discor cb stringers .5cm diss po 60cm



Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-59	129.50	131.00	1.5	34	0	121		19 conc qtz cb vns 34cm, diss po 121cm
MQ-19-59	131.00	132.50	1.5	7	4	150		4 conc qtz cb vns 7cm, 2 discor qtz cb vns 4cm, diss po 150cm
MQ-19-59	132.50	134.00	1.5	11	10	0		6 conc qtz cb vns 11cm, 3 discor qtz cb vns 10cm sms po.
MQ-19-59	134.00	135.50	1.5	0	0.5	150		2 discor cb stringers .5cm diss po 150cm
MQ-19-59	135.50	137.00	1.5	0	50	14		10 discor qtz cb vns 50cm. Diss po 14cm
MQ-19-59	137.00	138.17	1.17	0	0	40		flt 10cm, diss po 40cm
MQ-19-59	138.17	138.55	0.38	0	22	0	vn	1 discor qtz cb vn 22 cm, py and cpy
MQ-19-59	138.55	140.00	1.45	4	9	3		1 conc qtz cb vn 4cm, 5 discor qtz cb vns 9cm, diss po 3cm,
MQ-19-59	140.00	141.50	1.5	0	15	13		2 discor qtz cb vns 15cm, diss po 13cm
MQ-19-59	141.50	143.00	1.5	2	9	5		2 conc qtz cb vns 2cm, 5 discor qtz cb vns 9cm, diss po 5cm
MQ-19-59	143.00	144.50	1.5	7	0	15		4 conc qtz cb vns 7 cm, diss po 15cm
MQ-19-59	144.50	146.00	1.5	0	10	0		2 discor qtz cb vns 10cm,
MQ-19-59	146.00	147.50	1.5	0	80	23		4 discor qtz cb vns 80cm, diss po 23cm
MQ-19-59	147.50	149.00	1.5	0	10	60		6 discor qtz cb vns 10cm, diss po 60cm
MQ-19-59	149.00	150.50	1.5	11	57	10		6 conc qtz cb vns 11cm, 8 discor qtz cb vns 57cm, diss po 10cm
MQ-19-59	150.50	152.00	1.5	0	15	54		4 discor qtz cb vns 15cm, diss po 54cm
MQ-19-59	152.00	153.50	1.5	0	2	150		2 discor qtz cb vns 2cm, diss po 150cm
MQ-19-59	153.50	154.55	1.05	10	0	100		4 conc qtz cb vns 10cm, diss po 100cm
MQ-19-59	154.55	155.14	0.59	2	5	13		1 conc qtz cb vn 2cm, 3 discor qtz cb vns 5cm, diss po 13cm
MQ-19-60	8.7	10.90	2.2	0	0	0		broken blocky section
MQ-19-60	10.90	12.19	1.29	7	0.5	0		6 concordant veins (7cm), 4 discordant veins (0.5cm)
MQ-19-60	12.19	13.74	1.55	2	6	4		1 concordant vein (2cm), 4 discordant quartz veins (6cm), 4cm of disseminated pyrrhotite
MQ-19-60	13.74	15.24	1.5	4	1	6		2 concordant quartz veins (4cm), 1 discordant quartz veins (1cm), 6cm of disseminated pyrrhotite
MQ-19-60	15.24	15.87	0.63	3	0.5	0		1 concordant quartz veins (3cm), 1 discordant quartz vein (0.5cm)
MQ-19-60	15.87	17.31	1.44	10	0	0		7 concordant veins (10cm)
MQ-19-60	17.31	18.60	1.29	0	0	0		
MQ-19-60	18.60	20.00	1.4	21	0	0		8 concordant quartz veins (21cm)

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-60	20.00	21.34	1.34	5	0	0		2 concordant quartz veins (5cm)
MQ-19-60	21.34	22.34	1	37	0	0		13 concordant quartz veins (37cm)
MQ-19-60	22.34	23.60	1.26	5	0	0		2 concordant quartz veins (5cm)
MQ-19-60	23.60	24.70	1.1	13	0	0		7 concordant quartz veins (13cm)
MQ-19-60	24.70	25.83	1.13	11	0.5	0		6 concordant quartz veins (11cm), 2 discordant quartz veins (0.5cm)
MQ-19-60	25.83	27.43	1.6	22	3	0		6 quartz carbonate concordant veins (22cm), 1 discordant carbonate veins (3cm)
MQ-19-60	27.43	28.00	0.57	5	0	50		3 quartz veins (5cm), 50cm of disseminated po
MQ-19-60	28.00	29.63	1.63	12	3	0		4 concordant veins (12cm), 1 discordant carbonate vein (3cm)
MQ-19-60	29.63	30.15	0.52	0	0	0	SID	siderite (orange colored) replacement
MQ-19-60	30.15	31.16	1.01	25	1	42		2 concordant quartz veins (25cm), 3 discordant quartz veins (1cm), 42 cm of disseminated po
MQ-19-60	31.16	32.77	1.61	0	2.5	0		3 discordant quartz veins (2.5cm)
MQ-19-60	32.77	34.26	1.49	31	0	140		8 quartz carbonate concordant veins (31cm), 140 cm of disseminated po
MQ-19-60	34.26	35.10	0.84	0	0	0		milled veins in andalusite gsch
MQ-19-60	35.10	36.58	1.48	18	0	56		7 concordant quartz veins (18cm), 56cm of disseminated po
MQ-19-60	36.58	38.15	1.57	22	0	0		11 concordant quartz-carbonate veins (30cm)
MQ-19-60	38.15	39.62	1.47	53	0	110		12 discordant quartz veins (22cm)
MQ-19-60	39.62	41.24	1.62	53	0	110		16 concordant quartz-carb-chlorite veins (53cm), 110 cm of disseminated po
MQ-19-60	41.24	42.67	1.43	45	0	17		11 concordant veins (45cm), 17cm of disseminated Po
MQ-19-60	42.67	44.26	1.59	17	1	0		7 concordant veins (17cm), 2 discordant veins (1cm)
MQ-19-60	44.26	45.72	1.46	12	0	24		7 concordant veins (12cm), 24cm of disseminated po
MQ-19-60	45.72	47.24	1.52	20	0	30		12 concordant veins (20cm), 30cm of disseminate po
MQ-19-60	47.24	48.77	1.53	12	4	152		6 concordant veins (12cm), 2 discordant veins (4cm), 152 cm of disseminated po
MQ-19-60	48.77	50.25	1.48	12	0.2	30		5 discordant veins (12cm), 1 discordant veins (0.2cm), 30cm of disseminated po

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-60	50.25	51.82	1.57	18	1	102		8 concordant veins (18cm), 2 discordant veins (1cm), 102cm of disseminated po
MQ-19-60	51.82	53.22	1.4	4	0	0		1 concordant vein (4cm)
MQ-19-60	53.22	54.29	1.07	10	0	10		3 concordant veins (10cm), 10cm of disseminated po
MQ-19-60	54.29	55.03	0.74	0	0	0		
MQ-19-60	55.03	56.50	1.47	5	5	121		1 concordant vein (5cm), 1 discordant vein (5cm), 121cm of disseminated po
MQ-19-60	56.50	57.91	1.41	12	0	97		7 concordant vein (12cm), 97cm of disseminated po
MQ-19-60	57.91	59.73	1.82	2	0.5	78		1 concordant vein (2cm), 3 discordant carbonate stringers, 78cm of disseminated po
MQ-19-60	59.73	60.66	0.93	0	0	23		23cm of disseminated po
MQ-19-60	60.66	61.60	0.94	1	3	30		1 concordant vein (1cm), 1 discordant vein (3cm), 30cm of disseminated of po
MQ-19-60	61.60	62.55	0.95	12	0.5	95		6 concordant veins (12cm), 1 discordant vein(0.5cm), 96cm of disseminated po
MQ-19-60	62.55	64.47	1.92	0	2	0		9 discordant carbonate veins (2cm)
MQ-19-60	64.47	66.14	1.67	0	59	160		6 concordant veins (59cm), 160cm of disseminated po
MQ-19-60	66.14	67.68	1.54	33	3	150		12 concordant veins (33cm), 1 discordant veins (3cm), 150cm of disseminated po
MQ-19-60	67.68	68.58	0.9	8	0	77		5cm of concordant (8cm), 77cm of disseminated of po
MQ-19-60	68.58	70.20	1.62	33	0	162		14 concordant veins (33cm), 162cm of disseminate po
MQ-19-60	70.20	71.63	1.43	17	0	142		8 concordant veins (17cm), 142cm of disseminated po
MQ-19-60	71.63	73.40	1.77	12	1	135		4 concordant veins (12cm), 3 discordant veins (1cm), 135cm of disseminated po
MQ-19-60	73.40	74.68	1.28	41	0	22		12 concordant veins (41cm), 22cm of disseminated po
MQ-19-60	74.68	76.20	1.52	18	10	19		8 concordant veins (18cm), 3 discordant veins (10cm), 19cm of disseminated po
MQ-19-60	76.20	77.72	1.52	28	2	32		8 concordant quartz veins (28cm), 1 disocrdant vein (2cm), 32cm of disseminated po
MQ-19-60	77.72	79.35	1.63	25	7	120		5 concordant veins (25cm), 4 discordant vein (7cm), 120cm of disseminated po

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-60	79.35	80.77	1.42	40	0	107		10 concordant veins (40cm), 107cm of disseminated po
MQ-19-60	80.77	82.22	1.45	35	1	40		11 concordant veins (35cm), 1 discordant vein (1cm), number of discordant carbonate stringers, 40cm of disseminated po
MQ-19-60	82.22	83.82	1.6	26	11	142		9 concordant veins (26cm), 5 discordant veins (11cm),
MQ-19-60	83.82	85.37	1.55	20	4	153		3 concordant veins (20cm), 1 discordant vein (4cm), 153cm of disseminated po
MQ-19-60	85.37	86.87	1.5	18	0	148		6 concordant vein (18cm), 148cm of disseminated po
MQ-19-60	86.87	88.40	1.53	48	0	85		4 concordant veins (48cm), 85cm of disseminated po
MQ-19-60	88.40	89.92	1.52	30	1	129		14 concordant veins (30cm), 1 discordant vein (1cm), multiple discordant cabronate stringers, 129 cm of disseminated po
MQ-19-60	89.92	91.40	1.48	40	0.5	150		11 concordant veins (40cm), 1 discordant vein (0.5cm), 150 cm of disseminated po
MQ-19-60	91.40	92.96	1.56	44	0	77		8 concordant veins (44cm), 77cm of disseminated po
MQ-19-60	92.96	94.59	1.63	36	0	142		11 concordant veins (36cm), 142cm of disseminated po
MQ-19-60	94.59	96.01	1.42	18	3	133		10 concordant veins (18cm), 1 discordant vein (3cm), 133cm of disseminated po
MQ-19-60	96.01	97.65	1.64	8	0	67		3 concordant veins (8cm), 67cm of disseminated po
MQ-19-60	97.65	99.06	1.41	16	0	79		8 concordant veins (16cm), 79cm of disseminated po
MQ-19-60	99.06	100.54	1.48	18	0	102		8 concordant veins (18cm), 102cm of disseminated po
MQ-19-60	100.54	102.11	1.57	38	0	106		12 concordant veins (38cm), 106cm of disseminated po
MQ-19-60	102.11	103.65	1.54	8	0	85		4 concordant veins (8cm), 85cm of disseminated po
MQ-19-60	103.65	105.16	1.51	22	0	39		9 concordant veins (22cm), 39cm of disseminated po
MQ-19-60	105.16	106.68	1.52	45	0	0		10 concordant veins (45cm),
MQ-19-60	106.68	107.73	1.05	0	0	12		12cm of disseminated po
MQ-19-60	107.73	109.53	1.8	0	0	92		92cm of disseminated po
MQ-19-60	109.53	111.25	1.72	0	0	78		78cm of disseminated po
MQ-19-60	111.25	112.27	1.02	18	0	84		5 concordant veins (18cm), 84cm of disseminated po

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-60	112.27	113.13	0.86	17	0	0		11 concordant veins (17cm),
MQ-19-60	113.13	114.30	1.17	37	0	62		6 concordant veins (37cm), 62cm of disseminated
MQ-19-60	114.30	115.80	1.5	20	0	13		4 concordant veins (20cm), 13cm of disseminated po
MQ-19-60	115.80	117.35	1.55	9	6	0		2 concordant veins (9cm), 1 discordant veins (6cm)
MQ-19-60	117.35	119.00	1.65	56	0	0		2 concordant vein ( 56cm)
MQ-19-60	119.00	120.70	1.7	32	9	0		2 concordant veins (32cm), 5 discordant veins (9cm)
MQ-19-60	120.70	121.70	1	0	0	0	fault	largely unconsolidated milled gsch
MQ-19-60	121.70	123.44	1.74	20	0	34		8 concordant veins (20cm), 34cm of disseminated po
MQ-19-60	123.44	125.00	1.56	12	0	46		7 concordant veins (12cm), 46cm of disseminated po
MQ-19-60	125.00	126.49	1.49	69	0	28		5 concordant veins (69cm), 28cm of disseminated po
MQ-19-60	126.49	127.86	1.37	50	7	8		8 concordant veins (50cm), 1 discordant vein (7cm), 8cm of disseminated po
MQ-19-60	127.86	129.54	1.68	31	2	6		6 concordant veins (31cm), 1 discordant vein (2cm), 6cm of disseminated po
MQ-19-60	129.54	131.08	1.54	9	0	0		9 concordant veins (18cm)
MQ-19-60	131.08	132.59	1.51	3	0	5		2 concordant vein (3cm), 5cm of disseminated po
MQ-19-60	132.59	134.10	1.51	20	0	0		6 concordant veins (20cm)
MQ-19-60	134.10	135.64	1.54	5	0	0		2 concordan veins (5cm)
MQ-19-60	135.64	137.10	1.46	20	0	0		8 concordant veins (20cm)
MQ-19-60	137.10	138.68	1.58	26	3	0		13 concordant veins (26cm), 1 discordant vein (3cm)
MQ-19-60	138.68	140.19	1.51	8	0	38		2 concordant veins (8cm), 38cm of disseminated po
MQ-19-60	140.19	141.73	1.54	13	0	0		3 concordant veins (13cm)
MQ-19-60	141.73	142.57	0.84	9	0	0		3 concordant vein (9cm)
MQ-19-60	142.57	145.14	2.57	0	0	0	fault	largely unconsolidated milled gsch
MQ-19-60	145.14	146.91	1.77	12	0	0		5 concordant vein (12cm)
MQ-19-61	7.92	8.53	0.61	0	0	0		broken and blocky near surface weathered and oxidized
MQ-19-61	8.53	9.75	1.22	9	0	0		1 concordant quartz veins (9cm), sphalerite stringers along foliation planes in some sections also associated with pyrrhotite, pervasive oxidation
MQ-19-61	9.75	10.36	0.61	0	0	0		semi massive to massive sphalerite mineralization, oxidized schist

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-61	10.36	11.00	0.64	0	0	0		broken and blocky near surface weathered and oxidized
MQ-19-61	11.00	12.19	1.19	6	0	0		broken and blocky near surface weathered, 2 concordant quartz veins (6cm)
MQ-19-61	12.19	13.72	1.53	3	0	0		broken and blocky near surface weathered, 1 concordant
MQ-19-61	13.72	15.54	1.82	5	0	0		broken and blocky near surface weathered, 1 concordant quartz vein (5cm)
MQ-19-61	15.54	16.76	1.22	14	0.3	0		4 concordant quartz veins (14cm), 1 discordant vein (0.3cm)
MQ-19-61	16.76	18.29	1.53	14	0	0		7 concordant quartz veins (14cm),
MQ-19-61	18.29	18.72	0.43	7	2	0		2 concordant quartz veins (7cm). 3 discordant siderite veins (2cm)
MQ-19-61	18.72	20.25	1.53	23	0	4		8 concordant quartz veins (23cm), 4cm of disseminated pyrrhotite
MQ-19-61	20.25	21.69	1.44	19	0	68		7 concordant quartz veins (19cm), 68cm of disseminated po
MQ-19-61	21.69	22.78	1.09	0	0	0		
MQ-19-61	22.78	23.11	0.33	0	0	36		36cm of disseminated po
MQ-19-61	23.11	24.38	1.27	0	0	30		30cm of disseminated of po
MQ-19-61	24.38	26.14	1.76	4	0	5		2 concordant quartz veins (4cm), 5cm of disseminated po
MQ-19-61	26.14	27.43	1.29	6	1	33		2 concordant quartz veins (6cm), 2 discordant carbonate veins (1cm), 33cm of disseminated po
MQ-19-61	27.43	28.45	1.02	6	5	36		2 concordant quartz veins (6cm), 3 discordant quartz carbonate veins (5cm), 36cm of disseminated po
MQ-19-61	28.45	30.54	2.09	24	1	0		13 concordant quartz veins (245cm), 2 discordant quartz veins (1cm)
MQ-19-61	30.54	30.98	0.44	0	0	0		calcareous
MQ-19-61	30.98	32.55	1.57	30	0	114		11 concordant quartz veins (30cm), 114cm of disseminated po
MQ-19-61	32.55	34.08	1.53	0	0	0		calcareous
MQ-19-61	34.08	35.60	1.52	0	0	0		calcareous

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-61	35.60	37.10	1.5	29	0	94		3 concordant quartz veins (29cm), 94cm of disseminated po
MQ-19-61	37.10	38.55	1.45	12	1	87		3 concordant quartz veins (12cm), 2 discordant quartz veins (1cm), 87cm of disseminated po
MQ-19-61	38.55	40.04	1.49	23	0	113		8 concordant quartz veins (23cm), 113cm of disseminated po
MQ-19-61	40.04	41.73	1.69	16	3	98		4 concordant quartz veins (16cm), 1 discordant vein >3cm, 98cm of disseminated po
MQ-19-61	41.73	43.43	1.7	10	5	109		5 concordant quartz veins (10cm), 1 discordant quartz vein >5cm, 109cm of disseminated po
MQ-19-61	43.43	45.05	1.62	28	0	159		8 concordant quartz veins (28cm), 159cm of disseminated po
MQ-19-61	45.05	46.40	1.35	18	3	0		6 concordant quartz veins (18cm), 1 discordant quartz veins (3cm)
MQ-19-61	46.40	47.93	1.53	21	3	153		7 concordant quartz veins (21cm), 1 discodrnt sphalerite-arsenopyrite quartz vein >3cm, 158cm of disseminated po
MQ-19-61	47.93	49.02	1.09	19	2	68		8 concordant quartz veims (19cm), 1 discordant vein (>2cm), 68cm of disseminated po
MQ-19-61	49.02	50.20	1.18	21	0	13		5 concordant quartz-chlorite veins (21cm), 13cm of disseminated po
MQ-19-61	50.20	51.32	1.12	14	0	111		10 concordant quartz chlorite veins (145cm), 111cm of disseminated po
MQ-19-61	51.32	52.88	1.56	48	2	130		14 concordant quartz chlorite veins (48cm), 1 discordant quartz chlorite vein (2cm), 130cm of disseminated po
MQ-19-61	52.88	53.78	0.9	11	0	96		6 concordant quartz veins (11cm), 96cm of disseminated po
MQ-19-61	53.78	55.57	1.79	31	0	110		19 concordant quartz veins (31cm), 110cm of disseminated po
MQ-19-61	55.57	57.35	1.78	9	0	0		4 concordant quartz veins (9cm),

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-61	57.35	58.89	1.54	6	0.5	0		4 concordant quartz veins (6cm), a number of terminating discordant extensional fractures
MQ-19-61	58.89	59.92	1.03	27	0	103		17 concordant quartz veins (27cm), 115cm of disseminated po
MQ-19-61	59.92	61.55	1.63	28	0	145		13 concordant quartz vein (28cm), 145cm of disseminated po
MQ-19-61	61.55	63.16	1.61	26	0	138		6 concordant quartz veins (26cm), 136cm of disseminated po
MQ-19-61	63.16	64.69	1.53	16	0	127		6 concordant quartz veins (16cm), 127cm of disseminated po
MQ-19-61	64.69	65.98	1.29	26	0	129		13 concordant quartz chlorite veins (26cm), 129cm of disseminated po
MQ-19-61	65.98	66.66	0.68	0	0	32		32cm of disseminated po
MQ-19-61	66.66	67.06	0.4	16	0	39		11 concordant quartz chlorite veins (16cm), 39cm of disseminated po
MQ-19-61	67.06	67.79	0.73	1	2	0		1 concordant quartz carbonate vein (1cm). 1 discordant carbonate vein 2cm)
MQ-19-61	67.79	69.05	1.26	22	0	74		12 concordant quartz-chlorite veins (22cm), 74cm of disseminated po
MQ-19-61	69.05	69.84	0.79	30	0	0		10 concordant quartz carbonate veins (30cm),
MQ-19-61	69.84	70.45	0.61	8	1	0		2 concordant veins (8cm), 1 discordant carbonate vein (1cm),
MQ-19-61	70.45	72.25	1.8	15	0	175		7 concordant quartz chlorite veins (15cm), 175cm of disseminated po
MQ-19-61	72.25	74.00	1.75	30	3	164		10 concordant quartz chlorite veins (30cm), 1 discordant quartz veins (3cm), 164cm of disseminated po
MQ-19-61	74.00	75.11	1.11	9	0	86		3 concordant quartz veins (9cm), 86cm of disseminated po
MQ-19-61	75.11	76.20	1.09	0	0	56		broken fractured and blocky section. 56 cm of disseminated po



Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-61	76.20	77.72	1.52	44	0	123		10 concordant quartz veins (44cm), 123cm of disseminated po
MQ-19-61	77.72	79.25	1.53	0	0	96		96cm of disseminated po
MQ-19-61	79.25	80.05	0.8	0	0	80		80cm of disseminated po
MQ-19-61	80.05	81.55	1.5	0	0	23		23cm of disseminated po
MQ-19-61	81.55	83.00	1.45	0	0	36		36cm of disseminated po
MQ-19-61	83.00	84.25	1.25	0	0	35		35cm of disseminated po
MQ-19-61	84.25	85.45	1.2	0	0	80		80cm of disseminated po
MQ-19-61	85.45	86.84	1.39	0	0	84		84cm of disseminated po
MQ-19-61	86.84	88.40	1.56	0	0	140		140cm of disseminated po
MQ-19-61	88.40	89.92	1.52	0	0	128		128cm of disseminated po
MQ-19-61	89.92	91.45	1.53	0	0	145		145cm of disseminated po
MQ-19-61	91.45	92.96	1.51	0	0	106		106cm of disseminated po
MQ-19-61	92.96	94.55	1.59	0	0	106		106cm of disseminated po
MQ-19-61	94.55	96.01	1.46	0	0	122		122cm of disseminated po
MQ-19-61	96.01	97.54	1.53	0	0	9		9cm of disseminated po
MQ-19-61	97.54	99.06	1.52	0	0	13		13cm of disseminateddd po
MQ-19-62	6.10	9.14	3.04	40	0	0		broken and blocky section - 2 veins at least 40cm
MQ-19-62	9.14	10.65	1.51	0	0	0		broken and blocky section
MQ-19-62	10.65	12.19	1.54	14	0	0		5 concordant quartz veins (14cm),
MQ-19-62	12.19	12.88	0.69	0	0	48		4 skarn horizons (16cm), 48cm of disseminated po
MQ-19-62	12.88	14.43	1.55	2	0	0		2 concordant quartz veins (9cm), 155cm of skarn
MQ-19-62	14.43	16.1	1.67	0	0	12		12cm of disseminated po, 15 skarn horizons (92cm),
MQ-19-62	16.10	17.72	1.62	10	0	89		4 concordant quartz veins (10cm), 11 skarn horzins (86cm), 89cm of disseminated po
MQ-19-62	17.72	19.25	1.53	34	0	90		13 concordant quartz veins (34cm), 90cm of disseminated po
MQ-19-62	19.25	20.75	1.50	14	0	100		6 concordant quartz veins (14cm), 4 skarn horizons (58cm), 100cm of disseminated po
MQ-19-62	20.75	22.14	1.39	7	0	53		4 concordant quartz veins (7cm), 2 skarn horizons (114cm), 59cm of disseminated po
MQ-19-62	22.14	23.67	1.53	0	0	71		3 skarn horizons (144cm), 71cm of disseminated po

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-62	23.67	25.05	1.38	0	0	82		11 skarn horizons ( 62cm), 82cm of disseminated po
MQ-19-62	25.05	26.06	1.01	0	0	82		10 skarn horizons (88cm), 82cm of disseminated po
MQ-19-62	26.06	27.43	1.37	18	0	137		7 concordant quartz veins (18cm), 1 skarn horizons (3cm), 137cm of disseminated po
MQ-19-62	27.43	28.8	1.37	30	0	132		12 concordant quartz veins (30cm), 132cm of disseminaetd po
MQ-19-62	28.80	30.55	1.75	0	0	103		13 skarn horizons (97cm), 103cm of disseminated po
MQ-19-62	30.55	30.94	0.39	0	2	25		1 discordant quartz-carbonate mineralizaed (cpy-po-pyr) vein (2cm), 25cm of disseminated po
MQ-19-62	30.94	32.17	1.23	10	0	122		5 concordant quartz veins (10cm), 122cm of disseminated
MQ-19-62	32.17	33.02	0.85	0	0	84		9 skarn horizons (58cm), 84cm of disseminated po
MQ-19-62	33.02	34.54	1.52	24	0	152		13 concordant quartz veins (24cm), 1skarn horizon (4cm), 152cm of disseminated po
MQ-19-62	34.54	36.26	1.72	30	0	172		13 concordant quartz veins (30cm), 8 skarn horizons (19cm) 172cm of disseminated po
MQ-19-62	36.26	38	1.74	12	0	174		7 concordant quartz veins (12cm), 13 skarn horizons (64cm), 174cm of disseminated po
MQ-19-62	38.00	38.35	0.35	0	0	12		12cm of disseminated po
MQ-19-62	38.35	40.97	2.62	0	0	250		1 skarn horizon (148cm), 250cm of disseminate po
MQ-19-62	40.97	41.89	0.92	0	0	92		2 skarn horizons (8cm), 92cm of disseminated po
MQ-19-62	41.89	42.62	0.73	13	0	55		4 concordant quartz veins ( 14cm), 55cm of disseminated po
MQ-19-62	42.62	44.36	1.74	13	5	93		6 concordant quartz veins (13cm), 1 discordant quartz vein (5cm), 93cm of disseminated po
MQ-19-62	44.36	45.72	1.36	0	0	112		112cm of disseminated po
MQ-19-62	45.72	47.14	1.42	0	0	136		136cm of disseminated po
MQ-19-62	47.14	48.08	0.94	0	0	94		94cm of disseminated po
MQ-19-62	48.08	48.88	0.80	0	0	3		3cm of disseminated po
MQ-19-62	48.88	50.15	1.27	0	0	78		78cm of disseminated po
MQ-19-62	50.15	50.52	0.37	19	0	37		1 concordant mineralized quartz vein (19cm), 37 of disseminated po
MQ-19-62	50.52	51.82	1.30	0	0	130		130cm of disseminated po

Hole_ID	From	To	Interval	Concord Vein (cm)	Discor Vein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-62	51.82	53.4	1.58	0	0	158		158cm of disseminated po
MQ-19-62	53.40	54.86	1.46	0	0	146		146cm of disseminated po
MQ-19-62	54.86	56.53	1.67	0	0	74		74cm of disseminated po
MQ-19-62	56.53	58.11	1.58	0	0	48		48cm of disseminated po
MQ-19-62	58.11	60.35	2.24	0	0	109		109cm of disseminated po
MQ-19-63	4.86	6.10	1.24	9	0	0		6 conc qtz cb vns 9cm
MQ-19-63	6.10	6.97	0.87	6	0	0		4 conc qtz cb vns 6cm
MQ-19-63	6.97	7.77	0.80	0	0	0		
MQ-19-63	7.77	8.00	0.23	3	2	0		discor sph and galena vn 2cm, 2 conc qtz cb vns 3cm
MQ-19-63	8.00	9.50	1.50	3	0.5	0		2 conc qtz cb vns 3cm, 1 discor qtz cb stringer .5cm
MQ-19-63	9.50	11.00	1.50	0	0	0		
MQ-19-63	11.00	12.19	1.19	6	1	0		3 conc qtz cb vns 6cm, 1 discor qtz cb vn 1cm
MQ-19-63	12.19	13.50	1.31	10	6	19		4 conc qtz cb vns 10cm, 2 skarn 47cm, diss po 19cm, 1 discor qtz cb vn 6cm
MQ-19-63	13.50	14.47	0.97	5	10	15		3 conc qtz cb vns 5cm, 2 discor qtz cb vns 10cm, 1 skarn 25cm, diss po 15cm
MQ-19-63	14.47	15.24	0.77	3	3	0		2 conc qtz cb vns 3cm, 1 discor cb stringer .3cm. 1 skarn 12cm
MQ-19-63	15.24	16.00	0.76	8	5	0		3 conc qtz cb vns 8cm, 3 discor qtz cb vns 5cm,
MQ-19-63	16.00	17.11	1.11	20	1	0		7 conc qtz cb vns 20cm, 2 discor cb stringers 1cm,
MQ-19-63	17.11	18.50	1.39	5	1	0		4 conc qtz cb vns 5cm, 3 discor qtz cb stringers 1cm,
MQ-19-63	18.50	20.00	1.50	40	0	0		10 conc qtz cb vns 40cm.
MQ-19-63	20.00	21.50	1.50	16	1	15		10 conc qtz cb vns 16cm, 2 discor cb stringers 1cm.5cm, diss po 15cm
MQ-19-63	21.50	23.00	1.50	17	0	63		5 conc qtz cb vns 17cm. Diss po 63cm
MQ-19-63	23.00	24.27	1.27	10	0	0		8 conc qtz cb vns 10cm,
MQ-19-63	24.27	24.94	0.67	0	0	0		
MQ-19-63	24.94	26.64	1.70	22	52	0		10 conc qtz cb vns 22cm, diss po 52cm, 2 skarn 18cm
MQ-19-63	26.64	27.15	0.51	2	0	0		2 conc qtz cb vns 2cm, 1 skarn 17cm
MQ-19-63	27.15	28.50	1.35	26	0	42		8 conc qtz cb vns 26cm, diss po 42cm
MQ-19-63	28.50	29.50	1.00	24	0	12		5 conc qtz cb vns 24cm, diss po 12cm
MQ-19-63	29.50	30.73	1.23	15	0.2	43		6 conc qtz cb vns 15cm. 1 discor cb stringer .2cm. Diss po 43cm
MQ-19-63	30.73	31.00	0.27	6	0	0		3 conc qtz cb vns 6cm, skarn throughout more or less.
MQ-19-63	31.00	32.50	1.50	15	2	92		9 conc qtz cb vns 15cm, 3 discor qtz cb vnlt 2cm, diss po 92cm,

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-63	32.50	34.00	1.50	28	2	30		9 conc qtz cb vns 28cm, 6 discor cb stringers 2cm, diss po 30cm
MQ-19-63	34.00	35.50	1.50	30	2	20		8 conc qtz cb vns 30cm. 4 discor cb stringers 2cm, diss po 20cm
MQ-19-63	35.50	37.00	1.50	33	1	83		11 conc qtz cb vns 33cm, 2 discor cb stringers 1cm, diss po 83cm
MQ-19-63	37.00	38.50	1.50	16	0.2	132		10 conc qtz cb vns 16cm, 1 discor cb stringer .2cm. Diss po 132cm.
MQ-19-63	38.50	40.00	1.50	15	0	135		10 conc qtz cb vns 15cm, diss po 135cm
MQ-19-63	40.00	41.50	1.50	3	0.4	150		2 conc qtz cb vns 3cm, 2 discor qtz cb stringers .4cm diss po 150cm
MQ-19-63	41.50	43.00	1.50	12	0	83		9 conc qtz cb vns 12cm, diss po 83cm
MQ-19-63	43.00	44.50	1.50	26	0	87		7 conc qtz cb vns 26 cm, skarn 24cm, diss po 87cm
MQ-19-63	44.50	46.00	1.50	40	0	135		10 conc qtz cb vns 40cm. Diss po 135cm.
MQ-19-63	46.00	47.50	1.50	17	0.5	60		4 conc qtz cb vns 17cm, 1 discor qtz cb vnlt .5cm. Diss po 60cm
MQ-19-63	47.50	49.00	1.50	0	1	10		5 discor cb stringers 1cm, diss po 10cm
MQ-19-63	49.00	50.00	1.00	10	1	11		1 conc qtz cb vn 10cm, 4 discor cb stringers 1cm, diss po 11cm
MQ-19-63	50.00	50.70	0.70	5	0.5	0		1 conc qtz cb vn 5cm. 2 discor cb stringers .5cm
MQ-19-63	50.70	52.24	1.54	9	10	0		2 conc qtz cb 9cm, 10 discor cb vnlt 10cm.
MQ-19-63	52.24	53.34	1.10	14	13	0		6 conc qtz cb vns 14cm, 14 discor qtz cb vns 13cm.
MQ-19-63	53.34	54.05	0.71	9	1	62		3 conc qtz cb vns 9cm, 3 discor cb stringers 1cm, diss po 62cm
MQ-19-63	54.05	55.51	1.46	6	40	111		2 conc qtz cb vns 6cm, 2 discor qtz cb vns 40cm, diss po 111cm
MQ-19-63	55.51	57.00	1.49	34	0	140		5 conc qtz cb vns 34cm. Diss po 140cm
MQ-19-63	57.00	58.50	1.50	14	0	150		7 conc qtz cb vns 14cm, diss po 150cm
MQ-19-63	58.50	60.15	1.65	34	2	160		9 conc qtz cb vns 34cm, 2 discor qtz cb vns 2cm, diss po 160cm
MQ-19-63	60.15	60.96	0.81	0	0	0	dyke	dyke
MQ-19-63	60.96	62.10	1.14	0	0	35		diss po 35cm
MQ-19-63	62.10	63.30	1.20	0	0	0	dyke	dyke
MQ-19-63	63.30	64.84	1.54	28	0	144		13 conc qtz cb vns 28cm, diss po 144cm
MQ-19-63	64.84	66.36	1.52	20	0	105		5 conc qtz cb vns 20cm, diss po 105cm
MQ-19-63	66.36	67.90	1.54	20	3	10		6 conc qtz cb vns 20cm, 2 discor qtz cb vns 3cm. Diss po 10cm
MQ-19-63	67.90	69.40	1.50	35	0	120		10 conc qtz cb vns 35cm, diss po 120cm
MQ-19-63	69.40	71.07	1.67	31	10	0		9 conc qtz cb vns 31cm, 2 discor qtz cb vns 10cm,
MQ-19-63	71.07	72.27	1.20	0	15	0		very large discor qtz cb ank vning very low angle 15cm runs the length of the interval.

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-63	72.27	73.15	0.88	0	15	0		discor qtz cb vn 5cm, discor ank vning 10cm. Very low angle runs down the core axis.
MQ-19-63	73.15	74.69	1.54	43	1	103		16 conc qtz cb vns 43cm, 1 discor qtz cb vnlt 1cm, diss po 103cm
MQ-19-63	74.69	75.50	0.81	23	0	65		5 conc qtz cb vns 23cm, diss po 65cm
MQ-19-63	75.50	76.70	1.20	23	0	80		7 conc qtz cb vns 23cm, diss po 80cm
MQ-19-63	76.70	78.20	1.50	11	1	0		2 conc qtz cb vns 11cm, 5 discor cb stringers 1cm,
MQ-19-63	78.20	79.85	1.65	2	5	0		1 conc qtz cb vn 2cm, 2 discor qtz cb vns 5cm,
MQ-19-63	79.85	81.32	1.47	20	0	0		8 conc qtz cb vns 20cm,
MQ-19-63	81.32	82.85	1.53	24	0	100		9 conc qtz cb vns 24cm, diss po 100cm
MQ-19-63	82.85	84.33	1.48	33	9	120		11 conc qtz cb vns 33cm, 5 discor qtz cb vns 9cm, diss po 120cm
MQ-19-63	84.33	85.88	1.55	14	1	155		8 conc qtz cb vns 14cm, 1 discor qtz cb vn 1cm, diss po 155cm.
MQ-19-63	85.88	87.44	1.56	18	0.2	117		6 conc qtz cb vns 18cm, 1 discor cb stringer .2cm. Diss po 117cm
MQ-19-63	87.44	89.00	1.56	17	0	90		10 conc qtz cb vns 17cm. Diss po 90cm
MQ-19-63	89.00	89.92	0.92	0	0	63		diss po 63cm
MQ-19-63	89.92	90.72	0.80	2	0	87		1 conc qtz cb vn 2cm, diss po 87cm
MQ-19-63	90.72	92.23	1.51	9	4	7		3 conc qtz cb vns 9cm, 1 discor qtz cb vn 4cm, diss po 7cm,
MQ-19-63	92.23	93.62	1.39	9	5	5		4 conc qtz cb vns 9cm, 2 discor qtz cb vns 5cm, diss po 5cm.
MQ-19-63	93.62	94.90	1.28	20	0	100		7 conc qtz cb vns 20cm, diss po 100cm.
MQ-19-63	94.90	95.30	0.40	0	0	0	flt	lmst hosted flt
MQ-19-63	95.30	96.82	1.52	2	0.5	0		1 conc qtz cb vn 2cm, 2 discor cb stringers .5cm.
MQ-19-63	96.82	98.34	1.52	0	0	0		
MQ-19-63	98.34	99.87	1.53	15	0	20		5 conc qtz cb vns 15cm, diss po 20cm
MQ-19-63	99.87	101.00	1.13	21	0	65		7 conc qtz cb vns 21cm, diss po 65cm
MQ-19-63	101.00	102.11	1.11	30	0	104		11 conc qtz cb vns 30cm, diss po 104cm
MQ-19-63	102.11	103.59	1.48	18	0	115		12 conc qtz cb vns 18cm, diss po 115cm,
MQ-19-63	103.59	105.16	1.57	30	1	117		7 conc qtz cb vns 30cm, small discor cb stringers 1cm, diss po 117cm
MQ-19-63	105.16	106.66	1.50	24	0	123		11 conc qtz cb vns 24cm, diss po 123cm
MQ-19-63	106.66	108.20	1.54	10	0	55		9 conc qtz cb vns 10cm, diss po 55cm
MQ-19-63	108.20	109.74	1.54	26	0	70		11 conc qtz cb vns 26cm, diss po 70cm
MQ-19-63	109.74	111.25	1.51	43	0	84		13 conc qtz cb vns 43cm, diss po 84cm
MQ-19-63	111.25	112.76	1.51	7	0.3	90		2 conc qtz cb vns 7cm, discor cb stringers .3cm diss po 90cm
MQ-19-63	112.76	114.30	1.54	13	0	95		7 conc qtz cb vns 13cm, diss po 95cm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-63	114.30	115.80	1.50	19	0	75		10 conc qtz cb vns 19cm, diss po 75cm
MQ-19-63	115.80	117.35	1.55	14	0	155		5 conc qtz cb vns 14cm, diss po 155cm
MQ-19-63	117.35	118.86	1.51	10	0.3	118		5 conc qtz cb vns 10cm, 1 discor cb stringer .3cm diss po 118cm
MQ-19-63	118.86	120.40	1.54	11	0	135		8 conc qtz cb vns 11cm, diss po 135cm
MQ-19-63	120.40	121.92	1.52	5	0	50	flt	gsch hosted flt zone 30cm, 2 conc qtz cb vns 5cm, diss po 50cm
MQ-19-63	121.92	123.44	1.52	35	0	150		10 conc qtz cb vns 35cm, diss po 150cm
MQ-19-63	123.44	125.00	1.56	36	0	135		11 conc qtz cb vns 36cm, 135cm diss po
MQ-19-63	125.00	126.49	1.49	41	0	100		11 conc qtz cb vns 41cm, sms po 7cm, diss po 100cm
MQ-19-63	126.49	128.05	1.56	43	0	96		12 conc qtz cb vns 43cm, diss po 96cm
MQ-19-63	128.05	129.54	1.49	30	0	90		10 conc qtz cb vns 30cm, diss po 90cm.
MQ-19-63	129.54	131.04	1.50	20	15	50		6 conc qtz cb vns 20cm, 10 discor stiolitic vns 15cm, diss po 50cm
MQ-19-63	131.04	132.59	1.55	45	0	55		12 conc qtz cb vns 45cm, diss po 55cm
MQ-19-64	12	13.72	1.72	15	0	0		8 conc qtz cb vns 15cm
MQ-19-64	13.72	14.81	1.09	9	0	0		8 conc qtz cb vns 9cm
MQ-19-64	14.81	15.71	0.90	10	0	15		9 conc qtz cb vns 10cm diss po 15cm
MQ-19-64	15.71	17.23	1.52	18	0	0		10 conc qtz cb vns 18cm,
MQ-19-64	17.23	18.29	1.06	7	0	0		3 conc qtz cb vns 7cm,
MQ-19-64	18.29	19.76	1.47	34	0	0		9 conc qtz cb vns 34cm,
MQ-19-64	19.76	21.34	1.58	35	0	35		6 conc qtz cb vns 35cm, diss po 35cm
MQ-19-64	21.34	22.86	1.52	57	15	27		19 conc qtz cb vns 57cm, 1 discor qtz cb vn 15cm, diss po 27cm
MQ-19-64	22.86	24.36	1.50	17	1	30		9 conc qtz cb vns 17cm, 4 discor cb stringers 1cm, diss po 30cm
MQ-19-64	24.36	25.91	1.55	4	0.5	6		2 conc qtz cb vns 4cm, 1 discor qtz cb vnlt .5cm, diss po 6cm.
MQ-19-64	25.91	27.43	1.52	5	3	0		2 conc qtz cb vns 5cm, 2 discor qtz cb vns 3cm,
MQ-19-64	27.43	28.98	1.55	8	2	13		7 conc qtz cb vns 8cm, 1 discor qtz cb vn 2cm, diss po 13cm
MQ-19-64	28.98	30.48	1.50	26	1	23		15 conc qtz cb vns 26cm, 1 discor qtz cb vn 1cm, diss po 23cm
MQ-19-64	30.48	32	1.52	13	0	60		4 conc qtz cb vns 13cm, diss po 60cm
MQ-19-64	32	33.53	1.53	8	0	130		4 conc qtz cb vns 8cm, diss po 130cm
MQ-19-64	33.53	35	1.47	34	0	65		13 conc qtz cb vns 34cm, diss po 65cm, skarn 100cm
MQ-19-64	35	36.58	1.58	8	0	122		2 conc qtz cb vns 8cm, diss po 122cm, skarn 42cm
MQ-19-64	36.58	38.13	1.55	22	0	125		13 conc qtz cb vns 22cm, diss po 125cm, skarn 9cm
MQ-19-64	38.13	39.62	1.49	3	2	86		3 conc qtz cb vns 3cm, 8 discor cb vnlt 2cm, diss po 86cm, skarn 38cm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-64	39.62	41.15	1.53	18	4	95		6 conc qtz cb vns 18cm, 2 discor qtz cb vns 4cm, diss po 95cm, skarn 18cm
MQ-19-64	41.15	42.1	0.95	21	0	95		11 conc qtz cb vns 21cm, diss po 97cm, skarn 13cm
MQ-19-64	42.1	42.98	0.88	0	25	45		1 discor qtz cb vn25cm, diss po 45cm,
MQ-19-64	42.98	43.52	0.54	5	0	10		2 conc qtz cb vns 5cm, diss po 10cm, skarn 8cm
MQ-19-64	43.52	44.6	1.08	22	0.3	15		7 conc qtz cb vns 22cm, 1 discor cb stringer .3cm. Diss po 15cm, skarn 115cm
MQ-19-64	44.6	45.72	1.12	14	0	33		2 conc qtz cb vns 11cm, diss po 33cm, skarn 73cm
MQ-19-64	45.72	47.24	1.52	14	0	74		5 conc qtz cb vns 14cm, diss po 74cm, skarn 70cm
MQ-19-64	47.24	48.77	1.53	35	1	115		13 conc qtz cb vns 35cm, 1 discor qtz cb vn 1cm, diss po 115cm, skarn 30cm
MQ-19-64	48.77	50.27	1.50	30	5	85		8 conc qtz cb vns 30cm, 3 discor qtz cb vns 5cm, diss po 85cm,
MQ-19-64	50.27	51.82	1.55	31	4	105		12 conc qtz cb vns 31cm, 1 discor cb vn 4cm, diss po 105cm, skarn 45cm
MQ-19-64	51.82	53.38	1.56	13	3	78		4 conc qtz cb vns 13cm, 1 discor cb vn 3cm, diss po 78cm, skarn 105cm
MQ-19-64	53.38	54.86	1.48	45	0	130		13 conc qtz cb vns 45cm, diss po 130cm,
MQ-19-64	54.86	56.5	1.64	50	0	156		15 conc qtz cb vns 50cm, diss po 156cm, skarn 10cm
MQ-19-64	56.5	58.02	1.52	21	30	75		7 conc qtz cb vns 21cm, 2 discor qtz cb vns 30cm, diss po 75cm. Skarn 152cm.
MQ-19-64	58.02	59.68	1.66	12	0	130		7 conc qtz cb vns 12cm, diss po 130cm, skarn 83cm
MQ-19-64	59.68	61.23	1.55	4	0	60		1 conc qtz cb vns 4cm, diss po 60cm, skarn 105cm.
MQ-19-64	61.23	62.82	1.59	9	2	150		3 conc qtz cb vns 9cm, 1 discor qtz cb vn 2cm, diss po 150cm, skarn 40cm
MQ-19-64	62.82	64.01	1.19	0	15	85		3 discor qtz cb vning low angle 15cm, diss po 85cm, skarn 25cm
MQ-19-64	64.01	65.17	1.16	13	13	100		3 conc qtz cb vns 13cm, 5 discor qtz cb vns low angle deformed 13cm, diss po 100cm, skarn 10cm
MQ-19-64	65.17	66.53	1.36	0	0	0	dyke	felsic dyke
MQ-19-64	66.53	68	1.47	28	0	147		8 conc qtz cb vns 28cm, diss po 147cm, skarn 23cm
MQ-19-64	68	69.5	1.50	21	5	150		7 conc qtz cb vns 21cm, 1 discor qtz cb vn 5cm, sms po 15cm, diss po 150cm, skarn 71cm
MQ-19-64	69.5	71.07	1.57	24	2	157		6 conc qtz cb vns 24cm, 1 conc qtz cb vn 2cm, sms po 25cm, diss po 157cm, skarn 12cm
MQ-19-64	71.07	72.65	1.58	6	2	155		3 conc qtz cb vns 8cm, 2 discor qtz cb vnlt 2cm, diss po 155cm
MQ-19-64	72.65	74.12	1.47	2	16	147		1 conc qtz cb vn 2cm, 2 discor qtz cb vns 16cm, diss po 150cm
MQ-19-64	74.12	75.67	1.55	8	10	155		7 conc qtz cb vns 8cm, 1 discor qtz cb vn 10cm, diss po 155cm

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-64	75.67	77.17	1.50	16	22	85		11 conc qtz cb vns 16cm, 1 discor qtz cb vn 22cm, sms po 8cm. Diss po 85cm.
MQ-19-64	77.17	78.61	1.44	20	1	0		12 conc qtz cb vns 20cm, 1 discor qtz cb vnlt 1cm, skarn 145cm
MQ-19-64	78.61	80.12	1.51	17	0	0		5 conc qtz cb vns 17cm, skarn 151cm
MQ-19-64	80.12	81.24	1.12	1	0	0		3 cb stringers 1cm, skarn 110cm
MQ-19-64	81.24	82.74	1.50	14	0	150		5 conc qtz cb vns 14cm, diss po 150cm, skarn 5cm.
MQ-19-64	82.74	84.28	1.54	5	0.5	154		4 conc qtz cb vns 5cm. 1 discor cb stringer .5cm. Diss po 154cm
MQ-19-64	84.28	85.8	1.52	6	0	145		2 conc qtz cb vns 6cm, diss po 145cm
MQ-19-64	85.8	87.44	1.64	10	1	145		5 conc qtz cb vns 10cm, 1 conc qtz cb vn 1cm, diss po 145cm
MQ-19-64	87.44	88.21	0.77	0	70	35	sx vn	5 discor ank vns sph galena 70cm, very nice interval lead silver mineralization. Diss po 35cm
MQ-19-64	88.21	89.71	1.50	31	2	120		15 conc qtz cb vns 31cm, 2 discor qtz cb vnlt 2cm, diss po 120cm
MQ-19-64	89.71	91.24	1.53	25	3	145		9 conc qtz cb vns 25cm, 3 discor qtz cb vnlt 3cm, diss po 145cm.
MQ-19-64	91.24	92.78	1.54	20	2	154		13 conc qtz cb vns 20cm, 4 discor qtz cb vnlt/stringers 2cm, diss po 154cm
MQ-19-64	92.78	94.17	1.39	10	0	139		8 conc qtz cb vns 10cm, diss po 150cm
MQ-19-64	94.17	95.71	1.54	7	10	42		3 conc qtz cb vns 7cm, 2 discor qtz cb vns/stringers 10cm, diss po 42cm, skarn 153cm.
MQ-19-64	95.71	97.23	1.52	17	1	81		7 conc qtz cb vns 17cm, 4 discor cb vnlt 1cm, diss po 81cm, skarn 91cm.
MQ-19-64	97.23	98.76	1.53	33	0	153		14 conc qtz cb vns 33cm, diss po 153cm, skarn 41cm.
MQ-19-64	98.76	99.82	1.06	10	0	104		5 conc qtz cb vns 10cm, diss po 104cm, skarn 33cm
MQ-19-64	99.82	100.82	1.00	0	3	100		5 discor cb stringers 3cm, diss po 100cm.
MQ-19-64	100.82	102.35	1.53	17	22	130		10 conc qtz cb vns 17cm. 2 discor qtz cb vns 20cm, 4 discor cb stringers 2cm, diss po 130cm
MQ-19-64	102.35	103.63	1.28	24	0	128		9 conc qtz cb vns 24cm, diss po 150cm. Skarn 20cm
MQ-19-64	103.63	105.09	1.46	9	3	146		8 conc qtz cb vns 9cm, 3 discor qtz cb vns 3cm. Diss po 150cm
MQ-19-64	105.09	106.45	1.36	30	0	81		11 conc qtz cb vns 30cm, diss po 81cm.
MQ-19-64	106.45	107.65	1.20	16	0	0		5 conc qtz cb vns 16cm,
MQ-19-64	107.65	107.92	0.27	0	10	0	sx vn	ank vn with stringers emanating galena and sph 10cm
MQ-19-64	107.92	109.39	1.47	37	0	90		18 conc qtz cb vns 37cm, diss po 90cm,
MQ-19-64	109.39	110.84	1.45	35	3	140		14 conc qtz cb vns 35cm, 2 discor qtz cb vns 3cm, diss po 140cm.
MQ-19-64	110.84	112.34	1.50	15	2	93		8 conc qtz cb vns 15cm, 4 discor qtz cb vnlt 2cm, diss po 93cm,



Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-64	112.34	113.69	1.35	8	1	122		5 conc qtz cb vns 8cm, 1 discor qtz cb vnlt 1cm, diss po 122cm
MQ-19-64	113.69	115.19	1.50	15	3	123		4 conc qtz cb vns 15cm, discor sx vn po 3cm, diss po 123cm, 41 cm lmst
MQ-19-64	115.19	116.6	1.41	13	15	40		6 conc qtz cb vns 13cm, 8 discor qtz cb vns 15cm, diss po 40cm, skarn 20cm
MQ-19-64	116.6	118.1	1.50	30	0	125		19 conc qtz cb vns 30cm, diss po 125cm, 24cm lmst
MQ-19-64	118.1	119.53	1.43	10	0	138		8 concn qtz cb vns 10cm, diss po 138cm
MQ-19-64	119.53	120.82	1.29	5	64	84		3 conc qtz cb vns 5cm, 13 discor qtz cb vns 64cm, diss po 84cm
MQ-19-64	120.82	121.92	1.10	0	65	95		10 discor qtz cb vns 65cm, diss po 95cm
MQ-19-64	121.92	123.41	1.49	14	0	150		10 conc qtz cb vns 14cm, diss po 150cm
MQ-19-64	123.41	124.92	1.51	23	0	150		9 conc qtz cb vns 23cm, diss po 150cm
MQ-19-64	124.92	126.39	1.47	11	1	130		9 conc qtz cb vns 11cm, 1 discor qtz cb vn 1cm, diss po 130cm
MQ-19-64	126.39	127.84	1.45	7	0	130		3 conc qtz cb vns 7cm, 1 small gsch flt 16cm, diss po 130cm
MQ-19-64	127.84	129.34	1.50	31	0	150		16 conc qtz cb vns 31cm, diss po 150cm
MQ-19-64	129.34	131.06	1.72	26	0	160		15 conc qtz cb vns 26cm, diss po 160cm
MQ-19-64	131.06	132.54	1.48	22	20	0		14 conc qtz cb vns 22cm, 3 discor qtz cb vns 20cm
MQ-19-64	132.54	134.04	1.50	8	0	150		5 conc qtz cb vns 8cm, diss po 150cm
MQ-19-64	134.04	135.53	1.49	8	3	140		4 conc qtz cb vns 8cm, 1 discor qtz cb vn 3cm, diss po 140cm
MQ-19-64	135.53	136.97	1.44	0	5	140		4 discor qtz cb vnlt 5cm, diss po 140cm
MQ-19-64	136.97	138.4	1.43	12	0	80		9 conc qtz cb vns 12cm, diss po 80cm,
MQ-19-64	138.4	139.91	1.51	23	4	65		12 conc qtz cb vns 23cm, 4 discor qtz cb vns 4cm, diss po 65cm
MQ-19-64	139.91	141.4	1.49	9	2	90		7 conc qtz cb vns 9cm, 2 discor qtz cb vns 2cm, diss po 90cm
MQ-19-64	141.4	142.8	1.40	27	1	38		10 conc qtz cb vns 27cm, 1 discor qtz cb vnlt 1cm, diss po 38cm
MQ-19-64	142.8	144.23	1.43	14	0	54		6 conc qtz cb vns 14cm, diss po 54cm.
MQ-19-64	144.23	145.67	1.44	35	0	144		13 conc qtz cb vns 35cm, diss po 144cm
MQ-19-64	145.67	147.13	1.46	22	0	90		11 conc qtz cb vns 22cm, diss po 90cm
MQ-19-64	147.13	148.63	1.50	47	1	75		14 conc qtz cb vns 47cm, 1 discor qtz cb vn 1cm, sms deformed 10cm. Diss po 75cm
MQ-19-64	148.63	150.05	1.42	47	0	93		19 conc qtz cb vns 47cm, diss po 93cm
MQ-19-64	150.05	151.47	1.42	13	0	45		8 conc qtz cb vns 13cm, sms po 5cm, diss po 45cm
MQ-19-64	151.47	152.89	1.42	28	0	116		10 conc qtz cb vns 28cm, diss po 116cm
MQ-19-64	152.89	154.35	1.46	45	2	150		22 conc qtz cb vns 45cm, 1 discor qtz cb vn apy 2cm, diss po 150cm
MQ-19-64	154.35	155.85	1.50	26	3	95		13 conc qtz cb vns 26cm, 7 discor cb vnlt 3cm, diss po 95cm,

Hole_ID	From	To	Interval	Concord Vein (cm)	DiscorV ein (cm)	MagSus >1 (cm)	Code	Description
MQ-19-64	155.85	157.32	1.47	48	8	65		19 conc qtz cb vns 48cm, 1 ank vn 8cm, diss po 65cm
MQ-19-64	157.32	158.88	1.56	28	1	22		16 conc qtz cb vns 28cm, 1 discor qtz cb vnlt 1cm, diss po 22cm
MQ-19-64	158.88	159.78	0.90	8	0	20		5 conc qtz cb vns 8cm, flt 40cm, diss po 20cm
MQ-19-64	159.78	160.65	0.87	14	0	0		7 conc qtz cb vns 14cm
MQ-19-64	160.65	161.9	1.25	20	5	93		7 conc qtz cb vns 20cm, 6 discor qtz cb vns 5cm, diss po 93cm
MQ-19-64	161.9	163.07	1.17	31	6	70		10 conc qtz cb vns 31cm, 8 discor qtz cb vns 6cm, diss po 70cm

# APPENDIX 6

## HALF CORE SAMPLE LOCATION AND LAB CERTIFICATE LINK

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
AX-19-30	6.55	9.14	2.59	1825001	core	WHI19000167	Drill Core
AX-19-30	9.14	10.67	1.53	1825002	core	WHI19000167	Drill Core
AX-19-30	10.67	12.20	1.53	1825003	core	WHI19000167	Drill Core
AX-19-30	12.20	13.50	1.30	1825004	core	WHI19000167	Drill Core
AX-19-30	13.50	15.00	1.50	1825005	core	WHI19000167	Drill Core
AX-19-30	15.00	16.50	1.50	1825006	core	WHI19000167	Drill Core
AX-19-30	16.50	18.00	1.50	1825007	core	WHI19000167	Drill Core
AX-19-30	18.00	19.50	1.50	1825008	core	WHI19000167	Drill Core
AX-19-30	19.50	21.36	1.86	1825009	core	WHI19000167	Drill Core
AX-19-30	21.36	21.36	0.00	1825010	CDN-ME-1414	WHI19000167	Rock Pulp
AX-19-30	21.36	22.86	1.50	1825011	core	WHI19000167	Drill Core
AX-19-30	22.86	24.38	1.52	1825012	core	WHI19000167	Drill Core
AX-19-30	24.38	25.91	1.53	1825013	core	WHI19000167	Drill Core
AX-19-30	25.91	27.43	1.52	1825014	core	WHI19000167	Drill Core
AX-19-30	27.43	28.96	1.53	1825015	core	WHI19000167	Drill Core
AX-19-30	28.96	30.48	1.52	1825016	core	WHI19000167	Drill Core
AX-19-30	30.48	32	1.52	1825017	core	WHI19000167	Drill Core
AX-19-30	32	33.6	1.60	1825018	core	WHI19000167	Drill Core
AX-19-30	33.6	35.05	1.45	1825019	1/4 core	WHI19000167	Drill Core
AX-19-30	33.6	35.05	1.45	1825020	1/4 core	WHI19000167	Drill Core
AX-19-30	35.05	36.47	1.42	1825021	core	WHI19000167	Drill Core
AX-19-30	36.47	38.1	1.63	1825022	core	WHI19000167	Drill Core
AX-19-30	38.1	39.55	1.45	1825023	core	WHI19000167	Drill Core
AX-19-30	39.55	41.15	1.60	1825024	core	WHI19000167	Drill Core
AX-19-30	41.15	42.6	1.45	1825025	core	WHI19000167	Drill Core
AX-19-30	42.6	44.2	1.60	1825026	core	WHI19000167	Drill Core
AX-19-30	44.2	45.72	1.52	1825027	core	WHI19000167	Drill Core
AX-19-30	45.72	47.42	1.70	1825028	core	WHI19000167	Drill Core
AX-19-30	47.42	48.74	1.32	1825029	core	WHI19000167	Drill Core
AX-19-30	48.74	48.74	0.00	1825030	blank	WHI19000167	Rock
AX-19-30	48.74	49.8	1.06	1825031	core	WHI19000167	Drill Core
AX-19-30	49.8	51.63	1.83	1825032	core	WHI19000167	Drill Core
AX-19-30	51.63	53.34	1.71	1825033	core	WHI19000167	Drill Core
AX-19-30	53.34	54.14	0.80	1825034	core	WHI19000167	Drill Core
AX-19-30	54.14	56	1.86	1825035	core	WHI19000167	Drill Core
AX-19-30	56	58	2.00	1825036	core	WHI19000167	Drill Core
AX-19-30	58	59.19	1.19	1825037	core	WHI19000167	Drill Core
AX-19-30	59.19	60.96	1.77	1825038	core	WHI19000167	Drill Core
AX-19-30	60.96	63.5	2.54	1825039	1/4 core	WHI19000167	Drill Core
AX-19-30	60.96	63.5	2.54	1825040	1/4 core	WHI19000167	Drill Core
AX-19-30	63.5	64.17	0.67	1825041	core	WHI19000167	Drill Core
AX-19-30	64.17	66.15	1.98	1825042	core	WHI19000167	Drill Core
AX-19-30	66.15	67.25	1.10	1825043	core	WHI19000167	Drill Core
AX-19-30	67.25	68.58	1.33	1825044	core	WHI19000167	Drill Core
AX-19-30	68.58	70.1	1.52	1825045	core	WHI19000167	Drill Core
AX-19-30	70.1	71.63	1.53	1825046	core	WHI19000167	Drill Core

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
AX-19-30	71.63	73.15	1.52	1825047	core	WHI19000167	Drill Core
AX-19-30	73.15	74.37	1.22	1825048	core	WHI19000167	Drill Core
AX-19-30	74.37	76.2	1.83	1825049	core	WHI19000167	Drill Core
AX-19-30	76.2	76.2	0.00	1825050	CDN-ME-1605	WHI19000167	Rock Pulp
AX-19-30	76.2	77.75	1.55	1825051	core	WHI19000167	Drill Core
AX-19-30	77.75	79.25	1.50	1825052	core	WHI19000167	Drill Core
AX-19-30	79.25	80.77	1.52	1825053	core	WHI19000167	Drill Core
AX-19-30	80.77	82.3	1.53	1825054	core	WHI19000167	Drill Core
AX-19-30	82.3	83.82	1.52	1825055	core	WHI19000167	Drill Core
AX-19-30	83.82	85.35	1.53	1825056	core	WHI19000167	Drill Core
AX-19-30	85.35	86.87	1.52	1825057	core	WHI19000167	Drill Core
AX-19-30	86.87	88.35	1.48	1825058	core	WHI19000167	Drill Core
AX-19-30	88.35	89.7	1.35	1825059	1/4 core	WHI19000167	Drill Core
AX-19-30	88.35	89.7	1.35	1825060	1/4 core	WHI19000167	Drill Core
AX-19-30	89.7	91.35	1.65	1825061	core	WHI19000167	Drill Core
AX-19-30	91.35	92.96	1.61	1825062	core	WHI19000167	Drill Core
AX-19-30	92.96	94.35	1.39	1825063	core	WHI19000167	Drill Core
AX-19-30	94.35	96.01	1.66	1825064	core	WHI19000167	Drill Core
AX-19-30	96.01	97.82	1.81	1825065	core	WHI19000167	Drill Core
AX-19-30	97.82	99.06	1.24	1825066	core	WHI19000167	Drill Core
AX-19-30	99.06	100.58	1.52	1825067	core	WHI19000167	Drill Core
AX-19-30	100.58	102	1.42	1825068	core	WHI19000167	Drill Core
AX-19-30	102	103.63	1.63	1825069	core	WHI19000167	Drill Core
AX-19-30	103.63	103.63	0.00	1825070	blank	WHI19000167	Rock
AX-19-30	103.63	105.3	1.67	1825071	core	WHI19000167	Drill Core
AX-19-30	105.3	106.68	1.38	1825072	core	WHI19000167	Drill Core
AX-19-30	106.68	108.28	1.60	1825073	core	WHI19000167	Drill Core
AX-19-30	108.28	109.65	1.37	1825074	core	WHI19000167	Drill Core
AX-19-30	109.65	111.03	1.38	1825075	core	WHI19000167	Drill Core
AX-19-30	111.03	112.78	1.75	1825076	core	WHI19000167	Drill Core
AX-19-30	112.78	114.51	1.73	1825077	core	WHI19000167	Drill Core
AX-19-30	114.51	116.26	1.75	1825078	core	WHI19000167	Drill Core
AX-19-30	116.26	116.38	0.12	1825079	core	WHI19000167	Drill Core
AX-19-30	116.38	116.38	0.00	1825080	CDN-ME-1605	WHI19000167	Rock Pulp
AX-19-30	116.38	117.86	1.48	1825081	core	WHI19000167	Drill Core
AX-19-30	117.86	118.87	1.01	1825082	core	WHI19000167	Drill Core
AX-19-30	118.87	120.62	1.75	1825083	core	WHI19000167	Drill Core
AX-19-30	120.62	122.11	1.49	1825084	core	WHI19000167	Drill Core
AX-19-30	122.11	123.61	1.50	1825085	core	WHI19000167	Drill Core
AX-19-30	123.61	124.97	1.36	1825086	core	WHI19000167	Drill Core
AX-19-30	124.97	126.18	1.21	1825087	core	WHI19000167	Drill Core
AX-19-30	126.18	128.02	1.84	1825088	core	WHI19000167	Drill Core
AX-19-30	128.02	129.67	1.65	1825089	1/4 core	WHI19000167	Drill Core
AX-19-30	128.02	129.67	1.65	1825090	1/4 core	WHI19000167	Drill Core
AX-19-30	129.67	131.06	1.39	1825091	core	WHI19000167	Drill Core
AX-19-30	131.06	132.52	1.46	1825092	core	WHI19000167	Drill Core

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
AX-19-30	132.52	134.12	1.60	1825093	core	WHI19000167	Drill Core
AX-19-30	134.12	135.61	1.49	1825094	core	WHI19000167	Drill Core
AX-19-30	135.61	137.16	1.55	1825095	core	WHI19000167	Drill Core
AX-19-30	137.16	138.66	1.50	1825096	core	WHI19000167	Drill Core
AX-19-30	138.66	140.21	1.55	1825097	core	WHI19000167	Drill Core
AX-19-30	140.21	141.73	1.52	1825098	core	WHI19000167	Drill Core
AX-19-30	141.73	143.23	1.50	1825099	core	WHI19000167	Drill Core
AX-19-30	143.23	143.23	0.00	1825100	blank	WHI19000167	Rock
AX-19-30	143.23	144.78	1.55	1825101	core	WHI19000167	Drill Core
AX-19-30	144.78	146.18	1.40	1825102	core	WHI19000167	Drill Core
AX-19-30	146.18	147.26	1.08	1825103	core	WHI19000167	Drill Core
AX-19-30	147.26	149.11	1.85	1825104	core	WHI19000167	Drill Core
AX-19-30	149.11	150.88	1.77	1825105	core	WHI19000167	Drill Core
AX-19-30	150.88	152.03	1.15	1825106	core	WHI19000167	Drill Core
AX-19-30	152.03	153.92	1.89	1825107	core	WHI19000167	Drill Core
AX-19-30	153.92	155.42	1.50	1825108	core	WHI19000167	Drill Core
AX-19-30	155.42	156.97	1.55	1825109	core	WHI19000167	Drill Core
AX-19-30	156.97	156.97	0.00	1825110	blank	WHI19000167	Rock
AX-19-30	156.97	158.47	1.50	1825111	core	WHI19000167	Drill Core
AX-19-30	158.47	160.32	1.85	1825112	core	WHI19000167	Drill Core
AX-19-30	160.32	161.7	1.38	1825113	core	WHI19000167	Drill Core
AX-19-30	161.7	162.46	0.76	1825114	core	WHI19000167	Drill Core
AX-19-30	162.46	164.42	1.96	1825115	core	WHI19000167	Drill Core
AX-19-30	164.42	166.12	1.70	1825116	core	WHI19000167	Drill Core
AX-19-30	166.12	168.25	2.13	1825117	core	WHI19000167	Drill Core
AX-19-30	168.25	169.67	1.42	1825118	core	WHI19000167	Drill Core
AX-19-30	169.67	171.6	1.93	1825119	core	WHI19000167	Drill Core
AX-19-30	171.6	171.6	0.00	1825120	CDN-ME-1605	WHI19000167	Rock Pulp
AX-19-30	171.6	172.98	1.38	1825121	core	WHI19000167	Drill Core
AX-19-30	172.98	175.05	2.07	1825122	core	WHI19000167	Drill Core
AX-19-30	175.05	177.26	2.21	1825123	core	WHI19000167	Drill Core
AX-19-30	177.26	178.31	1.05	1825124	core	WHI19000167	Drill Core
AX-19-31	11.7	13.79	2.09	1825125	core	WHI19000168	Drill Core
AX-19-31	13.79	15.24	1.45	1825126	core	WHI19000168	Drill Core
AX-19-31	15.24	16.77	1.53	1825127	core	WHI19000168	Drill Core
AX-19-31	16.77	18.29	1.52	1825128	core	WHI19000168	Drill Core
AX-19-31	18.29	19.81	1.52	1825129	1/4 core	WHI19000168	Drill Core
AX-19-31	18.29	19.81	1.52	1825130	1/4 core	WHI19000168	Drill Core
AX-19-31	19.81	21.34	1.53	1825131	core	WHI19000168	Drill Core
AX-19-31	21.34	23.55	2.21	1825132	core	WHI19000168	Drill Core
AX-19-31	23.55	24.66	1.11	1825133	core	WHI19000168	Drill Core
AX-19-31	24.66	25.91	1.25	1825134	core	WHI19000168	Drill Core
AX-19-31	25.91	27.43	1.52	1825135	core	WHI19000168	Drill Core
AX-19-31	27.43	28.96	1.53	1825136	core	WHI19000168	Drill Core
AX-19-31	28.96	30.48	1.52	1825137	core	WHI19000168	Drill Core
AX-19-31	30.48	32.33	1.85	1825138	core	WHI19000168	Drill Core

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
AX-19-31	32.33	33.53	1.20	1825139	core	WHI19000168	Drill Core
AX-19-31	33.53	33.53	0.00	1825140	blank	WHI19000168	Rock
AX-19-31	33.53	35.05	1.52	1825141	core	WHI19000168	Drill Core
AX-19-31	35.05	36.58	1.53	1825142	core	WHI19000168	Drill Core
AX-19-31	36.58	38.08	1.50	1825143	core	WHI19000168	Drill Core
AX-19-31	38.08	39.62	1.54	1825144	core	WHI19000168	Drill Core
AX-19-31	39.62	41.15	1.53	1825145	core	WHI19000168	Drill Core
AX-19-31	41.15	42.67	1.52	1825146	core	WHI19000168	Drill Core
AX-19-31	42.67	44.11	1.44	1825147	core	WHI19000168	Drill Core
AX-19-31	44.11	45.72	1.61	1825148	core	WHI19000168	Drill Core
AX-19-31	45.72	47.24	1.52	1825149	1/4 core	WHI19000168	Drill Core
AX-19-31	45.72	47.24	1.52	1825150	1/4 core	WHI19000168	Drill Core
AX-19-31	47.24	48.28	1.04	1825151	core	WHI19000168	Drill Core
AX-19-31	48.28	50.29	2.01	1825152	core	WHI19000168	Drill Core
AX-19-31	50.29	51.21	0.92	1825153	core	WHI19000168	Drill Core
AX-19-31	51.21	53.34	2.13	1825154	core	WHI19000168	Drill Core
AX-19-31	53.34	54.92	1.58	1825155	core	WHI19000168	Drill Core
AX-19-31	54.92	56.39	1.47	1825156	core	WHI19000168	Drill Core
AX-19-31	56.39	57.78	1.39	1825157	core	WHI19000168	Drill Core
AX-19-31	57.78	59.44	1.66	1825158	core	WHI19000168	Drill Core
AX-19-31	59.44	60.86	1.42	1825159	core	WHI19000168	Drill Core
AX-19-31	60.86	60.86	0.00	1825160	CDN-ME-1414	WHI19000168	Rock Pulp
AX-19-31	60.86	62.48	1.62	1825161	core	WHI19000168	Drill Core
AX-19-31	62.48	64	1.52	1825162	core	WHI19000168	Drill Core
AX-19-31	64	65.53	1.53	1825163	core	WHI19000168	Drill Core
AX-19-31	65.53	67.13	1.60	1825164	core	WHI19000168	Drill Core
AX-19-31	67.13	68.58	1.45	1825165	core	WHI19000168	Drill Core
AX-19-31	68.58	70.4	1.82	1825166	core	WHI19000168	Drill Core
AX-19-31	70.4	71.63	1.23	1825167	core	WHI19000168	Drill Core
AX-19-31	71.63	72	0.37	1825168	core	WHI19000168	Drill Core
AX-19-31	72	74.26	2.26	1825169	1/4 core	WHI19000168	Drill Core
AX-19-31	72	74.26	2.26	1825170	1/4 core	WHI19000168	Drill Core
AX-19-31	74.26	75.44	1.18	1825171	core	WHI19000168	Drill Core
AX-19-31	75.44	76.9	1.46	1825172	core	WHI19000168	Drill Core
AX-19-31	76.90	78.07	1.17	1825173	core	WHI19000168	Drill Core
AX-19-31	78.07	79.5	1.43	1825174	core	WHI19000168	Drill Core
AX-19-31	79.5	80.77	1.27	1825175	core	WHI19000168	Drill Core
AX-19-31	80.77	82.22	1.45	1825176	core	WHI19000168	Drill Core
AX-19-31	82.22	83.21	0.99	1825177	core	WHI19000168	Drill Core
AX-19-31	83.21	85	1.79	1825178	core	WHI19000168	Drill Core
AX-19-31	85	86.5	1.50	1825179	core	WHI19000168	Drill Core
AX-19-31	86.5	86.5	0.00	1825180	CDN-ME-1605	WHI19000168	Rock Pulp
AX-19-31	86.5	88	1.50	1825181	core	WHI19000168	Drill Core
AX-19-31	88	88.9	0.90	1825182	core	WHI19000168	Drill Core
AX-19-31	88.9	90.22	1.32	1825183	core	WHI19000168	Drill Core
AX-19-31	90.22	92.35	2.13	1825184	core	WHI19000168	Drill Core

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
AX-19-31	92.35	93.6	1.25	1825185	core	WHI19000168	Drill Core
AX-19-31	93.6	95.4	1.80	1825186	core	WHI19000168	Drill Core
AX-19-31	95.4	97.54	2.14	1825187	core	WHI19000168	Drill Core
AX-19-31	97.54	99	1.46	1825188	core	WHI19000168	Drill Core
AX-19-31	99	100.58	1.58	1825189	1/4 core	WHI19000168	Drill Core
AX-19-31	99	100.58	1.58	1825190	1/4 core	WHI19000168	Drill Core
AX-19-31	100.58	102	1.42	1825191	core	WHI19000168	Drill Core
AX-19-31	102	103.63	1.63	1825192	core	WHI19000168	Drill Core
AX-19-31	103.63	105.19	1.56	1825193	core	WHI19000168	Drill Core
AX-19-31	105.19	106.68	1.49	1825194	core	WHI19000168	Drill Core
AX-19-31	106.68	108.2	1.52	1825195	core	WHI19000168	Drill Core
AX-19-31	108.2	109.73	1.53	1825196	core	WHI19000168	Drill Core
AX-19-31	109.73	111.86	2.13	1825197	core	WHI19000168	Drill Core
AX-19-32	8.66	11.25	2.59	1825198	core	WHI19000169	Drill Core
AX-19-32	11.25	13.21	1.96	1825199	core	WHI19000169	Drill Core
AX-19-32	13.21	13.21	0.00	1825200	blank	WHI19000169	Rock
AX-19-32	13.21	15.22	2.01	1825201	core	WHI19000169	Drill Core
AX-19-32	15.22	17.25	2.03	1825202	core	WHI19000169	Drill Core
AX-19-32	17.25	18.29	1.04	1825203	core	WHI19000169	Drill Core
AX-19-32	18.29	19.81	1.52	1825204	core	WHI19000169	Drill Core
AX-19-32	19.81	21.75	1.94	1825205	core	WHI19000169	Drill Core
AX-19-32	21.75	23.97	2.22	1825206	core	WHI19000169	Drill Core
AX-19-32	23.97	25.91	1.94	1825207	core	WHI19000169	Drill Core
AX-19-32	25.91	26.48	0.57	1825208	core	WHI19000169	Drill Core
AX-19-32	26.48	28.59	2.11	1825209	1/4 core	WHI19000169	Drill Core
AX-19-32	26.48	28.59	2.11	1825210	1/4 core	WHI19000169	Drill Core
AX-19-32	28.59	30.78	2.19	1825211	core	WHI19000169	Drill Core
AX-19-32	30.78	32.76	1.98	1825212	core	WHI19000169	Drill Core
AX-19-32	32.76	34.75	1.99	1825213	core	WHI19000169	Drill Core
AX-19-32	34.75	36.90	2.15	1825214	core	WHI19000169	Drill Core
AX-19-32	36.90	38.54	1.64	1825215	core	WHI19000169	Drill Core
AX-19-32	38.54	40.00	1.46	1825216	core	WHI19000169	Drill Core
AX-19-32	40.00	41.50	1.50	1825217	core	WHI19000169	Drill Core
AX-19-32	41.50	42.67	1.17	1825218	core	WHI19000169	Drill Core
AX-19-32	42.67	44.67	2.00	1825219	core	WHI19000169	Drill Core
AX-19-32	44.67	44.67	0.00	1825220	CDN-ME-1414	WHI19000169	Rock Pulp
AX-19-32	44.67	45.87	1.20	1825221	core	WHI19000169	Drill Core
AX-19-32	45.87	47.55	1.68	1825222	core	WHI19000169	Drill Core
AX-19-32	47.55	49.99	2.44	1825223	core	WHI19000169	Drill Core
AX-19-32	49.99	51.62	1.63	1825224	core	WHI19000169	Drill Core
AX-19-32	51.62	53.75	2.13	1825225	core	WHI19000169	Drill Core
AX-19-32	53.75	55.30	1.55	1825226	core	WHI19000169	Drill Core
AX-19-32	55.30	57.46	2.16	1825227	core	WHI19000169	Drill Core
AX-19-32	57.46	59.44	1.98	1825228	core	WHI19000169	Drill Core
AX-19-32	59.44	60.82	1.38	1825229	1/4 core	WHI19000169	Drill Core
AX-19-32	59.44	60.82	1.38	1825230	1/4 core	WHI19000169	Drill Core



Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
AX-19-32	60.82	61.68	0.86	1825231	core	WHI19000169	Drill Core
AX-19-32	61.68	63.70	2.02	1825232	core	WHI19000169	Drill Core
AX-19-32	63.70	65.53	1.83	1825233	core	WHI19000169	Drill Core
AX-19-32	65.53	67.70	2.17	1825234	core	WHI19000169	Drill Core
AX-19-32	67.70	70.10	2.40	1825235	core	WHI19000169	Drill Core
AX-19-32	70.10	71.24	1.14	1825236	core	WHI19000169	Drill Core
AX-19-32	71.24	73.15	1.91	1825237	core	WHI19000169	Drill Core
AX-19-32	73.15	74.70	1.55	1825238	core	WHI19000169	Drill Core
AX-19-32	74.70	76.20	1.50	1825239	core	WHI19000169	Drill Core
AX-19-32	76.20	76.20	0.00	1825240	CDN-ME-1605	WHI19000169	Rock Pulp
AX-19-32	76.20	77.65	1.45	1825241	core	WHI19000169	Drill Core
AX-19-32	77.65	78.94	1.29	1825242	core	WHI19000169	Drill Core
AX-19-32	78.94	80.77	1.83	1825243	core	WHI19000169	Drill Core
AX-19-32	80.77	82.32	1.55	1825244	core	WHI19000169	Drill Core
AX-19-32	82.32	83.82	1.50	1825245	core	WHI19000169	Drill Core
AX-19-32	83.82	85.88	2.06	1825246	core	WHI19000169	Drill Core
AX-19-32	85.88	86.52	0.64	1825247	core	WHI19000169	Drill Core
AX-19-32	86.52	88.39	1.87	1825248	core	WHI19000169	Drill Core
AX-19-32	88.39	89.11	0.72	1825249	1/4 core	WHI19000169	Drill Core
AX-19-32	88.39	89.11	0.72	1825250	1/4 core	WHI19000169	Drill Core
AX-19-32	89.11	90.19	1.08	1825251	core	WHI19000169	Drill Core
AX-19-32	90.19	91.44	1.25	1825252	core	WHI19000169	Drill Core
AX-19-32	91.44	92.96	1.52	1825253	core	WHI19000169	Drill Core
AX-19-32	92.96	94.49	1.53	1825254	core	WHI19000169	Drill Core
AX-19-32	94.49	96.00	1.51	1825255	core	WHI19000169	Drill Core
AX-19-32	96.00	97.54	1.54	1825256	core	WHI19000169	Drill Core
AX-19-32	97.54	98.59	1.05	1825257	core	WHI19000169	Drill Core
AX-19-32	98.59	99.57	0.98	1825258	core	WHI19000169	Drill Core
AX-19-32	99.57	100.58	1.01	1825259	core	WHI19000169	Drill Core
AX-19-32	100.58	100.58	0.00	1825260	blank	WHI19000169	Rock
AX-19-32	100.58	101.75	1.17	1825261	core	WHI19000169	Drill Core
AX-19-32	101.75	102.11	0.36	1825262	core	WHI19000169	Drill Core
AX-19-32	102.11	103.63	1.52	1825263	core	WHI19000169	Drill Core
AX-19-32	103.63	105.16	1.53	1825264	core	WHI19000169	Drill Core
AX-19-32	105.16	106.30	1.14	1825265	core	WHI19000169	Drill Core
AX-19-32	106.30	108.20	1.90	1825266	core	WHI19000169	Drill Core
AX-19-33	12.19	15.24	3.05	1825267	core	WHI19000170	Drill Core
AX-19-33	15.24	16.76	1.52	1825268	core	WHI19000170	Drill Core
AX-19-33	16.76	17.52	0.76	1825269	core	WHI19000170	Drill Core
AX-19-33	17.52	17.52	0.00	1825270	blank	WHI19000170	Rock
AX-19-33	17.52	19.81	2.29	1825271	core	WHI19000170	Drill Core
AX-19-33	19.81	21.12	1.31	1825272	core	WHI19000170	Drill Core
AX-19-33	21.12	22.86	1.74	1825273	core	WHI19000170	Drill Core
AX-19-33	22.86	24.3	1.44	1825274	core	WHI19000170	Drill Core
AX-19-33	24.3	25.91	1.61	1825275	core	WHI19000170	Drill Core
AX-19-33	25.91	27.5	1.59	1825276	core	WHI19000170	Drill Core

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
AX-19-33	27.5	28.96	1.46	1825277	core	WHI19000170	Drill Core
AX-19-33	28.96	30.58	1.62	1825278	core	WHI19000170	Drill Core
AX-19-33	30.58	32	1.42	1825279	core	WHI19000170	Drill Core
AX-19-33	32	32	0.00	1825280	CDN-ME-1414	WHI19000170	Rock Pulp
AX-19-33	32	33.53	1.53	1825281	core	WHI19000170	Drill Core
AX-19-33	33.53	35.05	1.52	1825282	core	WHI19000170	Drill Core
AX-19-33	35.05	36.58	1.53	1825283	core	WHI19000170	Drill Core
AX-19-33	36.58	38.31	1.73	1825284	core	WHI19000170	Drill Core
AX-19-33	38.31	40.02	1.71	1825285	core	WHI19000170	Drill Core
AX-19-33	40.02	42.2	2.18	1825286	core	WHI19000170	Drill Core
AX-19-33	42.2	44.2	2.00	1825287	core	WHI19000170	Drill Core
AX-19-33	44.2	46.35	2.15	1825288	core	WHI19000170	Drill Core
AX-19-33	46.35	48.56	2.21	1825289	1/4 core	WHI19000170	Drill Core
AX-19-33	46.35	48.56	2.21	1825290	1/4 core	WHI19000170	Drill Core
AX-19-33	48.56	49.6	1.04	1825291	core	WHI19000170	Drill Core
AX-19-33	49.6	51.82	2.22	1825292	core	WHI19000170	Drill Core
AX-19-33	51.82	53.77	1.95	1825293	core	WHI19000170	Drill Core
AX-19-33	53.77	55.95	2.18	1825294	core	WHI19000170	Drill Core
AX-19-33	55.95	56.28	0.33	1825295	core	WHI19000170	Drill Core
AX-19-33	56.28	57.85	1.57	1825296	core	WHI19000170	Drill Core
AX-19-33	57.85	59.44	1.59	1825297	core	WHI19000170	Drill Core
AX-19-33	59.44	61	1.56	1825298	core	WHI19000170	Drill Core
AX-19-33	61	62.48	1.48	1825299	core	WHI19000170	Drill Core
AX-19-33	62.48	62.48	0.00	1825300	CDN-ME-1605	WHI19000170	Rock Pulp
AX-19-33	62.48	64	1.52	1825301	core	WHI19000170	Drill Core
AX-19-33	64	65.53	1.53	1825302	core	WHI19000170	Drill Core
AX-19-33	65.53	67	1.47	1825303	core	WHI19000170	Drill Core
AX-19-33	67	68.58	1.58	1825304	core	WHI19000170	Drill Core
AX-19-33	68.58	70	1.42	1825305	core	WHI19000170	Drill Core
AX-19-33	70	71.63	1.63	1825306	core	WHI19000170	Drill Core
AX-19-33	71.63	73.98	2.35	1825307	core	WHI19000170	Drill Core
AX-19-33	73.98	74.78	0.80	1825308	core	WHI19000170	Drill Core
AX-19-33	74.78	75.65	0.87	1825309	1/4 core	WHI19000170	Drill Core
AX-19-33	74.78	75.65	0.87	1825310	1/4 core	WHI19000170	Drill Core
AX-19-33	75.65	77.72	2.07	1825311	core	WHI19000170	Drill Core
AX-19-33	77.72	79.07	1.35	1825312	core	WHI19000170	Drill Core
AX-19-33	79.07	80.77	1.70	1825313	core	WHI19000170	Drill Core
AX-19-33	80.77	82.24	1.47	1825314	core	WHI19000170	Drill Core
AX-19-33	82.24	83.82	1.58	1825315	core	WHI19000170	Drill Core
AX-19-33	83.82	85.95	2.13	1825316	core	WHI19000170	Drill Core
AX-19-33	85.95	86.87	0.92	1825317	core	WHI19000170	Drill Core
AX-19-33	86.87	87.9	1.03	1825318	core	WHI19000170	Drill Core
AX-19-33	87.9	90.14	2.24	1825319	core	WHI19000170	Drill Core
AX-19-33	90.14	90.14	0.00	1825320	Blank	WHI19000170	Rock
AX-19-33	90.14	91.43	1.29	1825321	core	WHI19000170	Drill Core
AX-19-33	91.43	92.9	1.47	1825322	core	WHI19000170	Drill Core

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
AX-19-33	92.9	94.8	1.90	1825323	core	WHI19000170	Drill Core
AX-19-33	94.8	96	1.20	1825324	core	WHI19000170	Drill Core
AX-19-33	96	96.32	0.32	1825325	core	WHI19000170	Drill Core
AX-19-33	96.32	98	1.68	1825326	core	WHI19000170	Drill Core
AX-19-33	98	98.22	0.22	1825327	core	WHI19000170	Drill Core
AX-19-33	98.22	98.93	0.71	1825328	core	WHI19000170	Drill Core
AX-19-33	98.93	100.3	1.37	1825329	1/4 core	WHI19000170	Drill Core
AX-19-33	98.93	100.3	1.37	1825330	1/4 core	WHI19000170	Drill Core
AX-19-33	100.3	101.5	1.20	1825331	core	WHI19000170	Drill Core
AX-19-33	101.5	102.6	1.10	1825332	core	WHI19000170	Drill Core
AX-19-33	102.6	103.83	1.23	1825333	core	WHI19000170	Drill Core
AX-19-33	103.83	105.16	1.33	1825334	core	WHI19000170	Drill Core
AX-19-34	4.72	6.1	1.38	1865285		WHI19000759	Rock
AX-19-34	6.1	7.62	1.52	1865286		WHI19000759	Rock
AX-19-34	7.62	9.14	1.52	1865287		WHI19000759	Rock
AX-19-34	9.14	10.66	1.52	1865288		WHI19000759	Rock
AX-19-34	10.66	11.69	1.03	1865289		WHI19000759	Rock
AX-19-34				1865290	ME-1414	WHI19000759	Rock
AX-19-34	11.69	12.81	1.12	1865291		WHI19000759	Rock
AX-19-34	12.81	14.02	1.21	1865292		WHI19000759	Rock
AX-19-34	14.02	14.98	0.96	1865293		WHI19000759	Rock
AX-19-34	14.98	16.39	1.41	1865294		WHI19000759	Rock
AX-19-34	16.39	17.75	1.36	1865295		WHI19000759	Rock
AX-19-34	17.75	19.14	1.39	1865296		WHI19000759	Rock
AX-19-34	19.14	20.54	1.4	1865297		WHI19000759	Rock
AX-19-34	20.54	21.92	1.38	1865298		WHI19000759	Rock
AX-19-34	21.92	23.26	1.34	1865299		WHI19000759	Rock
AX-19-34				1865300	DUP	WHI19000759	Rock
AX-19-34	23.26	24.67	1.41	1865301		WHI19000759	Rock
AX-19-34	24.67	26.17	1.5	1865302		WHI19000759	Rock
AX-19-34	26.17	27.65	1.48	1865303		WHI19000759	Rock
AX-19-34	27.65	29.03	1.38	1865304		WHI19000759	Rock
AX-19-34	29.03	30.48	1.45	1865305		WHI19000759	Rock
AX-19-34	30.48	31.89	1.41	1865306		WHI19000759	Rock
AX-19-34	31.89	33.28	1.39	1865307		WHI19000759	Rock
AX-19-34	33.28	34.78	1.5	1865308		WHI19000759	Rock
AX-19-34	34.78	36.07	1.29	1865309		WHI19000759	Rock
AX-19-34				1865310	BLANK	WHI19000759	Rock
AX-19-34	36.07	37.57	1.5	1865311		WHI19000759	Rock
AX-19-34	37.57	39.05	1.48	1865312		WHI19000759	Rock
AX-19-34	39.05	39.34	0.29	1865313		WHI19000759	Rock
AX-19-34	39.34	40.84	1.5	1865314		WHI19000759	Rock
AX-19-34	40.84	42.3	1.46	1865315		WHI19000759	Rock
AX-19-34	42.3	43.6	1.3	1865316		WHI19000759	Rock
AX-19-34	43.6	44.92	1.32	1865317		WHI19000759	Rock
AX-19-34	44.92	45.11	0.19	1865318		WHI19000759	Rock

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
AX-19-34	45.11	46.61	1.5	1865319		WHI19000759	Rock
AX-19-34				1865320	DUP	WHI19000759	Rock
AX-19-34	46.61	48.11	1.5	1865321		WHI19000759	Rock
AX-19-34	48.11	49.58	1.47	1865322		WHI19000759	Rock
AX-19-34	49.58	50.37	0.79	1865323		WHI19000759	Rock
AX-19-34	50.37	51.82	1.45	1865324		WHI19000759	Rock
AX-19-34	51.82	52.81	0.99	1865325		WHI19000759	Rock
AX-19-34	52.81	54.19	1.38	1865326		WHI19000759	Rock
AX-19-34	54.19	55.66	1.47	1865327		WHI19000759	Rock
AX-19-34	55.66	57	1.34	1865328		WHI19000759	Rock
AX-19-34	57	58.42	1.42	1865329		WHI19000759	Rock
AX-19-34			0	1865330	blank	WHI19000759	Rock
AX-19-34	58.42	59.9	1.48	1865331		WHI19000759	Rock
AX-19-34	59.9	61.31	1.41	1865332		WHI19000759	Rock
AX-19-34	61.31	62.78	1.47	1865333		WHI19000759	Rock
AX-19-34	62.78	64.11	1.33	1865334		WHI19000759	Rock
AX-19-34	64.11	65.51	1.4	1865335		WHI19000759	Rock
AX-19-34	65.51	67	1.49	1865336		WHI19000759	Rock
AX-19-34	67	68.48	1.48	1865337		WHI19000759	Rock
AX-19-34	68.48	69.98	1.5	1865338		WHI19000759	Rock
AX-19-34	69.98	71.35	1.37	1865339		WHI19000759	Rock
AX-19-34			0	1865340	DUP	WHI19000759	Rock
AX-19-34	71.35	72.77	1.42	1865341		WHI19000759	Rock
AX-19-34	72.77	74.15	1.38	1865342		WHI19000759	Rock
AX-19-34	74.15	75.63	1.48	1865343		WHI19000759	Rock
AX-19-34	75.63	77.09	1.46	1865344		WHI19000759	Rock
AX-19-34	77.09	78.44	1.35	1865345		WHI19000759	Rock
AX-19-34	78.44	79.97	1.53	1865346		WHI19000759	Rock
AX-19-34	79.97	81.47	1.5	1865347		WHI19000759	Rock
AX-19-34	81.47	82.2	0.73	1865348		WHI19000759	Rock
AX-19-34	82.2	83.5	1.3	1865349		WHI19000759	Rock
AX-19-34			0	1865350	GS-1Q	WHI19000759	Rock Pulp
AX-19-34	83.5	84.97	1.47	1865351		WHI19000759	Rock
AX-19-34	84.97	86.47	1.5	1865352		WHI19000759	Rock
AX-19-34	86.47	87.91	1.44	1865353		WHI19000759	Rock
AX-19-34	87.91	88.9	0.99	1865354		WHI19000759	Rock
AX-19-34	88.9	89.62	0.72	1865355		WHI19000759	Rock
AX-19-34	89.62	90.5	0.88	1865356		WHI19000759	Rock
AX-19-34	90.5	92	1.5	1865357		WHI19000759	Rock
AX-19-34	92	93.45	1.45	1865358		WHI19000759	Rock
AX-19-34	93.45	94.81	1.36	1865359		WHI19000759	Rock
AX-19-34				1865360	DUP	WHI19000759	Rock
AX-19-34	94.81	96.28	1.47	1865361		WHI19000759	Rock
AX-19-34	96.28	97.72	1.44	1865362		WHI19000759	Rock
AX-19-34	97.72	98.75	1.03	1865363		WHI19000759	Rock
AX-19-34	98.75	100.17	1.42	1865364		WHI19000759	Rock

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
AX-19-34	100.17	101.67	1.5	1865365		WHI19000759	Rock
AX-19-34	101.67	103.14	1.47	1865366		WHI19000759	Rock
AX-19-34	103.14	104.64	1.5	1865367		WHI19000759	Rock
AX-19-34	104.64	106.08	1.44	1865368		WHI19000759	Rock
AX-19-34	106.08	107.46	1.38	1865369		WHI19000759	Rock
AX-19-34				1865370	blank	WHI19000759	Rock
AX-19-34	107.46	108.89	1.43	1865371		WHI19000759	Rock
AX-19-34	108.89	110.35	1.46	1865372		WHI19000759	Rock
AX-19-34	110.35	111.78	1.43	1865373		WHI19000759	Rock
AX-19-34	111.78	113.19	1.41	1865374		WHI19000759	Rock
AX-19-34	113.19	114.3	1.11	1865375		WHI19000759	Rock
AX-19-34	114.3	115.59	1.29	1865376		WHI19000759	Rock
AX-19-34	115.59	116.98	1.39	1865377		WHI19000759	Rock
AX-19-34	116.98	118.3	1.32	1865378		WHI19000759	Rock
AX-19-34	118.3	119.82	1.52	1865379		WHI19000759	Rock
AX-19-34				1865380	ME-1414	WHI19000759	Rock Pulp
AX-19-34	119.82	120.09	0.27	1865381		WHI19000759	Rock
AX-19-34	120.09	121.57	1.48	1865382		WHI19000759	Rock
AX-19-34	121.57	122.79	1.22	1865383		WHI19000759	Rock
AX-19-34	122.79	123.8	1.01	1865384		WHI19000759	Rock
AX-19-34	123.8	124.79	0.99	1865385		WHI19000759	Rock
AX-19-34	124.79	125.78	0.99	1865386		WHI19000759	Rock
AX-19-34	125.78	126.63	0.85	1865387		WHI19000759	Rock
AX-19-34	126.63	127.97	1.34	1865388		WHI19000759	Rock
AX-19-34	127.97	129.06	1.09	1865389		WHI19000759	Rock
AX-19-34				1865390	blank	WHI19000759	Rock
AX-19-34	129.06	129.46	0.4	1865391		WHI19000759	Rock
AX-19-34	129.46	130.05	0.59	1865392		WHI19000759	Rock
AX-19-34	130.05	130.18	0.13	1865393		WHI19000759	Rock
AX-19-34	130.18	131.68	1.5	1865394		WHI19000759	Rock
AX-19-34	131.68	132.4	0.72	1865395		WHI19000759	Rock
AX-19-34	132.4	133.4	1	1865396		WHI19000759	Rock
AX-19-34	133.4	134.66	1.26	1865397		WHI19000759	Rock
AX-19-34	134.66	135.88	1.22	1865398		WHI19000759	Rock
AX-19-34	135.88	137.29	1.41	1865399		WHI19000759	Rock
AX-19-34				1865400	DUP	WHI19000759	Rock
AX-19-34	137.29	138.56	1.27	1865401		WHI19000759	Rock
AX-19-34	138.56	139.4	0.84	1865402		WHI19000759	Rock
AX-19-34	139.4	140.61	1.21	1865403		WHI19000759	Rock
AX-19-34	140.61	141.14	0.53	1865404		WHI19000759	Rock
AX-19-34	141.14	141.73	0.59	1865405		WHI19000759	Rock
AX-19-34	141.73	143.77	2.04	1865406		WHI19000759	Rock
AX-19-34	143.77	144.99	1.22	1865407		WHI19000759	Rock
AX-19-34	144.99	146.45	1.46	1865408		WHI19000759	Rock
AX-19-34	146.45	147.95	1.5	1865409		WHI19000759	Rock
AX-19-34				1865410	GS-1Q	WHI19000759	Rock Pulp

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
AX-19-34	147.95	149.45	1.5	1865411		WHI19000759	Rock
AX-19-34	149.45	150.88	1.43	1865412		WHI19000759	Rock
AX-19-34	150.88	152.38	1.5	1865413		WHI19000759	Rock
AX-19-34	152.38	153.86	1.48	1865414		WHI19000759	Rock
AX-19-34	153.86	155.29	1.43	1865415		WHI19000759	Rock
AX-19-34	155.29	156.76	1.47	1865416		WHI19000759	Rock
AX-19-34	156.76	158.21	1.45	1865417		WHI19000759	Rock
AX-19-34	158.21	159.64	1.43	1865418		WHI19000759	Rock
AX-19-34	159.64	161	1.36	1865419		WHI19000759	Rock
AX-19-34				1865420	DUP	WHI19000759	Rock
AX-19-34	161	162.02	1.02	1865421		WHI19000759	Rock
AX-19-34	162.02	163	0.98	1865422		WHI19000759	Rock
AX-19-34	163	164.49	1.49	1865423		WHI19000760	Rock
AX-19-34	164.49	165.77	1.28	1865424		WHI19000760	Rock
AX-19-34	165.77	167.1	1.33	1865425		WHI19000760	Rock
AX-19-34	167.1	168	0.9	1865426		WHI19000760	Rock
AX-19-34	168	168.8	0.8	1865427		WHI19000760	Rock
AX-19-34	168.8	170.2	1.4	1865428		WHI19000760	Rock
AX-19-34	170.2	171.46	1.26	1865429		WHI19000760	Rock
AX-19-34				1865430	blank	WHI19000760	Rock
AX-19-34	171.46	172.32	0.86	1865431		WHI19000760	Rock
AX-19-34	172.32	173.74	1.42	1865432		WHI19000760	Rock
AX-19-34	173.74	175.24	1.5	1865433		WHI19000760	Rock
AX-19-34	175.24	176.78	1.54	1865434		WHI19000760	Rock
AX-19-34	176.78	177.58	0.8	1865435		WHI19000760	Rock
AX-19-34	177.58	178.31	0.73	1865436		WHI19000760	Rock
AX-19-35	1.44	3.7	2.26	1865437	core	WHI19000761	Rock
AX-19-35	3.7	4.7	1	1865438	core	WHI19000761	Rock
AX-19-35	4.7	5.79	1.09	1865439	core	WHI19000761	Rock
AX-19-35				1865440	ME-414	WHI19000761	Rock Pulp
AX-19-35	5.79	6.67	0.88	1865441	core	WHI19000761	Rock
AX-19-35	6.67	7.78	1.11	1865442	core	WHI19000761	Rock
AX-19-35	7.78	8.86	1.08	1865443	core	WHI19000761	Rock
AX-19-35	8.86	10.25	1.39	1865444	core	WHI19000761	Rock
AX-19-35	10.25	11.71	1.46	1865445	core	WHI19000761	Rock
AX-19-35	11.71	13.18	1.47	1865446	core	WHI19000761	Rock
AX-19-35	13.18	14.26	1.08	1865447	core	WHI19000761	Rock
AX-19-35	14.26	15.42	1.16	1865448	core	WHI19000761	Rock
AX-19-35	15.42	16.76	1.34	1865449	core	WHI19000761	Rock
AX-19-35	15.42	16.76	1.34	1865450	DUP	WHI19000761	Rock
AX-19-35	16.76	18.19	1.43	1865451	core	WHI19000761	Rock
AX-19-35	18.19	19.66	1.47	1865452	core	WHI19000761	Rock
AX-19-35	19.66	21.12	1.46	1865453	core	WHI19000761	Rock
AX-19-35	21.12	22.6	1.48	1865454	core	WHI19000761	Rock
AX-19-35	22.6	24.02	1.42	1865455	core	WHI19000761	Rock
AX-19-35	24.02	25.43	1.41	1865456	core	WHI19000761	Rock

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
AX-19-35	25.43	26.91	1.48	1865457	core	WHI19000761	Rock
AX-19-35	26.91	28.38	1.47	1865458	core	WHI19000761	Rock
AX-19-35	28.38	29.88	1.5	1865459	core	WHI19000761	Rock
AX-19-35				1865460	BLANK	WHI19000761	Rock
AX-19-35	29.88	31.35	1.47	1865461	core	WHI19000761	Rock
AX-19-35	31.35	32.77	1.42	1865462	core	WHI19000761	Rock
AX-19-35	32.77	34.21	1.44	1865463	core	WHI19000761	Rock
AX-19-35	34.21	35.59	1.38	1865464	core	WHI19000761	Rock
AX-19-35	35.59	37.05	1.46	1865465	core	WHI19000761	Rock
AX-19-35	37.05	38.57	1.52	1865466	core	WHI19000761	Rock
AX-19-35	38.57	40.14	1.57	1865467	core	WHI19000761	Rock
AX-19-35	40.14	41.61	1.47	1865468	core	WHI19000761	Rock
AX-19-35	41.61	43.07	1.46	1865469	core	WHI19000761	Rock
AX-19-35	41.61	43.07	1.46	1865470	DUP	WHI19000761	Rock
AX-19-35	43.07	44.54	1.47	1865471	core	WHI19000761	Rock
AX-19-35	44.54	46.02	1.48	1865472	core	WHI19000761	Rock
AX-19-35	46.02	47.4	1.38	1865473	core	WHI19000761	Rock
AX-19-35	47.4	48.87	1.47	1865474	core	WHI19000761	Rock
AX-19-35	48.87	50.29	1.42	1865475	core	WHI19000761	Rock
AX-19-35	50.29	51.72	1.43	1865476	core	WHI19000761	Rock
AX-19-35	51.72	53.15	1.43	1865477	core	WHI19000761	Rock
AX-19-35	53.15	54.58	1.43	1865478	core	WHI19000761	Rock
AX-19-35	54.58	55.82	1.24	1865479	core	WHI19000761	Rock
AX-19-35				1865480	GS-1Q	WHI19000761	Rock Pulp
AX-19-35	55.82	57.04	1.22	1865481	core	WHI19000761	Rock
AX-19-35	57.04	58.36	1.32	1865482	core	WHI19000761	Rock
AX-19-35	58.36	59.9	1.54	1865483	core	WHI19000761	Rock
AX-19-35	59.9	61.24	1.34	1865484	core	WHI19000761	Rock
AX-19-35	61.24	62.34	1.1	1865485	core	WHI19000761	Rock
AX-19-35	62.34	63.84	1.5	1865486	core	WHI19000761	Rock
AX-19-35	63.84	65.25	1.41	1865487	core	WHI19000761	Rock
AX-19-35	65.25	66.7	1.45	1865488	core	WHI19000761	Rock
AX-19-35	66.7	68.12	1.42	1865489	core	WHI19000761	Rock
AX-19-35	66.7	68.12	1.42	1865490	DUP	WHI19000761	Rock
AX-19-35	68.12	69.58	1.46	1865491	core	WHI19000761	Rock
AX-19-35	69.58	71.03	1.45	1865492	core	WHI19000761	Rock
AX-19-35	71.03	72.5	1.47	1865493	core	WHI19000761	Rock
AX-19-35	72.5	74	1.5	1865494	core	WHI19000761	Rock
AX-19-35	74	75.33	1.33	1865495	core	WHI19000761	Rock
AX-19-35	75.33	76.8	1.47	1865496	core	WHI19000761	Rock
AX-19-35	76.8	78.3	1.5	1865497	core	WHI19000761	Rock
AX-19-35	78.3	79.57	1.27	1865498	core	WHI19000761	Rock
AX-19-35	79.57	80.72	1.15	1865499	core	WHI19000761	Rock
AX-19-35				1865500	BLANK	WHI19000761	Rock
AX-19-35	80.72	82.21	1.49	1865501	core	WHI19000761	Rock
AX-19-35	82.21	83.4	1.19	1865502	core	WHI19000761	Rock

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
AX-19-35	83.4	84.62	1.22	1865503	core	WHI19000761	Rock
AX-19-35	84.62	85.56	0.94	1865504	core	WHI19000761	Rock
AX-19-35	85.56	86.99	1.43	1865505	core	WHI19000761	Rock
AX-19-35	86.99	88.41	1.42	1865506	core	WHI19000761	Rock
AX-19-35	88.41	89.92	1.51	1865507	core	WHI19000761	Rock
AX-19-35	89.92	91.42	1.5	1865508	core	WHI19000761	Rock
AX-19-35	91.42	92.85	1.43	1865509	core	WHI19000761	Rock
AX-19-35	91.42	92.85	1.43	1865510	DUP	WHI19000761	Rock
AX-19-35	92.85	94.27	1.42	1865511	core	WHI19000761	Rock
AX-19-35	94.27	95.56	1.29	1865512	core	WHI19000761	Rock
AX-19-35	95.56	97.05	1.49	1865513	core	WHI19000761	Rock
AX-19-35	97.05	98.58	1.53	1865514	core	WHI19000761	Rock
AX-19-35	98.58	100	1.42	1865515	core	WHI19000761	Rock
AX-19-35	100	101.49	1.49	1865516	core	WHI19000761	Rock
AX-19-35	101.49	102.95	1.46	1865517	core	WHI19000761	Rock
AX-19-35	102.95	104.4	1.45	1865518	core	WHI19000761	Rock
AX-19-35	104.4	105.4	1	1865519	core	WHI19000761	Rock
AX-19-35				1865520	ME-1414	WHI19000761	Rock Pulp
AX-19-35	105.4	106.53	1.13	1865521	core	WHI19000761	Rock
AX-19-36	10.67	12.19	1.52	1865522	core	WHI19000762	Rock
AX-19-36	12.19	13.38	1.19	1865523	core	WHI19000762	Rock
AX-19-36	13.38	14.86	1.48	1865524	core	WHI19000762	Rock
AX-19-36	14.86	16.32	1.46	1865525	core	WHI19000762	Rock
AX-19-36	16.32	17.77	1.45	1865526	core	WHI19000762	Rock
AX-19-36	17.77	18.68	0.91	1865527	core	WHI19000762	Rock
AX-19-36	18.68	19.73	1.05	1865528	core	WHI19000762	Rock
AX-19-36	19.73	21.17	1.44	1865529	core	WHI19000762	Rock
AX-19-36	19.73	21.17	1.44	1865530	DUP	WHI19000762	Rock
AX-19-36	21.17	22.67	1.5	1865531	core	WHI19000762	Rock
AX-19-36	22.67	24.04	1.37	1865532	core	WHI19000762	Rock
AX-19-36	24.04	25.32	1.28	1865533	core	WHI19000762	Rock
AX-19-36	25.32	26.62	1.3	1865534	core	WHI19000762	Rock
AX-19-36	26.62	28	1.38	1865535	core	WHI19000762	Rock
AX-19-36	28	29.38	1.38	1865536	core	WHI19000762	Rock
AX-19-36	29.38	30.69	1.31	1865537	core	WHI19000762	Rock
AX-19-36	30.69	32.15	1.46	1865538	core	WHI19000762	Rock
AX-19-36	32.15	33.57	1.42	1865539	core	WHI19000762	Rock
AX-19-36				1865540	BLANK	WHI19000762	Rock
AX-19-36	33.57	35.11	1.54	1865541	core	WHI19000762	Rock
AX-19-36	35.11	36.63	1.52	1865542	core	WHI19000762	Rock
AX-19-36	36.63	38.1	1.47	1865543	core	WHI19000762	Rock
AX-19-36	38.1	39.59	1.49	1865544	core	WHI19000762	Rock
AX-19-36	39.59	40.93	1.34	1865545	core	WHI19000762	Rock
AX-19-36	40.93	42.39	1.46	1865546	core	WHI19000762	Rock
AX-19-36	42.39	43.75	1.36	1865547	core	WHI19000762	Rock
AX-19-36	43.75	45.22	1.47	1865548	core	WHI19000762	Rock



Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
AX-19-36	45.22	46.62	1.4	1865549	core	WHI19000762	Rock
AX-19-36	45.22	46.62	1.4	1865550	DUP	WHI19000762	Rock
AX-19-36	46.62	47.82	1.2	1865551	core	WHI19000762	Rock
AX-19-36	47.82	49	1.18	1865552	core	WHI19000762	Rock
AX-19-36	49	50.48	1.48	1865553	core	WHI19000762	Rock
AX-19-36	50.48	51.82	1.34	1865554	core	WHI19000762	Rock
AX-19-36	51.82	53.22	1.4	1865555	core	WHI19000762	Rock
AX-19-36	53.22	54.59	1.37	1865556	core	WHI19000762	Rock
AX-19-36	54.59	56	1.41	1865557	core	WHI19000762	Rock
AX-19-36	56	57.5	1.5	1865558	core	WHI19000762	Rock
AX-19-36	57.5	58.75	1.25	1865559	core	WHI19000762	Rock
AX-19-36				1865560	GS-1Q	WHI19000762	Rock
AX-19-36	58.75	60.22	1.47	1865561	core	WHI19000762	Rock
AX-19-36	60.22	61.4	1.18	1865562	core	WHI19000762	Rock
AX-19-36	61.4	62.78	1.38	1865563	core	WHI19000762	Rock
AX-19-36	62.78	64.27	1.49	1865564	core	WHI19000762	Rock
AX-19-36	64.27	65.7	1.43	1865565	core	WHI19000762	Rock
AX-19-36	65.7	67.06	1.36	1865566	core	WHI19000762	Rock
AX-19-36	67.06	68.48	1.42	1865567	core	WHI19000762	Rock
AX-19-36	68.48	69.98	1.5	1865568	core	WHI19000762	Rock
AX-19-36	69.98	71.38	1.4	1865569	core	WHI19000762	Rock
AX-19-36	69.98	71.38	1.4	1865570	DUP	WHI19000762	Rock
AX-19-36	71.38	72.86	1.48	1865571	core	WHI19000762	Rock
AX-19-36	72.86	74.21	1.35	1865572	core	WHI19000762	Rock
AX-19-36	74.21	75.66	1.45	1865573	core	WHI19000762	Rock
AX-19-36	75.66	77.13	1.47	1865574	core	WHI19000762	Rock
AX-19-36	77.13	78.62	1.49	1865575	core	WHI19000762	Rock
AX-19-36	78.62	80.06	1.44	1865576	core	WHI19000762	Rock
AX-19-36	80.06	81.53	1.47	1865577	core	WHI19000762	Rock
AX-19-36	81.53	83.1	1.57	1865578	core	WHI19000762	Rock
AX-19-36	83.1	84.66	1.56	1865579	core	WHI19000762	Rock
AX-19-36				1865580	BLANK	WHI19000762	Rock
AX-19-36	84.66	86.08	1.42	1865581	core	WHI19000762	Rock
AX-19-36	86.08	87.53	1.45	1865582	core	WHI19000762	Rock
AX-19-36	87.53	89.03	1.5	1865583	core	WHI19000762	Rock
AX-19-36	89.03	90.4	1.37	1865584	core	WHI19000762	Rock
AX-19-36	90.4	91.85	1.45	1865585	core	WHI19000762	Rock
AX-19-36	91.85	93.32	1.47	1865586	core	WHI19000762	Rock
AX-19-36	93.32	94.72	1.4	1865587	core	WHI19000762	Rock
AX-19-36	94.72	96.16	1.44	1865588	core	WHI19000762	Rock
AX-19-36	96.16	97.63	1.47	1865589	core	WHI19000762	Rock
AX-19-36	96.16	97.63	1.47	1865590	DUP	WHI19000762	Rock
AX-19-36	97.63	99.06	1.43	1865591	core	WHI19000762	Rock
AX-19-36	99.06	100.5	1.44	1865592	core	WHI19000762	Rock
AX-19-36	100.5	101.93	1.43	1865593	core	WHI19000762	Rock
AX-19-36	101.93	103.36	1.43	1865594	core	WHI19000762	Rock

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
AX-19-36	103.36	104.5	1.14	1865595	core	WHI19000762	Rock
AX-19-36	104.5	105.92	1.42	1865596	core	WHI19000762	Rock
AX-19-36	105.92	107.45	1.53	1865597	core	WHI19000762	Rock
AX-19-36	107.45	108.95	1.5	1865598	core	WHI19000762	Rock
AX-19-36	108.95	110.3	1.35	1865599	core	WHI19000762	Rock
AX-19-36				1865600	ME-1414	WHI19000762	Rock Pulp
AX-19-36	110.3	111.41	1.11	1865601	core	WHI19000762	Rock
AX-19-36	111.41	112.86	1.45	1865602	core	WHI19000762	Rock
AX-19-36	112.86	114.36	1.5	1865603	core	WHI19000762	Rock
AX-19-36	114.36	115.84	1.48	1865604	core	WHI19000762	Rock
AX-19-36	115.84	117.04	1.2	1865605	core	WHI19000762	Rock
AX-19-37	8.2	10.1	1.9	1865606	core	WHI19000763	Rock
AX-19-37	10.1	11.51	1.41	1865607	core	WHI19000763	Rock
AX-19-37	11.51	13	1.49	1865608	core	WHI19000763	Rock
AX-19-37	13	14.5	1.5	1865609	core	WHI19000763	Rock
AX-19-37	13	14.5	1.5	1865610	DUP	WHI19000763	Rock
AX-19-37	14.5	16	1.5	1865611	core	WHI19000763	Rock
AX-19-37	16	17.48	1.48	1865612	core	WHI19000763	Rock
AX-19-37	17.48	19	1.52	1865613	core	WHI19000763	Rock
AX-19-37	19	20.5	1.5	1865614	core	WHI19000763	Rock
AX-19-37	20.5	22.11	1.61	1865615	core	WHI19000763	Rock
AX-19-37	22.11	23.58	1.47	1865616	core	WHI19000763	Rock
AX-19-37	23.58	24.24	0.66	1865617	core	WHI19000763	Rock
AX-19-37	24.24	25.7	1.46	1865618	core	WHI19000763	Rock
AX-19-37	25.7	27.16	1.46	1865619	core	WHI19000763	Rock
AX-19-37				1865620	BLANK	WHI19000763	Rock
AX-19-37	27.16	28.6	1.44	1865621	core	WHI19000763	Rock
AX-19-37	28.6	30	1.4	1865622	core	WHI19000763	Rock
AX-19-37	30	31.4	1.4	1865623	core	WHI19000763	Rock
AX-19-37	31.4	32.88	1.48	1865624	core	WHI19000763	Rock
AX-19-37	32.88	34.35	1.47	1865625	core	WHI19000763	Rock
AX-19-37	34.35	35.2	0.85	1865626	core	WHI19000763	Rock
AX-19-37	35.2	36.2	1	1865627	core	WHI19000763	Rock
AX-19-37	36.2	37.69	1.49	1865628	core	WHI19000763	Rock
AX-19-37	37.69	39.19	1.5	1865629	core	WHI19000763	Rock
AX-19-37	37.69	39.19	1.5	1865630	DUP	WHI19000763	Rock
AX-19-37	39.19	40.62	1.43	1865631	core	WHI19000763	Rock
AX-19-37	40.62	41.9	1.28	1865632	core	WHI19000763	Rock
AX-19-37	41.9	42.96	1.06	1865633	core	WHI19000763	Rock
AX-19-37	42.96	44.07	1.11	1865634	core	WHI19000763	Rock
AX-19-37	44.07	44.8	0.73	1865635	core	WHI19000763	Rock
AX-19-37	44.8	45.75	0.95	1865636	core	WHI19000763	Rock
AX-19-37	45.75	47.17	1.42	1865637	core	WHI19000763	Rock
AX-19-37	47.17	48.63	1.46	1865638	core	WHI19000763	Rock
AX-19-37	48.63	49.92	1.29	1865639	core	WHI19000763	Rock
AX-19-37				1865640	GS-1Q	WHI19000763	Rock Pulp

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
AX-19-37	49.92	51.3	1.38	1865641	core	WHI19000763	Rock
AX-19-37	51.3	52.55	1.25	1865642	core	WHI19000763	Rock
AX-19-37	52.55	52.72	0.17	1865643	core	WHI19000763	Rock
AX-19-37	52.72	54.18	1.46	1865644	core	WHI19000763	Rock
AX-19-37	54.18	55.35	1.17	1865645	core	WHI19000763	Rock
AX-19-37	55.35	56.33	0.98	1865646	core	WHI19000763	Rock
AX-19-37	56.33	57.8	1.47	1865647	core	WHI19000763	Rock
AX-19-37	57.8	59.31	1.51	1865648	core	WHI19000763	Rock
AX-19-37	59.31	60.65	1.34	1865649	core	WHI19000763	Rock
AX-19-37	59.31	60.65	1.34	1865650	DUP	WHI19000763	Rock
AX-19-37	60.65	62.14	1.49	1865651	core	WHI19000763	Rock
AX-19-37	62.14	63.6	1.46	1865652	core	WHI19000763	Rock
AX-19-37	63.6	65.1	1.5	1865653	core	WHI19000763	Rock
AX-19-37	65.1	66	0.9	1865654	core	WHI19000763	Rock
AX-19-37	66	67.1	1.1	1865655	core	WHI19000763	Rock
AX-19-37	67.1	68.58	1.48	1865656	core	WHI19000763	Rock
AX-19-37	68.58	70.1	1.52	1865657	core	WHI19000763	Rock
AX-19-37	70.1	71.5	1.4	1865658	core	WHI19000763	Rock
AX-19-37	71.5	72.98	1.48	1865659	core	WHI19000763	Rock
AX-19-37				1865660	BLANK	WHI19000763	Rock
AX-19-37	72.98	74.44	1.46	1865661	core	WHI19000763	Rock
AX-19-37	74.44	75.91	1.47	1865662	core	WHI19000763	Rock
AX-19-37	75.91	77.37	1.46	1865663	core	WHI19000763	Rock
AX-19-37	77.37	78.86	1.49	1865664	core	WHI19000763	Rock
AX-19-37	78.86	80.28	1.42	1865665	core	WHI19000763	Rock
AX-19-37	80.28	81.59	1.31	1865666	core	WHI19000763	Rock
AX-19-37	81.59	83	1.41	1865667	core	WHI19000763	Rock
AX-19-37	83	84.49	1.49	1865668	core	WHI19000763	Rock
AX-19-37	84.49	85.98	1.49	1865669	core	WHI19000763	Rock
AX-19-37	84.49	85.98	1.49	1865670	DUP	WHI19000763	Rock
AX-19-37	85.98	87.42	1.44	1865671	core	WHI19000763	Rock
AX-19-37	87.42	88.87	1.45	1865672	core	WHI19000763	Rock
AX-19-37	88.87	90.25	1.38	1865673	core	WHI19000763	Rock
AX-19-37	90.25	91.69	1.44	1865674	core	WHI19000763	Rock
AX-19-37	91.69	93.15	1.46	1865675	core	WHI19000763	Rock
AX-19-37	93.15	94.35	1.2	1865676	core	WHI19000763	Rock
AX-19-37	94.35	95.65	1.3	1865677	core	WHI19000763	Rock
AX-19-37	95.65	97.14	1.49	1865678	core	WHI19000763	Rock
AX-19-37	97.14	98.62	1.48	1865679	core	WHI19000763	Rock
AX-19-37				1865680	ME-1414	WHI19000763	Rock Pulp
AX-19-37	98.62	100.09	1.47	1865681	core	WHI19000763	Rock
AX-19-37	100.09	101.57	1.48	1865682	core	WHI19000763	Rock
AX-19-37	101.57	103.04	1.47	1865683	core	WHI19000763	Rock
AX-19-37	103.04	104.07	1.03	1865684	core	WHI19000763	Rock
AX-19-37	104.07	105.12	1.05	1865685	core	WHI19000763	Rock
AX-19-37	105.12	106.11	0.99	1865686	core	WHI19000763	Rock

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
AX-19-37	106.11	107.52	1.41	1865687	core	WHI19000763	Rock
AX-19-37	107.52	109	1.48	1865688	core	WHI19000763	Rock
AX-19-37	109	110.48	1.48	1865689	core	WHI19000763	Rock
AX-19-37	109	110.48	1.48	1865690	DUP	WHI19000763	Rock
AX-19-37	110.48	111.25	0.77	1865691	core	WHI19000763	Rock
AX-19-37	111.25	112.18	0.93	1865692	core	WHI19000763	Rock
AX-19-37	112.18	112.8	0.62	1865693	core	WHI19000763	Rock
AX-19-37	112.8	114.3	1.5	1865694	core	WHI19000763	Rock
AX-19-37	114.3	115.8	1.5	1865695	core	WHI19000763	Rock
AX-19-37	115.8	117.25	1.45	1865696	core	WHI19000763	Rock
AX-19-37	117.25	118.43	1.18	1865697	core	WHI19000763	Rock
AX-19-37	118.43	119.42	0.99	1865698	core	WHI19000763	Rock
AX-19-37	119.42	120.4	0.98	1865699	core	WHI19000763	Rock
AX-19-37				1865700	BLANK	WHI19000763	Rock
AX-19-38	6.21	6.7	0.49	1865701	core	WHI19000764	Rock
AX-19-38	6.7	8.2	1.5	1865702	core	WHI19000764	Rock
AX-19-38	8.2	9.7	1.5	1865703	core	WHI19000764	Rock
AX-19-38	9.7	11.2	1.5	1865704	core	WHI19000764	Rock
AX-19-38	11.2	12.66	1.46	1865705	core	WHI19000764	Rock
AX-19-38	12.66	14.16	1.5	1865706	core	WHI19000764	Rock
AX-19-38	14.16	15.24	1.08	1865707	core	WHI19000764	Rock
AX-19-38	15.24	16.45	1.21	1865708	core	WHI19000764	Rock
AX-19-38	16.45	17.32	0.87	1865709	core	WHI19000764	Rock
AX-19-38				1865710	blank	WHI19000764	Rock
AX-19-38	17.32	18.82	1.5	1865711	core	WHI19000764	Rock
AX-19-38	18.82	19.51	0.69	1865712	core	WHI19000764	Rock
AX-19-38	19.51	20.86	1.35	1865713	core	WHI19000764	Rock
AX-19-38	20.86	22.3	1.44	1865714	core	WHI19000764	Rock
AX-19-38	22.3	23.25	0.95	1865715	core	WHI19000764	Rock
AX-19-38	23.25	24.03	0.78	1865716	core	WHI19000764	Rock
AX-19-38	24.03	24.4	0.37	1865717	core	WHI19000764	Rock
AX-19-38	24.4	25.91	1.51	1865718	core	WHI19000764	Rock
AX-19-38	25.91	27.13	1.22	1865719	core	WHI19000764	Rock
AX-19-38	25.91	27.13	1.22	1865720	dup	WHI19000764	Rock
AX-19-38	27.13	27.74	0.61	1865721	core	WHI19000764	Rock
AX-19-38	27.74	28.93	1.19	1865722	core	WHI19000764	Rock
AX-19-38	28.93	29.9	0.97	1865723	core	WHI19000764	Rock
AX-19-38	29.9	30.68	0.78	1865724	core	WHI19000764	Rock
AX-19-38	30.68	32.17	1.49	1865725	core	WHI19000764	Rock
AX-19-38	32.17	33.65	1.48	1865726	core	WHI19000764	Rock
AX-19-38	33.65	35.09	1.44	1865727	core	WHI19000764	Rock
AX-19-38	35.09	36.58	1.49	1865728	core	WHI19000764	Rock
AX-19-38	36.58	38.08	1.5	1865729	core	WHI19000764	Rock
AX-19-38				1865730	gs-1q	WHI19000764	Rock Pulp
AX-19-38	38.08	39.52	1.44	1865731	core	WHI19000764	Rock
AX-19-38	39.52	40.94	1.42	1865732	core	WHI19000764	Rock

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
AX-19-38	40.94	42.37	1.43	1865733	core	WHI19000764	Rock
AX-19-38	42.37	43.8	1.43	1865734	core	WHI19000764	Rock
AX-19-38	43.8	45.25	1.45	1865735	core	WHI19000764	Rock
AX-19-38	45.25	46.74	1.49	1865736	core	WHI19000764	Rock
AX-19-38	46.74	48.24	1.5	1865737	core	WHI19000764	Rock
AX-19-38	48.24	49.7	1.46	1865738	core	WHI19000764	Rock
AX-19-38	49.7	50.85	1.15	1865739	core	WHI19000764	Rock
AX-19-38	49.7	50.85	1.15	1865740	dup	WHI19000764	Rock
AX-19-38	50.85	51.7	0.85	1865741	core	WHI19000764	Rock
AX-19-38	51.7	53.2	1.5	1865742	core	WHI19000764	Rock
AX-19-38	53.2	54.66	1.46	1865743	core	WHI19000764	Rock
AX-19-38	54.66	56.11	1.45	1865744	core	WHI19000764	Rock
AX-19-38	56.11	57.59	1.48	1865745	core	WHI19000764	Rock
AX-19-38	57.59	58.36	0.77	1865746	core	WHI19000764	Rock
AX-19-38	58.36	59.57	1.21	1865747	core	WHI19000764	Rock
AX-19-38	59.57	60.96	1.39	1865748	core	WHI19000764	Rock
AX-19-38	60.96	62.38	1.42	1865749	core	WHI19000764	Rock
AX-19-38				1865750	blank	WHI19000764	Rock
AX-19-38	62.38	63.59	1.21	1865751	core	WHI19000764	Rock
AX-19-38	63.59	64.73	1.14	1865752	core	WHI19000764	Rock
AX-19-38	64.73	65.87	1.14	1865753	core	WHI19000764	Rock
AX-19-38	65.87	67.35	1.48	1865754	core	WHI19000764	Rock
AX-19-38	67.35	68.53	1.18	1865755	core	WHI19000764	Rock
AX-19-38	68.53	69.9	1.37	1865756	core	WHI19000764	Rock
AX-19-38	69.9	71.39	1.49	1865757	core	WHI19000764	Rock
AX-19-38	71.39	72.88	1.49	1865758	core	WHI19000764	Rock
AX-19-38	72.88	74.27	1.39	1865759	core	WHI19000764	Rock
AX-19-38	72.88	74.27	1.39	1865760	dup	WHI19000764	Rock
AX-19-38	74.27	75.64	1.37	1865761	core	WHI19000764	Rock
AX-19-38	75.64	76.98	1.34	1865762	core	WHI19000764	Rock
AX-19-38	76.98	78.5	1.52	1865763	core	WHI19000764	Rock
AX-19-38	78.5	79.58	1.08	1865764	core	WHI19000764	Rock
AX-19-38	79.58	81.05	1.47	1865765	core	WHI19000764	Rock
AX-19-38	81.05	82.09	1.04	1865766	core	WHI19000764	Rock
AX-19-38	82.09	83.59	1.5	1865767	core	WHI19000764	Rock
AX-19-38	83.59	85.04	1.45	1865768	core	WHI19000764	Rock
AX-19-38	85.04	86.19	1.15	1865769	core	WHI19000764	Rock
AX-19-38				1865770	me-1414	WHI19000764	Rock Pulp
AX-19-38	86.19	87.51	1.32	1865771	core	WHI19000764	Rock
AX-19-38	87.51	88.3	0.79	1865772	core	WHI19000764	Rock
AX-19-38	88.3	89.1	0.8	1865773	core	WHI19000764	Rock
AX-19-38	89.1	90.6	1.5	1865774	core	WHI19000764	Rock
AX-19-38	90.6	92.07	1.47	1865775	core	WHI19000764	Rock
AX-19-38	92.07	93.53	1.46	1865776	core	WHI19000764	Rock
AX-19-38	93.53	94.71	1.18	1865777	core	WHI19000764	Rock
AX-19-38	94.71	95.88	1.17	1865778	core	WHI19000764	Rock

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
AX-19-38	95.88	96.82	0.94	1865779	core	WHI19000764	Rock
AX-19-38	95.88	96.82	0.94	1865780	dup	WHI19000764	Rock
AX-19-38	96.82	98.32	1.5	1865781	core	WHI19000764	Rock
AX-19-38	98.32	99.8	1.48	1865782	core	WHI19000764	Rock
AX-19-38	99.8	101.1	1.3	1865783	core	WHI19000764	Rock
AX-19-38	101.1	102.5	1.4	1865784	core	WHI19000764	Rock
AX-19-38	102.5	104.03	1.53	1865785	core	WHI19000764	Rock
AX-19-38	104.03	105.58	1.55	1865786	core	WHI19000764	Rock
AX-19-38	105.58	107.08	1.5	1865787	core	WHI19000764	Rock
AX-19-38	107.08	108.3	1.22	1865788	core	WHI19000764	Rock
AX-19-38	108.3	109.38	1.08	1865789	core	WHI19000764	Rock
AX-19-38				1865790	blank	WHI19000764	Rock
AX-19-38	109.38	110.86	1.48	1865791	core	WHI19000764	Rock
AX-19-38	110.86	112.36	1.5	1865792	core	WHI19000764	Rock
AX-19-38	112.36	113.78	1.42	1865793	core	WHI19000764	Rock
AX-19-38	113.78	115.26	1.48	1865794	core	WHI19000764	Rock
AX-19-38	115.26	116.62	1.36	1865795	core	WHI19000764	Rock
AX-19-38	116.62	118	1.38	1865796	core	WHI19000764	Rock
AX-19-38	118	119.5	1.5	1865797	core	WHI19000764	Rock
AX-19-38	119.5	121	1.5	1865798	core	WHI19000764	Rock
AX-19-38	121	121.92	0.92	1865799	core	WHI19000764	Rock
AX-19-38	121	121.92	0.92	1865800	dup	WHI19000764	Rock
AX-19-38	121.92	122.12	0.2	1865801	core	WHI19000764	Rock
AX-19-38	122.12	123.5	1.38	1865802	core	WHI19000764	Rock
AX-19-38	123.5	125	1.5	1865803	core	WHI19000764	Rock
AX-19-38	125	126.5	1.5	1865804	core	WHI19000764	Rock
AX-19-38	126.5	127.25	0.75	1865805	core	WHI19000764	Rock
AX-19-38	127.25	128.5	1.25	1865806	core	WHI19000764	Rock
AX-19-38	128.5	130	1.5	1865807	core	WHI19000764	Rock
AX-19-38	130	131.5	1.5	1865808	core	WHI19000764	Rock
AX-19-38	131.5	133	1.5	1865809	core	WHI19000764	Rock
AX-19-38				1865810	gs-1q	WHI19000764	Rock Pulp
AX-19-38	133	134.5	1.5	1865811	core	WHI19000764	Rock
AX-19-38	134.5	135.75	1.25	1865812	core	WHI19000764	Rock
AX-19-38	135.75	137	1.25	1865813	core	WHI19000764	Rock
AX-19-38	137	138.5	1.5	1865814	core	WHI19000764	Rock
AX-19-38	138.5	140	1.5	1865815	core	WHI19000764	Rock
AX-19-38	140	141.5	1.5	1865816	core	WHI19000764	Rock
AX-19-38	141.5	143	1.5	1865817	core	WHI19000764	Rock
AX-19-38	143	144.5	1.5	1865818	core	WHI19000764	Rock
AX-19-38	144.5	145.5	1	1865819	core	WHI19000764	Rock
AX-19-38	144.5	145.5	1	1865820	dup	WHI19000764	Rock
AX-19-38	145.5	146.3	0.8	1865821	core	WHI19000764	Rock
AX-19-39	5.6	6.15	0.55	1865822	core	WHI19000765	Rock
AX-19-39	6.15	7.5	1.35	1865823	core	WHI19000765	Rock
AX-19-39	7.5	8.75	1.25	1865824	core	WHI19000765	Rock

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
AX-19-39	8.75	9.95	1.2	1865825	core	WHI19000765	Rock
AX-19-39	9.95	11.2	1.25	1865826	core	WHI19000765	Rock
AX-19-39	11.2	12.4	1.2	1865827	core	WHI19000765	Rock
AX-19-39	12.4	13.5	1.1	1865828	core	WHI19000765	Rock
AX-19-39	13.5	15	1.5	1865829	core	WHI19000765	Rock
AX-19-39				1865830	blank	WHI19000765	Rock
AX-19-39	15	16	1	1865831	core	WHI19000765	Rock
AX-19-39	16	17.15	1.15	1865832	core	WHI19000765	Rock
AX-19-39	17.15	18.25	1.1	1865833	core	WHI19000765	Rock
AX-19-39	18.25	19.5	1.25	1865834	core	WHI19000765	Rock
AX-19-39	19.5	21	1.5	1865835	core	WHI19000765	Rock
AX-19-39	21	22.5	1.5	1865836	core	WHI19000765	Rock
AX-19-39	22.5	24	1.5	1865837	core	WHI19000765	Rock
AX-19-39	24	25.5	1.5	1865838	core	WHI19000765	Rock
AX-19-39	25.5	27	1.5	1865839	core	WHI19000765	Rock
AX-19-39	25.5	27	1.5	1865840	dup	WHI19000765	Rock
AX-19-39	27	28.5	1.5	1865841	core	WHI19000765	Rock
AX-19-39	28.5	30	1.5	1865842	core	WHI19000765	Rock
AX-19-39	30	31.5	1.5	1865843	core	WHI19000765	Rock
AX-19-39	31.5	33	1.5	1865844	core	WHI19000765	Rock
AX-19-39	33	34.5	1.5	1865845	core	WHI19000765	Rock
AX-19-39	34.5	36	1.5	1865846	core	WHI19000765	Rock
AX-19-39	36	36.9	0.9	1865847	core	WHI19000765	Rock
AX-19-39	36.9	37.85	0.95	1865848	core	WHI19000765	Rock
AX-19-39	37.85	39	1.15	1865849	core	WHI19000765	Rock
AX-19-39				1865850	me-1414	WHI19000765	Rock Pulp
AX-19-39	39	40.5	1.5	1865851	core	WHI19000765	Rock
AX-19-39	40.5	42	1.5	1865852	core	WHI19000765	Rock
AX-19-39	42	43.5	1.5	1865853	core	WHI19000765	Rock
AX-19-39	43.5	45	1.5	1865854	core	WHI19000765	Rock
AX-19-39	45	46.5	1.5	1865855	core	WHI19000765	Rock
AX-19-39	46.5	48	1.5	1865856	core	WHI19000765	Rock
AX-19-39	48	49.5	1.5	1865857	core	WHI19000765	Rock
AX-19-39	49.5	51	1.5	1865858	core	WHI19000765	Rock
AX-19-39	51	52.5	1.5	1865859	core	WHI19000765	Rock
AX-19-39	51	52.5	1.5	1865860	dup	WHI19000765	Rock
AX-19-39	52.5	53.5	1	1865861	core	WHI19000765	Rock
AX-19-39	53.5	54.86	1.36	1865862	core	WHI19000765	Rock
AX-19-39	54.86	55.7	0.84	1865863	core	WHI19000765	Rock
AX-19-39	55.7	57	1.3	1865864	core	WHI19000765	Rock
AX-19-39	57	58.5	1.5	1865865	core	WHI19000765	Rock
AX-19-39	58.5	60	1.5	1865866	core	WHI19000765	Rock
AX-19-39	60	61.5	1.5	1865867	core	WHI19000765	Rock
AX-19-39	61.5	62.32	0.82	1865868	core	WHI19000765	Rock
AX-19-39	62.32	63.5	1.18	1865869	core	WHI19000765	Rock
AX-19-39				1865870	blank	WHI19000765	Rock

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
AX-19-39	63.5	65	1.5	1865871	core	WHI19000765	Rock
AX-19-39	65	66.5	1.5	1865872	core	WHI19000765	Rock
AX-19-39	66.5	68	1.5	1865873	core	WHI19000765	Rock
AX-19-39	68	69.5	1.5	1865874	core	WHI19000765	Rock
AX-19-39	69.5	70.75	1.25	1865875	core	WHI19000765	Rock
AX-19-39	70.75	72.3	1.55	1865876	core	WHI19000765	Rock
AX-19-39	72.3	73.5	1.2	1865877	core	WHI19000765	Rock
AX-19-39	73.5	75	1.5	1865878	core	WHI19000765	Rock
AX-19-39	75	76.5	1.5	1865879	core	WHI19000765	Rock
AX-19-39	75	76.5	1.5	1865880	dup	WHI19000765	Rock
AX-19-39	76.5	78	1.5	1865881	core	WHI19000765	Rock
AX-19-39	78	79.5	1.5	1865882	core	WHI19000765	Rock
AX-19-39	79.5	81	1.5	1865883	core	WHI19000765	Rock
AX-19-39	81	82.5	1.5	1865884	core	WHI19000765	Rock
AX-19-39	82.5	84	1.5	1865885	core	WHI19000765	Rock
AX-19-39	84	85.5	1.5	1865886	core	WHI19000765	Rock
AX-19-39	85.5	87	1.5	1865887	core	WHI19000765	Rock
AX-19-39	87	88.5	1.5	1865888	core	WHI19000765	Rock
AX-19-39	88.5	90	1.5	1865889	core	WHI19000765	Rock
AX-19-39				1865890	gs-1q	WHI19000765	Rock Pulp
AX-19-39	90	91.5	1.5	1865891	core	WHI19000765	Rock
AX-19-39	91.5	93	1.5	1865892	core	WHI19000765	Rock
AX-19-39	93	94.5	1.5	1865893	core	WHI19000765	Rock
AX-19-39	94.5	96	1.5	1865894	core	WHI19000765	Rock
AX-19-39	96	97.5	1.5	1865895	core	WHI19000765	Rock
AX-19-39	97.5	99	1.5	1865896	core	WHI19000765	Rock
AX-19-39	99	100.5	1.5	1865897	core	WHI19000765	Rock
AX-19-39	100.5	102	1.5	1865898	core	WHI19000765	Rock
AX-19-39	102	103.5	1.5	1865899	core	WHI19000765	Rock
AX-19-39	102	103.5	1.5	1865900	dup	WHI19000765	Rock
AX-19-39	103.5	105	1.5	1865901	core	WHI19000765	Rock
AX-19-39	105	106.5	1.5	1865902	core	WHI19000765	Rock
AX-19-39	106.5	108	1.5	1865903	core	WHI19000765	Rock
AX-19-39	108	109.5	1.5	1865904	core	WHI19000765	Rock
AX-19-39	109.5	111	1.5	1865905	core	WHI19000765	Rock
AX-19-39	111	112.5	1.5	1865906	core	WHI19000765	Rock
AX-19-39	112.5	114	1.5	1865907	core	WHI19000765	Rock
AX-19-39	114	115	1	1865908	core	WHI19000765	Rock
AX-19-39	115	116.15	1.15	1865909	core	WHI19000765	Rock
AX-19-39				1865910	blank	WHI19000765	Rock
AX-19-39	116.15	117.5	1.35	1865911	core	WHI19000765	Rock
AX-19-39	117.5	118.87	1.37	1865912	core	WHI19000765	Rock
AX-19-40	0	10.67	10.67	1865913	core	WHI19000766	Rock
AX-19-40	10.67	12	1.33	1865914	core	WHI19000766	Rock
AX-19-40	12	13.5	1.5	1865915	core	WHI19000766	Rock
AX-19-40	13.5	14.55	1.05	1865916	core	WHI19000766	Rock



Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
AX-19-40	14.55	14.95	0.4	1865917	core	WHI19000766	Rock
AX-19-40	14.95	16.5	1.55	1865918	core	WHI19000766	Rock
AX-19-40	16.5	18	1.5	1865919	core	WHI19000766	Rock
AX-19-40	16.5	18	1.5	1865920	dup	WHI19000766	Rock
AX-19-40	18	19	1	1865921	core	WHI19000766	Rock
AX-19-40	19	20	1	1865922	core	WHI19000766	Rock
AX-19-40	20	21.5	1.5	1865923	core	WHI19000766	Rock
AX-19-40	21.5	23	1.5	1865924	core	WHI19000766	Rock
AX-19-40	23	24.5	1.5	1865925	core	WHI19000766	Rock
AX-19-40	24.5	26	1.5	1865926	core	WHI19000766	Rock
AX-19-40	26	27.5	1.5	1865927	core	WHI19000766	Rock
AX-19-40	27.5	29	1.5	1865928	core	WHI19000766	Rock
AX-19-40	29	30.35	1.35	1865929	core	WHI19000766	Rock
AX-19-40				1865930	me-1414	WHI19000766	Rock Pulp
AX-19-40	30.35	31.1	0.75	1865931	core	WHI19000766	Rock
AX-19-40	31.1	32.5	1.4	1865932	core	WHI19000766	Rock
AX-19-40	32.5	34	1.5	1865933	core	WHI19000766	Rock
AX-19-40	34	35.5	1.5	1865934	core	WHI19000766	Rock
AX-19-40	35.5	36.5	1	1865935	core	WHI19000766	Rock
AX-19-40	36.5	37.25	0.75	1865936	core	WHI19000766	Rock
AX-19-40	37.25	38.5	1.25	1865937	core	WHI19000766	Rock
AX-19-40	38.5	40	1.5	1865938	core	WHI19000766	Rock
AX-19-40	40	41.55	1.55	1865939	core	WHI19000766	Rock
AX-19-40	40	41.55	1.55	1865940	dup	WHI19000766	Rock
AX-19-40	41.55	43.15	1.6	1865941	core	WHI19000766	Rock
AX-19-40	43.15	44.42	1.27	1865942	core	WHI19000766	Rock
AX-19-40	44.42	44.85	0.43	1865943	core	WHI19000766	Rock
AX-19-40	44.85	46	1.15	1865944	core	WHI19000766	Rock
AX-19-40	46	47	1	1865945	core	WHI19000766	Rock
AX-19-40	47	48.35	1.35	1865946	core	WHI19000766	Rock
AX-19-40	48.35	50	1.65	1865947	core	WHI19000766	Rock
AX-19-40	50	51.5	1.5	1865948	core	WHI19000766	Rock
AX-19-40	51.5	53	1.5	1865949	core	WHI19000766	Rock
AX-19-40				1865950	gs-1q	WHI19000766	Rock Pulp
AX-19-40	53	54.5	1.5	1865951	core	WHI19000766	Rock
AX-19-40	54.5	56	1.5	1865952	core	WHI19000766	Rock
AX-19-40	56	57.5	1.5	1865953	core	WHI19000766	Rock
AX-19-40	57.5	59	1.5	1865954	core	WHI19000766	Rock
AX-19-40	59	60.5	1.5	1865955	core	WHI19000766	Rock
AX-19-40	60.5	62	1.5	1865956	core	WHI19000766	Rock
AX-19-40	62	63.5	1.5	1865957	core	WHI19000766	Rock
AX-19-40	63.5	65	1.5	1865958	core	WHI19000766	Rock
AX-19-40	65	66	1	1865959	core	WHI19000766	Rock
AX-19-40	65	66	1	1865960	dup	WHI19000766	Rock
AX-19-40	66	67.5	1.5	1865961	core	WHI19000766	Rock
AX-19-40	67.5	69	1.5	1865962	core	WHI19000766	Rock

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
AX-19-40	69	70.5	1.5	1865963	core	WHI19000766	Rock
AX-19-40	70.5	71.5	1	1865964	core	WHI19000766	Rock
AX-19-40	71.5	72.7	1.2	1865965	core	WHI19000766	Rock
AX-19-40	72.7	74	1.3	1865966	core	WHI19000766	Rock
AX-19-40	74	75.5	1.5	1865967	core	WHI19000766	Rock
AX-19-40	75.5	77	1.5	1865968	core	WHI19000766	Rock
AX-19-40	77	77.72	0.72	1865969	core	WHI19000766	Rock
AX-19-40				1865970	blank	WHI19000766	Rock
AX-19-40	77.72	78.82	1.1	1865971	core	WHI19000766	Rock
AX-19-40	78.82	80	1.18	1865972	core	WHI19000766	Rock
AX-19-40	80	81.5	1.5	1865973	core	WHI19000766	Rock
AX-19-40	81.5	82.5	1	1865974	core	WHI19000766	Rock
AX-19-40	82.5	83.82	1.32	1865975	core	WHI19000766	Rock
MQ-19-42	4.57	6.10	1.53	1825335	core	WHI19000171	Drill Core
MQ-19-42	6.10	7.62	1.52	1825336	core	WHI19000171	Drill Core
MQ-19-42	7.62	9.14	1.52	1825337	core	WHI19000171	Drill Core
MQ-19-42	9.14	10.67	1.53	1825338	core	WHI19000171	Drill Core
MQ-19-42	10.67	12.19	1.52	1825339	core	WHI19000171	Drill Core
MQ-19-42	12.19	12.19	0.00	1825340	CDN-ME-1414	WHI19000171	Rock Pulp
MQ-19-42	12.19	13.72	1.53	1825341	core	WHI19000171	Drill Core
MQ-19-42	13.72	15.24	1.52	1825342	core	WHI19000171	Drill Core
MQ-19-42	15.24	16.76	1.52	1825343	core	WHI19000171	Drill Core
MQ-19-42	16.76	18.29	1.53	1825344	core	WHI19000171	Drill Core
MQ-19-42	18.29	19.81	1.52	1825345	core	WHI19000171	Drill Core
MQ-19-42	19.81	21.34	1.53	1825346	core	WHI19000171	Drill Core
MQ-19-42	21.34	22.86	1.52	1825347	core	WHI19000171	Drill Core
MQ-19-42	22.86	24.38	1.52	1825348	core	WHI19000171	Drill Core
MQ-19-42	24.38	26.09	1.71	1825349	1/4 core	WHI19000171	Drill Core
MQ-19-42	24.38	26.09	1.71	1825350	1/4 core	WHI19000171	Drill Core
MQ-19-42	26.09	27.1	1.01	1825351	core	WHI19000171	Drill Core
MQ-19-42	27.1	29.3	2.20	1825352	core	WHI19000171	Drill Core
MQ-19-42	29.3	29.9	0.60	1825353	core	WHI19000171	Drill Core
MQ-19-42	29.9	31.4	1.50	1825354	core	WHI19000171	Drill Core
MQ-19-42	31.4	33.24	1.84	1825355	core	WHI19000171	Drill Core
MQ-19-42	33.24	34.75	1.51	1825356	core	WHI19000171	Drill Core
MQ-19-42	34.75	36.5	1.75	1825357	core	WHI19000171	Drill Core
MQ-19-42	36.5	37.8	1.30	1825358	core	WHI19000171	Drill Core
MQ-19-42	37.8	39.33	1.53	1825359	core	WHI19000171	Drill Core
MQ-19-42	39.33	39.33	0.00	1825360	CDN-ME-1605	WHI19000171	Rock Pulp
MQ-19-42	39.33	40.8	1.47	1825361	core	WHI19000171	Drill Core
MQ-19-42	40.8	41.25	0.45	1825362	core	WHI19000171	Drill Core
MQ-19-42	41.25	42.67	1.42	1825363	core	WHI19000171	Drill Core
MQ-19-42	42.67	44.2	1.53	1825364	core	WHI19000171	Drill Core
MQ-19-42	44.2	45.72	1.52	1825365	core	WHI19000171	Drill Core
MQ-19-42	45.72	47.03	1.31	1825366	core	WHI19000171	Drill Core
MQ-19-42	47.03	47.73	0.70	1825367	core	WHI19000171	Drill Core

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
MQ-19-42	47.73	48.1	0.37	1825368	core	WHI19000171	Drill Core
MQ-19-42	48.1	49	0.90	1825369	1/4 core	WHI19000171	Drill Core
MQ-19-42	48.1	49	0.90	1825370	1/4 core	WHI19000171	Drill Core
MQ-19-42	49	49.9	0.90	1825371	core	WHI19000171	Drill Core
MQ-19-42	49.9	51.5	1.60	1825372	core	WHI19000171	Drill Core
MQ-19-42	51.5	52.36	0.86	1825373	core	WHI19000171	Drill Core
MQ-19-42	52.36	53.8	1.44	1825374	core	WHI19000171	Drill Core
MQ-19-42	53.8	55.37	1.57	1825375	core	WHI19000171	Drill Core
MQ-19-42	55.37	56.92	1.55	1825376	core	WHI19000171	Drill Core
MQ-19-42	56.92	57.91	0.99	1825377	core	WHI19000171	Drill Core
MQ-19-42	57.91	58.06	0.15	1825378	core	WHI19000171	Drill Core
MQ-19-42	58.06	58.37	0.31	1825379	core	WHI19000171	Drill Core
MQ-19-42	58.37	58.37	0.00	1825380	Blank	WHI19000171	Rock
MQ-19-42	58.37	58.84	0.47	1825381	core	WHI19000171	Drill Core
MQ-19-42	58.84	61.28	2.44	1825382	core	WHI19000171	Drill Core
MQ-19-42	61.28	63.5	2.22	1825383	core	WHI19000171	Drill Core
MQ-19-42	63.5	65	1.50	1825384	core	WHI19000171	Drill Core
MQ-19-42	65	65.66	0.66	1825385	core	WHI19000171	Drill Core
MQ-19-42	65.66	66.25	0.59	1825386	core	WHI19000171	Drill Core
MQ-19-42	66.25	67.2	0.95	1825387	core	WHI19000171	Drill Core
MQ-19-42	67.2	70.1	2.90	1825388	core	WHI19000171	Drill Core
MQ-19-42	70.1	70.95	0.85	1825389	1/4 core	WHI19000171	Drill Core
MQ-19-42	70.1	70.95	0.85	1825390	1/4 core	WHI19000171	Drill Core
MQ-19-42	70.95	71.55	0.60	1825391	core	WHI19000171	Drill Core
MQ-19-42	71.55	73.15	1.60	1825392	core	WHI19000171	Drill Core
MQ-19-42	73.15	75.5	2.35	1825393	core	WHI19000171	Drill Core
MQ-19-42	75.5	78.05	2.55	1825394	core	WHI19000171	Drill Core
MQ-19-42	78.05	79.86	1.81	1825395	core	WHI19000171	Drill Core
MQ-19-42	79.86	81.99	2.13	1825396	core	WHI19000171	Drill Core
MQ-19-42	81.99	82.7	0.71	1825397	core	WHI19000171	Drill Core
MQ-19-42	82.7	85.04	2.34	1825398	core	WHI19000171	Drill Core
MQ-19-42	85.04	86.87	1.83	1825399	core	WHI19000171	Drill Core
MQ-19-42	86.87	86.87	0.00	1825400	CDN-ME-1414	WHI19000171	Rock Pulp
MQ-19-42	86.87	88.31	1.44	1825401	core	WHI19000171	Drill Core
MQ-19-42	88.31	90.02	1.71	1825402	core	WHI19000171	Drill Core
MQ-19-42	90.02	92.08	2.06	1825403	core	WHI19000171	Drill Core
MQ-19-42	92.08	92.96	0.88	1825404	core	WHI19000171	Drill Core
MQ-19-42	92.96	94.65	1.69	1825405	core	WHI19000171	Drill Core
MQ-19-42	94.65	94.89	0.24	1825406	core	WHI19000171	Drill Core
MQ-19-42	94.89	95.56	0.67	1825407	core	WHI19000171	Drill Core
MQ-19-42	95.56	95.9	0.34	1825408	core	WHI19000171	Drill Core
MQ-19-42	95.9	97.1	1.20	1825409	1/4 core	WHI19000171	Drill Core
MQ-19-42	95.9	97.1	1.20	1825410	1/4 core	WHI19000171	Drill Core
MQ-19-42	97.1	97.64	0.54	1825411	core	WHI19000171	Drill Core
MQ-19-42	97.64	99.06	1.42	1825412	core	WHI19000171	Drill Core
MQ-19-42	99.06	99.91	0.85	1825413	core	WHI19000171	Drill Core

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
MQ-19-42	99.91	101.5	1.59	1825414	core	WHI19000171	Drill Core
MQ-19-42	101.5	102.51	1.01	1825415	core	WHI19000171	Drill Core
MQ-19-42	102.51	104.18	1.67	1825416	core	WHI19000171	Drill Core
MQ-19-42	104.18	104.64	0.46	1825417	core	WHI19000171	Drill Core
MQ-19-42	104.64	105.16	0.52	1825418	core	WHI19000171	Drill Core
MQ-19-42	105.16	106.50	1.34	1825419	core	WHI19000171	Drill Core
MQ-19-42	106.5	106.5	0.00	1825420	CDN-ME-1605	WHI19000171	Rock Pulp
MQ-19-42	106.5	108.2	1.70	1825421	core	WHI19000171	Drill Core
MQ-19-42	108.2	109.69	1.49	1825422	core	WHI19000171	Drill Core
MQ-19-42	109.69	110.45	0.76	1825423	core	WHI19000171	Drill Core
MQ-19-42	110.45	111.25	0.80	1825424	core	WHI19000171	Drill Core
MQ-19-43	88.7	89.29	0.59	1824501	core	WHI19000172	Drill Core
MQ-19-43	89.29	89.65	0.36	1824502	core	WHI19000172	Drill Core
MQ-19-43	89.65	89.91	0.26	1824503	core	WHI19000172	Drill Core
MQ-19-43	89.91	90.39	0.48	1824504	core	WHI19000172	Drill Core
MQ-19-43	90.39	91.6	1.21	1824505	core	WHI19000172	Drill Core
MQ-19-43	91.6	92	0.40	1824506	core	WHI19000172	Drill Core
MQ-19-43	92	94.07	2.07	1824507	core	WHI19000172	Drill Core
MQ-19-43	94.07	96.24	2.17	1824508	core	WHI19000172	Drill Core
MQ-19-43	96.24	98.4	2.16	1824509	1/4 core	WHI19000172	Drill Core
MQ-19-43	96.24	98.4	2.16	1824510	1/4 core	WHI19000172	Drill Core
MQ-19-43	98.4	99.57	1.17	1824511	core	WHI19000172	Drill Core
MQ-19-43	99.57	101.1	1.53	1824512	core	WHI19000172	Drill Core
MQ-19-43	101.1	102.56	1.46	1824513	core	WHI19000172	Drill Core
MQ-19-43	102.56	104.85	2.29	1824514	core	WHI19000172	Drill Core
MQ-19-43	104.85	106.6	1.75	1824515	core	WHI19000172	Drill Core
MQ-19-43	106.6	108.2	1.60	1824516	core	WHI19000172	Drill Core
MQ-19-43	108.2	109.73	1.53	1824517	core	WHI19000172	Drill Core
MQ-19-43	2.25	3.05	0.80	1825425	core	WHI19000172	Drill Core
MQ-19-43	3.05	4.57	1.52	1825426	core	WHI19000172	Drill Core
MQ-19-43	4.57	6.1	1.53	1825427	core	WHI19000172	Drill Core
MQ-19-43	6.1	7	0.90	1825428	core	WHI19000172	Drill Core
MQ-19-43	7	8.22	1.22	1825429	1/4 core	WHI19000172	Drill Core
MQ-19-43	7	8.22	1.22	1825430	1/4 core	WHI19000172	Drill Core
MQ-19-43	8.22	9.14	0.92	1825431	core	WHI19000172	Drill Core
MQ-19-43	9.14	10.44	1.30	1825432	core	WHI19000172	Drill Core
MQ-19-43	10.44	12.19	1.75	1825433	core	WHI19000172	Drill Core
MQ-19-43	12.19	13.72	1.53	1825434	core	WHI19000172	Drill Core
MQ-19-43	13.72	14.63	0.91	1825435	core	WHI19000172	Drill Core
MQ-19-43	14.63	16.15	1.52	1825436	core	WHI19000172	Drill Core
MQ-19-43	16.15	17.68	1.53	1825437	core	WHI19000172	Drill Core
MQ-19-43	17.68	19.2	1.52	1825438	core	WHI19000172	Drill Core
MQ-19-43	19.2	20.73	1.53	1825439	core	WHI19000172	Drill Core
MQ-19-43	20.73	20.73	0.00	1825440	blank	WHI19000172	Rock
MQ-19-43	20.73	21.37	0.64	1825441	core	WHI19000172	Drill Core
MQ-19-43	21.37	23.53	2.16	1825442	core	WHI19000172	Drill Core

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
MQ-19-43	23.53	25.23	1.70	1825443	core	WHI19000172	Drill Core
MQ-19-43	25.23	26.82	1.59	1825444	core	WHI19000172	Drill Core
MQ-19-43	26.82	28.14	1.32	1825445	core	WHI19000172	Drill Core
MQ-19-43	28.14	29	0.86	1825446	core	WHI19000172	Drill Core
MQ-19-43	29	30.48	1.48	1825447	core	WHI19000172	Drill Core
MQ-19-43	30.48	32.5	2.02	1825448	core	WHI19000172	Drill Core
MQ-19-43	32.5	34.97	2.47	1825449	1/4 core	WHI19000172	Drill Core
MQ-19-43	32.5	34.97	2.47	1825450	1/4 core	WHI19000172	Drill Core
MQ-19-43	34.97	35.73	0.76	1825451	core	WHI19000172	Drill Core
MQ-19-43	35.73	36.31	0.58	1825452	core	WHI19000172	Drill Core
MQ-19-43	36.31	36.92	0.61	1825453	core	WHI19000172	Drill Core
MQ-19-43	36.92	38.08	1.16	1825454	core	WHI19000172	Drill Core
MQ-19-43	38.08	38.5	0.42	1825455	core	WHI19000172	Drill Core
MQ-19-43	38.5	39.9	1.40	1825456	core	WHI19000172	Drill Core
MQ-19-43	39.9	41.5	1.60	1825457	core	WHI19000172	Drill Core
MQ-19-43	41.5	41.85	0.35	1825458	core	WHI19000172	Drill Core
MQ-19-43	41.85	42.15	0.30	1825459	core	WHI19000172	Drill Core
MQ-19-43	42.15	42.15	0.00	1825460	CDN-ME-1414	WHI19000172	Rock Pulp
MQ-19-43	42.15	44	1.85	1825461	core	WHI19000172	Drill Core
MQ-19-43	44	45.72	1.72	1825462	core	WHI19000172	Drill Core
MQ-19-43	45.72	46.5	0.78	1825463	core	WHI19000172	Drill Core
MQ-19-43	46.5	47.75	1.25	1825464	core	WHI19000172	Drill Core
MQ-19-43	47.75	48.72	0.97	1825465	core	WHI19000172	Drill Core
MQ-19-43	48.72	50.32	1.60	1825466	core	WHI19000172	Drill Core
MQ-19-43	50.32	51.82	1.50	1825467	core	WHI19000172	Drill Core
MQ-19-43	51.82	52.17	0.35	1825468	core	WHI19000172	Drill Core
MQ-19-43	52.17	53.27	1.10	1825469	1/4 core	WHI19000172	Drill Core
MQ-19-43	52.17	53.27	1.10	1825470	1/4 core	WHI19000172	Drill Core
MQ-19-43	53.27	54.52	1.25	1825471	core	WHI19000172	Drill Core
MQ-19-43	54.52	56.65	2.13	1825472	core	WHI19000172	Drill Core
MQ-19-43	56.65	57.51	0.86	1825473	core	WHI19000172	Drill Core
MQ-19-43	57.51	59.04	1.53	1825474	core	WHI19000172	Drill Core
MQ-19-43	59.04	60.26	1.22	1825475	core	WHI19000172	Drill Core
MQ-19-43	60.26	61.85	1.59	1825476	core	WHI19000172	Drill Core
MQ-19-43	61.85	62.45	0.60	1825477	core	WHI19000172	Drill Core
MQ-19-43	62.45	64.33	1.88	1825478	core	WHI19000172	Drill Core
MQ-19-43	64.33	65.15	0.82	1825479	core	WHI19000172	Drill Core
MQ-19-43	65.15	65.15	0.00	1825480	CDN-ME-1605	WHI19000172	Rock Pulp
MQ-19-43	65.15	66.39	1.24	1825481	core	WHI19000172	Drill Core
MQ-19-43	66.39	67.84	1.45	1825482	core	WHI19000172	Drill Core
MQ-19-43	67.84	69	1.16	1825483	core	WHI19000172	Drill Core
MQ-19-43	69	69.34	0.34	1825484	core	WHI19000172	Drill Core
MQ-19-43	69.34	70.6	1.26	1825485	core	WHI19000172	Drill Core
MQ-19-43	70.6	71.64	1.04	1825486	core	WHI19000172	Drill Core
MQ-19-43	71.64	73.15	1.51	1825487	core	WHI19000172	Drill Core
MQ-19-43	73.15	74.84	1.69	1825488	core	WHI19000172	Drill Core

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
MQ-19-43	74.84	76.2	1.36	1825489	1/4 core	WHI19000172	Drill Core
MQ-19-43	74.84	76.2	1.36	1825490	1/4 core	WHI19000172	Drill Core
MQ-19-43	76.2	77.93	1.73	1825491	core	WHI19000172	Drill Core
MQ-19-43	77.93	79.25	1.32	1825492	core	WHI19000172	Drill Core
MQ-19-43	79.25	80.77	1.52	1825493	core	WHI19000172	Drill Core
MQ-19-43	80.77	82.2	1.43	1825494	core	WHI19000172	Drill Core
MQ-19-43	82.2	83.86	1.66	1825495	core	WHI19000172	Drill Core
MQ-19-43	83.86	84.65	0.79	1825496	core	WHI19000172	Drill Core
MQ-19-43	84.65	85.16	0.51	1825497	core	WHI19000172	Drill Core
MQ-19-43	85.16	86.79	1.63	1825498	core	WHI19000172	Drill Core
MQ-19-43	86.79	88.7	1.91	1825499	core	WHI19000172	Drill Core
MQ-19-43	88.7	88.7	0.00	1825500	Blank	WHI19000172	Rock
MQ-19-44	3.3	4.57	1.27	1824518	core	WHI19000173	Drill Core
MQ-19-44	4.57	6.10	1.53	1824519	core	WHI19000173	Drill Core
MQ-19-44	6.1	6.10	0.00	1824520	CDN-ME-1414	WHI19000173	Rock Pulp
MQ-19-44	6.1	6.8	0.70	1824521	core	WHI19000173	Drill Core
MQ-19-44	6.8	7	0.20	1824522	core	WHI19000173	Drill Core
MQ-19-44	7	9.4	2.40	1824523	core	WHI19000173	Drill Core
MQ-19-44	9.4	10.73	1.33	1824524	core	WHI19000173	Drill Core
MQ-19-44	10.73	12.4	1.67	1824525	core	WHI19000173	Drill Core
MQ-19-44	12.4	13.79	1.39	1824526	core	WHI19000173	Drill Core
MQ-19-44	13.79	14.64	0.85	1824527	core	WHI19000173	Drill Core
MQ-19-44	14.64	15.24	0.60	1824528	core	WHI19000173	Drill Core
MQ-19-44	15.24	16.76	1.52	1824529	1/4 core	WHI19000173	Drill Core
MQ-19-44	15.24	16.76	1.52	1824530	1/4 core	WHI19000173	Drill Core
MQ-19-44	16.76	18.29	1.53	1824531	core	WHI19000173	Drill Core
MQ-19-44	18.29	19.6	1.31	1824532	core	WHI19000173	Drill Core
MQ-19-44	19.6	20.7	1.10	1824533	core	WHI19000173	Drill Core
MQ-19-44	20.7	21	0.30	1824534	core	WHI19000173	Drill Core
MQ-19-44	21	21.7	0.70	1824535	core	WHI19000173	Drill Core
MQ-19-44	21.7	22.56	0.86	1824536	core	WHI19000173	Drill Core
MQ-19-44	22.56	23.47	0.91	1824537	core	WHI19000173	Drill Core
MQ-19-44	23.47	24.38	0.91	1824538	core	WHI19000173	Drill Core
MQ-19-44	24.38	25.91	1.53	1824539	core	WHI19000173	Drill Core
MQ-19-44	25.91	25.91	0.00	1824540	CDN-ME-1605	WHI19000173	Rock Pulp
MQ-19-44	25.91	27.43	1.52	1824541	core	WHI19000173	Drill Core
MQ-19-44	27.43	28.96	1.53	1824542	core	WHI19000173	Drill Core
MQ-19-44	28.96	30.87	1.91	1824543	core	WHI19000173	Drill Core
MQ-19-44	30.87	31.4	0.53	1824544	core	WHI19000173	Drill Core
MQ-19-44	31.4	33.22	1.82	1824545	core	WHI19000173	Drill Core
MQ-19-44	33.22	34.75	1.53	1824546	core	WHI19000173	Drill Core
MQ-19-44	34.75	36.2	1.45	1824547	core	WHI19000173	Drill Core
MQ-19-44	36.2	37.8	1.60	1824548	core	WHI19000173	Drill Core
MQ-19-44	37.8	39.62	1.82	1824549	1/4 core	WHI19000173	Drill Core
MQ-19-44	37.8	39.62	1.82	1824550	1/4 core	WHI19000173	Drill Core
MQ-19-44	39.62	41.14	1.52	1824551	core	WHI19000173	Drill Core

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
MQ-19-44	41.14	42.67	1.53	1824552	core	WHI19000173	Drill Core
MQ-19-44	42.67	44.07	1.40	1824553	core	WHI19000173	Drill Core
MQ-19-44	44.07	45.72	1.65	1824554	core	WHI19000173	Drill Core
MQ-19-44	45.72	47.2	1.48	1824555	core	WHI19000173	Drill Core
MQ-19-44	47.2	48.77	1.57	1824556	core	WHI19000173	Drill Core
MQ-19-44	48.77	49.99	1.22	1824557	core	WHI19000173	Drill Core
MQ-19-44	49.99	51.82	1.83	1824558	core	WHI19000173	Drill Core
MQ-19-44	51.82	53.38	1.56	1824559	core	WHI19000173	Drill Core
MQ-19-44	53.38	53.38	0.00	1824560	Blank	WHI19000173	Rock
MQ-19-44	53.38	54.86	1.48	1824561	core	WHI19000173	Drill Core
MQ-19-44	54.86	56.4	1.54	1824562	core	WHI19000173	Drill Core
MQ-19-44	56.4	57.91	1.51	1824563	core	WHI19000173	Drill Core
MQ-19-44	57.91	59.45	1.54	1824564	core	WHI19000173	Drill Core
MQ-19-44	59.45	60.96	1.51	1824565	core	WHI19000173	Drill Core
MQ-19-44	60.96	62.5	1.54	1824566	core	WHI19000173	Drill Core
MQ-19-44	62.5	65.08	2.58	1824567	core	WHI19000173	Drill Core
MQ-19-44	65.08	67.06	1.98	1824568	core	WHI19000173	Drill Core
MQ-19-44	67.06	67.67	0.61	1824569	1/4 core	WHI19000173	Drill Core
MQ-19-44	67.06	67.67	0.61	1824570	1/4 core	WHI19000173	Drill Core
MQ-19-44	67.67	69.3	1.63	1824571	core	WHI19000173	Drill Core
MQ-19-44	69.3	70.1	0.80	1824572	core	WHI19000173	Drill Core
MQ-19-44	70.1	71.03	0.93	1824573	core	WHI19000173	Drill Core
MQ-19-44	71.03	72.5	1.47	1824574	core	WHI19000173	Drill Core
MQ-19-44	72.5	73.1	0.60	1824575	core	WHI19000173	Drill Core
MQ-19-44	73.1	74.6	1.50	1824576	core	WHI19000173	Drill Core
MQ-19-44	74.6	76.52	1.92	1824577	core	WHI19000173	Drill Core
MQ-19-44	76.52	76.84	0.32	1824578	core	WHI19000173	Drill Core
MQ-19-44	76.84	79.8	2.96	1824579	core	WHI19000173	Drill Core
MQ-19-44	79.8	79.8	0.00	1824580	CDN-ME-1414	WHI19000173	Rock Pulp
MQ-19-44	79.8	81.58	1.78	1824581	core	WHI19000173	Drill Core
MQ-19-44	81.58	83	1.42	1824582	core	WHI19000173	Drill Core
MQ-19-44	83	84.43	1.43	1824583	core	WHI19000173	Drill Core
MQ-19-44	84.43	86.4	1.97	1824584	core	WHI19000173	Drill Core
MQ-19-44	86.4	87.2	0.80	1824585	core	WHI19000173	Drill Core
MQ-19-44	87.2	88.73	1.53	1824586	core	WHI19000173	Drill Core
MQ-19-44	88.73	90.43	1.70	1824587	core	WHI19000173	Drill Core
MQ-19-44	90.43	91.44	1.01	1824588	core	WHI19000173	Drill Core
MQ-19-44	91.44	92.73	1.29	1824589	1/4 core	WHI19000173	Drill Core
MQ-19-44	91.44	92.73	1.29	1824590	1/4 core	WHI19000173	Drill Core
MQ-19-44	92.73	93.5	0.77	1824591	core	WHI19000173	Drill Core
MQ-19-44	93.5	93.89	0.39	1824592	core	WHI19000173	Drill Core
MQ-19-44	93.89	94.68	0.79	1824593	core	WHI19000173	Drill Core
MQ-19-44	94.68	96.93	2.25	1824594	core	WHI19000173	Drill Core
MQ-19-44	96.93	98.34	1.41	1824595	core	WHI19000173	Drill Core
MQ-19-44	98.34	99.06	0.72	1824596	core	WHI19000173	Drill Core
MQ-19-44	99.06	100.05	0.99	1824597	core	WHI19000173	Drill Core

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
MQ-19-44	100.05	102.11	2.06	1824598	core	WHI19000173	Drill Core
MQ-19-44	102.11	104	1.89	1824599	core	WHI19000173	Drill Core
MQ-19-44	104	104	0.00	1824600	CDN-ME-1605	WHI19000173	Rock Pulp
MQ-19-44	104	105.16	1.16	1824601	core	WHI19000173	Drill Core
MQ-19-44	105.16	106.78	1.62	1824602	core	WHI19000173	Drill Core
MQ-19-44	106.78	107.42	0.64	1824603	core	WHI19000173	Drill Core
MQ-19-44	107.42	107.8	0.38	1824604	core	WHI19000173	Drill Core
MQ-19-44	107.8	108.2	0.40	1824605	core	WHI19000173	Drill Core
MQ-19-44	108.2	110.1	1.90	1824606	core	WHI19000173	Drill Core
MQ-19-44	110.1	112.47	2.37	1824607	core	WHI19000173	Drill Core
MQ-19-44	112.47	114.28	1.81	1824608	core	WHI19000173	Drill Core
MQ-19-44	114.28	116.31	2.03	1824609	1/4 core	WHI19000173	Drill Core
MQ-19-44	114.28	116.31	2.03	1824610	1/4 core	WHI19000173	Drill Core
MQ-19-44	116.31	118.43	2.12	1824611	core	WHI19000173	Drill Core
MQ-19-44	118.43	120.09	1.66	1824612	core	WHI19000173	Drill Core
MQ-19-44	120.09	122.22	2.13	1824613	core	WHI19000173	Drill Core
MQ-19-44	122.22	123.14	0.92	1824614	core	WHI19000173	Drill Core
MQ-19-44	123.14	124.97	1.83	1824615	core	WHI19000173	Drill Core
MQ-19-44	124.97	127.04	2.07	1824616	core	WHI19000173	Drill Core
MQ-19-44	127.04	127.39	0.35	1824617	core	WHI19000173	Drill Core
MQ-19-44	127.39	128.16	0.77	1824618	core	WHI19000173	Drill Core
MQ-19-44	128.16	129.26	1.10	1824619	core	WHI19000173	Drill Core
MQ-19-44	129.26	129.26	0.00	1824620	Blank	WHI19000173	Rock
MQ-19-44	129.26	130.39	1.13	1824621	core	WHI19000173	Drill Core
MQ-19-44	130.39	131.46	1.07	1824622	core	WHI19000173	Drill Core
MQ-19-44	131.46	132.47	1.01	1824623	core	WHI19000173	Drill Core
MQ-19-44	132.47	133.54	1.07	1824624	core	WHI19000173	Drill Core
MQ-19-44	133.54	134.11	0.57	1824625	core	WHI19000173	Drill Core
MQ-19-44	134.11	134.62	0.51	1824626	core	WHI19000173	Drill Core
MQ-19-44	134.62	135.75	1.13	1824627	core	WHI19000173	Drill Core
MQ-19-44	135.75	136.23	0.48	1824628	core	WHI19000173	Drill Core
MQ-19-44	136.23	137.16	0.93	1824629	1/4 core	WHI19000173	Drill Core
MQ-19-44	136.23	137.16	0.93	1824630	1/4 core	WHI19000173	Drill Core
MQ-19-44	137.16	137.32	0.16	1824631	core	WHI19000173	Drill Core
MQ-19-44	137.32	139.08	1.76	1824632	core	WHI19000173	Drill Core
MQ-19-44	139.08	140.53	1.45	1824633	core	WHI19000173	Drill Core
MQ-19-44	140.53	141.73	1.20	1824634	core	WHI19000173	Drill Core
MQ-19-44	141.73	143.26	1.53	1824635	core	WHI19000173	Drill Core
MQ-19-44	143.26	144.75	1.49	1824636	core	WHI19000173	Drill Core
MQ-19-44	144.75	146.3	1.55	1824637	core	WHI19000173	Drill Core
MQ-19-44	146.3	148.44	2.14	1824638	core	WHI19000173	Drill Core
MQ-19-44	148.44	150.88	2.44	1824639	core	WHI19000173	Drill Core
MQ-19-44	150.88	150.88	0.00	1824640	CDN-ME-1414	WHI19000173	Rock Pulp
MQ-19-44	150.88	152.91	2.03	1824641	core	WHI19000173	Drill Core
MQ-19-44	152.91	153.92	1.01	1824642	core	WHI19000173	Drill Core
MQ-19-45	3.05	4.57	1.52	1824643	core	WHI19000174	Rock



Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
MQ-19-45	4.57	6.1	1.53	1824644	core	WHI19000174	Rock
MQ-19-45	6.1	7.62	1.52	1824645	core	WHI19000174	Rock
MQ-19-45	7.62	9.09	1.47	1824646	core	WHI19000174	Rock
MQ-19-45	9.09	9.66	0.57	1824647	core	WHI19000174	Rock
MQ-19-45	9.66	10.35	0.69	1824648	core	WHI19000174	Rock
MQ-19-45	10.35	10.67	0.32	1824649	1/4 core	WHI19000174	Rock
MQ-19-45	10.35	10.67	0.32	1824650	1/4 core	WHI19000174	Rock
MQ-19-45	10.67	12.19	1.52	1824651	core	WHI19000174	Rock
MQ-19-45	12.19	13.72	1.53	1824652	core	WHI19000174	Rock
MQ-19-45	13.72	15.24	1.52	1824653	core	WHI19000174	Rock
MQ-19-45	15.24	17	1.76	1824654	core	WHI19000174	Rock
MQ-19-45	17	18.18	1.18	1824655	core	WHI19000174	Rock
MQ-19-45	18.18	18.29	0.11	1824656	core	WHI19000174	Rock
MQ-19-45	18.29	19.81	1.52	1824657	core	WHI19000174	Rock
MQ-19-45	19.81	21.3	1.49	1824658	core	WHI19000174	Rock
MQ-19-45	21.3	22.86	1.56	1824659	core	WHI19000174	Rock
MQ-19-45	22.86	22.86	0.00	1824660	CDN-ME-1605	WHI19000174	Rock Pulp
MQ-19-45	22.86	24.25	1.39	1824661	core	WHI19000174	Rock
MQ-19-45	24.25	25.91	1.66	1824662	core	WHI19000174	Rock
MQ-19-45	25.91	27.96	2.05	1824663	core	WHI19000174	Rock
MQ-19-45	27.96	29.78	1.82	1824664	core	WHI19000174	Rock
MQ-19-45	29.78	32	2.22	1824665	core	WHI19000174	Rock
MQ-19-45	32	33	1.00	1824666	core	WHI19000174	Rock
MQ-19-45	33	34.47	1.47	1824667	core	WHI19000174	Rock
MQ-19-45	34.47	34.62	0.15	1824668	core	WHI19000174	Rock
MQ-19-45	34.62	34.92	0.30	1824669	1/4 core	WHI19000174	Rock
MQ-19-45	34.62	34.92	0.30	1824670	1/4 core	WHI19000174	Rock
MQ-19-45	34.92	36.98	2.06	1824671	core	WHI19000174	Rock
MQ-19-45	36.98	38.5	1.52	1824672	core	WHI19000174	Rock
MQ-19-45	38.5	40	1.50	1824673	core	WHI19000174	Rock
MQ-19-45	40	41.73	1.73	1824674	core	WHI19000174	Rock
MQ-19-45	41.73	42.67	0.94	1824675	core	WHI19000174	Rock
MQ-19-45	42.67	43.77	1.10	1824676	core	WHI19000174	Rock
MQ-19-45	43.77	44.82	1.05	1824677	core	WHI19000174	Rock
MQ-19-45	44.82	45.8	0.98	1824678	core	WHI19000174	Rock
MQ-19-45	45.8	46.7	0.90	1824679	core	WHI19000174	Rock
MQ-19-45	46.7	46.7	0.00	1824680	Blank	WHI19000174	Rock
MQ-19-45	46.7	48.66	1.96	1824681	core	WHI19000174	Rock
MQ-19-45	48.66	50.29	1.63	1824682	core	WHI19000174	Rock
MQ-19-45	50.29	51.79	1.50	1824683	core	WHI19000174	Rock
MQ-19-45	51.79	53.34	1.55	1824684	core	WHI19000174	Rock
MQ-19-45	53.34	54.18	0.84	1824685	core	WHI19000174	Rock
MQ-19-45	54.18	56.39	2.21	1824686	core	WHI19000174	Rock
MQ-19-45	56.39	58.62	2.23	1824687	core	WHI19000174	Rock
MQ-19-45	58.62	60.9	2.28	1824688	core	WHI19000174	Rock
MQ-19-45	60.9	63.13	2.23	1824689	1/4 core	WHI19000174	Rock

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
MQ-19-45	60.9	63.13	2.23	1824690	1/4 core	WHI19000174	Rock
MQ-19-45	63.13	64.72	1.59	1824691	core	WHI19000174	Rock
MQ-19-45	64.72	65	0.28	1824692	core	WHI19000174	Rock
MQ-19-45	65	65.64	0.64	1824693	core	WHI19000174	Rock
MQ-19-45	65.64	66.02	0.38	1824694	core	WHI19000174	Rock
MQ-19-45	66.02	67.14	1.12	1824695	core	WHI19000174	Rock
MQ-19-45	67.14	67.42	0.28	1824696	core	WHI19000174	Rock
MQ-19-45	67.42	68.58	1.16	1824697	core	WHI19000174	Rock
MQ-19-45	68.58	70	1.42	1824698	core	WHI19000174	Rock
MQ-19-45	70	71.63	1.63	1824699	core	WHI19000174	Rock
MQ-19-45	71.63	71.63	0.00	1824700	CDN-ME-1414	WHI19000174	Rock Pulp
MQ-19-45	71.63	73.4	1.77	1824701	core	WHI19000174	Rock
MQ-19-45	73.4	73.61	0.21	1824702	core	WHI19000174	Rock
MQ-19-45	73.61	74.03	0.42	1824703	core	WHI19000174	Rock
MQ-19-45	74.03	76	1.97	1824704	core	WHI19000174	Rock
MQ-19-45	76	76.68	0.68	1824705	core	WHI19000174	Rock
MQ-19-45	76.68	77.64	0.96	1824706	core	WHI19000174	Rock
MQ-19-45	77.64	79.75	2.11	1824707	core	WHI19000174	Rock
MQ-19-45	79.75	81	1.25	1824708	core	WHI19000174	Rock
MQ-19-45	81	83.25	2.25	1824709	1/4 core	WHI19000174	Rock
MQ-19-45	81	83.25	2.25	1824710	1/4 core	WHI19000174	Rock
MQ-19-45	83.25	85.28	2.03	1824711	core	WHI19000174	Rock
MQ-19-45	85.28	86.65	1.37	1824712	core	WHI19000174	Rock
MQ-19-45	86.65	87.97	1.32	1824713	core	WHI19000174	Rock
MQ-19-45	87.97	88.79	0.82	1824714	core	WHI19000174	Rock
MQ-19-45	88.79	89.6	0.81	1824715	core	WHI19000174	Rock
MQ-19-45	89.6	90.4	0.80	1824716	core	WHI19000174	Rock
MQ-19-45	90.4	90.59	0.19	1824717	core	WHI19000174	Rock
MQ-19-45	90.59	91.09	0.50	1824718	core	WHI19000174	Rock
MQ-19-45	91.09	91.62	0.53	1824719	core	WHI19000174	Rock
MQ-19-45	91.62	91.62	0.00	1824720	CDN-ME-1605	WHI19000174	Rock Pulp
MQ-19-45	91.62	92.45	0.83	1824721	core	WHI19000174	Rock
MQ-19-45	92.45	92.77	0.32	1824722	core	WHI19000174	Rock
MQ-19-45	92.77	93.6	0.83	1824723	core	WHI19000174	Rock
MQ-19-45	93.6	94.18	0.58	1824724	core	WHI19000174	Rock
MQ-19-45	94.18	95.4	1.22	1824725	core	WHI19000174	Rock
MQ-19-45	95.4	96.62	1.22	1824726	core	WHI19000174	Rock
MQ-19-45	96.62	97.25	0.63	1824727	core	WHI19000174	Rock
MQ-19-45	97.25	98.75	1.50	1824728	core	WHI19000174	Rock
MQ-19-45	98.75	100.6	1.85	1824729	1/4 core	WHI19000174	Rock
MQ-19-45	98.75	100.6	1.85	1824730	1/4 core	WHI19000174	Rock
MQ-19-45	100.6	101.83	1.23	1824731	core	WHI19000174	Rock
MQ-19-45	101.83	103.02	1.19	1824732	core	WHI19000174	Rock
MQ-19-45	103.02	105.16	2.14	1824733	core	WHI19000174	Rock
MQ-19-45	105.16	107.29	2.13	1824734	core	WHI19000174	Rock
MQ-19-45	107.29	108.51	1.22	1824735	core	WHI19000174	Rock

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
MQ-19-45	108.51	111.25	2.74	1824736	core	WHI19000174	Rock
MQ-19-45	111.25	112.78	1.53	1824737	core	WHI19000174	Rock
MQ-19-45	112.78	115.82	3.04	1824738	core	WHI19000174	Rock
MQ-19-45	115.82	118.87	3.05	1824739	core	WHI19000174	Rock
MQ-19-45	118.87	118.87	0.00	1824740	Blank	WHI19000174	Rock
MQ-19-46	3.1	4.65	1.55	1824751	core	WHI19000629	Rock
MQ-19-46	4.65	6.1	1.45	1824752	core	WHI19000629	Rock
MQ-19-46	6.1	7.65	1.55	1824753	core	WHI19000629	Rock
MQ-19-46	7.65	8.3	0.65	1824754	core	WHI19000629	Rock
MQ-19-46	8.3	9.3	1	1824755	core	WHI19000629	Rock
MQ-19-46	9.3	10.45	1.15	1824756	core	WHI19000629	Rock
MQ-19-46	10.45	12	1.55	1824757	core	WHI19000629	Rock
MQ-19-46	12	13.5	1.5	1824758	core	WHI19000629	Rock
MQ-19-46	13.5	14.3	0.8	1824759	core	WHI19000629	Rock
MQ-19-46	13.5			1824760	dup	WHI19000629	Rock
MQ-19-46	14.3	15.3	1	1824761	core	WHI19000629	Rock
MQ-19-46	15.3	16.75	1.45	1824762	core	WHI19000629	Rock
MQ-19-46	16.75	19.05	2.3	1824763	core	WHI19000629	Rock
MQ-19-46	19.05	20.7	1.65	1824764	core	WHI19000629	Rock
MQ-19-46	20.7	22.3	1.6	1824765	core	WHI19000629	Rock
MQ-19-46	22.3	23.85	1.55	1824766	core	WHI19000629	Rock
MQ-19-46	23.85	24.38	0.53	1824767	core	WHI19000629	Rock
MQ-19-46	24.38	25.8	1.42	1824768	core	WHI19000629	Rock
MQ-19-46	25.8	27.35	1.55	1824769	core	WHI19000629	Rock
MQ-19-46	25.8			1824770	me-1414	WHI19000629	Rock Pulp
MQ-19-46	27.35	28.9	1.55	1824771	core	WHI19000629	Rock
MQ-19-46	28.9	30.4	1.5	1824772	core	WHI19000629	Rock
MQ-19-46	30.4	31.9	1.5	1824773	core	WHI19000629	Rock
MQ-19-46	31.9	33.4	1.5	1824774	core	WHI19000629	Rock
MQ-19-46	33.4	35.9	2.5	1824775	core	WHI19000629	Rock
MQ-19-46	35.9	37.3	1.4	1824776	core	WHI19000629	Rock
MQ-19-46	37.3	37.83	0.53	1824777	core	WHI19000629	Rock
MQ-19-46	37.83	39	1.17	1824778	core	WHI19000629	Rock
MQ-19-46	39	40	1	1824779	core	WHI19000629	Rock
MQ-19-46	39			1824780	dup	WHI19000629	Rock
MQ-19-46	40	40.3	0.3	1824781	core	WHI19000629	Rock
MQ-19-46	40.3	41.8	1.5	1824782	core	WHI19000629	Rock
MQ-19-46	41.8	43.3	1.5	1824783	core	WHI19000629	Rock
MQ-19-46	43.3	44.45	1.15	1824784	core	WHI19000629	Rock
MQ-19-46	44.45	45.6	1.15	1824785	core	WHI19000629	Rock
MQ-19-46	45.6	47.4	1.8	1824786	core	WHI19000629	Rock
MQ-19-46	47.4	48.1	0.7	1824787	core	WHI19000629	Rock
MQ-19-46	48.1	48.5	0.4	1824788	core	WHI19000629	Rock
MQ-19-46	48.5	49.75	1.25	1824789	core	WHI19000629	Rock
MQ-19-46	48.5			1824790	blank	WHI19000629	Rock Pulp
MQ-19-46	49.75	51	1.25	1824791	core	WHI19000629	Rock

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
MQ-19-46	51	52.5	1.5	1824792	core	WHI19000629	Rock
MQ-19-46	52.5	53.5	1	1824793	core	WHI19000629	Rock
MQ-19-46	53.5	55	1.5	1824794	core	WHI19000629	Rock
MQ-19-46	55	56.5	1.5	1824795	core	WHI19000629	Rock
MQ-19-46	56.5	57.91	1.41	1824796	core	WHI19000629	Rock
MQ-19-46	57.91	59	1.09	1824797	core	WHI19000629	Rock
MQ-19-46	59	60	1	1824798	core	WHI19000629	Rock
MQ-19-46	60	61	1	1824799	core	WHI19000629	Rock
MQ-19-46	60			1824800	dup	WHI19000629	Rock
MQ-19-46	61	62	1	1824801	core	WHI19000629	Rock
MQ-19-46	62	62.5	0.5	1824802	core	WHI19000629	Rock
MQ-19-46	62.5	64	1.5	1824803	core	WHI19000629	Rock
MQ-19-46	64	64.7	0.7	1824804	core	WHI19000629	Rock
MQ-19-46	64.7	66	1.3	1824805	core	WHI19000629	Rock
MQ-19-46	66	66.9	0.9	1824806	core	WHI19000629	Rock
MQ-19-46	66.9	68.4	1.5	1824807	core	WHI19000629	Rock
MQ-19-46	68.4	69.9	1.5	1824808	core	WHI19000629	Rock
MQ-19-46	69.9	71	1.1	1824809	core	WHI19000629	Rock
MQ-19-46	69.9			1824810	me-1414	WHI19000629	Rock Pulp
MQ-19-46	71	72.2	1.2	1824811	core	WHI19000629	Rock
MQ-19-46	72.2	73.6	1.4	1824812	core	WHI19000629	Rock
MQ-19-46	73.6	74.65	1.05	1824813	core	WHI19000629	Rock
MQ-19-46	74.65	75.75	1.1	1824814	core	WHI19000629	Rock
MQ-19-46	75.75	76.3	0.55	1824815	core	WHI19000629	Rock
MQ-19-46	76.3	77.8	1.5	1824816	core	WHI19000629	Rock
MQ-19-46	77.8	79.3	1.5	1824817	core	WHI19000629	Rock
MQ-19-46	79.3	80.7	1.4	1824818	core	WHI19000629	Rock
MQ-19-46	80.7	82.3	1.6	1824819	core	WHI19000629	Rock
MQ-19-46	80.7			1824820	dup	WHI19000629	Rock
MQ-19-46	82.3	83.85	1.55	1824821	core	WHI19000629	Rock
MQ-19-46	83.85	85.34	1.49	1824822	core	WHI19000629	Rock
MQ-19-46	85.34	86.9	1.56	1824823	core	WHI19000629	Rock
MQ-19-46	86.9	88	1.1	1824824	core	WHI19000629	Rock
MQ-19-46	88	89.35	1.35	1824825	core	WHI19000629	Rock
MQ-19-46	89.35	90.35	1	1824826	core	WHI19000629	Rock
MQ-19-46	90.35	91.9	1.55	1824827	core	WHI19000629	Rock
MQ-19-46	91.9	93.2	1.3	1824828	core	WHI19000629	Rock
MQ-19-46	93.2	94.7	1.5	1824829	core	WHI19000629	Rock
MQ-19-46	93.2			1824830	blank	WHI19000629	Rock
MQ-19-46	94.7	96.2	1.5	1824831	core	WHI19000629	Rock
MQ-19-46	96.2	97.75	1.55	1824832	core	WHI19000629	Rock
MQ-19-46	97.75	99.3	1.55	1824833	core	WHI19000629	Rock
MQ-19-46	99.3	100.8	1.5	1824834	core	WHI19000629	Rock
MQ-19-46	100.8	102.35	1.55	1824835	core	WHI19000629	Rock
MQ-19-46	102.35	103.9	1.55	1824836	core	WHI19000629	Rock
MQ-19-46	103.9	105.6	1.7	1824837	core	WHI19000629	Rock

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
MQ-19-46	105.6	106.68	1.08	1824838	core	WHI19000629	Rock
MQ-19-46	106.68	108.2	1.52	1824839	core	WHI19000629	Rock
MQ-19-47	0			1824840	dup	WHI19000674	Rock
MQ-19-47	1.52	3.05	1.53	1824841	core	WHI19000674	Rock
MQ-19-47	3.05	4.57	1.52	1824842	core	WHI19000674	Rock
MQ-19-47	4.57	6.1	1.53	1824843	core	WHI19000674	Rock
MQ-19-47	6.1	7.62	1.52	1824844	core	WHI19000674	Rock
MQ-19-47	7.62	9.14	1.52	1824845	core	WHI19000674	Rock
MQ-19-47	9.14	10.1	0.96	1824846	core	WHI19000674	Rock
MQ-19-47	10.1	11.1	1	1824847	core	WHI19000674	Rock
MQ-19-47	11.1	12.63	1.53	1824848	core	WHI19000674	Rock
MQ-19-47	12.63	14.15	1.52	1824849	core	WHI19000674	Rock
MQ-19-47	12.63			1824850	me-1414	WHI19000674	Rock Pulp
MQ-19-47	14.15	15.6	1.45	1824851	core	WHI19000674	Rock
MQ-19-47	15.6	17.1	1.5	1824852	core	WHI19000674	Rock
MQ-19-47	17.1	18.6	1.5	1824853	core	WHI19000674	Rock
MQ-19-47	18.6	19.5	0.9	1824854	core	WHI19000674	Rock
MQ-19-47	19.5	20.2	0.7	1824855	core	WHI19000674	Rock
MQ-19-47	20.2	21.7	1.5	1824856	core	WHI19000674	Rock
MQ-19-47	21.7	23.25	1.55	1824857	core	WHI19000674	Rock
MQ-19-47	23.25	24.8	1.55	1824858	core	WHI19000674	Rock
MQ-19-47	24.8	26.35	1.55	1824859	core	WHI19000674	Rock
MQ-19-47	24.8			1824860	dup	WHI19000674	Rock
MQ-19-47	26.35	27.35	1	1824861	core	WHI19000674	Rock
MQ-19-47	27.35	28.15	0.8	1824862	core	WHI19000674	Rock
MQ-19-47	28.15	29.19	1.04	1824863	core	WHI19000674	Rock
MQ-19-47	29.19	30.48	1.29	1824864	core	WHI19000674	Rock
MQ-19-47	30.48	31.5	1.02	1824865	core	WHI19000674	Rock
MQ-19-47	31.5	32.5	1	1824866	core	WHI19000674	Rock
MQ-19-47	32.5	33.45	0.95	1824867	core	WHI19000674	Rock
MQ-19-47	33.45	35	1.55	1824868	core	WHI19000674	Rock
MQ-19-47	35	36.55	1.55	1824869	core	WHI19000674	Rock
MQ-19-47	35			1824870	blank	WHI19000674	Rock
MQ-19-47	36.55	37.85	1.3	1824871	core	WHI19000674	Rock
MQ-19-47	37.85	39.62	1.77	1824872	core	WHI19000674	Rock
MQ-19-47	39.62	40.6	0.98	1824873	core	WHI19000674	Rock
MQ-19-47	40.6	42	1.4	1824874	core	WHI19000674	Rock
MQ-19-47	42	43.5	1.5	1824875	core	WHI19000674	Rock
MQ-19-47	43.5	44.5	1	1824876	core	WHI19000674	Rock
MQ-19-47	44.5	45.5	1	1824877	core	WHI19000674	Rock
MQ-19-47	45.5	46.7	1.2	1824878	core	WHI19000674	Rock
MQ-19-47	46.7	47.68	0.98	1824879	core	WHI19000674	Rock
MQ-19-47	46.7			1824880	dup	WHI19000674	Rock
MQ-19-47	47.68	49.2	1.52	1824881	core	WHI19000674	Rock
MQ-19-47	49.2	50.75	1.55	1824882	core	WHI19000674	Rock
MQ-19-47	50.75	52.3	1.55	1824883	core	WHI19000674	Rock

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
MQ-19-47	52.3	53.75	1.45	1824884	core	WHI19000674	Rock
MQ-19-47	53.75	55.3	1.55	1824885	core	WHI19000674	Rock
MQ-19-47	55.3	56.6	1.3	1824886	core	WHI19000674	Rock
MQ-19-47	56.6	56.75	0.15	1824887	core	WHI19000674	Rock
MQ-19-47	56.75	58.3	1.55	1824888	core	WHI19000674	Rock
MQ-19-47	58.3	59.85	1.55	1824889	core	WHI19000674	Rock
MQ-19-47	58.3			1824890	me-1414	WHI19000674	Rock Pulp
MQ-19-47	59.85	61.4	1.55	1824891	core	WHI19000674	Rock
MQ-19-47	61.4	62.9	1.5	1824892	core	WHI19000674	Rock
MQ-19-47	62.9	64.45	1.55	1824893	core	WHI19000674	Rock
MQ-19-47	64.45	65.75	1.3	1824894	core	WHI19000674	Rock
MQ-19-47	65.75	67.06	1.31	1824895	core	WHI19000674	Rock
MQ-19-47	67.06	68.5	1.44	1824896	core	WHI19000674	Rock
MQ-19-47	68.5	70	1.5	1824897	core	WHI19000674	Rock
MQ-19-47	70	71.5	1.5	1824898	core	WHI19000674	Rock
MQ-19-47	71.5	73	1.5	1824899	core	WHI19000674	Rock
MQ-19-47	71.5			1824900	dup	WHI19000674	Rock
MQ-19-47	73	74.5	1.5	1824901	core	WHI19000674	Rock
MQ-19-47	74.5	76	1.5	1824902	core	WHI19000674	Rock
MQ-19-47	76	77.5	1.5	1824903	core	WHI19000674	Rock
MQ-19-47	77.5	79	1.5	1824904	core	WHI19000674	Rock
MQ-19-47	79	80.5	1.5	1824905	core	WHI19000674	Rock
MQ-19-47	80.5	82	1.5	1824906	core	WHI19000674	Rock
MQ-19-47	82	83.3	1.3	1824907	core	WHI19000674	Rock
MQ-19-47	83.3	84.85	1.55	1824908	core	WHI19000674	Rock
MQ-19-47	84.85	86.4	1.55	1824909	core	WHI19000674	Rock
MQ-19-47	84.85			1824910	blank	WHI19000674	Rock
MQ-19-47	86.4	87.4	1	1824911	core	WHI19000674	Rock
MQ-19-47	87.4	88.39	0.99	1824912	core	WHI19000674	Rock
MQ-19-47	88.39	89.9	1.51	1824913	core	WHI19000674	Rock
MQ-19-47	89.9	91.4	1.5	1824914	core	WHI19000674	Rock
MQ-19-47	91.4	92.9	1.5	1824915	core	WHI19000674	Rock
MQ-19-47	92.9	94.4	1.5	1824916	core	WHI19000674	Rock
MQ-19-47	94.4	95.9	1.5	1824917	core	WHI19000674	Rock
MQ-19-47	95.9	97.4	1.5	1824918	core	WHI19000674	Rock
MQ-19-47	97.4	98.9	1.5	1824919	core	WHI19000674	Rock
MQ-19-47	97.4			1824920	dup	WHI19000674	Rock
MQ-19-47	98.9	100.58	1.68	1824921	core	WHI19000674	Rock
MQ-19-47	100.58	101.5	0.92	1824922	core	WHI19000674	Rock
MQ-19-47	101.5	102.4	0.9	1824923	core	WHI19000674	Rock
MQ-19-47	102.4	103.3	0.9	1824924	core	WHI19000674	Rock
MQ-19-47	103.3	104.85	1.55	1824925	core	WHI19000674	Rock
MQ-19-47	104.85	106.1	1.25	1824926	core	WHI19000674	Rock
MQ-19-47	106.1	107.3	1.2	1824927	core	WHI19000674	Rock
MQ-19-47	107.3	108.8	1.5	1824928	core	WHI19000674	Rock
MQ-19-47	108.8	109.85	1.05	1824929	core	WHI19000674	Rock

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
MQ-19-47	108.8			1824930	me-1414	WHI19000674	Rock Pulp
MQ-19-47	109.85	111.25	1.4	1824931	core	WHI19000674	Rock
MQ-19-48	89.8	91.3	1.5	1475501	sequence change	WHI19000663	Rock
MQ-19-48	91.3	92.8	1.5	1475502	core	WHI19000663	Rock
MQ-19-48	92.8	94.4	1.6	1475503	core	WHI19000663	Rock
MQ-19-48	94.4	96.01	1.61	1475504	core	WHI19000663	Rock
MQ-19-48	96.01	97.5	1.49	1475505	core	WHI19000663	Rock
MQ-19-48	97.5	99	1.5	1475506	core	WHI19000663	Rock
MQ-19-48	99	100.5	1.5	1475507	core	WHI19000663	Rock
MQ-19-48	100.5	102	1.5	1475508	core	WHI19000663	Rock
MQ-19-48	102	103.35	1.35	1475509	core	WHI19000663	Rock
MQ-19-48	102			1475510	me-1414	WHI19000663	Rock Pulp
MQ-19-48	103.35	103.65	0.3	1475511	core	WHI19000663	Rock
MQ-19-48	103.65	105.16	1.51	1475512	core	WHI19000663	Rock
MQ-19-48	105.16	106.7	1.54	1475513	core	WHI19000663	Rock
MQ-19-48	106.7	107.6	0.9	1475514	core	WHI19000663	Rock
MQ-19-48	107.6	108.6	1	1475515	core	WHI19000663	Rock
MQ-19-48	108.6	109.35	0.75	1475516	core	WHI19000663	Rock
MQ-19-48	109.35	110.9	1.55	1475517	core	WHI19000663	Rock
MQ-19-48	110.9	112.4	1.5	1475518	core	WHI19000663	Rock
MQ-19-48	112.4	113.9	1.5	1475519	core	WHI19000663	Rock
MQ-19-48	112.4			1475520	dup	WHI19000663	Rock
MQ-19-48	113.9	115.4	1.5	1475521	core	WHI19000663	Rock
MQ-19-48	115.4	116.9	1.5	1475522	core	WHI19000663	Rock
MQ-19-48	116.9	118.4	1.5	1475523	core	WHI19000663	Rock
MQ-19-48	118.4	119.9	1.5	1475524	core	WHI19000663	Rock
MQ-19-48	119.9	121.4	1.5	1475525	core	WHI19000663	Rock
MQ-19-48	121.4	122.9	1.5	1475526	core	WHI19000663	Rock
MQ-19-48	122.9	124.4	1.5	1475527	core	WHI19000663	Rock
MQ-19-48	124.4	125.9	1.5	1475528	core	WHI19000663	Rock
MQ-19-48	125.9	126.9	1	1475529	core	WHI19000663	Rock
MQ-19-48	125.9			1475530	blank	WHI19000663	Rock
MQ-19-48	126.9	127.8	0.9	1475531	core	WHI19000663	Rock
MQ-19-48	127.8	128.7	0.9	1475532	core	WHI19000663	Rock
MQ-19-48	128.7	129.05	0.35	1475533	core	WHI19000663	Rock
MQ-19-48	129.05	130.5	1.45	1475534	core	WHI19000663	Rock
MQ-19-48	130.5	132	1.5	1475535	core	WHI19000663	Rock
MQ-19-48	132	133.25	1.25	1475536	core	WHI19000663	Rock
MQ-19-48	133.25	134.75	1.5	1475537	core	WHI19000663	Rock
MQ-19-48	134.75	135.64	0.89	1475538	core	WHI19000663	Rock
MQ-19-48	135.64	137.1	1.46	1475539	core	WHI19000663	Rock
MQ-19-48	135.64			1475540	dup	WHI19000663	Rock
MQ-19-48	137.1	138.4	1.3	1475541	Core	WHI19000663	Rock
MQ-19-48	138.4	139.9	1.5	1475542	Core	WHI19000663	Rock
MQ-19-48	139.9	141.4	1.5	1475543	Core	WHI19000663	Rock
MQ-19-48	141.4	142.9	1.5	1475544	Core	WHI19000663	Rock

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
MQ-19-48	142.9	144.4	1.5	1475545	Core	WHI19000663	Rock
MQ-19-48	144.4	145.3	0.9	1475546	Core	WHI19000663	Rock
MQ-19-48	145.3	146.8	1.5	1475547	Core	WHI19000663	Rock
MQ-19-48	146.8	148.3	1.5	1475548	Core	WHI19000663	Rock
MQ-19-48	148.3	149.8	1.5	1475549	Core	WHI19000663	Rock
MQ-19-48	148.3			1475550	me-1414	WHI19000663	Rock Pulp
MQ-19-48	149.8	151.3	1.5	1475551	core	WHI19000663	Rock
MQ-19-48	151.3	152.8	1.5	1475552	core	WHI19000663	Rock
MQ-19-48	152.8	154.3	1.5	1475553	core	WHI19000663	Rock
MQ-19-48	154.3	155.8	1.5	1475554	core	WHI19000663	Rock
MQ-19-48	155.8	157.2	1.4	1475555	core	WHI19000663	Rock
MQ-19-48	157.2	158.55	1.35	1475556	core	WHI19000663	Rock
MQ-19-48	158.55	159.65	1.1	1475557	core	WHI19000663	Rock
MQ-19-48	159.65	160.65	1	1475558	core	WHI19000663	Rock
MQ-19-48	160.65	162	1.35	1475559	core	WHI19000663	Rock
MQ-19-48	160.65			1475560	dup	WHI19000663	Rock
MQ-19-48	162	163.5	1.5	1475561	core	WHI19000663	Rock
MQ-19-48	163.5	165	1.5	1475562	core	WHI19000663	Rock
MQ-19-48	165	166.5	1.5	1475563	core	WHI19000663	Rock
MQ-19-48	166.5	168	1.5	1475564	core	WHI19000663	Rock
MQ-19-48	168	169.5	1.5	1475565	core	WHI19000663	Rock
MQ-19-48	169.5	170.6	1.1	1475566	core	WHI19000663	Rock
MQ-19-48	170.6	171.75	1.15	1475567	core	WHI19000663	Rock
MQ-19-48	171.75	173	1.25	1475568	core	WHI19000663	Rock
MQ-19-48	173	174.5	1.5	1475569	core	WHI19000663	Rock
MQ-19-48	173			1475570	blank	WHI19000664	Rock
MQ-19-48	174.5	176	1.5	1475571	core	WHI19000664	Rock
MQ-19-48	176	177	1	1475572	core	WHI19000664	Rock
MQ-19-48	177	178.13	1.13	1475573	core	WHI19000664	Rock
MQ-19-48	178.13	179.6	1.47	1475574	core	WHI19000664	Rock
MQ-19-48	179.6	180.6	1	1475575	core	WHI19000664	Rock
MQ-19-48	180.6	182	1.4	1475576	core	WHI19000664	Rock
MQ-19-48	182	183.5	1.5	1475577	core	WHI19000664	Rock
MQ-19-48	183.5	185	1.5	1475578	core	WHI19000664	Rock
MQ-19-48	185	186.5	1.5	1475579	core	WHI19000664	Rock
MQ-19-48	185			1475580	dup	WHI19000664	Rock
MQ-19-48	186.5	188	1.5	1475581	core	WHI19000664	Rock
MQ-19-48	188	189.5	1.5	1475582	core	WHI19000664	Rock
MQ-19-48	189.5	191	1.5	1475583	core	WHI19000664	Rock
MQ-19-48	191	192.5	1.5	1475584	core	WHI19000664	Rock
MQ-19-48	192.5	194	1.5	1475585	core	WHI19000664	Rock
MQ-19-48	194	195.5	1.5	1475586	core	WHI19000664	Rock
MQ-19-48	195.5	197	1.5	1475587	core	WHI19000664	Rock
MQ-19-48	197	198.5	1.5	1475588	core	WHI19000664	Rock
MQ-19-48	198.5	200	1.5	1475589	core	WHI19000664	Rock
MQ-19-48	198.5			1475590	me-1414	WHI19000664	Rock Pulp



Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
MQ-19-48	200	201.5	1.5	1475591	core	WHI19000664	Rock
MQ-19-48	201.5	203	1.5	1475592	core	WHI19000664	Rock
MQ-19-48	203	204.5	1.5	1475593	core	WHI19000664	Rock
MQ-19-48	204.5	206	1.5	1475594	core	WHI19000664	Rock
MQ-19-48	206	207.5	1.5	1475595	core	WHI19000664	Rock
MQ-19-48	207.5	209	1.5	1475596	core	WHI19000664	Rock
MQ-19-48	209	210.31	1.31	1475597	core	WHI19000664	Rock
MQ-19-48	7.9	9.4	1.5	1824932	core	WHI19000663	Rock
MQ-19-48	9.4	10.9	1.5	1824933	core	WHI19000663	Rock
MQ-19-48	10.9	12.35	1.45	1824934	core	WHI19000663	Rock
MQ-19-48	12.35	13.35	1	1824935	core	WHI19000663	Rock
MQ-19-48	13.35	14.4	1.05	1824936	core	WHI19000663	Rock
MQ-19-48	14.4	15.9	1.5	1824937	core	WHI19000663	Rock
MQ-19-48	15.9	17.4	1.5	1824938	core	WHI19000663	Rock
MQ-19-48	17.4	18.9	1.5	1824939	core	WHI19000663	Rock
MQ-19-48	17.4			1824940	dup	WHI19000663	Rock
MQ-19-48	18.9	20.45	1.55	1824941	core	WHI19000663	Rock
MQ-19-48	20.45	22	1.55	1824942	core	WHI19000663	Rock
MQ-19-48	22	23.5	1.5	1824943	core	WHI19000663	Rock
MQ-19-48	23.5	25	1.5	1824944	core	WHI19000663	Rock
MQ-19-48	25	26.5	1.5	1824945	core	WHI19000663	Rock
MQ-19-48	26.5	28	1.5	1824946	core	WHI19000663	Rock
MQ-19-48	28	29.5	1.5	1824947	core	WHI19000663	Rock
MQ-19-48	29.5	31	1.5	1824948	core	WHI19000663	Rock
MQ-19-48	31	32.5	1.5	1824949	core	WHI19000663	Rock
MQ-19-48	31			1824950	blank	WHI19000663	Rock
MQ-19-48	32.5	33.6	1.1	1824951	core	WHI19000663	Rock
MQ-19-48	33.6	34.7	1.1	1824952	core	WHI19000663	Rock
MQ-19-48	34.7	36.75	2.05	1824953	core	WHI19000663	Rock
MQ-19-48	36.75	37.82	1.07	1824954	core	WHI19000663	Rock
MQ-19-48	37.82	39.3	1.48	1824955	core	WHI19000663	Rock
MQ-19-48	39.3	40.8	1.5	1824956	core	WHI19000663	Rock
MQ-19-48	40.8	42.3	1.5	1824957	core	WHI19000663	Rock
MQ-19-48	42.3	43.5	1.2	1824958	core	WHI19000663	Rock
MQ-19-48	43.5	44.6	1.1	1824959	core	WHI19000663	Rock
MQ-19-48	43.5			1824960	dup	WHI19000663	Rock
MQ-19-48	44.6	45.25	0.65	1824961	core	WHI19000663	Rock
MQ-19-48	45.25	45.9	0.65	1824962	core	WHI19000663	Rock
MQ-19-48	45.9	47.4	1.5	1824963	core	WHI19000663	Rock
MQ-19-48	47.4	48.9	1.5	1824964	core	WHI19000663	Rock
MQ-19-48	48.9	50.4	1.5	1824965	core	WHI19000663	Rock
MQ-19-48	50.4	51.9	1.5	1824966	core	WHI19000663	Rock
MQ-19-48	51.9	53.4	1.5	1824967	core	WHI19000663	Rock
MQ-19-48	53.4	54.9	1.5	1824968	core	WHI19000663	Rock
MQ-19-48	54.9	56.4	1.5	1824969	core	WHI19000663	Rock
MQ-19-48	54.9			1824970	me-1414	WHI19000663	Rock Pulp

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
MQ-19-48	56.4	57.4	1	1824971	core	WHI19000663	Rock
MQ-19-48	57.4	58.4	1	1824972	core	WHI19000663	Rock
MQ-19-48	58.4	59.6	1.2	1824973	core	WHI19000663	Rock
MQ-19-48	59.6	61	1.4	1824974	core	WHI19000663	Rock
MQ-19-48	61	62.5	1.5	1824975	core	WHI19000663	Rock
MQ-19-48	62.5	64	1.5	1824976	core	WHI19000663	Rock
MQ-19-48	64	65.45	1.45	1824977	core	WHI19000663	Rock
MQ-19-48	65.45	67.06	1.61	1824978	core	WHI19000663	Rock
MQ-19-48	67.06	67.95	0.89	1824979	core	WHI19000663	Rock
MQ-19-48	67.06			1824980	dup	WHI19000663	Rock
MQ-19-48	67.95	68.9	0.95	1824981	core	WHI19000663	Rock
MQ-19-48	68.9	69.4	0.5	1824982	core	WHI19000663	Rock
MQ-19-48	69.4	70.9	1.5	1824983	core	WHI19000663	Rock
MQ-19-48	70.9	72.54	1.64	1824984	core	WHI19000663	Rock
MQ-19-48	72.54	74	1.46	1824985	core	WHI19000663	Rock
MQ-19-48	74	75.5	1.5	1824986	core	WHI19000663	Rock
MQ-19-48	75.5	77	1.5	1824987	core	WHI19000663	Rock
MQ-19-48	77	78	1	1824988	core	WHI19000663	Rock
MQ-19-48	78	79.15	1.15	1824989	core	WHI19000663	Rock
MQ-19-48	78			1824990	blank	WHI19000663	Rock
MQ-19-48	79.15	80.47	1.32	1824991	core	WHI19000663	Rock
MQ-19-48	80.47	81.38	0.91	1824992	core	WHI19000663	Rock
MQ-19-48	81.38	82.91	1.53	1824993	core	WHI19000663	Rock
MQ-19-48	82.91	84.24	1.33	1824994	core	WHI19000663	Rock
MQ-19-48	84.24	84.95	0.71	1824995	core	WHI19000663	Rock
MQ-19-48	84.95	86.56	1.61	1824996	core	WHI19000663	Rock
MQ-19-48	86.56	87.7	1.14	1824997	core	WHI19000663	Rock
MQ-19-48	87.7	88.6	0.9	1824998	core	WHI19000663	Rock
MQ-19-48	88.6	89.8	1.2	1824999	core	WHI19000663	Rock
MQ-19-48	88.6			1825000	dup	WHI19000663	Rock
MQ-19-49	9.88	12.19	2.31	1475598	core	WHI19000675	Rock
MQ-19-49	12.19	14.57	2.38	1475599	core	WHI19000675	Rock
MQ-19-49	12.19			1475600	dup	WHI19000675	Rock
MQ-19-49	14.57	15.85	1.28	1475601	core	WHI19000675	Rock
MQ-19-49	15.85	17.4	1.55	1475602	core	WHI19000675	Rock
MQ-19-49	17.4	18.39	0.99	1475603	core	WHI19000675	Rock
MQ-19-49	18.39	19.9	1.51	1475604	core	WHI19000675	Rock
MQ-19-49	19.9	21.34	1.44	1475605	core	WHI19000675	Rock
MQ-19-49	21.34	22.9	1.56	1475606	core	WHI19000675	Rock
MQ-19-49	22.9	24.4	1.5	1475607	core	WHI19000675	Rock
MQ-19-49	24.4	25.9	1.5	1475608	core	WHI19000675	Rock
MQ-19-49	25.9	27.4	1.5	1475609	core	WHI19000675	Rock
MQ-19-49	25.9			1475610	blank	WHI19000675	Rock
MQ-19-49	27.4	28.9	1.5	1475611	core	WHI19000675	Rock
MQ-19-49	28.9	30.4	1.5	1475612	core	WHI19000675	Rock
MQ-19-49	30.4	31.9	1.5	1475613	core	WHI19000675	Rock

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
MQ-19-49	31.9	33.4	1.5	1475614	core	WHI19000675	Rock
MQ-19-49	33.4	35.1	1.7	1475615	core	WHI19000675	Rock
MQ-19-49	35.1	36.6	1.5	1475616	core	WHI19000675	Rock
MQ-19-49	36.6	38.1	1.5	1475617	core	WHI19000675	Rock
MQ-19-49	38.1	39.7	1.6	1475618	core	WHI19000675	Rock
MQ-19-49	39.7	41.2	1.5	1475619	core	WHI19000675	Rock
MQ-19-49	39.7			1475620	dup	WHI19000675	Rock
MQ-19-49	41.2	42.7	1.5	1475621	core	WHI19000675	Rock
MQ-19-49	42.7	44.2	1.5	1475622	core	WHI19000675	Rock
MQ-19-49	44.2	45.7	1.5	1475623	core	WHI19000675	Rock
MQ-19-49	45.7	47.2	1.5	1475624	core	WHI19000675	Rock
MQ-19-49	47.2	48.7	1.5	1475625	core	WHI19000675	Rock
MQ-19-49	48.7	49.7	1	1475626	core	WHI19000675	Rock
MQ-19-49	49.7	50.7	1	1475627	core	WHI19000675	Rock
MQ-19-49	50.7	52.2	1.5	1475628	core	WHI19000675	Rock
MQ-19-49	52.2	53.7	1.5	1475629	core	WHI19000675	Rock
MQ-19-49	52.2			1475630	gs-1q	WHI19000675	Rock Pulp
MQ-19-49	53.7	55.2	1.5	1475631	core	WHI19000675	Rock
MQ-19-49	55.2	56.7	1.5	1475632	core	WHI19000675	Rock
MQ-19-49	56.7	57.7	1	1475633	core	WHI19000675	Rock
MQ-19-49	57.7	58.75	1.05	1475634	core	WHI19000675	Rock
MQ-19-49	58.75	59.75	1	1475635	core	WHI19000675	Rock
MQ-19-49	59.75	60.75	1	1475636	core	WHI19000675	Rock
MQ-19-49	60.75	61.75	1	1475637	core	WHI19000675	Rock
MQ-19-49	61.75	62.75	1	1475638	core	WHI19000675	Rock
MQ-19-49	62.75	63.75	1	1475639	core	WHI19000675	Rock
MQ-19-49	62.75			1475640	dup	WHI19000675	Rock
MQ-19-49	63.75	64.75	1	1475641	core	WHI19000675	Rock
MQ-19-49	64.75	65.75	1	1475642	core	WHI19000675	Rock
MQ-19-49	65.75	67.25	1.5	1475643	core	WHI19000675	Rock
MQ-19-49	67.25	68.75	1.5	1475644	core	WHI19000675	Rock
MQ-19-49	68.75	70.25	1.5	1475645	core	WHI19000675	Rock
MQ-19-49	70.25	71.75	1.5	1475646	core	WHI19000675	Rock
MQ-19-49	71.75	72.5	0.75	1475647	core	WHI19000675	Rock
MQ-19-49	72.5	73.5	1	1475648	core	WHI19000675	Rock
MQ-19-49	73.5	74.5	1	1475649	core	WHI19000675	Rock
MQ-19-49	73.5			1475650	blank	WHI19000675	Rock
MQ-19-49	74.5	75.5	1	1475701	core	WHI19000675	Rock
MQ-19-49	75.5	76.15	0.65	1475702	core	WHI19000675	Rock
MQ-19-49	76.15	76.4	0.25	1475703	core	WHI19000675	Rock
MQ-19-49	76.4	77.9	1.5	1475704	core	WHI19000675	Rock
MQ-19-49	77.9	79.4	1.5	1475705	core	WHI19000675	Rock
MQ-19-49	79.4	80.9	1.5	1475706	core	WHI19000675	Rock
MQ-19-49	80.9	82.4	1.5	1475707	core	WHI19000675	Rock
MQ-19-49	82.4	83.5	1.1	1475708	core	WHI19000675	Rock
MQ-19-49	83.5	84.6	1.1	1475709	core	WHI19000675	Rock

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
MQ-19-49	83.5			1475710	dup	WHI19000675	Rock
MQ-19-49	84.6	85.6	1	1475711	core	WHI19000675	Rock
MQ-19-49	85.6	86.9	1.3	1475712	core	WHI19000675	Rock
MQ-19-49	86.9	88.4	1.5	1475713	core	WHI19000675	Rock
MQ-19-49	88.4	89.9	1.5	1475714	core	WHI19000675	Rock
MQ-19-49	89.9	91.4	1.5	1475715	core	WHI19000675	Rock
MQ-19-49	91.4	92.9	1.5	1475716	core	WHI19000675	Rock
MQ-19-49	92.9	94.4	1.5	1475717	core	WHI19000675	Rock
MQ-19-49	94.4	95.9	1.5	1475718	core	WHI19000675	Rock
MQ-19-49	95.9	97.4	1.5	1475719	core	WHI19000675	Rock
MQ-19-49	95.9			1475720	gs-1q	WHI19000675	Rock Pulp
MQ-19-49	97.4	98.9	1.5	1475721	core	WHI19000675	Rock
MQ-19-49	98.9	100.65	1.75	1475722	core	WHI19000675	Rock
MQ-19-49	100.65	102.1	1.45	1475723	core	WHI19000675	Rock
MQ-19-49	102.1	103.63	1.53	1475724	core	WHI19000675	Rock
MQ-19-49	103.63	105	1.37	1475725	core	WHI19000675	Rock
MQ-19-49	105	106.15	1.15	1475726	core	WHI19000675	Rock
MQ-19-49	106.15	107.15	1	1475727	core	WHI19000675	Rock
MQ-19-49	107.15	108.7	1.55	1475728	core	WHI19000675	Rock
MQ-19-49	108.7	109.73	1.03	1475729	core	WHI19000675	Rock
MQ-19-49	108.7			1475730	dup	WHI19000675	Rock
MQ-19-49	109.73	110.35	0.62	1475731	core	WHI19000675	Rock
MQ-19-49	110.35	112	1.65	1475732	core	WHI19000675	Rock
MQ-19-49	112	113.5	1.5	1475733	core	WHI19000675	Rock
MQ-19-49	113.5	115	1.5	1475734	core	WHI19000675	Rock
MQ-19-49	115	116.5	1.5	1475735	core	WHI19000675	Rock
MQ-19-49	116.5	118	1.5	1475736	core	WHI19000675	Rock
MQ-19-49	118	119.5	1.5	1475737	core	WHI19000675	Rock
MQ-19-49	119.5	121	1.5	1475738	core	WHI19000675	Rock
MQ-19-49	121	122.5	1.5	1475739	core	WHI19000675	Rock
MQ-19-49	121			1475740	blank	WHI19000675	Rock
MQ-19-49	122.5	124	1.5	1475741	core	WHI19000675	Rock
MQ-19-49	124	125.5	1.5	1475742	core	WHI19000675	Rock
MQ-19-49	125.5	127	1.5	1475743	core	WHI19000675	Rock
MQ-19-49	127	128.25	1.25	1475744	core	WHI19000675	Rock
MQ-19-49	128.25	129.5	1.25	1475745	core	WHI19000675	Rock
MQ-19-49	129.5	131	1.5	1475746	core	WHI19000675	Rock
MQ-19-49	131	132.5	1.5	1475747	core	WHI19000675	Rock
MQ-19-49	132.5	134	1.5	1475748	core	WHI19000675	Rock
MQ-19-49	134	135.5	1.5	1475749	core	WHI19000675	Rock
MQ-19-49	134			1475750	dup	WHI19000675	Rock
MQ-19-49	135.5	137	1.5	1475801	core	WHI19000675	Rock
MQ-19-49	137	138.5	1.5	1475802	core	WHI19000675	Rock
MQ-19-49	138.5	140	1.5	1475803	core	WHI19000675	Rock
MQ-19-49	140	141.5	1.5	1475804	core	WHI19000675	Rock
MQ-19-49	141.5	143.25	1.75	1475805	core	WHI19000675	Rock

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
MQ-19-49	143.25	144.96	1.71	1475806	core	WHI19000675	Rock
MQ-19-49	144.96	146.5	1.54	1475807	core	WHI19000675	Rock
MQ-19-49	146.5	147.83	1.33	1475808	core	WHI19000675	Rock
MQ-19-50	3.05	4.6	1.55	1475809	core	WHI19000676	Rock
MQ-19-50				1475810	GS-1Q	WHI19000676	Rock Pulp
MQ-19-50	4.6	6.1	1.5	1475811	core	WHI19000676	Rock
MQ-19-50	6.1	7.65	1.55	1475812	core	WHI19000676	Rock
MQ-19-50	7.65	9.2	1.55	1475813	core	WHI19000676	Rock
MQ-19-50	9.2	10.75	1.55	1475814	core	WHI19000676	Rock
MQ-19-50	10.75	12	1.25	1475815	core	WHI19000676	Rock
MQ-19-50	12	13	1	1475816	core	WHI19000676	Rock
MQ-19-50	13	14	1	1475817	core	WHI19000676	Rock
MQ-19-50	14	15.5	1.5	1475818	core	WHI19000676	Rock
MQ-19-50	15.5	16.5	1	1475819	core	WHI19000676	Rock
MQ-19-50				1475820	DUP	WHI19000676	Rock
MQ-19-50	16.5	18	1.5	1475821	core	WHI19000676	Rock
MQ-19-50	18	19.5	1.5	1475822	core	WHI19000676	Rock
MQ-19-50	19.5	21	1.5	1475823	core	WHI19000676	Rock
MQ-19-50	21	22.5	1.5	1475824	core	WHI19000676	Rock
MQ-19-50	22.5	24	1.5	1475825	core	WHI19000676	Rock
MQ-19-50	24	25.5	1.5	1475826	core	WHI19000676	Rock
MQ-19-50	25.5	27	1.5	1475827	core	WHI19000676	Rock
MQ-19-50	27	28.5	1.5	1475828	core	WHI19000676	Rock
MQ-19-50	28.5	30.15	1.65	1475829	core	WHI19000676	Rock
MQ-19-50				1475830	BLANK	WHI19000676	Rock
MQ-19-50	30.15	31.8	1.65	1475831	core	WHI19000676	Rock
MQ-19-50	31.8	33	1.2	1475832	core	WHI19000676	Rock
MQ-19-50	33	34.5	1.5	1475833	core	WHI19000676	Rock
MQ-19-50	34.5	36	1.5	1475834	core	WHI19000676	Rock
MQ-19-50	36	37.5	1.5	1475835	core	WHI19000676	Rock
MQ-19-50	37.5	39	1.5	1475836	core	WHI19000676	Rock
MQ-19-50	39	40.5	1.5	1475837	core	WHI19000676	Rock
MQ-19-50	40.5	42	1.5	1475838	core	WHI19000676	Rock
MQ-19-50	42	43.5	1.5	1475839	core	WHI19000676	Rock
MQ-19-50				1475840	DUP	WHI19000676	Rock
MQ-19-50	43.5	45	1.5	1475841	core	WHI19000676	Rock
MQ-19-50	45	46.5	1.5	1475842	core	WHI19000676	Rock
MQ-19-50	46.5	47.5	1	1475843	core	WHI19000676	Rock
MQ-19-50	47.5	49	1.5	1475844	core	WHI19000676	Rock
MQ-19-50	49	50.5	1.5	1475845	core	WHI19000676	Rock
MQ-19-50	50.5	52.1	1.6	1475846	core	WHI19000676	Rock
MQ-19-50	52.1	53.7	1.6	1475847	core	WHI19000676	Rock
MQ-19-50	53.7	54.7	1	1475848	core	WHI19000676	Rock
MQ-19-50	54.7	55.75	1.05	1475849	core	WHI19000676	Rock
MQ-19-50				1475850	GS-1Q	WHI19000676	Rock Pulp
MQ-19-50	55.75	57	1.25	1475851	core	WHI19000676	Rock

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
MQ-19-50	57	57.91	0.91	1475852	core	WHI19000676	Rock
MQ-19-50	57.91	59.5	1.59	1475853	core	WHI19000676	Rock
MQ-19-50	59.5	60.5	1	1475854	core	WHI19000676	Rock
MQ-19-50	60.5	61.65	1.15	1475855	core	WHI19000676	Rock
MQ-19-50	61.65	63.1	1.45	1475856	core	WHI19000676	Rock
MQ-19-50	63.1	63.35	0.25	1475857	core	WHI19000676	Rock
MQ-19-50	63.35	64.5	1.15	1475858	core	WHI19000676	Rock
MQ-19-50	64.5	66	1.5	1475859	core	WHI19000676	Rock
MQ-19-50				1475860	DUP	WHI19000676	Rock
MQ-19-50	66	67.5	1.5	1475861	core	WHI19000676	Rock
MQ-19-50	67.5	69	1.5	1475862	core	WHI19000676	Rock
MQ-19-50	69	70.5	1.5	1475863	core	WHI19000676	Rock
MQ-19-50	70.5	71.5	1	1475864	core	WHI19000676	Rock
MQ-19-50	71.5	72.4	0.9	1475865	core	WHI19000676	Rock
MQ-19-50	72.4	74	1.6	1475866	core	WHI19000676	Rock
MQ-19-50	74	75.5	1.5	1475867	core	WHI19000676	Rock
MQ-19-50	75.5	77	1.5	1475868	core	WHI19000676	Rock
MQ-19-50	77	78.5	1.5	1475869	core	WHI19000676	Rock
MQ-19-50				1475870	BLANK	WHI19000676	Rock
MQ-19-50	78.5	80	1.5	1475871	core	WHI19000676	Rock
MQ-19-50	80	81.5	1.5	1475872	core	WHI19000676	Rock
MQ-19-50	81.5	83	1.5	1475873	core	WHI19000676	Rock
MQ-19-50	83	84.5	1.5	1475874	core	WHI19000676	Rock
MQ-19-50	84.5	86	1.5	1475875	core	WHI19000676	Rock
MQ-19-50	86	87.5	1.5	1475876	core	WHI19000676	Rock
MQ-19-50	87.5	88.55	1.05	1475877	core	WHI19000676	Rock
MQ-19-50	88.55	89.65	1.1	1475878	core	WHI19000676	Rock
MQ-19-50	89.65	91	1.35	1475879	core	WHI19000676	Rock
MQ-19-50				1475880	DUP	WHI19000676	Rock
MQ-19-50	91	92.5	1.5	1475881	core	WHI19000676	Rock
MQ-19-50	92.5	94	1.5	1475882	core	WHI19000676	Rock
MQ-19-50	94	95.85	1.85	1475883	core	WHI19000676	Rock
MQ-19-50	95.85	96.8	0.95	1475884	core	WHI19000676	Rock
MQ-19-50	96.8	98	1.2	1475885	core	WHI19000676	Rock
MQ-19-50	98	99	1	1475886	core	WHI19000676	Rock
MQ-19-50	99	99.97	0.97	1475887	core	WHI19000676	Rock
MQ-19-50	99.97	100.25	0.28	1475888	core	WHI19000676	Rock
MQ-19-50	100.25	100.7	0.45	1475889	core	WHI19000676	Rock
MQ-19-50				1475890	GS-1Q	WHI19000676	Rock Pulp
MQ-19-50	100.7	102	1.3	1475891	core	WHI19000676	Rock
MQ-19-50	102	103.5	1.5	1475892	core	WHI19000676	Rock
MQ-19-50	103.5	105	1.5	1475893	core	WHI19000676	Rock
MQ-19-50	105	106	1	1475894	core	WHI19000676	Rock
MQ-19-50	106	106.85	0.85	1475895	core	WHI19000676	Rock
MQ-19-50	106.85	107.8	0.95	1475896	core	WHI19000676	Rock
MQ-19-50	107.8	108.8	1	1475897	core	WHI19000676	Rock

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
MQ-19-50	108.8	110	1.2	1475898	core	WHI19000676	Rock
MQ-19-50	110	111.5	1.5	1475899	core	WHI19000676	Rock
MQ-19-50				1475900	DUP	WHI19000676	Rock
MQ-19-50	111.5	113	1.5	1475901	core	WHI19000676	Rock
MQ-19-50	113	114.05	1.05	1475902	core	WHI19000676	Rock
MQ-19-50	114.05	115.5	1.45	1475903	core	WHI19000676	Rock
MQ-19-50	115.5	117	1.5	1475904	core	WHI19000676	Rock
MQ-19-50	117	118.5	1.5	1475905	core	WHI19000676	Rock
MQ-19-50	118.5	120	1.5	1475906	core	WHI19000676	Rock
MQ-19-50	120	121	1	1475907	core	WHI19000676	Rock
MQ-19-50	121	121.9	0.9	1475908	core	WHI19000676	Rock
MQ-19-50	121.9	123.5	1.6	1475909	core	WHI19000676	Rock
MQ-19-50				1475910	BLANK	WHI19000676	Rock
MQ-19-50	123.5	125	1.5	1475911	core	WHI19000676	Rock
MQ-19-50	125	126.5	1.5	1475912	core	WHI19000676	Rock
MQ-19-50	126.5	128	1.5	1475913	core	WHI19000676	Rock
MQ-19-50	128	129.35	1.35	1475914	core	WHI19000676	Rock
MQ-19-50	129.35	130.5	1.15	1475915	core	WHI19000676	Rock
MQ-19-50	130.5	131.5	1	1475916	core	WHI19000676	Rock
MQ-19-50	131.5	133	1.5	1475917	core	WHI19000676	Rock
MQ-19-50	133	134.5	1.5	1475918	core	WHI19000676	Rock
MQ-19-50	134.5	136.05	1.55	1475919	core	WHI19000676	Rock
MQ-19-50				1475920	DUP	WHI19000676	Rock
MQ-19-50	136.05	137.65	1.6	1475921	core	WHI19000676	Rock
MQ-19-50	137.65	139	1.35	1475922	core	WHI19000676	Rock
MQ-19-50	139	140.5	1.5	1475923	core	WHI19000676	Rock
MQ-19-50	140.5	142	1.5	1475924	core	WHI19000676	Rock
MQ-19-50	142	143	1	1475925	core	WHI19000676	Rock
MQ-19-50	143	144	1	1475926	core	WHI19000676	Rock
MQ-19-50	144	145.5	1.5	1475927	core	WHI19000676	Rock
MQ-19-50	145.5	147	1.5	1475928	core	WHI19000676	Rock
MQ-19-50	147	148.5	1.5	1475929	core	WHI19000676	Rock
MQ-19-50				1475930	GS-1Q	WHI19000676	Rock Pulp
MQ-19-50	148.5	150	1.5	1475931	core	WHI19000676	Rock
MQ-19-50	150	151.5	1.5	1475932	core	WHI19000676	Rock
MQ-19-50	151.5	153	1.5	1475933	core	WHI19000676	Rock
MQ-19-50	153	153.93	0.93	1475934	core	WHI19000676	Rock
MQ-19-51	6.2	7.7	1.5	1475935	core	WHI19000684	Rock
MQ-19-51	7.7	9.1	1.4	1475936	core	WHI19000684	Rock
MQ-19-51	9.1	10.5	1.4	1475937	core	WHI19000684	Rock
MQ-19-51	10.5	12	1.5	1475938	core	WHI19000684	Rock
MQ-19-51	12	13.5	1.5	1475939	core	WHI19000684	Rock
MQ-19-51			0	1475940	DUP	WHI19000684	Rock
MQ-19-51	13.5	15	1.5	1475941	core	WHI19000684	Rock
MQ-19-51	15	16.5	1.5	1475942	core	WHI19000684	Rock
MQ-19-51	16.5	18	1.5	1475943	core	WHI19000684	Rock

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
MQ-19-51	18	19.5	1.5	1475944	core	WHI19000684	Rock
MQ-19-51	19.5	21	1.5	1475945	core	WHI19000684	Rock
MQ-19-51	21	22.5	1.5	1475946	core	WHI19000684	Rock
MQ-19-51	22.5	24	1.5	1475947	core	WHI19000684	Rock
MQ-19-51	24	25.5	1.5	1475948	core	WHI19000684	Rock
MQ-19-51	25.5	27	1.5	1475949	core	WHI19000684	Rock
MQ-19-51				1475950	BLANK	WHI19000684	Rock
MQ-19-51	27	28.5	1.5	1475951	core	WHI19000684	Rock
MQ-19-51	28.5	30	1.5	1475952	core	WHI19000684	Rock
MQ-19-51	30	31.5	1.5	1475953	core	WHI19000684	Rock
MQ-19-51	31.5	33	1.5	1475954	core	WHI19000684	Rock
MQ-19-51	33	34.5	1.5	1475955	core	WHI19000684	Rock
MQ-19-51	34.5	36	1.5	1475956	core	WHI19000684	Rock
MQ-19-51	36	37.5	1.5	1475957	core	WHI19000684	Rock
MQ-19-51	37.5	39	1.5	1475958	core	WHI19000684	Rock
MQ-19-51	39	40.5	1.5	1475959	core	WHI19000684	Rock
MQ-19-51				1475960	DUP	WHI19000684	Rock
MQ-19-51	40.5	42	1.5	1475961	core	WHI19000684	Rock
MQ-19-51	42	43.5	1.5	1475962	core	WHI19000684	Rock
MQ-19-51	43.5	45	1.5	1475963	core	WHI19000684	Rock
MQ-19-51	45	46.5	1.5	1475964	core	WHI19000684	Rock
MQ-19-51	46.5	48	1.5	1475965	core	WHI19000684	Rock
MQ-19-51	48	49.45	1.45	1475966	core	WHI19000684	Rock
MQ-19-51	49.45	51	1.55	1475967	core	WHI19000684	Rock
MQ-19-51	51	52.5	1.5	1475968	core	WHI19000684	Rock
MQ-19-51	52.5	53.4	0.9	1475969	core	WHI19000684	Rock
MQ-19-51				1475970	GS-1Q	WHI19000684	Rock Pulp
MQ-19-51	53.4	55	1.6	1475971	core	WHI19000684	Rock
MQ-19-51	55	56.5	1.5	1475972	core	WHI19000684	Rock
MQ-19-51	56.5	57.53	1.03	1475973	core	WHI19000684	Rock
MQ-19-51	57.53	57.91	0.38	1475974	core	WHI19000684	Rock
MQ-19-51	57.91	59	1.09	1475975	core	WHI19000684	Rock
MQ-19-51	59	60.5	1.5	1475976	core	WHI19000684	Rock
MQ-19-51	60.5	62	1.5	1475977	core	WHI19000684	Rock
MQ-19-51	62	63.5	1.5	1475978	core	WHI19000684	Rock
MQ-19-51	63.5	64.8	1.3	1475979	core	WHI19000684	Rock
MQ-19-51				1475980	DUP	WHI19000684	Rock
MQ-19-51	64.8	65.4	0.6	1475981	core	WHI19000684	Rock
MQ-19-51	65.4	67	1.6	1475982	core	WHI19000684	Rock
MQ-19-51	67	68.5	1.5	1475983	core	WHI19000684	Rock
MQ-19-51	68.5	70	1.5	1475984	core	WHI19000684	Rock
MQ-19-51	70	71.5	1.5	1475985	core	WHI19000684	Rock
MQ-19-51	71.5	73	1.5	1475986	core	WHI19000684	Rock
MQ-19-51	73	74.5	1.5	1475987	core	WHI19000684	Rock
MQ-19-51	74.5	75.5	1	1475988	core	WHI19000684	Rock
MQ-19-51	75.5	76.75	1.25	1475989	core	WHI19000684	Rock



Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
MQ-19-51				1475990	BLANK	WHI19000684	Rock
MQ-19-51	76.75	78	1.25	1475991	core	WHI19000684	Rock
MQ-19-51	78	79.5	1.5	1475992	core	WHI19000684	Rock
MQ-19-51	79.5	80.5	1	1475993	core	WHI19000684	Rock
MQ-19-51	80.5	81.3	0.8	1475994	core	WHI19000684	Rock
MQ-19-51	81.3	82.5	1.2	1475995	core	WHI19000684	Rock
MQ-19-51	82.5	84	1.5	1475996	core	WHI19000684	Rock
MQ-19-51	84	85.25	1.25	1475997	core	WHI19000684	Rock
MQ-19-51	85.25	86.5	1.25	1475998	core	WHI19000684	Rock
MQ-19-51	86.5	88	1.5	1475999	core	WHI19000684	Rock
MQ-19-51				1476000	DUP	WHI19000684	Rock
MQ-19-51	88	89	1	1825701	core	WHI19000684	Rock
MQ-19-51	89	90.1	1.1	1825702	core	WHI19000684	Rock
MQ-19-51	90.1	91.5	1.4	1825703	core	WHI19000684	Rock
MQ-19-51	91.5	93	1.5	1825704	core	WHI19000684	Rock
MQ-19-51	93	94.5	1.5	1825705	core	WHI19000684	Rock
MQ-19-51	94.5	96.05	1.55	1825706	core	WHI19000684	Rock
MQ-19-51	96.05	97.5	1.45	1825707	core	WHI19000684	Rock
MQ-19-51	97.5	99	1.5	1825708	core	WHI19000684	Rock
MQ-19-51	99	100.5	1.5	1825709	core	WHI19000684	Rock
MQ-19-51				1825710	GS-1Q	WHI19000684	Rock Pulp
MQ-19-51	100.5	102	1.5	1825711	core	WHI19000684	Rock
MQ-19-51	102	103.5	1.5	1825712	core	WHI19000684	Rock
MQ-19-51	103.5	105	1.5	1825713	core	WHI19000684	Rock
MQ-19-51	105	106.5	1.5	1825714	core	WHI19000684	Rock
MQ-19-51	106.5	107.5	1	1825715	core	WHI19000684	Rock
MQ-19-51	107.5	108.2	0.7	1825716	core	WHI19000684	Rock
MQ-19-52	3.25	4.5	1.25	1825717	core	WHI19000704	Rock
MQ-19-52	4.5	6	1.5	1825718	core	WHI19000704	Rock
MQ-19-52	6	7.5	1.5	1825719	core	WHI19000704	Rock
MQ-19-52				1825720	DUP	WHI19000704	Rock
MQ-19-52	7.5	9	1.5	1825721	core	WHI19000704	Rock
MQ-19-52	9	10.5	1.5	1825722	core	WHI19000704	Rock
MQ-19-52	10.5	12	1.5	1825723	core	WHI19000704	Rock
MQ-19-52	12	13.5	1.5	1825724	core	WHI19000704	Rock
MQ-19-52	13.5	15	1.5	1825725	core	WHI19000704	Rock
MQ-19-52	15	16.5	1.5	1825726	core	WHI19000704	Rock
MQ-19-52	16.5	18	1.5	1825727	core	WHI19000704	Rock
MQ-19-52	18	19.5	1.5	1825728	core	WHI19000704	Rock
MQ-19-52	19.5	21	1.5	1825729	core	WHI19000704	Rock
MQ-19-52				1825730	BLANK	WHI19000704	Rock
MQ-19-52	21	22.5	1.5	1825731	core	WHI19000704	Rock
MQ-19-52	22.5	23.5	1	1825732	core	WHI19000704	Rock
MQ-19-52	23.5	24.3	0.8	1825733	core	WHI19000704	Rock
MQ-19-52	24.3	25.45	1.15	1825734	core	WHI19000704	Rock
MQ-19-52	25.45	27	1.55	1825735	core	WHI19000704	Rock

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
MQ-19-52	27	28.5	1.5	1825736	core	WHI19000704	Rock
MQ-19-52	28.5	30	1.5	1825737	core	WHI19000704	Rock
MQ-19-52	30	31.5	1.5	1825738	core	WHI19000704	Rock
MQ-19-52	31.5	33	1.5	1825739	core	WHI19000704	Rock
MQ-19-52				1825740	DUP	WHI19000704	Rock
MQ-19-52	33	34.5	1.5	1825741	core	WHI19000704	Rock
MQ-19-52	34.5	36	1.5	1825742	core	WHI19000704	Rock
MQ-19-52	36	37.5	1.5	1825743	core	WHI19000704	Rock
MQ-19-52	37.5	39	1.5	1825744	core	WHI19000704	Rock
MQ-19-52	39	40.25	1.25	1825745	core	WHI19000704	Rock
MQ-19-52	40.25	41.45	1.2	1825746	core	WHI19000704	Rock
MQ-19-52	41.45	42.8	1.35	1825747	core	WHI19000704	Rock
MQ-19-52	42.8	44	1.2	1825748	core	WHI19000704	Rock
MQ-19-52	44	45.5	1.5	1825749	core	WHI19000704	Rock
MQ-19-52				1825750	GS-1Q	WHI19000704	Rock Pulp
MQ-19-52	45.5	46.8	1.3	1864001	core	WHI19000704	Rock
MQ-19-52	46.8	48	1.2	1864002	core	WHI19000704	Rock
MQ-19-52	48	49.5	1.5	1864003	core	WHI19000704	Rock
MQ-19-52	49.5	51	1.5	1864004	core	WHI19000704	Rock
MQ-19-52	51	52.5	1.5	1864005	core	WHI19000704	Rock
MQ-19-52	52.5	54	1.5	1864006	core	WHI19000704	Rock
MQ-19-52	54	55.25	1.25	1864007	core	WHI19000704	Rock
MQ-19-52	55.25	56.75	1.5	1864008	core	WHI19000704	Rock
MQ-19-52	56.75	58	1.25	1864009	core	WHI19000704	Rock
MQ-19-52	58	59.5	1.5	1864010	core	WHI19000704	Rock
MQ-19-52	59.5	61	1.5	1864011	core	WHI19000704	Rock
MQ-19-52	61	62.5	1.5	1864012	core	WHI19000704	Rock
MQ-19-52	62.5	64	1.5	1864013	core	WHI19000704	Rock
MQ-19-52	64	65.5	1.5	1864014	core	WHI19000704	Rock
MQ-19-52	65.5	67	1.5	1864015	core	WHI19000704	Rock
MQ-19-52	67	68.5	1.5	1864016	core	WHI19000704	Rock
MQ-19-52	68.5	70	1.5	1864017	core	WHI19000704	Rock
MQ-19-52	70	71.5	1.5	1864018	core	WHI19000704	Rock
MQ-19-52	71.5	73.1	1.6	1864019	core	WHI19000704	Rock
MQ-19-52				1864020	DUP	WHI19000704	Rock
MQ-19-52	73.1	74	0.9	1864021	core	WHI19000704	Rock
MQ-19-52	74	75	1	1864022	core	WHI19000704	Rock
MQ-19-52	75	76.5	1.5	1864023	core	WHI19000704	Rock
MQ-19-52	76.5	77.72	1.22	1864024	core	WHI19000704	Rock
MQ-19-52	77.72	78.15	0.43	1864025	core	WHI19000704	Rock
MQ-19-52	78.15	79.5	1.35	1864026	core	WHI19000704	Rock
MQ-19-52	79.5	81	1.5	1864027	core	WHI19000704	Rock
MQ-19-52	81	82.4	1.4	1864028	core	WHI19000704	Rock
MQ-19-52	82.4	82.9	0.5	1864029	core	WHI19000704	Rock
MQ-19-52				1864030	BLANK	WHI19000704	Rock
MQ-19-52	82.9	84	1.1	1864031	core	WHI19000704	Rock

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
MQ-19-52	84	85.5	1.5	1864032	core	WHI19000704	Rock
MQ-19-52	85.5	87	1.5	1864033	core	WHI19000704	Rock
MQ-19-52	87	88.5	1.5	1864034	core	WHI19000704	Rock
MQ-19-52	88.5	88.9	0.4	1864035	core	WHI19000704	Rock
MQ-19-52	88.9	90	1.1	1864036	core	WHI19000704	Rock
MQ-19-52	90	91.3	1.3	1864037	core	WHI19000704	Rock
MQ-19-52	91.3	92.5	1.2	1864038	core	WHI19000704	Rock
MQ-19-52	92.5	94	1.5	1864039	core	WHI19000704	Rock
MQ-19-52				1864040	DUP	WHI19000704	Rock
MQ-19-52	94	95.5	1.5	1864041	core	WHI19000704	Rock
MQ-19-52	95.5	97	1.5	1864042	core	WHI19000704	Rock
MQ-19-52	97	98.5	1.5	1864043	core	WHI19000704	Rock
MQ-19-52	98.5	100	1.5	1864044	core	WHI19000704	Rock
MQ-19-52	100	101.5	1.5	1864045	core	WHI19000704	Rock
MQ-19-52	101.5	103	1.5	1864046	core	WHI19000704	Rock
MQ-19-52	103	104.5	1.5	1864047	core	WHI19000704	Rock
MQ-19-52	104.5	106	1.5	1864048	core	WHI19000704	Rock
MQ-19-52	106	107.5	1.5	1864049	core	WHI19000704	Rock
MQ-19-52				1864050	GS-1Q	WHI19000704	Rock Pulp
MQ-19-52	107.5	109	1.5	1864051	core	WHI19000704	Rock
MQ-19-52	109	110	1	1864052	core	WHI19000704	Rock
MQ-19-52	110	110.7	0.7	1864053	core	WHI19000704	Rock
MQ-19-52	110.7	111.7	1	1864054	core	WHI19000704	Rock
MQ-19-52	111.7	112.78	1.08	1864055	core	WHI19000704	Rock
MQ-19-52	112.78	113.75	0.97	1864056	core	WHI19000704	Rock
MQ-19-52	113.75	114.75	1	1864057	core	WHI19000704	Rock
MQ-19-52	114.75	115.65	0.9	1864058	core	WHI19000704	Rock
MQ-19-52	115.65	117	1.35	1864059	core	WHI19000704	Rock
MQ-19-52				1864060	DUP	WHI19000704	Rock
MQ-19-52	117	118.5	1.5	1864061	core	WHI19000704	Rock
MQ-19-52	118.5	120	1.5	1864062	core	WHI19000704	Rock
MQ-19-52	120	121.5	1.5	1864063	core	WHI19000704	Rock
MQ-19-52	121.5	123	1.5	1864064	core	WHI19000704	Rock
MQ-19-52	123	124.5	1.5	1864065	core	WHI19000704	Rock
MQ-19-52	124.5	126	1.5	1864066	core	WHI19000704	Rock
MQ-19-52	126	127	1	1864067	core	WHI19000704	Rock
MQ-19-52	127	128.3	1.3	1864068	core	WHI19000704	Rock
MQ-19-52	128.3	129.8	1.5	1864069	core	WHI19000704	Rock
MQ-19-52				1864070	BLANK	WHI19000704	Rock
MQ-19-52	129.8	131.06	1.26	1864071	core	WHI19000704	Rock
MQ-19-53	0	3.05	3.05	1864072	core	WHI19000705	Rock
MQ-19-53	3.05	4.6	1.55	1864073	core	WHI19000705	Rock
MQ-19-53	4.6	6.1	1.5	1864074	core	WHI19000705	Rock
MQ-19-53	6.1	7.5	1.4	1864075	core	WHI19000705	Rock
MQ-19-53	7.5	9	1.5	1864076	core	WHI19000705	Rock
MQ-19-53	9	10.5	1.5	1864077	core	WHI19000705	Rock

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
MQ-19-53	10.5	12.1	1.6	1864078	core	WHI19000705	Rock
MQ-19-53	12.1	13.72	1.62	1864079	core	WHI19000705	Rock
MQ-19-53	12.1	13.72	1.62	1864080	DUP	WHI19000705	Rock
MQ-19-53	13.72	15	1.28	1864081	core	WHI19000705	Rock
MQ-19-53	15	16.5	1.5	1864082	core	WHI19000705	Rock
MQ-19-53	16.5	18	1.5	1864083	core	WHI19000705	Rock
MQ-19-53	18	19.3	1.3	1864084	core	WHI19000705	Rock
MQ-19-53	19.3	20.75	1.45	1864085	core	WHI19000705	Rock
MQ-19-53	20.75	21.9	1.15	1864086	core	WHI19000705	Rock
MQ-19-53	21.9	23	1.1	1864087	core	WHI19000705	Rock
MQ-19-53	23	24.5	1.5	1864088	core	WHI19000705	Rock
MQ-19-53	24.5	25.95	1.45	1864089	core	WHI19000705	Rock
MQ-19-53				1864090	GS-1Q	WHI19000705	Rock Pulp
MQ-19-53	25.95	27.5	1.55	1864091	core	WHI19000705	Rock
MQ-19-53	27.5	28.5	1	1864092	core	WHI19000705	Rock
MQ-19-53	28.5	29.5	1	1864093	core	WHI19000705	Rock
MQ-19-53	29.5	31	1.5	1864094	core	WHI19000705	Rock
MQ-19-53	31	32.5	1.5	1864095	core	WHI19000705	Rock
MQ-19-53	32.5	34	1.5	1864096	core	WHI19000705	Rock
MQ-19-53	34	35.5	1.5	1864097	core	WHI19000705	Rock
MQ-19-53	35.5	36.88	1.38	1864098	core	WHI19000705	Rock
MQ-19-53	36.88	38	1.12	1864099	core	WHI19000705	Rock
MQ-19-53				1864100	DUP	WHI19000705	Rock
MQ-19-53	38	39.5	1.5	1864101	core	WHI19000705	Rock
MQ-19-53	39.5	41	1.5	1864102	core	WHI19000705	Rock
MQ-19-53	41	42.5	1.5	1864103	core	WHI19000705	Rock
MQ-19-53	42.5	44	1.5	1864104	core	WHI19000705	Rock
MQ-19-53	44	45.5	1.5	1864105	core	WHI19000705	Rock
MQ-19-53	45.5	47	1.5	1864106	core	WHI19000705	Rock
MQ-19-53	47	48.5	1.5	1864107	core	WHI19000705	Rock
MQ-19-53	48.5	50	1.5	1864108	core	WHI19000705	Rock
MQ-19-53	50	51.5	1.5	1864109	core	WHI19000705	Rock
MQ-19-53				1864110	BLANK	WHI19000705	Rock
MQ-19-53	51.5	52.5	1	1864111	core	WHI19000705	Rock
MQ-19-53	52.5	53.45	0.95	1864112	core	WHI19000705	Rock
MQ-19-53	53.45	54.45	1	1864113	core	WHI19000705	Rock
MQ-19-53	54.45	56	1.55	1864114	core	WHI19000705	Rock
MQ-19-53	56	57	1	1864115	core	WHI19000705	Rock
MQ-19-53	57	57.7	0.7	1864116	core	WHI19000705	Rock
MQ-19-53	57.7	59	1.3	1864117	core	WHI19000705	Rock
MQ-19-53	59	60.25	1.25	1864118	core	WHI19000705	Rock
MQ-19-53	60.25	60.95	0.7	1864119	core	WHI19000705	Rock
MQ-19-53				1864120	DUP	WHI19000705	Rock
MQ-19-53	60.95	62.5	1.55	1864121	core	WHI19000705	Rock
MQ-19-53	62.5	63.5	1	1864122	core	WHI19000705	Rock
MQ-19-53	63.5	64.45	0.95	1864123	core	WHI19000705	Rock

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
MQ-19-53	64.45	66	1.55	1864124	core	WHI19000705	Rock
MQ-19-53	66	67.5	1.5	1864125	core	WHI19000705	Rock
MQ-19-53	67.5	69	1.5	1864126	core	WHI19000705	Rock
MQ-19-53	69	70.5	1.5	1864127	core	WHI19000705	Rock
MQ-19-53	70.5	72	1.5	1864128	core	WHI19000705	Rock
MQ-19-53	72	73.5	1.5	1864129	core	WHI19000705	Rock
MQ-19-53				1864130	GS-1Q	WHI19000705	Rock Pulp
MQ-19-53	73.5	75	1.5	1864131	core	WHI19000705	Rock
MQ-19-53	75	76.5	1.5	1864132	core	WHI19000705	Rock
MQ-19-53	76.5	78	1.5	1864133	core	WHI19000705	Rock
MQ-19-53	78	79.4	1.4	1864134	core	WHI19000705	Rock
MQ-19-53	79.4	80.77	1.37	1864135	core	WHI19000705	Rock
MQ-19-53	80.77	81.95	1.18	1864136	core	WHI19000705	Rock
MQ-19-53	81.95	83.82	1.87	1864137	core	WHI19000705	Rock
MQ-19-53	83.82	85	1.18	1864138	core	WHI19000705	Rock
MQ-19-53	85	86.5	1.5	1864139	core	WHI19000705	Rock
MQ-19-53				1864140	DUP	WHI19000705	Rock
MQ-19-53	86.5	87.43	0.93	1864141	core	WHI19000705	Rock
MQ-19-53	87.43	89	1.57	1864142	core	WHI19000705	Rock
MQ-19-53	89	90.5	1.5	1864143	core	WHI19000705	Rock
MQ-19-53	90.5	92	1.5	1864144	core	WHI19000705	Rock
MQ-19-53	92	93.5	1.5	1864145	core	WHI19000705	Rock
MQ-19-53	93.5	95	1.5	1864146	core	WHI19000705	Rock
MQ-19-53	95	96.5	1.5	1864147	core	WHI19000705	Rock
MQ-19-53	96.5	98	1.5	1864148	core	WHI19000705	Rock
MQ-19-53	98	99.5	1.5	1864149	core	WHI19000705	Rock
MQ-19-53				1864150	BLANK	WHI19000705	Rock
MQ-19-53	99.5	101	1.5	1864151	core	WHI19000705	Rock
MQ-19-53	101	102.5	1.5	1864152	core	WHI19000705	Rock
MQ-19-53	102.5	104	1.5	1864153	core	WHI19000705	Rock
MQ-19-53	104	105.16	1.16	1864154	core	WHI19000705	Rock
MQ-19-53	105.16	106.68	1.52	1864155	core	WHI19000705	Rock
MQ-19-54	3.05	4.57	1.52	1864156	core	WHI19000706	Rock
MQ-19-54	4.57	6	1.43	1864157	core	WHI19000706	Rock
MQ-19-54	6	7.5	1.5	1864158	core	WHI19000706	Rock
MQ-19-54	7.5	9	1.5	1864159	core	WHI19000706	Rock
MQ-19-54	7.5	9	1.5	1864160	DUP	WHI19000706	Rock
MQ-19-54	9	10.5	1.5	1864161	core	WHI19000706	Rock
MQ-19-54	10.5	11.7	1.2	1864162	core	WHI19000706	Rock
MQ-19-54	11.7	13	1.3	1864163	core	WHI19000706	Rock
MQ-19-54	13	14.5	1.5	1864164	core	WHI19000706	Rock
MQ-19-54	14.5	16	1.5	1864165	core	WHI19000706	Rock
MQ-19-54	16	17.5	1.5	1864166	core	WHI19000706	Rock
MQ-19-54	17.5	19	1.5	1864167	core	WHI19000706	Rock
MQ-19-54	19	20.5	1.5	1864168	core	WHI19000706	Rock
MQ-19-54	20.5	21.5	1	1864169	core	WHI19000706	Rock

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
MQ-19-54				1864170	GS-1Q	WHI19000706	Rock Pulp
MQ-19-54	21.5	22.6	1.1	1864171	core	WHI19000706	Rock
MQ-19-54	22.6	23.4	0.8	1864172	core	WHI19000706	Rock
MQ-19-54	23.4	25	1.6	1864173	core	WHI19000706	Rock
MQ-19-54	25	26.5	1.5	1864174	core	WHI19000706	Rock
MQ-19-54	26.5	28	1.5	1864175	core	WHI19000706	Rock
MQ-19-54	28	29.5	1.5	1864176	core	WHI19000706	Rock
MQ-19-54	29.5	31	1.5	1864177	core	WHI19000706	Rock
MQ-19-54	31	32.5	1.5	1864178	core	WHI19000706	Rock
MQ-19-54	32.5	34	1.5	1864179	core	WHI19000706	Rock
MQ-19-54				1864180	DUP	WHI19000706	Rock
MQ-19-54	34	35.2	1.2	1864181	core	WHI19000706	Rock
MQ-19-54	35.2	36.5	1.3	1864182	core	WHI19000706	Rock
MQ-19-54	36.5	38	1.5	1864183	core	WHI19000706	Rock
MQ-19-54	38	39.5	1.5	1864184	core	WHI19000706	Rock
MQ-19-54	39.5	41	1.5	1864185	core	WHI19000706	Rock
MQ-19-54	41	42.5	1.5	1864186	core	WHI19000706	Rock
MQ-19-54	42.5	44	1.5	1864187	core	WHI19000706	Rock
MQ-19-54	44	45	1	1864188	core	WHI19000706	Rock
MQ-19-54	45	46.3	1.3	1864189	core	WHI19000706	Rock
MQ-19-54				1864190	BLANK	WHI19000706	Rock
MQ-19-54	46.3	46.65	0.35	1864191	core	WHI19000706	Rock
MQ-19-54	46.65	47.84	1.19	1864192	core	WHI19000706	Rock
MQ-19-54	47.84	49	1.16	1864193	core	WHI19000706	Rock
MQ-19-54	49	50	1	1864194	core	WHI19000706	Rock
MQ-19-54	50	51.3	1.3	1864195	core	WHI19000706	Rock
MQ-19-54	51.3	52.5	1.2	1864196	core	WHI19000706	Rock
MQ-19-54	52.5	54	1.5	1864197	core	WHI19000706	Rock
MQ-19-54	54	55.5	1.5	1864198	core	WHI19000706	Rock
MQ-19-54	55.5	56.75	1.25	1864199	core	WHI19000706	Rock
MQ-19-54				1864200	DUP	WHI19000706	Rock
MQ-19-54	56.75	58.05	1.3	1864201	core	WHI19000706	Rock
MQ-19-54	58.05	59.5	1.45	1864202	core	WHI19000706	Rock
MQ-19-54	59.5	61	1.5	1864203	core	WHI19000706	Rock
MQ-19-54	61	62.5	1.5	1864204	core	WHI19000706	Rock
MQ-19-54	62.5	64	1.5	1864205	core	WHI19000706	Rock
MQ-19-54	64	65.5	1.5	1864206	core	WHI19000706	Rock
MQ-19-54	65.5	67	1.5	1864207	core	WHI19000706	Rock
MQ-19-54	67	68.5	1.5	1864208	core	WHI19000706	Rock
MQ-19-54	68.5	69.5	1	1864209	core	WHI19000706	Rock
MQ-19-54				1864210	GS-1Q	WHI19000706	Rock Pulp
MQ-19-54	69.5	70.4	0.9	1864211	core	WHI19000706	Rock
MQ-19-54	70.4	70.7	0.3	1864212	core	WHI19000706	Rock
MQ-19-54	70.7	72	1.3	1864213	core	WHI19000706	Rock
MQ-19-54	72	73.5	1.5	1864214	core	WHI19000706	Rock
MQ-19-54	73.5	75	1.5	1864215	core	WHI19000706	Rock

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
MQ-19-54	75	76.5	1.5	1864216	core	WHI19000706	Rock
MQ-19-54	76.5	78	1.5	1864217	core	WHI19000706	Rock
MQ-19-54	78	79.5	1.5	1864218	core	WHI19000706	Rock
MQ-19-54	79.5	81	1.5	1864219	core	WHI19000706	Rock
MQ-19-54				1864220	DUP	WHI19000706	Rock
MQ-19-54	81	82.5	1.5	1864221	core	WHI19000706	Rock
MQ-19-54	82.5	84	1.5	1864222	core	WHI19000706	Rock
MQ-19-54	84	85.5	1.5	1864223	core	WHI19000706	Rock
MQ-19-54	85.5	87	1.5	1864224	core	WHI19000706	Rock
MQ-19-54	87	88.5	1.5	1864225	core	WHI19000706	Rock
MQ-19-54	88.5	90	1.5	1864226	core	WHI19000706	Rock
MQ-19-54	90	91.5	1.5	1864227	core	WHI19000706	Rock
MQ-19-54	91.5	93	1.5	1864228	core	WHI19000706	Rock
MQ-19-54	93	94.5	1.5	1864229	core	WHI19000706	Rock
MQ-19-54				1864230	BLANK	WHI19000706	Rock
MQ-19-54	94.5	96	1.5	1864231	core	WHI19000706	Rock
MQ-19-54	96	97.5	1.5	1864232	core	WHI19000706	Rock
MQ-19-54	97.5	99	1.5	1864233	core	WHI19000706	Rock
MQ-19-54	99	100.5	1.5	1864234	core	WHI19000706	Rock
MQ-19-54	100.5	102	1.5	1864235	core	WHI19000706	Rock
MQ-19-54	102	103.5	1.5	1864236	core	WHI19000706	Rock
MQ-19-54	103.5	105	1.5	1864237	core	WHI19000706	Rock
MQ-19-54	105	106.5	1.5	1864238	core	WHI19000706	Rock
MQ-19-54	106.5	108	1.5	1864239	core	WHI19000706	Rock
MQ-19-54				1864240	DUP	WHI19000706	Rock
MQ-19-54	108	109.5	1.5	1864241	core	WHI19000706	Rock
MQ-19-54	109.5	111	1.5	1864242	core	WHI19000706	Rock
MQ-19-54	111	112.5	1.5	1864243	core	WHI19000706	Rock
MQ-19-54	112.5	114	1.5	1864244	core	WHI19000706	Rock
MQ-19-54	114	115.5	1.5	1864245	core	WHI19000706	Rock
MQ-19-54	115.5	117	1.5	1864246	core	WHI19000706	Rock
MQ-19-54	117	118.35	1.35	1864247	core	WHI19000706	Rock
MQ-19-54	118.35	119.5	1.15	1864248	core	WHI19000706	Rock
MQ-19-54	119.5	121	1.5	1864249	core	WHI19000706	Rock
MQ-19-54				1864250	GS-1Q	WHI19000706	Rock Pulp
MQ-19-54	121	122.5	1.5	1864251	core	WHI19000706	Rock
MQ-19-54	122.5	124	1.5	1864252	core	WHI19000706	Rock
MQ-19-54	124	125.5	1.5	1864253	core	WHI19000706	Rock
MQ-19-54	125.5	127	1.5	1864254	core	WHI19000706	Rock
MQ-19-54	127	128.5	1.5	1864255	core	WHI19000706	Rock
MQ-19-54	128.5	130	1.5	1864256	core	WHI19000706	Rock
MQ-19-54	130	131.5	1.5	1864257	core	WHI19000706	Rock
MQ-19-54	131.5	133	1.5	1864258	core	WHI19000706	Rock
MQ-19-54	133	134.5	1.5	1864259	core	WHI19000706	Rock
MQ-19-54				1864260	DUP	WHI19000706	Rock
MQ-19-54	134.5	136	1.5	1864261	core	WHI19000706	Rock

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
MQ-19-54	136	137.5	1.5	1864262	core	WHI19000706	Rock
MQ-19-54	137.5	139	1.5	1864263	core	WHI19000706	Rock
MQ-19-54	139	140	1	1864264	core	WHI19000706	Rock
MQ-19-54	140	141	1	1864265	core	WHI19000706	Rock
MQ-19-54	141	142.25	1.25	1864266	core	WHI19000706	Rock
MQ-19-54	142.25	143.5	1.25	1864267	core	WHI19000706	Rock
MQ-19-54	143.5	144.9	1.4	1864268	core	WHI19000706	Rock
MQ-19-54	144.9	146	1.1	1864269	core	WHI19000706	Rock
MQ-19-54				1864270	BLANK	WHI19000706	Rock
MQ-19-54	146	147.5	1.5	1864271	core	WHI19000706	Rock
MQ-19-54	147.5	149	1.5	1864272	core	WHI19000706	Rock
MQ-19-54	149	150	1	1864273	core	WHI19000706	Rock
MQ-19-54	150	150.88	0.88	1864274	core	WHI19000706	Rock
MQ-19-54	150.88	151	0.12	1864275	core	WHI19000706	Rock
MQ-19-54	151	152.5	1.5	1864276	core	WHI19000706	Rock
MQ-19-54	152.5	154	1.5	1864277	core	WHI19000706	Rock
MQ-19-54	154	155.5	1.5	1864278	core	WHI19000706	Rock
MQ-19-54	155.5	157	1.5	1864279	core	WHI19000706	Rock
MQ-19-54				1864280	DUP	WHI19000706	Rock
MQ-19-54	157	158	1	1864281	core	WHI19000706	Rock
MQ-19-54	158	159.3	1.3	1864282	core	WHI19000706	Rock
MQ-19-54	159.3	160.5	1.2	1864283	core	WHI19000706	Rock
MQ-19-54	160.5	161.54	1.04	1864284	core	WHI19000706	Rock
MQ-19-55	0	6.1	6.1	1864285	core	WHI19000707	Rock
MQ-19-55	6.1	7.6	1.5	1864286	core	WHI19000707	Rock
MQ-19-55	7.6	9.14	1.54	1864287	core	WHI19000707	Rock
MQ-19-55	9.14	10.7	1.56	1864288	core	WHI19000707	Rock
MQ-19-55	10.7	12.19	1.49	1864289	core	WHI19000707	Rock
MQ-19-55				1864290	gs-iq	WHI19000707	Rock
MQ-19-55	12.19	13.7	1.51	1864291	core	WHI19000707	Rock
MQ-19-55	13.7	15.24	1.54	1864292	core	WHI19000707	Rock
MQ-19-55	15.24	16.66	1.42	1864293	core	WHI19000707	Rock
MQ-19-55	16.66	18.29	1.63	1864294	core	WHI19000707	Rock
MQ-19-55	18.29	19.8	1.51	1864295	core	WHI19000707	Rock
MQ-19-55	19.8	21.34	1.54	1864296	core	WHI19000707	Rock
MQ-19-55	21.34	22.58	1.24	1864297	core	WHI19000707	Rock
MQ-19-55	22.58	23.69	1.11	1864298	core	WHI19000707	Rock
MQ-19-55	23.69	25	1.31	1864299	core	WHI19000707	Rock
MQ-19-55				1864300	dup	WHI19000707	Rock
MQ-19-55	25	26.5	1.5	1864301	core	WHI19000707	Rock
MQ-19-55	26.5	27.43	0.93	1864302	core	WHI19000707	Rock
MQ-19-55	27.43	28.68	1.25	1864303	core	WHI19000707	Rock
MQ-19-55	28.68	30.18	1.5	1864304	core	WHI19000707	Rock
MQ-19-55	30.18	31.74	1.56	1864305	core	WHI19000707	Rock
MQ-19-55	31.74	33	1.26	1864306	core	WHI19000707	Rock
MQ-19-55	33	34.12	1.12	1864307	core	WHI19000707	Rock



Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
MQ-19-55	34.12	35.65	1.53	1864308	core	WHI19000707	Rock
MQ-19-55	35.65	37.16	1.51	1864309	core	WHI19000707	Rock
MQ-19-55				1864310	BLANK	WHI19000707	Rock
MQ-19-55	37.16	38.66	1.5	1864311	core	WHI19000707	Rock
MQ-19-55	38.66	39.62	0.96	1864312	core	WHI19000707	Rock
MQ-19-55	39.62	40.65	1.03	1864313	core	WHI19000707	Rock
MQ-19-55	40.65	42.2	1.55	1864314	core	WHI19000707	Rock
MQ-19-55	42.2	43.6	1.4	1864315	core	WHI19000707	Rock
MQ-19-55	43.6	45.17	1.57	1864316	core	WHI19000707	Rock
MQ-19-55	45.17	46.6748	1.5048	1864317	core	WHI19000707	Rock
MQ-19-55	46.6748	48	1.3252	1864318	core	WHI19000707	Rock
MQ-19-55	48	49.5	1.5	1864319	core	WHI19000707	Rock
MQ-19-55				1864320	DUP	WHI19000707	Rock
MQ-19-55	49.5	50.98	1.48	1864321	core	WHI19000707	Rock
MQ-19-55	50.98	51.95	0.97	1864322	core	WHI19000707	Rock
MQ-19-55	51.95	52.87	0.92	1864323	core	WHI19000707	Rock
MQ-19-55	52.87	53.81	0.94	1864324	core	WHI19000707	Rock
MQ-19-55	53.81	54.6	0.79	1864325	core	WHI19000707	Rock
MQ-19-55	54.6	55.08	0.48	1864326	core	WHI19000707	Rock
MQ-19-55	55.08	55.78	0.7	1864327	core	WHI19000707	Rock
MQ-19-55	55.78	56.44	0.66	1864328	core	WHI19000707	Rock
MQ-19-55	56.44	57.91	1.47	1864329	core	WHI19000707	Rock
MQ-19-55				1864330	GS-IQ	WHI19000707	Rock Pulp
MQ-19-55	57.91	59.4	1.49	1864331	core	WHI19000707	Rock
MQ-19-55	59.4	60.74	1.34	1864332	core	WHI19000707	Rock
MQ-19-55	60.74	61.4	0.66	1864333	core	WHI19000707	Rock
MQ-19-55	61.4	62.28	0.88	1864334	core	WHI19000707	Rock
MQ-19-55	62.28	63.74	1.46	1864335	core	WHI19000707	Rock
MQ-19-55	63.74	65.21	1.47	1864336	core	WHI19000707	Rock
MQ-19-55	65.21	66	0.79	1864337	core	WHI19000707	Rock
MQ-19-55	66	67.5	1.5	1864338	core	WHI19000707	Rock
MQ-19-55	67.5	69	1.5	1864339	core	WHI19000707	Rock
MQ-19-55				1864340	DUP	WHI19000707	Rock
MQ-19-55	69	70.71	1.71	1864341	core	WHI19000707	Rock
MQ-19-55	70.71	72.05	1.34	1864342	core	WHI19000707	Rock
MQ-19-55	72.05	73.55	1.5	1864343	core	WHI19000707	Rock
MQ-19-55	73.55	74.68	1.13	1864344	core	WHI19000707	Rock
MQ-19-55	74.68	75.43	0.75	1864345	core	WHI19000707	Rock
MQ-19-55	75.43	76.63	1.2	1864346	core	WHI19000707	Rock
MQ-19-55	76.63	77.42	0.79	1864347	core	WHI19000707	Rock
MQ-19-55	77.42	77.93	0.51	1864348	core	WHI19000707	Rock
MQ-19-55	77.93	79.55	1.62	1864349	core	WHI19000707	Rock
MQ-19-55				1864350	BLANK	WHI19000707	Rock
MQ-19-55	79.55	81.14	1.59	1864351	core	WHI19000707	Rock
MQ-19-55	81.14	82.64	1.5	1864352	core	WHI19000707	Rock
MQ-19-55	82.64	83.82	1.18	1864353	core	WHI19000707	Rock

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
MQ-19-55	83.82	84.49	0.67	1864354	core	WHI19000707	Rock
MQ-19-55	84.49	85.33	0.84	1864355	core	WHI19000707	Rock
MQ-19-55	85.33	86.16	0.83	1864356	core	WHI19000707	Rock
MQ-19-55	86.16	86.97	0.81	1864357	core	WHI19000707	Rock
MQ-19-55	86.97	88.5	1.53	1864358	core	WHI19000707	Rock
MQ-19-55	88.5	89.92	1.42	1864359	core	WHI19000707	Rock
MQ-19-55				1864360	DUP	WHI19000707	Rock
MQ-19-55	89.92	91.45	1.53	1864361	core	WHI19000707	Rock
MQ-19-55	91.45	92.96	1.51	1864362	core	WHI19000707	Rock
MQ-19-55	92.96	94.44	1.48	1864363	core	WHI19000707	Rock
MQ-19-55	94.44	96.01	1.57	1864364	core	WHI19000707	Rock
MQ-19-55	96.01	97.5	1.49	1864365	core	WHI19000707	Rock
MQ-19-55	97.5	99.06	1.56	1864366	core	WHI19000707	Rock
MQ-19-55	99.06	100.6	1.54	1864367	core	WHI19000707	Rock
MQ-19-55	100.6	102.11	1.51	1864368	core	WHI19000707	Rock
MQ-19-55	102.11	103.58	1.47	1864369	core	WHI19000707	Rock
MQ-19-55				1864370	BLANK	WHI19000707	Rock
MQ-19-55	103.58	104.21	0.63	1864371	core	WHI19000707	Rock
MQ-19-55	104.21	105.7	1.49	1864372	core	WHI19000707	Rock
MQ-19-55	105.7	107.2	1.5	1864373	core	WHI19000707	Rock
MQ-19-55	107.2	108.2	1	1864374	core	WHI19000707	Rock
MQ-19-55	108.2	109.75	1.55	1864375	core	WHI19000707	Rock
MQ-19-55	109.75	111.25	1.5	1864376	core	WHI19000707	Rock
MQ-19-55	111.25	112.24	0.99	1864377	core	WHI19000707	Rock
MQ-19-55	112.24	112.82	0.58	1864378	core	WHI19000707	Rock
MQ-19-55	112.82	114.67	1.85	1864379	core	WHI19000707	Rock
MQ-19-55				1864380	DUP	WHI19000707	Rock
MQ-19-55	114.67	115.82	1.15	1864381	core	WHI19000707	Rock
MQ-19-55	115.82	117.4	1.58	1864382	core	WHI19000707	Rock
MQ-19-55	117.4	118.87	1.47	1864383	core	WHI19000707	Rock
MQ-19-55	118.87	120.4	1.53	1864384	core	WHI19000707	Rock
MQ-19-55	120.4	121.91	1.51	1864385	core	WHI19000707	Rock
MQ-19-55	121.91	123.44	1.53	1864386	core	WHI19000707	Rock
MQ-19-55	123.44	124.65	1.21	1864387	core	WHI19000707	Rock
MQ-19-55	124.65	125.18	0.53	1864388	core	WHI19000707	Rock
MQ-19-55	125.18	126	0.82	1864389	core	WHI19000707	Rock
MQ-19-55				1864390	GS-IQ	WHI19000707	Rock Pulp
MQ-19-55	126	127.6	1.6	1864391	core	WHI19000707	Rock
MQ-19-55	127.6	129.09	1.49	1864392	core	WHI19000707	Rock
MQ-19-55	129.09	130.61	1.52	1864393	core	WHI19000707	Rock
MQ-19-55	130.61	131.97	1.36	1864394	core	WHI19000707	Rock
MQ-19-55	131.97	133.5	1.53	1864395	core	WHI19000707	Rock
MQ-19-55	133.5	135.02	1.52	1864396	core	WHI19000707	Rock
MQ-19-55	135.02	136	0.98	1864397	core	WHI19000707	Rock
MQ-19-55	136	137.37	1.37	1864398	core	WHI19000707	Rock
MQ-19-55	137.37	138.68	1.31	1864399	core	WHI19000707	Rock

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
MQ-19-55				1864400	DUP	WHI19000707	Rock
MQ-19-55	138.68	140.22	1.54	1864401	core	WHI19000707	Rock
MQ-19-55	140.22	141.73	1.51	1864402	core	WHI19000707	Rock
MQ-19-55	141.73	143.24	1.51	1864403	core	WHI19000707	Rock
MQ-19-55	143.24	144.78	1.54	1864404	core	WHI19000707	Rock
MQ-19-55	144.78	146.3	1.52	1864405	core	WHI19000707	Rock
MQ-19-55	146.3	147.83	1.53	1864406	core	WHI19000707	Rock
MQ-19-56	0	4	4	1864407	core	WHI19000745	Rock
MQ-19-56	4	6.15	2.15	1864408	core	WHI19000745	Rock
MQ-19-56	6.15	7.62	1.47	1864409	core	WHI19000745	Rock
MQ-19-56				1864410	BLANK	WHI19000745	Rock
MQ-19-56	7.62	9.18	1.56	1864411	core	WHI19000745	Rock
MQ-19-56	9.18	10.67	1.49	1864412	core	WHI19000745	Rock
MQ-19-56	10.67	12.17	1.5	1864413	core	WHI19000745	Rock
MQ-19-56	12.17	13.72	1.55	1864414	core	WHI19000745	Rock
MQ-19-56	13.72	14.84	1.12	1864415	core	WHI19000745	Rock
MQ-19-56	14.84	16.35	1.51	1864416	core	WHI19000745	Rock
MQ-19-56	16.35	17.44	1.09	1864417	core	WHI19000745	Rock
MQ-19-56	17.44	18.55	1.11	1864418	core	WHI19000745	Rock
MQ-19-56	18.55	19	0.45	1864419	core	WHI19000745	Rock
MQ-19-56				1864420	DUP	WHI19000745	Rock
MQ-19-56	19	20.54	1.54	1864421	core	WHI19000745	Rock
MQ-19-56	20.54	21.66	1.12	1864422	core	WHI19000745	Rock
MQ-19-56	21.66	22.85	1.19	1864423	core	WHI19000745	Rock
MQ-19-56	22.85	24.42	1.57	1864424	core	WHI19000745	Rock
MQ-19-56	24.42	25.91	1.49	1864425	core	WHI19000745	Rock
MQ-19-56	25.91	27.43	1.52	1864426	core	WHI19000745	Rock
MQ-19-56	27.43	28.96	1.53	1864427	core	WHI19000745	Rock
MQ-19-56	28.96	30.48	1.52	1864428	core	WHI19000745	Rock
MQ-19-56	30.48	32	1.52	1864429	core	WHI19000745	Rock
MQ-19-56				1864430	GS-IQ	WHI19000745	Rock Pulp
MQ-19-56	32	33.45	1.45	1864431	core	WHI19000745	Rock
MQ-19-56	33.45	35.05	1.6	1864432	core	WHI19000745	Rock
MQ-19-56	35.05	36	0.95	1864433	core	WHI19000745	Rock
MQ-19-56	36	37.1	1.1	1864434	core	WHI19000745	Rock
MQ-19-56	37.1	38.7	1.6	1864435	core	WHI19000745	Rock
MQ-19-56	38.7	40.28	1.58	1864436	core	WHI19000745	Rock
MQ-19-56	40.28	41.63	1.35	1864437	core	WHI19000745	Rock
MQ-19-56	41.63	42.8	1.17	1864438	core	WHI19000745	Rock
MQ-19-56	42.8	44.35	1.55	1864439	core	WHI19000745	Rock
MQ-19-56				1864440	DUP	WHI19000745	Rock
MQ-19-56	44.35	45.13	0.78	1864441	core	WHI19000745	Rock
MQ-19-56	45.13	46.3	1.17	1864442	core	WHI19000745	Rock
MQ-19-56	46.3	47.82	1.52	1864443	core	WHI19000745	Rock
MQ-19-56	47.82	49.3	1.48	1864444	core	WHI19000745	Rock
MQ-19-56	49.3	50.29	0.99	1864445	core	WHI19000745	Rock

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
MQ-19-56	50.29	60.8	10.51	1864446	core	WHI19000745	Rock
MQ-19-56	60.8	53.34	-7.46	1864447	core	WHI19000745	Rock
MQ-19-56	53.34	54.87	1.53	1864448	core	WHI19000745	Rock
MQ-19-56	54.87	56	1.13	1864449	core	WHI19000745	Rock
MQ-19-56				1864450	BLANK	WHI19000745	Rock
MQ-19-56	56	56.8	0.8	1864451	core	WHI19000745	Rock
MQ-19-56	56.8	58.3	1.5	1864452	core	WHI19000745	Rock
MQ-19-56	58.3	59.44	1.14	1864453	core	WHI19000745	Rock
MQ-19-56	59.44	61	1.56	1864454	core	WHI19000745	Rock
MQ-19-56	61	62.48	1.48	1864455	core	WHI19000745	Rock
MQ-19-56	62.48	63.9	1.42	1864456	core	WHI19000745	Rock
MQ-19-56	63.9	65.4	1.5	1864457	core	WHI19000745	Rock
MQ-19-56	65.4	67	1.6	1864458	core	WHI19000745	Rock
MQ-19-56	67	68.6	1.6	1864459	core	WHI19000745	Rock
MQ-19-56				1864460	DUP	WHI19000745	Rock
MQ-19-56	68.6	70.1	1.5	1864461	core	WHI19000745	Rock
MQ-19-56	70.1	71.65	1.55	1864462	core	WHI19000745	Rock
MQ-19-56	71.65	73.15	1.5	1864463	core	WHI19000745	Rock
MQ-19-56	73.15	74.66	1.51	1864464	core	WHI19000745	Rock
MQ-19-56	74.66	76.2	1.54	1864465	core	WHI19000745	Rock
MQ-19-56	76.2	77.83	1.63	1864466	core	WHI19000745	Rock
MQ-19-56	77.83	79.25	1.42	1864467	core	WHI19000745	Rock
MQ-19-56	79.25	80.79	1.54	1864468	core	WHI19000745	Rock
MQ-19-56	80.79	82.3	1.51	1864469	core	WHI19000745	Rock
MQ-19-56				1864470	BLANK	WHI19000745	Rock
MQ-19-56	82.3	83.3	1	1864471	core	WHI19000745	Rock
MQ-19-56	83.3	84.4	1.1	1864472	core	WHI19000745	Rock
MQ-19-56	84.4	85.34	0.94	1864473	core	WHI19000745	Rock
MQ-19-56	85.34	86.65	1.31	1864474	core	WHI19000745	Rock
MQ-19-56	86.65	88.09	1.44	1864475	core	WHI19000745	Rock
MQ-19-56	88.09	88.92	0.83	1864476	core	WHI19000745	Rock
MQ-19-56	88.92	89.92	1	1864477	core	WHI19000745	Rock
MQ-19-56	89.92	91.42	1.5	1864478	core	WHI19000745	Rock
MQ-19-56	91.42	92.96	1.54	1864479	core	WHI19000745	Rock
MQ-19-56				1864480	DUP	WHI19000745	Rock
MQ-19-56	92.96	94.3	1.34	1864481	core	WHI19000745	Rock
MQ-19-56	94.3	94.65	0.35	1864482	core	WHI19000745	Rock
MQ-19-56	94.65	96.01	1.36	1864483	core	WHI19000745	Rock
MQ-19-56	96.01	97.58	1.57	1864484	core	WHI19000745	Rock
MQ-19-56	97.58	98.72	1.14	1864485	core	WHI19000745	Rock
MQ-19-56	98.72	99.25	0.53	1864486	core	WHI19000745	Rock
MQ-19-56	99.25	100	0.75	1864487	core	WHI19000745	Rock
MQ-19-56	100	101.5	1.5	1864488	core	WHI19000745	Rock
MQ-19-56	101.5	103	1.5	1864489	core	WHI19000745	Rock
MQ-19-56				1864490	GS-IQ	WHI19000745	Rock Pulp
MQ-19-56	103	104.07	1.07	1864491	core	WHI19000745	Rock

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
MQ-19-56	104.07	105.16	1.09	1864492	core	WHI19000745	Rock
MQ-19-56	105.16	106.63	1.47	1864493	core	WHI19000745	Rock
MQ-19-56	106.63	107.9	1.27	1864494	core	WHI19000745	Rock
MQ-19-56	107.9	109.22	1.32	1864495	core	WHI19000745	Rock
MQ-19-56	109.22	110.48	1.26	1864496	core	WHI19000745	Rock
MQ-19-56	110.48	112.03	1.55	1864497	core	WHI19000745	Rock
MQ-19-56	112.03	113.5	1.47	1864498	core	WHI19000745	Rock
MQ-19-56	113.5	115.01	1.51	1864499	core	WHI19000745	Rock
MQ-19-56				1864500	DUP	WHI19000745	Rock
MQ-19-56	115.01	116.55	1.54	1864501	core	WHI19000745	Rock
MQ-19-56	116.55	118	1.45	1864502	core	WHI19000745	Rock
MQ-19-56	118	119.5	1.5	1864503	core	WHI19000745	Rock
MQ-19-56	119.5	120.97	1.47	1864504	core	WHI19000745	Rock
MQ-19-56	120.97	122.5	1.53	1864505	core	WHI19000745	Rock
MQ-19-56	122.5	124.05	1.55	1864506	core	WHI19000745	Rock
MQ-19-56	124.05	125.62	1.57	1864507	core	WHI19000745	Rock
MQ-19-56	125.62	127.13	1.51	1864508	core	WHI19000745	Rock
MQ-19-56	127.13	128.66	1.53	1864509	core	WHI19000745	Rock
MQ-19-56				1864510	BLANK	WHI19000745	Rock
MQ-19-56	128.66	129.69	1.03	1864511	core	WHI19000745	Rock
MQ-19-56	129.69	130.95	1.26	1864512	core	WHI19000745	Rock
MQ-19-56	130.95	132.27	1.32	1864513	core	WHI19000745	Rock
MQ-19-56	132.27	133.06	0.79	1864514	core	WHI19000745	Rock
MQ-19-56	133.06	133.99	0.93	1864515	core	WHI19000745	Rock
MQ-19-56	133.99	134.23	0.24	1864516	core	WHI19000745	Rock
MQ-19-56	134.23	135.64	1.41	1864517	core	WHI19000745	Rock
MQ-19-56	135.64	136.99	1.35	1864518	core	WHI19000745	Rock
MQ-19-56	136.99	138.5	1.51	1864519	core	WHI19000745	Rock
MQ-19-56			0	1864520	DUP	WHI19000745	Rock
MQ-19-56	138.5	140.07	1.57	1864521	core	WHI19000745	Rock
MQ-19-56	140.07	141.6	1.53	1864522	core	WHI19000745	Rock
MQ-19-56	141.6	143.1	1.5	1864523	core	WHI19000745	Rock
MQ-19-56	143.1	144.7	1.6	1864524	core	WHI19000745	Rock
MQ-19-56	144.7	146.2	1.5	1864525	core	WHI19000745	Rock
MQ-19-56	146.2	147.7	1.5	1864526	core	WHI19000745	Rock
MQ-19-56	147.7	149.35	1.65	1864527	core	WHI19000745	Rock
MQ-19-56	149.35	150.8	1.45	1864528	core	WHI19000745	Rock
MQ-19-56	150.8	151.75	0.95	1864529	core	WHI19000745	Rock
MQ-19-56			0	1864530	GS-IQ	WHI19000745	Rock Pulp
MQ-19-56	151.75	153.29	1.54	1864531	core	WHI19000745	Rock
MQ-19-56	153.29	154.82	1.53	1864532	core	WHI19000745	Rock
MQ-19-56	154.82	156.39	1.57	1864533	core	WHI19000745	Rock
MQ-19-57	3.05	5.3	2.25	1864534	core	WHI19000712	Rock
MQ-19-57	5.3	6.83	1.53	1864535	core	WHI19000712	Rock
MQ-19-57	6.83	7.83	1	1864536	core	WHI19000712	Rock
MQ-19-57	7.83	8.95	1.12	1864537	core	WHI19000712	Rock

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
MQ-19-57	8.95	10.44	1.49	1864538	core	WHI19000712	Rock
MQ-19-57	10.44	12	1.56	1864539	core	WHI19000712	Rock
MQ-19-57				1864540	DUP	WHI19000712	Rock
MQ-19-57	12	13.5	1.5	1864541	core	WHI19000712	Rock
MQ-19-57	13.5	15	1.5	1864542	core	WHI19000712	Rock
MQ-19-57	15	16.2	1.2	1864543	core	WHI19000712	Rock
MQ-19-57	16.2	17.2	1	1864544	core	WHI19000712	Rock
MQ-19-57	17.2	17.85	0.65	1864545	core	WHI19000712	Rock
MQ-19-57	17.85	18.49	0.64	1864546	core	WHI19000712	Rock
MQ-19-57	18.49	20	1.51	1864547	core	WHI19000712	Rock
MQ-19-57	20	21.34	1.34	1864548	core	WHI19000712	Rock
MQ-19-57	21.34	22.88	1.54	1864549	core	WHI19000712	Rock
MQ-19-57				1864550	BLANK	WHI19000712	Rock
MQ-19-57	22.88	24.38	1.5	1864551	core	WHI19000712	Rock
MQ-19-57	24.38	25.5	1.12	1864552	core	WHI19000712	Rock
MQ-19-57	25.5	27	1.5	1864553	core	WHI19000712	Rock
MQ-19-57	27	28.15	1.15	1864554	core	WHI19000712	Rock
MQ-19-57	28.15	29.54	1.39	1864555	core	WHI19000712	Rock
MQ-19-57	29.54	31	1.46	1864556	core	WHI19000712	Rock
MQ-19-57	31	32	1	1864557	core	WHI19000712	Rock
MQ-19-57	32	32.95	0.95	1864558	core	WHI19000712	Rock
MQ-19-57	32.95	34.5	1.55	1864559	core	WHI19000712	Rock
MQ-19-57	34.5	36	1.5	1864560	core	WHI19000712	Rock
MQ-19-57	36	37.5	1.5	1864561	core	WHI19000712	Rock
MQ-19-57	37.5	39	1.5	1864562	core	WHI19000712	Rock
MQ-19-57	39	40.5	1.5	1864563	core	WHI19000712	Rock
MQ-19-57	40.5	42	1.5	1864564	core	WHI19000712	Rock
MQ-19-57	42	43.5	1.5	1864565	core	WHI19000712	Rock
MQ-19-57	43.5	45	1.5	1864566	core	WHI19000712	Rock
MQ-19-57	45	46	1	1864567	core	WHI19000712	Rock
MQ-19-57	46	47.24	1.24	1864568	core	WHI19000712	Rock
MQ-19-57	47.24	48.5	1.26	1864569	core	WHI19000712	Rock
MQ-19-57	48.5	50	1.5	1864570	core	WHI19000712	Rock
MQ-19-57	50	51.5	1.5	1864571	core	WHI19000712	Rock
MQ-19-57	51.5	52.5	1	1864572	core	WHI19000712	Rock
MQ-19-57	52.5	53.34	0.84	1864573	core	WHI19000712	Rock
MQ-19-57	53.34	54.5	1.16	1864574	core	WHI19000712	Rock
MQ-19-57	54.5	55.5	1	1864575	core	WHI19000712	Rock
MQ-19-57	55.5	56.39	0.89	1864576	core	WHI19000712	Rock
MQ-19-57	56.39	57.5	1.11	1864577	core	WHI19000712	Rock
MQ-19-57	57.5	59	1.5	1864578	core	WHI19000712	Rock
MQ-19-57	59	60.5	1.5	1864579	core	WHI19000712	Rock
MQ-19-57	60.5	61.5	1	1864580	core	WHI19000712	Rock
MQ-19-57	61.5	62.3	0.8	1864581	core	WHI19000712	Rock
MQ-19-57	62.3	62.85	0.55	1864582	core	WHI19000712	Rock
MQ-19-57	62.85	64	1.15	1864583	core	WHI19000712	Rock

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
MQ-19-57	64	65.5	1.5	1864584	core	WHI19000712	Rock
MQ-19-57	65.5	67	1.5	1864585	core	WHI19000712	Rock
MQ-19-57	67	68.5	1.5	1864586	core	WHI19000712	Rock
MQ-19-57	68.5	70	1.5	1864587	core	WHI19000712	Rock
MQ-19-57	70	71.5	1.5	1864588	core	WHI19000712	Rock
MQ-19-57	71.5	73	1.5	1864589	core	WHI19000712	Rock
MQ-19-57	73	74.5	1.5	1864590	core	WHI19000712	Rock
MQ-19-57	74.5	76	1.5	1864591	core	WHI19000712	Rock
MQ-19-57	76	77.5	1.5	1864592	core	WHI19000712	Rock
MQ-19-57	77.5	79	1.5	1864593	core	WHI19000712	Rock
MQ-19-57	79	80.5	1.5	1864594	core	WHI19000712	Rock
MQ-19-57	80.5	82	1.5	1864595	core	WHI19000712	Rock
MQ-19-57	82	83.5	1.5	1864596	core	WHI19000712	Rock
MQ-19-57	83.5	84.75	1.25	1864597	core	WHI19000712	Rock
MQ-19-57	84.75	86	1.25	1864598	core	WHI19000712	Rock
MQ-19-57	86	87.25	1.25	1864599	core	WHI19000712	Rock
MQ-19-57			0	1864600	DUP	WHI19000712	Rock
MQ-19-57	87.25	87.6	0.35	1864601	core	WHI19000712	Rock
MQ-19-57	87.6	88.5	0.9	1864602	core	WHI19000712	Rock
MQ-19-57	88.5	89.5	1	1864603	core	WHI19000712	Rock
MQ-19-57	89.5	91	1.5	1864604	core	WHI19000712	Rock
MQ-19-57	91	92.5	1.5	1864605	core	WHI19000712	Rock
MQ-19-57	92.5	93.5	1	1864606	core	WHI19000712	Rock
MQ-19-57	93.5	94.65	1.15	1864607	core	WHI19000712	Rock
MQ-19-57	94.65	96	1.35	1864608	core	WHI19000712	Rock
MQ-19-57	96	97.5	1.5	1864609	core	WHI19000712	Rock
MQ-19-57				1864610	gs-1q	WHI19000712	Rock Pulp
MQ-19-57	97.5	99	1.5	1864611	core	WHI19000712	Rock
MQ-19-57	99	100.5	1.5	1864612	core	WHI19000712	Rock
MQ-19-57	100.5	101.5	1	1864613	core	WHI19000712	Rock
MQ-19-57	101.5	102.75	1.25	1864614	core	WHI19000712	Rock
MQ-19-57	102.75	104	1.25	1864615	core	WHI19000712	Rock
MQ-19-57	104	105.5	1.5	1864616	core	WHI19000712	Rock
MQ-19-57	105.5	107	1.5	1864617	core	WHI19000712	Rock
MQ-19-57	107	108.5	1.5	1864618	core	WHI19000712	Rock
MQ-19-57	108.5	110	1.5	1864619	core	WHI19000712	Rock
MQ-19-57				1864620	DUP	WHI19000712	Rock
MQ-19-57	110	111.5	1.5	1864621	core	WHI19000712	Rock
MQ-19-57	111.5	113	1.5	1864622	core	WHI19000712	Rock
MQ-19-57	113	114.5	1.5	1864623	core	WHI19000712	Rock
MQ-19-57	114.5	116	1.5	1864624	core	WHI19000712	Rock
MQ-19-58	5.7	7	1.3	1864625	core	WHI19000746	Rock
MQ-19-58	7	8.5	1.5	1864626	core	WHI19000746	Rock
MQ-19-58	8.5	10	1.5	1864627	core	WHI19000746	Rock
MQ-19-58	10	11.5	1.5	1864628	core	WHI19000746	Rock
MQ-19-58	11.5	13	1.5	1864629	core	WHI19000746	Rock

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
MQ-19-58				1864630	blank	WHI19000746	Rock
MQ-19-58	13	14.5	1.5	1864631	core	WHI19000746	Rock
MQ-19-58	14.5	15.5	1	1864632	core	WHI19000746	Rock
MQ-19-58	15.5	16.3	0.8	1864633	core	WHI19000746	Rock
MQ-19-58	16.3	17.5	1.2	1864634	core	WHI19000746	Rock
MQ-19-58	17.5	19	1.5	1864635	core	WHI19000746	Rock
MQ-19-58	19	20.5	1.5	1864636	core	WHI19000746	Rock
MQ-19-58	20.5	22	1.5	1864637	core	WHI19000746	Rock
MQ-19-58	22	23.5	1.5	1864638	core	WHI19000746	Rock
MQ-19-58	23.5	25	1.5	1864639	core	WHI19000746	Rock
MQ-19-58				1864640	dup	WHI19000746	Rock
MQ-19-58	25	26.5	1.5	1864641	core	WHI19000746	Rock
MQ-19-58	26.5	27.5	1	1864642	core	WHI19000746	Rock
MQ-19-58	27.5	28.85	1.35	1864643	core	WHI19000746	Rock
MQ-19-58	28.85	30	1.15	1864644	core	WHI19000746	Rock
MQ-19-58	30	31.5	1.5	1864645	core	WHI19000746	Rock
MQ-19-58	31.5	33	1.5	1864646	core	WHI19000746	Rock
MQ-19-58	33	34.5	1.5	1864647	core	WHI19000746	Rock
MQ-19-58	34.5	36	1.5	1864648	core	WHI19000746	Rock
MQ-19-58	36	37.5	1.5	1864649	core	WHI19000746	Rock
MQ-19-58				1864650	gs-1q	WHI19000746	Rock Pulp
MQ-19-58	37.5	39	1.5	1864651	core	WHI19000746	Rock
MQ-19-58	39	40.5	1.5	1864652	core	WHI19000746	Rock
MQ-19-58	40.5	42	1.5	1864653	core	WHI19000746	Rock
MQ-19-58	42	43.5	1.5	1864654	core	WHI19000746	Rock
MQ-19-58	43.5	45	1.5	1864655	core	WHI19000746	Rock
MQ-19-58	45	46.5	1.5	1864656	core	WHI19000746	Rock
MQ-19-58	46.5	48	1.5	1864657	core	WHI19000746	Rock
MQ-19-58	48	49.5	1.5	1864658	core	WHI19000746	Rock
MQ-19-58	49.5	51	1.5	1864659	core	WHI19000746	Rock
MQ-19-58				1864660	dup	WHI19000746	Rock
MQ-19-58	51	52.5	1.5	1864661	core	WHI19000746	Rock
MQ-19-58	52.5	54	1.5	1864662	core	WHI19000746	Rock
MQ-19-58	54	55.5	1.5	1864663	core	WHI19000746	Rock
MQ-19-58	55.5	57	1.5	1864664	core	WHI19000746	Rock
MQ-19-58	57	58.5	1.5	1864665	core	WHI19000746	Rock
MQ-19-58	58.5	60.1	1.6	1864666	core	WHI19000746	Rock
MQ-19-58	60.1	61.5	1.4	1864667	core	WHI19000746	Rock
MQ-19-58	61.5	63	1.5	1864668	core	WHI19000746	Rock
MQ-19-58	63	64.5	1.5	1864669	core	WHI19000746	Rock
MQ-19-58				1864670	blank	WHI19000746	Rock
MQ-19-58	64.5	66	1.5	1864671	core	WHI19000746	Rock
MQ-19-58	66	67.5	1.5	1864672	core	WHI19000746	Rock
MQ-19-58	67.5	69	1.5	1864673	core	WHI19000746	Rock
MQ-19-58	69	70.5	1.5	1864674	core	WHI19000746	Rock
MQ-19-58	70.5	72	1.5	1864675	core	WHI19000746	Rock



Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
MQ-19-58	72	72.9	0.9	1864676	core	WHI19000746	Rock
MQ-19-58	72.9	73.8	0.9	1864677	core	WHI19000746	Rock
MQ-19-58	73.8	75.15	1.35	1864678	core	WHI19000746	Rock
MQ-19-58	75.15	76.65	1.5	1864679	core	WHI19000746	Rock
MQ-19-58				1864680	dup	WHI19000746	Rock
MQ-19-58	76.65	77.7	1.05	1864681	core	WHI19000746	Rock
MQ-19-58	77.7	78.8	1.1	1864682	core	WHI19000746	Rock
MQ-19-58	78.8	80	1.2	1864683	core	WHI19000746	Rock
MQ-19-58	80	81.5	1.5	1864684	core	WHI19000746	Rock
MQ-19-58	81.5	83	1.5	1864685	core	WHI19000746	Rock
MQ-19-58	83	84.5	1.5	1864686	core	WHI19000746	Rock
MQ-19-58	84.5	86	1.5	1864687	core	WHI19000746	Rock
MQ-19-58	86	87.5	1.5	1864688	core	WHI19000746	Rock
MQ-19-58	87.5	89	1.5	1864689	core	WHI19000746	Rock
MQ-19-58				1864690	gs-1q	WHI19000746	Rock Pulp
MQ-19-58	89	90.5	1.5	1864691	core	WHI19000746	Rock
MQ-19-58	90.5	92	1.5	1864692	core	WHI19000746	Rock
MQ-19-58	92	93.5	1.5	1864693	core	WHI19000746	Rock
MQ-19-58	93.5	95	1.5	1864694	core	WHI19000746	Rock
MQ-19-58	95	96	1	1864695	core	WHI19000746	Rock
MQ-19-59	3.05	4.57	1.52	1864696	core	WHI19000747	Rock
MQ-19-59	4.57	5.3	0.73	1864697	core	WHI19000747	Rock
MQ-19-59	5.3	6.3	1	1864698	core	WHI19000747	Rock
MQ-19-59	6.3	7.3	1	1864699	core	WHI19000747	Rock
MQ-19-59				1864700	DUP	WHI19000747	Rock
MQ-19-59	7.3	8.3	1	1864701	core	WHI19000747	Rock
MQ-19-59	8.3	9.3	1	1864702	core	WHI19000747	Rock
MQ-19-59	9.3	10.55	1.25	1864703	core	WHI19000747	Rock
MQ-19-59	10.55	11.5	0.95	1864704	core	WHI19000747	Rock
MQ-19-59	11.5	12.8	1.3	1864705	core	WHI19000747	Rock
MQ-19-59	12.8	14	1.2	1864706	core	WHI19000747	Rock
MQ-19-59	14	15.5	1.5	1864707	core	WHI19000747	Rock
MQ-19-59	15.5	17	1.5	1864708	core	WHI19000747	Rock
MQ-19-59	17	18.5	1.5	1864709	core	WHI19000747	Rock
MQ-19-59				1864710	BLANK	WHI19000747	Rock
MQ-19-59	18.5	19.5	1	1864711	core	WHI19000747	Rock
MQ-19-59	19.5	20.55	1.05	1864712	core	WHI19000747	Rock
MQ-19-59	20.55	22	1.45	1864713	core	WHI19000747	Rock
MQ-19-59	22	23.5	1.5	1864714	core	WHI19000747	Rock
MQ-19-59	23.5	24.5	1	1864715	core	WHI19000747	Rock
MQ-19-59	24.5	25.5	1	1864716	core	WHI19000747	Rock
MQ-19-59	25.5	27.05	1.55	1864717	core	WHI19000747	Rock
MQ-19-59	27.05	28.55	1.5	1864718	core	WHI19000747	Rock
MQ-19-59	28.55	29.5	0.95	1864719	core	WHI19000747	Rock
MQ-19-59				1864720	DUP	WHI19000747	Rock
MQ-19-59	29.5	30.38	0.88	1864721	core	WHI19000747	Rock

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
MQ-19-59	30.38	31.5	1.12	1864722	core	WHI19000747	Rock
MQ-19-59	31.5	33	1.5	1864723	core	WHI19000747	Rock
MQ-19-59	33	34.55	1.55	1864724	core	WHI19000747	Rock
MQ-19-59	34.55	36	1.45	1864725	core	WHI19000747	Rock
MQ-19-59	36	37.5	1.5	1864726	core	WHI19000747	Rock
MQ-19-59	37.5	39	1.5	1864727	core	WHI19000747	Rock
MQ-19-59	39	40.5	1.5	1864728	core	WHI19000747	Rock
MQ-19-59	40.5	42	1.5	1864729	core	WHI19000747	Rock
MQ-19-59				1864730	ME-1414	WHI19000747	Rock Pulp
MQ-19-59	42	43.5	1.5	1864731	core	WHI19000747	Rock
MQ-19-59	43.5	45	1.5	1864732	core	WHI19000747	Rock
MQ-19-59	45	46.5	1.5	1864733	core	WHI19000747	Rock
MQ-19-59	46.5	48	1.5	1864734	core	WHI19000747	Rock
MQ-19-59	48	49.5	1.5	1864735	core	WHI19000747	Rock
MQ-19-59	49.5	50.88	1.38	1864736	core	WHI19000747	Rock
MQ-19-59	50.88	52	1.12	1864737	core	WHI19000747	Rock
MQ-19-59	52	53.5	1.5	1864738	core	WHI19000747	Rock
MQ-19-59	53.5	55	1.5	1864739	core	WHI19000747	Rock
MQ-19-59				1864740	DUP	WHI19000747	Rock
MQ-19-59	55	56.39	1.39	1864741	core	WHI19000747	Rock
MQ-19-59	56.39	57	0.61	1864742	core	WHI19000747	Rock
MQ-19-59	57	58.5	1.5	1864743	core	WHI19000747	Rock
MQ-19-59	58.5	60	1.5	1864744	core	WHI19000747	Rock
MQ-19-59	60	61.5	1.5	1864745	core	WHI19000747	Rock
MQ-19-59	61.5	63	1.5	1864746	core	WHI19000747	Rock
MQ-19-59	63	64.5	1.5	1864747	core	WHI19000747	Rock
MQ-19-59	64.5	65.7	1.2	1864748	core	WHI19000747	Rock
MQ-19-59	65.7	66.8	1.1	1864749	core	WHI19000747	Rock
MQ-19-59				1864750	BLANK	WHI19000747	Rock
MQ-19-59	66.8	68	1.2	1864751	core	WHI19000747	Rock
MQ-19-59	68	69.5	1.5	1864752	core	WHI19000747	Rock
MQ-19-59	69.5	71	1.5	1864753	core	WHI19000747	Rock
MQ-19-59	71	72.5	1.5	1864754	core	WHI19000747	Rock
MQ-19-59	72.5	74	1.5	1864755	core	WHI19000747	Rock
MQ-19-59	74	75.5	1.5	1864756	core	WHI19000747	Rock
MQ-19-59	75.5	77	1.5	1864757	core	WHI19000747	Rock
MQ-19-59	77	78.5	1.5	1864758	core	WHI19000747	Rock
MQ-19-59	78.5	80	1.5	1864759	core	WHI19000747	Rock
MQ-19-59				1864760	DUP	WHI19000747	Rock
MQ-19-59	80	81.5	1.5	1864761	core	WHI19000747	Rock
MQ-19-59	81.5	82.8	1.3	1864762	core	WHI19000747	Rock
MQ-19-59	82.8	83.82	1.02	1864763	core	WHI19000747	Rock
MQ-19-59	83.82	84.8	0.98	1864764	core	WHI19000747	Rock
MQ-19-59	84.8	85.8	1	1864765	core	WHI19000747	Rock
MQ-19-59	85.8	87.1	1.3	1864766	core	WHI19000747	Rock
MQ-19-59	87.1	88.5	1.4	1864767	core	WHI19000747	Rock

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
MQ-19-59	88.5	90	1.5	1864768	core	WHI19000747	Rock
MQ-19-59	90	91.5	1.5	1864769	core	WHI19000747	Rock
MQ-19-59				1864770	ME-1414	WHI19000747	Rock Pulp
MQ-19-59	91.5	93	1.5	1864771	core	WHI19000747	Rock
MQ-19-59	93	94.5	1.5	1864772	core	WHI19000747	Rock
MQ-19-59	94.5	95.85	1.35	1864773	core	WHI19000747	Rock
MQ-19-59	95.85	97	1.15	1864774	core	WHI19000747	Rock
MQ-19-59	97	98	1	1864775	core	WHI19000747	Rock
MQ-19-59	98	98.7	0.7	1864776	core	WHI19000747	Rock
MQ-19-59	98.7	100	1.3	1864777	core	WHI19000747	Rock
MQ-19-59	100	101.5	1.5	1864778	core	WHI19000747	Rock
MQ-19-59	101.5	103	1.5	1864779	core	WHI19000747	Rock
MQ-19-59				1864780	DUP	WHI19000747	Rock
MQ-19-59	103	104.5	1.5	1864781	core	WHI19000747	Rock
MQ-19-59	104.5	106	1.5	1864782	core	WHI19000747	Rock
MQ-19-59	106	107.5	1.5	1864783	core	WHI19000747	Rock
MQ-19-59	107.5	109	1.5	1864784	core	WHI19000747	Rock
MQ-19-59	109	110.5	1.5	1864785	core	WHI19000747	Rock
MQ-19-59	110.5	112	1.5	1864786	core	WHI19000747	Rock
MQ-19-59	112	113.6	1.6	1864787	core	WHI19000747	Rock
MQ-19-59	113.6	114.5	0.9	1864788	core	WHI19000747	Rock
MQ-19-59	114.5	115.25	0.75	1864789	core	WHI19000747	Rock
MQ-19-59				1864790	BLANK	WHI19000747	Rock
MQ-19-59	115.25	116.5	1.25	1864791	core	WHI19000747	Rock
MQ-19-59	116.5	118	1.5	1864792	core	WHI19000747	Rock
MQ-19-59	118	119.5	1.5	1864793	core	WHI19000747	Rock
MQ-19-59	119.5	121	1.5	1864794	core	WHI19000747	Rock
MQ-19-59	121	121.9	0.9	1864795	core	WHI19000747	Rock
MQ-19-59	121.9	122.75	0.85	1864796	core	WHI19000747	Rock
MQ-19-59	122.75	123.8	1.05	1864797	core	WHI19000747	Rock
MQ-19-59	123.8	125	1.2	1864798	core	WHI19000747	Rock
MQ-19-59	125	126.5	1.5	1864799	core	WHI19000747	Rock
MQ-19-59				1864800	DUP	WHI19000747	Rock
MQ-19-59	126.5	128.05	1.55	1864801	core	WHI19000747	Rock
MQ-19-59	128.05	129.5	1.45	1864802	core	WHI19000747	Rock
MQ-19-59	129.5	131	1.5	1864803	core	WHI19000747	Rock
MQ-19-59	131	132.5	1.5	1864804	core	WHI19000747	Rock
MQ-19-59	132.5	134	1.5	1864805	core	WHI19000747	Rock
MQ-19-59	134	135.5	1.5	1864806	core	WHI19000747	Rock
MQ-19-59	135.5	137	1.5	1864807	core	WHI19000747	Rock
MQ-19-59	137	138.17	1.17	1864808	core	WHI19000747	Rock
MQ-19-59	138.17	138.55	0.38	1864809	core	WHI19000747	Rock
MQ-19-59				1864810	ME-1414	WHI19000747	Rock Pulp
MQ-19-59	138.55	140	1.45	1864811	core	WHI19000747	Rock
MQ-19-59	140	141.5	1.5	1864812	core	WHI19000747	Rock
MQ-19-59	141.5	143	1.5	1864813	core	WHI19000747	Rock

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
MQ-19-59	143	144.5	1.5	1864814	core	WHI19000747	Rock
MQ-19-59	144.5	146	1.5	1864815	core	WHI19000747	Rock
MQ-19-59	146	147.5	1.5	1864816	core	WHI19000747	Rock
MQ-19-59	147.5	149	1.5	1864817	core	WHI19000747	Rock
MQ-19-59	149	150.5	1.5	1864818	core	WHI19000747	Rock
MQ-19-59	150.5	152	1.5	1864819	core	WHI19000747	Rock
MQ-19-59				1864820	DUP	WHI19000747	Rock
MQ-19-59	152	153.5	1.5	1864821	core	WHI19000747	Rock
MQ-19-59	153.5	154.55	1.05	1864822	core	WHI19000747	Rock
MQ-19-59	154.55	155.14	0.59	1864823	core	WHI19000747	Rock
MQ-19-60	8.7	10.9	2.2	1864824		WHI19000748	Rock
MQ-19-60	10.9	12.19	1.29	1864825		WHI19000748	Rock
MQ-19-60	12.19	13.74	1.55	1864826		WHI19000748	Rock
MQ-19-60	13.74	15.24	1.5	1864827		WHI19000748	Rock
MQ-19-60	15.24	15.87	0.63	1864828		WHI19000748	Rock
MQ-19-60	15.87	17.31	1.44	1864829		WHI19000748	Rock
MQ-19-60	17.31	17.31	0	1864830	blank	WHI19000748	Rock
MQ-19-60	17.31	18.6	1.29	1864831		WHI19000748	Rock
MQ-19-60	18.6	20	1.4	1864832		WHI19000748	Rock
MQ-19-60	20	21.34	1.34	1864833		WHI19000748	Rock
MQ-19-60	21.34	22.34	1	1864834		WHI19000748	Rock
MQ-19-60	22.34	23.6	1.26	1864835		WHI19000748	Rock
MQ-19-60	23.6	24.7	1.1	1864836		WHI19000748	Rock
MQ-19-60	24.7	25.83	1.13	1864837		WHI19000748	Rock
MQ-19-60	25.83	27.43	1.6	1864838		WHI19000748	Rock
MQ-19-60	27.43	28	0.57	1864839		WHI19000748	Rock
MQ-19-60	27.43	28	0.57	1864840	dup	WHI19000748	Rock
MQ-19-60	28	29.63	1.63	1864841		WHI19000748	Rock
MQ-19-60	29.63	30.15	0.52	1864842		WHI19000748	Rock
MQ-19-60	30.15	31.16	1.01	1864843		WHI19000748	Rock
MQ-19-60	31.16	32.77	1.61	1864844		WHI19000748	Rock
MQ-19-60	32.77	34.26	1.49	1864845		WHI19000748	Rock
MQ-19-60	34.26	35.1	0.84	1864846		WHI19000748	Rock
MQ-19-60	35.1	36.58	1.48	1864847		WHI19000748	Rock
MQ-19-60	36.58	38.15	1.57	1864848		WHI19000748	Rock
MQ-19-60	38.15	39.62	1.47	1864849		WHI19000748	Rock
MQ-19-60	39.62	39.62	0	1864850	gs1q	WHI19000748	Rock Pulp
MQ-19-60	39.62	41.24	1.62	1864851		WHI19000748	Rock
MQ-19-60	41.24	42.67	1.43	1864852		WHI19000748	Rock
MQ-19-60	42.67	44.26	1.59	1864853		WHI19000748	Rock
MQ-19-60	44.26	45.72	1.46	1864854		WHI19000748	Rock
MQ-19-60	45.72	47.24	1.52	1864855		WHI19000748	Rock
MQ-19-60	47.24	48.77	1.53	1864856		WHI19000748	Rock
MQ-19-60	48.77	50.25	1.48	1864857		WHI19000748	Rock
MQ-19-60	50.25	51.82	1.57	1864858		WHI19000748	Rock
MQ-19-60	51.82	53.22	1.4	1864859		WHI19000748	Rock

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
MQ-19-60	51.82	53.22	1.4	1864860	dup	WHI19000748	Rock
MQ-19-60	53.22	54.29	1.07	1864861		WHI19000748	Rock
MQ-19-60	54.29	55.03	0.74	1864862		WHI19000748	Rock
MQ-19-60	55.03	56.5	1.47	1864863		WHI19000748	Rock
MQ-19-60	56.5	57.91	1.41	1864864		WHI19000748	Rock
MQ-19-60	57.91	59.73	1.82	1864865		WHI19000748	Rock
MQ-19-60	59.73	60.66	0.93	1864866		WHI19000748	Rock
MQ-19-60	60.66	61.6	0.94	1864867		WHI19000748	Rock
MQ-19-60	61.6	62.55	0.95	1864868		WHI19000748	Rock
MQ-19-60	62.55	64.47	1.92	1864869		WHI19000748	Rock
MQ-19-60	64.47	64.47	0	1864870	me1414	WHI19000748	Rock Pulp
MQ-19-60	64.47	66.14	1.67	1864871		WHI19000748	Rock
MQ-19-60	66.14	67.68	1.54	1864872		WHI19000748	Rock
MQ-19-60	67.68	68.58	0.9	1864873		WHI19000748	Rock
MQ-19-60	68.58	70.2	1.62	1864874		WHI19000748	Rock
MQ-19-60	70.2	71.63	1.43	1864875		WHI19000748	Rock
MQ-19-60	71.63	73.4	1.77	1864876		WHI19000748	Rock
MQ-19-60	73.4	74.68	1.28	1864877		WHI19000748	Rock
MQ-19-60	74.68	76.2	1.52	1864878		WHI19000748	Rock
MQ-19-60	76.2	77.72	1.52	1864879		WHI19000748	Rock
MQ-19-60	76.2	77.72	1.52	1864880	dup	WHI19000748	Rock
MQ-19-60	77.72	79.35	1.63	1864881		WHI19000748	Rock
MQ-19-60	79.35	80.77	1.42	1864882		WHI19000748	Rock
MQ-19-60	80.77	82.22	1.45	1864883		WHI19000748	Rock
MQ-19-60	82.22	83.82	1.6	1864884		WHI19000748	Rock
MQ-19-60	83.82	85.37	1.55	1864885		WHI19000748	Rock
MQ-19-60	85.37	86.87	1.5	1864886		WHI19000748	Rock
MQ-19-60	86.87	88.4	1.53	1864887		WHI19000748	Rock
MQ-19-60	88.4	89.92	1.52	1864888		WHI19000748	Rock
MQ-19-60	89.92	91.4	1.48	1864889		WHI19000748	Rock
MQ-19-60	91.4	91.4	0	1864890	blank	WHI19000748	Rock
MQ-19-60	91.4	92.96	1.56	1864891		WHI19000748	Rock
MQ-19-60	92.96	94.59	1.63	1864892		WHI19000748	Rock
MQ-19-60	94.59	96.01	1.42	1864893		WHI19000748	Rock
MQ-19-60	96.01	97.65	1.64	1864894		WHI19000748	Rock
MQ-19-60	97.65	99.06	1.41	1864895		WHI19000748	Rock
MQ-19-60	99.06	100.54	1.48	1864896		WHI19000748	Rock
MQ-19-60	100.54	102.11	1.57	1864897		WHI19000748	Rock
MQ-19-60	102.11	103.65	1.54	1864898		WHI19000748	Rock
MQ-19-60	103.65	105.16	1.51	1864899		WHI19000748	Rock
MQ-19-60	103.65	105.16	1.51	1864900	dup	WHI19000748	Rock
MQ-19-60	105.16	106.68	1.52	1864901		WHI19000748	Rock
MQ-19-60	106.68	107.73	1.05	1864902		WHI19000748	Rock
MQ-19-60	107.73	109.53	1.8	1864903		WHI19000748	Rock
MQ-19-60	109.53	111.25	1.72	1864904		WHI19000748	Rock
MQ-19-60	111.25	112.27	1.02	1864905		WHI19000748	Rock

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
MQ-19-60	112.27	113.13	0.86	1864906		WHI19000748	Rock
MQ-19-60	113.13	114.3	1.17	1864907		WHI19000748	Rock
MQ-19-60	114.3	115.8	1.5	1864908		WHI19000748	Rock
MQ-19-60	115.8	117.35	1.55	1864909		WHI19000748	Rock
MQ-19-60	117.35	117.35	0	1864910	me1414	WHI19000748	Rock Pulp
MQ-19-60	117.35	119	1.65	1864911		WHI19000748	Rock
MQ-19-60	119	120.7	1.7	1864912		WHI19000748	Rock
MQ-19-60	120.7	121.7	1	1864913		WHI19000748	Rock
MQ-19-60	121.7	123.44	1.74	1864914		WHI19000748	Rock
MQ-19-60	123.44	125	1.56	1864915		WHI19000748	Rock
MQ-19-60	125	126.49	1.49	1864916		WHI19000748	Rock
MQ-19-60	126.49	127.86	1.37	1864917		WHI19000748	Rock
MQ-19-60	127.86	129.54	1.68	1864918		WHI19000748	Rock
MQ-19-60	129.54	131.08	1.54	1864919		WHI19000748	Rock
MQ-19-60	129.54	131.08	1.54	1864920	dup	WHI19000748	Rock
MQ-19-60	131.08	132.59	1.51	1864921		WHI19000748	Rock
MQ-19-60	132.59	134.1	1.51	1864922		WHI19000748	Rock
MQ-19-60	134.1	135.64	1.54	1864923		WHI19000748	Rock
MQ-19-60	135.64	137.1	1.46	1864924		WHI19000748	Rock
MQ-19-60	137.1	138.68	1.58	1864925		WHI19000748	Rock
MQ-19-60	138.68	140.19	1.51	1864926		WHI19000748	Rock
MQ-19-60	140.19	141.73	1.54	1864927		WHI19000748	Rock
MQ-19-60	141.73	142.57	0.84	1864928		WHI19000748	Rock
MQ-19-60	142.57	145.14	2.57	1864929		WHI19000748	Rock
MQ-19-60	145.14	145.14	0	1864930	blank	WHI19000748	Rock
MQ-19-60	145.14	146.91	1.77	1864931		WHI19000748	Rock
MQ-19-61	7.92	8.53	0.61	1864932		WHI19000749	Rock
MQ-19-61	8.53	9.75	1.22	1864933		WHI19000749	Rock
MQ-19-61	9.75	10.36	0.61	1864934		WHI19000749	Rock
MQ-19-61	10.36	11	0.64	1864935		WHI19000749	Rock
MQ-19-61	11	12.19	1.19	1864936		WHI19000749	Rock
MQ-19-61	12.19	13.72	1.53	1864937		WHI19000749	Rock
MQ-19-61	13.72	15.54	1.82	1864938		WHI19000749	Rock
MQ-19-61	15.54	16.76	1.22	1864939		WHI19000749	Rock
MQ-19-61	15.54	16.76	1.22	1864940	dup	WHI19000749	Rock
MQ-19-61	16.76	18.29	1.53	1864941		WHI19000749	Rock
MQ-19-61	18.29	18.72	0.43	1864942		WHI19000749	Rock
MQ-19-61	18.72	20.25	1.53	1864943		WHI19000749	Rock
MQ-19-61	20.25	21.69	1.44	1864944		WHI19000749	Rock
MQ-19-61	21.69	22.78	1.09	1864945		WHI19000749	Rock
MQ-19-61	22.78	23.11	0.33	1864946		WHI19000749	Rock
MQ-19-61	23.11	24.38	1.27	1864947		WHI19000749	Rock
MQ-19-61	24.38	26.14	1.76	1864948		WHI19000749	Rock
MQ-19-61	26.14	27.43	1.29	1864949		WHI19000749	Rock
MQ-19-61	27.43	27.43	0	1864950	gs1q	WHI19000749	Rock Pulp
MQ-19-61	27.43	28.45	1.02	1864951		WHI19000749	Rock

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
MQ-19-61	28.45	30.54	2.09	1864952		WHI19000749	Rock
MQ-19-61	30.54	30.98	0.44	1864953		WHI19000749	Rock
MQ-19-61	30.98	32.55	1.57	1864954		WHI19000749	Rock
MQ-19-61	32.55	34.08	1.53	1864955		WHI19000749	Rock
MQ-19-61	34.08	35.6	1.52	1864956		WHI19000749	Rock
MQ-19-61	35.6	37.1	1.5	1864957		WHI19000749	Rock
MQ-19-61	37.1	38.55	1.45	1864958		WHI19000749	Rock
MQ-19-61	38.55	40.04	1.49	1864959		WHI19000749	Rock
MQ-19-61	38.55	40.04	1.49	1864960	dup	WHI19000749	Rock
MQ-19-61	40.04	41.73	1.69	1864961		WHI19000749	Rock
MQ-19-61	41.73	43.43	1.7	1864962		WHI19000749	Rock
MQ-19-61	43.43	45.05	1.62	1864963		WHI19000749	Rock
MQ-19-61	45.05	46.4	1.35	1864964		WHI19000749	Rock
MQ-19-61	46.4	47.93	1.53	1864965		WHI19000749	Rock
MQ-19-61	47.93	49.02	1.09	1864966		WHI19000749	Rock
MQ-19-61	49.02	50.2	1.18	1864967		WHI19000749	Rock
MQ-19-61	50.2	51.32	1.12	1864968		WHI19000749	Rock
MQ-19-61	51.32	52.88	1.56	1864969		WHI19000749	Rock
MQ-19-61	52.88	52.88	0	1864970	cdn me 1414	WHI19000749	Rock Pulp
MQ-19-61	52.88	53.78	0.9	1864971		WHI19000749	Rock
MQ-19-61	53.78	55.57	1.79	1864972		WHI19000749	Rock
MQ-19-61	55.57	57.35	1.78	1864973		WHI19000749	Rock
MQ-19-61	57.35	58.89	1.54	1864974		WHI19000749	Rock
MQ-19-61	58.89	59.92	1.03	1864975		WHI19000749	Rock
MQ-19-61	59.92	61.55	1.63	1864976		WHI19000749	Rock
MQ-19-61	61.55	63.16	1.61	1864977		WHI19000749	Rock
MQ-19-61	63.16	64.69	1.53	1864978		WHI19000749	Rock
MQ-19-61	64.69	65.98	1.29	1864979		WHI19000749	Rock
MQ-19-61	64.69	65.98	1.29	1864980	dup	WHI19000749	Rock
MQ-19-61	65.98	66.66	0.68	1864981		WHI19000749	Rock
MQ-19-61	66.66	67.06	0.4	1864982		WHI19000749	Rock
MQ-19-61	67.06	67.79	0.73	1864983		WHI19000749	Rock
MQ-19-61	67.79	69.05	1.26	1864984		WHI19000749	Rock
MQ-19-61	69.05	69.84	0.79	1864985		WHI19000749	Rock
MQ-19-61	69.84	70.45	0.61	1864986		WHI19000749	Rock
MQ-19-61	70.45	72.25	1.8	1864987		WHI19000749	Rock
MQ-19-61	72.25	74	1.75	1864988		WHI19000749	Rock
MQ-19-61	74	75.11	1.11	1864989		WHI19000749	Rock
MQ-19-61	75.11	75.11	0	1864990	blank	WHI19000749	Rock
MQ-19-61	75.11	76.2	1.09	1864991		WHI19000749	Rock
MQ-19-61	76.2	77.72	1.52	1864992		WHI19000749	Rock
MQ-19-61	77.72	79.25	1.53	1864993		WHI19000749	Rock
MQ-19-61	79.25	80.05	0.8	1864994		WHI19000749	Rock
MQ-19-61	80.05	81.55	1.5	1864995		WHI19000749	Rock
MQ-19-61	81.55	83	1.45	1864996		WHI19000749	Rock
MQ-19-61	83	84.25	1.25	1864997		WHI19000749	Rock

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
MQ-19-61	84.25	85.45	1.2	1864998		WHI19000749	Rock
MQ-19-61	85.45	86.84	1.39	1864999		WHI19000749	Rock
MQ-19-61	85.45	86.84	1.39	1865000	dup	WHI19000749	Rock
MQ-19-61	86.84	88.4	1.56	1865001		WHI19000749	Rock
MQ-19-61	88.4	89.92	1.52	1865002		WHI19000749	Rock
MQ-19-61	89.92	91.45	1.53	1865003		WHI19000749	Rock
MQ-19-61	91.45	92.96	1.51	1865004		WHI19000749	Rock
MQ-19-61	92.96	94.55	1.59	1865005		WHI19000749	Rock
MQ-19-61	94.55	96.01	1.46	1865006		WHI19000749	Rock
MQ-19-61	96.01	97.54	1.53	1865007		WHI19000749	Rock
MQ-19-61	97.54	99.06	1.52	1865008		WHI19000749	Rock
MQ-19-61	99.06	100.52	1.46	1865009		WHI19000749	Rock
MQ-19-61	100.52	100.52	0	1865010	cdn-me-1414	WHI19000749	Rock Pulp
MQ-19-61	100.52	102.11	1.59	1865011		WHI19000749	Rock
MQ-19-61	102.11	103.63	1.52	1865012		WHI19000749	Rock
MQ-19-61	103.63	105.16	1.53	1865013		WHI19000749	Rock
MQ-19-62	6.1	9.14	3.04	1865014		WHI19000750	Rock
MQ-19-62	9.14	10.65	1.51	1865015		WHI19000750	Rock
MQ-19-62	10.65	12.19	1.54	1865016		WHI19000750	Rock
MQ-19-62	12.19	12.88	0.69	1865017		WHI19000750	Rock
MQ-19-62	12.88	14.43	1.55	1865018		WHI19000750	Rock
MQ-19-62	14.43	16.1	1.67	1865019		WHI19000750	Rock
MQ-19-62	14.43	16.1	1.67	1865020	dup	WHI19000750	Rock
MQ-19-62	16.1	17.72	1.62	1865021		WHI19000750	Rock
MQ-19-62	17.72	19.25	1.53	1865022		WHI19000750	Rock
MQ-19-62	19.25	20.75	1.5	1865023		WHI19000750	Rock
MQ-19-62	20.75	22.14	1.39	1865024		WHI19000750	Rock
MQ-19-62	22.14	23.67	1.53	1865025		WHI19000750	Rock
MQ-19-62	23.67	25.05	1.38	1865026		WHI19000750	Rock
MQ-19-62	25.05	26.06	1.01	1865027		WHI19000750	Rock
MQ-19-62	26.06	27.43	1.37	1865028		WHI19000750	Rock
MQ-19-62	27.43	28.8	1.37	1865029		WHI19000750	Rock
MQ-19-62	28.8	28.8	0	1865030	blank	WHI19000750	Rock
MQ-19-62	28.8	30.55	1.75	1865031		WHI19000750	Rock
MQ-19-62	30.55	30.94	0.39	1865032		WHI19000750	Rock
MQ-19-62	30.94	32.17	1.23	1865033		WHI19000750	Rock
MQ-19-62	32.17	33.02	0.85	1865034		WHI19000750	Rock
MQ-19-62	33.02	34.54	1.52	1865035		WHI19000750	Rock
MQ-19-62	34.54	36.26	1.72	1865036		WHI19000750	Rock
MQ-19-62	36.26	38	1.74	1865037		WHI19000750	Rock
MQ-19-62	38	38.35	0.35	1865038		WHI19000750	Rock
MQ-19-62	38.35	40.97	2.62	1865039		WHI19000750	Rock
MQ-19-62	38.35	40.97	2.62	1865040	dup	WHI19000750	Rock
MQ-19-62	40.97	41.89	0.92	1865041		WHI19000750	Rock
MQ-19-62	41.89	42.62	0.73	1865042		WHI19000750	Rock
MQ-19-62	42.62	44.36	1.74	1865043		WHI19000750	Rock



Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
MQ-19-62	44.36	45.72	1.36	1865044		WHI19000750	Rock
MQ-19-62	45.72	47.14	1.42	1865045		WHI19000750	Rock
MQ-19-62	47.14	48.08	0.94	1865046		WHI19000750	Rock
MQ-19-62	48.08	48.88	0.8	1865047		WHI19000750	Rock
MQ-19-62	48.88	50.15	1.27	1865048		WHI19000750	Rock
MQ-19-62	50.15	50.52	0.37	1865049		WHI19000750	Rock
MQ-19-62	50.52	50.52	0	1865050	gs1q	WHI19000750	Rock Pulp
MQ-19-62	50.52	51.82	1.3	1865051		WHI19000750	Rock
MQ-19-62	51.82	53.4	1.58	1865052		WHI19000750	Rock
MQ-19-62	53.4	54.86	1.46	1865053		WHI19000750	Rock
MQ-19-62	54.86	56.53	1.67	1865054		WHI19000750	Rock
MQ-19-62	56.53	58.11	1.58	1865055		WHI19000750	Rock
MQ-19-62	58.11	60.35	2.24	1865056		WHI19000750	Rock
MQ-19-63	4.86	6.1	1.24	1865057	core	WHI19000751	Rock
MQ-19-63	6.1	6.97	0.87	1865058	core	WHI19000751	Rock
MQ-19-63	6.97	7.77	0.8	1865059	core	WHI19000751	Rock
MQ-19-63	6.97	7.77	0.8	1865060	DUP	WHI19000751	Rock
MQ-19-63	7.77	8	0.23	1865061	core	WHI19000751	Rock
MQ-19-63	8	9.5	1.5	1865062	core	WHI19000751	Rock
MQ-19-63	9.5	11	1.5	1865063	core	WHI19000751	Rock
MQ-19-63	11	12.19	1.19	1865064	core	WHI19000751	Rock
MQ-19-63	12.19	13.5	1.31	1865065	core	WHI19000751	Rock
MQ-19-63	13.5	14.47	0.97	1865066	core	WHI19000751	Rock
MQ-19-63	14.47	15.24	0.77	1865067	core	WHI19000751	Rock
MQ-19-63	15.24	16	0.76	1865068	core	WHI19000751	Rock
MQ-19-63	16	17.11	1.11	1865069	core	WHI19000751	Rock
MQ-19-63				1865070	BLANK	WHI19000751	Rock
MQ-19-63	17.11	18.5	1.39	1865071	core	WHI19000751	Rock
MQ-19-63	18.5	20	1.5	1865072	core	WHI19000751	Rock
MQ-19-63	20	21.5	1.5	1865073	core	WHI19000751	Rock
MQ-19-63	21.5	23	1.5	1865074	core	WHI19000751	Rock
MQ-19-63	23	24.27	1.27	1865075	core	WHI19000751	Rock
MQ-19-63	24.27	24.94	0.67	1865076	core	WHI19000751	Rock
MQ-19-63	24.94	26.64	1.7	1865077	core	WHI19000751	Rock
MQ-19-63	26.64	27.15	0.51	1865078	core	WHI19000751	Rock
MQ-19-63	27.15	28.5	1.35	1865079	core	WHI19000751	Rock
MQ-19-63	27.15	28.5	1.35	1865080	DUP	WHI19000751	Rock
MQ-19-63	28.5	29.5	1	1865081	core	WHI19000751	Rock
MQ-19-63	29.5	30.73	1.23	1865082	core	WHI19000751	Rock
MQ-19-63	30.73	31	0.27	1865083	core	WHI19000751	Rock
MQ-19-63	31	32.5	1.5	1865084	core	WHI19000751	Rock
MQ-19-63	32.5	34	1.5	1865085	core	WHI19000751	Rock
MQ-19-63	34	35.5	1.5	1865086	core	WHI19000751	Rock
MQ-19-63	35.5	37	1.5	1865087	core	WHI19000751	Rock
MQ-19-63	37	38.5	1.5	1865088	core	WHI19000751	Rock
MQ-19-63	38.5	40	1.5	1865089	core	WHI19000751	Rock

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
MQ-19-63				1865090	ME-1414	WHI19000751	Rock Pulp
MQ-19-63	40	41.5	1.5	1865091	core	WHI19000751	Rock
MQ-19-63	41.5	43	1.5	1865092	core	WHI19000751	Rock
MQ-19-63	43	44.5	1.5	1865093	core	WHI19000751	Rock
MQ-19-63	44.5	46	1.5	1865094	core	WHI19000751	Rock
MQ-19-63	46	47.5	1.5	1865095	core	WHI19000751	Rock
MQ-19-63	47.5	49	1.5	1865096	core	WHI19000751	Rock
MQ-19-63	49	50	1	1865097	core	WHI19000751	Rock
MQ-19-63	50	50.7	0.7	1865098	core	WHI19000751	Rock
MQ-19-63	50.7	52.24	1.54	1865099		WHI19000751	Rock
MQ-19-63	50.7	52.24	1.54	1865100	DUP	WHI19000751	Rock
MQ-19-63	52.24	53.34	1.1	1865101	core	WHI19000751	Rock
MQ-19-63	53.34	54.05	0.71	1865102	core	WHI19000751	Rock
MQ-19-63	54.05	55.51	1.46	1865103	core	WHI19000751	Rock
MQ-19-63	55.51	57	1.49	1865104	core	WHI19000751	Rock
MQ-19-63	57	58.5	1.5	1865105	core	WHI19000751	Rock
MQ-19-63	58.5	60.15	1.65	1865106	core	WHI19000751	Rock
MQ-19-63	60.15	60.96	0.81	1865107	core	WHI19000751	Rock
MQ-19-63	60.96	62.1	1.14	1865108	core	WHI19000751	Rock
MQ-19-63	62.1	63.3	1.2	1865109	core	WHI19000751	Rock
MQ-19-63				1865110	BLANK	WHI19000751	Rock
MQ-19-63	63.3	64.84	1.54	1865111	core	WHI19000751	Rock
MQ-19-63	64.84	66.36	1.52	1865112	core	WHI19000751	Rock
MQ-19-63	66.36	67.9	1.54	1865113	core	WHI19000751	Rock
MQ-19-63	67.9	69.4	1.5	1865114	core	WHI19000751	Rock
MQ-19-63	69.4	71.07	1.67	1865115	core	WHI19000751	Rock
MQ-19-63	71.07	72.27	1.2	1865116	core	WHI19000751	Rock
MQ-19-63	72.27	73.15	0.88	1865117	core	WHI19000751	Rock
MQ-19-63	73.15	74.69	1.54	1865118	core	WHI19000751	Rock
MQ-19-63	74.69	75.5	0.81	1865119	core	WHI19000751	Rock
MQ-19-63	74.69	75.5	0.81	1865120	DUP	WHI19000751	Rock
MQ-19-63	75.5	76.7	1.2	1865121	core	WHI19000751	Rock
MQ-19-63	76.7	78.2	1.5	1865122	core	WHI19000751	Rock
MQ-19-63	78.2	79.85	1.65	1865123	core	WHI19000751	Rock
MQ-19-63	79.85	81.32	1.47	1865124	core	WHI19000751	Rock
MQ-19-63	81.32	82.85	1.53	1865125	core	WHI19000751	Rock
MQ-19-63	82.85	84.33	1.48	1865126	core	WHI19000751	Rock
MQ-19-63	84.33	85.88	1.55	1865127	core	WHI19000751	Rock
MQ-19-63	85.88	87.44	1.56	1865128	core	WHI19000751	Rock
MQ-19-63	87.44	89	1.56	1865129	core	WHI19000751	Rock
MQ-19-63			0	1865130	GS-1Q	WHI19000751	Rock Pulp
MQ-19-63	89	89.92	0.92	1865131	core	WHI19000751	Rock
MQ-19-63	89.92	90.72	0.8	1865132	core	WHI19000751	Rock
MQ-19-63	90.72	92.23	1.51	1865133	core	WHI19000751	Rock
MQ-19-63	92.23	93.62	1.39	1865134	core	WHI19000751	Rock
MQ-19-63	93.62	94.9	1.28	1865135	core	WHI19000751	Rock

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
MQ-19-63	94.9	95.3	0.4	1865136	core	WHI19000751	Rock
MQ-19-63	95.3	96.82	1.52	1865137	core	WHI19000751	Rock
MQ-19-63	96.82	98.34	1.52	1865138	core	WHI19000751	Rock
MQ-19-63	98.34	99.87	1.53	1865139	core	WHI19000751	Rock
MQ-19-63	98.34	99.87	1.53	1865140	DUP	WHI19000751	Rock
MQ-19-63	99.87	101	1.13	1865141	core	WHI19000751	Rock
MQ-19-63	101	102.11	1.11	1865142	core	WHI19000751	Rock
MQ-19-63	102.11	103.59	1.48	1865143	core	WHI19000751	Rock
MQ-19-63	103.59	105.16	1.57	1865144	core	WHI19000751	Rock
MQ-19-63	105.16	106.66	1.5	1865145	core	WHI19000751	Rock
MQ-19-63	106.66	108.2	1.54	1865146	core	WHI19000751	Rock
MQ-19-63	108.2	109.74	1.54	1865147	core	WHI19000751	Rock
MQ-19-63	109.74	111.25	1.51	1865148	core	WHI19000751	Rock
MQ-19-63	111.25	112.76	1.51	1865149	core	WHI19000751	Rock
MQ-19-63				1865150	BLANK	WHI19000751	Rock
MQ-19-63	112.76	114.3	1.54	1865151	core	WHI19000751	Rock
MQ-19-63	114.3	115.8	1.5	1865152	core	WHI19000751	Rock
MQ-19-63	115.8	117.35	1.55	1865153	core	WHI19000751	Rock
MQ-19-63	117.35	118.86	1.51	1865154	core	WHI19000751	Rock
MQ-19-63	118.86	120.4	1.54	1865155	core	WHI19000751	Rock
MQ-19-63	120.4	121.92	1.52	1865156	core	WHI19000751	Rock
MQ-19-63	121.92	123.44	1.52	1865157	core	WHI19000751	Rock
MQ-19-63	123.44	125	1.56	1865158	core	WHI19000751	Rock
MQ-19-63	125	126.49	1.49	1865159	core	WHI19000751	Rock
MQ-19-63	125	126.49		1865160	DUP	WHI19000751	Rock
MQ-19-63	126.49	128.05	1.56	1865161	core	WHI19000751	Rock
MQ-19-63	128.05	129.54	1.49	1865162	core	WHI19000751	Rock
MQ-19-63	129.54	131.04	1.5	1865163	core	WHI19000751	Rock
MQ-19-63	131.04	132.59	1.55	1865164	core	WHI19000751	Rock
MQ-19-64	<b>12</b>	<b>13.72</b>	<b>1.72</b>	<b>1865165</b>	core	WHI19000758	Rock
MQ-19-64	13.72	14.81	<b>1.09</b>	1865166	core	WHI19000758	Rock
MQ-19-64	14.81	15.71	<b>0.90</b>	<b>1865167</b>	core	WHI19000758	Rock
MQ-19-64	15.71	17.23	<b>1.52</b>	1865168	core	WHI19000758	Rock
MQ-19-64	17.23	18.29	<b>1.06</b>	<b>1865169</b>	core	WHI19000758	Rock
MQ-19-64				1865170	me-1414	WHI19000758	Rock Pulp
MQ-19-64	18.29	19.76	<b>1.47</b>	<b>1865171</b>	core	WHI19000758	Rock
MQ-19-64	19.76	21.34	<b>1.58</b>	1865172	core	WHI19000758	Rock
MQ-19-64	21.34	22.86	<b>1.52</b>	<b>1865173</b>	core	WHI19000758	Rock
MQ-19-64	22.86	24.36	<b>1.50</b>	1865174	core	WHI19000758	Rock
MQ-19-64	24.36	25.91	<b>1.55</b>	<b>1865175</b>	core	WHI19000758	Rock
MQ-19-64	25.91	27.43	<b>1.52</b>	1865176	core	WHI19000758	Rock
MQ-19-64	27.43	28.98	<b>1.55</b>	<b>1865177</b>	core	WHI19000758	Rock
MQ-19-64	28.98	30.48	<b>1.50</b>	1865178	core	WHI19000758	Rock
MQ-19-64	30.48	32.00	<b>1.52</b>	<b>1865179</b>	core	WHI19000758	Rock
MQ-19-64	30.48	32.00	<b>1.52</b>	1865180	dup	WHI19000758	Rock
MQ-19-64	32.00	33.53	<b>1.53</b>	<b>1865181</b>	core	WHI19000758	Rock

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
MQ-19-64	33.53	35.00	1.47	1865182	core	WHI19000758	Rock
MQ-19-64	35.00	36.58	1.58	1865183	core	WHI19000758	Rock
MQ-19-64	36.58	38.13	1.55	1865184	core	WHI19000758	Rock
MQ-19-64	38.13	39.62	1.49	1865185	core	WHI19000758	Rock
MQ-19-64	39.62	41.15	1.53	1865186	core	WHI19000758	Rock
MQ-19-64	41.15	42.10	0.95	1865187	core	WHI19000758	Rock
MQ-19-64	42.10	42.98	0.88	1865188	core	WHI19000758	Rock
MQ-19-64	42.98	43.52	0.54	1865189	core	WHI19000758	Rock
MQ-19-64				1865190	blank	WHI19000758	Rock
MQ-19-64	43.52	44.60	1.08	1865191	core	WHI19000758	Rock
MQ-19-64	44.60	45.72	1.12	1865192	core	WHI19000758	Rock
MQ-19-64	45.72	47.24	1.52	1865193	core	WHI19000758	Rock
MQ-19-64	47.24	48.77	1.53	1865194	core	WHI19000758	Rock
MQ-19-64	48.77	50.27	1.50	1865195	core	WHI19000758	Rock
MQ-19-64	50.27	51.82	1.55	1865196	core	WHI19000758	Rock
MQ-19-64	51.82	53.38	1.56	1865197	core	WHI19000758	Rock
MQ-19-64	53.38	54.86	1.48	1865198	core	WHI19000758	Rock
MQ-19-64	54.86	56.50	1.64	1865199	core	WHI19000758	Rock
MQ-19-64	54.86	56.50	1.64	1865200	dup	WHI19000758	Rock
MQ-19-64	56.50	58.02	1.52	1865201	core	WHI19000758	Rock
MQ-19-64	58.02	59.68	1.66	1865202	core	WHI19000758	Rock
MQ-19-64	59.68	61.23	1.55	1865203	core	WHI19000758	Rock
MQ-19-64	61.23	62.82	1.59	1865204	core	WHI19000758	Rock
MQ-19-64	62.82	64.01	1.19	1865205	core	WHI19000758	Rock
MQ-19-64	64.01	65.17	1.16	1865206	core	WHI19000758	Rock
MQ-19-64	65.17	66.53	1.36	1865207	core	WHI19000758	Rock
MQ-19-64	66.53	68.00	1.47	1865208	core	WHI19000758	Rock
MQ-19-64	68.00	69.50	1.50	1865209	core	WHI19000758	Rock
MQ-19-64			0.00	1865210	gs-1q	WHI19000758	Rock Pulp
MQ-19-64	69.50	71.07	1.57	1865211	core	WHI19000758	Rock
MQ-19-64	71.07	72.65	1.58	1865212	core	WHI19000758	Rock
MQ-19-64	72.65	74.12	1.47	1865213	core	WHI19000758	Rock
MQ-19-64	74.12	75.67	1.55	1865214	core	WHI19000758	Rock
MQ-19-64	75.67	77.17	1.50	1865215	core	WHI19000758	Rock
MQ-19-64	77.17	78.61	1.44	1865216	core	WHI19000758	Rock
MQ-19-64	78.61	80.12	1.51	1865217	core	WHI19000758	Rock
MQ-19-64	80.12	81.24	1.12	1865218	core	WHI19000758	Rock
MQ-19-64	81.24	82.74	1.50	1865219	core	WHI19000758	Rock
MQ-19-64	81.24	82.74	1.50	1865220	dup	WHI19000758	Rock
MQ-19-64	82.74	84.28	1.54	1865221	core	WHI19000758	Rock
MQ-19-64	84.28	85.80	1.52	1865222	core	WHI19000758	Rock
MQ-19-64	85.80	87.44	1.64	1865223	core	WHI19000758	Rock
MQ-19-64	87.44	88.21	0.77	1865224	core	WHI19000758	Rock
MQ-19-64	88.21	89.71	1.50	1865225	core	WHI19000758	Rock
MQ-19-64	89.71	91.24	1.53	1865226	core	WHI19000758	Rock
MQ-19-64	91.24	92.78	1.54	1865227	core	WHI19000758	Rock

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
MQ-19-64	92.78	94.17	1.39	1865228	core	WHI19000758	Rock
MQ-19-64	94.17	95.71	1.54	1865229	core	WHI19000758	Rock
MQ-19-64				1865230	blank	WHI19000758	Rock
MQ-19-64	95.71	97.23	1.52	1865231	core	WHI19000758	Rock
MQ-19-64	97.23	98.76	1.53	1865232	core	WHI19000758	Rock
MQ-19-64	98.76	99.82	1.06	1865233	core	WHI19000758	Rock
MQ-19-64	99.82	100.82	1.00	1865234	core	WHI19000758	Rock
MQ-19-64	100.82	102.35	1.53	1865235	core	WHI19000758	Rock
MQ-19-64	102.35	103.63	1.28	1865236	core	WHI19000758	Rock
MQ-19-64	103.63	105.09	1.46	1865237	core	WHI19000758	Rock
MQ-19-64	105.09	106.45	1.36	1865238	core	WHI19000758	Rock
MQ-19-64	106.45	107.65	1.20	1865239	core	WHI19000758	Rock
MQ-19-64	106.45	107.65	1.20	1865240	dup	WHI19000758	Rock
MQ-19-64	107.65	107.92	0.27	1865241	core	WHI19000758	Rock
MQ-19-64	107.92	109.39	1.47	1865242	core	WHI19000758	Rock
MQ-19-64	109.39	110.84	1.45	1865243	core	WHI19000758	Rock
MQ-19-64	110.84	112.34	1.50	1865244	core	WHI19000758	Rock
MQ-19-64	112.34	113.69	1.35	1865245	core	WHI19000758	Rock
MQ-19-64	113.69	115.19	1.50	1865246	core	WHI19000758	Rock
MQ-19-64	115.19	116.60	1.41	1865247	core	WHI19000758	Rock
MQ-19-64	116.60	118.10	1.50	1865248	core	WHI19000758	Rock
MQ-19-64	118.10	119.53	1.43	1865249	core	WHI19000758	Rock
MQ-19-64				1865250	me-1414	WHI19000758	Rock Pulp
MQ-19-64	119.53	120.82	1.29	1865251	core	WHI19000758	Rock
MQ-19-64	120.82	121.92	1.10	1865252	core	WHI19000758	Rock
MQ-19-64	121.92	123.41	1.49	1865253	core	WHI19000758	Rock
MQ-19-64	123.41	124.92	1.51	1865254	core	WHI19000758	Rock
MQ-19-64	124.92	126.39	1.47	1865255	core	WHI19000758	Rock
MQ-19-64	126.39	127.84	1.45	1865256	core	WHI19000758	Rock
MQ-19-64	127.84	129.34	1.50	1865257	core	WHI19000758	Rock
MQ-19-64	129.34	131.06	1.72	1865258	core	WHI19000758	Rock
MQ-19-64	131.06	132.54	1.48	1865259	core	WHI19000758	Rock
MQ-19-64	131.06	132.54	1.48	1865260	dup	WHI19000758	Rock
MQ-19-64	132.54	134.04	1.50	1865261	core	WHI19000758	Rock
MQ-19-64	134.04	135.53	1.49	1865262	core	WHI19000758	Rock
MQ-19-64	135.53	136.97	1.44	1865263	core	WHI19000758	Rock
MQ-19-64	136.97	138.40	1.43	1865264	core	WHI19000758	Rock
MQ-19-64	138.40	139.91	1.51	1865265	core	WHI19000758	Rock
MQ-19-64	139.91	141.40	1.49	1865266	core	WHI19000758	Rock
MQ-19-64	141.40	142.80	1.40	1865267	core	WHI19000758	Rock
MQ-19-64	142.80	144.23	1.43	1865268	core	WHI19000758	Rock
MQ-19-64	144.23	145.67	1.44	1865269	core	WHI19000758	Rock
MQ-19-64				1865270	blank	WHI19000758	Rock
MQ-19-64	145.67	147.13	1.46	1865271	core	WHI19000758	Rock
MQ-19-64	147.13	148.63	1.50	1865272	core	WHI19000758	Rock
MQ-19-64	148.63	150.05	1.42	1865273	core	WHI19000758	Rock

Hole_ID	From_m	To_m	Interval_m	Sample_ID	Sample_Type	Lab_Certificate	Sample_Type
MQ-19-64	150.05	151.47	<b>1.42</b>	1865274	core	WHI19000758	Rock
MQ-19-64	151.47	152.89	<b>1.42</b>	<b>1865275</b>	core	WHI19000758	Rock
MQ-19-64	152.89	154.35	<b>1.46</b>	1865276	core	WHI19000758	Rock
MQ-19-64	154.35	155.85	<b>1.50</b>	<b>1865277</b>	core	WHI19000758	Rock
MQ-19-64	155.85	157.32	<b>1.47</b>	1865278	core	WHI19000758	Rock
MQ-19-64	157.32	158.88	<b>1.56</b>	<b>1865279</b>	core	WHI19000758	Rock
MQ-19-64	157.32	158.88	<b>1.56</b>	1865280	dup	WHI19000758	Rock
MQ-19-64	158.88	159.78	<b>0.90</b>	<b>1865281</b>	core	WHI19000758	Rock
MQ-19-64	159.78	160.65	<b>0.87</b>	1865282	core	WHI19000758	Rock
MQ-19-64	160.65	161.90	<b>1.25</b>	<b>1865283</b>	core	WHI19000758	Rock
MQ-19-64	161.90	163.07	<b>1.17</b>	1865284	core	WHI19000758	Rock

# APPENDIX 7

## LAB CERTIFICATES

**APPENDIX 7**

**Airstrip Zone**

**LAB CERTIFICATES**





**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Submitted By: James Thom  
Receiving Lab: Canada-Whitehorse  
Received: July 08, 2019  
Report Date: August 21, 2019  
Page: 1 of 4

## CERTIFICATE OF ANALYSIS

WHI19000171.1

### CLIENT JOB INFORMATION

Project: McQuesten  
Shipment ID: MQ-19-05  
P.O. Number  
Number of Samples: 90

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
RTRN-RJT Return After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Banyan Gold Corp.  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7  
Canada

CC: Paul Gray

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	86	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	4	Sort, label and box pulps			WHI
FA450	90	50g Lead Collection Fire Assay Fusion - AAS Finish	50	Completed	VAN
EN002	90	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	90	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	90	Per sample shipping charges for branch shipments			VAN
FA550	1	Lead collection fire assay 50G fusion - Grav finish	50	Completed	VAN

### ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. \*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** August 21, 2019

**Page:** 2 of 4

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000171.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1825335	Drill Core	3.33	0.068	4.1	61.7	38.0	508	2.0	43.3	12.0	316	3.62	267.3	17.7	11.0	114	2.9	1.9	2.9	18	5.46
1825336	Drill Core	4.93	0.213	3.2	62.2	45.1	572	0.9	70.0	21.4	827	3.31	187.6	117.2	11.6	40	6.4	1.3	4.8	27	2.42
1825337	Drill Core	5.10	0.211	2.9	32.9	10.4	411	1.1	55.2	17.2	726	2.31	295.1	39.3	7.6	161	4.5	1.1	3.1	11	7.44
1825338	Drill Core	4.15	0.112	2.7	48.4	7.4	375	1.6	52.8	16.3	740	2.40	426.5	71.0	9.8	19	2.6	0.9	4.1	14	0.67
1825339	Drill Core	4.68	0.102	2.4	40.9	8.6	187	1.4	37.0	12.0	498	3.01	263.8	42.1	13.4	21	1.1	0.3	5.0	14	0.43
1825340	Rock Pulp	0.13	0.301	12.9	2133.7	1010.6	6758	18.1	32.1	18.1	502	7.95	269.9	69.5	1.6	44	45.9	32.1	10.8	44	2.03
1825341	Drill Core	4.46	0.112	2.4	24.9	7.7	215	0.6	36.3	11.2	419	2.11	237.9	70.9	9.9	32	2.4	0.7	4.9	8	1.15
1825342	Drill Core	4.06	0.069	2.5	74.2	9.7	86	1.1	39.0	19.2	362	3.44	342.6	19.0	13.4	31	0.8	1.2	4.9	15	1.20
1825343	Drill Core	4.43	0.301	1.2	69.7	8.4	143	1.0	40.6	15.5	640	2.97	111.9	230.7	9.6	95	0.7	0.5	6.3	32	2.78
1825344	Drill Core	4.35	0.888	1.6	93.2	7.5	191	0.8	49.0	15.8	678	3.59	79.5	589.5	12.5	72	1.0	1.0	15.3	35	2.84
1825345	Drill Core	4.41	0.653	17.2	38.1	88.8	413	4.2	68.4	13.6	791	2.41	128.3	351.7	7.0	71	2.2	1.3	13.8	76	2.12
1825346	Drill Core	4.41	0.030	13.6	35.2	32.3	237	0.6	72.5	8.1	479	1.80	212.3	15.5	4.7	34	2.1	3.2	1.1	162	0.81
1825347	Drill Core	4.49	0.038	16.7	44.0	5.4	146	0.3	82.8	8.5	270	1.75	173.3	20.0	4.4	39	0.5	1.5	1.0	142	1.00
1825348	Drill Core	4.65	0.026	6.5	50.6	3.6	87	0.4	56.8	8.9	352	2.68	64.9	21.3	7.0	34	0.7	0.3	0.6	64	0.71
1825349	Drill Core	2.11	0.071	13.1	37.6	4.9	126	0.3	77.6	9.0	292	1.89	238.5	43.2	5.7	64	1.7	0.8	2.1	221	1.51
1825350	Drill Core	2.23	0.077	12.9	38.1	4.5	114	0.3	79.1	9.1	330	2.04	273.8	64.6	6.2	66	1.2	0.8	2.0	241	1.59
1825351	Drill Core	3.69	2.138	4.0	88.6	5.5	84	1.1	33.9	8.9	586	3.38	44.3	2375.6	8.9	107	0.7	0.8	45.6	90	4.62
1825352	Drill Core	5.14	0.185	16.7	24.4	28.3	110	1.3	73.9	5.5	510	1.66	426.5	185.8	4.4	87	1.0	1.9	4.1	210	3.02
1825353	Drill Core	3.21	0.048	3.7	41.4	5.4	54	0.4	38.1	11.3	241	2.36	140.5	12.6	11.5	35	0.3	0.6	1.6	50	1.39
1825354	Drill Core	2.96	0.017	0.6	41.1	7.4	32	0.4	24.7	13.3	227	2.61	51.9	1.9	13.0	24	<0.1	0.5	2.2	6	0.77
1825355	Drill Core	5.44	0.014	0.6	41.9	5.6	40	0.4	28.2	13.6	226	2.86	37.1	0.7	14.4	18	<0.1	0.8	2.4	5	0.77
1825356	Drill Core	4.68	0.147	1.6	71.1	5.9	73	0.5	34.2	13.5	462	3.23	115.9	73.2	11.1	51	0.2	0.7	4.5	26	3.04
1825357	Drill Core	5.01	1.286	1.0	121.5	5.5	177	0.8	32.9	14.5	375	3.45	78.2	1250.5	8.0	39	4.8	0.5	30.7	26	2.31
1825358	Drill Core	4.14	0.025	0.5	47.8	4.2	35	0.5	29.8	13.9	246	3.64	48.0	10.8	12.2	24	0.1	0.4	2.1	8	0.65
1825359	Drill Core	3.92	0.071	0.8	79.6	5.1	57	0.6	41.7	17.3	425	3.65	175.0	14.2	11.4	62	0.2	0.8	4.4	9	2.33
1825360	Rock Pulp	0.13	2.951	11.0	3681.6	>10000	>10000	>100	89.1	41.4	4351	7.93	620.7	3784.4	4.6	19	122.1	177.0	24.1	61	1.90
1825361	Drill Core	4.81	0.167	0.6	50.7	6.5	52	0.6	32.8	12.7	298	2.90	82.7	22.8	9.1	47	<0.1	0.7	5.2	6	1.31
1825362	Drill Core	1.50	0.026	0.3	50.5	6.5	52	0.4	29.8	14.5	249	3.33	558.0	2.0	11.1	31	0.2	1.1	4.2	10	1.46
1825363	Drill Core	4.45	1.310	0.5	93.1	7.7	83	0.8	30.4	15.5	420	3.45	32.4	1053.7	15.9	103	1.6	0.6	33.0	26	4.29
1825364	Drill Core	5.13	0.859	0.4	89.9	7.4	61	0.7	27.8	13.3	621	3.14	152.1	661.9	10.6	103	0.2	0.4	15.9	24	5.14



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 21, 2019

Page: 2 of 4

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000171.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.01	0.01	0.1	0.01	0.05	1	0.5	0.2	0.9
1825335	Drill Core	0.046	21	13	0.53	110	0.002	<20	1.02	0.011	0.17	1.6	<0.01	3.1	0.2	<0.05	3	2.0	<0.2
1825336	Drill Core	0.052	16	17	0.91	112	0.007	<20	1.38	0.029	0.12	6.9	<0.01	3.9	0.2	0.24	5	4.5	<0.2
1825337	Drill Core	0.026	10	8	0.34	90	0.002	<20	0.70	0.015	0.13	0.3	<0.01	1.7	0.1	0.09	2	2.9	<0.2
1825338	Drill Core	0.041	19	10	0.46	109	0.002	<20	0.83	0.020	0.15	1.4	<0.01	1.9	0.1	0.08	3	2.7	0.3
1825339	Drill Core	0.038	27	13	0.63	126	0.003	<20	1.06	0.019	0.21	0.2	<0.01	2.2	0.2	<0.05	3	2.6	0.2
1825340	Rock Pulp	0.038	4	38	2.38	50	0.004	<20	1.78	0.010	0.06	0.4	2.56	3.3	4.6	6.30	7	28.9	0.3
1825341	Drill Core	0.016	13	9	0.39	103	0.006	<20	0.81	0.023	0.12	0.4	0.01	1.4	<0.1	0.19	2	2.3	0.3
1825342	Drill Core	0.041	19	14	0.68	152	0.004	<20	1.05	0.022	0.19	0.2	<0.01	2.5	0.1	1.12	3	3.7	<0.2
1825343	Drill Core	0.059	12	22	1.02	326	0.035	<20	1.64	0.013	0.19	9.4	<0.01	4.1	0.3	0.85	5	2.9	0.3
1825344	Drill Core	0.048	16	31	0.93	734	0.051	<20	1.62	0.022	0.16	44.0	<0.01	3.7	0.2	1.27	5	4.6	0.6
1825345	Drill Core	0.080	12	21	0.88	879	0.035	<20	1.24	0.004	0.16	1.2	0.03	3.5	0.2	0.19	4	1.6	0.6
1825346	Drill Core	0.051	12	16	0.32	489	0.007	<20	0.76	0.006	0.22	0.2	<0.01	1.9	0.3	0.15	2	2.1	<0.2
1825347	Drill Core	0.033	10	20	0.46	353	0.007	<20	0.79	0.004	0.16	0.2	<0.01	2.3	0.2	0.33	3	2.1	<0.2
1825348	Drill Core	0.047	11	22	0.51	617	0.035	<20	1.22	0.029	0.29	0.7	<0.01	2.2	0.3	0.92	4	2.6	<0.2
1825349	Drill Core	0.077	11	31	0.53	641	0.043	<20	1.67	0.102	0.18	1.2	0.01	2.8	0.2	0.63	6	1.4	<0.2
1825350	Drill Core	0.085	12	32	0.59	664	0.047	<20	1.75	0.107	0.21	0.8	0.01	3.0	0.2	0.66	7	1.4	<0.2
1825351	Drill Core	0.055	9	13	0.46	222	0.026	<20	0.99	0.019	0.11	>100	<0.01	1.8	<0.1	1.81	3	5.5	1.5
1825352	Drill Core	0.048	8	20	0.64	141	0.002	<20	0.90	0.008	0.10	1.9	<0.01	2.8	0.1	0.27	4	1.2	<0.2
1825353	Drill Core	0.032	10	13	0.52	104	0.002	<20	0.81	0.010	0.13	1.7	<0.01	1.8	0.1	0.86	2	1.9	<0.2
1825354	Drill Core	0.036	11	6	0.38	121	0.002	<20	0.59	0.010	0.18	0.3	<0.01	1.1	0.1	1.19	2	2.1	<0.2
1825355	Drill Core	0.024	11	6	0.42	72	0.002	<20	0.62	0.012	0.16	0.4	<0.01	1.1	<0.1	1.34	1	1.4	<0.2
1825356	Drill Core	0.044	11	21	1.17	88	0.022	<20	1.48	0.033	0.17	0.9	<0.01	3.2	0.1	1.33	5	3.4	0.2
1825357	Drill Core	0.044	11	17	1.07	65	0.046	<20	1.41	0.018	0.09	5.0	0.01	2.9	<0.1	1.70	4	5.2	1.8
1825358	Drill Core	0.026	12	9	0.47	71	0.002	<20	0.74	0.012	0.22	0.2	<0.01	1.7	0.1	1.69	2	1.7	<0.2
1825359	Drill Core	0.044	9	8	0.90	71	0.001	<20	0.64	0.034	0.17	0.3	<0.01	3.1	0.1	1.79	2	3.0	0.3
1825360	Rock Pulp	0.046	13	44	1.79	30	0.082	<20	1.83	0.033	0.24	2.0	2.29	5.1	1.5	4.63	8	8.6	0.4
1825361	Drill Core	0.024	9	7	0.46	75	0.001	<20	0.58	0.016	0.18	0.2	<0.01	1.8	0.1	1.38	1	2.3	0.3
1825362	Drill Core	0.041	11	10	0.63	118	0.002	<20	0.77	0.018	0.18	0.2	<0.01	1.8	<0.1	1.45	2	2.4	0.2
1825363	Drill Core	0.048	11	17	0.83	255	0.051	<20	1.63	0.044	0.16	42.4	0.02	3.1	0.1	1.63	4	5.3	1.8
1825364	Drill Core	0.045	9	15	0.83	191	0.033	<20	1.54	0.037	0.11	89.9	0.01	2.9	<0.1	1.41	4	3.8	0.8



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** August 21, 2019

**Page:** 3 of 4

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000171.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1825365	Drill Core	4.39	0.134	0.4	57.3	25.5	73	1.5	24.0	12.1	477	3.18	44.3	20.2	13.2	98	0.8	0.7	6.1	13	3.99
1825366	Drill Core	4.22	0.020	0.7	63.5	238.0	471	4.3	39.8	17.9	850	3.85	81.1	3.4	12.3	38	6.4	1.2	3.7	15	1.65
1825367	Drill Core	2.09	0.087	0.5	122.1	2005.4	3678	15.6	41.2	18.0	1745	4.82	58.3	33.8	11.3	35	53.5	3.4	5.0	13	1.23
1825368	Drill Core	1.27	0.029	0.8	38.7	2958.5	>10000	9.0	33.5	11.1	>10000	7.18	29.8	6.7	8.6	127	173.5	4.3	2.1	33	5.82
1825369	Drill Core	1.15	0.088	0.7	70.3	2283.4	>10000	11.5	20.5	9.5	8814	3.71	31.7	58.8	8.9	81	445.4	3.5	4.7	26	2.98
1825370	Drill Core	1.17	0.057	0.7	49.1	2095.4	>10000	8.7	19.1	5.9	7170	3.22	29.5	26.1	8.5	71	161.3	2.7	4.2	29	2.61
1825371	Drill Core	4.90	0.052	0.8	13.5	812.5	8322	3.2	18.2	4.9	>10000	4.92	16.3	22.4	5.2	170	129.9	1.8	0.7	23	8.01
1825372	Drill Core	3.08	0.013	17.9	14.5	363.0	865	3.9	78.9	12.1	6725	3.12	57.6	10.8	7.4	22	10.6	3.5	0.5	79	1.05
1825373	Drill Core	2.31	0.011	4.6	9.4	397.9	1312	2.2	23.5	4.4	3804	1.61	40.6	2.8	4.7	25	21.0	2.5	0.7	35	0.97
1825374	Drill Core	4.89	0.701	1.0	66.5	1755.9	6167	11.9	20.1	5.1	5083	2.76	28.0	161.7	6.5	52	92.1	4.5	8.5	38	2.31
1825375	Drill Core	5.15	0.440	0.3	91.8	446.8	840	6.4	20.2	10.3	1629	3.65	18.0	465.4	7.9	252	13.1	1.0	9.5	21	8.99
1825376	Drill Core	4.77	0.053	0.2	39.5	35.0	72	0.9	19.4	7.6	922	1.93	12.3	51.1	6.1	177	0.8	0.5	1.5	9	6.54
1825377	Drill Core	2.82	0.546	0.9	63.6	54.5	73	1.8	20.7	8.9	1269	3.25	9.4	345.2	2.7	393	0.6	1.0	12.8	9	16.35
1825378	Drill Core	3.26	0.156	0.6	98.9	5.9	57	0.9	35.1	12.8	652	2.98	31.4	105.1	5.8	169	0.2	0.9	3.3	14	7.86
1825379	Drill Core	0.93	0.091	0.2	34.4	4.8	42	0.3	30.8	12.3	727	1.74	25.1	88.0	4.2	261	0.2	0.3	1.9	10	12.32
1825380	Rock	0.57	<0.005	<0.1	0.4	0.4	<1	<0.1	0.3	<0.1	77	0.05	<0.5	<0.5	<0.1	81	<0.1	<0.1	<0.1	<1	30.81
1825381	Drill Core	1.46	0.038	0.3	47.3	9.2	45	0.4	30.8	14.8	373	2.41	19.7	28.2	9.6	42	0.3	0.3	2.1	15	1.66
1825382	Drill Core	4.83	0.014	<0.1	4.7	4.4	65	0.2	6.5	2.9	359	0.45	6.5	12.8	0.8	940	0.1	1.4	0.2	2	28.32
1825383	Drill Core	6.50	0.016	0.3	21.2	3.7	25	0.2	17.7	7.1	183	1.80	39.2	6.4	9.7	22	<0.1	0.2	1.0	7	0.57
1825384	Drill Core	4.71	0.012	0.5	25.0	4.2	42	0.2	27.6	13.5	288	2.57	84.3	8.2	13.0	26	<0.1	0.2	0.9	10	0.47
1825385	Drill Core	2.01	0.033	0.5	32.8	3.8	53	0.3	28.8	15.5	359	3.12	91.3	24.3	14.1	20	<0.1	0.2	1.3	12	0.36
1825386	Drill Core	2.20	0.007	0.3	28.9	2.3	41	0.1	23.8	11.7	192	2.01	21.4	<0.5	10.1	14	<0.1	0.2	0.7	7	0.31
1825387	Drill Core	6.23	1.268	0.5	80.4	7.8	68	0.8	31.5	13.6	385	3.66	597.4	848.1	9.7	39	0.3	0.7	30.9	18	1.13
1825388	Drill Core	6.05	0.599	7.0	66.9	68.1	120	5.8	67.6	11.6	454	3.23	166.6	1080.5	8.3	87	0.8	0.6	23.2	75	2.44
1825389	Drill Core	1.35	0.019	5.9	44.0	4.4	82	0.2	59.0	10.6	370	2.59	194.1	11.0	8.3	27	0.2	0.2	0.7	32	0.68
1825390	Drill Core	1.17	0.029	6.0	54.8	4.6	74	0.2	58.9	10.9	386	2.64	180.8	7.1	8.2	29	0.2	0.4	0.8	31	0.77
1825391	Drill Core	1.90	0.020	1.4	60.6	5.6	67	0.5	40.6	9.9	269	1.86	309.9	0.5	5.4	19	0.4	0.4	1.5	15	0.42
1825392	Drill Core	4.89	0.033	1.3	58.7	4.3	53	0.3	43.2	8.9	276	2.60	178.5	1.4	8.3	26	0.1	0.5	1.6	18	0.59
1825393	Drill Core	7.07	0.017	1.7	69.8	10.5	72	0.9	55.8	11.4	476	3.09	25.6	<0.5	8.6	24	0.2	0.6	1.3	21	0.43
1825394	Drill Core	8.03	0.032	3.6	86.2	8.6	131	0.7	52.7	10.2	381	2.74	82.4	0.9	5.4	29	1.5	2.0	1.1	45	0.64



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** August 21, 2019

**Page:** 3 of 4

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000171.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.9
1825365	Drill Core	0.033	12	11	0.59	91	0.008	<20	0.88	0.017	0.20	0.9	<0.01	2.4	0.2	1.55	2	3.1	0.3
1825366	Drill Core	0.039	9	18	0.71	100	0.003	<20	0.98	0.005	0.22	0.2	0.01	2.5	0.2	1.98	3	3.6	<0.2
1825367	Drill Core	0.029	8	10	0.56	104	0.002	<20	1.07	0.006	0.23	0.2	0.06	2.4	0.3	3.04	3	5.6	<0.2
1825368	Drill Core	0.026	6	13	0.95	111	0.001	<20	1.68	0.003	0.12	0.2	0.12	4.8	0.1	1.17	5	3.7	<0.2
1825369	Drill Core	0.030	5	10	0.61	73	0.001	<20	1.05	0.004	0.18	0.2	0.23	3.6	0.2	1.63	3	4.9	0.2
1825370	Drill Core	0.031	5	11	0.59	62	0.001	<20	0.98	0.003	0.15	0.1	0.08	3.2	0.2	0.84	3	4.1	<0.2
1825371	Drill Core	0.060	4	10	0.75	51	0.001	<20	0.81	0.001	0.09	0.2	0.06	3.1	0.1	0.76	2	1.1	<0.2
1825372	Drill Core	0.033	9	11	0.39	178	0.002	<20	0.98	0.004	0.16	0.2	<0.01	2.0	0.2	0.24	3	<0.5	<0.2
1825373	Drill Core	0.015	9	10	0.19	122	0.001	<20	0.50	0.005	0.12	0.3	0.01	1.3	0.2	0.17	2	<0.5	<0.2
1825374	Drill Core	0.016	5	9	0.40	72	0.001	<20	0.64	0.004	0.14	32.1	0.04	2.1	0.2	1.18	2	3.4	0.3
1825375	Drill Core	0.030	6	12	0.58	160	0.028	<20	1.18	0.024	0.18	11.6	0.02	2.8	0.2	1.65	4	4.6	0.5
1825376	Drill Core	0.028	9	8	0.27	66	0.005	<20	0.54	0.003	0.16	0.4	<0.01	1.7	0.2	0.65	2	1.1	<0.2
1825377	Drill Core	0.064	3	6	0.40	32	0.003	<20	0.41	0.005	0.05	47.9	0.02	2.2	<0.1	1.30	2	2.8	0.4
1825378	Drill Core	0.050	9	11	0.47	78	0.008	<20	0.72	0.005	0.14	4.7	<0.01	2.7	0.2	1.12	3	1.9	<0.2
1825379	Drill Core	0.054	7	9	0.36	62	0.005	<20	0.53	0.003	0.11	4.4	<0.01	2.3	0.1	0.58	2	0.7	<0.2
1825380	Rock	0.007	1	<1	0.44	12	0.001	<20	<0.01	0.002	0.02	0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
1825381	Drill Core	0.032	13	13	0.49	108	0.018	<20	0.98	0.004	0.28	0.9	<0.01	2.5	0.3	0.89	3	1.3	<0.2
1825382	Drill Core	0.021	4	2	0.21	18	<0.001	<20	0.10	<0.001	0.05	<0.1	<0.01	1.3	<0.1	0.11	<1	<0.5	<0.2
1825383	Drill Core	0.018	12	7	0.30	62	0.018	<20	0.67	0.005	0.20	0.1	<0.01	1.2	0.1	0.63	2	0.7	<0.2
1825384	Drill Core	0.023	14	10	0.47	82	0.020	<20	0.91	0.007	0.25	<0.1	<0.01	1.4	0.2	0.93	2	0.9	<0.2
1825385	Drill Core	0.027	15	13	0.57	75	0.034	<20	1.23	0.007	0.33	0.2	<0.01	1.8	0.3	0.76	3	0.6	<0.2
1825386	Drill Core	0.025	13	8	0.40	55	0.023	<20	0.75	0.005	0.19	0.1	<0.01	1.1	0.1	0.55	2	<0.5	<0.2
1825387	Drill Core	0.037	10	15	0.84	119	0.028	<20	1.26	0.007	0.25	0.7	<0.01	2.4	0.2	1.73	3	3.7	2.4
1825388	Drill Core	0.084	8	18	0.89	161	0.002	<20	1.17	0.008	0.18	16.6	<0.01	3.0	0.1	1.12	4	3.3	1.5
1825389	Drill Core	0.058	11	15	0.37	254	0.002	<20	1.01	0.014	0.19	0.1	<0.01	1.4	0.1	0.75	2	1.9	<0.2
1825390	Drill Core	0.053	9	15	0.37	219	0.002	<20	0.97	0.013	0.17	0.1	<0.01	1.3	0.1	0.88	2	2.0	<0.2
1825391	Drill Core	0.014	9	8	0.21	211	0.001	<20	0.52	0.011	0.15	<0.1	<0.01	1.3	<0.1	0.81	1	1.8	<0.2
1825392	Drill Core	0.038	9	13	0.48	180	0.002	<20	0.84	0.017	0.15	<0.1	<0.01	1.6	<0.1	0.97	2	1.7	<0.2
1825393	Drill Core	0.049	10	13	0.48	192	0.002	<20	1.09	0.016	0.15	0.2	<0.01	1.5	<0.1	1.13	3	1.9	<0.2
1825394	Drill Core	0.097	9	17	0.48	131	0.002	<20	0.98	0.010	0.10	0.5	<0.01	2.1	0.2	1.21	3	3.6	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** August 21, 2019

**Page:** 4 of 4

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000171.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1825395	Drill Core	5.98	0.189	0.2	32.7	4.2	13	0.2	1.9	1.4	223	0.82	733.4	16.2	5.9	79	<0.1	0.2	0.9	<1	3.60
1825396	Drill Core	7.17	2.433	0.4	24.7	3.1	13	0.6	2.2	1.0	178	0.83	1100.8	155.1	6.3	77	<0.1	0.3	0.2	<1	3.97
1825397	Drill Core	5.62	0.084	0.2	21.8	3.7	11	<0.1	1.9	1.2	144	0.93	878.7	39.4	6.7	83	<0.1	0.3	0.3	<1	4.04
1825398	Drill Core	4.33	0.031	0.2	17.9	4.4	15	<0.1	1.3	0.7	152	0.70	311.9	10.9	8.3	96	0.1	0.3	0.4	<1	4.01
1825399	Drill Core	6.12	2.067	0.2	85.3	11.2	11	0.8	5.3	4.1	232	2.17	2371.9	819.9	10.7	92	0.1	1.3	19.7	2	4.42
1825400	Rock Pulp	0.13	0.302	13.5	2222.8	1039.4	6973	19.2	34.1	18.5	527	8.39	278.9	60.2	2.3	46	49.7	34.3	12.0	46	2.12
1825401	Drill Core	4.49	0.116	0.2	25.1	2.8	15	<0.1	1.3	1.0	116	0.70	1329.8	145.1	5.8	74	<0.1	0.4	0.3	<1	3.64
1825402	Drill Core	5.68	0.340	0.1	36.8	4.0	9	10.9	4.4	0.7	112	0.79	850.0	48.7	7.1	75	<0.1	0.7	1.1	<1	3.89
1825403	Drill Core	6.53	0.426	0.1	31.3	3.6	10	4.4	1.7	0.8	92	0.71	742.5	126.3	8.4	70	<0.1	0.4	0.5	<1	4.02
1825404	Drill Core	2.65	0.714	0.2	25.9	3.6	9	<0.1	1.3	0.8	99	0.84	319.2	11.7	9.5	77	<0.1	0.3	0.3	<1	4.18
1825405	Drill Core	5.50	0.277	0.3	19.7	3.0	7	<0.1	1.3	0.4	117	1.05	3305.9	247.2	9.5	64	<0.1	0.9	1.5	<1	4.33
1825406	Drill Core	0.78	4.356	0.3	106.2	8.0	158	1.2	21.6	8.3	1514	5.88	33.5	6931.6	7.8	103	0.4	3.3	89.3	36	7.54
1825407	Drill Core	2.67	>10	2.8	909.0	17.5	45	2.6	19.0	40.3	604	24.10	>10000	5995.2	5.0	84	0.2	59.3	85.3	20	4.45
1825408	Drill Core	1.09	1.763	2.3	228.2	5.1	54	1.0	24.9	10.2	994	6.84	171.8	2059.0	5.1	87	0.2	0.8	29.2	23	7.87
1825409	Drill Core	1.84	0.988	2.1	135.3	4.6	100	0.7	31.8	17.4	797	4.89	91.3	944.5	8.9	66	0.3	0.4	20.5	19	3.85
1825410	Drill Core	2.23	0.868	2.2	134.4	4.5	98	0.6	31.1	17.2	772	4.79	21.0	630.7	10.8	71	0.2	0.3	18.8	20	3.89
1825411	Drill Core	1.83	0.032	0.5	32.5	4.4	75	0.4	29.0	14.9	564	2.01	56.9	42.8	14.8	57	0.2	0.3	4.9	17	1.75
1825412	Drill Core	5.00	2.460	3.3	216.5	4.6	134	1.3	30.3	14.7	1252	7.09	147.6	2370.9	9.1	72	0.6	0.5	47.9	19	5.59
1825413	Drill Core	3.34	9.606	4.4	440.0	5.6	1679	3.1	27.2	17.5	1029	11.84	236.8	10380.4	6.0	89	63.5	0.6	222.7	29	4.01
1825414	Drill Core	5.21	0.133	3.7	66.2	4.7	87	0.4	39.0	11.4	566	2.75	41.1	14.9	9.6	72	0.4	1.6	4.8	29	2.84
1825415	Drill Core	3.20	0.047	0.2	26.8	7.0	14	<0.1	1.5	1.4	296	0.70	1744.2	41.9	7.1	115	0.1	0.5	0.8	<1	4.24
1825416	Drill Core	5.25	0.026	0.3	20.7	14.1	16	0.2	1.3	0.9	275	0.62	455.2	248.9	7.9	135	0.1	0.2	0.5	<1	3.55
1825417	Drill Core	1.25	0.020	24.6	63.9	44.0	170	2.1	78.0	8.8	333	1.91	267.6	1.5	7.0	43	2.4	5.1	4.1	20	0.89
1825418	Drill Core	1.77	0.629	11.0	63.2	120.3	155	5.1	59.4	10.1	692	2.24	3252.9	250.4	3.4	84	2.0	2.7	16.7	18	1.90
1825419	Drill Core	4.40	0.071	4.7	80.5	34.6	138	2.0	43.4	9.2	543	2.70	68.9	11.0	5.9	73	1.4	6.1	3.2	29	1.19
1825420	Rock Pulp	0.13	2.766	13.0	3885.3	>10000	>10000	>100	97.3	44.7	4638	8.70	642.3	3249.8	5.4	20	132.1	190.6	25.9	68	2.06
1825421	Drill Core	4.45	0.232	0.6	70.5	5.0	31	0.3	27.3	7.3	239	1.81	29.5	15.5	3.4	45	<0.1	1.0	6.0	15	0.48
1825422	Drill Core	4.36	0.138	0.9	39.8	52.1	121	0.6	21.2	4.6	257	1.29	105.8	15.4	3.5	38	1.6	0.9	2.6	10	0.73
1825423	Drill Core	2.39	0.118	0.7	30.5	48.6	23	2.2	22.0	4.6	709	1.53	335.4	35.3	4.6	57	0.3	1.1	2.9	9	1.05
1825424	Drill Core	2.53	0.134	0.5	32.2	186.9	132	2.8	20.6	3.8	1184	1.64	190.8	8.8	4.1	19	2.1	1.2	2.4	8	0.37



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** August 21, 2019

**Page:** 4 of 4

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000171.1

Method Analyte	Unit	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
MDL		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t	
1825395	Drill Core	0.015	9	2	0.09	58	<0.001	<20	0.38	0.074	0.05	34.6	<0.01	0.5	<0.1	0.26	1	<0.5	<0.2	
1825396	Drill Core	0.015	9	2	0.08	30	<0.001	<20	0.34	0.069	0.03	20.7	<0.01	0.5	<0.1	0.25	1	0.8	<0.2	
1825397	Drill Core	0.014	9	2	0.08	40	<0.001	<20	0.36	0.083	0.04	31.3	<0.01	0.5	<0.1	0.41	1	<0.5	<0.2	
1825398	Drill Core	0.014	10	2	0.08	33	<0.001	<20	0.36	0.067	0.03	12.1	<0.01	0.4	<0.1	0.20	1	<0.5	<0.2	
1825399	Drill Core	0.016	9	1	0.09	53	<0.001	<20	0.40	0.055	0.10	>100	<0.01	0.5	<0.1	1.43	2	4.1	1.2	
1825400	Rock Pulp	0.033	4	40	2.42	42	0.005	<20	1.84	0.009	0.06	0.6	2.78	3.7	4.7	6.41	7	27.9	0.4	
1825401	Drill Core	0.014	12	1	0.09	29	<0.001	<20	0.35	0.053	0.06	14.0	<0.01	0.3	<0.1	0.27	2	0.8	<0.2	
1825402	Drill Core	0.015	12	2	0.10	44	<0.001	<20	0.45	0.065	0.11	27.5	<0.01	0.3	<0.1	0.31	2	<0.5	<0.2	
1825403	Drill Core	0.015	14	1	0.11	35	<0.001	<20	0.38	0.056	0.07	>100	<0.01	0.3	<0.1	0.27	2	<0.5	<0.2	
1825404	Drill Core	0.016	16	1	0.13	31	<0.001	<20	0.44	0.065	0.05	20.7	<0.01	0.3	<0.1	0.31	2	0.5	<0.2	
1825405	Drill Core	0.017	15	1	0.11	35	<0.001	<20	0.40	0.053	0.05	9.5	<0.01	0.3	<0.1	0.45	2	2.2	0.9	
1825406	Drill Core	0.057	12	21	1.60	38	0.003	<20	2.16	0.043	0.05	1.9	0.01	4.6	0.2	1.97	15	5.3	2.9	
1825407	Drill Core	0.041	12	9	0.63	92	0.003	<20	1.00	0.010	<0.01	>100	*	1.9	0.1	8.60	5	76.4	17.7	17.7
1825408	Drill Core	0.018	10	14	0.50	70	0.012	<20	0.92	0.039	0.10	>100	0.05	2.7	<0.1	3.36	4	13.2	1.3	
1825409	Drill Core	0.049	13	17	0.82	187	0.076	<20	1.47	0.015	0.14	>100	*	2.2	<0.1	2.30	5	7.0	0.7	
1825410	Drill Core	0.049	14	18	0.83	216	0.080	<20	1.56	0.019	0.15	>100	*	2.4	0.1	2.22	4	7.0	0.6	
1825411	Drill Core	0.035	22	22	0.95	201	0.175	<20	1.70	0.004	0.22	7.6	0.01	2.2	0.1	0.38	4	0.9	0.2	
1825412	Drill Core	0.049	16	18	0.85	127	0.072	<20	1.74	0.016	0.06	>100	<0.01	2.3	<0.1	3.50	6	13.4	1.6	
1825413	Drill Core	0.056	10	18	0.88	90	0.034	<20	2.68	0.061	0.05	>100	*	2.6	<0.1	5.69	13	23.1	6.4	
1825414	Drill Core	0.046	17	20	0.96	291	0.034	<20	1.49	0.025	0.15	10.4	<0.01	2.7	0.1	0.91	5	2.5	0.2	
1825415	Drill Core	0.016	15	1	0.13	123	<0.001	<20	0.45	0.053	0.07	19.9	<0.01	0.3	0.1	0.24	1	1.0	0.2	
1825416	Drill Core	0.016	15	1	0.14	243	<0.001	<20	0.60	0.050	0.13	5.6	<0.01	0.3	0.2	0.17	2	<0.5	<0.2	
1825417	Drill Core	0.053	9	8	0.24	212	0.001	<20	0.62	0.006	0.14	2.6	<0.01	0.9	0.1	0.64	2	2.2	<0.2	
1825418	Drill Core	0.067	7	10	0.19	133	0.001	<20	0.58	0.007	0.12	9.2	<0.01	1.2	0.2	0.79	2	5.4	1.7	
1825419	Drill Core	0.124	8	11	0.54	253	0.003	<20	0.81	0.006	0.17	1.2	<0.01	1.6	0.2	1.31	2	2.8	0.2	
1825420	Rock Pulp	0.046	15	49	1.93	34	0.097	<20	1.98	0.038	0.26	2.5	2.43	5.3	1.7	4.92	9	10.2	0.4	
1825421	Drill Core	0.013	8	8	0.42	280	0.002	<20	0.56	0.007	0.16	0.6	<0.01	1.6	0.1	0.73	2	0.6	0.5	
1825422	Drill Core	0.026	7	7	0.30	151	0.001	<20	0.38	0.007	0.10	0.7	<0.01	1.2	<0.1	0.51	1	0.8	0.3	
1825423	Drill Core	0.029	9	7	0.23	158	0.001	<20	0.36	0.006	0.13	0.5	<0.01	1.0	0.2	0.80	1	1.6	0.2	
1825424	Drill Core	0.023	8	7	0.21	118	0.001	<20	0.31	0.005	0.10	0.4	<0.01	1.1	<0.1	0.89	<1	1.2	0.3	





Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 21, 2019

Page: 1 of 2

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000171.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
Pulp Duplicates																					
1825344	Drill Core	4.35	0.888	1.6	93.2	7.5	191	0.8	49.0	15.8	678	3.59	79.5	589.5	12.5	72	1.0	1.0	15.3	35	2.84
REP 1825344	QC			1.5	92.6	7.3	195	0.8	44.5	15.8	665	3.52	75.6	872.6	12.3	73	0.9	0.9	16.0	35	2.82
1825378	Drill Core	3.26	0.156	0.6	98.9	5.9	57	0.9	35.1	12.8	652	2.98	31.4	105.1	5.8	169	0.2	0.9	3.3	14	7.86
REP 1825378	QC			0.6	96.7	5.7	55	0.9	35.3	12.9	633	2.89	31.3	147.7	5.8	172	0.3	0.8	3.4	14	7.79
1825388	Drill Core	6.05	0.599	7.0	66.9	68.1	120	5.8	67.6	11.6	454	3.23	166.6	1080.5	8.3	87	0.8	0.6	23.2	75	2.44
REP 1825388	QC		0.622																		
1825395	Drill Core	5.98	0.189	0.2	32.7	4.2	13	0.2	1.9	1.4	223	0.82	733.4	16.2	5.9	79	<0.1	0.2	0.9	<1	3.60
REP 1825395	QC		0.150																		
1825407	Drill Core	2.67	>10	2.8	909.0	17.5	45	2.6	19.0	40.3	604	24.10	>10000	5995.2	5.0	84	0.2	59.3	85.3	20	4.45
REP 1825407	QC																				
1825409	Drill Core	1.84	0.988	2.1	135.3	4.6	100	0.7	31.8	17.4	797	4.89	91.3	944.5	8.9	66	0.3	0.4	20.5	19	3.85
REP 1825409	QC			2.1	135.1	4.7	101	0.8	33.5	17.5	794	4.94	94.7	956.0	9.3	67	0.2	0.4	21.2	20	3.93
Core Reject Duplicates																					
1825368	Drill Core	1.27	0.029	0.8	38.7	2958.5	>10000	9.0	33.5	11.1	>10000	7.18	29.8	6.7	8.6	127	173.5	4.3	2.1	33	5.82
DUP 1825368	QC		0.030	0.8	35.6	3001.8	9595	8.4	33.2	10.7	>10000	7.29	31.2	4.2	8.9	128	150.4	3.7	2.1	33	5.83
1825402	Drill Core	5.68	0.340	0.1	36.8	4.0	9	10.9	4.4	0.7	112	0.79	850.0	48.7	7.1	75	<0.1	0.7	1.1	<1	3.89
DUP 1825402	QC		0.318	0.2	34.0	3.6	10	11.3	4.4	0.7	107	0.72	995.9	12.2	7.2	72	<0.1	0.5	0.4	<1	4.00
Reference Materials																					
STD AGPROOF	Standard																				
STD AGPROOF	Standard																				
STD BVGEO01	Standard			10.3	4596.5	192.8	1775	2.6	156.9	24.1	686	3.67	119.6	231.3	17.3	54	6.2	3.1	25.3	74	1.26
STD DS11	Standard			14.3	145.3	127.2	321	1.5	76.6	13.0	971	2.99	40.2	40.9	8.8	59	2.0	6.9	10.1	46	1.01
STD DS11	Standard			15.3	161.1	150.4	356	1.8	79.5	14.0	1060	3.14	42.4	57.5	9.6	71	2.6	7.8	12.2	48	1.07
STD OREAS262	Standard			0.6	120.6	56.3	149	0.5	64.5	27.6	532	3.37	36.1	66.2	9.9	36	0.6	3.6	1.0	22	3.06
STD OREAS262	Standard			0.5	119.4	54.2	146	0.5	63.5	27.9	518	3.17	34.8	62.1	9.5	34	0.6	3.0	0.9	20	3.01
STD OREAS262	Standard			0.7	127.8	62.4	156	0.5	66.6	28.8	560	3.39	36.8	65.0	11.0	38	0.7	3.0	1.2	23	3.21
STD OREAS256	Standard		7.308																		
STD OXC145	Standard		0.211																		





Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 21, 2019

Page: 1 of 2

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000171.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.9	
Pulp Duplicates																				
1825344	Drill Core	0.048	16	31	0.93	734	0.051	<20	1.62	0.022	0.16	44.0	<0.01	3.7	0.2	1.27	5	4.6	0.6	
REP 1825344	QC	0.049	16	21	0.92	724	0.050	<20	1.63	0.021	0.16	39.7	<0.01	3.6	0.2	1.27	5	4.8	0.8	
1825378	Drill Core	0.050	9	11	0.47	78	0.008	<20	0.72	0.005	0.14	4.7	<0.01	2.7	0.2	1.12	3	1.9	<0.2	
REP 1825378	QC	0.051	9	11	0.46	74	0.008	<20	0.69	0.004	0.14	4.8	<0.01	2.7	0.2	1.11	2	2.0	<0.2	
1825388	Drill Core	0.084	8	18	0.89	161	0.002	<20	1.17	0.008	0.18	16.6	<0.01	3.0	0.1	1.12	4	3.3	1.5	
REP 1825388	QC																			
1825395	Drill Core	0.015	9	2	0.09	58	<0.001	<20	0.38	0.074	0.05	34.6	<0.01	0.5	<0.1	0.26	1	<0.5	<0.2	
REP 1825395	QC																			
1825407	Drill Core	0.041	12	9	0.63	92	0.003	<20	1.00	0.010	<0.01	>100	*	1.9	0.1	8.60	5	76.4	17.7	
REP 1825407	QC																			13.1
1825409	Drill Core	0.049	13	17	0.82	187	0.076	<20	1.47	0.015	0.14	>100	*	2.2	<0.1	2.30	5	7.0	0.7	
REP 1825409	QC	0.052	14	17	0.83	190	0.075	<20	1.48	0.016	0.14	>100	*	2.3	<0.1	2.36	5	7.5	0.8	
Core Reject Duplicates																				
1825368	Drill Core	0.026	6	13	0.95	111	0.001	<20	1.68	0.003	0.12	0.2	0.12	4.8	0.1	1.17	5	3.7	<0.2	
DUP 1825368	QC	0.027	6	13	0.96	99	0.001	<20	1.71	0.003	0.12	0.2	0.09	4.7	0.1	1.08	6	3.3	<0.2	
1825402	Drill Core	0.015	12	2	0.10	44	<0.001	<20	0.45	0.065	0.11	27.5	<0.01	0.3	<0.1	0.31	2	<0.5	<0.2	
DUP 1825402	QC	0.015	13	3	0.10	41	<0.001	<20	0.39	0.053	0.10	29.8	<0.01	0.2	<0.1	0.29	2	0.5	<0.2	
Reference Materials																				
STD AGPROOF	Standard																			<0.9
STD AGPROOF	Standard																			<0.9
STD BVGEO01	Standard	0.077	29	160	1.24	350	0.249	<20	2.18	0.173	0.86	4.2	0.09	5.7	0.7	0.65	7	4.2	1.0	
STD DS11	Standard	0.063	17	56	0.81	373	0.092	<20	1.12	0.068	0.38	2.7	0.26	2.8	4.4	0.27	5	1.7	3.9	
STD DS11	Standard	0.070	20	60	0.85	459	0.100	<20	1.21	0.071	0.40	3.4	0.30	3.1	5.3	0.28	5	2.8	4.8	
STD OREAS262	Standard	0.041	16	41	1.21	247	0.003	<20	1.27	0.069	0.31	0.1	0.17	3.2	0.5	0.26	4	<0.5	0.2	
STD OREAS262	Standard	0.038	15	41	1.16	231	0.003	<20	1.18	0.066	0.29	0.1	0.17	3.3	0.4	0.25	4	0.6	0.2	
STD OREAS262	Standard	0.039	21	46	1.23	284	0.004	<20	1.39	0.072	0.34	0.3	0.16	3.5	0.5	0.26	4	<0.5	0.2	
STD OREAS256	Standard																			
STD OXC145	Standard																			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 21, 2019

Page: 2 of 2

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000171.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
STD OXC145	Standard		0.215																		
STD OXH139	Standard		1.264																		
STD OXH139	Standard		1.278																		
STD OXN134	Standard		7.664																		
STD OXQ114	Standard																				
STD OXQ114	Standard																				
STD SP49	Standard																				
STD SP49	Standard																				
STD BVGEO01 Expected				10.8	4415	187	1741	2.53	163	25	733	3.7	121	219	14.4	55	6.5	2.2	25.6	73	1.3219
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063
STD OREAS262 Expected				0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	65	9.33	36	0.61	3.39	1.03	22.5	2.98
STD OXN134 Expected			7.667																		
STD OXC145 Expected			0.212																		
STD OXH139 Expected			1.312																		
STD OREAS256 Expected			7.66																		
STD AGPROOF Expected																					
STD SP49 Expected																					
STD OXQ114 Expected																					
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank		<0.005	0.6	2.4	1.1	28	<0.1	1.0	3.5	454	1.77	1.0	<0.5	2.2	19	<0.1	<0.1	<0.1	23	0.56
ROCK-WHI	Prep Blank		<0.005	1.0	2.7	1.3	31	<0.1	1.2	3.8	468	1.83	1.0	<0.5	3.0	22	<0.1	<0.1	<0.1	23	0.61



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 21, 2019

Page: 2 of 2 Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000171.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t	
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.9	
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXQ114	Standard																				34.9
STD OXQ114	Standard																				35.6
STD SP49	Standard																				18.3
STD SP49	Standard																				18.4
STD BVGEO01 Expected		0.0727	25.9	171	1.2963	340	0.233		2.347	0.1924	0.89	3.5	0.1	5.97	0.62	0.6655	7.37	4.84	1.02		
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56		
STD OREAS262 Expected		0.04	15.9	41.7	1.17	248	0.003		1.204	0.071	0.312	0.13	0.17	3.24	0.47	0.253	3.73	0.4	0.23		
STD OXN134 Expected																					
STD OXC145 Expected																					
STD OXH139 Expected																					
STD OREAS256 Expected																					
STD AGPROOF Expected																					0
STD SP49 Expected																					18.34
STD OXQ114 Expected																					35.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	0.2	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				<0.9
BLK	Blank																				<0.9
Prep Wash																					
ROCK-WHI	Prep Blank	0.042	6	2	0.43	52	0.081	<20	0.83	0.070	0.08	0.2	<0.01	2.5	<0.1	<0.05	3	<0.5	<0.2		
ROCK-WHI	Prep Blank	0.045	6	3	0.42	59	0.096	<20	0.90	0.103	0.09	0.1	<0.01	2.9	<0.1	<0.05	4	<0.5	<0.2		



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Submitted By: James Thom  
Receiving Lab: Canada-Whitehorse  
Received: July 08, 2019  
Report Date: August 21, 2019  
Page: 1 of 5

## CERTIFICATE OF ANALYSIS

WHI19000172.1

### CLIENT JOB INFORMATION

Project: McQuesten  
Shipment ID: MQ-19-06  
P.O. Number  
Number of Samples: 93

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
RTRN-RJT Return After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Banyan Gold Corp.  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7  
Canada

CC: Paul Gray

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	91	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	2	Sort, label and box pulps			WHI
FA450	93	50g Lead Collection Fire Assay Fusion - AAS Finish	50	Completed	VAN
EN002	93	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	93	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	93	Per sample shipping charges for branch shipments			VAN
FA550	2	Lead collection fire assay 50G fusion - Grav finish	50	Completed	VAN

### ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. \*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 21, 2019

Page: 2 of 5

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000172.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1825425	Drill Core	1.62	0.014	6.1	33.5	8.5	137	0.9	27.8	7.7	165	2.54	314.7	4.9	10.4	13	1.6	0.9	1.3	10	0.17
1825426	Drill Core	4.47	0.033	2.5	33.4	6.3	73	0.8	12.3	5.9	146	2.48	290.6	4.1	12.7	20	0.7	0.7	1.4	7	0.06
1825427	Drill Core	4.67	0.013	4.3	32.0	3.4	68	0.3	12.1	4.3	135	2.94	135.5	1.6	13.8	7	0.6	0.7	1.3	8	0.05
1825428	Drill Core	2.76	0.114	3.5	58.0	5.7	138	0.5	36.5	11.7	176	2.78	145.3	43.4	12.9	23	0.6	0.7	3.7	14	0.23
1825429	Drill Core	2.25	0.050	0.6	10.2	4.4	34	<0.1	10.5	3.6	460	0.65	32.8	38.8	2.3	617	0.3	0.1	0.8	4	24.84
1825430	Drill Core	1.79	0.072	0.7	10.7	4.0	35	0.1	11.8	3.8	441	0.62	30.4	71.8	2.4	579	0.3	0.1	1.0	4	22.95
1825431	Drill Core	2.87	0.031	5.0	42.0	8.0	152	0.5	34.1	11.8	329	2.74	95.0	6.1	13.2	18	0.9	0.9	3.4	10	0.41
1825432	Drill Core	4.08	0.064	4.4	57.4	8.7	150	0.6	48.8	17.7	387	3.05	59.8	19.9	14.6	46	0.6	0.9	4.6	27	0.54
1825433	Drill Core	5.31	0.185	5.0	63.9	7.0	186	0.5	59.4	18.7	580	3.00	84.5	141.4	13.2	53	0.4	1.0	5.1	29	2.02
1825434	Drill Core	4.87	0.215	6.5	71.5	6.5	179	0.6	46.0	14.8	398	3.27	68.4	219.8	13.1	36	0.5	1.0	5.8	20	1.98
1825435	Drill Core	2.69	0.130	11.1	37.3	9.4	420	0.5	55.4	16.3	770	2.68	208.4	89.2	7.6	42	4.2	1.4	3.3	13	2.11
1825436	Drill Core	4.55	0.115	8.3	73.8	28.7	231	2.1	59.0	18.0	952	3.81	857.8	78.0	10.5	134	2.1	1.3	3.8	15	4.17
1825437	Drill Core	4.82	0.164	6.1	69.5	13.3	154	0.9	48.9	12.8	900	3.42	136.9	59.7	10.2	91	0.9	1.1	3.7	50	3.44
1825438	Drill Core	4.56	0.099	7.9	48.3	19.4	140	1.3	66.8	13.9	343	2.52	587.1	41.5	10.6	42	1.0	0.9	2.6	57	1.20
1825439	Drill Core	4.96	0.022	2.7	63.9	14.0	118	1.4	59.6	17.0	396	2.97	111.3	11.2	11.5	52	0.8	0.4	1.4	34	2.00
1825440	Rock	0.64	<0.005	<0.1	0.5	0.5	2	<0.1	<0.1	<0.1	90	0.09	1.5	1.0	<0.1	87	<0.1	<0.1	<0.1	<1	32.28
1825441	Drill Core	2.08	0.041	19.6	52.9	11.8	106	1.0	85.3	12.3	407	2.60	435.0	24.8	5.7	54	1.1	0.8	1.2	170	1.82
1825442	Drill Core	6.23	0.020	18.3	40.8	6.4	124	0.6	46.7	6.6	200	1.94	244.5	0.9	5.3	47	3.3	1.8	3.5	80	0.95
1825443	Drill Core	5.57	0.023	12.5	26.8	9.2	163	0.4	84.4	8.4	377	1.65	447.7	10.8	5.5	43	2.3	1.0	0.6	180	0.99
1825444	Drill Core	4.80	0.012	17.8	29.9	129.1	307	1.5	85.4	8.0	663	2.02	379.2	7.0	5.0	22	5.6	1.2	0.5	257	0.57
1825445	Drill Core	4.38	0.071	10.4	46.6	15.9	197	0.6	74.4	12.8	537	2.45	423.4	64.3	8.5	68	2.3	1.2	2.2	112	1.97
1825446	Drill Core	2.88	0.253	0.4	21.4	7.3	28	0.2	7.7	4.0	682	1.01	10.3	207.3	3.2	915	0.2	0.2	5.2	7	24.42
1825447	Drill Core	4.73	0.425	7.4	68.6	8.6	98	0.9	40.6	12.6	298	2.81	93.9	41.6	10.8	37	1.1	1.7	14.9	43	1.66
1825448	Drill Core	5.78	0.014	16.1	32.0	4.8	83	0.4	32.0	3.7	103	1.37	68.5	<0.5	4.7	26	1.5	1.3	1.6	46	0.38
1825449	Drill Core	3.90	0.103	26.4	36.4	5.5	141	0.6	85.7	7.6	197	2.21	163.0	10.7	6.1	44	2.0	1.8	8.2	142	1.07
1825450	Drill Core	3.85	0.031	26.4	37.8	4.6	139	0.5	89.9	8.2	200	2.02	165.7	<0.5	5.7	41	2.3	1.5	2.1	138	1.14
1825451	Drill Core	2.78	0.608	0.9	47.8	5.5	103	0.5	33.6	16.4	199	2.71	1669.4	319.6	15.1	45	1.2	0.9	17.1	17	1.45
1825452	Drill Core	2.14	0.020	0.4	53.0	13.5	69	0.7	39.5	19.5	276	3.71	40.8	97.2	11.0	40	0.6	0.8	3.9	16	1.42
1825453	Drill Core	2.17	0.007	0.5	22.2	3.3	53	0.2	26.2	10.2	291	2.56	39.3	1.0	13.4	19	<0.1	0.5	1.1	7	0.52
1825454	Drill Core	4.12	0.947	0.4	34.0	5.6	47	1.1	27.6	12.2	249	3.07	51.4	2760.5	12.7	21	0.1	0.8	32.5	9	0.69



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 21, 2019

Page: 2 of 5

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000172.1

Method Analyte	Unit	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
MDL		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t	
1825425	Drill Core	0.027	21	9	0.28	116	0.004	<20	0.61	0.008	0.16	2.7	<0.01	1.1	<0.1	<0.05	2	0.8	<0.2	
1825426	Drill Core	0.027	33	8	0.25	136	0.002	<20	0.71	0.010	0.23	0.8	<0.01	1.2	<0.1	<0.05	2	<0.5	<0.2	
1825427	Drill Core	0.039	30	8	0.23	147	0.002	<20	0.61	0.007	0.17	<0.1	<0.01	1.2	<0.1	<0.05	2	1.4	<0.2	
1825428	Drill Core	0.028	28	12	0.39	335	0.027	<20	1.21	0.025	0.22	0.2	<0.01	2.3	<0.1	<0.05	3	1.9	0.2	
1825429	Drill Core	0.026	3	3	0.28	226	0.014	<20	0.39	0.012	0.03	0.2	<0.01	0.8	<0.1	0.08	1	<0.5	<0.2	
1825430	Drill Core	0.025	3	3	0.25	269	0.015	<20	0.40	0.015	0.03	0.2	<0.01	0.9	<0.1	0.11	1	0.5	<0.2	
1825431	Drill Core	0.030	19	9	0.35	142	0.017	<20	0.76	0.017	0.17	0.3	<0.01	1.8	<0.1	<0.05	2	1.0	<0.2	
1825432	Drill Core	0.036	20	20	0.88	232	0.057	<20	1.99	0.051	0.19	0.2	<0.01	3.3	<0.1	0.19	5	4.7	0.3	
1825433	Drill Core	0.052	18	21	1.12	232	0.047	<20	2.02	0.054	0.16	0.6	<0.01	3.8	<0.1	0.16	6	4.8	0.3	
1825434	Drill Core	0.031	13	14	0.70	135	0.014	<20	1.08	0.031	0.14	58.5	<0.01	2.6	<0.1	0.52	3	7.0	0.3	
1825435	Drill Core	0.029	10	11	0.46	85	0.008	<20	0.97	0.025	0.10	6.6	<0.01	1.8	<0.1	0.23	3	2.9	<0.2	
1825436	Drill Core	0.050	11	13	1.12	137	0.001	<20	0.87	0.022	0.21	0.3	<0.01	3.4	0.2	0.79	3	5.1	<0.2	
1825437	Drill Core	0.038	10	19	1.50	225	0.002	<20	1.22	0.024	0.20	0.4	<0.01	3.5	0.2	0.73	4	3.9	0.2	
1825438	Drill Core	0.038	16	16	0.49	288	0.002	<20	0.85	0.015	0.17	0.1	<0.01	2.2	0.1	0.35	3	2.7	<0.2	
1825439	Drill Core	0.036	13	22	0.80	317	0.004	<20	1.33	0.036	0.21	0.1	<0.01	3.1	0.2	0.76	4	4.0	<0.2	
1825440	Rock	0.007	1	<1	0.36	15	0.001	<20	0.02	<0.001	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2	
1825441	Drill Core	0.071	11	23	0.61	383	0.006	<20	1.06	0.020	0.19	0.8	<0.01	2.5	0.2	0.76	4	3.4	<0.2	
1825442	Drill Core	0.097	10	10	0.22	351	0.003	<20	0.58	0.006	0.16	0.3	<0.01	1.2	0.2	0.63	1	6.8	<0.2	
1825443	Drill Core	0.135	13	20	0.35	659	0.007	<20	0.84	0.007	0.21	0.2	<0.01	1.6	0.2	0.13	2	2.9	<0.2	
1825444	Drill Core	0.078	13	25	0.52	394	0.006	<20	1.02	0.002	0.20	0.3	<0.01	1.9	0.3	0.09	3	2.3	<0.2	
1825445	Drill Core	0.078	13	22	0.68	431	0.019	<20	1.48	0.020	0.23	0.5	<0.01	2.5	0.2	0.45	4	3.3	<0.2	
1825446	Drill Core	0.024	5	6	0.65	198	0.029	<20	0.79	0.015	0.15	53.0	<0.01	1.3	0.1	0.31	2	1.2	0.3	
1825447	Drill Core	0.038	11	12	0.47	380	0.010	<20	0.89	0.016	0.19	0.2	<0.01	2.0	0.1	1.33	2	5.2	1.0	
1825448	Drill Core	0.051	10	6	0.12	431	0.002	<20	0.36	0.004	0.13	0.3	<0.01	0.8	0.1	0.36	<1	3.6	<0.2	
1825449	Drill Core	0.049	10	16	0.38	277	0.007	<20	0.83	0.018	0.18	0.2	<0.01	1.9	0.2	0.55	2	3.6	0.3	
1825450	Drill Core	0.048	9	16	0.37	224	0.007	<20	0.79	0.015	0.15	0.2	0.01	2.0	0.1	0.53	2	3.2	<0.2	
1825451	Drill Core	0.024	14	14	0.60	158	0.002	<20	0.98	0.008	0.19	<0.1	<0.01	1.7	0.1	1.06	3	4.3	0.8	
1825452	Drill Core	0.025	10	12	0.76	126	0.002	<20	1.06	0.008	0.20	<0.1	<0.01	1.9	0.1	1.72	3	3.3	<0.2	
1825453	Drill Core	0.023	17	10	0.48	140	0.002	<20	0.90	0.006	0.22	<0.1	<0.01	1.2	0.1	0.69	2	0.8	<0.2	
1825454	Drill Core	0.028	14	11	0.54	109	0.002	<20	0.88	0.006	0.19	<0.1	<0.01	1.3	0.1	1.20	2	2.1	1.8	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** August 21, 2019

**Page:** 3 of 5

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000172.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1825455	Drill Core	2.01	0.095	0.3	22.2	4.5	23	0.3	14.9	7.6	170	1.83	83.7	5.7	17.7	28	0.1	0.6	3.6	5	1.32
1825456	Drill Core	4.57	0.338	0.6	43.3	15.5	50	1.0	20.6	8.6	413	2.84	126.0	164.1	10.1	44	0.2	0.6	7.3	13	2.37
1825457	Drill Core	5.78	2.310	0.9	81.9	1156.8	2021	37.8	25.1	11.6	1986	3.38	103.8	1391.5	11.7	81	29.1	1.5	64.9	20	3.41
1825458	Drill Core	1.36	2.564	1.8	17.4	1390.6	252	57.0	9.2	3.6	3489	2.38	246.0	4860.2	3.8	156	3.2	5.7	108.4	25	5.97
1825459	Drill Core	1.25	3.454	10.8	80.9	1464.9	273	43.3	19.8	7.5	5692	5.04	44.0	3685.8	7.0	136	3.1	3.2	83.7	68	7.36
1825460	Rock Pulp	0.13	0.289	13.3	2210.7	1111.7	7000	18.3	32.9	18.2	508	8.85	288.5	50.3	1.3	46	51.2	36.9	12.3	48	2.05
1825461	Drill Core	6.39	0.192	0.6	37.2	81.9	83	3.9	20.5	8.3	347	1.78	413.5	109.3	8.0	26	1.0	2.9	26.6	4	0.96
1825462	Drill Core	6.50	0.201	0.6	78.3	23.4	78	1.0	38.7	15.9	506	4.00	281.2	17.1	12.3	43	1.0	0.8	10.6	16	2.55
1825463	Drill Core	2.82	0.511	0.4	84.3	10.0	52	1.1	32.3	12.3	270	3.95	288.9	213.8	10.9	43	0.8	0.7	17.2	13	2.42
1825464	Drill Core	4.81	0.151	0.4	33.2	5.2	28	0.5	13.9	5.3	209	1.96	164.8	171.6	8.1	23	0.2	0.3	7.6	8	0.70
1825465	Drill Core	3.60	0.019	0.3	19.9	4.4	23	0.3	11.1	5.5	222	1.61	61.9	4.6	9.4	15	0.2	0.3	1.5	6	0.38
1825466	Drill Core	6.08	0.617	0.5	58.0	4.0	64	0.4	16.3	7.4	338	2.47	58.5	553.6	8.2	46	0.5	0.2	14.8	14	1.69
1825467	Drill Core	5.77	1.274	0.6	107.8	251.3	811	8.3	30.3	13.7	1750	3.87	223.3	1266.4	11.0	87	11.5	1.2	30.4	31	3.65
1825468	Drill Core	1.47	0.039	0.4	97.9	65.9	229	2.3	26.3	11.7	871	3.40	58.8	27.0	10.7	52	2.7	0.5	4.0	14	2.56
1825469	Drill Core	1.98	0.165	5.1	46.2	10.9	127	0.5	38.2	12.3	407	2.86	576.8	140.5	11.5	67	1.0	0.4	3.4	27	1.85
1825470	Drill Core	2.02	0.145	6.1	31.2	8.5	117	0.4	34.4	11.1	450	2.50	727.9	101.0	10.1	72	0.6	0.6	2.9	27	2.34
1825471	Drill Core	4.76	0.289	0.6	76.1	7.1	61	0.6	34.2	13.9	295	3.39	231.3	285.0	8.7	83	0.6	0.4	9.0	24	1.74
1825472	Drill Core	7.76	0.266	0.3	36.5	24.9	48	1.5	15.9	12.4	481	2.03	914.6	147.8	6.5	70	0.5	0.6	9.1	11	2.84
1825473	Drill Core	3.34	0.517	0.4	63.9	36.4	139	1.3	26.9	13.2	559	3.18	106.5	438.8	12.9	55	1.7	0.6	14.1	17	2.11
1825474	Drill Core	5.68	0.048	0.3	26.7	11.5	38	0.3	13.3	6.0	334	1.64	10.7	32.8	7.2	166	0.9	0.2	1.9	13	5.07
1825475	Drill Core	4.73	0.269	10.6	38.7	6.2	33	0.4	42.0	8.4	308	1.88	284.0	224.4	6.7	189	0.3	0.3	5.0	53	5.92
1825476	Drill Core	5.68	0.449	9.4	98.4	153.5	566	2.6	57.8	15.8	827	3.45	90.4	280.4	9.7	78	7.7	2.9	10.0	68	2.94
1825477	Drill Core	1.98	0.019	1.4	6.9	145.2	388	0.8	7.4	1.2	1934	0.88	11.5	3.2	2.3	565	5.4	1.4	0.2	11	23.74
1825478	Drill Core	7.35	0.152	0.7	32.2	7.0	42	0.3	25.2	8.7	250	2.78	233.1	77.2	12.2	53	0.1	0.4	2.0	14	2.35
1825479	Drill Core	2.65	0.114	0.3	59.3	5.4	45	0.3	20.0	8.9	352	3.54	13.8	90.2	10.9	112	<0.1	0.2	2.9	21	2.94
1825480	Rock Pulp	0.13	2.822	13.4	3926.2	>10000	>10000	>100	98.6	45.3	4474	9.03	650.3	2415.6	5.0	21	130.1	193.8	27.2	69	2.03
1825481	Drill Core	4.71	0.119	<0.1	18.0	8.5	46	0.1	14.0	5.7	985	1.33	29.5	106.8	4.4	680	0.2	0.1	2.3	16	20.55
1825482	Drill Core	5.24	0.076	0.7	40.4	15.4	61	0.6	21.8	9.4	290	2.08	16.4	247.2	7.4	32	0.5	0.2	2.6	9	1.83
1825483	Drill Core	4.55	0.540	0.9	51.0	10.5	82	0.7	32.1	11.2	413	2.27	46.5	323.5	5.3	51	1.0	0.3	9.6	14	2.64
1825484	Drill Core	1.20	3.574	0.8	195.1	25.1	53	2.7	28.5	15.4	886	4.60	124.1	3775.0	3.9	47	0.3	0.6	77.6	13	4.18



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** August 21, 2019

**Page:** 3 of 5

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000172.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.9
1825455	Drill Core	0.015	15	6	0.29	118	0.001	<20	0.57	0.020	0.16	<0.1	<0.01	1.0	<0.1	0.78	1	1.7	<0.2
1825456	Drill Core	0.036	9	11	0.53	64	0.009	<20	0.83	0.020	0.15	>100	<0.01	1.9	0.1	1.08	3	3.0	0.3
1825457	Drill Core	0.033	8	13	0.90	84	0.002	<20	0.96	0.028	0.21	2.3	0.03	2.7	0.2	1.40	3	5.5	3.3
1825458	Drill Core	0.022	5	8	1.36	28	<0.001	<20	0.74	0.008	0.08	1.0	0.01	2.4	0.1	0.36	3	5.1	5.2
1825459	Drill Core	0.038	6	17	3.57	41	0.003	<20	1.52	0.018	0.10	0.7	0.02	4.0	0.2	1.02	8	7.5	3.3
1825460	Rock Pulp	0.038	4	39	2.43	44	0.005	<20	1.82	0.011	0.07	0.5	2.75	3.5	4.7	6.55	7	32.2	0.3
1825461	Drill Core	0.021	8	5	0.32	61	<0.001	<20	0.39	0.013	0.14	2.3	<0.01	1.1	<0.1	0.71	1	1.8	0.7
1825462	Drill Core	0.042	11	14	0.90	93	0.007	<20	1.16	0.031	0.20	0.5	<0.01	3.1	0.1	2.03	3	5.2	0.6
1825463	Drill Core	0.033	9	13	0.73	71	0.048	<20	1.14	0.026	0.14	0.4	<0.01	2.4	0.1	2.22	3	6.3	1.0
1825464	Drill Core	0.024	9	9	0.39	60	0.029	<20	0.76	0.016	0.15	0.4	<0.01	1.2	0.1	0.87	2	2.2	0.3
1825465	Drill Core	0.014	9	7	0.27	47	0.015	<20	0.51	0.004	0.15	0.1	<0.01	0.8	<0.1	0.67	1	0.7	<0.2
1825466	Drill Core	0.021	8	11	0.32	104	0.047	<20	1.11	0.045	0.14	9.9	<0.01	1.5	0.1	1.07	3	3.6	0.5
1825467	Drill Core	0.037	12	20	0.75	144	0.031	<20	1.70	0.035	0.26	1.8	0.02	3.7	0.3	1.70	5	6.3	1.5
1825468	Drill Core	0.024	10	13	0.69	113	0.003	<20	1.18	0.006	0.22	<0.1	<0.01	2.1	0.2	1.31	3	3.8	<0.2
1825469	Drill Core	0.029	12	22	0.73	174	0.055	<20	1.88	0.069	0.29	0.2	<0.01	3.0	0.2	1.05	6	2.7	<0.2
1825470	Drill Core	0.027	10	20	0.76	141	0.049	<20	1.81	0.069	0.20	0.2	<0.01	2.9	0.2	0.82	6	2.2	<0.2
1825471	Drill Core	0.031	7	21	0.84	154	0.054	<20	2.31	0.100	0.35	1.2	<0.01	3.2	0.4	1.59	6	4.7	0.4
1825472	Drill Core	0.017	7	8	0.36	64	0.003	<20	0.68	0.010	0.14	1.1	<0.01	1.9	0.2	0.86	2	2.8	0.5
1825473	Drill Core	0.030	12	13	0.59	106	0.018	<20	1.48	0.052	0.22	0.3	<0.01	2.7	0.2	1.44	4	3.1	0.6
1825474	Drill Core	0.024	7	10	0.20	209	0.032	<20	1.29	0.083	0.13	1.2	<0.01	1.6	<0.1	0.80	3	1.2	<0.2
1825475	Drill Core	0.031	10	12	0.20	334	0.032	<20	0.84	0.039	0.18	>100	<0.01	1.7	0.1	0.87	2	1.6	0.3
1825476	Drill Core	0.046	11	15	0.60	206	0.027	<20	1.23	0.020	0.21	0.4	<0.01	3.0	0.3	1.56	4	5.0	0.3
1825477	Drill Core	0.003	4	4	0.24	63	0.007	<20	0.27	0.001	0.05	0.2	<0.01	1.4	<0.1	0.35	<1	<0.5	<0.2
1825478	Drill Core	0.025	12	12	0.37	182	0.026	<20	1.02	0.015	0.22	1.9	<0.01	1.8	0.1	0.98	3	0.9	<0.2
1825479	Drill Core	0.034	10	17	0.53	239	0.043	<20	1.47	0.024	0.34	39.2	<0.01	2.4	0.3	1.19	4	2.5	<0.2
1825480	Rock Pulp	0.048	15	50	1.89	34	0.095	<20	2.00	0.040	0.28	2.2	2.41	5.6	1.7	5.01	9	9.8	0.4
1825481	Drill Core	0.030	9	11	0.29	196	0.045	<20	1.26	0.068	0.09	1.2	<0.01	1.7	<0.1	0.30	4	0.6	<0.2
1825482	Drill Core	0.020	8	8	0.30	64	0.033	<20	0.61	0.008	0.15	39.8	<0.01	1.3	<0.1	0.95	2	1.6	<0.2
1825483	Drill Core	0.068	7	14	0.36	93	0.035	<20	0.89	0.042	0.11	>100	<0.01	1.8	<0.1	0.90	4	2.1	0.3
1825484	Drill Core	0.033	5	9	0.40	21	0.034	<20	0.81	0.010	0.03	>100	<0.01	1.3	<0.1	2.19	4	4.8	2.7





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 21, 2019

Page: 4 of 5

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000172.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1825485	Drill Core	4.70	0.094	0.3	45.7	6.2	41	0.3	21.0	10.9	416	2.73	19.8	73.3	7.9	128	0.1	0.2	2.6	17	4.69
1825486	Drill Core	4.01	0.014	0.1	4.8	4.7	31	<0.1	10.1	4.2	321	0.48	12.3	2.7	1.7	973	0.2	0.1	0.2	4	28.81
1825487	Drill Core	5.57	0.018	0.3	30.3	4.5	25	0.3	24.0	9.2	154	2.21	572.4	2.8	11.4	26	<0.1	0.6	1.7	8	0.57
1825488	Drill Core	6.29	0.161	0.4	39.7	4.3	37	1.2	27.0	12.1	182	2.97	158.4	78.8	10.7	42	<0.1	0.3	5.1	16	0.52
1825489	Drill Core	2.51	0.111	0.3	44.1	3.8	43	0.4	25.5	11.5	185	3.25	75.9	66.9	9.8	44	0.2	0.2	3.4	17	0.63
1825490	Drill Core	2.42	0.139	0.3	40.5	3.5	48	0.4	28.1	12.4	180	3.34	42.8	115.9	10.8	41	0.4	0.1	3.8	18	0.62
1825491	Drill Core	6.03	0.065	1.4	51.9	4.8	46	0.3	33.0	12.8	249	3.02	106.1	25.8	10.4	49	0.2	0.4	2.8	22	1.32
1825492	Drill Core	3.92	0.076	3.3	50.3	44.7	127	2.1	56.1	11.0	499	2.98	524.7	1.5	9.6	35	1.3	2.1	2.1	28	0.43
1825493	Drill Core	3.55	0.025	5.9	104.5	9.0	151	1.5	57.1	8.1	503	2.78	43.3	1.9	4.4	35	1.1	1.6	1.4	48	0.49
1825494	Drill Core	4.76	0.037	5.3	79.0	4.6	69	0.6	53.3	8.6	474	2.39	367.6	10.8	3.5	45	0.5	3.5	1.2	74	0.69
1825495	Drill Core	5.41	0.013	4.0	62.5	7.2	45	0.5	61.5	8.8	451	2.74	190.4	3.8	6.4	43	0.3	1.7	0.5	35	0.98
1825496	Drill Core	2.40	0.075	3.4	46.2	661.8	1093	5.4	45.3	8.3	1205	2.26	140.3	36.0	5.6	73	15.1	8.6	0.4	52	1.30
1825497	Drill Core	2.00	0.023	1.4	33.0	58.7	128	1.2	46.5	8.7	305	2.57	67.1	14.2	5.4	21	1.3	0.9	0.3	26	0.26
1825498	Drill Core	4.86	0.017	1.3	32.6	25.3	88	0.4	27.7	6.1	330	1.77	168.2	5.6	4.8	26	0.9	1.2	0.4	27	0.57
1825499	Drill Core	5.21	0.116	4.1	47.0	15.3	59	0.9	48.8	7.7	419	2.01	243.4	89.8	6.0	65	0.6	1.4	1.8	72	1.83
1825500	Rock	0.70	<0.005	<0.1	0.4	0.4	<1	<0.1	0.5	<0.1	97	0.06	1.1	<0.5	<0.1	88	<0.1	<0.1	<0.1	<1	34.30
1824501	Drill Core	2.04	0.285	4.0	35.7	10.1	28	0.6	68.5	1.8	233	1.46	463.0	185.7	3.2	43	0.3	1.5	4.4	332	2.06
1824502	Drill Core	1.39	7.669	0.4	184.9	4.3	1401	1.9	9.3	5.7	965	6.33	277.5	10034.8	1.3	38	35.7	1.1	215.5	58	3.40
1824503	Drill Core	1.20	>10	3.7	1084.6	8.0	>10000	3.4	13.7	16.1	638	17.16	848.9	12204.3	3.8	89	350.2	1.2	305.3	56	1.05
1824504	Drill Core	2.10	>10	8.9	677.7	5.6	>10000	3.8	15.0	15.0	466	18.05	788.3	19336.6	1.9	71	424.3	1.3	481.8	31	2.29
1824505	Drill Core	6.66	3.872	3.7	124.3	3.0	172	0.7	9.5	5.7	732	5.08	329.8	3075.6	2.2	77	3.0	0.6	90.9	19	4.02
1824506	Drill Core	1.48	5.641	0.6	73.5	6.4	109	0.9	9.0	4.9	289	3.56	709.1	5160.7	4.5	126	2.7	0.7	64.6	12	4.30
1824507	Drill Core	7.21	0.636	0.5	34.4	23.0	34	0.9	1.3	0.7	215	0.80	492.1	308.2	6.9	97	0.4	0.3	4.4	1	3.91
1824508	Drill Core	8.08	1.108	0.2	19.4	5.3	18	0.3	1.2	0.4	117	0.76	270.4	245.4	8.3	63	0.2	0.2	3.5	1	4.06
1824509	Drill Core	3.81	0.632	0.9	16.8	37.8	70	1.9	1.6	0.7	272	0.81	303.5	1729.0	7.6	79	0.8	0.1	3.5	2	3.99
1824510	Drill Core	4.00	0.774	0.5	16.3	36.3	108	1.7	1.5	0.7	343	0.85	431.6	918.4	8.6	82	1.5	0.1	3.9	2	3.95
1824511	Drill Core	4.66	7.443	2.3	668.2	225.5	1088	11.0	22.7	25.9	855	11.67	289.2	6390.7	10.6	58	22.8	2.8	167.1	29	2.36
1824512	Drill Core	6.34	2.093	2.5	812.5	253.0	327	3.9	26.8	31.0	909	13.89	36.1	1572.1	5.7	110	5.0	1.4	46.8	35	4.22
1824513	Drill Core	4.62	0.097	4.0	49.6	4.0	53	0.2	44.6	6.2	355	2.11	750.3	69.4	5.3	87	0.3	0.4	2.1	34	1.72
1824514	Drill Core	7.87	0.025	8.8	79.5	3.6	49	0.2	58.7	8.7	273	2.70	60.2	12.6	6.1	62	0.2	0.4	1.1	58	0.78



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** August 21, 2019

**Page:** 4 of 5

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000172.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	Au gm/t	
1825485	Drill Core	0.034	7	15	0.57	139	0.063	<20	1.53	0.052	0.40	57.5	0.02	2.5	0.4	1.00	4	1.7	<0.2	
1825486	Drill Core	0.025	3	3	0.27	39	0.007	<20	0.28	0.014	0.06	0.7	<0.01	1.4	<0.1	0.13	<1	<0.5	<0.2	
1825487	Drill Core	0.028	10	8	0.39	93	0.024	<20	0.88	0.013	0.21	0.7	<0.01	1.3	0.1	0.92	2	1.8	<0.2	
1825488	Drill Core	0.030	10	14	0.68	161	0.077	<20	1.41	0.016	0.40	1.8	<0.01	2.1	0.4	1.23	3	2.0	<0.2	
1825489	Drill Core	0.037	10	14	0.74	172	0.066	<20	1.53	0.020	0.23	0.6	<0.01	1.9	0.2	1.13	4	2.4	0.2	
1825490	Drill Core	0.039	11	15	0.68	203	0.070	<20	1.54	0.020	0.29	1.2	<0.01	1.9	0.2	1.13	4	2.4	0.2	
1825491	Drill Core	0.042	13	16	0.82	111	0.027	<20	1.22	0.012	0.19	0.3	<0.01	2.5	0.1	1.15	3	3.1	<0.2	
1825492	Drill Core	0.048	10	14	0.40	146	0.001	<20	1.02	0.012	0.15	0.9	<0.01	2.1	0.2	1.34	2	2.9	<0.2	
1825493	Drill Core	0.078	9	16	0.49	210	0.002	<20	0.84	0.009	0.14	2.9	<0.01	1.7	0.1	1.21	2	4.1	<0.2	
1825494	Drill Core	0.128	8	16	0.51	211	0.002	<20	0.81	0.006	0.13	0.3	<0.01	2.0	0.2	0.82	2	1.5	<0.2	
1825495	Drill Core	0.065	10	17	0.44	147	0.002	<20	0.84	0.012	0.13	0.2	<0.01	1.7	<0.1	0.85	3	3.1	<0.2	
1825496	Drill Core	0.094	12	22	0.44	127	0.002	<20	0.98	0.008	0.15	0.1	<0.01	2.9	0.2	0.43	3	1.5	<0.2	
1825497	Drill Core	0.071	12	15	0.38	177	0.003	<20	1.02	0.010	0.19	<0.1	<0.01	1.8	0.2	0.60	3	1.4	<0.2	
1825498	Drill Core	0.044	12	14	0.35	240	0.003	<20	0.78	0.005	0.15	0.1	<0.01	1.7	0.1	0.34	2	0.9	<0.2	
1825499	Drill Core	0.090	14	22	0.43	218	0.004	<20	0.89	0.005	0.13	0.4	<0.01	2.0	0.1	0.55	3	1.9	<0.2	
1825500	Rock	0.007	1	<1	0.41	19	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2	
1824501	Drill Core	0.191	8	35	0.19	49	0.006	<20	0.51	0.015	0.10	3.5	<0.01	2.3	0.2	0.48	3	2.0	<0.2	
1824502	Drill Core	0.077	3	5	0.32	23	0.010	<20	0.92	0.016	0.02	>100	*	0.9	<0.1	2.84	6	11.1	6.4	
1824503	Drill Core	0.034	6	14	0.54	44	0.018	<20	2.71	0.061	0.05	>100	*	1.7	0.1	9.84	14	41.6	8.6	11.4
1824504	Drill Core	0.054	4	6	0.27	30	0.010	<20	1.32	0.050	0.02	>100	*	0.7	<0.1	>10	7	44.2	12.3	17.1
1824505	Drill Core	0.069	4	6	0.27	97	0.019	<20	1.38	0.061	0.03	>100	*	1.0	<0.1	2.36	9	8.8	2.7	
1824506	Drill Core	0.509	24	9	0.42	162	0.006	<20	2.05	0.057	0.07	>100	0.03	1.8	0.2	1.31	16	4.4	4.8	
1824507	Drill Core	0.016	15	1	0.12	99	<0.001	<20	0.42	0.052	0.07	47.1	0.01	0.4	<0.1	0.32	2	0.9	0.2	
1824508	Drill Core	0.017	14	2	0.15	32	<0.001	<20	0.38	0.064	0.03	33.6	0.01	0.6	<0.1	0.22	2	<0.5	<0.2	
1824509	Drill Core	0.017	13	2	0.16	99	<0.001	<20	0.50	0.079	0.06	19.0	<0.01	0.5	<0.1	0.18	2	<0.5	<0.2	
1824510	Drill Core	0.017	14	2	0.17	95	<0.001	<20	0.49	0.072	0.06	17.8	<0.01	0.4	<0.1	0.19	2	0.5	<0.2	
1824511	Drill Core	0.051	11	12	0.64	90	0.027	<20	1.48	0.028	0.16	>100	0.08	1.7	0.2	5.89	6	28.2	5.5	
1824512	Drill Core	0.090	10	15	0.70	75	0.014	<20	2.09	0.075	0.09	>100	*	3.6	<0.1	7.29	10	39.1	1.8	
1824513	Drill Core	0.093	11	15	0.47	321	0.003	<20	0.96	0.030	0.20	6.6	<0.01	1.9	0.2	0.56	3	2.0	<0.2	
1824514	Drill Core	0.067	12	22	0.54	372	0.017	<20	1.08	0.012	0.24	2.5	<0.01	2.0	0.3	0.85	3	3.1	<0.2	



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 21, 2019

Page: 5 of 5

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000172.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1824515	Drill Core	5.41	0.095	0.7	50.9	2.0	21	0.2	28.2	6.3	126	1.41	53.8	2.9	3.4	24	<0.1	0.5	2.9	20	0.47
1824516	Drill Core	5.89	0.047	0.7	34.0	2.6	17	0.2	28.0	4.6	157	1.50	157.3	4.7	3.9	31	<0.1	0.5	1.5	11	0.76
1824517	Drill Core	4.83	0.024	0.4	14.2	1.6	15	<0.1	13.6	2.7	100	0.86	26.9	0.8	2.5	12	<0.1	0.5	0.6	6	0.25



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 21, 2019

Page: 5 of 5

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000172.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.9	
1824515	Drill Core	0.014	10	10	0.35	233	0.002	<20	0.53	0.011	0.13	0.8	<0.01	1.7	<0.1	0.49	2	1.2	0.2	
1824516	Drill Core	0.025	8	8	0.24	130	0.002	<20	0.42	0.010	0.10	0.5	<0.01	1.3	<0.1	0.63	1	1.2	<0.2	
1824517	Drill Core	0.021	8	6	0.12	103	0.001	<20	0.25	0.005	0.08	0.4	<0.01	0.6	<0.1	0.24	<1	<0.5	<0.2	



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 21, 2019

Page: 1 of 3

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000172.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
Pulp Duplicates																					
1825436	Drill Core	4.55	0.115	8.3	73.8	28.7	231	2.1	59.0	18.0	952	3.81	857.8	78.0	10.5	134	2.1	1.3	3.8	15	4.17
REP 1825436	QC		0.109	8.1	68.7	28.8	220	2.0	54.3	18.1	959	3.64	828.8	79.1	10.2	130	2.1	1.2	3.9	14	3.93
1825463	Drill Core	2.82	0.511	0.4	84.3	10.0	52	1.1	32.3	12.3	270	3.95	288.9	213.8	10.9	43	0.8	0.7	17.2	13	2.42
REP 1825463	QC		0.548																		
1825470	Drill Core	2.02	0.145	6.1	31.2	8.5	117	0.4	34.4	11.1	450	2.50	727.9	101.0	10.1	72	0.6	0.6	2.9	27	2.34
REP 1825470	QC			5.6	31.5	8.3	118	0.5	34.2	11.2	478	2.53	763.1	180.6	10.2	73	0.5	0.5	2.7	27	2.40
1824503	Drill Core	1.20	>10	3.7	1084.6	8.0	>10000	3.4	13.7	16.1	638	17.16	848.9	12204.3	3.8	89	350.2	1.2	305.3	56	1.05
REP 1824503	QC																				
1824504	Drill Core	2.10	>10	8.9	677.7	5.6	>10000	3.8	15.0	15.0	466	18.05	788.3	19336.6	1.9	71	424.3	1.3	481.8	31	2.29
REP 1824504	QC			8.6	731.2	6.0	>10000	3.4	15.3	16.2	509	18.94	827.8	18191.2	1.5	75	431.3	1.2	498.2	33	2.47
1824509	Drill Core	3.81	0.632	0.9	16.8	37.8	70	1.9	1.6	0.7	272	0.81	303.5	1729.0	7.6	79	0.8	0.1	3.5	2	3.99
REP 1824509	QC		0.760																		
Core Reject Duplicates																					
1825431	Drill Core	2.87	0.031	5.0	42.0	8.0	152	0.5	34.1	11.8	329	2.74	95.0	6.1	13.2	18	0.9	0.9	3.4	10	0.41
DUP 1825431	QC		0.029	5.4	45.0	6.5	163	0.6	36.1	12.7	347	2.81	102.2	75.4	14.5	18	1.1	0.9	3.5	10	0.35
1825465	Drill Core	3.60	0.019	0.3	19.9	4.4	23	0.3	11.1	5.5	222	1.61	61.9	4.6	9.4	15	0.2	0.3	1.5	6	0.38
DUP 1825465	QC		0.016	0.3	20.0	4.5	23	0.3	11.2	5.7	244	1.69	46.9	3.4	9.1	15	0.2	0.3	1.7	6	0.38
1825499	Drill Core	5.21	0.116	4.1	47.0	15.3	59	0.9	48.8	7.7	419	2.01	243.4	89.8	6.0	65	0.6	1.4	1.8	72	1.83
DUP 1825499	QC		0.138	5.0	52.3	16.8	61	1.0	51.6	7.8	467	2.13	257.1	54.4	6.4	71	0.5	1.6	2.5	74	2.01
Reference Materials																					
STD AGPROOF	Standard																				
STD AGPROOF	Standard																				
STD BVGEO01	Standard			10.6	4561.6	182.2	1819	2.6	163.5	25.3	727	3.77	123.3	218.1	17.2	60	6.5	2.2	24.6	76	1.31
STD DS11	Standard			15.1	155.2	144.0	340	1.8	78.6	13.3	1023	3.18	42.8	52.1	8.7	68	2.4	6.7	12.4	51	1.05
STD DS11	Standard			15.8	159.2	136.0	353	1.6	81.9	13.5	1024	3.23	46.1	92.1	7.9	72	2.3	7.6	11.7	51	1.09
STD OREAS262	Standard			0.5	126.7	56.8	157	0.5	66.3	28.2	548	3.39	38.4	60.4	10.4	38	0.6	4.0	1.1	22	3.16
STD OREAS262	Standard			0.5	121.3	58.4	153	0.5	64.9	27.5	543	3.36	36.5	58.1	10.6	38	0.7	2.6	1.0	23	3.02
STD OREAS262	Standard			0.6	124.3	54.9	153	0.5	66.2	28.0	544	3.37	37.1	61.4	10.7	38	0.7	2.6	0.9	23	3.03



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 21, 2019

Page: 1 of 3

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000172.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.9	
Pulp Duplicates																				
1825436	Drill Core	0.050	11	13	1.12	137	0.001	<20	0.87	0.022	0.21	0.3	<0.01	3.4	0.2	0.79	3	5.1	<0.2	
REP 1825436	QC	0.053	11	10	1.08	134	0.001	<20	0.83	0.021	0.20	0.3	<0.01	3.5	0.2	0.76	3	5.2	0.2	
1825463	Drill Core	0.033	9	13	0.73	71	0.048	<20	1.14	0.026	0.14	0.4	<0.01	2.4	0.1	2.22	3	6.3	1.0	
REP 1825463	QC																			
1825470	Drill Core	0.027	10	20	0.76	141	0.049	<20	1.81	0.069	0.20	0.2	<0.01	2.9	0.2	0.82	6	2.2	<0.2	
REP 1825470	QC	0.027	10	20	0.77	145	0.049	<20	1.82	0.071	0.20	0.2	<0.01	3.0	0.2	0.84	6	1.7	<0.2	
1824503	Drill Core	0.034	6	14	0.54	44	0.018	<20	2.71	0.061	0.05	>100	*	1.7	0.1	9.84	14	41.6	8.6	11.4
REP 1824503	QC																			11.3
1824504	Drill Core	0.054	4	6	0.27	30	0.010	<20	1.32	0.050	0.02	>100	*	0.7	<0.1	>10	7	44.2	12.3	17.1
REP 1824504	QC	0.056	4	6	0.30	31	0.011	<20	1.43	0.056	0.02	>100	*	0.8	<0.1	>10	7	47.8	12.6	17.5
1824509	Drill Core	0.017	13	2	0.16	99	<0.001	<20	0.50	0.079	0.06	19.0	<0.01	0.5	<0.1	0.18	2	<0.5	<0.2	
REP 1824509	QC																			
Core Reject Duplicates																				
1825431	Drill Core	0.030	19	9	0.35	142	0.017	<20	0.76	0.017	0.17	0.3	<0.01	1.8	<0.1	<0.05	2	1.0	<0.2	
DUP 1825431	QC	0.032	19	10	0.36	141	0.016	<20	0.78	0.017	0.17	0.4	<0.01	1.8	<0.1	<0.05	2	1.4	<0.2	
1825465	Drill Core	0.014	9	7	0.27	47	0.015	<20	0.51	0.004	0.15	0.1	<0.01	0.8	<0.1	0.67	1	0.7	<0.2	
DUP 1825465	QC	0.015	11	8	0.29	59	0.018	<20	0.57	0.004	0.18	0.1	<0.01	0.8	0.1	0.65	1	0.7	<0.2	
1825499	Drill Core	0.090	14	22	0.43	218	0.004	<20	0.89	0.005	0.13	0.4	<0.01	2.0	0.1	0.55	3	1.9	<0.2	
DUP 1825499	QC	0.091	15	23	0.45	252	0.003	<20	0.94	0.006	0.14	0.4	<0.01	1.9	0.2	0.54	3	1.7	<0.2	
Reference Materials																				
STD AGPROOF	Standard																			<0.9
STD AGPROOF	Standard																			<0.9
STD BVGE001	Standard	0.069	28	180	1.32	337	0.248	<20	2.35	0.198	0.93	3.7	0.09	5.9	0.7	0.69	7	4.8	0.8	
STD DS11	Standard	0.073	19	60	0.85	432	0.099	<20	1.16	0.068	0.40	3.3	0.28	3.2	5.1	0.28	5	1.7	4.4	
STD DS11	Standard	0.062	19	61	0.86	418	0.099	<20	1.20	0.072	0.41	2.7	0.27	3.3	5.0	0.29	5	2.4	4.4	
STD OREAS262	Standard	0.041	17	43	1.20	260	0.004	<20	1.23	0.068	0.32	0.2	0.15	3.4	0.5	0.28	4	<0.5	0.2	
STD OREAS262	Standard	0.042	19	44	1.18	252	0.004	<20	1.32	0.068	0.34	<0.1	0.16	3.5	0.5	0.27	4	<0.5	0.3	
STD OREAS262	Standard	0.040	17	45	1.21	248	0.004	<20	1.33	0.069	0.32	<0.1	0.15	3.3	0.4	0.27	4	<0.5	0.3	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 21, 2019

Page: 2 of 3

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000172.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
STD OREAS256	Standard		7.697																		
STD OREAS256	Standard		7.660																		
STD OXC145	Standard		0.205																		
STD OXC145	Standard		0.211																		
STD OXH139	Standard		1.290																		
STD OXH139	Standard		1.332																		
STD OXQ114	Standard																				
STD OXQ114	Standard																				
STD SP49	Standard																				
STD SP49	Standard																				
STD BVGEO01 Expected				10.8	4415	187	1741	2.53	163	25	733	3.7	121	219	14.4	55	6.5	2.2	25.6	73	1.3219
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063
STD OREAS262 Expected				0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	65	9.33	36	0.61	3.39	1.03	22.5	2.98
STD OXC145 Expected			0.212																		
STD OXH139 Expected			1.312																		
STD OREAS256 Expected			7.66																		
STD AGPROOF Expected																					
STD SP49 Expected																					
STD OXQ114 Expected																					
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	0.01
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank																				
BLK	Blank																				
Prep Wash																					



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 21, 2019

Page: 2 of 3

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000172.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550		
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t	
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.9	
STD OREAS256	Standard																				
STD OREAS256	Standard																				
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXQ114	Standard																				35.3
STD OXQ114	Standard																				35.6
STD SP49	Standard																				18.3
STD SP49	Standard																				18.4
STD BVGE001 Expected		0.0727	25.9	171	1.2963	340	0.233		2.347	0.1924	0.89	3.5	0.1	5.97	0.62	0.6655	7.37	4.84	1.02		
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56		
STD OREAS262 Expected		0.04	15.9	41.7	1.17	248	0.003		1.204	0.071	0.312	0.13	0.17	3.24	0.47	0.253	3.73	0.4	0.23		
STD OXC145 Expected																					
STD OXH139 Expected																					
STD OREAS256 Expected																					
STD AGPROOF Expected																					0
STD SP49 Expected																					18.34
STD OXQ114 Expected																					35.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	0.5	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				<0.9
BLK	Blank																				<0.9
Prep Wash																					





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 21, 2019

Page: 3 of 3

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000172.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
ROCK-WHI	Prep Blank	<0.005	0.8	2.9	1.6	30	<0.1	1.0	4.0	486	1.91	1.6	1.0	2.4	27	<0.1	<0.1	<0.1	26	0.64	
ROCK-WHI	Prep Blank	<0.005	0.7	2.3	1.4	28	<0.1	0.8	3.9	490	1.98	1.3	0.6	2.8	25	<0.1	<0.1	<0.1	26	0.62	



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 21, 2019

Page: 3 of 3

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000172.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.9
ROCK-WHI	Prep Blank	0.041	7	3	0.47	59	0.097	<20	0.95	0.077	0.09	0.2	<0.01	3.0	<0.1	<0.05	4	<0.5	<0.2	
ROCK-WHI	Prep Blank	0.041	8	2	0.43	69	0.103	<20	0.92	0.096	0.11	0.2	<0.01	3.3	<0.1	<0.05	4	<0.5	<0.2	



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Submitted By: James Thom  
Receiving Lab: Canada-Whitehorse  
Received: July 08, 2019  
Report Date: August 19, 2019  
Page: 1 of 6

# CERTIFICATE OF ANALYSIS

WHI19000173.1

## CLIENT JOB INFORMATION

Project: McQuesten  
Shipment ID: MQ-19-07  
P.O. Number  
Number of Samples: 125

## SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
RTRN-RJT Return After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	121	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	4	Sort, label and box pulps			WHI
FA450	125	50g Lead Collection Fire Assay Fusion - AAS Finish	50	Completed	VAN
EN002	125	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	125	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	125	Per sample shipping charges for branch shipments			VAN
FA550	2	Lead collection fire assay 50G fusion - Grav finish	50	Completed	VAN

## ADDITIONAL COMMENTS

Invoice To: Banyan Gold Corp.  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7  
Canada

CC: Paul Gray

  
SOFIA DEVOTA  
XRF Manager

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** August 19, 2019

**Page:** 2 of 6

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000173.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1824518	Drill Core	2.92	0.124	6.6	49.5	6.7	136	0.6	22.4	7.9	175	3.91	307.2	79.6	12.9	12	1.3	0.9	5.0	14	0.10
1824519	Drill Core	4.23	0.067	5.2	67.1	8.5	184	0.5	45.0	12.2	322	3.99	365.0	31.2	14.5	31	1.1	1.3	4.2	27	0.79
1824520	Rock Pulp	0.13	0.299	13.9	2349.0	1088.3	7399	20.0	33.1	19.8	543	9.20	289.8	38.2	1.5	49	50.3	29.9	13.3	48	2.18
1824521	Drill Core	1.59	0.152	4.7	56.1	9.3	295	1.1	86.0	12.8	531	3.36	855.1	118.1	7.4	118	2.6	2.8	3.1	19	3.35
1824522	Drill Core	1.23	0.207	5.4	82.3	12.5	230	1.8	48.2	8.7	309	4.57	2571.1	71.9	12.5	26	4.8	5.2	5.8	10	0.18
1824523	Drill Core	6.75	0.056	2.8	19.1	4.4	34	0.8	4.5	1.4	72	2.00	429.4	5.0	9.0	15	0.4	1.4	1.7	4	0.05
1824524	Drill Core	4.68	0.023	4.5	36.1	4.1	109	0.6	25.6	7.6	401	2.54	173.2	286.5	10.3	8	0.8	0.9	1.5	5	0.06
1824525	Drill Core	4.73	0.106	4.6	58.1	7.5	137	0.6	44.9	15.6	520	3.28	132.6	40.1	10.6	31	0.8	0.8	4.8	11	1.10
1824526	Drill Core	3.40	0.039	0.5	8.2	4.4	51	<0.1	13.3	4.1	501	0.66	20.3	30.2	2.0	708	0.3	0.2	0.6	4	27.70
1824527	Drill Core	3.54	0.038	0.7	6.6	4.6	63	<0.1	17.5	5.5	726	0.77	16.8	61.6	1.8	643	0.3	0.4	0.5	4	26.14
1824528	Drill Core	2.58	0.095	3.1	45.8	7.9	142	0.8	41.5	11.0	487	3.44	111.9	41.8	12.7	27	0.5	1.1	4.5	11	0.87
1824529	Drill Core	2.51	0.317	3.6	83.5	6.6	87	0.5	47.3	18.8	478	3.61	18.8	75.1	10.0	60	<0.1	0.9	7.1	34	2.42
1824530	Drill Core	2.30	0.112	3.1	66.2	5.7	72	0.4	39.8	16.5	301	2.86	24.6	27.7	11.4	58	0.2	0.9	3.9	27	1.33
1824531	Drill Core	4.86	0.521	1.6	62.3	7.4	93	0.5	32.1	12.4	511	2.67	29.9	312.4	9.4	114	0.3	0.3	10.0	25	4.08
1824532	Drill Core	4.33	0.272	0.9	45.7	6.3	86	0.4	26.0	11.5	474	2.60	30.5	100.4	11.3	84	0.2	0.4	6.4	17	4.25
1824533	Drill Core	4.06	0.078	1.8	46.2	7.6	47	0.5	26.8	11.8	241	2.50	56.2	16.0	11.6	34	0.4	0.3	4.5	13	0.97
1824534	Drill Core	1.18	0.089	0.3	13.1	4.7	24	<0.1	8.1	3.9	358	0.68	34.6	48.5	2.3	492	0.1	<0.1	1.4	5	23.54
1824535	Drill Core	2.36	0.256	1.4	70.3	7.5	64	0.6	32.7	15.1	523	2.96	133.1	297.9	8.1	239	0.2	0.1	6.7	22	6.66
1824536	Drill Core	2.76	0.015	1.6	55.1	7.4	45	0.6	37.1	18.1	265	3.56	73.6	1.6	14.4	13	<0.1	0.4	3.8	12	0.40
1824537	Drill Core	3.52	0.189	2.3	58.6	6.8	49	0.5	26.6	12.0	342	2.69	136.7	231.5	11.1	31	0.1	0.2	6.0	16	0.96
1824538	Drill Core	2.35	0.072	1.4	24.2	5.6	30	0.2	13.2	5.3	189	1.30	93.2	60.7	10.8	66	0.1	0.1	2.4	6	0.67
1824539	Drill Core	5.59	0.163	2.2	43.9	5.4	65	0.3	17.6	7.7	355	1.93	146.3	322.5	9.8	68	0.3	0.3	4.6	13	1.48
1824540	Rock Pulp	0.13	2.731	13.0	3907.8	>10000	>10000	>100	97.8	43.6	4378	8.81	637.3	2648.8	5.3	20	125.0	197.7	30.8	65	1.95
1824541	Drill Core	4.18	0.150	3.0	41.0	6.7	64	0.3	24.1	9.1	497	1.85	150.1	72.4	8.0	83	0.4	0.6	3.9	13	3.74
1824542	Drill Core	5.79	0.342	1.8	69.5	9.2	81	0.8	44.7	16.9	364	3.76	394.6	148.3	14.3	39	0.3	0.4	11.9	21	0.93
1824543	Drill Core	6.57	0.590	3.6	102.9	8.5	88	0.7	55.2	22.1	335	3.64	571.1	328.9	11.2	85	0.3	0.7	17.4	38	1.64
1824544	Drill Core	1.56	0.006	2.8	35.0	6.3	114	0.3	41.7	13.4	326	1.94	37.0	<0.5	8.7	26	1.4	0.4	0.6	10	0.76
1824545	Drill Core	7.29	0.027	11.5	52.2	5.3	83	0.4	64.6	15.5	244	3.13	122.5	8.6	10.6	51	0.5	1.0	1.2	80	0.97
1824546	Drill Core	5.65	0.006	19.7	38.1	5.7	127	0.2	77.7	8.8	148	1.63	109.3	<0.5	4.9	49	1.7	1.0	0.3	122	0.59
1824547	Drill Core	5.54	0.010	32.1	30.9	6.8	101	0.2	73.2	9.2	154	1.61	379.9	<0.5	5.3	60	0.7	0.7	0.3	102	0.85



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** August 19, 2019

**Page:** 2 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000173.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	Au gm/t	
1824518	Drill Core	0.034	31	11	0.63	149	0.003	<20	1.01	0.015	0.19	1.8	<0.01	3.4	<0.1	<0.05	3	1.8	0.2	
1824519	Drill Core	0.054	31	17	0.86	314	0.004	<20	1.48	0.024	0.24	0.3	<0.01	4.2	0.1	<0.05	4	2.5	<0.2	
1824520	Rock Pulp	0.042	4	40	2.57	49	0.005	<20	2.00	0.014	0.07	0.5	2.81	3.7	5.1	6.81	7	27.8	0.3	
1824521	Drill Core	0.041	17	10	0.47	172	0.003	<20	1.00	0.016	0.14	12.0	<0.01	3.4	<0.1	<0.05	3	2.7	<0.2	
1824522	Drill Core	0.061	30	8	0.28	264	0.001	<20	1.03	0.017	0.19	0.4	<0.01	3.8	<0.1	<0.05	2	2.3	0.4	
1824523	Drill Core	0.019	25	4	0.05	161	0.001	<20	0.28	0.022	0.14	0.6	<0.01	1.0	<0.1	0.07	1	0.7	<0.2	
1824524	Drill Core	0.030	22	6	0.12	229	0.002	<20	0.44	0.006	0.17	0.3	<0.01	1.3	<0.1	<0.05	1	1.2	<0.2	
1824525	Drill Core	0.031	17	10	0.38	194	0.007	<20	0.75	0.014	0.15	0.3	<0.01	2.0	<0.1	<0.05	2	1.1	0.3	
1824526	Drill Core	0.043	3	4	0.34	336	0.015	22	0.40	0.017	0.05	0.2	<0.01	0.8	<0.1	<0.05	1	<0.5	<0.2	
1824527	Drill Core	0.025	3	4	0.32	143	0.010	<20	0.35	0.007	0.04	0.4	<0.01	1.0	<0.1	0.06	1	<0.5	<0.2	
1824528	Drill Core	0.032	21	11	0.48	195	0.091	<20	1.14	0.008	0.18	0.3	<0.01	2.8	<0.1	<0.05	3	5.0	0.2	
1824529	Drill Core	0.072	13	24	1.28	746	0.055	<20	2.09	0.031	0.23	0.4	<0.01	4.2	0.2	0.99	6	3.7	0.5	
1824530	Drill Core	0.060	15	21	0.96	1313	0.051	<20	1.94	0.034	0.22	0.4	<0.01	3.3	0.2	0.60	5	4.0	<0.2	
1824531	Drill Core	0.047	11	19	1.09	584	0.092	<20	2.16	0.027	0.15	1.0	<0.01	3.2	<0.1	0.72	5	1.3	0.5	
1824532	Drill Core	0.039	11	13	0.77	249	0.072	<20	1.46	0.021	0.15	26.4	<0.01	2.3	<0.1	0.86	4	2.9	0.4	
1824533	Drill Core	0.031	11	11	0.61	208	0.079	<20	1.53	0.034	0.18	0.7	<0.01	2.1	<0.1	1.07	4	3.4	0.2	
1824534	Drill Core	0.020	3	5	0.30	116	0.020	<20	0.72	0.033	0.03	0.2	0.01	3.8	<0.1	0.18	2	1.4	<0.2	
1824535	Drill Core	0.028	6	16	0.85	203	0.077	<20	2.32	0.083	0.14	34.1	<0.01	3.3	<0.1	1.36	6	3.2	0.4	
1824536	Drill Core	0.063	14	13	0.56	141	0.115	24	1.01	0.010	0.21	0.7	<0.01	1.6	0.1	1.64	2	1.7	<0.2	
1824537	Drill Core	0.035	10	11	0.64	223	0.059	<20	1.31	0.027	0.18	0.5	<0.01	2.2	<0.1	1.10	3	3.9	0.2	
1824538	Drill Core	0.015	11	7	0.41	297	0.028	<20	0.95	0.026	0.14	0.3	<0.01	1.1	<0.1	0.40	2	1.5	<0.2	
1824539	Drill Core	0.019	10	11	0.58	204	0.046	<20	1.17	0.029	0.14	48.8	<0.01	1.9	<0.1	0.64	3	1.7	<0.2	
1824540	Rock Pulp	0.047	15	45	1.90	36	0.089	<20	1.98	0.042	0.26	2.7	2.57	4.7	2.0	4.77	9	8.9	0.3	
1824541	Drill Core	0.023	11	13	0.46	201	0.043	<20	1.23	0.035	0.10	1.7	<0.01	1.6	<0.1	0.55	3	2.1	<0.2	
1824542	Drill Core	0.046	14	21	0.97	248	0.084	<20	1.94	0.026	0.24	0.9	<0.01	2.9	0.1	1.59	5	4.5	0.6	
1824543	Drill Core	0.062	15	24	0.93	442	0.086	<20	2.30	0.070	0.16	2.6	<0.01	3.3	0.1	1.81	6	8.8	0.9	
1824544	Drill Core	0.027	10	7	0.37	409	0.002	<20	0.55	0.009	0.16	0.6	<0.01	1.0	<0.1	0.71	2	2.4	<0.2	
1824545	Drill Core	0.095	13	20	0.73	173	0.016	<20	1.41	0.015	0.26	0.2	<0.01	2.4	0.2	0.97	4	2.2	<0.2	
1824546	Drill Core	0.038	12	17	0.44	4349	0.021	23	0.96	0.008	0.25	0.4	0.01	1.9	0.2	0.26	3	3.0	<0.2	
1824547	Drill Core	0.123	13	19	0.45	1284	0.014	21	0.83	0.009	0.22	0.4	<0.01	1.8	0.2	0.28	2	1.8	<0.2	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** August 19, 2019

**Page:** 3 of 6

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000173.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1824548	Drill Core	5.91	0.049	39.5	17.4	6.3	133	0.1	68.6	8.5	272	1.62	375.0	25.7	5.0	52	1.2	0.9	0.9	173	1.02
1824549	Drill Core	2.88	0.036	19.1	12.5	5.6	76	<0.1	73.1	7.6	162	1.37	217.1	19.2	4.3	40	0.4	1.0	0.3	139	0.63
1824550	Drill Core	2.85	0.033	19.5	12.9	6.4	80	0.1	75.9	8.3	168	1.39	241.4	21.2	4.5	44	0.6	1.0	0.3	157	0.74
1824551	Drill Core	5.46	0.014	13.0	51.6	6.4	104	0.1	60.6	9.1	165	1.73	117.0	6.9	5.3	70	0.8	0.7	0.3	159	1.35
1824552	Drill Core	5.83	0.073	19.1	11.5	5.1	112	<0.1	72.6	5.8	196	1.20	308.9	68.6	5.0	89	2.1	0.7	1.2	293	1.81
1824553	Drill Core	5.37	0.055	27.4	10.9	6.5	68	<0.1	74.0	7.1	177	1.21	303.9	44.2	5.4	60	0.7	0.6	1.1	384	1.25
1824554	Drill Core	5.82	0.053	22.7	9.6	5.7	72	<0.1	82.6	6.8	184	1.49	412.0	44.9	7.1	45	0.4	0.7	0.9	357	1.20
1824555	Drill Core	5.58	0.050	20.3	18.0	7.0	71	<0.1	75.4	7.0	197	1.47	438.9	48.3	6.0	42	0.5	0.7	1.0	216	1.25
1824556	Drill Core	6.17	0.113	25.2	38.2	4.2	45	0.2	88.6	8.5	177	1.74	265.5	96.8	5.3	58	0.3	0.5	2.2	187	1.60
1824557	Drill Core	4.33	0.039	3.8	33.4	4.5	50	0.2	35.2	10.4	318	2.71	355.8	12.4	13.0	44	0.2	0.7	1.0	19	1.14
1824558	Drill Core	6.92	0.257	5.0	64.9	6.6	57	0.6	55.0	14.4	255	3.26	80.6	159.8	13.8	57	0.3	0.3	6.9	99	1.11
1824559	Drill Core	5.70	0.114	7.3	77.4	24.9	93	1.1	60.9	16.0	408	3.42	100.8	93.8	11.4	60	0.6	0.5	5.1	126	1.91
1824560	Rock	0.69	<0.005	<0.1	0.2	0.3	<1	<0.1	1.0	0.8	87	0.08	<0.5	<0.5	<0.1	84	<0.1	<0.1	<0.1	<1	34.80
1824561	Drill Core	5.48	0.087	21.3	18.1	12.3	125	0.4	109.9	9.4	297	1.78	447.3	130.1	7.1	37	1.2	0.9	1.5	322	1.17
1824562	Drill Core	5.52	0.225	23.2	16.1	41.4	114	1.2	94.5	7.5	523	1.56	587.3	234.3	4.6	42	1.7	0.8	2.9	250	1.57
1824563	Drill Core	5.47	0.023	15.2	16.6	46.9	133	0.7	92.1	5.7	417	1.34	151.8	17.4	4.3	62	2.2	0.8	0.5	345	1.80
1824564	Drill Core	5.13	0.048	13.3	36.1	8.3	81	0.3	79.9	9.6	300	2.00	129.9	33.1	9.4	101	0.6	0.5	1.0	262	2.18
1824565	Drill Core	5.51	0.116	21.5	36.1	7.2	85	0.2	99.8	8.8	236	1.84	192.1	180.9	6.8	35	0.7	0.9	2.2	270	1.32
1824566	Drill Core	5.77	0.035	20.1	22.1	7.8	66	0.2	75.3	7.0	179	1.47	222.9	20.9	4.8	51	0.6	0.5	0.6	327	1.16
1824567	Drill Core	9.39	0.320	23.4	21.4	9.1	53	0.4	85.7	6.7	191	1.35	360.9	248.7	4.3	41	0.3	0.6	6.6	238	1.11
1824568	Drill Core	4.44	0.040	18.8	42.4	9.5	104	0.4	88.0	13.2	326	2.56	167.6	28.3	9.4	73	0.5	0.3	1.0	146	1.95
1824569	Drill Core	1.16	0.084	9.3	96.9	94.7	304	4.3	49.5	13.1	780	3.26	177.2	111.3	16.0	123	2.8	2.3	3.3	28	2.69
1824570	Drill Core	1.21	0.075	15.8	80.5	82.6	336	5.4	70.0	16.7	964	3.60	96.3	36.3	12.7	150	4.0	1.9	4.3	61	2.87
1824571	Drill Core	5.48	0.593	4.7	150.2	23.5	134	8.0	34.3	13.5	1898	3.98	82.8	468.4	10.6	208	1.0	3.0	19.6	44	6.06
1824572	Drill Core	2.87	0.012	0.9	80.4	6.6	69	1.0	55.4	24.0	239	3.33	14.2	<0.5	13.7	36	0.2	2.0	3.0	11	0.92
1824573	Drill Core	3.46	0.463	1.0	115.2	7.9	44	0.8	43.3	21.8	391	3.99	394.2	123.3	10.7	54	0.2	3.2	18.0	23	1.88
1824574	Drill Core	5.14	4.705	1.8	86.5	12.1	147	2.6	51.3	15.2	1364	3.61	163.6	4541.2	7.9	178	0.4	2.7	85.6	54	5.06
1824575	Drill Core	1.96	5.673	3.4	31.6	10.9	114	6.2	18.2	6.2	1356	1.74	979.8	4137.0	3.6	138	1.7	3.8	109.9	25	5.67
1824576	Drill Core	4.69	0.147	1.1	36.6	303.0	608	2.8	31.1	7.4	4528	2.66	183.1	139.0	7.4	113	8.0	1.1	5.1	15	5.18
1824577	Drill Core	7.13	0.185	0.7	98.0	5097.5	>10000	19.1	32.0	12.6	4559	2.18	467.0	105.4	10.3	147	181.1	3.0	6.1	8	2.23



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** August 19, 2019

**Page:** 3 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000173.1

Method Analyte	Unit	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
MDL		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
1824548	Drill Core	0.099	11	26	0.55	1535	0.042	<20	1.21	0.022	0.37	0.6	<0.01	3.0	0.4	0.19	4	0.8	<0.2	
1824549	Drill Core	0.038	10	13	0.43	880	0.010	<20	0.70	0.008	0.24	0.6	<0.01	1.9	0.2	0.12	2	<0.5	<0.2	
1824550	Drill Core	0.043	10	14	0.44	940	0.014	<20	0.74	0.009	0.26	0.3	<0.01	2.2	0.2	0.13	2	<0.5	<0.2	
1824551	Drill Core	0.138	10	20	0.58	839	0.013	<20	0.87	0.010	0.29	0.3	<0.01	2.6	0.2	0.24	3	2.6	<0.2	
1824552	Drill Core	0.102	11	29	0.58	918	0.052	<20	1.87	0.127	0.25	0.9	<0.01	3.1	0.2	0.13	7	0.8	<0.2	
1824553	Drill Core	0.034	12	31	0.49	1631	0.079	<20	1.59	0.099	0.33	0.5	0.01	3.5	0.3	0.13	6	0.6	<0.2	
1824554	Drill Core	0.037	13	26	0.54	793	0.050	<20	1.17	0.035	0.36	0.4	<0.01	3.6	0.4	0.11	4	0.8	<0.2	
1824555	Drill Core	0.033	12	23	0.42	694	0.032	<20	0.89	0.023	0.26	0.2	0.01	2.5	0.2	0.19	3	1.2	<0.2	
1824556	Drill Core	0.092	10	30	0.37	831	0.022	<20	1.00	0.039	0.13	0.8	<0.01	2.6	0.1	0.55	3	2.4	<0.2	
1824557	Drill Core	0.038	13	9	0.45	284	0.002	<20	0.77	0.006	0.19	0.1	<0.01	1.3	0.1	0.93	2	2.4	<0.2	
1824558	Drill Core	0.045	12	25	1.07	485	0.060	<20	2.31	0.044	0.31	0.6	<0.01	3.2	0.3	1.42	6	4.0	0.7	
1824559	Drill Core	0.069	13	30	1.08	432	0.057	<20	1.82	0.008	0.22	0.5	<0.01	3.6	0.2	1.23	5	6.2	0.4	
1824560	Rock	0.007	1	<1	0.50	19	0.001	<20	0.02	0.002	0.03	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
1824561	Drill Core	0.071	15	30	0.51	634	0.022	<20	1.15	0.019	0.25	0.3	<0.01	2.4	0.3	0.20	4	1.6	<0.2	
1824562	Drill Core	0.080	12	23	0.43	388	0.004	<20	0.92	0.012	0.21	0.2	<0.01	2.0	0.2	0.11	3	1.5	0.2	
1824563	Drill Core	0.209	12	35	0.43	438	0.024	<20	1.26	0.030	0.22	0.3	<0.01	2.7	0.3	0.11	5	0.7	<0.2	
1824564	Drill Core	0.093	14	34	0.79	1012	0.070	<20	2.75	0.094	0.29	0.4	<0.01	3.8	0.3	0.40	8	1.8	<0.2	
1824565	Drill Core	0.061	12	36	0.49	680	0.035	<20	1.14	0.015	0.17	14.0	<0.01	2.6	0.2	0.44	4	2.2	<0.2	
1824566	Drill Core	0.095	13	33	0.41	9272	0.037	<20	1.69	0.020	0.28	0.2	<0.01	3.2	0.3	0.07	5	1.4	<0.2	
1824567	Drill Core	0.043	12	23	0.28	837	0.016	<20	0.76	0.013	0.18	1.8	<0.01	1.8	0.2	0.20	3	0.8	0.5	
1824568	Drill Core	0.059	12	23	0.66	355	0.003	<20	1.31	0.019	0.24	0.2	<0.01	2.3	0.2	0.42	4	2.7	<0.2	
1824569	Drill Core	0.061	15	22	1.17	146	0.001	<20	1.53	0.021	0.19	0.1	<0.01	2.9	0.2	0.49	4	2.4	0.2	
1824570	Drill Core	0.069	14	24	1.39	170	0.002	<20	1.66	0.023	0.22	0.2	<0.01	3.8	0.3	0.51	5	2.5	0.2	
1824571	Drill Core	0.041	11	18	1.17	93	0.001	<20	1.62	0.004	0.19	0.2	<0.01	4.0	0.4	1.09	4	5.0	0.9	
1824572	Drill Core	0.040	17	15	0.77	88	0.003	<20	1.28	0.007	0.26	0.1	<0.01	2.2	0.3	1.98	3	1.8	<0.2	
1824573	Drill Core	0.036	14	17	0.90	102	0.001	<20	1.34	0.007	0.26	0.1	<0.01	3.4	0.5	2.04	4	6.5	1.1	
1824574	Drill Core	0.057	15	30	1.94	98	0.035	<20	2.39	0.006	0.19	0.4	<0.01	5.9	0.5	0.58	7	4.3	4.1	
1824575	Drill Core	0.032	6	9	0.89	26	<0.001	<20	0.48	0.025	0.08	0.2	<0.01	2.7	<0.1	0.31	2	1.9	5.5	
1824576	Drill Core	0.019	7	8	0.64	62	<0.001	<20	0.63	0.026	0.15	0.3	<0.01	2.9	0.2	0.74	2	2.5	<0.2	
1824577	Drill Core	0.034	8	7	0.35	89	0.001	<20	0.57	0.005	0.24	0.2	0.11	2.4	0.3	1.28	2	6.3	0.3	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** August 19, 2019

**Page:** 4 of 6

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000173.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1824578	Drill Core	1.35	1.079	2.2	234.9	>10000	>10000	65.1	19.3	6.6	>10000	12.75	23.2	736.8	6.9	182	338.7	16.9	16.9	22	4.72
1824579	Drill Core	9.89	0.039	3.9	24.3	15.2	41	0.3	23.4	8.1	350	1.49	52.0	32.7	6.6	182	0.4	0.2	1.2	26	6.58
1824580	Rock Pulp	0.13	0.291	14.9	2227.0	1058.1	7090	18.9	33.4	19.0	528	8.34	281.3	73.2	2.0	47	49.2	31.4	11.7	50	2.16
1824581	Drill Core	7.38	0.006	3.3	8.2	31.7	75	0.2	14.2	1.7	185	0.76	25.5	<0.5	3.2	15	0.7	0.3	0.4	11	0.44
1824582	Drill Core	5.43	0.629	0.4	52.7	10.2	55	0.4	23.8	10.7	384	2.98	300.4	467.4	11.4	82	0.3	0.3	11.8	21	3.89
1824583	Drill Core	4.94	0.017	0.6	15.9	3.5	42	0.1	20.0	6.9	139	3.31	162.6	10.1	11.7	16	<0.1	0.2	1.0	19	0.36
1824584	Drill Core	7.33	0.200	0.4	59.2	8.1	35	0.3	18.4	7.8	241	2.24	302.1	183.7	8.5	33	0.2	0.3	5.0	8	2.17
1824585	Drill Core	3.20	2.124	0.2	39.9	8.4	38	0.5	13.8	22.5	531	1.96	151.8	1899.7	4.4	376	0.4	0.2	40.8	14	14.25
1824586	Drill Core	5.66	0.155	0.4	51.5	6.5	62	0.4	22.5	10.3	402	2.65	81.8	143.6	9.2	180	0.5	0.1	4.3	20	5.50
1824587	Drill Core	6.48	0.487	0.1	23.4	4.7	153	0.2	20.5	6.9	463	1.27	507.1	468.0	5.4	309	6.3	0.3	11.8	13	14.13
1824588	Drill Core	3.70	0.212	0.1	33.9	2.9	47	0.3	19.7	7.6	365	1.64	38.0	240.0	4.0	178	0.7	0.2	4.3	8	8.26
1824589	Drill Core	2.41	0.159	0.3	44.6	3.4	40	0.3	35.2	12.7	475	2.05	38.4	123.2	4.9	189	0.3	0.2	3.3	12	9.24
1824590	Drill Core	2.31	0.147	0.5	44.2	3.2	47	0.3	33.6	12.9	472	1.95	39.8	97.6	5.1	190	0.3	0.2	3.1	12	8.98
1824591	Drill Core	2.92	0.215	0.2	126.8	4.2	38	0.9	81.5	14.0	1394	5.32	81.1	176.1	1.6	243	0.3	0.4	7.0	10	16.89
1824592	Drill Core	1.67	0.016	<0.1	4.5	2.3	15	<0.1	6.8	2.9	319	0.64	4.4	6.0	0.8	513	0.1	0.1	0.2	2	29.11
1824593	Drill Core	2.72	0.088	0.2	49.9	4.3	48	0.4	30.5	15.4	487	3.33	53.6	69.0	8.8	67	0.1	0.2	2.1	20	2.82
1824594	Drill Core	7.89	0.096	0.2	14.7	3.8	29	0.2	9.3	4.5	360	0.91	12.4	64.3	1.9	636	0.5	0.1	1.6	5	23.51
1824595	Drill Core	5.18	0.081	0.3	30.2	3.7	38	0.5	36.4	8.1	211	1.81	114.4	71.3	8.7	31	0.1	0.3	2.3	8	1.03
1824596	Drill Core	3.00	0.333	0.1	18.7	6.1	33	0.4	12.3	3.9	165	1.42	118.6	149.7	8.2	16	0.2	0.4	5.2	5	0.54
1824597	Drill Core	3.57	0.012	0.4	32.4	17.3	56	0.6	23.6	6.8	358	2.16	113.3	4.8	9.6	30	0.2	0.6	1.4	8	1.27
1824598	Drill Core	7.18	0.013	0.3	25.7	3.0	24	0.2	19.6	8.7	216	2.20	95.3	<0.5	12.2	16	<0.1	0.3	1.4	7	0.39
1824599	Drill Core	6.54	0.036	0.4	28.3	12.7	66	0.4	27.6	11.6	441	3.18	404.5	28.5	10.7	16	0.2	0.4	1.4	11	0.56
1824600	Rock Pulp	0.13	3.043	12.7	3692.5	>10000	>10000	>100	92.5	39.8	4407	8.96	611.2	2902.2	4.9	19	124.6	190.3	29.4	65	1.92
1824601	Drill Core	4.35	0.459	0.5	65.0	8.0	53	0.7	38.5	18.5	331	4.09	84.8	238.1	10.2	24	0.2	0.4	9.8	20	0.66
1824602	Drill Core	5.63	0.034	1.1	54.4	4.1	56	0.2	32.9	12.0	348	2.91	95.6	9.6	8.2	57	0.2	0.3	2.0	37	1.67
1824603	Drill Core	2.86	>10	7.7	416.1	7.3	42	4.8	31.4	34.3	915	18.55	94.9	28723.3	2.1	60	0.4	1.1	432.9	108	7.32
1824604	Drill Core	1.64	0.132	3.7	44.9	2.8	34	0.2	44.1	3.8	871	1.72	133.2	77.9	2.3	543	0.2	0.3	2.3	126	14.18
1824605	Drill Core	1.32	0.029	32.3	54.3	5.5	145	0.4	115.9	9.3	551	2.51	286.3	<0.5	4.0	75	2.5	0.9	3.4	320	2.49
1824606	Drill Core	4.65	0.028	2.0	42.7	5.1	48	0.3	46.5	9.7	242	3.02	53.7	0.6	7.5	27	0.2	0.8	2.0	27	0.20
1824607	Drill Core	7.34	0.018	11.9	50.0	2.9	49	0.4	70.5	6.3	423	1.98	85.1	5.1	3.8	91	0.4	3.9	0.8	184	1.82





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** August 19, 2019

**Page:** 4 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000173.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550	
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	Au gm/t	
1824578	Drill Core	0.051	5	9	1.18	74	0.004	<20	0.54	0.003	0.17	0.3	0.23	6.4	0.4	1.95	<1	4.7	0.5	
1824579	Drill Core	0.052	7	7	0.21	136	0.012	<20	0.58	0.007	0.13	0.7	<0.01	1.4	0.1	0.72	2	1.7	<0.2	
1824580	Rock Pulp	0.037	4	43	2.58	52	0.004	<20	1.84	0.012	0.07	0.5	2.54	3.6	5.1	6.60	8	30.7	0.3	
1824581	Drill Core	0.037	5	6	0.32	73	0.005	<20	0.31	0.003	0.08	<0.1	<0.01	0.6	0.1	0.15	<1	<0.5	<0.2	
1824582	Drill Core	0.023	11	14	0.49	206	0.041	<20	1.43	0.016	0.18	13.1	<0.01	2.2	0.2	1.15	4	2.1	0.7	
1824583	Drill Core	0.034	16	18	0.46	212	0.054	<20	1.48	0.012	0.46	0.2	<0.01	2.3	0.5	0.47	4	<0.5	<0.2	
1824584	Drill Core	0.035	7	9	0.38	131	0.028	<20	0.94	0.025	0.23	2.7	<0.01	1.2	0.2	0.96	3	2.5	0.3	
1824585	Drill Core	0.047	5	11	0.23	150	0.049	<20	1.48	0.051	0.08	37.7	<0.01	1.4	<0.1	0.91	4	2.0	1.5	
1824586	Drill Core	0.041	8	17	0.42	244	0.052	<20	1.98	0.063	0.21	>100	<0.01	2.9	0.1	1.18	5	3.0	<0.2	
1824587	Drill Core	0.048	6	10	0.37	159	0.042	<20	1.23	0.044	0.13	2.8	<0.01	3.4	<0.1	0.36	3	1.3	0.6	
1824588	Drill Core	0.062	4	8	0.24	91	0.026	<20	0.73	0.035	0.06	50.5	<0.01	1.8	<0.1	0.53	3	1.3	<0.2	
1824589	Drill Core	0.081	6	11	0.33	108	0.038	<20	1.00	0.042	0.07	0.6	<0.01	2.2	<0.1	0.77	3	1.8	<0.2	
1824590	Drill Core	0.078	6	12	0.35	115	0.041	<20	1.02	0.037	0.06	0.7	<0.01	2.1	<0.1	0.73	3	1.6	<0.2	
1824591	Drill Core	0.043	2	3	1.51	53	0.004	<20	0.22	0.005	0.12	19.7	<0.01	4.0	0.2	2.75	1	7.5	0.5	
1824592	Drill Core	0.031	1	3	0.23	13	0.003	<20	0.14	0.002	0.02	0.1	<0.01	3.1	<0.1	<0.05	<1	<0.5	<0.2	
1824593	Drill Core	0.043	6	16	0.59	135	0.072	<20	1.37	0.011	0.48	0.9	<0.01	2.2	0.5	1.25	4	<0.5	<0.2	
1824594	Drill Core	0.021	3	4	0.25	52	0.012	<20	0.40	0.007	0.04	>100	*	4.1	<0.1	0.21	1	<0.5	<0.2	
1824595	Drill Core	0.032	10	8	0.34	91	0.008	<20	0.80	0.012	0.15	6.2	<0.01	1.3	<0.1	0.71	2	<0.5	<0.2	
1824596	Drill Core	0.010	10	5	0.23	47	0.001	<20	0.53	0.005	0.12	0.6	<0.01	0.9	<0.1	0.57	1	1.8	0.3	
1824597	Drill Core	0.031	9	8	0.40	87	0.002	<20	0.75	0.008	0.18	0.3	<0.01	1.2	0.1	1.14	2	1.7	<0.2	
1824598	Drill Core	0.026	10	7	0.35	83	0.049	<20	0.82	0.005	0.23	0.3	<0.01	1.3	0.2	0.99	2	1.1	<0.2	
1824599	Drill Core	0.030	9	10	0.55	81	0.012	<20	1.20	0.006	0.24	0.2	<0.01	1.6	0.2	1.09	3	<0.5	<0.2	
1824600	Rock Pulp	0.050	14	44	1.85	34	0.079	<20	1.86	0.037	0.25	2.2	2.47	4.8	1.9	4.65	9	10.1	0.3	
1824601	Drill Core	0.037	9	15	0.84	104	0.053	<20	1.41	0.010	0.25	0.4	<0.01	2.7	0.2	1.92	3	2.9	0.6	
1824602	Drill Core	0.042	9	18	1.31	129	0.070	<20	1.77	0.013	0.15	0.6	<0.01	3.0	<0.1	1.10	5	2.9	<0.2	
1824603	Drill Core	0.012	4	5	0.50	31	0.013	<20	1.30	0.019	0.02	>100	0.06	1.4	<0.1	9.87	6	55.8	19.0	26.3
1824604	Drill Core	0.058	6	27	0.45	40	0.002	<20	0.54	0.021	0.04	99.3	<0.01	3.6	<0.1	0.43	2	3.3	<0.2	
1824605	Drill Core	0.051	7	18	0.99	257	0.004	<20	1.38	0.016	0.12	9.4	<0.01	4.4	0.1	0.67	3	5.7	<0.2	
1824606	Drill Core	0.052	13	15	0.48	162	0.001	<20	1.23	0.018	0.13	0.8	<0.01	1.9	0.1	1.32	3	1.0	<0.2	
1824607	Drill Core	0.283	12	30	0.35	319	0.005	<20	0.82	0.012	0.18	1.8	<0.01	1.6	0.2	0.60	3	2.9	<0.2	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** August 19, 2019

**Page:** 5 of 6

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000173.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1824608	Drill Core	6.26	0.028	7.1	66.5	3.9	92	0.5	59.2	6.7	465	2.32	13.7	1.6	3.2	59	1.2	2.0	2.6	51	1.47
1824609	Drill Core	2.82	0.015	3.2	34.0	9.5	44	0.7	51.1	9.1	463	2.55	21.0	<0.5	8.0	43	0.3	0.9	1.5	51	0.82
1824610	Drill Core	3.20	0.014	1.9	32.8	8.7	56	0.6	40.7	7.5	645	2.40	14.1	<0.5	7.6	49	0.4	1.6	1.2	27	1.10
1824611	Drill Core	7.15	0.055	1.2	31.3	7.9	66	0.4	50.3	10.9	501	3.42	65.9	<0.5	10.1	31	0.2	3.0	1.3	24	0.53
1824612	Drill Core	6.12	0.034	1.4	44.8	7.1	64	0.5	51.2	9.7	1018	4.34	109.7	1.7	6.3	34	0.1	1.7	2.8	33	0.98
1824613	Drill Core	7.79	0.026	1.0	40.2	4.2	21	0.4	31.9	8.2	389	2.70	60.1	<0.5	4.9	29	<0.1	2.0	2.4	18	0.66
1824614	Drill Core	3.68	0.020	23.8	40.2	3.8	204	0.1	103.5	10.2	177	2.02	152.7	3.6	5.5	36	4.3	0.6	0.6	153	0.85
1824615	Drill Core	6.73	0.010	6.6	49.4	3.5	41	0.3	59.3	10.3	242	3.00	63.0	<0.5	8.2	33	0.1	0.6	0.8	46	0.70
1824616	Drill Core	5.65	0.060	10.3	43.1	3.5	76	0.2	60.5	6.8	165	1.82	190.5	25.5	6.4	42	1.4	0.5	1.3	131	1.34
1824617	Drill Core	1.39	0.192	19.2	27.0	3.4	90	0.2	83.9	3.3	146	1.19	760.3	241.0	3.5	54	1.6	0.8	2.8	287	1.88
1824618	Drill Core	3.08	1.125	1.3	162.5	5.9	75	1.0	28.6	13.7	644	4.61	35.5	1679.2	10.0	109	0.3	0.3	19.4	34	4.39
1824619	Drill Core	4.50	3.346	2.2	163.4	5.8	73	1.0	27.5	14.5	697	5.39	178.0	3485.9	8.3	139	0.2	0.3	76.7	32	4.69
1824620	Rock	0.80	<0.005	<0.1	2.5	0.4	1	<0.1	<0.1	<0.1	75	0.08	0.8	1.0	0.3	82	<0.1	<0.1	0.1	<1	31.33
1824621	Drill Core	4.94	6.051	4.6	397.2	4.0	81	1.8	26.8	13.5	926	9.50	65.1	5778.4	9.2	219	0.9	0.2	145.3	21	10.25
1824622	Drill Core	4.67	3.870	3.4	453.3	4.5	42	1.6	23.2	10.9	897	8.82	7.8	3375.9	4.4	407	0.4	0.2	75.1	21	13.69
1824623	Drill Core	4.18	3.233	2.1	169.7	6.3	52	1.2	29.2	17.6	562	4.26	24.5	2933.7	9.8	111	0.2	0.2	72.8	19	3.91
1824624	Drill Core	4.73	4.887	4.2	257.3	5.0	64	1.4	22.3	11.8	812	5.61	13.4	5008.8	5.1	355	0.8	0.2	107.5	16	13.36
1824625	Drill Core	2.48	1.027	3.7	249.9	4.6	74	1.0	32.0	20.3	646	7.83	17.8	1047.7	7.6	99	0.4	0.2	22.4	16	4.32
1824626	Drill Core	2.20	1.754	3.0	257.5	6.7	87	1.6	39.1	18.9	653	7.44	20.6	1774.2	8.8	51	0.6	0.2	36.0	17	3.36
1824627	Drill Core	4.47	1.005	3.6	212.0	5.0	92	0.9	27.9	14.6	619	5.66	7.7	669.7	9.8	85	1.0	0.2	18.6	24	3.70
1824628	Drill Core	2.16	1.018	0.8	237.2	4.9	92	1.1	27.8	11.4	615	4.81	23.2	205.8	8.0	44	0.4	0.4	14.0	22	2.98
1824629	Drill Core	1.62	0.444	2.7	76.8	7.1	39	0.6	57.2	16.5	361	3.19	38.6	105.7	10.5	128	0.3	0.5	14.8	24	2.49
1824630	Drill Core	1.33	0.479	2.3	69.5	7.5	39	0.6	51.6	16.1	346	3.13	21.6	92.6	12.0	123	0.3	0.3	14.8	23	2.43
1824631	Drill Core	0.70	>10	1.4	296.5	20.3	62	2.6	65.8	21.2	836	11.43	7.1	1336.0	5.5	42	0.3	1.6	232.4	27	4.10
1824632	Drill Core	6.35	0.382	4.5	64.8	4.6	51	0.5	40.2	12.2	271	2.97	30.4	35.9	9.2	46	0.7	1.3	10.8	19	2.29
1824633	Drill Core	5.05	0.017	7.8	83.1	3.3	134	0.4	55.4	9.4	388	2.83	13.7	4.5	7.0	47	2.0	1.3	2.3	19	0.61
1824634	Drill Core	4.38	0.072	4.5	99.1	5.0	45	0.5	35.8	9.3	288	3.92	20.8	9.4	5.0	133	0.2	0.9	3.4	27	1.30
1824635	Drill Core	5.74	0.366	8.8	91.7	2.8	48	0.4	44.6	8.5	316	3.07	22.8	120.8	5.6	75	0.1	0.8	7.6	36	1.02
1824636	Drill Core	5.61	0.324	9.6	95.0	2.5	56	0.3	52.8	8.8	396	3.32	79.8	138.8	6.1	91	0.2	0.6	7.3	64	1.02
1824637	Drill Core	5.39	0.080	4.3	60.2	3.3	35	1.1	32.1	7.1	298	2.06	102.6	37.4	3.7	65	<0.1	0.7	5.0	23	0.65



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** August 19, 2019

**Page:** 5 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000173.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	Au gm/t
1824608	Drill Core	0.183	8	17	0.35	237	0.002	<20	0.73	0.013	0.15	0.3	<0.01	1.3	0.1	1.11	2	3.3	<0.2
1824609	Drill Core	0.098	10	16	0.43	170	0.002	<20	1.13	0.035	0.13	0.7	<0.01	1.7	0.1	0.80	3	2.7	<0.2
1824610	Drill Core	0.061	9	13	0.37	149	0.001	<20	0.90	0.032	0.11	0.2	<0.01	1.3	0.1	0.82	2	2.2	<0.2
1824611	Drill Core	0.058	8	15	0.52	159	0.002	<20	1.41	0.035	0.12	0.3	<0.01	1.8	0.1	1.31	3	0.7	<0.2
1824612	Drill Core	0.121	8	17	1.00	214	0.003	<20	1.40	0.027	0.14	0.1	<0.01	2.6	0.1	1.83	3	3.2	<0.2
1824613	Drill Core	0.030	9	10	0.39	252	0.002	<20	0.72	0.020	0.15	0.3	<0.01	1.5	0.1	1.63	2	3.0	<0.2
1824614	Drill Core	0.071	12	13	0.42	357	0.004	<20	0.91	0.023	0.22	0.2	<0.01	1.8	0.2	0.58	2	4.4	<0.2
1824615	Drill Core	0.122	16	12	0.42	250	0.003	<20	1.00	0.027	0.25	0.4	<0.01	1.9	0.1	1.21	2	4.3	<0.2
1824616	Drill Core	0.301	14	21	0.21	325	0.005	<20	0.78	0.027	0.23	0.6	<0.01	1.7	0.2	0.73	2	4.0	<0.2
1824617	Drill Core	0.188	10	24	0.21	169	0.012	<20	0.79	0.048	0.12	0.8	<0.01	1.8	0.1	0.40	3	1.2	<0.2
1824618	Drill Core	0.041	17	22	0.88	158	0.112	<20	1.89	0.007	0.15	>100	*	3.0	0.1	2.43	5	8.8	1.0
1824619	Drill Core	0.052	10	19	0.92	129	0.077	<20	2.22	0.066	0.19	>100	*	2.5	0.2	2.73	6	11.4	2.4
1824620	Rock	0.007	1	<1	0.53	19	0.002	<20	0.03	0.002	0.03	2.4	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
1824621	Drill Core	0.045	7	12	0.32	87	0.040	<20	1.62	0.082	0.11	>100	*	1.4	0.1	4.04	5	20.1	5.0
1824622	Drill Core	0.081	6	11	0.24	60	0.029	<20	1.52	0.078	0.08	>100	*	1.2	<0.1	4.05	6	20.5	2.9
1824623	Drill Core	0.039	13	18	0.48	153	0.088	<20	2.03	0.100	0.26	>100	<0.01	2.1	0.2	2.43	5	7.2	2.1
1824624	Drill Core	0.059	8	13	0.36	91	0.041	<20	1.80	0.089	0.10	>100	0.04	1.4	<0.1	3.11	6	10.3	2.9
1824625	Drill Core	0.053	12	15	0.43	83	0.071	<20	1.79	0.085	0.11	>100	<0.01	1.9	0.1	4.83	6	20.2	0.9
1824626	Drill Core	0.057	16	16	0.64	137	0.110	<20	1.35	0.014	0.16	>100	*	1.9	<0.1	4.23	4	17.5	1.4
1824627	Drill Core	0.032	18	22	0.73	158	0.111	<20	2.05	0.082	0.20	>100	<0.01	3.0	0.2	3.10	7	10.6	0.9
1824628	Drill Core	0.046	15	22	1.30	208	0.098	<20	1.59	0.002	0.04	>100	*	2.5	<0.1	2.60	4	9.2	0.5
1824629	Drill Core	0.037	16	20	1.25	260	0.075	<20	2.94	0.090	0.13	7.8	<0.01	2.7	<0.1	1.73	7	4.1	0.6
1824630	Drill Core	0.042	17	21	1.25	254	0.087	<20	3.09	0.092	0.12	5.5	<0.01	2.7	<0.1	1.65	8	4.5	0.9
1824631	Drill Core	0.045	7	11	1.61	91	0.046	<20	1.49	0.014	0.06	2.0	<0.01	2.4	<0.1	6.65	5	22.5	13.0
1824632	Drill Core	0.051	14	14	0.78	221	0.021	<20	0.97	0.040	0.18	3.0	<0.01	2.3	<0.1	1.57	3	3.2	0.8
1824633	Drill Core	0.052	8	9	0.54	266	0.002	<20	0.73	0.005	0.16	1.5	<0.01	1.1	0.1	1.40	2	2.0	<0.2
1824634	Drill Core	0.116	6	10	0.95	296	0.004	<20	1.06	0.008	0.20	1.0	<0.01	2.0	0.1	1.91	3	4.1	0.2
1824635	Drill Core	0.070	9	13	0.73	289	0.004	<20	0.81	0.007	0.18	0.6	<0.01	1.6	0.1	1.38	2	3.3	0.7
1824636	Drill Core	0.068	10	24	0.87	378	0.032	<20	1.32	0.017	0.29	1.3	<0.01	2.4	0.4	1.26	4	5.1	0.5
1824637	Drill Core	0.069	9	12	0.37	247	0.005	<20	0.62	0.005	0.16	0.7	<0.01	1.1	0.1	0.75	2	1.4	1.0



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** August 19, 2019

**Page:** 6 of 6

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000173.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1824638	Drill Core	7.44	0.083	0.7	79.6	2.8	32	0.3	27.3	8.0	336	2.10	66.3	15.5	3.4	44	<0.1	0.9	2.2	15	0.40
1824639	Drill Core	7.01	0.155	0.6	68.4	3.8	22	0.4	25.0	5.7	184	1.72	46.8	14.0	3.2	39	<0.1	0.7	4.0	14	0.54
1824640	Rock Pulp	0.13	0.277	13.8	2320.2	1069.2	7298	19.0	32.8	18.5	545	8.85	289.4	36.3	1.5	47	51.2	29.3	11.7	49	2.32
1824641	Drill Core	6.93	0.096	0.6	50.3	14.6	28	0.6	16.3	3.1	210	1.15	48.0	46.8	2.6	30	0.2	1.1	2.1	10	0.57
1824642	Drill Core	3.60	0.222	0.4	44.4	60.0	58	1.7	16.6	4.7	310	1.64	311.0	63.5	3.4	19	0.7	2.4	5.4	8	0.36



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 19, 2019

Page: 6 of 6

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000173.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.9
1824638	Drill Core	0.024	8	10	0.41	315	0.002	<20	0.59	0.004	0.17	0.6	<0.01	1.4	<0.1	0.89	2	1.7	0.3
1824639	Drill Core	0.015	7	10	0.43	236	0.002	<20	0.46	0.003	0.13	0.6	<0.01	1.7	<0.1	0.75	1	0.9	<0.2
1824640	Rock Pulp	0.039	4	41	2.58	60	0.005	<20	1.96	0.010	0.07	0.6	2.79	3.6	4.8	6.79	7	26.9	<0.2
1824641	Drill Core	0.038	8	11	0.23	154	0.003	<20	0.39	0.005	0.11	0.8	<0.01	1.0	0.1	0.42	1	0.9	<0.2
1824642	Drill Core	0.019	7	10	0.29	115	0.002	<20	0.34	0.002	0.09	0.3	<0.01	1.1	<0.1	0.83	1	1.2	0.3



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 19, 2019

Page: 1 of 3

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000173.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
Pulp Duplicates																					
REP 1824527	QC		0.7	6.9	4.7	64	<0.1	17.5	5.2	740	0.77	15.6	15.1	1.7	654	0.4	0.3	0.5	4	25.91	
REP 1824561	QC		22.6	19.0	12.5	117	0.4	114.0	9.6	324	1.86	482.7	102.5	7.7	40	1.0	1.0	1.7	328	1.19	
1824583	Drill Core	4.94	0.017	0.6	15.9	3.5	42	0.1	20.0	6.9	139	3.31	162.6	10.1	11.7	16	<0.1	0.2	1.0	19	0.36
REP 1824583	QC		0.017																		
REP 1824595	QC		0.5	31.9	4.0	40	0.5	37.3	9.0	228	1.90	90.9	65.2	9.3	30	<0.1	0.4	2.5	9	1.06	
1824609	Drill Core	2.82	0.015	3.2	34.0	9.5	44	0.7	51.1	9.1	463	2.55	21.0	<0.5	8.0	43	0.3	0.9	1.5	51	0.82
REP 1824609	QC		0.025																		
1824627	Drill Core	4.47	1.005	3.6	212.0	5.0	92	0.9	27.9	14.6	619	5.66	7.7	669.7	9.8	85	1.0	0.2	18.6	24	3.70
REP 1824627	QC		3.6	208.8	4.9	87	0.7	27.5	14.1	615	5.78	8.2	566.0	9.5	86	0.9	0.2	18.1	24	3.70	
1824631	Drill Core	0.70	>10	1.4	296.5	20.3	62	2.6	65.8	21.2	836	11.43	7.1	1336.0	5.5	42	0.3	1.6	232.4	27	4.10
REP 1824631	QC																				
Core Reject Duplicates																					
1824527	Drill Core	3.54	0.038	0.7	6.6	4.6	63	<0.1	17.5	5.5	726	0.77	16.8	61.6	1.8	643	0.3	0.4	0.5	4	26.14
DUP 1824527	QC		0.034	0.9	7.0	4.6	63	<0.1	17.8	5.4	754	0.77	18.5	23.4	1.7	652	0.3	0.3	0.5	3	26.77
1824561	Drill Core	5.48	0.087	21.3	18.1	12.3	125	0.4	109.9	9.4	297	1.78	447.3	130.1	7.1	37	1.2	0.9	1.5	322	1.17
DUP 1824561	QC		0.086	22.9	17.5	12.2	117	0.4	110.1	9.8	298	1.72	462.0	85.0	7.5	38	1.2	1.0	1.5	310	1.19
1824595	Drill Core	5.18	0.081	0.3	30.2	3.7	38	0.5	36.4	8.1	211	1.81	114.4	71.3	8.7	31	0.1	0.3	2.3	8	1.03
DUP 1824595	QC		0.079	0.3	34.2	3.9	43	0.5	37.7	8.9	235	1.91	85.4	53.5	9.1	32	0.1	0.3	2.4	9	1.06
1824629	Drill Core	1.62	0.444	2.7	76.8	7.1	39	0.6	57.2	16.5	361	3.19	38.6	105.7	10.5	128	0.3	0.5	14.8	24	2.49
DUP 1824629	QC		0.471	2.7	78.7	7.0	42	0.5	57.6	15.9	387	3.29	34.2	40.0	10.6	124	0.3	0.4	15.7	26	2.53
Reference Materials																					
STD AGPROOF	Standard																				
STD BVGEO01	Standard		11.3	4452.2	191.0	1782	2.6	169.4	25.3	740	3.67	120.6	226.1	14.9	58	6.6	2.3	24.9	75	1.40	
STD BVGEO01	Standard		10.5	4629.3	200.1	1777	2.6	176.6	24.8	729	3.84	121.1	235.6	17.7	57	6.9	2.3	25.7	80	1.27	
STD DS11	Standard		15.5	144.5	138.5	340	1.6	82.6	13.3	1064	3.11	42.6	54.6	8.1	70	2.6	7.6	12.5	51	1.06	
STD DS11	Standard		15.0	153.8	143.1	356	1.9	79.3	14.6	1044	3.25	44.2	58.9	8.5	72	2.3	6.9	13.8	51	1.10	
STD OREAS262	Standard		0.5	119.3	58.1	154	0.5	66.0	28.5	568	3.32	36.7	56.7	10.3	37	0.7	2.0	1.0	23	3.19	
STD OREAS262	Standard		0.4	113.4	58.8	153	0.5	61.7	27.0	559	3.24	36.3	61.0	10.2	36	0.7	2.8	1.1	24	2.96	



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 19, 2019

Page: 1 of 3

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000173.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.9	
Pulp Duplicates																				
REP 1824527	QC	0.025	3	4	0.32	142	0.010	<20	0.35	0.006	0.04	0.4	<0.01	1.0	<0.1	0.06	1	<0.5	<0.2	
REP 1824561	QC	0.072	15	31	0.51	633	0.021	<20	1.14	0.018	0.25	0.3	<0.01	2.5	0.3	0.21	4	1.6	<0.2	
1824583	Drill Core	0.034	16	18	0.46	212	0.054	<20	1.48	0.012	0.46	0.2	<0.01	2.3	0.5	0.47	4	<0.5	<0.2	
REP 1824583	QC																			
REP 1824595	QC	0.035	11	8	0.36	103	0.008	<20	0.87	0.013	0.19	5.7	<0.01	1.5	0.1	0.75	2	1.2	<0.2	
1824609	Drill Core	0.098	10	16	0.43	170	0.002	<20	1.13	0.035	0.13	0.7	<0.01	1.7	0.1	0.80	3	2.7	<0.2	
REP 1824609	QC																			
1824627	Drill Core	0.032	18	22	0.73	158	0.111	<20	2.05	0.082	0.20	>100	<0.01	3.0	0.2	3.10	7	10.6	0.9	
REP 1824627	QC	0.033	17	22	0.73	149	0.108	<20	2.08	0.082	0.20	>100	0.02	3.0	0.1	3.13	6	10.2	0.5	
1824631	Drill Core	0.045	7	11	1.61	91	0.046	<20	1.49	0.014	0.06	2.0	<0.01	2.4	<0.1	6.65	5	22.5	13.0	
REP 1824631	QC																		13.2	
Core Reject Duplicates																				
1824527	Drill Core	0.025	3	4	0.32	143	0.010	<20	0.35	0.007	0.04	0.4	<0.01	1.0	<0.1	0.06	1	<0.5	<0.2	
DUP 1824527	QC	0.026	3	4	0.32	143	0.010	<20	0.35	0.006	0.04	0.4	0.01	1.0	<0.1	<0.05	1	<0.5	<0.2	
1824561	Drill Core	0.071	15	30	0.51	634	0.022	<20	1.15	0.019	0.25	0.3	<0.01	2.4	0.3	0.20	4	1.6	<0.2	
DUP 1824561	QC	0.076	14	30	0.51	532	0.020	<20	1.07	0.016	0.21	0.2	<0.01	2.2	0.2	0.21	4	1.6	<0.2	
1824595	Drill Core	0.032	10	8	0.34	91	0.008	<20	0.80	0.012	0.15	6.2	<0.01	1.3	<0.1	0.71	2	<0.5	<0.2	
DUP 1824595	QC	0.037	10	8	0.36	101	0.007	<20	0.87	0.014	0.18	6.2	<0.01	2.0	0.1	0.74	2	1.4	<0.2	
1824629	Drill Core	0.037	16	20	1.25	260	0.075	<20	2.94	0.090	0.13	7.8	<0.01	2.7	<0.1	1.73	7	4.1	0.6	
DUP 1824629	QC	0.038	17	21	1.33	260	0.084	<20	3.03	0.089	0.13	4.4	<0.01	2.9	<0.1	1.80	7	4.5	0.5	
Reference Materials																				
STD AGPROOF	Standard																		<0.9	
STD BVGEO01	Standard	0.076	27	179	1.31	339	0.248	<20	2.41	0.199	0.89	3.6	0.10	6.2	0.6	0.65	7	4.7	1.1	
STD BVGEO01	Standard	0.073	27	169	1.36	364	0.240	<20	2.42	0.194	0.92	3.5	0.10	6.3	0.7	0.69	7	5.2	1.0	
STD DS11	Standard	0.074	18	59	0.86	423	0.092	<20	1.19	0.074	0.40	2.6	0.22	3.4	5.0	0.27	5	1.7	4.8	
STD DS11	Standard	0.069	19	61	0.87	436	0.096	<20	1.24	0.078	0.42	2.3	0.26	3.2	5.1	0.29	5	2.7	4.5	
STD OREAS262	Standard	0.042	18	45	1.21	264	0.003	<20	1.35	0.069	0.33	0.5	0.16	3.2	0.5	0.26	4	<0.5	0.2	
STD OREAS262	Standard	0.043	19	43	1.17	262	0.004	<20	1.35	0.071	0.33	<0.1	0.16	3.4	0.5	0.24	4	<0.5	<0.2	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 19, 2019

Page: 2 of 3

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000173.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
STD OREAS262	Standard			0.6	117.3	55.2	150	0.5	64.0	27.0	557	3.28	36.0	60.5	9.9	36	0.5	2.5	1.0	23	2.94	
STD OREAS262	Standard			0.6	123.7	57.9	153	0.4	65.9	26.9	528	3.33	38.3	65.2	10.6	35	0.6	2.7	0.9	23	3.05	
STD OREAS256	Standard		7.660																			
STD OXC145	Standard		0.211																			
STD OXC145	Standard		0.212																			
STD OXC145	Standard		0.214																			
STD OXH139	Standard		1.332																			
STD OXH139	Standard		1.305																			
STD OXH139	Standard		1.300																			
STD OXN134	Standard		7.622																			
STD OXN134	Standard		7.295																			
STD OXQ114	Standard																					
STD SP49	Standard																					
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063	
STD BVGEO01 Expected				10.8	4415	187	1741	2.53	163	25	733	3.7	121	219	14.4	55	6.5	2.2	25.6	73	1.3219	
STD OREAS262 Expected				0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	65	9.33	36	0.61	3.39	1.03	22.5	2.98	
STD OREAS256 Expected			7.66																			
STD OXC145 Expected			0.212																			
STD OXH139 Expected			1.312																			
STD OXN134 Expected			7.667																			
STD AGPROOF Expected																						
STD SP49 Expected																						
STD OXQ114 Expected																						
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
BLK	Blank		<0.005																			
BLK	Blank		<0.005																			





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 19, 2019

Page: 2 of 3

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000173.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.9
STD OREAS262	Standard	0.037	18	42	1.17	258	0.003	<20	1.36	0.070	0.32	<0.1	0.15	3.1	0.5	0.27	4	<0.5	<0.2	
STD OREAS262	Standard	0.041	18	44	1.19	263	0.003	<20	1.33	0.071	0.33	0.1	0.15	3.5	0.5	0.26	4	<0.5	0.2	
STD OREAS256	Standard																			
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ114	Standard																			35.0
STD SP49	Standard																			18.3
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56	
STD BVGEO01 Expected		0.0727	25.9	171	1.2963	340	0.233		2.347	0.1924	0.89	3.5	0.1	5.97	0.62	0.6655	7.37	4.84	1.02	
STD OREAS262 Expected		0.04	15.9	41.7	1.17	248	0.003		1.204	0.071	0.312	0.13	0.17	3.24	0.47	0.253	3.73	0.4	0.23	
STD OREAS256 Expected																				
STD OXC145 Expected																				
STD OXH139 Expected																				
STD OXN134 Expected																				
STD AGPROOF Expected																				0
STD SP49 Expected																				18.34
STD OXQ114 Expected																				35.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																			
BLK	Blank																			



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 19, 2019

Page: 3 of 3

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000173.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	0.006																			
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.013	0.9	2.9	1.2	30	<0.1	1.0	3.5	495	1.86	1.1	2.8	3.5	24	<0.1	<0.1	<0.1	24	0.64	
ROCK-WHI	Prep Blank	<0.005	0.8	4.0	1.2	34	<0.1	1.7	5.1	566	2.06	1.3	2.4	2.8	31	<0.1	<0.1	<0.1	29	0.78	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 19, 2019

Page: 3 of 3

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000173.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.9
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			<0.9
Prep Wash																				
ROCK-WHI	Prep Blank	0.044	7	3	0.45	63	0.090	<20	0.88	0.081	0.09	0.3	<0.01	3.0	<0.1	<0.05	4	<0.5	<0.2	
ROCK-WHI	Prep Blank	0.043	7	5	0.56	68	0.098	<20	1.14	0.108	0.10	0.2	<0.01	3.5	<0.1	<0.05	4	<0.5	<0.2	



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Submitted By: James Thom  
Receiving Lab: Canada-Whitehorse  
Received: July 08, 2019  
Report Date: August 20, 2019  
Page: 1 of 5

# CERTIFICATE OF ANALYSIS

WHI19000174.1

## CLIENT JOB INFORMATION

Project: McQuesten  
Shipment ID: MQ-19-08  
P.O. Number  
Number of Samples: 98

## SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
RTRN-RJT Return After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Banyan Gold Corp.  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7  
Canada

CC: Paul Gray

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	98	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	98	Sort, label and box pulps			WHI
FA450	98	50g Lead Collection Fire Assay Fusion - AAS Finish	50	Completed	VAN
EN002	98	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	98	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	98	Per sample shipping charges for branch shipments			VAN
FA550	1	Lead collection fire assay 50G fusion - Grav finish	50	Completed	VAN

## ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** August 20, 2019

**Page:** 2 of 5

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000174.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1824643	Rock	2.32	0.023	6.8	43.1	19.7	118	1.2	66.6	10.6	406	1.94	308.9	15.2	3.9	19	1.5	1.5	0.3	100	0.64
1824644	Rock	1.45	0.064	6.0	36.4	22.8	130	1.6	60.4	7.6	298	1.44	1103.5	41.3	4.1	12	3.1	2.5	0.9	46	0.13
1824645	Rock	4.39	0.552	8.5	21.7	13.1	149	1.0	72.6	8.1	254	1.96	8539.2	500.0	4.8	35	4.6	5.8	2.5	37	0.58
1824646	Rock	3.57	0.416	12.1	16.1	12.8	103	0.6	83.2	7.8	292	1.47	6754.3	313.1	3.9	21	2.9	4.4	1.7	108	0.38
1824647	Rock	1.58	6.390	14.9	38.7	63.1	120	6.1	138.5	20.1	358	5.73	>10000	5915.3	4.7	96	3.9	29.3	24.6	30	0.82
1824648	Rock	2.70	0.040	2.8	61.2	5.7	100	0.5	42.7	5.1	77	1.33	964.1	8.1	3.1	8	2.8	1.4	0.8	18	0.04
1824649	Rock	0.41	0.070	2.8	71.1	22.2	213	0.9	98.6	21.5	332	1.64	5920.3	52.6	4.4	61	3.2	3.1	2.1	7	1.00
1824650	Rock	0.51	0.069	2.1	76.7	24.1	340	1.0	148.5	35.3	442	1.76	6043.5	63.4	4.6	53	4.3	3.1	2.2	3	0.87
1824651	Rock	4.50	0.037	17.2	44.8	7.7	148	0.8	54.5	6.6	96	1.52	547.8	7.4	4.0	28	4.6	1.8	5.5	101	0.17
1824652	Rock	3.80	0.023	18.2	50.9	5.3	209	0.4	58.5	5.2	101	1.57	183.4	0.9	3.6	38	4.1	1.1	1.2	108	0.13
1824653	Rock	4.02	0.018	18.6	53.3	5.7	135	0.5	62.4	6.3	96	1.41	245.9	1.9	3.2	20	2.7	1.4	1.9	86	0.18
1824654	Rock	5.00	0.022	19.6	71.6	4.4	128	0.5	76.7	7.6	149	2.00	123.7	1.2	3.8	27	2.0	1.4	2.0	63	0.34
1824655	Rock	3.04	0.026	12.3	65.2	2.8	161	0.2	97.2	12.0	196	2.28	138.1	23.7	4.5	21	1.7	0.9	0.8	76	0.33
1824656	Rock	0.53	>10	13.8	45.0	580.5	150	42.5	51.4	7.3	254	10.33	>10000	>100000	1.9	66	26.1	129.4	1610.1	69	0.90
1824657	Rock	5.04	0.338	13.9	32.7	100.3	293	2.6	87.9	9.0	604	1.94	524.0	336.1	4.0	52	5.5	1.9	8.4	115	0.93
1824658	Rock	4.14	0.025	15.6	73.0	18.9	195	0.8	94.1	9.2	447	2.72	59.0	22.9	4.0	59	3.0	0.7	0.8	278	1.45
1824659	Rock	4.24	0.041	12.4	14.2	5.5	104	0.1	94.8	8.6	244	1.61	285.9	32.2	5.3	47	1.0	1.0	1.2	417	1.20
1824660	Rock Pulp	0.13	2.785	12.9	3834.9	>10000	>10000	>100	97.2	43.4	4571	8.97	606.8	3147.7	5.3	21	138.6	208.5	30.2	64	2.08
1824661	Rock	4.20	0.093	18.8	9.0	9.6	100	0.5	97.0	6.9	306	1.42	1000.9	78.3	4.6	69	1.0	2.6	1.3	438	1.63
1824662	Rock	4.23	0.196	12.5	37.5	303.6	526	4.3	42.4	6.0	2498	2.05	261.8	142.6	8.4	101	8.3	2.2	4.2	100	2.57
1824663	Rock	5.53	0.164	5.7	45.8	93.7	153	3.7	39.3	10.0	1536	2.33	301.5	44.3	8.5	117	2.0	2.0	4.4	42	3.36
1824664	Rock	6.40	0.033	23.1	34.2	10.6	87	0.7	84.6	8.4	159	1.76	231.9	10.6	6.6	37	0.7	1.7	0.7	145	0.63
1824665	Rock	6.65	2.822	1.7	36.0	14.2	84	1.1	27.5	9.5	560	2.22	74.1	905.5	12.9	58	0.3	1.1	36.4	30	3.70
1824666	Rock	3.15	0.094	1.5	49.2	160.4	301	3.2	22.3	12.5	1819	2.66	227.0	39.8	15.6	22	3.9	0.6	3.7	9	1.24
1824667	Rock	4.60	0.344	1.1	75.1	34.0	131	1.5	29.8	11.9	1197	3.15	40.4	258.1	9.1	100	0.8	0.8	6.3	30	7.06
1824668	Rock	0.83	0.269	0.7	64.3	497.5	1240	7.6	29.3	10.4	>10000	4.80	19.8	276.6	9.2	155	17.9	2.8	5.9	3	7.97
1824669	Rock	0.31	0.027	1.5	11.5	216.7	1907	2.7	18.6	5.0	>10000	12.34	13.6	12.5	2.4	375	19.6	1.5	1.0	10	13.73
1824670	Rock	0.38	0.074	1.0	15.0	1443.2	4558	9.8	13.7	3.3	>10000	8.32	5.1	63.0	2.0	502	62.9	3.7	1.6	11	16.82
1824671	Rock	6.24	0.145	0.4	46.1	67.1	169	1.0	23.0	10.6	625	2.64	138.4	38.6	12.7	73	2.2	0.8	5.0	10	3.64
1824672	Rock	4.34	0.019	0.9	57.2	160.7	410	2.6	32.2	13.0	991	2.98	66.2	18.7	13.9	25	6.1	0.7	1.3	11	0.83



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** August 20, 2019

**Page:** 2 of 5

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000174.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550	
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	Au gm/t	
1824643	Rock	0.039	12	21	0.53	603	0.035	<20	1.04	0.033	0.13	1.9	<0.01	3.1	0.2	<0.05	3	0.6	<0.2	
1824644	Rock	0.040	15	11	0.17	645	0.004	<20	0.53	0.007	0.14	2.2	<0.01	1.3	0.2	<0.05	2	<0.5	<0.2	
1824645	Rock	0.153	11	9	0.11	438	0.003	<20	0.45	0.037	0.12	0.5	<0.01	2.2	0.1	0.20	1	3.2	1.0	
1824646	Rock	0.055	9	9	0.22	381	0.003	<20	0.51	0.031	0.14	0.4	<0.01	1.9	0.2	0.22	2	4.6	0.6	
1824647	Rock	0.057	7	6	0.18	264	0.002	<20	0.41	0.011	0.25	0.4	0.01	1.9	0.4	2.07	<1	44.7	5.4	
1824648	Rock	0.013	16	10	0.19	691	0.003	<20	0.50	0.007	0.14	<0.1	<0.01	1.3	0.1	<0.05	1	8.7	<0.2	
1824649	Rock	0.049	9	2	0.08	395	0.002	<20	0.58	0.027	0.27	0.2	<0.01	0.8	0.3	0.52	1	10.8	<0.2	
1824650	Rock	0.050	10	1	0.09	432	0.003	<20	0.71	0.030	0.33	0.2	<0.01	0.8	0.3	0.61	2	9.0	<0.2	
1824651	Rock	0.039	13	9	0.23	645	0.004	<20	0.58	0.007	0.17	0.2	<0.01	1.3	0.2	<0.05	2	5.4	0.2	
1824652	Rock	0.035	13	10	0.26	461	0.003	<20	0.58	0.006	0.15	0.2	0.01	1.4	0.2	<0.05	1	5.1	<0.2	
1824653	Rock	0.034	10	7	0.20	435	0.002	<20	0.45	0.005	0.13	0.2	<0.01	1.2	0.1	<0.05	1	4.5	<0.2	
1824654	Rock	0.038	12	11	0.33	634	0.003	<20	0.63	0.007	0.15	0.1	<0.01	1.7	0.2	0.13	2	10.9	<0.2	
1824655	Rock	0.047	14	22	0.56	524	0.004	<20	0.92	0.006	0.14	<0.1	<0.01	1.9	0.2	0.24	3	8.5	<0.2	
1824656	Rock	0.062	7	21	0.17	86	0.002	<20	0.50	0.006	0.13	<0.1	1.46	2.6	0.6	4.30	<1	>100	80.0	112.3
1824657	Rock	0.117	13	23	0.45	810	0.005	<20	0.81	0.006	0.22	0.2	<0.01	2.2	0.3	0.08	3	4.4	0.4	
1824658	Rock	0.220	9	36	0.64	401	0.039	<20	1.08	0.026	0.22	0.2	0.01	3.1	0.3	0.73	4	5.7	<0.2	
1824659	Rock	0.198	15	47	0.53	863	0.051	<20	1.07	0.024	0.33	0.2	<0.01	3.5	0.4	0.06	4	1.2	<0.2	
1824660	Rock Pulp	0.047	15	48	1.94	34	0.094	<20	1.91	0.036	0.25	2.8	2.50	5.6	1.8	4.84	9	10.2	0.4	
1824661	Rock	0.089	13	33	0.59	666	0.049	<20	1.21	0.026	0.32	0.2	<0.01	3.2	0.4	<0.05	5	1.0	<0.2	
1824662	Rock	0.087	13	15	0.46	230	0.003	<20	0.85	0.008	0.17	6.2	<0.01	1.7	0.2	0.19	3	2.2	0.2	
1824663	Rock	0.042	10	16	0.63	294	0.002	<20	0.93	0.014	0.19	0.6	<0.01	2.2	0.3	0.42	3	3.1	<0.2	
1824664	Rock	0.051	14	15	0.26	623	0.015	<20	0.90	0.012	0.25	0.9	<0.01	1.8	0.3	0.20	2	3.0	<0.2	
1824665	Rock	0.054	15	22	1.18	281	0.032	<20	1.50	0.031	0.15	1.6	<0.01	2.9	0.2	0.61	4	2.1	1.5	
1824666	Rock	0.023	14	11	0.51	124	0.002	<20	0.79	0.022	0.19	0.4	<0.01	1.8	0.1	1.04	2	2.7	0.2	
1824667	Rock	0.073	9	20	1.10	82	0.025	<20	1.50	0.027	0.12	>100	*	3.7	0.2	0.96	4	4.2	0.3	
1824668	Rock	0.035	10	18	1.08	116	0.007	<20	1.34	0.005	0.22	1.2	0.03	4.0	0.5	0.66	3	2.6	0.2	
1824669	Rock	0.022	5	11	1.16	38	<0.001	<20	1.07	0.003	0.06	4.1	0.02	3.7	0.1	0.20	4	<0.5	<0.2	
1824670	Rock	0.020	7	8	1.01	53	<0.001	<20	0.90	0.003	0.06	1.6	0.02	3.0	0.1	0.31	3	<0.5	<0.2	
1824671	Rock	0.028	16	10	0.56	61	0.004	<20	0.90	0.016	0.19	1.3	<0.01	1.9	0.1	1.18	3	1.8	0.2	
1824672	Rock	0.031	18	12	0.62	68	0.003	<20	0.98	0.013	0.21	0.3	<0.01	1.9	0.2	1.10	3	2.6	<0.2	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** August 20, 2019

**Page:** 3 of 5

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000174.1

Method Analyte	Unit	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	MDL	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1824673	Rock	3.96	0.158	0.5	70.2	8.4	56	0.5	29.5	12.5	386	3.02	71.8	87.9	12.1	38	0.2	0.3	4.8	15	1.45
1824674	Rock	5.81	0.115	0.8	54.9	126.3	203	3.6	33.1	12.3	1587	3.00	210.3	90.9	9.4	52	2.5	0.8	5.7	11	1.67
1824675	Rock	3.15	0.027	0.5	41.3	117.6	244	2.5	24.7	10.9	952	2.63	195.5	19.3	11.9	32	3.4	0.5	2.1	8	0.81
1824676	Rock	3.40	0.517	1.2	51.8	870.0	628	25.9	18.9	10.3	6840	3.31	66.1	1140.9	9.6	60	9.5	1.0	27.7	20	2.04
1824677	Rock	3.48	0.892	1.0	108.7	486.8	674	15.1	37.1	13.1	5424	3.84	94.0	943.9	8.1	85	10.4	1.5	21.0	29	3.36
1824678	Rock	2.79	0.016	2.7	25.8	210.1	573	3.2	21.9	7.1	8041	3.14	80.8	9.7	8.5	73	8.5	0.7	1.0	32	2.31
1824679	Rock	2.22	0.022	1.0	14.7	106.5	561	1.2	20.0	9.2	3887	2.42	59.4	13.9	9.3	106	6.5	0.9	0.5	17	2.91
1824680	Rock	0.39	<0.005	<0.1	0.5	1.3	3	<0.1	<0.1	<0.1	86	0.06	0.6	1.0	<0.1	82	0.1	<0.1	<0.1	<1	31.62
1824681	Rock	6.59	0.105	0.8	40.4	673.8	1323	6.9	20.6	10.2	920	2.00	194.7	29.7	10.2	18	23.3	1.2	3.2	9	0.57
1824682	Rock	5.41	0.317	1.1	74.7	1593.8	5971	15.3	34.8	16.0	7944	3.43	187.6	400.4	8.7	65	97.4	2.1	9.6	21	3.70
1824683	Rock	4.48	0.220	0.7	33.7	443.3	2071	6.2	18.1	7.2	6112	2.24	70.6	210.1	6.1	43	30.1	1.0	5.7	14	2.17
1824684	Rock	5.19	0.129	0.4	59.8	750.2	2050	9.7	27.3	12.4	4090	3.08	233.2	114.0	10.6	57	29.8	1.5	6.2	18	1.78
1824685	Rock	2.60	0.134	0.6	41.7	484.8	1079	5.3	20.7	6.1	1964	1.55	22.5	115.2	5.0	213	13.7	1.5	2.9	15	8.10
1824686	Rock	7.28	0.171	0.2	89.9	14.5	63	0.5	27.0	11.1	243	3.00	229.4	223.6	13.4	31	0.4	0.3	3.5	17	0.77
1824687	Rock	6.94	0.169	0.5	72.1	8.8	42	0.7	28.9	13.0	251	3.76	303.4	187.3	15.3	35	<0.1	0.5	4.9	20	0.74
1824688	Rock	7.43	0.195	2.2	52.1	5.4	48	0.4	33.4	13.9	273	2.89	110.4	190.5	12.9	51	0.2	0.5	4.0	21	1.86
1824689	Rock	3.46	0.420	0.5	44.7	8.8	36	0.4	28.3	13.2	283	1.66	61.9	283.4	6.4	42	0.4	0.6	9.5	11	1.75
1824690	Rock	3.18	0.864	0.4	44.0	10.5	33	1.3	29.0	13.7	243	1.56	65.6	5252.6	5.9	32	0.1	0.6	16.0	11	1.48
1824691	Rock	4.69	0.145	0.6	64.0	5.5	36	0.3	35.1	13.2	310	1.87	40.2	96.5	6.0	86	0.2	0.4	3.8	15	3.22
1824692	Rock	1.56	1.051	0.4	153.0	3.9	45	0.6	34.0	11.6	697	3.34	17.0	940.1	3.2	63	0.2	0.6	20.7	8	7.38
1824693	Rock	1.81	0.198	0.4	76.1	4.3	51	0.3	41.9	12.3	428	1.92	35.3	136.2	5.1	45	0.3	0.8	4.2	12	3.37
1824694	Rock	1.33	3.110	1.0	129.2	38.0	48	5.8	22.7	10.0	506	4.29	32.5	3766.7	1.5	31	0.4	1.7	66.6	38	2.32
1824695	Rock	3.64	0.013	0.5	86.7	62.4	235	3.3	26.3	14.4	483	2.57	238.7	8.4	8.8	31	3.2	0.3	1.7	12	1.25
1824696	Rock	0.95	0.040	0.7	113.6	490.4	1470	10.3	37.6	19.4	>10000	5.33	303.4	29.3	7.9	103	18.9	1.2	2.6	12	6.41
1824697	Rock	3.90	0.019	0.3	38.9	54.9	277	2.0	28.3	11.5	1062	2.99	32.4	5.9	12.4	25	3.9	0.3	1.3	11	0.84
1824698	Rock	4.95	0.009	0.5	21.8	13.9	57	0.6	17.9	5.5	291	1.63	44.4	4.0	12.4	18	0.3	0.2	0.7	6	0.53
1824699	Rock	5.31	0.015	0.3	24.0	38.6	67	1.2	23.9	8.5	404	2.26	82.4	15.5	11.2	23	0.5	0.2	0.9	8	0.51
1824700	Rock Pulp	0.13	0.285	12.9	2201.7	1048.7	6994	18.4	32.7	18.0	519	8.58	275.3	44.7	1.6	46	49.3	28.3	11.6	49	2.23
1824701	Rock	5.12	0.076	0.3	48.3	181.0	341	3.5	23.8	10.4	2076	3.05	111.3	70.4	9.9	117	4.0	0.7	3.1	25	2.06
1824702	Rock	0.78	0.021	1.1	14.9	1077.4	513	8.7	31.8	6.3	>10000	5.71	105.3	34.9	11.2	567	5.8	1.4	6.5	49	5.68



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** August 20, 2019

**Page:** 3 of 5

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000174.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	Au gm/t	
1824673	Rock	0.026	15	15	0.71	111	0.020	<20	1.29	0.019	0.19	0.6	<0.01	2.2	0.2	1.36	4	3.2	<0.2	
1824674	Rock	0.022	11	11	0.61	84	0.011	<20	0.96	0.011	0.20	2.1	<0.01	2.4	0.2	1.17	3	2.4	0.3	
1824675	Rock	0.025	12	10	0.52	64	0.003	<20	0.86	0.010	0.19	0.2	<0.01	1.6	0.1	0.83	2	1.5	<0.2	
1824676	Rock	0.033	10	14	0.70	77	0.002	<20	1.07	0.005	0.22	2.2	0.01	3.4	0.3	0.69	3	3.3	1.0	
1824677	Rock	0.032	8	19	1.01	120	0.016	<20	1.29	0.013	0.25	4.8	0.01	4.4	0.5	1.49	4	4.1	1.2	
1824678	Rock	0.028	11	16	0.79	98	0.002	<20	1.12	0.006	0.22	0.2	<0.01	3.8	0.2	0.55	4	<0.5	<0.2	
1824679	Rock	0.015	9	10	0.34	53	<0.001	<20	0.51	0.003	0.15	0.2	<0.01	2.7	0.2	0.69	2	<0.5	<0.2	
1824680	Rock	0.005	1	<1	0.41	14	0.001	<20	0.03	0.001	0.02	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
1824681	Rock	0.023	15	9	0.36	101	0.002	<20	0.80	0.005	0.24	<0.1	<0.01	1.3	0.2	0.64	3	1.0	<0.2	
1824682	Rock	0.034	8	13	0.87	141	0.003	<20	1.03	0.006	0.28	0.3	0.05	4.1	0.5	1.38	4	4.0	0.4	
1824683	Rock	0.029	8	7	0.41	110	0.003	<20	0.57	0.005	0.21	0.2	0.03	2.3	0.5	0.66	2	1.0	<0.2	
1824684	Rock	0.026	8	9	0.47	149	0.001	<20	0.74	0.003	0.26	0.2	0.04	3.1	0.5	1.84	2	2.3	0.3	
1824685	Rock	0.022	6	9	0.20	107	0.005	<20	0.55	0.006	0.18	22.2	<0.01	2.0	0.3	0.59	2	0.6	<0.2	
1824686	Rock	0.028	18	16	0.49	225	0.037	<20	1.46	0.016	0.31	0.5	<0.01	1.8	0.3	0.77	4	1.1	<0.2	
1824687	Rock	0.049	15	15	0.62	242	0.056	<20	1.55	0.024	0.30	0.4	<0.01	2.4	0.3	1.80	4	2.4	0.3	
1824688	Rock	0.039	13	13	0.42	176	0.039	<20	1.20	0.029	0.26	8.1	<0.01	1.8	0.2	1.27	3	2.3	0.2	
1824689	Rock	0.023	12	9	0.32	112	0.032	<20	0.75	0.022	0.16	0.9	<0.01	1.7	0.1	0.65	2	1.2	0.4	
1824690	Rock	0.024	11	9	0.31	103	0.029	<20	0.72	0.023	0.14	0.8	0.01	1.5	<0.1	0.62	3	<0.5	0.9	
1824691	Rock	0.079	10	13	0.36	182	0.078	<20	1.14	0.051	0.13	41.0	<0.01	1.7	<0.1	0.84	3	1.8	0.3	
1824692	Rock	0.053	5	7	0.68	31	0.025	<20	0.38	0.005	0.02	>100	0.02	1.2	<0.1	1.89	2	5.6	0.7	
1824693	Rock	0.082	7	12	0.44	91	0.035	<20	0.77	0.013	0.10	26.5	<0.01	1.9	0.1	0.83	3	2.6	<0.2	
1824694	Rock	0.045	2	6	0.30	22	0.008	<20	0.34	0.007	0.03	>100	0.01	1.4	<0.1	2.55	2	9.6	2.2	
1824695	Rock	0.031	10	11	0.49	124	0.002	<20	0.93	0.006	0.28	0.5	<0.01	1.9	0.2	1.11	3	1.7	<0.2	
1824696	Rock	0.025	4	9	0.77	86	<0.001	<20	0.65	0.003	0.24	4.7	0.02	3.8	0.4	2.25	3	3.5	0.3	
1824697	Rock	0.031	15	12	0.51	114	0.007	<20	1.06	0.008	0.27	0.3	<0.01	2.1	0.2	1.09	4	0.7	<0.2	
1824698	Rock	0.017	16	8	0.27	80	0.009	<20	0.61	0.006	0.21	0.4	<0.01	1.0	0.2	0.57	2	0.8	<0.2	
1824699	Rock	0.024	14	10	0.39	98	0.004	<20	0.85	0.007	0.25	0.1	<0.01	1.2	0.2	0.76	2	<0.5	<0.2	
1824700	Rock Pulp	0.039	4	40	2.54	44	0.005	<20	1.84	0.011	0.07	0.5	2.61	3.5	4.8	6.50	7	28.7	0.3	
1824701	Rock	0.044	11	19	0.87	105	0.012	<20	1.22	0.013	0.25	4.2	<0.01	4.3	0.3	0.85	4	2.1	<0.2	
1824702	Rock	0.165	12	34	1.14	104	0.002	<20	1.26	0.027	0.29	0.3	<0.01	13.4	0.5	0.90	4	0.8	<0.2	





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 20, 2019

Page: 4 of 5

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000174.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1824703	Rock	1.40	0.116	2.5	34.1	429.4	1206	6.8	49.8	14.4	>10000	4.54	118.2	55.5	9.7	124	16.2	1.1	4.5	62	2.87
1824704	Rock	6.32	0.100	15.9	26.2	98.7	251	4.1	85.6	11.8	1720	2.43	666.7	22.7	7.2	40	3.3	1.1	1.1	88	0.94
1824705	Rock	1.94	0.072	6.0	23.1	41.4	89	1.3	50.0	10.7	1454	2.23	768.6	41.4	8.3	65	0.9	0.4	0.7	31	1.75
1824706	Rock	3.22	0.017	1.9	56.7	16.9	80	0.5	60.2	12.4	511	3.66	149.0	4.4	10.9	58	0.2	0.3	0.6	37	0.95
1824707	Rock	6.52	0.027	1.4	55.4	6.0	44	0.5	48.0	11.7	749	2.73	208.4	0.8	8.3	27	<0.1	1.0	1.9	21	0.79
1824708	Rock	5.01	0.039	4.1	49.5	7.2	144	0.6	57.1	9.8	515	3.21	728.6	0.6	9.3	28	1.8	1.1	2.4	25	0.36
1824709	Rock	3.03	0.026	10.9	71.2	4.9	121	0.7	54.3	10.7	2511	3.15	186.7	<0.5	5.6	27	1.0	0.8	2.1	28	0.41
1824710	Rock	3.25	0.023	8.3	77.3	5.4	115	0.7	56.5	11.6	2508	3.16	195.6	1.0	6.3	29	1.1	1.3	2.0	29	0.46
1824711	Rock	6.26	0.015	3.2	71.8	71.7	186	1.7	41.6	8.5	712	2.08	189.4	3.2	3.9	32	2.0	0.7	1.0	19	0.42
1824712	Rock	4.25	0.020	3.9	111.7	3.4	120	0.3	49.1	10.5	487	2.63	291.0	2.4	4.5	20	1.8	0.6	0.8	76	0.34
1824713	Rock	3.66	0.071	10.8	18.5	19.1	84	0.4	53.0	9.4	171	1.71	510.7	69.6	9.0	23	0.2	0.7	0.9	51	0.30
1824714	Rock	2.33	0.044	0.8	3.3	124.8	319	0.7	17.5	3.1	386	0.96	433.4	50.5	2.9	32	3.5	0.6	0.2	16	0.73
1824715	Rock	2.57	0.109	5.1	36.8	631.9	1312	5.4	43.7	9.7	>10000	4.27	623.4	30.7	12.5	37	13.2	2.1	0.7	21	0.84
1824716	Rock	2.30	0.339	12.9	15.2	11.7	158	2.8	87.1	4.4	669	1.25	548.8	426.1	3.5	87	3.5	8.8	8.5	391	2.67
1824717	Rock	0.60	4.851	7.0	361.6	5.4	171	2.2	20.5	16.1	2771	10.89	<0.5	4619.7	1.9	104	0.4	2.5	140.5	49	7.07
1824718	Rock	2.17	0.317	0.5	41.5	1202.9	2253	5.1	6.0	2.4	9620	1.93	53.7	85.6	1.3	1573	26.3	2.3	2.5	<1	33.64
1824719	Rock	2.05	1.956	1.5	45.9	4083.1	4314	19.7	21.2	8.8	>10000	19.03	248.3	897.2	5.0	82	49.6	3.6	3.7	9	2.91
1824720	Rock Pulp	0.13	2.894	15.8	3997.7	>10000	>10000	>100	97.1	44.3	4681	9.55	643.5	3685.2	5.6	21	133.8	186.4	31.5	70	2.19
1824721	Rock	2.30	0.462	0.4	66.8	1452.1	3642	6.5	20.9	8.8	>10000	3.63	54.1	119.0	5.1	702	43.9	1.7	4.6	10	20.33
1824722	Rock	1.22	0.058	0.8	9.7	391.1	946	3.8	10.5	5.3	>10000	11.20	25.3	265.8	6.9	978	11.0	0.7	2.8	19	11.28
1824723	Rock	2.37	0.230	0.8	39.8	135.5	369	5.2	20.8	8.7	4704	2.49	38.2	52.2	4.0	928	4.2	2.8	9.4	13	24.78
1824724	Rock	1.66	2.107	2.7	384.3	2593.1	5358	37.2	30.8	14.2	>10000	9.19	487.3	1986.7	4.5	179	64.0	3.7	45.5	29	5.06
1824725	Rock	3.62	0.080	3.4	71.5	548.5	1301	4.6	50.1	8.3	6002	2.88	174.8	5.6	4.6	61	14.9	5.8	2.5	18	0.96
1824726	Rock	2.84	0.129	8.9	101.8	1003.4	2807	5.2	51.2	10.8	2815	2.64	652.1	14.0	5.6	65	31.9	6.0	2.0	24	1.07
1824727	Rock	2.26	1.450	0.2	22.6	1169.7	2137	9.7	4.5	1.7	6867	1.84	75.0	2276.2	6.0	39	23.6	0.8	5.3	2	1.02
1824728	Rock	4.75	0.376	0.4	40.3	411.4	793	3.1	6.2	7.3	>10000	4.40	1303.1	499.8	3.5	104	8.6	1.7	1.9	3	3.62
1824729	Rock	2.74	0.578	1.5	17.0	16.8	62	1.5	1.4	1.1	1408	0.84	192.8	8066.2	6.3	85	0.5	0.3	2.5	<1	2.57
1824730	Rock	2.46	0.148	1.3	15.6	21.1	25	0.5	1.3	1.7	445	0.78	290.6	83.4	5.6	86	0.2	0.3	2.2	<1	2.45
1824731	Rock	3.43	0.182	2.3	50.5	92.1	269	1.6	39.9	7.4	316	1.63	193.8	96.4	5.1	33	3.2	0.9	3.4	17	0.59
1824732	Rock	3.93	0.080	0.7	38.0	4.5	24	0.2	22.5	4.3	196	1.77	443.4	24.5	4.0	24	<0.1	0.5	1.7	11	0.51



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** August 20, 2019

**Page:** 4 of 5

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000174.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	Au gm/t	
1824703	Rock	0.056	11	27	1.31	183	0.002	<20	1.80	0.016	0.33	0.3	<0.01	5.1	0.6	1.34	6	2.9	0.3	
1824704	Rock	0.098	11	17	0.48	304	0.003	<20	1.12	0.017	0.24	0.2	<0.01	2.0	0.3	0.73	3	2.8	<0.2	
1824705	Rock	0.066	14	17	0.40	250	0.002	<20	1.05	0.017	0.29	0.2	<0.01	1.9	0.3	0.37	3	0.6	<0.2	
1824706	Rock	0.084	13	25	0.56	250	0.003	<20	1.46	0.020	0.27	0.2	<0.01	2.2	0.3	1.14	4	3.8	<0.2	
1824707	Rock	0.045	11	12	0.38	176	0.001	<20	1.01	0.020	0.12	0.7	<0.01	1.6	0.2	0.88	3	2.1	<0.2	
1824708	Rock	0.076	9	11	0.39	200	0.002	<20	0.95	0.024	0.15	0.3	<0.01	1.2	0.1	1.69	2	4.4	<0.2	
1824709	Rock	0.053	8	12	0.56	271	0.002	<20	0.96	0.010	0.17	0.3	<0.01	1.5	0.1	1.53	3	3.6	<0.2	
1824710	Rock	0.063	10	12	0.58	291	0.002	<20	0.97	0.010	0.17	0.3	<0.01	1.6	0.1	1.47	3	4.1	<0.2	
1824711	Rock	0.040	8	11	0.40	210	0.002	<20	0.64	0.005	0.12	0.6	<0.01	1.2	<0.1	0.77	2	1.8	<0.2	
1824712	Rock	0.087	11	21	0.51	331	0.004	<20	1.16	0.009	0.20	0.4	<0.01	2.3	0.1	0.64	3	2.1	<0.2	
1824713	Rock	0.067	25	28	0.40	223	0.002	<20	1.12	0.033	0.18	0.3	<0.01	1.8	0.2	0.16	4	<0.5	<0.2	
1824714	Rock	0.024	8	9	0.16	137	0.001	<20	0.46	0.008	0.14	0.4	<0.01	0.8	0.1	0.09	1	<0.5	<0.2	
1824715	Rock	0.101	19	11	0.40	154	0.002	<20	1.02	0.010	0.26	0.4	<0.01	1.8	0.3	0.62	3	3.0	<0.2	
1824716	Rock	0.247	11	33	0.25	121	0.003	<20	0.76	0.039	0.17	0.4	<0.01	2.0	0.2	0.18	4	0.7	0.3	
1824717	Rock	0.082	3	5	0.32	82	0.006	<20	0.71	0.011	0.03	>100	*	1.2	0.5	5.30	5	18.4	3.8	
1824718	Rock	0.039	4	4	0.29	40	<0.001	<20	0.22	0.008	0.04	73.9	<0.01	1.1	<0.1	0.43	1	2.5	<0.2	
1824719	Rock	0.032	6	5	0.84	70	<0.001	<20	0.36	0.020	0.14	6.4	0.04	2.3	0.3	0.92	5	6.5	<0.2	
1824720	Rock Pulp	0.049	15	48	2.05	38	0.094	<20	2.02	0.036	0.26	2.7	2.74	5.4	1.8	4.98	10	9.4	0.5	
1824721	Rock	0.051	5	11	0.75	110	0.001	<20	0.73	0.004	0.19	0.4	0.04	2.7	0.4	0.42	3	4.8	<0.2	
1824722	Rock	0.964	15	10	1.07	119	0.005	<20	0.62	0.005	0.25	1.8	0.01	6.6	0.5	0.15	4	2.0	<0.2	
1824723	Rock	0.072	8	13	0.72	88	<0.001	<20	0.92	0.003	0.16	2.8	<0.01	2.5	0.4	0.31	4	1.4	0.2	
1824724	Rock	0.072	4	15	1.14	95	0.001	<20	1.63	0.004	0.18	3.9	0.06	3.5	0.4	4.39	8	16.7	1.7	
1824725	Rock	0.058	10	10	0.62	221	0.002	<20	0.70	0.006	0.17	1.4	0.02	1.5	0.2	0.81	3	2.6	<0.2	
1824726	Rock	0.055	10	10	0.51	231	0.002	<20	0.70	0.005	0.19	0.4	<0.01	1.4	0.2	1.16	2	5.3	<0.2	
1824727	Rock	0.014	9	3	0.24	150	<0.001	<20	0.44	0.019	0.22	0.8	0.01	0.2	0.4	0.37	2	2.6	0.3	
1824728	Rock	0.008	5	2	0.54	114	<0.001	<20	0.47	0.014	0.18	0.2	<0.01	0.3	0.4	0.20	2	1.5	0.2	
1824729	Rock	0.016	10	1	0.18	312	<0.001	<20	0.61	0.042	0.10	0.3	<0.01	0.3	0.1	0.17	2	0.8	<0.2	
1824730	Rock	0.014	10	2	0.16	434	<0.001	<20	0.72	0.059	0.13	0.1	<0.01	0.2	0.2	0.20	2	<0.5	<0.2	
1824731	Rock	0.022	8	14	0.32	158	0.001	<20	0.58	0.007	0.10	0.3	<0.01	1.5	<0.1	0.53	2	1.2	0.3	
1824732	Rock	0.030	8	10	0.32	141	0.002	<20	0.55	0.006	0.09	0.3	<0.01	1.4	<0.1	0.71	2	1.5	<0.2	



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** August 20, 2019

**Page:** 5 of 5

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000174.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1824733	Rock	7.21	0.075	0.4	32.2	2.6	22	0.2	15.4	3.7	400	2.04	223.5	30.2	3.6	22	<0.1	1.7	2.5	11	0.59
1824734	Rock	6.98	0.127	0.6	31.1	2.1	16	0.2	20.4	4.6	145	1.34	87.3	41.2	3.9	22	<0.1	0.4	2.7	10	0.50
1824735	Rock	3.96	0.061	0.6	14.2	1.6	17	0.1	16.0	3.2	157	0.95	152.6	13.7	3.4	16	<0.1	0.8	1.2	8	0.31
1824736	Rock	9.14	0.253	0.7	47.1	3.3	28	0.4	22.3	5.1	263	2.09	674.0	54.0	3.9	21	0.1	2.1	4.8	11	0.56
1824737	Rock	5.21	0.218	0.4	35.2	288.6	887	4.6	19.3	4.1	968	2.20	186.8	33.5	3.8	46	9.8	2.0	5.0	15	1.17
1824738	Rock	9.37	0.273	1.7	85.7	11.5	83	0.9	65.1	7.8	244	2.37	75.7	9.8	3.9	23	1.0	0.7	5.5	23	0.62
1824739	Rock	8.26	0.057	1.4	37.2	3.6	29	0.3	40.3	5.6	261	1.98	72.3	2.1	3.7	51	0.2	1.7	2.4	14	1.51
1824740	Rock	0.55	<0.005	<0.1	0.3	0.5	1	<0.1	0.1	<0.1	85	0.08	0.9	0.8	<0.1	72	<0.1	<0.1	<0.1	<1	29.42



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** August 20, 2019

**Page:** 5 of 5

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000174.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	0.9	
1824733	Rock	0.021	9	12	0.26	114	0.003	<20	0.52	0.006	0.06	0.2	<0.01	1.4	<0.1	0.93	1	0.9	<0.2	
1824734	Rock	0.022	11	9	0.18	124	0.003	<20	0.40	0.007	0.08	0.3	<0.01	1.4	<0.1	0.43	1	1.3	<0.2	
1824735	Rock	0.017	9	9	0.13	98	0.002	<20	0.32	0.009	0.06	0.1	<0.01	0.8	<0.1	0.22	1	<0.5	<0.2	
1824736	Rock	0.026	10	9	0.33	102	0.002	<20	0.45	0.006	0.07	0.4	<0.01	1.2	<0.1	1.02	2	2.1	0.3	
1824737	Rock	0.024	8	14	0.57	85	0.002	<20	0.70	0.005	0.08	0.2	<0.01	1.8	0.1	0.63	2	1.4	0.4	
1824738	Rock	0.024	6	13	0.44	158	0.001	<20	0.60	0.008	0.09	0.2	<0.01	1.6	<0.1	1.25	2	3.4	0.4	
1824739	Rock	0.052	6	13	0.40	162	0.002	<20	0.51	0.022	0.09	0.1	<0.01	1.4	<0.1	0.80	2	2.4	<0.2	
1824740	Rock	0.007	1	<1	0.74	18	0.001	<20	0.03	0.001	0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2	



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 20, 2019

Page: 1 of 2

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000174.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
Pulp Duplicates																					
REP 1824655	QC			12.5	66.3	3.1	170	0.2	99.0	12.0	198	2.28	128.5	14.4	4.2	22	1.8	0.8	0.8	77	0.34
1824670	Rock	0.38	0.074	1.0	15.0	1443.2	4558	9.8	13.7	3.3	>10000	8.32	5.1	63.0	2.0	502	62.9	3.7	1.6	11	16.82
REP 1824670	QC		0.072																		
1824673	Rock	3.96	0.158	0.5	70.2	8.4	56	0.5	29.5	12.5	386	3.02	71.8	87.9	12.1	38	0.2	0.3	4.8	15	1.45
REP 1824673	QC		0.138																		
REP 1824689	QC			0.5	44.2	8.6	35	0.5	28.4	12.7	272	1.60	67.1	307.5	6.3	40	0.1	0.5	10.1	11	1.68
1824722	Rock	1.22	0.058	0.8	9.7	391.1	946	3.8	10.5	5.3	>10000	11.20	25.3	265.8	6.9	978	11.0	0.7	2.8	19	11.28
REP 1824722	QC			0.8	9.2	384.9	948	3.4	10.9	5.0	>10000	11.09	24.8	26.6	6.4	958	11.2	0.7	2.8	18	11.30
REP 1824723	QC		0.422																		
Core Reject Duplicates																					
1824655	Rock	3.04	0.026	12.3	65.2	2.8	161	0.2	97.2	12.0	196	2.28	138.1	23.7	4.5	21	1.7	0.9	0.8	76	0.33
DUP 1824655	QC		0.028	12.6	65.7	3.0	165	0.2	98.5	11.9	200	2.25	128.6	11.6	4.1	22	1.5	1.0	0.8	74	0.33
1824689	Rock	3.46	0.420	0.5	44.7	8.8	36	0.4	28.3	13.2	283	1.66	61.9	283.4	6.4	42	0.4	0.6	9.5	11	1.75
DUP 1824689	QC		0.490	0.5	45.6	9.3	35	0.5	28.9	13.6	270	1.64	73.7	742.2	6.7	41	0.2	0.6	9.7	11	1.71
1824723	Rock	2.37	0.230	0.8	39.8	135.5	369	5.2	20.8	8.7	4704	2.49	38.2	52.2	4.0	928	4.2	2.8	9.4	13	24.78
DUP 1824723	QC		0.358	0.9	38.5	157.6	372	6.4	20.1	8.5	4578	2.42	37.6	66.7	4.2	919	4.3	2.8	10.2	12	24.46
Reference Materials																					
STD AGPROOF	Standard																				
STD BVGEO01	Standard			10.6	4405.6	185.3	1763	2.5	167.5	24.2	716	3.57	117.2	213.3	16.2	58	5.6	2.2	24.0	74	1.35
STD DS11	Standard			13.1	153.0	129.7	318	1.6	80.4	13.4	971	3.02	42.7	118.6	8.5	63	2.1	7.1	10.9	47	1.01
STD DS11	Standard			13.2	150.1	131.4	335	1.7	77.1	12.5	972	2.98	42.4	50.3	7.1	62	2.0	7.4	11.1	46	1.00
STD OREAS262	Standard			0.6	124.0	51.5	143	0.4	66.7	27.6	528	3.22	35.7	56.3	10.3	34	0.6	3.2	0.9	21	3.00
STD OREAS262	Standard			0.7	118.7	56.6	151	0.5	63.9	27.8	549	3.26	36.4	60.5	9.6	37	0.7	2.7	1.0	23	3.13
STD OREAS262	Standard			0.8	114.3	55.0	148	0.4	63.5	26.1	509	3.12	34.5	58.6	9.7	34	0.6	2.6	0.9	22	2.95
STD OREAS256	Standard		7.411																		
STD OXC145	Standard		0.215																		
STD OXC145	Standard		0.217																		
STD OXC145	Standard		0.211																		



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 20, 2019

Page: 1 of 2

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000174.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.9	
Pulp Duplicates																				
REP 1824655	QC	0.047	14	22	0.57	524	0.004	<20	0.92	0.007	0.14	<0.1	<0.01	2.2	0.2	0.24	3	8.8	<0.2	
1824670	Rock	0.020	7	8	1.01	53	<0.001	<20	0.90	0.003	0.06	1.6	0.02	3.0	0.1	0.31	3	<0.5	<0.2	
REP 1824670																				
1824673	Rock	0.026	15	15	0.71	111	0.020	<20	1.29	0.019	0.19	0.6	<0.01	2.2	0.2	1.36	4	3.2	<0.2	
REP 1824673																				
REP 1824689	QC	0.025	12	9	0.31	113	0.029	<20	0.72	0.021	0.15	0.7	<0.01	1.5	<0.1	0.64	2	0.7	0.4	
1824722	Rock	0.964	15	10	1.07	119	0.005	<20	0.62	0.005	0.25	1.8	0.01	6.6	0.5	0.15	4	2.0	<0.2	
REP 1824722	QC	0.941	15	9	1.10	121	0.004	<20	0.63	0.005	0.25	1.7	0.02	6.7	0.5	0.15	5	0.9	<0.2	
REP 1824723																				
Core Reject Duplicates																				
1824655	Rock	0.047	14	22	0.56	524	0.004	<20	0.92	0.006	0.14	<0.1	<0.01	1.9	0.2	0.24	3	8.5	<0.2	
DUP 1824655	QC	0.043	13	22	0.56	490	0.004	<20	0.88	0.006	0.14	0.1	<0.01	2.0	0.2	0.24	3	7.8	<0.2	
1824689	Rock	0.023	12	9	0.32	112	0.032	<20	0.75	0.022	0.16	0.9	<0.01	1.7	0.1	0.65	2	1.2	0.4	
DUP 1824689	QC	0.024	12	9	0.29	112	0.029	<20	0.73	0.021	0.16	0.5	<0.01	1.6	<0.1	0.66	2	0.5	0.6	
1824723	Rock	0.072	8	13	0.72	88	<0.001	<20	0.92	0.003	0.16	2.8	<0.01	2.5	0.4	0.31	4	1.4	0.2	
DUP 1824723	QC	0.067	9	12	0.70	88	0.001	<20	0.90	0.002	0.17	3.3	0.01	2.5	0.4	0.30	4	0.8	0.3	
Reference Materials																				
STD AGPROOF	Standard																			<0.9
STD BVGE001	Standard	0.075	26	174	1.30	338	0.237	<20	2.34	0.194	0.88	3.7	0.10	5.6	0.6	0.65	7	3.9	1.0	
STD DS11	Standard	0.066	19	59	0.83	436	0.098	<20	1.17	0.071	0.39	3.0	0.24	3.2	4.5	0.27	4	2.5	4.6	
STD DS11	Standard	0.068	16	57	0.82	416	0.088	<20	1.11	0.066	0.38	2.6	0.25	2.8	4.7	0.26	5	2.2	4.5	
STD OREAS262	Standard	0.037	17	43	1.17	245	0.003	<20	1.27	0.068	0.30	<0.1	0.16	3.1	0.4	0.26	4	0.6	<0.2	
STD OREAS262	Standard	0.040	17	43	1.19	262	0.003	<20	1.28	0.068	0.32	0.2	0.18	3.1	0.5	0.23	4	<0.5	<0.2	
STD OREAS262	Standard	0.039	17	45	1.15	247	0.003	<20	1.25	0.065	0.31	0.1	0.17	3.1	0.5	0.25	4	0.7	<0.2	
STD OREAS256	Standard																			
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXC145	Standard																			



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 20, 2019

Page: 2 of 2

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000174.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
STD OXH139	Standard		1.292																		
STD OXH139	Standard		1.301																		
STD OXH139	Standard		1.260																		
STD OXN134	Standard		7.684																		
STD OXN134	Standard		7.580																		
STD OXQ114	Standard																				
STD SP49	Standard																				
STD BVGEO01 Expected				10.8	4415	187	1741	2.53	163	25	733	3.7	121	219	14.4	55	6.5	2.2	25.6	73	1.3219
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063
STD OREAS262 Expected				0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	65	9.33	36	0.61	3.39	1.03	22.5	2.98
STD OREAS256 Expected			7.66																		
STD AGPROOF Expected																					
STD SP49 Expected																					
STD OXQ114 Expected																					
STD OXC145 Expected			0.212																		
STD OXH139 Expected			1.312																		
STD OXN134 Expected			7.667																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		0.005																		
BLK	Blank		0.007																		
Prep Wash																					
ROCK-WHI	Prep Blank		<0.005	0.6	3.7	1.4	30	<0.1	1.0	3.9	457	1.75	3.1	3.7	6.1	25	<0.1	<0.1	<0.1	23	0.67
ROCK-WHI	Prep Blank		<0.005	1.0	2.3	1.3	26	<0.1	0.8	3.5	431	1.70	1.6	1.9	3.8	20	<0.1	<0.1	<0.1	23	0.58



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 20, 2019

Page: 2 of 2

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000174.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550		
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t	
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.9	
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ114	Standard																				35.0
STD SP49	Standard																				18.3
STD BVGEO01 Expected		0.0727	25.9	171	1.2963	340	0.233		2.347	0.1924	0.89	3.5	0.1	5.97	0.62	0.6655	7.37	4.84	1.02		
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56		
STD OREAS262 Expected		0.04	15.9	41.7	1.17	248	0.003		1.204	0.071	0.312	0.13	0.17	3.24	0.47	0.253	3.73	0.4	0.23		
STD OREAS256 Expected																					
STD AGPROOF Expected																					0
STD SP49 Expected																					18.34
STD OXQ114 Expected																					35.2
STD OXC145 Expected																					
STD OXH139 Expected																					
STD OXN134 Expected																					
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				<0.9
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.038	6	2	0.46	63	0.091	<20	0.97	0.097	0.09	<0.1	<0.01	2.9	<0.1	<0.05	4	<0.5	<0.2		
ROCK-WHI	Prep Blank	0.038	6	2	0.41	62	0.092	<20	0.84	0.077	0.09	<0.1	0.01	2.9	<0.1	<0.05	3	<0.5	<0.2		





**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Submitted By: James Thom  
Receiving Lab: Canada-Whitehorse  
Received: October 02, 2019  
Report Date: December 07, 2019  
Page: 1 of 4

## CERTIFICATE OF ANALYSIS

WHI19000629.2

### CLIENT JOB INFORMATION

Project: McQuesten  
Shipment ID: MQ-19-10a  
P.O. Number  
Number of Samples: 89

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
RTRN-RJT Return After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	86	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	3	Sort, label and box pulps			WHI
FA450	89	50g Lead Collection Fire Assay Fusion - AAS Finish	50	Completed	VAN
EN002	89	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	89	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	89	Per sample shipping charges for branch shipments			VAN
AQ370-X	1	1:1:1 Aqua Regia digestion ICP-ES analysis	1	Completed	VAN

### ADDITIONAL COMMENTS

Version 2 : AQ370-Ag included.

Invoice To: Banyan Gold Corp.  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7  
Canada

CC: Paul Gray



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. \*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** December 07, 2019

**Page:** 2 of 4

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000629.2

Method Analyte	Unit	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
			Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
MDL		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
1824751	Rock	2.89	0.086	0.4	46.1	7.5	63	0.4	29.0	15.6	274	2.15	99.8	56.5	11.0	151	0.5	0.6	3.3	13	2.53	
1824752	Rock	3.90	0.019	0.4	25.9	5.2	53	0.3	18.3	9.2	212	2.42	98.0	8.9	13.5	65	0.2	0.3	1.0	11	0.24	
1824753	Rock	4.28	0.013	0.5	55.7	6.3	51	0.4	33.5	17.2	179	2.52	108.7	7.1	10.7	120	0.5	0.3	1.8	21	0.73	
1824754	Rock	1.51	0.049	0.5	62.9	5.9	30	0.4	15.3	9.6	147	2.66	46.9	41.5	11.9	53	0.4	0.2	3.8	15	0.49	
1824755	Rock	2.66	0.234	0.9	140.7	7.4	64	0.6	41.6	28.3	325	4.01	59.2	182.9	13.6	106	0.3	0.2	7.9	27	1.82	
1824756	Rock	3.43	0.600	0.6	62.1	7.2	43	0.2	20.6	9.3	719	1.76	17.2	557.8	8.9	511	0.3	0.1	15.3	17	15.52	
1824757	Rock	4.06	1.588	0.4	45.9	5.8	51	0.4	20.1	9.5	423	1.89	167.7	1418.6	9.5	151	0.4	0.4	40.5	15	5.64	
1824758	Rock	3.91	0.621	0.7	50.5	6.6	71	0.3	25.2	9.7	319	2.09	907.1	465.9	11.9	171	1.0	1.5	15.2	19	4.04	
1824759	Rock	1.50	4.497	0.9	83.0	6.2	418	0.6	34.7	10.3	625	4.72	>10000	6045.2	12.8	162	15.0	11.4	96.7	87	3.40	
1824760	Rock	1.45	2.308	1.0	70.2	5.9	586	0.5	38.7	12.1	708	4.34	>10000	3069.0	14.4	177	23.0	6.7	56.5	108	3.81	
1824761	Rock	3.30	0.725	1.1	47.9	6.7	52	0.3	24.7	10.8	536	1.92	166.5	804.3	8.6	418	0.2	0.6	20.3	18	16.82	
1824762	Rock	4.21	0.229	0.8	40.3	6.1	60	0.3	24.4	12.5	502	1.96	114.3	263.0	10.8	200	0.4	0.3	7.2	27	9.38	
1824763	Rock	7.02	0.480	0.5	28.9	5.7	48	0.2	19.1	9.9	403	1.42	32.3	324.2	7.8	247	0.4	0.7	11.6	15	9.65	
1824764	Rock	5.08	0.252	1.3	2.8	34.1	84	0.1	6.4	3.1	493	1.49	20.4	16.1	5.6	137	0.2	0.8	0.9	5	4.92	
1824765	Rock	4.69	0.147	0.3	35.2	5.5	50	0.2	19.0	8.9	273	2.01	28.1	96.2	14.5	100	0.3	0.6	4.2	15	2.76	
1824766	Rock	4.61	0.683	1.1	71.1	7.1	58	0.3	33.6	15.3	485	2.39	24.3	422.3	12.9	407	0.3	0.5	15.2	27	9.05	
1824767	Rock	1.63	0.342	0.7	41.3	6.4	58	0.2	19.0	8.3	669	1.41	14.5	76.7	6.4	925	1.5	1.5	8.5	13	23.04	
1824768	Rock	4.61	0.062	16.4	51.0	6.0	260	0.4	77.0	9.6	127	2.04	734.8	0.7	7.0	61	3.7	5.3	2.9	90	0.97	
1824769	Rock	4.13	0.031	5.6	76.3	8.6	101	0.6	59.2	17.7	222	3.46	252.5	1.2	13.0	109	1.4	1.5	3.7	43	1.77	
1824770	Rock Pulp	0.13	0.260	13.7	2183.7	1060.2	7027	18.6	33.6	18.8	556	8.50	285.6	53.0	3.1	53	52.9	27.3	12.5	48	2.08	
1824771	Rock	3.98	0.128	13.1	76.7	8.6	206	0.4	77.4	12.7	377	3.03	213.1	16.4	8.7	149	4.1	0.5	5.3	141	3.95	
1824772	Rock	5.11	0.094	14.0	65.6	8.9	135	0.3	65.9	10.8	355	2.29	1124.9	32.0	7.5	317	2.8	1.3	4.9	147	6.66	
1824773	Rock	4.58	0.274	21.4	39.7	13.3	229	0.4	91.8	8.3	126	1.93	400.7	143.5	5.7	52	5.6	1.0	11.9	388	0.80	
1824774	Rock	6.28	0.019	27.2	30.1	6.3	131	0.1	88.5	7.7	135	1.67	267.1	10.7	5.2	67	1.5	0.8	0.5	387	1.07	
1824775	Rock	8.69	0.014	13.4	38.2	6.7	94	0.2	71.9	9.3	132	1.88	143.2	3.3	7.6	34	2.1	0.7	0.9	93	0.76	
1824776	Rock	5.05	0.121	0.5	35.9	5.8	36	0.3	20.5	9.5	162	2.21	90.0	46.9	12.9	60	<0.1	0.1	3.9	15	0.77	
1824777	Rock	1.78	1.267	0.7	153.5	4.5	65	0.6	30.4	11.9	685	3.41	25.6	1288.2	9.3	150	0.2	0.2	33.2	24	6.15	
1824778	Rock	4.22	0.139	0.6	67.4	6.9	63	0.5	35.9	15.6	297	3.58	55.6	16.9	13.8	97	0.3	0.4	6.5	20	1.59	
1824779	Rock	1.83	1.030	0.6	71.6	5.3	60	0.7	37.5	16.1	308	4.01	47.1	528.4	12.5	86	0.1	0.6	22.1	20	1.49	
1824780	Rock	1.74	0.735	0.7	76.3	5.1	57	0.6	39.1	17.2	304	3.91	64.4	230.9	12.2	82	0.1	0.5	16.4	18	1.42	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** December 07, 2019

**Page:** 2 of 4

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000629.2

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ370
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	Ag ppm
	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2
1824751	Rock	0.025	14	14	0.44	133	0.053	<20	2.13	0.072	0.28	0.5	<0.01	2.1	0.2	0.50	5	2.2	<0.2
1824752	Rock	0.038	18	13	0.45	124	0.061	<20	1.48	0.034	0.49	<0.1	<0.01	1.9	0.5	0.21	4	0.7	<0.2
1824753	Rock	0.030	14	18	0.62	165	0.067	<20	2.47	0.100	0.35	0.2	<0.01	3.4	0.3	0.26	6	1.5	<0.2
1824754	Rock	0.030	17	15	0.37	135	0.055	<20	1.49	0.049	0.25	0.3	<0.01	2.1	0.1	0.20	4	2.6	<0.2
1824755	Rock	0.057	13	23	0.85	192	0.085	<20	2.74	0.104	0.39	24.6	<0.01	3.3	0.3	1.64	7	7.2	0.3
1824756	Rock	0.046	8	15	0.37	122	0.066	<20	2.65	0.118	0.22	>100	<0.01	2.0	0.2	0.64	7	2.5	0.4
1824757	Rock	0.030	14	13	0.29	97	0.041	<20	1.79	0.100	0.16	>100	<0.01	2.0	0.1	0.61	5	2.4	1.5
1824758	Rock	0.031	12	15	0.43	132	0.018	<20	2.02	0.110	0.20	16.5	<0.01	2.5	0.1	0.57	5	2.5	0.5
1824759	Rock	0.046	15	28	1.20	215	0.051	<20	3.69	0.211	0.39	21.0	0.06	4.8	0.5	1.88	11	19.5	4.1
1824760	Rock	0.048	17	30	1.44	232	0.058	<20	4.05	0.209	0.41	12.6	0.11	5.5	0.5	1.44	13	10.3	2.3
1824761	Rock	0.046	9	18	0.62	160	0.065	<20	2.47	0.133	0.31	12.7	<0.01	2.9	0.3	0.52	7	2.7	0.7
1824762	Rock	0.047	21	24	0.82	170	0.086	<20	3.38	0.207	0.49	1.0	<0.01	4.0	0.5	0.61	9	2.0	0.3
1824763	Rock	0.044	13	15	0.43	86	0.067	<20	2.05	0.136	0.18	11.2	<0.01	2.6	0.1	0.40	6	1.3	0.4
1824764	Rock	0.060	14	3	0.20	227	0.006	<20	1.06	0.035	0.39	0.4	<0.01	0.9	0.2	0.08	3	<0.5	<0.2
1824765	Rock	0.035	20	14	0.55	143	0.044	<20	1.92	0.094	0.28	0.8	<0.01	2.1	0.2	0.75	5	1.6	<0.2
1824766	Rock	0.058	15	25	0.79	294	0.097	<20	3.37	0.180	0.33	4.3	<0.01	3.4	0.3	0.88	9	2.8	0.5
1824767	Rock	0.068	9	12	0.45	468	0.051	<20	2.01	0.098	0.08	0.5	0.01	1.9	<0.1	0.50	5	2.3	0.3
1824768	Rock	0.077	10	13	0.28	74	0.023	<20	1.35	0.059	0.22	0.4	0.01	1.8	0.1	1.01	3	4.8	<0.2
1824769	Rock	0.067	15	20	0.80	47	0.073	<20	2.26	0.109	0.23	0.5	<0.01	2.6	0.1	1.75	5	4.8	<0.2
1824770	Rock Pulp	0.043	4	41	2.46	41	0.005	<20	1.94	0.015	0.07	0.7	2.52	3.8	4.9	6.55	8	29.7	0.3
1824771	Rock	0.100	11	28	0.90	98	0.087	<20	2.46	0.093	0.31	4.7	0.02	3.3	0.3	1.20	6	5.7	0.2
1824772	Rock	0.086	12	28	0.65	562	0.055	<20	1.83	0.057	0.26	15.3	<0.01	2.8	0.3	0.77	5	4.3	0.2
1824773	Rock	0.127	11	42	0.44	1364	0.068	<20	1.17	0.030	0.42	0.5	0.02	3.4	0.5	0.43	4	3.4	0.3
1824774	Rock	0.152	11	40	0.44	1371	0.072	<20	1.33	0.086	0.33	0.3	0.01	3.5	0.4	0.32	5	2.2	<0.2
1824775	Rock	0.072	10	16	0.31	322	0.009	<20	0.80	0.011	0.23	0.3	<0.01	1.4	0.2	0.67	2	3.1	<0.2
1824776	Rock	0.024	10	15	0.68	284	0.063	<20	1.67	0.063	0.27	0.2	<0.01	1.7	0.2	0.93	4	1.7	<0.2
1824777	Rock	0.119	8	22	1.35	179	0.085	<20	2.73	0.103	0.23	1.1	<0.01	2.3	0.5	1.55	8	8.0	1.2
1824778	Rock	0.080	9	22	1.29	198	0.083	<20	2.54	0.093	0.25	0.3	<0.01	2.7	0.3	1.76	7	3.6	0.3
1824779	Rock	0.052	11	21	1.11	187	0.035	<20	2.13	0.051	0.35	0.1	<0.01	2.6	0.4	2.03	6	4.1	1.2
1824780	Rock	0.053	10	19	1.05	161	0.032	<20	1.96	0.044	0.28	0.2	<0.01	2.3	0.3	1.93	5	3.9	0.9



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** December 07, 2019

Page: 3 of 4

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000629.2

Method Analyte Unit MDL	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1824781	Rock	0.77	0.015	1.1	63.2	5.3	63	0.5	44.0	17.2	327	5.34	28.9	<0.5	12.4	31	0.2	0.4	3.0	19	0.44
1824782	Rock	5.46	0.508	1.2	119.2	5.7	61	0.5	43.4	19.1	325	4.04	51.1	224.8	12.3	114	0.3	0.3	14.8	30	1.75
1824783	Rock	5.22	0.733	1.5	57.1	4.4	57	0.3	28.4	11.1	479	2.14	40.6	584.4	9.7	372	0.1	0.2	20.9	57	3.42
1824784	Rock	4.66	1.154	3.0	49.0	6.1	69	0.2	28.9	11.4	609	1.64	40.0	801.4	9.1	337	0.6	0.2	28.9	40	7.30
1824785	Rock	4.21	0.151	0.3	20.7	5.9	87	0.1	17.1	8.0	1049	1.49	17.5	71.5	7.2	604	0.8	0.1	3.8	28	10.73
1824786	Rock	5.34	0.637	1.4	73.2	7.4	65	0.4	34.1	15.2	788	2.93	25.0	273.0	10.6	674	0.6	0.2	19.6	35	10.20
1824787	Rock	2.02	0.086	0.5	63.9	8.9	74	0.4	33.7	15.9	854	3.74	45.5	17.0	11.8	455	0.5	0.4	4.2	40	3.12
1824788	Rock	1.68	0.137	0.7	53.0	10.1	83	0.3	22.7	10.3	1071	2.10	9.2	58.6	6.5	848	3.1	0.1	5.6	22	19.08
1824789	Rock	4.05	0.082	0.5	64.4	7.2	66	0.5	37.7	16.1	680	3.49	48.0	25.4	11.5	255	0.2	0.3	4.6	31	3.95
1824790	Rock Pulp	0.17	<0.005	0.1	1.3	15.6	10	0.2	3.5	0.2	92	0.10	1.3	42.7	0.2	81	<0.1	0.2	<0.1	<1	31.58
1824791	Rock	4.34	0.097	0.5	36.9	8.7	40	0.2	19.8	9.4	828	1.62	8.4	14.0	4.7	977	0.3	0.3	3.5	14	24.40
1824792	Rock	5.35	0.196	0.8	57.9	6.3	57	0.3	34.9	15.0	393	3.01	31.9	50.0	12.3	214	0.2	0.5	6.7	25	2.80
1824793	Rock	3.52	0.066	0.8	64.4	6.9	61	0.5	47.8	19.6	330	3.70	12.3	0.8	15.0	53	0.2	0.4	2.8	17	1.51
1824794	Rock	5.13	0.272	0.6	61.6	8.9	67	0.6	39.1	17.2	547	3.47	16.0	54.9	11.6	156	0.4	0.5	8.5	20	3.76
1824795	Rock	5.48	0.358	0.7	62.7	40.5	97	2.1	32.2	16.4	1160	2.60	19.1	155.0	8.6	284	1.9	0.5	12.5	20	11.09
1824796	Rock	5.15	0.215	0.6	62.7	212.4	405	2.3	32.8	17.6	1998	2.92	32.8	116.6	9.3	149	4.9	0.8	7.7	22	5.86
1824797	Rock	3.61	1.973	2.3	29.2	11.0	79	0.6	21.1	9.9	1117	1.76	31.6	1753.1	10.0	166	0.3	0.4	57.0	30	7.63
1824798	Rock	3.67	0.189	0.6	45.2	768.3	1782	9.6	20.2	8.8	5290	2.38	72.9	101.7	7.1	301	18.1	1.5	6.4	25	7.63
1824799	Rock	1.78	0.152	0.5	37.7	1496.4	3669	10.2	21.3	10.2	>10000	5.31	132.9	113.1	6.6	318	36.2	1.5	3.1	11	8.22
1824800	Rock	1.63	0.138	0.6	44.1	1850.2	2930	11.9	22.5	10.1	>10000	5.65	131.5	44.2	6.8	352	30.6	1.5	4.7	12	7.90
1824801	Rock	3.55	0.105	0.7	32.7	864.5	1809	10.5	16.6	10.4	7446	2.74	179.7	28.9	5.2	302	18.3	0.9	2.7	7	4.66
1824802	Rock	0.96	0.062	3.4	28.1	1354.7	5306	12.8	42.9	8.2	>10000	5.52	120.2	<0.5	8.4	725	58.3	3.1	1.8	20	7.37
1824803	Rock	5.40	0.045	11.3	29.4	672.7	2407	6.0	59.9	6.9	>10000	3.30	147.6	4.9	6.4	331	25.7	3.9	1.7	63	3.54
1824804	Rock	2.46	0.129	3.6	13.5	286.7	1336	5.0	55.5	10.7	>10000	5.73	289.4	13.8	7.6	387	15.2	3.6	2.1	26	4.92
1824805	Rock	5.83	0.042	3.7	34.5	523.2	5337	5.4	64.7	11.5	8671	3.68	136.1	1.8	9.7	398	58.7	3.9	1.6	31	3.72
1824806	Rock	2.93	0.027	1.6	51.8	544.8	5842	6.5	50.6	12.5	6227	3.90	83.3	<0.5	6.0	392	61.9	3.2	1.4	25	3.58
1824807	Rock	5.01	0.012	1.1	32.2	272.0	775	2.6	44.9	9.2	1403	4.41	47.7	3.1	5.3	87	8.2	1.1	1.4	67	0.89
1824808	Rock	5.17	0.007	1.2	29.9	11.0	110	0.6	42.2	8.6	640	3.24	18.3	0.9	6.6	21	0.3	0.4	0.7	37	0.35
1824809	Rock	3.96	0.010	1.3	22.2	5.7	141	0.3	44.7	10.9	329	3.76	18.9	3.1	6.3	27	0.2	<0.1	0.5	39	0.27
1824810	Rock Pulp	0.17	0.266	13.0	2184.6	1036.0	6935	17.2	33.2	17.6	526	8.69	276.0	25.4	1.2	46	49.4	25.9	13.3	45	2.12



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** December 07, 2019

**Page:** 3 of 4

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000629.2

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ370
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Ag
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2
1824781	Rock	0.051	10	20	1.21	103	0.116	<20	1.70	0.004	0.30	0.6	<0.01	2.6	0.5	4.23	5	3.6	<0.2
1824782	Rock	0.049	9	26	1.32	155	0.122	<20	3.26	0.117	0.22	5.9	0.01	3.2	0.3	2.04	9	7.6	0.6
1824783	Rock	0.069	10	35	1.44	331	0.111	<20	4.07	0.231	0.47	0.4	<0.01	3.8	0.6	0.72	11	3.5	0.9
1824784	Rock	0.064	9	25	1.03	475	0.080	<20	3.64	0.221	0.27	3.5	0.01	2.4	0.2	0.47	10	2.6	0.8
1824785	Rock	0.058	11	21	1.11	918	0.073	<20	3.17	0.200	0.17	1.9	<0.01	2.9	0.1	0.26	9	1.3	<0.2
1824786	Rock	0.064	17	29	0.92	81	0.089	<20	3.36	0.176	0.30	3.3	0.01	3.5	0.3	1.35	9	4.4	0.6
1824787	Rock	0.053	19	31	1.30	38	0.106	<20	3.04	0.048	0.43	0.2	0.01	4.5	0.6	1.40	8	3.2	<0.2
1824788	Rock	0.040	8	21	0.84	150	0.059	<20	2.79	0.146	0.22	0.2	<0.01	2.5	0.1	0.68	7	2.0	0.2
1824789	Rock	0.054	19	29	1.13	187	0.091	<20	3.44	0.168	0.81	0.9	0.01	4.2	0.7	1.45	9	2.1	<0.2
1824790	Rock Pulp	0.006	1	3	0.47	18	0.002	<20	0.02	0.002	0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1824791	Rock	0.043	8	15	0.63	172	0.038	<20	1.85	0.118	0.25	0.9	0.01	2.4	0.1	0.61	5	1.8	<0.2
1824792	Rock	0.048	19	24	0.97	213	0.108	<20	2.71	0.134	0.29	3.7	<0.01	2.8	0.2	1.11	7	2.9	<0.2
1824793	Rock	0.048	26	17	0.89	114	0.143	<20	1.63	0.036	0.33	0.7	<0.01	2.3	0.2	1.84	4	3.1	<0.2
1824794	Rock	0.046	17	21	0.94	166	0.092	<20	2.26	0.097	0.32	1.2	<0.01	2.8	0.2	1.68	6	2.4	0.2
1824795	Rock	0.043	13	19	0.80	198	0.039	<20	1.90	0.077	0.26	2.7	<0.01	3.1	0.3	1.00	5	2.2	0.4
1824796	Rock	0.039	14	19	0.85	252	0.025	<20	1.80	0.060	0.29	4.2	<0.01	3.4	0.4	1.15	5	3.0	0.3
1824797	Rock	0.055	12	21	1.20	573	0.067	<20	2.59	0.092	0.17	27.2	<0.01	3.0	0.3	0.42	7	1.7	1.8
1824798	Rock	0.077	8	14	0.95	107	0.006	<20	0.95	0.011	0.27	0.4	0.02	4.0	0.4	0.73	3	1.3	0.3
1824799	Rock	0.035	6	6	0.99	104	<0.001	<20	0.37	0.004	0.25	0.2	0.03	5.1	0.4	1.28	<1	2.5	<0.2
1824800	Rock	0.035	6	7	1.01	110	<0.001	<20	0.42	0.004	0.28	0.2	0.03	5.3	0.4	1.32	<1	3.1	<0.2
1824801	Rock	0.020	6	4	0.63	84	<0.001	<20	0.34	0.004	0.24	0.2	0.01	2.5	0.4	1.16	<1	3.0	<0.2
1824802	Rock	0.052	11	10	0.43	106	<0.001	<20	0.75	0.003	0.31	0.2	0.03	5.0	0.4	2.35	1	2.7	<0.2
1824803	Rock	0.150	8	17	0.38	170	0.001	<20	0.53	0.017	0.29	0.2	0.02	4.9	0.4	1.29	1	2.3	<0.2
1824804	Rock	0.111	4	12	0.85	120	0.001	<20	0.42	0.035	0.24	0.1	<0.01	9.0	0.4	3.39	<1	4.1	<0.2
1824805	Rock	0.036	8	37	0.70	101	<0.001	<20	0.59	0.050	0.19	<0.1	0.03	8.3	0.3	1.69	2	2.6	<0.2
1824806	Rock	0.066	6	35	0.53	54	<0.001	<20	0.73	0.051	0.11	<0.1	0.03	8.1	0.2	2.26	2	3.3	<0.2
1824807	Rock	0.070	10	42	0.72	171	0.002	<20	1.74	0.048	0.14	<0.1	<0.01	5.3	0.2	1.52	5	2.2	<0.2
1824808	Rock	0.049	12	26	0.60	184	0.001	<20	1.68	0.019	0.17	<0.1	<0.01	2.1	0.2	0.44	5	1.0	<0.2
1824809	Rock	0.063	14	29	0.61	204	0.001	<20	1.83	0.047	0.17	<0.1	<0.01	2.3	0.2	0.71	5	1.5	<0.2
1824810	Rock Pulp	0.036	4	39	2.41	36	0.004	<20	1.80	0.012	0.07	0.5	2.93	3.6	4.9	6.48	7	31.6	0.3



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** December 07, 2019

**Page:** 4 of 4

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000629.2

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1824811	Rock	4.60	0.022	1.4	21.1	10.0	79	0.4	36.0	9.7	290	2.81	16.0	<0.5	6.4	30	0.2	0.5	0.9	27	0.44
1824812	Rock	3.43	0.006	2.4	2365.8	27.8	102	>100	359.9	11.4	964	2.00	23.7	<0.5	4.0	53	1.0	3.2	0.9	22	1.64
1824813	Rock	3.52	0.012	1.4	36.0	6.7	147	0.8	57.9	13.5	355	4.19	29.6	0.7	7.1	29	0.2	0.4	0.4	37	0.25
1824814	Rock	2.76	0.041	13.8	35.4	6.9	242	1.0	62.2	7.3	161	1.68	73.3	0.6	4.2	17	2.3	2.8	0.3	67	0.35
1824815	Rock	1.26	0.096	20.5	42.3	6.7	431	0.8	76.2	7.6	170	1.76	149.5	0.8	4.3	15	5.2	3.3	1.0	80	0.31
1824816	Rock	5.49	0.163	1.1	61.0	12.5	47	0.7	32.2	14.9	634	3.66	366.6	16.8	9.7	397	0.6	0.8	8.3	31	9.97
1824817	Rock	4.61	0.114	1.0	40.7	11.5	74	0.5	25.0	11.8	1016	2.85	35.2	5.5	7.3	483	3.0	0.3	6.1	20	15.25
1824818	Rock	4.86	0.166	0.4	19.9	7.7	20	0.3	14.6	7.2	868	1.54	11.7	35.5	3.7	769	0.4	0.2	4.3	9	24.64
1824819	Rock	2.52	0.252	7.1	66.1	12.7	192	1.7	50.9	13.8	805	3.78	85.0	3.9	9.2	88	2.1	1.3	9.4	43	2.70
1824820	Rock	2.40	0.268	8.1	63.2	10.3	192	1.4	52.7	13.3	751	3.66	17.2	5.3	9.5	75	1.8	1.4	10.5	42	2.54
1824821	Rock	5.13	0.016	2.7	64.3	5.7	141	0.4	44.6	6.2	406	2.06	7.1	<0.5	7.9	27	1.5	0.7	0.8	20	0.33
1824822	Rock	4.78	0.042	12.3	65.3	10.0	120	0.8	62.0	8.8	3116	3.26	30.8	<0.5	5.6	81	1.8	2.6	2.9	27	1.16
1824823	Rock	5.00	0.074	0.6	142.1	6.2	141	0.6	35.8	15.4	8696	3.69	451.8	8.0	3.6	109	2.6	1.2	2.7	24	1.24
1824824	Rock	3.78	0.017	0.4	67.7	5.4	62	0.3	26.5	8.0	465	1.91	148.6	2.9	4.5	36	0.3	0.3	1.4	17	0.17
1824825	Rock	3.95	0.038	3.9	73.2	4.7	93	0.4	36.4	11.8	555	2.31	397.4	<0.5	3.6	40	0.7	0.9	3.6	16	0.29
1824826	Rock	2.31	0.052	0.7	53.4	22.6	39	1.4	25.6	8.1	2004	1.82	1966.3	1.2	3.2	117	0.4	5.4	3.2	16	2.96
1824827	Rock	5.35	0.009	0.2	3.2	2.1	7	0.1	5.0	1.1	180	0.43	25.5	<0.5	1.9	14	<0.1	0.6	0.2	3	0.36
1824828	Rock	4.69	0.025	0.4	24.0	3.7	23	0.4	15.6	3.3	214	1.17	164.7	<0.5	3.6	24	<0.1	3.1	1.4	8	0.46
1824829	Rock	2.93	0.038	0.6	50.5	39.8	104	0.8	31.1	6.7	967	1.47	66.3	1.4	3.8	55	1.0	3.2	1.3	9	1.20
1824830	Rock	0.34	<0.005	<0.1	0.2	3.3	1	<0.1	1.1	<0.1	82	0.09	<0.5	<0.5	0.1	80	<0.1	<0.1	<0.1	<1	32.13
1824831	Rock	4.94	0.056	0.2	5.8	10.0	21	0.4	5.7	1.8	207	0.60	156.3	5.3	1.4	24	0.2	0.7	0.3	2	0.50
1824832	Rock	5.06	0.012	0.3	9.9	12.4	41	0.3	10.0	1.9	256	0.70	229.7	<0.5	2.1	46	1.1	0.7	0.8	6	0.81
1824833	Rock	5.75	0.018	0.1	4.9	13.0	33	0.5	4.0	0.8	161	0.61	30.1	7.1	1.2	33	0.4	0.8	1.1	3	0.69
1824834	Rock	4.28	0.006	0.1	2.0	10.0	27	0.2	3.8	0.9	107	0.36	59.9	<0.5	1.5	23	0.4	0.9	0.6	1	0.43
1824835	Rock	5.25	0.006	<0.1	3.7	6.8	19	0.3	5.8	0.9	554	0.49	335.5	<0.5	1.7	54	0.4	0.9	0.7	2	1.05
1824836	Rock	6.10	0.035	0.2	11.7	5.4	15	0.4	7.0	1.2	241	0.93	104.5	3.9	1.9	55	0.1	1.4	2.0	4	1.18
1824837	Rock	5.62	0.032	1.1	33.7	46.3	96	1.0	43.1	8.0	769	1.74	18.6	1.6	6.1	51	0.7	2.5	1.1	12	0.86
1824838	Rock	2.94	0.045	3.1	108.4	351.3	848	4.5	105.3	11.5	1975	3.14	74.1	2.0	7.1	18	8.7	7.7	2.2	24	0.38
1824839	Rock	4.82	0.036	0.2	7.2	96.3	167	1.1	6.3	1.3	246	0.48	27.8	<0.5	1.8	11	1.7	1.3	1.3	4	0.29



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** December 07, 2019

**Page:** 4 of 4

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000629.2

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ370
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	Ag ppm	
1824811	Rock	0.052	15	25	0.43	205	0.001	<20	1.48	0.043	0.16	0.1	<0.01	2.0	0.2	0.42	4	1.0	<0.2	
1824812	Rock	0.045	7	11	0.26	126	<0.001	<20	0.77	0.013	0.11	91.2	<0.01	1.2	0.1	0.56	2	2.1	<0.2	530
1824813	Rock	0.074	13	28	0.65	152	0.001	<20	1.92	0.052	0.12	1.8	<0.01	2.0	<0.1	1.09	6	2.9	<0.2	
1824814	Rock	0.074	9	9	0.26	203	<0.001	<20	0.73	0.020	0.15	4.8	<0.01	1.2	<0.1	0.72	2	4.6	<0.2	
1824815	Rock	0.049	7	6	0.12	166	<0.001	<20	0.44	0.009	0.13	1.9	<0.01	1.1	0.1	1.17	1	6.2	<0.2	
1824816	Rock	0.050	20	25	1.17	111	0.044	<20	1.80	0.046	0.12	0.9	<0.01	3.9	0.1	1.80	5	4.3	0.4	
1824817	Rock	0.053	15	18	1.01	74	0.057	<20	1.96	0.039	0.10	0.5	<0.01	2.7	0.2	1.35	5	3.2	0.2	
1824818	Rock	0.039	7	7	0.58	142	0.021	<20	0.71	0.005	0.09	0.3	<0.01	1.9	<0.1	0.66	2	1.5	0.2	
1824819	Rock	0.053	16	19	1.21	109	0.019	<20	1.30	0.007	0.16	0.5	0.01	2.8	0.1	2.15	4	6.8	0.4	
1824820	Rock	0.059	16	21	1.15	117	0.025	<20	1.34	0.007	0.17	0.6	<0.01	2.8	0.2	1.93	4	5.4	0.5	
1824821	Rock	0.030	10	9	0.47	254	0.002	<20	0.75	0.006	0.15	0.1	<0.01	1.0	<0.1	0.94	2	1.5	<0.2	
1824822	Rock	0.069	8	10	0.65	189	0.001	<20	0.70	0.006	0.13	0.4	<0.01	1.5	0.1	1.82	2	3.6	<0.2	
1824823	Rock	0.241	9	11	0.69	220	0.007	<20	0.82	0.005	0.19	0.8	0.01	2.1	0.1	1.51	2	1.6	0.5	
1824824	Rock	0.022	13	9	0.39	279	0.002	<20	0.80	0.005	0.19	0.1	<0.01	1.6	0.1	0.30	3	<0.5	<0.2	
1824825	Rock	0.031	9	8	0.34	242	0.002	<20	0.57	0.004	0.16	0.4	<0.01	1.3	<0.1	1.14	2	1.0	<0.2	
1824826	Rock	0.015	5	7	0.36	213	<0.001	<20	0.54	0.003	0.13	0.4	<0.01	1.8	<0.1	0.78	2	1.2	0.3	
1824827	Rock	0.006	6	4	0.08	48	<0.001	<20	0.18	0.004	0.04	<0.1	<0.01	0.5	<0.1	0.09	<1	<0.5	<0.2	
1824828	Rock	0.023	9	9	0.27	99	<0.001	<20	0.39	0.007	0.08	<0.1	<0.01	1.1	<0.1	0.37	1	1.0	<0.2	
1824829	Rock	0.019	7	8	0.28	140	<0.001	<20	0.39	0.008	0.11	0.2	0.02	1.3	<0.1	0.68	1	0.7	<0.2	
1824830	Rock	0.005	1	<1	0.43	13	0.001	<20	<0.01	0.002	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2	
1824831	Rock	0.035	4	3	0.09	31	<0.001	<20	0.12	0.007	0.04	<0.1	<0.01	0.4	<0.1	0.32	<1	<0.5	<0.2	
1824832	Rock	0.032	6	9	0.26	85	0.003	<20	0.26	0.005	0.06	0.1	<0.01	0.9	<0.1	0.17	<1	<0.5	<0.2	
1824833	Rock	0.025	4	5	0.16	28	0.003	<20	0.17	0.003	0.03	<0.1	<0.01	0.6	<0.1	0.21	<1	<0.5	<0.2	
1824834	Rock	0.040	5	5	0.07	22	<0.001	<20	0.12	0.001	0.02	<0.1	<0.01	0.3	<0.1	0.06	<1	<0.5	<0.2	
1824835	Rock	0.033	5	8	0.19	23	<0.001	<20	0.16	0.001	0.02	0.1	<0.01	0.5	<0.1	0.09	<1	<0.5	<0.2	
1824836	Rock	0.032	5	5	0.19	51	0.004	<20	0.20	0.007	0.04	12.0	<0.01	0.6	<0.1	0.33	<1	<0.5	<0.2	
1824837	Rock	0.034	10	10	0.30	149	<0.001	<20	0.58	0.020	0.10	<0.1	<0.01	1.0	<0.1	0.64	2	1.4	<0.2	
1824838	Rock	0.042	8	13	0.45	187	<0.001	<20	0.81	0.014	0.15	0.3	<0.01	1.6	0.1	1.73	2	5.1	0.2	
1824839	Rock	0.007	5	3	0.10	51	<0.001	<20	0.15	0.004	0.05	<0.1	<0.01	0.5	<0.1	0.14	<1	<0.5	<0.2	





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: December 07, 2019

Page: 1 of 2

Part: 1 of 2

# QUALITY CONTROL REPORT

## WHI19000629.2

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
Pulp Duplicates																					
1824762	Rock	4.21	0.229	0.8	40.3	6.1	60	0.3	24.4	12.5	502	1.96	114.3	263.0	10.8	200	0.4	0.3	7.2	27	9.38
REP 1824762	QC			0.7	40.1	5.9	59	0.3	24.5	12.1	475	1.88	103.1	208.0	10.7	196	0.3	0.3	7.1	25	9.01
1824767	Rock	1.63	0.342	0.7	41.3	6.4	58	0.2	19.0	8.3	669	1.41	14.5	76.7	6.4	925	1.5	1.5	8.5	13	23.04
REP 1824767	QC		0.337																		
1824796	Rock	5.15	0.215	0.6	62.7	212.4	405	2.3	32.8	17.6	1998	2.92	32.8	116.6	9.3	149	4.9	0.8	7.7	22	5.86
REP 1824796	QC			0.6	64.3	219.9	427	2.4	33.6	17.2	1954	2.96	29.7	116.0	9.7	159	5.0	0.9	7.8	22	5.97
1824810	Rock Pulp	0.17	0.266	13.0	2184.6	1036.0	6935	17.2	33.2	17.6	526	8.69	276.0	25.4	1.2	46	49.4	25.9	13.3	45	2.12
REP 1824810	QC		0.304																		
1824826	Rock	2.31	0.052	0.7	53.4	22.6	39	1.4	25.6	8.1	2004	1.82	1966.3	1.2	3.2	117	0.4	5.4	3.2	16	2.96
REP 1824826	QC			0.6	56.1	23.0	40	1.4	28.8	8.9	2068	1.80	1972.3	2.0	3.4	118	0.3	5.0	3.1	16	2.99
1824827	Rock	5.35	0.009	0.2	3.2	2.1	7	0.1	5.0	1.1	180	0.43	25.5	<0.5	1.9	14	<0.1	0.6	0.2	3	0.36
REP 1824827	QC		0.008																		
Core Reject Duplicates																					
1824763	Rock	7.02	0.480	0.5	28.9	5.7	48	0.2	19.1	9.9	403	1.42	32.3	324.2	7.8	247	0.4	0.7	11.6	15	9.65
DUP 1824763	QC		0.619	0.6	29.6	5.4	47	0.2	18.7	9.5	410	1.48	34.3	494.2	7.9	255	0.5	0.7	14.6	15	10.15
1824797	Rock	3.61	1.973	2.3	29.2	11.0	79	0.6	21.1	9.9	1117	1.76	31.6	1753.1	10.0	166	0.3	0.4	57.0	30	7.63
DUP 1824797	QC		2.453	2.1	28.9	10.8	80	0.6	21.6	9.7	1129	1.74	33.3	2376.9	10.0	172	0.3	0.5	69.5	29	7.97
1824831	Rock	4.94	0.056	0.2	5.8	10.0	21	0.4	5.7	1.8	207	0.60	156.3	5.3	1.4	24	0.2	0.7	0.3	2	0.50
DUP 1824831	QC		0.074	0.2	5.9	11.9	21	0.4	5.4	1.8	222	0.62	159.7	9.0	1.5	26	0.2	0.7	0.4	2	0.55
Reference Materials																					
STD BVGEO01	Standard			10.8	4446.7	190.1	1761	2.6	162.5	25.8	720	3.67	119.5	214.3	15.5	58	6.2	1.9	26.5	74	1.34
STD CDN-ME-9A	Standard																				
STD CDN-ME-14A	Standard																				
STD DS11	Standard			15.1	163.7	144.0	361	1.6	82.7	14.1	1075	3.15	45.2	120.7	8.9	76	2.7	6.6	12.9	50	1.10
STD DS11	Standard			14.0	151.6	150.3	348	1.6	81.0	13.7	1018	3.16	43.0	104.9	9.0	68	2.5	6.2	13.0	50	1.04
STD OREAS262	Standard			0.7	122.1	58.8	156	0.5	63.0	27.5	536	3.42	38.9	60.8	10.4	39	0.7	1.8	1.1	21	2.95
STD OREAS262	Standard			0.7	121.4	60.7	151	0.5	62.9	28.6	549	3.34	36.0	50.3	10.7	37	0.6	2.0	1.2	22	3.07
STD OREAS262	Standard			0.7	116.3	55.7	149	0.5	63.3	27.6	540	3.29	34.0	48.8	9.4	35	0.6	2.0	1.0	22	2.97





Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: December 07, 2019

Page: 1 of 2

Part: 2 of 2

# QUALITY CONTROL REPORT

# WHI19000629.2

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ370
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Ag
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2
Pulp Duplicates																			
1824762	Rock	0.047	21	24	0.82	170	0.086	<20	3.38	0.207	0.49	1.0	<0.01	4.0	0.5	0.61	9	2.0	0.3
REP 1824762	QC	0.044	21	23	0.79	166	0.084	<20	3.26	0.197	0.47	0.9	0.01	3.9	0.4	0.60	9	1.9	0.3
1824767	Rock	0.068	9	12	0.45	468	0.051	<20	2.01	0.098	0.08	0.5	0.01	1.9	<0.1	0.50	5	2.3	0.3
REP 1824767	QC																		
1824796	Rock	0.039	14	19	0.85	252	0.025	<20	1.80	0.060	0.29	4.2	<0.01	3.4	0.4	1.15	5	3.0	0.3
REP 1824796	QC	0.040	14	19	0.86	255	0.025	<20	1.82	0.061	0.29	4.4	<0.01	3.5	0.4	1.18	5	3.5	0.2
1824810	Rock Pulp	0.036	4	39	2.41	36	0.004	<20	1.80	0.012	0.07	0.5	2.93	3.6	4.9	6.48	7	31.6	0.3
REP 1824810	QC																		
1824826	Rock	0.015	5	7	0.36	213	<0.001	<20	0.54	0.003	0.13	0.4	<0.01	1.8	<0.1	0.78	2	1.2	0.3
REP 1824826	QC	0.013	5	7	0.37	209	<0.001	<20	0.54	0.004	0.13	0.4	<0.01	2.0	<0.1	0.78	2	0.7	0.2
1824827	Rock	0.006	6	4	0.08	48	<0.001	<20	0.18	0.004	0.04	<0.1	<0.01	0.5	<0.1	0.09	<1	<0.5	<0.2
REP 1824827	QC																		
Core Reject Duplicates																			
1824763	Rock	0.044	13	15	0.43	86	0.067	<20	2.05	0.136	0.18	11.2	<0.01	2.6	0.1	0.40	6	1.3	0.4
DUP 1824763	QC	0.042	13	15	0.45	87	0.067	<20	2.10	0.141	0.17	4.5	0.01	2.7	0.1	0.42	7	1.2	0.6
1824797	Rock	0.055	12	21	1.20	573	0.067	<20	2.59	0.092	0.17	27.2	<0.01	3.0	0.3	0.42	7	1.7	1.8
DUP 1824797	QC	0.059	12	22	1.20	564	0.069	<20	2.59	0.094	0.16	30.5	<0.01	3.0	0.3	0.43	7	1.2	2.3
1824831	Rock	0.035	4	3	0.09	31	<0.001	<20	0.12	0.007	0.04	<0.1	<0.01	0.4	<0.1	0.32	<1	<0.5	<0.2
DUP 1824831	QC	0.041	4	3	0.09	33	<0.001	<20	0.13	0.007	0.05	0.2	<0.01	0.3	<0.1	0.31	<1	0.7	<0.2
Reference Materials																			
STD BVGEO01	Standard	0.072	26	163	1.26	338	0.232	<20	2.27	0.199	0.96	3.3	0.08	5.8	0.6	0.68	7	4.9	0.9
STD CDN-ME-9A	Standard																		3
STD CDN-ME-14A	Standard																		44
STD DS11	Standard	0.080	21	65	0.88	462	0.105	<20	1.21	0.077	0.42	2.4	0.25	3.6	5.4	0.28	5	2.3	4.5
STD DS11	Standard	0.067	19	58	0.87	437	0.093	<20	1.18	0.074	0.41	2.6	0.27	3.0	5.4	0.27	5	1.9	4.9
STD OREAS262	Standard	0.044	18	41	1.14	266	0.003	<20	1.30	0.062	0.30	<0.1	0.16	3.5	0.5	0.24	4	<0.5	0.2
STD OREAS262	Standard	0.039	17	43	1.17	264	0.003	<20	1.32	0.071	0.33	<0.1	0.17	3.4	0.5	0.25	4	0.6	0.2
STD OREAS262	Standard	0.037	17	44	1.14	252	0.003	<20	1.31	0.071	0.33	<0.1	0.17	3.3	0.5	0.26	4	0.6	0.2



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: December 07, 2019

Page: 2 of 2 Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000629.2

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
STD OXB130	Standard		0.128																		
STD OXB130	Standard		0.121																		
STD OXI138	Standard		1.897																		
STD OXI138	Standard		1.895																		
STD OXN117	Standard		7.766																		
STD OXN117	Standard		7.755																		
STD OXI138 Expected			1.86																		
STD OXB130 Expected			0.125																		
STD OXN117 Expected			7.679																		
STD BVGE001 Expected				10.8	4415	187	1741	2.53	163	25	733	3.7	121	219	14.4	55	6.5	2.2	25.6	73	1.3219
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063
STD OREAS262 Expected				0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	65	9.33	36	0.61	3.39	1.03	22.5	2.98
STD CDN-ME-9A Expected																					
STD CDN-ME-14A Expected																					
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank		<0.005	1.2	7.7	6.1	100	1.0	1.4	4.7	571	2.04	1.9	<0.5	2.4	22	0.1	1.2	<0.1	28	0.68
ROCK-WHI	Prep Blank		<0.005	0.6	4.9	9.3	85	0.4	1.3	4.2	554	2.00	1.8	<0.5	2.8	24	0.1	0.2	<0.1	27	0.68



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: December 07, 2019

Page: 2 of 2 Part: 2 of 2

# QUALITY CONTROL REPORT

# WHI19000629.2

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ370		
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Ag	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXI138	Standard																				
STD OXI138	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXI138 Expected																					
STD OXB130 Expected																					
STD OXN117 Expected																					
STD BVGE001 Expected		0.0727	25.9	171	1.2963	340	0.233		2.347	0.1924	0.89	3.5	0.1	5.97	0.62	0.6655	7.37	4.84	1.02		
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56		
STD OREAS262 Expected		0.04	15.9	41.7	1.17	248	0.003		1.204	0.071	0.312	0.13	0.17	3.24	0.47	0.253	3.73	0.4	0.23		
STD CDN-ME-9A Expected																				3.3	
STD CDN-ME-14A Expected																					42.3
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank																				<2
Prep Wash																					
ROCK-WHI	Prep Blank	0.051	7	3	0.57	52	0.095	<20	0.97	0.065	0.08	<0.1	<0.01	3.0	<0.1	<0.05	4	<0.5	<0.2		
ROCK-WHI	Prep Blank	0.049	7	3	0.54	56	0.096	<20	0.99	0.078	0.09	<0.1	<0.01	3.2	<0.1	<0.05	4	<0.5	<0.2		



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Submitted By: James Thom  
Receiving Lab: Canada-Whitehorse  
Received: October 09, 2019  
Report Date: November 04, 2019  
Page: 1 of 6

## CERTIFICATE OF ANALYSIS

WHI19000663.1

### CLIENT JOB INFORMATION

Project: McQuesten  
Shipment ID: MQ-19-11a  
P.O. Number  
Number of Samples: 138

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
RTRN-RJT Return After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Banyan Gold Corp.  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7  
Canada

CC: Paul Gray

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	135	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	3	Sort, label and box pulps			WHI
FA450	138	50g Lead Collection Fire Assay Fusion - AAS Finish	50	Completed	VAN
EN002	138	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	138	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	138	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS

  
MAY LAI  
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 04, 2019

**Page:** 2 of 6

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000663.1

Method Analyte	Unit	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
			Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
MDL		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1824932	Rock	4.46	<0.005	0.6	36.6	13.4	125	<0.1	52.4	23.0	370	4.81	6.4	1.1	15.8	12	<0.1	0.3	0.7	30	0.09	
1824933	Rock	3.73	0.014	0.7	63.4	7.1	85	0.1	50.2	18.1	245	2.02	66.8	10.9	4.7	6	0.2	0.6	0.3	31	0.07	
1824934	Rock	4.58	<0.005	1.6	31.4	4.6	37	<0.1	48.6	10.2	174	2.34	28.2	1.1	6.4	19	<0.1	0.5	0.1	27	0.16	
1824935	Rock	3.15	<0.005	0.6	8.6	1.9	42	<0.1	31.3	8.3	119	1.24	64.9	<0.5	5.3	8	<0.1	0.2	<0.1	10	0.05	
1824936	Rock	2.79	<0.005	0.6	11.2	2.2	44	<0.1	37.8	9.6	171	1.28	71.7	<0.5	5.3	7	0.1	0.2	0.1	9	0.04	
1824937	Rock	4.99	0.011	1.8	42.1	4.9	60	0.1	60.3	13.0	185	3.03	55.2	2.7	7.5	23	<0.1	0.4	0.2	29	0.19	
1824938	Rock	2.53	0.005	1.7	16.4	6.4	63	<0.1	51.3	11.0	189	2.53	138.8	14.0	8.5	26	<0.1	0.4	0.2	31	0.32	
1824939	Rock	1.82	0.024	1.5	46.4	8.3	63	0.2	39.4	9.4	319	3.52	74.5	14.2	6.4	33	<0.1	1.2	0.7	39	0.51	
1824940	Rock	1.54	0.028	1.6	56.0	6.8	67	0.2	43.5	10.1	425	3.90	84.4	10.4	5.9	40	<0.1	1.0	0.7	43	0.78	
1824941	Rock	4.81	0.013	4.0	41.1	10.0	69	0.2	52.9	12.5	276	3.33	105.3	2.2	7.1	25	<0.1	0.4	0.5	43	0.34	
1824942	Rock	4.50	0.014	2.4	64.0	7.2	75	0.3	61.9	12.9	490	4.10	159.7	6.9	6.1	26	<0.1	0.6	0.5	45	0.49	
1824943	Rock	5.03	0.006	1.7	55.7	5.7	57	0.3	59.0	12.6	309	2.73	103.5	1.4	5.9	18	0.3	0.6	0.3	25	0.24	
1824944	Rock	4.63	<0.005	1.6	32.1	4.0	78	0.2	66.8	14.4	476	3.18	162.9	0.6	8.5	27	<0.1	0.3	0.4	28	0.21	
1824945	Rock	5.54	<0.005	1.8	43.4	4.8	65	0.3	60.3	12.0	282	3.01	109.8	0.8	7.1	19	<0.1	0.4	0.4	23	0.15	
1824946	Rock	4.79	0.005	1.2	42.9	4.3	50	0.2	63.6	12.2	273	2.39	39.2	<0.5	5.7	14	0.2	0.4	0.4	18	0.15	
1824947	Rock	4.82	0.006	1.2	65.0	7.7	90	0.3	70.7	9.9	401	2.84	41.5	<0.5	5.2	21	0.6	1.1	0.5	36	0.60	
1824948	Rock	4.95	0.012	1.7	45.7	6.7	95	0.4	53.8	11.8	358	3.82	89.2	<0.5	5.7	22	<0.1	1.2	0.7	24	0.22	
1824949	Rock	5.18	0.009	1.5	42.2	6.6	106	0.3	49.8	10.7	371	3.40	50.2	<0.5	6.0	21	0.1	1.2	0.6	25	0.31	
1824950	Rock	0.34	<0.005	<0.1	1.3	0.4	<1	<0.1	<0.1	0.8	84	0.08	1.1	<0.5	0.2	74	<0.1	<0.1	<0.1	<1	29.61	
1824951	Rock	3.46	0.011	1.5	54.2	6.9	109	0.4	50.2	10.4	361	3.41	50.4	<0.5	7.2	24	0.3	1.2	0.8	29	0.40	
1824952	Rock	4.01	0.007	2.6	57.7	6.8	68	0.4	55.2	9.5	268	2.74	41.1	<0.5	6.9	30	0.5	1.5	0.7	35	0.73	
1824953	Rock	1.69	0.014	4.2	104.8	8.8	92	2.6	57.9	13.1	412	4.85	234.0	6.0	5.8	49	0.1	3.8	0.9	52	1.12	
1824954	Rock	3.56	0.014	0.4	45.9	6.1	71	0.4	34.4	15.5	445	3.69	95.1	2.3	11.3	43	<0.1	0.5	2.1	14	1.08	
1824955	Rock	4.82	0.155	0.7	63.3	5.7	51	0.4	37.5	18.6	275	3.15	456.6	86.5	13.6	66	<0.1	0.7	3.4	18	2.70	
1824956	Rock	5.29	0.794	1.0	93.3	7.8	173	1.2	34.9	19.3	684	4.57	459.9	666.3	11.2	124	3.5	1.2	21.3	22	3.60	
1824957	Rock	5.41	0.878	0.7	89.2	8.6	113	1.1	35.4	20.6	1131	4.78	529.3	1005.1	6.8	117	0.3	2.0	21.3	26	4.93	
1824958	Rock	4.44	1.080	1.3	74.6	9.7	76	1.0	42.7	23.1	610	4.87	167.4	649.5	12.7	80	0.3	1.6	32.1	23	2.62	
1824959	Rock	1.99	0.070	0.6	48.2	7.1	65	0.4	31.0	13.5	439	3.30	99.8	44.2	11.8	54	0.2	0.8	4.0	17	1.78	
1824960	Rock	1.48	0.106	0.6	48.9	8.3	59	0.5	29.5	12.1	462	3.26	58.7	86.7	11.4	57	0.2	0.8	5.7	17	2.02	
1824961	Rock	2.23	0.036	3.0	25.2	4.6	51	0.2	14.2	8.4	257	2.33	190.3	24.1	12.2	28	<0.1	0.6	1.1	12	0.86	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 04, 2019

Page: 2 of 6

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000663.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm		
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1824932	Rock	0.033	27	34	1.21	190	0.069	<20	2.67	0.016	0.41	0.1	<0.01	3.5	0.3	0.11	8	<0.5	<0.2	
1824933	Rock	0.024	12	19	0.47	274	0.017	<20	1.10	0.009	0.20	<0.1	<0.01	2.3	0.1	0.09	3	0.9	<0.2	
1824934	Rock	0.058	15	17	0.42	311	0.026	<20	1.20	0.022	0.23	0.1	<0.01	1.7	<0.1	0.35	3	1.2	<0.2	
1824935	Rock	0.025	15	9	0.17	219	0.011	<20	0.66	0.013	0.16	<0.1	<0.01	0.8	<0.1	0.12	2	<0.5	<0.2	
1824936	Rock	0.021	15	10	0.16	245	0.008	<20	0.65	0.013	0.17	<0.1	<0.01	0.9	<0.1	0.17	2	<0.5	<0.2	
1824937	Rock	0.080	16	17	0.48	345	0.021	<20	1.41	0.020	0.27	0.2	<0.01	1.7	0.2	0.56	4	2.5	<0.2	
1824938	Rock	0.065	18	19	0.45	345	0.027	<20	1.36	0.023	0.29	0.2	<0.01	1.8	0.2	0.21	4	0.7	<0.2	
1824939	Rock	0.111	11	23	0.57	249	0.014	<20	1.27	0.015	0.27	0.2	<0.01	2.1	0.3	0.94	4	1.9	<0.2	
1824940	Rock	0.129	11	24	0.63	306	0.017	<20	1.45	0.019	0.34	0.1	<0.01	2.3	0.3	1.29	4	2.1	<0.2	
1824941	Rock	0.092	16	25	0.62	308	0.022	<20	1.53	0.029	0.26	0.1	<0.01	2.4	0.1	0.62	5	2.8	<0.2	
1824942	Rock	0.097	11	26	0.69	339	0.008	<20	1.60	0.018	0.21	0.2	<0.01	2.6	0.2	1.08	5	3.0	<0.2	
1824943	Rock	0.065	13	15	0.42	287	0.004	<20	1.16	0.024	0.21	0.1	<0.01	1.6	0.1	0.89	3	3.0	<0.2	
1824944	Rock	0.075	20	20	0.43	332	0.003	<20	1.48	0.035	0.28	0.1	<0.01	1.9	0.1	0.74	4	2.3	<0.2	
1824945	Rock	0.069	16	16	0.42	284	0.004	<20	1.25	0.026	0.22	0.1	<0.01	1.8	0.1	0.96	4	3.1	<0.2	
1824946	Rock	0.054	14	12	0.22	310	0.002	<20	0.85	0.025	0.20	0.1	<0.01	1.3	<0.1	0.94	2	2.9	<0.2	
1824947	Rock	0.036	12	22	0.54	239	0.002	<20	1.02	0.026	0.12	<0.1	<0.01	2.1	<0.1	0.86	4	2.8	<0.2	
1824948	Rock	0.068	10	17	0.62	234	0.002	<20	1.55	0.050	0.14	<0.1	<0.01	1.7	<0.1	1.28	4	2.9	<0.2	
1824949	Rock	0.068	10	19	0.70	210	0.002	<20	1.60	0.040	0.12	<0.1	<0.01	1.6	<0.1	0.75	4	2.0	<0.2	
1824950	Rock	0.006	<1	<1	1.43	18	0.002	<20	<0.01	0.002	0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2	
1824951	Rock	0.072	11	21	0.65	264	0.002	<20	1.53	0.040	0.15	<0.1	<0.01	2.0	<0.1	0.93	4	2.0	<0.2	
1824952	Rock	0.086	10	15	0.40	292	0.002	<20	0.98	0.023	0.17	0.1	<0.01	1.4	0.1	1.21	3	3.4	<0.2	
1824953	Rock	0.082	9	25	0.93	289	0.013	<20	1.92	0.014	0.25	9.5	<0.01	3.2	1.0	1.71	6	4.7	<0.2	
1824954	Rock	0.048	13	15	0.91	97	0.003	<20	1.28	0.009	0.27	0.2	<0.01	2.2	0.2	1.34	3	1.7	<0.2	
1824955	Rock	0.048	16	14	0.70	93	0.001	<20	0.92	0.052	0.24	0.2	<0.01	3.4	0.1	1.32	3	4.2	<0.2	
1824956	Rock	0.055	11	14	1.47	129	0.002	<20	1.16	0.024	0.31	1.3	<0.01	4.8	0.2	1.94	4	5.4	1.0	
1824957	Rock	0.067	8	18	2.22	120	0.004	<20	1.53	0.019	0.30	0.4	<0.01	4.9	0.2	1.83	5	4.7	1.2	
1824958	Rock	0.049	15	18	1.43	86	0.005	<20	1.48	0.022	0.28	3.2	<0.01	4.5	0.2	2.33	5	4.3	2.1	
1824959	Rock	0.039	13	15	0.92	81	0.004	<20	1.12	0.022	0.24	0.5	<0.01	2.8	0.2	1.40	4	2.3	<0.2	
1824960	Rock	0.043	12	13	0.95	79	0.004	<20	1.11	0.019	0.24	0.2	<0.01	2.9	0.1	1.35	3	2.5	0.2	
1824961	Rock	0.021	17	12	0.56	75	0.002	<20	0.98	0.019	0.20	0.1	<0.01	1.8	0.1	0.40	3	0.8	<0.2	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 04, 2019

**Page:** 3 of 6

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000663.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1824962	Rock	2.67	1.044	4.5	164.8	51.1	856	15.3	12.2	59.0	928	9.88	4946.1	1313.0	2.7	131	24.3	18.5	22.8	37	3.62
1824963	Rock	5.22	0.291	0.6	58.4	7.1	56	3.2	12.2	6.5	392	2.11	110.5	228.7	6.3	69	0.9	0.9	8.7	14	3.00
1824964	Rock	4.67	0.481	0.5	41.0	5.6	43	0.4	16.0	8.0	282	2.15	273.0	354.1	8.4	40	0.6	0.8	15.5	11	1.89
1824965	Rock	4.87	0.119	0.8	44.8	6.8	43	0.4	27.9	14.8	336	2.72	178.8	69.1	7.9	39	0.1	1.9	4.3	10	1.57
1824966	Rock	5.69	0.122	0.8	62.6	8.5	56	0.6	28.9	14.5	380	3.33	140.9	142.3	8.8	36	0.2	0.5	5.0	16	1.48
1824967	Rock	5.55	0.742	0.8	90.2	8.0	61	0.7	28.8	14.6	349	3.31	193.0	624.2	9.8	49	0.3	0.6	15.8	21	2.03
1824968	Rock	5.39	0.251	1.6	69.8	9.7	71	0.7	33.5	17.1	434	3.60	37.7	117.6	9.2	74	0.3	1.2	7.7	28	2.43
1824969	Rock	5.17	0.124	1.7	51.2	7.2	81	0.4	29.7	14.3	720	2.79	126.4	91.6	7.9	128	0.3	1.9	3.1	33	6.41
1824970	Rock Pulp	0.14	0.273	13.8	2104.3	1033.4	6689	17.1	33.9	18.7	514	8.32	265.9	90.5	0.9	42	44.7	33.4	10.6	42	1.99
1824971	Rock	3.80	0.172	0.6	32.8	5.4	69	0.2	18.3	6.8	864	1.80	47.8	160.4	4.4	384	1.0	2.8	2.5	19	16.05
1824972	Rock	4.01	0.496	0.8	39.2	4.7	53	0.3	18.6	6.9	886	2.00	48.6	444.1	4.1	437	0.4	1.4	5.9	22	18.41
1824973	Rock	2.62	0.318	0.6	112.5	7.1	72	0.5	31.3	12.5	664	2.98	904.0	368.1	8.1	107	0.2	3.5	1.5	37	3.37
1824974	Rock	4.37	0.364	18.9	21.3	4.8	106	0.3	78.7	6.5	343	1.64	806.1	271.8	3.8	60	1.4	8.7	4.6	108	1.95
1824975	Rock	4.79	0.143	1.6	98.5	10.3	112	1.8	34.6	13.8	359	2.94	616.1	117.0	6.6	66	1.5	8.0	2.1	19	1.88
1824976	Rock	5.08	0.086	1.2	47.3	5.5	45	0.6	25.1	7.7	190	1.78	322.7	79.2	4.3	27	0.3	3.6	0.7	11	0.68
1824977	Rock	4.07	0.055	12.9	42.9	7.2	73	0.4	68.1	9.3	255	1.72	959.0	48.1	4.1	31	0.3	4.9	1.0	97	0.81
1824978	Rock	4.49	0.078	17.8	17.3	11.1	59	0.7	74.0	7.1	260	1.13	619.6	56.2	3.3	44	0.4	4.3	2.0	70	0.86
1824979	Rock	1.46	0.077	21.0	13.1	97.6	48	1.2	69.3	7.3	426	1.13	319.3	70.4	2.8	46	0.5	2.3	1.6	45	1.05
1824980	Rock	1.32	0.108	20.6	13.2	134.4	80	1.2	68.7	6.8	518	1.18	276.7	86.4	2.7	56	0.8	2.3	1.4	40	1.28
1824981	Rock	3.09	0.135	27.0	10.8	12.2	29	0.5	93.6	7.2	247	1.26	826.1	129.0	3.1	31	0.2	3.6	0.4	71	0.60
1824982	Rock	1.62	0.184	16.9	50.4	24.0	67	2.3	66.3	9.1	282	1.96	878.3	173.0	2.8	36	0.6	5.9	1.6	30	0.69
1824983	Rock	5.11	0.126	2.7	43.3	6.8	37	2.6	40.3	7.2	235	1.28	787.5	118.9	2.5	44	0.3	3.9	0.3	12	0.66
1824984	Rock	4.47	0.064	9.7	29.1	19.6	33	0.8	47.9	5.0	272	1.44	1006.8	56.9	2.1	48	0.2	4.3	3.0	47	0.81
1824985	Rock	4.93	0.215	3.8	62.4	13.5	35	4.0	59.3	7.2	248	1.63	729.2	209.9	2.5	41	0.3	7.9	0.4	20	0.58
1824986	Rock	4.94	0.309	0.7	50.6	4.4	33	2.4	59.3	6.7	314	1.90	1186.5	285.0	2.5	58	0.2	5.0	0.2	10	0.66
1824987	Rock	4.64	0.022	5.1	82.4	3.6	67	0.7	50.1	8.0	170	1.99	87.3	9.7	3.0	32	0.5	2.7	0.4	41	0.51
1824988	Rock	2.84	2.769	6.1	67.5	4.8	112	0.9	46.4	9.0	453	3.03	85.4	2596.0	6.4	61	0.5	2.0	61.5	55	1.72
1824989	Rock	2.94	0.907	1.3	123.1	7.9	103	0.9	39.0	15.6	379	4.18	46.9	1079.8	10.3	40	0.3	4.8	18.9	66	1.18
1824990	Rock	0.31	0.009	<0.1	1.5	0.5	1	<0.1	2.8	0.4	104	0.10	0.8	<0.5	<0.1	60	<0.1	<0.1	<0.1	<1	28.36
1824991	Rock	4.95	0.038	9.3	28.7	2.3	62	0.5	59.5	5.3	176	1.34	339.3	25.3	2.5	32	0.5	5.6	0.6	111	0.64



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 04, 2019

**Page:** 3 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000663.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
1824962	Rock	0.016	2	7	0.46	25	<0.001	<20	0.41	0.003	0.07	5.7	0.04	1.3	0.9	8.01	2	18.8	0.8
1824963	Rock	0.018	8	9	0.41	88	0.005	<20	0.75	0.034	0.13	>100	<0.01	1.7	0.1	0.87	2	2.7	0.3
1824964	Rock	0.021	10	13	0.45	90	0.007	<20	0.81	0.031	0.15	47.7	<0.01	1.7	<0.1	0.88	2	2.2	1.0
1824965	Rock	0.030	9	13	0.52	103	0.010	<20	0.95	0.013	0.22	1.6	<0.01	1.3	0.1	1.07	3	2.0	0.3
1824966	Rock	0.032	10	19	0.75	125	0.039	<20	1.32	0.015	0.33	3.9	<0.01	2.0	0.2	1.37	4	3.2	0.3
1824967	Rock	0.040	8	18	0.77	214	0.043	<20	1.50	0.043	0.19	>100	<0.01	2.0	0.1	1.67	4	4.5	0.7
1824968	Rock	0.045	8	25	1.54	203	0.046	<20	2.07	0.026	0.23	0.7	<0.01	3.3	0.2	1.59	6	4.4	0.4
1824969	Rock	0.048	6	21	1.24	216	0.035	<20	1.93	0.048	0.14	>100	<0.01	2.7	<0.1	1.05	6	3.0	<0.2
1824970	Rock Pulp	0.034	4	39	2.40	44	0.004	<20	1.67	0.009	0.06	0.6	2.65	3.1	4.8	6.35	7	29.5	0.3
1824971	Rock	0.037	3	14	0.70	187	0.030	<20	1.38	0.060	0.06	>100	<0.01	1.7	<0.1	0.60	4	1.9	<0.2
1824972	Rock	0.040	3	15	0.61	166	0.028	<20	1.39	0.057	0.05	>100	<0.01	1.5	<0.1	0.72	4	2.3	0.3
1824973	Rock	0.036	7	16	0.43	135	0.001	<20	0.91	0.018	0.22	3.4	<0.01	2.1	0.2	1.44	3	4.9	<0.2
1824974	Rock	0.076	9	19	0.74	109	0.006	<20	0.86	0.023	0.13	7.6	<0.01	2.3	0.1	0.43	4	1.4	0.2
1824975	Rock	0.043	9	13	0.59	315	0.001	<20	0.67	0.028	0.21	71.0	<0.01	2.5	0.2	1.71	2	5.3	<0.2
1824976	Rock	0.019	9	11	0.27	388	0.002	<20	0.44	0.007	0.14	0.9	<0.01	1.2	0.1	1.05	2	2.2	<0.2
1824977	Rock	0.047	10	16	0.45	548	0.004	<20	0.77	0.005	0.19	0.9	<0.01	1.7	0.2	0.44	3	2.0	<0.2
1824978	Rock	0.037	6	8	0.40	486	0.002	<20	0.38	0.004	0.16	0.7	<0.01	1.3	0.2	0.48	1	1.1	<0.2
1824979	Rock	0.024	6	8	0.22	325	0.001	<20	0.28	0.004	0.18	0.6	<0.01	1.1	0.2	0.61	1	1.2	<0.2
1824980	Rock	0.024	5	7	0.27	280	0.001	<20	0.25	0.004	0.16	0.6	<0.01	1.1	0.2	0.68	<1	1.4	<0.2
1824981	Rock	0.031	6	9	0.20	362	0.002	<20	0.34	0.004	0.22	0.6	<0.01	1.0	0.2	0.84	1	1.0	<0.2
1824982	Rock	0.025	6	8	0.29	230	<0.001	<20	0.27	0.004	0.17	0.5	<0.01	1.1	0.2	1.33	1	2.4	<0.2
1824983	Rock	0.030	7	9	0.30	318	0.001	<20	0.29	0.005	0.16	0.4	<0.01	0.9	0.1	0.68	1	1.4	<0.2
1824984	Rock	0.052	5	9	0.35	228	0.001	<20	0.28	0.004	0.14	0.6	<0.01	1.1	0.1	0.75	1	2.2	<0.2
1824985	Rock	0.038	8	9	0.27	482	0.002	<20	0.32	0.005	0.17	0.4	<0.01	0.9	0.1	1.24	1	1.7	<0.2
1824986	Rock	0.011	7	8	0.34	329	0.001	<20	0.27	0.004	0.14	0.3	<0.01	1.0	0.1	1.45	<1	1.5	<0.2
1824987	Rock	0.067	9	17	0.46	363	0.003	<20	0.67	0.005	0.15	0.3	<0.01	1.4	0.1	0.56	2	2.2	<0.2
1824988	Rock	0.049	11	20	0.84	183	0.021	<20	1.23	0.021	0.14	>100	<0.01	2.9	0.1	0.75	4	3.7	2.5
1824989	Rock	0.044	16	26	1.12	150	0.002	<20	1.46	0.026	0.18	0.7	<0.01	4.4	0.2	1.66	5	6.3	0.9
1824990	Rock	0.005	<1	1	1.17	11	<0.001	<20	0.01	0.005	<0.01	0.2	<0.01	0.1	<0.1	<0.05	<1	0.8	<0.2
1824991	Rock	0.053	8	16	0.54	258	0.002	<20	0.48	0.007	0.12	0.4	<0.01	1.7	0.1	0.32	2	1.0	<0.2





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 04, 2019

**Page:** 4 of 6

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000663.1

Method Analyte	Unit	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
MDL		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1824992	Rock	2.58	0.070	3.8	61.0	5.1	54	1.0	46.3	6.2	148	1.59	382.4	59.2	2.5	28	0.4	6.1	0.9	18	0.49
1824993	Rock	3.60	0.153	3.5	73.8	22.6	69	3.3	51.0	18.5	469	3.34	502.3	155.0	8.0	101	0.5	5.3	4.9	15	2.05
1824994	Rock	4.12	0.262	0.4	29.6	44.8	66	2.6	13.0	4.8	601	1.72	2292.5	191.3	4.8	103	0.5	7.1	5.8	7	3.00
1824995	Rock	1.69	0.339	1.5	65.3	43.1	138	4.8	59.7	18.8	262	5.06	4460.6	281.6	7.9	36	1.0	27.6	5.8	18	0.81
1824996	Rock	4.37	0.047	0.9	55.6	3.6	51	0.6	49.4	17.0	352	3.25	96.5	42.8	9.5	47	0.1	1.6	1.9	12	0.95
1824997	Rock	4.76	0.170	0.8	73.6	8.9	69	1.7	41.0	16.0	455	3.54	513.7	130.7	9.7	104	0.2	4.0	3.7	14	1.96
1824998	Rock	2.95	0.492	4.7	74.1	77.2	64	4.5	41.7	12.1	771	2.95	1848.6	410.9	8.3	152	0.5	12.3	15.3	17	3.28
1824999	Rock	2.22	0.309	3.8	68.8	77.5	119	4.5	45.8	13.1	745	2.96	1452.9	295.1	7.0	118	1.2	10.1	5.5	13	2.25
1825000	Rock	2.13	0.256	5.0	54.4	93.8	119	4.5	47.9	12.6	732	2.89	1496.1	299.6	7.2	114	1.2	8.3	3.7	15	2.45
1475501	Rock	4.83	0.212	8.7	122.9	3450.9	456	8.0	59.1	15.4	763	3.30	627.5	160.0	7.2	110	4.7	10.0	4.9	16	2.29
1475502	Rock	4.43	0.404	0.6	60.7	110.7	82	3.9	29.8	11.1	648	2.51	324.9	346.0	9.2	113	0.7	12.7	10.6	6	2.54
1475503	Rock	5.23	0.130	0.6	45.1	29.8	125	0.9	26.3	11.2	491	2.52	463.6	93.7	9.5	88	1.3	5.4	2.0	8	2.29
1475504	Rock	4.66	0.195	0.9	88.0	20.2	58	2.4	39.9	16.2	757	3.66	511.2	154.9	7.7	133	0.3	7.9	1.9	13	3.66
1475505	Rock	4.84	0.026	0.3	58.2	4.7	49	0.4	35.5	15.2	333	3.27	35.4	10.6	8.6	46	<0.1	3.6	1.8	13	1.26
1475506	Rock	5.42	0.796	1.0	96.0	6.2	67	0.8	32.0	14.1	392	3.87	28.7	729.8	7.4	69	0.4	1.3	15.7	29	2.86
1475507	Rock	4.33	0.123	0.5	80.1	11.1	41	0.8	33.6	12.4	479	2.78	292.0	70.0	8.6	80	0.2	4.8	1.8	10	2.33
1475508	Rock	5.06	0.401	24.8	34.7	32.6	132	1.0	80.7	9.2	181	1.37	1193.6	457.4	3.7	44	1.6	12.4	7.9	56	0.92
1475509	Rock	4.55	0.048	17.7	325.4	6.1	61	1.3	69.3	7.3	178	1.48	167.4	33.8	3.4	49	1.0	2.8	0.8	81	1.41
1475510	Rock Pulp	0.13	0.273	14.0	2155.8	1035.7	6869	17.5	35.1	18.7	525	8.69	273.1	78.6	0.9	43	45.1	31.8	10.5	43	2.07
1475511	Rock	0.90	5.659	2.4	713.4	4.7	254	2.1	16.2	6.9	711	16.13	151.8	5630.4	4.9	42	6.1	4.0	124.1	45	3.17
1475512	Rock	4.92	0.019	0.3	42.8	3.9	39	0.2	21.3	9.9	245	2.15	119.3	6.4	8.4	36	0.2	0.8	0.8	10	1.19
1475513	Rock	5.48	0.027	0.4	51.6	4.1	44	0.4	24.9	10.6	209	2.70	311.2	33.2	8.8	36	<0.1	0.7	1.3	13	0.89
1475514	Rock	2.64	0.020	0.3	42.9	3.5	40	0.2	24.7	10.8	222	2.72	67.3	18.4	9.1	38	0.2	0.4	1.1	11	1.35
1475515	Rock	3.30	3.496	1.6	226.3	5.7	48	1.3	27.8	13.7	716	6.38	59.4	2845.3	7.6	26	0.3	4.1	53.8	20	0.86
1475516	Rock	2.86	4.143	3.8	467.8	3.6	87	1.3	22.5	12.5	1082	9.36	37.2	3118.5	5.5	39	0.4	5.5	58.3	43	3.09
1475517	Rock	4.92	0.075	0.3	39.7	4.8	36	0.3	15.6	8.4	164	2.15	196.5	36.3	6.1	17	<0.1	1.0	2.8	10	0.57
1475518	Rock	5.30	0.021	0.4	48.9	5.4	29	0.4	26.9	11.4	204	2.49	375.6	7.2	10.1	31	<0.1	1.2	2.4	8	1.09
1475519	Rock	2.61	1.277	0.5	125.7	5.1	71	0.5	34.6	15.2	370	3.65	296.5	872.9	9.9	56	0.2	1.6	33.7	28	2.95
1475520	Rock	2.23	2.128	0.6	104.3	5.6	81	0.7	41.2	23.1	388	3.89	536.1	1627.7	9.8	56	0.3	3.0	53.2	33	2.80
1475521	Rock	4.54	0.660	3.7	84.1	4.6	41	0.5	52.0	11.7	364	3.31	144.1	294.7	6.7	59	0.1	1.3	13.0	68	2.38



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 04, 2019

**Page:** 4 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000663.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
1824992	Rock	0.011	8	10	0.35	397	0.001	<20	0.42	0.005	0.15	0.4	<0.01	1.3	0.1	0.77	2	1.9	<0.2
1824993	Rock	0.060	7	8	0.96	199	0.001	<20	0.50	0.008	0.25	0.4	<0.01	2.3	0.2	2.71	2	4.6	0.2
1824994	Rock	0.013	6	7	0.25	81	<0.001	<20	0.39	0.006	0.11	0.4	<0.01	1.1	0.2	1.12	1	2.6	0.3
1824995	Rock	0.038	14	11	0.33	124	0.001	<20	0.66	0.006	0.13	0.9	0.01	2.6	0.7	4.09	2	6.2	1.0
1824996	Rock	0.039	12	12	0.69	224	0.002	<20	0.91	0.014	0.29	0.2	<0.01	1.7	0.2	1.48	3	2.5	<0.2
1824997	Rock	0.043	10	15	1.11	122	0.002	<20	0.97	0.016	0.29	0.3	<0.01	2.4	0.2	1.92	3	4.0	0.3
1824998	Rock	0.041	6	9	0.86	182	<0.001	<20	0.49	0.011	0.26	0.3	<0.01	2.5	0.2	2.46	1	4.3	0.8
1824999	Rock	0.045	5	6	0.72	144	<0.001	<20	0.33	0.008	0.22	0.3	<0.01	2.2	0.2	2.31	<1	3.7	0.3
1825000	Rock	0.049	6	7	0.67	160	<0.001	<20	0.36	0.009	0.24	0.3	<0.01	2.1	0.2	2.45	1	3.5	0.3
1475501	Rock	0.062	6	7	0.55	161	<0.001	<20	0.42	0.009	0.24	0.4	0.01	1.9	0.3	3.05	1	13.6	0.3
1475502	Rock	0.029	6	7	0.67	98	<0.001	<20	0.42	0.017	0.23	0.2	<0.01	2.3	0.2	1.87	1	3.8	0.8
1475503	Rock	0.024	7	8	0.62	91	<0.001	<20	0.52	0.013	0.25	0.6	<0.01	1.9	0.2	1.86	2	2.5	<0.2
1475504	Rock	0.039	5	10	1.13	91	0.001	<20	0.78	0.019	0.24	0.2	<0.01	3.1	0.2	2.61	3	6.0	0.2
1475505	Rock	0.038	8	15	0.86	74	0.002	<20	1.12	0.010	0.26	0.1	<0.01	1.8	0.1	1.52	3	2.6	<0.2
1475506	Rock	0.035	8	19	0.95	135	0.029	<20	1.42	0.035	0.17	64.1	<0.01	2.5	0.2	1.85	5	6.7	0.9
1475507	Rock	0.023	7	8	0.75	68	<0.001	<20	0.59	0.020	0.20	0.2	<0.01	2.0	0.2	1.65	2	3.8	<0.2
1475508	Rock	0.031	6	8	0.15	299	0.001	<20	0.43	0.010	0.16	0.3	<0.01	0.8	0.2	0.63	1	2.7	0.3
1475509	Rock	0.054	7	13	0.19	218	0.002	<20	0.53	0.018	0.15	1.3	<0.01	1.1	0.1	0.39	2	1.7	<0.2
1475510	Rock Pulp	0.035	4	40	2.47	46	0.004	<20	1.72	0.010	0.06	0.6	2.70	3.2	5.0	6.51	7	30.0	0.3
1475511	Rock	0.018	7	14	0.56	32	0.014	<20	0.97	0.020	0.07	>100	0.01	1.8	0.1	8.82	5	37.2	5.3
1475512	Rock	0.016	11	11	0.41	88	0.002	<20	0.82	0.011	0.23	7.7	<0.01	1.1	0.1	0.55	2	1.3	<0.2
1475513	Rock	0.061	12	15	0.59	97	0.002	<20	0.92	0.011	0.22	5.8	<0.01	1.6	0.1	0.90	3	2.2	<0.2
1475514	Rock	0.042	14	13	0.70	79	0.002	<20	1.02	0.018	0.23	0.4	<0.01	1.7	0.1	0.91	3	2.3	<0.2
1475515	Rock	0.034	9	11	0.59	65	0.001	<20	0.92	0.015	0.17	>100	<0.01	1.5	0.4	3.53	4	11.8	2.2
1475516	Rock	0.041	6	12	0.59	71	0.010	<20	0.94	0.015	0.15	>100	<0.01	2.0	0.2	4.59	5	18.1	2.5
1475517	Rock	0.027	10	10	0.53	62	0.001	<20	0.75	0.012	0.15	2.1	<0.01	1.5	<0.1	0.60	2	2.0	<0.2
1475518	Rock	0.036	11	10	0.55	94	0.001	<20	0.77	0.022	0.20	1.3	<0.01	1.4	0.1	1.06	2	3.1	<0.2
1475519	Rock	0.039	21	21	1.14	80	0.001	<20	1.28	0.037	0.16	14.7	<0.01	3.7	<0.1	1.47	5	5.9	2.4
1475520	Rock	0.041	20	23	1.27	93	0.002	<20	1.46	0.048	0.20	0.6	<0.01	4.1	0.1	1.55	6	6.7	3.8
1475521	Rock	0.045	14	24	0.99	115	0.002	<20	1.20	0.032	0.15	0.4	<0.01	2.7	<0.1	1.38	4	5.2	1.0



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 04, 2019

Page: 5 of 6

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000663.1

Method Analyte Unit MDL	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1475522	Rock	5.14	0.088	1.4	35.7	9.5	27	0.3	40.8	9.9	284	2.70	134.8	4.1	6.0	39	<0.1	2.8	1.5	12	0.57
1475523	Rock	4.55	0.039	5.7	25.3	69.8	159	1.1	39.9	5.5	808	1.51	255.8	31.5	4.2	61	1.8	1.7	0.4	36	1.33
1475524	Rock	5.54	0.008	2.3	35.8	33.5	108	0.5	49.8	10.0	334	2.21	128.1	4.1	4.8	32	1.2	0.9	0.3	27	0.45
1475525	Rock	4.81	0.011	1.4	49.5	2.6	59	0.2	49.0	10.3	515	2.82	63.8	0.7	4.9	19	<0.1	1.4	0.5	27	0.31
1475526	Rock	5.23	0.031	1.4	38.2	1.8	39	0.1	38.5	9.0	434	2.19	197.1	29.6	4.0	49	<0.1	1.0	0.4	25	1.05
1475527	Rock	5.12	0.016	3.6	35.2	1.7	27	0.1	31.4	5.4	123	1.52	171.8	7.1	3.6	19	<0.1	0.6	0.3	17	0.31
1475528	Rock	4.82	0.008	9.7	111.5	3.1	28	0.3	60.5	10.0	151	2.59	62.5	3.3	5.9	27	0.1	1.2	0.5	29	0.57
1475529	Rock	3.65	0.213	13.8	91.7	3.8	17	0.4	70.2	10.1	315	2.71	57.6	532.9	5.1	68	0.1	1.6	1.1	51	2.01
1475530	Rock	0.33	<0.005	<0.1	0.9	0.4	<1	<0.1	3.5	0.4	78	0.06	<0.5	<0.5	<0.1	86	<0.1	<0.1	<0.1	<1	30.75
1475531	Rock	3.34	1.569	11.3	334.4	4.8	69	1.8	59.0	10.9	893	8.35	1009.2	3528.6	3.0	91	0.4	4.2	59.7	132	3.48
1475532	Rock	3.16	3.333	6.5	673.1	6.1	68	5.8	49.9	18.4	387	7.21	103.0	6397.4	4.7	66	0.4	3.4	39.4	95	2.82
1475533	Rock	1.22	0.082	1.2	74.1	3.0	44	0.3	35.1	12.0	306	3.28	47.3	63.4	10.2	85	0.2	0.9	3.0	25	3.32
1475534	Rock	5.21	0.037	5.7	65.1	3.2	35	0.3	48.1	10.7	256	2.91	26.1	29.1	5.5	65	<0.1	1.0	1.8	55	1.85
1475535	Rock	4.27	0.043	5.9	68.1	2.9	49	0.1	49.2	7.6	263	2.28	192.0	18.7	4.2	61	0.2	1.0	1.4	40	0.85
1475536	Rock	3.86	0.007	6.1	68.8	2.4	58	0.3	37.3	8.0	425	2.51	20.7	2.9	4.8	28	0.4	0.4	0.6	38	0.32
1475537	Rock	1.96	0.035	2.6	74.6	2.8	43	2.8	29.7	7.4	930	1.82	88.9	14.4	3.4	57	1.0	4.4	1.0	15	0.97
1475538	Rock	3.58	0.015	4.1	69.9	2.6	52	0.3	34.0	7.2	611	2.16	8.8	3.1	4.1	41	0.2	2.0	0.9	29	0.77
1475539	Rock	2.04	0.072	0.6	30.2	2.1	19	0.1	14.9	3.2	163	1.02	154.3	27.4	2.6	24	<0.1	1.0	1.5	14	0.49
1475540	Rock	1.75	0.067	0.6	29.4	1.7	21	0.1	15.5	2.9	230	1.02	156.6	22.3	2.7	27	<0.1	0.8	1.8	12	0.59
1475541	Rock	3.61	0.043	0.7	31.6	8.0	52	0.4	16.2	3.5	157	0.91	268.9	31.5	3.2	17	0.6	5.0	0.8	7	0.32
1475542	Rock	4.23	0.213	1.0	23.6	3.4	30	0.2	15.6	2.7	301	0.98	177.0	52.4	2.9	27	0.2	2.4	3.3	7	0.63
1475543	Rock	4.75	0.014	0.8	13.9	2.3	25	0.1	11.0	3.1	122	0.92	22.7	5.9	3.1	10	0.2	0.9	0.5	5	0.14
1475544	Rock	5.02	0.066	0.7	48.6	22.9	43	1.0	27.6	4.7	217	1.38	15.4	25.1	3.9	14	0.3	4.1	2.3	10	0.27
1475545	Rock	4.86	0.038	1.1	28.5	3.8	19	0.3	33.6	5.2	618	1.36	42.7	21.7	3.9	64	<0.1	1.5	0.9	12	1.24
1475546	Rock	3.06	0.046	1.0	66.0	10.0	35	2.2	34.4	6.9	439	2.40	412.2	42.7	4.3	48	0.2	3.6	1.3	13	1.18
1475547	Rock	4.76	0.032	1.0	16.3	16.3	22	0.4	1.9	2.0	534	0.70	959.6	9.9	6.9	157	0.2	0.4	0.8	<1	2.47
1475548	Rock	3.99	0.017	0.4	13.2	22.7	17	0.3	0.8	1.3	2052	0.53	151.5	2.9	6.6	245	0.2	0.2	0.6	<1	4.81
1475549	Rock	5.53	0.038	0.4	15.9	83.0	253	1.0	1.6	1.7	1126	0.79	1513.6	29.5	6.4	178	4.6	0.6	1.0	<1	2.46
1475550	Rock Pulp	0.13	0.282	12.8	2162.3	1043.7	6912	17.8	32.1	18.0	548	8.64	280.4	64.7	2.6	47	50.3	36.4	12.1	44	2.12
1475551	Rock	5.09	0.084	0.1	26.1	78.5	384	1.3	1.3	1.4	558	0.89	856.8	37.6	5.7	109	6.3	2.2	1.5	<1	2.13



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 04, 2019

**Page:** 5 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000663.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
1475522	Rock	0.045	10	12	0.34	141	0.001	<20	0.77	0.011	0.17	0.4	<0.01	0.9	0.1	1.12	2	2.0	<0.2
1475523	Rock	0.087	9	14	0.30	134	0.001	<20	0.60	0.007	0.17	0.6	<0.01	1.3	0.2	0.35	2	1.3	<0.2
1475524	Rock	0.052	12	20	0.37	181	0.003	<20	1.06	0.024	0.21	0.2	<0.01	1.4	0.2	0.47	3	2.4	<0.2
1475525	Rock	0.043	9	17	0.52	229	0.002	<20	1.14	0.023	0.16	0.2	<0.01	1.3	0.1	0.80	3	1.8	<0.2
1475526	Rock	0.060	8	14	0.65	218	0.002	<20	0.79	0.007	0.15	0.2	<0.01	1.7	0.1	0.59	2	2.0	<0.2
1475527	Rock	0.024	8	8	0.22	108	0.001	<20	0.40	0.005	0.13	0.2	<0.01	0.7	<0.1	0.51	1	2.3	<0.2
1475528	Rock	0.049	10	8	0.21	170	0.001	<20	0.66	0.010	0.19	0.3	<0.01	0.8	0.1	1.21	2	5.6	<0.2
1475529	Rock	0.046	8	8	0.25	198	0.001	<20	0.68	0.010	0.20	0.4	<0.01	1.5	0.1	1.34	2	6.9	<0.2
1475530	Rock	0.006	<1	<1	0.38	18	0.001	<20	<0.01	0.004	0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	0.8	<0.2
1475531	Rock	0.264	9	30	0.75	91	0.004	<20	1.12	0.016	0.12	>100	<0.01	2.0	0.2	4.20	6	22.5	5.6
1475532	Rock	0.124	10	26	0.89	95	0.012	<20	1.36	0.023	0.12	>100	<0.01	2.5	0.2	3.56	7	20.1	2.3
1475533	Rock	0.041	27	22	1.03	67	0.001	<20	1.52	0.039	0.17	0.5	<0.01	3.8	0.1	0.80	5	3.9	0.2
1475534	Rock	0.070	10	23	0.80	165	0.007	<20	1.09	0.020	0.19	0.3	<0.01	2.4	0.2	0.93	4	4.4	<0.2
1475535	Rock	0.113	8	20	0.59	339	0.019	<20	1.05	0.015	0.24	0.3	<0.01	2.2	0.3	0.65	4	3.7	<0.2
1475536	Rock	0.071	9	16	0.46	302	0.020	<20	0.84	0.006	0.30	0.2	<0.01	1.5	0.3	1.10	2	2.5	<0.2
1475537	Rock	0.027	7	13	0.36	220	0.002	<20	0.61	0.002	0.13	17.5	<0.01	1.3	<0.1	0.42	2	0.8	<0.2
1475538	Rock	0.044	9	14	0.47	246	0.005	<20	0.75	0.003	0.16	0.4	<0.01	1.5	0.1	0.75	2	1.1	<0.2
1475539	Rock	0.060	7	9	0.19	93	0.001	<20	0.37	0.005	0.07	0.3	<0.01	1.3	<0.1	0.25	1	1.0	<0.2
1475540	Rock	0.063	6	8	0.19	70	<0.001	<20	0.37	0.004	0.07	0.2	<0.01	1.3	<0.1	0.20	1	0.9	<0.2
1475541	Rock	0.026	7	7	0.14	115	<0.001	<20	0.27	0.004	0.10	0.1	<0.01	0.8	<0.1	0.32	<1	0.9	<0.2
1475542	Rock	0.021	6	9	0.16	67	<0.001	<20	0.26	0.003	0.07	0.2	<0.01	0.8	<0.1	0.32	<1	1.0	0.3
1475543	Rock	0.020	9	8	0.15	89	0.001	<20	0.33	0.003	0.09	<0.1	<0.01	0.5	<0.1	0.16	<1	<0.5	<0.2
1475544	Rock	0.041	7	11	0.25	123	0.002	<20	0.40	0.005	0.10	0.2	<0.01	1.0	<0.1	0.56	1	1.5	<0.2
1475545	Rock	0.059	10	12	0.22	197	0.002	<20	0.61	0.005	0.17	0.1	<0.01	1.1	<0.1	0.30	2	<0.5	<0.2
1475546	Rock	0.036	7	11	0.30	177	0.002	<20	0.56	0.006	0.16	0.2	<0.01	1.3	<0.1	1.93	2	3.9	<0.2
1475547	Rock	0.015	10	2	0.48	310	<0.001	<20	1.39	0.017	0.12	<0.1	<0.01	0.3	<0.1	0.23	3	<0.5	<0.2
1475548	Rock	0.013	12	1	0.60	541	<0.001	<20	1.57	0.016	0.07	<0.1	<0.01	0.4	<0.1	0.13	4	<0.5	<0.2
1475549	Rock	0.013	11	2	0.39	584	<0.001	<20	1.21	0.018	0.18	<0.1	<0.01	0.4	0.3	0.23	3	1.1	0.3
1475550	Rock Pulp	0.042	4	40	2.47	49	0.004	<20	1.73	0.009	0.06	0.5	2.44	3.6	5.0	6.78	7	32.7	0.3
1475551	Rock	0.016	7	3	0.17	256	<0.001	<20	0.48	0.024	0.14	<0.1	<0.01	0.3	0.2	0.58	1	1.1	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 04, 2019

Page: 6 of 6

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000663.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1475552	Rock	4.50	0.041	0.4	16.7	17.9	15	0.5	1.0	1.2	381	0.60	544.9	18.4	6.3	108	0.2	0.9	0.6	<1	2.00
1475553	Rock	4.47	0.041	2.3	16.3	15.6	19	0.2	1.3	1.7	466	0.71	440.6	28.3	7.0	137	0.1	0.6	0.5	<1	2.25
1475554	Rock	4.76	0.364	3.4	60.3	3.6	30	0.4	40.5	5.6	228	2.32	53.0	233.2	5.5	43	0.1	0.8	6.5	26	0.35
1475555	Rock	4.70	0.067	0.8	100.3	2.8	24	0.3	33.1	5.6	216	2.19	73.6	35.4	4.2	29	<0.1	1.4	2.1	22	0.39
1475556	Rock	4.15	0.020	0.7	14.0	3.8	23	0.1	18.5	3.1	118	1.08	108.1	21.6	3.3	16	<0.1	0.9	0.4	16	0.24
1475557	Rock	2.59	0.011	0.6	28.5	9.2	22	0.2	24.1	4.8	210	1.55	31.7	6.7	5.2	31	0.1	0.7	0.4	12	0.62
1475558	Rock	3.55	0.012	1.0	50.7	3.6	25	0.2	28.1	8.5	238	2.45	57.6	5.0	4.8	34	<0.1	0.6	0.3	18	0.61
1475559	Rock	1.95	0.010	1.3	28.6	3.2	37	<0.1	27.7	5.7	209	1.69	45.6	4.3	4.7	36	0.2	0.6	0.3	15	0.62
1475560	Rock	1.79	0.021	1.0	32.6	3.4	27	0.1	26.6	5.6	193	1.71	72.7	13.1	4.3	31	<0.1	1.1	0.5	14	0.59
1475561	Rock	5.45	0.054	2.4	53.6	4.7	33	0.2	66.7	10.1	203	2.34	43.6	11.0	8.3	46	0.1	0.6	1.3	17	0.83
1475562	Rock	5.22	0.019	1.0	61.0	2.3	24	0.2	30.6	9.0	164	1.60	31.8	11.7	3.8	32	<0.1	0.8	0.9	16	0.42
1475563	Rock	5.19	0.084	0.8	57.4	2.7	20	0.2	31.3	10.9	161	1.71	1245.1	31.6	3.0	34	<0.1	1.0	1.7	15	0.38
1475564	Rock	5.38	0.021	0.4	64.8	2.4	16	0.2	25.5	6.6	200	1.53	8.6	2.2	3.5	53	<0.1	0.6	1.4	12	0.68
1475565	Rock	5.09	0.048	0.7	27.3	1.3	14	0.1	21.1	3.8	133	1.11	46.4	3.4	3.4	33	<0.1	0.6	1.4	13	0.66
1475566	Rock	3.78	0.043	0.2	15.4	1.0	6	<0.1	9.1	2.1	134	0.69	36.1	6.3	2.3	18	<0.1	0.3	1.0	4	0.33
1475567	Rock	3.24	<0.005	0.4	4.6	0.8	6	0.1	3.0	1.2	2107	0.56	1.6	<0.5	1.9	107	<0.1	0.1	<0.1	2	4.15
1475568	Rock	4.27	0.337	0.4	7.1	1.7	9	<0.1	6.1	1.5	120	0.66	8.4	136.4	2.6	11	<0.1	0.1	6.0	6	0.22
1475569	Rock	5.20	0.150	0.4	8.6	1.1	8	<0.1	7.8	1.4	79	0.60	235.0	136.0	2.5	9	<0.1	0.4	5.1	4	0.17



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 04, 2019

**Page:** 6 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000663.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	
1475552	Rock	0.017	6	1	0.27	214	<0.001	<20	0.64	0.018	0.11	0.4	<0.01	0.3	<0.1	0.41	1	0.6	<0.2
1475553	Rock	0.015	10	2	0.32	440	<0.001	<20	0.79	0.018	0.10	0.1	<0.01	0.3	<0.1	0.29	2	0.8	<0.2
1475554	Rock	0.031	9	13	0.47	193	0.002	<20	0.72	0.006	0.14	0.4	<0.01	1.8	0.1	0.85	3	3.7	0.6
1475555	Rock	0.021	7	14	0.47	152	0.002	<20	0.65	0.005	0.12	0.1	<0.01	1.7	<0.1	0.86	2	3.4	0.2
1475556	Rock	0.031	8	14	0.30	76	0.001	<20	0.46	0.008	0.08	0.1	<0.01	1.3	<0.1	0.08	2	<0.5	<0.2
1475557	Rock	0.042	10	11	0.33	136	0.001	<20	0.61	0.005	0.12	0.1	<0.01	1.3	<0.1	0.33	2	0.7	<0.2
1475558	Rock	0.101	7	15	0.57	113	0.002	<20	0.86	0.005	0.12	0.2	<0.01	1.5	<0.1	0.51	2	2.3	<0.2
1475559	Rock	0.052	10	13	0.37	156	0.002	<20	0.74	0.005	0.14	0.1	<0.01	1.3	<0.1	0.20	2	0.7	<0.2
1475560	Rock	0.051	8	12	0.39	117	0.002	<20	0.72	0.004	0.12	<0.1	<0.01	1.2	<0.1	0.25	2	1.0	<0.2
1475561	Rock	0.066	12	15	0.32	194	0.002	<20	0.88	0.011	0.21	0.2	<0.01	1.4	<0.1	0.58	2	2.9	<0.2
1475562	Rock	0.029	7	10	0.37	188	0.001	<20	0.58	0.005	0.14	<0.1	<0.01	1.4	<0.1	0.35	2	0.8	<0.2
1475563	Rock	0.018	6	11	0.34	192	0.003	<20	0.49	0.004	0.14	0.1	<0.01	1.5	0.1	0.65	2	2.2	0.7
1475564	Rock	0.014	7	7	0.36	192	0.001	<20	0.42	0.004	0.13	<0.1	<0.01	1.3	<0.1	0.65	1	1.5	<0.2
1475565	Rock	0.023	9	12	0.23	122	0.002	<20	0.42	0.013	0.10	<0.1	<0.01	1.3	<0.1	0.26	1	0.9	<0.2
1475566	Rock	0.042	7	6	0.10	72	0.002	<20	0.21	0.005	0.07	<0.1	<0.01	0.5	<0.1	0.18	<1	<0.5	<0.2
1475567	Rock	0.009	9	5	0.08	56	0.001	<20	0.16	0.003	0.05	0.2	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2
1475568	Rock	0.011	7	9	0.12	46	0.002	<20	0.26	0.003	0.04	<0.1	<0.01	0.6	<0.1	0.07	<1	<0.5	0.6
1475569	Rock	0.008	7	9	0.07	65	<0.001	<20	0.18	0.006	0.05	<0.1	<0.01	0.4	<0.1	0.07	<1	<0.5	0.8



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: McQuesten  
Report Date: November 04, 2019

Page: 1 of 3 Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000663.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
Pulp Duplicates																					
1824952	Rock	4.01	0.007	2.6	57.7	6.8	68	0.4	55.2	9.5	268	2.74	41.1	<0.5	6.9	30	0.5	1.5	0.7	35	0.73
REP 1824952	QC	0.008																			
1824963	Rock	5.22	0.291	0.6	58.4	7.1	56	3.2	12.2	6.5	392	2.11	110.5	228.7	6.3	69	0.9	0.9	8.7	14	3.00
REP 1824963	QC	0.6 56.6 6.9 56 3.2 12.0 6.7 396 2.10 122.5 189.8 6.3 69 0.9 0.9 8.5 13 3.14																			
1824983	Rock	5.11	0.126	2.7	43.3	6.8	37	2.6	40.3	7.2	235	1.28	787.5	118.9	2.5	44	0.3	3.9	0.3	12	0.66
REP 1824983	QC	0.127																			
1824997	Rock	4.76	0.170	0.8	73.6	8.9	69	1.7	41.0	16.0	455	3.54	513.7	130.7	9.7	104	0.2	4.0	3.7	14	1.96
REP 1824997	QC	0.8 70.9 8.8 69 1.7 40.3 15.5 449 3.54 484.0 142.1 9.2 103 0.3 3.8 3.7 14 1.89																			
REP 1475522	QC	0.083																			
1475532	Rock	3.16	3.333	6.5	673.1	6.1	68	5.8	49.9	18.4	387	7.21	103.0	6397.4	4.7	66	0.4	3.4	39.4	95	2.82
REP 1475532	QC	6.4 679.5 6.3 69 2.1 51.3 18.4 387 7.32 102.6 918.1 4.8 66 0.4 3.5 40.0 96 2.84																			
1475547	Rock	4.76	0.032	1.0	16.3	16.3	22	0.4	1.9	2.0	534	0.70	959.6	9.9	6.9	157	0.2	0.4	0.8	<1	2.47
REP 1475547	QC	1.0 17.2 16.7 23 0.4 1.6 2.2 529 0.72 1046.6 20.8 7.1 160 0.2 0.4 0.8 <1 2.59																			
1475551	Rock	5.09	0.084	0.1	26.1	78.5	384	1.3	1.3	1.4	558	0.89	856.8	37.6	5.7	109	6.3	2.2	1.5	<1	2.13
REP 1475551	QC	0.077																			
1475567	Rock	3.24	<0.005	0.4	4.6	0.8	6	0.1	3.0	1.2	2107	0.56	1.6	<0.5	1.9	107	<0.1	0.1	<0.1	2	4.15
REP 1475567	QC	0.3 5.2 0.9 6 0.1 3.1 1.2 2030 0.54 1.7 <0.5 2.0 103 <0.1 0.2 <0.1 2 4.08																			
Core Reject Duplicates																					
1824954	Rock	3.56	0.014	0.4	45.9	6.1	71	0.4	34.4	15.5	445	3.69	95.1	2.3	11.3	43	<0.1	0.5	2.1	14	1.08
DUP 1824954	QC	0.015 0.4 50.0 6.3 76 0.4 35.3 16.0 443 3.75 104.6 3.8 11.7 41 0.1 0.6 2.2 14 1.07																			
1824988	Rock	2.84	2.769	6.1	67.5	4.8	112	0.9	46.4	9.0	453	3.03	85.4	2596.0	6.4	61	0.5	2.0	61.5	55	1.72
DUP 1824988	QC	2.799 5.9 69.0 5.1 114 0.9 47.3 9.3 473 3.11 83.0 2624.3 6.6 63 0.5 2.1 64.3 53 1.97																			
1475522	Rock	5.14	0.088	1.4	35.7	9.5	27	0.3	40.8	9.9	284	2.70	134.8	4.1	6.0	39	<0.1	2.8	1.5	12	0.57
DUP 1475522	QC	0.085 1.5 36.1 7.5 31 0.3 42.5 9.7 301 2.86 127.8 6.3 6.3 40 <0.1 2.8 1.6 12 0.62																			
1475556	Rock	4.15	0.020	0.7	14.0	3.8	23	0.1	18.5	3.1	118	1.08	108.1	21.6	3.3	16	<0.1	0.9	0.4	16	0.24
DUP 1475556	QC	0.023 0.8 14.0 4.0 23 0.1 18.2 3.0 114 1.03 111.6 22.9 3.2 17 0.1 0.8 0.4 16 0.24																			
Reference Materials																					
STD BVGE001	Standard	10.2 4321.6 173.2 1741 2.7 157.2 24.6 701 3.61 110.6 213.1 13.8 49 5.9 2.8 22.3 68 1.29																			



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 04, 2019

Page: 1 of 3

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000663.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																			
1824952	Rock	0.086	10	15	0.40	292	0.002	<20	0.98	0.023	0.17	0.1	<0.01	1.4	0.1	1.21	3	3.4	<0.2
REP 1824952	QC																		
1824963	Rock	0.018	8	9	0.41	88	0.005	<20	0.75	0.034	0.13	>100	<0.01	1.7	0.1	0.87	2	2.7	0.3
REP 1824963	QC	0.018	8	10	0.41	89	0.005	<20	0.73	0.033	0.13	>100	<0.01	1.5	0.1	0.94	2	2.4	0.2
1824983	Rock	0.030	7	9	0.30	318	0.001	<20	0.29	0.005	0.16	0.4	<0.01	0.9	0.1	0.68	1	1.4	<0.2
REP 1824983	QC																		
1824997	Rock	0.043	10	15	1.11	122	0.002	<20	0.97	0.016	0.29	0.3	<0.01	2.4	0.2	1.92	3	4.0	0.3
REP 1824997	QC	0.042	8	14	1.11	116	0.002	<20	0.96	0.015	0.27	0.3	<0.01	2.4	0.2	1.85	3	4.0	0.3
REP 1475522	QC																		
1475532	Rock	0.124	10	26	0.89	95	0.012	<20	1.36	0.023	0.12	>100	<0.01	2.5	0.2	3.56	7	20.1	2.3
REP 1475532	QC	0.123	10	26	0.89	98	0.012	<20	1.35	0.022	0.12	>100	<0.01	2.5	0.2	3.59	7	19.9	2.3
1475547	Rock	0.015	10	2	0.48	310	<0.001	<20	1.39	0.017	0.12	<0.1	<0.01	0.3	<0.1	0.23	3	<0.5	<0.2
REP 1475547	QC	0.015	11	1	0.49	311	<0.001	<20	1.38	0.017	0.12	<0.1	<0.01	0.3	<0.1	0.24	3	0.7	0.2
1475551	Rock	0.016	7	3	0.17	256	<0.001	<20	0.48	0.024	0.14	<0.1	<0.01	0.3	0.2	0.58	1	1.1	<0.2
REP 1475551	QC																		
1475567	Rock	0.009	9	5	0.08	56	0.001	<20	0.16	0.003	0.05	0.2	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2
REP 1475567	QC	0.009	9	5	0.07	55	0.001	<20	0.16	0.002	0.04	0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
Core Reject Duplicates																			
1824954	Rock	0.048	13	15	0.91	97	0.003	<20	1.28	0.009	0.27	0.2	<0.01	2.2	0.2	1.34	3	1.7	<0.2
DUP 1824954	QC	0.049	13	15	0.92	98	0.003	<20	1.29	0.009	0.27	0.2	<0.01	2.3	0.1	1.33	4	2.1	<0.2
1824988	Rock	0.049	11	20	0.84	183	0.021	<20	1.23	0.021	0.14	>100	<0.01	2.9	0.1	0.75	4	3.7	2.5
DUP 1824988	QC	0.050	11	21	0.84	176	0.022	<20	1.18	0.020	0.13	>100	0.02	2.9	0.1	0.87	4	3.9	2.3
1475522	Rock	0.045	10	12	0.34	141	0.001	<20	0.77	0.011	0.17	0.4	<0.01	0.9	0.1	1.12	2	2.0	<0.2
DUP 1475522	QC	0.049	10	13	0.36	149	0.001	<20	0.81	0.011	0.17	0.3	<0.01	1.0	0.1	1.18	2	1.9	<0.2
1475556	Rock	0.031	8	14	0.30	76	0.001	<20	0.46	0.008	0.08	0.1	<0.01	1.3	<0.1	0.08	2	<0.5	<0.2
DUP 1475556	QC	0.029	7	13	0.29	71	0.001	<20	0.46	0.009	0.08	0.1	<0.01	1.3	<0.1	0.08	2	0.5	<0.2
Reference Materials																			
STD BVGE001	Standard	0.069	25	159	1.27	317	0.233	<20	2.18	0.178	0.91	4.3	0.09	5.3	0.6	0.68	7	5.0	1.0





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 04, 2019

Page: 2 of 3

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000663.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
STD DS11	Standard			11.9	143.6	127.1	323	1.7	82.5	13.4	983	2.95	43.7	51.2	6.9	60	2.1	7.6	9.8	44	1.00	
STD DS11	Standard			14.6	154.5	141.2	350	1.7	79.1	14.3	1021	3.08	45.5	54.2	9.1	68	2.5	8.9	12.6	49	1.14	
STD DS11	Standard			15.4	160.4	142.4	359	1.8	81.2	13.4	1095	3.25	45.4	71.3	7.9	74	2.7	8.2	12.8	53	1.06	
STD OREAS262	Standard			0.8	111.7	51.7	145	0.5	67.6	25.9	513	3.15	35.8	71.2	8.4	33	0.6	3.7	0.9	19	2.93	
STD OREAS262	Standard			0.7	115.7	53.8	151	0.5	67.9	26.8	533	3.20	33.7	71.5	8.7	33	0.6	3.8	0.9	20	2.98	
STD OREAS262	Standard			0.7	116.6	57.9	151	0.5	62.8	28.2	554	3.30	37.4	75.7	10.8	36	0.7	4.0	1.1	23	3.08	
STD OREAS262	Standard			0.6	117.1	56.2	148	0.4	60.2	27.1	524	3.21	35.7	65.1	9.8	36	0.6	4.0	1.0	21	2.95	
STD OREAS262	Standard			0.7	127.9	59.4	162	0.5	66.2	27.9	566	3.35	38.4	79.8	10.0	39	0.7	3.2	1.1	24	3.11	
STD OXB130	Standard		0.123																			
STD OXB130	Standard		0.120																			
STD OXI138	Standard		1.910																			
STD OXI138	Standard		1.834																			
STD OXN117	Standard		7.811																			
STD OXN117	Standard		7.582																			
STD OXI138 Expected			1.86																			
STD OXB130 Expected			0.125																			
STD OXN117 Expected			7.679																			
STD BVGEO01 Expected				10.8	4415	187	1741	2.53	163	25	733	3.7	121	219	14.4	55	6.5	2.2	25.6	73	1.3219	
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063	
STD OREAS262 Expected				0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	65	9.33	36	0.61	3.39	1.03	22.5	2.98	
BLK	Blank		<0.005																			
BLK	Blank		<0.005																			
BLK	Blank		<0.005																			
BLK	Blank		<0.005																			
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 04, 2019

Page: 2 of 3

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000663.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD DS11	Standard	0.065	16	56	0.83	401	0.082	<20	1.07	0.067	0.38	2.8	0.26	2.7	4.9	0.26	5	2.2	4.5
STD DS11	Standard	0.081	20	63	0.86	407	0.100	<20	1.22	0.078	0.41	2.7	0.28	3.5	5.2	0.28	5	2.6	4.5
STD DS11	Standard	0.070	21	63	0.90	436	0.102	<20	1.25	0.079	0.44	2.4	0.26	3.5	5.2	0.28	5	2.2	4.7
STD OREAS262	Standard	0.035	14	42	1.14	234	0.003	<20	1.10	0.065	0.29	0.6	0.15	2.7	0.5	0.25	4	0.6	0.2
STD OREAS262	Standard	0.037	15	40	1.17	236	0.003	<20	1.15	0.069	0.29	0.2	0.17	2.8	0.5	0.25	4	0.7	0.2
STD OREAS262	Standard	0.046	18	45	1.21	267	0.004	<20	1.37	0.072	0.34	0.1	0.16	3.5	0.5	0.25	4	<0.5	0.2
STD OREAS262	Standard	0.045	15	39	1.17	257	0.003	<20	1.13	0.067	0.29	0.1	0.15	3.1	0.5	0.27	4	<0.5	0.2
STD OREAS262	Standard	0.040	18	46	1.24	265	0.003	<20	1.39	0.074	0.35	<0.1	0.19	3.5	0.5	0.28	4	<0.5	0.3
STD OXB130	Standard																		
STD OXB130	Standard																		
STD OXI138	Standard																		
STD OXI138	Standard																		
STD OXN117	Standard																		
STD OXN117	Standard																		
STD OXI138 Expected																			
STD OXB130 Expected																			
STD OXN117 Expected																			
STD BVGEO01 Expected		0.0727	25.9	171	1.2963	340	0.233		2.347	0.1924	0.89	3.5	0.1	5.97	0.62	0.6655	7.37	4.84	1.02
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56
STD OREAS262 Expected		0.04	15.9	41.7	1.17	248	0.003		1.204	0.071	0.312	0.13	0.17	3.24	0.47	0.253	3.73	0.4	0.23
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 04, 2019

Page: 3 of 3

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000663.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
Prep Wash																					
ROCK-WHI	Prep Blank	<0.005	0.8	4.1	1.0	31	<0.1	1.7	4.6	559	2.04	0.9	0.9	2.4	25	<0.1	<0.1	<0.1	30	0.73	
ROCK-WHI	Prep Blank	<0.005	0.9	4.3	1.1	35	<0.1	1.6	4.3	583	2.04	1.1	<0.5	2.7	26	<0.1	<0.1	<0.1	28	0.69	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 04, 2019

Page: 3 of 3

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000663.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200		
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Prep Wash																				
ROCK-WHI	Prep Blank	0.047	7	6	0.59	68	0.094	<20	1.05	0.107	0.12	<0.1	<0.01	3.3	<0.1	<0.05	4	<0.5	<0.2	
ROCK-WHI	Prep Blank	0.046	7	6	0.56	76	0.103	<20	1.09	0.134	0.15	<0.1	<0.01	3.8	<0.1	<0.05	4	<0.5	<0.2	



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:**

**Banyan Gold Corp.**

1000-1050 West Pender St.

Vancouver British Columbia V6E 3S7 Canada

Submitted By: James Thom

Receiving Lab: Canada-Whitehorse

Received: October 09, 2019

Report Date: October 24, 2019

Page: 1 of 2

## CERTIFICATE OF ANALYSIS

WHI19000664.1

### CLIENT JOB INFORMATION

Project: McQuesten  
Shipment ID: MQ-19-11a  
P.O. Number  
Number of Samples: 28

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
RTRN-RJT Return After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Banyan Gold Corp.  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7  
Canada

CC: Paul Gray

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	27	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	1	Sort, label and box pulps			WHI
FA450	28	50g Lead Collection Fire Assay Fusion - AAS Finish	50	Completed	VAN
EN002	28	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	28	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	28	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS



MAY LAI  
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. \*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** October 24, 2019

**Page:** 2 of 2

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000664.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1475570	Rock	0.28	<0.005	<0.1	0.5	0.5	<1	<0.1	0.2	0.5	93	0.06	0.6	<0.5	<0.1	80	<0.1	<0.1	<0.1	<1	34.19
1475571	Rock	4.89	0.505	0.6	37.5	1.7	15	0.2	19.0	5.0	126	1.80	29.0	143.1	3.2	17	<0.1	1.6	6.1	11	0.33
1475572	Rock	3.00	0.276	0.7	42.1	2.1	16	0.3	31.6	8.6	168	2.15	18.7	13.8	6.3	29	<0.1	0.9	5.0	14	0.58
1475573	Rock	3.96	0.241	1.7	98.3	4.5	52	0.6	58.0	7.6	227	2.81	14.6	18.3	4.5	32	0.5	1.5	6.9	20	0.81
1475574	Rock	4.75	0.110	1.4	14.4	27.1	29	0.8	1.8	1.3	341	0.72	1195.7	41.6	7.2	175	0.3	0.4	1.7	<1	2.67
1475575	Rock	2.80	0.027	2.5	9.6	21.8	20	0.4	1.5	0.9	252	0.57	229.3	8.1	7.0	299	0.2	<0.1	0.6	1	1.83
1475576	Rock	4.23	0.137	1.0	40.0	2.8	23	0.3	31.4	7.3	148	2.22	9.2	5.4	6.1	42	<0.1	0.6	1.7	13	0.35
1475577	Rock	5.10	0.034	0.7	36.2	1.9	15	0.2	35.8	7.1	125	1.74	22.9	0.9	5.3	25	<0.1	0.4	0.9	10	0.48
1475578	Rock	4.89	0.050	0.8	25.9	2.3	20	0.2	34.3	8.4	128	2.37	61.5	3.7	7.9	22	<0.1	0.2	1.2	11	0.31
1475579	Rock	2.32	0.016	1.3	45.2	2.0	19	0.2	51.7	9.3	126	2.43	62.1	6.3	6.1	31	<0.1	0.3	0.6	16	0.55
1475580	Rock	2.18	0.015	1.3	48.0	2.0	19	0.2	56.5	10.4	125	2.45	61.4	5.8	7.6	29	<0.1	0.4	0.6	17	0.51
1475581	Rock	5.49	0.057	0.7	23.3	1.5	12	0.2	26.9	4.0	110	1.08	57.9	<0.5	3.5	20	<0.1	1.6	1.0	9	0.44
1475582	Rock	5.18	0.260	0.8	35.1	1.6	12	0.2	21.1	4.3	137	1.62	82.1	63.7	3.3	23	<0.1	0.7	4.8	9	0.60
1475583	Rock	4.99	0.078	0.7	25.1	1.6	16	0.2	21.0	4.1	95	1.17	18.6	11.9	3.3	15	<0.1	0.8	1.6	7	0.31
1475584	Rock	5.14	0.055	0.6	30.9	2.3	19	0.2	22.4	5.5	151	1.34	25.5	11.2	3.6	30	<0.1	0.5	1.5	8	0.40
1475585	Rock	4.44	0.040	0.5	72.0	2.8	25	0.3	28.3	8.4	190	1.68	26.8	3.3	2.8	30	<0.1	0.7	1.2	17	0.28
1475586	Rock	4.86	0.038	0.4	63.8	3.4	59	0.3	27.0	6.9	191	1.86	162.3	3.1	2.6	27	0.1	0.8	1.4	15	0.28
1475587	Rock	4.93	0.163	0.3	13.1	1.4	10	0.1	7.7	2.2	68	0.84	6.8	23.2	2.6	10	<0.1	0.4	1.6	4	0.15
1475588	Rock	4.96	0.015	0.4	8.2	1.0	9	<0.1	7.6	1.6	46	0.61	53.6	1.8	2.5	9	<0.1	0.1	0.2	5	0.16
1475589	Rock	4.80	0.180	1.0	52.8	2.1	22	0.2	32.7	4.9	284	1.97	25.8	22.8	3.6	16	0.1	0.5	4.3	13	0.27
1475590	Rock Pulp	0.13	0.279	13.3	2206.2	964.6	6867	18.5	31.9	16.7	513	8.67	276.9	48.8	1.0	42	43.4	26.4	9.9	44	1.99
1475591	Rock	4.32	0.018	7.8	44.9	3.7	28	0.3	51.3	7.2	114	1.62	12.0	1.0	6.0	27	0.3	0.7	1.2	31	0.40
1475592	Rock	5.43	0.092	1.6	66.9	2.8	30	0.3	44.2	8.3	202	2.07	14.9	18.5	4.5	26	<0.1	0.5	2.3	21	0.45
1475593	Rock	4.91	0.044	0.5	55.1	4.1	29	0.2	25.4	5.5	114	1.39	162.1	0.9	2.8	18	<0.1	0.4	1.5	13	0.27
1475594	Rock	3.92	0.048	0.5	27.4	2.3	12	0.2	15.0	3.7	115	1.05	4.9	4.8	2.7	21	<0.1	0.2	1.9	7	0.40
1475595	Rock	4.02	0.173	0.9	37.2	3.1	13	0.3	33.4	7.3	169	1.92	2.1	4.4	5.9	29	<0.1	0.5	3.1	11	0.55
1475596	Rock	4.91	0.079	1.6	63.0	5.2	31	0.4	64.5	9.2	465	3.70	170.4	2.0	7.7	33	0.1	0.9	3.4	22	0.81
1475597	Rock	4.59	0.169	4.1	29.8	1.7	20	0.2	35.2	5.9	163	1.42	118.8	110.5	3.7	31	<0.1	0.3	2.6	36	0.75



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** October 24, 2019

**Page:** 2 of 2

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000664.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
1475570	Rock	0.010	1	<1	0.37	17	0.001	<20	0.03	0.003	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1475571	Rock	0.025	9	11	0.25	132	0.003	<20	0.44	0.005	0.10	0.1	<0.01	1.5	<0.1	0.94	1	2.0	0.6
1475572	Rock	0.038	16	12	0.35	124	0.002	<20	0.66	0.010	0.14	0.1	<0.01	1.6	<0.1	0.95	2	2.1	0.5
1475573	Rock	0.045	11	13	0.43	126	0.001	<20	0.69	0.008	0.12	0.2	<0.01	1.6	<0.1	1.63	2	4.1	0.6
1475574	Rock	0.016	12	1	0.40	369	<0.001	<20	1.27	0.010	0.10	<0.1	<0.01	0.3	0.1	0.24	3	0.9	0.2
1475575	Rock	0.017	12	1	0.41	358	<0.001	<20	1.32	0.004	0.09	<0.1	<0.01	0.3	<0.1	0.13	2	0.9	<0.2
1475576	Rock	0.044	9	10	0.34	150	0.001	<20	0.64	0.013	0.13	<0.1	<0.01	1.4	<0.1	0.95	2	2.4	0.2
1475577	Rock	0.028	9	9	0.24	148	0.001	<20	0.51	0.010	0.13	<0.1	<0.01	1.0	<0.1	0.76	1	0.7	<0.2
1475578	Rock	0.059	20	12	0.26	179	0.003	<20	0.76	0.012	0.19	0.1	<0.01	1.4	<0.1	0.90	2	1.7	<0.2
1475579	Rock	0.055	14	12	0.38	201	0.002	<20	0.85	0.010	0.18	0.6	<0.01	1.5	<0.1	0.93	2	2.2	<0.2
1475580	Rock	0.057	14	12	0.36	185	0.002	<20	0.79	0.010	0.18	0.3	<0.01	1.5	<0.1	1.00	2	2.4	<0.2
1475581	Rock	0.031	9	7	0.19	117	0.001	<20	0.42	0.005	0.10	0.1	<0.01	0.8	<0.1	0.35	1	0.8	<0.2
1475582	Rock	0.017	8	8	0.24	111	0.004	<20	0.36	0.007	0.09	0.7	<0.01	1.1	<0.1	0.80	1	2.4	0.5
1475583	Rock	0.021	8	7	0.20	129	0.001	<20	0.40	0.004	0.10	0.1	<0.01	0.9	<0.1	0.44	1	0.6	<0.2
1475584	Rock	0.029	9	7	0.22	185	0.001	<20	0.42	0.004	0.13	0.1	<0.01	1.2	<0.1	0.53	1	1.2	<0.2
1475585	Rock	0.019	7	9	0.40	237	0.002	<20	0.60	0.004	0.13	0.1	<0.01	1.6	<0.1	0.59	2	1.1	0.2
1475586	Rock	0.018	6	8	0.42	216	0.002	<20	0.63	0.003	0.11	<0.1	<0.01	1.4	<0.1	0.63	2	1.5	<0.2
1475587	Rock	0.025	8	6	0.12	97	0.002	<20	0.25	0.004	0.07	<0.1	<0.01	0.5	<0.1	0.29	<1	0.6	0.2
1475588	Rock	0.011	7	6	0.10	62	0.001	<20	0.22	0.002	0.06	<0.1	<0.01	0.5	<0.1	0.11	<1	<0.5	<0.2
1475589	Rock	0.027	7	11	0.37	117	0.002	<20	0.52	0.004	0.08	0.1	<0.01	1.3	<0.1	0.91	2	2.4	0.4
1475590	Rock Pulp	0.041	3	39	2.45	35	0.004	<20	1.79	0.012	0.06	0.5	2.56	3.2	4.3	6.31	7	28.9	0.4
1475591	Rock	0.058	11	10	0.22	190	0.001	<20	0.55	0.016	0.13	0.2	<0.01	1.1	<0.1	0.66	2	2.5	<0.2
1475592	Rock	0.042	11	12	0.47	214	0.002	<20	0.81	0.009	0.14	0.1	<0.01	1.7	<0.1	0.71	2	2.5	0.3
1475593	Rock	0.031	9	8	0.28	183	0.002	<20	0.53	0.004	0.11	0.3	<0.01	1.2	<0.1	0.50	2	1.0	<0.2
1475594	Rock	0.043	8	7	0.20	110	0.001	<20	0.34	0.007	0.08	<0.1	<0.01	0.7	<0.1	0.45	1	1.3	<0.2
1475595	Rock	0.050	19	10	0.32	136	0.001	<20	0.58	0.009	0.12	0.1	<0.01	1.3	<0.1	0.87	2	1.7	0.3
1475596	Rock	0.063	21	16	0.59	142	0.002	<20	0.96	0.010	0.14	0.3	<0.01	1.7	<0.1	2.00	3	4.7	0.2
1475597	Rock	0.055	10	15	0.33	156	0.006	<20	0.69	0.011	0.11	0.1	<0.01	1.4	<0.1	0.40	2	1.8	0.3



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: October 24, 2019

Page: 1 of 1

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000664.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
Pulp Duplicates																					
1475583	Rock	4.99	0.078	0.7	25.1	1.6	16	0.2	21.0	4.1	95	1.17	18.6	11.9	3.3	15	<0.1	0.8	1.6	7	0.31
REP 1475583	QC		0.068																		
1475584	Rock	5.14	0.055	0.6	30.9	2.3	19	0.2	22.4	5.5	151	1.34	25.5	11.2	3.6	30	<0.1	0.5	1.5	8	0.40
REP 1475584	QC			0.5	30.4	2.3	18	0.2	21.4	4.7	142	1.35	22.8	4.5	3.8	29	<0.1	0.5	1.6	8	0.40
Reference Materials																					
STD DS11	Standard			14.1	146.3	137.7	342	1.8	77.9	13.3	1049	3.10	45.6	81.1	7.7	68	2.3	6.3	11.2	50	1.06
STD OREAS262	Standard			0.7	116.9	54.2	154	0.5	63.9	26.5	565	3.30	36.8	61.2	9.9	35	0.6	3.3	1.0	22	2.99
STD OXB130	Standard		0.131																		
STD OXI138	Standard		1.879																		
STD OXN117	Standard		7.820																		
STD OXI138 Expected			1.86																		
STD OXB130 Expected			0.125																		
STD OXN117 Expected			7.679																		
STD DS11 Expected			13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063	
STD OREAS262 Expected			0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	65	9.33	36	0.61	3.39	1.03	22.5	2.98	
BLK	Blank		<0.005																		
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
Prep Wash																					
ROCK-WHI	Prep Blank		<0.005	0.7	4.3	1.0	32	<0.1	1.7	4.0	578	1.93	4.4	<0.5	2.1	22	<0.1	<0.1	<0.1	26	0.71
ROCK-WHI	Prep Blank		<0.005	0.7	3.5	0.9	29	<0.1	1.2	3.6	547	1.84	2.9	<0.5	2.1	22	<0.1	<0.1	<0.1	25	0.69





Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** October 24, 2019

Page: 1 of 1

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000664.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																			
1475583	Rock	0.021	8	7	0.20	129	0.001	<20	0.40	0.004	0.10	0.1	<0.01	0.9	<0.1	0.44	1	0.6	<0.2
REP 1475583	QC																		
1475584	Rock	0.029	9	7	0.22	185	0.001	<20	0.42	0.004	0.13	0.1	<0.01	1.2	<0.1	0.53	1	1.2	<0.2
REP 1475584	QC	0.031	9	7	0.22	182	0.001	<20	0.42	0.004	0.13	0.1	<0.01	1.1	<0.1	0.53	1	0.7	<0.2
Reference Materials																			
STD DS11	Standard	0.076	17	60	0.84	433	0.087	<20	1.19	0.075	0.40	2.7	0.27	3.1	5.6	0.29	5	2.5	4.8
STD OREAS262	Standard	0.045	15	44	1.18	247	0.003	<20	1.30	0.070	0.32	0.1	0.15	3.2	0.5	0.27	4	0.9	0.2
STD OXB130	Standard																		
STD OXI138	Standard																		
STD OXN117	Standard																		
STD OXI138 Expected																			
STD OXB130 Expected																			
STD OXN117 Expected																			
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56
STD OREAS262 Expected		0.04	15.9	41.7	1.17	248	0.003		1.204	0.071	0.312	0.13	0.17	3.24	0.47	0.253	3.73	0.4	0.23
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																			
ROCK-WHI	Prep Blank	0.041	6	3	0.54	61	0.077	<20	0.94	0.079	0.09	<0.1	<0.01	2.9	<0.1	<0.05	4	<0.5	<0.2
ROCK-WHI	Prep Blank	0.043	6	3	0.51	55	0.080	<20	0.91	0.080	0.09	<0.1	<0.01	2.7	<0.1	<0.05	4	<0.5	<0.2



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Submitted By: James Thom  
Receiving Lab: Canada-Whitehorse  
Received: October 10, 2019  
Report Date: November 07, 2019  
Page: 1 of 5

## CERTIFICATE OF ANALYSIS

WHI19000674.1

### CLIENT JOB INFORMATION

Project: McQuesten  
Shipment ID: MQ-19-12a  
P.O. Number  
Number of Samples: 92

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
RTRN-RJT Return After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Banyan Gold Corp.  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7  
Canada

CC: Paul Gray

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	89	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	3	Sort, label and box pulps			WHI
FA450	92	50g Lead Collection Fire Assay Fusion - AAS Finish	50	Completed	VAN
EN002	92	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	92	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	92	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS

  
MAY LAI  
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 07, 2019

Page: 2 of 5 Part: 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000674.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1824840	Rock	0.81	0.011	1.5	20.7	3.8	31	0.1	6.5	1.2	74	1.06	103.3	4.0	2.9	12	0.2	0.4	0.2	12	0.09
1824841	Rock	0.78	0.011	2.1	21.5	3.1	26	0.1	5.8	1.1	63	1.02	100.4	4.8	3.9	15	0.2	0.4	0.2	15	0.05
1824842	Rock	4.40	<0.005	9.0	32.7	4.6	97	0.1	59.7	8.4	194	1.72	101.6	3.1	4.7	18	0.5	0.7	<0.1	106	0.23
1824843	Rock	4.76	<0.005	9.9	20.9	4.5	52	<0.1	59.1	6.2	128	1.66	85.4	1.4	4.2	14	0.2	0.8	<0.1	110	0.25
1824844	Rock	3.18	0.006	6.9	48.5	3.7	42	0.1	28.1	3.1	120	1.25	67.5	1.3	3.3	8	0.2	0.5	0.1	42	0.08
1824845	Rock	4.04	<0.005	1.6	84.1	2.5	37	0.1	20.2	2.7	53	1.16	31.5	<0.5	3.2	4	0.1	0.8	0.2	12	0.02
1824846	Rock	2.76	<0.005	7.5	83.4	3.1	78	0.2	57.2	7.9	161	1.70	184.2	<0.5	3.1	12	0.7	1.1	0.2	59	0.13
1824847	Rock	2.08	<0.005	1.7	124.5	2.2	59	0.2	35.3	4.5	152	1.36	145.5	<0.5	2.6	13	0.5	1.0	0.2	22	0.19
1824848	Rock	4.66	0.020	11.5	32.3	2.5	81	0.1	60.2	4.9	249	1.33	357.3	20.9	2.8	40	1.3	2.9	0.2	294	0.90
1824849	Rock	4.92	<0.005	1.4	53.4	2.2	41	0.2	25.5	3.2	72	1.22	95.8	<0.5	3.3	11	0.2	1.4	0.2	17	0.11
1824850	Rock Pulp	0.13	0.265	12.9	2175.1	1019.9	6973	19.7	31.5	19.0	501	8.43	276.8	67.5	1.1	45	57.6	35.6	12.4	48	2.07
1824851	Rock	4.32	<0.005	1.8	106.1	2.8	25	0.2	33.1	5.9	42	1.46	71.8	<0.5	2.6	11	0.1	0.5	0.3	17	0.04
1824852	Rock	4.77	0.007	0.5	75.0	3.3	24	0.2	18.5	3.7	36	0.88	77.1	<0.5	2.9	8	<0.1	1.4	0.3	8	0.02
1824853	Rock	4.65	0.009	0.5	57.2	3.0	60	0.2	29.5	4.9	195	1.38	74.3	0.6	2.4	49	0.3	0.8	0.2	20	0.56
1824854	Rock	3.17	0.059	1.6	115.7	2.5	76	0.3	47.5	12.8	862	1.87	34.1	18.9	3.2	19	0.1	0.6	0.3	18	0.33
1824855	Rock	2.35	0.012	0.8	80.0	3.6	69	0.3	53.7	7.4	347	1.58	20.5	<0.5	2.6	17	0.1	0.9	0.3	16	0.33
1824856	Rock	4.95	0.014	15.2	37.7	5.1	71	0.2	70.3	8.1	256	1.69	121.0	4.3	4.8	40	0.3	0.7	0.3	100	1.04
1824857	Rock	5.36	0.023	12.1	29.8	4.5	75	0.2	74.5	10.2	299	2.32	159.0	21.1	6.2	64	0.4	1.0	0.6	179	1.82
1824858	Rock	4.95	0.080	6.7	28.7	4.8	74	0.3	60.9	7.7	362	2.01	671.1	52.6	6.3	80	0.4	1.1	0.9	91	2.65
1824859	Rock	2.29	0.071	20.5	13.9	4.3	51	0.4	79.8	5.9	207	1.27	1119.8	40.4	3.5	51	0.4	1.9	0.8	89	1.65
1824860	Rock	2.39	0.071	21.4	15.3	4.3	52	0.4	79.5	6.2	211	1.36	894.7	54.9	3.5	54	0.3	1.7	0.7	96	1.66
1824861	Rock	4.42	0.097	11.6	38.0	6.1	53	0.6	65.8	7.6	332	1.85	890.7	81.4	3.8	82	0.4	2.0	1.8	93	2.93
1824862	Rock	2.22	0.114	2.3	94.9	19.2	95	2.0	54.4	21.9	597	4.39	676.4	194.9	11.3	120	0.7	2.9	2.9	17	3.22
1824863	Rock	4.05	0.533	2.4	248.2	5.2	92	1.1	42.1	18.7	946	8.77	770.9	409.4	6.4	153	1.1	0.7	6.4	152	6.96
1824864	Rock	4.32	0.208	0.8	118.8	5.9	89	0.7	28.0	17.3	843	5.07	113.2	164.6	7.5	81	0.5	0.8	5.5	34	4.94
1824865	Rock	3.67	0.069	1.3	70.9	7.2	84	0.5	38.1	17.8	580	3.55	1318.6	40.9	10.1	78	0.2	1.5	4.6	38	2.87
1824866	Rock	2.78	0.050	0.9	49.6	4.5	90	0.3	33.0	16.3	647	3.78	141.1	13.2	9.3	52	0.1	0.7	1.4	21	1.52
1824867	Rock	3.53	0.440	1.3	60.2	7.4	99	1.1	35.7	14.3	502	3.22	551.6	1237.7	9.8	69	0.4	1.1	2.0	14	3.00
1824868	Rock	5.00	0.721	0.2	14.9	3.1	18	0.3	1.7	0.9	134	0.77	330.2	260.1	8.7	52	0.2	0.2	2.5	3	3.88
1824869	Rock	5.66	1.963	0.1	24.8	3.1	19	0.4	2.2	0.8	130	0.90	309.9	2053.7	9.5	45	0.3	0.3	5.6	2	3.37



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 07, 2019

**Page:** 2 of 5

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000674.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm		
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1824840	Rock	0.024	8	6	0.13	205	0.002	<20	0.37	0.004	0.10	0.7	<0.01	0.8	<0.1	<0.05	<1	<0.5	<0.2	
1824841	Rock	0.018	13	7	0.12	303	0.001	<20	0.42	0.006	0.14	0.9	<0.01	0.8	<0.1	<0.05	1	<0.5	<0.2	
1824842	Rock	0.042	13	16	0.48	721	0.006	<20	0.89	0.007	0.18	0.2	<0.01	1.8	0.1	<0.05	2	0.8	<0.2	
1824843	Rock	0.033	12	15	0.33	813	0.012	<20	0.77	0.005	0.23	0.2	<0.01	1.7	0.2	<0.05	2	0.8	<0.2	
1824844	Rock	0.029	14	9	0.20	513	0.003	<20	0.42	0.003	0.11	0.2	<0.01	0.9	<0.1	<0.05	1	1.0	<0.2	
1824845	Rock	0.009	14	7	0.12	408	0.002	<20	0.33	0.003	0.09	<0.1	<0.01	0.7	<0.1	<0.05	1	0.5	<0.2	
1824846	Rock	0.049	11	15	0.30	490	0.005	<20	0.58	0.004	0.14	0.2	<0.01	1.3	0.1	0.07	2	3.0	<0.2	
1824847	Rock	0.014	13	8	0.23	352	0.002	<20	0.35	0.004	0.11	<0.1	<0.01	1.0	<0.1	0.12	1	2.1	<0.2	
1824848	Rock	0.050	8	23	0.37	681	0.025	<20	0.71	0.009	0.19	0.2	0.01	1.8	0.2	0.15	3	2.9	<0.2	
1824849	Rock	0.030	14	9	0.15	754	0.002	<20	0.36	0.004	0.11	0.1	<0.01	1.0	<0.1	<0.05	1	1.7	<0.2	
1824850	Rock Pulp	0.035	4	38	2.50	50	0.004	<20	1.81	0.010	0.06	0.6	2.77	3.3	5.0	6.28	7	30.7	0.3	
1824851	Rock	0.015	9	7	0.09	1068	0.003	<20	0.31	0.004	0.11	0.1	<0.01	0.8	<0.1	0.25	1	2.2	<0.2	
1824852	Rock	0.010	12	6	0.07	882	0.002	<20	0.27	0.003	0.09	<0.1	<0.01	0.7	<0.1	0.09	<1	0.8	<0.2	
1824853	Rock	0.010	8	10	0.43	603	0.002	<20	0.43	0.003	0.11	<0.1	<0.01	1.3	<0.1	0.29	2	0.9	<0.2	
1824854	Rock	0.016	9	10	0.43	308	0.002	<20	0.57	0.005	0.12	<0.1	<0.01	1.1	<0.1	0.54	2	1.4	<0.2	
1824855	Rock	0.052	8	10	0.26	315	0.002	<20	0.42	0.004	0.11	<0.1	<0.01	0.8	<0.1	0.56	1	0.7	<0.2	
1824856	Rock	0.079	9	15	0.34	499	0.003	<20	0.70	0.010	0.14	0.2	<0.01	1.5	<0.1	0.36	2	1.9	<0.2	
1824857	Rock	0.172	10	28	0.70	297	0.008	<20	1.11	0.030	0.17	0.2	<0.01	2.5	0.1	0.52	4	2.1	<0.2	
1824858	Rock	0.086	10	13	0.66	223	0.002	<20	0.61	0.029	0.15	0.2	<0.01	2.6	0.1	0.58	2	1.5	<0.2	
1824859	Rock	0.045	7	9	0.33	415	0.002	<20	0.38	0.014	0.12	0.3	<0.01	1.6	0.1	0.65	1	1.1	<0.2	
1824860	Rock	0.045	7	11	0.36	441	0.002	<20	0.41	0.015	0.13	0.3	<0.01	1.7	<0.1	0.59	2	1.0	<0.2	
1824861	Rock	0.116	6	13	0.34	378	0.002	<20	0.53	0.019	0.12	1.1	<0.01	1.9	<0.1	1.04	2	2.7	<0.2	
1824862	Rock	0.030	7	13	0.83	154	0.002	<20	1.06	0.016	0.19	0.1	<0.01	2.2	<0.1	2.50	3	2.8	<0.2	
1824863	Rock	0.061	10	16	0.93	138	0.037	<20	2.38	0.104	0.07	31.5	0.02	2.2	<0.1	3.90	10	18.4	0.2	
1824864	Rock	0.041	8	14	0.83	128	0.017	<20	1.25	0.039	0.10	19.0	<0.01	2.7	<0.1	2.51	6	7.5	<0.2	
1824865	Rock	0.042	15	25	1.55	73	0.003	<20	1.55	0.018	0.18	0.6	<0.01	3.5	0.1	1.22	5	4.2	0.4	
1824866	Rock	0.037	10	17	1.20	66	0.003	<20	1.43	0.013	0.22	0.2	<0.01	2.7	0.1	1.05	5	0.9	<0.2	
1824867	Rock	0.034	12	13	0.90	100	0.002	<20	1.15	0.021	0.19	0.2	<0.01	2.2	0.1	1.23	4	1.9	<0.2	
1824868	Rock	0.015	15	3	0.14	68	<0.001	<20	0.48	0.066	0.06	0.6	<0.01	0.4	<0.1	0.18	2	<0.5	<0.2	
1824869	Rock	0.017	18	3	0.14	30	<0.001	<20	0.45	0.053	0.04	7.8	<0.01	0.4	<0.1	0.32	2	0.7	0.4	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 07, 2019

Page: 3 of 5

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000674.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1824870	Rock	0.33	<0.005	<0.1	0.3	0.5	<1	<0.1	1.9	0.7	113	0.08	1.2	<0.5	0.2	79	<0.1	<0.1	<0.1	<1	34.23
1824871	Rock	4.21	1.282	<0.1	15.7	2.2	114	0.1	1.4	0.7	132	0.70	234.9	801.5	5.9	51	4.4	0.2	5.5	1	4.32
1824872	Rock	2.00	0.976	0.1	15.9	2.1	27	0.3	1.5	0.9	135	0.70	136.4	483.3	8.4	45	0.6	0.1	3.3	1	3.87
1824873	Rock	3.28	1.018	0.1	18.8	2.4	14	0.3	2.1	0.6	113	0.81	234.6	1965.2	8.0	50	0.2	0.2	2.1	2	4.15
1824874	Rock	4.60	0.010	0.4	35.0	4.7	38	0.3	17.1	5.9	161	2.49	47.3	6.8	9.7	27	<0.1	0.8	1.4	20	1.52
1824875	Rock	5.06	0.087	6.9	51.0	4.1	46	0.3	43.0	8.3	192	2.33	138.6	81.4	8.4	33	0.2	0.7	1.5	40	1.49
1824876	Rock	3.39	0.042	0.4	30.6	4.5	37	0.3	17.8	7.9	184	2.11	371.2	41.9	10.5	33	0.2	0.5	1.5	6	1.17
1824877	Rock	3.47	0.018	0.2	26.4	5.3	34	0.4	19.5	8.7	154	2.69	36.6	14.0	5.9	27	<0.1	0.4	1.4	12	0.96
1824878	Rock	4.41	0.498	2.2	340.9	4.6	64	1.2	42.7	29.2	1319	9.93	290.6	306.1	4.6	165	0.3	1.2	8.0	31	8.83
1824879	Rock	1.65	1.657	1.1	273.6	4.4	62	1.6	11.8	7.2	1119	9.38	8.7	1599.6	2.7	212	0.5	1.1	35.7	28	14.05
1824880	Rock	1.52	1.473	3.1	286.0	4.4	57	1.5	11.0	8.4	1191	10.15	14.1	1286.1	2.9	203	0.4	0.8	29.2	29	13.90
1824881	Rock	5.54	0.024	0.3	42.5	4.4	48	0.5	25.8	13.9	330	3.20	200.9	16.3	11.2	39	<0.1	0.7	1.7	9	1.08
1824882	Rock	5.21	0.035	0.3	46.6	4.9	30	0.7	22.9	11.1	255	2.91	238.4	7.7	10.6	28	<0.1	0.9	2.0	5	0.76
1824883	Rock	5.71	0.417	0.3	74.2	6.8	37	0.8	27.8	14.9	365	3.55	2705.4	338.7	7.9	62	0.1	1.6	10.7	7	1.75
1824884	Rock	5.25	0.077	0.5	64.5	5.3	84	0.4	34.0	19.6	590	3.28	149.7	61.5	8.6	75	<0.1	0.7	2.9	19	2.96
1824885	Rock	5.31	0.112	1.0	69.8	6.0	84	0.4	37.2	17.6	398	3.19	83.5	52.8	8.7	51	0.2	0.4	3.5	21	1.68
1824886	Rock	4.16	0.085	1.5	85.1	5.2	91	0.5	37.5	13.2	641	3.21	32.0	80.5	7.9	84	0.2	0.7	3.1	29	3.86
1824887	Rock	0.53	0.029	11.6	42.9	1.9	53	0.2	60.9	4.1	252	1.75	11.9	26.7	3.7	30	0.4	0.6	0.6	80	1.00
1824888	Rock	5.44	<0.005	7.3	36.0	5.3	47	0.2	62.7	9.0	258	2.44	55.0	3.8	5.1	53	0.3	0.4	0.2	76	0.97
1824889	Rock	5.60	0.015	1.2	40.9	3.8	54	0.1	37.6	7.9	535	2.06	92.3	2.1	5.7	25	<0.1	0.6	0.3	19	0.44
1824890	Rock Pulp	0.13	0.297	13.7	2231.4	1067.7	7182	20.2	33.5	17.3	562	8.98	286.2	53.6	1.2	50	60.4	31.8	13.4	50	2.15
1824891	Rock	5.06	0.009	5.8	63.2	3.2	149	0.2	63.0	8.3	576	2.32	258.8	2.5	4.8	41	2.8	1.0	0.4	63	0.68
1824892	Rock	5.59	0.006	25.2	75.0	3.7	76	0.3	110.8	7.0	347	2.50	100.0	1.5	3.7	59	0.6	1.0	0.3	254	1.57
1824893	Rock	5.43	0.010	10.5	72.1	3.1	67	0.2	77.3	9.1	690	2.54	42.3	5.5	3.3	46	0.3	0.5	0.4	88	0.90
1824894	Rock	4.74	0.007	14.4	69.6	5.5	92	0.2	85.9	10.8	385	2.91	91.9	3.1	4.5	63	0.6	0.6	0.3	117	1.05
1824895	Rock	5.04	0.011	4.8	24.2	6.7	40	0.1	51.2	8.1	247	2.06	103.8	3.2	5.0	50	<0.1	0.6	0.2	35	0.72
1824896	Rock	5.27	<0.005	0.2	14.7	10.6	18	<0.1	2.7	1.4	168	0.77	33.4	2.4	8.2	94	<0.1	0.2	<0.1	1	2.47
1824897	Rock	5.81	0.035	0.1	12.9	6.5	14	<0.1	2.6	1.1	146	0.70	106.0	15.8	7.1	91	<0.1	0.1	<0.1	<1	3.30
1824898	Rock	5.43	0.009	<0.1	10.9	4.8	15	<0.1	1.4	1.1	106	0.59	140.9	61.4	6.7	76	<0.1	0.2	<0.1	<1	3.37
1824899	Rock	3.15	0.008	0.1	9.9	5.0	13	<0.1	1.3	0.9	153	0.64	88.5	<0.5	6.2	87	<0.1	0.1	<0.1	<1	3.28



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 07, 2019

Page: 3 of 5

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000674.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
1824870	Rock	0.006	1	1	1.24	12	0.001	<20	<0.01	0.002	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1824871	Rock	0.016	10	2	0.13	48	<0.001	<20	0.40	0.053	0.04	42.5	<0.01	0.5	<0.1	0.22	2	0.8	0.3
1824872	Rock	0.016	14	3	0.14	31	<0.001	<20	0.43	0.054	0.03	21.4	<0.01	0.6	<0.1	0.17	2	0.6	0.2
1824873	Rock	0.016	16	3	0.15	37	<0.001	<20	0.41	0.053	0.04	40.2	<0.01	0.5	<0.1	0.28	2	0.6	<0.2
1824874	Rock	0.022	12	10	0.45	102	0.001	<20	0.72	0.025	0.10	0.1	<0.01	2.0	<0.1	1.01	3	2.0	<0.2
1824875	Rock	0.024	12	10	0.29	139	0.001	<20	0.64	0.019	0.12	0.2	<0.01	1.5	<0.1	0.87	2	2.2	<0.2
1824876	Rock	0.016	10	7	0.31	95	<0.001	<20	0.65	0.013	0.14	0.1	<0.01	1.2	<0.1	0.69	2	0.8	<0.2
1824877	Rock	0.036	9	11	0.42	78	0.002	<20	0.80	0.013	0.13	<0.1	<0.01	2.0	<0.1	0.86	2	0.9	<0.2
1824878	Rock	0.032	9	8	0.42	60	0.001	<20	0.75	0.031	0.08	>100	0.01	1.8	<0.1	4.30	4	18.1	0.4
1824879	Rock	0.031	4	5	0.33	25	0.002	<20	0.55	0.019	0.03	>100	*	1.2	<0.1	3.55	4	21.1	1.3
1824880	Rock	0.030	4	5	0.36	27	0.002	<20	0.63	0.025	0.04	>100	0.02	1.2	<0.1	3.99	4	22.0	1.1
1824881	Rock	0.034	10	9	0.54	71	0.001	<20	0.87	0.007	0.17	2.3	<0.01	1.8	<0.1	1.23	3	1.6	<0.2
1824882	Rock	0.031	9	6	0.34	74	<0.001	<20	0.58	0.006	0.17	3.9	<0.01	1.0	<0.1	1.76	2	1.8	<0.2
1824883	Rock	0.021	7	6	0.63	64	<0.001	<20	0.50	0.010	0.16	4.0	<0.01	2.0	<0.1	1.60	1	4.8	1.2
1824884	Rock	0.045	9	12	1.05	74	0.006	<20	0.99	0.014	0.19	4.2	<0.01	2.3	<0.1	1.09	3	2.5	<0.2
1824885	Rock	0.038	11	17	1.18	120	0.039	<20	1.37	0.012	0.14	0.6	<0.01	2.2	<0.1	1.33	4	2.9	0.2
1824886	Rock	0.049	11	19	1.38	97	0.013	<20	1.50	0.020	0.16	0.6	<0.01	3.4	0.1	1.11	6	3.9	<0.2
1824887	Rock	0.037	6	15	0.34	105	0.009	<20	0.49	0.004	0.07	46.3	<0.01	1.1	<0.1	0.70	2	3.4	<0.2
1824888	Rock	0.050	9	19	0.47	200	0.003	<20	1.04	0.014	0.14	0.4	<0.01	1.5	0.1	0.41	3	1.8	<0.2
1824889	Rock	0.033	10	12	0.39	143	0.002	<20	0.77	0.014	0.10	0.3	<0.01	1.2	<0.1	0.45	2	1.3	<0.2
1824890	Rock Pulp	0.040	4	40	2.57	40	0.004	<20	1.84	0.015	0.06	0.7	3.02	3.4	5.5	6.47	7	33.8	0.3
1824891	Rock	0.160	9	14	0.38	206	0.002	<20	0.74	0.015	0.13	0.3	<0.01	1.1	<0.1	0.80	2	5.1	<0.2
1824892	Rock	0.428	10	46	0.48	462	0.024	<20	0.92	0.008	0.23	0.6	<0.01	1.9	0.3	0.77	3	6.8	<0.2
1824893	Rock	0.177	9	25	0.57	249	0.005	<20	0.95	0.006	0.15	0.3	<0.01	1.8	0.1	0.73	3	3.8	<0.2
1824894	Rock	0.222	9	31	0.59	323	0.013	<20	1.14	0.008	0.17	0.2	<0.01	2.0	0.2	0.63	4	5.7	<0.2
1824895	Rock	0.093	12	21	0.32	175	0.003	<20	0.90	0.014	0.15	0.1	<0.01	1.3	<0.1	0.34	3	2.3	<0.2
1824896	Rock	0.017	9	2	0.15	223	<0.001	<20	0.41	0.052	0.07	0.3	<0.01	0.3	<0.1	0.29	2	0.7	<0.2
1824897	Rock	0.011	10	3	0.16	52	<0.001	<20	0.36	0.061	0.04	0.2	<0.01	0.4	<0.1	0.21	1	0.5	<0.2
1824898	Rock	0.013	9	1	0.15	55	<0.001	<20	0.33	0.056	0.04	0.6	<0.01	0.3	<0.1	0.18	1	<0.5	<0.2
1824899	Rock	0.012	8	2	0.15	58	<0.001	<20	0.33	0.058	0.04	0.2	<0.01	0.3	<0.1	0.17	1	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 07, 2019

Page: 4 of 5

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000674.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1824900	Rock	2.45	<0.005	<0.1	10.6	5.3	14	<0.1	1.5	1.0	150	0.63	135.2	<0.5	7.2	89	<0.1	0.1	<0.1	<1	3.44
1824901	Rock	5.73	0.031	<0.1	15.5	4.8	13	<0.1	1.9	1.3	194	0.73	181.8	47.6	6.8	113	<0.1	0.2	<0.1	<1	3.41
1824902	Rock	5.59	0.017	<0.1	14.6	5.5	24	<0.1	3.3	1.2	364	0.62	120.9	3.4	6.3	90	<0.1	<0.1	<0.1	<1	3.52
1824903	Rock	5.27	0.030	0.1	17.5	5.7	28	0.1	4.8	4.0	438	0.86	180.8	7.6	6.4	92	<0.1	0.1	<0.1	<1	3.39
1824904	Rock	5.58	<0.005	<0.1	12.1	23.0	35	0.5	3.8	0.8	744	0.63	122.2	<0.5	5.9	161	0.2	0.2	<0.1	2	4.10
1824905	Rock	5.08	0.008	0.2	8.1	254.8	264	1.6	1.5	1.0	1140	0.59	200.9	2.8	6.3	91	4.2	0.4	<0.1	<1	3.18
1824906	Rock	5.24	0.023	0.1	17.1	1328.6	2569	11.1	1.9	1.3	4330	1.29	81.0	4.8	6.9	26	40.0	2.1	<0.1	1	1.49
1824907	Rock	4.61	0.041	0.1	11.8	601.4	2345	4.2	2.4	0.9	>10000	3.34	35.4	37.0	6.5	12	37.2	0.7	0.2	5	0.44
1824908	Rock	5.61	1.730	9.2	60.2	1159.6	887	38.2	57.1	22.3	5385	4.40	160.7	1528.3	4.4	49	14.7	3.4	34.2	164	2.34
1824909	Rock	5.54	0.797	1.4	101.8	135.3	180	3.3	35.7	21.6	1907	4.36	29.2	798.7	12.5	67	2.1	0.8	18.1	29	3.18
1824910	Rock	0.25	0.015	<0.1	2.0	7.3	4	0.2	0.2	4.3	112	0.09	0.8	0.9	0.1	92	<0.1	0.1	<0.1	<1	37.02
1824911	Rock	4.19	2.826	1.9	146.2	5.6	98	0.9	27.7	13.6	1091	4.41	14.2	2210.7	7.8	54	0.9	0.2	52.0	23	3.46
1824912	Rock	4.37	8.593	3.6	298.9	5.7	104	2.1	26.6	14.1	1002	6.91	72.9	7482.2	7.2	50	0.3	0.7	128.1	21	2.59
1824913	Rock	5.33	0.083	5.0	78.4	8.6	72	0.9	48.1	14.1	516	2.78	42.6	3.0	7.8	41	0.6	0.7	3.7	18	1.11
1824914	Rock	5.45	0.019	6.6	69.7	5.0	80	0.4	58.1	8.2	669	2.41	48.3	<0.5	5.0	51	0.5	0.7	1.6	23	0.79
1824915	Rock	5.10	0.098	3.2	70.8	5.0	65	0.5	34.7	8.7	590	2.89	32.2	2.9	4.5	75	0.6	1.6	5.7	29	1.03
1824916	Rock	4.99	0.067	1.6	79.3	3.7	62	0.3	44.1	11.2	622	2.31	47.3	0.8	3.6	70	0.4	0.5	2.2	18	0.44
1824917	Rock	5.04	0.178	0.4	68.3	5.1	44	0.4	30.0	9.0	298	1.88	26.8	21.8	3.2	69	0.2	0.6	3.5	17	0.66
1824918	Rock	5.17	0.137	0.8	35.6	18.3	50	1.0	20.0	6.1	378	1.36	144.5	12.3	3.3	41	0.3	0.8	3.2	10	0.64
1824919	Rock	2.12	0.011	0.5	33.1	17.7	43	1.0	25.8	6.4	511	1.45	26.7	<0.5	2.8	24	0.3	0.9	0.9	10	0.61
1824920	Rock	1.79	0.014	0.5	33.7	18.0	50	0.9	23.1	5.3	534	1.33	29.4	<0.5	2.9	23	0.3	0.7	0.8	10	0.65
1824921	Rock	5.94	0.048	0.5	22.0	26.5	42	0.9	25.7	6.9	714	1.61	51.9	1.6	5.4	22	0.4	0.9	1.3	9	0.59
1824922	Rock	2.36	0.032	0.2	14.9	734.1	522	2.2	17.0	4.6	3458	1.58	38.9	6.5	1.9	122	6.0	1.3	0.6	8	2.98
1824923	Rock	2.84	5.987	0.4	84.8	1487.5	2069	88.2	20.6	7.0	1666	2.55	178.8	2339.0	2.7	80	25.3	2.4	119.1	10	1.55
1824924	Rock	2.12	0.039	0.3	26.3	142.5	189	2.1	34.7	7.5	3318	1.93	323.2	17.5	2.8	93	2.3	0.9	1.2	8	3.02
1824925	Rock	5.06	0.124	0.8	29.4	24.2	109	0.5	30.3	7.9	213	1.59	230.2	50.1	4.7	37	0.6	0.6	3.2	9	0.61
1824926	Rock	4.18	0.078	2.2	32.3	3.9	47	0.2	31.9	6.1	288	1.74	160.7	94.2	4.1	47	<0.1	0.3	1.6	16	0.64
1824927	Rock	3.68	0.045	1.1	26.4	2.1	28	0.1	25.3	5.9	157	1.45	96.3	12.4	4.1	25	<0.1	0.5	0.7	10	0.28
1824928	Rock	4.63	0.035	1.6	60.3	4.8	58	0.2	64.0	10.7	195	2.19	190.2	2.0	7.5	25	0.3	0.9	1.5	14	0.38
1824929	Rock	3.43	0.171	1.1	53.5	6.4	27	0.5	57.0	10.2	212	1.87	111.0	10.7	7.9	49	0.1	0.9	5.2	11	0.92



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 07, 2019

Page: 4 of 5

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000674.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1824900	Rock	0.013	10	2	0.15	73	<0.001	<20	0.35	0.060	0.04	0.2	<0.01	0.4	<0.1	0.17	1	<0.5	<0.2	
1824901	Rock	0.015	9	2	0.15	99	<0.001	<20	0.35	0.064	0.05	1.2	<0.01	0.3	<0.1	0.25	1	<0.5	<0.2	
1824902	Rock	0.014	8	1	0.15	85	<0.001	<20	0.39	0.046	0.05	0.4	<0.01	0.4	<0.1	0.24	1	0.7	<0.2	
1824903	Rock	0.015	8	2	0.20	88	<0.001	<20	0.45	0.044	0.07	0.1	<0.01	0.4	<0.1	0.38	1	1.0	<0.2	
1824904	Rock	0.017	8	2	0.14	90	<0.001	<20	0.30	0.027	0.13	0.1	<0.01	0.3	0.3	0.25	1	<0.5	<0.2	
1824905	Rock	0.014	8	2	0.09	94	<0.001	<20	0.28	0.027	0.15	0.3	<0.01	0.2	0.3	0.20	<1	<0.5	<0.2	
1824906	Rock	0.015	7	2	0.16	104	<0.001	<20	0.35	0.025	0.14	43.1	<0.01	0.2	0.3	0.38	1	0.6	<0.2	
1824907	Rock	0.016	7	2	0.26	82	<0.001	<20	0.42	0.015	0.16	0.4	<0.01	0.2	0.3	0.26	1	<0.5	<0.2	
1824908	Rock	0.304	6	35	0.73	146	0.003	<20	1.25	0.002	0.14	>100	<0.01	2.9	0.4	1.59	4	6.7	2.2	
1824909	Rock	0.046	17	24	1.08	174	0.036	<20	1.93	0.020	0.25	>100	<0.01	3.2	0.3	1.49	6	4.4	0.6	
1824910	Rock	0.009	1	1	0.40	17	0.002	<20	0.04	0.002	<0.01	21.0	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2	
1824911	Rock	0.045	11	21	1.13	164	0.068	<20	1.90	0.016	0.10	>100	<0.01	1.9	<0.1	1.68	5	6.4	1.7	
1824912	Rock	0.065	11	19	0.78	48	0.060	<20	1.55	0.015	0.02	>100	<0.01	2.0	<0.1	3.47	5	14.1	5.0	
1824913	Rock	0.069	8	12	0.49	184	0.033	<20	0.94	0.004	0.14	33.5	<0.01	1.2	0.1	1.44	2	3.0	0.2	
1824914	Rock	0.068	10	13	0.45	216	0.002	<20	0.67	0.004	0.13	23.8	<0.01	1.1	<0.1	1.20	2	2.1	<0.2	
1824915	Rock	0.034	11	15	0.67	199	0.002	<20	0.74	0.004	0.12	22.2	<0.01	1.7	0.1	1.52	2	2.9	0.3	
1824916	Rock	0.020	7	11	0.52	230	0.002	<20	0.65	0.002	0.13	10.1	<0.01	1.2	<0.1	0.96	2	1.4	<0.2	
1824917	Rock	0.107	6	10	0.46	277	0.002	<20	0.59	0.003	0.13	15.6	<0.01	1.7	0.1	0.84	2	1.2	0.3	
1824918	Rock	0.082	6	8	0.26	190	0.002	<20	0.35	0.003	0.12	14.6	<0.01	1.3	<0.1	0.60	<1	1.2	0.3	
1824919	Rock	0.025	6	10	0.25	109	0.002	<20	0.36	0.002	0.08	23.2	<0.01	1.0	<0.1	0.55	<1	0.9	<0.2	
1824920	Rock	0.018	5	9	0.25	101	0.002	<20	0.34	0.002	0.08	6.9	<0.01	1.1	<0.1	0.51	<1	0.8	<0.2	
1824921	Rock	0.030	9	11	0.24	112	0.001	<20	0.49	0.006	0.11	11.2	<0.01	1.0	<0.1	0.68	1	0.8	<0.2	
1824922	Rock	0.021	3	9	0.18	35	<0.001	<20	0.23	<0.001	0.07	7.3	<0.01	1.0	0.2	0.66	<1	1.2	<0.2	
1824923	Rock	0.017	4	12	0.43	36	<0.001	<20	0.32	<0.001	0.05	15.2	<0.01	1.7	0.1	1.50	<1	6.2	13.4	
1824924	Rock	0.022	4	7	0.27	64	<0.001	<20	0.26	<0.001	0.07	4.8	<0.01	0.9	<0.1	0.92	<1	1.1	<0.2	
1824925	Rock	0.049	7	9	0.24	179	0.001	<20	0.39	0.005	0.15	12.9	0.01	0.9	<0.1	0.82	1	1.9	0.3	
1824926	Rock	0.034	8	10	0.45	165	0.001	<20	0.53	0.003	0.11	4.7	<0.01	1.2	<0.1	0.44	1	1.2	<0.2	
1824927	Rock	0.031	8	8	0.24	140	0.001	<20	0.39	0.002	0.10	7.3	<0.01	0.8	<0.1	0.65	1	0.9	<0.2	
1824928	Rock	0.047	11	13	0.33	184	0.002	<20	0.69	0.011	0.14	2.7	<0.01	1.2	<0.1	0.81	2	2.2	<0.2	
1824929	Rock	0.041	9	9	0.36	183	<0.001	<20	0.59	0.015	0.14	4.3	<0.01	1.1	<0.1	0.79	1	2.2	0.5	





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 07, 2019

Page: 5 of 5

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000674.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1824930	Rock Pulp	0.13	0.304	13.4	2197.7	968.8	6934	18.2	32.4	18.6	535	8.96	278.4	47.2	1.7	46	51.2	29.8	11.9	44	2.05
1824931	Rock	4.65	0.086	0.2	21.7	1.7	15	0.1	12.3	3.5	185	0.97	109.3	28.0	2.2	27	<0.1	0.4	2.0	7	0.68



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 07, 2019

Page: 5 of 5

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000674.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
1824930	Rock Pulp	0.038	4	39	2.46	38	0.004	<20	1.76	0.009	0.06	0.7	2.57	3.3	4.9	6.62	7	29.6	0.3
1824931	Rock	0.038	5	11	0.25	70	0.004	<20	0.27	0.004	0.04	4.2	<0.01	0.9	<0.1	0.37	<1	0.9	<0.2



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 07, 2019

Page: 1 of 2 Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000674.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
Pulp Duplicates																					
1824861	Rock	4.42	0.097	11.6	38.0	6.1	53	0.6	65.8	7.6	332	1.85	890.7	81.4	3.8	82	0.4	2.0	1.8	93	2.93
REP 1824861	QC			12.1	37.7	6.1	53	0.6	64.6	8.3	327	1.89	930.8	103.6	4.0	83	0.6	2.0	1.8	93	2.96
1824892	Rock	5.59	0.006	25.2	75.0	3.7	76	0.3	110.8	7.0	347	2.50	100.0	1.5	3.7	59	0.6	1.0	0.3	254	1.57
REP 1824892	QC		0.006																		
1824896	Rock	5.27	<0.005	0.2	14.7	10.6	18	<0.1	2.7	1.4	168	0.77	33.4	2.4	8.2	94	<0.1	0.2	<0.1	1	2.47
REP 1824896	QC		<0.005	0.3	14.8	10.3	18	<0.1	2.6	1.5	166	0.76	29.0	3.7	7.4	87	<0.1	0.1	0.1	1	2.47
1824923	Rock	2.84	5.987	0.4	84.8	1487.5	2069	88.2	20.6	7.0	1666	2.55	178.8	2339.0	2.7	80	25.3	2.4	119.1	10	1.55
REP 1824923	QC		6.221																		
1824929	Rock	3.43	0.171	1.1	53.5	6.4	27	0.5	57.0	10.2	212	1.87	111.0	10.7	7.9	49	0.1	0.9	5.2	11	0.92
REP 1824929	QC			1.1	53.2	6.8	25	1.1	56.3	10.2	212	1.83	106.2	64.9	7.8	48	0.1	0.9	5.9	10	0.91
Core Reject Duplicates																					
1824857	Rock	5.36	0.023	12.1	29.8	4.5	75	0.2	74.5	10.2	299	2.32	159.0	21.1	6.2	64	0.4	1.0	0.6	179	1.82
DUP 1824857	QC		0.021	13.1	30.6	4.7	74	0.2	75.9	9.7	288	2.31	169.7	22.8	6.3	66	0.3	1.0	0.7	182	1.87
1824891	Rock	5.06	0.009	5.8	63.2	3.2	149	0.2	63.0	8.3	576	2.32	258.8	2.5	4.8	41	2.8	1.0	0.4	63	0.68
DUP 1824891	QC		0.010	5.8	60.8	3.0	134	0.2	64.1	7.5	600	2.31	282.9	7.5	5.0	41	2.7	0.6	0.3	66	0.70
1824925	Rock	5.06	0.124	0.8	29.4	24.2	109	0.5	30.3	7.9	213	1.59	230.2	50.1	4.7	37	0.6	0.6	3.2	9	0.61
DUP 1824925	QC		0.109	0.8	31.6	23.5	113	0.6	30.9	8.0	217	1.66	238.6	98.0	5.0	37	0.6	0.6	3.3	10	0.63
Reference Materials																					
STD BVGEO01	Standard			10.5	4238.7	190.3	1642	2.7	162.2	24.4	648	3.55	125.8	222.5	16.1	55	7.3	2.6	24.8	77	1.21
STD DS11	Standard			13.9	153.1	143.1	320	1.7	79.0	14.0	1013	3.05	43.1	61.1	8.7	65	2.4	6.7	12.2	47	1.02
STD DS11	Standard			14.6	158.0	136.5	342	1.6	77.6	14.3	1034	3.08	42.6	54.1	8.0	64	2.6	8.2	11.4	50	0.91
STD OREAS263	Standard		0.211																		
STD OREAS262	Standard			0.6	123.9	54.1	144	0.5	59.1	28.5	487	3.22	35.3	56.3	8.4	34	0.7	2.6	1.0	23	2.91
STD OREAS262	Standard			0.6	124.9	59.7	158	0.5	65.3	26.4	516	3.33	39.2	57.7	10.3	38	0.8	2.8	1.1	23	3.08
STD OREAS263	Standard		0.215																		
STD OREAS262	Standard			0.6	119.7	61.4	152	0.5	64.4	28.9	552	3.33	37.8	61.9	10.5	38	0.6	2.3	1.1	21	2.95
STD OREAS262	Standard			0.7	122.9	58.3	158	0.4	66.5	29.7	574	3.35	36.2	79.3	10.1	36	0.7	4.6	1.0	22	3.26
STD OXB130	Standard		0.126																		



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 07, 2019

Page: 1 of 2

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000674.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																			
1824861	Rock	0.116	6	13	0.34	378	0.002	<20	0.53	0.019	0.12	1.1	<0.01	1.9	<0.1	1.04	2	2.7	<0.2
REP 1824861	QC	0.117	6	13	0.35	365	0.002	<20	0.53	0.020	0.12	1.0	<0.01	1.8	<0.1	1.07	2	2.8	<0.2
1824892	Rock	0.428	10	46	0.48	462	0.024	<20	0.92	0.008	0.23	0.6	<0.01	1.9	0.3	0.77	3	6.8	<0.2
REP 1824892	QC																		
1824896	Rock	0.017	9	2	0.15	223	<0.001	<20	0.41	0.052	0.07	0.3	<0.01	0.3	<0.1	0.29	2	0.7	<0.2
REP 1824896	QC	0.017	10	2	0.14	205	<0.001	<20	0.40	0.051	0.07	0.3	<0.01	0.3	<0.1	0.31	2	0.7	<0.2
1824923	Rock	0.017	4	12	0.43	36	<0.001	<20	0.32	<0.001	0.05	15.2	<0.01	1.7	0.1	1.50	<1	6.2	13.4
REP 1824923	QC																		
1824929	Rock	0.041	9	9	0.36	183	<0.001	<20	0.59	0.015	0.14	4.3	<0.01	1.1	<0.1	0.79	1	2.2	0.5
REP 1824929	QC	0.040	9	8	0.36	179	<0.001	<20	0.57	0.014	0.13	4.9	<0.01	1.1	<0.1	0.77	1	2.2	0.6
Core Reject Duplicates																			
1824857	Rock	0.172	10	28	0.70	297	0.008	<20	1.11	0.030	0.17	0.2	<0.01	2.5	0.1	0.52	4	2.1	<0.2
DUP 1824857	QC	0.178	11	29	0.72	306	0.008	<20	1.14	0.030	0.17	0.2	<0.01	2.5	0.1	0.53	4	2.0	<0.2
1824891	Rock	0.160	9	14	0.38	206	0.002	<20	0.74	0.015	0.13	0.3	<0.01	1.1	<0.1	0.80	2	5.1	<0.2
DUP 1824891	QC	0.155	9	15	0.37	221	0.003	<20	0.75	0.016	0.13	0.3	<0.01	1.2	<0.1	0.81	2	5.0	<0.2
1824925	Rock	0.049	7	9	0.24	179	0.001	<20	0.39	0.005	0.15	12.9	0.01	0.9	<0.1	0.82	1	1.9	0.3
DUP 1824925	QC	0.050	8	10	0.24	203	0.001	<20	0.43	0.006	0.16	11.1	<0.01	1.1	0.1	0.85	1	1.9	0.3
Reference Materials																			
STD BVGE001	Standard	0.070	26	148	1.24	347	0.229	<20	2.13	0.178	0.82	4.2	0.10	5.2	0.6	0.63	7	4.9	0.9
STD DS11	Standard	0.072	17	58	0.81	426	0.088	<20	1.11	0.070	0.39	2.8	0.26	3.0	5.1	0.28	5	2.3	4.4
STD DS11	Standard	0.070	18	59	0.89	390	0.093	<20	1.18	0.073	0.43	2.7	0.25	3.4	4.9	0.27	5	2.8	4.6
STD OREAS263	Standard																		
STD OREAS262	Standard	0.035	15	39	1.18	243	0.003	<20	1.23	0.074	0.31	0.1	0.16	3.0	0.4	0.28	4	<0.5	0.2
STD OREAS262	Standard	0.040	15	42	1.20	276	0.003	<20	1.21	0.074	0.31	0.1	0.18	3.4	0.4	0.27	4	<0.5	0.2
STD OREAS263	Standard																		
STD OREAS262	Standard	0.041	15	42	1.18	258	0.003	<20	1.21	0.069	0.29	0.2	0.16	3.1	0.5	0.27	4	<0.5	0.2
STD OREAS262	Standard	0.039	19	45	1.27	263	0.003	<20	1.35	0.072	0.35	0.2	0.15	3.5	0.5	0.28	4	<0.5	0.2
STD OXB130	Standard																		



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 07, 2019

Page: 2 of 2

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000674.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
STD OXI138	Standard		1.871																		
STD OXI138	Standard		1.851																		
STD OXI138	Standard		1.923																		
STD OXI138	Standard		1.902																		
STD OXN117	Standard		7.688																		
STD OXN117	Standard		7.681																		
STD OXN117	Standard		7.811																		
STD OXN117	Standard		7.641																		
STD OXB130 Expected			0.125																		
STD BVGE001 Expected				10.8	4415	187	1741	2.53	163	25	733	3.7	121	219	14.4	55	6.5	2.2	25.6	73	1.3219
STD OXI138 Expected			1.86																		
STD OREAS263 Expected			0.21																		
STD OXN117 Expected			7.679																		
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063
STD OREAS262 Expected				0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	65	9.33	36	0.61	3.39	1.03	22.5	2.98
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	0.6	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		<0.005																		
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	0.02
Prep Wash																					
ROCK-WHI	Prep Blank		<0.005	0.9	4.6	1.3	44	<0.1	1.3	4.3	561	1.86	0.9	1.2	2.2	22	<0.1	<0.1	<0.1	25	0.62
ROCK-WHI	Prep Blank		<0.005	0.7	4.8	1.0	34	<0.1	1.5	4.5	535	1.89	0.7	0.7	2.1	22	<0.1	<0.1	<0.1	29	0.62



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 07, 2019

Page: 2 of 2

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000674.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200		
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
STD OXI138	Standard																			
STD OXI138	Standard																			
STD OXI138	Standard																			
STD OXI138	Standard																			
STD OXN117	Standard																			
STD OXN117	Standard																			
STD OXN117	Standard																			
STD OXN117	Standard																			
STD OXB130 Expected																				
STD BVGE001 Expected		0.0727	25.9	171	1.2963	340	0.233		2.347	0.1924	0.89	3.5	0.1	5.97	0.62	0.6655	7.37	4.84	1.02	
STD OXI138 Expected																				
STD OREAS263 Expected																				
STD OXN117 Expected																				
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56	
STD OREAS262 Expected		0.04	15.9	41.7	1.17	248	0.003		1.204	0.071	0.312	0.13	0.17	3.24	0.47	0.253	3.73	0.4	0.23	
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
Prep Wash																				
ROCK-WHI	Prep Blank	0.044	6	3	0.53	60	0.076	<20	0.88	0.074	0.09	0.1	<0.01	2.7	<0.1	<0.05	4	<0.5	<0.2	
ROCK-WHI	Prep Blank	0.040	6	4	0.56	59	0.073	<20	0.90	0.066	0.08	<0.1	<0.01	2.9	<0.1	<0.05	3	<0.5	<0.2	



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Submitted By: James Thom  
Receiving Lab: Canada-Whitehorse  
Received: October 10, 2019  
Report Date: November 01, 2019  
Page: 1 of 5

# CERTIFICATE OF ANALYSIS

WHI19000675.1

## CLIENT JOB INFORMATION

Project: McQuesten  
Shipment ID: MQ-19-13a  
P.O. Number  
Number of Samples: 111

## SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
RTRN-RJT Return After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Banyan Gold Corp.  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7  
Canada

CC: Paul Gray

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	109	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	2	Sort, label and box pulps			WHI
FA450	111	50g Lead Collection Fire Assay Fusion - AAS Finish	50	Completed	VAN
EN002	111	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	111	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	111	Per sample shipping charges for branch shipments			VAN

## ADDITIONAL COMMENTS

  
MAY LAI  
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 01, 2019

**Page:** 2 of 5

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000675.1

Method Analyte Unit MDL	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1475598	Rock	3.71	0.065	0.8	42.0	8.0	89	0.4	40.2	17.5	652	3.12	86.0	45.5	7.8	261	0.7	0.7	3.4	26	10.22
1475599	Rock	1.29	0.102	1.2	83.8	4.1	93	0.5	36.7	21.6	770	3.85	227.3	123.0	5.0	126	0.3	0.9	3.5	26	5.38
1475600	Rock	1.17	0.120	0.9	75.9	5.6	82	0.6	48.1	27.3	551	4.30	381.4	89.9	8.8	62	0.1	1.1	4.7	20	2.13
1475601	Rock	2.94	0.043	1.2	85.0	9.3	73	1.0	63.1	24.2	311	4.00	460.8	13.7	11.2	26	0.2	1.3	4.5	11	0.54
1475602	Rock	4.00	0.078	0.6	22.4	9.9	81	1.3	18.1	8.2	391	1.71	2138.5	212.4	6.6	47	1.2	2.4	3.0	12	1.30
1475603	Rock	2.51	0.163	1.3	24.0	7.0	131	0.7	19.8	6.2	848	2.17	359.7	96.3	8.6	84	0.8	1.3	5.6	28	4.05
1475604	Rock	4.15	0.050	1.2	36.6	11.3	83	0.7	22.7	8.2	671	1.95	1076.0	22.3	9.4	144	0.5	1.8	1.0	11	4.02
1475605	Rock	4.72	0.144	18.8	28.0	18.7	194	1.5	86.7	8.1	267	1.32	1524.4	154.4	3.2	56	4.5	3.9	7.9	106	1.65
1475606	Rock	4.90	0.026	22.5	24.0	8.0	85	0.2	84.2	10.1	147	1.71	424.5	10.8	3.7	18	0.5	1.4	0.5	123	0.44
1475607	Rock	4.79	0.042	22.7	43.3	2.8	30	0.2	74.7	11.4	58	1.78	171.9	12.3	4.2	12	<0.1	0.8	0.3	22	0.20
1475608	Rock	4.92	0.013	11.6	30.8	5.5	57	0.3	54.7	9.4	159	2.24	254.0	8.5	4.7	41	0.2	1.2	0.3	33	0.64
1475609	Rock	3.55	0.037	14.9	91.4	11.0	128	0.9	89.2	11.8	423	2.38	236.6	26.8	4.2	138	1.9	1.9	0.9	264	1.63
1475610	Rock	0.33	<0.005	<0.1	0.7	0.5	<1	<0.1	<0.1	0.2	94	0.06	2.2	<0.5	0.1	88	<0.1	<0.1	<0.1	<1	30.31
1475611	Rock	5.61	0.075	5.0	38.0	6.4	50	0.9	44.5	8.2	297	1.56	956.7	47.3	2.9	45	0.5	2.4	0.4	31	0.75
1475612	Rock	4.70	0.015	0.6	28.6	3.0	27	0.3	21.2	6.5	233	1.20	224.5	2.5	2.7	18	<0.1	1.0	0.3	11	0.19
1475613	Rock	4.75	0.011	0.5	24.4	1.8	55	0.3	22.8	5.7	236	1.00	130.7	2.6	2.5	25	0.4	0.8	0.1	11	0.59
1475614	Rock	4.27	0.007	9.2	26.0	3.5	58	0.4	57.6	7.9	229	1.22	67.1	2.2	3.5	45	0.3	4.0	0.1	54	0.77
1475615	Rock	4.69	0.041	10.6	43.3	6.1	65	0.5	62.3	9.4	273	1.69	278.1	15.5	3.4	63	0.2	1.6	0.3	57	1.09
1475616	Rock	4.16	0.006	8.9	49.1	4.1	58	0.3	54.3	9.7	220	1.38	148.0	1.0	3.3	40	0.2	1.1	0.1	81	0.84
1475617	Rock	3.94	0.014	16.8	56.7	4.1	55	0.2	64.9	9.8	214	1.57	113.1	5.4	3.2	34	0.2	0.9	0.4	107	0.78
1475618	Rock	6.11	0.007	4.5	52.1	3.1	31	0.2	37.9	9.0	125	1.65	71.7	6.3	3.5	25	<0.1	0.6	0.2	20	0.35
1475619	Rock	2.31	0.007	3.3	109.7	3.2	47	0.3	41.4	11.0	196	2.19	97.7	<0.5	3.7	23	0.1	1.6	0.3	23	0.25
1475620	Rock	1.93	0.007	4.6	112.5	3.6	49	0.3	44.9	11.6	204	2.21	159.7	<0.5	3.4	24	0.2	1.6	0.3	25	0.28
1475621	Rock	3.99	0.007	11.0	43.0	2.6	74	0.2	68.9	8.3	209	1.77	76.6	1.8	4.4	37	0.6	2.2	0.2	183	0.62
1475622	Rock	4.97	0.081	7.3	79.4	5.5	53	1.8	53.0	7.9	486	2.31	963.7	95.2	2.6	70	0.2	1.9	1.3	34	1.69
1475623	Rock	4.05	0.054	3.3	65.0	4.8	62	0.8	40.2	8.3	543	2.05	570.5	18.7	2.7	97	0.2	1.6	0.3	25	2.06
1475624	Rock	4.62	0.076	13.2	44.8	6.1	108	1.0	68.7	9.1	322	1.86	634.6	37.4	4.0	63	0.6	5.1	0.4	120	1.31
1475625	Rock	3.88	0.013	7.7	87.2	4.0	75	0.8	75.4	8.9	249	1.67	92.7	3.1	2.9	29	0.4	1.9	0.7	83	0.58
1475626	Rock	2.91	0.012	0.7	69.8	4.9	44	0.5	48.1	8.4	180	1.43	202.8	7.8	2.6	21	0.1	2.4	0.3	16	0.50
1475627	Rock	3.16	0.007	0.5	102.5	2.8	38	0.7	46.1	6.9	171	1.59	87.5	2.2	3.2	22	<0.1	0.7	0.2	14	0.38





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 01, 2019

**Page:** 2 of 5

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000675.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
1475598	Rock	0.047	8	17	0.84	78	0.018	<20	1.21	0.020	0.20	0.6	<0.01	2.8	<0.1	0.87	4	4.1	<0.2
1475599	Rock	0.047	7	12	1.49	58	0.011	<20	1.10	0.009	0.12	13.1	<0.01	3.1	<0.1	1.48	4	4.6	<0.2
1475600	Rock	0.066	11	15	1.16	97	0.005	<20	1.22	0.016	0.20	31.5	<0.01	3.0	<0.1	1.58	4	2.8	0.2
1475601	Rock	0.049	12	10	0.57	98	0.002	<20	0.85	0.008	0.19	0.2	<0.01	2.2	<0.1	1.59	2	3.1	<0.2
1475602	Rock	0.015	9	10	0.24	91	<0.001	<20	0.47	0.015	0.09	0.2	<0.01	1.7	<0.1	0.55	2	1.4	0.2
1475603	Rock	0.033	8	13	1.60	371	0.001	<20	0.77	0.018	0.10	0.1	<0.01	3.6	<0.1	0.32	3	0.7	0.2
1475604	Rock	0.020	10	7	0.56	547	0.001	<20	0.40	0.008	0.14	0.2	<0.01	2.0	<0.1	0.79	1	1.4	<0.2
1475605	Rock	0.070	7	9	0.18	293	0.002	<20	0.46	0.004	0.14	0.4	<0.01	1.1	<0.1	0.54	1	2.6	0.3
1475606	Rock	0.045	9	14	0.33	451	0.005	<20	0.81	0.005	0.15	0.3	<0.01	1.4	0.1	0.26	2	1.2	<0.2
1475607	Rock	0.024	7	5	0.07	681	0.003	<20	0.35	0.004	0.14	0.4	<0.01	0.8	0.1	0.98	<1	3.2	<0.2
1475608	Rock	0.065	8	9	0.27	407	0.003	<20	0.67	0.006	0.17	0.3	<0.01	1.1	0.1	0.85	1	2.5	<0.2
1475609	Rock	0.134	11	27	0.53	>10000	0.025	<20	4.05	0.020	0.12	0.3	0.02	6.0	0.1	<0.05	8	3.4	<0.2
1475610	Rock	0.006	1	<1	0.35	160	0.001	<20	0.02	0.002	0.01	<0.1	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2
1475611	Rock	0.055	8	10	0.23	1689	0.004	<20	1.14	0.006	0.09	0.2	<0.01	1.5	0.1	0.23	3	1.6	<0.2
1475612	Rock	0.019	9	8	0.23	195	0.002	<20	0.42	0.004	0.08	<0.1	<0.01	1.0	<0.1	0.29	1	<0.5	<0.2
1475613	Rock	0.010	8	10	0.22	167	0.002	<20	0.39	0.003	0.07	<0.1	<0.01	1.0	<0.1	0.16	1	<0.5	<0.2
1475614	Rock	0.054	11	13	0.28	597	0.004	<20	0.53	0.005	0.13	0.2	<0.01	1.3	0.1	0.19	2	0.6	<0.2
1475615	Rock	0.062	7	10	0.40	661	0.003	<20	0.63	0.005	0.15	0.2	<0.01	1.6	0.1	0.54	2	2.0	<0.2
1475616	Rock	0.029	10	12	0.36	380	0.006	<20	0.64	0.004	0.17	0.2	<0.01	1.5	0.2	0.34	2	1.4	<0.2
1475617	Rock	0.039	9	13	0.44	315	0.005	<20	0.73	0.005	0.14	0.2	<0.01	1.6	0.1	0.36	2	0.9	<0.2
1475618	Rock	0.076	10	9	0.28	331	0.003	<20	0.59	0.006	0.15	0.1	<0.01	1.1	<0.1	0.49	2	1.5	<0.2
1475619	Rock	0.048	9	11	0.37	419	0.003	<20	0.71	0.004	0.13	0.1	<0.01	1.5	<0.1	0.69	2	2.9	<0.2
1475620	Rock	0.049	9	11	0.38	483	0.002	<20	0.72	0.004	0.13	0.1	<0.01	1.6	<0.1	0.71	2	2.6	<0.2
1475621	Rock	0.091	11	19	0.44	495	0.013	<20	0.89	0.007	0.16	0.2	<0.01	2.1	0.1	0.38	3	1.6	<0.2
1475622	Rock	0.043	7	11	0.24	461	0.003	<20	0.54	0.002	0.09	0.2	<0.01	1.3	<0.1	1.21	2	2.5	<0.2
1475623	Rock	0.036	5	9	0.35	436	0.002	<20	0.44	0.003	0.11	0.4	<0.01	1.5	<0.1	1.10	2	2.2	<0.2
1475624	Rock	0.069	8	15	0.61	358	0.003	<20	0.69	0.004	0.15	0.3	<0.01	1.9	0.2	0.60	3	1.0	<0.2
1475625	Rock	0.030	10	13	0.36	663	0.003	<20	0.53	0.003	0.13	0.2	<0.01	1.6	0.1	0.52	2	2.3	<0.2
1475626	Rock	0.010	9	9	0.33	487	0.003	<20	0.50	0.002	0.11	<0.1	<0.01	1.5	<0.1	0.43	2	1.5	<0.2
1475627	Rock	0.012	9	10	0.27	589	0.003	<20	0.48	0.004	0.13	0.1	<0.01	1.3	<0.1	0.57	1	1.8	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 01, 2019

**Page:** 3 of 5

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000675.1

Method Analyte Unit MDL	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1475628	Rock	4.54	0.008	1.3	91.7	3.6	78	0.5	63.2	7.8	194	1.81	27.2	1.4	3.9	32	0.3	1.0	0.2	23	0.41
1475629	Rock	4.41	0.031	21.6	41.8	6.0	107	0.2	93.8	9.8	106	1.76	247.5	11.1	5.0	21	1.8	1.2	0.5	141	0.40
1475630	Rock Pulp	0.13	1.269	5.6	115.7	6431.0	1510	40.4	15.5	11.1	968	3.61	51.8	1146.2	2.7	83	13.0	32.3	0.8	87	0.94
1475631	Rock	5.26	0.025	20.8	16.3	6.7	81	0.2	88.9	6.4	197	1.69	196.5	49.6	3.9	40	0.9	3.7	0.3	269	1.10
1475632	Rock	5.14	0.305	1.0	91.5	4.6	92	0.5	28.4	12.6	567	3.21	30.9	209.9	6.7	99	1.0	1.1	7.1	70	4.02
1475633	Rock	3.08	0.330	1.2	118.2	8.0	102	0.7	36.1	17.1	441	3.70	19.6	448.7	9.4	81	1.0	0.2	8.2	49	2.23
1475634	Rock	3.04	0.174	3.0	75.4	6.9	66	0.5	39.0	13.8	349	3.08	41.4	304.2	8.1	54	0.3	0.5	4.3	75	1.51
1475635	Rock	1.99	0.007	18.1	19.6	6.6	69	0.1	75.8	7.8	172	1.46	110.2	5.6	4.6	50	0.6	1.5	0.2	216	1.42
1475636	Rock	4.03	0.017	17.6	31.5	6.7	185	0.3	76.2	6.3	336	1.36	90.2	2.1	3.6	26	1.7	2.5	0.4	105	1.21
1475637	Rock	2.91	0.013	1.7	47.9	6.8	59	0.4	39.4	14.7	327	3.23	21.7	0.7	11.8	49	0.6	0.7	1.8	17	2.04
1475638	Rock	3.50	0.266	0.4	43.4	4.8	36	0.3	17.4	7.8	569	2.06	15.3	186.7	5.8	184	0.2	0.5	7.5	14	9.17
1475639	Rock	1.64	0.291	1.2	101.9	5.6	61	0.6	27.0	25.1	495	4.50	12.5	213.6	8.5	62	0.8	0.5	7.3	23	3.19
1475640	Rock	1.45	0.278	0.9	91.1	5.4	57	0.5	26.3	28.8	438	4.04	17.0	91.9	8.9	62	0.8	0.2	6.7	21	2.92
1475641	Rock	3.66	0.501	1.1	198.6	5.1	74	0.8	27.4	16.9	381	4.86	35.6	481.7	5.9	62	0.9	0.2	13.9	23	2.22
1475642	Rock	3.28	0.157	1.5	88.3	7.1	62	0.6	37.6	16.3	438	3.47	44.9	127.2	9.0	56	0.2	0.3	6.1	26	2.15
1475643	Rock	4.68	0.743	0.6	75.2	7.2	69	0.7	41.8	15.8	488	3.44	37.3	528.5	9.3	44	<0.1	0.7	19.9	33	2.07
1475644	Rock	5.03	0.230	1.0	76.9	9.9	57	1.0	40.7	18.9	427	4.30	20.1	92.9	9.8	62	0.2	0.8	11.0	21	2.21
1475645	Rock	4.32	0.377	0.3	43.4	6.4	36	0.6	20.1	9.2	241	2.64	257.1	275.1	9.3	35	0.1	0.7	9.0	12	1.80
1475646	Rock	4.36	0.088	0.3	50.5	4.4	43	0.4	29.4	13.3	249	3.44	53.1	28.5	12.4	26	<0.1	0.9	3.9	14	0.95
1475647	Rock	3.00	0.084	0.2	41.4	5.0	50	0.6	34.0	15.4	318	3.88	630.1	52.1	10.2	65	0.1	1.4	3.2	12	1.75
1475648	Rock	3.76	2.559	2.8	145.9	5.1	64	1.3	12.9	7.0	612	3.42	51.8	2826.2	4.4	288	0.8	1.3	47.4	37	10.55
1475649	Rock	3.12	0.339	0.5	83.9	6.2	91	0.7	24.9	10.9	713	3.48	15.0	355.1	11.7	44	0.2	1.3	8.6	37	4.57
1475650	Rock	0.28	<0.005	<0.1	0.2	0.3	<1	<0.1	<0.1	<0.1	83	0.05	1.5	2.3	0.1	74	<0.1	<0.1	<0.1	<1	29.08
1475701	Rock	3.31	0.011	0.2	37.9	4.7	42	0.4	18.7	9.7	191	2.34	149.2	3.2	9.6	32	0.3	0.5	1.6	7	1.16
1475702	Rock	2.21	0.171	28.4	48.4	6.2	205	0.8	114.7	14.3	102	2.20	413.1	4.0	6.5	36	1.6	1.3	1.4	46	0.81
1475703	Rock	0.48	0.042	27.4	38.7	5.8	362	1.8	94.3	10.4	78	1.95	564.6	2.9	4.9	17	3.3	2.2	0.9	75	0.30
1475704	Rock	4.54	0.051	29.0	36.5	3.2	84	0.7	96.0	10.1	174	1.26	452.1	9.5	4.3	40	0.8	1.3	0.5	82	0.78
1475705	Rock	4.82	1.525	2.9	123.5	3.5	35	0.9	17.9	6.9	504	3.12	121.9	935.0	4.6	56	0.3	1.9	34.3	16	2.85
1475706	Rock	4.57	0.025	0.2	40.0	3.9	23	0.8	18.2	6.6	151	2.00	353.1	7.2	9.9	25	<0.1	0.7	1.0	5	0.54
1475707	Rock	4.50	0.039	0.2	23.5	6.6	34	0.6	16.6	7.7	174	2.68	834.4	55.0	11.5	27	<0.1	1.3	1.9	3	0.54



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 01, 2019

Page: 3 of 5

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000675.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
1475628	Rock	0.021	10	12	0.41	346	0.002	<20	0.68	0.003	0.16	<0.1	<0.01	1.5	0.1	0.48	2	1.8	<0.2
1475629	Rock	0.105	11	18	0.26	411	0.005	<20	0.84	0.005	0.21	0.3	<0.01	1.8	0.1	0.40	3	3.6	<0.2
1475630	Rock Pulp	0.053	7	20	0.80	142	0.143	<20	1.68	0.184	0.23	1.2	0.22	2.8	0.1	0.21	5	<0.5	<0.2
1475631	Rock	0.149	12	26	0.36	625	0.021	<20	0.97	0.008	0.26	0.2	<0.01	2.4	0.2	0.17	3	1.1	<0.2
1475632	Rock	0.053	13	17	0.98	348	0.043	<20	1.75	0.070	0.12	1.8	0.01	2.5	0.2	1.46	6	4.4	0.3
1475633	Rock	0.049	12	25	1.49	251	0.076	<20	2.48	0.039	0.23	0.3	0.01	3.5	0.3	1.67	7	6.1	0.4
1475634	Rock	0.053	11	24	1.14	286	0.052	<20	1.74	0.006	0.27	<0.1	<0.01	3.1	0.2	1.06	5	3.5	0.2
1475635	Rock	0.164	13	27	0.49	630	0.008	<20	1.08	0.004	0.25	0.2	<0.01	2.6	0.3	0.21	3	0.7	<0.2
1475636	Rock	0.038	11	12	0.22	748	0.004	<20	0.63	0.004	0.18	0.2	<0.01	1.4	0.1	0.34	2	4.2	<0.2
1475637	Rock	0.037	11	13	0.72	163	0.002	<20	1.12	0.025	0.22	<0.1	<0.01	2.4	0.1	1.61	3	4.7	<0.2
1475638	Rock	0.031	6	10	0.86	315	0.048	<20	1.04	0.022	0.10	2.7	<0.01	1.8	0.1	0.96	3	2.6	0.2
1475639	Rock	0.022	9	13	0.96	136	0.068	<20	1.59	0.016	0.15	>100	<0.01	1.7	0.1	2.86	4	7.3	0.2
1475640	Rock	0.024	10	15	1.00	162	0.085	<20	1.64	0.015	0.18	>100	<0.01	2.2	0.1	2.38	4	7.2	0.2
1475641	Rock	0.042	7	13	0.90	114	0.047	<20	1.79	0.042	0.10	>100	<0.01	1.7	<0.1	2.99	5	9.8	0.6
1475642	Rock	0.046	10	21	1.45	151	0.085	<20	2.38	0.016	0.22	2.0	<0.01	3.0	<0.1	1.64	6	4.3	0.4
1475643	Rock	0.043	9	21	1.48	87	0.066	<20	1.75	0.012	0.21	1.1	<0.01	2.3	<0.1	1.47	5	3.5	1.1
1475644	Rock	0.048	17	18	1.49	81	0.003	<20	1.59	0.023	0.27	1.0	<0.01	3.0	0.1	2.23	4	4.9	0.6
1475645	Rock	0.025	11	9	0.56	58	0.001	<20	0.80	0.024	0.16	>100	<0.01	1.8	<0.1	1.22	2	3.9	0.4
1475646	Rock	0.056	18	13	0.54	78	0.003	<20	1.31	0.023	0.28	0.1	<0.01	2.2	0.1	1.27	3	1.9	<0.2
1475647	Rock	0.071	12	7	0.59	71	0.002	<20	0.80	0.017	0.25	0.2	<0.01	1.8	0.1	2.59	2	1.7	<0.2
1475648	Rock	0.036	5	9	0.85	34	<0.001	<20	0.65	0.035	0.07	>100	<0.01	2.9	<0.1	1.74	2	4.9	1.8
1475649	Rock	0.045	12	21	1.61	64	0.001	<20	1.34	0.049	0.10	3.2	<0.01	4.6	<0.1	1.22	5	3.8	0.4
1475650	Rock	0.007	1	<1	0.34	20	0.001	<20	0.02	0.002	0.01	0.3	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
1475701	Rock	0.019	13	6	0.38	120	0.001	<20	0.52	0.020	0.16	0.2	<0.01	1.6	<0.1	1.05	1	1.9	<0.2
1475702	Rock	0.046	8	6	0.06	319	0.002	<20	0.45	0.014	0.21	0.7	<0.01	1.0	0.1	1.61	1	4.1	<0.2
1475703	Rock	0.034	7	5	0.05	261	0.001	<20	0.35	0.007	0.13	0.6	<0.01	0.9	<0.1	1.84	<1	4.3	<0.2
1475704	Rock	0.044	8	6	0.08	430	0.002	<20	0.48	0.009	0.19	0.5	<0.01	1.1	0.2	0.74	1	1.5	<0.2
1475705	Rock	0.011	5	4	0.39	55	<0.001	<20	0.32	0.022	0.09	>100	<0.01	1.3	<0.1	1.92	1	4.7	1.0
1475706	Rock	0.018	15	5	0.22	144	0.001	<20	0.49	0.010	0.21	0.8	<0.01	1.1	<0.1	1.12	1	0.6	<0.2
1475707	Rock	0.020	13	4	0.25	101	<0.001	<20	0.45	0.009	0.20	2.9	<0.01	0.8	<0.1	2.19	1	0.8	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 01, 2019

**Page:** 4 of 5

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000675.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1475708	Rock	3.90	0.025	0.1	23.3	3.9	28	0.3	15.8	8.4	251	2.10	99.2	14.4	11.7	38	<0.1	0.6	1.5	5	1.02
1475709	Rock	1.75	0.026	0.5	26.6	4.2	23	1.7	22.8	10.1	361	2.35	485.0	10.8	13.7	52	<0.1	2.5	1.9	6	1.56
1475710	Rock	1.67	0.024	0.4	24.3	3.5	24	1.4	19.8	8.2	233	2.24	534.0	9.7	12.5	39	0.1	2.1	1.4	5	0.99
1475711	Rock	2.78	6.105	1.0	262.9	10.6	92	4.8	21.6	14.4	691	5.34	1867.8	6185.5	6.2	85	1.5	6.2	118.9	27	3.80
1475712	Rock	5.34	3.331	0.8	929.6	8.7	154	99.2	21.6	29.9	793	11.24	930.6	2723.2	3.2	114	2.5	96.6	74.0	46	4.84
1475713	Rock	4.63	0.365	0.4	73.4	4.6	49	0.5	28.4	12.9	372	2.86	315.3	465.1	9.6	77	<0.1	1.2	8.4	13	2.87
1475714	Rock	5.34	0.153	1.0	55.6	4.2	51	0.4	28.8	15.7	420	2.68	109.5	119.6	8.4	64	0.1	1.0	4.5	23	2.12
1475715	Rock	4.56	0.652	1.0	64.0	4.5	56	0.4	35.3	12.3	454	3.30	31.4	369.5	9.0	63	0.2	0.9	13.5	22	2.43
1475716	Rock	4.74	0.027	10.4	48.1	5.5	387	0.4	59.0	7.6	310	2.17	115.3	<0.5	5.3	58	8.5	1.5	0.5	110	1.28
1475717	Rock	4.60	0.020	1.5	47.9	4.4	103	0.3	60.0	13.5	560	3.94	117.6	<0.5	9.1	34	<0.1	1.3	0.6	33	0.38
1475718	Rock	5.15	0.020	7.7	65.6	4.1	154	0.5	66.9	9.2	535	2.60	119.7	2.5	7.0	50	1.7	1.2	0.4	61	0.82
1475719	Rock	4.41	0.022	14.7	79.7	183.5	413	2.8	75.8	7.6	593	2.29	281.3	6.1	3.9	55	6.0	2.7	0.4	110	1.26
1475720	Rock Pulp	0.13	1.226	6.0	108.0	6331.6	1567	40.9	16.4	10.4	1060	3.59	52.1	1378.4	3.0	85	15.0	29.4	0.8	88	1.00
1475721	Rock	4.96	0.057	8.9	70.1	23.0	101	2.1	56.8	7.0	442	1.95	237.9	26.0	2.9	38	1.1	1.3	1.2	65	0.73
1475722	Rock	5.79	0.016	1.7	47.5	11.7	36	1.0	42.9	9.8	183	1.80	252.4	17.9	5.8	30	0.2	1.2	0.3	14	0.37
1475723	Rock	4.61	0.012	1.7	17.8	92.3	201	1.0	32.8	7.6	407	1.85	85.3	4.8	7.7	32	2.6	1.3	<0.1	21	0.56
1475724	Rock	3.31	0.015	19.8	13.4	126.9	336	1.2	83.2	8.7	1077	1.77	163.5	8.9	5.6	29	4.1	1.8	0.2	112	0.77
1475725	Rock	3.69	0.052	22.3	19.6	133.9	428	1.8	78.1	4.4	1056	1.45	526.8	55.1	3.3	42	4.5	3.2	0.7	184	1.30
1475726	Rock	3.91	0.031	12.7	82.5	91.1	217	1.9	78.1	4.1	429	1.68	988.9	16.9	2.4	37	3.0	1.9	0.8	196	1.39
1475727	Rock	3.43	0.169	0.9	191.5	6.0	68	0.7	34.8	18.7	578	5.98	326.9	116.0	9.1	77	<0.1	1.3	3.4	35	2.52
1475728	Rock	5.15	0.169	1.1	600.4	5.4	80	2.1	29.6	45.2	528	11.96	26.8	136.3	7.2	63	0.2	0.7	4.3	51	1.23
1475729	Rock	1.51	0.306	2.7	89.6	10.5	100	0.6	40.9	13.0	713	3.25	23.4	282.3	10.4	79	0.4	0.6	7.1	35	3.09
1475730	Rock	1.64	0.202	1.8	108.7	9.3	80	0.5	35.1	11.8	649	3.22	22.3	155.3	9.2	88	0.5	0.7	5.2	30	3.64
1475731	Rock	1.63	0.008	1.7	81.1	17.0	86	1.2	33.6	5.5	804	1.96	36.6	<0.5	3.0	49	0.8	0.4	0.5	25	1.14
1475732	Rock	4.27	0.095	0.2	13.7	11.5	25	1.0	2.7	1.0	426	0.66	453.8	48.5	6.3	128	<0.1	0.9	0.8	<1	3.21
1475733	Rock	4.73	0.021	0.3	13.0	11.2	9	1.4	1.5	1.6	392	0.78	1192.6	19.0	6.4	174	<0.1	1.7	0.1	<1	3.40
1475734	Rock	4.75	0.018	0.2	13.2	12.3	9	1.4	1.6	1.0	717	0.59	672.6	3.1	5.1	165	<0.1	0.8	<0.1	<1	3.37
1475735	Rock	4.69	0.022	0.5	11.0	24.6	113	1.8	2.2	0.9	805	0.76	446.6	28.0	6.4	150	1.3	0.7	<0.1	<1	3.12
1475736	Rock	4.45	0.006	0.3	16.6	17.7	37	2.8	2.5	0.6	492	0.65	137.6	<0.5	7.2	122	0.3	0.1	<0.1	<1	3.18
1475737	Rock	4.44	1.460	0.3	8.9	51.9	50	4.4	1.9	0.9	915	0.63	800.7	1103.8	7.0	157	0.5	0.3	9.8	<1	4.31



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 01, 2019

Page: 4 of 5

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000675.1

Method Analyte Unit MDL	AQ200 P %	AQ200 La ppm	AQ200 Cr ppm	AQ200 Mg %	AQ200 Ba ppm	AQ200 Ti %	AQ200 B ppm	AQ200 Al %	AQ200 Na %	AQ200 K %	AQ200 W ppm	AQ200 Hg ppm	AQ200 Sc ppm	AQ200 Ti ppm	AQ200 S %	AQ200 Ga ppm	AQ200 Se ppm	AQ200 Te ppm	
																			0.001
1475708	Rock	0.018	12	4	0.52	70	<0.001	<20	0.55	0.011	0.17	0.3	<0.01	1.0	<0.1	0.93	2	1.0	<0.2
1475709	Rock	0.033	13	5	0.36	104	0.001	<20	0.65	0.012	0.24	0.3	<0.01	1.4	0.1	1.72	2	0.7	<0.2
1475710	Rock	0.034	13	4	0.34	103	0.001	<20	0.64	0.012	0.24	0.3	<0.01	1.2	0.1	1.62	2	0.8	<0.2
1475711	Rock	0.048	7	7	0.68	145	0.006	<20	1.34	0.055	0.12	>100	<0.01	2.1	0.1	3.14	6	10.8	4.2
1475712	Rock	0.044	7	7	0.79	61	0.006	<20	1.13	0.024	0.05	>100	<0.01	2.1	<0.1	7.31	6	30.1	2.1
1475713	Rock	0.038	15	11	0.72	90	0.002	<20	0.91	0.035	0.22	1.5	<0.01	2.8	0.1	1.16	3	2.8	0.4
1475714	Rock	0.031	13	15	1.04	95	0.012	<20	1.27	0.027	0.21	1.3	<0.01	2.7	0.1	0.99	4	2.2	0.2
1475715	Rock	0.043	19	17	1.09	106	0.005	<20	1.40	0.023	0.24	1.8	<0.01	3.1	0.1	1.34	4	3.1	1.0
1475716	Rock	0.058	9	17	0.44	427	0.015	<20	0.96	0.024	0.16	0.8	0.02	1.9	0.1	0.89	3	4.8	<0.2
1475717	Rock	0.066	14	24	0.67	239	0.002	<20	1.68	0.054	0.16	0.1	<0.01	2.1	<0.1	1.06	4	1.6	<0.2
1475718	Rock	0.228	12	17	0.42	327	0.003	<20	1.08	0.036	0.21	0.3	<0.01	1.9	0.1	1.10	3	6.1	<0.2
1475719	Rock	0.339	10	25	0.41	360	0.005	<20	0.92	0.010	0.24	0.6	<0.01	2.0	0.3	0.85	3	5.2	<0.2
1475720	Rock Pulp	0.051	6	21	0.81	140	0.140	<20	1.84	0.211	0.23	1.4	0.20	2.9	0.1	0.20	5	<0.5	<0.2
1475721	Rock	0.148	9	14	0.32	279	0.003	<20	0.69	0.008	0.18	0.3	<0.01	1.5	0.2	0.72	2	3.5	<0.2
1475722	Rock	0.053	14	8	0.19	349	0.001	<20	0.66	0.013	0.25	0.9	<0.01	1.2	0.2	0.84	2	3.7	<0.2
1475723	Rock	0.057	19	12	0.29	168	0.002	<20	0.93	0.009	0.23	0.1	<0.01	1.6	0.2	0.20	3	1.6	<0.2
1475724	Rock	0.043	13	11	0.29	225	0.002	<20	0.76	0.005	0.22	0.3	<0.01	1.4	0.3	0.21	2	1.1	<0.2
1475725	Rock	0.137	8	21	0.25	226	0.003	<20	0.66	0.006	0.23	0.3	<0.01	1.6	0.4	0.36	3	1.3	<0.2
1475726	Rock	0.286	8	35	0.20	188	0.004	<20	0.55	0.016	0.16	0.3	<0.01	1.5	0.2	0.74	3	4.3	<0.2
1475727	Rock	0.048	20	21	1.14	108	0.018	<20	1.80	0.040	0.20	>100	<0.01	3.4	0.1	3.16	7	13.7	0.2
1475728	Rock	0.075	14	18	1.25	43	0.050	<20	2.72	0.058	0.31	>100	<0.01	3.2	0.3	6.71	13	32.9	0.3
1475729	Rock	0.088	21	22	1.20	174	0.008	<20	1.83	0.026	0.21	16.2	<0.01	3.8	0.2	1.01	7	3.6	0.4
1475730	Rock	0.153	19	19	0.98	147	0.010	<20	1.58	0.032	0.22	24.7	<0.01	2.8	0.2	1.22	6	4.1	0.5
1475731	Rock	0.068	9	11	0.52	220	0.002	<20	0.81	0.005	0.15	0.3	<0.01	1.6	0.1	0.49	3	1.6	<0.2
1475732	Rock	0.027	8	1	0.13	121	<0.001	<20	0.65	0.033	0.19	0.8	<0.01	0.4	0.1	0.46	2	<0.5	<0.2
1475733	Rock	0.033	8	1	0.19	103	<0.001	<20	0.71	0.032	0.19	>100	<0.01	0.3	0.2	0.45	2	<0.5	<0.2
1475734	Rock	0.012	7	1	0.23	182	<0.001	<20	0.78	0.027	0.17	0.4	<0.01	0.4	0.1	0.40	2	<0.5	<0.2
1475735	Rock	0.018	8	1	0.18	121	<0.001	<20	0.74	0.033	0.19	0.8	<0.01	0.4	0.2	0.45	2	<0.5	<0.2
1475736	Rock	0.018	10	1	0.15	102	<0.001	<20	0.61	0.055	0.18	12.9	<0.01	0.5	0.3	0.27	2	<0.5	<0.2
1475737	Rock	0.028	9	1	0.05	94	<0.001	<20	0.45	0.024	0.24	1.5	<0.01	0.4	0.2	0.35	2	0.6	0.7



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 01, 2019

**Page:** 5 of 5

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000675.1

Method	Analyte	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1475738	Rock	4.42	0.058	0.6	10.2	11.1	23	0.3	1.4	1.1	466	0.63	613.4	119.9	6.5	135	0.2	0.2	<0.1	<1	3.02
1475739	Rock	4.26	0.084	0.5	10.5	13.4	18	0.6	1.8	0.9	611	0.62	775.8	81.1	7.8	149	0.2	0.3	0.1	<1	3.15
1475740	Rock	0.33	<0.005	<0.1	0.2	0.3	<1	<0.1	<0.1	<0.1	76	0.05	1.1	<0.5	<0.1	70	<0.1	<0.1	<0.1	<1	30.24
1475741	Rock	4.43	0.063	0.6	6.7	15.7	29	0.4	2.1	1.0	435	0.66	741.0	29.9	7.3	167	0.4	0.3	0.1	<1	2.72
1475742	Rock	4.67	0.075	0.2	10.4	13.6	20	0.9	1.6	0.6	169	0.67	444.2	21.6	7.1	135	0.1	0.6	0.2	<1	2.22
1475743	Rock	5.39	0.017	0.2	10.5	10.8	18	0.4	1.5	0.9	146	0.55	478.4	6.5	7.0	111	0.1	0.3	0.1	<1	2.10
1475744	Rock	3.52	0.017	1.0	10.6	14.7	28	0.2	1.9	0.8	212	0.85	48.0	11.6	7.5	116	0.2	<0.1	0.2	<1	1.73
1475745	Rock	4.35	0.080	1.6	69.6	10.0	41	1.3	35.2	8.7	353	2.31	983.3	<0.5	4.7	46	0.1	1.8	2.1	15	0.80
1475746	Rock	5.13	0.105	0.7	92.5	5.2	34	1.1	30.4	11.2	360	2.32	100.3	9.4	3.3	31	<0.1	0.9	2.4	25	0.48
1475747	Rock	4.30	0.058	0.8	15.6	1.9	21	0.1	17.6	3.4	258	1.73	108.8	16.5	3.4	28	<0.1	2.3	1.1	10	0.68
1475748	Rock	2.78	0.069	0.7	33.8	2.4	16	0.2	25.2	5.3	182	1.73	7.1	4.3	4.6	18	<0.1	1.1	2.0	12	0.34
1475749	Rock	2.18	0.105	1.0	44.0	2.8	55	0.4	40.9	6.3	620	2.15	98.4	3.3	3.8	44	0.2	2.4	2.8	14	1.02
1475750	Rock	2.08	0.105	1.2	39.7	3.4	59	0.4	41.1	5.9	547	2.37	35.0	2.7	3.5	37	0.2	3.4	2.7	14	0.91
1475801	Rock	4.52	0.236	0.4	40.7	20.4	29	1.2	18.5	4.4	412	1.90	43.0	15.7	3.0	42	<0.1	1.3	6.2	10	0.94
1475802	Rock	4.60	0.026	3.7	67.7	2.7	80	0.3	41.4	8.3	324	2.60	18.8	3.6	4.2	31	0.7	0.8	1.5	25	0.33
1475803	Rock	4.34	0.095	0.8	37.0	4.5	31	0.5	48.5	9.9	400	2.70	44.1	0.7	5.9	32	<0.1	2.6	3.6	12	0.66
1475804	Rock	4.18	0.027	0.4	54.1	5.9	73	0.8	28.4	6.7	697	2.00	103.6	3.1	2.6	50	0.2	2.6	1.1	14	0.74
1475805	Rock	4.23	0.031	0.5	72.2	5.8	38	1.1	33.0	7.1	761	1.72	82.8	1.9	2.9	56	0.2	4.7	1.4	15	1.37
1475806	Rock	4.68	0.164	0.4	22.1	8.5	23	0.4	11.0	3.0	397	0.99	56.2	81.5	2.5	25	0.2	1.7	3.5	6	0.64
1475807	Rock	4.55	0.157	0.4	10.4	35.3	54	1.3	7.2	2.1	142	0.66	40.4	58.8	2.5	8	0.7	0.5	2.4	3	0.12
1475808	Rock	3.26	0.035	0.2	4.6	17.8	34	0.5	5.1	1.4	321	0.64	107.9	10.2	2.0	31	0.2	0.4	0.6	2	0.89



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 01, 2019

**Page:** 5 of 5

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000675.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm		
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2		
1475738	Rock	0.022	11	1	0.16	131	<0.001	<20	0.70	0.035	0.22	0.3	<0.01	0.4	0.2	0.28	2	0.6	<0.2	
1475739	Rock	0.019	10	1	0.18	141	<0.001	<20	0.69	0.018	0.20	0.2	<0.01	0.4	0.2	0.38	2	0.6	<0.2	
1475740	Rock	0.005	<1	<1	0.39	12	<0.001	<20	0.02	0.002	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2	
1475741	Rock	0.014	10	1	0.15	181	<0.001	<20	0.58	0.024	0.21	0.1	<0.01	0.2	0.2	0.42	2	<0.5	<0.2	
1475742	Rock	0.016	10	2	0.17	411	<0.001	<20	0.63	0.040	0.19	2.4	<0.01	0.3	0.1	0.40	1	<0.5	<0.2	
1475743	Rock	0.014	10	1	0.12	398	<0.001	<20	0.55	0.050	0.18	<0.1	<0.01	0.3	0.1	0.28	1	<0.5	<0.2	
1475744	Rock	0.014	12	1	0.40	570	<0.001	<20	1.26	0.035	0.14	<0.1	<0.01	0.3	0.1	0.12	3	<0.5	<0.2	
1475745	Rock	0.035	7	8	0.31	239	0.001	<20	0.62	0.008	0.15	0.1	<0.01	1.4	0.1	1.60	2	2.9	<0.2	
1475746	Rock	0.014	8	11	0.52	283	0.002	<20	0.89	0.006	0.17	0.1	<0.01	1.9	<0.1	0.75	3	1.1	0.3	
1475747	Rock	0.055	7	9	0.17	136	0.002	<20	0.46	0.011	0.11	0.1	<0.01	1.1	<0.1	0.90	1	1.0	<0.2	
1475748	Rock	0.029	11	10	0.25	175	0.002	<20	0.57	0.008	0.14	<0.1	<0.01	1.3	<0.1	0.59	2	<0.5	0.2	
1475749	Rock	0.026	8	11	0.43	180	0.002	<20	0.65	0.008	0.13	<0.1	<0.01	1.5	0.1	0.93	2	1.8	0.3	
1475750	Rock	0.027	7	10	0.38	171	0.002	<20	0.63	0.008	0.13	0.1	<0.01	1.5	0.1	1.05	2	2.3	<0.2	
1475801	Rock	0.049	7	9	0.33	127	0.002	<20	0.48	0.008	0.11	0.1	<0.01	1.2	<0.1	0.83	1	1.7	0.4	
1475802	Rock	0.042	9	11	0.57	272	0.002	<20	0.85	0.007	0.17	0.2	<0.01	1.5	0.1	1.22	3	1.5	<0.2	
1475803	Rock	0.047	9	10	0.35	175	0.001	<20	0.69	0.018	0.17	0.1	<0.01	1.4	0.1	1.56	2	1.8	0.3	
1475804	Rock	0.024	7	6	0.37	185	0.001	<20	0.59	0.003	0.12	0.1	<0.01	1.7	<0.1	0.58	2	<0.5	<0.2	
1475805	Rock	0.028	7	8	0.34	200	0.001	<20	0.54	0.004	0.11	0.1	<0.01	1.9	<0.1	0.50	2	1.2	<0.2	
1475806	Rock	0.023	7	7	0.12	105	0.001	<20	0.27	0.004	0.07	0.1	<0.01	0.6	<0.1	0.33	<1	0.7	0.3	
1475807	Rock	0.009	9	6	0.07	78	0.001	<20	0.20	0.005	0.06	<0.1	<0.01	0.3	<0.1	0.19	<1	<0.5	0.2	
1475808	Rock	0.007	6	5	0.06	30	<0.001	<20	0.15	0.002	0.03	<0.1	<0.01	0.2	<0.1	0.17	<1	<0.5	<0.2	



# QUALITY CONTROL REPORT

WHI19000675.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
Pulp Duplicates																					
1475612	Rock	4.70	0.015	0.6	28.6	3.0	27	0.3	21.2	6.5	233	1.20	224.5	2.5	2.7	18	<0.1	1.0	0.3	11	0.19
REP 1475612	QC	0.016																			
1475620	Rock	1.93	0.007	4.6	112.5	3.6	49	0.3	44.9	11.6	204	2.21	159.7	<0.5	3.4	24	0.2	1.6	0.3	25	0.28
REP 1475620	QC	5.0 113.1 3.8 46 0.3 47.9 12.7 204 2.25 156.4 6.0 3.4 26 0.1 1.8 0.3 26 0.28																			
1475705	Rock	4.82	1.525	2.9	123.5	3.5	35	0.9	17.9	6.9	504	3.12	121.9	935.0	4.6	56	0.3	1.9	34.3	16	2.85
REP 1475705	QC	3.0 124.2 3.6 35 0.9 16.9 7.0 518 3.09 124.6 1392.3 4.6 57 0.5 2.1 34.6 16 2.82																			
1475713	Rock	4.63	0.365	0.4	73.4	4.6	49	0.5	28.4	12.9	372	2.86	315.3	465.1	9.6	77	<0.1	1.2	8.4	13	2.87
REP 1475713	QC	0.369																			
1475740	Rock	0.33	<0.005	<0.1	0.2	0.3	<1	<0.1	<0.1	<0.1	76	0.05	1.1	<0.5	<0.1	70	<0.1	<0.1	<0.1	<1	30.24
REP 1475740	QC	<0.1 0.2 0.3 <1 <0.1 <0.1 <0.1 <0.1 77 0.05 1.4 <0.5 <0.1 67 <0.1 <0.1 <0.1 <1 29.14																			
1475805	Rock	4.23	0.031	0.5	72.2	5.8	38	1.1	33.0	7.1	761	1.72	82.8	1.9	2.9	56	0.2	4.7	1.4	15	1.37
REP 1475805	QC	0.031																			
1475806	Rock	4.68	0.164	0.4	22.1	8.5	23	0.4	11.0	3.0	397	0.99	56.2	81.5	2.5	25	0.2	1.7	3.5	6	0.64
REP 1475806	QC	0.4 20.8 8.6 22 0.4 9.7 3.0 405 0.94 49.9 56.4 2.3 26 0.2 1.6 3.3 6 0.62																			
Core Reject Duplicates																					
1475615	Rock	4.69	0.041	10.6	43.3	6.1	65	0.5	62.3	9.4	273	1.69	278.1	15.5	3.4	63	0.2	1.6	0.3	57	1.09
DUP 1475615	QC	0.039 10.3 46.3 6.7 61 0.5 62.8 9.7 282 1.68 307.1 10.1 3.7 65 0.3 1.5 0.3 60 1.12																			
1475649	Rock	3.12	0.339	0.5	83.9	6.2	91	0.7	24.9	10.9	713	3.48	15.0	355.1	11.7	44	0.2	1.3	8.6	37	4.57
DUP 1475649	QC	0.341 0.5 82.4 6.4 84 0.7 24.5 11.4 702 3.59 17.2 298.2 12.2 44 0.2 1.2 9.2 38 4.69																			
1475733	Rock	4.73	0.021	0.3	13.0	11.2	9	1.4	1.5	1.6	392	0.78	1192.6	19.0	6.4	174	<0.1	1.7	0.1	<1	3.40
DUP 1475733	QC	0.017 0.3 12.8 11.2 9 1.3 1.6 1.5 390 0.73 1112.3 10.0 6.1 173 <0.1 1.6 <0.1 <1 3.38																			
Reference Materials																					
STD BVGEO01	Standard	9.7 4210.3 166.8 1646 2.4 149.8 23.2 666 3.50 108.5 199.6 13.8 57 5.6 2.9 25.6 67 1.23																			
STD BVGEO01	Standard	10.3 4168.7 169.5 1712 2.4 153.3 24.1 666 3.42 114.6 195.4 15.1 55 6.6 2.6 23.2 68 1.23																			
STD DS11	Standard	12.9 151.4 132.7 329 1.7 81.0 13.6 951 3.01 41.0 51.4 7.5 68 2.2 8.1 11.3 46 1.03																			
STD DS11	Standard	13.9 139.9 133.7 327 1.7 73.4 12.6 963 2.92 40.0 46.5 8.4 65 2.3 7.0 11.6 44 0.99																			
STD OREAS262	Standard	0.5 110.8 54.5 143 0.4 58.8 25.8 485 3.04 32.1 61.2 9.0 35 0.7 2.7 1.1 19 2.76																			
STD OREAS262	Standard	0.6 116.3 55.8 139 0.4 60.1 27.0 501 3.13 32.7 63.9 8.9 35 0.7 3.7 1.0 20 2.92																			





Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 01, 2019

Page: 1 of 3

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000675.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																			
1475612	Rock	0.019	9	8	0.23	195	0.002	<20	0.42	0.004	0.08	<0.1	<0.01	1.0	<0.1	0.29	1	<0.5	<0.2
REP 1475612	QC																		
1475620	Rock	0.049	9	11	0.38	483	0.002	<20	0.72	0.004	0.13	0.1	<0.01	1.6	<0.1	0.71	2	2.6	<0.2
REP 1475620	QC	0.051	9	11	0.39	489	0.003	<20	0.74	0.004	0.13	0.1	<0.01	1.7	<0.1	0.71	2	2.8	<0.2
1475705	Rock	0.011	5	4	0.39	55	<0.001	<20	0.32	0.022	0.09	>100	<0.01	1.3	<0.1	1.92	1	4.7	1.0
REP 1475705	QC	0.013	5	4	0.39	54	<0.001	<20	0.31	0.021	0.09	98.3	<0.01	1.2	<0.1	1.89	1	4.4	1.1
1475713	Rock	0.038	15	11	0.72	90	0.002	<20	0.91	0.035	0.22	1.5	<0.01	2.8	0.1	1.16	3	2.8	0.4
REP 1475713	QC																		
1475740	Rock	0.005	<1	<1	0.39	12	<0.001	<20	0.02	0.002	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
REP 1475740	QC	0.006	<1	<1	0.39	12	<0.001	<20	0.02	0.002	0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
1475805	Rock	0.028	7	8	0.34	200	0.001	<20	0.54	0.004	0.11	0.1	<0.01	1.9	<0.1	0.50	2	1.2	<0.2
REP 1475805	QC																		
1475806	Rock	0.023	7	7	0.12	105	0.001	<20	0.27	0.004	0.07	0.1	<0.01	0.6	<0.1	0.33	<1	0.7	0.3
REP 1475806	QC	0.021	7	6	0.12	102	0.001	<20	0.26	0.004	0.07	0.2	<0.01	0.6	<0.1	0.32	<1	<0.5	0.3
Core Reject Duplicates																			
1475615	Rock	0.062	7	10	0.40	661	0.003	<20	0.63	0.005	0.15	0.2	<0.01	1.6	0.1	0.54	2	2.0	<0.2
DUP 1475615	QC	0.060	8	11	0.41	668	0.003	<20	0.63	0.006	0.15	0.2	<0.01	1.8	0.1	0.54	2	2.1	<0.2
1475649	Rock	0.045	12	21	1.61	64	0.001	<20	1.34	0.049	0.10	3.2	<0.01	4.6	<0.1	1.22	5	3.8	0.4
DUP 1475649	QC	0.045	12	20	1.64	68	0.002	<20	1.33	0.052	0.11	3.7	<0.01	4.6	<0.1	1.25	5	3.3	0.4
1475733	Rock	0.033	8	1	0.19	103	<0.001	<20	0.71	0.032	0.19	>100	<0.01	0.3	0.2	0.45	2	<0.5	<0.2
DUP 1475733	QC	0.030	8	1	0.18	101	<0.001	<20	0.68	0.031	0.19	>100	<0.01	0.3	0.1	0.45	2	<0.5	<0.2
Reference Materials																			
STD BVGE001	Standard	0.067	27	160	1.22	325	0.222	<20	2.20	0.180	0.82	3.6	0.08	5.0	0.5	0.62	7	4.8	0.9
STD BVGE001	Standard	0.072	26	165	1.23	312	0.242	<20	2.15	0.172	0.84	3.2	0.09	5.2	0.6	0.64	7	3.9	0.9
STD DS11	Standard	0.065	18	59	0.82	408	0.088	<20	1.11	0.068	0.39	2.8	0.25	3.1	4.3	0.28	5	2.3	4.1
STD DS11	Standard	0.060	18	54	0.81	397	0.083	<20	1.10	0.068	0.38	2.4	0.28	3.0	5.3	0.26	5	2.3	4.6
STD OREAS262	Standard	0.036	15	42	1.10	218	0.003	<20	1.21	0.064	0.29	0.1	0.16	3.1	0.4	0.24	4	<0.5	0.2
STD OREAS262	Standard	0.034	16	40	1.14	226	0.003	<20	1.13	0.066	0.30	0.1	0.15	3.0	0.4	0.25	3	<0.5	0.3



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 01, 2019

Page: 2 of 3

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000675.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
STD OREAS262	Standard			0.6	108.5	55.3	145	0.4	61.6	25.4	526	3.10	35.1	55.1	9.6	35	0.7	2.2	1.0	21	2.95	
STD OREAS262	Standard			0.6	111.6	60.5	147	0.4	60.0	25.5	507	3.05	33.3	62.4	8.8	34	0.5	3.1	0.9	21	2.90	
STD OXB130	Standard		0.127																			
STD OXB130	Standard		0.125																			
STD OXB130	Standard		0.125																			
STD OXI138	Standard		1.848																			
STD OXI138	Standard		1.950																			
STD OXI138	Standard		1.896																			
STD OXN117	Standard		7.885																			
STD OXN117	Standard		7.935																			
STD OXN117	Standard		7.766																			
STD OXI138 Expected			1.86																			
STD OXB130 Expected			0.125																			
STD OXN117 Expected			7.679																			
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063	
STD BVGEO01 Expected				10.8	4415	187	1741	2.53	163	25	733	3.7	121	219	14.4	55	6.5	2.2	25.6	73	1.3219	
STD OREAS262 Expected				0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	65	9.33	36	0.61	3.39	1.03	22.5	2.98	
BLK	Blank		<0.005																			
BLK	Blank		<0.005																			
BLK	Blank		<0.005																			
BLK	Blank		<0.005																			
BLK	Blank		<0.005																			
BLK	Blank		<0.005																			
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
Prep Wash																						
ROCK-WHI	Prep Blank		<0.005	0.8	5.2	1.0	31	<0.1	1.4	4.4	549	1.88	1.1	<0.5	2.1	23	<0.1	<0.1	<0.1	26	0.65	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 01, 2019

Page: 2 of 3

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000675.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
STD OREAS262	Standard	0.034	16	41	1.14	242	0.003	<20	1.20	0.066	0.31	<0.1	0.15	3.0	0.4	0.25	4	<0.5	0.3	
STD OREAS262	Standard	0.041	17	39	1.11	218	0.003	<20	1.19	0.063	0.30	<0.1	0.14	3.1	0.4	0.25	4	<0.5	0.3	
STD OXB130	Standard																			
STD OXB130	Standard																			
STD OXB130	Standard																			
STD OXI138	Standard																			
STD OXI138	Standard																			
STD OXI138	Standard																			
STD OXN117	Standard																			
STD OXN117	Standard																			
STD OXN117	Standard																			
STD OXI138 Expected																				
STD OXB130 Expected																				
STD OXN117 Expected																				
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56	
STD BVGEO01 Expected		0.0727	25.9	171	1.2963	340	0.233		2.347	0.1924	0.89	3.5	0.1	5.97	0.62	0.6655	7.37	4.84	1.02	
STD OREAS262 Expected		0.04	15.9	41.7	1.17	248	0.003		1.204	0.071	0.312	0.13	0.17	3.24	0.47	0.253	3.73	0.4	0.23	
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2	
Prep Wash																				
ROCK-WHI	Prep Blank	0.036	7	4	0.51	56	0.088	<20	0.91	0.087	0.09	0.1	<0.01	2.8	<0.1	<0.05	3	<0.5	<0.2	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 01, 2019

Page: 3 of 3

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000675.1

WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca		
kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%		
0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01		
ROCK-WHI	Prep Blank	<0.005	0.7	4.4	0.9	27	<0.1	1.4	4.2	522	1.91	0.9	<0.5	2.2	23	<0.1	<0.1	<0.1	25	0.63	



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 01, 2019

Page: 3 of 3

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000675.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
ROCK-WHI	Prep Blank	0.033	6	3	0.54	53	0.080	<20	0.94	0.088	0.08	0.1	<0.01	2.7	<0.1	<0.05	3	<0.5	<0.2



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Submitted By: James Thom  
Receiving Lab: Canada-Whitehorse  
Received: October 10, 2019  
Report Date: November 01, 2019  
Page: 1 of 6

## CERTIFICATE OF ANALYSIS

WHI19000676.1

### CLIENT JOB INFORMATION

Project: McQuesten  
Shipment ID: MQ-19-14a  
P.O. Number  
Number of Samples: 126

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
RTRN-RJT Return After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Banyan Gold Corp.  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7  
Canada

CC: Paul Gray

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	122	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	4	Sort, label and box pulps			WHI
FA450	126	50g Lead Collection Fire Assay Fusion - AAS Finish	50	Completed	VAN
EN002	126	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	126	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	126	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS

  
MAY LAI  
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. \*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 01, 2019

Page: 2 of 6

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000676.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1475809	Rock	3.56	0.042	1.0	45.2	8.4	74	0.4	23.8	10.2	590	2.38	31.6	28.0	8.8	197	0.8	0.2	1.4	24	8.39
1475810	Rock Pulp	0.13	1.307	6.5	116.0	7075.4	1538	44.2	17.0	11.5	1113	3.78	57.2	1188.5	3.5	93	16.6	27.8	0.8	101	1.11
1475811	Rock	4.06	0.088	2.0	44.0	9.5	158	0.4	35.9	14.3	787	2.64	65.1	78.0	9.7	92	2.6	0.4	2.9	36	2.38
1475812	Rock	3.99	0.049	2.8	53.1	9.4	144	0.3	43.5	16.2	645	2.55	98.7	41.6	10.3	142	2.5	0.4	2.4	39	2.67
1475813	Rock	3.89	0.020	2.1	40.4	6.3	67	0.3	28.4	14.5	503	2.26	160.6	13.1	10.1	48	0.4	0.4	1.1	16	1.12
1475814	Rock	3.31	0.028	1.3	29.5	8.7	68	0.3	24.9	11.9	407	2.95	223.3	8.7	13.4	12	0.2	0.4	1.3	10	0.13
1475815	Rock	2.92	0.044	2.7	58.7	9.8	85	0.6	50.2	22.1	445	4.04	335.7	14.2	12.9	15	0.4	1.0	4.5	21	0.11
1475816	Rock	2.58	0.011	1.9	50.4	7.1	115	0.5	38.3	17.0	422	3.87	230.3	3.2	12.4	11	0.7	0.8	2.2	18	0.12
1475817	Rock	2.64	0.059	0.8	19.9	5.1	64	0.2	18.6	9.2	212	2.16	84.0	29.2	12.6	15	0.5	0.2	1.5	10	0.34
1475818	Rock	5.17	0.011	0.5	14.1	6.6	48	0.1	11.0	5.4	397	1.23	37.8	4.6	5.2	398	0.5	0.3	0.5	8	13.02
1475819	Rock	1.66	0.025	0.3	19.6	5.0	36	0.2	11.4	5.5	435	0.88	30.5	16.5	4.1	230	0.7	0.2	0.9	6	9.62
1475820	Rock	1.77	0.014	0.3	18.7	4.8	37	0.1	11.1	5.2	422	0.91	22.7	6.2	3.9	210	0.4	0.2	0.5	7	9.49
1475821	Rock	3.95	0.017	1.0	41.6	5.6	113	0.2	32.2	15.9	722	2.00	77.3	12.2	8.0	42	1.2	0.4	0.8	18	2.90
1475822	Rock	3.37	0.011	1.2	57.8	12.3	140	0.5	41.3	19.3	435	3.20	141.1	3.1	15.8	34	1.2	0.6	2.5	17	0.76
1475823	Rock	4.82	0.029	1.1	53.2	9.8	140	0.5	30.7	15.0	728	3.04	56.6	17.4	11.5	86	0.8	0.4	1.9	27	2.68
1475824	Rock	5.15	0.084	1.8	63.5	5.5	257	0.4	24.4	12.3	826	3.22	46.8	39.8	8.2	163	7.3	0.3	1.7	30	5.87
1475825	Rock	4.39	0.008	3.0	140.3	5.9	125	0.5	29.5	15.4	247	3.67	178.0	6.1	12.7	27	2.0	0.9	0.8	82	0.69
1475826	Rock	5.15	0.014	7.0	50.3	2.8	82	0.1	65.0	12.6	188	1.63	168.3	7.2	5.4	49	0.6	1.1	0.2	161	1.01
1475827	Rock	4.55	0.011	7.5	25.1	4.3	63	0.1	40.4	3.9	81	1.34	122.7	5.3	3.5	22	0.6	1.8	0.2	117	0.23
1475828	Rock	4.21	0.016	5.1	173.7	4.3	75	0.4	61.0	13.1	174	2.67	160.3	10.2	4.2	18	0.7	2.5	0.4	110	0.31
1475829	Rock	4.78	0.021	1.6	50.5	1.9	48	0.1	31.0	8.4	120	1.17	186.8	16.9	3.4	20	0.5	1.2	0.2	12	0.11
1475830	Rock	0.29	<0.005	<0.1	0.9	0.7	1	<0.1	1.2	0.8	90	0.06	1.3	<0.5	0.2	85	<0.1	<0.1	<0.1	<1	34.87
1475831	Rock	4.83	0.021	2.1	139.6	2.7	89	0.3	66.3	17.5	162	2.28	196.5	11.5	4.0	24	1.0	1.6	0.3	28	0.25
1475832	Rock	3.75	0.144	1.1	117.6	1.8	48	0.6	30.5	8.8	155	2.26	1261.6	41.5	3.5	17	0.3	3.5	0.4	19	0.35
1475833	Rock	2.97	0.071	2.4	64.6	1.4	39	0.3	30.0	6.8	141	1.60	592.0	42.9	3.6	21	0.2	2.3	0.2	17	0.25
1475834	Rock	6.33	0.035	8.7	83.1	2.2	50	0.3	59.9	9.5	173	1.99	296.8	32.4	3.2	53	0.2	2.7	0.2	61	1.01
1475835	Rock	5.00	0.006	4.6	66.9	3.6	90	0.2	55.9	9.6	293	2.65	257.1	3.3	5.0	30	0.3	1.1	0.3	46	0.49
1475836	Rock	4.75	0.066	7.2	102.1	2.6	57	0.3	58.0	8.5	139	2.25	410.1	45.0	3.4	23	0.3	2.5	0.2	27	0.33
1475837	Rock	4.72	<0.005	3.5	68.3	3.3	60	0.2	43.1	7.4	269	1.95	69.0	1.2	4.3	37	0.2	1.6	0.3	33	0.54
1475838	Rock	5.08	0.050	7.1	43.4	4.2	63	0.2	48.0	7.2	250	1.94	349.5	55.5	7.5	49	0.3	0.4	0.6	88	1.33



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 01, 2019

**Page:** 2 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000676.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
1475809	Rock	0.061	13	18	0.62	163	0.094	<20	2.07	0.066	0.17	2.3	<0.01	2.6	<0.1	0.28	6	1.3	<0.2
1475810	Rock Pulp	0.057	7	22	0.85	161	0.148	<20	1.96	0.228	0.24	1.4	0.20	3.7	0.1	0.21	6	<0.5	<0.2
1475811	Rock	0.068	16	25	1.35	222	0.090	<20	2.87	0.109	0.21	>100	<0.01	3.8	0.2	0.11	8	1.7	<0.2
1475812	Rock	0.059	14	33	1.31	275	0.101	<20	3.70	0.176	0.22	1.8	<0.01	3.6	0.2	0.22	10	2.5	<0.2
1475813	Rock	0.037	16	15	0.69	80	0.027	<20	1.71	0.049	0.16	9.2	<0.01	1.9	<0.1	0.19	4	1.6	<0.2
1475814	Rock	0.032	30	11	0.50	55	0.004	<20	1.24	0.008	0.21	0.5	<0.01	1.9	<0.1	<0.05	3	<0.5	<0.2
1475815	Rock	0.049	29	14	0.71	59	0.002	<20	1.24	0.007	0.22	0.6	<0.01	3.7	0.1	<0.05	3	2.0	0.2
1475816	Rock	0.054	24	16	0.91	44	0.003	<20	1.44	0.005	0.17	0.8	<0.01	2.9	<0.1	<0.05	4	1.5	<0.2
1475817	Rock	0.037	20	11	0.48	47	0.002	<20	0.95	0.017	0.20	0.3	<0.01	1.5	<0.1	<0.05	2	0.7	<0.2
1475818	Rock	0.046	7	8	0.38	65	0.012	<20	0.77	0.019	0.16	4.2	<0.01	1.3	<0.1	0.09	2	0.6	<0.2
1475819	Rock	0.027	4	6	0.29	85	0.032	<20	0.82	0.040	0.04	2.4	<0.01	1.2	<0.1	0.23	2	0.8	<0.2
1475820	Rock	0.027	4	8	0.32	85	0.032	<20	0.84	0.040	0.06	1.6	<0.01	1.0	<0.1	0.21	2	0.6	<0.2
1475821	Rock	0.048	11	13	0.61	66	0.011	<20	1.11	0.049	0.10	15.5	<0.01	2.6	<0.1	0.11	3	3.1	<0.2
1475822	Rock	0.038	22	15	0.66	98	0.093	<20	1.49	0.029	0.20	0.2	<0.01	2.8	<0.1	0.07	4	6.3	<0.2
1475823	Rock	0.054	12	19	0.86	233	0.092	<20	1.90	0.033	0.17	25.1	<0.01	3.1	<0.1	0.68	6	6.3	<0.2
1475824	Rock	0.054	5	17	0.69	268	0.062	<20	2.00	0.067	0.08	>100	<0.01	2.5	<0.1	1.21	6	3.8	<0.2
1475825	Rock	0.068	11	18	0.70	165	0.039	<20	1.31	0.018	0.18	0.7	<0.01	2.6	<0.1	1.41	4	10.5	<0.2
1475826	Rock	0.074	10	20	0.39	263	0.002	<20	0.87	0.014	0.14	0.3	<0.01	2.0	0.1	0.17	3	2.9	<0.2
1475827	Rock	0.064	10	15	0.32	695	0.003	<20	0.77	0.005	0.14	0.2	<0.01	1.7	<0.1	<0.05	3	2.8	<0.2
1475828	Rock	0.042	7	13	0.48	405	0.003	<20	0.92	0.006	0.12	0.2	<0.01	1.7	<0.1	0.90	3	3.5	<0.2
1475829	Rock	0.019	10	7	0.16	327	0.002	<20	0.46	0.004	0.12	0.1	<0.01	1.0	<0.1	0.15	1	1.2	<0.2
1475830	Rock	0.008	1	<1	0.39	18	0.002	<20	0.02	0.002	0.02	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
1475831	Rock	0.041	8	11	0.44	350	0.002	<20	0.80	0.005	0.14	0.2	<0.01	1.4	<0.1	0.76	2	2.0	<0.2
1475832	Rock	0.029	7	9	0.43	314	0.002	<20	0.77	0.005	0.13	0.2	<0.01	1.8	<0.1	1.18	2	1.4	<0.2
1475833	Rock	0.037	9	8	0.28	430	0.002	<20	0.62	0.008	0.17	0.1	<0.01	1.2	<0.1	0.72	2	0.8	<0.2
1475834	Rock	0.273	8	18	0.36	483	0.004	<20	0.74	0.007	0.19	0.7	<0.01	1.8	0.1	0.76	3	2.7	<0.2
1475835	Rock	0.048	11	18	0.59	481	0.004	<20	1.14	0.007	0.21	0.2	<0.01	1.9	0.2	0.77	3	3.4	<0.2
1475836	Rock	0.053	7	11	0.29	56	0.003	<20	0.59	0.003	0.13	0.3	<0.01	1.1	0.2	1.30	2	2.7	<0.2
1475837	Rock	0.055	9	11	0.42	742	0.005	<20	0.65	0.005	0.14	0.2	<0.01	1.3	0.1	0.68	2	2.6	<0.2
1475838	Rock	0.073	11	16	0.47	356	0.005	<20	0.77	0.013	0.17	1.1	<0.01	1.9	0.2	0.55	3	2.3	<0.2





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 01, 2019

Page: 3 of 6

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000676.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1475839	Rock	2.23	0.030	17.0	17.4	2.1	52	<0.1	79.6	4.7	169	1.16	185.2	27.0	3.6	45	0.3	0.7	0.5	237	1.13
1475840	Rock	2.33	0.046	16.2	24.1	2.3	140	<0.1	77.9	5.0	177	1.22	214.4	47.9	3.5	45	4.0	0.7	0.6	207	1.09
1475841	Rock	4.85	0.316	2.2	97.8	5.5	68	0.4	59.9	12.8	246	2.63	288.9	168.8	6.1	40	0.5	2.0	5.0	42	1.22
1475842	Rock	4.49	0.008	2.8	84.8	2.6	41	0.4	45.2	6.4	180	1.84	64.4	8.8	2.4	27	0.1	1.6	0.2	20	0.56
1475843	Rock	4.79	0.075	5.5	78.6	6.5	73	0.6	53.2	11.2	365	2.75	228.7	107.0	7.9	86	0.2	2.1	1.7	73	2.35
1475844	Rock	4.56	0.051	16.3	14.2	2.6	49	0.1	78.7	3.1	297	1.23	182.4	37.4	3.5	89	0.3	0.4	1.1	265	3.09
1475845	Rock	4.48	0.037	19.4	17.5	3.1	57	0.1	90.3	3.5	260	1.26	93.8	34.0	3.6	67	0.4	0.8	0.7	322	2.08
1475846	Rock	6.72	1.070	4.6	48.5	7.4	87	0.3	48.8	13.5	319	3.03	591.4	781.4	8.6	66	0.2	0.7	14.7	82	1.69
1475847	Rock	1.39	3.692	0.7	214.2	11.1	177	1.1	39.3	43.3	591	7.02	8501.9	2414.1	9.1	65	3.2	2.6	26.9	65	2.66
1475848	Rock	4.27	1.464	0.5	154.9	5.6	220	0.7	21.8	15.6	663	5.82	2196.2	1190.1	7.0	73	5.2	1.2	11.9	45	3.97
1475849	Rock	2.82	0.064	1.8	73.7	6.9	82	0.4	31.6	12.2	452	3.33	151.7	35.2	12.4	36	0.2	0.7	2.9	25	1.89
1475850	Rock Pulp	0.13	1.299	5.8	106.6	6673.8	1479	41.4	16.3	10.4	1062	3.56	51.7	1813.1	2.6	73	14.3	28.7	0.7	91	0.92
1475851	Rock	4.53	0.332	0.8	34.5	3.8	78	0.1	10.5	9.8	157	1.23	285.8	247.4	8.8	175	2.1	0.3	1.9	14	3.73
1475852	Rock	3.21	0.466	0.1	24.5	4.4	80	0.1	1.8	1.2	138	0.94	196.6	259.4	10.2	163	2.4	0.1	2.1	3	4.25
1475853	Rock	5.03	0.018	13.5	28.4	4.5	80	0.1	67.7	7.3	167	1.85	102.5	10.6	6.9	35	0.6	1.0	0.5	145	1.07
1475854	Rock	3.59	0.245	3.4	77.7	7.8	82	0.6	47.0	15.4	405	3.38	50.1	209.0	9.7	139	0.5	0.2	8.7	34	1.92
1475855	Rock	4.64	1.532	4.2	372.4	3.3	43	2.0	16.7	14.3	936	10.22	2.8	1975.5	1.8	107	0.4	0.1	31.5	16	9.10
1475856	Rock	4.84	0.226	0.6	101.7	7.7	70	0.5	37.8	15.2	306	3.18	53.8	182.9	11.0	312	0.1	0.2	5.6	34	3.96
1475857	Rock	1.35	0.284	0.6	261.5	5.7	53	1.1	28.0	15.2	844	7.55	798.8	278.0	7.2	199	0.3	0.6	7.4	19	9.15
1475858	Rock	4.04	0.085	0.4	60.2	5.7	66	0.4	39.0	13.5	324	2.96	41.6	66.8	9.8	173	0.1	0.2	2.8	26	2.36
1475859	Rock	2.19	0.059	0.9	57.0	4.8	66	0.4	39.6	15.3	365	3.80	418.7	20.7	9.1	82	<0.1	0.5	2.9	27	1.04
1475860	Rock	2.06	0.057	0.9	63.2	4.6	60	0.4	36.3	13.9	333	3.51	21.3	29.5	8.5	61	<0.1	0.3	2.7	24	1.05
1475861	Rock	4.71	0.016	1.5	52.7	4.9	73	0.3	38.3	15.1	297	3.07	31.6	4.7	10.1	142	<0.1	0.2	0.9	28	0.77
1475862	Rock	5.39	0.111	1.2	67.5	5.8	55	0.4	35.3	12.2	234	2.72	19.0	84.6	10.3	139	0.1	0.2	3.7	19	1.85
1475863	Rock	5.05	0.018	0.9	45.0	4.1	47	0.4	31.3	12.6	299	3.48	31.4	7.6	10.6	87	<0.1	0.2	1.6	22	0.65
1475864	Rock	2.83	0.036	1.9	63.4	8.0	48	0.5	45.4	17.8	242	3.14	16.9	19.7	7.7	298	0.1	0.2	2.9	42	2.64
1475865	Rock	3.02	0.033	0.8	79.5	7.0	52	0.5	43.7	17.4	349	3.78	2.9	14.0	7.4	163	0.1	0.3	3.1	30	1.32
1475866	Rock	5.57	0.029	1.3	33.6	3.9	38	0.3	24.7	7.2	200	2.26	16.6	16.8	7.3	185	<0.1	0.2	1.2	17	1.89
1475867	Rock	5.53	0.011	8.8	66.2	4.1	33	0.3	49.6	8.4	147	2.11	44.9	5.0	6.3	91	<0.1	0.2	0.6	64	1.50
1475868	Rock	3.84	0.049	18.0	62.7	3.3	59	0.4	62.5	9.0	302	2.27	123.2	70.0	4.5	122	0.4	0.3	1.1	149	4.80



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 01, 2019

Page: 3 of 6

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000676.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
1475839	Rock	0.052	10	23	0.41	500	0.044	<20	1.13	0.051	0.10	2.2	<0.01	2.1	0.1	0.13	4	0.5	<0.2
1475840	Rock	0.048	9	20	0.40	495	0.035	<20	1.07	0.042	0.10	5.5	<0.01	2.1	0.1	0.19	4	0.9	<0.2
1475841	Rock	0.041	11	17	0.48	358	0.031	<20	1.12	0.018	0.16	64.5	<0.01	2.0	0.1	1.03	4	3.9	0.3
1475842	Rock	0.014	6	9	0.31	371	0.001	<20	0.44	0.003	0.10	0.3	<0.01	1.1	<0.1	0.64	1	2.2	<0.2
1475843	Rock	0.068	7	18	0.71	252	0.002	<20	1.15	0.013	0.20	0.2	<0.01	2.4	0.2	1.06	4	3.3	<0.2
1475844	Rock	0.368	11	36	0.40	66	0.004	<20	0.88	0.018	0.07	16.5	<0.01	2.7	0.1	0.20	4	0.8	<0.2
1475845	Rock	0.213	10	31	0.46	253	0.019	<20	1.28	0.075	0.06	0.5	<0.01	2.6	<0.1	0.20	6	0.6	<0.2
1475846	Rock	0.069	11	30	1.09	187	0.091	<20	2.12	0.057	0.56	0.9	<0.01	3.1	0.6	0.73	7	2.1	0.9
1475847	Rock	0.049	14	26	1.33	65	0.038	<20	2.42	0.027	0.20	>100	*	3.5	0.2	3.67	9	14.6	1.8
1475848	Rock	0.049	9	20	0.88	70	0.052	<20	2.08	0.065	0.09	>100	0.03	2.4	<0.1	3.13	8	10.3	0.6
1475849	Rock	0.038	9	16	1.05	80	0.055	<20	1.85	0.018	0.23	2.7	<0.01	2.5	0.1	1.23	5	3.0	<0.2
1475850	Rock Pulp	0.050	6	21	0.79	133	0.132	<20	1.72	0.194	0.22	1.6	0.22	2.7	0.1	0.20	5	<0.5	<0.2
1475851	Rock	0.023	14	4	0.24	143	0.002	<20	2.25	0.128	0.09	10.9	<0.01	0.7	<0.1	0.50	11	1.8	<0.2
1475852	Rock	0.019	17	2	0.16	88	<0.001	<20	2.45	0.159	0.07	67.5	<0.01	0.4	<0.1	0.32	13	1.1	<0.2
1475853	Rock	0.059	9	20	0.48	376	0.025	<20	1.05	0.032	0.24	0.5	<0.01	1.8	0.3	0.49	3	2.4	<0.2
1475854	Rock	0.068	10	24	1.06	232	0.077	<20	2.69	0.161	0.33	0.4	<0.01	3.1	0.4	1.51	7	6.1	0.6
1475855	Rock	0.048	3	5	0.17	39	0.017	<20	1.00	0.044	0.02	>100	0.02	0.5	<0.1	4.93	4	18.7	1.3
1475856	Rock	0.047	20	34	0.76	233	0.071	<20	5.19	0.356	0.27	1.8	<0.01	4.6	0.2	1.37	16	5.4	0.3
1475857	Rock	0.074	7	14	0.47	93	0.031	<20	2.90	0.142	0.12	20.1	<0.01	2.1	<0.1	3.65	11	14.6	0.3
1475858	Rock	0.051	8	25	1.00	150	0.073	<20	3.28	0.170	0.40	1.9	<0.01	2.9	0.4	1.18	8	3.3	<0.2
1475859	Rock	0.045	8	21	1.18	134	0.102	<20	2.26	0.060	0.69	0.4	<0.01	2.8	0.8	1.56	6	2.8	<0.2
1475860	Rock	0.051	7	20	1.08	111	0.109	<20	2.06	0.058	0.64	0.7	<0.01	2.7	0.8	1.41	5	2.4	<0.2
1475861	Rock	0.043	10	26	1.01	236	0.136	<20	2.02	0.057	0.65	0.3	<0.01	3.3	0.8	0.87	6	2.0	<0.2
1475862	Rock	0.053	8	24	0.77	214	0.067	<20	2.16	0.101	0.40	0.6	<0.01	2.6	0.4	1.18	6	3.2	0.2
1475863	Rock	0.041	9	19	0.97	168	0.061	<20	2.24	0.058	0.65	0.2	<0.01	3.1	0.7	1.37	6	2.0	<0.2
1475864	Rock	0.055	8	36	1.16	245	0.094	<20	4.68	0.285	0.65	0.5	<0.01	4.8	0.6	1.42	11	3.9	<0.2
1475865	Rock	0.065	9	27	1.13	251	0.080	<20	3.06	0.134	0.86	1.8	<0.01	4.3	0.8	1.74	8	4.6	<0.2
1475866	Rock	0.042	9	16	0.60	352	0.040	<20	2.09	0.071	0.28	0.9	<0.01	1.8	0.3	0.68	5	1.7	<0.2
1475867	Rock	0.042	7	17	0.53	288	0.022	<20	1.78	0.055	0.10	0.4	<0.01	2.2	0.1	0.93	6	4.1	<0.2
1475868	Rock	0.027	7	12	0.26	296	0.017	<20	1.09	0.024	0.11	34.8	<0.01	1.7	0.2	1.23	3	3.9	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 01, 2019

**Page:** 4 of 6

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000676.1

Method Analyte	Unit	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
MDL		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1475869	Rock	4.79	0.122	1.2	41.1	4.3	25	0.4	16.5	7.2	205	2.24	11.2	133.3	7.7	75	0.1	0.6	3.1	20	2.65
1475870	Rock	0.32	<0.005	<0.1	0.4	0.2	1	<0.1	0.9	0.5	74	0.04	<0.5	<0.5	0.1	77	<0.1	<0.1	<0.1	<1	30.87
1475871	Rock	4.55	0.062	0.3	41.3	5.1	26	0.3	17.7	8.7	292	2.27	4.7	40.1	10.0	103	0.1	0.3	2.1	7	3.84
1475872	Rock	5.41	1.594	0.4	73.1	4.6	64	0.6	20.2	12.5	201	3.54	11.8	1203.7	8.2	65	0.9	0.1	41.1	11	1.54
1475873	Rock	4.46	0.079	0.3	41.5	6.9	32	0.4	24.2	12.6	366	2.52	9.9	65.2	8.7	180	<0.1	<0.1	4.0	10	4.12
1475874	Rock	5.53	0.033	0.5	35.9	6.1	34	0.3	41.6	17.5	370	2.31	53.1	4.7	9.8	198	<0.1	0.3	2.1	9	6.02
1475875	Rock	4.52	0.085	0.3	50.3	4.7	95	0.3	28.6	14.0	718	3.53	139.0	44.4	8.6	91	0.2	0.7	2.8	26	4.00
1475876	Rock	4.71	0.150	0.5	57.8	5.3	69	0.5	33.1	14.1	613	3.42	92.8	65.9	8.0	87	0.1	0.9	3.8	23	3.91
1475877	Rock	3.64	0.024	1.4	90.6	15.0	168	0.6	33.3	16.5	644	4.42	12.6	1.5	9.2	81	0.6	0.8	2.9	29	3.12
1475878	Rock	4.01	0.038	29.1	33.9	4.8	108	0.4	61.9	5.6	287	1.64	101.7	18.6	5.1	232	1.5	0.5	1.2	170	9.81
1475879	Rock	2.58	0.005	2.3	29.1	3.5	42	0.2	42.0	9.4	173	2.98	83.2	0.9	8.9	33	<0.1	0.4	0.5	21	0.26
1475880	Rock	2.14	0.006	4.2	32.7	3.7	47	0.3	50.0	10.6	164	3.03	101.7	<0.5	9.0	36	0.1	0.3	0.4	23	0.24
1475881	Rock	5.29	<0.005	1.4	24.8	3.3	65	0.2	55.2	14.0	231	3.33	276.5	<0.5	9.9	35	<0.1	0.4	0.4	23	0.20
1475882	Rock	5.31	0.029	2.4	180.0	8.0	155	1.4	71.7	11.2	1420	11.42	113.3	<0.5	4.3	64	0.1	1.6	1.8	53	2.20
1475883	Rock	5.57	0.011	13.1	78.3	4.1	375	0.9	81.2	7.8	617	2.36	118.4	<0.5	3.6	43	5.3	1.0	0.6	167	1.49
1475884	Rock	3.33	<0.005	18.5	89.9	2.7	157	0.6	73.7	8.2	535	2.51	41.0	<0.5	3.9	45	2.2	0.9	0.4	132	1.55
1475885	Rock	3.76	0.006	2.1	40.2	1.7	39	0.2	24.7	4.3	310	1.56	14.4	0.5	3.0	22	0.1	0.1	0.3	34	0.57
1475886	Rock	2.83	<0.005	2.8	41.0	3.5	45	0.3	55.5	10.7	311	3.27	104.5	0.7	5.4	36	<0.1	0.2	0.6	32	0.49
1475887	Rock	3.27	0.018	1.4	89.0	6.0	85	0.6	58.0	15.9	418	5.89	125.3	<0.5	8.4	31	<0.1	0.6	1.9	32	0.44
1475888	Rock	0.74	0.104	2.1	188.5	26.8	112	2.4	53.6	15.8	2115	14.61	107.9	<0.5	3.8	55	<0.1	4.2	20.9	64	2.74
1475889	Rock	1.99	0.019	1.4	44.7	6.9	36	0.4	54.7	10.5	186	2.40	17.2	3.2	8.9	24	<0.1	1.4	2.0	20	0.13
1475890	Rock Pulp	0.13	1.279	5.8	99.5	6736.4	1546	43.8	16.1	9.8	1060	3.79	57.3	1293.5	3.0	83	15.0	29.1	0.7	91	1.02
1475891	Rock	3.94	0.012	1.5	46.8	3.6	55	0.3	36.0	8.6	365	2.20	20.0	<0.5	5.0	14	0.1	0.4	1.1	21	0.37
1475892	Rock	5.02	0.016	2.2	67.2	4.7	47	0.4	51.7	21.4	377	3.91	81.6	<0.5	7.7	37	<0.1	0.5	1.0	37	0.97
1475893	Rock	5.27	0.014	5.6	28.4	3.6	51	0.2	42.8	9.1	211	2.52	95.3	<0.5	6.9	25	0.5	0.4	0.8	27	0.47
1475894	Rock	3.24	0.020	2.0	40.2	4.8	35	0.4	61.4	15.4	197	3.78	217.6	<0.5	11.1	35	0.1	0.3	1.3	20	0.24
1475895	Rock	2.86	0.018	17.1	48.9	5.2	980	0.3	74.8	6.4	149	1.53	228.1	<0.5	3.8	21	16.4	0.4	0.6	137	0.58
1475896	Rock	4.88	0.677	9.3	278.3	4.1	157	1.0	30.2	18.8	980	8.69	25.7	495.1	4.0	176	2.3	0.4	13.2	85	7.34
1475897	Rock	2.42	0.200	0.6	102.9	11.1	47	1.1	29.9	20.4	998	4.06	962.5	221.9	10.8	374	0.2	1.1	6.9	16	11.09
1475898	Rock	4.05	0.087	12.1	82.6	4.3	88	0.5	70.1	9.8	878	3.75	214.8	28.8	4.7	100	0.5	0.7	2.6	70	3.66



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 01, 2019

**Page:** 4 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000676.1

Method Analyte	Unit	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
MDL		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm		
1475869	Rock	0.019	7	7	0.42	261	0.008	<20	0.93	0.013	0.13	>100	<0.01	1.5	0.1	1.11	2	3.8	<0.2	
1475870	Rock	0.008	1	<1	0.41	13	<0.001	<20	0.02	0.002	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2	
1475871	Rock	0.032	7	7	0.43	80	0.028	<20	0.95	0.008	0.16	51.2	<0.01	1.2	0.1	1.20	2	2.5	<0.2	
1475872	Rock	0.025	6	11	0.45	101	0.050	<20	1.03	0.012	0.24	>100	<0.01	1.4	0.2	1.79	3	4.8	1.3	
1475873	Rock	0.038	7	12	0.55	167	0.061	<20	1.36	0.022	0.21	1.7	<0.01	1.7	0.2	1.17	4	2.8	0.2	
1475874	Rock	0.033	8	10	0.55	78	0.026	<20	1.02	0.012	0.14	2.7	<0.01	1.7	<0.1	1.04	3	2.5	<0.2	
1475875	Rock	0.056	8	20	1.62	64	0.012	<20	1.69	0.013	0.20	4.0	<0.01	3.8	0.1	1.22	6	2.7	<0.2	
1475876	Rock	0.042	7	16	1.34	72	0.010	<20	1.53	0.013	0.17	32.7	<0.01	2.7	<0.1	1.34	5	3.3	<0.2	
1475877	Rock	0.065	9	16	1.86	122	0.002	<20	1.32	0.029	0.25	0.1	<0.01	4.3	0.1	1.91	5	5.7	<0.2	
1475878	Rock	0.064	10	23	0.59	170	0.022	<20	0.99	0.050	0.12	60.1	<0.01	2.2	<0.1	0.48	4	2.6	<0.2	
1475879	Rock	0.069	18	14	0.33	206	0.003	<20	1.18	0.052	0.16	0.2	<0.01	1.5	0.1	0.96	3	2.7	<0.2	
1475880	Rock	0.079	19	15	0.34	216	0.003	<20	1.18	0.051	0.16	0.2	<0.01	1.5	0.1	0.91	3	2.9	<0.2	
1475881	Rock	0.074	25	20	0.38	213	0.002	<20	1.45	0.080	0.15	0.1	<0.01	1.5	<0.1	0.75	4	1.7	<0.2	
1475882	Rock	0.614	5	27	1.50	42	0.004	<20	2.34	0.069	0.11	0.3	<0.01	4.4	0.1	5.37	7	12.2	0.4	
1475883	Rock	0.325	9	30	0.38	378	0.004	<20	0.80	0.017	0.18	0.5	<0.01	1.8	0.1	1.13	3	9.2	<0.2	
1475884	Rock	0.296	10	28	0.45	291	0.004	<20	0.90	0.007	0.15	0.6	<0.01	1.7	0.2	0.97	3	9.5	<0.2	
1475885	Rock	0.072	9	11	0.32	216	0.002	<20	0.65	0.013	0.13	0.2	<0.01	1.6	<0.1	0.42	2	1.6	<0.2	
1475886	Rock	0.070	14	21	0.45	241	0.002	<20	1.39	0.045	0.17	0.3	<0.01	2.1	<0.1	0.81	4	2.1	<0.2	
1475887	Rock	0.122	13	22	0.84	170	0.002	<20	1.88	0.054	0.14	0.3	<0.01	2.9	<0.1	2.36	6	6.6	<0.2	
1475888	Rock	0.466	5	43	2.78	45	0.006	<20	2.33	0.009	0.03	0.2	<0.01	6.1	0.1	8.49	8	22.0	1.0	
1475889	Rock	0.039	15	13	0.35	226	0.001	<20	0.99	0.034	0.14	0.3	<0.01	1.4	0.1	0.77	2	1.8	<0.2	
1475890	Rock Pulp	0.061	6	19	0.83	150	0.138	<20	1.76	0.208	0.24	3.3	0.22	2.8	0.1	0.21	5	<0.5	<0.2	
1475891	Rock	0.032	10	14	0.42	238	0.001	<20	0.88	0.019	0.13	0.1	<0.01	1.8	<0.1	0.68	3	1.5	<0.2	
1475892	Rock	0.091	11	23	0.73	216	0.003	<20	1.30	0.030	0.17	0.2	<0.01	2.4	<0.1	1.66	4	3.9	<0.2	
1475893	Rock	0.056	12	14	0.28	184	0.001	<20	0.81	0.038	0.14	0.1	<0.01	1.5	<0.1	1.00	2	2.7	<0.2	
1475894	Rock	0.088	15	18	0.33	201	0.001	<20	1.26	0.060	0.19	0.1	<0.01	1.5	0.1	1.73	3	5.0	<0.2	
1475895	Rock	0.122	7	15	0.24	232	0.002	<20	0.64	0.012	0.14	0.2	0.02	1.4	<0.1	0.47	2	8.8	<0.2	
1475896	Rock	0.102	8	18	0.72	81	0.027	<20	1.62	0.035	0.04	>100	<0.01	2.6	<0.1	4.98	8	20.2	0.5	
1475897	Rock	0.043	18	14	0.86	110	0.002	<20	1.28	0.005	0.18	14.4	<0.01	2.9	0.2	2.07	4	5.1	0.3	
1475898	Rock	0.155	9	18	0.81	190	0.002	<20	1.26	0.010	0.16	72.1	<0.01	2.6	0.1	1.70	4	5.2	<0.2	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 01, 2019

Page: 5 of 6

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000676.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1475899	Rock	2.58	0.060	4.4	93.4	4.8	63	0.5	43.1	8.8	669	3.40	228.0	<0.5	5.0	91	0.3	1.1	2.8	36	1.54
1475900	Rock	1.95	0.038	6.6	96.2	4.7	57	0.5	43.3	7.6	511	3.24	174.3	<0.5	3.4	73	0.3	1.0	1.9	24	1.00
1475901	Rock	4.39	0.204	0.7	66.0	3.0	45	0.4	25.5	6.9	559	2.02	344.3	53.0	2.5	39	<0.1	0.6	3.4	17	0.49
1475902	Rock	3.70	0.025	0.8	52.7	2.4	32	0.3	21.3	4.2	149	1.56	79.3	1.6	3.4	13	0.1	1.0	0.7	10	0.38
1475903	Rock	4.74	0.103	0.4	17.1	1.6	14	0.1	13.0	2.8	84	1.02	223.8	28.9	2.9	12	<0.1	0.3	2.3	6	0.26
1475904	Rock	4.71	<0.005	0.5	5.4	1.1	5	0.1	6.1	1.1	51	0.48	108.5	<0.5	1.5	4	<0.1	0.2	<0.1	2	0.08
1475905	Rock	4.50	0.006	0.4	11.0	1.4	8	0.8	8.5	1.5	72	0.73	78.8	<0.5	2.1	7	<0.1	0.2	0.2	3	0.16
1475906	Rock	4.01	0.020	0.6	23.3	2.5	22	0.2	13.0	2.9	126	1.74	65.9	1.2	3.0	11	<0.1	1.1	0.7	8	0.23
1475907	Rock	2.66	0.007	0.5	11.9	3.0	35	0.1	21.4	5.6	119	1.75	99.7	<0.5	4.2	15	<0.1	0.3	0.3	12	0.15
1475908	Rock	2.94	0.041	0.6	33.2	2.9	25	0.2	14.0	4.0	207	2.41	112.1	12.1	3.3	20	<0.1	2.1	1.6	9	0.46
1475909	Rock	5.72	<0.005	<0.1	0.3	1.4	<1	<0.1	<0.1	0.7	84	0.06	1.3	<0.5	0.2	77	<0.1	<0.1	<0.1	<1	34.86
1475910	Rock	0.28	0.013	0.6	38.6	9.1	30	0.2	23.7	2.8	257	1.57	64.4	20.0	4.3	65	<0.1	0.6	0.3	13	1.37
1475911	Rock	4.24	0.008	1.9	9.9	17.7	25	0.2	1.7	1.1	224	0.94	16.2	1.3	6.3	172	0.1	<0.1	0.4	<1	2.47
1475912	Rock	4.84	0.093	0.8	11.5	11.6	26	0.1	1.4	1.2	129	0.78	96.0	47.9	5.5	93	0.4	0.8	0.2	2	2.13
1475913	Rock	4.98	0.092	0.2	12.0	9.8	13	<0.1	1.4	1.1	134	0.77	299.6	105.0	6.4	101	<0.1	1.0	0.2	2	2.08
1475914	Rock	4.38	0.197	0.5	9.2	23.1	22	0.3	1.5	1.2	371	0.77	188.2	74.1	6.3	138	0.2	0.4	0.2	2	2.63
1475915	Rock	2.65	0.042	0.4	14.0	11.6	34	0.3	5.1	1.9	117	1.09	300.8	32.6	3.3	22	0.3	0.9	0.4	5	0.45
1475916	Rock	3.58	0.172	0.4	24.3	17.4	87	0.7	10.7	2.8	133	1.40	777.2	167.8	2.8	15	0.9	1.5	2.4	7	0.41
1475917	Rock	5.16	0.050	0.5	8.8	20.2	17	0.3	1.7	1.2	244	0.74	112.5	58.0	6.1	144	0.1	0.3	0.2	2	2.50
1475918	Rock	4.90	0.021	0.8	11.0	14.2	20	0.2	5.3	1.7	137	0.75	439.8	87.5	5.0	69	0.1	0.4	0.6	3	1.26
1475919	Rock	2.32	0.034	2.3	8.3	17.8	17	0.3	2.3	1.2	274	0.59	499.8	19.7	6.5	125	0.1	0.3	0.6	2	2.07
1475920	Rock	2.07	0.032	2.1	9.7	17.7	16	0.3	1.5	1.0	250	0.65	346.0	15.2	5.9	153	0.1	0.2	0.6	2	2.14
1475921	Rock	5.39	0.041	2.1	8.6	16.4	20	0.2	1.6	1.0	283	0.81	700.8	31.3	6.9	140	0.1	0.4	0.8	2	2.32
1475922	Rock	4.33	0.105	0.8	31.6	6.5	27	0.3	31.8	7.0	312	2.19	481.5	8.6	5.8	33	<0.1	1.9	2.2	14	1.28
1475923	Rock	4.77	0.033	0.8	67.3	7.3	39	0.4	54.5	9.9	145	2.99	56.4	1.2	5.4	18	<0.1	1.1	2.5	23	0.30
1475924	Rock	4.07	0.964	1.7	72.6	4.7	29	0.5	44.5	9.2	619	2.55	158.1	207.8	4.6	19	0.1	0.6	9.7	28	0.37
1475925	Rock	3.63	0.551	1.2	107.6	4.3	32	0.4	40.7	8.6	1215	4.41	166.8	53.8	5.0	40	<0.1	0.7	11.0	33	1.10
1475926	Rock	3.44	0.558	0.7	63.0	3.1	21	0.4	31.1	5.5	338	2.19	501.8	92.8	4.0	42	<0.1	0.7	9.3	24	0.90
1475927	Rock	4.76	0.657	0.5	38.8	1.9	20	0.2	25.3	5.3	155	1.80	120.7	296.1	3.1	33	<0.1	0.3	9.0	19	0.56
1475928	Rock	4.98	0.025	1.2	43.5	2.5	45	0.1	34.1	12.4	278	1.93	116.8	26.7	3.5	36	<0.1	0.3	0.7	23	0.24



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 01, 2019

**Page:** 5 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000676.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
1475899	Rock	0.164	6	15	0.77	240	0.003	<20	0.92	0.007	0.19	1.0	<0.01	2.5	0.1	1.73	3	3.8	0.3
1475900	Rock	0.053	6	9	0.58	242	0.002	<20	0.68	0.006	0.17	6.0	<0.01	1.6	<0.1	1.81	2	3.8	<0.2
1475901	Rock	0.031	6	8	0.49	278	0.001	<20	0.62	0.005	0.15	3.6	<0.01	1.4	<0.1	0.83	2	1.2	0.4
1475902	Rock	0.016	7	8	0.23	211	0.002	<20	0.47	0.006	0.13	1.2	<0.01	1.3	<0.1	0.68	1	0.9	<0.2
1475903	Rock	0.033	8	8	0.10	117	0.003	<20	0.28	0.007	0.09	0.3	<0.01	0.8	<0.1	0.32	<1	0.6	0.2
1475904	Rock	0.008	6	8	0.03	33	<0.001	<20	0.10	0.002	0.04	0.8	<0.01	0.2	<0.1	0.05	<1	<0.5	<0.2
1475905	Rock	0.009	6	8	0.08	60	0.001	<20	0.20	0.005	0.06	4.0	<0.01	0.3	<0.1	0.12	<1	<0.5	<0.2
1475906	Rock	0.029	9	12	0.19	107	0.002	<20	0.44	0.007	0.10	0.7	<0.01	0.9	<0.1	0.69	1	1.4	<0.2
1475907	Rock	0.037	13	12	0.25	138	0.002	<20	0.80	0.012	0.15	0.1	<0.01	1.2	<0.1	0.23	2	<0.5	<0.2
1475908	Rock	0.029	9	12	0.24	124	0.002	<20	0.57	0.009	0.12	0.2	<0.01	1.5	0.2	1.16	2	1.6	<0.2
1475909	Rock	0.006	1	<1	0.48	15	0.001	<20	<0.01	0.002	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1475910	Rock	0.031	8	9	0.34	162	<0.001	<20	0.82	0.006	0.10	0.2	<0.01	1.4	<0.1	0.44	2	1.2	<0.2
1475911	Rock	0.012	11	1	0.46	1426	<0.001	<20	1.27	0.036	0.08	<0.1	<0.01	0.3	<0.1	0.16	3	<0.5	<0.2
1475912	Rock	0.014	8	2	0.15	271	<0.001	<20	0.56	0.058	0.08	<0.1	<0.01	0.3	<0.1	0.27	2	<0.5	<0.2
1475913	Rock	0.012	8	1	0.15	253	<0.001	<20	0.55	0.056	0.10	5.4	<0.01	0.2	<0.1	0.28	2	<0.5	<0.2
1475914	Rock	0.011	7	1	0.11	219	<0.001	<20	0.50	0.025	0.17	0.2	<0.01	0.2	0.2	0.45	1	<0.5	<0.2
1475915	Rock	0.015	6	6	0.07	114	<0.001	<20	0.25	0.005	0.08	0.3	<0.01	0.5	<0.1	0.76	<1	<0.5	<0.2
1475916	Rock	0.018	6	8	0.11	96	0.001	<20	0.29	0.004	0.08	0.6	<0.01	0.7	<0.1	0.86	<1	1.6	0.3
1475917	Rock	0.014	9	2	0.14	281	<0.001	<20	0.57	0.042	0.16	0.4	<0.01	0.2	0.2	0.25	1	<0.5	<0.2
1475918	Rock	0.023	9	5	0.15	256	<0.001	<20	0.51	0.026	0.12	0.2	<0.01	0.5	0.1	0.14	2	<0.5	<0.2
1475919	Rock	0.020	10	1	0.22	574	<0.001	<20	0.75	0.025	0.13	<0.1	<0.01	0.2	0.1	0.15	2	<0.5	<0.2
1475920	Rock	0.016	10	1	0.26	1234	<0.001	<20	0.92	0.025	0.14	<0.1	<0.01	0.3	0.1	0.15	2	<0.5	<0.2
1475921	Rock	0.016	9	<1	0.42	492	<0.001	<20	1.24	0.015	0.10	<0.1	<0.01	0.2	<0.1	0.19	3	<0.5	<0.2
1475922	Rock	0.041	8	10	0.24	194	0.001	<20	0.72	0.010	0.15	<0.1	<0.01	1.3	<0.1	1.17	2	1.1	<0.2
1475923	Rock	0.067	8	12	0.40	174	0.001	<20	0.96	0.014	0.15	0.2	<0.01	1.7	<0.1	1.53	2	1.9	<0.2
1475924	Rock	0.032	8	12	0.38	199	0.001	<20	0.78	0.011	0.13	0.2	<0.01	1.8	0.2	1.26	2	3.3	1.0
1475925	Rock	0.043	12	12	0.78	135	0.002	<20	0.85	0.019	0.13	0.3	<0.01	1.8	<0.1	2.51	3	7.5	1.0
1475926	Rock	0.015	11	13	0.54	205	0.002	<20	0.72	0.009	0.12	0.9	<0.01	1.6	<0.1	0.93	2	3.0	1.0
1475927	Rock	0.016	7	10	0.42	199	0.001	<20	0.59	0.005	0.12	0.2	<0.01	1.3	<0.1	0.71	2	1.9	1.2
1475928	Rock	0.028	9	11	0.43	360	0.002	<20	0.81	0.006	0.20	0.1	<0.01	1.3	0.1	0.42	2	0.6	<0.2



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 01, 2019

**Page:** 6 of 6

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000676.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1475929	Rock	5.08	0.127	0.9	47.6	2.3	37	0.2	49.1	11.2	210	2.11	490.4	73.8	3.4	36	<0.1	0.5	1.9	27	0.36
1475930	Rock Pulp	0.13	1.279	6.1	110.0	6824.4	1513	41.8	15.3	11.1	1083	3.75	53.6	1179.1	2.6	84	14.5	30.0	0.8	100	1.00
1475931	Rock	5.20	0.087	0.5	33.7	3.1	16	0.2	19.2	5.3	158	2.02	444.8	44.9	3.4	30	<0.1	0.7	2.6	16	0.67
1475932	Rock	5.27	0.067	0.6	26.0	2.4	26	0.2	27.0	4.7	184	1.53	191.3	24.5	4.6	27	<0.1	0.5	1.9	13	0.55
1475933	Rock	4.55	0.312	0.5	28.0	2.3	21	0.2	16.9	4.3	205	1.72	445.7	129.1	4.0	22	<0.1	0.6	3.2	13	0.48
1475934	Rock	3.07	0.053	0.4	31.2	2.7	22	0.2	26.1	5.5	223	1.66	78.6	5.1	4.7	32	<0.1	0.8	2.7	14	0.55



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 01, 2019

**Page:** 6 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000676.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
1475929	Rock	0.025	9	14	0.48	296	0.005	<20	0.79	0.006	0.20	0.2	<0.01	1.9	0.2	0.71	3	2.3	0.2
1475930	Rock Pulp	0.057	6	19	0.82	146	0.132	<20	1.84	0.200	0.22	1.4	0.22	3.0	0.1	0.21	6	<0.5	<0.2
1475931	Rock	0.052	7	12	0.32	119	0.001	<20	0.54	0.006	0.09	0.2	<0.01	1.6	<0.1	1.00	2	2.1	0.3
1475932	Rock	0.025	9	10	0.23	178	0.001	<20	0.54	0.008	0.12	0.1	<0.01	1.2	<0.1	0.55	1	1.2	<0.2
1475933	Rock	0.026	10	11	0.29	179	0.002	<20	0.53	0.008	0.12	0.2	<0.01	1.2	<0.1	0.71	2	1.5	0.3
1475934	Rock	0.025	10	10	0.31	178	0.001	<20	0.57	0.008	0.13	0.1	<0.01	1.1	<0.1	0.66	2	1.2	<0.2





Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: McQuesten  
Report Date: November 01, 2019

Page: 1 of 3 Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000676.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
Pulp Duplicates																					
1475827	Rock	4.55	0.011	7.5	25.1	4.3	63	0.1	40.4	3.9	81	1.34	122.7	5.3	3.5	22	0.6	1.8	0.2	117	0.23
REP 1475827	QC	0.011																			
1475834	Rock	6.33	0.035	8.7	83.1	2.2	50	0.3	59.9	9.5	173	1.99	296.8	32.4	3.2	53	0.2	2.7	0.2	61	1.01
REP 1475834	QC	9.0 81.3 2.1 48 0.2 60.0 9.5 163 1.98 290.2 23.3 3.2 53 0.2 2.5 0.2 60 1.01																			
1475853	Rock	5.03	0.018	13.5	28.4	4.5	80	0.1	67.7	7.3	167	1.85	102.5	10.6	6.9	35	0.6	1.0	0.5	145	1.07
REP 1475853	QC	0.022																			
1475869	Rock	4.79	0.122	1.2	41.1	4.3	25	0.4	16.5	7.2	205	2.24	11.2	133.3	7.7	75	0.1	0.6	3.1	20	2.65
REP 1475869	QC	1.1 40.0 4.1 23 0.3 16.5 6.2 213 2.19 11.1 107.8 7.2 69 0.1 0.6 2.9 20 2.59																			
1475894	Rock	3.24	0.020	2.0	40.2	4.8	35	0.4	61.4	15.4	197	3.78	217.6	<0.5	11.1	35	0.1	0.3	1.3	20	0.24
REP 1475894	QC	0.015																			
1475904	Rock	4.71	<0.005	0.5	5.4	1.1	5	0.1	6.1	1.1	51	0.48	108.5	<0.5	1.5	4	<0.1	0.2	<0.1	2	0.08
REP 1475904	QC	0.5 5.5 1.1 6 <0.1 5.3 1.1 53 0.51 110.6 1.1 1.7 3 <0.1 0.2 <0.1 2 0.08																			
1475914	Rock	4.38	0.197	0.5	9.2	23.1	22	0.3	1.5	1.2	371	0.77	188.2	74.1	6.3	138	0.2	0.4	0.2	2	2.63
REP 1475914	QC	0.553																			
1475929	Rock	5.08	0.127	0.9	47.6	2.3	37	0.2	49.1	11.2	210	2.11	490.4	73.8	3.4	36	<0.1	0.5	1.9	27	0.36
REP 1475929	QC	0.8 48.5 2.2 37 0.2 45.9 10.4 214 2.14 470.9 118.4 3.3 36 <0.1 0.5 1.8 27 0.36																			
Core Reject Duplicates																					
1475821	Rock	3.95	0.017	1.0	41.6	5.6	113	0.2	32.2	15.9	722	2.00	77.3	12.2	8.0	42	1.2	0.4	0.8	18	2.90
DUP 1475821	QC	0.016 1.0 41.3 5.6 109 0.2 31.9 15.6 722 1.96 77.9 10.0 8.3 41 1.2 0.4 0.7 17 2.79																			
1475855	Rock	4.64	1.532	4.2	372.4	3.3	43	2.0	16.7	14.3	936	10.22	2.8	1975.5	1.8	107	0.4	0.1	31.5	16	9.10
DUP 1475855	QC	1.494 3.9 353.7 3.2 41 1.6 16.1 13.9 890 10.12 3.6 1210.5 1.6 102 0.3 0.1 27.1 15 9.07																			
1475889	Rock	1.99	0.019	1.4	44.7	6.9	36	0.4	54.7	10.5	186	2.40	17.2	3.2	8.9	24	<0.1	1.4	2.0	20	0.13
DUP 1475889	QC	0.021 1.5 47.7 7.1 35 0.4 57.5 11.8 189 2.39 29.5 <0.5 9.8 24 <0.1 1.2 1.9 20 0.13																			
1475923	Rock	4.77	0.033	0.8	67.3	7.3	39	0.4	54.5	9.9	145	2.99	56.4	1.2	5.4	18	<0.1	1.1	2.5	23	0.30
DUP 1475923	QC	0.047 0.8 66.7 6.7 39 0.4 51.9 9.4 150 3.09 62.6 0.9 4.9 17 <0.1 1.2 2.5 24 0.30																			
Reference Materials																					
STD BVGE001	Standard	10.5 4520.0 189.5 1735 2.6 157.6 23.6 750 3.66 119.2 238.4 15.5 55 6.5 2.7 25.6 76 1.31																			
STD BVGE001	Standard	11.1 4421.1 187.2 1720 2.5 155.7 22.7 712 3.56 117.6 230.5 15.6 54 6.4 2.7 24.7 69 1.28																			



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 01, 2019

Page: 1 of 3 Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000676.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																			
1475827	Rock	0.064	10	15	0.32	695	0.003	<20	0.77	0.005	0.14	0.2	<0.01	1.7	<0.1	<0.05	3	2.8	<0.2
REP 1475827	QC																		
1475834	Rock	0.273	8	18	0.36	483	0.004	<20	0.74	0.007	0.19	0.7	<0.01	1.8	0.1	0.76	3	2.7	<0.2
REP 1475834	QC	0.269	8	17	0.36	472	0.004	<20	0.72	0.006	0.19	0.6	<0.01	1.6	0.1	0.76	2	2.4	<0.2
1475853	Rock	0.059	9	20	0.48	376	0.025	<20	1.05	0.032	0.24	0.5	<0.01	1.8	0.3	0.49	3	2.4	<0.2
REP 1475853	QC																		
1475869	Rock	0.019	7	7	0.42	261	0.008	<20	0.93	0.013	0.13	>100	<0.01	1.5	0.1	1.11	2	3.8	<0.2
REP 1475869	QC	0.020	6	7	0.42	225	0.008	<20	0.92	0.013	0.13	>100	<0.01	1.4	0.1	1.10	2	3.3	<0.2
1475894	Rock	0.088	15	18	0.33	201	0.001	<20	1.26	0.060	0.19	0.1	<0.01	1.5	0.1	1.73	3	5.0	<0.2
REP 1475894	QC																		
1475904	Rock	0.008	6	8	0.03	33	<0.001	<20	0.10	0.002	0.04	0.8	<0.01	0.2	<0.1	0.05	<1	<0.5	<0.2
REP 1475904	QC	0.007	6	8	0.03	33	<0.001	<20	0.10	0.001	0.04	0.7	<0.01	0.2	<0.1	0.05	<1	<0.5	<0.2
1475914	Rock	0.011	7	1	0.11	219	<0.001	<20	0.50	0.025	0.17	0.2	<0.01	0.2	0.2	0.45	1	<0.5	<0.2
REP 1475914	QC																		
1475929	Rock	0.025	9	14	0.48	296	0.005	<20	0.79	0.006	0.20	0.2	<0.01	1.9	0.2	0.71	3	2.3	0.2
REP 1475929	QC	0.025	9	13	0.48	305	0.005	<20	0.80	0.006	0.20	0.1	<0.01	1.9	0.2	0.71	3	1.9	<0.2
Core Reject Duplicates																			
1475821	Rock	0.048	11	13	0.61	66	0.011	<20	1.11	0.049	0.10	15.5	<0.01	2.6	<0.1	0.11	3	3.1	<0.2
DUP 1475821	QC	0.045	11	12	0.58	66	0.011	<20	1.07	0.050	0.11	14.1	<0.01	2.5	<0.1	0.11	3	2.8	<0.2
1475855	Rock	0.048	3	5	0.17	39	0.017	<20	1.00	0.044	0.02	>100	0.02	0.5	<0.1	4.93	4	18.7	1.3
DUP 1475855	QC	0.046	3	4	0.16	34	0.015	<20	0.97	0.042	0.02	>100	0.02	0.5	<0.1	5.80	4	18.5	1.1
1475889	Rock	0.039	15	13	0.35	226	0.001	<20	0.99	0.034	0.14	0.3	<0.01	1.4	0.1	0.77	2	1.8	<0.2
DUP 1475889	QC	0.042	15	13	0.35	235	0.001	<20	1.01	0.035	0.14	0.3	<0.01	1.5	<0.1	0.74	2	2.2	<0.2
1475923	Rock	0.067	8	12	0.40	174	0.001	<20	0.96	0.014	0.15	0.2	<0.01	1.7	<0.1	1.53	2	1.9	<0.2
DUP 1475923	QC	0.060	8	12	0.40	155	0.001	<20	0.95	0.013	0.15	0.2	<0.01	1.7	<0.1	1.63	2	1.9	<0.2
Reference Materials																			
STD BVGE001	Standard	0.075	27	162	1.31	374	0.223	<20	2.33	0.182	0.87	3.8	0.10	5.9	0.6	0.69	7	4.8	1.1
STD BVGE001	Standard	0.078	27	164	1.30	331	0.234	<20	2.29	0.187	0.87	3.5	0.09	5.9	0.7	0.67	7	4.8	1.0



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 01, 2019

Page: 2 of 3

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000676.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
STD DS11	Standard			14.4	151.7	142.9	325	1.7	77.9	14.2	1070	3.10	46.9	76.4	8.9	70	2.3	7.1	12.0	49	1.07
STD DS11	Standard			13.9	153.9	137.3	353	1.9	79.7	12.7	1033	3.08	44.5	104.9	9.1	65	2.3	7.7	11.3	49	1.05
STD DS11	Standard			11.0	145.2	129.4	340	1.6	78.6	13.4	1024	3.00	43.8	39.6	7.6	71	2.2	8.0	11.9	47	1.04
STD OREAS262	Standard			0.7	120.5	57.4	157	0.4	64.1	26.6	584	3.24	36.6	65.1	9.6	37	0.6	3.5	1.1	25	2.97
STD OREAS262	Standard			0.6	106.6	57.3	153	0.5	62.5	24.6	553	3.13	37.0	56.9	10.1	34	0.6	3.0	1.0	20	2.86
STD OREAS262	Standard			0.7	118.6	57.1	153	0.5	64.4	29.4	535	3.19	39.3	57.1	11.1	37	0.7	2.6	1.0	22	2.93
STD OREAS262	Standard			0.6	115.9	61.8	150	0.5	61.1	26.0	559	3.19	37.7	65.6	10.0	38	0.6	2.7	1.1	22	3.03
STD OREAS262	Standard			0.6	114.2	51.6	154	0.5	63.9	26.8	537	3.24	36.4	65.4	8.9	38	0.7	3.5	1.0	22	3.05
STD OXB130	Standard		0.123																		
STD OXB130	Standard		0.123																		
STD OXB130	Standard		0.123																		
STD OXI138	Standard		1.919																		
STD OXI138	Standard		1.956																		
STD OXI138	Standard		1.871																		
STD OXN117	Standard		7.674																		
STD OXN117	Standard		7.888																		
STD OXN117	Standard		7.928																		
STD BVGEO01 Expected				10.8	4415	187	1741	2.53	163	25	733	3.7	121	219	14.4	55	6.5	2.2	25.6	73	1.3219
STD OXI138 Expected			1.86																		
STD OXB130 Expected			0.125																		
STD OXN117 Expected			7.679																		
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063
STD OREAS262 Expected				0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	65	9.33	36	0.61	3.39	1.03	22.5	2.98
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 01, 2019

Page: 2 of 3

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000676.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD DS11	Standard	0.078	19	58	0.86	454	0.095	<20	1.22	0.074	0.41	2.5	0.23	3.3	5.1	0.27	5	2.2	4.6
STD DS11	Standard	0.080	17	54	0.84	441	0.083	<20	1.14	0.071	0.41	3.1	0.26	3.2	5.0	0.28	5	2.1	4.7
STD DS11	Standard	0.073	17	58	0.83	375	0.089	<20	1.13	0.071	0.39	2.7	0.27	3.1	4.7	0.28	5	2.2	4.4
STD OREAS262	Standard	0.041	15	39	1.19	270	0.003	<20	1.29	0.067	0.30	0.1	0.16	3.2	0.5	0.25	4	<0.5	0.2
STD OREAS262	Standard	0.046	14	37	1.16	262	0.003	<20	1.23	0.065	0.28	<0.1	0.16	3.2	0.5	0.24	4	<0.5	0.2
STD OREAS262	Standard	0.046	17	45	1.18	272	0.003	<20	1.40	0.066	0.32	0.3	0.15	3.5	0.5	0.25	4	<0.5	0.2
STD OREAS262	Standard	0.043	15	37	1.16	262	0.003	<20	1.25	0.071	0.32	<0.1	0.17	3.4	0.5	0.27	4	<0.5	0.2
STD OREAS262	Standard	0.040	17	41	1.20	260	0.003	<20	1.30	0.068	0.33	<0.1	0.17	3.1	0.4	0.26	4	<0.5	0.3
STD OXB130	Standard																		
STD OXB130	Standard																		
STD OXB130	Standard																		
STD OXI138	Standard																		
STD OXI138	Standard																		
STD OXI138	Standard																		
STD OXN117	Standard																		
STD OXN117	Standard																		
STD OXN117	Standard																		
STD BVGEO01 Expected		0.0727	25.9	171	1.2963	340	0.233		2.347	0.1924	0.89	3.5	0.1	5.97	0.62	0.6655	7.37	4.84	1.02
STD OXI138 Expected																			
STD OXB130 Expected																			
STD OXN117 Expected																			
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56
STD OREAS262 Expected		0.04	15.9	41.7	1.17	248	0.003		1.204	0.071	0.312	0.13	0.17	3.24	0.47	0.253	3.73	0.4	0.23
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank																		
BLK	Blank																		



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 01, 2019

Page: 3 of 3

Part: 1 of 2

**QUALITY CONTROL REPORT** **WHI19000676.1**

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	1.2	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		<0.005																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
Prep Wash																					
ROCK-WHI	Prep Blank		<0.005	0.7	4.1	1.0	32	<0.1	1.6	4.2	586	1.91	1.3	1.1	2.2	24	<0.1	<0.1	<0.1	28	0.73
ROCK-WHI	Prep Blank		<0.005	0.7	3.0	0.9	32	<0.1	1.6	4.4	565	1.93	1.0	<0.5	2.5	25	<0.1	<0.1	<0.1	25	0.74

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 01, 2019

**Page:** 3 of 3

**Part:** 2 of 2

# QUALITY CONTROL REPORT

WHI19000676.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	0.02	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																			
ROCK-WHI	Prep Blank	0.046	7	3	0.55	62	0.088	<20	1.02	0.076	0.09	<0.1	<0.01	3.1	<0.1	<0.05	4	<0.5	<0.2
ROCK-WHI	Prep Blank	0.047	7	3	0.56	67	0.083	<20	1.03	0.084	0.09	<0.1	<0.01	3.1	<0.1	<0.05	4	<0.5	<0.2



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Submitted By: James Thom  
Receiving Lab: Canada-Whitehorse  
Received: October 10, 2019  
Report Date: November 05, 2019  
Page: 1 of 4

## CERTIFICATE OF ANALYSIS

WHI19000677.1

### CLIENT JOB INFORMATION

Project: McQuesten  
Shipment ID: MQ-19-15a  
P.O. Number  
Number of Samples: 90

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
RTRN-RJT Return After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Banyan Gold Corp.  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7  
Canada

CC: Paul Gray

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	88	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	2	Sort, label and box pulps			WHI
FA450	90	50g Lead Collection Fire Assay Fusion - AAS Finish	50	Completed	VAN
EN002	90	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	90	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	90	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS

  
MAY LAI  
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 05, 2019

Page: 2 of 4

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000677.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1825751	Rock	1.22	0.009	1.3	50.2	13.0	87	0.4	21.4	8.6	433	2.24	55.5	1.5	3.2	49	0.7	1.0	0.3	38	2.04
1825752	Rock	2.43	0.070	13.0	23.7	6.9	217	0.3	81.3	17.0	769	1.81	650.4	57.7	3.8	30	7.5	3.1	0.8	111	1.12
1825753	Rock	4.53	0.096	10.7	15.0	6.5	125	0.1	41.9	3.3	138	1.44	844.2	55.7	4.2	14	6.9	5.1	0.8	220	0.32
1825754	Rock	1.33	0.159	9.4	37.3	5.6	191	0.2	64.2	4.5	94	1.90	341.8	200.7	3.6	26	5.1	6.2	0.7	135	0.47
1825755	Rock	2.13	0.035	16.4	64.5	6.9	382	0.4	101.1	8.6	83	2.20	153.0	10.7	5.4	22	3.7	1.8	1.0	84	0.40
1825756	Rock	1.97	0.016	16.9	44.7	5.7	234	0.4	53.8	3.7	66	1.71	118.1	<0.5	4.6	31	7.7	3.1	1.3	141	0.22
1825757	Rock	2.59	0.012	12.2	41.1	4.2	156	0.2	57.7	5.9	107	2.15	98.6	0.8	5.8	30	2.3	1.3	0.9	72	0.20
1825758	Rock	2.79	0.016	12.3	30.7	4.0	115	0.1	54.5	6.1	103	1.69	133.7	<0.5	5.3	26	2.0	1.4	0.6	188	0.23
1825759	Rock	2.34	0.020	15.1	34.5	4.2	149	0.2	71.3	7.3	131	1.85	244.0	<0.5	5.5	21	2.1	1.7	1.4	142	0.29
1825760	Rock	1.79	0.020	15.2	33.9	4.2	153	0.2	69.6	6.8	133	1.87	246.4	2.5	5.3	22	2.4	2.1	1.5	147	0.34
1825761	Rock	2.28	0.041	16.8	36.5	4.9	120	0.2	81.3	9.0	204	2.13	231.4	30.8	7.3	25	1.5	1.2	1.5	247	0.75
1825762	Rock	1.99	0.467	3.3	85.5	6.7	118	0.4	49.5	15.6	283	3.40	264.8	221.4	10.9	36	1.3	1.9	12.1	36	1.40
1825763	Rock	2.87	0.583	2.5	86.9	7.3	72	0.7	38.7	15.4	354	3.42	296.4	389.0	11.1	36	0.5	1.2	17.4	23	1.79
1825764	Rock	3.31	0.049	1.5	43.1	4.2	68	0.3	28.5	11.7	311	3.08	204.3	41.5	10.9	16	0.3	0.8	3.1	16	0.68
1825765	Rock	3.32	0.051	1.6	33.9	4.8	58	0.3	25.8	11.3	249	2.72	262.0	30.5	11.9	16	0.2	0.7	2.6	12	0.54
1825766	Rock	2.69	0.348	1.1	56.2	6.0	70	0.4	27.7	9.3	388	2.35	96.9	335.5	10.2	61	0.9	0.8	8.4	20	2.97
1825767	Rock	2.76	0.290	1.2	78.2	7.4	45	0.6	30.3	12.9	248	2.85	195.7	173.3	11.0	108	0.3	0.4	11.7	16	1.37
1825768	Rock	3.75	0.399	0.9	66.9	7.0	44	0.6	24.7	11.2	342	2.87	281.8	279.3	8.6	192	0.3	0.4	10.2	22	4.87
1825769	Rock	3.27	0.384	0.9	53.6	4.5	38	0.3	13.8	7.0	233	2.06	103.5	294.0	9.4	69	0.1	0.2	7.6	15	2.14
1825770	Rock	0.28	0.019	<0.1	1.3	0.5	2	<0.1	0.5	0.6	82	0.05	<0.5	<0.5	<0.1	81	<0.1	<0.1	<0.1	<1	35.10
1825771	Rock	3.00	0.161	1.0	33.4	5.5	39	0.2	15.8	8.2	325	1.92	469.0	90.6	7.5	87	0.1	0.8	5.1	12	4.34
1825772	Rock	3.20	0.090	1.4	29.9	5.1	34	0.2	14.8	6.5	224	1.95	49.8	68.5	11.7	32	0.1	0.6	2.4	8	1.78
1825773	Rock	3.27	0.806	1.0	41.2	4.8	38	0.6	15.2	7.0	224	2.30	85.8	809.9	11.1	31	0.2	0.7	14.2	7	1.26
1825774	Rock	3.58	0.026	1.3	28.2	3.4	39	0.3	23.6	11.1	299	2.70	134.4	12.2	10.5	14	<0.1	0.6	1.7	7	0.59
1825775	Rock	3.02	0.059	1.2	22.9	3.2	36	0.1	17.5	7.0	234	1.86	122.0	27.5	11.2	17	<0.1	0.4	0.9	6	0.47
1825776	Rock	3.82	0.135	1.4	23.4	4.1	61	0.2	26.2	13.0	519	3.07	391.3	58.8	12.5	20	<0.1	0.6	0.8	10	0.64
1825777	Rock	3.58	0.011	1.1	44.1	4.6	36	0.3	19.9	9.0	316	2.63	98.8	3.5	9.0	23	<0.1	0.5	1.6	8	0.78
1825778	Rock	3.10	0.670	1.6	111.2	783.8	2239	9.6	30.5	15.9	1411	4.09	54.1	613.4	8.9	151	26.6	1.2	18.7	21	4.50
1825779	Rock	3.32	0.282	2.2	71.5	42.0	144	0.9	30.6	12.1	449	2.96	106.4	225.7	9.7	42	1.0	0.8	6.1	20	2.29
1825780	Rock	3.55	0.274	2.2	72.8	39.9	139	1.0	32.3	13.8	507	2.98	100.6	244.9	10.1	43	1.1	0.7	7.0	20	2.30





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 05, 2019

**Page:** 2 of 4

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000677.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
1825751	Rock	0.051	9	20	0.81	186	0.045	<20	0.85	0.016	0.08	0.9	0.02	2.5	<0.1	<0.05	3	<0.5	<0.2
1825752	Rock	0.178	12	20	0.55	384	0.012	<20	0.69	0.017	0.12	1.1	<0.01	1.9	0.1	<0.05	2	0.8	<0.2
1825753	Rock	0.116	12	20	0.27	604	0.006	<20	0.60	0.007	0.13	0.9	<0.01	1.4	0.1	<0.05	2	0.9	<0.2
1825754	Rock	0.201	14	25	0.26	417	0.005	<20	0.63	0.004	0.12	1.2	<0.01	1.1	0.1	<0.05	2	2.4	<0.2
1825755	Rock	0.168	15	18	0.19	482	0.003	<20	0.64	0.004	0.14	0.8	0.01	1.0	0.1	<0.05	2	4.8	<0.2
1825756	Rock	0.112	13	17	0.28	588	0.004	<20	0.59	0.004	0.12	0.6	0.02	1.1	0.1	<0.05	2	5.5	<0.2
1825757	Rock	0.092	13	18	0.32	596	0.023	<20	0.72	0.005	0.23	0.7	<0.01	1.2	0.2	<0.05	2	2.9	<0.2
1825758	Rock	0.070	12	27	0.34	1313	0.034	<20	0.87	0.010	0.23	0.5	<0.01	1.8	0.2	<0.05	2	1.5	<0.2
1825759	Rock	0.065	16	18	0.28	401	0.006	<20	0.66	0.004	0.14	0.5	<0.01	1.3	0.1	<0.05	2	2.5	<0.2
1825760	Rock	0.074	18	18	0.29	424	0.007	<20	0.70	0.004	0.16	0.4	<0.01	1.5	0.1	<0.05	2	2.7	<0.2
1825761	Rock	0.083	19	33	0.56	469	0.015	<20	1.10	0.010	0.24	0.8	<0.01	2.6	0.2	0.11	4	3.5	<0.2
1825762	Rock	0.043	17	24	0.81	129	0.009	<20	1.25	0.037	0.13	0.5	<0.01	3.7	<0.1	0.62	4	6.6	0.6
1825763	Rock	0.054	12	21	0.88	135	0.054	<20	1.30	0.029	0.17	1.8	<0.01	2.7	0.1	1.11	4	5.8	0.8
1825764	Rock	0.028	12	18	0.70	75	0.006	<20	1.08	0.012	0.15	0.9	<0.01	2.3	<0.1	0.49	3	2.5	<0.2
1825765	Rock	0.034	13	16	0.51	84	0.005	<20	0.96	0.009	0.18	0.8	<0.01	1.7	<0.1	0.54	3	1.8	<0.2
1825766	Rock	0.024	8	15	0.48	61	0.014	<20	0.88	0.027	0.09	40.2	<0.01	1.7	<0.1	0.94	3	3.3	0.4
1825767	Rock	0.038	9	19	0.53	150	0.061	<20	1.59	0.053	0.14	2.3	<0.01	2.2	<0.1	1.41	4	4.3	0.5
1825768	Rock	0.044	9	22	0.51	147	0.067	<20	2.31	0.097	0.20	29.9	<0.01	2.9	0.1	1.41	5	3.4	0.4
1825769	Rock	0.028	8	16	0.35	67	0.037	<20	1.39	0.049	0.10	46.3	<0.01	1.7	<0.1	0.86	3	2.2	0.4
1825770	Rock	0.005	1	<1	0.38	23	0.001	<20	0.02	0.001	<0.01	0.2	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1825771	Rock	0.028	7	11	0.42	47	0.011	<20	0.79	0.022	0.12	8.9	<0.01	2.1	<0.1	0.70	2	1.7	<0.2
1825772	Rock	0.019	9	12	0.36	43	0.006	<20	0.66	0.023	0.15	2.0	<0.01	1.6	<0.1	0.78	2	1.7	<0.2
1825773	Rock	0.017	8	11	0.50	50	0.006	<20	0.93	0.030	0.13	1.3	<0.01	1.4	<0.1	1.05	3	2.5	0.7
1825774	Rock	0.023	9	13	0.47	38	0.005	<20	0.76	0.007	0.14	1.2	<0.01	1.2	<0.1	1.16	2	1.6	<0.2
1825775	Rock	0.020	10	12	0.33	59	0.010	<20	0.69	0.012	0.16	2.0	<0.01	1.1	<0.1	0.58	2	<0.5	<0.2
1825776	Rock	0.029	17	17	0.50	48	0.013	<20	1.09	0.006	0.20	1.2	<0.01	1.7	0.1	0.63	3	<0.5	<0.2
1825777	Rock	0.027	11	14	0.44	44	0.002	<20	0.67	0.005	0.16	1.2	<0.01	1.4	<0.1	1.12	2	1.7	<0.2
1825778	Rock	0.042	10	20	0.81	83	0.007	<20	1.04	0.006	0.21	12.5	0.02	3.8	0.3	2.03	3	6.7	0.8
1825779	Rock	0.036	10	19	0.57	58	0.010	<20	0.93	0.015	0.17	1.5	<0.01	2.6	0.2	1.37	3	4.4	0.3
1825780	Rock	0.040	11	20	0.58	63	0.012	<20	0.95	0.017	0.18	1.3	<0.01	2.9	0.2	1.31	3	3.8	0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 05, 2019

Page: 3 of 4

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000677.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1825781	Rock	2.06	0.420	1.4	32.4	6.2	41	0.3	16.0	8.0	561	2.13	31.4	311.1	7.5	150	0.2	0.3	7.7	10	8.59
1825782	Rock	3.18	0.203	0.8	43.8	7.5	51	0.7	26.8	13.0	453	2.69	81.5	178.9	10.2	143	0.2	0.4	6.0	13	7.33
1825783	Rock	3.44	0.604	1.3	71.0	10.0	87	0.6	28.1	10.6	711	2.67	27.1	608.4	10.2	123	0.3	0.7	11.0	21	6.12
1825784	Rock	2.97	0.138	2.1	22.7	254.4	688	4.2	22.9	7.6	5740	3.27	225.9	188.3	6.8	97	9.5	1.4	3.1	8	3.38
1825785	Rock	2.51	0.146	1.1	30.2	181.6	394	4.0	23.0	9.1	4027	3.17	357.9	141.0	10.1	62	5.0	2.0	3.1	10	2.01
1825786	Rock	3.23	0.070	1.7	29.0	54.1	163	0.9	23.2	10.9	591	1.79	79.0	69.1	7.0	51	1.8	1.6	1.7	9	1.45
1825787	Rock	2.91	0.017	2.4	15.7	6.0	32	0.2	17.6	7.0	249	1.12	25.3	6.2	3.2	16	0.2	0.4	0.5	4	0.93
1825788	Rock	3.42	0.094	1.5	22.0	4.0	17	0.2	22.1	9.5	278	1.21	15.0	45.9	4.3	123	0.1	0.3	1.6	5	4.54
1825789	Rock	2.99	0.016	1.8	19.2	2.5	32	<0.1	28.0	11.6	154	1.28	28.7	7.8	6.7	25	<0.1	0.4	0.5	5	0.96
1825790	Rock Pulp	0.09	1.418	11.2	6417.2	5355.2	>10000	85.3	21.4	54.4	814	25.84	2517.3	413.6	1.8	36	181.8	223.0	39.5	13	1.42
1825791	Rock	3.20	0.160	1.4	35.2	4.4	35	0.2	32.0	11.9	300	1.39	33.8	122.0	4.9	118	0.2	0.3	2.8	9	3.94
1825792	Rock	3.09	0.073	1.7	26.3	3.7	41	0.2	24.1	12.9	182	2.37	30.9	30.5	8.3	19	0.1	0.2	2.8	16	0.46
1825793	Rock	3.63	0.373	0.9	44.2	5.2	34	0.4	19.6	11.3	242	2.92	108.0	305.2	8.5	72	0.1	0.2	6.4	16	2.46
1825794	Rock	3.42	0.129	2.1	52.8	4.5	48	0.3	20.5	9.1	228	2.55	112.3	111.4	10.6	29	<0.1	0.6	2.6	11	0.87
1825795	Rock	3.57	0.240	1.5	67.2	5.5	60	0.4	22.7	9.2	247	2.67	114.6	206.1	9.7	34	0.2	0.6	3.7	16	1.05
1825796	Rock	3.82	0.042	2.5	118.9	6.8	70	0.4	30.2	16.4	469	4.35	231.8	14.4	9.8	75	0.2	0.9	2.0	35	2.60
1825797	Rock	3.05	0.035	15.8	56.5	4.3	110	0.2	84.4	12.0	374	3.06	100.4	39.1	6.5	53	0.6	1.7	0.9	105	1.48
1825798	Rock	3.41	0.029	3.5	48.9	4.8	54	0.2	60.9	12.6	356	3.50	302.2	27.4	9.0	50	<0.1	0.3	0.5	39	0.88
1825799	Rock	3.57	0.007	8.0	66.0	3.6	72	0.3	61.2	13.1	1306	3.08	60.2	3.0	5.9	46	0.5	0.4	0.6	54	0.94
1825800	Rock	3.75	0.007	6.7	69.3	3.6	75	0.3	60.9	12.7	1247	3.16	50.4	6.6	5.7	38	0.4	0.4	0.6	53	0.87
1825801	Rock	3.05	<0.005	7.0	67.8	2.2	66	0.3	45.5	9.9	1175	2.92	252.9	0.8	4.7	28	0.3	0.5	0.6	36	0.44
1825802	Rock	3.93	0.010	4.4	89.5	2.8	59	0.3	40.7	7.6	418	2.58	281.3	0.5	4.0	17	0.3	0.7	0.9	28	0.21
1825803	Rock	2.88	0.221	2.3	60.9	6.0	62	0.5	44.7	10.4	424	3.13	1199.2	4.8	6.6	23	0.2	1.8	1.7	32	0.52
1825804	Rock	3.52	0.017	2.2	18.0	51.8	152	1.0	24.6	28.9	457	2.13	111.2	<0.5	3.9	15	1.9	0.8	0.3	21	0.33
1825805	Rock	3.72	0.006	2.7	21.0	12.3	53	1.0	26.0	18.2	469	2.17	87.8	<0.5	4.5	14	0.4	0.9	0.4	19	0.21
1825806	Rock	3.66	0.016	2.8	45.6	19.8	65	2.1	49.3	11.6	792	3.25	230.3	<0.5	6.2	23	0.3	1.7	1.9	30	0.42
1825807	Rock	3.71	0.020	4.1	52.0	110.3	218	2.6	41.9	8.8	1044	2.87	803.2	<0.5	5.3	27	2.8	4.5	1.1	34	0.56
1825808	Rock	3.33	0.041	14.4	36.1	394.6	832	3.5	59.2	8.3	895	2.64	258.7	<0.5	5.1	23	14.3	10.8	1.2	76	0.41
1825809	Rock	3.25	0.223	9.8	71.0	1974.9	4027	10.1	55.9	7.8	>10000	4.13	75.4	15.8	3.4	465	62.8	10.7	4.6	88	13.88
1825810	Rock Pulp	0.09	0.292	14.3	2267.0	1071.9	7086	20.7	33.2	19.1	523	8.89	293.9	66.2	1.3	48	61.6	31.6	13.2	53	2.12



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 05, 2019

**Page:** 3 of 4

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000677.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
1825781	Rock	0.030	6	14	0.48	87	0.019	<20	0.85	0.013	0.12	19.2	<0.01	1.6	<0.1	0.74	2	1.3	0.3
1825782	Rock	0.039	10	13	0.61	108	0.009	<20	0.95	0.025	0.16	3.4	<0.01	2.7	0.1	1.23	3	3.0	<0.2
1825783	Rock	0.037	12	21	0.84	78	0.039	<20	1.17	0.012	0.14	2.2	<0.01	3.0	0.2	1.07	3	3.4	0.5
1825784	Rock	0.017	5	11	0.39	53	<0.001	<20	0.39	0.005	0.14	1.3	<0.01	2.2	0.2	1.74	<1	2.5	0.3
1825785	Rock	0.026	6	11	0.32	78	<0.001	<20	0.45	0.006	0.16	1.3	<0.01	1.9	0.2	1.89	1	2.4	0.2
1825786	Rock	0.024	10	14	0.29	58	0.006	<20	0.50	0.010	0.12	2.6	<0.01	1.9	<0.1	0.66	2	1.3	<0.2
1825787	Rock	0.029	6	14	0.17	34	0.004	<20	0.29	0.004	0.07	5.1	<0.01	0.6	<0.1	0.34	<1	<0.5	<0.2
1825788	Rock	0.025	8	13	0.19	70	0.008	<20	0.38	0.008	0.10	4.6	<0.01	0.9	<0.1	0.45	<1	0.7	<0.2
1825789	Rock	0.028	13	14	0.20	51	0.003	<20	0.50	0.006	0.15	1.5	<0.01	0.9	<0.1	0.28	1	<0.5	<0.2
1825790	Rock Pulp	0.020	1	22	0.59	9	<0.001	<20	0.26	0.003	0.04	3.0	12.50	0.9	18.7	>10	3	>100	0.2
1825791	Rock	0.039	7	15	0.31	138	0.044	<20	0.71	0.019	0.11	24.4	0.03	1.3	<0.1	0.50	2	1.3	<0.2
1825792	Rock	0.028	7	21	0.47	181	0.076	<20	1.10	0.020	0.45	3.1	0.05	2.0	0.5	0.57	3	0.7	<0.2
1825793	Rock	0.024	5	18	0.61	184	0.066	<20	1.34	0.031	0.38	65.8	<0.01	2.1	0.4	1.24	4	2.6	0.2
1825794	Rock	0.028	10	20	0.57	105	0.033	<20	1.06	0.016	0.14	3.0	0.02	1.7	<0.1	1.17	3	3.3	<0.2
1825795	Rock	0.025	13	20	0.73	113	0.040	<20	1.29	0.018	0.19	1.8	<0.01	1.8	0.1	1.13	4	3.5	0.2
1825796	Rock	0.040	13	27	1.30	134	0.019	<20	1.67	0.007	0.23	1.5	<0.01	3.1	0.1	1.84	5	6.1	<0.2
1825797	Rock	0.069	14	30	0.77	186	0.003	<20	1.28	0.015	0.17	1.0	<0.01	2.4	0.1	0.96	4	4.1	<0.2
1825798	Rock	0.064	20	29	0.49	317	0.005	<20	1.50	0.027	0.29	0.6	<0.01	2.0	0.1	0.88	4	4.4	<0.2
1825799	Rock	0.055	15	27	0.65	348	0.003	<20	1.13	0.019	0.18	1.7	<0.01	1.9	0.1	1.04	4	5.0	<0.2
1825800	Rock	0.057	14	28	0.64	334	0.003	<20	1.13	0.019	0.19	1.4	<0.01	1.8	0.1	1.09	3	4.8	<0.2
1825801	Rock	0.040	11	22	0.49	228	0.002	<20	0.89	0.008	0.15	2.2	<0.01	1.2	<0.1	1.11	3	3.4	<0.2
1825802	Rock	0.032	9	21	0.45	241	0.002	<20	0.79	0.005	0.15	1.7	<0.01	1.3	<0.1	1.13	2	2.2	<0.2
1825803	Rock	0.050	11	24	0.41	149	0.001	<20	1.06	0.015	0.12	1.1	<0.01	1.9	0.1	1.14	3	3.2	0.4
1825804	Rock	0.027	11	23	0.26	128	<0.001	<20	0.77	0.016	0.11	95.1	<0.01	1.1	<0.1	0.51	2	1.3	<0.2
1825805	Rock	0.023	13	23	0.28	136	0.001	<20	0.78	0.024	0.11	41.2	<0.01	0.9	<0.1	0.51	2	0.9	<0.2
1825806	Rock	0.050	13	26	0.61	303	0.002	<20	1.24	0.022	0.16	4.8	<0.01	1.8	<0.1	1.22	4	2.9	<0.2
1825807	Rock	0.041	12	25	0.54	277	0.002	<20	1.04	0.017	0.16	2.8	<0.01	1.6	<0.1	1.01	3	2.8	<0.2
1825808	Rock	0.057	9	16	0.31	149	0.001	<20	0.76	0.019	0.15	2.5	0.01	1.1	<0.1	1.12	2	7.9	<0.2
1825809	Rock	0.079	5	15	0.73	112	<0.001	<20	0.64	0.004	0.16	1.4	0.04	1.9	0.2	1.01	2	10.9	<0.2
1825810	Rock Pulp	0.034	4	43	2.62	55	0.005	<20	1.97	0.016	0.08	0.5	3.02	3.4	5.6	6.60	8	34.4	0.3



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 05, 2019

**Page:** 4 of 4

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000677.1

Method Analyte	Unit	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
			Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
MDL		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1825811	Rock	3.59	0.171	1.2	34.3	22.4	69	0.3	15.4	7.6	913	1.43	10.9	60.4	4.3	1050	1.1	0.6	3.9	13	25.68	
1825812	Rock	3.45	0.795	1.1	44.3	12.0	89	0.3	24.9	10.8	1033	1.78	14.0	504.1	5.8	770	2.0	0.3	15.7	22	20.21	
1825813	Rock	3.68	0.136	1.1	55.6	12.0	70	0.3	24.1	8.3	995	1.96	28.8	51.8	4.3	722	0.7	0.6	2.9	15	24.23	
1825814	Rock	3.60	6.818	3.1	205.2	6.7	61	1.6	30.8	13.4	700	5.00	30.5	6436.9	6.4	393	0.5	0.6	120.5	25	11.41	
1825815	Rock	3.64	0.028	4.6	70.7	9.3	111	1.1	48.5	7.4	441	2.41	11.3	<0.5	4.8	39	0.8	0.9	1.3	24	0.61	
1825816	Rock	2.98	0.034	8.2	82.5	194.4	826	2.8	54.0	8.1	1704	3.43	125.9	2.8	10.0	89	14.1	2.4	2.3	28	1.29	
1825817	Rock	3.07	0.018	6.0	77.4	8.0	117	1.5	43.7	9.4	927	2.83	146.8	1.1	4.3	47	1.2	1.1	1.3	30	0.47	
1825818	Rock	4.02	0.028	2.8	63.7	3.5	36	0.4	25.9	6.8	218	1.75	303.6	8.3	3.1	17	<0.1	0.7	0.9	22	0.25	
1825819	Rock	3.28	0.041	2.5	23.3	4.9	28	0.1	17.8	3.0	263	1.10	330.3	22.8	4.4	76	<0.1	0.3	0.8	12	1.37	
1825820	Rock	2.86	0.048	2.1	21.0	4.2	24	<0.1	17.2	3.2	239	1.07	338.9	20.9	4.2	64	<0.1	0.4	0.7	12	1.32	
1825821	Rock	2.92	0.258	1.1	9.5	6.9	12	0.2	1.7	1.7	203	0.73	1798.9	167.9	6.9	106	<0.1	0.4	2.6	1	3.14	
1825822	Rock	3.11	0.240	1.3	12.9	7.0	14	0.2	2.0	1.4	125	0.85	1112.9	114.7	7.5	84	<0.1	0.3	2.2	1	2.98	
1825823	Rock	2.87	0.116	1.2	12.7	10.4	18	0.2	1.8	0.9	189	0.83	1199.1	503.3	6.6	116	0.1	0.4	1.6	1	2.40	
1825824	Rock	2.56	2.883	1.3	13.5	14.3	18	0.9	1.8	1.4	320	1.07	4819.8	1681.2	6.5	100	0.1	1.5	8.3	<1	2.34	
1825825	Rock	2.87	0.460	1.6	12.3	13.8	19	0.4	2.2	1.1	364	0.71	972.4	400.7	7.6	165	0.1	0.4	4.0	<1	1.99	
1825826	Rock	3.37	0.320	1.6	11.7	13.7	18	0.2	2.1	0.8	142	0.73	206.3	72.0	7.8	113	0.1	0.3	2.8	1	1.56	
1825827	Rock	3.46	5.775	2.8	10.9	42.2	17	2.3	2.1	1.1	457	0.78	425.1	4937.3	6.3	155	0.1	2.0	49.4	2	2.31	
1825828	Rock	3.75	0.123	2.8	29.9	124.3	234	2.7	27.7	6.0	2571	2.44	198.1	72.2	4.0	55	2.6	2.4	1.9	26	1.10	
1825829	Rock	3.01	0.061	6.3	13.9	368.4	594	3.4	15.9	4.1	4049	2.14	94.4	28.4	2.9	74	7.0	0.8	1.3	13	1.45	
1825830	Rock	0.32	<0.005	<0.1	1.5	1.1	2	<0.1	1.3	1.0	92	0.05	1.5	<0.5	<0.1	87	<0.1	<0.1	<0.1	<1	34.09	
1825831	Rock	3.24	0.032	3.3	64.3	588.7	1262	6.0	40.3	5.4	3398	1.92	91.8	<0.5	1.9	314	14.1	2.9	0.8	15	11.83	
1825832	Rock	3.05	0.041	3.9	62.6	401.4	785	9.1	86.5	9.9	1965	2.69	165.1	<0.5	5.6	64	8.6	10.8	2.7	20	1.81	
1825833	Rock	3.12	0.133	3.7	61.1	285.8	741	5.6	59.4	5.5	572	1.83	116.7	5.4	3.8	39	8.2	5.0	3.7	16	0.94	
1825834	Rock	3.37	0.079	3.3	46.7	472.8	1429	5.3	32.6	6.5	624	1.78	550.9	43.6	4.5	45	16.8	1.3	1.8	14	0.81	
1825835	Rock	3.45	0.048	3.4	36.4	86.1	196	1.7	25.8	4.8	314	1.71	75.9	4.7	4.5	23	2.0	0.6	1.7	11	0.41	
1825836	Rock	3.64	0.030	2.9	50.6	142.9	366	1.7	34.9	19.7	286	2.07	97.1	2.0	5.3	21	3.9	0.9	1.5	15	0.34	
1825837	Rock	2.94	0.093	3.4	34.5	15.7	47	1.2	25.4	5.7	306	1.87	134.5	46.0	4.1	23	0.3	0.5	2.7	12	0.50	
1825838	Rock	3.54	0.104	3.1	48.1	8.5	36	0.7	22.7	97.9	591	1.85	61.0	8.9	3.5	48	0.3	1.1	2.8	12	1.24	
1825839	Rock	0.23	0.028	20.8	28.4	7.1	35	0.2	104.5	833.0	398	1.91	54.1	2.1	3.6	28	0.2	0.4	1.0	9	0.83	
1825840	Rock	0.16	0.038	20.9	28.9	7.0	37	0.2	94.2	318.3	374	1.78	48.2	2.3	3.1	25	0.2	0.6	0.9	8	0.79	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 05, 2019

Page: 4 of 4

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000677.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
1825811 Rock	0.041	8	14	0.38	454	0.036	<20	1.47	0.090	0.11	1.5	<0.01	1.8	<0.1	0.55	4	1.3	<0.2	
1825812 Rock	0.046	11	25	0.81	542	0.070	<20	2.87	0.176	0.21	5.8	0.02	2.2	0.2	0.53	7	1.4	0.6	
1825813 Rock	0.054	8	16	0.51	132	0.035	<20	1.58	0.097	0.13	0.8	0.01	1.8	0.1	0.81	5	2.4	<0.2	
1825814 Rock	0.059	11	20	0.80	178	0.053	<20	1.84	0.058	0.12	>100	<0.01	1.9	0.2	2.61	6	11.8	4.2	
1825815 Rock	0.077	13	18	0.48	298	0.003	<20	0.80	0.007	0.20	11.0	<0.01	1.1	0.1	1.17	2	1.2	<0.2	
1825816 Rock	0.055	11	17	0.59	309	0.002	<20	0.90	0.007	0.21	5.8	<0.01	1.8	0.2	1.68	3	3.0	<0.2	
1825817 Rock	0.039	10	19	0.45	273	0.002	<20	0.81	0.004	0.20	1.6	<0.01	1.5	0.1	1.03	2	1.6	<0.2	
1825818 Rock	0.023	9	22	0.29	256	0.003	<20	0.59	0.004	0.17	1.3	<0.01	1.8	0.1	0.46	2	1.1	<0.2	
1825819 Rock	0.015	12	17	0.26	349	<0.001	<20	0.65	0.028	0.11	2.2	<0.01	0.8	<0.1	0.27	2	1.0	<0.2	
1825820 Rock	0.014	12	17	0.25	298	<0.001	<20	0.59	0.027	0.10	1.8	<0.01	0.7	<0.1	0.25	2	0.9	<0.2	
1825821 Rock	0.014	15	8	0.16	310	<0.001	<20	0.53	0.077	0.07	1.7	<0.01	0.3	0.1	0.27	2	0.9	0.4	
1825822 Rock	0.014	15	8	0.16	234	<0.001	<20	0.52	0.083	0.07	1.0	<0.01	0.3	<0.1	0.27	2	0.8	0.3	
1825823 Rock	0.013	14	8	0.18	908	<0.001	<20	0.67	0.067	0.10	1.3	<0.01	0.2	0.1	0.27	2	0.9	0.2	
1825824 Rock	0.013	12	8	0.21	645	<0.001	<20	0.74	0.059	0.10	0.7	<0.01	0.2	<0.1	0.41	2	3.1	2.1	
1825825 Rock	0.013	12	9	0.26	1008	<0.001	<20	0.87	0.036	0.09	0.6	<0.01	0.2	<0.1	0.21	3	0.8	0.4	
1825826 Rock	0.012	13	9	0.18	783	<0.001	<20	0.64	0.049	0.11	1.1	<0.01	0.2	<0.1	0.19	2	<0.5	<0.2	
1825827 Rock	0.014	12	9	0.26	837	<0.001	<20	0.88	0.036	0.13	0.5	<0.01	0.2	0.1	0.23	2	1.2	2.1	
1825828 Rock	0.024	9	28	0.39	139	0.001	<20	0.80	0.004	0.15	1.2	<0.01	2.1	0.2	0.70	2	1.6	<0.2	
1825829 Rock	0.014	7	27	0.31	67	<0.001	<20	0.35	0.002	0.13	1.9	<0.01	1.2	0.2	0.47	1	1.0	<0.2	
1825830 Rock	0.004	<1	<1	0.29	26	<0.001	<20	0.02	0.002	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2	
1825831 Rock	0.011	2	15	0.46	132	<0.001	<20	0.34	0.005	0.09	0.6	0.01	1.2	0.2	0.88	<1	1.8	<0.2	
1825832 Rock	0.049	7	19	0.54	204	0.001	<20	0.65	0.015	0.16	0.7	<0.01	1.7	0.1	1.38	2	4.0	<0.2	
1825833 Rock	0.025	7	24	0.37	134	0.001	<20	0.45	0.009	0.10	1.3	<0.01	1.5	<0.1	0.78	2	2.3	0.3	
1825834 Rock	0.038	9	24	0.36	148	0.001	<20	0.55	0.023	0.12	1.5	0.01	1.5	0.1	0.56	2	1.7	<0.2	
1825835 Rock	0.024	9	29	0.27	116	0.001	<20	0.40	0.009	0.09	2.9	<0.01	1.3	<0.1	0.66	1	1.2	<0.2	
1825836 Rock	0.033	9	24	0.36	157	0.001	<20	0.61	0.008	0.11	73.4	<0.01	1.3	<0.1	0.83	2	1.2	<0.2	
1825837 Rock	0.049	8	27	0.32	127	0.002	<20	0.49	0.009	0.10	4.4	<0.01	1.5	<0.1	0.69	1	1.2	0.3	
1825838 Rock	0.018	7	29	0.25	114	0.002	<20	0.43	0.007	0.08	>100	<0.01	1.6	<0.1	0.71	2	1.2	0.2	
1825839 Rock	0.007	7	50	0.23	99	0.006	<20	0.35	0.007	0.05	82.9	<0.01	1.0	<0.1	0.33	1	<0.5	<0.2	
1825840 Rock	0.009	7	45	0.23	72	0.007	<20	0.32	0.006	0.04	98.5	<0.01	1.1	<0.1	0.34	1	<0.5	<0.2	



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: McQuesten  
Report Date: November 05, 2019

Page: 1 of 2 Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000677.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm		
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
Pulp Duplicates																					
1825781	Rock	2.06	0.420	1.4	32.4	6.2	41	0.3	16.0	8.0	561	2.13	31.4	311.1	7.5	150	0.2	0.3	7.7	10	8.59
REP 1825781	QC	0.421																			
1825783	Rock	3.44	0.604	1.3	71.0	10.0	87	0.6	28.1	10.6	711	2.67	27.1	608.4	10.2	123	0.3	0.7	11.0	21	6.12
REP 1825783	QC	1.3 69.8 10.1 91 0.6 27.7 10.5 753 2.66 27.3 449.8 10.3 124 0.4 0.7 10.8 21 6.10																			
1825788	Rock	3.42	0.094	1.5	22.0	4.0	17	0.2	22.1	9.5	278	1.21	15.0	45.9	4.3	123	0.1	0.3	1.6	5	4.54
REP 1825788	QC	0.092																			
1825818	Rock	4.02	0.028	2.8	63.7	3.5	36	0.4	25.9	6.8	218	1.75	303.6	8.3	3.1	17	<0.1	0.7	0.9	22	0.25
REP 1825818	QC	2.8 64.5 3.2 37 0.3 26.2 7.0 230 1.85 326.4 9.5 2.8 16 <0.1 0.7 1.0 22 0.26																			
1825830	Rock	0.32	<0.005	<0.1	1.5	1.1	2	<0.1	1.3	1.0	92	0.05	1.5	<0.5	<0.1	87	<0.1	<0.1	<0.1	<1	34.09
REP 1825830	QC	<0.005																			
1825837	Rock	2.94	0.093	3.4	34.5	15.7	47	1.2	25.4	5.7	306	1.87	134.5	46.0	4.1	23	0.3	0.5	2.7	12	0.50
REP 1825837	QC	3.4 37.3 16.9 55 1.1 27.3 6.3 305 1.86 138.6 17.0 4.5 26 0.4 0.6 2.9 12 0.51																			
Core Reject Duplicates																					
1825763	Rock	2.87	0.583	2.5	86.9	7.3	72	0.7	38.7	15.4	354	3.42	296.4	389.0	11.1	36	0.5	1.2	17.4	23	1.79
DUP 1825763	QC	0.589 1.6 92.3 7.3 68 0.7 40.9 15.2 360 3.45 306.7 377.2 10.7 36 0.5 1.2 16.3 23 1.80																			
1825797	Rock	3.05	0.035	15.8	56.5	4.3	110	0.2	84.4	12.0	374	3.06	100.4	39.1	6.5	53	0.6	1.7	0.9	105	1.48
DUP 1825797	QC	0.030 16.5 54.3 4.2 106 0.2 89.9 12.6 382 3.09 132.0 24.9 7.0 50 0.5 1.7 0.9 104 1.49																			
1825831	Rock	3.24	0.032	3.3	64.3	588.7	1262	6.0	40.3	5.4	3398	1.92	91.8	<0.5	1.9	314	14.1	2.9	0.8	15	11.83
DUP 1825831	QC	0.028 3.1 63.2 568.6 1236 4.9 41.1 5.2 3323 1.86 90.6 <0.5 1.9 306 13.6 3.0 0.8 14 11.54																			
Reference Materials																					
STD BVGEO01	Standard	10.5		4322.0	185.5	1726	2.5	165.5	24.2	780	3.60	115.1	208.2	16.6	58	6.2	2.6	26.2	73	1.29	
STD BVGEO01	Standard	11.0		4272.2	191.3	1680	2.6	157.8	24.4	709	3.58	119.6	230.8	17.5	57	6.8	3.3	26.9	70	1.27	
STD DS11	Standard	15.0		162.0	134.9	346	2.0	80.0	13.3	1043	3.16	45.4	118.3	7.7	65	2.6	7.4	11.4	55	1.09	
STD DS11	Standard	13.9		153.1	143.1	320	1.7	79.0	14.0	1013	3.05	43.1	61.1	8.7	65	2.4	6.7	12.2	47	1.02	
STD OREAS263	Standard	0.214																			
STD OREAS262	Standard	0.6		125.4	57.1	152	0.5	69.0	27.2	531	3.27	37.4	66.5	10.2	38	0.6	2.5	1.1	22	2.95	
STD OREAS262	Standard	0.7		127.4	58.8	153	0.5	59.7	26.8	518	3.25	37.7	76.0	10.3	38	0.7	3.9	1.1	21	2.95	
STD OREAS262	Standard	0.6		123.3	59.8	161	0.5	65.4	26.1	568	3.34	37.5	64.1	10.0	36	0.7	2.9	1.1	26	3.05	



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 05, 2019

Page: 1 of 2

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000677.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																			
1825781	Rock	0.030	6	14	0.48	87	0.019	<20	0.85	0.013	0.12	19.2	<0.01	1.6	<0.1	0.74	2	1.3	0.3
REP 1825781	QC																		
1825783	Rock	0.037	12	21	0.84	78	0.039	<20	1.17	0.012	0.14	2.2	<0.01	3.0	0.2	1.07	3	3.4	0.5
REP 1825783	QC	0.036	12	21	0.84	82	0.038	<20	1.15	0.012	0.14	2.1	<0.01	3.1	0.2	1.06	3	3.4	0.5
1825788	Rock	0.025	8	13	0.19	70	0.008	<20	0.38	0.008	0.10	4.6	<0.01	0.9	<0.1	0.45	<1	0.7	<0.2
REP 1825788	QC																		
1825818	Rock	0.023	9	22	0.29	256	0.003	<20	0.59	0.004	0.17	1.3	<0.01	1.8	0.1	0.46	2	1.1	<0.2
REP 1825818	QC	0.025	10	24	0.30	253	0.003	<20	0.60	0.003	0.17	1.5	<0.01	1.8	0.1	0.46	2	0.8	<0.2
1825830	Rock	0.004	<1	<1	0.29	26	<0.001	<20	0.02	0.002	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
REP 1825830	QC																		
1825837	Rock	0.049	8	27	0.32	127	0.002	<20	0.49	0.009	0.10	4.4	<0.01	1.5	<0.1	0.69	1	1.2	0.3
REP 1825837	QC	0.050	9	29	0.32	135	0.002	<20	0.50	0.010	0.10	4.9	<0.01	1.4	<0.1	0.70	1	1.1	0.3
Core Reject Duplicates																			
1825763	Rock	0.054	12	21	0.88	135	0.054	<20	1.30	0.029	0.17	1.8	<0.01	2.7	0.1	1.11	4	5.8	0.8
DUP 1825763	QC	0.055	12	21	0.89	131	0.054	<20	1.29	0.028	0.17	1.9	<0.01	2.8	0.1	1.12	4	5.2	0.8
1825797	Rock	0.069	14	30	0.77	186	0.003	<20	1.28	0.015	0.17	1.0	<0.01	2.4	0.1	0.96	4	4.1	<0.2
DUP 1825797	QC	0.071	15	28	0.77	175	0.004	<20	1.29	0.015	0.17	1.0	<0.01	2.4	0.1	0.99	4	3.8	<0.2
1825831	Rock	0.011	2	15	0.46	132	<0.001	<20	0.34	0.005	0.09	0.6	0.01	1.2	0.2	0.88	<1	1.8	<0.2
DUP 1825831	QC	0.011	2	15	0.45	127	<0.001	<20	0.34	0.004	0.09	0.7	0.02	1.1	0.2	0.85	<1	1.7	<0.2
Reference Materials																			
STD BVGEO01	Standard	0.073	28	183	1.29	329	0.240	<20	2.29	0.185	0.90	3.0	0.09	6.0	0.7	0.69	7	5.4	1.0
STD BVGEO01	Standard	0.074	28	176	1.24	332	0.249	<20	2.21	0.186	0.85	4.4	0.08	6.3	0.5	0.66	8	5.1	1.0
STD DS11	Standard	0.065	18	61	0.87	416	0.098	<20	1.22	0.080	0.41	3.1	0.25	3.0	5.0	0.31	5	2.5	4.4
STD DS11	Standard	0.072	17	58	0.81	426	0.088	<20	1.11	0.070	0.39	2.8	0.26	3.0	5.1	0.28	5	2.3	4.4
STD OREAS263	Standard																		
STD OREAS262	Standard	0.041	18	45	1.21	257	0.003	<20	1.36	0.071	0.33	<0.1	0.18	3.6	0.5	0.28	4	<0.5	0.2
STD OREAS262	Standard	0.038	17	45	1.18	260	0.003	<20	1.25	0.068	0.30	0.2	0.16	3.5	0.5	0.27	4	<0.5	0.2
STD OREAS262	Standard	0.039	19	47	1.24	264	0.003	<20	1.44	0.076	0.37	0.2	0.17	3.2	0.5	0.30	4	0.5	0.2



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 05, 2019

Page: 2 of 2 Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000677.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
STD OREAS262	Standard			0.6	119.7	61.4	152	0.5	64.4	28.9	552	3.33	37.8	61.9	10.5	38	0.6	2.3	1.1	21	2.95
STD OXB130	Standard		0.126																		
STD OXI138	Standard		1.871																		
STD OXI138	Standard		1.871																		
STD OXN117	Standard		7.688																		
STD OXN117	Standard		7.921																		
STD OXB130 Expected			0.125																		
STD OXI138 Expected			1.86																		
STD OREAS263 Expected			0.21																		
STD OXN117 Expected			7.679																		
STD BVGEO01 Expected				10.8	4415	187	1741	2.53	163	25	733	3.7	121	219	14.4	55	6.5	2.2	25.6	73	1.3219
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063
STD OREAS262 Expected				0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	65	9.33	36	0.61	3.39	1.03	22.5	2.98
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
Prep Wash																					
ROCK-WHI	Prep Blank		<0.005	0.7	6.6	1.2	36	<0.1	1.3	4.5	545	1.92	1.0	<0.5	2.3	21	<0.1	<0.1	<0.1	27	0.68
ROCK-WHI	Prep Blank		<0.005	0.6	4.3	0.9	32	<0.1	1.7	4.5	547	1.92	0.7	<0.5	2.4	26	<0.1	<0.1	<0.1	27	0.73





Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 05, 2019

Page: 2 of 2

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000677.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
STD OREAS262	Standard	0.041	15	42	1.18	258	0.003	<20	1.21	0.069	0.29	0.2	0.16	3.1	0.5	0.27	4	<0.5	0.2	
STD OXB130	Standard																			
STD OXI138	Standard																			
STD OXI138	Standard																			
STD OXN117	Standard																			
STD OXN117	Standard																			
STD OXB130 Expected																				
STD OXI138 Expected																				
STD OREAS263 Expected																				
STD OXN117 Expected																				
STD BVGE001 Expected		0.0727	25.9	171	1.2963	340	0.233		2.347	0.1924	0.89	3.5	0.1	5.97	0.62	0.6655	7.37	4.84	1.02	
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56	
STD OREAS262 Expected		0.04	15.9	41.7	1.17	248	0.003		1.204	0.071	0.312	0.13	0.17	3.24	0.47	0.253	3.73	0.4	0.23	
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
Prep Wash																				
ROCK-WHI	Prep Blank	0.042	5	4	0.56	54	0.070	<20	0.91	0.066	0.07	<0.1	<0.01	2.3	<0.1	<0.05	4	<0.5	<0.2	
ROCK-WHI	Prep Blank	0.044	6	5	0.58	63	0.076	<20	0.95	0.077	0.09	<0.1	<0.01	2.6	<0.1	<0.05	4	<0.5	<0.2	



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Submitted By: James Thom  
Receiving Lab: Canada-Whitehorse  
Received: October 16, 2019  
Report Date: November 05, 2019  
Page: 1 of 4

## CERTIFICATE OF ANALYSIS

WHI19000684.1

### CLIENT JOB INFORMATION

Project: McQuesten  
Shipment ID: MQ-19-17a  
P.O. Number  
Number of Samples: 82

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
RTRN-RJT Return After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Banyan Gold Corp.  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7  
Canada

CC: Paul Gray

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	80	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	2	Sort, label and box pulps			WHI
FA450	82	50g Lead Collection Fire Assay Fusion - AAS Finish	50	Completed	VAN
EN002	82	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	82	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	82	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS

  
MAY LAI  
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 05, 2019

**Page:** 2 of 4

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000684.1

Method	Analyte	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1475935	Rock	4.01	0.021	0.5	20.3	2.7	20	3.4	5.2	0.8	125	0.52	82.9	9.8	8.7	43	<0.1	0.2	0.2	3	2.99
1475936	Rock	4.00	0.013	0.4	16.7	2.1	21	<0.1	6.7	1.6	138	0.52	32.8	5.2	8.4	54	0.1	0.2	0.2	3	3.71
1475937	Rock	4.58	0.012	4.1	49.1	3.0	50	0.2	26.4	3.1	57	1.45	62.1	6.7	3.9	12	0.2	0.5	0.3	27	0.08
1475938	Rock	4.31	0.014	7.5	78.2	2.9	92	0.2	36.1	5.2	122	1.95	51.4	6.2	4.1	5	0.4	0.4	0.4	32	0.06
1475939	Rock	2.35	0.049	10.0	46.4	3.6	118	0.2	90.2	14.8	375	2.26	106.7	44.7	7.1	88	1.2	0.4	1.3	189	1.70
1475940	Rock	2.22	0.039	9.9	44.5	4.1	119	0.2	88.4	12.5	331	2.20	95.7	30.3	7.3	108	1.0	0.3	0.9	176	1.76
1475941	Rock	4.95	0.007	18.2	37.2	3.1	77	0.2	95.7	9.2	255	1.95	42.2	4.7	5.3	62	0.3	0.3	0.4	407	1.27
1475942	Rock	5.16	0.015	15.6	34.9	3.1	64	0.2	93.3	5.7	226	1.84	41.1	15.6	3.8	51	0.3	0.4	0.6	427	1.20
1475943	Rock	4.94	0.015	3.7	56.6	5.6	79	0.4	31.6	15.5	396	3.50	371.7	8.9	11.4	42	0.2	0.8	1.0	29	0.75
1475944	Rock	4.96	0.032	1.3	56.9	5.5	74	0.3	34.6	18.2	338	4.06	56.2	42.1	10.3	37	<0.1	0.7	1.4	20	1.16
1475945	Rock	5.22	0.043	2.9	49.4	6.0	82	0.3	36.2	12.3	357	2.40	18.8	26.8	10.3	119	0.1	0.2	1.4	38	3.06
1475946	Rock	5.40	0.021	1.9	86.7	8.1	89	0.5	46.9	20.7	418	4.14	15.0	13.7	13.7	39	0.1	0.3	2.0	31	1.33
1475947	Rock	4.89	0.080	1.2	77.8	8.4	69	0.4	42.6	18.7	371	3.38	14.1	27.6	10.7	74	0.2	0.2	3.0	23	1.69
1475948	Rock	4.35	0.032	2.5	56.6	5.5	89	0.3	41.6	14.8	327	3.10	13.2	12.6	11.9	69	0.3	0.3	1.7	17	1.62
1475949	Rock	5.72	0.061	12.4	28.6	4.6	73	0.2	77.9	8.5	200	1.87	164.6	34.5	5.8	58	0.7	0.7	2.6	280	1.52
1475950	Rock	0.26	<0.005	<0.1	22.0	0.6	<1	<0.1	<0.1	0.2	90	0.12	0.8	0.9	0.9	73	<0.1	<0.1	<0.1	<1	30.85
1475951	Rock	5.08	0.052	11.3	47.1	3.1	110	0.2	81.6	8.4	166	1.91	352.1	23.1	5.1	48	1.4	0.7	0.7	208	1.84
1475952	Rock	4.69	0.009	18.6	19.0	5.1	67	0.2	94.0	8.7	177	1.48	168.5	5.7	4.8	38	0.4	0.7	0.2	451	1.07
1475953	Rock	5.47	0.055	16.0	27.4	3.4	72	0.2	67.3	8.8	247	1.70	135.1	44.0	5.6	78	0.3	0.4	1.8	267	1.86
1475954	Rock	5.35	0.246	0.7	73.0	4.9	44	0.4	17.8	9.9	428	2.37	11.5	180.6	5.9	152	0.3	0.1	5.6	12	6.60
1475955	Rock	4.57	0.021	0.7	54.7	5.5	60	0.5	39.3	14.7	275	2.13	48.0	8.2	9.8	88	0.2	0.2	0.6	20	2.61
1475956	Rock	5.28	0.021	0.9	78.1	5.7	67	0.3	46.9	18.7	267	3.04	28.0	11.0	9.5	86	<0.1	0.2	1.3	24	1.68
1475957	Rock	5.10	0.012	0.5	64.5	3.8	71	0.4	40.9	20.1	483	4.28	15.4	7.5	10.6	38	<0.1	0.6	1.2	16	0.86
1475958	Rock	6.17	0.027	0.7	51.4	4.5	80	0.3	35.2	14.5	463	3.56	82.1	7.7	10.6	57	<0.1	0.6	0.8	21	1.84
1475959	Rock	2.21	0.323	1.6	57.3	7.9	69	0.6	28.4	13.1	354	2.65	20.5	104.0	9.0	104	<0.1	0.4	8.8	47	2.71
1475960	Rock	2.82	0.055	1.4	48.3	4.0	71	0.2	27.8	12.8	390	2.75	22.4	60.1	8.8	102	<0.1	0.3	1.7	48	2.92
1475961	Rock	5.02	0.158	2.0	51.4	7.7	45	0.4	27.2	10.1	327	1.97	80.3	99.3	9.7	165	0.1	0.2	4.2	23	4.76
1475962	Rock	4.73	0.029	1.3	41.3	6.3	35	0.8	16.5	7.2	236	1.82	10.3	11.5	11.4	50	<0.1	0.5	1.2	15	2.12
1475963	Rock	4.86	0.106	9.2	36.2	7.6	59	0.4	52.6	9.5	770	2.12	2537.7	47.4	5.6	367	0.1	2.5	0.8	41	15.08
1475964	Rock	5.60	0.020	3.4	32.4	6.0	43	0.4	35.9	9.4	587	1.90	189.3	13.8	7.6	334	0.2	0.9	0.9	32	12.50



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 05, 2019

**Page:** 2 of 4

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000684.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
1475935	Rock	0.022	19	2	0.17	46	<0.001	<20	0.43	0.058	0.03	23.6	<0.01	0.5	<0.1	<0.05	2	<0.5	<0.2
1475936	Rock	0.018	18	2	0.15	55	<0.001	<20	0.45	0.063	0.04	0.4	<0.01	0.5	<0.1	<0.05	2	<0.5	<0.2
1475937	Rock	0.040	16	14	0.19	1014	0.004	<20	0.51	0.004	0.12	0.2	<0.01	1.0	<0.1	<0.05	2	1.2	<0.2
1475938	Rock	0.021	17	13	0.22	553	0.003	<20	0.57	0.004	0.13	0.1	<0.01	1.4	0.1	<0.05	2	1.3	<0.2
1475939	Rock	0.209	14	31	0.60	638	0.023	<20	1.72	0.068	0.17	5.8	0.02	2.7	0.1	0.24	6	3.6	<0.2
1475940	Rock	0.186	16	31	0.61	834	0.034	<20	2.14	0.103	0.20	0.5	0.01	3.1	0.1	0.19	7	3.6	<0.2
1475941	Rock	0.232	12	49	0.72	739	0.079	<20	1.63	0.043	0.38	0.4	<0.01	3.8	0.4	0.31	6	2.1	<0.2
1475942	Rock	0.299	11	51	0.55	733	0.066	<20	1.33	0.038	0.31	0.4	<0.01	3.2	0.4	0.31	5	2.2	<0.2
1475943	Rock	0.054	16	14	0.61	181	0.008	<20	1.07	0.007	0.29	0.1	<0.01	1.8	0.2	0.74	3	2.9	<0.2
1475944	Rock	0.051	12	16	0.78	96	0.022	<20	1.47	0.017	0.34	0.1	<0.01	2.5	0.3	0.89	4	1.9	<0.2
1475945	Rock	0.049	11	22	0.99	331	0.075	<20	2.43	0.098	0.25	0.5	<0.01	3.3	0.2	0.66	7	1.2	<0.2
1475946	Rock	0.067	10	25	1.03	143	0.100	<20	2.06	0.024	0.63	0.2	<0.01	3.6	0.6	1.68	5	2.9	<0.2
1475947	Rock	0.051	10	20	0.99	248	0.096	<20	2.01	0.047	0.29	0.3	<0.01	2.6	0.2	1.39	5	3.3	<0.2
1475948	Rock	0.044	12	19	0.85	275	0.076	<20	1.68	0.041	0.37	0.6	<0.01	2.1	0.4	0.88	4	1.4	<0.2
1475949	Rock	0.156	12	35	0.66	855	0.043	<20	1.59	0.061	0.25	0.3	0.02	2.9	0.3	0.32	5	3.1	<0.2
1475950	Rock	0.009	2	<1	0.33	13	0.002	<20	0.05	0.009	0.01	0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1475951	Rock	0.201	10	29	0.39	596	0.019	<20	1.09	0.037	0.13	0.3	0.02	2.0	0.1	0.73	4	7.4	<0.2
1475952	Rock	0.147	14	46	0.52	1005	0.084	<20	1.24	0.037	0.40	0.3	<0.01	3.5	0.4	0.23	4	1.4	<0.2
1475953	Rock	0.063	11	29	0.74	685	0.079	<20	1.88	0.083	0.33	>100	<0.01	3.8	0.3	0.42	7	1.1	<0.2
1475954	Rock	0.046	6	10	0.48	157	0.050	<20	1.11	0.047	0.13	54.5	<0.01	1.7	<0.1	1.32	3	5.0	0.3
1475955	Rock	0.026	11	18	0.66	156	0.046	<20	2.23	0.112	0.13	1.2	<0.01	2.4	<0.1	0.73	6	2.4	<0.2
1475956	Rock	0.053	10	23	1.06	157	0.094	<20	2.32	0.081	0.29	0.4	<0.01	2.5	0.2	1.22	6	3.9	<0.2
1475957	Rock	0.046	10	17	1.04	54	0.011	<20	1.38	0.005	0.23	0.2	<0.01	2.3	0.1	1.58	4	3.0	<0.2
1475958	Rock	0.040	11	19	1.03	73	0.011	<20	1.64	0.017	0.26	0.2	<0.01	2.6	0.1	0.93	5	1.3	<0.2
1475959	Rock	0.063	9	24	1.28	177	0.061	<20	2.08	0.041	0.24	0.2	<0.01	3.3	0.2	0.80	6	2.7	0.7
1475960	Rock	0.049	10	24	1.28	182	0.060	<20	2.06	0.037	0.26	0.3	<0.01	3.4	0.3	0.78	6	2.5	<0.2
1475961	Rock	0.033	8	18	0.89	166	0.080	<20	1.85	0.051	0.27	0.7	<0.01	2.1	0.3	0.81	5	3.4	0.3
1475962	Rock	0.026	10	11	0.53	74	0.017	<20	0.97	0.018	0.16	3.8	<0.01	1.7	<0.1	0.70	3	1.3	<0.2
1475963	Rock	0.024	8	11	0.33	64	0.002	<20	0.63	0.013	0.09	0.3	<0.01	2.6	<0.1	1.14	2	2.8	0.2
1475964	Rock	0.011	6	8	0.26	96	0.004	<20	0.58	0.012	0.13	0.2	<0.01	1.8	<0.1	0.86	2	1.8	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 05, 2019

**Page:** 3 of 4

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000684.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1475965	Rock	5.57	0.041	0.2	41.1	7.9	41	0.7	35.2	15.8	193	3.40	965.0	14.5	15.4	32	0.1	1.9	1.8	3	1.67
1475966	Rock	4.96	0.023	0.2	15.2	4.4	25	0.3	12.4	6.0	176	1.24	133.7	57.3	10.7	29	0.2	0.5	0.7	5	1.48
1475967	Rock	5.39	0.034	0.2	23.7	4.0	20	0.2	12.2	7.5	396	2.10	72.2	18.0	7.1	259	<0.1	0.3	1.2	6	10.72
1475968	Rock	4.99	0.033	0.4	43.9	3.5	51	0.2	29.8	15.3	396	3.76	90.9	7.7	12.9	21	<0.1	0.3	1.3	11	0.57
1475969	Rock	2.57	0.030	0.2	20.3	4.2	19	0.2	16.9	7.7	388	1.95	14.8	8.2	6.6	345	<0.1	0.6	1.4	7	14.71
1475970	Rock Pulp	0.12	1.275	6.4	118.9	6429.1	1512	42.7	16.5	10.4	1033	3.84	55.0	858.5	3.3	89	15.3	34.2	0.8	95	1.09
1475971	Rock	6.31	0.998	0.4	55.8	7.8	41	0.8	23.5	12.8	363	3.55	92.8	1407.0	8.5	118	<0.1	0.9	12.3	16	4.29
1475972	Rock	5.12	0.042	0.8	62.3	4.4	88	0.3	41.7	16.0	552	3.85	22.3	21.0	9.8	83	0.2	1.8	1.9	23	2.70
1475973	Rock	3.57	0.688	0.7	66.7	5.9	52	0.6	33.0	14.0	413	3.41	8.9	320.6	9.3	56	0.1	0.6	18.9	21	2.12
1475974	Rock	1.57	0.234	4.1	323.4	4.2	22	1.0	10.7	8.8	768	7.63	9.9	181.0	2.8	366	0.2	0.3	5.7	22	15.01
1475975	Rock	3.85	<0.005	13.1	71.8	4.6	158	0.3	83.2	10.7	219	2.86	47.2	1.7	8.2	40	2.9	0.4	0.4	133	1.03
1475976	Rock	4.21	<0.005	3.6	48.0	3.0	19	0.2	47.2	8.6	128	2.08	12.8	<0.5	7.5	34	0.1	0.4	0.2	37	0.42
1475977	Rock	4.92	0.005	17.2	49.6	3.9	44	0.2	80.2	9.9	464	2.51	71.4	1.0	6.4	45	0.2	0.4	0.2	100	0.76
1475978	Rock	5.64	0.007	16.0	95.9	2.4	184	0.4	77.5	8.5	685	3.11	150.3	3.2	4.7	64	2.2	1.0	0.3	175	1.29
1475979	Rock	2.54	<0.005	6.8	70.4	1.9	227	0.2	68.0	8.6	384	2.15	57.8	2.1	4.5	46	3.0	0.3	0.3	116	0.75
1475980	Rock	2.07	<0.005	7.0	75.3	2.1	204	0.3	68.4	8.7	360	2.19	43.0	4.9	4.1	46	2.7	0.2	0.3	105	0.76
1475981	Rock	2.05	<0.005	1.8	9.4	13.1	38	<0.1	6.0	1.4	174	0.87	5.9	1.4	7.3	48	0.2	0.4	<0.1	7	0.81
1475982	Rock	4.87	<0.005	7.9	77.8	2.6	112	0.3	64.0	7.9	349	2.29	63.2	1.7	5.4	54	1.2	0.5	0.2	118	0.90
1475983	Rock	5.03	0.013	7.3	20.9	4.8	54	0.1	44.1	7.1	594	2.13	182.8	5.9	5.7	61	0.3	0.5	0.2	52	1.56
1475984	Rock	5.53	0.028	1.5	31.9	2.6	35	0.1	40.0	9.4	202	3.34	361.1	18.9	7.5	45	<0.1	0.5	0.3	30	0.38
1475985	Rock	5.19	0.008	1.5	41.1	2.6	28	0.2	57.3	12.2	265	3.26	140.9	1.8	6.4	38	<0.1	0.3	0.3	36	0.31
1475986	Rock	3.94	0.018	1.5	66.9	4.6	58	0.3	57.1	13.0	482	4.42	120.1	4.8	6.5	41	0.1	0.4	0.6	40	0.54
1475987	Rock	3.74	0.006	1.3	61.9	3.9	51	0.2	56.9	10.6	532	3.74	98.5	1.2	5.1	40	<0.1	7.5	0.6	37	1.00
1475988	Rock	2.89	0.051	1.0	52.5	3.0	71	0.2	33.8	7.5	660	3.08	421.1	6.8	5.7	20	<0.1	0.9	1.1	27	0.83
1475989	Rock	3.78	0.019	1.0	44.5	2.4	49	0.1	22.9	5.6	556	2.49	385.2	5.4	3.8	18	<0.1	1.6	0.4	26	0.86
1475990	Rock	0.27	0.038	<0.1	1.1	0.3	<1	<0.1	0.2	0.7	82	0.07	<0.5	<0.5	0.1	80	<0.1	<0.1	<0.1	<1	31.34
1475991	Rock	4.42	<0.005	0.6	16.2	9.0	19	<0.1	2.6	1.2	237	0.90	67.6	8.2	8.1	101	<0.1	0.1	0.2	3	3.05
1475992	Rock	5.32	0.032	0.1	14.1	4.2	20	<0.1	2.8	1.2	182	0.73	185.6	5.5	8.2	86	<0.1	<0.1	<0.1	1	3.70
1475993	Rock	3.25	0.027	0.2	12.5	3.5	15	<0.1	2.4	1.5	137	0.81	283.0	5.7	7.6	71	<0.1	<0.1	<0.1	2	4.07
1475994	Rock	3.14	0.154	1.3	15.3	4.5	20	<0.1	7.9	1.3	143	0.79	246.8	4.7	8.2	72	0.1	0.1	0.2	8	3.50



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 05, 2019

**Page:** 3 of 4

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000684.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
1475965	Rock	0.042	12	4	0.17	67	<0.001	<20	0.47	0.008	0.16	0.2	<0.01	1.3	<0.1	2.16	1	2.2	<0.2
1475966	Rock	0.021	13	7	0.20	64	0.001	<20	0.42	0.014	0.15	2.8	<0.01	1.2	<0.1	0.61	1	0.6	<0.2
1475967	Rock	0.031	6	6	0.35	56	0.002	<20	0.61	0.007	0.14	0.1	<0.01	1.4	<0.1	0.70	1	0.8	<0.2
1475968	Rock	0.031	17	13	0.63	104	0.005	<20	1.35	0.013	0.28	0.1	<0.01	2.3	0.1	1.02	4	<0.5	<0.2
1475969	Rock	0.032	8	8	0.40	82	0.003	<20	0.74	0.016	0.21	0.1	<0.01	1.8	0.1	0.64	2	1.0	<0.2
1475970	Rock Pulp	0.059	7	20	0.83	150	0.157	<20	1.91	0.225	0.24	1.5	0.21	3.6	0.1	0.22	6	<0.5	<0.2
1475971	Rock	0.032	9	13	0.66	95	0.004	<20	1.11	0.019	0.25	9.3	<0.01	2.6	0.1	1.32	3	2.4	0.5
1475972	Rock	0.056	13	18	1.24	111	0.005	<20	1.58	0.019	0.27	0.2	<0.01	3.5	0.1	1.27	5	1.9	<0.2
1475973	Rock	0.056	10	18	1.11	151	0.042	<20	1.61	0.024	0.25	1.7	<0.01	3.1	0.1	1.44	4	3.8	1.0
1475974	Rock	0.042	3	4	0.39	62	0.012	<20	0.55	0.012	0.03	>100	<0.01	1.0	<0.1	4.31	2	14.4	0.2
1475975	Rock	0.086	13	19	0.50	431	0.029	<20	1.21	0.027	0.25	1.1	<0.01	2.6	0.2	0.99	4	7.7	<0.2
1475976	Rock	0.125	16	13	0.17	289	0.017	<20	0.82	0.022	0.25	4.2	<0.01	1.5	0.1	0.73	2	4.2	<0.2
1475977	Rock	0.114	14	19	0.49	397	0.009	<20	1.11	0.019	0.22	0.4	<0.01	2.1	0.2	0.56	3	3.5	<0.2
1475978	Rock	0.287	11	32	0.62	570	0.032	<20	1.24	0.013	0.28	0.6	0.01	2.4	0.3	1.28	4	10.2	<0.2
1475979	Rock	0.126	11	29	0.50	561	0.044	<20	1.09	0.014	0.27	0.6	0.01	2.3	0.3	0.67	3	5.5	<0.2
1475980	Rock	0.155	11	29	0.45	571	0.035	<20	1.01	0.014	0.26	0.3	<0.01	2.2	0.2	0.78	3	5.9	<0.2
1475981	Rock	0.015	11	4	0.17	440	0.015	<20	0.71	0.062	0.20	0.2	<0.01	0.5	0.1	0.13	2	<0.5	<0.2
1475982	Rock	0.177	13	26	0.38	430	0.008	<20	1.02	0.015	0.25	0.2	<0.01	2.0	0.2	0.68	3	6.1	<0.2
1475983	Rock	0.080	13	20	0.39	314	0.002	<20	1.16	0.020	0.21	0.1	<0.01	2.3	0.1	0.30	3	1.9	<0.2
1475984	Rock	0.085	18	20	0.53	218	0.005	<20	1.54	0.043	0.20	0.1	<0.01	2.8	0.1	0.76	5	2.9	<0.2
1475985	Rock	0.074	17	23	0.47	348	0.004	<20	1.55	0.044	0.24	0.1	<0.01	2.4	0.1	0.75	4	2.3	<0.2
1475986	Rock	0.075	15	21	0.75	356	0.004	<20	1.74	0.036	0.21	0.1	<0.01	2.6	0.1	1.57	6	4.5	<0.2
1475987	Rock	0.200	12	25	0.66	342	0.004	<20	1.64	0.044	0.21	0.2	<0.01	2.8	0.1	1.50	6	5.3	<0.2
1475988	Rock	0.037	14	15	0.36	294	0.003	<20	1.02	0.026	0.16	0.2	<0.01	2.2	<0.1	1.08	3	1.5	<0.2
1475989	Rock	0.027	10	17	0.50	226	0.003	<20	0.91	0.012	0.11	0.1	<0.01	1.8	<0.1	0.86	3	2.6	<0.2
1475990	Rock	0.006	<1	<1	0.66	31	0.001	<20	0.03	0.002	0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1475991	Rock	0.018	16	3	0.28	224	<0.001	<20	0.98	0.081	0.08	0.8	<0.01	0.6	<0.1	0.23	4	<0.5	<0.2
1475992	Rock	0.017	16	2	0.18	208	<0.001	<20	0.70	0.089	0.07	2.9	<0.01	0.5	<0.1	0.23	3	<0.5	<0.2
1475993	Rock	0.017	14	2	0.17	72	<0.001	<20	0.65	0.107	0.05	16.0	<0.01	0.5	<0.1	0.20	3	<0.5	<0.2
1475994	Rock	0.021	15	2	0.16	203	<0.001	<20	0.98	0.112	0.07	16.5	<0.01	0.5	<0.1	0.27	5	0.7	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 05, 2019

**Page:** 4 of 4

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000684.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1475995	Rock	4.03	0.060	5.5	280.6	4.8	212	0.6	65.5	25.4	764	7.40	888.4	40.1	7.0	80	2.0	1.0	2.1	118	4.05
1475996	Rock	5.90	0.437	0.6	314.5	4.9	137	1.3	22.2	39.0	571	10.26	1.6	311.1	5.3	132	2.7	0.1	8.8	22	3.92
1475997	Rock	5.29	0.238	0.9	525.7	4.1	139	1.1	49.3	53.6	761	13.42	<0.5	109.3	5.9	90	0.5	0.4	4.6	28	3.39
1475998	Rock	4.20	0.020	0.2	10.1	6.9	14	<0.1	1.3	1.0	100	0.68	79.5	4.3	7.3	118	<0.1	<0.1	0.1	1	2.15
1475999	Rock	2.17	0.007	0.2	15.5	7.7	16	<0.1	1.5	1.7	114	0.80	110.1	2.9	8.0	176	<0.1	0.2	0.3	<1	2.04
1476000	Rock	1.69	0.016	0.3	14.5	9.8	15	<0.1	1.3	2.2	81	0.84	584.8	35.1	7.7	205	<0.1	0.5	0.3	1	1.90
1825701	Rock	3.91	<0.005	0.3	11.7	9.4	16	<0.1	1.1	1.3	72	0.77	22.7	1.9	8.0	57	<0.1	0.1	0.3	1	1.75
1825702	Rock	3.60	<0.005	1.0	12.4	8.2	11	<0.1	1.3	1.2	131	0.87	49.9	0.7	8.0	75	<0.1	0.1	0.1	1	2.41
1825703	Rock	4.68	0.009	11.3	79.0	7.8	88	0.3	57.5	8.9	356	2.86	238.5	5.3	5.2	44	0.3	0.7	0.7	64	1.19
1825704	Rock	4.58	0.018	13.4	71.1	4.3	45	0.3	60.5	9.3	415	2.75	112.7	3.6	4.6	38	0.2	0.6	0.6	36	1.21
1825705	Rock	5.33	0.030	1.8	33.2	2.5	72	0.2	32.5	7.1	480	1.82	142.1	32.9	2.7	45	0.1	0.9	1.0	14	1.32
1825706	Rock	4.66	0.020	0.7	39.5	6.8	106	0.3	28.8	6.1	559	1.78	42.0	11.9	3.0	23	0.2	2.1	0.8	12	0.94
1825707	Rock	5.22	0.016	0.4	12.1	11.1	65	0.2	18.3	5.4	282	1.25	93.0	3.5	2.7	13	0.2	1.2	0.6	8	0.37
1825708	Rock	4.76	0.016	0.8	17.1	6.6	72	0.3	29.5	8.6	252	1.80	24.4	1.1	5.5	14	0.2	2.5	1.0	12	0.25
1825709	Rock	4.88	0.020	0.7	27.5	4.4	54	0.3	28.5	6.7	260	1.85	34.0	0.7	5.0	23	<0.1	1.5	1.5	15	0.42
1825710	Rock Pulp	0.13	1.240	6.6	113.3	6262.9	1543	44.9	16.5	10.3	1065	3.88	54.7	1227.0	2.6	75	14.7	29.9	0.7	106	1.03
1825711	Rock	4.99	0.063	1.1	27.8	7.6	41	0.3	26.7	4.5	309	1.40	46.5	13.8	4.4	43	<0.1	1.3	1.7	13	0.81
1825712	Rock	5.13	0.013	0.4	15.6	2.0	30	<0.1	14.0	2.8	160	1.22	33.0	3.1	2.9	15	<0.1	0.3	0.4	7	0.34
1825713	Rock	5.08	0.081	0.3	8.2	1.4	31	<0.1	12.3	2.8	150	0.87	16.9	9.9	2.8	8	<0.1	0.2	1.0	6	0.19
1825714	Rock	4.56	0.028	0.3	13.4	2.0	75	0.2	16.9	3.7	232	0.96	12.8	13.0	2.6	7	0.4	0.7	1.0	5	0.09
1825715	Rock	3.06	0.031	0.3	7.7	2.3	118	<0.1	21.1	5.1	406	1.13	113.6	8.8	2.8	8	0.3	0.5	0.6	6	0.16
1825716	Rock	2.39	0.118	0.4	25.7	1.7	75	0.2	17.3	6.7	338	1.57	7.9	37.4	3.0	13	0.2	1.0	2.6	8	0.36



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 05, 2019

**Page:** 4 of 4

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000684.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm		
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2		
1475995	Rock	0.297	16	33	0.84	190	0.037	<20	2.32	0.071	0.10	9.6	<0.01	3.4	<0.1	4.09	11	20.5	<0.2	
1475996	Rock	0.120	10	16	0.69	156	0.036	<20	2.99	0.110	0.04	>100	<0.01	2.2	<0.1	5.11	18	28.0	0.3	
1475997	Rock	0.122	11	18	0.89	92	0.041	<20	2.96	0.072	0.03	>100	<0.01	3.0	<0.1	7.02	19	38.1	0.3	
1475998	Rock	0.021	15	2	0.16	289	<0.001	<20	0.77	0.093	0.08	1.6	<0.01	0.5	<0.1	0.16	3	<0.5	<0.2	
1475999	Rock	0.017	14	2	0.19	671	<0.001	<20	0.70	0.072	0.08	2.1	<0.01	0.5	<0.1	0.28	3	0.6	<0.2	
1476000	Rock	0.017	14	2	0.17	724	<0.001	<20	0.71	0.076	0.08	0.1	<0.01	0.4	<0.1	0.32	2	0.6	<0.2	
1825701	Rock	0.014	12	2	0.17	388	<0.001	<20	0.54	0.072	0.07	0.2	<0.01	0.3	<0.1	0.29	2	<0.5	<0.2	
1825702	Rock	0.015	12	2	0.15	305	<0.001	<20	0.56	0.083	0.07	0.2	<0.01	0.4	<0.1	0.26	2	<0.5	<0.2	
1825703	Rock	0.114	11	19	0.52	291	0.003	<20	1.04	0.005	0.17	0.2	<0.01	1.7	0.1	1.11	3	3.9	<0.2	
1825704	Rock	0.075	7	14	0.32	295	0.002	<20	0.75	0.005	0.20	0.2	<0.01	1.4	0.2	1.15	2	3.1	<0.2	
1825705	Rock	0.020	4	8	0.24	152	<0.001	<20	0.54	0.006	0.14	0.2	<0.01	1.3	0.1	0.53	1	1.1	<0.2	
1825706	Rock	0.020	5	9	0.19	132	<0.001	<20	0.42	0.005	0.10	0.1	<0.01	1.4	<0.1	0.81	1	1.5	<0.2	
1825707	Rock	0.025	8	10	0.15	84	0.001	<20	0.38	0.004	0.08	<0.1	<0.01	0.7	<0.1	0.35	1	0.6	<0.2	
1825708	Rock	0.039	12	13	0.23	135	0.001	<20	0.69	0.011	0.15	<0.1	<0.01	1.1	<0.1	0.45	2	0.5	<0.2	
1825709	Rock	0.032	11	12	0.24	171	0.001	<20	0.63	0.015	0.15	<0.1	<0.01	1.5	<0.1	0.63	2	1.0	<0.2	
1825710	Rock Pulp	0.055	6	21	0.85	135	0.136	<20	1.85	0.209	0.26	1.4	0.22	3.2	0.1	0.25	5	<0.5	<0.2	
1825711	Rock	0.024	10	10	0.23	146	0.001	<20	0.44	0.009	0.12	1.0	<0.01	1.1	<0.1	0.32	1	0.8	<0.2	
1825712	Rock	0.050	9	9	0.13	102	0.001	<20	0.38	0.005	0.09	<0.1	<0.01	0.8	<0.1	0.31	<1	<0.5	<0.2	
1825713	Rock	0.013	8	11	0.13	52	0.003	<20	0.26	0.003	0.04	0.2	<0.01	0.6	<0.1	0.17	<1	<0.5	<0.2	
1825714	Rock	0.022	8	8	0.09	51	0.001	<20	0.23	0.004	0.05	0.8	<0.01	0.4	<0.1	0.34	<1	<0.5	<0.2	
1825715	Rock	0.015	8	9	0.13	73	0.001	<20	0.26	0.005	0.05	0.2	<0.01	0.9	<0.1	0.34	<1	<0.5	<0.2	
1825716	Rock	0.047	8	11	0.19	81	0.007	<20	0.33	0.004	0.06	0.2	<0.01	1.2	<0.1	0.63	1	1.6	<0.2	





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 05, 2019

Page: 1 of 2

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000684.1

Method	Analyte	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
Pulp Duplicates																					
1475936	Rock	4.00	0.013	0.4	16.7	2.1	21	<0.1	6.7	1.6	138	0.52	32.8	5.2	8.4	54	0.1	0.2	0.2	3	3.71
REP 1475936	QC	0.018																			
1475952	Rock	4.69	0.009	18.6	19.0	5.1	67	0.2	94.0	8.7	177	1.48	168.5	5.7	4.8	38	0.4	0.7	0.2	451	1.07
REP 1475952	QC	0.007 19.0 17.8 5.0 66 0.2 92.9 8.8 180 1.47 167.2 2.4 4.9 38 0.3 0.6 0.3 451 1.07																			
1475987	Rock	3.74	0.006	1.3	61.9	3.9	51	0.2	56.9	10.6	532	3.74	98.5	1.2	5.1	40	<0.1	7.5	0.6	37	1.00
REP 1475987	QC	1.4 60.3 3.7 52 0.2 56.4 10.0 499 3.71 91.2 1.0 4.9 36 <0.1 7.6 0.6 37 0.99																			
1825704	Rock	4.58	0.018	13.4	71.1	4.3	45	0.3	60.5	9.3	415	2.75	112.7	3.6	4.6	38	0.2	0.6	0.6	36	1.21
REP 1825704	QC	0.010																			
1825711	Rock	4.99	0.063	1.1	27.8	7.6	41	0.3	26.7	4.5	309	1.40	46.5	13.8	4.4	43	<0.1	1.3	1.7	13	0.81
REP 1825711	QC	1.1 25.3 6.9 38 0.3 24.0 4.4 290 1.33 43.3 10.8 4.2 41 <0.1 1.2 1.6 12 0.78																			
Core Reject Duplicates																					
1475942	Rock	5.16	0.015	15.6	34.9	3.1	64	0.2	93.3	5.7	226	1.84	41.1	15.6	3.8	51	0.3	0.4	0.6	427	1.20
DUP 1475942	QC	0.014 16.4 31.9 3.0 66 0.2 88.8 5.4 228 1.84 37.1 12.3 3.5 48 0.3 0.4 0.5 429 1.21																			
1475976	Rock	4.21	<0.005	3.6	48.0	3.0	19	0.2	47.2	8.6	128	2.08	12.8	<0.5	7.5	34	0.1	0.4	0.2	37	0.42
DUP 1475976	QC	<0.005 3.1 49.9 3.2 21 0.1 48.1 8.6 150 2.08 13.1 <0.5 7.5 37 0.1 0.3 0.2 36 0.45																			
Reference Materials																					
STD BVGEO01	Standard	10.3 4448.8 191.0 1734 2.5 163.4 24.7 749 3.80 122.2 209.9 16.1 58 6.8 2.9 26.7 74 1.32																			
STD DS11	Standard	13.0 153.4 147.4 368 1.7 84.3 14.1 1062 3.18 47.0 68.2 9.2 79 2.4 7.7 12.7 50 1.11																			
STD DS11	Standard	12.5 148.9 151.2 357 1.7 75.5 12.6 1014 3.07 47.1 69.0 8.9 66 2.4 8.6 12.8 56 1.02																			
STD OREAS262	Standard	0.6 119.3 58.5 160 0.5 66.4 28.6 541 3.30 38.8 60.4 10.0 40 0.7 3.4 1.1 23 3.09																			
STD OREAS262	Standard	0.7 132.2 58.0 152 0.5 66.1 26.9 577 3.37 37.9 65.5 10.6 38 0.6 3.3 1.1 23 3.07																			
STD OREAS262	Standard	0.6 115.2 61.6 151 0.5 62.1 26.4 580 3.28 38.6 64.8 10.8 37 0.7 3.3 1.1 26 3.00																			
STD OXB130	Standard	0.125																			
STD OXB130	Standard	0.123																			
STD OXI138	Standard	1.896																			
STD OXI138	Standard	1.908																			
STD OXN117	Standard	7.766																			
STD OXN117	Standard	7.745																			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 05, 2019

Page: 1 of 2

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000684.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																			
1475936	Rock	0.018	18	2	0.15	55	<0.001	<20	0.45	0.063	0.04	0.4	<0.01	0.5	<0.1	<0.05	2	<0.5	<0.2
REP 1475936	QC																		
1475952	Rock	0.147	14	46	0.52	1005	0.084	<20	1.24	0.037	0.40	0.3	<0.01	3.5	0.4	0.23	4	1.4	<0.2
REP 1475952	QC	0.142	13	47	0.52	1013	0.086	<20	1.26	0.036	0.40	0.3	<0.01	3.4	0.5	0.23	4	0.8	<0.2
1475987	Rock	0.200	12	25	0.66	342	0.004	<20	1.64	0.044	0.21	0.2	<0.01	2.8	0.1	1.50	6	5.3	<0.2
REP 1475987	QC	0.200	12	24	0.66	355	0.005	<20	1.64	0.044	0.22	0.1	<0.01	2.7	0.1	1.49	6	5.6	<0.2
1825704	Rock	0.075	7	14	0.32	295	0.002	<20	0.75	0.005	0.20	0.2	<0.01	1.4	0.2	1.15	2	3.1	<0.2
REP 1825704	QC																		
1825711	Rock	0.024	10	10	0.23	146	0.001	<20	0.44	0.009	0.12	1.0	<0.01	1.1	<0.1	0.32	1	0.8	<0.2
REP 1825711	QC	0.021	9	9	0.23	140	0.001	<20	0.43	0.009	0.12	0.9	<0.01	1.0	<0.1	0.31	1	1.0	<0.2
Core Reject Duplicates																			
1475942	Rock	0.299	11	51	0.55	733	0.066	<20	1.33	0.038	0.31	0.4	<0.01	3.2	0.4	0.31	5	2.2	<0.2
DUP 1475942	QC	0.285	11	49	0.54	731	0.065	<20	1.35	0.037	0.31	0.4	0.01	3.3	0.3	0.31	5	2.7	<0.2
1475976	Rock	0.125	16	13	0.17	289	0.017	<20	0.82	0.022	0.25	4.2	<0.01	1.5	0.1	0.73	2	4.2	<0.2
DUP 1475976	QC	0.129	18	13	0.19	321	0.018	<20	0.83	0.023	0.24	0.6	<0.01	1.7	0.1	0.68	2	4.4	<0.2
Reference Materials																			
STD BVGEO01	Standard	0.079	28	184	1.32	345	0.243	<20	2.36	0.196	0.91	3.6	0.09	6.6	0.6	0.65	8	5.4	1.1
STD DS11	Standard	0.074	20	63	0.87	471	0.097	<20	1.19	0.076	0.41	2.4	0.28	3.2	5.1	0.29	5	1.6	4.4
STD DS11	Standard	0.076	18	53	0.84	438	0.082	<20	1.13	0.071	0.40	2.5	0.27	3.5	5.7	0.31	5	1.8	4.6
STD OREAS262	Standard	0.040	18	43	1.19	272	0.003	<20	1.32	0.069	0.34	0.1	0.19	3.3	0.5	0.26	4	0.5	0.3
STD OREAS262	Standard	0.044	20	45	1.21	268	0.004	<20	1.35	0.072	0.34	<0.1	0.15	3.4	0.5	0.26	4	<0.5	0.2
STD OREAS262	Standard	0.043	15	40	1.21	285	0.002	<20	1.29	0.072	0.32	0.1	0.18	3.5	0.6	0.29	4	<0.5	0.2
STD OXB130	Standard																		
STD OXB130	Standard																		
STD OXI138	Standard																		
STD OXI138	Standard																		
STD OXN117	Standard																		
STD OXN117	Standard																		



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 05, 2019

Page: 2 of 2

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000684.1

	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
STD BVGEO01 Expected			10.8	4415	187	1741	2.53	163	25	733	3.7	121	219	14.4	55	6.5	2.2	25.6	73	1.3219	
STD OXI138 Expected		1.86																			
STD OXB130 Expected		0.125																			
STD OXN117 Expected		7.679																			
STD DS11 Expected			13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063	
STD OREAS262 Expected			0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	65	9.33	36	0.61	3.39	1.03	22.5	2.98	
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
BLK	Blank	<0.005																			
BLK	Blank		<0.1	<0.1	0.3	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
Prep Wash																					
ROCK-WHI	Prep Blank	<0.005	0.8	3.0	1.0	29	<0.1	0.9	3.5	503	1.78	0.7	<0.5	2.3	19	<0.1	<0.1	<0.1	23	0.57	
ROCK-WHI	Prep Blank	<0.005	0.9	5.9	1.0	36	<0.1	1.8	4.5	605	2.11	0.8	<0.5	2.6	26	<0.1	<0.1	<0.1	30	0.73	



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 05, 2019

Page: 2 of 2

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000684.1

	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200		
	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2		
STD BVGEO01 Expected	0.0727	25.9	171	1.2963	340	0.233		2.347	0.1924	0.89	3.5	0.1	5.97	0.62	0.6655	7.37	4.84	1.02	
STD OXI138 Expected																			
STD OXB130 Expected																			
STD OXN117 Expected																			
STD DS11 Expected	0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56	
STD OREAS262 Expected	0.04	15.9	41.7	1.17	248	0.003		1.204	0.071	0.312	0.13	0.17	3.24	0.47	0.253	3.73	0.4	0.23	
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																			
ROCK-WHI	Prep Blank	0.038	6	3	0.48	93	0.072	<20	0.83	0.072	0.08	0.1	<0.01	2.5	<0.1	<0.05	4	<0.5	<0.2
ROCK-WHI	Prep Blank	0.043	7	5	0.59	65	0.096	<20	1.08	0.106	0.11	<0.1	<0.01	3.5	<0.1	<0.05	5	<0.5	<0.2



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Submitted By: James Thom  
Receiving Lab: Canada-Whitehorse  
Received: October 23, 2019  
Report Date: November 13, 2019  
Page: 1 of 5

## CERTIFICATE OF ANALYSIS

WHI19000704.1

### CLIENT JOB INFORMATION

Project: McQuesten  
Shipment ID: MQ-19-16a  
P.O. Number  
Number of Samples: 105

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
RTRN-RJT Return After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Banyan Gold Corp.  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7  
Canada

CC: Paul Gray

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	103	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	2	Sort, label and box pulps			WHI
FA450	105	50g Lead Collection Fire Assay Fusion - AAS Finish	50	Completed	VAN
EN002	105	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	105	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	105	Per sample shipping charges for branch shipments			VAN
FA550	3	Lead collection fire assay 50G fusion - Grav finish	50	Completed	VAN

### ADDITIONAL COMMENTS

  
MAY LAI  
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 13, 2019

**Page:** 2 of 5

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000704.1

Method Analyte	Unit	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
MDL		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1825717	Rock	2.60	0.022	1.2	87.7	6.6	53	2.8	30.6	11.7	290	3.11	165.0	14.0	10.7	39	0.4	1.9	2.2	24	0.28
1825718	Rock	3.98	0.076	0.5	39.7	2.6	28	0.2	10.6	7.8	222	1.78	38.8	71.1	7.5	44	0.2	0.7	2.4	8	1.02
1825719	Rock	2.23	0.069	0.3	35.9	4.5	33	0.1	12.6	7.0	406	0.92	20.3	57.6	3.4	243	0.2	0.1	1.9	7	9.71
1825720	Rock	2.28	0.069	0.3	26.5	4.7	29	0.1	11.2	6.9	413	0.88	18.4	126.0	3.5	265	0.1	0.1	1.9	7	9.93
1825721	Rock	4.00	0.022	0.7	38.7	7.0	23	0.4	15.4	6.1	168	2.08	32.9	8.2	9.4	62	0.3	0.4	3.0	11	1.13
1825722	Rock	4.71	0.289	0.7	61.6	4.9	29	0.5	21.9	11.6	183	2.17	30.5	274.5	10.6	70	0.2	0.2	8.3	15	1.76
1825723	Rock	4.76	0.133	1.0	66.5	4.7	38	0.4	30.8	14.0	146	3.10	30.4	106.2	10.9	89	0.2	0.2	4.5	24	1.25
1825724	Rock	4.49	0.105	0.4	57.7	5.5	39	0.5	29.3	16.2	142	2.78	38.2	45.9	10.9	49	0.3	0.2	5.0	14	0.54
1825725	Rock	4.69	0.283	0.4	72.3	5.0	32	0.3	18.6	12.1	327	2.49	31.1	185.9	7.0	218	0.1	0.1	7.7	17	8.42
1825726	Rock	4.41	0.015	0.4	32.8	4.5	37	0.4	23.9	12.8	263	2.95	56.0	2.7	9.3	29	<0.1	0.5	2.1	21	0.48
1825727	Rock	4.59	0.090	0.3	29.8	6.0	31	0.3	13.2	7.9	356	1.77	17.6	59.4	6.2	305	0.4	0.2	3.8	11	11.64
1825728	Rock	5.61	0.237	0.6	37.8	7.6	42	0.4	22.6	10.9	358	2.13	250.2	271.1	5.9	166	0.2	0.4	7.6	18	4.77
1825729	Rock	4.26	0.494	0.3	35.8	5.3	43	0.3	15.7	7.9	333	1.43	29.2	431.6	7.4	260	0.2	0.4	9.5	13	7.21
1825730	Rock	0.41	<0.005	<0.1	0.4	0.3	<1	<0.1	2.5	0.7	66	0.06	<0.5	0.9	<0.1	76	<0.1	<0.1	<0.1	<1	32.02
1825731	Rock	4.67	0.107	0.5	34.6	6.5	42	0.3	24.7	10.9	298	2.17	40.3	57.4	10.9	278	0.4	0.4	3.3	21	7.40
1825732	Rock	3.15	0.096	0.4	35.3	5.1	28	0.2	11.5	5.8	176	1.26	41.8	81.2	9.6	139	0.2	0.3	2.6	10	3.83
1825733	Rock	2.30	0.099	0.5	30.0	10.2	31	0.3	13.9	6.9	183	1.79	269.7	64.0	13.6	54	0.4	4.5	4.1	11	1.14
1825734	Rock	3.58	0.033	1.1	8.5	17.4	49	<0.1	2.2	2.2	305	1.46	157.4	18.1	5.3	55	0.1	1.5	0.6	7	1.74
1825735	Rock	4.45	0.058	0.8	30.2	6.8	32	0.3	19.0	8.8	339	2.09	37.3	21.1	9.5	195	0.4	0.8	2.8	14	7.87
1825736	Rock	4.28	0.072	0.3	16.3	7.2	23	0.2	9.7	5.6	326	1.34	43.8	57.5	7.9	331	0.2	0.4	2.1	9	11.99
1825737	Rock	4.75	0.285	2.1	55.2	3.9	50	0.3	36.7	11.8	212	2.99	151.7	264.7	11.0	64	0.2	0.4	6.4	33	1.31
1825738	Rock	5.28	0.029	12.0	57.1	5.5	69	0.4	74.5	14.1	225	2.85	220.1	5.2	10.0	57	1.0	1.4	2.1	82	1.21
1825739	Rock	2.38	0.470	1.1	82.2	6.7	54	0.7	42.1	17.9	352	4.03	88.5	207.0	11.2	159	0.2	0.6	11.4	33	2.54
1825740	Rock	2.24	0.301	1.1	79.5	6.8	56	0.7	42.6	17.1	359	3.96	167.1	151.7	10.8	173	0.2	0.5	7.8	32	2.84
1825741	Rock	5.11	0.372	1.4	87.3	6.3	54	0.5	36.2	12.7	397	3.55	22.2	404.7	9.8	235	0.2	0.3	8.5	35	4.09
1825742	Rock	4.57	0.029	6.7	74.7	6.3	84	0.4	61.6	15.2	263	3.56	121.1	20.4	9.8	117	0.8	0.7	2.2	110	1.92
1825743	Rock	4.42	0.061	20.7	51.0	5.6	491	0.4	94.3	7.6	149	1.90	486.8	4.8	4.6	112	9.2	2.8	1.8	117	1.13
1825744	Rock	4.52	0.068	14.2	51.4	4.4	174	0.4	75.3	13.0	166	2.44	186.5	17.1	6.4	45	2.8	2.2	1.9	70	1.23
1825745	Rock	4.20	0.008	18.5	40.9	2.6	177	0.2	97.4	9.8	59	1.59	219.6	5.3	4.2	14	2.8	1.4	0.7	77	0.32
1825746	Rock	3.44	0.011	19.6	49.9	2.9	565	0.3	89.2	7.7	116	1.88	219.5	1.3	4.3	46	11.0	4.8	0.9	156	1.06



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 13, 2019

**Page:** 2 of 5

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000704.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.01	0.01	0.1	0.01	0.05	1	0.5	0.2	0.9	
1825717	Rock	0.041	16	18	0.75	148	0.045	<20	1.64	0.028	0.28	6.5	<0.01	2.8	0.3	<0.05	4	1.9	<0.2	
1825718	Rock	0.028	9	7	0.23	64	0.017	<20	0.65	0.016	0.16	0.2	<0.01	0.9	0.1	0.28	2	2.4	<0.2	
1825719	Rock	0.028	4	6	0.19	63	0.030	<20	1.07	0.062	0.06	0.2	<0.01	1.2	<0.1	0.21	3	1.2	<0.2	
1825720	Rock	0.027	5	7	0.17	73	0.032	<20	1.13	0.066	0.07	0.2	<0.01	1.4	<0.1	0.22	3	1.1	<0.2	
1825721	Rock	0.020	10	8	0.33	92	0.038	<20	1.23	0.040	0.15	0.2	<0.01	1.4	<0.1	0.11	3	2.4	<0.2	
1825722	Rock	0.029	9	11	0.41	108	0.050	<20	1.79	0.067	0.17	9.7	<0.01	2.1	0.1	0.79	5	3.7	0.4	
1825723	Rock	0.050	12	18	0.59	151	0.067	<20	2.60	0.111	0.26	0.3	<0.01	3.2	0.2	0.97	7	4.8	0.2	
1825724	Rock	0.026	9	11	0.48	118	0.051	<20	1.56	0.051	0.23	0.4	<0.01	2.0	0.1	1.27	4	4.2	0.2	
1825725	Rock	0.031	8	13	0.38	187	0.050	<20	2.31	0.089	0.19	0.8	0.01	2.0	0.1	1.13	5	4.2	0.3	
1825726	Rock	0.033	9	17	0.71	102	0.075	<20	1.49	0.037	0.38	0.2	<0.01	2.3	0.4	1.17	4	1.5	<0.2	
1825727	Rock	0.026	4	9	0.42	88	0.027	<20	1.37	0.051	0.20	0.2	<0.01	1.7	0.2	0.82	3	2.2	<0.2	
1825728	Rock	0.040	6	15	0.50	98	0.047	<20	2.42	0.131	0.19	31.4	<0.01	2.2	0.2	1.10	6	3.2	0.5	
1825729	Rock	0.052	9	12	0.31	80	0.045	<20	2.51	0.143	0.16	0.4	<0.01	1.6	<0.1	0.59	6	1.8	0.4	
1825730	Rock	0.006	<1	2	0.27	12	0.001	<20	0.02	0.004	0.02	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2	
1825731	Rock	0.041	10	19	0.53	112	0.056	<20	2.99	0.189	0.33	0.3	<0.01	2.7	0.2	0.90	7	2.1	0.2	
1825732	Rock	0.016	12	10	0.23	81	0.035	<20	1.85	0.117	0.15	1.5	<0.01	1.7	<0.1	0.49	4	2.5	<0.2	
1825733	Rock	0.025	11	9	0.42	148	0.010	<20	1.30	0.059	0.22	0.1	<0.01	1.7	0.1	0.80	3	1.7	<0.2	
1825734	Rock	0.047	9	2	0.20	192	0.008	<20	0.97	0.042	0.35	<0.1	<0.01	0.8	0.2	0.08	3	<0.5	<0.2	
1825735	Rock	0.034	8	12	0.55	112	0.033	<20	1.79	0.083	0.23	0.2	<0.01	1.7	0.1	0.84	4	1.9	<0.2	
1825736	Rock	0.023	6	8	0.41	107	0.024	<20	1.50	0.080	0.19	0.2	<0.01	1.4	0.1	0.47	3	0.9	<0.2	
1825737	Rock	0.048	10	14	0.56	209	0.030	<20	1.83	0.077	0.26	0.6	<0.01	2.0	0.1	1.35	5	3.4	0.4	
1825738	Rock	0.086	12	17	0.67	330	0.017	<20	1.34	0.042	0.23	0.2	<0.01	2.3	0.2	1.09	4	4.6	<0.2	
1825739	Rock	0.037	9	23	0.97	205	0.037	<20	2.76	0.121	0.20	0.2	<0.01	3.8	0.1	2.08	7	7.1	0.6	
1825740	Rock	0.037	9	23	0.97	206	0.035	<20	2.77	0.124	0.22	0.2	<0.01	4.3	0.1	2.02	7	6.3	0.4	
1825741	Rock	0.063	9	27	1.00	269	0.057	<20	3.95	0.202	0.25	14.1	<0.01	3.4	0.2	1.64	9	6.0	0.4	
1825742	Rock	0.063	10	28	1.01	122	0.039	<20	2.89	0.145	0.26	0.1	<0.01	3.7	0.2	1.64	7	7.5	<0.2	
1825743	Rock	0.120	6	12	0.28	810	0.014	<20	0.84	0.023	0.14	2.3	0.01	1.2	0.1	0.71	2	9.4	<0.2	
1825744	Rock	0.059	9	13	0.43	289	0.007	<20	0.75	0.013	0.18	0.2	<0.01	2.0	0.1	1.24	2	5.9	<0.2	
1825745	Rock	0.104	7	9	0.19	654	0.004	<20	0.54	0.008	0.17	0.3	<0.01	0.9	0.2	0.71	1	5.0	<0.2	
1825746	Rock	0.233	9	19	0.37	766	0.006	<20	0.76	0.007	0.18	0.4	0.03	1.6	0.2	0.67	2	8.6	<0.2	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 13, 2019

Page: 3 of 5

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000704.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1825747	Rock	2.98	0.016	20.9	50.3	3.1	278	0.5	85.8	12.3	68	1.55	71.1	0.6	4.8	16	4.5	2.5	0.7	75	0.39
1825748	Rock	3.20	0.009	19.0	43.4	3.7	372	0.6	86.4	8.0	119	2.07	30.4	2.6	4.3	30	5.2	2.0	0.8	91	0.83
1825749	Rock	4.96	0.012	18.8	40.6	4.0	375	0.5	84.9	7.6	100	1.98	21.0	0.8	4.0	36	5.1	1.9	0.8	74	0.59
1825750	Rock Pulp	0.11	1.196	6.6	108.4	6847.7	1511	42.5	16.3	10.2	1070	3.78	52.9	1045.4	2.9	82	14.2	30.3	0.7	97	1.01
1864001	Rock	3.88	0.019	23.4	48.0	7.1	440	0.4	93.1	8.0	97	1.79	728.5	1.3	5.0	37	6.8	2.2	1.9	80	0.57
1864002	Rock	3.99	0.029	0.5	63.2	4.0	54	0.3	31.8	13.2	316	4.01	35.4	8.8	9.8	67	0.3	0.5	1.7	22	1.41
1864003	Rock	4.45	0.092	0.5	62.4	6.5	52	0.6	39.5	16.6	295	3.79	56.3	7.3	9.3	132	0.1	0.6	3.6	20	1.56
1864004	Rock	5.27	1.808	2.2	98.1	7.5	55	0.8	48.3	20.0	185	4.21	106.4	810.8	11.1	152	0.6	0.7	31.4	24	1.78
1864005	Rock	4.46	3.966	0.9	46.5	6.5	43	1.4	27.8	11.9	209	2.80	63.8	3595.7	9.3	126	<0.1	2.1	82.5	30	2.03
1864006	Rock	4.75	0.214	0.4	66.5	4.6	62	0.5	37.6	18.6	331	4.07	73.3	129.3	10.4	76	<0.1	1.0	4.5	21	1.44
1864007	Rock	4.15	0.089	1.5	61.6	3.4	69	0.3	37.4	14.5	298	3.69	45.0	12.2	9.3	63	0.2	0.7	2.0	18	1.25
1864008	Rock	4.55	1.887	0.7	122.4	5.0	68	0.7	39.4	17.0	324	4.42	187.6	1394.5	10.6	136	<0.1	0.6	35.5	30	2.16
1864009	Rock	4.41	0.351	0.7	60.9	4.0	64	0.2	33.3	14.8	281	2.98	32.2	237.7	9.5	130	<0.1	0.5	7.3	35	2.85
1864010	Rock	6.26	0.067	7.1	31.1	5.1	398	0.2	47.7	8.7	697	2.15	38.4	2.3	6.8	168	7.1	1.7	2.2	85	6.35
1864011	Rock	3.24	0.011	2.7	37.3	6.6	91	0.4	42.8	18.3	149	3.09	21.5	0.8	13.5	21	0.6	1.2	1.0	13	0.70
1864012	Rock	5.46	0.108	8.6	63.9	5.4	175	0.4	76.2	12.7	247	3.13	93.8	3.3	10.0	71	3.0	1.2	4.0	65	2.13
1864013	Rock	4.69	0.285	0.5	83.2	9.6	56	0.6	32.9	17.1	565	3.13	108.9	304.7	10.6	292	0.7	1.2	9.3	21	7.85
1864014	Rock	4.98	0.108	0.5	73.2	6.7	34	0.4	29.9	14.0	405	2.81	98.1	66.7	8.9	360	0.1	0.5	4.9	16	7.42
1864015	Rock	4.32	0.051	0.8	74.7	5.8	49	0.4	35.7	14.9	208	3.07	72.0	36.6	9.2	167	<0.1	0.3	3.3	27	2.29
1864016	Rock	4.74	0.335	0.5	84.7	4.7	43	0.3	33.5	13.3	313	2.75	32.7	231.0	8.6	180	0.1	0.2	7.7	22	3.70
1864017	Rock	5.16	0.570	0.4	111.0	6.1	42	0.7	34.5	15.2	216	3.44	88.6	542.6	8.7	161	<0.1	0.3	17.3	20	2.54
1864018	Rock	5.10	0.016	0.6	69.6	5.3	45	0.5	43.8	19.2	179	3.89	31.0	1.8	12.5	67	<0.1	0.4	3.7	15	0.90
1864019	Rock	2.49	0.148	0.8	73.3	5.5	42	0.4	40.4	18.1	210	3.61	113.2	40.8	8.5	107	<0.1	0.3	5.1	24	1.55
1864020	Rock	2.35	0.125	0.9	74.3	5.9	39	0.4	38.6	18.6	223	3.48	77.9	49.9	9.6	121	<0.1	0.3	5.1	23	1.64
1864021	Rock	3.03	0.803	0.6	107.5	6.2	35	0.7	33.6	27.6	164	3.49	3197.6	1209.2	7.6	201	0.1	1.1	16.8	19	2.81
1864022	Rock	3.63	0.205	0.3	46.9	5.5	45	0.2	19.7	9.6	757	1.69	46.9	184.4	6.3	363	0.4	<0.1	5.2	15	12.50
1864023	Rock	4.10	0.037	0.5	78.8	6.6	42	0.6	48.0	21.8	231	4.34	75.2	19.9	10.4	60	<0.1	0.2	4.3	20	0.82
1864024	Rock	4.46	0.076	0.3	90.9	6.0	28	0.7	45.3	30.5	159	4.74	2673.7	54.0	13.0	97	<0.1	0.9	5.7	14	0.62
1864025	Rock	1.26	0.890	0.2	134.1	8.4	30	0.9	33.5	16.2	526	5.52	113.4	713.4	10.1	187	0.1	0.2	19.2	15	6.40
1864026	Rock	4.22	0.088	0.2	34.3	6.6	21	0.3	17.7	8.0	313	2.18	145.3	35.0	8.5	165	0.1	0.5	2.6	9	6.88





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 13, 2019

Page: 3 of 5

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000704.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.9
1825747	Rock	0.094	7	8	0.13	470	0.002	<20	0.47	0.006	0.14	0.4	0.02	0.9	0.2	0.83	1	6.4	<0.2
1825748	Rock	0.198	5	13	0.23	438	0.004	<20	0.57	0.007	0.14	0.3	0.02	1.3	0.2	1.05	1	8.2	<0.2
1825749	Rock	0.140	5	9	0.18	238	0.004	<20	0.49	0.006	0.17	0.2	0.02	1.0	0.1	0.96	1	8.6	<0.2
1825750	Rock Pulp	0.041	6	20	0.82	153	0.140	<20	1.84	0.204	0.23	1.4	0.23	3.3	<0.1	0.21	5	<0.5	<0.2
1864001	Rock	0.122	7	9	0.16	839	0.004	<20	0.47	0.006	0.18	0.5	0.02	1.0	0.1	0.89	1	8.2	<0.2
1864002	Rock	0.031	8	18	1.03	130	0.041	<20	1.67	0.033	0.24	0.1	<0.01	2.8	0.2	1.63	4	4.0	<0.2
1864003	Rock	0.045	7	21	0.97	150	0.107	<20	2.70	0.151	0.30	0.4	<0.01	2.6	0.3	1.87	6	3.7	0.2
1864004	Rock	0.046	7	23	0.74	280	0.095	<20	3.10	0.205	0.40	0.3	<0.01	2.9	0.4	2.31	7	5.5	2.0
1864005	Rock	0.032	9	28	0.91	249	0.079	<20	2.94	0.161	0.54	0.2	0.02	4.2	0.7	1.20	7	3.6	5.3
1864006	Rock	0.041	9	23	1.11	180	0.062	<20	1.84	0.052	0.48	0.4	<0.01	2.9	0.5	1.79	5	3.8	<0.2
1864007	Rock	0.049	8	17	0.86	136	0.023	<20	1.58	0.034	0.31	0.1	<0.01	2.3	0.2	1.52	4	3.3	<0.2
1864008	Rock	0.046	7	31	1.39	196	0.061	<20	3.54	0.141	0.53	1.6	0.01	3.9	0.6	2.04	9	6.6	1.8
1864009	Rock	0.047	10	26	0.96	151	0.061	<20	3.06	0.131	0.27	0.4	<0.01	2.8	0.3	1.02	7	2.8	0.3
1864010	Rock	0.084	7	18	0.74	320	0.024	<20	1.51	0.049	0.17	1.3	0.03	2.4	0.2	0.77	4	6.2	<0.2
1864011	Rock	0.034	10	9	0.50	212	0.003	<20	0.73	0.005	0.17	<0.1	<0.01	1.0	0.1	1.65	2	2.8	<0.2
1864012	Rock	0.065	13	19	0.69	145	0.015	<20	1.55	0.048	0.23	0.1	0.01	2.6	0.2	1.45	4	7.3	<0.2
1864013	Rock	0.052	13	19	0.71	87	0.027	<20	2.26	0.103	0.19	69.2	0.02	4.1	0.2	1.53	5	3.2	0.4
1864014	Rock	0.042	11	17	0.57	89	0.054	<20	2.51	0.130	0.17	0.4	<0.01	2.6	0.1	1.40	6	3.8	<0.2
1864015	Rock	0.051	8	29	0.92	154	0.083	<20	3.65	0.200	0.35	0.4	<0.01	3.6	0.4	1.38	9	4.1	<0.2
1864016	Rock	0.078	8	27	0.80	144	0.077	<20	3.87	0.227	0.37	0.8	<0.01	2.8	0.4	1.24	9	5.0	0.4
1864017	Rock	0.057	7	23	0.75	123	0.069	<20	3.42	0.180	0.27	1.7	0.01	2.7	0.3	1.76	8	6.8	1.0
1864018	Rock	0.043	10	18	0.77	119	0.114	<20	2.04	0.074	0.38	0.3	<0.01	2.3	0.4	1.96	5	2.9	<0.2
1864019	Rock	0.037	9	24	0.90	123	0.108	<20	2.95	0.154	0.38	0.3	<0.01	3.6	0.4	1.71	8	4.2	0.2
1864020	Rock	0.044	11	25	0.88	132	0.120	<20	3.11	0.168	0.40	0.3	<0.01	3.4	0.4	1.59	8	2.9	0.3
1864021	Rock	0.060	8	20	0.51	83	0.049	<20	3.89	0.182	0.11	0.4	0.01	2.1	0.1	1.89	9	7.4	2.1
1864022	Rock	0.045	8	14	0.32	55	0.059	<20	2.08	0.082	0.09	1.2	<0.01	2.3	<0.1	0.74	5	2.4	0.3
1864023	Rock	0.084	11	16	0.87	106	0.065	<20	1.85	0.061	0.24	0.3	<0.01	3.7	0.2	2.25	5	3.6	0.2
1864024	Rock	0.075	12	12	0.59	130	0.023	<20	1.63	0.040	0.24	0.2	<0.01	2.5	0.1	2.56	4	6.7	0.8
1864025	Rock	0.050	6	12	0.51	91	0.030	<20	1.85	0.044	0.14	1.6	0.01	2.3	<0.1	3.08	4	8.5	1.2
1864026	Rock	0.031	9	8	0.42	53	0.018	<20	0.76	0.028	0.14	0.8	<0.01	1.5	<0.1	1.11	2	2.3	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 13, 2019

Page: 4 of 5

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000704.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1864027	Rock	4.40	0.072	0.9	22.4	3.6	22	0.2	19.0	4.0	164	1.32	68.2	16.5	5.1	19	<0.1	0.4	2.0	11	1.32
1864028	Rock	4.73	0.833	5.5	74.6	3.3	30	0.4	43.5	7.5	260	2.19	114.1	710.6	5.1	224	0.2	0.2	21.1	34	6.66
1864029	Rock	1.21	>10	1.1	821.5	2.0	47	3.3	23.5	40.2	171	18.90	1.2	15574.6	3.0	17	0.5	0.5	373.0	27	0.63
1864030	Rock	0.30	0.020	<0.1	1.4	0.3	<1	<0.1	2.1	0.4	84	0.08	<0.5	12.6	<0.1	74	<0.1	<0.1	0.4	<1	36.72
1864031	Rock	4.92	0.036	6.0	88.4	3.2	30	0.2	48.6	10.1	136	2.63	169.9	22.4	10.2	47	<0.1	0.4	1.8	64	0.91
1864032	Rock	3.31	0.050	2.6	69.1	4.6	34	0.2	43.6	10.4	190	3.00	792.7	43.1	12.1	57	<0.1	0.6	1.6	37	1.59
1864033	Rock	4.78	0.012	6.7	60.2	10.1	86	1.1	60.7	9.9	464	2.82	151.6	4.1	5.8	59	1.0	1.7	1.0	46	1.46
1864034	Rock	4.25	0.007	10.0	72.7	2.2	55	0.3	55.9	7.3	229	2.36	40.9	4.6	6.6	29	0.3	0.4	0.5	85	0.60
1864035	Rock	1.06	<0.005	7.4	89.4	2.0	32	0.4	65.7	10.1	301	2.39	105.2	2.4	3.8	17	0.1	1.6	0.8	46	0.33
1864036	Rock	3.56	0.006	16.5	72.4	2.4	28	0.6	83.7	10.2	217	2.36	104.4	9.7	4.5	23	0.3	0.6	0.7	62	0.42
1864037	Rock	3.67	0.011	13.1	59.4	1.7	39	0.2	67.5	8.0	247	2.10	82.2	8.7	4.4	53	0.4	0.3	0.7	57	0.60
1864038	Rock	3.90	0.005	12.7	79.4	5.4	155	1.5	66.4	9.4	369	3.29	58.9	0.6	7.7	36	2.1	1.1	1.8	38	0.46
1864039	Rock	2.83	0.009	2.2	76.2	5.9	62	1.2	43.5	11.1	819	2.58	76.7	1.1	4.5	27	0.5	2.4	1.0	28	0.32
1864040	Rock	2.49	0.007	2.3	75.2	5.0	66	1.0	39.7	10.1	567	2.54	87.1	0.5	3.9	22	0.4	1.6	0.8	29	0.24
1864041	Rock	5.80	0.014	8.8	64.0	2.4	37	0.2	72.2	10.0	171	2.04	80.6	4.3	5.0	48	0.4	0.4	0.6	150	0.77
1864042	Rock	4.56	0.008	2.3	64.8	4.2	30	0.2	65.5	13.8	146	2.68	93.3	7.6	10.6	93	<0.1	0.3	0.7	39	1.34
1864043	Rock	5.14	0.049	1.5	72.2	9.1	13	0.9	66.5	14.7	205	3.19	421.4	20.7	10.1	55	0.1	0.6	1.9	18	0.98
1864044	Rock	5.13	0.028	3.1	88.4	5.2	31	0.4	78.9	13.4	212	3.74	317.1	9.5	11.7	52	0.2	0.3	1.2	46	1.15
1864045	Rock	5.52	0.015	1.2	36.8	3.2	61	0.2	37.5	9.4	355	2.95	71.7	<0.5	4.9	18	<0.1	0.4	0.8	27	0.23
1864046	Rock	5.27	0.011	1.7	50.9	4.4	61	0.3	53.9	11.6	530	3.56	121.9	1.0	6.5	18	<0.1	0.6	0.9	33	0.23
1864047	Rock	4.07	0.016	1.8	44.2	4.3	89	0.3	62.6	12.6	347	3.96	84.4	<0.5	7.0	27	<0.1	0.8	0.8	40	0.32
1864048	Rock	3.32	0.030	1.5	48.0	7.5	94	0.5	55.2	13.7	778	6.57	143.8	1.2	4.2	18	<0.1	1.1	3.1	43	0.46
1864049	Rock	4.46	0.037	0.8	55.9	4.3	49	0.3	27.9	7.1	1367	4.16	12.5	1.5	3.3	19	<0.1	0.8	1.4	33	0.62
1864050	Rock Pulp	0.13	1.169	6.9	107.3	6903.2	1527	44.0	16.9	11.2	1101	3.83	56.8	1510.8	2.7	86	15.6	26.6	0.7	100	1.10
1864051	Rock	5.20	0.009	1.2	73.2	3.7	67	0.3	40.4	10.3	793	2.74	14.4	0.8	4.7	20	<0.1	0.7	0.7	29	0.47
1864052	Rock	2.58	0.014	5.6	47.5	4.3	197	0.5	48.4	10.2	366	2.24	24.9	<0.5	6.8	22	1.8	1.7	0.2	41	0.32
1864053	Rock	1.97	0.043	18.1	56.9	4.4	307	0.9	67.0	7.1	102	2.22	144.2	<0.5	2.7	32	2.4	2.7	0.3	106	1.20
1864054	Rock	2.81	0.094	13.1	41.9	4.9	368	1.1	65.0	8.6	201	2.20	254.4	<0.5	4.1	27	4.9	1.1	1.3	58	0.77
1864055	Rock	2.03	0.046	19.9	35.8	1.6	611	0.3	64.5	5.3	107	1.69	133.4	<0.5	2.6	21	9.3	2.4	0.8	133	0.57
1864056	Rock	3.44	>10	1.1	497.7	3.7	80	3.4	22.8	18.7	368	13.73	16.5	15855.8	3.2	35	0.3	3.3	371.0	74	1.77



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 13, 2019

**Page:** 4 of 5

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000704.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	Au gm/t	
1864027	Rock	0.024	7	8	0.27	204	0.004	<20	0.48	0.013	0.08	2.5	<0.01	0.9	<0.1	0.54	2	1.6	<0.2	
1864028	Rock	0.023	7	11	0.23	107	0.031	<20	0.76	0.022	0.07	>100	<0.01	1.2	<0.1	1.12	2	4.7	0.8	
1864029	Rock	0.010	4	6	0.15	7	0.022	<20	0.47	0.006	<0.01	>100	0.02	0.8	<0.1	>10	2	57.7	15.6	15.4
1864030	Rock	0.006	1	<1	0.47	20	0.001	<20	0.03	0.003	0.01	0.6	<0.01	0.1	<0.1	<0.05	<1	0.7	<0.2	
1864031	Rock	0.043	17	13	0.35	196	0.020	<20	1.17	0.049	0.15	0.4	<0.01	2.2	<0.1	1.15	3	3.9	<0.2	
1864032	Rock	0.059	15	17	0.44	197	0.019	<20	1.20	0.050	0.19	0.3	<0.01	2.0	0.1	1.29	3	3.7	<0.2	
1864033	Rock	0.140	9	16	0.32	202	0.003	<20	0.73	0.008	0.17	0.2	<0.01	1.6	0.2	1.22	2	5.0	<0.2	
1864034	Rock	0.095	14	22	0.43	332	0.014	<20	0.94	0.013	0.29	0.2	<0.01	2.1	0.4	0.79	3	3.9	<0.2	
1864035	Rock	0.070	10	15	0.37	374	0.008	<20	0.88	0.007	0.29	0.2	<0.01	1.7	0.4	0.81	3	5.1	<0.2	
1864036	Rock	0.074	9	11	0.25	350	0.004	<20	0.79	0.009	0.26	0.2	<0.01	1.4	0.2	1.07	2	4.2	<0.2	
1864037	Rock	0.042	13	23	0.44	369	0.017	<20	1.00	0.019	0.27	0.7	<0.01	2.0	0.3	0.67	3	2.6	<0.2	
1864038	Rock	0.110	10	14	0.47	115	0.004	<20	0.88	0.006	0.23	0.2	<0.01	1.4	0.2	1.77	3	3.8	<0.2	
1864039	Rock	0.046	12	14	0.42	294	0.007	<20	0.90	0.012	0.24	<0.1	<0.01	1.7	0.2	1.07	3	1.3	<0.2	
1864040	Rock	0.053	11	14	0.40	311	0.008	<20	0.84	0.007	0.26	<0.1	<0.01	1.7	0.2	1.12	3	1.7	<0.2	
1864041	Rock	0.150	10	27	0.35	494	0.022	<20	1.02	0.045	0.31	0.2	<0.01	2.3	0.3	0.73	3	4.2	<0.2	
1864042	Rock	0.099	23	22	0.34	399	0.008	<20	1.73	0.139	0.25	0.2	<0.01	2.4	0.1	1.09	5	5.4	<0.2	
1864043	Rock	0.099	20	10	0.16	230	0.002	<20	0.86	0.038	0.28	0.1	<0.01	1.7	0.1	1.79	2	5.0	<0.2	
1864044	Rock	0.132	30	20	0.46	192	0.003	<20	1.32	0.055	0.28	0.1	<0.01	3.0	0.1	1.89	4	8.4	<0.2	
1864045	Rock	0.046	10	18	0.45	248	0.001	<20	1.38	0.039	0.13	<0.1	<0.01	2.0	<0.1	0.89	4	1.3	<0.2	
1864046	Rock	0.052	18	23	0.63	255	0.001	<20	1.85	0.037	0.14	<0.1	<0.01	2.1	<0.1	0.86	5	2.0	<0.2	
1864047	Rock	0.081	20	33	0.69	210	0.002	<20	2.23	0.065	0.12	<0.1	<0.01	2.7	<0.1	0.81	6	2.0	<0.2	
1864048	Rock	0.095	10	27	1.01	81	0.003	<20	2.29	0.039	0.12	<0.1	<0.01	3.1	<0.1	3.47	6	5.7	0.2	
1864049	Rock	0.035	7	21	0.83	239	0.002	<20	1.21	0.016	0.10	<0.1	<0.01	2.0	<0.1	1.86	3	1.3	<0.2	
1864050	Rock Pulp	0.055	7	23	0.84	149	0.155	<20	1.96	0.226	0.24	1.6	0.26	3.2	0.1	0.22	6	<0.5	<0.2	
1864051	Rock	0.038	10	19	0.64	376	0.002	<20	1.21	0.019	0.14	<0.1	<0.01	2.1	<0.1	0.89	3	0.9	<0.2	
1864052	Rock	0.048	15	15	0.40	320	0.001	<20	1.16	0.032	0.15	<0.1	0.02	1.5	<0.1	0.64	3	2.7	<0.2	
1864053	Rock	0.479	7	19	0.19	176	0.004	<20	0.83	0.026	0.20	0.2	0.02	1.5	0.1	1.44	2	6.2	<0.2	
1864054	Rock	0.088	7	8	0.13	162	<0.001	<20	0.61	0.024	0.14	0.2	0.03	1.2	<0.1	1.85	1	7.4	<0.2	
1864055	Rock	0.158	7	10	0.17	211	0.002	<20	0.62	0.010	0.16	0.3	0.04	1.1	<0.1	0.74	2	7.2	<0.2	
1864056	Rock	0.046	8	14	0.76	57	0.025	<20	1.36	0.016	0.06	>100	<0.01	2.7	<0.1	6.90	6	43.3	18.1	14.5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 13, 2019

Page: 5 of 5

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000704.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1864057	Rock	3.42	3.865	0.6	315.5	6.3	109	1.3	35.8	18.8	448	8.71	22.6	3309.4	8.6	84	0.3	0.5	93.9	39	2.31
1864058	Rock	4.20	>10	1.0	982.2	4.6	114	5.7	23.9	17.7	455	18.79	<0.5	20595.6	3.6	65	1.6	0.6	469.6	30	2.26
1864059	Rock	1.82	0.052	9.3	70.1	2.4	64	0.2	58.1	9.0	307	2.65	251.2	15.1	6.3	49	0.5	0.7	2.2	114	1.46
1864060	Rock	1.45	0.052	9.3	70.1	2.6	67	0.2	51.7	8.6	343	2.75	251.6	13.5	6.2	52	0.5	0.7	2.4	88	1.57
1864061	Rock	5.10	0.017	0.8	63.3	3.4	35	0.3	39.6	6.4	294	2.42	76.1	<0.5	5.2	45	0.1	1.2	2.0	21	0.65
1864062	Rock	4.74	0.015	3.2	80.4	3.0	52	0.3	37.8	8.8	555	2.59	40.4	<0.5	3.9	54	0.3	1.1	1.9	21	0.49
1864063	Rock	4.62	0.015	4.7	63.6	2.7	80	0.2	39.9	9.7	480	2.34	40.3	<0.5	3.4	39	0.9	1.4	1.0	20	0.35
1864064	Rock	3.76	0.049	0.8	79.8	3.5	64	0.3	27.5	8.4	578	2.24	583.9	2.1	3.2	30	0.7	1.4	1.5	21	0.29
1864065	Rock	4.25	0.081	0.5	77.3	3.0	55	0.2	28.8	8.0	205	1.99	272.9	3.9	3.0	17	1.0	2.1	2.1	21	0.35
1864066	Rock	4.33	0.055	0.5	33.5	2.8	31	0.2	15.2	3.6	179	1.53	173.2	9.2	2.5	16	0.1	2.1	2.6	10	0.45
1864067	Rock	2.79	0.072	0.5	43.2	2.3	36	0.2	25.2	5.9	224	2.04	439.6	9.7	3.6	17	<0.1	4.8	1.9	13	0.42
1864068	Rock	3.30	0.107	0.5	25.5	1.8	24	0.2	17.3	5.0	354	1.55	121.7	7.9	3.2	25	<0.1	2.3	2.4	9	1.11
1864069	Rock	4.58	0.023	0.4	19.4	1.7	18	<0.1	23.2	4.6	145	1.13	129.4	0.7	3.0	19	<0.1	0.7	1.1	9	0.51
1864070	Rock	0.34	<0.005	<0.1	3.5	0.3	<1	<0.1	0.1	0.3	84	0.08	2.2	1.9	<0.1	68	<0.1	<0.1	<0.1	<1	35.23
1864071	Rock	3.40	0.090	0.4	11.8	2.1	12	0.1	14.5	4.2	106	1.02	2015.9	56.9	3.7	14	<0.1	1.9	1.5	5	0.22



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 13, 2019

**Page:** 5 of 5

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000704.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.9	
1864057	Rock	0.041	19	30	1.39	96	0.091	<20	2.84	0.067	0.13	30.6	<0.01	4.1	0.1	4.48	9	21.3	4.1	
1864058	Rock	0.052	8	14	0.72	57	0.030	<20	1.62	0.023	0.02	>100	<0.01	2.3	<0.1	9.11	6	57.0	19.9	19.9
1864059	Rock	0.101	12	22	0.67	299	0.015	<20	1.13	0.009	0.21	1.4	<0.01	2.1	0.1	1.05	3	4.0	<0.2	
1864060	Rock	0.091	11	21	0.80	253	0.019	<20	1.16	0.007	0.18	1.4	<0.01	2.2	0.1	1.07	3	3.7	<0.2	
1864061	Rock	0.029	10	12	0.47	381	0.002	<20	0.81	0.006	0.22	0.2	<0.01	1.4	0.1	1.06	2	2.1	<0.2	
1864062	Rock	0.040	9	12	0.51	339	0.002	<20	0.83	0.005	0.21	0.2	<0.01	1.4	0.1	1.03	2	1.2	<0.2	
1864063	Rock	0.032	9	12	0.42	302	0.002	<20	0.76	0.005	0.17	0.1	<0.01	1.2	<0.1	0.88	2	1.1	<0.2	
1864064	Rock	0.020	10	12	0.49	300	0.002	<20	0.91	0.005	0.18	0.2	<0.01	1.5	<0.1	0.53	3	0.8	0.2	
1864065	Rock	0.016	8	10	0.40	327	0.002	<20	0.75	0.004	0.16	<0.1	<0.01	1.8	<0.1	0.68	2	0.9	<0.2	
1864066	Rock	0.015	7	8	0.24	141	0.003	<20	0.41	0.004	0.08	0.1	<0.01	1.3	<0.1	0.67	1	1.6	<0.2	
1864067	Rock	0.027	10	12	0.31	134	0.002	<20	0.61	0.006	0.11	0.1	<0.01	1.2	<0.1	0.82	2	2.0	<0.2	
1864068	Rock	0.021	8	10	0.22	107	0.002	<20	0.45	0.004	0.08	0.1	<0.01	1.1	<0.1	0.70	1	1.1	<0.2	
1864069	Rock	0.026	9	11	0.17	115	0.002	<20	0.38	0.008	0.08	<0.1	<0.01	1.1	<0.1	0.34	1	0.9	<0.2	
1864070	Rock	0.007	1	<1	0.86	15	0.001	<20	0.02	0.001	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2	
1864071	Rock	0.019	12	7	0.10	128	0.001	<20	0.32	0.007	0.09	<0.1	<0.01	0.6	<0.1	0.25	<1	1.0	<0.2	



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 13, 2019

Page: 1 of 3 Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000704.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm		
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
Pulp Duplicates																					
1825722	Rock	4.71	0.289	0.7	61.6	4.9	29	0.5	21.9	11.6	183	2.17	30.5	274.5	10.6	70	0.2	0.2	8.3	15	1.76
REP 1825722	QC			0.8	62.3	5.2	32	0.4	22.8	12.2	176	2.22	27.4	139.1	10.0	72	0.2	0.1	8.0	15	1.79
1864006	Rock	4.75	0.214	0.4	66.5	4.6	62	0.5	37.6	18.6	331	4.07	73.3	129.3	10.4	76	<0.1	1.0	4.5	21	1.44
REP 1864006	QC			0.5	69.5	4.4	59	0.4	37.8	18.1	330	3.93	80.3	59.8	11.0	79	<0.1	0.8	3.8	20	1.39
1864020	Rock	2.35	0.125	0.9	74.3	5.9	39	0.4	38.6	18.6	223	3.48	77.9	49.9	9.6	121	<0.1	0.3	5.1	23	1.64
REP 1864020	QC		0.124																		
1864034	Rock	4.25	0.007	10.0	72.7	2.2	55	0.3	55.9	7.3	229	2.36	40.9	4.6	6.6	29	0.3	0.4	0.5	85	0.60
REP 1864034	QC		0.006																		
1864041	Rock	5.80	0.014	8.8	64.0	2.4	37	0.2	72.2	10.0	171	2.04	80.6	4.3	5.0	48	0.4	0.4	0.6	150	0.77
REP 1864041	QC			9.3	64.1	2.4	38	0.2	68.4	9.8	172	2.08	79.4	7.1	5.0	49	0.4	0.4	0.6	152	0.80
1864058	Rock	4.20	>10	1.0	982.2	4.6	114	5.7	23.9	17.7	455	18.79	<0.5	20595.6	3.6	65	1.6	0.6	469.6	30	2.26
REP 1864058	QC																				
1864069	Rock	4.58	0.023	0.4	19.4	1.7	18	<0.1	23.2	4.6	145	1.13	129.4	0.7	3.0	19	<0.1	0.7	1.1	9	0.51
REP 1864069	QC		0.039																		
1864070	Rock	0.34	<0.005	<0.1	3.5	0.3	<1	<0.1	0.1	0.3	84	0.08	2.2	1.9	<0.1	68	<0.1	<0.1	<0.1	<1	35.23
REP 1864070	QC			<0.1	1.7	0.2	<1	<0.1	<0.1	0.2	86	0.07	1.6	1.0	<0.1	69	<0.1	<0.1	<0.1	<1	34.95
Core Reject Duplicates																					
1825728	Rock	5.61	0.237	0.6	37.8	7.6	42	0.4	22.6	10.9	358	2.13	250.2	271.1	5.9	166	0.2	0.4	7.6	18	4.77
DUP 1825728	QC		0.249	0.5	40.3	7.3	40	0.5	21.3	10.9	342	2.11	261.3	302.8	5.5	170	0.3	0.4	7.1	17	4.78
1864012	Rock	5.46	0.108	8.6	63.9	5.4	175	0.4	76.2	12.7	247	3.13	93.8	3.3	10.0	71	3.0	1.2	4.0	65	2.13
DUP 1864012	QC		0.121	8.8	67.0	5.6	180	0.4	75.3	12.6	221	3.11	93.8	8.5	9.5	69	2.8	1.3	3.9	64	2.13
1864046	Rock	5.27	0.011	1.7	50.9	4.4	61	0.3	53.9	11.6	530	3.56	121.9	1.0	6.5	18	<0.1	0.6	0.9	33	0.23
DUP 1864046	QC		0.010	1.7	49.2	4.5	63	0.3	55.1	11.8	532	3.66	117.6	<0.5	6.3	18	<0.1	0.6	1.0	34	0.23
Reference Materials																					
STD AGPROOF	Standard																				
STD AGPROOF	Standard																				
STD BVGEO01	Standard			10.7	4509.9	187.9	1803	2.6	162.6	24.1	746	3.76	126.7	213.0	14.9	57	7.2	2.9	26.7	73	1.34
STD BVGEO01	Standard			10.9	4300.0	187.1	1704	2.5	157.1	24.4	744	3.69	120.7	217.5	14.4	55	6.0	2.8	24.4	72	1.28



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 13, 2019

Page: 1 of 3

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000704.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.9	
Pulp Duplicates																				
1825722	Rock	0.029	9	11	0.41	108	0.050	<20	1.79	0.067	0.17	9.7	<0.01	2.1	0.1	0.79	5	3.7	0.4	
REP 1825722	QC	0.031	9	12	0.41	103	0.051	<20	1.81	0.068	0.17	10.4	<0.01	2.1	0.1	0.80	5	3.9	0.4	
1864006	Rock	0.041	9	23	1.11	180	0.062	<20	1.84	0.052	0.48	0.4	<0.01	2.9	0.5	1.79	5	3.8	<0.2	
REP 1864006	QC	0.041	9	23	1.07	180	0.061	<20	1.79	0.050	0.47	0.5	<0.01	2.9	0.5	1.75	4	3.2	0.2	
1864020	Rock	0.044	11	25	0.88	132	0.120	<20	3.11	0.168	0.40	0.3	<0.01	3.4	0.4	1.59	8	2.9	0.3	
REP 1864020	QC																			
1864034	Rock	0.095	14	22	0.43	332	0.014	<20	0.94	0.013	0.29	0.2	<0.01	2.1	0.4	0.79	3	3.9	<0.2	
REP 1864034	QC																			
1864041	Rock	0.150	10	27	0.35	494	0.022	<20	1.02	0.045	0.31	0.2	<0.01	2.3	0.3	0.73	3	4.2	<0.2	
REP 1864041	QC	0.159	10	27	0.35	495	0.022	<20	1.03	0.046	0.32	0.2	<0.01	2.2	0.3	0.75	3	3.6	<0.2	
1864058	Rock	0.052	8	14	0.72	57	0.030	<20	1.62	0.023	0.02	>100	<0.01	2.3	<0.1	9.11	6	57.0	19.9	
REP 1864058	QC																		20.0	
1864069	Rock	0.026	9	11	0.17	115	0.002	<20	0.38	0.008	0.08	<0.1	<0.01	1.1	<0.1	0.34	1	0.9	<0.2	
REP 1864069	QC																			
1864070	Rock	0.007	1	<1	0.86	15	0.001	<20	0.02	0.001	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2	
REP 1864070	QC	0.006	1	<1	0.84	15	0.001	<20	0.02	0.001	0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2	
Core Reject Duplicates																				
1825728	Rock	0.040	6	15	0.50	98	0.047	<20	2.42	0.131	0.19	31.4	<0.01	2.2	0.2	1.10	6	3.2	0.5	
DUP 1825728	QC	0.037	5	14	0.48	88	0.044	<20	2.44	0.129	0.18	28.8	<0.01	2.1	0.2	1.09	6	3.3	0.4	
1864012	Rock	0.065	13	19	0.69	145	0.015	<20	1.55	0.048	0.23	0.1	0.01	2.6	0.2	1.45	4	7.3	<0.2	
DUP 1864012	QC	0.071	12	18	0.70	132	0.014	<20	1.52	0.047	0.21	0.1	0.01	2.2	0.1	1.45	4	7.2	0.3	
1864046	Rock	0.052	18	23	0.63	255	0.001	<20	1.85	0.037	0.14	<0.1	<0.01	2.1	<0.1	0.86	5	2.0	<0.2	
DUP 1864046	QC	0.053	18	23	0.64	260	0.002	<20	1.85	0.037	0.14	<0.1	<0.01	2.1	<0.1	0.86	5	1.5	<0.2	
Reference Materials																				
STD AGPROOF	Standard																			<0.9
STD AGPROOF	Standard																			<0.9
STD BVGEO01	Standard	0.081	27	178	1.32	362	0.236	<20	2.39	0.189	0.90	3.0	0.10	6.0	0.7	0.66	7	5.0	1.1	
STD BVGEO01	Standard	0.070	26	161	1.26	329	0.236	<20	2.24	0.178	0.84	3.9	0.08	5.8	0.6	0.67	7	4.1	1.1	



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 13, 2019

Page: 2 of 3

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000704.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
STD DS11	Standard			12.6	139.3	129.6	353	1.5	77.5	12.6	947	2.91	38.9	81.4	7.8	62	2.4	7.5	11.4	48	1.00	
STD DS11	Standard			15.8	151.9	137.7	331	1.7	87.3	14.6	1074	3.22	47.5	51.6	8.2	69	2.3	6.4	11.6	50	1.10	
STD DS11	Standard			14.8	152.9	131.6	338	1.9	82.7	14.2	1043	3.16	43.5	122.7	7.3	66	2.3	6.8	11.1	51	1.07	
STD OREAS263	Standard		0.211																			
STD OREAS263	Standard		0.200																			
STD OREAS262	Standard			0.6	114.5	54.4	150	0.4	59.6	26.4	527	3.08	34.8	65.1	9.2	35	0.6	3.7	0.9	23	2.85	
STD OREAS262	Standard			0.6	128.4	59.7	147	0.5	60.4	27.0	505	3.33	38.3	69.6	9.3	36	0.8	3.0	1.2	22	3.02	
STD OREAS262	Standard			0.6	123.0	56.8	152	0.4	66.5	26.1	580	3.25	36.8	70.6	9.5	36	0.7	2.9	1.0	21	2.92	
STD OREAS262	Standard			0.7	117.2	57.6	153	0.3	68.6	29.9	556	3.36	38.5	52.6	9.6	34	0.7	1.6	1.0	23	3.17	
STD OREAS262	Standard			0.7	115.3	54.0	151	0.4	66.2	27.9	531	3.20	35.2	53.7	9.0	34	0.6	2.2	0.9	22	2.90	
STD OXI138	Standard		1.821																			
STD OXI138	Standard		1.857																			
STD OXN117	Standard		7.476																			
STD OXN117	Standard		7.707																			
STD OXQ114	Standard																					
STD OXQ114	Standard																					
STD SP49	Standard																					
STD SP49	Standard																					
STD OXI138 Expected			1.86																			
STD OREAS263 Expected			0.21																			
STD OXN117 Expected			7.679																			
STD BVGEO01 Expected				10.8	4415	187	1741	2.53	163	25	733	3.7	121	219	14.4	55	6.5	2.2	25.6	73	1.3219	
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063	
STD OREAS262 Expected				0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	65	9.33	36	0.61	3.39	1.03	22.5	2.98	
STD AGPROOF Expected																						
STD SP49 Expected																						
STD OXQ114 Expected																						
BLK	Blank		<0.005																			
BLK	Blank		<0.005																			





Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 13, 2019

Page: 2 of 3

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000704.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.9
STD DS11	Standard	0.068	16	56	0.79	387	0.082	<20	1.05	0.068	0.38	2.8	0.24	2.5	4.9	0.26	5	2.6	4.4	
STD DS11	Standard	0.070	19	62	0.88	462	0.097	<20	1.22	0.077	0.42	2.7	0.29	3.4	5.2	0.28	5	2.1	4.6	
STD DS11	Standard	0.069	17	60	0.86	397	0.092	<20	1.16	0.074	0.40	2.7	0.25	3.1	5.0	0.30	5	2.4	4.7	
STD OREAS263	Standard																			
STD OREAS263	Standard																			
STD OREAS262	Standard	0.042	13	40	1.13	237	0.003	<20	1.20	0.065	0.28	0.2	0.15	3.0	0.4	0.25	3	<0.5	0.3	
STD OREAS262	Standard	0.045	18	46	1.19	287	0.003	<20	1.39	0.070	0.34	<0.1	0.16	3.4	0.5	0.26	4	<0.5	0.2	
STD OREAS262	Standard	0.037	16	41	1.16	244	0.003	<20	1.32	0.067	0.30	<0.1	0.16	3.5	0.5	0.25	4	0.6	<0.2	
STD OREAS262	Standard	0.042	17	47	1.22	273	0.003	<20	1.49	0.071	0.34	<0.1	0.18	3.5	0.6	0.27	4	<0.5	0.2	
STD OREAS262	Standard	0.037	17	42	1.17	246	0.003	<20	1.29	0.068	0.31	<0.1	0.17	3.1	0.5	0.27	4	0.6	0.2	
STD OXI138	Standard																			
STD OXI138	Standard																			
STD OXN117	Standard																			
STD OXN117	Standard																			
STD OXQ114	Standard																			34.8
STD OXQ114	Standard																			35.4
STD SP49	Standard																			18.3
STD SP49	Standard																			18.5
STD OXI138 Expected																				
STD OREAS263 Expected																				
STD OXN117 Expected																				
STD BVGEO01 Expected		0.0727	25.9	171	1.2963	340	0.233		2.347	0.1924	0.89	3.5	0.1	5.97	0.62	0.6655	7.37	4.84	1.02	
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56	
STD OREAS262 Expected		0.04	15.9	41.7	1.17	248	0.003		1.204	0.071	0.312	0.13	0.17	3.24	0.47	0.253	3.73	0.4	0.23	
STD AGPROOF Expected																				0
STD SP49 Expected																				18.34
STD OXQ114 Expected																				35.2
BLK	Blank																			
BLK	Blank																			



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 13, 2019

Page: 3 of 3

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000704.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
BLK	Blank	<0.005																			
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
BLK	Blank		<0.1	0.2	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
BLK	Blank		<0.1	<0.1	<0.1	3	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
BLK	Blank																				
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	<0.005	1.0	2.4	0.9	31	<0.1	1.1	3.7	465	1.86	<0.5	1.5	2.1	20	<0.1	0.1	<0.1	24	0.58	
ROCK-WHI	Prep Blank	<0.005	0.7	3.7	0.8	30	<0.1	1.5	4.2	531	1.95	<0.5	1.4	2.0	20	<0.1	<0.1	<0.1	27	0.61	



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 13, 2019

Page: 3 of 3

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000704.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550		
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t	
BLK	Blank	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.9	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank																			<0.9	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank																				<0.9
Prep Wash																					
ROCK-WHI	Prep Blank	0.040	5	2	0.49	58	0.064	<20	0.85	0.078	0.09	<0.1	<0.01	2.6	<0.1	<0.05	3	<0.5	<0.2		
ROCK-WHI	Prep Blank	0.039	6	3	0.54	58	0.069	<20	0.91	0.075	0.09	<0.1	<0.01	2.5	<0.1	<0.05	4	<0.5	<0.2		



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Submitted By: James Thom  
Receiving Lab: Canada-Whitehorse  
Received: October 23, 2019  
Report Date: November 14, 2019  
Page: 1 of 4

## CERTIFICATE OF ANALYSIS

WHI19000705.1

### CLIENT JOB INFORMATION

Project: McQuesten  
Shipment ID: MQ-19-18a  
P.O. Number  
Number of Samples: 84

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
RTRN-RJT Return After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Banyan Gold Corp.  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7  
Canada

CC: Paul Gray

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	82	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	2	Sort, label and box pulps			WHI
FA450	84	50g Lead Collection Fire Assay Fusion - AAS Finish	50	Completed	VAN
EN002	84	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	84	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	84	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS

  
MAY LAI  
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. \*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

# CERTIFICATE OF ANALYSIS

## WHI19000705.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm		
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1864072	Rock	1.85	0.185	12.6	39.4	5.0	1438	0.2	51.9	11.6	455	2.22	102.3	118.4	7.2	143	62.3	0.4	15.8	205	3.12
1864073	Rock	4.83	0.021	14.1	41.8	5.6	114	0.1	81.3	8.4	114	1.81	239.8	8.7	5.8	88	1.7	0.5	0.8	399	0.91
1864074	Rock	4.48	0.174	15.4	33.3	4.7	152	0.2	118.0	8.7	107	1.41	477.3	127.2	4.5	63	1.1	1.2	4.9	356	0.86
1864075	Rock	3.41	0.079	14.3	28.9	4.4	221	0.3	64.0	4.6	95	1.37	776.4	59.2	3.1	34	1.2	4.3	1.2	198	0.27
1864076	Rock	3.75	0.075	18.6	48.8	5.7	100	0.4	43.3	3.6	59	1.63	345.6	35.4	4.4	25	1.3	4.4	1.8	177	0.16
1864077	Rock	5.23	0.277	9.4	82.7	3.7	188	0.2	73.2	14.4	241	2.46	189.8	226.8	7.7	117	2.3	0.6	5.6	105	1.83
1864078	Rock	4.73	0.020	17.4	23.2	3.5	168	<0.1	129.4	11.2	109	1.37	318.2	9.4	4.5	45	2.7	0.8	0.3	167	0.60
1864079	Rock	2.09	0.030	25.7	14.8	5.0	222	<0.1	120.5	11.9	173	1.31	242.1	20.6	4.6	42	4.8	0.8	0.8	259	0.72
1864080	Rock	2.30	0.037	28.9	17.2	5.2	252	<0.1	130.0	12.6	187	1.43	253.5	74.1	4.5	39	5.0	0.7	1.1	288	0.75
1864081	Rock	3.18	1.438	14.1	37.8	7.2	152	0.9	45.8	3.4	72	1.58	379.2	109.0	4.8	53	1.8	1.3	37.2	76	0.20
1864082	Rock	3.96	0.010	14.7	57.3	6.0	177	0.5	59.6	11.3	104	1.90	31.6	2.6	7.5	30	4.5	0.9	1.3	56	0.15
1864083	Rock	5.01	0.023	17.8	52.4	7.1	303	0.4	94.1	13.7	143	2.60	171.4	1.1	8.9	28	8.0	1.2	3.3	62	0.25
1864084	Rock	4.07	0.172	6.4	30.8	7.2	74	0.3	30.4	7.2	133	1.79	8.5	17.8	8.5	56	2.3	0.3	5.3	9	0.61
1864085	Rock	5.27	0.091	0.4	12.2	5.4	110	<0.1	20.9	5.8	813	0.76	13.6	56.2	5.3	596	1.3	<0.1	2.7	11	13.18
1864086	Rock	3.24	0.034	0.7	71.9	10.5	91	0.6	48.4	13.7	200	3.54	4.4	1.1	12.4	59	1.2	0.1	5.1	17	0.51
1864087	Rock	3.26	0.107	0.5	66.4	16.0	74	0.8	50.7	17.0	393	3.07	14.5	9.2	10.7	332	1.0	<0.1	7.0	20	4.94
1864088	Rock	5.02	0.392	1.0	40.4	6.2	62	0.2	27.6	12.0	625	1.55	105.2	341.2	7.2	387	0.2	0.2	12.0	30	7.40
1864089	Rock	5.00	0.206	0.9	23.6	5.8	46	0.1	20.9	7.6	842	0.98	29.2	177.8	5.1	483	0.3	0.2	6.3	9	11.25
1864090	Rock Pulp	0.12	1.294	6.3	113.8	6784.4	1576	43.1	17.0	10.4	1079	3.76	53.8	1134.7	2.7	88	16.7	25.4	0.8	101	1.08
1864091	Rock	4.03	0.018	6.6	75.6	9.2	172	0.6	73.0	19.0	339	3.40	279.0	<0.5	9.7	69	3.5	0.5	2.9	79	2.29
1864092	Rock	2.13	0.368	4.0	105.1	7.2	67	0.6	41.6	15.0	633	3.92	69.1	120.2	10.2	128	0.3	0.6	13.4	41	5.39
1864093	Rock	2.36	0.035	0.4	52.2	9.4	71	0.6	33.3	14.2	696	3.38	20.8	0.6	11.9	127	0.4	0.3	3.6	15	5.05
1864094	Rock	5.04	0.079	0.6	45.2	77.0	160	1.8	37.5	12.4	1638	2.01	218.5	16.7	5.3	854	3.4	1.4	7.3	16	23.21
1864095	Rock	3.18	0.157	0.8	43.2	27.8	173	0.5	35.3	13.2	1724	2.97	44.7	105.1	6.8	307	2.7	0.9	5.6	36	12.42
1864096	Rock	5.00	0.168	0.6	49.6	7.4	126	0.3	35.5	15.7	1339	2.77	79.2	84.6	7.2	283	0.7	0.6	5.7	20	12.83
1864097	Rock	4.70	0.465	0.3	41.4	7.1	123	0.3	28.7	11.3	1153	2.77	53.8	363.6	7.4	241	0.5	0.6	13.6	24	10.20
1864098	Rock	3.33	0.128	0.5	37.9	21.9	137	0.5	39.2	13.2	819	2.83	119.4	75.2	6.8	84	1.1	0.6	4.2	27	3.88
1864099	Rock	1.35	1.222	0.5	103.3	2793.0	2719	61.0	33.7	11.3	1803	2.76	66.8	1262.0	9.2	38	32.7	1.2	60.6	18	2.59
1864100	Rock	1.50	0.079	0.4	137.5	897.1	2093	15.8	29.6	9.6	2002	2.49	44.8	77.0	12.9	41	24.8	0.8	6.5	16	2.69
1864101	Rock	4.69	0.041	0.9	21.3	52.2	248	2.1	20.1	5.1	690	1.50	86.7	3.1	6.3	29	2.8	0.8	1.3	7	1.29



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 14, 2019

**Page:** 2 of 4

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000705.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
1864072	Rock	0.057	10	42	2.20	1201	0.144	<20	3.66	0.113	0.66	2.3	0.10	4.9	0.7	0.34	10	2.4	0.2
1864073	Rock	0.105	9	43	0.55	2690	0.103	<20	1.88	0.057	0.48	2.0	0.01	3.9	0.5	0.16	6	2.6	<0.2
1864074	Rock	0.089	8	31	0.37	3670	0.062	<20	1.67	0.065	0.26	1.8	0.02	3.3	0.3	0.16	5	2.5	<0.2
1864075	Rock	0.132	8	12	0.08	>10000	0.005	<20	1.14	0.008	0.13	0.3	0.02	1.8	0.1	0.05	2	1.1	<0.2
1864076	Rock	0.085	12	16	0.23	7170	0.005	<20	0.88	0.013	0.15	0.3	<0.01	1.7	0.1	0.15	2	3.0	<0.2
1864077	Rock	0.077	15	24	0.77	595	0.059	<20	2.76	0.112	0.19	0.6	<0.01	2.7	0.2	0.60	7	4.8	0.2
1864078	Rock	0.082	14	23	0.30	741	0.019	<20	1.52	0.047	0.14	0.3	<0.01	1.9	0.1	<0.05	3	2.4	<0.2
1864079	Rock	0.077	12	29	0.33	929	0.046	<20	1.31	0.076	0.18	0.7	0.01	2.5	0.2	<0.05	4	3.8	<0.2
1864080	Rock	0.074	12	28	0.35	939	0.046	<20	1.27	0.076	0.18	0.5	0.02	2.7	0.2	0.12	5	4.7	<0.2
1864081	Rock	0.085	14	11	0.19	2022	0.003	<20	0.60	0.008	0.12	0.2	0.03	1.2	0.2	0.11	1	5.2	3.0
1864082	Rock	0.071	13	13	0.37	406	0.019	<20	0.73	0.008	0.16	0.2	0.03	1.1	0.1	0.58	2	9.7	<0.2
1864083	Rock	0.078	14	14	0.42	355	0.056	<20	1.00	0.007	0.13	0.2	0.03	1.6	<0.1	0.38	2	5.5	<0.2
1864084	Rock	0.027	11	10	0.23	297	0.074	<20	0.87	0.018	0.12	4.3	<0.01	0.9	<0.1	0.53	2	2.2	0.2
1864085	Rock	0.059	11	11	0.25	98	0.056	<20	1.89	0.128	0.10	0.3	0.02	1.2	<0.1	0.16	5	<0.5	<0.2
1864086	Rock	0.041	21	23	0.65	207	0.142	<20	2.01	0.024	0.33	0.3	0.01	2.0	0.4	1.20	5	3.2	<0.2
1864087	Rock	0.049	16	24	0.61	225	0.110	<20	3.05	0.096	0.22	0.5	<0.01	2.4	0.2	1.34	7	3.7	0.4
1864088	Rock	0.072	10	21	0.67	174	0.079	<20	2.37	0.098	0.21	0.7	0.02	1.8	0.2	0.54	5	2.5	0.5
1864089	Rock	0.065	9	10	0.31	83	0.054	<20	1.21	0.037	0.04	4.9	<0.01	1.2	<0.1	0.29	3	1.2	0.2
1864090	Rock Pulp	0.056	7	22	0.82	156	0.153	<20	1.91	0.215	0.24	1.3	0.21	3.1	0.1	0.22	5	<0.5	<0.2
1864091	Rock	0.095	16	24	0.92	165	0.034	<20	1.78	0.037	0.14	0.2	0.02	2.8	<0.1	1.13	5	8.1	<0.2
1864092	Rock	0.055	20	21	1.06	72	0.007	<20	1.47	0.005	0.16	0.6	<0.01	2.8	0.2	1.58	4	6.6	0.4
1864093	Rock	0.047	31	16	0.97	63	0.001	<20	1.31	0.004	0.16	<0.1	<0.01	2.2	0.2	0.69	4	2.3	<0.2
1864094	Rock	0.046	18	14	0.73	75	0.002	<20	1.05	0.011	0.12	<0.1	0.02	2.6	0.2	0.38	3	2.1	0.3
1864095	Rock	0.044	22	19	1.36	82	0.013	<20	1.79	0.009	0.17	0.2	<0.01	3.7	0.1	0.61	5	1.5	0.3
1864096	Rock	0.049	12	16	1.06	92	0.018	<20	1.53	0.034	0.16	1.6	<0.01	3.1	0.1	0.82	4	2.3	0.2
1864097	Rock	0.047	9	19	1.30	115	0.040	<20	2.37	0.065	0.12	44.2	<0.01	3.0	0.1	0.78	7	1.9	0.6
1864098	Rock	0.046	11	22	1.26	90	0.033	<20	2.05	0.060	0.14	0.3	<0.01	3.8	0.2	0.43	6	1.6	<0.2
1864099	Rock	0.034	13	15	0.76	79	0.001	<20	1.16	0.022	0.15	0.2	0.07	2.3	0.2	0.77	4	5.8	2.2
1864100	Rock	0.034	32	13	0.63	84	0.001	<20	1.02	0.021	0.14	0.1	0.03	2.5	0.2	0.60	4	3.8	0.3
1864101	Rock	0.013	10	7	0.14	136	0.001	<20	0.34	0.012	0.09	<0.1	<0.01	0.7	<0.1	0.45	1	0.9	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 14, 2019

**Page:** 3 of 4

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000705.1

Method Analyte	Unit	WGHT	FA450 Au	AQ200 Mo	AQ200 Cu	AQ200 Pb	AQ200 Zn	AQ200 Ag	AQ200 Ni	AQ200 Co	AQ200 Mn	AQ200 Fe	AQ200 As	AQ200 Au	AQ200 Th	AQ200 Sr	AQ200 Cd	AQ200 Sb	AQ200 Bi	AQ200 V	AQ200 Ca																						
																						kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
																						0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	0.1	1	0.01
																						MDL																					
1864102	Rock	5.04	0.060	0.3	35.4	6.5	74	0.2	30.5	9.7	612	2.04	90.2	10.4	7.3	220	0.6	0.4	2.0	13	10.57																						
1864103	Rock	5.03	0.012	3.8	24.3	4.6	52	0.3	32.5	5.4	476	1.76	30.0	<0.5	5.6	253	0.4	0.4	1.7	27	15.83																						
1864104	Rock	3.81	0.152	0.3	38.2	2.2	24	0.4	6.0	2.2	688	0.81	35.6	12.0	1.2	407	0.3	0.2	3.9	5	32.59																						
1864105	Rock	4.63	0.315	5.4	11.8	3.2	48	0.3	17.5	4.2	479	1.35	8480.1	15.2	2.1	449	0.9	3.2	7.4	23	27.53																						
1864106	Rock	5.26	0.123	4.2	44.3	6.7	55	0.4	35.6	11.0	390	2.60	99.4	15.4	10.6	350	1.0	0.3	8.3	39	6.72																						
1864107	Rock	4.77	1.679	1.3	90.6	5.9	51	0.8	30.9	13.3	232	3.68	67.3	1322.3	12.8	310	0.2	0.2	42.6	31	0.88																						
1864108	Rock	5.64	0.190	0.5	33.3	3.4	81	0.2	16.6	6.3	316	1.46	83.6	46.2	5.4	292	2.1	0.2	4.8	13	9.71																						
1864109	Rock	4.90	0.038	0.4	74.6	5.8	76	0.5	25.2	12.5	283	2.52	42.8	7.6	8.6	51	0.5	0.3	2.8	16	1.48																						
1864110	Rock	0.29	<0.005	<0.1	0.4	0.3	<1	<0.1	0.9	<0.1	68	0.08	<0.5	3.6	<0.1	69	<0.1	<0.1	<0.1	<1	32.84																						
1864111	Rock	3.39	0.118	1.8	76.7	5.1	102	0.5	50.7	19.0	397	4.08	502.4	90.1	12.7	138	0.2	0.3	4.4	35	2.67																						
1864112	Rock	3.48	0.016	12.3	42.9	2.4	59	0.2	79.1	8.3	173	2.24	291.5	8.0	4.9	113	0.4	0.5	0.6	265	1.14																						
1864113	Rock	3.11	0.051	0.6	55.7	2.1	101	0.2	61.9	8.6	309	2.25	287.9	34.8	4.0	34	0.7	0.3	1.6	38	0.49																						
1864114	Rock	5.17	0.009	11.5	78.2	1.7	208	0.3	77.8	9.9	239	2.02	232.8	1.1	4.2	28	3.4	0.5	1.1	46	0.38																						
1864115	Rock	2.85	0.018	11.1	66.3	4.4	88	0.6	62.8	8.5	416	3.58	46.8	1.7	5.5	43	0.9	0.9	3.2	48	0.77																						
1864116	Rock	2.51	0.027	6.2	137.5	4.7	86	0.7	62.7	12.9	537	4.21	31.7	<0.5	5.9	34	0.5	0.6	3.8	60	0.54																						
1864117	Rock	4.63	0.021	1.0	106.1	4.0	92	0.3	40.9	12.7	558	3.60	104.8	16.3	3.8	46	0.2	1.2	1.2	91	0.57																						
1864118	Rock	3.51	0.021	12.0	58.6	3.0	70	0.3	72.5	8.2	282	2.16	214.1	19.3	3.8	80	0.8	0.7	0.7	344	1.05																						
1864119	Rock	1.24	0.027	1.4	134.4	2.2	85	0.4	36.8	4.7	580	4.78	30.9	11.4	3.7	74	0.1	0.4	0.7	69	3.28																						
1864120	Rock	0.98	0.020	1.2	126.2	2.1	91	0.4	31.7	4.3	666	4.44	25.7	12.6	3.8	97	0.2	0.3	0.6	68	3.71																						
1864121	Rock	5.69	0.012	2.5	79.9	4.6	46	0.3	63.9	8.2	284	2.87	84.1	15.7	6.6	65	0.1	0.3	0.6	41	1.18																						
1864122	Rock	3.43	0.026	5.1	54.6	2.4	26	0.2	61.8	10.1	314	2.41	585.0	31.6	10.8	84	0.1	0.4	0.8	35	2.02																						
1864123	Rock	3.00	0.026	1.4	56.7	2.2	11	0.2	49.1	12.0	177	2.69	501.2	15.4	9.5	26	<0.1	0.4	1.2	14	0.36																						
1864124	Rock	5.85	0.034	1.5	35.1	2.7	41	0.2	55.0	12.0	428	3.64	358.4	1.7	10.0	30	<0.1	0.9	1.6	25	0.30																						
1864125	Rock	4.91	0.021	1.4	66.0	4.5	98	0.4	43.7	11.0	921	5.10	80.3	1.2	7.5	24	0.1	1.1	1.8	44	0.41																						
1864126	Rock	4.98	0.013	1.5	41.4	2.3	56	0.2	49.9	10.9	609	3.66	262.6	<0.5	8.1	24	<0.1	0.7	1.3	30	0.21																						
1864127	Rock	5.15	0.023	1.4	45.5	3.4	17	0.3	49.8	11.5	163	3.46	512.4	<0.5	11.4	25	<0.1	0.7	2.5	17	0.23																						
1864128	Rock	4.63	0.015	0.9	28.3	2.3	30	0.2	28.9	7.5	343	2.47	15.8	1.1	6.1	24	<0.1	0.4	1.4	18	0.29																						
1864129	Rock	4.38	0.009	1.0	39.2	2.1	41	0.2	29.3	7.4	507	2.30	14.5	<0.5	4.9	15	<0.1	0.5	0.9	19	0.24																						
1864130	Rock Pulp	0.12	1.203	6.4	119.1	7161.9	1636	44.9	16.7	11.1	1100	4.02	57.3	1284.4	2.6	97	15.3	25.8	0.8	103	1.18																						
1864131	Rock	4.70	0.012	0.8	55.6	2.9	37	0.3	35.2	8.1	385	2.57	7.0	<0.5	4.4	15	<0.1	0.5	1.2	20	0.17																						



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 14, 2019

**Page:** 3 of 4

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000705.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm		
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1864102	Rock	0.021	13	11	0.48	108	0.007	<20	0.75	0.025	0.08	1.4	<0.01	2.2	<0.1	0.77	2	1.6	<0.2	
1864103	Rock	0.022	12	10	0.42	132	0.010	<20	0.74	0.027	0.09	0.7	<0.01	1.6	<0.1	0.80	2	1.3	<0.2	
1864104	Rock	0.004	3	2	0.29	51	0.007	<20	0.24	0.007	0.03	0.1	<0.01	0.8	<0.1	0.39	<1	0.5	0.2	
1864105	Rock	0.012	6	4	0.24	103	0.008	<20	0.44	0.015	0.07	0.3	<0.01	1.0	<0.1	0.65	1	4.1	2.6	
1864106	Rock	0.025	15	17	0.45	235	0.084	<20	1.63	0.058	0.29	1.1	0.01	2.2	0.2	1.35	4	2.2	0.3	
1864107	Rock	0.024	18	16	0.36	78	0.041	<20	1.60	0.060	0.29	>100	<0.01	1.8	0.3	1.90	4	5.5	1.6	
1864108	Rock	0.010	9	10	0.29	114	0.037	<20	0.84	0.038	0.10	3.3	0.02	1.4	<0.1	0.55	2	1.9	<0.2	
1864109	Rock	0.018	17	17	0.47	152	0.049	<20	1.21	0.045	0.20	0.5	<0.01	2.0	<0.1	1.12	3	1.7	<0.2	
1864110	Rock	0.006	<1	<1	0.42	13	0.002	<20	0.02	0.001	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2	
1864111	Rock	0.030	16	27	0.84	125	0.103	<20	2.30	0.058	0.34	0.6	<0.01	3.1	0.2	1.83	6	3.9	0.3	
1864112	Rock	0.179	10	48	0.47	1050	0.063	<20	1.53	0.073	0.35	0.3	<0.01	2.6	0.3	0.61	4	3.5	<0.2	
1864113	Rock	0.027	13	22	0.40	390	0.006	<20	0.96	0.027	0.21	<0.1	<0.01	1.9	0.2	0.78	3	1.8	<0.2	
1864114	Rock	0.088	11	13	0.20	321	0.002	<20	0.58	0.008	0.21	0.2	0.01	1.1	0.1	0.92	2	3.3	<0.2	
1864115	Rock	0.049	18	23	0.56	272	0.003	<20	0.88	0.006	0.19	<0.1	<0.01	1.6	0.1	1.46	3	3.7	<0.2	
1864116	Rock	0.048	18	27	0.97	141	0.012	<20	1.20	0.007	0.24	<0.1	<0.01	2.7	0.2	2.08	4	4.9	0.3	
1864117	Rock	0.081	14	24	0.93	457	0.030	<20	1.38	0.007	0.47	0.1	<0.01	3.5	0.5	1.10	6	1.7	0.3	
1864118	Rock	0.269	10	55	0.42	1015	0.033	<20	1.17	0.028	0.29	0.1	0.01	2.7	0.2	0.48	4	4.4	<0.2	
1864119	Rock	0.046	7	30	1.02	73	0.031	<20	1.47	0.017	0.07	40.9	<0.01	3.1	<0.1	1.48	5	6.7	<0.2	
1864120	Rock	0.048	8	33	1.07	95	0.032	<20	1.57	0.018	0.08	13.8	<0.01	3.1	<0.1	1.28	5	6.4	<0.2	
1864121	Rock	0.066	13	27	0.44	341	0.011	<20	1.07	0.036	0.17	0.2	<0.01	2.3	<0.1	0.90	3	3.4	<0.2	
1864122	Rock	0.078	25	27	0.34	258	0.002	<20	1.05	0.078	0.20	0.1	<0.01	2.8	<0.1	0.90	3	3.1	<0.2	
1864123	Rock	0.065	29	10	0.10	210	0.002	<20	0.69	0.034	0.22	0.1	<0.01	1.4	<0.1	1.44	2	3.8	<0.2	
1864124	Rock	0.051	22	18	0.39	227	0.002	<20	1.28	0.047	0.22	<0.1	<0.01	2.0	<0.1	1.45	3	2.1	<0.2	
1864125	Rock	0.066	24	28	0.87	206	0.002	<20	1.76	0.034	0.12	<0.1	<0.01	3.1	<0.1	2.06	5	2.7	<0.2	
1864126	Rock	0.053	20	21	0.52	283	0.002	<20	1.45	0.042	0.18	<0.1	<0.01	2.0	<0.1	1.08	4	2.1	<0.2	
1864127	Rock	0.064	20	12	0.27	256	0.001	<20	0.95	0.038	0.20	0.1	<0.01	1.7	<0.1	1.73	3	4.1	<0.2	
1864128	Rock	0.031	15	16	0.33	203	0.002	<20	0.86	0.030	0.13	<0.1	<0.01	1.4	<0.1	0.85	2	1.0	<0.2	
1864129	Rock	0.028	13	16	0.37	239	0.002	<20	0.76	0.015	0.12	<0.1	<0.01	1.6	<0.1	0.78	2	<0.5	<0.2	
1864130	Rock Pulp	0.055	6	22	0.88	149	0.151	<20	1.99	0.231	0.25	1.3	0.22	3.5	<0.1	0.23	6	<0.5	<0.2	
1864131	Rock	0.023	10	16	0.39	323	0.002	<20	0.78	0.013	0.14	<0.1	<0.01	1.4	<0.1	0.91	2	1.5	<0.2	





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 14, 2019

**Page:** 4 of 4

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000705.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1864132	Rock	4.69	0.039	1.2	40.3	3.7	36	0.3	41.2	9.7	359	2.38	27.3	<0.5	6.0	29	<0.1	0.8	2.1	24	0.53
1864133	Rock	4.24	0.013	1.2	48.8	2.6	31	0.3	33.9	8.8	292	2.51	12.4	<0.5	5.1	26	<0.1	0.4	1.7	23	0.36
1864134	Rock	5.43	0.044	1.3	42.7	2.9	31	0.3	42.3	10.4	233	2.74	152.8	<0.5	7.5	38	<0.1	0.5	1.4	27	0.71
1864135	Rock	3.40	0.065	2.8	31.5	1.8	33	0.1	40.3	8.8	261	2.20	553.4	25.6	8.3	83	<0.1	0.3	1.3	45	2.13
1864136	Rock	3.47	0.513	12.6	47.8	2.3	35	0.3	67.1	7.0	151	2.29	1270.7	333.3	4.5	62	0.1	1.2	14.3	181	1.56
1864137	Rock	3.64	0.015	3.7	34.1	5.0	179	1.1	63.5	13.8	239	4.45	27.6	<0.5	7.7	36	1.1	0.5	0.6	64	0.27
1864138	Rock	3.56	0.157	9.5	162.2	4.3	64	0.6	61.6	16.5	410	4.47	1091.3	9.8	9.0	115	0.3	1.4	6.5	84	2.90
1864139	Rock	1.72	0.106	0.7	64.4	6.3	144	0.3	31.9	14.2	945	2.46	13.0	56.3	6.9	701	4.9	0.1	4.7	27	15.16
1864140	Rock	1.38	0.121	0.5	58.1	6.1	111	0.3	29.7	14.3	844	2.27	14.5	46.4	6.4	580	4.7	0.1	4.6	23	14.42
1864141	Rock	4.37	0.143	0.5	49.1	6.2	55	0.3	31.2	14.8	559	2.04	37.5	103.8	9.3	323	0.6	0.2	6.3	18	9.55
1864142	Rock	5.11	0.026	1.0	20.7	4.7	52	0.1	11.3	5.9	777	0.98	19.7	<0.5	2.2	887	2.4	0.2	1.3	8	29.49
1864143	Rock	4.56	0.082	1.1	82.5	6.4	74	0.4	33.7	12.4	1106	2.77	18.2	3.8	5.7	215	0.8	1.2	4.5	23	8.23
1864144	Rock	4.51	0.029	1.8	62.3	3.5	58	0.2	33.8	6.3	281	2.16	60.1	1.5	5.7	52	0.2	1.0	0.9	18	0.47
1864145	Rock	4.90	0.097	1.8	79.2	3.0	63	0.2	32.7	9.5	583	2.39	112.7	11.9	3.9	62	0.2	1.0	2.9	23	0.50
1864146	Rock	4.51	0.021	2.0	73.9	3.1	77	0.3	33.0	9.2	541	2.42	233.5	1.4	3.9	42	0.6	1.5	0.8	22	0.30
1864147	Rock	5.04	0.046	0.4	70.1	3.8	53	0.2	32.4	8.4	333	1.80	472.3	2.5	3.2	51	0.2	3.5	1.3	16	0.33
1864148	Rock	4.71	0.020	0.5	25.6	2.8	52	0.1	22.5	4.7	321	1.45	29.1	<0.5	2.7	17	0.2	3.1	0.7	8	0.36
1864149	Rock	4.13	0.009	0.3	20.8	3.1	39	<0.1	20.4	5.0	259	1.24	13.5	<0.5	3.2	19	<0.1	5.0	0.4	9	0.47
1864150	Rock	0.59	<0.005	<0.1	0.9	0.7	<1	<0.1	0.9	0.9	75	0.05	0.9	<0.5	0.2	91	<0.1	<0.1	<0.1	<1	35.82
1864151	Rock	5.44	0.045	0.4	33.2	4.1	28	0.2	25.0	4.8	247	1.41	43.2	2.3	4.6	26	0.1	5.9	1.3	11	0.68
1864152	Rock	4.15	0.016	0.5	43.5	2.4	51	0.1	35.7	7.4	357	1.76	50.2	<0.5	4.0	24	0.2	11.6	0.7	11	0.77
1864153	Rock	3.83	0.171	1.2	23.7	2.8	24	0.2	25.7	5.5	189	1.67	126.4	11.8	4.2	26	0.1	3.8	3.4	38	0.68
1864154	Rock	3.88	<0.005	0.2	11.6	1.4	15	<0.1	9.8	2.3	153	0.98	94.7	<0.5	2.0	11	<0.1	2.9	0.7	5	0.31
1864155	Rock	4.26	0.044	0.6	24.8	2.1	17	0.1	23.7	4.4	231	1.10	196.2	1.4	3.5	30	0.1	2.6	1.5	9	0.79



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 14, 2019

**Page:** 4 of 4

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000705.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm		
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1864132	Rock	0.036	16	19	0.54	370	0.007	<20	0.93	0.009	0.18	<0.1	<0.01	1.5	<0.1	0.95	2	1.8	<0.2	
1864133	Rock	0.027	12	17	0.40	372	0.002	<20	0.85	0.015	0.19	<0.1	<0.01	1.6	<0.1	0.98	2	1.4	<0.2	
1864134	Rock	0.050	15	19	0.39	322	0.005	<20	0.96	0.028	0.24	<0.1	<0.01	1.9	<0.1	1.19	3	2.8	<0.2	
1864135	Rock	0.081	25	28	0.41	322	0.003	<20	1.19	0.079	0.26	0.1	<0.01	2.7	<0.1	0.63	4	2.5	<0.2	
1864136	Rock	0.300	14	31	0.25	259	0.004	<20	0.85	0.041	0.22	0.2	<0.01	2.3	0.1	0.85	3	4.1	0.7	
1864137	Rock	0.086	19	38	0.65	179	0.001	<20	2.05	0.075	0.12	1.8	<0.01	2.6	<0.1	0.86	7	3.2	<0.2	
1864138	Rock	0.076	16	33	0.86	156	0.038	<20	1.68	0.041	0.17	0.5	<0.01	3.2	0.1	2.18	5	10.6	0.4	
1864139	Rock	0.058	15	27	1.01	295	0.094	<20	2.75	0.095	0.15	3.5	0.02	3.2	0.1	0.87	7	2.7	<0.2	
1864140	Rock	0.054	12	20	0.94	452	0.066	<20	2.61	0.096	0.14	1.0	0.03	2.9	0.1	0.90	6	3.0	<0.2	
1864141	Rock	0.040	14	17	0.78	281	0.081	<20	2.14	0.081	0.26	0.5	0.02	2.6	0.2	0.91	5	1.5	<0.2	
1864142	Rock	0.063	5	7	0.47	187	0.020	<20	0.85	0.025	0.09	0.2	0.02	1.5	<0.1	0.42	2	<0.5	<0.2	
1864143	Rock	0.044	10	13	0.88	285	0.021	<20	1.45	0.024	0.16	9.2	<0.01	2.3	<0.1	1.12	3	2.1	0.2	
1864144	Rock	0.041	10	10	0.44	288	0.003	<20	0.73	0.005	0.17	0.1	<0.01	1.6	0.1	0.89	2	1.1	<0.2	
1864145	Rock	0.021	8	11	0.46	248	0.003	<20	0.71	0.006	0.17	0.4	<0.01	1.8	<0.1	0.82	2	1.4	<0.2	
1864146	Rock	0.021	9	11	0.46	251	0.003	<20	0.81	0.005	0.17	0.1	<0.01	1.7	0.1	0.80	2	1.2	<0.2	
1864147	Rock	0.058	7	8	0.38	271	0.002	<20	0.56	0.005	0.14	0.1	<0.01	1.6	<0.1	0.58	2	1.1	<0.2	
1864148	Rock	0.027	6	7	0.17	117	0.003	<20	0.33	0.006	0.08	<0.1	<0.01	0.9	<0.1	0.44	<1	<0.5	<0.2	
1864149	Rock	0.019	10	11	0.22	99	0.002	<20	0.49	0.007	0.07	<0.1	<0.01	1.3	<0.1	0.19	1	<0.5	<0.2	
1864150	Rock	0.007	1	<1	0.43	8	0.001	<20	0.02	<0.001	0.01	0.2	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2	
1864151	Rock	0.025	9	11	0.21	109	0.002	<20	0.46	0.006	0.08	<0.1	<0.01	1.5	<0.1	0.43	1	0.5	<0.2	
1864152	Rock	0.021	7	10	0.23	125	0.001	<20	0.51	0.007	0.09	<0.1	<0.01	1.4	<0.1	0.74	1	0.8	<0.2	
1864153	Rock	0.030	7	13	0.23	220	0.006	<20	0.45	0.010	0.12	0.2	<0.01	1.6	<0.1	0.78	1	1.3	<0.2	
1864154	Rock	0.013	6	8	0.14	64	0.002	<20	0.23	0.003	0.04	<0.1	<0.01	0.8	<0.1	0.37	<1	0.9	<0.2	
1864155	Rock	0.018	8	10	0.18	118	0.002	<20	0.32	0.010	0.08	<0.1	<0.01	1.3	<0.1	0.42	<1	<0.5	<0.2	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 14, 2019

Page: 1 of 2

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000705.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm		
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
Pulp Duplicates																					
1864102	Rock	5.04	0.060	0.3	35.4	6.5	74	0.2	30.5	9.7	612	2.04	90.2	10.4	7.3	220	0.6	0.4	2.0	13	10.57
REP 1864102	QC			0.3	35.5	6.2	72	0.2	31.1	9.3	621	2.03	94.9	9.6	7.1	219	0.6	0.4	1.9	12	10.36
1864106	Rock	5.26	0.123	4.2	44.3	6.7	55	0.4	35.6	11.0	390	2.60	99.4	15.4	10.6	350	1.0	0.3	8.3	39	6.72
REP 1864106	QC		0.116																		
1864137	Rock	3.64	0.015	3.7	34.1	5.0	179	1.1	63.5	13.8	239	4.45	27.6	<0.5	7.7	36	1.1	0.5	0.6	64	0.27
REP 1864137	QC			4.0	34.2	5.1	191	1.0	67.0	14.9	258	4.41	30.2	<0.5	8.0	36	1.0	0.5	0.8	63	0.27
1864141	Rock	4.37	0.143	0.5	49.1	6.2	55	0.3	31.2	14.8	559	2.04	37.5	103.8	9.3	323	0.6	0.2	6.3	18	9.55
REP 1864141	QC		0.157																		
Core Reject Duplicates																					
1864105	Rock	4.63	0.315	5.4	11.8	3.2	48	0.3	17.5	4.2	479	1.35	8480.1	15.2	2.1	449	0.9	3.2	7.4	23	27.53
DUP 1864105	QC		0.285	4.8	11.1	3.2	48	0.3	16.6	4.0	456	1.33	9070.0	18.4	2.1	431	0.8	3.2	7.5	29	28.51
1864139	Rock	1.72	0.106	0.7	64.4	6.3	144	0.3	31.9	14.2	945	2.46	13.0	56.3	6.9	701	4.9	0.1	4.7	27	15.16
DUP 1864139	QC		0.110	0.7	64.3	6.3	130	0.3	28.9	13.8	984	2.35	13.6	48.0	6.7	722	4.7	0.1	4.3	26	15.48
Reference Materials																					
STD BVGEO01	Standard			11.4	4504.0	213.7	1756	2.7	178.4	26.6	809	3.92	136.0	244.6	15.7	64	7.2	1.8	29.8	82	1.42
STD DS11	Standard			16.4	149.1	142.3	338	1.6	87.5	14.2	945	3.05	44.0	50.7	8.8	69	2.3	7.8	12.1	50	0.96
STD DS11	Standard			13.9	155.2	136.4	339	1.7	81.0	14.1	1068	3.16	48.8	184.6	7.4	67	2.5	6.2	12.1	53	1.12
STD OREAS262	Standard			0.7	117.3	58.1	141	0.5	68.5	27.9	586	3.26	36.9	65.2	10.2	38	0.6	3.5	1.1	22	3.03
STD OREAS263	Standard		0.210																		
STD OREAS263	Standard		0.208																		
STD OREAS262	Standard			0.9	121.1	58.2	156	0.5	66.7	27.7	576	3.32	37.5	52.4	9.3	37	0.7	1.8	1.1	22	3.15
STD OREAS263	Standard		0.206																		
STD OREAS262	Standard			0.6	125.9	57.2	171	0.5	67.4	28.1	610	3.50	38.8	53.5	9.5	39	0.7	1.8	1.1	25	3.21
STD OXI138	Standard		1.917																		
STD OXI138	Standard		1.837																		
STD OXI138	Standard		1.806																		
STD OXN117	Standard		7.782																		
STD OXN117	Standard		7.527																		



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 14, 2019

Page: 1 of 2 Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000705.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																			
1864102	Rock	0.021	13	11	0.48	108	0.007	<20	0.75	0.025	0.08	1.4	<0.01	2.2	<0.1	0.77	2	1.6	<0.2
REP 1864102	QC	0.021	13	11	0.48	111	0.006	<20	0.73	0.026	0.08	1.6	<0.01	2.1	<0.1	0.77	2	1.4	<0.2
1864106	Rock	0.025	15	17	0.45	235	0.084	<20	1.63	0.058	0.29	1.1	0.01	2.2	0.2	1.35	4	2.2	0.3
REP 1864106	QC																		
1864137	Rock	0.086	19	38	0.65	179	0.001	<20	2.05	0.075	0.12	1.8	<0.01	2.6	<0.1	0.86	7	3.2	<0.2
REP 1864137	QC	0.092	19	41	0.65	184	0.001	<20	2.04	0.074	0.11	2.2	<0.01	2.8	<0.1	0.85	7	2.8	<0.2
1864141	Rock	0.040	14	17	0.78	281	0.081	<20	2.14	0.081	0.26	0.5	0.02	2.6	0.2	0.91	5	1.5	<0.2
REP 1864141	QC																		
Core Reject Duplicates																			
1864105	Rock	0.012	6	4	0.24	103	0.008	<20	0.44	0.015	0.07	0.3	<0.01	1.0	<0.1	0.65	1	4.1	2.6
DUP 1864105	QC	0.010	5	5	0.27	109	0.009	<20	0.52	0.019	0.08	0.2	0.01	1.2	<0.1	0.67	1	4.6	2.5
1864139	Rock	0.058	15	27	1.01	295	0.094	<20	2.75	0.095	0.15	3.5	0.02	3.2	0.1	0.87	7	2.7	<0.2
DUP 1864139	QC	0.053	14	26	0.96	475	0.094	<20	2.65	0.092	0.15	2.2	0.01	2.9	0.2	0.82	7	1.8	0.2
Reference Materials																			
STD BVGEO01	Standard	0.082	28	194	1.34	386	0.265	<20	2.57	0.220	0.97	3.4	0.11	6.5	0.7	0.71	8	5.9	1.1
STD DS11	Standard	0.069	18	59	0.84	402	0.097	<20	1.15	0.071	0.40	2.7	0.26	3.2	4.9	0.28	5	2.3	4.8
STD DS11	Standard	0.076	19	60	0.87	419	0.097	<20	1.21	0.074	0.41	2.4	0.27	3.1	4.7	0.29	5	2.4	4.4
STD OREAS262	Standard	0.039	16	43	1.19	250	0.003	<20	1.24	0.069	0.30	0.1	0.16	3.5	0.5	0.26	3	<0.5	<0.2
STD OREAS263	Standard																		
STD OREAS263	Standard																		
STD OREAS262	Standard	0.043	19	44	1.23	279	0.003	<20	1.43	0.070	0.33	<0.1	0.16	3.3	0.4	0.28	4	0.8	<0.2
STD OREAS263	Standard																		
STD OREAS262	Standard	0.040	18	49	1.25	263	0.003	<20	1.40	0.074	0.34	<0.1	0.15	3.4	0.5	0.28	5	0.6	0.2
STD OXI138	Standard																		
STD OXI138	Standard																		
STD OXI138	Standard																		
STD OXN117	Standard																		
STD OXN117	Standard																		



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 14, 2019

Page: 2 of 2

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000705.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
STD OXN117	Standard	7.585																				
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063	
STD OXI138 Expected		1.86																				
STD OREAS263 Expected		0.21																				
STD OXN117 Expected		7.679																				
STD BVGEO01 Expected				10.8	4415	187	1741	2.53	163	25	733	3.7	121	219	14.4	55	6.5	2.2	25.6	73	1.3219	
STD OREAS262 Expected				0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	65	9.33	36	0.61	3.39	1.03	22.5	2.98	
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
BLK	Blank	<0.005																				
BLK	Blank	<0.005																				
BLK	Blank	<0.005																				
BLK	Blank	<0.005																				
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
BLK	Blank	<0.005																				
BLK	Blank	<0.005																				
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
Prep Wash																						
ROCK-WHI	Prep Blank			<0.005	0.7	4.2	0.9	33	<0.1	1.6	4.2	595	2.03	1.5	<0.5	2.0	21	<0.1	<0.1	<0.1	28	0.73
ROCK-WHI	Prep Blank			<0.005	0.8	3.8	0.9	35	<0.1	2.0	4.5	609	2.01	0.8	<0.5	2.2	24	<0.1	<0.1	<0.1	27	0.74



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 14, 2019

Page: 2 of 2

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000705.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200		
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
STD OXN117	Standard																			
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56	
STD OXI138 Expected																				
STD OREAS263 Expected																				
STD OXN117 Expected																				
STD BVGEO01 Expected		0.0727	25.9	171	1.2963	340	0.233		2.347	0.1924	0.89	3.5	0.1	5.97	0.62	0.6655	7.37	4.84	1.02	
STD OREAS262 Expected		0.04	15.9	41.7	1.17	248	0.003		1.204	0.071	0.312	0.13	0.17	3.24	0.47	0.253	3.73	0.4	0.23	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
Prep Wash																				
ROCK-WHI	Prep Blank	0.047	6	4	0.59	54	0.087	<20	0.96	0.064	0.08	<0.1	<0.01	3.0	<0.1	<0.05	4	<0.5	<0.2	
ROCK-WHI	Prep Blank	0.050	7	6	0.60	61	0.092	<20	0.99	0.069	0.08	<0.1	<0.01	3.5	<0.1	<0.05	4	<0.5	<0.2	



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Submitted By: James Thom  
Receiving Lab: Canada-Whitehorse  
Received: October 23, 2019  
Report Date: November 14, 2019  
Page: 1 of 6

# CERTIFICATE OF ANALYSIS

WHI19000706.1

## CLIENT JOB INFORMATION

Project: McQuesten  
Shipment ID: MQ-19-19a  
P.O. Number  
Number of Samples: 129

## SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
RTRN-RJT Return After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Banyan Gold Corp.  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7  
Canada

CC: Paul Gray

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	126	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	3	Sort, label and box pulps			WHI
FA450	129	50g Lead Collection Fire Assay Fusion - AAS Finish	50	Completed	VAN
EN002	129	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	129	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	129	Per sample shipping charges for branch shipments			VAN
FA550	1	Lead collection fire assay 50G fusion - Grav finish	50	Completed	VAN

## ADDITIONAL COMMENTS

  
MAY LAI  
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 14, 2019

**Page:** 2 of 6

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000706.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1864156	Rock	3.49	0.015	1.7	30.7	3.6	31	0.2	7.3	1.3	86	1.46	106.1	7.5	6.9	31	0.1	0.4	0.5	10	0.05
1864157	Rock	3.82	0.010	2.9	34.8	2.9	66	0.3	15.5	1.2	182	1.47	121.3	<0.5	3.8	9	0.3	0.5	0.7	26	0.08
1864158	Rock	3.53	0.013	2.5	36.2	3.5	53	0.4	13.7	1.5	106	1.23	65.0	<0.5	5.1	11	0.4	0.9	0.9	19	0.11
1864159	Rock	2.30	0.011	1.3	64.9	3.6	40	0.3	9.9	1.0	84	1.15	11.8	<0.5	3.7	9	0.2	0.6	0.6	12	0.08
1864160	Rock	2.14	0.014	1.2	57.5	3.9	36	0.3	8.0	0.8	78	1.05	10.7	<0.5	3.6	9	0.2	0.7	0.7	13	0.14
1864161	Rock	4.00	0.013	1.7	100.9	7.7	71	0.4	23.2	2.3	102	1.79	13.8	<0.5	4.1	67	0.4	1.6	0.7	25	1.05
1864162	Rock	3.19	0.011	1.0	55.8	3.8	31	0.3	8.9	1.3	50	1.09	19.6	<0.5	3.3	29	0.2	0.5	0.4	13	0.04
1864163	Rock	5.34	0.011	1.2	58.2	6.1	89	0.2	29.1	13.9	310	3.75	36.9	<0.5	14.5	14	0.8	0.3	0.5	19	0.07
1864164	Rock	3.89	0.037	2.0	34.4	8.2	79	0.3	9.7	2.4	346	3.34	521.8	16.6	15.3	23	0.8	0.6	2.4	18	0.09
1864165	Rock	3.91	0.017	1.0	48.5	7.4	137	0.2	49.0	23.8	362	3.98	386.3	2.9	17.9	15	1.1	0.5	1.0	22	0.09
1864166	Rock	4.56	0.019	2.5	53.0	5.3	67	0.4	39.1	20.1	328	3.61	53.9	<0.5	10.8	25	0.1	0.6	1.3	29	0.24
1864167	Rock	4.58	0.022	4.8	98.8	8.8	78	0.5	52.1	12.6	213	2.75	25.7	1.2	5.5	35	0.6	0.8	1.3	54	0.50
1864168	Rock	4.87	0.011	14.6	29.2	3.8	64	<0.1	70.3	8.4	150	1.45	337.9	<0.5	4.3	44	0.3	0.8	0.5	244	0.72
1864169	Rock	3.13	0.015	17.6	13.6	3.9	87	<0.1	82.5	8.6	174	1.27	476.5	9.3	4.2	34	0.5	1.0	0.5	368	0.74
1864170	Rock Pulp	0.12	1.267	6.5	103.1	6581.4	1521	41.9	17.0	10.7	1031	3.70	56.0	1217.8	2.9	82	14.4	33.2	0.8	96	1.00
1864171	Rock	3.63	0.305	15.8	41.2	4.4	71	0.6	84.5	8.3	162	1.46	204.3	215.2	3.3	35	0.5	5.0	10.5	203	1.08
1864172	Rock	2.35	7.783	6.0	50.4	13.2	33	1.5	32.7	6.8	164	1.85	204.2	4541.8	4.7	70	<0.1	10.6	144.4	86	1.65
1864173	Rock	5.52	1.240	1.2	128.3	3.0	35	0.5	23.1	9.9	257	2.81	58.6	1130.6	7.2	73	0.2	0.6	32.9	28	2.29
1864174	Rock	5.24	0.034	0.4	38.9	5.0	28	0.4	18.5	7.6	199	2.18	70.8	28.0	12.1	45	0.1	0.5	1.9	10	1.58
1864175	Rock	4.49	0.156	0.3	54.4	3.9	36	0.2	14.6	4.8	311	1.73	19.2	91.8	6.1	75	0.3	1.4	5.3	9	3.56
1864176	Rock	4.78	0.020	0.4	44.2	5.7	34	0.4	26.0	11.4	187	2.78	60.1	27.3	11.8	47	0.2	0.4	2.5	10	1.25
1864177	Rock	5.03	0.246	0.3	52.4	4.4	35	0.3	24.5	10.3	381	2.44	32.8	592.7	7.9	224	0.2	0.1	7.1	13	7.02
1864178	Rock	5.26	0.029	0.8	70.7	5.1	43	0.6	45.3	19.4	241	3.62	41.6	20.0	9.5	61	0.1	0.4	2.6	17	1.13
1864179	Rock	2.20	0.015	0.5	42.3	4.1	31	0.4	26.5	12.7	191	2.57	60.7	6.9	10.6	24	0.2	0.6	1.6	9	0.74
1864180	Rock	2.14	0.024	0.3	36.3	3.7	27	0.4	22.0	10.8	193	2.40	102.0	15.5	9.2	25	0.1	0.6	1.6	8	0.80
1864181	Rock	3.75	0.027	0.5	36.0	4.7	46	0.4	32.0	17.5	236	2.91	111.3	24.7	10.3	20	0.2	1.4	2.2	10	0.74
1864182	Rock	4.05	0.214	0.3	18.8	3.3	38	0.2	12.6	5.7	661	1.28	1291.2	168.2	4.2	220	0.2	3.6	1.3	6	9.11
1864183	Rock	4.88	0.049	0.3	34.9	7.8	18	0.9	8.4	3.0	496	1.12	212.0	22.1	3.0	143	0.1	11.9	2.6	8	7.10
1864184	Rock	4.43	0.088	0.4	36.3	7.1	35	0.3	15.4	5.9	484	1.80	112.0	49.3	5.3	142	0.1	2.0	2.0	10	6.66
1864185	Rock	5.03	0.088	0.6	49.3	4.1	40	0.2	21.7	9.8	372	1.85	21.3	63.0	5.6	151	0.2	0.3	2.3	14	5.34





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 14, 2019

**Page:** 2 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000706.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.01	0.01	0.1	0.01	0.05	1	0.5	0.2	0.9
1864156	Rock	0.031	19	7	0.14	176	0.007	<20	0.44	0.029	0.12	0.2	<0.01	0.7	<0.1	0.10	1	<0.5	<0.2
1864157	Rock	0.044	8	10	0.25	222	0.002	<20	0.50	0.006	0.10	<0.1	<0.01	1.3	<0.1	<0.05	2	<0.5	<0.2
1864158	Rock	0.051	10	11	0.21	228	0.002	<20	0.50	0.006	0.12	<0.1	<0.01	0.8	<0.1	<0.05	1	<0.5	<0.2
1864159	Rock	0.043	11	9	0.20	230	0.001	<20	0.41	0.003	0.12	<0.1	<0.01	0.8	<0.1	<0.05	1	0.8	<0.2
1864160	Rock	0.072	10	9	0.19	218	0.002	<20	0.43	0.005	0.12	<0.1	<0.01	0.8	<0.1	<0.05	1	0.6	<0.2
1864161	Rock	0.525	12	14	0.36	349	0.005	<20	0.67	0.005	0.17	0.2	<0.01	1.7	0.1	<0.05	2	1.3	0.2
1864162	Rock	0.028	11	9	0.17	210	0.002	<20	0.37	0.005	0.13	<0.1	<0.01	0.8	<0.1	<0.05	1	1.0	<0.2
1864163	Rock	0.032	24	19	0.87	136	0.030	<20	1.78	0.009	0.24	<0.1	<0.01	1.9	0.3	0.05	4	0.8	<0.2
1864164	Rock	0.039	22	19	0.71	176	0.024	<20	1.33	0.008	0.28	0.1	<0.01	1.9	0.4	0.07	3	1.4	<0.2
1864165	Rock	0.037	19	23	0.85	158	0.031	<20	1.91	0.008	0.33	0.1	<0.01	2.2	0.4	0.14	5	1.4	<0.2
1864166	Rock	0.094	14	20	0.81	205	0.085	<20	1.41	0.006	0.35	0.2	<0.01	2.4	0.5	0.51	3	4.4	<0.2
1864167	Rock	0.147	8	23	0.69	270	0.043	<20	1.12	0.008	0.17	0.3	<0.01	2.0	0.2	0.99	3	5.3	<0.2
1864168	Rock	0.033	7	23	0.55	532	0.026	<20	1.22	0.047	0.25	0.2	<0.01	2.8	0.3	0.27	3	1.3	<0.2
1864169	Rock	0.035	7	27	0.68	650	0.045	<20	1.26	0.047	0.28	0.3	<0.01	3.1	0.3	0.12	3	0.9	<0.2
1864170	Rock Pulp	0.056	7	21	0.82	149	0.143	<20	1.83	0.207	0.23	1.5	0.21	3.4	0.1	0.22	5	<0.5	<0.2
1864171	Rock	0.054	9	25	0.54	397	0.022	<20	0.99	0.029	0.14	0.3	<0.01	2.6	0.1	0.32	3	2.5	0.4
1864172	Rock	0.021	5	19	0.49	161	0.037	<20	1.90	0.082	0.13	0.7	<0.01	3.3	0.2	0.74	5	3.7	5.8
1864173	Rock	0.028	6	15	0.42	80	0.035	<20	1.75	0.074	0.05	24.0	0.01	2.1	<0.1	1.46	5	6.9	1.3
1864174	Rock	0.020	11	11	0.51	75	0.005	<20	1.07	0.034	0.16	0.2	<0.01	1.4	<0.1	0.96	3	2.4	<0.2
1864175	Rock	0.024	6	11	0.32	66	0.011	<20	0.87	0.031	0.10	35.5	<0.01	1.2	<0.1	0.77	2	2.5	0.3
1864176	Rock	0.031	8	10	0.59	78	0.009	<20	1.43	0.056	0.17	0.1	<0.01	1.5	<0.1	1.50	4	2.6	<0.2
1864177	Rock	0.040	7	12	0.42	112	0.037	<20	1.49	0.061	0.19	1.6	0.01	1.4	0.1	1.04	4	2.4	0.3
1864178	Rock	0.053	10	16	0.82	135	0.024	<20	1.85	0.065	0.30	0.2	<0.01	2.3	0.3	1.94	5	3.1	<0.2
1864179	Rock	0.028	10	11	0.51	69	0.016	<20	0.90	0.015	0.20	0.2	<0.01	1.2	0.1	1.17	2	2.2	<0.2
1864180	Rock	0.027	9	9	0.49	61	0.012	<20	0.83	0.014	0.18	0.1	<0.01	1.1	0.1	1.12	2	1.9	<0.2
1864181	Rock	0.029	10	11	0.52	53	0.007	<20	0.87	0.011	0.16	<0.1	<0.01	1.2	<0.1	1.48	2	1.5	<0.2
1864182	Rock	0.021	4	6	0.36	59	<0.001	<20	0.46	0.006	0.08	<0.1	<0.01	1.8	<0.1	0.78	1	1.1	<0.2
1864183	Rock	0.025	3	10	0.58	41	0.001	<20	0.69	0.004	0.05	<0.1	<0.01	1.1	<0.1	0.29	2	0.7	<0.2
1864184	Rock	0.017	5	9	0.52	65	0.008	<20	0.97	0.015	0.06	0.5	<0.01	1.6	<0.1	0.53	3	1.5	<0.2
1864185	Rock	0.039	6	12	0.54	177	0.036	<20	1.41	0.053	0.10	0.4	0.01	2.0	<0.1	0.72	4	2.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 14, 2019

**Page:** 3 of 6

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000706.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1864186	Rock	4.91	0.043	0.4	64.3	5.7	38	0.4	29.5	13.2	298	2.44	24.8	22.0	5.6	182	0.2	0.2	2.0	12	4.97
1864187	Rock	4.94	0.187	0.6	127.8	5.1	51	0.4	35.2	17.2	243	3.14	17.2	130.2	7.2	157	0.2	0.2	4.4	15	2.06
1864188	Rock	3.34	0.446	0.4	87.7	3.6	37	0.4	17.1	10.5	308	1.83	13.3	549.7	5.8	110	0.1	0.1	10.0	9	4.89
1864189	Rock	5.02	0.421	0.4	76.8	6.9	50	0.4	24.5	15.3	378	2.25	276.9	464.6	7.2	192	0.6	0.3	10.1	12	7.75
1864190	Rock	0.79	<0.005	<0.1	0.5	0.3	<1	<0.1	1.8	0.3	52	0.05	1.0	0.5	<0.1	73	<0.1	<0.1	<0.1	<1	35.52
1864191	Rock	1.09	>10	8.7	49.4	10.8	39	1.9	13.1	5.1	308	1.38	784.9	7168.5	2.7	49	0.6	13.2	194.4	21	2.32
1864192	Rock	4.44	5.788	0.6	81.0	5.5	92	1.0	24.6	10.3	220	2.60	1167.0	5962.3	6.4	83	2.0	1.4	131.1	29	1.89
1864193	Rock	4.17	0.043	1.5	69.4	8.3	35	0.3	34.6	13.3	345	2.26	7.6	14.2	6.3	528	0.2	0.1	1.6	23	10.48
1864194	Rock	3.71	0.289	0.7	93.6	5.6	43	0.3	33.7	13.9	199	2.57	25.5	222.0	10.6	252	0.1	0.2	7.3	26	4.06
1864195	Rock	4.06	1.473	0.5	67.5	3.7	46	0.3	20.0	10.1	254	1.75	23.3	1312.5	9.3	86	0.3	0.2	32.1	12	2.65
1864196	Rock	3.11	0.055	15.3	39.0	3.0	55	0.1	62.5	6.2	123	1.24	122.6	42.4	4.0	92	0.6	0.3	1.3	159	1.57
1864197	Rock	5.28	0.200	15.5	66.8	3.5	52	0.3	88.1	7.3	97	1.60	82.2	117.2	3.2	73	0.5	1.1	4.2	247	1.21
1864198	Rock	4.61	0.018	2.2	57.8	4.5	41	0.1	56.8	8.7	111	1.48	172.7	8.4	3.6	37	0.2	0.8	0.9	69	0.58
1864199	Rock	1.66	1.425	4.8	67.4	6.2	67	0.4	37.0	13.4	427	2.75	3741.8	1312.6	9.8	145	0.5	2.1	19.9	42	3.47
1864200	Rock	1.85	0.865	6.1	83.0	5.9	73	0.4	41.3	16.2	385	2.88	3149.6	900.1	10.8	135	0.7	2.0	16.4	40	3.36
1864201	Rock	4.55	0.077	1.1	2.1	28.9	68	0.1	1.4	2.3	428	1.39	24.1	16.8	4.2	103	<0.1	0.4	0.5	5	2.30
1864202	Rock	5.65	0.215	4.7	38.8	4.4	53	0.2	26.8	9.3	289	1.70	39.2	145.8	9.2	200	0.1	0.3	5.2	51	3.40
1864203	Rock	6.11	0.181	0.8	73.8	5.9	61	0.5	46.0	16.1	182	3.12	86.1	48.8	11.1	184	0.7	0.2	4.0	25	2.18
1864204	Rock	4.84	0.356	7.6	44.1	3.0	34	0.2	20.2	5.8	222	1.46	30.6	326.3	7.2	146	0.1	0.5	7.7	25	3.40
1864205	Rock	5.14	0.105	12.4	64.3	4.2	62	0.3	74.7	12.6	206	2.54	471.8	101.4	7.3	185	0.3	0.3	2.7	230	2.50
1864206	Rock	4.79	0.692	2.4	75.4	5.4	51	0.7	43.1	17.9	239	3.95	91.6	416.2	9.4	98	0.1	0.3	16.7	43	1.32
1864207	Rock	5.07	0.177	7.3	62.3	3.9	67	0.3	45.1	12.6	353	2.74	96.4	112.5	8.7	181	0.2	0.3	3.7	71	2.28
1864208	Rock	5.10	0.018	21.0	60.5	4.0	33	0.2	86.0	7.5	109	1.56	136.2	12.1	4.3	90	0.2	0.3	0.7	241	1.47
1864209	Rock	3.26	0.296	18.5	34.7	3.7	41	0.1	65.5	7.5	173	1.30	197.8	187.1	6.0	104	0.2	0.6	7.9	190	2.18
1864210	Rock Pulp	0.13	1.266	6.1	113.7	6776.0	1544	43.9	16.9	10.8	1053	3.84	54.6	1327.0	2.9	88	18.7	28.1	0.8	96	1.08
1864211	Rock	2.61	<0.005	19.3	54.7	2.8	30	0.2	83.7	9.9	49	1.40	374.3	<0.5	4.8	15	0.1	0.5	0.5	117	0.45
1864212	Rock	1.09	0.054	20.4	38.2	3.1	52	0.9	77.9	8.7	70	0.81	406.3	0.9	5.0	30	0.8	0.2	1.6	98	1.21
1864213	Rock	4.18	0.396	6.5	67.3	2.8	54	0.3	41.9	6.7	187	1.63	172.2	549.1	6.6	138	0.7	0.2	10.0	107	2.51
1864214	Rock	4.96	0.887	0.4	134.4	5.4	34	0.4	26.3	17.1	448	3.13	10.9	643.1	8.1	564	0.2	<0.1	25.0	17	8.49
1864215	Rock	5.41	0.342	0.4	72.6	5.8	39	0.4	28.3	14.2	278	2.70	30.5	286.6	10.5	334	0.3	0.1	9.8	16	4.17



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 14, 2019

**Page:** 3 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000706.1

Method Analyte	Unit	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
MDL		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
1864186	Rock	0.040	5	11	0.67	157	0.030	<20	1.34	0.045	0.11	0.9	<0.01	2.0	<0.1	1.19	4	3.2	<0.2	
1864187	Rock	0.035	7	15	0.76	184	0.045	<20	1.81	0.063	0.12	33.5	0.01	2.1	0.1	1.52	5	6.6	0.3	
1864188	Rock	0.033	6	10	0.32	54	0.043	<20	1.23	0.056	0.06	12.7	0.01	1.1	<0.1	0.90	3	4.4	0.5	
1864189	Rock	0.044	8	11	0.35	180	0.028	<20	1.51	0.069	0.11	7.2	0.01	1.5	<0.1	0.99	4	3.5	0.5	
1864190	Rock	0.005	<1	<1	0.42	8	0.001	<20	<0.01	0.003	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2	
1864191	Rock	0.005	3	8	0.31	24	0.008	<20	0.65	0.029	0.04	54.2	0.01	1.3	<0.1	0.52	2	2.5	8.3	14.5
1864192	Rock	0.028	7	17	0.50	165	0.030	<20	1.91	0.113	0.22	72.8	0.02	2.2	0.2	1.26	6	4.9	5.3	
1864193	Rock	0.046	5	22	0.67	233	0.061	<20	3.14	0.213	0.39	0.2	<0.01	2.8	0.3	1.03	8	4.2	<0.2	
1864194	Rock	0.044	10	28	0.77	268	0.083	<20	4.45	0.281	0.35	13.4	<0.01	3.2	0.3	1.21	11	5.5	0.4	
1864195	Rock	0.032	11	12	0.35	120	0.046	<20	1.73	0.092	0.11	>100	<0.01	1.1	<0.1	0.76	5	3.5	1.6	
1864196	Rock	0.060	6	34	0.51	1177	0.056	<20	2.24	0.128	0.22	2.2	0.01	2.9	0.2	0.32	7	2.1	<0.2	
1864197	Rock	0.143	8	48	0.46	188	0.044	<20	1.34	0.064	0.30	1.7	<0.01	3.1	0.3	0.47	5	3.1	0.2	
1864198	Rock	0.018	8	31	0.59	295	0.039	<20	1.12	0.029	0.34	0.4	<0.01	2.9	0.4	0.41	4	2.1	<0.2	
1864199	Rock	0.032	9	21	0.90	277	0.019	<20	2.57	0.123	0.16	>100	<0.01	2.7	0.1	1.01	8	4.5	1.1	
1864200	Rock	0.037	10	21	0.90	387	0.022	<20	2.40	0.118	0.17	22.6	<0.01	2.8	0.1	1.19	7	4.7	0.8	
1864201	Rock	0.046	12	2	0.19	148	0.012	<20	0.78	0.029	0.25	0.4	<0.01	0.5	0.2	0.09	3	<0.5	<0.2	
1864202	Rock	0.061	9	30	0.97	320	0.081	<20	3.46	0.203	0.32	3.4	<0.01	2.4	0.3	0.55	9	2.0	0.3	
1864203	Rock	0.038	7	25	0.82	174	0.067	<20	3.53	0.223	0.41	0.4	0.01	2.9	0.4	1.68	9	4.7	0.2	
1864204	Rock	0.053	9	16	0.54	219	0.046	<20	2.93	0.145	0.15	2.9	0.01	1.3	0.1	0.61	8	2.5	0.4	
1864205	Rock	0.072	9	42	0.95	159	0.088	<20	3.99	0.280	0.63	0.4	<0.01	4.8	0.6	1.03	11	4.7	0.2	
1864206	Rock	0.040	8	24	0.94	184	0.065	<20	2.38	0.134	0.50	1.2	<0.01	2.7	0.6	1.85	6	5.0	0.7	
1864207	Rock	0.061	9	22	1.14	366	0.065	<20	2.17	0.081	0.39	0.4	<0.01	2.5	0.5	0.97	6	2.6	0.2	
1864208	Rock	0.203	7	30	0.34	838	0.046	<20	1.45	0.084	0.22	0.5	<0.01	2.1	0.2	0.60	5	3.8	<0.2	
1864209	Rock	0.052	10	22	0.61	904	0.055	<20	1.77	0.089	0.23	1.5	<0.01	2.3	0.2	0.34	5	2.6	0.4	
1864210	Rock Pulp	0.056	7	22	0.90	153	0.157	<20	1.93	0.237	0.25	1.4	0.23	3.3	0.1	0.20	5	<0.5	<0.2	
1864211	Rock	0.062	9	12	0.18	465	0.006	<20	0.62	0.005	0.17	0.2	<0.01	1.2	0.2	0.60	1	3.1	<0.2	
1864212	Rock	0.036	13	10	0.15	213	0.001	<20	0.64	0.011	0.12	1.9	<0.01	1.4	0.2	0.22	2	1.0	<0.2	
1864213	Rock	0.106	9	24	0.42	499	0.047	<20	2.05	0.109	0.18	2.4	0.02	1.8	0.3	0.59	6	3.3	0.4	
1864214	Rock	0.029	7	16	0.50	196	0.054	<20	2.72	0.187	0.26	38.0	<0.01	2.8	0.3	1.67	6	6.4	1.0	
1864215	Rock	0.037	9	20	0.60	151	0.075	<20	3.06	0.206	0.32	4.9	0.01	2.2	0.3	1.25	7	3.5	0.4	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 14, 2019

**Page:** 4 of 6

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000706.1

Method Analyte	Unit	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
			Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
MDL		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
1864216	Rock	5.07	0.041	0.4	38.8	3.8	42	0.3	24.1	10.0	188	2.71	38.9	10.1	11.4	71	<0.1	0.2	1.3	12	0.93	
1864217	Rock	5.07	0.329	0.6	70.5	5.0	38	0.4	38.0	15.2	234	3.41	59.5	76.4	10.2	87	<0.1	0.4	7.2	18	1.00	
1864218	Rock	5.22	0.155	0.7	90.8	6.1	69	0.5	46.5	18.1	312	3.57	422.5	152.2	7.9	195	0.6	0.5	4.7	30	1.93	
1864219	Rock	2.40	8.467	5.0	87.1	6.6	43	0.5	29.1	12.3	272	2.57	55.5	1770.9	8.1	120	0.2	2.4	148.0	19	2.05	
1864220	Rock	2.25	5.563	8.4	95.7	6.1	43	0.8	30.2	12.7	260	2.79	58.8	5012.4	8.3	72	0.1	2.5	181.6	21	1.57	
1864221	Rock	5.42	1.046	0.5	52.3	3.5	47	0.3	32.3	13.3	218	2.76	97.1	303.4	9.2	75	<0.1	1.0	14.9	19	1.24	
1864222	Rock	5.46	0.538	0.8	64.5	5.7	47	0.4	34.1	13.2	235	3.33	27.8	269.8	9.6	143	0.1	0.4	12.5	27	1.61	
1864223	Rock	5.16	1.314	2.7	83.2	7.9	325	0.9	34.1	14.0	261	3.01	1738.4	939.6	7.5	157	10.3	2.0	31.5	24	2.73	
1864224	Rock	5.13	0.080	1.2	57.1	5.4	61	0.9	32.9	12.4	303	2.94	60.5	2054.4	9.8	258	<0.1	0.3	1.8	26	1.71	
1864225	Rock	5.58	0.962	1.1	82.6	4.7	46	0.5	33.3	13.9	224	3.09	33.0	1085.4	11.3	141	0.1	0.3	25.4	16	1.55	
1864226	Rock	5.00	2.818	7.3	81.1	4.4	64	0.6	49.7	11.3	271	2.00	187.6	3541.7	6.5	170	1.0	0.4	67.1	140	3.65	
1864227	Rock	4.65	1.338	14.5	102.2	4.9	184	0.6	95.8	18.3	179	3.31	149.9	292.8	8.6	130	5.3	0.6	33.5	178	1.99	
1864228	Rock	4.98	0.078	1.2	58.8	6.2	60	0.4	40.6	16.1	228	3.42	26.8	3.8	13.1	143	0.1	0.3	4.2	28	1.45	
1864229	Rock	5.56	0.376	1.9	91.4	5.8	49	0.6	36.3	14.4	240	3.49	40.2	116.2	11.1	160	0.7	0.4	10.2	25	2.20	
1864230	Rock	0.45	<0.005	<0.1	0.2	0.3	<1	<0.1	<0.1	<0.1	<0.1	57	<0.01	<0.5	<0.5	0.1	86	<0.1	<0.1	<0.1	<1	35.07
1864231	Rock	5.47	0.859	1.9	114.4	6.8	54	0.7	37.8	17.8	276	4.28	11.5	601.9	9.5	352	0.2	0.2	19.4	34	3.74	
1864232	Rock	4.81	0.033	0.8	58.0	4.6	67	0.5	43.8	17.1	263	3.68	541.7	3.0	11.0	89	0.2	0.6	2.5	28	1.00	
1864233	Rock	5.50	0.043	0.6	82.2	4.7	51	0.4	46.1	20.9	245	3.83	63.6	7.1	9.3	118	0.2	0.3	2.6	28	1.65	
1864234	Rock	5.37	0.557	0.7	79.5	6.2	44	0.7	42.3	18.3	212	4.14	42.9	215.0	10.0	144	0.2	0.3	12.3	27	1.91	
1864235	Rock	5.08	0.264	0.7	80.1	4.4	56	0.5	40.8	18.1	266	4.13	363.0	26.0	10.7	76	0.2	0.6	6.6	25	0.97	
1864236	Rock	5.76	0.016	0.6	66.1	3.9	60	0.4	48.5	23.9	253	3.86	54.9	<0.5	11.6	41	0.1	0.8	2.5	15	0.44	
1864237	Rock	5.05	0.026	0.3	59.2	4.6	59	0.5	37.5	18.3	337	3.57	995.5	3.5	11.6	51	<0.1	1.0	2.8	22	0.61	
1864238	Rock	4.18	0.485	0.7	105.3	5.7	29	0.6	26.3	14.6	151	3.86	85.2	412.5	6.2	166	0.2	0.2	19.3	22	2.57	
1864239	Rock	2.24	0.130	0.3	73.0	5.1	26	0.5	29.0	15.3	144	3.35	49.7	15.3	10.0	138	0.2	0.3	2.6	10	1.50	
1864240	Rock	1.98	0.480	0.3	69.0	5.3	29	0.5	29.1	15.7	146	3.49	78.7	5.6	10.6	145	0.3	0.3	2.8	10	1.41	
1864241	Rock	4.27	0.022	0.4	38.2	5.8	34	0.3	21.0	10.5	172	2.47	37.5	1.9	9.6	99	0.1	0.4	1.9	9	1.23	
1864242	Rock	5.56	0.948	1.6	97.9	9.8	42	1.6	33.4	13.6	408	3.93	57.0	882.9	9.9	67	0.3	1.1	17.5	28	3.56	
1864243	Rock	4.33	0.166	0.2	34.1	4.4	24	0.3	13.3	5.7	217	1.88	30.8	77.5	10.1	59	0.2	0.7	3.5	8	1.64	
1864244	Rock	5.45	0.162	0.3	69.9	7.8	50	0.6	25.6	11.5	700	3.34	132.2	161.8	8.6	131	0.4	0.6	5.2	25	7.71	
1864245	Rock	5.16	0.113	0.3	33.6	6.6	28	0.3	18.6	7.2	332	2.29	23.7	28.7	7.9	208	0.1	0.2	2.6	10	8.13	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 14, 2019

**Page:** 4 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000706.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	Au gm/t	
1864216	Rock	0.030	9	13	0.56	90	0.065	<20	1.53	0.073	0.41	0.2	<0.01	1.5	0.4	0.86	4	1.9	<0.2	
1864217	Rock	0.044	8	19	0.67	118	0.069	<20	2.19	0.151	0.47	0.2	<0.01	2.1	0.5	1.31	5	3.3	0.3	
1864218	Rock	0.046	9	27	1.06	239	0.064	<20	3.20	0.209	0.71	0.2	<0.01	3.7	0.7	1.40	8	4.8	0.3	
1864219	Rock	0.033	8	19	0.69	129	0.033	<20	2.14	0.092	0.34	0.1	<0.01	2.4	0.4	1.02	5	3.4	6.3	
1864220	Rock	0.036	9	18	0.75	125	0.034	<20	1.98	0.069	0.37	0.2	0.01	2.6	0.4	1.18	5	3.8	6.6	
1864221	Rock	0.037	9	20	0.63	151	0.042	<20	1.70	0.079	0.36	<0.1	<0.01	2.1	0.4	0.80	5	0.8	0.7	
1864222	Rock	0.041	8	24	1.00	165	0.061	<20	2.49	0.167	0.51	0.1	<0.01	3.5	0.5	1.22	7	3.4	0.9	
1864223	Rock	0.048	8	23	0.90	146	0.042	<20	2.43	0.142	0.33	0.2	0.05	2.9	0.3	1.26	7	4.1	1.5	
1864224	Rock	0.038	9	26	0.99	213	0.074	<20	2.62	0.167	0.67	0.2	0.02	3.4	0.7	1.16	7	2.3	<0.2	
1864225	Rock	0.047	8	18	0.80	166	0.062	<20	2.28	0.121	0.54	1.6	<0.01	2.0	0.5	1.40	6	4.1	1.2	
1864226	Rock	0.067	8	19	0.35	466	0.063	<20	1.84	0.116	0.14	10.2	0.03	1.7	0.2	1.02	5	5.3	3.0	
1864227	Rock	0.123	10	32	0.76	55	0.095	<20	2.54	0.116	0.37	0.3	0.03	2.3	0.5	1.90	7	8.2	1.5	
1864228	Rock	0.040	16	29	1.06	166	0.096	<20	3.08	0.181	0.68	0.2	<0.01	3.0	0.8	1.32	8	2.3	0.3	
1864229	Rock	0.050	13	20	0.72	139	0.093	<20	2.84	0.151	0.43	5.9	<0.01	2.2	0.5	1.49	7	4.0	0.4	
1864230	Rock	0.007	<1	<1	0.43	9	0.002	<20	0.03	<0.001	0.03	0.6	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2	
1864231	Rock	0.047	9	33	1.04	173	0.082	<20	4.78	0.289	0.40	0.4	0.02	3.3	0.4	2.27	11	7.3	1.1	
1864232	Rock	0.038	9	26	1.06	191	0.090	<20	2.59	0.096	0.79	0.2	<0.01	3.3	0.8	1.22	7	2.1	<0.2	
1864233	Rock	0.053	9	23	0.81	143	0.079	<20	2.87	0.136	0.48	0.3	<0.01	3.4	0.5	1.64	8	4.0	<0.2	
1864234	Rock	0.039	7	25	0.94	151	0.079	<20	3.45	0.201	0.51	0.2	<0.01	3.1	0.5	2.21	8	5.4	0.8	
1864235	Rock	0.035	8	21	0.95	148	0.088	<20	2.23	0.090	0.70	1.1	<0.01	2.6	0.8	1.72	6	3.3	0.4	
1864236	Rock	0.033	9	16	0.91	103	0.066	<20	1.53	0.034	0.71	0.1	<0.01	2.4	0.8	1.54	4	1.4	<0.2	
1864237	Rock	0.039	9	20	0.94	114	0.076	<20	1.88	0.057	0.66	0.1	<0.01	2.5	0.9	1.33	5	2.2	0.3	
1864238	Rock	0.036	7	20	0.66	95	0.064	<20	3.54	0.180	0.26	0.2	<0.01	2.3	0.3	2.29	9	6.8	1.4	
1864239	Rock	0.022	7	10	0.47	69	0.019	<20	1.97	0.125	0.12	0.2	<0.01	1.7	<0.1	1.78	5	5.1	<0.2	
1864240	Rock	0.019	7	9	0.51	69	0.020	<20	1.78	0.099	0.13	0.1	<0.01	1.9	0.1	1.78	5	5.2	<0.2	
1864241	Rock	0.019	7	10	0.44	54	0.011	<20	1.04	0.029	0.12	<0.1	<0.01	1.4	<0.1	1.05	3	2.2	<0.2	
1864242	Rock	0.045	11	20	0.94	39	0.023	<20	1.17	0.033	0.12	0.4	0.02	3.2	<0.1	2.24	4	6.3	1.5	
1864243	Rock	0.019	7	8	0.49	39	0.006	<20	0.62	0.016	0.10	0.1	<0.01	1.1	<0.1	0.83	2	2.0	0.2	
1864244	Rock	0.043	6	18	0.93	44	0.042	<20	1.25	0.027	0.11	0.4	0.01	2.8	<0.1	1.66	4	4.6	0.4	
1864245	Rock	0.023	5	8	0.52	43	0.029	<20	0.72	0.019	0.12	0.2	<0.01	1.5	<0.1	1.08	2	2.5	0.3	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 14, 2019

**Page:** 5 of 6

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000706.1

Method Analyte	Unit	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
MDL		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1864246	Rock	5.44	0.168	4.4	46.5	6.0	38	0.3	46.6	9.5	545	2.52	420.4	107.0	6.7	224	0.2	0.4	4.0	40	6.68
1864247	Rock	4.42	0.289	1.1	51.0	4.4	29	0.4	25.2	8.6	189	2.82	66.6	52.8	9.7	69	0.2	0.2	6.4	15	1.95
1864248	Rock	3.68	3.041	0.8	124.6	8.2	36	2.2	50.7	22.7	244	6.87	279.4	1013.1	9.3	56	0.2	0.6	45.9	18	0.84
1864249	Rock	5.07	0.058	14.2	48.4	5.2	350	0.4	83.8	10.1	206	2.16	5.5	1.0	5.9	24	6.7	0.9	2.1	54	0.86
1864250	Rock Pulp	0.12	1.264	6.4	109.2	6873.2	1529	41.5	17.5	10.6	1038	3.81	54.8	1244.1	2.6	89	13.6	22.2	0.7	93	1.10
1864251	Rock	4.64	0.017	1.3	33.9	3.6	79	0.2	47.0	9.9	294	3.41	17.9	<0.5	9.6	20	0.1	0.3	0.9	25	0.30
1864252	Rock	4.89	0.009	3.5	56.1	3.0	37	0.4	45.6	7.4	193	2.25	3.0	<0.5	4.9	15	0.2	0.4	1.1	21	0.60
1864253	Rock	7.45	0.012	9.7	65.9	3.4	61	0.6	52.4	7.9	285	2.43	46.7	<0.5	4.1	23	0.8	0.8	2.1	26	0.56
1864254	Rock	4.08	0.016	2.9	108.9	2.8	34	0.4	42.4	11.8	334	2.51	54.3	<0.5	5.3	36	0.2	0.4	2.5	17	0.61
1864255	Rock	5.64	0.013	4.4	85.9	2.9	64	0.4	53.7	8.6	305	2.36	12.9	<0.5	4.5	26	0.8	0.3	1.8	16	0.33
1864256	Rock	4.56	0.018	2.7	91.2	2.3	79	0.4	54.2	8.2	361	2.22	3.9	<0.5	3.8	14	0.6	0.5	0.9	17	0.15
1864257	Rock	3.23	0.012	13.3	77.4	3.7	29	0.5	73.8	11.3	242	3.13	10.0	<0.5	4.9	29	0.3	1.6	2.9	25	0.49
1864258	Rock	4.36	0.013	4.4	84.6	3.4	86	0.4	53.0	8.5	282	2.32	19.4	<0.5	3.5	29	1.3	0.6	1.9	69	0.73
1864259	Rock	2.32	0.021	1.4	27.2	5.5	35	0.4	62.2	13.7	218	3.97	39.3	<0.5	5.2	28	<0.1	0.6	2.4	16	0.30
1864260	Rock	2.01	0.028	1.5	25.6	5.1	32	0.3	62.2	12.9	201	3.77	37.7	<0.5	5.5	28	<0.1	0.7	2.2	17	0.30
1864261	Rock	5.74	0.016	1.2	20.3	4.3	34	0.3	48.7	9.7	214	3.11	21.9	<0.5	6.5	27	<0.1	0.4	1.9	19	0.31
1864262	Rock	5.57	0.017	10.2	60.6	3.6	685	0.9	72.4	11.0	150	2.92	26.5	<0.5	4.5	22	8.9	0.7	1.2	78	0.58
1864263	Rock	5.11	0.025	1.8	30.5	2.2	116	0.2	58.7	12.9	358	3.56	26.3	<0.5	7.1	22	0.8	0.4	1.0	31	0.28
1864264	Rock	3.56	0.015	1.6	52.9	3.0	24	0.3	66.1	13.1	216	2.47	48.4	<0.5	7.5	14	<0.1	0.4	1.7	15	0.20
1864265	Rock	3.23	0.024	1.4	77.9	5.0	13	0.6	59.5	14.2	164	3.15	447.8	1.4	8.6	14	<0.1	0.9	3.7	13	0.42
1864266	Rock	3.54	0.014	7.3	26.0	2.5	15	0.3	51.4	6.6	178	1.33	146.1	<0.5	5.8	54	0.1	0.4	1.9	33	2.49
1864267	Rock	2.23	0.064	16.5	50.5	3.5	579	1.6	72.9	6.4	115	1.36	246.4	0.5	4.0	31	8.1	1.8	2.8	53	1.35
1864268	Rock	4.18	0.043	19.8	75.8	4.3	1935	1.9	95.2	6.4	84	1.39	199.7	0.6	2.8	68	27.9	2.9	1.8	149	2.08
1864269	Rock	4.99	0.240	0.6	45.8	7.4	41	0.4	26.9	12.9	828	2.37	15.9	35.0	5.7	373	0.7	0.5	5.2	12	15.59
1864270	Rock	0.61	<0.005	<0.1	0.7	0.5	<1	<0.1	1.9	0.3	55	0.05	<0.5	<0.5	<0.1	68	<0.1	<0.1	<0.1	<1	34.71
1864271	Rock	5.40	0.232	0.4	23.4	3.7	15	0.2	16.9	7.6	559	1.52	27.7	10.1	2.8	784	0.3	0.2	4.1	9	23.83
1864272	Rock	5.75	1.066	0.7	39.7	4.9	42	0.4	24.9	9.9	1293	2.47	54.0	187.2	5.0	478	0.4	0.4	17.4	18	17.70
1864273	Rock	3.17	0.652	8.8	137.6	6.5	208	1.0	73.2	11.5	668	6.05	36.4	9.7	5.4	59	3.7	1.8	21.7	99	3.76
1864274	Rock	1.97	0.021	2.6	79.9	4.2	51	0.3	55.3	7.1	222	2.23	14.6	0.6	5.2	26	0.5	0.6	1.7	17	0.52
1864275	Rock	0.53	0.020	1.4	49.2	2.8	30	0.3	32.6	4.5	132	8.52	24.5	<0.5	2.2	20	0.1	8.7	0.8	15	0.46



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 14, 2019

**Page:** 5 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000706.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	Au gm/t	
1864246	Rock	0.037	10	13	0.67	127	0.040	<20	1.69	0.064	0.06	88.5	<0.01	2.0	<0.1	1.18	4	3.7	0.3	
1864247	Rock	0.035	11	12	0.46	127	0.044	<20	1.39	0.033	0.14	12.3	<0.01	1.5	<0.1	1.45	4	3.7	0.6	
1864248	Rock	0.041	10	16	0.92	79	0.081	<20	2.11	0.037	0.12	70.6	0.02	1.9	<0.1	3.82	6	10.7	4.6	
1864249	Rock	0.113	9	11	0.34	203	0.002	<20	0.68	0.015	0.12	0.1	0.02	1.1	<0.1	1.05	2	6.3	<0.2	
1864250	Rock Pulp	0.051	6	21	0.87	142	0.151	<20	1.89	0.231	0.24	1.4	0.23	3.3	0.1	0.21	6	<0.5	<0.2	
1864251	Rock	0.078	9	22	0.63	101	0.002	<20	1.28	0.029	0.08	<0.1	<0.01	1.6	<0.1	0.98	4	1.9	<0.2	
1864252	Rock	0.050	16	11	0.40	165	0.001	<20	0.59	0.011	0.09	<0.1	<0.01	1.1	<0.1	1.11	2	3.0	<0.2	
1864253	Rock	0.057	14	11	0.35	190	0.001	<20	0.56	0.008	0.12	0.2	<0.01	0.8	<0.1	1.31	2	4.3	<0.2	
1864254	Rock	0.031	12	11	0.52	193	0.001	<20	0.70	0.006	0.13	<0.1	<0.01	1.0	<0.1	1.26	2	3.0	0.2	
1864255	Rock	0.037	16	10	0.37	183	0.001	<20	0.55	0.005	0.12	0.1	0.01	0.8	<0.1	1.34	2	2.6	<0.2	
1864256	Rock	0.020	15	12	0.45	184	0.001	<20	0.63	0.004	0.12	<0.1	<0.01	0.9	<0.1	1.10	2	2.2	<0.2	
1864257	Rock	0.075	15	11	0.35	160	0.001	<20	0.58	0.004	0.12	0.2	<0.01	0.8	<0.1	2.12	2	4.9	<0.2	
1864258	Rock	0.111	12	19	0.60	193	0.002	<20	0.78	0.006	0.12	0.1	<0.01	1.8	<0.1	1.22	3	5.9	<0.2	
1864259	Rock	0.113	13	15	0.44	98	<0.001	<20	1.32	0.034	0.08	<0.1	<0.01	1.2	<0.1	2.01	4	3.2	<0.2	
1864260	Rock	0.116	14	15	0.41	113	<0.001	<20	1.25	0.035	0.09	<0.1	<0.01	1.4	<0.1	1.95	4	2.9	<0.2	
1864261	Rock	0.101	16	19	0.46	95	<0.001	<20	1.29	0.035	0.08	<0.1	<0.01	1.6	<0.1	1.13	4	1.7	<0.2	
1864262	Rock	0.199	13	17	0.34	164	0.001	<20	0.96	0.023	0.09	<0.1	0.06	1.3	<0.1	1.86	3	15.2	<0.2	
1864263	Rock	0.076	17	22	0.58	128	<0.001	<20	1.61	0.034	0.09	<0.1	<0.01	1.7	<0.1	1.04	5	3.9	<0.2	
1864264	Rock	0.059	18	10	0.35	178	<0.001	<20	0.96	0.019	0.12	<0.1	<0.01	1.0	<0.1	1.04	3	2.2	<0.2	
1864265	Rock	0.054	15	9	0.23	110	<0.001	<20	0.67	0.013	0.11	<0.1	<0.01	1.0	<0.1	2.35	2	5.5	<0.2	
1864266	Rock	0.072	7	10	0.25	82	<0.001	<20	0.67	0.026	0.08	0.2	<0.01	1.4	<0.1	0.53	2	2.8	<0.2	
1864267	Rock	0.144	6	10	0.14	110	<0.001	<20	0.47	0.010	0.09	0.4	0.02	1.0	<0.1	1.07	1	16.1	0.4	
1864268	Rock	0.258	4	15	0.17	227	0.002	<20	0.50	0.012	0.14	0.3	0.09	1.1	0.1	1.06	2	32.8	<0.2	
1864269	Rock	0.046	12	11	0.82	62	0.046	<20	0.97	0.026	0.12	0.3	0.01	1.9	<0.1	1.17	3	3.1	0.4	
1864270	Rock	0.005	<1	<1	0.38	6	0.001	<20	<0.01	0.002	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
1864271	Rock	0.024	6	9	0.49	56	0.029	<20	1.02	0.037	0.03	7.4	0.01	1.6	<0.1	0.84	2	2.5	0.4	
1864272	Rock	0.032	10	16	0.96	105	0.049	<20	1.60	0.036	0.06	>100	<0.01	2.3	<0.1	1.11	4	3.3	0.8	
1864273	Rock	0.176	18	21	2.14	93	0.005	<20	1.60	0.010	0.10	11.9	0.02	3.5	<0.1	3.27	6	13.1	1.7	
1864274	Rock	0.041	18	11	0.44	189	0.001	<20	0.66	0.006	0.12	0.3	<0.01	0.9	<0.1	1.24	2	2.0	<0.2	
1864275	Rock	0.012	3	8	0.30	10	0.001	<20	0.46	0.004	0.10	1.1	0.02	0.6	2.2	8.31	1	22.0	<0.2	



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 14, 2019

**Page:** 6 of 6

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000706.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1864276	Rock	4.84	0.018	6.2	74.4	4.1	62	0.4	50.5	8.0	288	2.34	301.4	0.6	3.4	60	0.5	0.7	2.4	17	0.51
1864277	Rock	4.56	0.030	0.2	56.3	2.6	30	0.2	19.9	5.7	198	1.90	12.2	1.4	2.9	37	<0.1	0.3	1.4	13	0.28
1864278	Rock	4.82	0.064	2.2	78.5	3.3	37	0.4	30.9	7.8	269	2.12	37.3	3.1	3.1	32	0.3	0.5	2.3	14	0.28
1864279	Rock	2.49	0.046	0.5	66.9	3.6	33	0.2	27.6	8.3	291	1.71	789.9	4.9	3.2	61	<0.1	1.0	2.4	15	0.49
1864280	Rock	2.15	0.052	0.5	71.7	3.7	38	0.3	30.9	10.9	293	1.95	792.9	5.3	3.8	53	0.2	1.1	2.6	18	0.41
1864281	Rock	3.08	0.046	0.4	72.2	3.1	92	0.3	27.0	7.5	178	1.74	17.8	4.6	3.2	35	3.0	0.7	2.2	16	0.34
1864282	Rock	2.54	0.041	0.4	53.4	4.9	33	0.2	24.3	5.0	77	1.22	10.8	<0.5	3.2	13	0.3	0.6	1.5	11	0.19
1864283	Rock	4.70	0.375	0.4	37.0	4.1	19	0.5	15.5	3.9	115	1.57	241.5	54.4	3.2	19	0.2	0.9	8.6	6	0.55
1864284	Rock	1.92	0.139	0.4	35.5	2.4	19	0.3	13.0	3.3	160	1.35	124.9	14.5	2.6	22	0.1	2.6	4.0	9	0.90





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 14, 2019

Page: 6 of 6

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000706.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.9
1864276	Rock	0.034	7	10	0.42	194	0.001	<20	0.52	0.004	0.13	0.3	<0.01	0.8	<0.1	1.24	1	2.4	<0.2	
1864277	Rock	0.019	10	10	0.41	194	0.005	<20	0.53	0.003	0.15	<0.1	<0.01	1.0	0.1	0.85	2	1.6	<0.2	
1864278	Rock	0.021	10	11	0.38	192	0.003	<20	0.51	0.003	0.14	0.1	<0.01	0.9	<0.1	1.05	1	1.9	<0.2	
1864279	Rock	0.045	10	9	0.41	222	0.003	<20	0.55	0.006	0.17	0.1	<0.01	1.4	<0.1	0.66	1	0.9	0.3	
1864280	Rock	0.028	10	10	0.43	240	0.003	<20	0.59	0.005	0.18	0.1	<0.01	1.6	0.1	0.92	2	2.2	0.3	
1864281	Rock	0.045	7	11	0.39	240	0.007	<20	0.56	0.005	0.15	0.2	<0.01	1.7	0.1	0.83	2	1.8	<0.2	
1864282	Rock	0.011	8	7	0.23	193	0.001	<20	0.38	0.005	0.11	<0.1	<0.01	1.2	<0.1	0.53	1	1.0	<0.2	
1864283	Rock	0.031	6	9	0.21	89	0.003	<20	0.31	0.006	0.06	0.4	<0.01	0.8	0.1	0.88	<1	2.2	0.7	
1864284	Rock	0.014	6	13	0.26	56	0.005	<20	0.31	0.004	0.04	0.2	<0.01	1.1	<0.1	0.60	<1	2.3	0.3	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 14, 2019

Page: 1 of 3

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000706.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
Pulp Duplicates																					
1864170	Rock Pulp	0.12	1.267	6.5	103.1	6581.4	1521	41.9	17.0	10.7	1031	3.70	56.0	1217.8	2.9	82	14.4	33.2	0.8	96	1.00
REP 1864170	QC			6.2	109.5	6606.8	1558	43.7	15.7	10.0	1052	3.76	53.7	1527.3	2.8	86	16.1	33.6	0.8	98	1.00
1864179	Rock	2.20	0.015	0.5	42.3	4.1	31	0.4	26.5	12.7	191	2.57	60.7	6.9	10.6	24	0.2	0.6	1.6	9	0.74
REP 1864179	QC		0.015																		
1864205	Rock	5.14	0.105	12.4	64.3	4.2	62	0.3	74.7	12.6	206	2.54	471.8	101.4	7.3	185	0.3	0.3	2.7	230	2.50
REP 1864205	QC			12.6	64.6	4.3	63	0.3	75.4	12.7	208	2.60	463.5	88.5	7.5	188	0.3	0.4	2.6	233	2.57
1864215	Rock	5.41	0.342	0.4	72.6	5.8	39	0.4	28.3	14.2	278	2.70	30.5	286.6	10.5	334	0.3	0.1	9.8	16	4.17
REP 1864215	QC		0.321																		
1864240	Rock	1.98	0.480	0.3	69.0	5.3	29	0.5	29.1	15.7	146	3.49	78.7	5.6	10.6	145	0.3	0.3	2.8	10	1.41
REP 1864240	QC			0.3	70.8	4.9	28	0.5	27.9	14.4	143	3.46	70.0	7.3	10.7	140	0.2	0.3	2.9	11	1.48
1864248	Rock	3.68	3.041	0.8	124.6	8.2	36	2.2	50.7	22.7	244	6.87	279.4	1013.1	9.3	56	0.2	0.6	45.9	18	0.84
REP 1864248	QC		3.175																		
1864275	Rock	0.53	0.020	1.4	49.2	2.8	30	0.3	32.6	4.5	132	8.52	24.5	<0.5	2.2	20	0.1	8.7	0.8	15	0.46
REP 1864275	QC			1.3	51.4	2.8	29	0.4	32.8	4.4	130	8.41	24.0	<0.5	2.2	20	0.1	8.8	0.8	15	0.45
1864281	Rock	3.08	0.046	0.4	72.2	3.1	92	0.3	27.0	7.5	178	1.74	17.8	4.6	3.2	35	3.0	0.7	2.2	16	0.34
REP 1864281	QC		0.041																		
1864284	Rock	1.92	0.139	0.4	35.5	2.4	19	0.3	13.0	3.3	160	1.35	124.9	14.5	2.6	22	0.1	2.6	4.0	9	0.90
REP 1864284	QC			0.4	35.6	2.4	17	0.3	12.3	3.1	150	1.32	122.5	10.6	2.7	22	0.1	2.6	3.9	8	0.88
Core Reject Duplicates																					
1864188	Rock	3.34	0.446	0.4	87.7	3.6	37	0.4	17.1	10.5	308	1.83	13.3	549.7	5.8	110	0.1	0.1	10.0	9	4.89
DUP 1864188	QC		0.528	0.3	98.6	3.9	39	0.4	18.0	11.1	301	1.96	10.8	510.8	6.0	108	0.2	0.2	11.4	10	4.64
1864222	Rock	5.46	0.538	0.8	64.5	5.7	47	0.4	34.1	13.2	235	3.33	27.8	269.8	9.6	143	0.1	0.4	12.5	27	1.61
DUP 1864222	QC		0.460	1.0	72.2	6.2	51	0.9	38.3	15.2	262	3.55	39.0	5182.7	10.0	146	0.1	0.5	12.0	28	1.80
1864256	Rock	4.56	0.018	2.7	91.2	2.3	79	0.4	54.2	8.2	361	2.22	3.9	<0.5	3.8	14	0.6	0.5	0.9	17	0.15
DUP 1864256	QC		0.011	2.6	90.3	2.2	74	0.4	55.3	8.1	349	2.15	2.3	<0.5	3.8	15	0.5	0.6	0.9	17	0.17
Reference Materials																					
STD AGPROOF	Standard																				
STD BVGE001	Standard			11.7	4629.2	188.6	1814	2.6	168.1	25.5	743	3.86	124.2	226.2	14.7	60	5.9	1.6	23.9	75	1.44



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 14, 2019

Page: 1 of 3

Part: 2 of 2

# QUALITY CONTROL REPORT

# WHI19000706.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.9	
Pulp Duplicates																				
1864170	Rock Pulp	0.056	7	21	0.82	149	0.143	<20	1.83	0.207	0.23	1.5	0.21	3.4	0.1	0.22	5	<0.5	<0.2	
REP 1864170	QC	0.055	7	22	0.84	159	0.134	<20	1.84	0.209	0.24	1.7	0.24	3.7	0.1	0.22	5	<0.5	<0.2	
1864179	Rock	0.028	10	11	0.51	69	0.016	<20	0.90	0.015	0.20	0.2	<0.01	1.2	0.1	1.17	2	2.2	<0.2	
REP 1864179	QC																			
1864205	Rock	0.072	9	42	0.95	159	0.088	<20	3.99	0.280	0.63	0.4	<0.01	4.8	0.6	1.03	11	4.7	0.2	
REP 1864205	QC	0.072	10	42	0.95	311	0.091	<20	3.97	0.285	0.63	0.4	<0.01	4.8	0.6	1.05	11	4.8	0.2	
1864215	Rock	0.037	9	20	0.60	151	0.075	<20	3.06	0.206	0.32	4.9	0.01	2.2	0.3	1.25	7	3.5	0.4	
REP 1864215	QC																			
1864240	Rock	0.019	7	9	0.51	69	0.020	<20	1.78	0.099	0.13	0.1	<0.01	1.9	0.1	1.78	5	5.2	<0.2	
REP 1864240	QC	0.019	7	9	0.51	73	0.021	<20	1.80	0.098	0.13	0.1	<0.01	2.0	0.1	1.75	4	4.8	<0.2	
1864248	Rock	0.041	10	16	0.92	79	0.081	<20	2.11	0.037	0.12	70.6	0.02	1.9	<0.1	3.82	6	10.7	4.6	
REP 1864248	QC																			
1864275	Rock	0.012	3	8	0.30	10	0.001	<20	0.46	0.004	0.10	1.1	0.02	0.6	2.2	8.31	1	22.0	<0.2	
REP 1864275	QC	0.012	3	8	0.31	12	0.001	<20	0.46	0.003	0.10	1.5	0.02	0.6	2.2	7.79	1	20.9	<0.2	
1864281	Rock	0.045	7	11	0.39	240	0.007	<20	0.56	0.005	0.15	0.2	<0.01	1.7	0.1	0.83	2	1.8	<0.2	
REP 1864281	QC																			
1864284	Rock	0.014	6	13	0.26	56	0.005	<20	0.31	0.004	0.04	0.2	<0.01	1.1	<0.1	0.60	<1	2.3	0.3	
REP 1864284	QC	0.013	6	12	0.26	51	0.005	<20	0.30	0.005	0.04	0.2	<0.01	1.0	<0.1	0.61	<1	2.2	0.3	
Core Reject Duplicates																				
1864188	Rock	0.033	6	10	0.32	54	0.043	<20	1.23	0.056	0.06	12.7	0.01	1.1	<0.1	0.90	3	4.4	0.5	
DUP 1864188	QC	0.034	7	10	0.32	54	0.046	<20	1.25	0.055	0.06	11.7	0.02	1.1	<0.1	1.00	4	4.9	0.6	
1864222	Rock	0.041	8	24	1.00	165	0.061	<20	2.49	0.167	0.51	0.1	<0.01	3.5	0.5	1.22	7	3.4	0.9	
DUP 1864222	QC	0.044	9	26	1.10	180	0.067	<20	2.68	0.176	0.63	0.1	0.02	3.6	0.6	1.60	7	3.5	0.6	
1864256	Rock	0.020	15	12	0.45	184	0.001	<20	0.63	0.004	0.12	<0.1	<0.01	0.9	<0.1	1.10	2	2.2	<0.2	
DUP 1864256	QC	0.021	15	12	0.43	186	0.001	<20	0.61	0.004	0.12	<0.1	<0.01	0.9	<0.1	1.07	2	2.2	<0.2	
Reference Materials																				
STD AGPROOF	Standard																			<0.9
STD BVGE001	Standard	0.073	27	190	1.38	342	0.246	<20	2.43	0.213	0.97	3.2	0.10	6.2	0.7	0.70	8	5.0	1.0	



# QUALITY CONTROL REPORT

WHI19000706.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
STD BVGEO01	Standard			10.6	4425.3	175.8	1737	2.7	154.0	25.0	698	3.67	119.2	234.9	14.0	55	6.0	1.9	22.5	71	1.27
STD DS11	Standard			16.4	149.1	142.3	338	1.6	87.5	14.2	945	3.05	44.0	50.7	8.8	69	2.3	7.8	12.1	50	0.96
STD DS11	Standard			16.4	156.9	149.2	368	1.9	87.0	13.3	1069	3.24	48.0	151.5	9.4	77	2.6	7.6	12.6	51	1.17
STD DS11	Standard			14.2	160.7	134.3	355	1.8	80.4	12.9	980	3.14	43.3	74.4	7.9	69	2.5	6.1	11.8	50	1.10
STD OREAS262	Standard			0.7	117.3	58.1	141	0.5	68.5	27.9	586	3.26	36.9	65.2	10.2	38	0.6	3.5	1.1	22	3.03
STD OREAS262	Standard			0.7	119.0	58.9	144	0.5	64.7	26.7	580	3.40	37.6	71.8	10.5	38	0.8	3.1	1.1	24	3.15
STD OREAS263	Standard		0.209																		
STD OREAS263	Standard		0.210																		
STD OREAS262	Standard			0.7	118.5	55.8	155	0.5	69.8	27.8	549	3.32	37.7	55.4	9.2	36	0.6	1.6	0.9	23	3.08
STD OREAS262	Standard			0.7	125.1	59.7	167	0.5	69.6	27.9	552	3.39	37.8	71.5	9.9	38	0.8	2.2	1.2	22	3.16
STD OREAS262	Standard			0.7	111.4	54.9	152	0.5	66.1	28.0	525	3.22	36.9	46.2	9.0	34	0.6	1.7	1.0	21	2.73
STD OXI138	Standard		1.873																		
STD OXI138	Standard		1.917																		
STD OXN117	Standard		7.772																		
STD OXN117	Standard		7.782																		
STD OXQ114	Standard																				
STD SP49	Standard																				
STD OXI138 Expected			1.86																		
STD OREAS263 Expected			0.21																		
STD OXN117 Expected			7.679																		
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063
STD BVGEO01 Expected				10.8	4415	187	1741	2.53	163	25	733	3.7	121	219	14.4	55	6.5	2.2	25.6	73	1.3219
STD OREAS262 Expected				0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	65	9.33	36	0.61	3.39	1.03	22.5	2.98
STD AGPROOF Expected																					
STD SP49 Expected																					
STD OXQ114 Expected																					
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		<0.005																		



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 14, 2019

Page: 2 of 3

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000706.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.9
STD BVGEO01	Standard	0.068	25	167	1.29	319	0.231	<20	2.24	0.186	0.87	3.8	0.11	5.8	0.6	0.66	8	4.6	1.0	
STD DS11	Standard	0.069	18	59	0.84	402	0.097	<20	1.15	0.071	0.40	2.7	0.26	3.2	4.9	0.28	5	2.3	4.8	
STD DS11	Standard	0.078	21	66	0.89	471	0.101	<20	1.22	0.078	0.43	2.6	0.25	3.7	5.3	0.32	6	2.9	5.1	
STD DS11	Standard	0.071	20	61	0.88	422	0.096	<20	1.19	0.076	0.42	2.1	0.24	3.2	4.9	0.28	5	2.2	4.6	
STD OREAS262	Standard	0.039	16	43	1.19	250	0.003	<20	1.24	0.069	0.30	0.1	0.16	3.5	0.5	0.26	3	<0.5	<0.2	
STD OREAS262	Standard	0.041	18	45	1.25	282	0.003	<20	1.37	0.073	0.35	0.1	0.15	3.6	0.5	0.29	4	<0.5	0.3	
STD OREAS263	Standard																			
STD OREAS263	Standard																			
STD OREAS262	Standard	0.039	17	44	1.22	254	0.003	<20	1.37	0.071	0.35	<0.1	0.20	3.3	0.5	0.26	4	0.6	0.2	
STD OREAS262	Standard	0.040	19	45	1.21	272	0.003	<20	1.33	0.072	0.33	0.1	0.18	3.4	0.5	0.26	4	<0.5	0.3	
STD OREAS262	Standard	0.037	15	42	1.18	237	0.003	<20	1.19	0.068	0.30	<0.1	0.17	3.0	0.5	0.23	4	0.6	0.2	
STD OXI138	Standard																			
STD OXI138	Standard																			
STD OXN117	Standard																			
STD OXN117	Standard																			
STD OXQ114	Standard																			35.4
STD SP49	Standard																			18.5
STD OXI138 Expected																				
STD OREAS263 Expected																				
STD OXN117 Expected																				
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56	
STD BVGEO01 Expected		0.0727	25.9	171	1.2963	340	0.233		2.347	0.1924	0.89	3.5	0.1	5.97	0.62	0.6655	7.37	4.84	1.02	
STD OREAS262 Expected		0.04	15.9	41.7	1.17	248	0.003		1.204	0.071	0.312	0.13	0.17	3.24	0.47	0.253	3.73	0.4	0.23	
STD AGPROOF Expected																				0
STD SP49 Expected																				18.34
STD OXQ114 Expected																				35.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																			



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 14, 2019

Page: 3 of 3

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000706.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	<0.005	0.8	4.9	1.4	34	<0.1	1.5	4.8	601	1.96	1.4	<0.5	2.9	25	<0.1	<0.1	<0.1	29	0.69	
ROCK-WHI	Prep Blank	<0.005	0.6	7.3	0.9	35	<0.1	1.4	4.9	524	1.89	0.8	<0.5	2.4	21	<0.1	<0.1	<0.1	29	0.69	



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 14, 2019

Page: 3 of 3

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000706.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t
BLK	Blank	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.9
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	0.3	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																			<0.9
Prep Wash																				
ROCK-WHI	Prep Blank	0.045	7	5	0.56	56	0.095	<20	0.95	0.079	0.08	<0.1	<0.01	3.5	<0.1	<0.05	4	<0.5	<0.2	
ROCK-WHI	Prep Blank	0.043	6	4	0.59	50	0.077	<20	0.96	0.067	0.07	<0.1	<0.01	3.1	<0.1	<0.05	4	<0.5	<0.2	



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Submitted By: James Thom  
Receiving Lab: Canada-Whitehorse  
Received: October 23, 2019  
Report Date: November 18, 2019  
Page: 1 of 6

## CERTIFICATE OF ANALYSIS

WHI19000707.1

### CLIENT JOB INFORMATION

Project: McQuesten  
Shipment ID: MQ-19-20a  
P.O. Number  
Number of Samples: 122

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
RTRN-RJT Return After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Banyan Gold Corp.  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7  
Canada

CC: Paul Gray

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	120	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	2	Sort, label and box pulps			WHI
FA450	122	50g Lead Collection Fire Assay Fusion - AAS Finish	50	Completed	VAN
EN002	122	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	122	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	122	Per sample shipping charges for branch shipments			VAN
FA550	1	Lead collection fire assay 50G fusion - Grav finish	50	Completed	VAN

### ADDITIONAL COMMENTS

  
MAY LAI  
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 18, 2019

**Page:** 2 of 6

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000707.1

Method Analyte	Unit	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
			Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
MDL		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	0.1
1864285	Rock	4.17	0.210	0.8	43.6	3.7	73	0.3	25.6	10.3	224	1.54	10.1	124.5	5.9	134	0.5	0.2	4.5	20	1.93
1864286	Rock	4.51	0.160	0.8	38.6	4.1	99	1.4	20.6	8.0	206	1.22	23.9	129.8	8.8	108	0.6	0.2	3.5	9	2.16
1864287	Rock	5.09	2.105	1.0	237.7	4.5	109	0.7	26.2	22.1	224	4.34	11.9	2337.5	7.6	100	0.7	0.2	39.5	13	1.62
1864288	Rock	6.21	0.539	1.3	92.7	3.8	97	0.4	24.9	14.9	210	2.75	19.8	561.3	11.3	89	0.6	0.2	10.6	13	1.08
1864289	Rock	1.77	0.130	2.1	57.6	6.1	69	0.4	38.6	16.4	356	2.93	33.4	190.4	10.6	208	0.1	0.3	3.9	36	3.04
1864290	Rock	2.01	0.063	3.9	55.0	5.6	67	0.4	40.3	16.8	347	2.87	47.7	54.6	10.6	210	0.3	0.3	2.6	35	2.88
1864291	Rock	5.03	0.047	0.7	35.8	4.7	55	0.3	36.1	13.7	240	2.61	25.2	38.0	11.7	122	0.1	0.2	2.4	21	1.36
1864292	Rock	4.88	0.100	0.5	40.2	6.3	41	0.4	23.0	11.2	189	2.21	34.9	92.3	9.3	157	0.4	0.2	3.4	12	1.47
1864293	Rock	4.79	0.081	0.6	30.2	6.1	80	0.3	17.8	9.1	188	1.36	28.2	54.3	5.2	128	1.2	0.2	3.9	11	1.96
1864294	Rock	5.53	0.042	0.6	25.3	6.1	63	0.2	16.6	6.4	319	1.06	14.4	15.8	5.4	161	0.7	0.2	1.4	5	5.66
1864295	Rock	5.34	0.031	0.3	16.4	4.3	30	0.1	9.4	3.6	236	0.72	7.6	30.3	4.6	214	0.1	<0.1	0.8	4	7.60
1864296	Rock	4.09	0.055	0.3	33.3	5.0	37	0.3	21.2	9.4	203	2.31	15.4	22.7	9.9	214	0.1	0.1	1.5	8	1.24
1864297	Rock	4.18	0.068	0.3	24.4	5.1	26	0.3	14.6	6.8	162	1.73	20.9	82.9	10.5	286	0.2	<0.1	2.8	8	0.75
1864298	Rock	3.99	2.766	0.4	45.1	6.7	45	0.5	18.9	15.6	747	1.72	24.4	2966.1	5.7	428	0.3	0.1	59.1	16	16.95
1864299	Rock	1.97	0.611	1.3	97.7	5.1	45	0.4	28.9	15.0	284	2.66	177.7	498.5	9.4	119	0.2	0.2	13.9	25	2.18
1864300	Rock	1.80	0.529	1.8	63.3	5.0	48	0.4	29.7	13.8	283	2.38	114.0	504.4	9.6	135	0.2	0.2	12.0	30	2.44
1864301	Rock	4.54	0.010	0.4	45.8	5.9	44	0.5	32.3	17.1	299	3.53	31.5	2.7	10.2	38	0.1	0.4	2.3	14	0.42
1864302	Rock	3.29	0.017	0.3	24.6	3.8	34	0.3	23.6	12.0	464	3.10	21.5	10.9	9.2	43	<0.1	0.4	0.9	13	1.52
1864303	Rock	3.89	0.016	0.5	24.8	4.9	40	0.3	33.4	17.6	221	2.63	68.8	11.3	10.6	15	0.1	0.6	2.0	9	0.17
1864304	Rock	5.45	0.072	0.2	15.9	6.1	27	0.1	11.5	4.7	539	0.94	7.6	52.7	3.2	301	0.2	0.1	1.9	7	16.53
1864305	Rock	5.62	0.051	0.5	27.9	7.0	34	0.2	20.6	10.0	541	1.43	53.1	36.4	5.2	398	0.2	0.2	1.7	10	14.71
1864306	Rock	4.63	0.223	1.3	67.3	6.5	46	0.3	35.3	14.5	367	2.09	24.5	247.7	9.7	279	0.2	<0.1	6.4	18	6.80
1864307	Rock	4.07	0.041	0.9	60.3	6.8	37	0.2	25.5	12.1	488	1.77	14.4	26.9	7.6	526	0.2	<0.1	1.6	12	14.35
1864308	Rock	5.56	0.017	0.6	65.4	7.1	39	0.5	34.6	19.5	162	3.58	38.9	16.3	11.9	59	0.4	0.1	3.1	14	1.25
1864309	Rock	5.27	0.012	0.5	43.3	7.0	45	0.5	37.0	19.4	269	3.43	32.9	6.4	9.8	39	0.2	0.2	2.3	15	0.69
1864310	Rock	0.68	<0.005	<0.1	0.7	0.2	<1	<0.1	<0.1	<0.1	55	0.07	<0.5	1.1	0.3	83	<0.1	<0.1	<0.1	<1	36.61
1864311	Rock	4.39	0.081	0.5	48.2	5.1	35	0.3	20.0	10.4	346	2.28	81.1	55.6	8.8	201	0.1	0.1	2.9	11	5.10
1864312	Rock	2.95	1.415	0.5	59.2	19.6	48	0.7	21.2	11.6	363	2.34	162.9	1364.5	9.6	145	0.3	1.2	39.3	18	3.39
1864313	Rock	3.95	0.107	12.7	60.8	17.9	143	1.0	78.1	16.0	214	2.94	316.3	6.7	9.1	87	4.2	1.3	9.2	59	2.00
1864314	Rock	5.52	0.007	1.0	4.0	40.3	71	0.3	3.3	3.0	542	1.53	10.1	2.7	4.6	115	0.5	0.1	0.6	4	2.91



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 18, 2019

**Page:** 2 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000707.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	Au gm/t	
1864285	Rock	0.025	10	20	0.39	135	0.082	<20	2.06	0.142	0.24	3.1	<0.01	2.0	0.2	0.29	5	1.8	<0.2	
1864286	Rock	0.049	15	13	0.15	71	0.044	<20	1.62	0.118	0.20	34.3	<0.01	1.3	0.1	0.17	4	1.6	<0.2	
1864287	Rock	0.031	9	14	0.24	80	0.052	<20	2.15	0.145	0.15	31.7	0.01	1.7	<0.1	2.44	6	17.5	2.0	
1864288	Rock	0.024	10	15	0.37	124	0.045	<20	2.02	0.108	0.32	26.1	<0.01	1.6	0.2	1.02	5	6.6	0.5	
1864289	Rock	0.053	9	35	1.11	255	0.102	<20	4.53	0.279	0.80	0.3	<0.01	4.1	0.8	1.00	12	3.1	<0.2	
1864290	Rock	0.052	9	33	1.08	243	0.096	<20	4.37	0.265	0.74	0.3	<0.01	3.9	0.7	0.90	12	2.6	<0.2	
1864291	Rock	0.049	12	22	0.63	123	0.078	<20	2.42	0.115	0.51	0.3	<0.01	2.4	0.5	0.66	6	1.8	<0.2	
1864292	Rock	0.021	9	14	0.41	94	0.047	<20	1.93	0.093	0.36	0.2	<0.01	1.6	0.3	0.80	5	2.7	<0.2	
1864293	Rock	0.021	7	13	0.18	56	0.041	<20	1.41	0.085	0.18	12.4	0.01	1.5	0.1	0.49	4	2.0	<0.2	
1864294	Rock	0.035	9	8	0.14	37	0.036	<20	0.88	0.043	0.09	0.2	<0.01	0.8	<0.1	0.32	2	1.1	<0.2	
1864295	Rock	0.015	5	7	0.11	42	0.029	<20	0.74	0.043	0.09	0.2	<0.01	0.6	<0.1	0.20	2	0.7	<0.2	
1864296	Rock	0.020	9	10	0.42	147	0.030	<20	1.43	0.039	0.40	0.2	<0.01	1.4	0.5	0.98	3	1.3	<0.2	
1864297	Rock	0.026	10	11	0.35	79	0.032	<20	1.73	0.071	0.32	0.2	<0.01	1.1	0.3	0.58	4	1.7	<0.2	
1864298	Rock	0.037	6	14	0.29	72	0.069	<20	2.13	0.116	0.13	0.5	0.03	1.6	0.1	0.67	5	3.2	2.7	
1864299	Rock	0.041	9	23	0.60	139	0.055	<20	3.09	0.141	0.25	0.4	<0.01	2.4	0.2	1.00	8	4.3	0.7	
1864300	Rock	0.049	10	24	0.63	144	0.058	<20	3.35	0.163	0.27	0.4	0.01	2.6	0.2	0.77	8	3.0	0.6	
1864301	Rock	0.038	10	15	0.73	133	0.059	<20	1.56	0.040	0.34	0.2	<0.01	2.2	0.3	1.39	4	2.4	<0.2	
1864302	Rock	0.029	10	15	0.73	54	0.083	<20	1.04	0.004	0.18	0.3	<0.01	1.8	0.1	0.96	3	1.3	<0.2	
1864303	Rock	0.031	12	12	0.38	84	0.039	<20	0.95	0.010	0.28	0.1	<0.01	1.5	0.2	1.06	2	1.2	<0.2	
1864304	Rock	0.027	5	6	0.34	51	0.018	<20	0.89	0.035	0.10	0.1	<0.01	1.2	<0.1	0.20	2	0.8	<0.2	
1864305	Rock	0.033	5	10	0.41	90	0.040	<20	1.36	0.055	0.13	0.2	0.01	1.7	<0.1	0.42	4	1.4	<0.2	
1864306	Rock	0.052	8	18	0.34	103	0.063	<20	3.39	0.189	0.14	9.2	<0.01	2.0	<0.1	0.93	8	3.2	0.2	
1864307	Rock	0.033	6	12	0.28	76	0.052	<20	1.99	0.098	0.11	1.8	<0.01	1.8	<0.1	0.74	5	3.0	<0.2	
1864308	Rock	0.040	10	15	0.45	153	0.077	<20	1.95	0.080	0.25	0.5	<0.01	2.1	0.1	2.06	5	4.3	<0.2	
1864309	Rock	0.029	9	16	0.64	125	0.094	<20	1.56	0.049	0.21	0.4	<0.01	1.9	0.2	1.60	4	2.5	<0.2	
1864310	Rock	0.007	<1	<1	0.51	11	0.001	<20	0.04	0.002	0.02	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2	
1864311	Rock	0.030	6	13	0.45	248	0.048	<20	1.71	0.073	0.18	0.6	<0.01	1.6	0.1	0.98	4	2.8	<0.2	
1864312	Rock	0.029	8	17	0.52	154	0.025	<20	1.63	0.058	0.20	1.4	<0.01	2.4	0.2	0.95	4	3.8	1.6	
1864313	Rock	0.062	8	18	0.57	249	0.030	<20	1.75	0.067	0.24	1.3	<0.01	2.4	0.2	1.61	4	5.1	0.3	
1864314	Rock	0.049	12	3	0.18	196	0.006	<20	1.00	0.040	0.37	<0.1	<0.01	0.8	0.2	0.12	3	<0.5	<0.2	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 18, 2019

Page: 3 of 6

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000707.1

Method Analyte Unit MDL	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1864315	Rock	4.76	0.068	0.4	73.3	6.3	41	0.6	33.0	15.2	285	3.32	133.0	36.0	9.3	162	0.2	0.4	3.7	26	2.80
1864316	Rock	5.83	0.228	3.0	88.9	6.6	58	0.4	34.6	12.7	333	3.12	99.6	190.2	8.7	214	0.2	0.1	7.7	60	3.86
1864317	Rock	5.62	0.447	10.1	28.3	4.1	93	0.2	26.5	10.4	465	1.72	70.7	515.4	10.1	266	0.5	0.2	12.0	66	4.89
1864318	Rock	4.82	0.145	0.3	36.1	6.1	51	0.3	23.0	9.8	221	1.80	96.7	134.3	10.4	208	0.6	0.2	4.9	20	2.87
1864319	Rock	2.12	0.263	1.8	32.8	5.3	50	0.3	24.3	9.7	197	1.99	179.5	195.2	13.3	139	0.7	0.3	7.6	20	2.28
1864320	Rock	2.42	0.197	2.0	31.8	5.5	56	0.3	23.8	9.8	211	1.90	136.1	223.3	13.0	154	1.3	0.2	5.7	22	2.54
1864321	Rock	6.01	0.371	0.6	14.8	5.4	57	0.2	13.0	6.9	546	1.15	31.2	389.6	6.2	448	0.6	0.2	11.2	24	9.41
1864322	Rock	3.56	0.852	0.4	19.4	4.5	59	0.2	16.1	7.7	453	0.92	35.3	1477.1	6.9	366	0.3	0.2	24.8	17	7.75
1864323	Rock	2.88	0.035	12.8	54.4	7.8	146	0.4	63.8	13.3	286	2.56	1573.5	0.7	7.6	88	3.6	1.2	2.0	77	2.27
1864324	Rock	2.40	0.019	21.5	41.5	13.9	316	0.6	79.2	8.9	189	1.54	37.6	<0.5	4.2	13	3.3	8.4	1.0	51	0.36
1864325	Rock	2.31	0.012	19.3	49.1	12.0	303	0.8	83.6	9.2	345	1.69	15.8	<0.5	4.0	24	4.2	1.0	1.0	66	0.62
1864326	Rock	1.53	0.031	1.0	62.7	541.3	648	7.7	40.6	18.6	4441	3.11	171.7	<0.5	11.5	127	8.3	3.4	2.2	7	2.03
1864327	Rock	2.58	0.480	0.6	46.9	863.1	2455	15.9	29.6	13.2	>10000	4.86	175.8	147.7	5.4	193	29.5	1.9	15.7	23	3.64
1864328	Rock	2.59	0.083	1.3	9.2	2444.4	6763	17.5	30.9	20.8	>10000	4.92	2542.7	27.9	8.3	257	68.8	2.0	2.7	14	3.39
1864329	Rock	4.89	0.842	1.0	92.5	722.9	1184	20.6	30.4	14.3	9451	4.25	370.3	780.5	7.7	302	13.0	2.6	21.2	29	7.98
1864330	Rock Pulp	0.12	1.207	7.0	119.5	7015.9	1647	44.5	16.5	11.0	1127	4.03	57.9	1587.9	2.9	88	17.0	30.4	1.0	106	1.11
1864331	Rock	5.32	0.078	0.7	37.2	364.0	949	5.4	23.8	11.3	>10000	4.27	247.7	41.1	11.4	188	13.5	1.2	2.7	12	7.42
1864332	Rock	4.60	0.118	0.4	80.7	3358.1	8145	23.3	18.2	7.7	>10000	3.50	127.9	130.2	12.1	124	83.8	3.4	1.8	15	1.78
1864333	Rock	2.14	0.042	6.3	5.4	1719.9	3305	18.3	18.9	6.3	>10000	11.57	66.2	12.0	8.3	31	35.3	1.4	3.1	5	0.79
1864334	Rock	3.14	0.049	17.8	27.6	2716.7	6300	18.0	63.8	10.8	>10000	5.10	128.3	<0.5	5.5	440	71.6	8.4	3.1	24	6.99
1864335	Rock	4.73	0.010	0.3	6.5	64.9	114	1.2	7.4	1.6	3040	0.65	5.0	<0.5	1.7	793	1.9	3.6	0.6	5	34.79
1864336	Rock	4.76	0.024	15.0	32.7	59.4	160	2.5	65.7	7.7	1124	1.89	82.5	<0.5	4.9	227	2.7	6.6	3.6	45	8.60
1864337	Rock	2.83	0.013	20.0	26.1	65.1	586	7.4	72.0	7.6	1585	1.69	56.4	<0.5	3.9	171	7.5	10.7	1.7	65	5.85
1864338	Rock	4.98	0.052	1.5	34.1	190.8	623	3.5	16.4	5.0	6309	2.97	98.4	1.3	4.8	481	8.9	3.3	1.9	28	14.79
1864339	Rock	1.97	0.011	15.5	50.4	77.4	208	3.2	77.1	11.6	914	2.35	21.8	<0.5	5.9	52	2.6	1.5	1.6	87	1.55
1864340	Rock	1.87	0.012	14.6	47.3	80.4	242	2.0	77.8	12.6	832	2.44	19.7	<0.5	6.2	51	2.8	1.1	1.7	103	1.63
1864341	Rock	5.06	0.034	7.7	39.3	94.6	422	5.7	55.6	10.7	1938	3.24	49.4	<0.5	9.2	67	5.1	1.6	1.4	60	2.22
1864342	Rock	4.94	0.089	1.1	52.6	27.3	127	1.1	41.0	16.2	1154	3.57	71.7	19.4	11.9	60	0.8	0.5	3.2	48	2.68
1864343	Rock	5.27	0.074	0.7	57.7	31.2	93	1.2	36.1	15.4	809	3.63	577.7	43.6	11.6	100	0.8	0.8	3.6	26	4.15
1864344	Rock	4.04	0.076	0.5	72.1	216.9	787	3.5	39.0	18.6	2102	4.09	88.4	22.5	10.7	135	10.7	1.4	4.1	26	5.44



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 18, 2019

**Page:** 3 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000707.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Ti ppm	S %	Ga ppm	Se ppm	Te ppm	Au gm/t	
1864315	Rock	0.054	9	22	0.57	352	0.071	<20	3.10	0.173	0.21	1.2	<0.01	2.5	0.1	1.63	8	3.8	<0.2	
1864316	Rock	0.042	9	28	0.75	372	0.088	<20	3.43	0.190	0.32	6.3	<0.01	3.1	0.3	1.38	9	4.7	0.3	
1864317	Rock	0.061	11	39	1.39	477	0.107	<20	4.60	0.265	0.53	22.1	<0.01	3.4	0.5	0.33	11	1.6	0.5	
1864318	Rock	0.034	10	20	0.51	468	0.075	<20	3.07	0.199	0.31	0.7	<0.01	2.5	0.2	0.79	7	1.6	0.2	
1864319	Rock	0.038	12	18	0.49	878	0.054	<20	2.61	0.185	0.35	61.7	0.01	1.8	0.3	0.88	6	1.1	0.3	
1864320	Rock	0.040	12	19	0.50	871	0.059	<20	2.81	0.201	0.34	73.2	<0.01	2.1	0.2	0.83	7	1.1	0.3	
1864321	Rock	0.050	8	20	0.54	573	0.065	<20	2.82	0.231	0.23	44.6	<0.01	2.3	0.2	0.29	7	<0.5	0.3	
1864322	Rock	0.064	11	17	0.46	846	0.073	<20	2.76	0.204	0.12	13.2	0.01	1.7	<0.1	0.23	6	<0.5	1.1	
1864323	Rock	0.043	9	19	0.58	495	0.021	<20	1.68	0.066	0.20	0.4	<0.01	2.8	0.2	1.15	4	4.6	0.2	
1864324	Rock	0.045	8	7	0.07	365	0.002	<20	0.39	0.004	0.13	0.3	<0.01	1.1	0.2	0.88	1	3.0	<0.2	
1864325	Rock	0.099	7	9	0.15	474	0.003	<20	0.49	0.003	0.14	0.3	<0.01	1.0	0.1	1.04	1	5.6	<0.2	
1864326	Rock	0.047	13	6	0.42	61	<0.001	<20	0.50	0.004	0.25	0.3	<0.01	3.8	0.4	2.25	1	1.7	<0.2	
1864327	Rock	0.038	5	11	0.95	72	<0.001	<20	0.82	0.003	0.24	0.2	0.02	4.5	0.5	1.90	2	2.3	0.8	
1864328	Rock	0.034	6	8	0.67	73	<0.001	<20	0.58	0.004	0.39	0.2	0.03	5.4	0.6	1.39	<1	2.1	1.3	
1864329	Rock	0.043	6	14	0.94	87	0.001	<20	0.97	0.004	0.26	43.6	0.02	4.1	0.6	1.55	3	4.0	0.9	
1864330	Rock Pulp	0.057	7	22	0.87	159	0.159	<20	1.96	0.230	0.25	1.6	0.22	3.6	0.1	0.24	5	<0.5	<0.2	
1864331	Rock	0.044	6	7	0.93	89	<0.001	<20	0.54	0.004	0.26	0.2	0.02	4.4	0.4	1.45	1	2.0	<0.2	
1864332	Rock	0.022	8	9	0.51	76	<0.001	<20	0.66	0.003	0.24	0.1	0.07	3.1	0.4	1.18	2	3.8	<0.2	
1864333	Rock	0.024	7	5	0.71	61	<0.001	<20	0.36	0.002	0.35	0.1	0.02	5.3	0.5	0.52	2	0.8	0.5	
1864334	Rock	0.030	5	8	0.53	68	<0.001	<20	0.47	0.002	0.28	0.2	0.04	5.4	0.3	1.90	<1	3.6	<0.2	
1864335	Rock	0.004	4	3	0.33	45	<0.001	<20	0.16	<0.001	0.07	<0.1	<0.01	1.3	0.1	0.20	<1	<0.5	<0.2	
1864336	Rock	0.027	4	8	0.18	96	<0.001	<20	0.46	0.003	0.16	0.2	<0.01	1.6	0.3	1.16	1	3.0	<0.2	
1864337	Rock	0.025	4	7	0.13	111	<0.001	<20	0.41	0.003	0.16	0.2	<0.01	1.5	0.2	1.19	1	2.5	<0.2	
1864338	Rock	0.018	4	7	0.51	99	<0.001	<20	0.51	0.003	0.13	0.1	<0.01	2.3	0.4	1.99	1	3.0	<0.2	
1864339	Rock	0.086	9	17	0.42	201	0.002	<20	0.83	0.008	0.18	0.1	<0.01	1.9	0.3	1.23	2	3.1	<0.2	
1864340	Rock	0.096	10	18	0.49	193	0.002	<20	0.90	0.008	0.19	0.1	<0.01	2.2	0.3	1.32	3	3.3	<0.2	
1864341	Rock	0.075	12	28	0.57	141	0.002	<20	1.48	0.021	0.15	7.7	<0.01	2.0	0.1	0.95	4	2.5	<0.2	
1864342	Rock	0.057	20	35	1.33	196	0.016	<20	2.31	0.005	0.43	0.4	<0.01	4.8	0.5	1.29	6	2.9	<0.2	
1864343	Rock	0.050	14	27	0.97	135	0.012	<20	1.66	0.005	0.35	0.1	<0.01	4.1	0.6	1.62	5	3.8	<0.2	
1864344	Rock	0.044	7	24	0.90	111	0.005	<20	1.47	0.002	0.28	0.2	<0.01	3.9	0.5	2.03	4	3.2	0.2	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 18, 2019

Page: 4 of 6

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000707.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1864345	Rock	2.44	0.063	0.7	57.3	648.2	1511	7.7	15.0	8.7	>10000	3.08	89.5	22.4	4.4	943	21.8	1.9	3.4	11	24.06
1864346	Rock	4.20	0.153	0.7	94.6	1463.5	2266	20.5	36.5	17.5	8586	4.28	547.9	11.9	8.6	213	25.3	3.6	4.5	9	4.23
1864347	Rock	3.09	0.173	1.4	28.4	2275.4	5138	18.0	21.4	11.3	>10000	6.49	140.8	35.4	5.9	185	52.8	2.8	4.8	11	4.22
1864348	Rock	1.48	0.265	6.5	35.8	515.0	1670	16.8	32.7	6.8	7245	2.89	115.9	1.3	3.9	418	16.2	9.6	1.7	34	9.03
1864349	Rock	5.74	0.205	1.3	44.0	60.5	171	9.4	21.5	10.5	1487	2.54	76.8	22.8	6.3	447	1.9	2.8	12.9	18	9.14
1864350	Rock	0.61	<0.005	<0.1	0.6	1.1	2	<0.1	1.2	0.2	71	0.06	0.7	<0.5	<0.1	94	<0.1	<0.1	<0.1	<1	37.12
1864351	Rock	5.09	0.103	4.9	83.0	21.1	135	2.8	54.8	12.9	458	2.52	38.1	<0.5	7.8	40	2.1	7.9	3.8	23	0.75
1864352	Rock	4.48	0.015	5.6	88.0	43.0	205	3.1	50.2	8.3	776	2.49	28.9	<0.5	5.0	37	3.1	8.6	2.1	22	0.81
1864353	Rock	3.26	0.018	11.7	85.2	20.1	304	2.4	63.0	9.7	475	3.40	31.7	<0.5	5.2	52	4.6	3.3	2.6	35	0.81
1864354	Rock	2.44	0.010	0.5	75.2	4.2	44	0.9	22.1	6.6	834	2.17	20.9	<0.5	3.3	78	0.2	1.6	0.8	27	1.53
1864355	Rock	2.60	0.114	10.6	84.2	32.1	135	2.4	56.6	9.1	827	3.67	17.8	<0.5	6.3	75	1.4	2.3	2.6	42	0.94
1864356	Rock	3.70	0.055	1.4	48.8	6.9	32	0.8	30.1	8.0	1049	2.06	47.3	<0.5	3.9	63	0.2	3.4	1.2	27	1.38
1864357	Rock	2.59	0.022	5.7	47.1	24.3	62	1.8	57.0	8.9	1051	2.88	84.2	<0.5	6.5	53	0.8	10.1	2.3	44	1.18
1864358	Rock	4.85	0.013	1.2	34.6	9.9	23	0.8	68.1	19.0	304	4.85	12.0	<0.5	6.2	50	<0.1	1.8	4.3	14	0.59
1864359	Rock	2.73	0.022	1.4	30.5	9.3	19	0.5	62.8	15.5	247	4.53	6.4	<0.5	8.7	54	<0.1	0.9	3.9	14	0.49
1864360	Rock	2.27	0.016	1.3	33.7	10.3	18	0.6	66.3	16.4	225	4.58	7.4	<0.5	8.4	52	<0.1	1.0	4.2	12	0.50
1864361	Rock	4.71	0.036	2.1	106.6	22.0	67	3.7	76.7	11.9	300	4.41	47.4	<0.5	8.1	36	0.4	8.3	4.7	33	0.72
1864362	Rock	5.38	0.014	1.2	67.3	6.2	19	0.6	55.9	9.0	141	2.54	23.2	<0.5	7.8	40	0.3	0.9	3.7	16	1.04
1864363	Rock	5.06	0.010	1.0	47.2	11.6	26	0.7	34.8	7.2	230	2.48	76.1	<0.5	4.7	21	0.2	0.7	2.6	18	0.54
1864364	Rock	5.16	0.008	0.6	41.3	78.3	170	2.9	30.7	8.4	2023	2.82	64.1	<0.5	4.0	15	2.1	1.0	3.1	10	0.34
1864365	Rock	5.12	0.016	1.5	56.6	37.8	76	1.8	56.1	12.7	719	3.71	58.1	<0.5	8.5	62	0.9	1.3	5.4	23	1.23
1864366	Rock	4.84	0.018	1.8	48.0	12.8	27	0.7	56.0	13.5	243	3.47	76.5	<0.5	10.5	37	0.2	2.8	5.0	16	0.60
1864367	Rock	5.21	0.037	1.1	100.5	17.6	30	1.4	46.8	11.0	328	5.65	83.7	<0.5	7.5	26	0.2	2.0	10.2	25	0.74
1864368	Rock	4.31	0.008	0.8	19.8	4.2	16	0.4	26.7	4.9	309	1.99	99.9	<0.5	5.5	57	<0.1	0.6	2.9	17	1.46
1864369	Rock	5.02	0.008	1.0	39.5	41.9	102	1.6	32.7	6.0	656	2.03	254.3	<0.5	4.0	47	0.9	0.8	2.5	27	1.25
1864370	Rock	0.67	<0.005	<0.1	0.6	0.6	<1	<0.1	<0.1	<0.1	61	0.07	1.1	<0.5	0.1	84	<0.1	<0.1	<0.1	<1	37.43
1864371	Rock	1.95	0.025	3.4	39.5	61.9	129	2.5	42.5	7.5	1191	2.06	85.3	<0.5	5.0	75	1.4	2.8	2.2	33	1.56
1864372	Rock	4.97	0.012	21.5	65.7	70.9	1904	2.3	94.3	6.2	291	1.55	121.5	<0.5	2.8	28	26.8	8.0	1.4	195	0.68
1864373	Rock	4.73	0.215	5.4	75.1	157.6	338	3.9	40.8	12.5	1215	3.83	178.7	1.1	7.7	220	3.9	2.4	9.3	46	6.25
1864374	Rock	3.94	0.234	1.0	67.9	21.8	55	1.2	40.3	17.6	776	3.86	45.9	14.2	10.7	153	0.5	0.4	7.3	28	6.27



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 18, 2019

**Page:** 4 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000707.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	Au gm/t
1864345	Rock	0.041	4	8	0.56	64	<0.001	<20	0.51	0.002	0.17	0.1	0.02	2.8	0.4	1.12	1	2.4	<0.2
1864346	Rock	0.044	5	7	1.04	95	0.001	<20	0.57	0.003	0.26	0.1	0.03	4.1	0.3	2.36	1	2.0	0.3
1864347	Rock	0.015	6	5	0.97	62	<0.001	<20	0.33	0.002	0.26	0.1	0.04	3.6	0.4	1.99	1	3.5	0.4
1864348	Rock	0.018	4	5	0.40	68	<0.001	<20	0.38	0.003	0.17	0.1	0.05	3.2	0.2	1.49	1	2.3	<0.2
1864349	Rock	0.021	6	8	0.37	98	<0.001	<20	0.64	0.004	0.14	<0.1	<0.01	2.1	0.2	1.28	2	2.2	1.1
1864350	Rock	0.007	1	<1	0.47	10	0.001	<20	0.02	<0.001	0.02	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
1864351	Rock	0.089	16	10	0.38	159	0.001	<20	0.69	0.006	0.17	0.1	<0.01	1.7	0.2	1.36	2	2.4	0.3
1864352	Rock	0.030	10	11	0.42	162	0.001	<20	0.65	0.003	0.13	0.2	<0.01	1.2	0.1	1.45	2	3.0	<0.2
1864353	Rock	0.058	12	17	0.35	256	0.002	<20	0.66	0.007	0.17	0.2	<0.01	1.4	0.2	2.08	2	5.0	<0.2
1864354	Rock	0.020	8	16	0.45	284	0.002	<20	0.88	0.006	0.22	<0.1	<0.01	2.0	0.1	0.81	2	1.0	<0.2
1864355	Rock	0.081	11	18	0.56	218	0.002	<20	0.86	0.006	0.18	0.2	<0.01	1.7	0.2	1.99	3	4.9	<0.2
1864356	Rock	0.057	7	14	0.46	189	0.001	<20	0.74	0.008	0.17	<0.1	<0.01	1.6	0.1	0.89	2	1.8	<0.2
1864357	Rock	0.152	8	17	0.42	195	0.002	<20	0.95	0.016	0.18	0.1	<0.01	1.9	0.2	1.35	3	4.2	<0.2
1864358	Rock	0.166	12	13	0.37	160	0.001	<20	1.40	0.053	0.17	<0.1	<0.01	1.6	0.2	2.45	3	2.7	<0.2
1864359	Rock	0.162	18	14	0.29	162	0.001	<20	1.35	0.054	0.18	<0.1	<0.01	1.6	0.2	2.26	4	2.8	<0.2
1864360	Rock	0.162	18	12	0.27	152	0.001	<20	1.22	0.045	0.16	<0.1	<0.01	1.4	0.3	2.41	3	2.9	<0.2
1864361	Rock	0.097	10	19	0.56	160	0.002	<20	1.13	0.018	0.17	0.1	<0.01	2.7	0.2	2.63	3	6.5	0.3
1864362	Rock	0.060	13	13	0.19	192	0.001	<20	0.66	0.016	0.16	0.1	<0.01	1.4	0.1	1.46	2	2.6	<0.2
1864363	Rock	0.027	10	18	0.36	179	0.001	<20	0.62	0.010	0.15	<0.1	<0.01	1.7	0.1	1.31	2	2.4	<0.2
1864364	Rock	0.022	9	16	0.31	105	0.001	<20	0.51	0.007	0.12	<0.1	<0.01	1.2	0.1	1.34	2	2.6	<0.2
1864365	Rock	0.067	10	16	0.50	196	0.001	<20	1.12	0.012	0.21	0.1	<0.01	2.1	0.2	2.05	3	4.0	<0.2
1864366	Rock	0.067	11	14	0.26	206	0.001	<20	0.91	0.013	0.19	<0.1	<0.01	1.7	0.1	2.16	3	4.8	<0.2
1864367	Rock	0.076	9	18	0.73	142	0.002	<20	1.05	0.015	0.19	0.1	<0.01	2.0	0.2	3.64	3	9.5	0.5
1864368	Rock	0.036	12	19	0.33	139	<0.001	<20	0.72	0.016	0.12	<0.1	<0.01	1.4	0.1	0.95	2	2.4	<0.2
1864369	Rock	0.040	8	20	0.51	232	0.001	<20	0.84	0.008	0.17	<0.1	<0.01	1.7	0.1	0.76	2	2.0	<0.2
1864370	Rock	0.006	1	<1	0.48	10	<0.001	<20	<0.01	<0.001	0.02	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
1864371	Rock	0.072	8	15	0.33	183	0.001	<20	0.70	0.004	0.17	0.2	<0.01	1.7	0.2	1.07	2	3.0	<0.2
1864372	Rock	0.214	6	18	0.16	265	0.003	<20	0.56	0.008	0.18	0.3	0.02	1.1	0.2	0.98	2	20.9	<0.2
1864373	Rock	0.050	10	23	0.94	170	0.007	<20	1.39	0.015	0.21	0.2	<0.01	3.3	0.3	2.26	3	7.6	0.5
1864374	Rock	0.057	25	26	0.90	164	0.027	<20	1.54	0.021	0.26	0.3	<0.01	3.5	0.4	2.07	4	5.4	0.4



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 18, 2019

**Page:** 5 of 6

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000707.1

Method Analyte	Unit	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
MDL		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1864375	Rock	5.72	0.075	0.7	23.5	114.6	195	2.6	13.4	7.2	>10000	1.70	123.2	0.7	2.5	1028	2.7	1.7	3.1	6	29.90
1864376	Rock	4.22	0.337	0.6	55.1	31.1	51	1.5	23.7	10.8	1045	2.31	393.7	87.8	6.5	494	0.7	1.9	11.4	21	17.63
1864377	Rock	3.33	0.133	0.3	30.4	29.8	35	1.6	11.9	7.0	7890	2.22	221.7	12.1	3.7	677	0.5	1.1	5.6	14	24.32
1864378	Rock	2.32	>10	0.9	644.5	10.7	24	7.6	21.2	18.8	502	30.21	7.1	6604.5	1.1	8	0.9	4.2	401.8	8	0.39
1864379	Rock	1.02	0.815	0.5	113.8	449.0	696	8.5	25.7	11.0	3539	4.94	120.3	159.8	4.4	75	7.2	1.5	24.1	21	2.17
1864380	Rock	0.89	0.989	0.5	126.4	742.3	858	6.8	24.9	10.7	>10000	6.83	141.8	169.0	4.1	94	8.7	1.5	24.6	23	2.66
1864381	Rock	3.64	0.043	1.3	26.2	549.6	311	3.5	19.5	5.1	>10000	4.22	134.0	1.4	2.4	44	3.2	1.7	1.0	11	1.26
1864382	Rock	5.27	0.040	0.6	42.6	768.5	2132	6.1	27.9	10.9	>10000	4.95	118.2	3.4	2.7	51	20.3	1.2	2.2	9	0.92
1864383	Rock	4.56	0.063	0.3	42.6	353.7	1180	4.6	23.4	6.3	3188	2.25	274.5	0.7	2.7	25	11.7	1.7	1.5	12	0.48
1864384	Rock	5.34	0.069	0.6	205.2	1342.6	3775	25.5	20.5	5.7	>10000	4.52	395.9	0.6	2.3	48	38.0	3.9	7.8	10	1.00
1864385	Rock	5.16	0.019	0.6	214.1	353.0	2378	13.9	14.2	4.0	9509	3.42	74.8	0.6	2.5	37	25.7	1.4	2.8	5	0.81
1864386	Rock	4.82	0.053	0.6	133.0	405.9	2034	15.0	16.9	4.7	>10000	4.03	251.6	1.8	2.6	47	20.6	1.6	2.4	9	0.94
1864387	Rock	3.99	0.030	0.4	29.2	281.4	665	8.9	17.1	5.3	5077	2.42	196.1	<0.5	3.5	23	6.3	1.4	3.3	11	0.51
1864388	Rock	1.58	0.044	0.4	19.0	356.6	833	3.4	11.2	2.9	4371	2.09	79.7	<0.5	2.6	25	9.0	1.2	2.2	6	0.80
1864389	Rock	1.64	0.034	1.0	42.2	106.3	190	4.0	28.5	5.3	1403	1.87	234.0	<0.5	3.9	23	1.8	4.3	3.3	12	0.56
1864390	Rock Pulp	0.13	1.223	6.4	110.5	6576.9	1594	42.5	15.4	10.5	1076	3.85	52.0	1287.0	2.6	83	16.0	28.8	0.7	94	1.06
1864391	Rock	5.17	0.134	0.6	20.5	13.1	26	0.8	7.4	2.5	301	1.06	333.1	22.4	1.8	21	0.1	1.7	5.5	6	0.60
1864392	Rock	4.78	0.105	0.5	48.6	3.4	20	0.3	22.7	5.1	243	1.52	76.5	2.2	2.8	29	0.1	1.0	3.5	12	0.67
1864393	Rock	5.15	0.016	3.3	74.4	2.6	35	0.3	34.7	8.4	418	2.36	13.9	<0.5	3.6	55	0.1	0.5	2.1	19	0.43
1864394	Rock	4.86	0.021	1.2	57.5	2.4	29	0.2	28.8	7.1	178	1.75	228.1	<0.5	3.2	25	<0.1	0.5	1.6	15	0.27
1864395	Rock	5.26	0.178	0.2	18.3	2.3	16	0.1	9.3	1.9	68	0.74	14.1	26.7	1.8	18	<0.1	0.3	3.5	4	0.25
1864396	Rock	5.15	0.385	0.7	44.1	4.5	28	0.4	29.6	6.8	211	2.64	2263.2	12.3	5.0	23	0.1	1.8	7.7	10	0.51
1864397	Rock	3.54	0.017	1.5	41.0	12.0	56	0.7	48.2	8.9	280	2.60	27.0	<0.5	6.7	36	0.4	0.6	1.6	17	0.78
1864398	Rock	4.38	0.019	1.7	61.9	5.7	69	0.3	71.5	11.8	237	3.08	48.9	<0.5	7.7	22	0.3	1.1	1.9	17	0.38
1864399	Rock	2.02	1.167	0.5	40.6	6.0	25	1.3	19.9	5.4	278	1.89	945.8	101.8	3.4	38	<0.1	1.9	18.7	11	0.76
1864400	Rock	1.66	1.285	0.4	46.8	5.0	29	1.3	19.1	5.1	324	1.97	848.3	137.4	3.1	35	0.2	2.6	19.6	11	0.75
1864401	Rock	5.10	0.085	0.4	24.1	7.7	37	0.9	16.7	3.7	201	1.28	213.6	1.7	3.6	47	0.3	1.2	3.6	9	0.95
1864402	Rock	5.12	0.085	0.4	35.8	3.9	13	0.8	15.8	4.3	242	1.82	246.9	<0.5	3.4	27	<0.1	1.9	4.5	8	0.59
1864403	Rock	4.86	0.216	0.4	19.9	4.5	28	0.5	12.0	3.1	208	0.98	329.2	15.8	2.7	20	0.2	1.0	4.7	7	0.49
1864404	Rock	4.28	0.102	1.2	48.4	4.5	86	0.3	26.0	4.8	183	1.88	31.1	0.6	3.3	25	0.8	1.0	4.6	9	0.47





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 18, 2019

Page: 5 of 6

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000707.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	Au gm/t	
1864375	Rock	0.042	8	5	0.40	63	0.003	<20	0.28	0.004	0.12	0.1	<0.01	1.8	0.2	0.71	<1	1.6	0.2	
1864376	Rock	0.034	12	19	0.86	84	0.024	<20	1.13	0.009	0.18	7.3	<0.01	3.5	0.4	1.06	3	2.7	0.8	
1864377	Rock	0.043	8	12	0.72	50	<0.001	<20	0.81	0.020	0.12	0.2	<0.01	2.5	0.2	0.90	2	2.8	0.4	
1864378	Rock	0.044	3	10	0.17	10	<0.001	<20	0.36	0.004	0.03	1.8	<0.01	0.5	0.4	>10	1	56.4	35.4	21.6
1864379	Rock	0.028	6	14	1.03	146	0.001	<20	0.99	0.018	0.18	0.4	0.01	2.7	0.2	2.63	3	5.8	1.9	
1864380	Rock	0.025	6	14	1.33	107	0.001	<20	1.02	0.016	0.14	0.4	0.01	3.1	0.2	3.05	3	6.3	1.7	
1864381	Rock	0.014	5	8	0.34	181	<0.001	<20	0.32	0.004	0.16	<0.1	0.01	1.5	0.2	1.44	<1	1.6	<0.2	
1864382	Rock	0.014	5	8	0.43	130	<0.001	<20	0.36	0.003	0.25	0.1	0.02	3.2	0.3	1.36	<1	1.8	<0.2	
1864383	Rock	0.012	6	10	0.22	239	0.001	<20	0.37	0.004	0.16	<0.1	0.01	1.5	0.1	1.14	1	1.5	<0.2	
1864384	Rock	0.014	4	11	0.36	101	<0.001	<20	0.33	0.003	0.19	0.1	0.03	3.3	0.2	1.08	<1	2.4	0.6	
1864385	Rock	0.025	6	11	0.43	85	<0.001	<20	0.60	0.004	0.15	<0.1	0.03	2.8	0.2	0.42	1	0.9	0.7	
1864386	Rock	0.018	5	12	0.41	63	<0.001	<20	0.34	0.007	0.17	0.1	0.01	2.2	0.2	0.54	<1	0.7	0.5	
1864387	Rock	0.022	8	15	0.24	100	0.001	<20	0.39	0.005	0.12	<0.1	<0.01	1.4	0.1	0.60	1	1.2	0.5	
1864388	Rock	0.017	6	9	0.19	46	<0.001	<20	0.20	0.001	0.07	0.1	0.01	1.3	<0.1	0.81	<1	1.3	0.2	
1864389	Rock	0.028	8	12	0.33	151	0.001	<20	0.51	0.004	0.09	0.4	<0.01	1.5	0.1	0.78	1	1.7	0.3	
1864390	Rock Pulp	0.056	6	22	0.84	148	0.153	<20	1.86	0.207	0.24	1.4	0.23	3.7	0.1	0.21	5	<0.5	<0.2	
1864391	Rock	0.017	5	8	0.19	42	0.001	<20	0.26	0.003	0.04	0.1	0.03	0.9	<0.1	0.34	<1	0.9	0.6	
1864392	Rock	0.016	6	10	0.34	181	0.002	<20	0.46	0.004	0.10	<0.1	<0.01	1.2	<0.1	0.61	1	1.0	0.3	
1864393	Rock	0.039	7	11	0.49	239	0.002	<20	0.68	0.004	0.15	0.1	<0.01	1.2	<0.1	1.01	2	1.8	<0.2	
1864394	Rock	0.019	7	10	0.37	216	0.001	<20	0.57	0.004	0.12	<0.1	<0.01	1.2	<0.1	0.72	2	1.1	<0.2	
1864395	Rock	0.043	5	7	0.08	66	0.002	<20	0.17	0.004	0.05	1.4	<0.01	0.4	<0.1	0.30	<1	0.7	0.3	
1864396	Rock	0.051	7	11	0.35	114	0.001	<20	0.60	0.013	0.10	0.2	<0.01	1.3	<0.1	1.33	2	3.5	0.6	
1864397	Rock	0.069	8	16	0.40	153	0.001	<20	0.84	0.019	0.13	0.1	<0.01	1.5	<0.1	1.22	2	2.1	<0.2	
1864398	Rock	0.050	11	16	0.43	161	0.002	<20	0.96	0.016	0.15	<0.1	<0.01	1.8	<0.1	1.22	3	2.2	<0.2	
1864399	Rock	0.028	7	11	0.35	108	0.001	<20	0.47	0.007	0.09	0.1	<0.01	1.3	<0.1	0.83	1	2.2	1.2	
1864400	Rock	0.025	6	11	0.36	97	0.001	<20	0.46	0.005	0.08	0.2	<0.01	1.3	<0.1	0.92	1	2.4	1.3	
1864401	Rock	0.030	7	10	0.23	96	0.001	<20	0.39	0.009	0.08	<0.1	<0.01	1.0	<0.1	0.51	1	1.1	0.2	
1864402	Rock	0.024	7	10	0.28	115	0.001	<20	0.42	0.007	0.10	0.2	<0.01	1.1	<0.1	0.78	1	1.9	0.4	
1864403	Rock	0.023	7	8	0.15	106	0.001	<20	0.28	0.004	0.08	0.3	<0.01	0.6	<0.1	0.25	<1	<0.5	0.6	
1864404	Rock	0.032	6	10	0.29	116	0.001	<20	0.38	0.005	0.10	0.5	<0.01	1.2	<0.1	0.96	1	1.9	0.4	





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 18, 2019

Page: 6 of 6

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000707.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1864405	Rock	5.16	0.300	0.3	27.7	1.7	14	0.3	7.9	2.6	148	1.27	182.2	33.4	2.2	13	<0.1	0.8	5.5	5	0.29
1864406	Rock	4.72	0.316	0.6	47.7	2.7	16	0.3	24.0	6.0	212	1.81	51.9	17.6	3.6	24	0.1	1.0	7.7	10	0.40



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 18, 2019

Page: 6 of 6

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000707.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.9	
1864405	Rock	0.023	6	8	0.18	70	0.001	<20	0.25	0.002	0.06	<0.1	<0.01	0.6	<0.1	0.53	<1	1.2	0.6	
1864406	Rock	0.024	7	10	0.31	136	0.002	<20	0.42	0.005	0.11	0.1	<0.01	1.2	<0.1	0.83	1	2.1	0.8	



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: McQuesten  
Report Date: November 18, 2019

Page: 1 of 3 Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000707.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
Pulp Duplicates																					
1864289	Rock	1.77	0.130	2.1	57.6	6.1	69	0.4	38.6	16.4	356	2.93	33.4	190.4	10.6	208	0.1	0.3	3.9	36	3.04
REP 1864289	QC	0.127																			
REP 1864308	QC	0.017																			
1864317	Rock	5.62	0.447	10.1	28.3	4.1	93	0.2	26.5	10.4	465	1.72	70.7	515.4	10.1	266	0.5	0.2	12.0	66	4.89
REP 1864317	QC	9.8 26.9 4.1 93 0.2 27.0 10.3 474 1.68 66.4 539.7 9.9 267 0.4 0.3 11.8 65 4.75																			
1864352	Rock	4.48	0.015	5.6	88.0	43.0	205	3.1	50.2	8.3	776	2.49	28.9	<0.5	5.0	37	3.1	8.6	2.1	22	0.81
REP 1864352	QC	5.5 88.5 42.4 211 2.8 48.6 8.1 776 2.50 30.8 <0.5 4.9 35 2.6 8.3 1.9 21 0.78																			
1864362	Rock	5.38	0.014	1.2	67.3	6.2	19	0.6	55.9	9.0	141	2.54	23.2	<0.5	7.8	40	0.3	0.9	3.7	16	1.04
REP 1864362	QC	0.015																			
1864373	Rock	4.73	0.215	5.4	75.1	157.6	338	3.9	40.8	12.5	1215	3.83	178.7	1.1	7.7	220	3.9	2.4	9.3	46	6.25
REP 1864373	QC	0.284																			
1864378	Rock	2.32	>10	0.9	644.5	10.7	24	7.6	21.2	18.8	502	30.21	7.1	6604.5	1.1	8	0.9	4.2	401.8	8	0.39
REP 1864378	QC																				
1864380	Rock	0.89	0.989	0.5	126.4	742.3	858	6.8	24.9	10.7	>10000	6.83	141.8	169.0	4.1	94	8.7	1.5	24.6	23	2.66
REP 1864380	QC	0.927																			
1864387	Rock	3.99	0.030	0.4	29.2	281.4	665	8.9	17.1	5.3	5077	2.42	196.1	<0.5	3.5	23	6.3	1.4	3.3	11	0.51
REP 1864387	QC	0.4 28.5 273.2 645 8.4 16.1 4.9 5000 2.38 190.8 1.9 3.3 22 6.2 1.3 3.1 11 0.50																			
Core Reject Duplicates																					
1864308	Rock	5.56	0.017	0.6	65.4	7.1	39	0.5	34.6	19.5	162	3.58	38.9	16.3	11.9	59	0.4	0.1	3.1	14	1.25
DUP 1864308	QC	0.022 0.7 66.5 7.3 38 0.5 33.6 18.2 158 3.47 36.2 11.8 11.8 57 0.4 0.1 3.2 13 1.18																			
1864342	Rock	4.94	0.089	1.1	52.6	27.3	127	1.1	41.0	16.2	1154	3.57	71.7	19.4	11.9	60	0.8	0.5	3.2	48	2.68
DUP 1864342	QC	0.078 1.1 53.8 30.2 126 0.9 41.9 16.5 1162 3.52 82.4 17.2 12.3 61 1.0 0.6 3.4 48 2.69																			
1864376	Rock	4.22	0.337	0.6	55.1	31.1	51	1.5	23.7	10.8	1045	2.31	393.7	87.8	6.5	494	0.7	1.9	11.4	21	17.63
DUP 1864376	QC	0.449 0.6 53.9 31.3 52 1.5 23.5 10.6 1052 2.31 537.7 65.5 6.9 500 0.7 2.1 12.3 20 17.55																			
Reference Materials																					
STD AGPROOF	Standard																				
STD BVGE001	Standard	11.3 4643.3 195.5 1843 2.8 166.8 25.6 776 3.80 127.4 225.3 15.2 57 6.7 2.5 25.3 79 1.35																			
STD BVGE001	Standard	11.4 4462.0 195.7 1843 2.7 162.9 25.8 755 3.85 125.3 215.1 14.9 55 7.0 2.4 25.5 75 1.34																			



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 18, 2019

Page: 1 of 3 Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000707.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.9	
Pulp Duplicates																				
1864289	Rock	0.053	9	35	1.11	255	0.102	<20	4.53	0.279	0.80	0.3	<0.01	4.1	0.8	1.00	12	3.1	<0.2	
REP 1864289	QC																			
REP 1864308	QC																			
1864317	Rock	0.061	11	39	1.39	477	0.107	<20	4.60	0.265	0.53	22.1	<0.01	3.4	0.5	0.33	11	1.6	0.5	
REP 1864317	QC	0.057	11	39	1.34	483	0.112	<20	4.45	0.255	0.51	23.6	0.01	3.6	0.5	0.32	12	1.2	0.4	
1864352	Rock	0.030	10	11	0.42	162	0.001	<20	0.65	0.003	0.13	0.2	<0.01	1.2	0.1	1.45	2	3.0	<0.2	
REP 1864352	QC	0.028	9	11	0.42	154	0.001	<20	0.64	0.002	0.12	0.1	<0.01	1.2	0.1	1.45	2	3.0	<0.2	
1864362	Rock	0.060	13	13	0.19	192	0.001	<20	0.66	0.016	0.16	0.1	<0.01	1.4	0.1	1.46	2	2.6	<0.2	
REP 1864362	QC																			
1864373	Rock	0.050	10	23	0.94	170	0.007	<20	1.39	0.015	0.21	0.2	<0.01	3.3	0.3	2.26	3	7.6	0.5	
REP 1864373	QC																			
1864378	Rock	0.044	3	10	0.17	10	<0.001	<20	0.36	0.004	0.03	1.8	<0.01	0.5	0.4	>10	1	56.4	35.4	21.6
REP 1864378	QC																			20.8
1864380	Rock	0.025	6	14	1.33	107	0.001	<20	1.02	0.016	0.14	0.4	0.01	3.1	0.2	3.05	3	6.3	1.7	
REP 1864380	QC																			
1864387	Rock	0.022	8	15	0.24	100	0.001	<20	0.39	0.005	0.12	<0.1	<0.01	1.4	0.1	0.60	1	1.2	0.5	
REP 1864387	QC	0.021	8	15	0.24	101	0.001	<20	0.39	0.005	0.11	<0.1	<0.01	1.4	0.1	0.59	1	0.9	0.4	
Core Reject Duplicates																				
1864308	Rock	0.040	10	15	0.45	153	0.077	<20	1.95	0.080	0.25	0.5	<0.01	2.1	0.1	2.06	5	4.3	<0.2	
DUP 1864308	QC	0.038	9	14	0.43	145	0.073	<20	1.88	0.076	0.24	0.5	<0.01	2.0	0.1	2.02	5	4.0	<0.2	
1864342	Rock	0.057	20	35	1.33	196	0.016	<20	2.31	0.005	0.43	0.4	<0.01	4.8	0.5	1.29	6	2.9	<0.2	
DUP 1864342	QC	0.054	21	34	1.32	201	0.017	<20	2.30	0.005	0.43	0.6	<0.01	4.9	0.5	1.27	7	3.5	<0.2	
1864376	Rock	0.034	12	19	0.86	84	0.024	<20	1.13	0.009	0.18	7.3	<0.01	3.5	0.4	1.06	3	2.7	0.8	
DUP 1864376	QC	0.035	13	19	0.86	80	0.023	<20	1.13	0.008	0.18	9.2	0.02	3.3	0.4	1.08	3	3.7	1.0	
Reference Materials																				
STD AGPROOF	Standard																			<0.9
STD BVGE001	Standard	0.076	26	172	1.37	352	0.236	<20	2.45	0.195	0.92	3.8	0.11	6.3	0.6	0.71	7	4.6	1.2	
STD BVGE001	Standard	0.080	26	181	1.33	341	0.240	<20	2.37	0.190	0.90	3.4	0.10	6.1	0.6	0.67	8	5.1	1.1	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 18, 2019

Page: 2 of 3

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000707.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
STD DS11	Standard			16.5	151.9	139.4	348	1.9	84.3	14.9	1088	3.19	45.7	105.4	7.7	70	2.5	7.0	10.9	51	1.10	
STD DS11	Standard			15.0	160.9	135.7	357	1.8	81.9	14.6	986	3.27	46.0	250.2	7.6	66	2.3	6.9	11.2	52	1.08	
STD DS11	Standard			14.8	153.1	135.5	326	1.7	82.6	13.2	1011	3.13	42.5	79.6	7.4	64	2.2	8.5	11.8	50	1.06	
STD OREAS262	Standard			0.7	125.7	55.5	156	0.5	71.2	30.3	569	3.41	39.0	79.5	9.5	35	0.7	3.0	1.0	22	3.12	
STD OREAS262	Standard			0.7	124.5	58.5	161	0.5	67.8	28.5	560	3.37	39.0	51.7	10.0	36	0.7	2.2	1.2	23	3.04	
STD OREAS262	Standard			0.7	120.2	56.4	151	0.5	61.6	28.6	545	3.43	37.0	55.6	9.3	35	0.8	2.1	1.0	22	3.13	
STD OREAS262	Standard			0.7	123.6	56.9	151	0.5	66.3	29.3	557	3.39	38.8	60.3	9.3	36	0.7	2.5	1.0	23	2.99	
STD OREAS263	Standard		0.216																			
STD OREAS263	Standard		0.207																			
STD OREAS262	Standard			0.7	119.8	56.2	147	0.4	65.9	28.1	539	3.30	34.7	71.3	8.9	35	0.7	4.0	1.0	22	3.01	
STD OREAS263	Standard		0.208																			
STD OXI138	Standard		1.847																			
STD OXI138	Standard		1.808																			
STD OXI138	Standard		1.780																			
STD OXN117	Standard		7.661																			
STD OXN117	Standard		7.482																			
STD OXN117	Standard		7.645																			
STD OXQ114	Standard																					
STD SP49	Standard																					
STD BVGEO01 Expected				10.8	4415	187	1741	2.53	163	25	733	3.7	121	219	14.4	55	6.5	2.2	25.6	73	1.3219	
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063	
STD OREAS262 Expected				0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	65	9.33	36	0.61	3.39	1.03	22.5	2.98	
STD OXI138 Expected			1.86																			
STD OREAS263 Expected			0.21																			
STD OXN117 Expected			7.679																			
STD AGPROOF Expected																						
STD SP49 Expected																						
STD OXQ114 Expected																						
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 18, 2019

Page: 2 of 3 Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000707.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.9
STD DS11	Standard	0.080	19	64	0.89	459	0.094	<20	1.22	0.075	0.41	2.5	0.25	3.2	5.3	0.29	5	2.8	4.6	
STD DS11	Standard	0.072	18	60	0.88	417	0.094	<20	1.22	0.074	0.41	2.6	0.26	3.4	4.8	0.30	6	2.6	4.5	
STD DS11	Standard	0.063	19	59	0.85	376	0.095	<20	1.16	0.073	0.40	2.5	0.26	3.3	4.6	0.28	5	1.5	4.5	
STD OREAS262	Standard	0.042	17	44	1.23	254	0.003	<20	1.33	0.072	0.33	0.1	0.17	3.3	0.5	0.26	4	<0.5	0.2	
STD OREAS262	Standard	0.041	18	45	1.24	271	0.003	<20	1.46	0.074	0.34	0.2	0.18	3.6	0.5	0.28	4	<0.5	0.3	
STD OREAS262	Standard	0.044	17	44	1.23	261	0.003	<20	1.33	0.070	0.32	<0.1	0.17	3.5	0.5	0.27	4	<0.5	0.3	
STD OREAS262	Standard	0.042	17	45	1.21	259	0.003	<20	1.43	0.071	0.33	0.1	0.15	3.4	0.5	0.28	4	<0.5	<0.2	
STD OREAS263	Standard																			
STD OREAS263	Standard																			
STD OREAS262	Standard	0.039	18	41	1.20	245	0.003	<20	1.30	0.068	0.32	0.1	0.17	3.0	0.5	0.26	4	<0.5	<0.2	
STD OREAS263	Standard																			
STD OXI138	Standard																			
STD OXI138	Standard																			
STD OXI138	Standard																			
STD OXN117	Standard																			
STD OXN117	Standard																			
STD OXN117	Standard																			
STD OXQ114	Standard																			35.6
STD SP49	Standard																			18.6
STD BVGE001 Expected		0.0727	25.9	171	1.2963	340	0.233		2.347	0.1924	0.89	3.5	0.1	5.97	0.62	0.6655	7.37	4.84	1.02	
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56	
STD OREAS262 Expected		0.04	15.9	41.7	1.17	248	0.003		1.204	0.071	0.312	0.13	0.17	3.24	0.47	0.253	3.73	0.4	0.23	
STD OXI138 Expected																				
STD OREAS263 Expected																				
STD OXN117 Expected																				
STD AGPROOF Expected																				0
STD SP49 Expected																				18.34
STD OXQ114 Expected																				35.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.01	<0.05	<1	<0.5	<0.2	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 18, 2019

Page: 3 of 3

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000707.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	1.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank		<0.005	0.8	4.2	0.9	31	<0.1	1.5	4.5	566	2.01	0.9	2.4	2.1	23	<0.1	<0.1	<0.1	28	0.78
ROCK-WHI	Prep Blank		<0.005	0.9	8.2	1.0	33	<0.1	1.4	4.5	589	1.99	0.7	0.8	2.3	23	<0.1	<0.1	<0.1	25	0.72



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 18, 2019

Page: 3 of 3

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000707.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.9
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			<0.9
Prep Wash																				
ROCK-WHI	Prep Blank	0.044	6	5	0.55	58	0.085	<20	1.02	0.088	0.09	<0.1	<0.01	2.9	<0.1	<0.05	4	<0.5	<0.2	
ROCK-WHI	Prep Blank	0.044	6	4	0.54	63	0.091	<20	0.95	0.086	0.10	<0.1	<0.01	2.8	<0.1	<0.05	4	<0.5	<0.2	





**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Submitted By: James Thom  
Receiving Lab: Canada-Whitehorse  
Received: October 23, 2019  
Report Date: November 06, 2019  
Page: 1 of 3

## CERTIFICATE OF ANALYSIS

WHI19000710.1

### CLIENT JOB INFORMATION

Project: McQuesten  
Shipment ID: MQ-19-23a  
P.O. Number  
Number of Samples: 40

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
RTRN-RJT Return After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Banyan Gold Corp.  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7  
Canada

CC: Paul Gray

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	39	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	1	Sort, label and box pulps			WHI
FA450	40	50g Lead Collection Fire Assay Fusion - AAS Finish	50	Completed	VAN
EN002	40	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	40	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	40	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS

  
MAY LAI  
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 06, 2019

**Page:** 2 of 3

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000710.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1825966	Rock	1.14	0.147	2.6	43.7	43.7	156	1.3	30.2	9.4	612	2.53	119.8	32.2	4.7	52	1.6	1.1	3.1	32	2.68
1825967	Rock	4.11	0.115	2.0	53.1	9.5	93	0.4	28.6	8.9	247	2.15	144.9	63.3	7.9	35	1.2	0.5	2.0	15	0.77
1825968	Rock	5.50	0.066	1.9	43.0	5.1	106	0.2	24.4	6.3	212	3.40	121.5	116.5	10.0	11	0.6	0.2	1.6	15	0.10
1825969	Rock	1.49	0.041	1.2	48.4	4.9	62	0.2	13.0	4.1	200	3.19	196.7	15.9	12.0	9	0.3	0.4	1.1	13	0.08
1825970	Rock	0.30	<0.005	<0.1	0.7	0.3	<1	<0.1	<0.1	0.6	86	0.08	1.5	<0.5	0.3	84	<0.1	<0.1	<0.1	<1	35.31
1825971	Rock	2.38	0.018	0.7	20.4	2.9	38	0.1	12.8	5.2	221	2.91	106.7	22.7	10.4	27	<0.1	0.2	0.9	15	0.13
1825972	Rock	2.82	0.015	1.0	38.5	4.0	50	0.3	14.2	5.1	167	3.81	284.1	13.6	13.2	45	0.2	0.3	1.3	21	0.15
1825973	Rock	3.04	0.037	2.0	35.8	4.4	48	0.3	14.2	4.1	218	2.77	128.9	25.4	14.2	52	0.6	0.2	2.1	15	0.25
1825974	Rock	2.95	0.041	2.7	69.5	7.1	105	0.4	35.7	15.0	318	3.39	147.1	24.1	12.9	44	1.0	0.5	1.7	26	0.35
1825975	Rock	3.26	0.132	5.3	49.8	6.2	78	0.5	17.3	5.0	218	3.77	359.6	40.0	12.9	27	1.0	1.3	2.9	17	0.14
1825976	Rock	3.00	0.111	13.0	49.2	7.0	127	0.4	81.4	13.0	385	3.29	1047.0	267.7	9.9	44	2.3	2.0	2.2	122	0.92
1825977	Rock	3.40	0.203	15.0	38.9	4.5	159	0.5	77.6	5.1	184	2.21	1067.4	238.5	5.1	67	4.8	6.9	1.4	218	1.03
1825978	Rock	3.21	0.065	9.0	44.3	3.3	74	0.4	21.8	3.0	145	3.03	443.2	65.9	5.6	92	1.5	4.5	1.3	30	0.16
1825979	Rock	2.88	0.016	1.2	24.3	7.5	155	<0.1	56.5	25.6	1770	1.25	191.0	8.5	6.4	59	1.1	0.2	0.6	5	2.11
1825980	Rock	2.86	0.029	1.1	23.9	8.1	162	0.1	58.2	27.4	1819	1.20	213.8	59.0	6.6	61	1.2	0.2	0.7	5	2.17
1825981	Rock	2.99	0.031	1.0	12.4	6.7	38	0.1	9.9	2.2	223	0.72	527.0	17.1	6.5	89	0.3	0.2	1.3	<1	2.98
1825982	Rock	3.03	0.048	0.5	13.6	6.6	67	0.2	12.8	3.0	289	0.90	903.4	71.5	7.9	83	0.9	0.3	1.3	<1	3.16
1825983	Rock	2.81	0.067	0.7	12.8	10.5	93	0.3	8.1	1.7	285	0.88	483.6	39.7	7.5	85	0.5	0.2	2.4	1	3.47
1825984	Rock	2.98	0.344	0.8	13.9	451.1	955	7.0	8.7	3.5	>10000	4.48	1105.8	188.7	6.4	58	8.9	0.7	3.0	2	1.92
1825985	Rock	3.24	0.278	2.6	30.4	459.8	869	5.3	23.6	3.4	5461	2.58	708.0	18.5	6.3	40	9.9	1.7	2.6	18	0.79
1825986	Rock	2.88	0.008	9.1	34.1	6.6	104	0.7	12.8	1.9	117	2.02	61.6	1.9	6.4	27	0.8	2.1	0.6	51	0.32
1825987	Rock	3.08	0.011	18.6	51.0	7.4	64	1.0	13.3	2.2	75	1.40	35.6	<0.5	4.9	48	2.6	1.4	0.6	79	0.21
1825988	Rock	2.78	0.125	8.5	72.2	9.3	235	0.4	66.8	16.9	661	2.91	85.5	39.7	9.7	237	3.6	0.4	4.4	97	5.73
1825989	Rock	2.68	0.322	1.1	58.2	8.9	86	0.4	28.1	13.1	753	2.16	27.6	140.4	8.9	509	1.6	0.2	6.4	20	15.19
1825990	Rock Pulp	0.09	0.603	12.9	3292.2	2088.1	8445	38.6	29.9	28.5	397	11.50	528.5	308.3	1.7	31	61.0	61.9	20.1	31	1.20
1825991	Rock	2.74	0.280	0.7	27.6	4.3	106	0.1	21.8	8.2	1291	1.12	8.7	154.7	3.2	839	3.2	<0.1	5.2	8	26.64
1825992	Rock	3.11	0.226	1.1	53.9	5.8	72	0.3	30.6	11.1	701	2.00	15.6	123.1	8.2	486	0.6	<0.1	5.4	26	13.47
1825993	Rock	2.70	0.440	1.0	61.7	6.1	191	0.3	35.4	17.9	838	2.13	33.1	300.8	8.1	605	7.6	0.1	10.5	17	15.16
1825994	Rock	3.23	2.599	3.5	172.4	6.5	93	1.3	39.0	15.3	694	5.26	32.3	1415.7	8.7	137	1.1	0.8	68.4	29	5.04
1825995	Rock	3.04	0.036	1.3	59.7	4.4	43	0.3	33.7	6.0	302	1.91	15.1	1.0	6.3	40	0.1	0.5	2.1	17	0.78



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 06, 2019

**Page:** 2 of 3

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000710.1

Method Analyte Unit MDL	AQ200 P %	AQ200 La ppm	AQ200 Cr ppm	AQ200 Mg %	AQ200 Ba ppm	AQ200 Ti %	AQ200 B ppm	AQ200 Al %	AQ200 Na %	AQ200 K %	AQ200 W ppm	AQ200 Hg ppm	AQ200 Sc ppm	AQ200 Ti ppm	AQ200 S %	AQ200 Ga ppm	AQ200 Se ppm	AQ200 Te ppm	
																			0.001
1825966	Rock	0.068	11	24	1.09	255	0.029	<20	1.00	0.019	0.13	32.9	0.01	2.7	0.2	0.22	3	1.0	<0.2
1825967	Rock	0.035	16	17	0.47	412	0.039	<20	1.09	0.031	0.17	3.5	0.01	2.2	0.1	0.05	3	1.1	<0.2
1825968	Rock	0.029	21	19	0.45	167	0.022	<20	1.35	0.008	0.19	0.5	<0.01	1.9	<0.1	<0.05	4	0.6	<0.2
1825969	Rock	0.033	18	14	0.37	143	0.009	<20	1.01	0.009	0.21	8.3	<0.01	1.7	<0.1	<0.05	3	<0.5	<0.2
1825970	Rock	0.007	1	<1	0.35	19	0.002	<20	0.03	0.003	0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1825971	Rock	0.027	18	17	0.48	295	0.074	<20	1.32	0.009	0.45	0.2	<0.01	2.4	0.6	0.06	3	<0.5	<0.2
1825972	Rock	0.030	19	20	0.58	345	0.093	<20	1.59	0.009	0.60	0.6	<0.01	2.9	0.8	0.15	4	0.8	<0.2
1825973	Rock	0.040	20	17	0.50	630	0.070	<20	1.50	0.010	0.33	0.2	<0.01	2.5	0.3	0.07	4	1.5	<0.2
1825974	Rock	0.055	25	24	0.73	527	0.062	<20	1.93	0.015	0.46	1.3	<0.01	3.1	0.6	0.07	5	3.4	<0.2
1825975	Rock	0.046	22	18	0.69	125	0.027	<20	1.36	0.008	0.23	<0.1	<0.01	2.6	0.2	<0.05	3	2.4	<0.2
1825976	Rock	0.123	20	25	0.86	355	0.014	<20	1.75	0.010	0.26	0.3	<0.01	3.1	0.3	0.39	5	3.3	<0.2
1825977	Rock	0.434	14	29	0.13	524	0.005	<20	0.81	0.008	0.18	0.9	<0.01	1.8	0.2	0.17	2	2.4	<0.2
1825978	Rock	0.058	18	14	0.26	259	0.002	<20	0.71	0.010	0.15	0.6	<0.01	1.7	0.1	0.12	2	2.5	<0.2
1825979	Rock	0.020	9	4	0.17	170	<0.001	<20	0.62	0.076	0.07	0.5	<0.01	0.8	0.1	0.33	2	<0.5	<0.2
1825980	Rock	0.020	10	4	0.17	176	<0.001	<20	0.64	0.077	0.08	0.6	<0.01	0.7	<0.1	0.35	2	0.6	<0.2
1825981	Rock	0.016	10	2	0.10	159	<0.001	<20	0.49	0.075	0.07	0.4	<0.01	0.5	<0.1	0.22	1	0.6	<0.2
1825982	Rock	0.018	15	3	0.14	247	<0.001	<20	0.58	0.068	0.07	0.3	<0.01	0.5	<0.1	0.29	1	0.7	0.2
1825983	Rock	0.016	14	3	0.11	201	<0.001	<20	0.54	0.079	0.09	0.3	<0.01	0.5	<0.1	0.23	2	0.7	<0.2
1825984	Rock	0.012	8	3	0.25	95	<0.001	<20	0.45	0.042	0.15	0.4	0.02	0.5	0.3	0.25	<1	1.1	0.3
1825985	Rock	0.042	9	7	0.14	99	<0.001	<20	0.56	0.024	0.15	0.4	0.02	0.9	0.4	0.28	1	2.9	0.3
1825986	Rock	0.087	12	13	0.19	153	0.001	<20	0.68	0.021	0.10	0.4	<0.01	1.5	0.2	0.50	2	7.1	<0.2
1825987	Rock	0.089	11	9	0.19	275	0.001	<20	0.59	0.010	0.12	0.6	0.02	1.0	<0.1	0.38	2	10.6	<0.2
1825988	Rock	0.092	14	33	0.73	349	0.078	<20	2.69	0.157	0.28	0.9	<0.01	3.7	0.3	0.99	7	3.4	<0.2
1825989	Rock	0.037	14	21	0.56	188	0.087	<20	2.16	0.129	0.28	5.8	<0.01	2.4	0.2	0.89	5	2.2	<0.2
1825990	Rock Pulp	0.034	3	31	1.92	28	0.005	<20	1.63	0.007	0.07	0.4	4.81	3.0	10.2	9.80	6	58.5	0.4
1825991	Rock	0.038	5	8	0.30	97	0.034	<20	1.26	0.061	0.08	1.0	0.02	1.3	<0.1	0.45	3	1.3	0.3
1825992	Rock	0.064	14	24	0.75	264	0.092	<20	2.49	0.132	0.30	27.7	<0.01	2.7	0.3	0.70	6	2.2	<0.2
1825993	Rock	0.045	13	19	0.61	374	0.076	<20	2.22	0.116	0.21	27.6	0.03	2.4	0.2	0.92	5	2.5	0.4
1825994	Rock	0.067	10	18	1.22	155	0.057	<20	1.40	0.020	0.15	66.7	<0.01	2.8	<0.1	2.82	5	8.2	5.0
1825995	Rock	0.049	9	14	0.37	251	0.002	<20	0.70	0.009	0.14	1.3	<0.01	1.1	<0.1	0.73	2	1.5	<0.2



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 06, 2019

**Page:** 3 of 3

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000710.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1825996	Rock	2.52	0.018	11.1	66.2	5.0	140	0.4	52.9	8.6	468	2.40	25.0	0.8	5.4	50	1.6	1.1	1.7	28	0.66
1825997	Rock	3.02	0.023	8.5	74.4	4.9	152	0.5	61.1	8.8	596	2.63	35.8	<0.5	5.0	62	2.4	0.7	1.9	22	0.81
1825998	Rock	2.93	0.022	4.0	72.7	3.8	100	0.6	38.1	8.9	774	2.29	71.5	<0.5	3.8	41	1.1	2.8	1.3	20	0.31
1825999	Rock	2.75	0.036	1.1	111.9	3.9	85	1.2	29.9	9.8	587	2.31	56.9	3.2	3.3	46	0.3	3.3	1.5	24	0.39
1826000	Rock	3.56	0.044	1.1	105.6	4.0	80	1.2	30.1	9.6	606	2.25	57.1	3.6	3.5	48	0.3	3.4	1.7	24	0.39
1825651	Rock	2.75	0.032	1.7	38.7	2.8	52	0.3	25.7	5.9	243	1.67	106.7	<0.5	2.9	26	0.1	1.1	1.5	13	0.49
1825652	Rock	2.95	0.014	1.7	16.2	2.5	38	0.1	20.9	4.4	280	1.37	195.1	<0.5	3.1	17	<0.1	1.1	0.9	7	0.44
1825653	Rock	3.33	0.019	1.6	29.8	2.9	75	0.2	34.6	6.7	341	1.88	165.4	<0.5	4.1	25	<0.1	1.9	1.4	10	0.67
1825654	Rock	2.67	0.035	1.3	31.9	2.2	32	0.3	28.5	4.6	148	1.21	20.7	<0.5	3.1	20	0.3	1.7	1.3	9	0.48
1825655	Rock	3.23	0.100	1.4	20.1	5.2	69	0.6	25.8	5.2	349	1.71	1385.5	9.8	3.3	22	0.1	3.4	2.4	6	0.62



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 06, 2019

**Page:** 3 of 3

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000710.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1825996	Rock	0.104	8	14	0.43	270	0.002	<20	0.70	0.008	0.15	0.9	<0.01	1.3	<0.1	1.11	2	3.1	<0.2
1825997	Rock	0.063	8	14	0.45	273	0.002	<20	0.70	0.008	0.15	0.8	<0.01	1.1	0.1	1.15	2	2.8	<0.2
1825998	Rock	0.030	8	14	0.39	247	0.002	<20	0.67	0.004	0.15	0.7	<0.01	1.4	<0.1	0.70	2	1.0	<0.2
1825999	Rock	0.024	10	13	0.49	295	0.002	<20	0.80	0.005	0.16	0.5	<0.01	2.3	0.1	0.43	3	<0.5	0.2
1826000	Rock	0.031	10	13	0.47	292	0.002	<20	0.79	0.005	0.16	0.5	<0.01	2.1	0.1	0.41	3	<0.5	0.3
1825651	Rock	0.030	7	13	0.28	191	0.002	<20	0.48	0.005	0.11	1.1	<0.01	1.3	<0.1	0.51	2	0.9	<0.2
1825652	Rock	0.018	8	13	0.15	120	0.001	<20	0.35	0.008	0.08	1.8	<0.01	0.8	<0.1	0.41	1	0.8	<0.2
1825653	Rock	0.028	9	13	0.20	143	0.001	<20	0.48	0.010	0.10	1.1	<0.01	1.3	<0.1	0.62	1	0.8	<0.2
1825654	Rock	0.025	7	10	0.15	143	<0.001	<20	0.34	0.008	0.11	0.9	<0.01	1.2	<0.1	0.47	<1	0.7	<0.2
1825655	Rock	0.033	8	14	0.18	73	<0.001	<20	0.27	0.008	0.06	4.8	<0.01	0.8	<0.1	0.88	<1	1.5	0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 06, 2019

Page: 1 of 2

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000710.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
Pulp Duplicates																					
1825968	Rock	5.50	0.066	1.9	43.0	5.1	106	0.2	24.4	6.3	212	3.40	121.5	116.5	10.0	11	0.6	0.2	1.6	15	0.10
REP 1825968	QC	0.071																			
1825980	Rock	2.86	0.029	1.1	23.9	8.1	162	0.1	58.2	27.4	1819	1.20	213.8	59.0	6.6	61	1.2	0.2	0.7	5	2.17
REP 1825980	QC	1.2 24.4 7.8 162 0.1 58.4 26.7 1854 1.23 210.2 8.6 6.8 60 1.3 0.2 0.7 5 2.18																			
1825999	Rock	2.75	0.036	1.1	111.9	3.9	85	1.2	29.9	9.8	587	2.31	56.9	3.2	3.3	46	0.3	3.3	1.5	24	0.39
REP 1825999	QC	0.039																			
1825652	Rock	2.95	0.014	1.7	16.2	2.5	38	0.1	20.9	4.4	280	1.37	195.1	<0.5	3.1	17	<0.1	1.1	0.9	7	0.44
REP 1825652	QC	1.6 15.8 2.5 38 0.1 20.2 4.5 287 1.37 193.8 <0.5 3.0 18 <0.1 1.1 0.8 7 0.43																			
Core Reject Duplicates																					
1825976	Rock	3.00	0.111	13.0	49.2	7.0	127	0.4	81.4	13.0	385	3.29	1047.0	267.7	9.9	44	2.3	2.0	2.2	122	0.92
DUP 1825976	QC	0.103 12.2 51.7 7.0 122 0.4 77.2 12.3 395 3.47 999.2 94.9 10.4 43 2.2 2.1 2.3 109 0.88																			
Reference Materials																					
STD BVGE001	Standard	11.6 4663.2 208.1 1822 2.7 172.3 26.6 738 3.93 129.3 229.2 16.6 62 6.6 2.3 26.5 80 1.39																			
STD DS11	Standard	13.8 154.7 136.4 349 1.6 80.0 14.3 987 3.16 45.2 61.2 8.6 66 2.5 7.5 11.6 49 1.04																			
STD OREAS263	Standard	0.220																			
STD OREAS263	Standard	0.215																			
STD OREAS262	Standard	0.6 122.9 57.5 152 0.5 63.6 28.1 546 3.40 37.6 63.7 10.1 37 0.7 2.3 1.0 23 3.06																			
STD OREAS262	Standard	0.7 120.1 61.8 161 0.5 67.7 29.9 571 3.45 39.4 68.3 10.2 39 0.7 2.4 1.1 25 3.19																			
STD OXI138	Standard	1.867																			
STD OXI138	Standard	1.902																			
STD OXN117	Standard	7.568																			
STD OXN117	Standard	7.641																			
STD OXI138 Expected		1.86																			
STD OREAS263 Expected		0.21																			
STD OXN117 Expected		7.679																			
STD DS11 Expected		13.9 149 138 345 1.71 77.7 14.2 1055 3.1 42.8 79 7.65 67.3 2.37 7.2 12.2 50 1.063																			
STD BVGE001 Expected		10.8 4415 187 1741 2.53 163 25 733 3.7 121 219 14.4 55 6.5 2.2 25.6 73 1.3219																			
STD OREAS262 Expected		0.68 118 56 154 0.45 62 26.9 530 3.284 35.8 65 9.33 36 0.61 3.39 1.03 22.5 2.98																			



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 06, 2019

Page: 1 of 2

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000710.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																			
1825968	Rock	0.029	21	19	0.45	167	0.022	<20	1.35	0.008	0.19	0.5	<0.01	1.9	<0.1	<0.05	4	0.6	<0.2
REP 1825968	QC																		
1825980	Rock	0.020	10	4	0.17	176	<0.001	<20	0.64	0.077	0.08	0.6	<0.01	0.7	<0.1	0.35	2	0.6	<0.2
REP 1825980	QC	0.020	10	4	0.17	176	<0.001	<20	0.63	0.077	0.08	0.5	<0.01	0.7	<0.1	0.35	2	0.7	<0.2
1825999	Rock	0.024	10	13	0.49	295	0.002	<20	0.80	0.005	0.16	0.5	<0.01	2.3	0.1	0.43	3	<0.5	0.2
REP 1825999	QC																		
1825652	Rock	0.018	8	13	0.15	120	0.001	<20	0.35	0.008	0.08	1.8	<0.01	0.8	<0.1	0.41	1	0.8	<0.2
REP 1825652	QC	0.017	9	13	0.16	120	0.002	<20	0.36	0.007	0.08	1.8	<0.01	0.8	<0.1	0.41	1	0.8	<0.2
Core Reject Duplicates																			
1825976	Rock	0.123	20	25	0.86	355	0.014	<20	1.75	0.010	0.26	0.3	<0.01	3.1	0.3	0.39	5	3.3	<0.2
DUP 1825976	QC	0.118	20	25	0.88	333	0.013	<20	1.69	0.009	0.25	0.3	<0.01	3.0	0.3	0.39	5	3.1	<0.2
Reference Materials																			
STD BVGE001	Standard	0.085	29	193	1.37	370	0.248	<20	2.45	0.209	0.94	3.9	0.11	6.6	0.7	0.69	8	4.7	1.2
STD DS11	Standard	0.079	18	58	0.84	409	0.097	<20	1.18	0.073	0.40	3.0	0.23	3.3	5.1	0.28	5	2.1	4.8
STD OREAS263	Standard																		
STD OREAS263	Standard																		
STD OREAS262	Standard	0.043	19	44	1.21	272	0.003	<20	1.32	0.071	0.33	<0.1	0.16	3.5	0.5	0.27	4	<0.5	0.2
STD OREAS262	Standard	0.046	18	45	1.24	272	0.003	<20	1.39	0.074	0.34	<0.1	0.18	3.6	0.6	0.27	4	<0.5	0.2
STD OXI138	Standard																		
STD OXI138	Standard																		
STD OXN117	Standard																		
STD OXN117	Standard																		
STD OXI138 Expected																			
STD OREAS263 Expected																			
STD OXN117 Expected																			
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56
STD BVGE001 Expected		0.0727	25.9	171	1.2963	340	0.233		2.347	0.1924	0.89	3.5	0.1	5.97	0.62	0.6655	7.37	4.84	1.02
STD OREAS262 Expected		0.04	15.9	41.7	1.17	248	0.003		1.204	0.071	0.312	0.13	0.17	3.24	0.47	0.253	3.73	0.4	0.23



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 06, 2019

Page: 2 of 2

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000710.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
BLK	Blank	<0.005																				
BLK	Blank	<0.005																				
BLK	Blank	<0.005																				
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
BLK	Blank			<0.1	0.2	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
Prep Wash																						
ROCK-WHI	Prep Blank	<0.005	1.1	3.9	1.2	41	<0.1	2.0	4.2	575	2.07	2.3	1.7	2.5	27	0.1	0.2	<0.1	30	0.64		
ROCK-WHI	Prep Blank	<0.005	1.0	3.1	1.0	34	<0.1	1.4	4.0	546	1.97	1.6	<0.5	2.6	26	<0.1	0.1	<0.1	25	0.66		





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 06, 2019

Page: 2 of 2

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000710.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																			
ROCK-WHI	Prep Blank	0.054	7	4	0.53	142	0.095	<20	0.97	0.081	0.10	0.1	0.01	3.5	<0.1	<0.05	4	<0.5	<0.2
ROCK-WHI	Prep Blank	0.047	7	3	0.51	91	0.086	<20	0.92	0.079	0.10	<0.1	<0.01	3.2	<0.1	<0.05	4	<0.5	<0.2



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Submitted By: James Thom  
Receiving Lab: Canada-Whitehorse  
Received: October 23, 2019  
Report Date: November 13, 2019  
Page: 1 of 5

## CERTIFICATE OF ANALYSIS

WHI19000711.1

### CLIENT JOB INFORMATION

Project: McQuesten  
Shipment ID: MQ-19-24a  
P.O. Number  
Number of Samples: 107

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
RTRN-RJT Return After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Banyan Gold Corp.  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7  
Canada

CC: Paul Gray

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	105	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	2	Sort, label and box pulps			WHI
FA450	107	50g Lead Collection Fire Assay Fusion - AAS Finish	50	Completed	VAN
EN002	107	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	107	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	107	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS

  
MAY LAI  
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 13, 2019

**Page:** 2 of 5

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000711.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1825656	Rock	0.87	0.014	1.3	29.1	10.4	73	0.2	21.8	7.6	425	1.93	37.4	<0.5	2.9	24	0.6	0.6	0.4	29	0.98
1825657	Rock	3.83	0.138	2.6	40.1	60.0	181	1.0	31.4	8.9	494	2.18	100.0	55.4	4.4	40	2.1	0.8	3.4	28	1.74
1825658	Rock	7.04	0.167	14.0	48.9	1163.0	694	9.9	42.9	9.2	1330	2.61	282.2	86.0	9.8	13	7.6	1.4	1.9	8	0.25
1825659	Rock	4.12	0.025	8.7	76.1	556.1	911	6.7	67.6	18.0	1058	3.57	197.8	19.7	12.1	12	16.8	1.3	1.4	10	0.15
1825660	Rock	3.44	0.028	9.6	78.8	680.2	1104	7.0	68.0	18.2	1235	3.45	161.1	19.4	11.8	13	20.6	1.5	1.5	11	0.14
1825661	Rock	1.37	0.136	18.0	79.9	1084.9	1206	9.4	69.7	14.8	2030	3.33	116.8	104.7	12.8	22	18.4	2.3	3.8	16	0.47
1825662	Rock	2.94	0.036	26.5	58.6	709.5	778	6.8	58.8	12.8	1476	2.39	133.1	29.9	9.3	53	12.8	2.0	1.1	41	1.26
1825663	Rock	2.74	0.014	22.9	38.7	417.8	418	4.4	34.4	4.8	924	1.62	225.1	0.8	3.3	22	6.1	2.3	0.7	32	0.17
1825664	Rock	2.62	0.015	45.5	61.9	390.7	278	4.1	55.0	5.0	146	1.80	208.6	<0.5	4.1	16	1.6	2.1	0.7	45	0.16
1825665	Rock	2.86	0.015	25.2	51.7	235.8	216	3.8	41.7	4.7	204	1.98	820.5	<0.5	4.5	25	1.9	2.0	0.8	30	0.13
1825666	Rock	3.02	<0.005	12.3	42.7	8.9	197	0.4	57.1	12.1	167	1.52	417.6	0.7	3.8	40	3.9	0.6	0.4	33	0.35
1825667	Rock	2.93	0.060	20.1	30.1	12.2	147	0.2	74.5	8.8	299	1.60	527.7	49.2	3.8	56	1.7	0.6	1.0	125	0.90
1825668	Rock	2.70	0.898	11.7	68.0	8.6	142	0.3	60.3	9.4	198	2.21	486.6	76.9	3.3	28	2.3	0.9	0.5	54	0.45
1825669	Rock	2.93	0.014	8.5	45.0	6.7	97	0.2	51.1	7.2	169	1.65	452.5	1.1	3.9	22	1.1	0.6	0.4	109	0.39
1825670	Rock	0.30	<0.005	0.1	1.3	0.9	2	<0.1	2.3	0.4	119	0.13	3.2	<0.5	<0.1	66	<0.1	<0.1	<0.1	<1	30.31
1825671	Rock	2.85	0.083	21.9	27.7	9.9	113	0.3	93.8	8.6	306	1.67	792.3	76.1	4.0	48	1.9	0.9	2.0	319	1.39
1825672	Rock	3.47	0.196	25.0	26.1	7.9	126	0.3	91.7	8.4	242	1.66	835.9	311.3	3.9	41	1.4	1.4	6.1	274	1.09
1825673	Rock	2.95	0.058	7.1	50.9	7.3	118	0.3	59.8	11.0	492	1.97	102.3	44.1	4.3	132	1.7	0.5	1.5	55	4.69
1825674	Rock	4.00	0.377	7.8	72.1	4.5	129	0.4	65.5	11.2	499	2.98	210.6	388.7	4.9	52	1.1	0.5	5.8	64	2.63
1825675	Rock	2.95	0.035	17.4	34.9	15.5	124	1.1	69.4	8.6	227	1.36	285.4	2.3	3.8	53	1.5	0.9	0.8	59	1.20
1825676	Rock	3.39	0.154	25.3	30.7	5.4	105	0.4	90.2	8.7	210	1.61	254.3	22.0	3.7	35	0.8	0.7	4.1	134	0.85
1825677	Rock	3.35	0.055	22.9	31.1	28.8	155	1.2	91.5	8.6	724	1.82	297.2	71.4	4.0	59	1.8	1.7	1.9	167	2.39
1825678	Rock	4.03	0.123	8.1	37.3	24.1	195	1.7	46.3	10.7	501	2.59	334.1	60.6	7.5	36	3.6	0.5	2.6	26	1.42
1825679	Rock	3.42	0.167	1.7	39.6	38.1	117	2.0	26.0	14.2	523	2.43	176.2	66.5	8.8	32	1.6	0.3	3.5	9	1.20
1825680	Rock	2.75	0.193	1.6	38.7	40.4	135	2.2	25.7	14.6	517	2.39	207.2	503.4	9.0	31	2.2	0.3	3.4	8	1.20
1825681	Rock	3.66	0.108	1.4	44.2	162.4	442	2.5	30.3	12.4	793	3.01	171.1	71.4	9.5	33	6.2	0.9	2.9	9	1.22
1825682	Rock	3.32	0.144	1.7	28.6	11.6	125	0.6	25.5	11.0	560	2.55	54.3	62.0	9.7	27	1.5	0.8	3.4	19	1.43
1825683	Rock	3.30	0.036	1.6	45.6	5.2	64	0.3	30.9	11.6	271	2.55	25.0	19.8	9.6	31	0.6	0.3	1.5	9	1.27
1825684	Rock	3.32	1.151	1.3	94.8	5.6	79	0.6	39.2	12.9	485	3.23	58.8	655.2	6.4	48	0.8	0.7	25.5	23	3.12
1825685	Rock	3.93	0.029	1.0	62.0	6.8	42	0.6	40.4	16.0	317	3.93	123.1	1.1	10.7	39	0.2	0.7	4.2	13	1.84



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 13, 2019

**Page:** 2 of 5

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000711.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
1825656	Rock	0.047	9	21	0.60	136	0.042	<20	0.84	0.014	0.07	0.8	0.02	2.2	<0.1	<0.05	2	<0.5	<0.2
1825657	Rock	0.047	11	19	0.79	149	0.046	<20	0.90	0.016	0.10	16.6	<0.01	2.5	<0.1	<0.05	3	0.8	<0.2
1825658	Rock	0.036	21	10	0.23	106	0.002	<20	0.59	0.012	0.17	1.4	0.03	1.6	0.2	<0.05	2	1.8	<0.2
1825659	Rock	0.055	29	15	0.54	112	0.003	<20	1.13	0.009	0.21	0.6	0.01	2.2	0.2	<0.05	3	2.1	<0.2
1825660	Rock	0.054	28	17	0.57	124	0.003	<20	1.13	0.010	0.21	0.6	0.01	2.3	0.2	<0.05	3	2.9	<0.2
1825661	Rock	0.041	23	16	0.63	183	0.021	<20	1.24	0.012	0.18	0.9	0.03	2.8	0.2	<0.05	4	3.3	0.2
1825662	Rock	0.097	19	19	0.61	517	0.023	<20	1.05	0.006	0.18	7.1	0.03	2.7	0.3	0.05	4	4.1	<0.2
1825663	Rock	0.052	13	8	0.09	747	0.003	<20	0.34	0.004	0.12	1.0	0.01	1.2	0.1	0.06	1	5.0	<0.2
1825664	Rock	0.067	15	7	0.13	707	0.003	<20	0.39	0.003	0.11	1.0	<0.01	1.2	<0.1	<0.05	1	13.7	<0.2
1825665	Rock	0.074	11	7	0.05	556	0.002	<20	0.36	0.003	0.14	0.7	<0.01	1.0	0.1	0.24	<1	8.9	<0.2
1825666	Rock	0.041	9	7	0.25	464	0.003	<20	0.42	0.002	0.13	0.9	<0.01	1.0	0.1	0.30	1	10.6	<0.2
1825667	Rock	0.044	10	17	0.41	621	0.010	<20	0.68	0.014	0.20	1.5	<0.01	1.7	0.2	0.33	2	2.6	<0.2
1825668	Rock	0.045	8	15	0.36	494	0.013	<20	0.63	0.004	0.18	1.3	<0.01	1.3	0.2	0.58	2	5.0	<0.2
1825669	Rock	0.041	10	20	0.39	642	0.026	<20	0.78	0.006	0.30	1.1	<0.01	1.7	0.3	0.29	2	2.1	<0.2
1825670	Rock	0.006	<1	<1	2.52	15	0.001	<20	0.01	0.003	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
1825671	Rock	0.133	11	34	0.44	676	0.035	<20	0.93	0.024	0.21	2.9	0.01	2.1	0.3	0.40	3	2.1	<0.2
1825672	Rock	0.088	10	27	0.49	713	0.031	<20	0.85	0.018	0.24	2.1	<0.01	1.9	0.3	0.38	3	2.4	0.3
1825673	Rock	0.049	6	20	0.54	341	0.022	<20	0.82	0.017	0.09	27.9	<0.01	1.5	<0.1	0.55	3	2.9	<0.2
1825674	Rock	0.059	7	28	0.42	227	0.029	<20	0.90	0.022	0.09	>100	<0.01	1.3	<0.1	1.25	3	4.5	0.3
1825675	Rock	0.067	7	10	0.17	489	0.003	<20	0.36	0.004	0.13	20.6	<0.01	0.8	0.1	0.57	1	2.9	<0.2
1825676	Rock	0.057	8	15	0.36	279	0.006	<20	0.63	0.006	0.12	7.8	<0.01	1.4	0.2	0.36	2	2.7	0.3
1825677	Rock	0.036	8	25	0.57	106	0.007	<20	0.90	0.027	0.10	3.1	<0.01	2.8	0.2	0.43	4	2.0	<0.2
1825678	Rock	0.028	8	13	0.49	95	0.002	<20	0.72	0.010	0.11	1.2	<0.01	1.6	0.1	0.67	2	2.2	<0.2
1825679	Rock	0.016	9	11	0.43	62	0.001	<20	0.54	0.012	0.14	1.1	<0.01	1.3	0.1	0.91	2	2.3	<0.2
1825680	Rock	0.017	10	10	0.43	59	0.001	<20	0.56	0.011	0.14	1.1	<0.01	1.3	0.1	0.91	2	2.1	<0.2
1825681	Rock	0.026	10	12	0.60	54	0.002	<20	0.92	0.009	0.19	0.7	<0.01	1.6	0.2	0.92	3	2.3	<0.2
1825682	Rock	0.025	10	13	0.75	46	0.002	<20	0.84	0.008	0.15	3.3	<0.01	1.3	0.1	0.79	3	1.1	<0.2
1825683	Rock	0.027	11	13	0.48	54	0.002	<20	0.75	0.014	0.16	0.8	<0.01	1.4	<0.1	0.94	2	2.6	<0.2
1825684	Rock	0.063	10	17	0.67	44	0.023	<20	1.03	0.018	0.08	63.6	<0.01	1.9	<0.1	1.57	4	5.3	1.6
1825685	Rock	0.035	24	18	0.78	77	0.008	<20	1.11	0.013	0.21	0.5	<0.01	2.0	0.2	2.08	3	4.0	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 13, 2019

Page: 3 of 5

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000711.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1825686	Rock	3.35	0.029	1.1	34.2	8.3	83	0.6	30.1	12.2	356	2.75	172.7	2.7	9.7	24	0.6	0.7	6.0	8	0.85
1825687	Rock	3.58	0.021	1.0	35.7	156.2	446	2.4	28.0	10.5	988	2.46	437.5	6.8	9.0	59	5.2	0.8	2.6	17	2.08
1825688	Rock	3.45	1.109	1.4	132.6	9.9	94	1.1	33.7	14.6	639	4.19	111.8	2262.4	8.8	64	0.6	0.2	23.4	30	2.77
1825689	Rock	3.54	0.239	1.0	58.2	7.3	42	0.7	27.8	13.1	397	3.14	327.5	114.9	10.6	41	0.2	0.4	9.2	14	1.72
1825690	Rock Pulp	0.17	0.319	14.1	2286.5	1035.0	7087	19.0	35.0	19.4	541	8.96	285.2	28.4	0.9	46	46.8	22.8	10.9	46	2.15
1825691	Rock	3.61	0.035	0.8	44.5	6.9	45	0.6	28.1	13.5	615	3.12	68.0	6.6	9.2	40	0.2	0.8	2.5	13	1.19
1825692	Rock	3.83	0.463	0.9	61.5	9.6	46	0.9	37.3	15.2	604	3.28	526.9	181.8	8.0	62	0.2	0.6	14.9	16	2.22
1825693	Rock	3.61	0.155	1.2	40.6	6.7	78	0.3	22.6	8.7	627	1.91	53.8	138.0	6.2	111	0.8	0.3	3.4	12	4.07
1825694	Rock	3.07	2.848	1.6	40.7	6.7	90	0.7	16.3	5.9	1409	2.40	46.0	1857.2	4.0	166	1.0	0.4	42.4	12	6.86
1825695	Rock	2.62	0.267	15.9	55.3	5.9	77	0.3	74.6	10.6	364	2.38	194.8	163.3	6.5	59	1.1	0.3	4.6	81	1.89
1825696	Rock	3.39	1.883	2.7	20.2	14.7	1197	14.7	26.3	3.4	839	1.27	80.3	1542.7	3.9	128	53.7	0.9	80.2	26	4.16
1825697	Rock	3.00	0.100	0.9	38.7	11.8	137	0.8	24.2	7.0	713	2.78	66.4	58.8	7.9	173	1.2	0.5	2.3	14	4.26
1825698	Rock	3.39	0.331	0.8	42.2	12.0	122	0.9	26.1	8.7	1228	3.15	26.4	310.1	6.6	329	0.6	0.4	5.6	20	8.66
1825699	Rock	3.37	0.142	1.2	45.4	828.2	2956	6.2	27.1	9.5	>10000	4.95	118.3	115.1	5.2	273	31.3	1.2	3.6	24	6.74
1825700	Rock	2.50	0.164	1.2	47.2	876.1	3350	6.5	27.4	9.6	>10000	4.88	139.6	148.7	5.2	280	35.2	1.3	4.4	23	6.93
1475651	Rock	3.75	0.607	1.2	75.5	30.1	242	3.1	50.7	14.7	2089	3.83	75.8	625.3	5.6	273	1.2	3.0	11.2	22	5.36
1475652	Rock	3.50	1.085	3.9	115.7	6.6	73	0.8	19.7	15.4	815	5.63	12.8	1091.5	4.1	115	0.3	0.3	18.2	16	6.15
1475653	Rock	3.27	0.653	2.7	111.2	67.8	190	1.4	20.3	12.0	1489	5.06	27.0	636.0	5.4	44	1.6	0.3	10.2	14	3.37
1475654	Rock	4.03	0.023	1.1	36.4	209.1	403	2.4	29.2	13.4	7751	3.70	78.1	40.1	11.4	97	4.1	0.6	1.8	11	1.44
1475655	Rock	5.02	0.223	1.2	57.6	94.3	207	3.4	29.4	12.9	1291	3.20	299.7	227.2	7.7	73	2.0	0.8	5.4	16	1.81
1475656	Rock	3.58	0.162	1.0	77.9	737.4	2321	5.4	37.2	13.2	2549	3.44	375.7	154.2	11.2	76	25.9	1.6	2.6	29	1.85
1475657	Rock	4.54	0.086	4.6	51.1	462.4	1446	5.8	44.7	7.9	3281	3.36	2144.6	<0.5	3.8	78	15.5	5.0	7.8	30	2.46
1475658	Rock	3.82	0.074	1.7	63.9	173.7	555	2.4	39.7	10.2	1103	3.10	1119.6	0.7	5.2	27	6.0	5.4	1.7	27	0.62
1475659	Rock	3.84	0.021	4.9	64.5	24.2	184	1.7	56.9	9.4	900	3.23	146.5	<0.5	4.1	39	1.7	5.9	0.9	37	0.73
1475660	Rock	3.73	0.020	4.6	64.6	21.6	168	1.5	52.5	7.9	815	2.97	123.3	<0.5	3.6	37	1.2	5.3	0.8	36	0.74
1475661	Rock	3.18	0.304	2.7	61.7	65.7	155	2.0	44.1	6.5	446	1.85	89.5	12.9	3.1	28	1.8	1.6	4.1	32	0.50
1475662	Rock	4.14	0.029	2.8	66.2	9.6	58	0.8	41.8	7.8	465	2.39	81.6	0.8	4.0	33	0.7	2.4	1.3	29	0.74
1475663	Rock	3.15	0.022	2.0	34.6	8.8	26	0.7	48.7	9.6	294	2.45	220.1	<0.5	7.8	46	<0.1	1.6	1.4	18	1.41
1475664	Rock	4.20	0.017	1.8	54.9	23.0	46	1.2	43.2	8.8	455	3.98	27.0	<0.5	5.7	20	0.3	1.6	1.8	19	0.57
1475665	Rock	3.02	0.091	13.1	24.2	6.2	78	0.4	61.9	4.5	314	1.61	416.7	93.9	4.0	47	0.9	1.2	1.6	254	1.62



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 13, 2019

**Page:** 3 of 5

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000711.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
1825686	Rock	0.025	20	12	0.54	47	0.006	<20	0.80	0.006	0.13	1.1	<0.01	1.3	0.1	1.23	2	2.2	<0.2
1825687	Rock	0.032	14	19	0.63	86	0.003	<20	0.89	0.009	0.18	3.8	<0.01	2.0	0.2	0.94	3	2.7	<0.2
1825688	Rock	0.045	10	27	1.02	147	0.098	<20	2.18	0.036	0.07	53.0	<0.01	2.9	0.1	2.09	7	8.0	1.1
1825689	Rock	0.042	15	17	0.71	122	0.017	<20	1.26	0.022	0.16	12.6	<0.01	2.1	0.1	1.45	4	4.2	0.6
1825690	Rock Pulp	0.037	4	41	2.57	31	0.005	<20	1.90	0.012	0.06	0.4	2.83	3.5	4.9	6.59	8	30.9	0.3
1825691	Rock	0.034	14	15	0.69	65	0.019	<20	1.13	0.005	0.17	1.7	0.05	1.8	0.2	1.36	3	2.5	<0.2
1825692	Rock	0.026	10	17	0.85	94	0.045	<20	1.52	0.007	0.18	2.5	<0.01	2.6	0.2	1.56	4	4.7	0.8
1825693	Rock	0.022	7	14	0.42	108	0.023	<20	1.17	0.019	0.09	80.0	<0.01	1.9	0.1	0.75	3	2.1	<0.2
1825694	Rock	0.050	7	14	0.23	83	0.020	<20	0.73	0.013	0.08	>100	<0.01	1.4	0.1	0.99	2	2.3	1.7
1825695	Rock	0.040	12	18	0.27	251	0.016	<20	1.08	0.032	0.15	33.7	<0.01	1.7	0.2	1.06	3	4.2	0.2
1825696	Rock	0.012	9	13	0.29	54	0.005	<20	0.47	0.008	0.08	5.7	0.03	1.8	0.2	0.37	2	1.7	2.9
1825697	Rock	0.027	12	15	0.36	127	0.007	<20	0.87	0.007	0.18	2.9	<0.01	1.8	0.2	0.87	3	2.0	<0.2
1825698	Rock	0.034	10	18	0.52	115	0.018	<20	1.21	0.010	0.16	>100	<0.01	3.0	0.3	0.78	4	2.0	0.3
1825699	Rock	0.035	8	17	0.72	88	0.001	<20	1.13	0.003	0.17	2.0	0.02	4.5	0.4	0.52	4	2.9	0.2
1825700	Rock	0.037	8	16	0.72	80	<0.001	<20	1.09	0.003	0.15	2.6	0.04	4.5	0.3	0.56	4	2.8	0.3
1475651	Rock	0.066	11	20	0.58	72	0.005	<20	1.05	0.004	0.14	18.2	0.02	3.7	0.3	0.84	3	2.5	0.5
1475652	Rock	0.026	5	13	0.34	127	0.026	<20	1.08	0.028	0.17	81.2	<0.01	1.6	0.3	2.55	5	8.9	0.7
1475653	Rock	0.024	5	15	0.33	75	0.011	<20	0.86	0.017	0.14	89.6	<0.01	1.1	0.2	2.31	4	6.8	0.4
1475654	Rock	0.038	12	10	0.56	74	0.002	<20	0.76	0.004	0.22	10.5	<0.01	2.0	0.3	0.94	2	1.8	<0.2
1475655	Rock	0.034	7	18	0.94	70	0.002	<20	1.07	0.005	0.19	3.8	<0.01	2.5	0.2	1.31	3	3.7	0.3
1475656	Rock	0.050	8	17	0.94	89	0.002	<20	1.25	0.008	0.16	2.5	0.02	3.0	0.2	1.15	4	4.3	<0.2
1475657	Rock	0.050	4	20	0.68	118	0.002	<20	0.94	0.009	0.11	1.6	0.01	1.9	0.2	1.50	3	5.5	0.6
1475658	Rock	0.076	6	18	0.64	127	0.002	<20	1.13	0.013	0.10	1.4	<0.01	2.1	<0.1	1.07	3	3.5	0.2
1475659	Rock	0.169	6	20	0.58	168	0.002	<20	1.12	0.016	0.11	2.3	<0.01	1.6	0.2	1.49	3	4.3	<0.2
1475660	Rock	0.159	6	17	0.55	151	0.002	<20	1.02	0.013	0.10	2.3	0.01	1.6	0.1	1.31	3	3.5	<0.2
1475661	Rock	0.063	8	15	0.38	134	0.001	<20	0.69	0.006	0.10	8.6	<0.01	1.5	<0.1	0.69	2	2.3	0.2
1475662	Rock	0.077	7	12	0.42	146	0.002	<20	0.67	0.008	0.10	1.1	<0.01	1.5	0.2	1.19	2	2.9	<0.2
1475663	Rock	0.076	11	13	0.26	119	0.001	<20	0.64	0.026	0.12	1.2	<0.01	1.7	0.2	1.31	2	3.0	<0.2
1475664	Rock	0.058	7	13	0.54	129	0.002	<20	0.92	0.009	0.12	1.0	<0.01	1.8	0.1	2.21	3	3.1	<0.2
1475665	Rock	0.173	11	35	0.37	181	0.009	<20	0.89	0.017	0.10	2.1	0.01	2.5	0.1	0.42	3	1.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 13, 2019

**Page:** 4 of 5

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000711.1

Method	Analyte	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	MDL	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1475666	Rock	3.34	0.600	16.3	16.1	3.4	273	0.2	72.1	2.4	161	1.04	934.0	321.6	3.8	43	5.0	1.6	4.0	364	2.19	
1475667	Rock	2.80	3.247	0.7	13.6	5.6	24	0.3	3.3	0.7	156	0.72	306.1	866.6	6.8	62	0.2	0.2	3.6	8	3.94	
1475668	Rock	3.53	0.516	0.6	17.2	3.3	15	0.1	2.0	0.6	131	0.72	753.9	148.8	6.6	67	<0.1	0.3	1.1	3	3.88	
1475669	Rock	3.93	0.596	0.6	15.5	3.2	12	0.1	1.8	0.5	122	0.70	805.7	225.3	6.5	61	<0.1	0.2	1.1	2	3.71	
1475670	Rock	0.34	<0.005	<0.1	0.6	0.6	<1	<0.1	<0.1	<0.1	105	0.07	5.8	<0.5	0.2	72	<0.1	<0.1	<0.1	<1	31.77	
1475671	Rock	2.36	0.564	0.7	18.1	10.9	28	0.3	2.5	0.5	145	0.77	499.2	783.9	6.2	53	0.3	0.2	1.5	2	3.65	
1475672	Rock	2.54	3.831	0.7	22.8	3.8	9	0.4	1.6	0.6	133	0.95	982.7	4250.5	6.7	52	<0.1	0.3	16.4	<1	4.10	
1475673	Rock	3.15	2.687	0.7	21.2	11.6	33	0.8	1.8	0.7	283	0.93	470.5	1802.4	7.0	59	0.3	0.3	18.0	1	4.11	
1475674	Rock	2.62	0.252	0.7	11.8	261.7	283	3.1	1.8	0.6	3519	0.80	251.6	208.0	6.6	48	4.3	0.3	1.5	<1	3.10	
1475675	Rock	4.14	0.223	0.5	22.8	150.4	281	5.6	17.6	1.9	6565	4.88	97.4	217.7	6.0	116	3.7	0.3	0.4	37	3.65	
1475676	Rock	2.63	0.757	3.7	85.6	270.7	328	10.5	38.2	14.5	2672	4.22	49.7	1024.6	8.9	66	4.7	1.3	18.7	28	3.17	
1475677	Rock	4.65	0.051	6.0	78.5	42.9	162	1.8	50.2	7.6	459	2.53	42.5	2.5	3.6	40	1.7	1.6	1.8	23	0.68	
1475678	Rock	2.44	0.042	4.2	66.5	12.0	51	0.4	43.7	6.7	368	2.36	186.4	15.4	4.3	36	0.4	0.6	1.5	22	0.48	
1475679	Rock	3.40	0.495	6.2	67.3	6.2	45	0.4	40.7	8.0	349	2.51	217.7	147.1	3.4	47	0.2	1.6	8.8	43	0.94	
1475680	Rock	2.67	0.427	5.8	64.6	5.1	41	0.3	40.0	8.1	334	2.44	178.4	102.4	3.2	43	0.2	1.4	7.6	39	0.91	
1475681	Rock	2.29	0.063	2.3	100.4	5.4	23	0.4	23.4	5.2	242	1.73	60.4	5.7	3.3	29	0.2	1.1	1.5	13	0.82	
1475682	Rock	3.26	0.154	2.2	29.2	5.2	19	0.3	16.3	3.5	215	1.32	50.9	21.1	2.8	18	<0.1	1.6	3.5	9	0.59	
1475683	Rock	2.66	0.114	1.9	38.4	5.3	19	0.3	38.5	6.8	214	1.45	274.3	23.3	4.4	29	0.1	0.9	2.3	12	0.77	
1475684	Rock	2.90	0.218	1.9	43.4	3.5	27	0.4	26.7	5.6	254	2.31	89.8	45.4	3.8	22	<0.1	1.9	3.9	11	0.81	
1475685	Rock	3.19	0.052	1.6	34.4	5.8	63	0.2	57.8	14.9	325	3.61	138.6	<0.5	8.7	22	<0.1	0.8	1.7	22	0.30	
1475686	Rock	4.02	0.023	2.8	85.7	17.3	82	1.5	63.2	7.5	464	1.96	45.9	<0.5	3.8	27	0.6	13.1	1.3	18	0.90	
1475687	Rock	2.66	0.388	2.1	65.1	8.1	118	0.8	67.2	11.8	792	3.63	80.2	4.7	7.0	26	0.7	2.9	4.2	21	0.53	
1475688	Rock	2.74	0.669	1.8	31.6	4.5	25	0.3	14.2	3.4	224	1.87	520.6	117.3	2.4	17	<0.1	2.8	6.6	6	0.52	
1475689	Rock	2.62	0.040	2.0	21.9	2.7	20	0.2	17.0	3.3	711	0.85	56.4	5.8	2.4	73	0.1	1.0	1.0	6	1.88	
1475690	Rock Pulp	0.09	0.621	13.5	3369.0	2196.8	8728	40.3	31.0	28.8	402	11.94	568.6	388.6	1.0	32	70.1	62.8	19.1	32	1.28	
1475691	Rock	3.21	0.187	3.9	63.5	4.4	52	0.6	31.9	8.2	408	2.08	95.8	18.9	3.2	39	0.3	0.8	2.8	17	0.39	
1475692	Rock	2.50	0.033	2.8	82.1	5.6	39	0.4	32.6	9.0	237	1.78	128.9	6.0	3.2	42	0.2	0.6	1.3	12	0.45	
1475693	Rock	2.88	0.205	3.1	29.4	27.5	97	1.1	42.6	7.2	454	2.57	8365.3	48.0	5.6	67	1.1	4.4	3.2	14	1.41	
1475694	Rock	1.55	0.103	1.8	41.2	12.5	64	0.7	44.7	10.7	374	2.79	480.8	3.0	6.6	50	0.6	1.7	1.7	12	0.63	
1475695	Rock	2.65	0.095	2.4	23.1	4.3	24	0.2	21.2	4.6	222	1.60	173.8	5.0	3.9	24	0.1	0.6	1.9	8	0.52	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 13, 2019

**Page:** 4 of 5

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000711.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
1475666	Rock	0.146	12	30	0.23	83	0.003	<20	0.56	0.036	0.07	2.5	0.02	2.1	<0.1	0.32	3	2.0	<0.2
1475667	Rock	0.019	16	4	0.16	33	<0.001	<20	0.46	0.062	0.03	10.8	<0.01	0.5	<0.1	0.21	2	0.7	<0.2
1475668	Rock	0.016	15	3	0.13	28	<0.001	<20	0.36	0.049	0.04	4.7	<0.01	0.4	<0.1	0.29	2	<0.5	<0.2
1475669	Rock	0.015	13	4	0.10	37	<0.001	<20	0.39	0.059	0.06	24.3	<0.01	0.4	<0.1	0.31	2	<0.5	<0.2
1475670	Rock	0.005	1	<1	0.42	20	<0.001	<20	<0.01	0.002	<0.01	0.6	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
1475671	Rock	0.015	13	4	0.12	37	<0.001	<20	0.41	0.046	0.06	3.6	<0.01	0.4	<0.1	0.31	2	<0.5	<0.2
1475672	Rock	0.015	13	4	0.11	42	<0.001	<20	0.43	0.046	0.06	16.7	<0.01	0.4	<0.1	0.38	2	1.3	1.2
1475673	Rock	0.016	15	4	0.12	64	<0.001	<20	0.45	0.049	0.06	3.0	<0.01	0.4	<0.1	0.47	2	0.9	1.0
1475674	Rock	0.015	10	3	0.14	96	<0.001	<20	0.36	0.026	0.10	3.1	0.01	0.4	0.1	0.21	1	<0.5	<0.2
1475675	Rock	0.015	4	4	0.72	48	<0.001	<20	2.00	0.003	0.05	0.4	<0.01	1.4	<0.1	0.51	6	<0.5	<0.2
1475676	Rock	0.053	15	20	1.30	103	0.002	<20	1.48	0.018	0.12	1.2	0.01	3.6	0.1	1.93	5	4.7	1.0
1475677	Rock	0.076	7	16	0.45	234	0.002	<20	0.83	0.005	0.13	1.5	<0.01	1.1	<0.1	1.03	2	2.5	<0.2
1475678	Rock	0.050	8	13	0.40	185	0.002	<20	0.65	0.006	0.12	2.6	<0.01	1.0	<0.1	0.96	2	2.0	<0.2
1475679	Rock	0.047	9	21	0.58	179	0.002	<20	0.78	0.008	0.12	1.8	<0.01	1.8	0.1	0.95	3	2.9	0.7
1475680	Rock	0.043	8	19	0.57	144	0.002	<20	0.74	0.007	0.10	1.8	<0.01	1.7	<0.1	0.94	2	2.1	0.6
1475681	Rock	0.029	6	19	0.26	111	0.001	<20	0.46	0.008	0.09	3.4	<0.01	1.2	<0.1	0.82	1	1.6	<0.2
1475682	Rock	0.025	7	17	0.17	76	0.001	<20	0.32	0.005	0.06	3.3	<0.01	1.1	<0.1	0.55	1	1.0	0.3
1475683	Rock	0.022	9	15	0.18	136	0.001	<20	0.44	0.012	0.10	2.9	<0.01	1.3	<0.1	0.52	1	1.2	0.2
1475684	Rock	0.027	7	16	0.35	93	0.002	<20	0.56	0.007	0.08	3.6	<0.01	1.3	<0.1	1.00	2	1.6	0.2
1475685	Rock	0.066	13	23	0.56	147	0.002	<20	1.45	0.021	0.14	1.3	<0.01	1.9	<0.1	0.71	4	0.6	<0.2
1475686	Rock	0.017	5	13	0.34	131	<0.001	<20	0.61	0.008	0.08	0.8	<0.01	1.2	<0.1	0.79	2	1.9	<0.2
1475687	Rock	0.056	8	23	0.52	145	0.002	<20	1.16	0.017	0.10	1.4	<0.01	1.8	0.1	1.31	3	2.5	0.4
1475688	Rock	0.019	6	16	0.15	67	<0.001	<20	0.29	0.006	0.05	4.0	<0.01	0.9	0.1	1.22	<1	1.9	0.7
1475689	Rock	0.040	6	15	0.18	103	0.002	<20	0.27	0.005	0.06	5.5	<0.01	0.9	<0.1	0.25	<1	<0.5	<0.2
1475690	Rock Pulp	0.033	4	32	2.00	35	0.005	<20	1.66	0.008	0.07	0.4	5.22	2.8	9.5	>10	6	55.9	0.3
1475691	Rock	0.025	7	18	0.39	187	0.002	<20	0.57	0.005	0.11	2.1	<0.01	1.1	<0.1	0.80	2	0.8	0.2
1475692	Rock	0.028	8	18	0.42	196	0.002	<20	0.54	0.005	0.10	3.2	<0.01	1.6	<0.1	0.60	2	0.7	<0.2
1475693	Rock	0.056	12	21	0.47	154	0.001	<20	0.73	0.008	0.16	2.4	<0.01	1.6	0.2	0.80	2	3.3	0.8
1475694	Rock	0.052	9	13	0.38	127	0.001	<20	0.57	0.006	0.11	2.3	<0.01	1.3	<0.1	1.50	2	1.4	<0.2
1475695	Rock	0.029	8	19	0.25	99	0.002	<20	0.39	0.006	0.08	4.2	<0.01	1.0	<0.1	0.64	1	0.6	<0.2





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 13, 2019

**Page:** 5 of 5

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000711.1

Method	Analyte	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1475696	Rock	2.82	0.057	2.5	25.7	5.2	25	0.2	17.6	4.0	216	1.41	72.9	3.0	3.0	27	0.2	1.3	1.5	7	0.64
1475697	Rock	3.94	0.064	2.3	43.0	4.7	48	0.3	28.9	5.1	207	1.61	89.1	2.8	4.1	33	0.4	0.9	1.8	13	0.58
1475698	Rock	2.51	0.081	2.0	27.7	62.2	84	1.0	22.0	5.4	577	1.92	76.1	1.9	4.1	51	0.9	0.9	1.6	11	1.35
1475699	Rock	2.98	0.085	2.6	31.6	5.7	27	0.3	21.8	4.9	236	1.76	85.3	19.9	3.9	29	0.2	1.2	1.6	13	0.82
1475700	Rock	3.00	0.070	2.8	28.5	5.4	23	0.3	21.2	4.5	220	1.73	72.4	75.5	3.8	25	0.1	1.2	1.4	13	0.78
1475751	Rock	2.77	0.019	9.3	54.6	3.6	37	0.4	42.2	7.9	278	2.74	19.0	1.6	4.0	34	0.2	1.5	2.0	32	0.56
1475752	Rock	3.05	0.027	2.6	44.9	5.8	34	0.3	47.7	11.4	237	2.72	30.1	1.6	6.1	29	0.2	0.9	1.9	15	0.59
1475753	Rock	2.10	0.033	2.3	65.4	5.5	46	0.3	38.0	9.3	446	2.38	192.3	0.7	5.8	43	0.2	0.6	1.7	18	0.64
1475754	Rock	2.78	0.026	2.2	59.1	3.1	34	0.2	30.1	8.5	187	1.47	123.6	<0.5	3.7	26	<0.1	0.4	0.9	12	0.31
1475755	Rock	2.18	0.219	3.2	50.2	6.3	34	0.6	32.3	5.6	297	2.07	72.3	68.5	3.8	25	0.3	0.7	4.7	12	0.61
1475756	Rock	2.53	0.180	3.6	88.9	5.3	124	0.5	110.4	8.6	892	2.72	179.4	6.7	4.1	42	1.2	1.1	4.2	22	0.99
1475757	Rock	3.27	0.027	2.5	29.1	81.3	343	1.0	30.6	6.4	423	1.58	58.7	1.6	5.8	22	4.5	0.4	0.9	12	0.40
1475758	Rock	2.15	0.017	2.2	19.0	14.1	41	0.8	21.9	6.2	254	1.75	38.9	<0.5	5.3	20	0.3	0.2	0.7	11	0.36
1475759	Rock	1.88	0.022	1.6	11.4	141.6	325	1.4	19.7	5.2	1392	2.07	42.1	<0.5	3.9	32	4.6	0.6	0.4	22	0.61
1475760	Rock	1.86	0.019	1.8	10.2	138.0	276	1.5	21.1	5.8	1399	2.04	49.4	<0.5	4.3	32	3.7	0.7	0.4	22	0.60
1475761	Rock	3.82	0.017	2.4	22.4	267.4	522	3.0	25.7	5.7	906	2.04	166.4	<0.5	4.2	24	7.7	0.8	0.8	18	0.57
1475762	Rock	2.18	0.011	2.5	7.7	25.8	70	0.5	14.5	4.8	296	1.33	28.2	<0.5	4.6	14	0.8	0.2	0.2	9	0.22



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 13, 2019

**Page:** 5 of 5

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000711.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.01	0.1	0.01	0.05	1	0.5	0.2	
1475696	Rock	0.024	7	17	0.22	70	0.002	<20	0.35	0.005	0.05	5.7	<0.01	0.7	<0.1	0.52	<1	0.7	<0.2
1475697	Rock	0.034	10	20	0.32	140	0.002	<20	0.52	0.008	0.09	2.9	<0.01	1.0	<0.1	0.62	1	0.8	<0.2
1475698	Rock	0.025	9	19	0.38	114	0.001	<20	0.69	0.005	0.09	1.4	<0.01	1.2	<0.1	0.62	2	0.6	<0.2
1475699	Rock	0.024	10	23	0.32	107	0.001	<20	0.48	0.009	0.07	3.9	<0.01	1.3	<0.1	0.78	1	1.5	<0.2
1475700	Rock	0.022	9	23	0.32	87	0.001	<20	0.45	0.007	0.06	3.5	<0.01	1.3	<0.1	0.80	1	1.4	<0.2
1475751	Rock	0.051	8	19	0.48	186	0.002	<20	0.65	0.005	0.12	1.8	<0.01	1.3	<0.1	1.46	2	2.7	<0.2
1475752	Rock	0.070	10	17	0.39	146	0.002	<20	0.78	0.015	0.12	4.8	<0.01	1.3	<0.1	1.30	2	2.0	<0.2
1475753	Rock	0.045	12	19	0.48	206	0.002	<20	0.84	0.016	0.14	1.3	<0.01	1.4	<0.1	0.80	2	0.9	<0.2
1475754	Rock	0.017	11	17	0.35	208	0.002	<20	0.54	0.005	0.10	2.4	<0.01	1.1	<0.1	0.47	2	<0.5	<0.2
1475755	Rock	0.045	11	24	0.37	136	0.003	<20	0.47	0.007	0.08	5.6	<0.01	1.3	<0.1	0.97	1	1.7	0.3
1475756	Rock	0.022	11	21	0.51	162	0.002	<20	0.66	0.007	0.09	4.1	<0.01	1.7	<0.1	1.31	2	3.7	0.3
1475757	Rock	0.035	15	20	0.24	129	0.001	<20	0.57	0.007	0.11	1.9	<0.01	1.2	<0.1	0.52	2	0.7	<0.2
1475758	Rock	0.037	13	20	0.31	108	0.001	<20	0.65	0.006	0.09	1.1	<0.01	1.2	<0.1	0.54	2	<0.5	<0.2
1475759	Rock	0.026	10	30	0.45	45	0.001	<20	0.82	0.001	0.05	0.8	<0.01	3.1	<0.1	0.37	2	<0.5	<0.2
1475760	Rock	0.028	10	31	0.45	43	0.001	<20	0.80	0.001	0.04	1.3	<0.01	3.4	<0.1	0.42	2	<0.5	<0.2
1475761	Rock	0.025	10	27	0.38	93	0.001	<20	0.79	0.006	0.08	2.2	<0.01	1.8	<0.1	0.53	2	0.6	<0.2
1475762	Rock	0.025	13	24	0.22	93	0.002	<20	0.56	0.006	0.07	2.2	<0.01	1.0	<0.1	0.18	1	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: McQuesten  
Report Date: November 13, 2019

Page: 1 of 3 Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000711.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
Pulp Duplicates																					
1825669	Rock	2.93	0.014	8.5	45.0	6.7	97	0.2	51.1	7.2	169	1.65	452.5	1.1	3.9	22	1.1	0.6	0.4	109	0.39
REP 1825669	QC			8.6	44.4	6.6	97	0.2	49.4	7.4	164	1.65	423.4	2.1	3.9	21	1.2	0.6	0.4	105	0.39
1825684	Rock	3.32	1.151	1.3	94.8	5.6	79	0.6	39.2	12.9	485	3.23	58.8	655.2	6.4	48	0.8	0.7	25.5	23	3.12
REP 1825684	QC		1.139																		
1475653	Rock	3.27	0.653	2.7	111.2	67.8	190	1.4	20.3	12.0	1489	5.06	27.0	636.0	5.4	44	1.6	0.3	10.2	14	3.37
REP 1475653	QC		0.684																		
1475654	Rock	4.03	0.023	1.1	36.4	209.1	403	2.4	29.2	13.4	7751	3.70	78.1	40.1	11.4	97	4.1	0.6	1.8	11	1.44
REP 1475654	QC			1.1	37.9	215.2	402	2.5	30.4	13.6	7837	3.82	71.4	6.1	11.7	100	4.2	0.6	1.8	11	1.48
1475689	Rock	2.62	0.040	2.0	21.9	2.7	20	0.2	17.0	3.3	711	0.85	56.4	5.8	2.4	73	0.1	1.0	1.0	6	1.88
REP 1475689	QC			1.9	20.6	2.7	18	0.2	15.5	3.2	643	0.81	52.5	8.9	2.3	70	0.1	0.9	1.0	5	1.82
1475759	Rock	1.88	0.022	1.6	11.4	141.6	325	1.4	19.7	5.2	1392	2.07	42.1	<0.5	3.9	32	4.6	0.6	0.4	22	0.61
REP 1475759	QC		0.014																		
Core Reject Duplicates																					
1825659	Rock	4.12	0.025	8.7	76.1	556.1	911	6.7	67.6	18.0	1058	3.57	197.8	19.7	12.1	12	16.8	1.3	1.4	10	0.15
DUP 1825659	QC		0.037	9.2	72.2	576.9	926	6.6	67.3	17.8	1163	3.46	194.8	20.9	12.4	12	17.2	1.4	1.4	10	0.15
1825693	Rock	3.61	0.155	1.2	40.6	6.7	78	0.3	22.6	8.7	627	1.91	53.8	138.0	6.2	111	0.8	0.3	3.4	12	4.07
DUP 1825693	QC		0.147	1.0	40.3	5.8	74	0.3	20.7	8.2	567	1.81	52.7	110.8	5.7	95	0.6	0.3	3.3	12	3.53
1475677	Rock	4.65	0.051	6.0	78.5	42.9	162	1.8	50.2	7.6	459	2.53	42.5	2.5	3.6	40	1.7	1.6	1.8	23	0.68
DUP 1475677	QC		0.049	5.9	73.6	35.4	158	1.7	47.7	7.6	488	2.51	42.1	2.2	3.5	40	2.0	1.7	1.7	23	0.68
1475761	Rock	3.82	0.017	2.4	22.4	267.4	522	3.0	25.7	5.7	906	2.04	166.4	<0.5	4.2	24	7.7	0.8	0.8	18	0.57
DUP 1475761	QC		0.013	2.3	18.9	272.7	573	2.7	25.0	5.4	942	1.91	165.9	<0.5	4.2	25	8.1	0.9	0.9	16	0.53
Reference Materials																					
STD BVGEO01	Standard			10.6	4308.9	191.3	1751	2.5	154.8	24.3	710	3.66	117.6	234.4	14.9	53	6.7	2.4	24.7	70	1.25
STD BVGEO01	Standard			11.4	4462.0	195.7	1843	2.7	162.9	25.8	755	3.85	125.3	215.1	14.9	55	7.0	2.4	25.5	75	1.34
STD DS11	Standard			15.1	149.3	132.5	333	1.7	83.8	14.6	1051	3.12	43.8	49.2	7.5	66	2.2	6.3	10.6	48	1.04
STD DS11	Standard			14.6	151.1	140.0	348	1.9	77.5	13.6	1008	3.08	42.3	159.9	8.2	67	2.7	6.9	11.8	48	1.06
STD OREAS262	Standard			0.6	118.9	52.7	145	0.4	61.1	25.4	536	3.27	34.2	75.3	8.6	33	0.6	2.8	0.9	20	2.97
STD OREAS262	Standard			0.7	120.2	56.4	151	0.5	61.6	28.6	545	3.43	37.0	55.6	9.3	35	0.8	2.1	1.0	22	3.13



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 13, 2019

Page: 1 of 3

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000711.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																			
1825669	Rock	0.041	10	20	0.39	642	0.026	<20	0.78	0.006	0.30	1.1	<0.01	1.7	0.3	0.29	2	2.1	<0.2
REP 1825669	QC	0.044	9	20	0.39	623	0.025	<20	0.76	0.007	0.29	1.0	<0.01	1.5	0.3	0.28	2	2.3	<0.2
1825684	Rock	0.063	10	17	0.67	44	0.023	<20	1.03	0.018	0.08	63.6	<0.01	1.9	<0.1	1.57	4	5.3	1.6
REP 1825684	QC																		
1475653	Rock	0.024	5	15	0.33	75	0.011	<20	0.86	0.017	0.14	89.6	<0.01	1.1	0.2	2.31	4	6.8	0.4
REP 1475653	QC																		
1475654	Rock	0.038	12	10	0.56	74	0.002	<20	0.76	0.004	0.22	10.5	<0.01	2.0	0.3	0.94	2	1.8	<0.2
REP 1475654	QC	0.039	12	10	0.57	75	0.002	<20	0.77	0.004	0.22	11.1	<0.01	2.1	0.3	0.95	2	1.8	<0.2
1475689	Rock	0.040	6	15	0.18	103	0.002	<20	0.27	0.005	0.06	5.5	<0.01	0.9	<0.1	0.25	<1	<0.5	<0.2
REP 1475689	QC	0.038	6	13	0.16	94	0.002	<20	0.26	0.005	0.06	5.0	<0.01	0.8	<0.1	0.24	<1	<0.5	<0.2
1475759	Rock	0.026	10	30	0.45	45	0.001	<20	0.82	0.001	0.05	0.8	<0.01	3.1	<0.1	0.37	2	<0.5	<0.2
REP 1475759	QC																		
Core Reject Duplicates																			
1825659	Rock	0.055	29	15	0.54	112	0.003	<20	1.13	0.009	0.21	0.6	0.01	2.2	0.2	<0.05	3	2.1	<0.2
DUP 1825659	QC	0.059	30	15	0.53	121	0.003	<20	1.11	0.009	0.22	0.5	0.02	2.1	0.2	<0.05	3	2.9	<0.2
1825693	Rock	0.022	7	14	0.42	108	0.023	<20	1.17	0.019	0.09	80.0	<0.01	1.9	0.1	0.75	3	2.1	<0.2
DUP 1825693	QC	0.021	7	13	0.41	100	0.024	<20	1.09	0.021	0.09	57.9	<0.01	1.8	0.1	0.67	3	1.9	<0.2
1475677	Rock	0.076	7	16	0.45	234	0.002	<20	0.83	0.005	0.13	1.5	<0.01	1.1	<0.1	1.03	2	2.5	<0.2
DUP 1475677	QC	0.078	7	16	0.44	224	0.002	<20	0.82	0.007	0.13	1.5	<0.01	1.2	<0.1	1.02	2	2.6	<0.2
1475761	Rock	0.025	10	27	0.38	93	0.001	<20	0.79	0.006	0.08	2.2	<0.01	1.8	<0.1	0.53	2	0.6	<0.2
DUP 1475761	QC	0.025	10	25	0.35	99	0.001	<20	0.73	0.006	0.07	2.2	<0.01	1.8	<0.1	0.48	2	0.7	<0.2
Reference Materials																			
STD BVGEO01	Standard	0.077	26	165	1.28	337	0.240	<20	2.24	0.179	0.85	3.7	0.10	6.0	0.6	0.64	7	4.4	0.9
STD BVGEO01	Standard	0.080	26	181	1.33	341	0.240	<20	2.37	0.190	0.90	3.4	0.10	6.1	0.6	0.67	8	5.1	1.1
STD DS11	Standard	0.068	18	60	0.86	415	0.095	<20	1.17	0.072	0.41	2.8	0.27	3.2	5.1	0.27	5	2.4	4.5
STD DS11	Standard	0.072	20	58	0.83	400	0.097	<20	1.14	0.071	0.39	2.3	0.28	3.0	5.0	0.28	5	2.1	4.6
STD OREAS262	Standard	0.037	14	40	1.16	233	0.003	<20	1.17	0.067	0.29	0.1	0.14	3.2	0.4	0.25	4	<0.5	0.2
STD OREAS262	Standard	0.044	17	44	1.23	261	0.003	<20	1.33	0.070	0.32	<0.1	0.17	3.5	0.5	0.27	4	<0.5	0.3



# QUALITY CONTROL REPORT

WHI19000711.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
STD OREAS263	Standard	0.207																			
STD OREAS263	Standard	0.207																			
STD OREAS263	Standard	0.198																			
STD OREAS262	Standard	0.7		115.9	55.0	153	0.5	67.7	27.4	545	3.31	36.9	56.2	9.1	35	0.6	1.7	0.9	21	3.02	
STD OREAS262	Standard	0.6		123.1	57.6	156	0.5	61.9	26.0	540	3.34	37.0	56.7	9.7	36	0.7	1.9	1.0	21	3.05	
STD OXI138	Standard	1.885																			
STD OXI138	Standard	1.808																			
STD OXI138	Standard	1.929																			
STD OXN117	Standard	7.788																			
STD OXN117	Standard	7.482																			
STD OXN117	Standard	7.544																			
STD BVGEO01 Expected		10.8		4415	187	1741	2.53	163	25	733	3.7	121	219	14.4	55	6.5	2.2	25.6	73	1.3219	
STD OXI138 Expected		1.86																			
STD OREAS263 Expected		0.21																			
STD OXN117 Expected		7.679																			
STD DS11 Expected		13.9		149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063	
STD OREAS262 Expected		0.68		118	56	154	0.45	62	26.9	530	3.284	35.8	65	9.33	36	0.61	3.39	1.03	22.5	2.98	
BLK	Blank	<0.1		<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
BLK	Blank	<0.1		<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.1		<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
BLK	Blank	<0.1		<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
Prep Wash																					
ROCK-WHI	Prep Blank	<0.005	0.7	7.7	1.6	37	<0.1	2.3	5.4	605	2.08	2.0	<0.5	2.3	27	<0.1	<0.1	<0.1	32	0.77	



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 13, 2019

Page: 2 of 3

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000711.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
STD OREAS263	Standard																			
STD OREAS263	Standard																			
STD OREAS263	Standard																			
STD OREAS262	Standard	0.038	16	43	1.19	246	0.003	<20	1.27	0.067	0.31	0.6	0.18	3.2	0.5	0.25	4	0.6	0.2	
STD OREAS262	Standard	0.037	18	44	1.20	259	0.003	<20	1.30	0.070	0.32	<0.1	0.17	3.4	0.5	0.26	4	<0.5	0.2	
STD OXI138	Standard																			
STD OXI138	Standard																			
STD OXI138	Standard																			
STD OXN117	Standard																			
STD OXN117	Standard																			
STD OXN117	Standard																			
STD BVGEO01 Expected		0.0727	25.9	171	1.2963	340	0.233		2.347	0.1924	0.89	3.5	0.1	5.97	0.62	0.6655	7.37	4.84	1.02	
STD OXI138 Expected																				
STD OREAS263 Expected																				
STD OXN117 Expected																				
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56	
STD OREAS262 Expected		0.04	15.9	41.7	1.17	248	0.003		1.204	0.071	0.312	0.13	0.17	3.24	0.47	0.253	3.73	0.4	0.23	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
Prep Wash																				
ROCK-WHI	Prep Blank	0.046	7	5	0.64	71	0.101	<20	1.12	0.085	0.09	<0.1	<0.01	3.8	<0.1	<0.05	5	<0.5	<0.2	



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 13, 2019

Page: 3 of 3

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000711.1

WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca		
kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01		
ROCK-WHI	Prep Blank	<0.005	0.8	4.6	1.0	34	<0.1	1.2	4.4	566	1.90	1.1	<0.5	2.1	21	<0.1	<0.1	<0.1	27	0.76	



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 13, 2019

Page: 3 of 3

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000711.1

	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
ROCK-WHI	Prep Blank	0.043	6	3	0.57	51	0.086	<20	1.00	0.070	0.08	<0.1	<0.01	3.1	<0.1	<0.05	4	<0.5	<0.2





**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Submitted By: James Thom  
Receiving Lab: Canada-Whitehorse  
Received: October 23, 2019  
Report Date: November 14, 2019  
Page: 1 of 5

## CERTIFICATE OF ANALYSIS

WHI19000712.1

### CLIENT JOB INFORMATION

Project: McQuesten  
Shipment ID: MQ-19-25a  
P.O. Number  
Number of Samples: 91

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
RTRN-RJT Return After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Banyan Gold Corp.  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7  
Canada

CC: Paul Gray

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	90	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	1	Sort, label and box pulps			WHI
FA450	91	50g Lead Collection Fire Assay Fusion - AAS Finish	50	Completed	VAN
EN002	91	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	91	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	91	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS

  
MAY LAI  
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 14, 2019

Page: 2 of 5

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000712.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1864534	Rock	4.11	0.212	2.6	50.3	7.3	165	0.5	50.2	10.1	214	2.21	419.6	331.3	10.6	200	4.4	0.4	9.7	16	2.59
1864535	Rock	4.70	0.071	6.9	50.4	9.1	143	0.6	31.8	4.7	110	1.76	672.9	5.1	4.0	206	4.8	1.2	7.8	82	0.95
1864536	Rock	2.69	0.010	7.1	42.3	6.1	93	0.5	12.8	3.0	66	1.45	103.1	<0.5	4.0	57	1.8	1.0	2.2	72	0.15
1864537	Rock	3.60	0.006	8.9	48.5	5.8	100	0.5	16.2	4.5	89	1.74	57.3	<0.5	4.3	32	1.9	1.1	2.3	99	0.38
1864538	Rock	3.96	0.009	4.6	35.5	5.4	47	0.3	12.1	6.3	128	1.85	156.8	<0.5	9.0	14	2.0	0.4	1.3	24	0.12
1864539	Rock	1.85	0.012	0.7	34.8	6.8	49	0.3	21.3	11.8	205	2.72	75.3	1.2	12.6	21	0.9	0.2	1.0	11	0.20
1864540	Rock	1.81	0.010	0.7	34.6	5.3	52	0.2	21.3	13.0	217	2.58	77.2	4.1	12.4	23	0.8	0.2	1.0	10	0.21
1864541	Rock	4.32	0.032	0.4	28.0	6.6	50	0.2	24.2	12.0	194	2.14	49.5	12.2	10.3	31	0.4	0.1	1.3	9	0.19
1864542	Rock	4.51	0.477	0.8	72.6	9.1	53	0.6	37.3	17.4	397	3.55	43.4	141.7	8.4	101	0.4	0.3	11.6	25	1.59
1864543	Rock	3.67	0.256	0.7	57.0	7.4	81	0.5	39.7	15.3	617	3.12	46.5	88.8	9.2	72	0.3	0.5	7.0	20	2.84
1864544	Rock	3.03	0.033	0.6	53.8	1158.5	2738	12.0	54.1	17.4	2765	3.94	90.1	1.6	7.7	65	25.6	3.0	1.9	10	1.63
1864545	Rock	1.99	5.448	1.4	318.8	5169.7	>10000	>100	60.7	18.5	>10000	6.88	110.7	3522.3	3.9	629	238.9	26.5	4.4	11	13.60
1864546	Rock	2.02	0.046	1.2	60.7	301.1	867	3.1	90.4	28.3	2029	4.37	40.0	18.4	12.7	129	7.7	2.0	1.3	20	2.49
1864547	Rock	4.81	0.066	1.7	44.6	11.8	174	0.5	37.1	12.8	1268	2.61	14.3	8.4	9.2	326	7.5	0.2	3.0	53	7.86
1864548	Rock	4.30	0.169	0.7	22.3	10.7	70	0.3	20.6	9.6	878	1.67	9.5	13.9	4.7	778	2.8	0.5	4.0	20	20.19
1864549	Rock	4.68	0.281	0.6	27.4	6.4	64	0.2	22.2	10.1	616	1.38	39.9	167.1	7.5	413	1.1	0.1	5.5	22	10.80
1864550	Rock	0.64	0.007	<0.1	1.0	0.2	<1	<0.1	1.9	0.4	54	0.05	<0.5	<0.5	<0.1	70	<0.1	<0.1	<0.1	<1	34.95
1864551	Rock	4.75	0.156	0.5	40.5	7.2	30	0.3	26.7	12.6	616	1.96	25.2	20.9	5.8	736	0.4	0.2	5.2	17	16.66
1864552	Rock	3.78	0.065	0.3	12.6	5.1	11	<0.1	6.4	2.7	433	0.84	147.7	3.1	0.9	1144	<0.1	0.1	1.2	4	30.05
1864553	Rock	5.31	0.120	0.6	10.0	5.2	61	<0.1	14.6	6.5	435	0.79	21.4	84.6	6.1	250	0.6	0.1	2.6	21	7.42
1864554	Rock	3.97	0.123	1.1	21.9	5.8	56	0.1	22.1	10.0	469	1.14	29.1	74.1	7.4	291	0.4	0.1	3.6	24	7.84
1864555	Rock	3.86	0.096	0.4	47.5	5.9	60	0.4	40.7	18.0	294	3.29	103.1	37.3	8.7	197	0.2	0.2	3.6	40	2.33
1864556	Rock	4.41	0.010	0.4	61.9	6.1	52	0.6	41.3	18.3	286	4.03	156.9	<0.5	9.0	47	0.2	0.4	2.4	19	0.61
1864557	Rock	3.44	0.022	0.3	51.2	5.1	60	0.5	38.8	16.4	316	4.12	176.0	2.2	9.6	57	0.1	0.3	2.4	23	0.75
1864558	Rock	2.98	0.075	0.8	63.4	7.1	46	0.6	39.1	20.5	301	3.88	100.1	12.7	8.6	111	0.1	0.3	3.8	28	1.66
1864559	Rock	5.03	0.661	0.9	66.9	7.7	39	0.7	35.9	15.7	225	3.69	182.3	467.4	6.4	181	0.2	0.1	12.9	34	3.12
1864560	Rock	5.03	0.985	0.4	57.7	5.2	46	0.6	28.2	13.4	343	3.54	42.6	843.2	7.2	105	0.1	0.2	14.4	23	2.31
1864561	Rock	4.81	0.672	0.4	70.5	7.4	32	0.6	33.7	15.4	222	3.62	415.4	384.8	8.0	149	0.2	0.2	10.4	24	2.62
1864562	Rock	4.43	0.256	0.6	47.7	8.3	76	0.3	26.4	10.8	395	2.37	49.4	83.9	7.6	349	2.1	<0.1	6.2	20	9.68
1864563	Rock	5.74	0.086	0.6	48.4	8.6	29	0.5	30.3	13.9	354	2.90	92.4	38.4	8.9	295	0.2	0.1	4.4	18	6.96



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 14, 2019

Page: 2 of 5

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000712.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
1864534	Rock	0.031	17	17	0.33	243	0.063	<20	1.93	0.098	0.27	2.1	<0.01	1.7	0.2	0.52	4	4.2	0.6
1864535	Rock	0.092	8	13	0.21	822	0.022	<20	0.58	0.005	0.13	49.8	0.03	1.0	0.1	0.07	1	3.2	0.3
1864536	Rock	0.062	10	13	0.17	939	0.041	<20	0.48	0.004	0.14	0.4	0.01	0.9	0.1	<0.05	1	6.4	<0.2
1864537	Rock	0.164	8	16	0.25	890	0.033	<20	0.61	0.004	0.16	0.4	0.02	1.0	0.2	<0.05	1	5.3	<0.2
1864538	Rock	0.037	13	13	0.33	303	0.063	<20	0.75	0.004	0.20	0.1	<0.01	1.0	0.2	0.22	2	2.9	<0.2
1864539	Rock	0.030	11	16	0.52	169	0.088	<20	1.28	0.010	0.26	0.2	<0.01	1.4	0.3	0.65	3	1.1	<0.2
1864540	Rock	0.033	12	15	0.50	177	0.090	<20	1.26	0.014	0.28	0.2	<0.01	1.3	0.3	0.62	3	0.8	<0.2
1864541	Rock	0.025	10	14	0.46	99	0.059	<20	1.10	0.013	0.27	0.2	<0.01	1.5	0.2	0.59	3	0.7	<0.2
1864542	Rock	0.057	9	26	0.93	229	0.097	<20	3.12	0.116	0.41	0.6	<0.01	3.0	0.4	1.53	8	4.3	0.7
1864543	Rock	0.076	12	23	0.99	194	0.031	<20	1.82	0.047	0.28	4.0	<0.01	2.7	0.2	0.77	5	2.5	0.3
1864544	Rock	0.027	8	12	0.73	67	0.002	<20	0.86	0.005	0.25	0.2	0.03	2.5	0.3	1.68	2	2.7	<0.2
1864545	Rock	0.009	20	5	1.44	66	<0.001	<20	1.46	0.004	0.20	0.3	0.46	3.3	0.4	2.57	2	15.0	<0.2
1864546	Rock	0.044	24	15	0.86	170	0.009	<20	1.60	0.023	0.36	0.1	0.02	3.0	0.4	0.90	4	2.3	<0.2
1864547	Rock	0.047	10	30	0.97	146	0.085	<20	3.60	0.183	0.45	0.7	0.01	3.3	0.4	1.08	9	2.2	<0.2
1864548	Rock	0.043	6	19	0.62	358	0.045	<20	2.16	0.118	0.27	0.3	<0.01	2.7	0.2	0.72	5	1.1	0.2
1864549	Rock	0.036	13	21	0.43	600	0.079	<20	3.27	0.226	0.18	1.2	0.01	2.1	0.1	0.46	8	1.3	0.3
1864550	Rock	0.005	<1	<1	0.43	8	0.001	<20	0.02	0.003	0.02	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
1864551	Rock	0.041	11	19	0.40	245	0.052	<20	2.71	0.193	0.28	0.3	<0.01	2.4	0.2	0.94	6	2.2	0.3
1864552	Rock	0.025	3	4	0.30	43	0.009	<20	0.63	0.035	0.08	0.1	<0.01	0.9	<0.1	0.25	1	1.1	0.2
1864553	Rock	0.054	11	21	0.43	115	0.068	<20	3.53	0.267	0.25	0.9	<0.01	2.3	0.2	0.17	9	0.6	<0.2
1864554	Rock	0.052	10	23	0.50	121	0.071	<20	3.73	0.271	0.28	2.1	<0.01	2.3	0.2	0.35	9	1.1	<0.2
1864555	Rock	0.043	8	35	1.31	86	0.092	<20	4.50	0.235	0.86	0.3	0.02	4.7	0.8	1.48	11	2.4	0.2
1864556	Rock	0.030	9	20	0.97	126	0.079	<20	2.07	0.062	0.70	0.3	<0.01	3.1	0.8	2.09	5	2.2	<0.2
1864557	Rock	0.040	8	24	1.17	164	0.083	<20	2.45	0.085	0.97	0.2	<0.01	3.4	1.1	1.92	6	2.1	<0.2
1864558	Rock	0.035	8	27	1.03	163	0.073	<20	3.49	0.173	0.72	0.2	<0.01	3.5	0.7	2.02	9	3.5	0.2
1864559	Rock	0.044	8	28	0.72	131	0.078	<20	4.67	0.245	0.42	0.5	0.01	3.5	0.4	1.97	12	4.8	1.1
1864560	Rock	0.040	7	22	0.89	151	0.064	<20	3.08	0.122	0.58	1.4	0.01	2.7	0.6	1.77	8	3.6	1.2
1864561	Rock	0.048	8	21	0.55	100	0.074	<20	3.44	0.182	0.19	0.5	0.01	2.3	0.1	2.02	8	5.0	0.9
1864562	Rock	0.043	7	21	0.45	80	0.076	<20	3.25	0.166	0.16	0.8	0.02	1.9	0.1	1.10	8	3.1	0.4
1864563	Rock	0.041	9	17	0.47	112	0.062	<20	2.72	0.127	0.27	0.4	<0.01	2.1	0.2	1.49	7	2.9	0.3



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 14, 2019

**Page:** 3 of 5

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000712.1

Method Analyte	Unit	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
			Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
MDL		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	0.1
1864564	Rock	5.05	0.022	0.4	31.4	12.1	94	0.3	23.8	10.8	856	2.86	30.8	7.9	5.9	565	2.8	0.1	2.0	33	17.82
1864565	Rock	4.61	0.155	1.8	45.4	9.3	29	0.4	32.8	14.5	404	2.73	41.5	17.4	6.3	424	0.1	0.2	4.8	33	9.93
1864566	Rock	4.28	1.522	0.3	40.9	9.4	26	0.6	20.6	10.3	502	2.38	153.5	1369.9	8.1	292	0.2	0.1	30.2	19	8.06
1864567	Rock	3.33	0.124	0.2	17.0	5.8	15	0.2	10.0	4.3	223	1.30	17.0	115.0	9.2	182	0.1	0.1	2.3	5	3.27
1864568	Rock	4.00	0.522	0.5	46.0	5.3	26	0.4	22.4	8.1	269	2.10	27.0	500.2	5.9	109	0.1	0.1	10.5	11	2.52
1864569	Rock	4.94	0.012	5.1	7.8	2.3	49	0.2	18.4	2.8	55	0.78	27.4	<0.5	2.2	5	0.6	0.5	1.1	8	0.28
1864570	Rock	3.98	0.007	7.3	8.7	5.1	136	0.2	38.6	3.2	44	1.02	20.9	0.8	3.1	5	2.6	0.7	2.1	12	0.15
1864571	Rock	4.46	0.200	0.3	36.4	4.2	17	0.3	22.5	9.2	243	2.09	21.5	4.5	5.2	163	0.1	0.3	4.6	10	5.81
1864572	Rock	3.23	0.014	0.2	42.0	4.7	36	0.5	30.4	11.1	193	3.73	17.3	5.2	12.9	22	<0.1	0.1	1.9	17	0.48
1864573	Rock	2.78	0.010	22.8	31.6	3.5	112	0.3	84.8	8.8	85	2.01	13.6	<0.5	4.4	20	1.7	0.4	1.4	60	0.35
1864574	Rock	3.66	<0.005	0.3	4.1	2.5	11	<0.1	7.6	1.8	266	0.64	1.0	<0.5	1.5	460	0.4	0.2	0.2	8	29.45
1864575	Rock	3.05	<0.005	0.3	3.1	2.1	21	<0.1	8.4	1.7	465	0.84	0.9	<0.5	1.3	435	0.6	0.2	0.2	6	31.18
1864576	Rock	2.95	0.021	1.6	12.4	5.9	23	0.2	21.4	4.2	390	1.15	1.3	4.7	3.3	557	0.5	0.3	1.3	28	24.02
1864577	Rock	3.77	0.260	6.3	167.9	6.4	104	1.1	46.4	14.6	259	9.40	94.0	2.5	6.5	45	2.5	0.5	11.9	54	1.39
1864578	Rock	4.33	0.016	2.8	39.0	7.0	70	0.4	65.3	13.2	319	3.99	27.7	<0.5	11.5	25	0.2	0.4	1.7	22	0.33
1864579	Rock	4.82	0.012	4.6	78.2	4.7	123	0.4	61.1	10.0	259	2.68	4.5	<0.5	5.8	16	1.8	1.0	1.7	19	0.32
1864580	Rock	2.75	0.010	0.6	78.8	4.4	39	0.3	47.0	7.7	548	2.62	190.7	0.8	5.5	23	0.2	0.9	1.7	18	0.39
1864581	Rock	1.78	0.012	0.7	77.5	4.0	37	0.4	49.2	7.0	448	2.29	11.1	1.0	4.0	13	0.3	0.6	1.5	17	0.17
1864582	Rock	1.78	0.014	18.1	45.2	72.2	144	3.0	77.1	9.6	2346	3.65	42.1	1.5	4.9	20	1.1	6.6	2.4	57	0.26
1864583	Rock	3.44	0.010	7.6	70.2	6.6	42	0.7	56.2	8.3	390	2.71	15.0	<0.5	5.6	24	0.4	1.0	2.8	24	0.26
1864584	Rock	4.41	0.010	11.0	73.2	4.7	33	0.5	72.0	10.7	339	3.14	40.3	<0.5	5.9	19	0.3	1.5	2.5	29	0.22
1864585	Rock	3.88	0.014	3.6	42.6	3.3	55	0.4	53.0	7.6	464	2.05	171.4	<0.5	8.3	85	0.6	1.5	1.9	54	2.10
1864586	Rock	4.43	0.018	1.9	109.4	6.0	24	0.8	83.2	7.7	156	3.41	53.4	<0.5	6.1	28	0.1	1.1	4.0	32	0.74
1864587	Rock	3.85	0.032	1.4	38.0	5.2	8	0.3	55.4	11.0	148	2.57	164.3	<0.5	15.2	42	<0.1	0.9	3.1	13	1.28
1864588	Rock	4.92	0.042	1.0	52.3	5.2	19	0.4	55.5	8.6	360	3.02	103.0	<0.5	6.3	22	0.1	2.3	3.5	23	0.76
1864589	Rock	4.86	0.014	1.0	82.0	5.8	35	0.6	56.6	10.4	444	4.74	41.8	<0.5	6.7	19	0.2	2.2	3.2	18	0.43
1864590	Rock	4.25	0.013	1.1	179.6	6.1	25	70.0	73.3	11.3	268	3.14	25.0	<0.5	7.3	18	0.2	0.7	3.5	13	0.32
1864591	Rock	4.28	0.015	1.5	42.1	5.1	9	0.5	46.0	10.0	340	2.86	2397.9	<0.5	11.3	37	<0.1	1.9	3.4	19	1.11
1864592	Rock	4.09	0.013	1.3	36.7	8.2	6	0.6	52.9	12.2	97	3.26	31.5	<0.5	15.9	22	<0.1	1.7	4.9	8	0.25
1864593	Rock	4.82	0.012	1.1	35.8	6.3	24	0.5	45.4	9.8	192	2.81	47.0	<0.5	10.2	18	<0.1	1.1	3.7	12	0.27



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 14, 2019

**Page:** 3 of 5

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000712.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
1864564	Rock	0.041	6	25	0.88	112	0.069	<20	2.79	0.118	0.55	0.3	0.02	4.3	0.3	1.13	7	2.2	0.2
1864565	Rock	0.043	6	26	0.67	130	0.069	<20	3.55	0.213	0.34	0.3	<0.01	3.4	0.2	1.29	9	3.0	0.3
1864566	Rock	0.033	8	18	0.40	91	0.060	<20	2.19	0.123	0.23	1.5	0.01	2.0	0.2	1.28	5	2.9	2.0
1864567	Rock	0.012	7	9	0.22	72	0.026	<20	1.38	0.083	0.13	4.0	<0.01	0.7	<0.1	0.56	3	1.2	<0.2
1864568	Rock	0.026	6	13	0.38	57	0.036	<20	1.95	0.089	0.10	12.3	0.01	1.1	<0.1	1.05	5	3.3	0.7
1864569	Rock	0.018	6	6	0.02	975	0.001	<20	0.16	0.003	0.04	<0.1	<0.01	0.2	<0.1	0.28	<1	0.7	<0.2
1864570	Rock	0.027	6	7	<0.01	550	0.002	<20	0.17	0.005	0.06	0.1	<0.01	0.3	<0.1	0.48	<1	1.0	<0.2
1864571	Rock	0.013	6	11	0.26	59	0.033	<20	0.99	0.026	0.15	0.4	<0.01	1.1	0.1	1.03	2	1.9	0.3
1864572	Rock	0.023	11	16	0.56	163	0.052	<20	1.51	0.017	0.31	0.3	<0.01	1.9	0.4	1.60	4	1.9	<0.2
1864573	Rock	0.030	9	10	0.08	261	0.046	<20	0.70	0.018	0.15	0.5	0.01	1.2	<0.1	0.88	2	2.7	<0.2
1864574	Rock	0.004	2	5	0.34	60	0.016	<20	0.73	0.039	0.06	<0.1	<0.01	1.0	<0.1	0.36	1	0.6	<0.2
1864575	Rock	0.003	2	4	0.33	33	0.012	<20	0.42	0.018	0.07	<0.1	<0.01	0.8	<0.1	0.49	<1	0.5	<0.2
1864576	Rock	0.014	4	12	0.42	87	0.037	<20	1.40	0.069	0.12	0.2	0.01	1.8	<0.1	0.57	3	1.3	<0.2
1864577	Rock	0.028	9	20	0.78	14	0.057	<20	2.08	0.030	0.11	1.1	0.01	2.3	<0.1	5.62	6	15.5	0.7
1864578	Rock	0.072	12	13	0.46	153	0.001	<20	1.09	0.033	0.15	<0.1	<0.01	1.1	<0.1	1.90	3	3.0	<0.2
1864579	Rock	0.048	12	10	0.35	199	0.001	<20	0.65	0.015	0.13	<0.1	<0.01	1.2	<0.1	1.28	2	3.9	<0.2
1864580	Rock	0.026	16	14	0.50	214	0.002	<20	0.74	0.009	0.15	<0.1	<0.01	1.3	<0.1	1.27	2	2.0	<0.2
1864581	Rock	0.017	14	14	0.41	200	0.001	<20	0.63	0.008	0.13	<0.1	<0.01	1.1	0.1	1.06	1	2.0	<0.2
1864582	Rock	0.047	11	13	0.18	160	<0.001	<20	0.49	0.012	0.12	2.1	<0.01	1.4	0.1	1.27	1	3.2	<0.2
1864583	Rock	0.044	11	15	0.36	241	0.002	<20	0.64	0.007	0.15	0.2	<0.01	1.2	0.2	1.33	2	2.7	<0.2
1864584	Rock	0.032	16	15	0.35	250	0.002	<20	0.65	0.007	0.16	0.2	<0.01	1.1	0.3	1.58	2	3.4	<0.2
1864585	Rock	0.145	15	22	0.28	155	0.001	<20	0.74	0.028	0.13	0.4	<0.01	1.9	0.1	0.61	2	2.5	<0.2
1864586	Rock	0.031	14	16	0.45	200	0.002	<20	0.79	0.016	0.13	0.5	<0.01	2.4	0.2	1.87	2	4.4	<0.2
1864587	Rock	0.113	28	14	0.19	131	<0.001	<20	0.69	0.028	0.13	0.2	<0.01	1.6	<0.1	1.49	1	3.3	<0.2
1864588	Rock	0.026	15	15	0.39	137	0.001	<20	0.66	0.011	0.09	0.1	<0.01	1.9	0.1	1.53	2	3.1	<0.2
1864589	Rock	0.040	14	14	0.45	136	0.001	<20	0.68	0.013	0.10	0.5	<0.01	1.8	0.2	3.11	2	4.0	<0.2
1864590	Rock	0.033	13	13	0.28	172	0.001	<20	0.65	0.016	0.12	>100	<0.01	1.4	0.1	1.55	1	3.2	<0.2
1864591	Rock	0.060	22	17	0.21	134	<0.001	<20	0.70	0.028	0.12	0.9	<0.01	2.0	<0.1	1.62	2	3.6	0.5
1864592	Rock	0.084	35	9	0.15	141	<0.001	<20	0.60	0.019	0.15	0.4	<0.01	1.5	0.2	1.90	1	2.6	<0.2
1864593	Rock	0.062	14	12	0.17	178	0.001	<20	0.64	0.015	0.15	0.4	<0.01	1.3	<0.1	1.33	1	1.9	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 14, 2019

**Page:** 4 of 5

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000712.1

Method Analyte	Unit	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
			Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
MDL		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
1864594	Rock	4.17	0.009	1.1	24.8	3.5	45	0.2	45.8	10.2	209	2.09	32.3	<0.5	8.3	17	<0.1	0.9	1.9	9	0.20	
1864595	Rock	5.18	0.007	1.0	37.4	2.7	54	0.3	40.8	10.1	364	2.46	167.4	<0.5	5.2	18	<0.1	1.2	1.4	14	0.41	
1864596	Rock	4.06	0.013	1.8	63.6	4.8	125	0.5	72.2	17.1	936	4.41	50.5	<0.5	6.4	27	0.1	2.5	3.1	27	0.83	
1864597	Rock	3.67	0.020	3.4	48.3	6.0	72	0.5	67.5	14.7	406	3.34	86.5	<0.5	10.4	36	0.2	1.6	4.4	24	0.98	
1864598	Rock	3.66	0.036	7.5	51.0	5.5	122	0.4	81.4	14.7	436	3.25	374.7	<0.5	7.2	46	0.9	9.0	4.0	68	1.37	
1864599	Rock	1.89	0.199	3.0	41.9	7.3	49	0.7	56.5	12.4	291	3.96	313.2	<0.5	10.2	24	0.5	5.2	3.9	14	0.50	
1864600	Rock	2.00	0.113	2.8	50.3	6.7	34	0.7	55.6	12.6	315	4.01	262.2	<0.5	9.9	26	0.3	5.1	3.9	14	0.65	
1864601	Rock	1.66	1.030	25.3	537.9	21.9	47	5.0	384.5	20.5	998	33.26	1209.2	<0.5	1.7	3	0.8	21.5	41.8	12	0.06	
1864602	Rock	3.05	0.130	4.7	44.7	13.9	65	1.3	42.0	10.7	976	3.08	189.1	0.8	7.9	441	1.0	2.6	8.1	37	11.99	
1864603	Rock	3.08	0.149	1.2	58.6	45.4	375	1.1	38.3	14.9	1050	3.58	111.3	12.9	11.1	205	9.9	1.4	8.3	29	9.05	
1864604	Rock	4.82	0.209	0.5	38.5	6.3	81	0.3	25.3	12.6	932	2.01	160.7	40.3	6.4	530	4.3	0.2	7.8	14	16.98	
1864605	Rock	5.10	0.505	0.3	32.9	6.5	16	0.4	19.3	9.7	817	2.04	83.7	139.5	5.3	525	0.2	0.2	11.1	11	17.27	
1864606	Rock	3.31	0.271	1.3	84.0	10.0	40	0.8	29.4	8.4	1029	3.78	20.5	15.3	5.7	323	0.8	1.2	16.6	34	12.26	
1864607	Rock	3.37	0.018	6.6	64.3	16.9	83	1.4	48.0	9.5	701	3.21	26.6	<0.5	7.4	63	1.3	1.5	3.1	33	1.57	
1864608	Rock	4.24	0.020	7.6	65.8	102.0	304	2.7	46.9	8.9	717	3.01	307.6	<0.5	6.2	59	3.2	6.6	3.8	26	0.66	
1864609	Rock	4.62	0.020	0.4	80.5	174.4	275	3.3	28.3	8.8	849	2.38	181.4	<0.5	4.4	54	2.6	2.1	1.4	22	0.41	
1864610	Rock Pulp	0.13	1.244	6.3	111.4	6715.0	1535	41.9	16.1	9.6	1083	3.81	52.9	1374.4	2.8	83	15.4	31.3	0.8	101	0.99	
1864611	Rock	5.42	0.058	0.7	71.8	1138.7	2772	7.5	33.8	9.3	2389	2.40	519.1	<0.5	4.8	69	32.3	3.6	3.9	15	0.64	
1864612	Rock	4.41	0.020	0.4	78.5	283.7	1179	4.7	27.0	8.8	2020	2.07	144.1	<0.5	3.8	76	13.6	3.7	1.6	17	1.18	
1864613	Rock	3.10	0.125	0.2	91.1	57.8	195	2.4	27.1	9.0	1321	2.43	207.0	<0.5	2.8	112	1.8	1.0	2.4	21	1.03	
1864614	Rock	3.67	0.244	0.4	67.4	47.6	320	2.5	37.0	6.4	369	1.58	498.9	14.5	3.0	32	4.5	1.5	5.1	16	0.32	
1864615	Rock	3.88	0.179	0.3	36.5	6.1	21	0.5	14.7	3.6	285	1.69	260.5	19.9	2.8	25	0.2	1.0	5.1	11	0.54	
1864616	Rock	4.82	0.022	0.2	15.9	4.2	17	0.4	10.3	2.3	149	0.98	13.3	0.7	2.8	13	0.3	0.8	2.6	6	0.21	
1864617	Rock	4.74	0.040	0.7	37.6	4.9	24	0.3	37.0	7.7	230	2.11	210.1	<0.5	5.4	29	0.1	0.8	2.4	12	0.50	
1864618	Rock	4.17	0.012	0.5	23.3	77.8	156	0.7	25.5	5.8	494	1.80	23.3	<0.5	5.3	17	1.5	1.2	1.3	11	0.21	
1864619	Rock	1.98	0.071	0.3	24.0	100.8	247	1.3	17.5	4.0	942	1.38	25.5	6.7	2.9	29	2.3	2.5	2.0	9	0.61	
1864620	Rock	2.04	0.100	0.2	23.3	127.2	310	1.5	18.2	4.2	1016	1.54	27.4	17.7	3.6	32	3.1	2.7	2.3	9	0.74	
1864621	Rock	4.35	0.030	0.3	19.4	126.0	607	1.4	15.0	2.8	860	1.03	104.9	<0.5	3.1	22	6.9	1.5	1.1	6	0.41	
1864622	Rock	4.67	0.086	0.2	20.2	99.3	277	1.2	10.1	2.3	394	1.16	99.3	6.0	2.7	16	3.3	1.1	2.5	7	0.34	
1864623	Rock	4.47	0.026	0.3	12.1	161.9	453	1.3	11.5	2.8	664	0.90	77.9	4.5	3.0	34	5.0	1.7	1.3	5	0.95	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 14, 2019

Page: 4 of 5

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000712.1

Method Analyte	Unit	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
MDL		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm		
1864594	Rock	0.044	13	11	0.13	176	<0.001	<20	0.47	0.015	0.14	0.2	<0.01	1.0	<0.1	1.04	1	1.9	<0.2	
1864595	Rock	0.030	7	13	0.26	195	0.001	<20	0.61	0.009	0.11	0.1	<0.01	1.3	<0.1	1.25	2	1.8	<0.2	
1864596	Rock	0.092	8	17	0.49	192	0.002	<20	0.95	0.010	0.13	0.2	<0.01	1.9	0.1	2.45	2	3.4	<0.2	
1864597	Rock	0.181	14	14	0.19	154	0.001	<20	0.64	0.014	0.15	0.5	<0.01	1.4	<0.1	2.08	2	4.3	<0.2	
1864598	Rock	0.312	10	20	0.20	156	0.002	<20	0.68	0.011	0.15	0.3	<0.01	1.6	0.1	2.11	2	6.1	<0.2	
1864599	Rock	0.072	10	10	0.11	117	<0.001	<20	0.45	0.010	0.16	0.3	<0.01	1.3	0.1	3.27	<1	5.8	<0.2	
1864600	Rock	0.064	10	8	0.13	130	<0.001	<20	0.46	0.011	0.16	0.4	<0.01	1.1	0.2	3.28	<1	5.2	0.2	
1864601	Rock	0.005	<1	5	0.05	12	<0.001	<20	0.17	0.001	0.02	1.4	0.03	0.3	1.8	>10	<1	48.5	1.9	
1864602	Rock	0.038	9	18	0.89	79	0.001	<20	1.26	0.029	0.13	0.2	<0.01	3.3	0.2	1.49	3	4.0	0.3	
1864603	Rock	0.074	19	24	1.00	123	0.013	<20	1.61	0.025	0.13	0.3	0.02	4.2	0.2	1.84	4	3.9	0.4	
1864604	Rock	0.039	7	15	0.66	201	0.040	<20	1.39	0.019	0.09	0.3	0.01	2.4	<0.1	0.92	3	2.0	0.4	
1864605	Rock	0.043	7	11	0.58	168	0.037	<20	1.49	0.030	0.07	0.3	<0.01	2.0	<0.1	1.05	4	2.1	0.5	
1864606	Rock	0.061	7	19	1.34	89	0.043	<20	1.66	0.016	0.07	2.2	<0.01	3.3	<0.1	2.11	4	4.7	0.8	
1864607	Rock	0.108	8	15	0.76	219	0.002	<20	1.05	0.010	0.16	0.2	<0.01	2.0	0.1	1.70	3	3.8	<0.2	
1864608	Rock	0.064	6	11	0.46	215	0.002	<20	0.67	0.008	0.16	0.2	<0.01	1.2	0.1	1.84	2	2.9	<0.2	
1864609	Rock	0.027	9	13	0.52	303	0.002	<20	0.88	0.007	0.20	0.1	<0.01	1.7	0.1	0.66	2	<0.5	<0.2	
1864610	Rock Pulp	0.051	6	22	0.82	153	0.138	<20	1.81	0.199	0.23	1.6	0.23	3.4	0.1	0.22	5	<0.5	<0.2	
1864611	Rock	0.024	7	10	0.36	235	0.001	<20	0.50	0.006	0.17	1.6	0.03	1.5	0.1	0.99	1	1.8	0.3	
1864612	Rock	0.018	7	9	0.51	263	0.001	<20	0.55	0.006	0.18	0.1	<0.01	1.8	0.1	0.62	2	0.8	0.3	
1864613	Rock	0.313	6	9	0.51	325	0.003	<20	0.70	0.006	0.16	0.1	<0.01	3.0	0.1	0.96	2	1.0	<0.2	
1864614	Rock	0.011	7	9	0.32	307	0.002	<20	0.47	0.005	0.16	0.1	0.01	1.5	0.1	0.65	2	1.4	0.4	
1864615	Rock	0.026	6	9	0.27	150	0.002	<20	0.36	0.008	0.10	0.1	<0.01	1.3	<0.1	0.79	1	1.4	0.3	
1864616	Rock	0.018	8	8	0.16	108	0.002	<20	0.24	0.008	0.07	<0.1	<0.01	0.9	<0.1	0.40	<1	0.6	<0.2	
1864617	Rock	0.033	11	12	0.33	166	0.001	<20	0.56	0.013	0.13	<0.1	<0.01	1.3	<0.1	1.01	2	2.1	<0.2	
1864618	Rock	0.029	11	14	0.26	169	0.002	<20	0.57	0.011	0.13	0.1	<0.01	1.3	<0.1	0.58	2	0.8	<0.2	
1864619	Rock	0.022	8	10	0.26	100	0.001	<20	0.32	0.005	0.07	0.1	<0.01	1.1	<0.1	0.43	<1	0.9	0.2	
1864620	Rock	0.023	8	10	0.27	121	0.001	<20	0.34	0.008	0.08	0.1	<0.01	1.2	<0.1	0.49	1	1.3	0.2	
1864621	Rock	0.015	7	7	0.19	89	<0.001	<20	0.24	0.008	0.08	<0.1	0.01	0.8	<0.1	0.32	<1	0.7	<0.2	
1864622	Rock	0.015	6	9	0.20	68	0.003	<20	0.25	0.007	0.06	<0.1	<0.01	0.8	<0.1	0.41	<1	0.9	<0.2	
1864623	Rock	0.013	9	9	0.19	79	0.001	<20	0.22	0.007	0.07	<0.1	<0.01	0.8	<0.1	0.24	<1	0.8	<0.2	



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 14, 2019

Page: 5 of 5

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000712.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1864624	Rock	4.60	0.062	0.2	24.9	142.8	328	2.1	16.2	2.8	1185	1.26	85.1	3.4	2.5	49	3.6	2.7	3.0	7	1.70





**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 14, 2019

Page: 5 of 5

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000712.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
1864624	Rock	0.032	5	7	0.28	82	<0.001	<20	0.23	0.003	0.08	0.1	<0.01	0.9	<0.1	0.47	<1	1.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 14, 2019

Page: 1 of 2

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000712.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
Pulp Duplicates																					
1864543	Rock	3.67	0.256	0.7	57.0	7.4	81	0.5	39.7	15.3	617	3.12	46.5	88.8	9.2	72	0.3	0.5	7.0	20	2.84
REP 1864543	QC			0.8	53.6	7.4	76	0.5	38.4	15.3	601	3.07	46.1	128.1	9.3	70	0.3	0.5	7.7	20	2.84
1864548	Rock	4.30	0.169	0.7	22.3	10.7	70	0.3	20.6	9.6	878	1.67	9.5	13.9	4.7	778	2.8	0.5	4.0	20	20.19
REP 1864548	QC		0.168																		
1864578	Rock	4.33	0.016	2.8	39.0	7.0	70	0.4	65.3	13.2	319	3.99	27.7	<0.5	11.5	25	0.2	0.4	1.7	22	0.33
REP 1864578	QC			2.7	37.7	7.0	67	0.4	63.0	12.9	306	3.86	27.1	<0.5	11.2	25	0.2	0.4	1.6	21	0.31
1864613	Rock	3.10	0.125	0.2	91.1	57.8	195	2.4	27.1	9.0	1321	2.43	207.0	<0.5	2.8	112	1.8	1.0	2.4	21	1.03
REP 1864613	QC			0.2	86.0	56.1	189	2.4	28.4	8.4	1252	2.39	219.7	<0.5	2.7	107	2.2	1.0	2.3	20	1.01
REP 1864624	QC			0.3	27.9	156.0	369	2.4	18.7	3.6	1206	1.31	97.4	4.0	2.5	56	3.9	2.7	3.7	7	1.73
Core Reject Duplicates																					
1864556	Rock	4.41	0.010	0.4	61.9	6.1	52	0.6	41.3	18.3	286	4.03	156.9	<0.5	9.0	47	0.2	0.4	2.4	19	0.61
DUP 1864556	QC		0.009	0.4	62.5	6.3	55	0.6	42.8	19.0	301	4.15	157.8	<0.5	9.5	48	0.2	0.4	2.5	20	0.64
1864590	Rock	4.25	0.013	1.1	179.6	6.1	25	70.0	73.3	11.3	268	3.14	25.0	<0.5	7.3	18	0.2	0.7	3.5	13	0.32
DUP 1864590	QC		0.013	1.0	207.4	5.5	26	84.0	76.0	11.7	248	3.10	25.9	<0.5	6.9	16	0.1	0.8	3.4	13	0.31
1864624	Rock	4.60	0.062	0.2	24.9	142.8	328	2.1	16.2	2.8	1185	1.26	85.1	3.4	2.5	49	3.6	2.7	3.0	7	1.70
DUP 1864624	QC		0.088	0.2	28.3	153.5	351	2.3	17.0	3.3	1236	1.43	88.9	5.7	2.4	53	4.1	2.5	3.7	8	1.80
Reference Materials																					
STD BVGEO01	Standard			11.7	4563.2	200.1	1782	2.7	164.3	26.0	754	3.77	120.8	233.4	16.9	59	6.8	2.9	27.1	77	1.33
STD BVGEO01	Standard			10.6	4363.2	174.8	1708	2.4	163.4	23.9	692	3.60	120.2	213.5	13.1	53	5.6	1.6	22.1	73	1.27
STD DS11	Standard			15.2	153.7	157.3	351	1.7	87.9	14.5	1060	3.22	47.6	377.7	9.6	75	2.5	7.0	13.1	53	1.08
STD DS11	Standard			14.6	151.1	140.0	348	1.9	77.5	13.6	1008	3.08	42.3	159.9	8.2	67	2.7	6.9	11.8	48	1.06
STD OREAS262	Standard			0.7	119.1	60.1	152	0.5	67.2	27.1	593	3.39	38.5	66.3	10.8	39	0.8	2.7	1.1	23	3.01
STD OREAS262	Standard			0.7	117.8	57.8	137	0.5	66.4	27.7	567	3.36	37.3	64.9	10.4	37	0.7	3.1	1.1	24	3.10
STD OREAS263	Standard		0.210																		
STD OREAS263	Standard		0.198																		
STD OREAS262	Standard			0.6	111.2	52.0	144	0.4	64.7	26.1	519	3.10	34.7	46.9	8.5	33	0.6	1.6	0.9	21	2.81
STD OREAS262	Standard			0.6	123.1	57.6	156	0.5	61.9	26.0	540	3.34	37.0	56.7	9.7	36	0.7	1.9	1.0	21	3.05
STD OREAS263	Standard		0.206																		



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 14, 2019

Page: 1 of 2

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000712.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																			
1864543	Rock	0.076	12	23	0.99	194	0.031	<20	1.82	0.047	0.28	4.0	<0.01	2.7	0.2	0.77	5	2.5	0.3
REP 1864543	QC	0.071	12	23	1.01	188	0.032	<20	1.82	0.050	0.27	3.9	<0.01	2.8	0.2	0.84	5	2.7	0.4
1864548	Rock	0.043	6	19	0.62	358	0.045	<20	2.16	0.118	0.27	0.3	<0.01	2.7	0.2	0.72	5	1.1	0.2
REP 1864548	QC																		
1864578	Rock	0.072	12	13	0.46	153	0.001	<20	1.09	0.033	0.15	<0.1	<0.01	1.1	<0.1	1.90	3	3.0	<0.2
REP 1864578	QC	0.070	12	12	0.46	158	0.001	<20	1.05	0.031	0.14	<0.1	<0.01	1.1	<0.1	1.83	3	2.8	<0.2
1864613	Rock	0.313	6	9	0.51	325	0.003	<20	0.70	0.006	0.16	0.1	<0.01	3.0	0.1	0.96	2	1.0	<0.2
REP 1864613	QC	0.297	6	10	0.49	299	0.003	<20	0.67	0.006	0.15	0.2	<0.01	2.8	0.1	0.93	2	0.8	0.2
REP 1864624	QC	0.034	5	8	0.29	87	0.001	<20	0.23	0.004	0.08	0.1	<0.01	1.0	<0.1	0.47	<1	1.5	<0.2
Core Reject Duplicates																			
1864556	Rock	0.030	9	20	0.97	126	0.079	<20	2.07	0.062	0.70	0.3	<0.01	3.1	0.8	2.09	5	2.2	<0.2
DUP 1864556	QC	0.032	9	21	1.01	124	0.082	<20	2.17	0.063	0.73	0.3	<0.01	3.2	0.8	2.12	6	2.2	<0.2
1864590	Rock	0.033	13	13	0.28	172	0.001	<20	0.65	0.016	0.12	>100	<0.01	1.4	0.1	1.55	1	3.2	<0.2
DUP 1864590	QC	0.032	12	12	0.28	155	<0.001	<20	0.66	0.016	0.12	>100	<0.01	1.3	<0.1	1.60	2	2.5	<0.2
1864624	Rock	0.032	5	7	0.28	82	<0.001	<20	0.23	0.003	0.08	0.1	<0.01	0.9	<0.1	0.47	<1	1.5	<0.2
DUP 1864624	QC	0.032	5	8	0.29	87	<0.001	<20	0.24	0.004	0.08	<0.1	<0.01	1.0	<0.1	0.48	<1	1.2	0.3
Reference Materials																			
STD BVGE001	Standard	0.070	28	166	1.35	372	0.246	<20	2.39	0.202	0.92	3.5	0.11	6.2	0.6	0.67	7	5.2	1.0
STD BVGE001	Standard	0.068	25	164	1.26	318	0.229	<20	2.28	0.185	0.88	3.3	0.09	5.6	0.6	0.67	7	4.7	0.9
STD DS11	Standard	0.076	20	68	0.86	456	0.100	<20	1.18	0.073	0.41	3.2	0.25	3.5	5.3	0.28	5	2.0	5.0
STD DS11	Standard	0.072	20	58	0.83	400	0.097	<20	1.14	0.071	0.39	2.3	0.28	3.0	5.0	0.28	5	2.1	4.6
STD OREAS262	Standard	0.037	16	45	1.23	270	0.003	<20	1.36	0.071	0.31	0.1	0.15	3.6	0.5	0.27	4	<0.5	<0.2
STD OREAS262	Standard	0.042	15	42	1.23	265	0.003	<20	1.28	0.072	0.31	0.1	0.15	3.7	0.5	0.27	4	<0.5	0.2
STD OREAS263	Standard																		
STD OREAS263	Standard																		
STD OREAS262	Standard	0.036	14	40	1.13	238	0.003	<20	1.27	0.067	0.29	<0.1	0.17	2.9	0.5	0.27	4	0.6	0.2
STD OREAS262	Standard	0.037	18	44	1.20	259	0.003	<20	1.30	0.070	0.32	<0.1	0.17	3.4	0.5	0.26	4	<0.5	0.2
STD OREAS263	Standard																		



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 14, 2019

Page: 2 of 2

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000712.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
STD OXI138	Standard		1.888																		
STD OXI138	Standard		1.929																		
STD OXI138	Standard		1.806																		
STD OXN117	Standard		7.822																		
STD OXN117	Standard		7.544																		
STD OXN117	Standard		7.585																		
STD BVGE001 Expected				10.8	4415	187	1741	2.53	163	25	733	3.7	121	219	14.4	55	6.5	2.2	25.6	73	1.3219
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063
STD OREAS262 Expected				0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	65	9.33	36	0.61	3.39	1.03	22.5	2.98
STD OXI138 Expected			1.86																		
STD OREAS263 Expected			0.21																		
STD OXN117 Expected			7.679																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	0.03
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
Prep Wash																					
ROCK-WHI	Prep Blank		<0.005	0.8	5.3	1.1	30	<0.1	1.6	4.1	550	1.95	1.1	<0.5	2.1	22	<0.1	<0.1	<0.1	26	0.72
ROCK-WHI	Prep Blank		<0.005	0.7	2.9	0.9	29	<0.1	1.2	3.8	506	1.88	1.2	<0.5	2.0	19	<0.1	0.1	<0.1	25	0.68



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 14, 2019

Page: 2 of 2

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000712.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200		
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
STD OXI138	Standard																			
STD OXI138	Standard																			
STD OXI138	Standard																			
STD OXN117	Standard																			
STD OXN117	Standard																			
STD OXN117	Standard																			
STD BVGEO01 Expected		0.0727	25.9	171	1.2963	340	0.233		2.347	0.1924	0.89	3.5	0.1	5.97	0.62	0.6655	7.37	4.84	1.02	
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56	
STD OREAS262 Expected		0.04	15.9	41.7	1.17	248	0.003		1.204	0.071	0.312	0.13	0.17	3.24	0.47	0.253	3.73	0.4	0.23	
STD OXI138 Expected																				
STD OREAS263 Expected																				
STD OXN117 Expected																				
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																			
BLK	Blank																			
Prep Wash																				
ROCK-WHI	Prep Blank	0.039	6	5	0.55	63	0.088	<20	0.98	0.091	0.10	<0.1	<0.01	3.1	<0.1	<0.05	4	<0.5	<0.2	
ROCK-WHI	Prep Blank	0.039	6	5	0.52	53	0.075	<20	0.89	0.075	0.08	<0.1	<0.01	2.6	<0.1	<0.05	4	<0.5	<0.2	



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Submitted By: James Thom  
Receiving Lab: Canada-Whitehorse  
Received: October 23, 2019  
Report Date: November 21, 2019  
Page: 1 of 5

## CERTIFICATE OF ANALYSIS

WHI19000712.2

### CLIENT JOB INFORMATION

Project: McQuesten  
Shipment ID: MQ-19-25a  
P.O. Number  
Number of Samples: 91

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
RTRN-RJT Return After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	90	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	1	Sort, label and box pulps			WHI
FA450	91	50g Lead Collection Fire Assay Fusion - AAS Finish	50	Completed	VAN
EN002	91	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	91	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	91	Per sample shipping charges for branch shipments			VAN
MA404	1	4 Acid Digest AAS Finish Vancouver	0.5	Completed	VAN
EN001-MA	1	Environmental disposal fee - Multi-acid neutralization			VAN

### ADDITIONAL COMMENTS

Version 2 : MA404-Ag Zn included.

Invoice To: Banyan Gold Corp.  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7  
Canada

CC: Paul Gray

  
MAY LAI  
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 21, 2019

**Page:** 2 of 5

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000712.2

Method Analyte	Unit	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
			Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
MDL	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	0.1	1	0.01
1864534	Rock	4.11	0.212	2.6	50.3	7.3	165	0.5	50.2	10.1	214	2.21	419.6	331.3	10.6	200	4.4	0.4	9.7	16	2.59
1864535	Rock	4.70	0.071	6.9	50.4	9.1	143	0.6	31.8	4.7	110	1.76	672.9	5.1	4.0	206	4.8	1.2	7.8	82	0.95
1864536	Rock	2.69	0.010	7.1	42.3	6.1	93	0.5	12.8	3.0	66	1.45	103.1	<0.5	4.0	57	1.8	1.0	2.2	72	0.15
1864537	Rock	3.60	0.006	8.9	48.5	5.8	100	0.5	16.2	4.5	89	1.74	57.3	<0.5	4.3	32	1.9	1.1	2.3	99	0.38
1864538	Rock	3.96	0.009	4.6	35.5	5.4	47	0.3	12.1	6.3	128	1.85	156.8	<0.5	9.0	14	2.0	0.4	1.3	24	0.12
1864539	Rock	1.85	0.012	0.7	34.8	6.8	49	0.3	21.3	11.8	205	2.72	75.3	1.2	12.6	21	0.9	0.2	1.0	11	0.20
1864540	Rock	1.81	0.010	0.7	34.6	5.3	52	0.2	21.3	13.0	217	2.58	77.2	4.1	12.4	23	0.8	0.2	1.0	10	0.21
1864541	Rock	4.32	0.032	0.4	28.0	6.6	50	0.2	24.2	12.0	194	2.14	49.5	12.2	10.3	31	0.4	0.1	1.3	9	0.19
1864542	Rock	4.51	0.477	0.8	72.6	9.1	53	0.6	37.3	17.4	397	3.55	43.4	141.7	8.4	101	0.4	0.3	11.6	25	1.59
1864543	Rock	3.67	0.256	0.7	57.0	7.4	81	0.5	39.7	15.3	617	3.12	46.5	88.8	9.2	72	0.3	0.5	7.0	20	2.84
1864544	Rock	3.03	0.033	0.6	53.8	1158.5	2738	12.0	54.1	17.4	2765	3.94	90.1	1.6	7.7	65	25.6	3.0	1.9	10	1.63
1864545	Rock	1.99	5.448	1.4	318.8	5169.7	>10000	>100	60.7	18.5	>10000	6.88	110.7	3522.3	3.9	629	238.9	26.5	4.4	11	13.60
1864546	Rock	2.02	0.046	1.2	60.7	301.1	867	3.1	90.4	28.3	2029	4.37	40.0	18.4	12.7	129	7.7	2.0	1.3	20	2.49
1864547	Rock	4.81	0.066	1.7	44.6	11.8	174	0.5	37.1	12.8	1268	2.61	14.3	8.4	9.2	326	7.5	0.2	3.0	53	7.86
1864548	Rock	4.30	0.169	0.7	22.3	10.7	70	0.3	20.6	9.6	878	1.67	9.5	13.9	4.7	778	2.8	0.5	4.0	20	20.19
1864549	Rock	4.68	0.281	0.6	27.4	6.4	64	0.2	22.2	10.1	616	1.38	39.9	167.1	7.5	413	1.1	0.1	5.5	22	10.80
1864550	Rock	0.64	0.007	<0.1	1.0	0.2	<1	<0.1	1.9	0.4	54	0.05	<0.5	<0.5	<0.1	70	<0.1	<0.1	<0.1	<1	34.95
1864551	Rock	4.75	0.156	0.5	40.5	7.2	30	0.3	26.7	12.6	616	1.96	25.2	20.9	5.8	736	0.4	0.2	5.2	17	16.66
1864552	Rock	3.78	0.065	0.3	12.6	5.1	11	<0.1	6.4	2.7	433	0.84	147.7	3.1	0.9	1144	<0.1	0.1	1.2	4	30.05
1864553	Rock	5.31	0.120	0.6	10.0	5.2	61	<0.1	14.6	6.5	435	0.79	21.4	84.6	6.1	250	0.6	0.1	2.6	21	7.42
1864554	Rock	3.97	0.123	1.1	21.9	5.8	56	0.1	22.1	10.0	469	1.14	29.1	74.1	7.4	291	0.4	0.1	3.6	24	7.84
1864555	Rock	3.86	0.096	0.4	47.5	5.9	60	0.4	40.7	18.0	294	3.29	103.1	37.3	8.7	197	0.2	0.2	3.6	40	2.33
1864556	Rock	4.41	0.010	0.4	61.9	6.1	52	0.6	41.3	18.3	286	4.03	156.9	<0.5	9.0	47	0.2	0.4	2.4	19	0.61
1864557	Rock	3.44	0.022	0.3	51.2	5.1	60	0.5	38.8	16.4	316	4.12	176.0	2.2	9.6	57	0.1	0.3	2.4	23	0.75
1864558	Rock	2.98	0.075	0.8	63.4	7.1	46	0.6	39.1	20.5	301	3.88	100.1	12.7	8.6	111	0.1	0.3	3.8	28	1.66
1864559	Rock	5.03	0.661	0.9	66.9	7.7	39	0.7	35.9	15.7	225	3.69	182.3	467.4	6.4	181	0.2	0.1	12.9	34	3.12
1864560	Rock	5.03	0.985	0.4	57.7	5.2	46	0.6	28.2	13.4	343	3.54	42.6	843.2	7.2	105	0.1	0.2	14.4	23	2.31
1864561	Rock	4.81	0.672	0.4	70.5	7.4	32	0.6	33.7	15.4	222	3.62	415.4	384.8	8.0	149	0.2	0.2	10.4	24	2.62
1864562	Rock	4.43	0.256	0.6	47.7	8.3	76	0.3	26.4	10.8	395	2.37	49.4	83.9	7.6	349	2.1	<0.1	6.2	20	9.68
1864563	Rock	5.74	0.086	0.6	48.4	8.6	29	0.5	30.3	13.9	354	2.90	92.4	38.4	8.9	295	0.2	0.1	4.4	18	6.96



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 21, 2019

Page: 2 of 5

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000712.2

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	MA404	MA404	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Ag	Zn	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	0.01	
1864534	Rock	0.031	17	17	0.33	243	0.063	<20	1.93	0.098	0.27	2.1	<0.01	1.7	0.2	0.52	4	4.2	0.6		
1864535	Rock	0.092	8	13	0.21	822	0.022	<20	0.58	0.005	0.13	49.8	0.03	1.0	0.1	0.07	1	3.2	0.3		
1864536	Rock	0.062	10	13	0.17	939	0.041	<20	0.48	0.004	0.14	0.4	0.01	0.9	0.1	<0.05	1	6.4	<0.2		
1864537	Rock	0.164	8	16	0.25	890	0.033	<20	0.61	0.004	0.16	0.4	0.02	1.0	0.2	<0.05	1	5.3	<0.2		
1864538	Rock	0.037	13	13	0.33	303	0.063	<20	0.75	0.004	0.20	0.1	<0.01	1.0	0.2	0.22	2	2.9	<0.2		
1864539	Rock	0.030	11	16	0.52	169	0.088	<20	1.28	0.010	0.26	0.2	<0.01	1.4	0.3	0.65	3	1.1	<0.2		
1864540	Rock	0.033	12	15	0.50	177	0.090	<20	1.26	0.014	0.28	0.2	<0.01	1.3	0.3	0.62	3	0.8	<0.2		
1864541	Rock	0.025	10	14	0.46	99	0.059	<20	1.10	0.013	0.27	0.2	<0.01	1.5	0.2	0.59	3	0.7	<0.2		
1864542	Rock	0.057	9	26	0.93	229	0.097	<20	3.12	0.116	0.41	0.6	<0.01	3.0	0.4	1.53	8	4.3	0.7		
1864543	Rock	0.076	12	23	0.99	194	0.031	<20	1.82	0.047	0.28	4.0	<0.01	2.7	0.2	0.77	5	2.5	0.3		
1864544	Rock	0.027	8	12	0.73	67	0.002	<20	0.86	0.005	0.25	0.2	0.03	2.5	0.3	1.68	2	2.7	<0.2		
1864545	Rock	0.009	20	5	1.44	66	<0.001	<20	1.46	0.004	0.20	0.3	0.46	3.3	0.4	2.57	2	15.0	<0.2	288	2.46
1864546	Rock	0.044	24	15	0.86	170	0.009	<20	1.60	0.023	0.36	0.1	0.02	3.0	0.4	0.90	4	2.3	<0.2		
1864547	Rock	0.047	10	30	0.97	146	0.085	<20	3.60	0.183	0.45	0.7	0.01	3.3	0.4	1.08	9	2.2	<0.2		
1864548	Rock	0.043	6	19	0.62	358	0.045	<20	2.16	0.118	0.27	0.3	<0.01	2.7	0.2	0.72	5	1.1	0.2		
1864549	Rock	0.036	13	21	0.43	600	0.079	<20	3.27	0.226	0.18	1.2	0.01	2.1	0.1	0.46	8	1.3	0.3		
1864550	Rock	0.005	<1	<1	0.43	8	0.001	<20	0.02	0.003	0.02	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2		
1864551	Rock	0.041	11	19	0.40	245	0.052	<20	2.71	0.193	0.28	0.3	<0.01	2.4	0.2	0.94	6	2.2	0.3		
1864552	Rock	0.025	3	4	0.30	43	0.009	<20	0.63	0.035	0.08	0.1	<0.01	0.9	<0.1	0.25	1	1.1	0.2		
1864553	Rock	0.054	11	21	0.43	115	0.068	<20	3.53	0.267	0.25	0.9	<0.01	2.3	0.2	0.17	9	0.6	<0.2		
1864554	Rock	0.052	10	23	0.50	121	0.071	<20	3.73	0.271	0.28	2.1	<0.01	2.3	0.2	0.35	9	1.1	<0.2		
1864555	Rock	0.043	8	35	1.31	86	0.092	<20	4.50	0.235	0.86	0.3	0.02	4.7	0.8	1.48	11	2.4	0.2		
1864556	Rock	0.030	9	20	0.97	126	0.079	<20	2.07	0.062	0.70	0.3	<0.01	3.1	0.8	2.09	5	2.2	<0.2		
1864557	Rock	0.040	8	24	1.17	164	0.083	<20	2.45	0.085	0.97	0.2	<0.01	3.4	1.1	1.92	6	2.1	<0.2		
1864558	Rock	0.035	8	27	1.03	163	0.073	<20	3.49	0.173	0.72	0.2	<0.01	3.5	0.7	2.02	9	3.5	0.2		
1864559	Rock	0.044	8	28	0.72	131	0.078	<20	4.67	0.245	0.42	0.5	0.01	3.5	0.4	1.97	12	4.8	1.1		
1864560	Rock	0.040	7	22	0.89	151	0.064	<20	3.08	0.122	0.58	1.4	0.01	2.7	0.6	1.77	8	3.6	1.2		
1864561	Rock	0.048	8	21	0.55	100	0.074	<20	3.44	0.182	0.19	0.5	0.01	2.3	0.1	2.02	8	5.0	0.9		
1864562	Rock	0.043	7	21	0.45	80	0.076	<20	3.25	0.166	0.16	0.8	0.02	1.9	0.1	1.10	8	3.1	0.4		
1864563	Rock	0.041	9	17	0.47	112	0.062	<20	2.72	0.127	0.27	0.4	<0.01	2.1	0.2	1.49	7	2.9	0.3		





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 21, 2019

**Page:** 3 of 5

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000712.2

Method Analyte	Unit	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
			Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
MDL		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
1864564	Rock	5.05	0.022	0.4	31.4	12.1	94	0.3	23.8	10.8	856	2.86	30.8	7.9	5.9	565	2.8	0.1	2.0	33	17.82	
1864565	Rock	4.61	0.155	1.8	45.4	9.3	29	0.4	32.8	14.5	404	2.73	41.5	17.4	6.3	424	0.1	0.2	4.8	33	9.93	
1864566	Rock	4.28	1.522	0.3	40.9	9.4	26	0.6	20.6	10.3	502	2.38	153.5	1369.9	8.1	292	0.2	0.1	30.2	19	8.06	
1864567	Rock	3.33	0.124	0.2	17.0	5.8	15	0.2	10.0	4.3	223	1.30	17.0	115.0	9.2	182	0.1	0.1	2.3	5	3.27	
1864568	Rock	4.00	0.522	0.5	46.0	5.3	26	0.4	22.4	8.1	269	2.10	27.0	500.2	5.9	109	0.1	0.1	10.5	11	2.52	
1864569	Rock	4.94	0.012	5.1	7.8	2.3	49	0.2	18.4	2.8	55	0.78	27.4	<0.5	2.2	5	0.6	0.5	1.1	8	0.28	
1864570	Rock	3.98	0.007	7.3	8.7	5.1	136	0.2	38.6	3.2	44	1.02	20.9	0.8	3.1	5	2.6	0.7	2.1	12	0.15	
1864571	Rock	4.46	0.200	0.3	36.4	4.2	17	0.3	22.5	9.2	243	2.09	21.5	4.5	5.2	163	0.1	0.3	4.6	10	5.81	
1864572	Rock	3.23	0.014	0.2	42.0	4.7	36	0.5	30.4	11.1	193	3.73	17.3	5.2	12.9	22	<0.1	0.1	1.9	17	0.48	
1864573	Rock	2.78	0.010	22.8	31.6	3.5	112	0.3	84.8	8.8	85	2.01	13.6	<0.5	4.4	20	1.7	0.4	1.4	60	0.35	
1864574	Rock	3.66	<0.005	0.3	4.1	2.5	11	<0.1	7.6	1.8	266	0.64	1.0	<0.5	1.5	460	0.4	0.2	0.2	8	29.45	
1864575	Rock	3.05	<0.005	0.3	3.1	2.1	21	<0.1	8.4	1.7	465	0.84	0.9	<0.5	1.3	435	0.6	0.2	0.2	6	31.18	
1864576	Rock	2.95	0.021	1.6	12.4	5.9	23	0.2	21.4	4.2	390	1.15	1.3	4.7	3.3	557	0.5	0.3	1.3	28	24.02	
1864577	Rock	3.77	0.260	6.3	167.9	6.4	104	1.1	46.4	14.6	259	9.40	94.0	2.5	6.5	45	2.5	0.5	11.9	54	1.39	
1864578	Rock	4.33	0.016	2.8	39.0	7.0	70	0.4	65.3	13.2	319	3.99	27.7	<0.5	11.5	25	0.2	0.4	1.7	22	0.33	
1864579	Rock	4.82	0.012	4.6	78.2	4.7	123	0.4	61.1	10.0	259	2.68	4.5	<0.5	5.8	16	1.8	1.0	1.7	19	0.32	
1864580	Rock	2.75	0.010	0.6	78.8	4.4	39	0.3	47.0	7.7	548	2.62	190.7	0.8	5.5	23	0.2	0.9	1.7	18	0.39	
1864581	Rock	1.78	0.012	0.7	77.5	4.0	37	0.4	49.2	7.0	448	2.29	11.1	1.0	4.0	13	0.3	0.6	1.5	17	0.17	
1864582	Rock	1.78	0.014	18.1	45.2	72.2	144	3.0	77.1	9.6	2346	3.65	42.1	1.5	4.9	20	1.1	6.6	2.4	57	0.26	
1864583	Rock	3.44	0.010	7.6	70.2	6.6	42	0.7	56.2	8.3	390	2.71	15.0	<0.5	5.6	24	0.4	1.0	2.8	24	0.26	
1864584	Rock	4.41	0.010	11.0	73.2	4.7	33	0.5	72.0	10.7	339	3.14	40.3	<0.5	5.9	19	0.3	1.5	2.5	29	0.22	
1864585	Rock	3.88	0.014	3.6	42.6	3.3	55	0.4	53.0	7.6	464	2.05	171.4	<0.5	8.3	85	0.6	1.5	1.9	54	2.10	
1864586	Rock	4.43	0.018	1.9	109.4	6.0	24	0.8	83.2	7.7	156	3.41	53.4	<0.5	6.1	28	0.1	1.1	4.0	32	0.74	
1864587	Rock	3.85	0.032	1.4	38.0	5.2	8	0.3	55.4	11.0	148	2.57	164.3	<0.5	15.2	42	<0.1	0.9	3.1	13	1.28	
1864588	Rock	4.92	0.042	1.0	52.3	5.2	19	0.4	55.5	8.6	360	3.02	103.0	<0.5	6.3	22	0.1	2.3	3.5	23	0.76	
1864589	Rock	4.86	0.014	1.0	82.0	5.8	35	0.6	56.6	10.4	444	4.74	41.8	<0.5	6.7	19	0.2	2.2	3.2	18	0.43	
1864590	Rock	4.25	0.013	1.1	179.6	6.1	25	70.0	73.3	11.3	268	3.14	25.0	<0.5	7.3	18	0.2	0.7	3.5	13	0.32	
1864591	Rock	4.28	0.015	1.5	42.1	5.1	9	0.5	46.0	10.0	340	2.86	2397.9	<0.5	11.3	37	<0.1	1.9	3.4	19	1.11	
1864592	Rock	4.09	0.013	1.3	36.7	8.2	6	0.6	52.9	12.2	97	3.26	31.5	<0.5	15.9	22	<0.1	1.7	4.9	8	0.25	
1864593	Rock	4.82	0.012	1.1	35.8	6.3	24	0.5	45.4	9.8	192	2.81	47.0	<0.5	10.2	18	<0.1	1.1	3.7	12	0.27	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 21, 2019

Page: 3 of 5

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000712.2

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	MA404	MA404
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Ag	Zn
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	0.01
1864564	Rock	0.041	6	25	0.88	112	0.069	<20	2.79	0.118	0.55	0.3	0.02	4.3	0.3	1.13	7	2.2	0.2	
1864565	Rock	0.043	6	26	0.67	130	0.069	<20	3.55	0.213	0.34	0.3	<0.01	3.4	0.2	1.29	9	3.0	0.3	
1864566	Rock	0.033	8	18	0.40	91	0.060	<20	2.19	0.123	0.23	1.5	0.01	2.0	0.2	1.28	5	2.9	2.0	
1864567	Rock	0.012	7	9	0.22	72	0.026	<20	1.38	0.083	0.13	4.0	<0.01	0.7	<0.1	0.56	3	1.2	<0.2	
1864568	Rock	0.026	6	13	0.38	57	0.036	<20	1.95	0.089	0.10	12.3	0.01	1.1	<0.1	1.05	5	3.3	0.7	
1864569	Rock	0.018	6	6	0.02	975	0.001	<20	0.16	0.003	0.04	<0.1	<0.01	0.2	<0.1	0.28	<1	0.7	<0.2	
1864570	Rock	0.027	6	7	<0.01	550	0.002	<20	0.17	0.005	0.06	0.1	<0.01	0.3	<0.1	0.48	<1	1.0	<0.2	
1864571	Rock	0.013	6	11	0.26	59	0.033	<20	0.99	0.026	0.15	0.4	<0.01	1.1	0.1	1.03	2	1.9	0.3	
1864572	Rock	0.023	11	16	0.56	163	0.052	<20	1.51	0.017	0.31	0.3	<0.01	1.9	0.4	1.60	4	1.9	<0.2	
1864573	Rock	0.030	9	10	0.08	261	0.046	<20	0.70	0.018	0.15	0.5	0.01	1.2	<0.1	0.88	2	2.7	<0.2	
1864574	Rock	0.004	2	5	0.34	60	0.016	<20	0.73	0.039	0.06	<0.1	<0.01	1.0	<0.1	0.36	1	0.6	<0.2	
1864575	Rock	0.003	2	4	0.33	33	0.012	<20	0.42	0.018	0.07	<0.1	<0.01	0.8	<0.1	0.49	<1	0.5	<0.2	
1864576	Rock	0.014	4	12	0.42	87	0.037	<20	1.40	0.069	0.12	0.2	0.01	1.8	<0.1	0.57	3	1.3	<0.2	
1864577	Rock	0.028	9	20	0.78	14	0.057	<20	2.08	0.030	0.11	1.1	0.01	2.3	<0.1	5.62	6	15.5	0.7	
1864578	Rock	0.072	12	13	0.46	153	0.001	<20	1.09	0.033	0.15	<0.1	<0.01	1.1	<0.1	1.90	3	3.0	<0.2	
1864579	Rock	0.048	12	10	0.35	199	0.001	<20	0.65	0.015	0.13	<0.1	<0.01	1.2	<0.1	1.28	2	3.9	<0.2	
1864580	Rock	0.026	16	14	0.50	214	0.002	<20	0.74	0.009	0.15	<0.1	<0.01	1.3	<0.1	1.27	2	2.0	<0.2	
1864581	Rock	0.017	14	14	0.41	200	0.001	<20	0.63	0.008	0.13	<0.1	<0.01	1.1	0.1	1.06	1	2.0	<0.2	
1864582	Rock	0.047	11	13	0.18	160	<0.001	<20	0.49	0.012	0.12	2.1	<0.01	1.4	0.1	1.27	1	3.2	<0.2	
1864583	Rock	0.044	11	15	0.36	241	0.002	<20	0.64	0.007	0.15	0.2	<0.01	1.2	0.2	1.33	2	2.7	<0.2	
1864584	Rock	0.032	16	15	0.35	250	0.002	<20	0.65	0.007	0.16	0.2	<0.01	1.1	0.3	1.58	2	3.4	<0.2	
1864585	Rock	0.145	15	22	0.28	155	0.001	<20	0.74	0.028	0.13	0.4	<0.01	1.9	0.1	0.61	2	2.5	<0.2	
1864586	Rock	0.031	14	16	0.45	200	0.002	<20	0.79	0.016	0.13	0.5	<0.01	2.4	0.2	1.87	2	4.4	<0.2	
1864587	Rock	0.113	28	14	0.19	131	<0.001	<20	0.69	0.028	0.13	0.2	<0.01	1.6	<0.1	1.49	1	3.3	<0.2	
1864588	Rock	0.026	15	15	0.39	137	0.001	<20	0.66	0.011	0.09	0.1	<0.01	1.9	0.1	1.53	2	3.1	<0.2	
1864589	Rock	0.040	14	14	0.45	136	0.001	<20	0.68	0.013	0.10	0.5	<0.01	1.8	0.2	3.11	2	4.0	<0.2	
1864590	Rock	0.033	13	13	0.28	172	0.001	<20	0.65	0.016	0.12	>100	<0.01	1.4	0.1	1.55	1	3.2	<0.2	
1864591	Rock	0.060	22	17	0.21	134	<0.001	<20	0.70	0.028	0.12	0.9	<0.01	2.0	<0.1	1.62	2	3.6	0.5	
1864592	Rock	0.084	35	9	0.15	141	<0.001	<20	0.60	0.019	0.15	0.4	<0.01	1.5	0.2	1.90	1	2.6	<0.2	
1864593	Rock	0.062	14	12	0.17	178	0.001	<20	0.64	0.015	0.15	0.4	<0.01	1.3	<0.1	1.33	1	1.9	<0.2	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 21, 2019

**Page:** 4 of 5

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000712.2

Method Analyte	Unit	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		MDL	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1864594	Rock	4.17	0.009	1.1	24.8	3.5	45	0.2	45.8	10.2	209	2.09	32.3	<0.5	8.3	17	<0.1	0.9	1.9	9	0.20	
1864595	Rock	5.18	0.007	1.0	37.4	2.7	54	0.3	40.8	10.1	364	2.46	167.4	<0.5	5.2	18	<0.1	1.2	1.4	14	0.41	
1864596	Rock	4.06	0.013	1.8	63.6	4.8	125	0.5	72.2	17.1	936	4.41	50.5	<0.5	6.4	27	0.1	2.5	3.1	27	0.83	
1864597	Rock	3.67	0.020	3.4	48.3	6.0	72	0.5	67.5	14.7	406	3.34	86.5	<0.5	10.4	36	0.2	1.6	4.4	24	0.98	
1864598	Rock	3.66	0.036	7.5	51.0	5.5	122	0.4	81.4	14.7	436	3.25	374.7	<0.5	7.2	46	0.9	9.0	4.0	68	1.37	
1864599	Rock	1.89	0.199	3.0	41.9	7.3	49	0.7	56.5	12.4	291	3.96	313.2	<0.5	10.2	24	0.5	5.2	3.9	14	0.50	
1864600	Rock	2.00	0.113	2.8	50.3	6.7	34	0.7	55.6	12.6	315	4.01	262.2	<0.5	9.9	26	0.3	5.1	3.9	14	0.65	
1864601	Rock	1.66	1.030	25.3	537.9	21.9	47	5.0	384.5	20.5	998	33.26	1209.2	<0.5	1.7	3	0.8	21.5	41.8	12	0.06	
1864602	Rock	3.05	0.130	4.7	44.7	13.9	65	1.3	42.0	10.7	976	3.08	189.1	0.8	7.9	441	1.0	2.6	8.1	37	11.99	
1864603	Rock	3.08	0.149	1.2	58.6	45.4	375	1.1	38.3	14.9	1050	3.58	111.3	12.9	11.1	205	9.9	1.4	8.3	29	9.05	
1864604	Rock	4.82	0.209	0.5	38.5	6.3	81	0.3	25.3	12.6	932	2.01	160.7	40.3	6.4	530	4.3	0.2	7.8	14	16.98	
1864605	Rock	5.10	0.505	0.3	32.9	6.5	16	0.4	19.3	9.7	817	2.04	83.7	139.5	5.3	525	0.2	0.2	11.1	11	17.27	
1864606	Rock	3.31	0.271	1.3	84.0	10.0	40	0.8	29.4	8.4	1029	3.78	20.5	15.3	5.7	323	0.8	1.2	16.6	34	12.26	
1864607	Rock	3.37	0.018	6.6	64.3	16.9	83	1.4	48.0	9.5	701	3.21	26.6	<0.5	7.4	63	1.3	1.5	3.1	33	1.57	
1864608	Rock	4.24	0.020	7.6	65.8	102.0	304	2.7	46.9	8.9	717	3.01	307.6	<0.5	6.2	59	3.2	6.6	3.8	26	0.66	
1864609	Rock	4.62	0.020	0.4	80.5	174.4	275	3.3	28.3	8.8	849	2.38	181.4	<0.5	4.4	54	2.6	2.1	1.4	22	0.41	
1864610	Rock Pulp	0.13	1.244	6.3	111.4	6715.0	1535	41.9	16.1	9.6	1083	3.81	52.9	1374.4	2.8	83	15.4	31.3	0.8	101	0.99	
1864611	Rock	5.42	0.058	0.7	71.8	1138.7	2772	7.5	33.8	9.3	2389	2.40	519.1	<0.5	4.8	69	32.3	3.6	3.9	15	0.64	
1864612	Rock	4.41	0.020	0.4	78.5	283.7	1179	4.7	27.0	8.8	2020	2.07	144.1	<0.5	3.8	76	13.6	3.7	1.6	17	1.18	
1864613	Rock	3.10	0.125	0.2	91.1	57.8	195	2.4	27.1	9.0	1321	2.43	207.0	<0.5	2.8	112	1.8	1.0	2.4	21	1.03	
1864614	Rock	3.67	0.244	0.4	67.4	47.6	320	2.5	37.0	6.4	369	1.58	498.9	14.5	3.0	32	4.5	1.5	5.1	16	0.32	
1864615	Rock	3.88	0.179	0.3	36.5	6.1	21	0.5	14.7	3.6	285	1.69	260.5	19.9	2.8	25	0.2	1.0	5.1	11	0.54	
1864616	Rock	4.82	0.022	0.2	15.9	4.2	17	0.4	10.3	2.3	149	0.98	13.3	0.7	2.8	13	0.3	0.8	2.6	6	0.21	
1864617	Rock	4.74	0.040	0.7	37.6	4.9	24	0.3	37.0	7.7	230	2.11	210.1	<0.5	5.4	29	0.1	0.8	2.4	12	0.50	
1864618	Rock	4.17	0.012	0.5	23.3	77.8	156	0.7	25.5	5.8	494	1.80	23.3	<0.5	5.3	17	1.5	1.2	1.3	11	0.21	
1864619	Rock	1.98	0.071	0.3	24.0	100.8	247	1.3	17.5	4.0	942	1.38	25.5	6.7	2.9	29	2.3	2.5	2.0	9	0.61	
1864620	Rock	2.04	0.100	0.2	23.3	127.2	310	1.5	18.2	4.2	1016	1.54	27.4	17.7	3.6	32	3.1	2.7	2.3	9	0.74	
1864621	Rock	4.35	0.030	0.3	19.4	126.0	607	1.4	15.0	2.8	860	1.03	104.9	<0.5	3.1	22	6.9	1.5	1.1	6	0.41	
1864622	Rock	4.67	0.086	0.2	20.2	99.3	277	1.2	10.1	2.3	394	1.16	99.3	6.0	2.7	16	3.3	1.1	2.5	7	0.34	
1864623	Rock	4.47	0.026	0.3	12.1	161.9	453	1.3	11.5	2.8	664	0.90	77.9	4.5	3.0	34	5.0	1.7	1.3	5	0.95	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 21, 2019

**Page:** 4 of 5

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000712.2

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	MA404	MA404
	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Ag	Zn	
	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
1864594	Rock	0.044	13	11	0.13	176	<0.001	<20	0.47	0.015	0.14	0.2	<0.01	1.0	<0.1	1.04	1	1.9	<0.2		
1864595	Rock	0.030	7	13	0.26	195	0.001	<20	0.61	0.009	0.11	0.1	<0.01	1.3	<0.1	1.25	2	1.8	<0.2		
1864596	Rock	0.092	8	17	0.49	192	0.002	<20	0.95	0.010	0.13	0.2	<0.01	1.9	0.1	2.45	2	3.4	<0.2		
1864597	Rock	0.181	14	14	0.19	154	0.001	<20	0.64	0.014	0.15	0.5	<0.01	1.4	<0.1	2.08	2	4.3	<0.2		
1864598	Rock	0.312	10	20	0.20	156	0.002	<20	0.68	0.011	0.15	0.3	<0.01	1.6	0.1	2.11	2	6.1	<0.2		
1864599	Rock	0.072	10	10	0.11	117	<0.001	<20	0.45	0.010	0.16	0.3	<0.01	1.3	0.1	3.27	<1	5.8	<0.2		
1864600	Rock	0.064	10	8	0.13	130	<0.001	<20	0.46	0.011	0.16	0.4	<0.01	1.1	0.2	3.28	<1	5.2	0.2		
1864601	Rock	0.005	<1	5	0.05	12	<0.001	<20	0.17	0.001	0.02	1.4	0.03	0.3	1.8	>10	<1	48.5	1.9		
1864602	Rock	0.038	9	18	0.89	79	0.001	<20	1.26	0.029	0.13	0.2	<0.01	3.3	0.2	1.49	3	4.0	0.3		
1864603	Rock	0.074	19	24	1.00	123	0.013	<20	1.61	0.025	0.13	0.3	0.02	4.2	0.2	1.84	4	3.9	0.4		
1864604	Rock	0.039	7	15	0.66	201	0.040	<20	1.39	0.019	0.09	0.3	0.01	2.4	<0.1	0.92	3	2.0	0.4		
1864605	Rock	0.043	7	11	0.58	168	0.037	<20	1.49	0.030	0.07	0.3	<0.01	2.0	<0.1	1.05	4	2.1	0.5		
1864606	Rock	0.061	7	19	1.34	89	0.043	<20	1.66	0.016	0.07	2.2	<0.01	3.3	<0.1	2.11	4	4.7	0.8		
1864607	Rock	0.108	8	15	0.76	219	0.002	<20	1.05	0.010	0.16	0.2	<0.01	2.0	0.1	1.70	3	3.8	<0.2		
1864608	Rock	0.064	6	11	0.46	215	0.002	<20	0.67	0.008	0.16	0.2	<0.01	1.2	0.1	1.84	2	2.9	<0.2		
1864609	Rock	0.027	9	13	0.52	303	0.002	<20	0.88	0.007	0.20	0.1	<0.01	1.7	0.1	0.66	2	<0.5	<0.2		
1864610	Rock Pulp	0.051	6	22	0.82	153	0.138	<20	1.81	0.199	0.23	1.6	0.23	3.4	0.1	0.22	5	<0.5	<0.2		
1864611	Rock	0.024	7	10	0.36	235	0.001	<20	0.50	0.006	0.17	1.6	0.03	1.5	0.1	0.99	1	1.8	0.3		
1864612	Rock	0.018	7	9	0.51	263	0.001	<20	0.55	0.006	0.18	0.1	<0.01	1.8	0.1	0.62	2	0.8	0.3		
1864613	Rock	0.313	6	9	0.51	325	0.003	<20	0.70	0.006	0.16	0.1	<0.01	3.0	0.1	0.96	2	1.0	<0.2		
1864614	Rock	0.011	7	9	0.32	307	0.002	<20	0.47	0.005	0.16	0.1	0.01	1.5	0.1	0.65	2	1.4	0.4		
1864615	Rock	0.026	6	9	0.27	150	0.002	<20	0.36	0.008	0.10	0.1	<0.01	1.3	<0.1	0.79	1	1.4	0.3		
1864616	Rock	0.018	8	8	0.16	108	0.002	<20	0.24	0.008	0.07	<0.1	<0.01	0.9	<0.1	0.40	<1	0.6	<0.2		
1864617	Rock	0.033	11	12	0.33	166	0.001	<20	0.56	0.013	0.13	<0.1	<0.01	1.3	<0.1	1.01	2	2.1	<0.2		
1864618	Rock	0.029	11	14	0.26	169	0.002	<20	0.57	0.011	0.13	0.1	<0.01	1.3	<0.1	0.58	2	0.8	<0.2		
1864619	Rock	0.022	8	10	0.26	100	0.001	<20	0.32	0.005	0.07	0.1	<0.01	1.1	<0.1	0.43	<1	0.9	0.2		
1864620	Rock	0.023	8	10	0.27	121	0.001	<20	0.34	0.008	0.08	0.1	<0.01	1.2	<0.1	0.49	1	1.3	0.2		
1864621	Rock	0.015	7	7	0.19	89	<0.001	<20	0.24	0.008	0.08	<0.1	0.01	0.8	<0.1	0.32	<1	0.7	<0.2		
1864622	Rock	0.015	6	9	0.20	68	0.003	<20	0.25	0.007	0.06	<0.1	<0.01	0.8	<0.1	0.41	<1	0.9	<0.2		
1864623	Rock	0.013	9	9	0.19	79	0.001	<20	0.22	0.007	0.07	<0.1	<0.01	0.8	<0.1	0.24	<1	0.8	<0.2		



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 21, 2019

Page: 5 of 5

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000712.2

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1864624	Rock	4.60	0.062	0.2	24.9	142.8	328	2.1	16.2	2.8	1185	1.26	85.1	3.4	2.5	49	3.6	2.7	3.0	7	1.70



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 21, 2019

Page: 5 of 5

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000712.2

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	MA404	MA404
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Ag	Zn	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	0.01	
1864624	Rock	0.032	5	7	0.28	82	<0.001	<20	0.23	0.003	0.08	0.1	<0.01	0.9	<0.1	0.47	<1	1.5	<0.2		



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: McQuesten  
Report Date: November 21, 2019

Page: 1 of 2

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000712.2

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
Pulp Duplicates																					
1864543	Rock	3.67	0.256	0.7	57.0	7.4	81	0.5	39.7	15.3	617	3.12	46.5	88.8	9.2	72	0.3	0.5	7.0	20	2.84
REP 1864543	QC			0.8	53.6	7.4	76	0.5	38.4	15.3	601	3.07	46.1	128.1	9.3	70	0.3	0.5	7.7	20	2.84
1864548	Rock	4.30	0.169	0.7	22.3	10.7	70	0.3	20.6	9.6	878	1.67	9.5	13.9	4.7	778	2.8	0.5	4.0	20	20.19
REP 1864548	QC		0.168																		
1864578	Rock	4.33	0.016	2.8	39.0	7.0	70	0.4	65.3	13.2	319	3.99	27.7	<0.5	11.5	25	0.2	0.4	1.7	22	0.33
REP 1864578	QC			2.7	37.7	7.0	67	0.4	63.0	12.9	306	3.86	27.1	<0.5	11.2	25	0.2	0.4	1.6	21	0.31
1864613	Rock	3.10	0.125	0.2	91.1	57.8	195	2.4	27.1	9.0	1321	2.43	207.0	<0.5	2.8	112	1.8	1.0	2.4	21	1.03
REP 1864613	QC			0.2	86.0	56.1	189	2.4	28.4	8.4	1252	2.39	219.7	<0.5	2.7	107	2.2	1.0	2.3	20	1.01
REP 1864624	QC			0.3	27.9	156.0	369	2.4	18.7	3.6	1206	1.31	97.4	4.0	2.5	56	3.9	2.7	3.7	7	1.73
Core Reject Duplicates																					
1864556	Rock	4.41	0.010	0.4	61.9	6.1	52	0.6	41.3	18.3	286	4.03	156.9	<0.5	9.0	47	0.2	0.4	2.4	19	0.61
DUP 1864556	QC		0.009	0.4	62.5	6.3	55	0.6	42.8	19.0	301	4.15	157.8	<0.5	9.5	48	0.2	0.4	2.5	20	0.64
1864590	Rock	4.25	0.013	1.1	179.6	6.1	25	70.0	73.3	11.3	268	3.14	25.0	<0.5	7.3	18	0.2	0.7	3.5	13	0.32
DUP 1864590	QC		0.013	1.0	207.4	5.5	26	84.0	76.0	11.7	248	3.10	25.9	<0.5	6.9	16	0.1	0.8	3.4	13	0.31
1864624	Rock	4.60	0.062	0.2	24.9	142.8	328	2.1	16.2	2.8	1185	1.26	85.1	3.4	2.5	49	3.6	2.7	3.0	7	1.70
DUP 1864624	QC		0.088	0.2	28.3	153.5	351	2.3	17.0	3.3	1236	1.43	88.9	5.7	2.4	53	4.1	2.5	3.7	8	1.80
Reference Materials																					
STD BVGEO01	Standard			11.7	4563.2	200.1	1782	2.7	164.3	26.0	754	3.77	120.8	233.4	16.9	59	6.8	2.9	27.1	77	1.33
STD BVGEO01	Standard			10.6	4363.2	174.8	1708	2.4	163.4	23.9	692	3.60	120.2	213.5	13.1	53	5.6	1.6	22.1	73	1.27
STD DS11	Standard			15.2	153.7	157.3	351	1.7	87.9	14.5	1060	3.22	47.6	377.7	9.6	75	2.5	7.0	13.1	53	1.08
STD DS11	Standard			14.6	151.1	140.0	348	1.9	77.5	13.6	1008	3.08	42.3	159.9	8.2	67	2.7	6.9	11.8	48	1.06
STD OREAS134B	Standard																				
STD OREAS133A	Standard																				
STD OREAS262	Standard			0.7	119.1	60.1	152	0.5	67.2	27.1	593	3.39	38.5	66.3	10.8	39	0.8	2.7	1.1	23	3.01
STD OREAS262	Standard			0.7	117.8	57.8	137	0.5	66.4	27.7	567	3.36	37.3	64.9	10.4	37	0.7	3.1	1.1	24	3.10
STD OREAS263	Standard		0.210																		
STD OREAS263	Standard		0.198																		
STD OREAS262	Standard			0.6	111.2	52.0	144	0.4	64.7	26.1	519	3.10	34.7	46.9	8.5	33	0.6	1.6	0.9	21	2.81



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 21, 2019

Page: 1 of 2

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000712.2

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	MA404	MA404		
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Ag	Zn		
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%		
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	0.01		
Pulp Duplicates																						
1864543	Rock	0.076	12	23	0.99	194	0.031	<20	1.82	0.047	0.28	4.0	<0.01	2.7	0.2	0.77	5	2.5	0.3			
REP 1864543	QC	0.071	12	23	1.01	188	0.032	<20	1.82	0.050	0.27	3.9	<0.01	2.8	0.2	0.84	5	2.7	0.4			
1864548	Rock	0.043	6	19	0.62	358	0.045	<20	2.16	0.118	0.27	0.3	<0.01	2.7	0.2	0.72	5	1.1	0.2			
REP 1864548	QC																					
1864578	Rock	0.072	12	13	0.46	153	0.001	<20	1.09	0.033	0.15	<0.1	<0.01	1.1	<0.1	1.90	3	3.0	<0.2			
REP 1864578	QC	0.070	12	12	0.46	158	0.001	<20	1.05	0.031	0.14	<0.1	<0.01	1.1	<0.1	1.83	3	2.8	<0.2			
1864613	Rock	0.313	6	9	0.51	325	0.003	<20	0.70	0.006	0.16	0.1	<0.01	3.0	0.1	0.96	2	1.0	<0.2			
REP 1864613	QC	0.297	6	10	0.49	299	0.003	<20	0.67	0.006	0.15	0.2	<0.01	2.8	0.1	0.93	2	0.8	0.2			
REP 1864624	QC	0.034	5	8	0.29	87	0.001	<20	0.23	0.004	0.08	0.1	<0.01	1.0	<0.1	0.47	<1	1.5	<0.2			
Core Reject Duplicates																						
1864556	Rock	0.030	9	20	0.97	126	0.079	<20	2.07	0.062	0.70	0.3	<0.01	3.1	0.8	2.09	5	2.2	<0.2			
DUP 1864556	QC	0.032	9	21	1.01	124	0.082	<20	2.17	0.063	0.73	0.3	<0.01	3.2	0.8	2.12	6	2.2	<0.2			
1864590	Rock	0.033	13	13	0.28	172	0.001	<20	0.65	0.016	0.12	>100	<0.01	1.4	0.1	1.55	1	3.2	<0.2			
DUP 1864590	QC	0.032	12	12	0.28	155	<0.001	<20	0.66	0.016	0.12	>100	<0.01	1.3	<0.1	1.60	2	2.5	<0.2			
1864624	Rock	0.032	5	7	0.28	82	<0.001	<20	0.23	0.003	0.08	0.1	<0.01	0.9	<0.1	0.47	<1	1.5	<0.2			
DUP 1864624	QC	0.032	5	8	0.29	87	<0.001	<20	0.24	0.004	0.08	<0.1	<0.01	1.0	<0.1	0.48	<1	1.2	0.3			
Reference Materials																						
STD BVGE001	Standard	0.070	28	166	1.35	372	0.246	<20	2.39	0.202	0.92	3.5	0.11	6.2	0.6	0.67	7	5.2	1.0			
STD BVGE001	Standard	0.068	25	164	1.26	318	0.229	<20	2.28	0.185	0.88	3.3	0.09	5.6	0.6	0.67	7	4.7	0.9			
STD DS11	Standard	0.076	20	68	0.86	456	0.100	<20	1.18	0.073	0.41	3.2	0.25	3.5	5.3	0.28	5	2.0	5.0			
STD DS11	Standard	0.072	20	58	0.83	400	0.097	<20	1.14	0.071	0.39	2.3	0.28	3.0	5.0	0.28	5	2.1	4.6			
STD OREAS134B	Standard																			206	17.69	
STD OREAS133A	Standard																				97	10.94
STD OREAS262	Standard	0.037	16	45	1.23	270	0.003	<20	1.36	0.071	0.31	0.1	0.15	3.6	0.5	0.27	4	<0.5	<0.2			
STD OREAS262	Standard	0.042	15	42	1.23	265	0.003	<20	1.28	0.072	0.31	0.1	0.15	3.7	0.5	0.27	4	<0.5	0.2			
STD OREAS263	Standard																					
STD OREAS263	Standard																					
STD OREAS262	Standard	0.036	14	40	1.13	238	0.003	<20	1.27	0.067	0.29	<0.1	0.17	2.9	0.5	0.27	4	0.6	0.2			





Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 21, 2019

Page: 2 of 2 Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000712.2

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
STD OREAS262	Standard			0.6	123.1	57.6	156	0.5	61.9	26.0	540	3.34	37.0	56.7	9.7	36	0.7	1.9	1.0	21	3.05
STD OREAS263	Standard		0.206																		
STD OXI138	Standard		1.888																		
STD OXI138	Standard		1.929																		
STD OXI138	Standard		1.806																		
STD OXN117	Standard		7.822																		
STD OXN117	Standard		7.544																		
STD OXN117	Standard		7.585																		
STD BVGEO01 Expected				10.8	4415	187	1741	2.53	163	25	733	3.7	121	219	14.4	55	6.5	2.2	25.6	73	1.3219
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063
STD OREAS262 Expected				0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	65	9.33	36	0.61	3.39	1.03	22.5	2.98
STD OXI138 Expected			1.86																		
STD OREAS263 Expected			0.21																		
STD OXN117 Expected			7.679																		
STD OREAS134B Expected																					
STD OREAS133A Expected																					
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	0.03
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank		<0.005	0.8	5.3	1.1	30	<0.1	1.6	4.1	550	1.95	1.1	<0.5	2.1	22	<0.1	<0.1	<0.1	26	0.72
ROCK-WHI	Prep Blank		<0.005	0.7	2.9	0.9	29	<0.1	1.2	3.8	506	1.88	1.2	<0.5	2.0	19	<0.1	0.1	<0.1	25	0.68



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 21, 2019

Page: 2 of 2

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000712.2

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	MA404	MA404	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Ag	Zn
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	0.01
STD OREAS262	Standard	0.037	18	44	1.20	259	0.003	<20	1.30	0.070	0.32	<0.1	0.17	3.4	0.5	0.26	4	<0.5	0.2		
STD OREAS263	Standard																				
STD OXI138	Standard																				
STD OXI138	Standard																				
STD OXI138	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD BVGE001 Expected		0.0727	25.9	171	1.2963	340	0.233		2.347	0.1924	0.89	3.5	0.1	5.97	0.62	0.6655	7.37	4.84	1.02		
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56		
STD OREAS262 Expected		0.04	15.9	41.7	1.17	248	0.003		1.204	0.071	0.312	0.13	0.17	3.24	0.47	0.253	3.73	0.4	0.23		
STD OXI138 Expected																					
STD OREAS263 Expected																					
STD OXN117 Expected																					
STD OREAS134B Expected																				209	18.03
STD OREAS133A Expected																				99.9	10.87
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank																				
BLK	Blank																				
BLK	Blank																			<2	<0.01
Prep Wash																					
ROCK-WHI	Prep Blank	0.039	6	5	0.55	63	0.088	<20	0.98	0.091	0.10	<0.1	<0.01	3.1	<0.1	<0.05	4	<0.5	<0.2		
ROCK-WHI	Prep Blank	0.039	6	5	0.52	53	0.075	<20	0.89	0.075	0.08	<0.1	<0.01	2.6	<0.1	<0.05	4	<0.5	<0.2		



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Submitted By: James Thom  
Receiving Lab: Canada-Whitehorse  
Received: November 06, 2019  
Report Date: November 20, 2019  
Page: 1 of 4

## CERTIFICATE OF ANALYSIS

WHI19000746.1

### CLIENT JOB INFORMATION

Project: McQuesten  
Shipment ID: MQ-19-27a  
P.O. Number  
Number of Samples: 71

### SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps  
PICKUP-RJT Client to Pickup Rejects

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Banyan Gold Corp.  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7  
Canada

CC: Paul Gray

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	69	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	2	Sort, label and box pulps			WHI
FA450	71	50g Lead Collection Fire Assay Fusion - AAS Finish	50	Completed	VAN
EN002	71	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	71	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	71	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS

  
MAY LAI  
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 20, 2019

**Page:** 2 of 4

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000746.1

Method Analyte Unit MDL	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1864625	Rock	2.72	0.175	0.4	31.3	8.3	102	0.2	16.2	7.2	777	1.98	28.9	145.7	5.9	144	0.3	0.3	4.6	23	6.02
1864626	Rock	1.85	0.266	0.7	51.6	15.0	135	0.4	33.5	15.7	821	2.83	38.4	179.1	8.4	144	0.5	1.0	7.7	34	6.31
1864627	Rock	3.57	0.571	0.7	78.6	6.9	71	0.5	29.5	17.7	326	3.63	54.5	161.5	11.8	18	0.5	0.5	12.4	24	0.34
1864628	Rock	4.97	0.435	0.6	105.5	6.5	88	0.6	40.4	17.3	370	3.78	36.1	290.3	8.0	105	0.6	0.5	12.1	50	1.91
1864629	Rock	5.00	0.421	1.2	62.3	25.3	81	0.8	39.9	18.3	573	2.86	205.4	245.0	8.6	171	0.7	0.5	10.8	33	5.47
1864630	Rock	0.65	<0.005	<0.1	0.4	0.2	<1	<0.1	<0.1	<0.1	56	0.05	<0.5	2.9	<0.1	73	<0.1	<0.1	<0.1	<1	34.32
1864631	Rock	4.64	0.128	0.7	66.1	7.9	46	0.5	27.5	13.4	392	3.34	62.0	86.4	8.8	162	0.3	0.3	5.5	19	5.23
1864632	Rock	2.73	0.019	0.5	36.5	46.7	177	4.9	33.8	16.2	253	2.46	94.6	4.9	10.3	69	2.3	0.5	3.3	12	0.75
1864633	Rock	2.57	0.025	0.9	66.2	9.4	46	0.7	36.6	17.0	283	3.64	94.8	6.8	11.4	45	0.3	0.6	6.4	22	0.75
1864634	Rock	3.97	0.200	1.5	22.5	13.5	85	0.4	17.9	6.3	415	1.23	36.2	104.0	8.5	183	1.0	0.4	6.1	26	4.78
1864635	Rock	5.10	0.300	2.2	65.5	12.5	57	1.0	35.0	14.5	565	3.16	1367.0	108.6	8.2	189	1.0	0.8	12.3	41	4.77
1864636	Rock	4.99	0.074	0.7	45.6	15.2	110	0.4	28.1	13.2	1055	2.61	137.5	22.8	7.3	465	2.8	0.3	5.1	36	15.22
1864637	Rock	4.39	0.167	0.6	52.3	9.4	64	0.5	27.8	11.7	340	2.63	39.7	208.5	12.6	83	1.1	0.3	6.6	20	2.44
1864638	Rock	4.92	0.323	0.8	58.0	7.9	40	0.5	31.8	13.7	468	2.57	77.7	162.9	11.3	83	0.2	0.3	11.5	17	2.95
1864639	Rock	2.31	0.089	1.0	55.3	106.0	260	2.8	28.6	11.5	585	2.50	67.0	28.7	8.2	73	2.6	0.7	5.5	20	1.94
1864640	Rock	2.32	0.099	1.1	58.0	204.0	539	3.6	26.9	10.6	739	2.45	54.8	120.3	8.1	82	5.2	0.6	4.9	19	2.28
1864641	Rock	4.10	1.725	5.4	28.0	177.1	327	5.7	29.6	8.5	1079	1.57	378.6	796.7	4.5	75	3.1	4.6	44.5	50	2.50
1864642	Rock	3.46	0.432	6.9	27.9	242.5	897	33.7	40.7	6.7	3806	2.95	88.1	145.5	4.2	495	11.0	9.3	42.7	87	17.51
1864643	Rock	4.30	1.036	1.1	29.0	5.0	29	0.6	11.0	3.2	528	1.21	16.8	243.4	2.6	522	0.6	0.4	20.3	19	27.10
1864644	Rock	4.05	0.078	8.3	43.2	12.0	51	0.8	43.4	9.7	515	2.20	324.6	2.0	4.9	277	1.0	0.5	4.2	54	12.45
1864645	Rock	4.68	0.022	0.7	50.3	22.9	56	1.0	27.5	13.9	424	3.89	75.4	4.8	12.5	33	0.3	0.3	3.0	23	1.27
1864646	Rock	4.83	0.020	12.5	58.9	252.3	1175	4.6	84.2	10.6	1211	2.92	49.1	5.5	6.4	51	16.9	1.2	2.4	82	1.29
1864647	Rock	4.79	0.013	0.9	68.8	149.0	548	2.4	45.9	6.2	1371	2.09	17.3	4.9	4.2	32	6.5	1.4	1.6	18	0.85
1864648	Rock	3.93	0.011	4.6	61.1	14.0	69	0.9	56.5	7.6	1133	2.54	9.6	3.0	4.3	40	0.6	1.2	2.4	20	0.60
1864649	Rock	5.17	0.015	9.8	64.0	47.1	294	1.7	72.6	12.9	1951	3.48	14.4	2.5	5.7	42	2.7	1.1	2.6	33	0.72
1864650	Rock Pulp	0.13	1.246	6.3	110.6	6658.0	1518	42.6	15.7	10.5	1073	3.80	50.6	1120.8	2.6	88	15.5	30.8	0.8	99	1.10
1864651	Rock	3.18	0.022	8.0	85.5	96.3	225	2.0	70.5	16.6	1064	3.84	32.9	1.8	4.5	29	1.9	1.9	3.7	37	0.52
1864652	Rock	3.93	0.021	9.6	69.4	13.3	760	1.0	77.5	5.7	238	2.04	14.8	<0.5	2.4	26	13.8	2.1	2.5	134	0.53
1864653	Rock	4.41	0.015	5.4	48.0	28.6	53	1.7	42.2	6.8	312	2.18	128.6	1.5	4.8	51	0.8	0.6	2.9	44	0.87
1864654	Rock	4.94	0.025	8.8	52.2	10.7	575	0.9	60.6	8.1	589	3.19	32.7	2.4	5.5	60	11.8	0.6	3.0	75	1.51



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 20, 2019

**Page:** 2 of 4

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000746.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
1864625	Rock	0.054	11	22	1.20	96	0.076	<20	2.75	0.114	0.13	4.0	<0.01	2.6	0.1	0.40	8	1.5	0.2
1864626	Rock	0.047	12	27	1.36	97	0.086	<20	2.46	0.058	0.16	3.9	<0.01	5.2	0.3	0.43	8	3.0	0.3
1864627	Rock	0.033	15	22	1.03	79	0.116	<20	1.68	0.017	0.27	<0.1	<0.01	3.3	0.2	0.42	5	5.5	0.8
1864628	Rock	0.049	10	34	1.41	155	0.083	<20	3.68	0.139	0.40	0.3	<0.01	4.8	0.4	1.19	11	6.3	0.7
1864629	Rock	0.042	12	25	0.79	126	0.069	<20	3.14	0.138	0.30	3.7	<0.01	4.4	0.4	1.11	9	3.6	0.6
1864630	Rock	0.006	<1	<1	0.38	8	0.002	<20	0.03	0.002	0.02	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
1864631	Rock	0.029	10	18	0.64	94	0.046	<20	1.88	0.049	0.23	17.2	<0.01	3.0	0.3	1.49	5	4.2	0.3
1864632	Rock	0.025	12	12	0.53	117	0.040	<20	1.75	0.057	0.23	0.3	<0.01	2.3	0.2	0.79	5	2.1	<0.2
1864633	Rock	0.035	13	17	0.80	117	0.098	<20	2.05	0.053	0.25	0.9	<0.01	2.8	0.2	1.50	6	3.4	0.3
1864634	Rock	0.055	13	24	0.68	150	0.074	<20	3.56	0.175	0.23	0.7	<0.01	2.4	0.2	0.23	10	0.8	0.3
1864635	Rock	0.053	10	24	0.89	143	0.071	<20	3.26	0.160	0.26	0.8	<0.01	3.2	0.3	1.54	9	4.3	1.1
1864636	Rock	0.049	10	25	0.65	126	0.065	<20	2.49	0.114	0.28	0.5	<0.01	3.9	0.3	0.97	6	1.5	<0.2
1864637	Rock	0.049	14	15	0.57	106	0.047	<20	2.11	0.072	0.20	0.6	<0.01	2.5	0.2	1.21	5	2.9	0.3
1864638	Rock	0.036	15	15	0.62	161	0.037	<20	1.75	0.054	0.28	17.3	<0.01	2.5	0.3	1.26	5	3.0	0.5
1864639	Rock	0.027	15	13	0.62	175	0.019	<20	1.29	0.022	0.24	0.3	<0.01	2.3	0.3	0.97	4	3.1	0.2
1864640	Rock	0.028	15	12	0.61	138	0.017	<20	1.28	0.023	0.21	0.2	<0.01	2.4	0.3	0.95	4	3.2	<0.2
1864641	Rock	0.044	16	8	0.39	181	0.002	<20	0.40	0.006	0.09	0.2	0.01	1.8	0.1	0.26	1	1.5	1.4
1864642	Rock	0.037	11	9	1.11	97	0.001	<20	0.69	0.003	0.13	0.2	0.06	2.6	0.2	0.24	2	4.5	2.0
1864643	Rock	0.009	5	7	0.30	78	0.013	<20	0.71	0.018	0.05	0.3	<0.01	1.6	<0.1	0.54	2	1.2	1.1
1864644	Rock	0.021	9	11	0.26	114	0.020	<20	0.83	0.013	0.13	0.6	<0.01	1.9	0.1	1.13	2	2.9	0.3
1864645	Rock	0.027	23	17	0.68	170	0.003	<20	1.25	0.009	0.27	0.1	<0.01	2.4	0.3	1.68	4	2.6	<0.2
1864646	Rock	0.210	8	11	0.34	207	0.002	<20	0.78	0.012	0.22	0.2	0.02	1.3	0.2	1.71	2	9.2	<0.2
1864647	Rock	0.029	9	9	0.34	259	0.001	<20	0.65	0.010	0.18	0.1	<0.01	1.2	0.1	0.92	2	1.9	<0.2
1864648	Rock	0.062	8	8	0.46	194	0.001	<20	0.75	0.008	0.16	0.1	<0.01	1.1	0.1	1.30	2	2.2	<0.2
1864649	Rock	0.065	10	13	0.48	112	0.002	<20	0.88	0.010	0.19	0.2	<0.01	1.4	0.2	1.81	2	2.8	<0.2
1864650	Rock Pulp	0.058	7	21	0.84	157	0.151	<20	1.93	0.222	0.23	1.3	0.23	3.0	0.1	0.22	5	<0.5	<0.2
1864651	Rock	0.052	9	13	0.53	111	0.002	<20	0.83	0.006	0.17	0.2	<0.01	1.5	0.2	2.08	2	5.3	<0.2
1864652	Rock	0.187	8	20	0.29	319	0.002	<20	0.62	0.007	0.16	0.4	0.02	1.1	0.2	1.04	2	10.9	<0.2
1864653	Rock	0.129	9	12	0.37	238	0.001	<20	0.80	0.012	0.17	0.2	<0.01	1.2	0.2	1.17	2	5.3	<0.2
1864654	Rock	0.189	8	11	0.66	133	0.002	<20	1.14	0.018	0.19	0.1	0.02	1.5	0.2	1.73	3	7.8	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 20, 2019

**Page:** 3 of 4

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000746.1

Method Analyte Unit MDL	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1864655	Rock	4.47	0.014	1.2	33.6	5.3	105	0.5	50.7	9.1	873	3.24	24.6	1.1	7.0	34	<0.1	0.5	3.3	15	0.93
1864656	Rock	4.69	0.013	1.3	56.3	30.8	75	0.7	49.2	8.0	301	2.44	18.2	2.3	5.8	16	0.6	0.6	2.8	20	0.38
1864657	Rock	4.49	0.010	1.1	27.3	7.0	149	0.4	56.6	10.0	219	1.99	29.7	2.4	6.1	16	<0.1	0.5	2.1	9	0.15
1864658	Rock	4.95	0.021	1.3	27.1	7.6	43	0.4	49.8	13.0	212	3.35	33.7	0.6	11.2	27	<0.1	1.0	4.1	15	0.35
1864659	Rock	2.25	0.018	1.4	32.7	6.7	44	0.3	52.4	13.3	309	4.06	19.4	1.2	5.7	26	<0.1	1.2	2.3	24	0.29
1864660	Rock	2.16	0.020	1.5	34.5	6.1	46	0.4	57.1	14.6	340	4.31	22.1	<0.5	6.1	26	<0.1	1.4	2.4	25	0.29
1864661	Rock	5.14	0.015	1.2	20.1	5.6	43	0.2	43.8	9.8	396	3.58	21.6	1.4	5.5	24	<0.1	1.0	2.2	18	0.22
1864662	Rock	4.34	0.014	1.2	30.6	14.1	32	0.7	45.4	9.5	352	2.76	34.6	1.4	8.1	17	<0.1	1.9	2.5	18	0.40
1864663	Rock	4.83	0.012	1.6	48.3	5.5	36	0.4	54.7	11.4	369	3.10	26.8	1.8	5.9	19	<0.1	0.8	1.9	21	0.25
1864664	Rock	4.24	0.016	1.2	42.6	4.4	108	0.3	63.1	12.4	777	4.31	45.1	<0.5	4.4	15	0.1	0.7	1.9	32	0.23
1864665	Rock	4.79	0.023	1.5	46.7	7.0	353	0.4	125.4	25.7	335	3.73	27.4	1.3	5.5	26	<0.1	1.5	4.6	22	0.42
1864666	Rock	4.93	0.017	1.6	48.5	6.1	252	0.4	118.0	21.8	260	3.53	37.5	1.2	6.4	22	<0.1	1.2	3.9	20	0.20
1864667	Rock	3.86	0.014	1.3	33.5	4.1	113	0.3	64.4	14.6	317	3.37	32.9	1.2	4.0	21	<0.1	1.0	1.8	23	0.17
1864668	Rock	3.16	0.011	1.4	38.1	16.9	153	0.6	85.5	14.4	477	3.82	42.9	1.4	3.1	17	0.5	2.1	1.7	27	0.19
1864669	Rock	5.17	0.010	0.9	41.4	2.9	75	0.2	53.1	9.3	302	1.96	15.7	1.0	3.5	9	<0.1	1.4	1.0	13	0.07
1864670	Rock	0.48	<0.005	<0.1	0.9	0.2	1	<0.1	2.1	0.3	107	0.06	0.6	<0.5	<0.1	96	<0.1	<0.1	<0.1	<1	36.42
1864671	Rock	4.12	0.013	1.0	55.4	79.2	453	1.7	77.7	15.2	853	2.30	40.4	<0.5	6.0	17	3.4	7.4	1.2	20	0.20
1864672	Rock	4.72	0.012	1.7	39.2	3.6	211	0.2	54.0	12.6	1871	4.45	38.7	1.0	4.8	19	0.2	0.7	0.4	40	0.25
1864673	Rock	4.55	0.018	1.2	31.6	3.1	142	0.2	53.1	11.2	893	2.87	13.9	1.3	4.1	18	<0.1	1.3	0.6	31	0.45
1864674	Rock	3.64	0.009	1.1	46.3	3.5	137	0.4	49.9	11.2	486	2.50	20.4	<0.5	4.6	14	0.1	3.5	0.5	21	0.20
1864675	Rock	4.79	0.139	4.0	42.6	11.9	211	1.2	60.3	13.5	543	2.85	141.5	1.0	6.0	23	2.5	1.1	1.1	22	0.47
1864676	Rock	3.15	0.047	20.9	50.1	51.6	283	2.0	81.7	11.1	491	1.80	190.5	<0.5	3.2	30	3.8	2.9	1.0	53	0.69
1864677	Rock	2.77	0.061	9.6	51.3	8.8	142	0.7	59.2	13.0	518	2.88	53.2	3.2	7.0	82	2.3	3.3	5.4	47	3.59
1864678	Rock	4.48	0.159	0.7	41.3	8.6	92	0.7	28.9	14.9	1015	2.71	8.7	30.6	8.0	440	3.5	0.9	6.1	22	16.30
1864679	Rock	2.25	0.988	0.6	58.6	48.7	87	10.5	25.5	10.3	1448	2.88	153.4	120.1	5.5	466	4.0	3.4	22.4	13	15.47
1864680	Rock	2.20	0.687	0.6	46.4	47.9	79	8.0	28.3	14.0	1455	2.91	175.4	69.9	4.9	527	3.6	2.7	16.9	12	17.69
1864681	Rock	2.64	0.129	0.9	50.8	440.0	729	8.7	23.4	7.7	3253	2.86	314.1	11.4	3.3	217	8.4	3.6	5.3	8	6.01
1864682	Rock	3.21	0.026	0.6	9.6	130.7	240	2.3	14.4	3.0	6853	1.57	38.7	<0.5	1.9	611	2.8	2.7	0.6	9	15.05
1864683	Rock	3.72	0.037	0.3	11.7	166.0	444	2.1	6.4	1.7	2735	1.18	315.1	3.9	2.3	23	4.9	0.9	1.5	4	0.56
1864684	Rock	4.50	0.011	0.4	9.8	159.2	433	2.4	8.0	2.2	1509	0.88	177.4	2.1	3.2	22	4.6	0.9	1.2	6	0.45



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 20, 2019

**Page:** 3 of 4

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000746.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
1864655	Rock	0.060	18	11	0.30	143	<0.001	<20	0.78	0.020	0.13	<0.1	<0.01	1.3	<0.1	1.61	2	2.7	<0.2
1864656	Rock	0.021	13	11	0.28	220	<0.001	<20	0.67	0.016	0.15	<0.1	<0.01	1.4	<0.1	1.30	2	2.7	<0.2
1864657	Rock	0.029	12	8	0.16	150	<0.001	<20	0.55	0.018	0.13	<0.1	<0.01	0.8	0.1	1.03	1	1.4	<0.2
1864658	Rock	0.067	19	11	0.31	140	<0.001	<20	1.02	0.033	0.14	0.1	<0.01	1.5	0.1	1.96	2	2.0	<0.2
1864659	Rock	0.070	13	18	0.51	162	0.001	<20	1.66	0.043	0.13	<0.1	<0.01	1.8	<0.1	1.69	4	1.9	<0.2
1864660	Rock	0.074	13	20	0.57	165	0.001	<20	1.70	0.043	0.13	<0.1	<0.01	2.0	0.2	1.80	4	1.6	<0.2
1864661	Rock	0.063	14	15	0.43	178	0.001	<20	1.43	0.039	0.14	0.1	<0.01	1.7	<0.1	1.29	4	0.9	<0.2
1864662	Rock	0.048	14	11	0.35	174	<0.001	<20	0.97	0.019	0.14	0.1	<0.01	1.5	<0.1	1.34	2	1.9	<0.2
1864663	Rock	0.060	12	13	0.35	237	<0.001	<20	1.17	0.030	0.15	0.1	<0.01	1.4	<0.1	1.35	3	2.4	<0.2
1864664	Rock	0.072	11	18	0.89	192	0.002	<20	1.88	0.022	0.12	0.1	<0.01	2.1	<0.1	1.72	5	2.5	<0.2
1864665	Rock	0.104	12	14	0.43	163	0.001	<20	1.28	0.034	0.17	0.1	<0.01	1.6	0.1	1.94	3	3.4	<0.2
1864666	Rock	0.079	14	11	0.41	205	0.001	<20	1.36	0.030	0.16	<0.1	<0.01	1.5	0.1	1.77	3	2.4	<0.2
1864667	Rock	0.060	11	16	0.49	196	0.001	<20	1.51	0.044	0.12	0.3	<0.01	1.7	<0.1	1.30	4	1.9	<0.2
1864668	Rock	0.070	9	15	0.56	160	0.001	<20	1.57	0.028	0.09	<0.1	<0.01	1.8	0.1	1.38	4	2.5	<0.2
1864669	Rock	0.021	9	11	0.26	203	0.001	<20	0.71	0.014	0.11	<0.1	<0.01	1.2	<0.1	0.81	2	1.2	<0.2
1864670	Rock	0.006	1	<1	0.70	9	<0.001	<20	0.03	0.001	0.02	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1864671	Rock	0.035	14	11	0.33	255	0.001	<20	0.98	0.019	0.15	0.1	<0.01	1.5	<0.1	0.56	3	1.6	<0.2
1864672	Rock	0.071	10	22	0.80	224	0.002	<20	1.67	0.018	0.11	<0.1	<0.01	2.8	<0.1	0.61	4	0.6	<0.2
1864673	Rock	0.022	11	24	0.71	262	0.002	<20	1.29	0.013	0.11	<0.1	<0.01	2.0	<0.1	0.64	3	0.8	<0.2
1864674	Rock	0.035	11	14	0.47	216	0.001	<20	1.06	0.020	0.11	0.1	<0.01	1.6	<0.1	0.72	3	1.5	<0.2
1864675	Rock	0.066	9	8	0.25	155	<0.001	<20	0.72	0.024	0.12	0.1	<0.01	1.0	0.1	1.84	2	5.1	<0.2
1864676	Rock	0.036	6	5	0.18	198	<0.001	<20	0.29	0.007	0.14	0.3	<0.01	1.0	0.1	1.26	<1	5.3	<0.2
1864677	Rock	0.045	10	15	0.84	126	0.001	<20	0.98	0.027	0.14	0.2	<0.01	2.6	0.1	1.46	3	3.9	0.2
1864678	Rock	0.043	19	20	1.13	136	0.030	<20	1.34	0.026	0.18	0.3	<0.01	3.7	0.2	1.23	3	2.3	0.3
1864679	Rock	0.032	4	11	1.00	87	<0.001	<20	0.88	0.026	0.17	0.2	<0.01	2.6	0.2	1.58	2	3.8	1.7
1864680	Rock	0.028	4	10	0.97	96	<0.001	<20	0.85	0.025	0.19	0.2	<0.01	2.5	0.2	1.68	2	4.0	1.2
1864681	Rock	0.019	3	5	0.71	114	<0.001	<20	0.34	0.007	0.15	0.2	<0.01	1.8	0.2	1.81	<1	3.0	0.4
1864682	Rock	0.012	3	5	0.26	77	<0.001	<20	0.24	0.002	0.09	0.2	<0.01	0.8	<0.1	0.35	<1	1.2	<0.2
1864683	Rock	0.010	7	6	0.19	64	<0.001	<20	0.19	0.003	0.08	<0.1	<0.01	0.9	<0.1	0.25	<1	<0.5	<0.2
1864684	Rock	0.018	9	6	0.13	91	0.001	<20	0.23	0.005	0.10	<0.1	<0.01	0.8	<0.1	0.19	<1	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 20, 2019

**Page:** 4 of 4

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000746.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1864685	Rock	5.16	0.187	0.5	51.3	590.2	1266	12.7	17.1	3.2	7569	2.93	77.1	22.4	2.1	47	14.4	3.4	8.4	8	1.52
1864686	Rock	4.24	0.023	0.5	20.5	158.3	294	2.8	16.0	3.5	4051	1.75	176.4	0.9	3.1	38	3.4	1.3	0.9	7	0.83
1864687	Rock	4.99	0.008	2.5	64.2	31.6	93	2.2	66.7	7.1	850	2.69	85.7	0.7	5.8	23	0.9	1.0	2.2	19	0.48
1864688	Rock	4.50	0.006	3.8	99.0	33.1	195	1.9	96.6	10.6	617	2.88	36.5	1.8	7.5	26	1.6	1.1	0.7	31	0.51
1864689	Rock	4.67	0.017	2.5	80.0	12.6	84	1.3	106.2	12.1	722	3.62	130.5	<0.5	8.5	37	0.5	1.6	3.0	27	0.72
1864690	Rock Pulp	0.13	1.205	6.1	114.9	6586.0	1502	43.2	15.7	10.2	1063	3.81	50.6	1057.7	2.6	92	15.7	28.7	0.7	97	1.10
1864691	Rock	4.82	0.076	0.5	49.5	28.1	103	2.0	36.1	5.3	602	2.09	116.4	5.6	3.1	27	0.6	6.8	4.3	11	0.67
1864692	Rock	4.26	0.051	0.4	51.3	7.2	98	1.0	16.8	3.8	348	2.05	759.1	7.5	2.5	28	1.4	2.4	9.8	8	0.74
1864693	Rock	4.37	0.018	0.4	31.6	8.0	23	0.3	17.1	3.4	159	1.09	11.4	1.2	2.5	31	0.1	0.6	1.0	9	0.41
1864694	Rock	4.59	0.097	3.3	80.1	3.2	76	0.5	40.1	9.9	801	2.78	690.2	6.9	3.5	54	0.5	1.0	2.9	27	0.41
1864695	Rock	3.21	0.022	2.1	74.4	6.0	92	0.9	50.7	14.5	977	3.51	49.7	0.6	7.3	51	0.6	0.9	1.4	25	0.42





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 20, 2019

Page: 4 of 4

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000746.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1864685	Rock	0.027	5	8	0.43	93	0.007	<20	0.33	0.005	0.09	7.2	0.01	1.2	<0.1	0.85	1	2.3	0.7
1864686	Rock	0.022	9	8	0.18	128	0.001	<20	0.29	0.005	0.12	0.1	<0.01	0.9	0.1	0.52	<1	0.8	<0.2
1864687	Rock	0.036	8	12	0.40	178	0.001	<20	0.67	0.014	0.15	0.2	<0.01	1.4	<0.1	1.47	2	3.7	<0.2
1864688	Rock	0.040	12	22	0.54	331	0.002	<20	1.23	0.020	0.23	<0.1	<0.01	1.9	0.1	1.02	3	5.0	<0.2
1864689	Rock	0.099	10	17	0.54	226	0.002	<20	1.05	0.027	0.19	0.2	<0.01	1.9	0.1	1.89	3	4.1	<0.2
1864690	Rock Pulp	0.052	7	21	0.82	149	0.154	<20	1.91	0.220	0.24	1.4	0.20	3.4	0.1	0.23	5	<0.5	<0.2
1864691	Rock	0.018	7	10	0.32	172	0.002	<20	0.45	0.008	0.11	0.4	<0.01	1.2	<0.1	0.93	1	2.1	0.3
1864692	Rock	0.023	6	8	0.25	110	0.004	<20	0.31	0.005	0.08	17.8	<0.01	1.0	<0.1	1.03	1	2.8	0.5
1864693	Rock	0.030	7	8	0.23	186	0.002	<20	0.36	0.006	0.11	0.1	<0.01	1.1	<0.1	0.43	1	<0.5	<0.2
1864694	Rock	0.036	9	13	0.58	330	0.002	<20	0.87	0.005	0.19	0.2	<0.01	1.7	<0.1	1.05	3	1.8	0.3
1864695	Rock	0.061	12	18	0.64	284	0.002	<20	1.31	0.013	0.21	0.1	<0.01	1.7	0.1	1.13	3	1.3	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 20, 2019

Page: 1 of 2

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000746.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
Pulp Duplicates																					
1864633	Rock	2.57	0.025	0.9	66.2	9.4	46	0.7	36.6	17.0	283	3.64	94.8	6.8	11.4	45	0.3	0.6	6.4	22	0.75
REP 1864633	QC			0.8	61.0	8.4	41	0.6	34.8	15.7	278	3.51	85.1	3.1	10.6	40	0.2	0.5	5.9	21	0.73
1864667	Rock	3.86	0.014	1.3	33.5	4.1	113	0.3	64.4	14.6	317	3.37	32.9	1.2	4.0	21	<0.1	1.0	1.8	23	0.17
REP 1864667	QC		0.013																		
1864668	Rock	3.16	0.011	1.4	38.1	16.9	153	0.6	85.5	14.4	477	3.82	42.9	1.4	3.1	17	0.5	2.1	1.7	27	0.19
REP 1864668	QC			1.3	39.5	16.1	143	0.5	82.3	14.0	480	3.71	40.6	0.7	2.9	16	0.3	2.1	1.7	26	0.18
1864693	Rock	4.37	0.018	0.4	31.6	8.0	23	0.3	17.1	3.4	159	1.09	11.4	1.2	2.5	31	0.1	0.6	1.0	9	0.41
REP 1864693	QC		0.010																		
1864694	Rock	4.59	0.097	3.3	80.1	3.2	76	0.5	40.1	9.9	801	2.78	690.2	6.9	3.5	54	0.5	1.0	2.9	27	0.41
REP 1864694	QC			3.1	81.4	3.3	75	0.5	40.6	10.5	810	2.65	700.0	5.4	3.5	52	0.6	1.1	2.9	25	0.40
Core Reject Duplicates																					
1864637	Rock	4.39	0.167	0.6	52.3	9.4	64	0.5	27.8	11.7	340	2.63	39.7	208.5	12.6	83	1.1	0.3	6.6	20	2.44
DUP 1864637	QC		0.167	0.5	51.8	9.3	70	0.5	28.1	12.9	352	2.61	50.4	91.3	13.1	82	1.0	0.3	6.7	19	2.46
1864671	Rock	4.12	0.013	1.0	55.4	79.2	453	1.7	77.7	15.2	853	2.30	40.4	<0.5	6.0	17	3.4	7.4	1.2	20	0.20
DUP 1864671	QC		0.012	1.0	52.3	74.5	459	1.7	74.3	13.4	870	2.24	38.9	<0.5	5.8	16	3.7	7.3	1.1	20	0.19
Reference Materials																					
STD BVGEO01	Standard			10.7	4464.5	190.4	1746	2.6	163.8	25.7	756	3.75	119.0	227.1	15.3	61	6.9	2.9	26.7	76	1.34
STD BVGEO01	Standard			11.1	4605.8	193.6	1824	2.6	173.5	25.0	733	3.92	119.0	237.3	15.4	58	6.8	2.1	26.5	78	1.40
STD DS11	Standard			14.9	148.2	139.8	333	1.6	77.6	13.5	965	3.10	42.1	77.4	7.6	66	2.5	6.7	11.5	50	1.06
STD OREAS263	Standard		0.216																		
STD OREAS263	Standard		0.214																		
STD OREAS263	Standard		0.212																		
STD OREAS262	Standard			0.7	121.6	56.6	155	0.4	64.1	27.9	553	3.25	36.0	53.6	9.3	36	0.6	2.8	1.1	22	2.94
STD OREAS262	Standard			0.5	114.8	57.0	149	0.4	64.2	27.9	541	3.24	34.1	56.1	9.4	34	0.7	2.1	1.0	23	2.91
STD OREAS262	Standard			0.7	122.3	60.5	158	0.5	66.0	27.6	542	3.28	36.1	61.8	9.9	37	0.7	3.0	1.1	24	3.05
STD OXI138	Standard		1.847																		
STD OXI138	Standard		1.841																		
STD OXI138	Standard		1.820																		



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 20, 2019

Page: 1 of 2

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000746.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																			
1864633	Rock	0.035	13	17	0.80	117	0.098	<20	2.05	0.053	0.25	0.9	<0.01	2.8	0.2	1.50	6	3.4	0.3
REP 1864633	QC	0.034	12	16	0.77	105	0.094	<20	1.98	0.050	0.23	0.6	<0.01	2.6	0.2	1.45	5	3.7	0.3
1864667	Rock	0.060	11	16	0.49	196	0.001	<20	1.51	0.044	0.12	0.3	<0.01	1.7	<0.1	1.30	4	1.9	<0.2
REP 1864667	QC																		
1864668	Rock	0.070	9	15	0.56	160	0.001	<20	1.57	0.028	0.09	<0.1	<0.01	1.8	0.1	1.38	4	2.5	<0.2
REP 1864668	QC	0.068	8	15	0.55	151	0.001	<20	1.50	0.027	0.09	<0.1	<0.01	1.7	<0.1	1.35	4	2.1	<0.2
1864693	Rock	0.030	7	8	0.23	186	0.002	<20	0.36	0.006	0.11	0.1	<0.01	1.1	<0.1	0.43	1	<0.5	<0.2
REP 1864693	QC																		
1864694	Rock	0.036	9	13	0.58	330	0.002	<20	0.87	0.005	0.19	0.2	<0.01	1.7	<0.1	1.05	3	1.8	0.3
REP 1864694	QC	0.039	9	12	0.56	320	0.002	<20	0.83	0.005	0.18	0.2	<0.01	1.8	<0.1	1.04	3	2.1	0.3
Core Reject Duplicates																			
1864637	Rock	0.049	14	15	0.57	106	0.047	<20	2.11	0.072	0.20	0.6	<0.01	2.5	0.2	1.21	5	2.9	0.3
DUP 1864637	QC	0.047	14	15	0.56	110	0.047	<20	2.06	0.070	0.20	0.6	<0.01	2.4	0.2	1.18	5	3.2	0.3
1864671	Rock	0.035	14	11	0.33	255	0.001	<20	0.98	0.019	0.15	0.1	<0.01	1.5	<0.1	0.56	3	1.6	<0.2
DUP 1864671	QC	0.034	13	11	0.33	237	0.001	<20	0.96	0.018	0.14	0.2	<0.01	1.5	<0.1	0.51	2	0.9	<0.2
Reference Materials																			
STD BVGEO01	Standard	0.071	29	190	1.32	360	0.246	<20	2.37	0.197	0.90	4.0	0.11	6.2	0.7	0.69	7	4.9	1.0
STD BVGEO01	Standard	0.073	28	189	1.38	338	0.243	<20	2.45	0.199	0.92	3.1	0.11	6.0	0.6	0.72	8	4.9	1.1
STD DS11	Standard	0.073	19	59	0.86	381	0.093	<20	1.21	0.073	0.40	2.5	0.25	3.0	4.8	0.28	5	2.6	4.4
STD OREAS263	Standard																		
STD OREAS263	Standard																		
STD OREAS263	Standard																		
STD OREAS262	Standard	0.036	17	44	1.18	257	0.003	<20	1.27	0.068	0.31	0.1	0.17	3.4	0.4	0.27	4	0.8	0.2
STD OREAS262	Standard	0.037	18	44	1.16	253	0.003	<20	1.40	0.067	0.33	<0.1	0.17	3.3	0.4	0.27	4	<0.5	0.2
STD OREAS262	Standard	0.041	19	45	1.20	268	0.003	<20	1.42	0.068	0.33	0.1	0.17	3.2	0.5	0.27	4	<0.5	0.3
STD OXI138	Standard																		
STD OXI138	Standard																		
STD OXI138	Standard																		



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 20, 2019

Page: 2 of 2 Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000746.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
STD OXN117	Standard	7.607																			
STD OXN117	Standard	7.616																			
STD OXN117	Standard	7.628																			
STD OXI138 Expected		1.86																			
STD OREAS263 Expected		0.21																			
STD OXN117 Expected		7.679																			
STD BVGEO01 Expected			10.8	4415	187	1741	2.53	163	25	733	3.7	121	219	14.4	55	6.5	2.2	25.6	73	1.3219	
STD DS11 Expected			13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063	
STD OREAS262 Expected			0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	65	9.33	36	0.61	3.39	1.03	22.5	2.98	
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
Prep Wash																					
ROCK-WHI	Prep Blank	<0.005	2.0	3.8	0.9	29	<0.1	1.1	4.0	537	1.85	0.7	1.9	2.4	24	<0.1	<0.1	<0.1	24	0.66	
ROCK-WHI	Prep Blank	<0.005	1.0	6.3	1.3	56	<0.1	1.8	4.4	546	2.04	1.6	<0.5	2.3	25	<0.1	<0.1	<0.1	30	0.69	



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 20, 2019

Page: 2 of 2

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000746.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200		
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
STD OXN117	Standard																			
STD OXN117	Standard																			
STD OXN117	Standard																			
STD OXI138 Expected																				
STD OREAS263 Expected																				
STD OXN117 Expected																				
STD BVGEO01 Expected		0.0727	25.9	171	1.2963	340	0.233		2.347	0.1924	0.89	3.5	0.1	5.97	0.62	0.6655	7.37	4.84	1.02	
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56	
STD OREAS262 Expected		0.04	15.9	41.7	1.17	248	0.003		1.204	0.071	0.312	0.13	0.17	3.24	0.47	0.253	3.73	0.4	0.23	
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
Prep Wash																				
ROCK-WHI	Prep Blank	0.038	7	3	0.52	60	0.086	<20	0.88	0.069	0.09	<0.1	<0.01	2.8	<0.1	<0.05	4	<0.5	<0.2	
ROCK-WHI	Prep Blank	0.039	7	3	0.55	57	0.096	<20	1.01	0.090	0.09	0.1	<0.01	3.2	<0.1	<0.05	4	<0.5	<0.2	



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Submitted By: James Thom  
Receiving Lab: Canada-Whitehorse  
Received: November 06, 2019  
Report Date: November 21, 2019  
Page: 1 of 6

## CERTIFICATE OF ANALYSIS

WHI19000747.1

### CLIENT JOB INFORMATION

Project: McQuesten  
Shipment ID: MQ-19-28a  
P.O. Number  
Number of Samples: 128

### SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps  
PICKUP-RJT Client to Pickup Rejects

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Banyan Gold Corp.  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7  
Canada

CC: Paul Gray

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	125	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	3	Sort, label and box pulps			WHI
FA450	128	50g Lead Collection Fire Assay Fusion - AAS Finish	50	Completed	VAN
EN002	128	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	128	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	128	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS

  
**JEFFREY CANNON**  
Geochemistry Department Supervisor

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 21, 2019

**Page:** 2 of 6

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000747.1

Method Analyte Unit MDL	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1864696	Rock	3.97	5.707	2.1	57.0	8.7	84	1.1	22.7	11.1	862	3.21	660.2	5594.5	7.5	153	0.4	0.9	141.2	37	4.81
1864697	Rock	2.41	3.031	1.7	125.2	5.6	107	1.0	23.6	13.4	1472	5.53	5947.8	3459.4	5.1	180	0.9	3.4	78.5	56	9.31
1864698	Rock	2.71	0.018	1.0	24.1	3.7	77	0.1	23.4	7.0	317	1.60	150.1	10.8	13.7	66	0.5	0.3	1.0	8	1.17
1864699	Rock	1.61	0.014	1.1	43.6	5.6	53	0.3	28.0	9.6	173	2.38	342.2	12.2	15.5	195	0.2	0.4	2.1	15	0.44
1864700	Rock	1.28	0.011	0.8	40.0	5.3	55	0.4	27.2	9.2	156	2.22	247.3	7.8	14.9	175	0.2	0.4	2.1	12	0.43
1864701	Rock	3.19	0.112	1.1	54.1	7.4	110	0.2	44.9	17.1	520	2.65	166.9	98.0	13.3	221	0.2	0.4	4.3	37	3.46
1864702	Rock	3.57	6.634	0.8	205.8	5.5	150	1.0	33.6	28.6	1173	6.49	625.9	6853.6	7.8	208	1.7	0.8	173.7	47	6.28
1864703	Rock	4.32	8.350	3.5	249.1	5.8	94	1.4	34.4	30.2	824	7.77	180.2	8728.1	8.6	198	0.5	0.6	195.9	56	4.05
1864704	Rock	2.65	0.024	32.7	59.4	7.9	257	0.5	53.3	6.4	112	1.40	68.5	1.7	4.9	73	8.4	1.7	3.1	147	0.26
1864705	Rock	3.92	0.025	13.5	51.9	8.0	221	0.5	55.1	8.3	104	1.80	270.7	0.9	5.6	61	8.0	1.2	3.8	166	0.33
1864706	Rock	3.92	0.153	5.2	78.1	7.1	110	0.3	49.5	17.9	414	2.99	213.4	62.5	11.4	227	0.9	0.2	5.2	70	3.41
1864707	Rock	4.68	0.090	2.1	72.2	8.5	72	0.6	42.2	17.9	351	3.66	202.9	53.4	12.5	181	0.6	0.4	6.2	46	1.80
1864708	Rock	4.50	0.047	1.0	82.6	6.8	81	0.4	47.2	21.0	299	3.35	245.0	26.7	11.2	147	0.6	0.5	4.0	29	1.59
1864709	Rock	4.76	0.025	0.8	56.1	9.8	84	0.6	52.2	18.3	393	3.78	1161.7	9.6	10.3	207	0.3	0.9	3.2	38	1.56
1864710	Rock	0.78	<0.005	<0.1	1.3	0.2	<1	<0.1	<0.1	<0.1	63	0.05	1.3	1.3	<0.1	90	<0.1	<0.1	<0.1	<1	39.19
1864711	Rock	3.31	0.395	0.6	54.1	9.5	69	0.6	36.4	15.5	311	3.22	310.0	247.9	9.7	183	0.8	0.4	11.9	33	1.87
1864712	Rock	3.57	0.149	0.5	55.1	8.5	54	0.6	33.4	14.0	265	3.68	203.2	53.3	12.1	149	0.2	0.4	6.8	21	1.05
1864713	Rock	4.59	0.375	1.0	26.5	5.8	67	0.2	24.6	10.2	423	1.91	175.8	273.1	10.3	191	0.2	0.2	10.5	41	3.64
1864714	Rock	4.61	0.113	0.3	63.2	5.8	43	0.3	21.0	10.3	283	2.13	69.9	132.4	10.1	139	0.2	0.2	3.7	19	2.74
1864715	Rock	3.48	0.375	2.3	51.0	9.8	218	0.4	23.0	10.3	384	2.28	260.2	358.2	10.6	168	6.1	0.3	10.4	32	3.05
1864716	Rock	2.94	0.284	3.2	53.8	6.4	152	0.3	33.2	12.5	498	2.20	197.2	236.3	10.4	242	5.6	0.2	9.8	43	4.22
1864717	Rock	4.90	0.015	1.5	72.2	11.9	72	0.8	53.0	26.6	392	4.97	263.3	3.1	11.1	65	0.3	1.0	4.7	29	0.96
1864718	Rock	5.18	0.931	0.4	96.6	7.6	91	0.8	34.4	17.5	347	4.21	905.8	721.1	8.1	166	1.6	0.6	27.1	42	2.49
1864719	Rock	1.30	0.021	0.9	6.2	29.7	71	<0.1	2.8	3.3	412	1.60	54.0	15.1	5.0	68	<0.1	0.5	0.8	8	1.92
1864720	Rock	1.38	0.126	0.6	5.2	27.4	69	<0.1	2.2	3.3	399	1.60	57.1	148.4	5.1	73	<0.1	0.3	3.0	8	1.97
1864721	Rock	2.99	0.011	1.1	4.1	29.8	64	0.1	2.4	2.6	401	1.39	14.6	10.5	5.2	87	<0.1	0.2	0.8	4	2.36
1864722	Rock	3.64	0.472	2.7	41.6	7.2	81	0.3	24.4	11.0	414	1.84	211.8	409.9	9.1	168	1.5	0.5	14.2	24	3.39
1864723	Rock	4.77	0.954	0.7	62.1	6.4	381	0.4	29.8	16.3	376	2.42	459.1	849.5	11.1	225	22.3	0.3	28.6	36	3.83
1864724	Rock	4.28	0.260	0.4	63.5	7.6	78	0.4	25.9	13.7	499	2.80	540.6	157.0	9.0	445	2.1	0.4	8.9	29	11.36
1864725	Rock	4.52	0.097	1.2	30.9	7.2	57	0.4	19.6	9.4	267	2.25	851.7	23.1	12.2	147	1.4	0.5	4.5	28	2.51



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 21, 2019

**Page:** 2 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000747.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.01	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2
1864696	Rock	0.057	11	22	0.66	188	0.071	<20	3.04	0.212	0.25	>100	<0.01	2.3	0.3	1.15	8	3.6	5.1
1864697	Rock	0.074	10	17	0.79	118	0.046	<20	1.79	0.095	0.43	>100	<0.01	2.1	0.6	2.46	7	9.3	3.0
1864698	Rock	0.015	15	9	0.32	67	0.024	<20	1.02	0.053	0.15	0.7	<0.01	1.0	<0.1	0.19	2	0.8	<0.2
1864699	Rock	0.018	20	15	0.46	139	0.046	<20	1.78	0.058	0.39	0.4	<0.01	2.1	0.4	0.32	4	1.7	<0.2
1864700	Rock	0.018	17	12	0.43	101	0.041	<20	1.72	0.060	0.31	0.2	<0.01	1.8	0.3	0.36	4	1.4	<0.2
1864701	Rock	0.052	16	39	1.23	418	0.109	<20	4.99	0.303	0.90	2.1	<0.01	4.9	0.9	0.56	12	1.9	<0.2
1864702	Rock	0.052	11	23	0.93	185	0.063	<20	3.49	0.205	0.41	>100	<0.01	3.1	0.5	3.23	9	13.4	6.8
1864703	Rock	0.052	13	26	0.67	83	0.075	<20	3.94	0.260	0.26	9.1	0.03	3.0	0.3	3.85	11	20.4	7.9
1864704	Rock	0.099	14	15	0.11	925	0.061	<20	0.57	0.006	0.22	0.5	0.02	1.2	0.4	0.10	2	8.4	<0.2
1864705	Rock	0.093	10	27	0.37	4680	0.059	<20	1.28	0.021	0.28	0.3	<0.01	2.0	0.4	0.10	3	6.1	<0.2
1864706	Rock	0.058	16	35	0.96	392	0.109	<20	4.68	0.288	0.49	9.0	<0.01	3.9	0.5	1.10	12	5.0	0.2
1864707	Rock	0.047	17	35	1.11	354	0.112	<20	3.92	0.227	0.76	0.3	<0.01	4.7	0.8	1.50	10	3.2	0.2
1864708	Rock	0.047	10	27	0.97	285	0.082	<20	3.18	0.196	0.80	0.3	<0.01	3.3	0.9	1.34	8	2.8	<0.2
1864709	Rock	0.046	10	37	1.26	260	0.116	<20	3.79	0.245	0.87	0.3	<0.01	4.3	1.0	1.56	9	3.9	<0.2
1864710	Rock	0.007	1	<1	0.43	9	0.001	<20	0.03	0.001	0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
1864711	Rock	0.038	9	30	0.91	175	0.081	<20	3.77	0.285	0.60	0.2	<0.01	4.0	0.6	1.51	9	3.0	0.5
1864712	Rock	0.074	11	20	0.78	197	0.080	<20	2.42	0.111	0.67	0.2	<0.01	2.9	0.8	1.70	6	1.5	0.3
1864713	Rock	0.062	12	34	1.06	253	0.098	<20	4.32	0.297	0.66	3.5	<0.01	3.9	0.7	0.57	11	1.0	0.5
1864714	Rock	0.042	12	22	0.48	104	0.066	<20	2.77	0.149	0.20	23.2	<0.01	2.1	0.2	0.91	7	3.2	0.2
1864715	Rock	0.029	11	26	0.76	184	0.085	<20	3.33	0.226	0.40	1.1	0.01	3.4	0.4	0.91	8	2.4	0.4
1864716	Rock	0.048	14	31	0.98	236	0.121	<20	4.55	0.285	0.54	2.0	<0.01	4.2	0.5	0.76	12	2.3	0.4
1864717	Rock	0.040	12	27	1.20	132	0.119	<20	2.44	0.113	0.84	0.4	<0.01	3.6	0.9	2.49	7	1.8	<0.2
1864718	Rock	0.071	12	31	1.04	206	0.115	<20	3.77	0.225	0.63	1.4	<0.01	4.3	0.7	2.05	9	5.7	1.3
1864719	Rock	0.049	9	3	0.22	266	0.050	<20	1.06	0.040	0.50	0.9	<0.01	0.8	0.4	<0.05	4	<0.5	<0.2
1864720	Rock	0.049	9	3	0.21	308	0.050	<20	1.14	0.042	0.56	2.2	<0.01	0.9	0.4	<0.05	4	<0.5	<0.2
1864721	Rock	0.050	13	2	0.16	199	0.016	<20	0.97	0.031	0.39	0.1	<0.01	0.6	0.2	0.07	3	<0.5	<0.2
1864722	Rock	0.063	13	20	0.60	171	0.064	<20	2.75	0.186	0.26	0.4	<0.01	2.9	0.2	0.65	7	1.0	0.5
1864723	Rock	0.059	17	29	0.68	234	0.093	<20	4.41	0.311	0.42	>100	0.05	4.1	0.3	0.97	11	2.4	1.1
1864724	Rock	0.037	13	24	0.71	162	0.096	<20	3.04	0.156	0.37	0.7	<0.01	3.1	0.3	1.26	8	2.6	0.4
1864725	Rock	0.024	15	17	0.50	135	0.055	<20	2.36	0.163	0.40	0.7	<0.01	1.9	0.4	1.09	6	1.7	0.3





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 21, 2019

**Page:** 3 of 6 **Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000747.1

	Method Analyte Unit MDL	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca		
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
1864726	Rock	4.21	0.284	3.6	60.5	6.9	57	0.6	47.5	14.8	291	3.26	240.6	123.3	8.6	123	0.5	0.4	12.4	75	1.89		
1864727	Rock	5.06	0.026	10.0	33.6	4.8	444	0.4	61.2	10.7	192	2.58	145.0	3.4	7.4	28	7.5	1.4	2.5	85	0.89		
1864728	Rock	4.47	0.030	0.5	24.0	3.7	47	0.3	30.2	11.3	283	2.93	63.2	10.4	10.5	18	<0.1	0.4	1.2	13	0.40		
1864729	Rock	4.00	0.083	0.7	47.8	9.2	77	0.6	38.4	17.4	356	3.74	104.3	11.2	12.6	82	1.6	1.0	4.8	20	1.28		
1864730	Rock Pulp	0.14	0.278	14.5	2310.2	1123.7	7383	19.9	34.5	19.1	584	8.79	299.6	35.8	1.0	47	52.3	26.7	12.7	49	2.18		
1864731	Rock	5.10	0.280	0.4	96.3	12.9	62	0.6	33.0	16.8	336	4.36	111.2	60.7	10.1	131	0.3	0.5	9.2	25	1.81		
1864732	Rock	4.80	0.031	0.6	43.5	7.2	54	0.5	33.1	14.9	317	3.26	31.7	<0.5	13.2	109	0.3	0.5	3.3	20	1.53		
1864733	Rock	4.80	0.146	0.6	53.5	7.1	69	0.5	28.5	12.1	369	3.50	103.8	33.2	9.7	141	0.3	0.5	6.3	27	2.23		
1864734	Rock	4.56	0.063	0.4	31.2	6.1	42	0.3	25.6	12.7	289	3.28	118.3	0.5	12.4	24	<0.1	0.7	1.8	12	0.50		
1864735	Rock	4.70	0.046	0.3	44.9	5.6	51	0.4	33.8	14.8	334	3.88	87.0	<0.5	11.5	18	<0.1	0.5	1.9	13	0.57		
1864736	Rock	4.09	1.507	0.6	82.9	56.0	254	2.6	33.5	15.6	1381	4.21	41.4	642.8	9.3	220	1.4	2.8	26.0	17	5.86		
1864737	Rock	3.96	0.461	0.6	53.2	10.2	88	6.6	22.2	12.2	1539	2.35	46.9	533.7	7.2	334	0.3	3.2	15.3	23	16.23		
1864738	Rock	4.81	0.911	0.9	28.7	6.1	83	0.3	20.0	9.9	937	2.16	19.9	864.1	6.5	209	0.2	0.3	23.4	35	8.75		
1864739	Rock	2.38	0.024	0.6	88.8	5.8	73	0.7	41.7	18.8	400	4.42	122.1	11.6	10.9	65	0.4	0.5	2.5	31	2.45		
1864740	Rock	2.04	0.027	0.4	129.4	6.9	87	0.8	44.5	18.9	426	4.86	101.3	9.8	11.4	81	0.5	0.3	2.7	36	2.52		
1864741	Rock	4.60	0.116	0.6	74.8	7.9	94	0.4	36.0	14.3	630	3.33	73.3	57.5	11.0	207	0.4	0.3	4.6	54	5.95		
1864742	Rock	1.86	0.052	0.4	23.6	7.7	46	0.2	12.3	6.4	551	1.20	2.7	7.8	2.9	1406	0.9	0.2	2.1	10	33.05		
1864743	Rock	4.94	0.305	0.8	48.2	7.0	47	0.4	28.4	11.4	366	2.62	23.7	158.9	11.9	345	0.2	0.2	8.4	28	6.77		
1864744	Rock	4.84	0.120	0.3	49.7	6.4	74	0.6	32.2	16.6	330	2.95	70.3	34.8	12.0	154	1.2	0.5	5.0	25	2.84		
1864745	Rock	4.75	1.514	0.7	51.5	6.1	61	0.5	33.2	15.9	354	2.85	57.7	900.1	10.3	143	0.1	0.7	42.4	24	3.01		
1864746	Rock	4.90	0.364	0.7	58.2	6.2	71	0.4	33.5	15.4	671	3.15	458.3	244.8	9.4	153	0.4	0.6	10.7	27	4.36		
1864747	Rock	4.30	0.046	0.8	60.1	5.9	83	0.4	35.9	13.3	303	3.53	90.2	28.8	10.8	155	0.7	0.3	2.8	34	1.77		
1864748	Rock	3.91	0.044	0.6	84.7	6.6	65	0.6	42.2	15.8	355	4.08	439.9	25.5	10.3	216	0.2	0.3	3.2	35	2.83		
1864749	Rock	3.16	0.840	7.2	46.9	4.4	99	0.3	26.2	9.9	925	2.43	1530.7	769.5	8.6	224	0.1	0.7	18.8	49	6.22		
1864750	Rock	0.70	0.005	<0.1	2.6	0.4	<1	<0.1	<0.1	<0.1	66	0.06	1.4	2.5	<0.1	84	<0.1	<0.1	<0.1	<1	>40		
1864751	Rock	3.74	0.090	1.5	62.4	6.2	55	0.5	38.9	18.6	361	3.44	283.8	17.4	9.1	120	0.3	0.3	3.8	28	2.13		
1864752	Rock	5.19	0.080	0.3	69.2	8.5	36	0.7	44.1	20.7	149	3.72	696.1	23.8	13.3	126	0.6	0.5	7.3	16	2.01		
1864753	Rock	5.38	0.316	0.8	65.5	8.4	40	0.5	31.4	14.3	493	2.88	59.2	226.3	8.1	210	0.1	0.2	10.4	25	6.11		
1864754	Rock	4.52	0.046	0.7	26.4	13.4	45	0.2	17.5	7.4	1149	2.00	19.5	21.6	5.5	622	0.1	0.2	1.4	31	23.02		
1864755	Rock	4.44	0.087	0.3	33.7	9.0	29	0.5	25.3	10.6	441	2.90	66.7	60.5	8.5	277	0.2	0.3	3.7	19	8.02		



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 21, 2019

**Page:** 3 of 6 **Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000747.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
1864726	Rock	0.039	12	29	0.78	349	0.096	<20	3.06	0.177	0.45	0.4	<0.01	4.4	0.5	1.61	8	2.9	0.7
1864727	Rock	0.111	8	19	0.62	485	0.062	<20	1.19	0.017	0.45	0.3	0.01	1.9	0.5	0.99	3	3.8	<0.2
1864728	Rock	0.020	10	15	0.69	88	0.075	<20	1.32	0.019	0.46	0.2	<0.01	1.7	0.6	1.07	3	0.8	<0.2
1864729	Rock	0.044	11	20	0.97	104	0.082	<20	2.34	0.120	0.49	0.2	<0.01	3.4	0.6	1.86	6	1.7	<0.2
1864730	Rock Pulp	0.041	4	43	2.60	42	0.005	<20	2.03	0.012	0.08	0.5	2.93	3.7	5.3	6.82	8	31.8	0.4
1864731	Rock	0.044	9	25	1.06	173	0.086	<20	3.29	0.190	0.67	0.7	<0.01	3.1	0.6	2.24	8	7.0	0.4
1864732	Rock	0.042	10	21	0.99	137	0.077	<20	2.79	0.171	0.64	0.2	<0.01	2.9	0.6	1.54	7	1.9	<0.2
1864733	Rock	0.043	9	28	1.27	144	0.081	<20	3.40	0.228	0.60	0.2	<0.01	3.9	0.6	1.61	9	2.2	0.2
1864734	Rock	0.028	11	13	0.70	65	0.042	<20	1.26	0.021	0.46	<0.1	<0.01	1.7	0.6	1.50	3	0.6	<0.2
1864735	Rock	0.034	14	14	0.87	64	0.053	<20	1.28	0.007	0.47	0.2	<0.01	2.3	0.6	1.88	3	<0.5	<0.2
1864736	Rock	0.057	16	17	1.29	72	0.005	<20	1.20	0.005	0.28	3.4	<0.01	3.2	0.4	1.58	4	4.1	1.5
1864737	Rock	0.049	15	19	0.88	62	0.019	<20	1.83	0.050	0.23	2.3	0.02	4.4	0.4	0.19	5	0.7	0.5
1864738	Rock	0.110	9	26	1.22	131	0.076	<20	3.14	0.148	0.19	>100	<0.01	3.7	0.2	0.45	9	2.3	1.0
1864739	Rock	0.039	18	27	1.14	114	0.033	<20	1.95	0.017	0.38	1.7	<0.01	4.3	0.4	2.01	6	4.1	<0.2
1864740	Rock	0.039	18	30	1.28	118	0.036	<20	2.11	0.023	0.41	1.0	<0.01	5.1	0.5	2.25	6	3.6	<0.2
1864741	Rock	0.047	13	39	1.52	294	0.098	<20	4.11	0.165	0.64	0.7	<0.01	5.0	0.7	1.27	11	2.7	<0.2
1864742	Rock	0.049	5	10	0.33	54	0.030	<20	1.42	0.078	0.11	0.2	<0.01	1.8	0.1	0.47	3	0.6	<0.2
1864743	Rock	0.040	13	28	0.81	237	0.093	<20	4.09	0.251	0.50	0.9	<0.01	3.7	0.5	1.19	9	2.7	0.3
1864744	Rock	0.042	10	23	0.92	215	0.124	<20	3.04	0.144	0.61	1.9	<0.01	2.8	0.6	1.45	7	1.6	0.3
1864745	Rock	0.044	10	23	0.97	216	0.110	<20	2.76	0.112	0.71	31.0	<0.01	2.8	0.7	1.11	6	2.8	1.3
1864746	Rock	0.061	9	25	1.35	240	0.084	<20	3.59	0.183	0.85	0.7	<0.01	3.9	0.8	1.38	9	2.7	0.5
1864747	Rock	0.048	10	32	1.28	316	0.094	<20	3.79	0.229	1.09	0.2	<0.01	5.2	1.1	1.48	9	3.2	<0.2
1864748	Rock	0.051	8	34	1.36	215	0.093	<20	4.36	0.220	0.77	0.3	<0.01	4.6	0.8	1.89	11	5.4	0.2
1864749	Rock	0.056	13	27	1.45	315	0.075	<20	3.63	0.145	0.62	0.5	0.01	2.6	0.7	0.72	10	2.5	0.7
1864750	Rock	0.006	1	<1	0.51	10	<0.001	<20	0.02	0.002	0.03	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
1864751	Rock	0.054	9	23	0.91	178	0.087	<20	2.84	0.110	0.67	0.6	0.01	3.2	0.7	1.66	7	2.3	0.2
1864752	Rock	0.070	13	13	0.39	101	0.061	<20	2.68	0.134	0.29	21.0	<0.01	2.4	0.2	2.22	6	4.3	0.5
1864753	Rock	0.039	10	21	0.67	101	0.081	<20	3.25	0.173	0.25	56.8	<0.01	2.8	0.2	1.45	8	3.4	0.4
1864754	Rock	0.045	6	25	0.90	163	0.073	<20	2.69	0.139	0.55	73.2	<0.01	3.3	0.2	0.66	6	1.5	<0.2
1864755	Rock	0.044	7	16	0.49	184	0.052	<20	2.62	0.106	0.39	0.4	<0.01	2.4	0.4	1.52	5	2.4	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 21, 2019

**Page:** 4 of 6 **Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000747.1

Method Analyte Unit MDL	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1864756	Rock	4.68	0.074	0.4	34.2	7.9	36	0.3	25.0	11.5	499	2.56	42.1	44.8	6.4	275	0.3	0.2	2.8	23	7.35
1864757	Rock	4.85	0.090	0.5	67.8	7.9	64	0.7	45.8	23.5	437	4.78	181.2	22.3	9.3	126	0.1	0.6	4.8	28	1.77
1864758	Rock	4.91	0.047	0.3	46.7	7.0	27	0.6	34.3	13.7	186	3.78	157.9	3.4	10.9	113	0.1	0.4	3.5	15	1.30
1864759	Rock	2.34	0.812	0.3	32.8	7.5	21	0.6	20.7	12.9	154	2.61	2518.7	462.0	11.8	157	0.2	1.0	6.5	9	1.39
1864760	Rock	2.33	0.236	0.2	26.2	8.3	18	0.4	18.1	7.7	142	2.25	280.0	127.2	12.8	152	0.1	0.3	4.1	9	1.34
1864761	Rock	4.99	0.148	1.9	55.0	7.0	50	0.4	37.2	14.8	244	3.03	185.7	118.7	7.2	175	0.1	0.3	5.2	46	2.98
1864762	Rock	3.76	0.036	0.2	32.5	4.4	19	0.3	17.2	7.7	209	2.07	112.4	13.1	6.7	202	<0.1	0.2	1.6	11	2.20
1864763	Rock	2.99	0.021	1.2	10.6	3.4	5	0.1	12.6	2.0	48	0.70	22.4	<0.5	2.7	16	0.1	0.8	0.8	6	0.62
1864764	Rock	2.86	0.041	5.4	31.7	2.0	20	0.2	30.8	3.0	84	1.11	323.0	17.3	3.8	17	0.5	0.4	1.8	24	0.76
1864765	Rock	3.33	0.036	3.3	54.1	3.3	20	0.2	30.1	6.0	324	2.23	555.6	11.3	5.7	226	0.2	0.3	1.4	48	7.99
1864766	Rock	3.85	0.014	0.9	20.1	5.1	30	0.2	18.1	6.4	342	1.38	46.1	4.1	5.0	303	0.8	0.2	1.5	16	13.05
1864767	Rock	4.42	0.144	11.0	50.8	5.0	85	0.5	52.6	9.1	201	2.68	97.6	6.0	7.2	81	1.8	0.6	5.2	81	1.93
1864768	Rock	4.71	0.007	7.4	55.3	4.7	171	0.4	61.5	8.8	416	2.34	11.9	<0.5	6.2	25	2.8	0.7	1.2	45	0.72
1864769	Rock	4.89	<0.005	2.4	42.4	4.7	90	0.3	56.9	11.3	374	3.07	18.2	<0.5	8.5	23	0.4	0.4	0.9	25	0.36
1864770	Rock Pulp	0.13	0.299	13.5	2205.7	1039.6	7079	18.3	32.6	17.6	523	8.60	278.4	58.9	0.9	45	47.9	28.7	11.5	46	2.04
1864771	Rock	4.52	<0.005	1.4	55.7	3.4	72	0.4	42.8	9.5	289	2.72	7.6	<0.5	6.1	14	0.5	0.4	0.9	20	0.22
1864772	Rock	4.17	<0.005	2.9	75.2	2.5	199	0.5	52.8	8.5	355	1.99	552.3	<0.5	3.6	25	3.9	1.4	1.3	35	0.42
1864773	Rock	3.75	<0.005	4.8	98.0	2.5	222	0.6	46.6	7.2	230	2.25	5.6	<0.5	3.3	19	3.9	0.6	1.4	28	0.22
1864774	Rock	3.71	0.008	4.0	77.1	4.9	188	0.6	71.9	10.0	243	2.89	21.1	<0.5	8.1	23	5.1	1.2	2.4	24	0.34
1864775	Rock	2.60	0.016	0.8	20.3	3.8	19	0.4	39.6	8.6	275	2.69	32.0	<0.5	4.1	32	<0.1	1.8	1.5	12	0.78
1864776	Rock	2.00	<0.005	0.6	18.3	2.1	8	0.4	17.8	4.4	173	1.10	6.3	<0.5	4.1	16	<0.1	2.3	1.3	6	0.71
1864777	Rock	3.99	0.008	0.7	21.1	2.4	12	0.2	19.2	5.7	73	1.81	13.3	<0.5	3.6	12	<0.1	1.6	1.3	6	0.27
1864778	Rock	4.27	0.010	1.3	28.2	4.9	16	0.4	50.9	12.0	150	3.46	38.6	1.4	5.6	17	<0.1	0.7	3.5	12	0.29
1864779	Rock	1.79	<0.005	1.2	24.2	3.8	19	0.2	40.3	9.6	172	2.64	26.1	<0.5	4.9	16	<0.1	0.6	1.7	12	0.40
1864780	Rock	2.03	<0.005	1.3	27.1	4.3	26	0.3	43.6	9.7	207	3.09	25.6	<0.5	5.8	23	<0.1	0.4	1.9	20	0.48
1864781	Rock	4.91	0.008	1.3	33.6	4.4	76	0.3	55.2	12.4	386	3.60	37.5	<0.5	4.9	15	0.1	0.8	1.5	31	0.19
1864782	Rock	4.41	0.007	1.7	37.8	3.2	53	0.3	56.7	12.1	379	2.94	280.1	<0.5	5.3	16	<0.1	0.7	1.3	24	0.22
1864783	Rock	3.99	0.006	0.9	12.9	2.0	37	0.1	26.7	8.0	287	2.34	73.2	<0.5	3.2	17	<0.1	0.5	0.7	17	0.24
1864784	Rock	4.55	<0.005	0.8	24.5	1.6	85	0.1	26.1	6.2	473	1.61	10.4	<0.5	4.0	24	0.5	0.6	0.4	17	0.60
1864785	Rock	3.51	0.013	1.0	40.2	2.0	73	0.2	29.2	8.8	745	3.28	29.1	<0.5	4.1	18	<0.1	1.2	0.7	36	0.41

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: McQuesten  
Report Date: November 21, 2019

Page: 4 of 6

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000747.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.01	0.01	0.1	0.01	0.05	1	0.5	0.2	
1864756	Rock	0.040	6	19	0.47	132	0.077	<20	2.53	0.127	0.44	0.9	<0.01	2.5	0.4	1.21	6	2.2	<0.2
1864757	Rock	0.064	10	22	0.97	172	0.074	<20	3.07	0.127	0.74	0.8	<0.01	3.8	1.1	2.47	8	2.7	0.3
1864758	Rock	0.052	11	12	0.54	149	0.030	<20	2.59	0.106	0.43	0.3	<0.01	3.0	0.5	2.06	6	2.9	<0.2
1864759	Rock	0.033	9	9	0.39	103	0.024	<20	2.28	0.116	0.30	0.8	<0.01	1.7	0.3	1.52	5	3.5	1.4
1864760	Rock	0.033	11	9	0.36	120	0.025	<20	2.30	0.110	0.31	0.2	<0.01	1.6	0.2	1.21	5	2.6	0.3
1864761	Rock	0.056	10	30	0.91	238	0.076	<20	4.58	0.253	0.60	0.8	<0.01	4.1	0.6	1.46	11	4.0	0.4
1864762	Rock	0.031	7	11	0.35	210	0.026	<20	1.73	0.099	0.28	0.7	0.01	1.9	0.2	1.10	4	1.7	<0.2
1864763	Rock	0.012	4	3	0.02	185	0.003	<20	0.19	0.006	0.04	0.1	<0.01	0.3	<0.1	0.35	<1	1.7	<0.2
1864764	Rock	0.013	8	9	0.07	168	0.006	<20	0.28	0.010	0.06	3.1	<0.01	0.7	<0.1	0.52	<1	1.1	<0.2
1864765	Rock	0.019	6	14	0.26	156	0.017	<20	1.36	0.044	0.10	2.7	0.01	2.1	<0.1	1.14	4	2.8	<0.2
1864766	Rock	0.009	6	9	0.29	142	0.039	<20	1.05	0.050	0.09	0.3	0.01	1.6	<0.1	0.69	2	0.6	<0.2
1864767	Rock	0.036	10	15	0.44	178	0.036	<20	1.69	0.090	0.13	0.4	0.02	1.9	<0.1	1.42	4	2.6	0.2
1864768	Rock	0.058	12	13	0.44	203	0.003	<20	0.83	0.018	0.11	<0.1	0.01	1.7	<0.1	1.02	3	3.3	<0.2
1864769	Rock	0.061	18	16	0.49	157	0.001	<20	1.14	0.030	0.11	<0.1	0.01	1.5	<0.1	0.94	3	2.6	<0.2
1864770	Rock Pulp	0.036	4	39	2.40	49	0.004	<20	1.81	0.010	0.07	0.5	2.79	3.3	4.7	6.51	7	30.2	0.4
1864771	Rock	0.045	14	12	0.52	129	0.001	<20	0.89	0.016	0.08	0.1	<0.01	1.3	0.1	1.18	2	3.4	<0.2
1864772	Rock	0.100	13	14	0.38	187	0.001	<20	0.66	0.011	0.11	<0.1	<0.01	1.2	<0.1	0.96	2	6.2	<0.2
1864773	Rock	0.076	12	10	0.32	215	0.001	<20	0.60	0.008	0.12	<0.1	<0.01	1.0	0.1	1.24	2	4.6	<0.2
1864774	Rock	0.054	19	14	0.38	146	0.001	<20	0.84	0.012	0.12	0.1	0.02	1.3	0.1	1.57	2	3.0	<0.2
1864775	Rock	0.071	10	10	0.31	75	<0.001	<20	0.80	0.020	0.06	0.1	<0.01	1.3	0.1	1.48	2	1.3	<0.2
1864776	Rock	0.017	10	6	0.10	83	<0.001	<20	0.33	0.009	0.09	<0.1	<0.01	0.7	<0.1	0.54	<1	0.7	<0.2
1864777	Rock	0.028	9	7	0.13	73	<0.001	<20	0.34	0.009	0.07	<0.1	<0.01	0.8	0.3	1.40	<1	2.0	<0.2
1864778	Rock	0.065	9	10	0.34	125	<0.001	<20	0.92	0.017	0.11	<0.1	<0.01	1.2	0.1	2.09	2	1.9	<0.2
1864779	Rock	0.050	10	10	0.30	90	<0.001	<20	0.80	0.018	0.07	<0.1	<0.01	1.2	<0.1	1.41	2	1.8	<0.2
1864780	Rock	0.063	13	18	0.44	109	<0.001	<20	1.09	0.024	0.10	<0.1	<0.01	1.6	<0.1	1.48	3	1.7	<0.2
1864781	Rock	0.057	14	22	0.58	119	0.001	<20	1.53	0.025	0.08	<0.1	<0.01	2.1	<0.1	1.13	4	1.3	<0.2
1864782	Rock	0.058	16	17	0.51	146	0.001	<20	1.37	0.021	0.09	<0.1	<0.01	1.7	<0.1	0.76	4	1.4	<0.2
1864783	Rock	0.034	9	17	0.29	105	<0.001	<20	0.95	0.025	0.08	<0.1	<0.01	1.3	<0.1	0.84	3	0.7	<0.2
1864784	Rock	0.026	11	14	0.37	170	0.001	<20	0.80	0.008	0.08	<0.1	<0.01	1.3	<0.1	0.36	2	<0.5	<0.2
1864785	Rock	0.034	8	21	0.62	204	0.002	<20	1.38	0.012	0.09	<0.1	<0.01	2.4	<0.1	0.94	4	1.2	<0.2



# CERTIFICATE OF ANALYSIS

WHI19000747.1

Method	Analyte	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1864786	Rock	4.43	<0.005	2.1	42.7	3.3	96	0.3	56.2	11.2	356	3.11	20.4	<0.5	5.3	19	0.2	1.5	0.7	24	0.32
1864787	Rock	4.67	0.007	10.1	56.5	4.6	295	0.6	70.9	10.5	207	2.93	60.8	<0.5	4.4	29	5.0	1.8	1.5	59	0.74
1864788	Rock	1.90	0.044	14.9	49.6	4.1	999	1.0	80.6	6.5	91	1.28	55.9	<0.5	2.9	21	18.9	3.0	2.9	113	0.67
1864789	Rock	2.38	0.112	20.3	41.7	3.3	618	0.9	65.3	7.0	136	1.27	135.5	0.7	2.6	34	15.4	3.5	3.6	67	1.07
1864790	Rock	0.87	<0.005	<0.1	0.4	0.1	<1	<0.1	0.3	0.3	54	0.05	1.1	<0.5	<0.1	75	<0.1	<0.1	<0.1	<1	34.29
1864791	Rock	3.54	0.051	29.4	54.8	3.8	1377	2.6	82.6	5.7	65	1.24	132.6	3.5	2.5	27	19.4	3.3	1.0	145	0.57
1864792	Rock	4.84	<0.005	20.2	30.2	2.2	284	0.3	55.9	7.0	74	1.41	24.6	<0.5	4.7	20	2.9	1.2	0.8	50	0.43
1864793	Rock	4.38	0.406	5.6	58.9	7.9	136	0.6	57.7	16.8	471	3.75	134.9	14.9	10.4	90	1.8	0.7	8.2	25	5.37
1864794	Rock	4.69	0.458	0.9	63.9	7.9	30	0.6	33.1	15.5	872	3.04	281.0	77.6	6.2	397	0.4	0.3	11.0	15	12.56
1864795	Rock	2.85	0.658	0.5	51.0	7.8	18	0.7	26.8	13.7	448	2.70	74.9	165.1	7.0	463	0.2	0.2	11.6	11	11.77
1864796	Rock	2.61	1.746	0.4	167.7	6.7	25	0.6	43.8	23.4	99	5.78	874.1	328.2	10.2	85	0.2	0.5	53.6	9	0.90
1864797	Rock	3.96	4.747	1.1	267.6	6.8	30	1.2	30.9	18.5	186	10.77	395.5	320.2	7.2	91	0.3	0.7	104.5	16	1.23
1864798	Rock	3.45	0.026	0.9	51.9	6.0	28	0.4	38.3	15.7	152	2.86	14.7	<0.5	9.3	79	0.1	0.2	3.4	15	0.80
1864799	Rock	2.54	0.126	5.5	75.9	8.1	91	0.7	58.9	18.2	317	3.90	138.3	2.3	7.9	95	1.2	0.7	5.8	22	1.19
1864800	Rock	2.36	0.078	5.4	74.3	6.8	99	0.6	57.8	16.0	338	3.82	65.4	2.3	8.0	105	1.1	0.6	4.5	24	1.18
1864801	Rock	4.77	0.006	13.7	64.8	3.1	114	0.4	46.7	8.3	520	3.01	9.7	<0.5	6.6	43	1.2	0.5	1.3	31	0.60
1864802	Rock	4.61	0.024	0.4	65.8	2.2	63	0.2	27.2	7.5	611	2.44	176.0	1.1	3.3	38	0.1	0.2	0.8	29	0.16
1864803	Rock	4.40	0.037	0.9	113.5	4.2	41	0.4	34.3	12.6	454	2.54	1469.6	2.4	3.3	58	0.1	0.6	2.5	28	0.36
1864804	Rock	4.49	0.035	0.4	103.9	3.6	36	0.4	28.9	9.7	447	2.31	427.0	<0.5	3.6	50	<0.1	0.4	2.6	22	0.43
1864805	Rock	4.63	0.081	0.5	96.0	2.8	33	0.4	25.7	8.6	315	1.99	167.0	1.8	2.6	36	0.1	0.6	2.5	19	0.48
1864806	Rock	4.55	0.111	0.4	65.1	3.1	29	0.3	29.4	6.5	124	1.51	370.5	4.9	2.5	19	0.1	0.5	3.2	16	0.30
1864807	Rock	4.62	0.036	0.5	24.2	3.8	19	0.4	23.9	4.4	465	1.42	184.3	1.1	3.2	90	0.2	3.1	1.9	11	2.62
1864808	Rock	3.53	<0.005	0.8	29.5	5.5	17	0.4	35.4	9.0	224	2.37	39.7	<0.5	5.8	39	0.1	0.8	2.5	12	0.81
1864809	Rock	1.11	<0.005	0.3	7.9	11.3	12	0.7	8.2	3.9	118	1.58	156.8	<0.5	2.7	10	<0.1	0.8	1.9	9	0.26
1864810	Rock Pulp	0.13	0.307	14.3	2204.4	1061.3	7053	18.5	32.0	18.1	513	8.63	277.6	30.3	0.8	45	47.7	21.8	11.1	47	2.04
1864811	Rock	4.24	<0.005	0.5	14.0	4.6	17	0.3	14.6	3.1	267	1.11	197.6	<0.5	2.7	41	0.3	1.9	0.9	8	1.12
1864812	Rock	4.14	<0.005	0.3	15.2	3.0	10	0.2	9.6	2.1	209	0.81	59.0	<0.5	2.0	25	<0.1	0.8	0.7	5	1.03
1864813	Rock	4.55	0.049	0.3	12.0	3.7	12	0.3	7.7	2.4	132	0.91	104.1	<0.5	2.3	13	0.1	1.3	1.6	4	0.44
1864814	Rock	4.11	0.075	0.3	18.9	12.4	19	1.2	10.0	2.4	126	1.13	912.7	3.9	2.1	13	0.1	1.6	3.3	5	0.42
1864815	Rock	4.74	0.053	0.4	15.1	10.8	22	0.5	13.1	2.5	258	0.92	169.2	1.2	2.5	27	0.2	2.2	1.5	7	0.84



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 21, 2019

Page: 5 of 6

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000747.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2		
1864786	Rock	0.057	9	18	0.47	121	0.001	<20	1.25	0.022	0.08	<0.1	<0.01	1.4	<0.1	0.99	3	2.6	<0.2
1864787	Rock	0.245	7	15	0.36	158	0.002	<20	1.03	0.020	0.11	0.1	0.02	1.3	<0.1	1.45	3	12.3	<0.2
1864788	Rock	0.159	5	13	0.15	167	0.001	<20	0.43	0.006	0.10	0.2	0.04	0.9	<0.1	0.75	1	10.8	<0.2
1864789	Rock	0.114	3	8	0.08	179	0.001	<20	0.34	0.005	0.12	0.3	0.03	1.1	<0.1	0.94	<1	10.0	<0.2
1864790	Rock	0.005	<1	<1	0.45	8	<0.001	<20	0.04	0.003	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1864791	Rock	0.214	6	13	0.15	246	0.002	<20	0.46	0.009	0.14	0.3	0.03	1.0	0.1	0.88	1	19.4	<0.2
1864792	Rock	0.037	5	6	0.22	144	<0.001	<20	0.45	0.006	0.12	0.2	<0.01	0.8	<0.1	0.69	1	3.7	<0.2
1864793	Rock	0.054	24	23	1.01	108	0.050	<20	1.53	0.032	0.13	1.1	<0.01	2.9	<0.1	2.18	4	5.9	0.5
1864794	Rock	0.040	12	18	0.67	88	0.053	<20	2.86	0.124	0.07	0.4	<0.01	2.0	<0.1	1.79	6	4.6	0.8
1864795	Rock	0.036	12	15	0.34	81	0.055	<20	3.31	0.168	0.09	0.7	<0.01	1.7	<0.1	1.60	8	3.6	0.8
1864796	Rock	0.032	20	11	0.36	95	0.063	<20	1.84	0.088	0.16	>100	0.03	1.5	<0.1	3.63	4	10.3	4.1
1864797	Rock	0.042	14	16	0.58	69	0.062	<20	2.35	0.068	0.12	>100	<0.01	1.7	<0.1	5.65	6	21.1	9.1
1864798	Rock	0.069	21	13	0.55	135	0.071	<20	1.67	0.074	0.15	0.7	<0.01	1.7	<0.1	1.67	4	3.2	<0.2
1864799	Rock	0.078	18	16	0.78	152	0.081	<20	1.78	0.051	0.20	0.7	<0.01	2.0	<0.1	2.27	4	5.3	0.3
1864800	Rock	0.075	18	17	0.84	138	0.090	<20	1.90	0.050	0.22	0.6	0.01	2.1	0.1	2.16	5	4.7	0.3
1864801	Rock	0.057	11	10	0.46	161	0.002	<20	0.80	0.004	0.22	0.1	<0.01	1.1	0.1	1.60	2	2.9	<0.2
1864802	Rock	0.022	13	15	0.54	368	0.008	<20	1.12	0.007	0.25	0.1	<0.01	2.0	0.1	0.41	3	<0.5	0.2
1864803	Rock	0.019	9	13	0.56	316	0.003	<20	0.83	0.004	0.23	0.1	<0.01	2.1	0.2	0.91	3	1.8	0.3
1864804	Rock	0.024	8	11	0.48	357	0.004	<20	0.79	0.004	0.26	<0.1	<0.01	1.6	0.2	0.92	2	1.1	0.4
1864805	Rock	0.018	7	8	0.44	286	0.003	<20	0.65	0.002	0.17	0.2	<0.01	1.5	0.1	0.90	2	1.4	0.2
1864806	Rock	0.025	7	8	0.30	321	0.002	<20	0.57	0.003	0.17	<0.1	<0.01	1.5	0.1	0.56	2	0.5	0.3
1864807	Rock	0.032	7	9	0.22	133	0.001	<20	0.49	0.010	0.14	0.1	<0.01	1.4	0.1	0.46	1	1.0	<0.2
1864808	Rock	0.037	10	11	0.24	232	0.002	<20	0.71	0.015	0.23	<0.1	<0.01	1.5	0.1	1.34	2	1.4	<0.2
1864809	Rock	0.025	8	12	0.19	71	0.001	<20	0.41	0.003	0.06	<0.1	<0.01	0.8	<0.1	0.72	1	1.2	<0.2
1864810	Rock Pulp	0.034	4	40	2.42	37	0.004	<20	1.86	0.010	0.07	0.4	2.58	3.4	4.6	6.50	7	32.3	0.4
1864811	Rock	0.019	8	10	0.17	120	0.001	<20	0.39	0.009	0.11	<0.1	<0.01	0.9	0.2	0.34	1	0.5	<0.2
1864812	Rock	0.009	6	6	0.13	71	0.001	<20	0.23	0.006	0.07	<0.1	0.01	0.8	<0.1	0.30	<1	0.5	<0.2
1864813	Rock	0.011	7	7	0.12	98	0.001	<20	0.24	0.005	0.08	<0.1	<0.01	0.6	<0.1	0.33	<1	1.0	0.2
1864814	Rock	0.017	7	7	0.15	72	0.001	<20	0.28	0.003	0.06	<0.1	<0.01	0.6	<0.1	0.53	<1	1.0	0.2
1864815	Rock	0.024	8	8	0.18	112	0.001	<20	0.36	0.005	0.09	<0.1	<0.01	0.9	<0.1	0.20	1	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 21, 2019

Page: 6 of 6

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000747.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1864816	Rock	4.73	0.035	0.4	27.1	7.0	15	0.4	20.1	2.9	174	1.49	337.4	<0.5	1.7	19	0.1	2.3	1.5	10	0.53
1864817	Rock	4.70	0.089	0.6	50.7	3.5	15	0.4	27.4	4.4	140	1.61	129.9	1.2	2.7	24	<0.1	1.0	2.6	11	0.49
1864818	Rock	4.63	0.023	0.3	10.1	11.2	49	0.2	7.6	1.7	112	0.60	40.0	<0.5	2.1	13	0.6	0.6	0.7	4	0.30
1864819	Rock	2.10	0.010	2.0	42.1	15.9	91	0.6	58.9	6.8	243	2.22	172.9	<0.5	4.1	34	1.0	1.2	2.2	27	0.87
1864820	Rock	1.81	0.013	2.2	55.3	15.3	69	0.7	72.0	8.4	263	2.77	180.7	<0.5	5.6	46	0.9	1.4	2.9	31	1.00
1864821	Rock	4.73	0.017	2.5	77.7	5.3	40	0.5	139.4	11.2	145	2.64	373.3	<0.5	5.9	35	0.8	1.0	2.8	25	1.23
1864822	Rock	3.57	0.028	1.9	69.1	4.2	20	0.4	80.9	8.5	123	1.98	84.2	<0.5	5.4	24	0.1	1.1	2.6	21	0.59
1864823	Rock	1.84	0.019	1.3	50.7	6.7	17	0.5	54.0	6.4	166	2.56	211.9	0.9	4.8	30	0.1	0.7	3.8	14	0.63



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 21, 2019

**Page:** 6 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000747.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
1864816	Rock	0.022	5	8	0.19	128	0.001	<20	0.34	0.004	0.09	<0.1	<0.01	1.0	<0.1	0.67	1	1.4	<0.2
1864817	Rock	0.017	6	8	0.25	197	0.002	<20	0.42	0.004	0.13	0.2	<0.01	1.2	<0.1	0.79	1	1.7	0.3
1864818	Rock	0.015	7	5	0.09	87	0.001	<20	0.20	0.004	0.07	<0.1	<0.01	0.5	<0.1	0.12	<1	<0.5	<0.2
1864819	Rock	0.027	8	18	0.44	208	0.001	<20	0.79	0.009	0.17	<0.1	<0.01	1.7	<0.1	1.15	2	2.6	<0.2
1864820	Rock	0.036	10	20	0.49	264	0.002	<20	0.94	0.010	0.22	<0.1	<0.01	1.9	0.1	1.50	3	3.5	<0.2
1864821	Rock	0.051	13	16	0.36	235	0.009	<20	0.72	0.019	0.17	1.1	<0.01	1.6	0.1	1.45	2	4.0	<0.2
1864822	Rock	0.040	8	29	0.31	281	0.009	<20	0.65	0.020	0.17	0.1	<0.01	1.5	0.1	0.99	2	2.2	<0.2
1864823	Rock	0.034	11	11	0.35	246	0.002	<20	0.61	0.014	0.16	0.1	<0.01	1.3	<0.1	1.39	2	2.8	0.2





Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 21, 2019

Page: 1 of 3 Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000747.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
Pulp Duplicates																					
1864701	Rock	3.19	0.112	1.1	54.1	7.4	110	0.2	44.9	17.1	520	2.65	166.9	98.0	13.3	221	0.2	0.4	4.3	37	3.46
REP 1864701	QC	0.116																			
1864703	Rock	4.32	8.350	3.5	249.1	5.8	94	1.4	34.4	30.2	824	7.77	180.2	8728.1	8.6	198	0.5	0.6	195.9	56	4.05
REP 1864703	QC	3.0 256.9 5.9 95 1.8 33.8 30.5 830 7.95 167.0 12052.4 9.0 208 0.5 0.6 207.3 59 4.23																			
1864737	Rock	3.96	0.461	0.6	53.2	10.2	88	6.6	22.2	12.2	1539	2.35	46.9	533.7	7.2	334	0.3	3.2	15.3	23	16.23
REP 1864737	QC	0.6 48.1 8.8 86 6.0 20.4 10.8 1517 2.34 41.1 296.7 6.6 304 0.4 2.9 14.9 22 16.06																			
1864772	Rock	4.17	<0.005	2.9	75.2	2.5	199	0.5	52.8	8.5	355	1.99	552.3	<0.5	3.6	25	3.9	1.4	1.3	35	0.42
REP 1864772	QC	3.1 76.3 2.6 201 0.5 52.1 8.3 353 2.05 561.8 <0.5 3.7 25 4.2 1.4 1.3 37 0.44																			
1864774	Rock	3.71	0.008	4.0	77.1	4.9	188	0.6	71.9	10.0	243	2.89	21.1	<0.5	8.1	23	5.1	1.2	2.4	24	0.34
REP 1864774	QC	0.009																			
1864785	Rock	3.51	0.013	1.0	40.2	2.0	73	0.2	29.2	8.8	745	3.28	29.1	<0.5	4.1	18	<0.1	1.2	0.7	36	0.41
REP 1864785	QC	0.011																			
1864806	Rock	4.55	0.111	0.4	65.1	3.1	29	0.3	29.4	6.5	124	1.51	370.5	4.9	2.5	19	0.1	0.5	3.2	16	0.30
REP 1864806	QC	0.4 65.4 3.2 28 0.3 26.8 6.3 122 1.51 338.4 3.7 2.5 19 0.1 0.5 3.3 15 0.29																			
Core Reject Duplicates																					
1864712	Rock	3.57	0.149	0.5	55.1	8.5	54	0.6	33.4	14.0	265	3.68	203.2	53.3	12.1	149	0.2	0.4	6.8	21	1.05
DUP 1864712	QC	0.158 0.4 53.9 8.5 52 0.6 32.9 14.1 266 3.62 208.1 53.2 12.3 144 0.1 0.3 8.3 21 1.00																			
1864746	Rock	4.90	0.364	0.7	58.2	6.2	71	0.4	33.5	15.4	671	3.15	458.3	244.8	9.4	153	0.4	0.6	10.7	27	4.36
DUP 1864746	QC	0.338 0.9 58.8 6.0 70 0.5 34.7 15.5 658 3.15 471.7 374.6 8.8 148 0.5 0.5 15.1 26 4.32																			
1864780	Rock	2.03	<0.005	1.3	27.1	4.3	26	0.3	43.6	9.7	207	3.09	25.6	<0.5	5.8	23	<0.1	0.4	1.9	20	0.48
DUP 1864780	QC	<0.005 1.4 24.4 4.1 24 0.3 40.9 8.7 196 2.91 24.9 <0.5 5.9 23 <0.1 0.5 1.8 19 0.48																			
1864814	Rock	4.11	0.075	0.3	18.9	12.4	19	1.2	10.0	2.4	126	1.13	912.7	3.9	2.1	13	0.1	1.6	3.3	5	0.42
DUP 1864814	QC	0.080 0.3 20.6 12.4 19 1.2 10.7 2.3 125 1.12 901.9 19.8 2.0 14 0.2 1.6 3.3 6 0.43																			
Reference Materials																					
STD BVGEO01	Standard	11.1 4434.3 183.4 1730 2.6 162.3 24.8 719 3.72 117.7 213.5 12.8 55 6.1 2.0 22.8 75 1.29																			
STD BVGEO01	Standard	10.9 4507.0 193.8 1764 2.8 166.7 25.5 747 3.75 114.2 236.1 14.5 56 6.0 2.5 26.5 75 1.34																			
STD DS11	Standard	16.3 159.3 137.8 349 1.7 81.7 13.9 1037 3.17 42.6 72.3 7.3 68 2.2 6.7 11.1 50 1.05																			
STD DS11	Standard	15.2 152.5 140.2 365 1.9 80.8 13.5 1072 3.26 44.3 66.2 8.8 76 2.5 8.2 13.0 52 1.11																			



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 21, 2019

Page: 1 of 3

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000747.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																			
1864701	Rock	0.052	16	39	1.23	418	0.109	<20	4.99	0.303	0.90	2.1	<0.01	4.9	0.9	0.56	12	1.9	<0.2
REP 1864701	QC																		
1864703	Rock	0.052	13	26	0.67	83	0.075	<20	3.94	0.260	0.26	9.1	0.03	3.0	0.3	3.85	11	20.4	7.9
REP 1864703	QC	0.053	15	27	0.70	122	0.083	<20	4.11	0.270	0.27	9.3	0.02	3.2	0.3	4.04	11	22.6	8.7
1864737	Rock	0.049	15	19	0.88	62	0.019	<20	1.83	0.050	0.23	2.3	0.02	4.4	0.4	0.19	5	0.7	0.5
REP 1864737	QC	0.046	13	19	0.87	59	0.016	<20	1.80	0.049	0.22	1.9	0.01	4.3	0.3	0.19	4	1.1	0.6
1864772	Rock	0.100	13	14	0.38	187	0.001	<20	0.66	0.011	0.11	<0.1	<0.01	1.2	<0.1	0.96	2	6.2	<0.2
REP 1864772	QC	0.103	15	14	0.39	195	0.001	<20	0.70	0.012	0.12	<0.1	0.01	1.3	<0.1	1.00	2	6.0	<0.2
1864774	Rock	0.054	19	14	0.38	146	0.001	<20	0.84	0.012	0.12	0.1	0.02	1.3	0.1	1.57	2	3.0	<0.2
REP 1864774	QC																		
1864785	Rock	0.034	8	21	0.62	204	0.002	<20	1.38	0.012	0.09	<0.1	<0.01	2.4	<0.1	0.94	4	1.2	<0.2
REP 1864785	QC																		
1864806	Rock	0.025	7	8	0.30	321	0.002	<20	0.57	0.003	0.17	<0.1	<0.01	1.5	0.1	0.56	2	0.5	0.3
REP 1864806	QC	0.026	7	8	0.30	303	0.002	<20	0.56	0.003	0.17	<0.1	<0.01	1.5	<0.1	0.56	2	<0.5	0.3
Core Reject Duplicates																			
1864712	Rock	0.074	11	20	0.78	197	0.080	<20	2.42	0.111	0.67	0.2	<0.01	2.9	0.8	1.70	6	1.5	0.3
DUP 1864712	QC	0.074	11	20	0.77	196	0.079	<20	2.32	0.107	0.67	0.2	<0.01	2.9	0.8	1.66	6	1.4	0.4
1864746	Rock	0.061	9	25	1.35	240	0.084	<20	3.59	0.183	0.85	0.7	<0.01	3.9	0.8	1.38	9	2.7	0.5
DUP 1864746	QC	0.060	8	25	1.33	233	0.078	<20	3.44	0.173	0.82	0.6	<0.01	3.5	0.9	1.39	9	2.5	0.5
1864780	Rock	0.063	13	18	0.44	109	<0.001	<20	1.09	0.024	0.10	<0.1	<0.01	1.6	<0.1	1.48	3	1.7	<0.2
DUP 1864780	QC	0.058	13	18	0.42	108	<0.001	<20	1.06	0.023	0.09	<0.1	<0.01	1.6	<0.1	1.37	3	2.0	<0.2
1864814	Rock	0.017	7	7	0.15	72	0.001	<20	0.28	0.003	0.06	<0.1	<0.01	0.6	<0.1	0.53	<1	1.0	0.2
DUP 1864814	QC	0.017	6	7	0.16	74	0.001	<20	0.29	0.003	0.06	<0.1	<0.01	0.8	<0.1	0.56	<1	1.1	<0.2
Reference Materials																			
STD BVGEO01	Standard	0.073	26	183	1.30	340	0.230	<20	2.30	0.186	0.89	3.2	0.08	5.6	0.6	0.68	7	3.7	1.0
STD BVGEO01	Standard	0.071	27	187	1.33	332	0.247	<20	2.40	0.192	0.88	3.7	0.10	5.5	0.6	0.69	8	4.8	1.0
STD DS11	Standard	0.067	18	59	0.85	423	0.091	<20	1.17	0.073	0.41	3.1	0.26	3.3	4.9	0.29	5	2.5	4.7
STD DS11	Standard	0.075	21	64	0.88	460	0.103	<20	1.25	0.079	0.42	2.6	0.28	3.4	5.2	0.30	6	2.2	5.0



# QUALITY CONTROL REPORT

WHI19000747.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
STD OREAS263	Standard	0.204																			
STD OREAS263	Standard	0.208																			
STD OREAS263	Standard	0.204																			
STD OREAS262	Standard			0.6	118.9	53.9	146	0.4	62.0	26.9	539	3.30	34.8	50.6	8.3	35	0.6	2.0	1.0	23	2.94
STD OREAS262	Standard			0.7	121.2	54.3	152	0.5	66.2	28.2	544	3.33	35.0	60.2	8.5	34	0.7	2.3	1.0	22	2.97
STD OREAS262	Standard			0.7	126.2	58.8	151	0.5	67.3	28.0	540	3.29	35.8	77.2	9.6	36	0.7	2.5	1.0	23	3.02
STD OREAS262	Standard			0.7	118.4	60.4	154	0.5	64.2	26.9	549	3.39	36.6	70.6	10.4	37	0.7	2.6	1.1	23	3.04
STD OXI138	Standard	1.808																			
STD OXI138	Standard	1.860																			
STD OXI138	Standard	1.814																			
STD OXN117	Standard	7.584																			
STD OXN117	Standard	7.604																			
STD OXN117	Standard	7.800																			
STD OXI138 Expected		1.86																			
STD OREAS263 Expected		0.21																			
STD OXN117 Expected		7.679																			
STD BVGEO01 Expected			10.8	4415	187	1741	2.53	163	25	733	3.7	121	219	14.4	55	6.5	2.2	25.6	73	1.3219	
STD DS11 Expected			13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063	
STD OREAS262 Expected			0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	65	9.33	36	0.61	3.39	1.03	22.5	2.98	
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	1.4	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
Prep Wash																					



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 21, 2019

Page: 2 of 3

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000747.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
STD OREAS263	Standard																			
STD OREAS263	Standard																			
STD OREAS263	Standard																			
STD OREAS262	Standard	0.039	18	45	1.18	255	0.003	<20	1.39	0.068	0.33	<0.1	0.15	3.4	0.5	0.27	4	<0.5	0.3	
STD OREAS262	Standard	0.039	16	44	1.19	248	0.003	<20	1.30	0.070	0.32	0.1	0.15	3.3	0.4	0.27	4	0.6	0.2	
STD OREAS262	Standard	0.039	19	46	1.19	258	0.003	<20	1.42	0.068	0.33	0.1	0.18	3.3	0.5	0.27	4	0.5	<0.2	
STD OREAS262	Standard	0.042	21	44	1.21	272	0.003	<20	1.43	0.071	0.35	0.1	0.18	3.4	0.5	0.28	5	<0.5	0.3	
STD OXI138	Standard																			
STD OXI138	Standard																			
STD OXI138	Standard																			
STD OXN117	Standard																			
STD OXN117	Standard																			
STD OXN117	Standard																			
STD OXI138 Expected																				
STD OREAS263 Expected																				
STD OXN117 Expected																				
STD BVGEO01 Expected		0.0727	25.9	171	1.2963	340	0.233		2.347	0.1924	0.89	3.5	0.1	5.97	0.62	0.6655	7.37	4.84	1.02	
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56	
STD OREAS262 Expected		0.04	15.9	41.7	1.17	248	0.003		1.204	0.071	0.312	0.13	0.17	3.24	0.47	0.253	3.73	0.4	0.23	
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
Prep Wash																				



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 21, 2019

Page: 3 of 3

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000747.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
ROCK-WHI	Prep Blank	<0.005	0.9	4.5	1.2	34	<0.1	1.3	4.1	604	2.01	1.2	0.9	2.6	29	<0.1	<0.1	<0.1	30	0.72	
ROCK-WHI	Prep Blank	<0.005	0.8	3.2	1.0	33	<0.1	1.6	4.1	612	2.05	0.9	<0.5	2.4	24	<0.1	<0.1	<0.1	28	0.76	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 21, 2019

Page: 3 of 3

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000747.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
ROCK-WHI	Prep Blank	0.044	8	4	0.55	68	0.101	<20	0.99	0.089	0.10	0.1	<0.01	3.5	<0.1	<0.05	4	<0.5	<0.2
ROCK-WHI	Prep Blank	0.044	7	5	0.57	63	0.093	<20	1.01	0.086	0.11	<0.1	<0.01	3.5	<0.1	<0.05	4	<0.5	<0.2



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Submitted By: James Thom  
Receiving Lab: Canada-Whitehorse  
Received: November 06, 2019  
Report Date: November 21, 2019  
Page: 1 of 5

## CERTIFICATE OF ANALYSIS

WHI19000748.1

### CLIENT JOB INFORMATION

Project: McQuesten  
Shipment ID: MQ-19-29a  
P.O. Number  
Number of Samples: 108

### SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps  
PICKUP-RJT Client to Pickup Rejects

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Banyan Gold Corp.  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7  
Canada

CC: Paul Gray

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	105	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	3	Sort, label and box pulps			WHI
FA450	108	50g Lead Collection Fire Assay Fusion - AAS Finish	50	Completed	VAN
EN002	108	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	108	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	108	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS

  
MAY LAI  
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 21, 2019

Page: 2 of 5 Part: 1 of 2

# CERTIFICATE OF ANALYSIS

## WHI19000748.1

Method Analyte Unit MDL	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1864824	Rock	5.40	0.132	1.0	40.6	305.2	562	8.3	22.9	9.7	6111	2.62	151.9	87.1	3.3	106	8.1	1.0	4.3	6	4.17
1864825	Rock	3.45	0.017	0.4	11.2	194.9	456	2.4	8.6	3.9	3153	1.24	57.1	9.5	2.4	269	7.5	0.8	0.4	3	9.77
1864826	Rock	4.40	0.175	0.4	22.3	203.1	307	3.4	13.9	5.9	2168	1.43	71.0	99.7	4.6	71	4.2	0.6	5.8	5	3.50
1864827	Rock	4.55	0.270	0.3	14.3	27.3	109	0.5	14.9	4.9	1117	1.11	41.5	170.3	4.3	113	1.2	0.6	6.0	5	4.66
1864828	Rock	1.70	0.030	0.4	18.8	10.3	130	0.4	30.1	9.8	742	1.34	123.9	21.4	4.6	70	0.6	0.4	2.3	6	3.08
1864829	Rock	4.11	0.012	0.8	42.1	7.5	75	0.4	27.0	12.9	299	2.31	241.6	14.2	10.6	19	1.2	0.4	1.6	12	0.44
1864830	Rock	0.68	<0.005	<0.1	0.3	0.3	<1	<0.1	<0.1	<0.1	71	0.06	1.4	<0.5	<0.1	73	<0.1	<0.1	<0.1	<1	33.20
1864831	Rock	4.10	0.039	0.5	21.5	17.3	129	0.6	30.9	10.9	494	2.07	161.1	45.3	10.3	36	1.4	0.4	3.2	11	1.46
1864832	Rock	4.47	0.071	1.5	41.7	10.1	109	0.4	44.6	18.0	727	2.99	433.1	40.0	8.4	114	0.3	0.8	3.9	26	3.49
1864833	Rock	4.07	0.037	1.6	38.7	6.7	90	0.3	32.9	13.2	515	2.99	216.7	15.3	8.1	42	0.3	0.6	2.3	32	1.09
1864834	Rock	2.95	0.267	0.4	34.7	10.4	45	0.5	18.7	8.9	441	2.28	205.0	140.4	8.9	29	0.3	0.5	7.7	11	1.11
1864835	Rock	4.49	0.016	0.2	7.0	4.9	55	<0.1	13.0	4.9	649	0.90	12.8	13.3	2.5	645	0.3	0.2	0.5	5	24.25
1864836	Rock	3.28	0.035	0.4	29.2	20.7	81	0.5	18.7	8.5	507	2.05	62.4	19.8	8.1	119	0.7	0.6	1.6	14	5.59
1864837	Rock	3.75	0.109	0.6	67.9	59.2	133	1.9	31.7	14.7	663	3.29	368.2	69.4	8.4	97	1.3	1.5	4.9	28	3.57
1864838	Rock	4.75	0.015	0.2	5.5	11.1	20	0.1	5.0	2.4	784	0.65	8.2	5.5	1.6	829	0.2	0.2	0.4	4	26.84
1864839	Rock	0.87	0.029	0.9	93.7	19.5	74	0.9	44.6	18.4	424	4.26	79.5	19.4	10.6	45	0.4	2.0	5.1	26	1.16
1864840	Rock	0.84	0.027	0.7	89.6	17.7	72	0.8	42.6	19.7	395	4.13	85.9	20.0	9.9	48	0.4	2.5	4.6	26	1.24
1864841	Rock	5.27	0.024	0.2	7.7	75.3	101	0.8	9.6	5.7	1234	1.01	15.2	10.4	3.8	484	1.1	0.4	1.1	9	20.71
1864842	Rock	1.70	0.027	0.8	12.3	638.9	996	3.0	21.9	9.7	>10000	5.86	58.8	21.5	5.8	351	11.2	2.6	1.0	13	14.55
1864843	Rock	3.02	1.054	2.0	72.1	7.6	97	0.4	40.2	13.0	636	2.75	47.8	823.3	10.1	344	0.8	0.2	29.9	34	6.25
1864844	Rock	4.39	0.012	0.6	14.8	5.3	54	0.1	9.3	4.1	544	0.72	4.0	2.0	1.7	1150	2.8	0.2	0.6	4	31.29
1864845	Rock	4.54	1.051	1.6	67.1	7.0	91	0.4	38.7	12.4	624	2.69	49.3	680.0	9.3	320	0.9	0.2	25.5	34	6.01
1864846	Rock	2.45	0.045	40.0	77.0	14.0	740	0.8	161.4	14.4	137	3.28	963.8	1.0	6.0	26	11.6	2.4	4.4	114	0.78
1864847	Rock	4.69	0.117	1.9	39.0	6.7	68	0.3	27.8	9.7	367	2.21	165.8	78.0	10.3	185	0.5	0.2	3.4	28	2.24
1864848	Rock	5.05	0.357	0.4	30.6	6.8	68	0.3	21.6	9.0	436	2.14	85.9	212.3	9.4	149	1.1	0.2	7.8	24	3.32
1864849	Rock	4.91	0.082	0.2	31.1	6.1	44	0.2	19.8	8.4	261	2.41	107.6	36.9	8.4	115	0.2	0.2	2.5	18	2.27
1864850	Rock Pulp	0.12	1.228	6.1	110.2	6172.4	1522	41.4	15.9	10.5	1027	3.68	51.5	1201.7	2.7	80	15.4	28.9	0.8	92	1.02
1864851	Rock	4.98	0.065	0.4	49.1	6.9	61	0.3	26.2	10.9	327	2.53	57.3	28.7	8.8	173	0.2	0.2	2.3	28	2.59
1864852	Rock	4.68	0.044	0.7	40.9	5.0	83	0.2	28.4	15.7	484	2.57	45.5	40.8	8.7	149	0.1	0.2	1.7	47	2.70
1864853	Rock	5.29	0.045	0.3	29.7	8.5	29	0.3	20.7	10.2	202	2.06	468.7	21.9	10.5	124	0.2	0.4	2.0	15	2.09





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 21, 2019

**Page:** 2 of 5

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000748.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
1864824	Rock	0.033	6	4	0.40	58	<0.001	<20	0.35	0.001	0.16	1.0	<0.01	2.0	0.3	0.34	<1	1.1	<0.2
1864825	Rock	0.021	4	3	0.27	41	<0.001	<20	0.23	<0.001	0.12	<0.1	0.01	1.3	0.2	0.24	<1	<0.5	<0.2
1864826	Rock	0.010	7	6	0.23	49	0.002	<20	0.39	0.005	0.17	0.1	<0.01	1.4	0.3	0.33	1	<0.5	<0.2
1864827	Rock	0.015	7	6	0.21	60	0.011	<20	0.63	0.020	0.13	0.7	0.01	1.1	0.2	0.19	2	<0.5	<0.2
1864828	Rock	0.012	6	8	0.22	43	0.007	<20	0.58	0.004	0.14	8.4	<0.01	1.0	0.2	0.29	1	<0.5	<0.2
1864829	Rock	0.029	18	12	0.42	89	0.014	<20	1.01	0.010	0.37	0.2	<0.01	1.9	0.4	0.14	3	1.1	<0.2
1864830	Rock	0.005	<1	<1	0.46	9	<0.001	<20	0.02	<0.001	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
1864831	Rock	0.024	14	11	0.45	53	0.005	<20	0.90	0.009	0.22	0.1	<0.01	1.6	0.2	0.17	3	0.7	<0.2
1864832	Rock	0.059	11	21	0.91	100	0.049	<20	2.21	0.089	0.49	0.3	<0.01	3.1	0.5	0.66	6	0.6	<0.2
1864833	Rock	0.033	10	22	0.97	73	0.049	<20	1.84	0.061	0.30	0.2	<0.01	2.8	0.3	0.71	5	1.5	<0.2
1864834	Rock	0.027	11	12	0.52	59	0.035	<20	1.07	0.023	0.19	0.2	<0.01	1.7	0.1	0.36	3	1.0	0.3
1864835	Rock	0.025	4	6	0.58	50	0.020	<20	0.79	0.033	0.17	0.1	<0.01	1.1	<0.1	0.12	2	<0.5	<0.2
1864836	Rock	0.028	11	11	0.43	68	0.016	<20	0.90	0.021	0.21	0.2	<0.01	2.1	0.2	0.39	3	<0.5	<0.2
1864837	Rock	0.055	10	22	0.85	117	0.018	<20	1.69	0.053	0.30	2.0	<0.01	3.7	0.3	1.53	5	3.1	<0.2
1864838	Rock	0.023	3	3	0.43	28	0.006	<20	0.38	0.010	0.06	<0.1	<0.01	1.2	<0.1	0.14	<1	<0.5	<0.2
1864839	Rock	0.045	10	20	1.08	164	0.037	<20	2.07	0.049	0.49	0.2	<0.01	3.8	0.5	2.17	6	2.0	<0.2
1864840	Rock	0.045	9	19	1.03	163	0.028	<20	1.87	0.043	0.44	0.2	<0.01	3.9	0.5	2.20	5	2.3	<0.2
1864841	Rock	0.025	6	8	0.64	73	0.024	<20	0.96	0.047	0.23	0.2	<0.01	2.1	0.1	0.22	3	<0.5	<0.2
1864842	Rock	0.034	6	6	2.02	48	<0.001	<20	0.37	0.002	0.21	0.2	<0.01	4.5	0.4	0.24	<1	1.9	<0.2
1864843	Rock	0.057	11	24	0.73	181	0.064	<20	3.32	0.207	0.24	>100	<0.01	2.9	0.1	1.01	9	2.6	1.0
1864844	Rock	0.036	2	4	0.23	25	0.010	<20	0.69	0.054	0.07	<0.1	0.01	1.0	<0.1	0.37	2	0.9	<0.2
1864845	Rock	0.056	10	22	0.71	170	0.059	<20	3.22	0.201	0.24	90.9	<0.01	2.8	0.2	0.98	8	2.9	0.7
1864846	Rock	0.104	6	10	0.14	147	0.046	<20	0.62	0.014	0.24	1.5	0.02	1.4	0.2	1.86	2	14.6	0.3
1864847	Rock	0.035	10	21	0.61	108	0.061	<20	2.47	0.193	0.31	1.4	<0.01	2.4	0.2	0.83	6	1.3	<0.2
1864848	Rock	0.043	12	21	0.57	114	0.076	<20	2.89	0.243	0.47	1.4	0.01	2.8	0.4	0.86	7	0.7	0.3
1864849	Rock	0.025	8	17	0.53	86	0.059	<20	2.23	0.157	0.42	47.4	<0.01	2.3	0.4	1.10	5	1.3	<0.2
1864850	Rock Pulp	0.053	7	20	0.84	141	0.139	<20	1.76	0.206	0.23	1.5	0.21	3.1	0.1	0.22	5	<0.5	<0.2
1864851	Rock	0.039	9	26	0.79	103	0.094	<20	3.45	0.280	0.33	0.5	<0.01	3.0	0.2	1.03	9	1.5	<0.2
1864852	Rock	0.045	8	29	1.28	200	0.100	<20	3.19	0.179	0.84	0.4	<0.01	3.6	0.6	0.75	8	1.0	<0.2
1864853	Rock	0.019	10	16	0.42	73	0.055	<20	2.46	0.230	0.31	0.4	<0.01	2.0	0.2	1.00	6	1.0	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 21, 2019

**Page:** 3 of 5

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000748.1

Method Analyte	Unit	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
MDL		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1864854	Rock	4.66	0.090	0.5	35.5	7.8	48	0.3	31.1	15.4	262	2.91	133.1	35.7	11.0	117	0.2	0.3	2.9	25	2.18
1864855	Rock	4.86	0.095	1.3	36.3	8.9	63	0.3	27.8	11.5	297	2.24	203.8	83.7	10.4	197	0.2	0.3	3.0	30	3.81
1864856	Rock	5.18	0.122	2.3	55.0	10.4	75	0.5	44.8	20.3	362	3.32	522.9	39.6	11.2	128	0.5	0.6	5.3	46	1.96
1864857	Rock	4.86	0.169	0.7	55.5	8.9	135	0.3	31.4	16.6	395	2.40	221.3	96.9	8.2	235	4.3	0.3	4.6	39	4.66
1864858	Rock	5.26	0.068	0.6	55.5	14.4	92	0.8	32.1	14.9	672	3.22	981.9	29.5	6.2	219	0.6	0.8	4.8	37	6.03
1864859	Rock	2.25	0.062	0.2	19.6	10.5	54	<0.1	16.1	8.4	545	1.39	87.9	23.2	6.1	411	0.4	0.1	2.1	28	15.64
1864860	Rock	2.06	0.094	0.2	21.4	11.0	59	<0.1	16.9	9.4	555	1.46	105.6	42.1	5.9	411	0.4	0.1	2.8	28	14.99
1864861	Rock	3.97	0.075	0.4	27.2	8.0	44	0.2	18.7	7.7	392	1.45	35.0	39.3	7.7	364	0.3	0.1	1.9	23	8.98
1864862	Rock	2.32	0.011	0.5	13.7	13.0	39	0.1	12.5	5.8	852	1.58	13.6	5.7	3.7	861	0.2	0.3	0.4	24	25.20
1864863	Rock	4.74	0.025	0.2	24.5	15.0	45	0.4	16.5	6.9	449	2.03	95.3	25.8	10.2	135	0.2	0.1	1.7	13	2.69
1864864	Rock	3.04	0.007	0.2	18.7	8.5	31	0.2	17.4	6.9	183	1.97	96.2	5.1	13.0	73	0.2	0.1	0.9	9	0.87
1864865	Rock	5.65	0.054	0.3	14.9	5.4	34	0.1	9.8	4.0	456	0.86	28.7	21.3	4.3	229	0.2	<0.1	2.1	8	7.93
1864866	Rock	4.02	0.023	0.3	13.0	5.8	27	0.1	9.2	6.7	700	0.85	32.3	8.3	3.0	678	0.2	0.1	1.0	7	18.57
1864867	Rock	2.75	0.052	0.2	41.8	6.3	46	0.3	24.1	11.6	758	1.91	66.5	32.9	6.3	589	0.3	0.2	2.0	18	17.02
1864868	Rock	2.85	0.132	0.5	63.3	8.4	77	0.4	39.8	19.3	419	3.63	394.6	75.1	9.5	129	0.4	0.4	5.0	31	1.68
1864869	Rock	5.81	<0.005	0.5	5.0	26.7	73	<0.1	1.7	3.0	406	1.95	3.6	4.6	5.6	118	0.1	0.3	0.3	13	1.33
1864870	Rock Pulp	0.13	0.319	14.1	2261.2	1056.9	6962	18.9	33.7	18.5	546	8.44	280.5	38.0	1.0	47	49.8	30.3	12.1	46	2.07
1864871	Rock	5.56	0.042	0.4	50.6	7.3	61	0.5	29.3	15.6	359	3.64	1578.8	5.5	9.2	130	1.5	1.1	2.7	18	1.03
1864872	Rock	4.50	0.028	0.5	44.1	5.3	58	0.5	27.2	13.1	348	3.24	322.8	19.4	9.4	83	0.3	0.5	2.4	17	1.02
1864873	Rock	2.32	0.127	0.9	85.3	12.4	77	0.9	43.5	21.2	561	4.80	400.3	14.4	5.8	142	0.6	0.5	5.7	32	2.13
1864874	Rock	4.64	0.019	0.4	47.7	8.0	76	0.7	32.0	16.3	386	3.82	156.9	1.9	7.6	51	0.5	0.5	2.6	21	0.85
1864875	Rock	4.02	0.013	0.3	53.8	5.3	103	0.4	30.9	13.8	376	4.02	184.6	2.8	7.2	14	1.9	0.3	2.2	18	0.78
1864876	Rock	4.62	0.033	0.4	58.4	6.0	70	0.5	34.3	17.2	380	3.80	229.9	3.7	7.6	27	0.5	0.5	2.3	17	1.71
1864877	Rock	4.37	0.112	0.5	33.3	8.5	107	0.3	26.8	13.1	1333	2.85	42.9	57.2	6.3	286	0.2	1.8	2.4	34	11.46
1864878	Rock	4.36	0.312	0.5	5.1	5.5	127	<0.1	19.4	8.6	1421	2.02	33.6	308.7	6.7	172	0.2	0.2	8.6	43	9.96
1864879	Rock	2.47	0.160	0.2	17.6	5.6	84	0.1	20.5	11.6	748	1.94	80.3	112.2	8.1	114	0.2	0.4	4.0	31	4.72
1864880	Rock	2.36	0.175	0.2	18.6	6.1	93	0.1	21.8	13.0	814	2.12	70.2	150.4	8.7	114	0.2	0.4	3.8	33	4.86
1864881	Rock	5.54	0.170	1.4	49.6	7.8	94	0.3	36.9	14.3	706	2.53	165.5	126.7	9.1	239	0.5	0.3	5.4	39	7.90
1864882	Rock	4.63	0.167	0.7	102.9	108.1	157	2.6	42.1	24.5	1021	4.36	463.4	96.4	11.3	91	2.0	0.8	6.5	41	2.88
1864883	Rock	4.76	1.356	0.4	22.5	11.7	88	0.7	17.1	9.5	918	1.42	39.5	1629.6	6.5	158	0.5	0.4	30.3	17	7.55



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 21, 2019

**Page:** 3 of 5

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000748.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
1864854	Rock	0.048	9	22	0.70	108	0.081	<20	3.05	0.239	0.64	0.7	<0.01	3.2	0.5	1.29	7	<0.5	<0.2
1864855	Rock	0.033	10	25	0.67	112	0.075	<20	3.29	0.281	0.50	0.4	<0.01	3.3	0.4	0.86	9	1.1	<0.2
1864856	Rock	0.056	11	31	0.93	136	0.112	<20	3.37	0.268	0.92	2.5	<0.01	4.4	0.7	1.49	9	1.1	0.3
1864857	Rock	0.043	10	28	0.70	141	0.091	<20	4.04	0.382	0.62	3.2	0.02	4.2	0.5	0.88	10	1.7	<0.2
1864858	Rock	0.077	7	29	1.02	129	0.092	<20	3.25	0.219	0.88	7.0	<0.01	4.6	0.7	1.35	8	1.6	<0.2
1864859	Rock	0.036	12	23	0.52	64	0.074	<20	2.40	0.220	0.38	0.8	<0.01	2.7	0.2	0.27	6	<0.5	<0.2
1864860	Rock	0.031	13	23	0.53	62	0.075	<20	2.39	0.217	0.38	0.2	0.01	2.8	0.2	0.29	6	<0.5	<0.2
1864861	Rock	0.040	12	20	0.46	55	0.072	<20	2.28	0.216	0.30	0.3	<0.01	2.0	0.2	0.50	6	0.7	<0.2
1864862	Rock	0.043	4	21	0.67	37	0.051	<20	1.71	0.125	0.37	0.2	0.01	2.7	0.2	0.54	4	<0.5	<0.2
1864863	Rock	0.028	10	13	0.48	44	0.049	<20	2.09	0.193	0.30	0.2	<0.01	1.7	0.2	0.94	5	<0.5	<0.2
1864864	Rock	0.021	13	10	0.37	43	0.049	<20	1.55	0.118	0.32	0.2	<0.01	1.2	0.3	0.93	4	<0.5	<0.2
1864865	Rock	0.024	4	9	0.33	21	0.040	<20	1.22	0.086	0.12	0.3	<0.01	1.1	<0.1	0.24	3	<0.5	<0.2
1864866	Rock	0.037	3	8	0.38	29	0.025	<20	1.08	0.096	0.14	0.1	<0.01	1.1	<0.1	0.29	3	<0.5	<0.2
1864867	Rock	0.034	6	14	0.70	101	0.074	<20	2.36	0.135	0.52	0.3	0.02	2.5	0.4	0.72	5	0.8	<0.2
1864868	Rock	0.023	7	26	1.06	137	0.108	<20	3.13	0.163	0.78	0.4	0.02	3.6	0.7	1.63	8	1.3	<0.2
1864869	Rock	0.046	7	3	0.30	376	0.124	<20	1.47	0.095	0.64	0.1	0.01	1.3	0.5	<0.05	5	<0.5	<0.2
1864870	Rock Pulp	0.033	4	40	2.52	31	0.005	<20	1.94	0.008	0.07	0.5	2.77	3.6	4.8	6.50	7	31.5	0.3
1864871	Rock	0.020	7	17	0.86	111	0.074	<20	2.05	0.084	0.51	0.2	<0.01	2.5	0.6	1.83	5	2.1	<0.2
1864872	Rock	0.035	8	18	0.84	92	0.079	<20	2.34	0.097	0.65	0.3	<0.01	2.4	0.7	1.53	5	1.2	<0.2
1864873	Rock	0.055	6	30	1.35	109	0.090	<20	4.06	0.208	0.93	0.2	<0.01	4.4	1.0	2.61	9	1.9	0.3
1864874	Rock	0.032	8	20	1.09	81	0.089	<20	2.17	0.064	0.71	0.1	<0.01	2.9	0.7	1.58	5	0.8	<0.2
1864875	Rock	0.032	12	17	1.05	57	0.044	<20	1.33	0.002	0.38	0.1	<0.01	2.6	0.4	1.88	4	1.7	<0.2
1864876	Rock	0.032	16	16	0.89	51	0.011	<20	1.36	0.005	0.34	<0.1	<0.01	2.4	0.3	1.61	4	0.8	<0.2
1864877	Rock	0.042	12	25	1.27	58	0.014	<20	1.90	0.017	0.32	1.0	<0.01	4.9	0.4	0.55	6	0.7	<0.2
1864878	Rock	0.051	12	27	1.81	106	0.065	<20	2.67	0.102	0.38	0.4	<0.01	4.2	0.4	0.06	8	<0.5	0.3
1864879	Rock	0.049	12	26	1.52	108	0.075	<20	2.95	0.158	0.41	0.4	<0.01	4.5	0.4	0.30	8	<0.5	<0.2
1864880	Rock	0.058	12	28	1.76	123	0.079	<20	3.19	0.157	0.45	0.3	<0.01	4.5	0.4	0.30	8	<0.5	<0.2
1864881	Rock	0.049	9	29	1.00	96	0.095	<20	3.41	0.172	0.28	0.9	<0.01	4.1	0.3	0.85	9	1.8	<0.2
1864882	Rock	0.037	10	34	1.52	94	0.101	<20	3.15	0.103	0.35	0.5	0.02	5.2	0.4	1.87	8	3.5	0.3
1864883	Rock	0.058	9	16	0.84	55	0.073	<20	2.13	0.090	0.14	21.3	<0.01	1.8	0.1	0.28	6	0.9	1.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 21, 2019

**Page:** 4 of 5

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000748.1

Method Analyte	Unit	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
MDL		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
1864884	Rock	5.37	0.189	0.6	57.2	7.2	60	0.4	42.6	18.5	313	3.31	38.9	66.8	9.2	91	0.2	0.3	5.7	22	1.60
1864885	Rock	5.03	0.031	0.4	50.1	5.9	69	0.4	34.8	15.5	313	3.93	66.5	4.6	8.2	71	0.1	0.3	2.0	23	0.56
1864886	Rock	4.93	0.241	0.8	101.9	30.8	96	1.0	40.8	18.8	432	4.26	73.6	188.9	9.7	149	0.6	0.3	8.6	35	3.31
1864887	Rock	4.80	0.879	0.4	32.7	13.5	79	2.2	25.0	11.3	1069	1.92	63.0	945.5	5.9	216	0.3	2.1	21.0	25	8.95
1864888	Rock	4.57	0.070	0.7	50.5	8.3	65	0.3	30.0	14.9	400	2.34	45.9	61.8	9.7	131	0.4	0.2	2.6	28	3.22
1864889	Rock	4.46	0.594	1.4	71.3	9.8	74	0.5	38.0	14.3	558	3.15	361.3	477.0	9.9	282	0.6	0.3	18.0	38	7.63
1864890	Rock	0.47	<0.005	<0.1	1.0	0.1	<1	<0.1	0.8	<0.1	83	0.06	0.9	2.3	<0.1	84	<0.1	<0.1	<0.1	<1	36.70
1864891	Rock	5.57	0.076	0.4	23.2	11.0	39	0.2	18.5	8.3	856	2.15	451.7	28.1	4.2	607	0.3	0.3	2.3	31	19.28
1864892	Rock	4.85	0.062	0.6	45.3	8.4	50	0.5	34.8	15.3	345	3.80	77.1	19.2	8.0	119	0.2	0.5	4.1	29	2.04
1864893	Rock	4.69	0.032	0.5	47.9	11.2	43	0.5	42.7	21.3	413	4.09	155.5	15.7	9.3	169	0.2	0.5	3.3	28	3.53
1864894	Rock	5.14	0.114	0.3	37.8	8.4	27	0.5	28.4	11.7	277	3.12	75.2	64.9	10.8	132	0.1	0.3	3.8	16	2.43
1864895	Rock	4.72	0.022	0.3	20.6	8.4	26	0.3	20.4	9.1	374	2.46	64.6	8.4	8.3	285	<0.1	0.2	1.2	13	7.66
1864896	Rock	4.19	0.050	0.3	34.8	4.6	25	0.3	20.2	9.5	175	2.54	92.2	17.4	10.5	132	0.1	0.2	2.5	14	1.28
1864897	Rock	4.95	0.059	0.5	35.7	6.9	48	0.4	28.1	13.2	297	2.54	53.4	16.4	8.5	155	0.7	0.2	3.7	29	2.80
1864898	Rock	4.84	0.017	0.2	34.1	5.3	27	0.3	22.1	9.0	191	2.93	84.4	18.9	9.7	159	<0.1	0.2	1.3	18	1.51
1864899	Rock	2.25	<0.005	1.5	7.1	3.3	21	<0.1	13.7	2.1	184	0.82	2.7	2.2	2.7	49	<0.1	0.8	0.1	10	2.01
1864900	Rock	2.17	<0.005	1.6	7.6	3.9	19	<0.1	16.2	2.5	202	1.00	3.5	1.2	3.0	68	<0.1	0.7	0.1	11	2.38
1864901	Rock	4.34	0.039	2.2	16.7	4.8	28	0.2	25.6	5.2	139	1.85	26.1	9.9	6.0	31	0.3	0.4	1.0	13	1.04
1864902	Rock	3.45	<0.005	0.8	5.7	4.7	14	<0.1	10.2	2.1	338	0.69	3.3	<0.5	1.9	524	0.2	0.6	0.3	10	28.89
1864903	Rock	6.09	0.011	0.4	13.5	6.7	107	0.2	22.0	6.2	345	1.60	23.8	1.4	5.6	418	3.4	0.6	0.7	7	19.65
1864904	Rock	5.85	0.011	2.8	16.6	8.5	162	0.3	28.2	7.8	433	1.66	33.0	1.1	5.2	419	8.0	1.0	1.9	18	19.68
1864905	Rock	3.37	0.018	0.3	28.0	6.1	50	0.2	25.6	12.0	308	2.53	14.5	1.2	10.0	189	0.7	0.5	1.2	15	6.65
1864906	Rock	2.89	0.170	1.1	42.4	13.7	52	0.7	29.6	11.3	466	3.49	30.4	15.1	11.6	40	0.4	0.3	3.9	34	1.67
1864907	Rock	3.27	0.011	3.4	41.5	30.4	100	0.9	56.9	10.5	480	3.02	38.9	<0.5	8.9	29	1.0	0.7	1.4	36	0.66
1864908	Rock	4.06	0.009	1.5	39.9	10.9	110	0.7	51.2	9.7	593	3.67	43.7	1.0	7.0	19	0.3	0.6	1.3	26	0.43
1864909	Rock	4.71	0.009	0.9	76.0	153.5	736	2.8	41.2	7.9	943	2.60	30.7	<0.5	5.8	39	9.6	1.5	1.2	19	1.04
1864910	Rock Pulp	0.13	0.270	13.2	2210.5	1015.8	7111	18.7	32.4	17.3	546	8.53	285.6	80.8	0.9	47	46.6	28.5	12.9	47	2.12
1864911	Rock	4.70	0.022	5.2	61.4	96.4	117	2.3	45.3	7.5	753	2.38	28.8	<0.5	3.1	54	1.6	2.7	1.8	33	0.99
1864912	Rock	4.79	0.014	2.8	85.6	133.2	233	2.3	37.6	8.8	755	2.22	104.7	0.5	3.3	55	2.9	2.7	1.9	29	0.99
1864913	Rock	2.81	0.060	6.7	56.5	151.6	793	2.8	58.7	7.5	730	2.31	100.2	<0.5	4.5	65	12.7	3.2	2.0	87	1.75



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 21, 2019

**Page:** 4 of 5

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000748.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1864884	Rock	0.022	8	21	0.88	90	0.080	<20	2.81	0.117	0.54	0.3	<0.01	3.0	0.5	1.48	7	1.5	0.3
1864885	Rock	0.034	10	22	1.18	102	0.092	<20	2.25	0.035	0.73	0.3	<0.01	3.0	0.8	1.65	5	1.0	<0.2
1864886	Rock	0.040	14	31	0.85	125	0.092	<20	4.15	0.179	0.42	0.4	<0.01	4.6	0.4	1.90	10	4.0	0.4
1864887	Rock	0.033	9	21	0.53	53	0.046	<20	2.66	0.130	0.15	18.4	<0.01	3.3	0.2	0.41	7	1.4	0.8
1864888	Rock	0.040	13	25	0.67	100	0.085	<20	3.54	0.198	0.30	0.5	<0.01	3.3	0.3	0.96	8	2.2	<0.2
1864889	Rock	0.050	11	33	0.88	175	0.089	<20	4.75	0.279	0.54	29.7	<0.01	4.9	0.5	1.38	12	3.1	0.7
1864890	Rock	0.006	<1	<1	0.38	9	0.001	<20	0.03	<0.001	0.03	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1864891	Rock	0.031	5	25	0.76	132	0.059	<20	2.94	0.141	0.50	11.3	<0.01	3.7	0.3	0.77	7	1.1	<0.2
1864892	Rock	0.057	9	22	0.96	150	0.054	<20	3.65	0.163	0.73	0.2	<0.01	4.5	0.6	1.87	8	1.3	0.2
1864893	Rock	0.048	9	21	0.79	139	0.052	<20	3.30	0.132	0.69	0.2	<0.01	5.0	0.6	2.16	7	1.2	<0.2
1864894	Rock	0.034	9	15	0.43	97	0.058	<20	2.91	0.163	0.37	0.8	<0.01	2.3	0.3	1.71	6	2.2	<0.2
1864895	Rock	0.030	7	14	0.40	82	0.039	<20	2.16	0.096	0.31	0.2	<0.01	2.3	0.2	1.05	4	0.6	<0.2
1864896	Rock	0.024	10	14	0.41	168	0.039	<20	2.30	0.110	0.43	0.2	<0.01	2.2	0.3	1.30	5	0.9	<0.2
1864897	Rock	0.041	11	26	0.70	250	0.084	<20	3.96	0.211	0.56	0.3	<0.01	3.9	0.4	1.13	9	2.1	<0.2
1864898	Rock	0.028	10	17	0.48	138	0.040	<20	2.59	0.126	0.44	0.2	<0.01	2.7	0.4	1.47	6	0.7	<0.2
1864899	Rock	0.010	4	6	0.08	476	0.003	<20	0.23	0.003	0.05	<0.1	<0.01	0.6	<0.1	0.35	<1	<0.5	<0.2
1864900	Rock	0.012	4	6	0.10	509	0.006	<20	0.25	0.003	0.05	<0.1	<0.01	0.7	<0.1	0.47	<1	<0.5	<0.2
1864901	Rock	0.022	10	9	0.16	302	0.005	<20	0.58	0.020	0.14	0.2	<0.01	1.1	<0.1	0.89	2	0.7	<0.2
1864902	Rock	0.006	3	5	0.39	142	0.014	<20	0.53	0.025	0.08	0.1	<0.01	1.3	<0.1	0.38	1	<0.5	<0.2
1864903	Rock	0.013	11	6	0.37	122	0.016	<20	0.61	0.013	0.14	0.1	<0.01	1.7	<0.1	0.76	2	<0.5	<0.2
1864904	Rock	0.016	9	9	0.45	81	0.024	<20	0.55	0.013	0.10	0.2	0.01	2.2	<0.1	0.87	1	0.7	<0.2
1864905	Rock	0.022	19	13	0.50	155	0.007	<20	1.08	0.015	0.25	<0.1	<0.01	2.1	<0.1	0.97	3	<0.5	<0.2
1864906	Rock	0.044	9	20	0.98	170	0.003	<20	1.47	0.013	0.22	<0.1	<0.01	3.0	0.1	1.42	4	1.6	0.3
1864907	Rock	0.060	13	16	0.50	224	0.001	<20	1.20	0.029	0.17	0.1	<0.01	1.6	0.2	1.19	3	2.3	<0.2
1864908	Rock	0.060	11	18	0.77	173	0.002	<20	1.48	0.022	0.13	<0.1	<0.01	2.1	0.1	1.40	4	2.6	<0.2
1864909	Rock	0.046	8	12	0.42	215	0.001	<20	1.01	0.014	0.16	<0.1	0.01	1.4	0.1	0.95	3	1.8	<0.2
1864910	Rock Pulp	0.036	4	38	2.57	34	0.005	<20	1.86	0.009	0.07	0.4	2.68	3.4	5.0	6.41	7	30.8	0.4
1864911	Rock	0.036	10	13	0.37	214	0.001	<20	0.73	0.004	0.14	<0.1	<0.01	1.4	0.1	1.30	2	3.0	<0.2
1864912	Rock	0.022	7	14	0.37	229	0.001	<20	0.78	0.002	0.14	<0.1	<0.01	1.7	<0.1	0.84	2	2.4	<0.2
1864913	Rock	0.147	7	18	0.41	197	0.002	<20	0.89	0.004	0.14	0.3	0.03	1.9	<0.1	0.92	3	5.6	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 21, 2019

**Page:** 5 of 5

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000748.1

Method	Analyte	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1864914	Rock	5.36	0.009	7.5	60.4	4.9	342	0.7	55.5	6.0	357	2.22	32.8	<0.5	3.0	68	5.6	3.4	1.5	114	1.29	
1864915	Rock	4.69	0.020	1.5	58.6	7.3	23	0.5	55.2	11.9	270	3.36	949.7	<0.5	9.6	33	<0.1	2.1	3.0	23	0.42	
1864916	Rock	4.58	0.010	1.5	60.7	3.8	24	0.4	37.8	6.7	222	2.42	33.1	<0.5	4.3	20	0.1	1.4	1.4	22	0.36	
1864917	Rock	3.89	0.008	0.5	31.0	2.0	25	0.3	11.3	3.2	153	2.36	15.7	<0.5	2.1	9	0.1	2.2	1.2	11	0.17	
1864918	Rock	5.72	0.021	0.5	7.3	2.3	14	<0.1	11.8	3.2	96	1.11	6.0	<0.5	3.3	11	<0.1	0.4	0.7	7	0.08	
1864919	Rock	1.93	0.008	1.4	31.8	5.9	58	0.3	38.1	9.9	169	2.92	58.5	<0.5	7.2	20	<0.1	0.5	1.4	25	0.21	
1864920	Rock	2.18	0.008	1.3	31.4	5.8	67	0.3	39.0	11.2	196	3.33	51.1	<0.5	7.8	26	<0.1	0.4	1.7	29	0.19	
1864921	Rock	4.89	0.014	1.5	28.4	5.4	68	0.3	50.4	11.9	216	3.59	103.6	<0.5	9.2	25	<0.1	0.4	2.1	32	0.22	
1864922	Rock	4.84	0.012	1.1	26.2	5.0	41	0.3	34.1	8.1	239	2.34	55.2	<0.5	6.3	20	<0.1	0.4	1.2	21	0.13	
1864923	Rock	4.92	0.030	1.2	84.7	14.6	116	0.8	49.1	11.0	1017	7.09	59.9	<0.5	6.8	27	<0.1	1.4	4.7	47	0.93	
1864924	Rock	4.17	<0.005	1.2	32.3	4.1	99	0.2	39.9	8.9	359	3.02	15.0	<0.5	7.1	23	0.1	0.2	0.6	36	0.17	
1864925	Rock	5.05	0.007	1.1	34.3	2.6	69	0.2	34.1	7.6	722	2.41	19.2	<0.5	4.8	16	0.1	0.4	0.3	34	0.39	
1864926	Rock	4.95	0.028	1.2	81.0	10.1	122	0.7	40.1	10.3	3771	8.52	193.7	<0.5	4.4	36	0.3	1.7	1.9	52	1.44	
1864927	Rock	4.60	0.008	1.2	47.9	2.5	69	0.2	25.5	6.6	1665	3.17	13.8	<0.5	3.1	14	<0.1	0.6	0.4	26	0.25	
1864928	Rock	2.74	0.013	1.2	77.8	5.1	97	0.5	51.8	10.9	635	3.23	17.5	1.7	5.3	31	0.2	1.7	1.3	38	0.32	
1864929	Rock	6.89	0.008	3.4	36.3	4.5	171	0.5	51.3	10.5	340	3.10	21.6	<0.5	5.7	25	1.6	1.8	0.7	48	0.40	
1864930	Rock	0.77	<0.005	<0.1	0.9	0.2	2	<0.1	<0.1	<0.1	77	0.06	<0.5	0.9	<0.1	90	<0.1	<0.1	<0.1	<1	36.71	
1864931	Rock	5.05	0.013	8.5	52.0	7.9	907	2.0	65.1	9.1	228	3.24	51.0	<0.5	4.3	27	12.2	2.1	1.0	107	0.45	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 21, 2019

**Page:** 5 of 5

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000748.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2
1864914	Rock	0.183	8	20	0.36	309	0.002	<20	0.83	0.008	0.16	0.3	0.01	1.7	<0.1	1.00	2	8.3	<0.2
1864915	Rock	0.077	24	14	0.47	166	0.001	<20	1.08	0.021	0.14	<0.1	<0.01	1.9	<0.1	1.84	3	4.3	<0.2
1864916	Rock	0.030	12	14	0.43	204	0.001	<20	0.85	0.018	0.13	<0.1	<0.01	1.6	<0.1	1.18	2	1.1	<0.2
1864917	Rock	0.024	6	10	0.40	60	0.001	<20	0.53	0.005	0.05	<0.1	0.01	1.9	0.1	1.55	2	2.5	<0.2
1864918	Rock	0.017	11	11	0.12	83	<0.001	<20	0.52	0.015	0.07	<0.1	<0.01	0.8	<0.1	0.30	1	<0.5	<0.2
1864919	Rock	0.073	17	22	0.50	150	0.001	<20	1.55	0.035	0.10	<0.1	<0.01	2.0	<0.1	0.66	4	1.1	<0.2
1864920	Rock	0.056	19	26	0.50	227	0.001	<20	1.74	0.052	0.15	0.3	<0.01	2.3	<0.1	0.91	5	1.2	<0.2
1864921	Rock	0.070	21	25	0.55	223	<0.001	<20	1.97	0.056	0.14	<0.1	<0.01	2.2	<0.1	1.11	5	1.3	<0.2
1864922	Rock	0.038	17	17	0.31	242	<0.001	<20	1.27	0.040	0.15	<0.1	<0.01	1.8	<0.1	0.70	3	1.2	<0.2
1864923	Rock	0.287	13	30	1.34	42	0.003	<20	2.70	0.034	0.12	<0.1	<0.01	3.6	<0.1	2.91	7	4.1	0.3
1864924	Rock	0.049	18	23	0.58	272	0.001	<20	1.72	0.043	0.15	<0.1	<0.01	2.1	<0.1	0.43	5	0.7	<0.2
1864925	Rock	0.029	16	21	0.54	289	0.002	<20	1.33	0.016	0.11	<0.1	<0.01	2.2	<0.1	0.35	4	0.7	<0.2
1864926	Rock	0.069	9	32	1.33	28	0.003	<20	2.01	0.009	0.13	0.1	<0.01	3.1	<0.1	3.16	6	4.3	0.2
1864927	Rock	0.026	9	14	0.64	326	0.002	<20	1.09	0.012	0.12	<0.1	<0.01	1.9	<0.1	0.63	3	<0.5	<0.2
1864928	Rock	0.050	14	20	0.69	326	0.002	<20	1.66	0.037	0.21	<0.1	0.01	2.1	<0.1	1.12	4	1.9	<0.2
1864929	Rock	0.098	12	21	0.50	198	<0.001	<20	1.43	0.037	0.12	0.1	<0.01	1.7	<0.1	0.93	4	4.4	<0.2
1864930	Rock	0.006	1	<1	0.40	10	0.001	<20	0.02	<0.001	0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
1864931	Rock	0.166	10	22	0.55	237	0.002	<20	1.47	0.038	0.15	<0.1	<0.01	1.7	<0.1	1.11	4	17.0	<0.2



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: McQuesten  
Report Date: November 21, 2019

Page: 1 of 2 Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000748.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
Pulp Duplicates																					
1864840	Rock	0.84	0.027	0.7	89.6	17.7	72	0.8	42.6	19.7	395	4.13	85.9	20.0	9.9	48	0.4	2.5	4.6	26	1.24
REP 1864840	QC			0.7	87.8	17.1	70	0.8	41.6	17.9	387	4.15	77.6	24.7	9.3	46	0.4	2.2	4.3	26	1.18
1864847	Rock	4.69	0.117	1.9	39.0	6.7	68	0.3	27.8	9.7	367	2.21	165.8	78.0	10.3	185	0.5	0.2	3.4	28	2.24
REP 1864847	QC		0.104																		
1864859	Rock	2.25	0.062	0.2	19.6	10.5	54	<0.1	16.1	8.4	545	1.39	87.9	23.2	6.1	411	0.4	0.1	2.1	28	15.64
REP 1864859	QC		0.066																		
1864875	Rock	4.02	0.013	0.3	53.8	5.3	103	0.4	30.9	13.8	376	4.02	184.6	2.8	7.2	14	1.9	0.3	2.2	18	0.78
REP 1864875	QC			0.3	52.2	5.4	98	0.5	30.8	14.1	395	4.01	179.4	5.4	7.1	14	1.6	0.3	2.2	17	0.76
1864909	Rock	4.71	0.009	0.9	76.0	153.5	736	2.8	41.2	7.9	943	2.60	30.7	<0.5	5.8	39	9.6	1.5	1.2	19	1.04
REP 1864909	QC			0.8	77.5	162.8	785	2.9	41.6	8.5	939	2.49	32.2	1.4	6.0	40	10.0	1.7	1.3	18	1.07
1864922	Rock	4.84	0.012	1.1	26.2	5.0	41	0.3	34.1	8.1	239	2.34	55.2	<0.5	6.3	20	<0.1	0.4	1.2	21	0.13
REP 1864922	QC		0.011																		
Core Reject Duplicates																					
1864856	Rock	5.18	0.122	2.3	55.0	10.4	75	0.5	44.8	20.3	362	3.32	522.9	39.6	11.2	128	0.5	0.6	5.3	46	1.96
DUP 1864856	QC		0.119	1.9	50.4	9.6	74	0.5	39.4	18.3	320	3.15	464.4	67.6	10.2	113	0.8	0.6	4.7	43	1.78
1864890	Rock	0.47	<0.005	<0.1	1.0	0.1	<1	<0.1	0.8	<0.1	83	0.06	0.9	2.3	<0.1	84	<0.1	<0.1	<0.1	<1	36.70
DUP 1864890	QC		<0.005	<0.1	0.6	0.2	<1	<0.1	0.4	<0.1	79	0.07	0.8	2.2	<0.1	84	<0.1	<0.1	<0.1	<1	36.44
1864924	Rock	4.17	<0.005	1.2	32.3	4.1	99	0.2	39.9	8.9	359	3.02	15.0	<0.5	7.1	23	0.1	0.2	0.6	36	0.17
DUP 1864924	QC		0.006	1.2	32.3	3.9	105	0.2	38.6	8.6	356	2.88	14.5	<0.5	6.6	20	0.2	0.2	0.5	35	0.17
Reference Materials																					
STD BVGEO01	Standard			11.1	4434.3	183.4	1730	2.6	162.3	24.8	719	3.72	117.7	213.5	12.8	55	6.1	2.0	22.8	75	1.29
STD BVGEO01	Standard			12.1	4517.5	197.4	1775	2.7	169.8	24.5	739	3.77	121.8	227.3	15.2	61	6.6	2.3	27.4	76	1.35
STD DS11	Standard			13.0	146.3	132.1	331	1.7	76.9	12.9	994	3.03	41.4	123.5	7.0	62	2.1	7.4	11.6	49	0.99
STD DS11	Standard			14.7	143.4	139.2	318	1.9	71.4	12.2	998	2.98	38.7	59.8	7.4	67	2.3	6.5	12.2	49	1.07
STD OREAS263	Standard		0.208																		
STD OREAS263	Standard		0.206																		
STD OREAS263	Standard		0.212																		
STD OREAS262	Standard			0.6	118.9	56.0	153	0.5	64.7	25.4	520	3.19	35.4	64.6	8.9	36	0.6	3.6	1.1	21	2.89





Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 21, 2019

Page: 1 of 2

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000748.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																			
1864840	Rock	0.045	9	19	1.03	163	0.028	<20	1.87	0.043	0.44	0.2	<0.01	3.9	0.5	2.20	5	2.3	<0.2
REP 1864840	QC	0.044	9	18	1.01	160	0.029	<20	1.90	0.043	0.45	0.2	<0.01	3.9	0.5	2.11	6	1.6	<0.2
1864847	Rock	0.035	10	21	0.61	108	0.061	<20	2.47	0.193	0.31	1.4	<0.01	2.4	0.2	0.83	6	1.3	<0.2
REP 1864847	QC																		
1864859	Rock	0.036	12	23	0.52	64	0.074	<20	2.40	0.220	0.38	0.8	<0.01	2.7	0.2	0.27	6	<0.5	<0.2
REP 1864859	QC																		
1864875	Rock	0.032	12	17	1.05	57	0.044	<20	1.33	0.002	0.38	0.1	<0.01	2.6	0.4	1.88	4	1.7	<0.2
REP 1864875	QC	0.033	13	17	1.05	57	0.045	<20	1.34	0.004	0.39	0.1	<0.01	2.6	0.4	1.88	4	1.1	<0.2
1864909	Rock	0.046	8	12	0.42	215	0.001	<20	1.01	0.014	0.16	<0.1	0.01	1.4	0.1	0.95	3	1.8	<0.2
REP 1864909	QC	0.047	8	12	0.41	228	0.001	<20	0.98	0.012	0.16	<0.1	<0.01	1.6	0.1	0.99	3	2.5	<0.2
1864922	Rock	0.038	17	17	0.31	242	<0.001	<20	1.27	0.040	0.15	<0.1	<0.01	1.8	<0.1	0.70	3	1.2	<0.2
REP 1864922	QC																		
Core Reject Duplicates																			
1864856	Rock	0.056	11	31	0.93	136	0.112	<20	3.37	0.268	0.92	2.5	<0.01	4.4	0.7	1.49	9	1.1	0.3
DUP 1864856	QC	0.051	9	28	0.87	123	0.104	<20	3.14	0.249	0.88	2.4	<0.01	3.8	0.7	1.40	7	1.8	0.2
1864890	Rock	0.006	<1	<1	0.38	9	0.001	<20	0.03	<0.001	0.03	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
DUP 1864890	QC	0.007	1	<1	0.38	9	0.001	<20	0.03	0.001	0.04	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1864924	Rock	0.049	18	23	0.58	272	0.001	<20	1.72	0.043	0.15	<0.1	<0.01	2.1	<0.1	0.43	5	0.7	<0.2
DUP 1864924	QC	0.052	17	22	0.58	229	0.001	<20	1.64	0.035	0.12	<0.1	<0.01	2.0	<0.1	0.40	4	1.0	<0.2
Reference Materials																			
STD BVGEO01	Standard	0.073	26	183	1.30	340	0.230	<20	2.30	0.186	0.89	3.2	0.08	5.6	0.6	0.68	7	3.7	1.0
STD BVGEO01	Standard	0.070	28	187	1.36	351	0.245	<20	2.40	0.194	0.89	3.2	0.09	5.8	0.6	0.69	8	5.3	1.1
STD DS11	Standard	0.072	18	57	0.87	382	0.089	<20	1.13	0.068	0.40	2.4	0.24	2.9	4.5	0.29	5	2.0	4.4
STD DS11	Standard	0.071	17	53	0.84	406	0.090	<20	1.12	0.066	0.39	2.7	0.22	3.1	4.9	0.27	5	2.9	4.2
STD OREAS263	Standard																		
STD OREAS263	Standard																		
STD OREAS263	Standard																		
STD OREAS262	Standard	0.038	15	42	1.17	243	0.003	<20	1.19	0.067	0.30	0.1	0.16	2.9	0.5	0.28	4	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 21, 2019

Page: 2 of 2

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000748.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
STD OREAS262	Standard			0.6	118.9	53.9	146	0.4	62.0	26.9	539	3.30	34.8	50.6	8.3	35	0.6	2.0	1.0	23	2.94
STD OREAS262	Standard			0.7	120.0	58.0	156	0.5	66.4	28.1	548	3.30	34.9	55.8	9.6	37	0.6	1.8	1.1	23	3.02
STD OREAS262	Standard			0.7	113.6	55.5	152	0.4	60.0	25.3	532	3.23	35.5	51.8	8.9	37	0.7	2.5	1.0	22	2.78
STD OXI138	Standard		1.860																		
STD OXI138	Standard		1.821																		
STD OXI138	Standard		1.821																		
STD OXN117	Standard		7.604																		
STD OXN117	Standard		7.527																		
STD OXN117	Standard		7.570																		
STD OXI138 Expected			1.86																		
STD OREAS263 Expected			0.21																		
STD OXN117 Expected			7.679																		
STD BVGEO01 Expected				10.8	4415	187	1741	2.53	163	25	733	3.7	121	219	14.4	55	6.5	2.2	25.6	73	1.3219
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063
STD OREAS262 Expected				0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	65	9.33	36	0.61	3.39	1.03	22.5	2.98
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
Prep Wash																					
ROCK-WHI	Prep Blank		<0.005	0.8	2.6	0.8	29	<0.1	1.2	3.8	525	1.94	1.1	<0.5	2.0	20	<0.1	<0.1	<0.1	25	0.66
ROCK-WHI	Prep Blank		<0.005	1.0	2.5	1.0	30	<0.1	1.5	3.7	554	2.00	1.3	<0.5	2.1	22	<0.1	<0.1	<0.1	25	0.68



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 21, 2019

Page: 2 of 2 Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000748.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD OREAS262	Standard	0.039	18	45	1.18	255	0.003	<20	1.39	0.068	0.33	<0.1	0.15	3.4	0.5	0.27	4	<0.5	0.3
STD OREAS262	Standard	0.037	17	46	1.20	250	0.002	<20	1.49	0.067	0.34	<0.1	0.18	3.3	0.5	0.27	4	<0.5	0.2
STD OREAS262	Standard	0.036	17	41	1.20	259	0.003	<20	1.33	0.064	0.33	<0.1	0.16	3.2	0.5	0.22	4	<0.5	0.2
STD OXI138	Standard																		
STD OXI138	Standard																		
STD OXI138	Standard																		
STD OXN117	Standard																		
STD OXN117	Standard																		
STD OXN117	Standard																		
STD OXI138 Expected																			
STD OREAS263 Expected																			
STD OXN117 Expected																			
STD BVGE001 Expected		0.0727	25.9	171	1.2963	340	0.233		2.347	0.1924	0.89	3.5	0.1	5.97	0.62	0.6655	7.37	4.84	1.02
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56
STD OREAS262 Expected		0.04	15.9	41.7	1.17	248	0.003		1.204	0.071	0.312	0.13	0.17	3.24	0.47	0.253	3.73	0.4	0.23
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																			
ROCK-WHI	Prep Blank	0.039	6	3	0.51	55	0.080	<20	0.91	0.071	0.09	<0.1	<0.01	3.0	<0.1	<0.05	4	<0.5	<0.2
ROCK-WHI	Prep Blank	0.043	7	4	0.50	66	0.085	<20	0.92	0.081	0.11	<0.1	<0.01	2.9	<0.1	<0.05	4	<0.5	<0.2



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Submitted By: James Thom  
Receiving Lab: Canada-Whitehorse  
Received: November 06, 2019  
Report Date: November 21, 2019  
Page: 1 of 4

## CERTIFICATE OF ANALYSIS

WHI19000749.1

### CLIENT JOB INFORMATION

Project: McQuesten  
Shipment ID: MQ-19-30a  
P.O. Number  
Number of Samples: 82

### SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps  
PICKUP-RJT Client to Pickup Rejects

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Banyan Gold Corp.  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7  
Canada

CC: Paul Gray

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	79	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	3	Sort, label and box pulps			WHI
FA450	82	50g Lead Collection Fire Assay Fusion - AAS Finish	50	Completed	VAN
EN002	82	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	82	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	82	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS

  
MAY LAI  
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



CERTIFICATE OF ANALYSIS

WHI19000749.1

Table with columns: Method, Analyte, Unit, MDL, WGHT, FA450, AQ200, AQ200, AQ200, AQ200, AQ200, AQ200, AQ200, AQ200, AQ200, AQ200, AQ200, AQ200, AQ200, AQ200, AQ200, AQ200, AQ200, AQ200, AQ200. Rows include sample IDs like 1864932 and various chemical elements like Au, Mo, Cu, Pb, Zn, Ag, Ni, Co, Mn, Fe, As, Au, Th, Sr, Cd, Sb, Bi, V, Ca.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 21, 2019

**Page:** 2 of 4

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000749.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
1864932	Rock	0.040	16	19	0.93	107	0.111	<20	1.79	0.021	0.44	0.1	<0.01	2.9	0.5	0.69	5	<0.5	<0.2
1864933	Rock	0.037	12	23	1.13	180	0.070	<20	3.49	0.174	0.52	0.3	<0.01	4.7	0.5	1.22	9	2.3	<0.2
1864934	Rock	0.033	7	7	0.64	80	0.007	<20	0.88	0.033	0.20	0.3	0.02	4.3	0.3	0.19	<1	1.0	<0.2
1864935	Rock	0.036	20	22	1.04	146	0.025	<20	1.56	0.009	0.68	0.1	0.01	6.3	0.7	0.51	5	1.2	0.2
1864936	Rock	0.025	5	4	0.52	35	0.006	<20	0.44	0.008	0.10	3.6	0.02	2.1	0.1	0.16	1	<0.5	<0.2
1864937	Rock	0.032	11	12	0.67	97	0.017	<20	1.26	0.030	0.22	3.4	0.07	3.8	0.3	0.51	4	1.8	<0.2
1864938	Rock	0.074	14	10	0.48	104	0.002	<20	0.77	0.006	0.28	0.2	0.06	3.1	0.4	0.34	2	2.8	<0.2
1864939	Rock	0.042	19	32	1.65	250	0.063	<20	2.37	0.036	0.88	0.3	<0.01	5.1	1.0	0.23	7	1.3	<0.2
1864940	Rock	0.037	15	27	1.46	183	0.048	<20	1.94	0.032	0.64	0.3	<0.01	4.8	0.7	0.28	6	1.4	<0.2
1864941	Rock	0.096	17	23	0.91	174	0.041	<20	2.14	0.088	0.62	0.2	0.01	3.4	0.6	0.24	6	1.0	<0.2
1864942	Rock	0.034	13	13	1.45	96	0.004	<20	0.82	0.008	0.27	0.1	<0.01	3.4	0.5	<0.05	3	<0.5	<0.2
1864943	Rock	0.057	9	20	1.27	126	0.039	<20	1.90	0.073	0.45	0.2	0.03	4.0	0.6	0.58	5	0.9	<0.2
1864944	Rock	0.031	12	25	0.81	196	0.088	<20	3.65	0.244	0.40	73.0	<0.01	3.2	0.4	0.94	10	1.5	<0.2
1864945	Rock	0.037	11	14	0.27	82	0.062	<20	2.06	0.165	0.15	0.3	0.02	1.6	<0.1	0.15	5	<0.5	<0.2
1864946	Rock	0.032	17	30	0.57	99	0.088	<20	3.78	0.347	0.38	0.4	<0.01	3.8	0.2	0.62	9	0.6	<0.2
1864947	Rock	0.055	14	24	0.89	144	0.098	<20	3.17	0.249	0.58	0.9	0.01	2.1	0.5	0.41	8	<0.5	<0.2
1864948	Rock	0.037	11	19	0.52	79	0.063	<20	1.98	0.146	0.35	0.8	<0.01	2.1	0.2	0.30	5	<0.5	<0.2
1864949	Rock	0.031	11	23	0.65	217	0.062	<20	2.71	0.136	0.25	12.9	<0.01	3.0	0.2	0.76	7	1.6	0.5
1864950	Rock Pulp	0.051	6	21	0.85	136	0.145	<20	1.87	0.229	0.25	1.4	0.22	3.2	0.1	0.23	5	<0.5	<0.2
1864951	Rock	0.017	10	16	0.68	120	0.033	<20	1.94	0.049	0.18	0.7	0.01	2.0	0.2	0.64	5	1.0	0.4
1864952	Rock	0.061	12	13	0.47	252	0.085	<20	1.07	0.013	0.33	0.5	<0.01	1.4	0.3	1.34	3	2.2	<0.2
1864953	Rock	0.042	11	5	0.35	214	0.059	<20	1.24	0.031	0.46	0.2	<0.01	1.1	0.4	0.28	4	0.6	<0.2
1864954	Rock	0.051	9	14	0.55	263	0.055	<20	1.04	0.007	0.35	0.4	<0.01	1.3	0.3	0.94	3	2.2	<0.2
1864955	Rock	0.047	9	3	0.27	234	0.046	<20	1.30	0.061	0.51	<0.1	<0.01	1.0	0.4	0.07	5	<0.5	<0.2
1864956	Rock	0.049	8	3	0.28	239	0.064	<20	1.20	0.059	0.46	0.1	<0.01	1.2	0.4	0.06	4	<0.5	<0.2
1864957	Rock	0.039	10	15	0.68	84	0.092	<20	1.31	0.036	0.54	0.3	<0.01	1.9	0.6	1.30	3	0.6	<0.2
1864958	Rock	0.030	8	9	0.47	73	0.051	<20	1.04	0.040	0.36	0.2	<0.01	1.2	0.4	1.07	3	<0.5	<0.2
1864959	Rock	0.023	8	12	0.54	82	0.065	<20	1.45	0.074	0.50	0.1	<0.01	1.6	0.5	0.91	4	<0.5	<0.2
1864960	Rock	0.020	7	12	0.52	78	0.064	<20	1.42	0.079	0.45	0.2	<0.01	1.6	0.5	1.00	4	<0.5	<0.2
1864961	Rock	0.030	7	15	0.70	96	0.065	<20	2.77	0.140	0.53	0.2	<0.01	1.9	0.5	1.07	6	0.7	<0.2



CERTIFICATE OF ANALYSIS

WHI19000749.1

Table with columns: Method, Analyte, Unit, MDL, WGHT, FA450, AQ200, AQ200, AQ200, AQ200, AQ200, AQ200, AQ200, AQ200, AQ200, AQ200, AQ200, AQ200, AQ200, AQ200, AQ200, AQ200, AQ200. Rows include sample IDs like 1864962 and 1864963 with various chemical analysis values.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 21, 2019

**Page:** 3 of 4

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000749.1

Method Analyte Unit MDL		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1864962	Rock	0.040	9	16	0.65	90	0.066	<20	2.15	0.104	0.52	0.2	<0.01	2.0	0.5	0.91	5	0.7	<0.2	
1864963	Rock	0.042	10	23	1.04	112	0.121	<20	2.12	0.044	1.14	0.2	<0.01	3.0	1.1	0.96	5	<0.5	<0.2	
1864964	Rock	0.040	10	18	1.00	91	0.105	<20	1.86	0.048	0.82	0.2	<0.01	2.9	0.8	1.82	5	<0.5	<0.2	
1864965	Rock	0.026	11	16	0.68	82	0.070	<20	1.78	0.060	0.62	0.8	<0.01	1.9	0.6	0.82	4	0.5	<0.2	
1864966	Rock	0.058	11	29	0.78	144	0.096	<20	3.81	0.309	0.52	1.3	0.02	3.1	0.4	0.65	10	0.7	0.2	
1864967	Rock	0.060	11	33	0.93	236	0.095	<20	4.06	0.319	0.73	2.4	<0.01	3.0	0.5	0.14	11	<0.5	<0.2	
1864968	Rock	0.053	17	36	1.39	173	0.118	<20	3.91	0.247	1.34	0.3	<0.01	5.8	0.9	2.02	10	0.9	<0.2	
1864969	Rock	0.048	12	24	0.81	111	0.087	<20	3.22	0.217	0.25	0.5	<0.01	3.0	0.1	0.83	8	0.7	<0.2	
1864970	Rock Pulp	0.042	4	42	2.59	42	0.005	<20	2.01	0.013	0.07	0.4	2.77	3.9	5.0	6.90	7	31.1	0.3	
1864971	Rock	0.036	14	29	0.80	139	0.123	<20	2.85	0.138	0.56	0.4	<0.01	4.6	0.4	1.20	7	1.0	<0.2	
1864972	Rock	0.047	9	22	1.37	161	0.076	<20	3.12	0.159	0.68	0.9	<0.01	3.3	0.6	0.68	8	0.7	0.5	
1864973	Rock	0.062	11	20	0.74	70	0.080	<20	2.91	0.220	0.15	1.4	<0.01	1.6	0.1	0.07	8	<0.5	<0.2	
1864974	Rock	0.052	7	11	0.73	56	0.050	<20	1.80	0.144	0.14	0.2	<0.01	1.4	<0.1	<0.05	4	<0.5	<0.2	
1864975	Rock	0.054	8	14	0.74	112	0.061	<20	2.65	0.193	0.40	0.3	<0.01	1.9	0.2	0.05	6	<0.5	<0.2	
1864976	Rock	0.052	8	26	1.11	183	0.086	<20	3.82	0.209	0.84	0.5	0.03	3.7	0.8	0.74	9	0.5	<0.2	
1864977	Rock	0.054	11	20	0.86	161	0.076	<20	3.01	0.151	0.62	0.6	<0.01	3.3	0.6	1.28	7	1.3	<0.2	
1864978	Rock	0.030	11	21	0.69	136	0.095	<20	2.21	0.065	0.74	0.3	<0.01	3.5	0.7	1.10	6	<0.5	<0.2	
1864979	Rock	0.043	10	17	0.53	148	0.069	<20	2.39	0.121	0.36	0.7	<0.01	3.1	0.2	1.18	5	1.6	<0.2	
1864980	Rock	0.037	9	16	0.53	131	0.075	<20	2.28	0.108	0.33	19.5	<0.01	2.9	0.2	1.35	5	1.5	<0.2	
1864981	Rock	0.040	6	19	0.84	94	0.059	<20	1.83	0.069	0.30	0.4	<0.01	3.4	0.2	0.31	4	<0.5	<0.2	
1864982	Rock	0.056	12	22	0.63	144	0.072	<20	3.03	0.134	0.25	0.4	<0.01	3.3	0.2	1.35	7	1.7	0.2	
1864983	Rock	0.046	5	31	0.98	61	0.091	<20	2.89	0.045	0.19	0.9	<0.01	3.6	0.1	0.29	7	<0.5	<0.2	
1864984	Rock	0.056	11	33	1.17	181	0.111	<20	4.49	0.278	0.41	0.4	<0.01	4.7	0.4	0.74	12	0.8	0.5	
1864985	Rock	0.044	10	19	1.04	274	0.071	<20	2.80	0.099	0.29	0.4	<0.01	2.7	0.3	0.14	7	<0.5	<0.2	
1864986	Rock	0.039	5	20	1.05	89	0.068	<20	1.89	0.025	0.18	0.5	<0.01	4.0	0.1	0.53	5	0.6	0.2	
1864987	Rock	0.035	8	14	0.36	334	0.047	<20	2.17	0.121	0.23	1.8	<0.01	2.1	0.1	0.89	5	1.8	<0.2	
1864988	Rock	0.050	10	25	0.85	578	0.081	25	3.71	0.215	0.37	0.3	<0.01	3.9	0.3	0.78	9	1.3	<0.2	
1864989	Rock	0.037	9	17	0.73	205	0.031	26	1.76	0.049	0.30	0.3	<0.01	3.1	0.3	2.03	4	2.1	<0.2	
1864990	Rock	0.006	1	<1	0.40	10	0.001	<20	0.01	0.006	0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2	
1864991	Rock	0.017	13	11	0.46	171	0.013	<20	0.96	0.011	0.18	0.1	<0.01	1.7	0.2	0.71	3	<0.5	<0.2	





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 21, 2019

**Page:** 4 of 4

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000749.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1864992	Rock	4.29	0.013	6.5	29.7	6.0	143	0.4	40.5	8.5	630	2.31	180.9	2.2	7.5	243	4.0	0.7	1.9	29	8.89
1864993	Rock	4.93	0.006	2.1	9.0	5.1	68	0.2	16.9	3.5	384	1.05	101.1	1.4	3.5	470	2.6	0.8	0.8	20	23.95
1864994	Rock	2.73	0.017	0.7	29.2	7.8	166	0.7	34.9	13.1	351	3.20	586.0	1.8	8.0	76	7.1	0.6	3.2	14	3.37
1864995	Rock	4.73	<0.005	0.5	4.1	3.3	16	<0.1	8.9	2.0	334	0.67	4.8	2.1	1.9	501	0.3	0.3	0.2	6	30.96
1864996	Rock	4.64	0.005	0.4	4.9	4.3	23	<0.1	8.6	2.0	289	0.70	123.5	1.4	2.2	511	0.7	0.4	0.3	6	29.56
1864997	Rock	3.96	0.006	1.7	9.8	5.1	98	0.1	24.2	3.7	453	1.13	2.6	<0.5	3.3	550	0.8	0.6	0.4	12	27.25
1864998	Rock	3.80	0.379	0.4	26.4	5.3	60	0.3	24.1	7.7	523	3.24	28.2	316.7	9.6	24	<0.1	0.3	7.2	25	1.55
1864999	Rock	2.17	0.037	15.9	45.3	4.5	334	0.5	76.9	12.1	406	2.76	87.4	1.3	7.4	29	4.6	1.1	1.8	98	1.42
1865000	Rock	1.92	0.036	14.4	51.0	5.3	327	0.5	80.6	12.3	420	2.97	193.7	2.4	7.8	27	4.3	1.1	1.9	87	1.28
1865001	Rock	5.24	0.015	1.7	35.7	5.4	152	0.4	58.4	12.2	478	3.75	42.3	0.6	12.1	29	<0.1	0.6	1.8	22	0.28
1865002	Rock	4.31	0.018	6.2	90.0	9.0	135	0.7	59.1	11.6	497	3.22	101.6	<0.5	7.3	20	1.2	1.0	1.7	26	0.22
1865003	Rock	4.71	0.015	1.9	82.2	3.3	97	0.4	45.2	8.1	508	2.22	6.5	1.6	3.8	21	0.6	0.6	0.7	21	0.26
1865004	Rock	4.38	0.018	2.6	84.4	2.1	127	0.4	37.4	8.0	529	2.32	84.0	<0.5	3.2	22	1.4	1.0	0.8	66	0.43
1865005	Rock	4.83	0.020	7.7	67.8	3.9	498	0.6	57.2	7.1	249	2.39	109.7	0.7	5.0	34	8.8	0.8	1.6	84	0.69
1865006	Rock	4.78	0.012	4.1	60.0	3.5	25	0.4	39.2	5.5	360	2.67	14.7	2.2	5.0	34	0.1	0.5	1.3	26	0.64
1865007	Rock	3.64	0.011	7.7	65.7	2.9	245	0.6	51.1	6.8	223	1.84	20.5	3.0	3.5	32	5.1	9.7	1.0	73	0.78
1865008	Rock	4.11	0.014	1.4	36.2	5.3	20	0.4	60.0	9.9	185	2.31	46.7	1.4	7.4	29	<0.1	0.5	1.7	20	0.91
1865009	Rock	3.91	0.022	0.9	24.5	3.6	11	0.2	31.1	6.4	438	1.81	14.8	1.9	7.0	52	<0.1	0.4	1.6	10	3.07
1865010	Rock Pulp	0.13	0.296	13.2	2120.2	979.8	6761	18.2	30.5	17.5	535	8.27	272.5	44.9	0.9	45	46.6	27.2	11.5	45	2.00
1865011	Rock	5.13	0.011	1.3	31.6	4.3	82	0.2	54.5	12.2	220	3.58	36.9	<0.5	4.9	58	0.1	0.6	1.1	27	0.45
1865012	Rock	5.00	0.019	1.5	33.3	3.7	135	0.2	57.1	12.6	188	3.88	313.1	<0.5	5.1	19	0.1	0.7	1.2	29	0.20
1865013	Rock	4.39	0.013	1.3	40.0	3.0	80	0.2	42.2	9.8	268	2.83	235.5	<0.5	4.9	15	0.1	0.9	0.8	24	0.29



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 21, 2019

**Page:** 4 of 4

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000749.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm		
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
1864992	Rock	0.035	15	11	0.41	180	0.002	<20	0.74	0.027	0.15	0.1	<0.01	2.4	0.2	1.09	2	0.7	<0.2	
1864993	Rock	0.011	5	8	0.40	105	0.018	<20	0.71	0.049	0.08	0.1	<0.01	1.8	<0.1	0.53	2	<0.5	<0.2	
1864994	Rock	0.017	12	13	0.35	232	0.068	<20	1.56	0.062	0.16	0.2	0.02	2.0	<0.1	1.81	4	<0.5	<0.2	
1864995	Rock	0.003	3	3	0.35	45	0.011	<20	0.22	0.005	0.06	<0.1	<0.01	1.3	<0.1	0.36	<1	<0.5	<0.2	
1864996	Rock	0.005	3	4	0.40	73	0.016	<20	0.34	0.008	0.08	0.1	<0.01	1.5	<0.1	0.33	<1	<0.5	<0.2	
1864997	Rock	0.011	5	5	0.41	62	0.010	<20	0.38	0.009	0.07	0.1	<0.01	1.7	<0.1	0.51	<1	0.8	<0.2	
1864998	Rock	0.039	13	16	0.71	161	0.013	<20	1.54	0.020	0.23	19.0	<0.01	2.3	0.1	0.73	4	<0.5	0.3	
1864999	Rock	0.092	15	18	0.69	254	0.002	<20	1.22	0.028	0.17	0.1	0.02	2.1	<0.1	1.27	3	4.7	<0.2	
1865000	Rock	0.092	17	19	0.74	222	0.002	<20	1.27	0.028	0.15	0.1	0.02	2.2	<0.1	1.40	3	6.3	<0.2	
1865001	Rock	0.087	31	16	0.60	161	0.001	<20	1.48	0.047	0.12	<0.1	<0.01	1.8	<0.1	1.26	4	2.1	<0.2	
1865002	Rock	0.041	18	10	0.46	205	0.001	<20	0.89	0.015	0.12	0.1	<0.01	1.3	<0.1	1.78	2	2.9	<0.2	
1865003	Rock	0.022	15	12	0.43	287	0.002	<20	0.79	0.010	0.15	<0.1	<0.01	1.4	<0.1	0.97	2	0.8	<0.2	
1865004	Rock	0.063	12	18	0.59	238	0.002	<20	0.95	0.006	0.12	<0.1	<0.01	2.0	<0.1	0.83	3	1.6	<0.2	
1865005	Rock	0.152	16	15	0.38	288	0.002	<20	0.81	0.008	0.14	0.2	0.02	1.7	<0.1	1.27	2	8.4	<0.2	
1865006	Rock	0.050	16	14	0.46	154	0.001	<20	0.78	0.017	0.09	<0.1	<0.01	2.5	<0.1	1.41	2	2.1	<0.2	
1865007	Rock	0.119	9	17	0.35	157	0.002	<20	0.78	0.007	0.09	0.3	<0.01	1.7	<0.1	0.65	2	3.1	<0.2	
1865008	Rock	0.057	15	12	0.36	132	<0.001	<20	0.82	0.008	0.09	0.1	<0.01	1.4	<0.1	1.23	2	2.2	<0.2	
1865009	Rock	0.038	15	6	0.18	114	<0.001	<20	0.64	0.011	0.10	<0.1	<0.01	1.6	<0.1	0.74	2	<0.5	<0.2	
1865010	Rock Pulp	0.037	3	38	2.36	40	0.004	<20	1.76	0.007	0.06	0.5	2.63	3.6	4.7	6.24	7	27.4	0.2	
1865011	Rock	0.075	13	24	0.53	126	0.001	<20	1.80	0.030	0.08	<0.1	<0.01	2.1	<0.1	0.69	5	0.5	<0.2	
1865012	Rock	0.075	14	27	0.53	128	0.001	<20	1.84	0.034	0.09	<0.1	<0.01	2.2	<0.1	0.92	5	1.4	<0.2	
1865013	Rock	0.055	13	19	0.48	96	0.001	<20	1.42	0.017	0.06	<0.1	<0.01	2.0	<0.1	0.44	4	<0.5	<0.2	



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 21, 2019

Page: 1 of 2 Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000749.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm		
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
Pulp Duplicates																					
1864933	Rock	1.81	0.026	0.9	58.8	7.3	120	0.4	31.4	17.3	724	3.56	180.5	16.6	6.8	116	0.2	0.2	2.0	34	2.49
REP 1864933	QC	0.025																			
1864943	Rock	4.74	0.081	0.9	34.6	1127.5	2654	8.5	30.7	12.0	>10000	4.06	187.7	24.6	7.4	121	25.5	1.8	2.8	27	3.50
REP 1864943	QC	0.8 36.6 1155.0 2745 8.7 33.2 13.2 >10000 4.18 207.1 31.3 7.9 124 25.9 1.8 2.9 28 3.74																			
1864978	Rock	4.62	0.029	0.4	45.7	5.1	61	0.3	33.3	20.3	269	3.85	95.0	12.8	8.4	46	0.2	0.2	2.0	22	0.64
REP 1864978	QC	0.5 44.7 5.1 58 0.3 32.1 21.3 257 3.78 104.5 25.8 8.4 45 0.2 0.2 1.9 21 0.62																			
1864994	Rock	2.73	0.017	0.7	29.2	7.8	166	0.7	34.9	13.1	351	3.20	586.0	1.8	8.0	76	7.1	0.6	3.2	14	3.37
REP 1864994	QC	0.019																			
1865006	Rock	4.78	0.012	4.1	60.0	3.5	25	0.4	39.2	5.5	360	2.67	14.7	2.2	5.0	34	0.1	0.5	1.3	26	0.64
REP 1865006	QC	0.013																			
1865012	Rock	5.00	0.019	1.5	33.3	3.7	135	0.2	57.1	12.6	188	3.88	313.1	<0.5	5.1	19	0.1	0.7	1.2	29	0.20
REP 1865012	QC	1.3 30.3 3.5 136 0.3 54.5 12.4 181 3.81 319.6 <0.5 5.0 18 <0.1 0.7 1.3 28 0.20																			
Core Reject Duplicates																					
1864952	Rock	6.22	0.039	3.6	46.4	12.5	85	0.7	39.3	11.8	185	2.58	1040.4	0.7	12.3	27	2.2	1.0	4.4	33	0.78
DUP 1864952	QC	0.032 3.6 49.6 13.1 90 0.7 40.8 12.9 198 2.61 965.4 <0.5 13.0 27 2.3 0.8 4.5 35 0.85																			
1864986	Rock	1.90	0.034	0.5	20.9	21.3	92	0.2	13.7	7.3	1546	2.08	65.3	9.3	3.8	634	0.7	0.4	1.2	26	27.14
DUP 1864986	QC	0.035 0.5 20.9 23.1 94 0.2 14.4 7.7 1526 2.06 72.4 10.2 3.8 625 0.8 0.4 1.1 24 27.12																			
Reference Materials																					
STD BVGEO01	Standard	10.9 4327.6 187.6 1748 2.5 161.8 24.1 737 3.60 113.0 207.4 12.8 53 6.3 1.9 22.8 74 1.33																			
STD BVGEO01	Standard	10.9 4429.2 195.8 1806 2.5 162.8 24.2 738 3.74 125.9 204.3 14.7 58 6.6 2.1 26.6 74 1.35																			
STD DS11	Standard	14.7 143.4 139.2 318 1.9 71.4 12.2 998 2.98 38.7 59.8 7.4 67 2.3 6.5 12.2 49 1.07																			
STD DS11	Standard	14.9 152.2 136.0 358 1.6 81.0 13.6 1018 3.26 46.3 85.0 7.6 73 2.3 6.7 13.5 51 1.09																			
STD OREAS263	Standard	0.208																			
STD OREAS263	Standard	0.212																			
STD OREAS262	Standard	0.6 121.7 54.3 151 0.5 65.9 28.7 529 3.25 34.4 60.0 8.6 34 0.7 1.7 0.9 23 3.04																			
STD OREAS262	Standard	0.7 113.6 55.5 152 0.4 60.0 25.3 532 3.23 35.5 51.8 8.9 37 0.7 2.5 1.0 22 2.78																			
STD OREAS262	Standard	0.7 119.3 57.8 160 0.5 66.3 28.2 585 3.50 37.3 64.5 9.4 37 0.7 2.7 1.1 23 3.12																			
STD OREAS262	Standard	0.5 117.1 54.6 152 0.5 64.4 27.4 545 3.29 36.0 59.6 8.9 36 0.6 2.4 1.0 22 3.02																			



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 21, 2019

**Page:** 1 of 2 **Part:** 2 of 2

# QUALITY CONTROL REPORT

## WHI19000749.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
Pulp Duplicates																			
1864933 Rock	0.037	12	23	1.13	180	0.070	<20	3.49	0.174	0.52	0.3	<0.01	4.7	0.5	1.22	9	2.3	<0.2	
REP 1864933 QC																			
1864943 Rock	0.057	9	20	1.27	126	0.039	<20	1.90	0.073	0.45	0.2	0.03	4.0	0.6	0.58	5	0.9	<0.2	
REP 1864943 QC	0.059	10	21	1.32	137	0.043	<20	2.00	0.078	0.48	0.3	0.04	4.4	0.6	0.61	6	1.0	<0.2	
1864978 Rock	0.030	11	21	0.69	136	0.095	<20	2.21	0.065	0.74	0.3	<0.01	3.5	0.7	1.10	6	<0.5	<0.2	
REP 1864978 QC	0.030	11	21	0.67	134	0.093	<20	2.16	0.064	0.72	0.3	<0.01	3.3	0.7	1.10	5	<0.5	<0.2	
1864994 Rock	0.017	12	13	0.35	232	0.068	<20	1.56	0.062	0.16	0.2	0.02	2.0	<0.1	1.81	4	<0.5	<0.2	
REP 1864994 QC																			
1865006 Rock	0.050	16	14	0.46	154	0.001	<20	0.78	0.017	0.09	<0.1	<0.01	2.5	<0.1	1.41	2	2.1	<0.2	
REP 1865006 QC																			
1865012 Rock	0.075	14	27	0.53	128	0.001	<20	1.84	0.034	0.09	<0.1	<0.01	2.2	<0.1	0.92	5	1.4	<0.2	
REP 1865012 QC	0.068	14	26	0.52	127	0.001	<20	1.82	0.031	0.09	<0.1	<0.01	2.2	<0.1	0.91	5	0.9	<0.2	
Core Reject Duplicates																			
1864952 Rock	0.061	12	13	0.47	252	0.085	<20	1.07	0.013	0.33	0.5	<0.01	1.4	0.3	1.34	3	2.2	<0.2	
DUP 1864952 QC	0.067	13	14	0.49	273	0.092	<20	1.14	0.014	0.35	0.5	<0.01	1.6	0.3	1.40	3	2.5	<0.2	
1864986 Rock	0.039	5	20	1.05	89	0.068	<20	1.89	0.025	0.18	0.5	<0.01	4.0	0.1	0.53	5	0.6	0.2	
DUP 1864986 QC	0.040	5	19	1.04	91	0.064	<20	1.86	0.024	0.17	0.5	<0.01	3.9	0.2	0.53	4	<0.5	<0.2	
Reference Materials																			
STD BVGE001 Standard	0.068	24	185	1.33	319	0.223	<20	2.30	0.196	0.93	2.9	0.08	5.5	0.5	0.72	7	4.8	1.0	
STD BVGE001 Standard	0.075	27	181	1.29	344	0.235	<20	2.32	0.181	0.88	3.1	0.10	6.1	0.6	0.67	7	4.7	0.7	
STD DS11 Standard	0.071	17	53	0.84	406	0.090	<20	1.12	0.066	0.39	2.7	0.22	3.1	4.9	0.27	5	2.9	4.2	
STD DS11 Standard	0.067	19	60	0.86	435	0.094	<20	1.20	0.078	0.41	2.5	0.28	3.3	5.2	0.29	5	1.9	4.6	
STD OREAS263 Standard																			
STD OREAS263 Standard																			
STD OREAS262 Standard	0.037	17	45	1.22	247	0.003	<20	1.39	0.072	0.35	<0.1	0.17	3.4	0.5	0.27	4	<0.5	0.2	
STD OREAS262 Standard	0.036	17	41	1.20	259	0.003	<20	1.33	0.064	0.33	<0.1	0.16	3.2	0.5	0.22	4	<0.5	0.2	
STD OREAS262 Standard	0.039	18	44	1.23	263	0.003	<20	1.38	0.073	0.33	0.1	0.16	3.6	0.5	0.26	4	<0.5	0.2	
STD OREAS262 Standard	0.037	17	42	1.17	248	0.003	<20	1.33	0.062	0.32	<0.1	0.17	3.2	0.4	0.26	4	<0.5	<0.2	



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 21, 2019

Page: 2 of 2

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000749.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
STD OXI138	Standard	1.870																			
STD OXI138	Standard	1.821																			
STD OXN117	Standard	7.552																			
STD OXN117	Standard	7.570																			
STD OXI138 Expected		1.86																			
STD OREAS263 Expected		0.21																			
STD OXN117 Expected		7.679																			
STD DS11 Expected			13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063	
STD BVGEO01 Expected			10.8	4415	187	1741	2.53	163	25	733	3.7	121	219	14.4	55	6.5	2.2	25.6	73	1.3219	
STD OREAS262 Expected			0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	65	9.33	36	0.61	3.39	1.03	22.5	2.98	
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	
Prep Wash																					
ROCK-WHI	Prep Blank	<0.005	1.5	2.6	0.9	32	<0.1	0.9	3.7	550	1.90	0.9	<0.5	2.3	20	<0.1	<0.1	<0.1	25	0.69	
ROCK-WHI	Prep Blank	<0.005	0.9	3.5	0.9	29	<0.1	1.2	3.7	545	1.93	0.7	<0.5	2.2	22	<0.1	<0.1	<0.1	26	0.66	



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 21, 2019

Page: 2 of 2 Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000749.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200		
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.5	0.2	
STD OXI138	Standard																			
STD OXI138	Standard																			
STD OXN117	Standard																			
STD OXN117	Standard																			
STD OXI138 Expected																				
STD OREAS263 Expected																				
STD OXN117 Expected																				
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56	
STD BVGEO01 Expected		0.0727	25.9	171	1.2963	340	0.233		2.347	0.1924	0.89	3.5	0.1	5.97	0.62	0.6655	7.37	4.84	1.02	
STD OREAS262 Expected		0.04	15.9	41.7	1.17	248	0.003		1.204	0.071	0.312	0.13	0.17	3.24	0.47	0.253	3.73	0.4	0.23	
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
Prep Wash																				
ROCK-WHI	Prep Blank	0.039	7	2	0.55	52	0.084	<20	0.90	0.064	0.09	<0.1	<0.01	3.1	<0.1	<0.05	4	<0.5	<0.2	
ROCK-WHI	Prep Blank	0.038	7	3	0.56	57	0.086	<20	0.95	0.080	0.10	<0.1	<0.01	2.9	<0.1	<0.05	4	<0.5	<0.2	



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Submitted By: James Thom  
Receiving Lab: Canada-Whitehorse  
Received: November 07, 2019  
Report Date: November 21, 2019  
Page: 1 of 3

## CERTIFICATE OF ANALYSIS

WHI19000750.1

### CLIENT JOB INFORMATION

Project: McQuesten  
Shipment ID: MQ-19-31a  
P.O. Number  
Number of Samples: 43

### SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps  
PICKUP-RJT Client to Pickup Rejects

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Banyan Gold Corp.  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7  
Canada

CC: Paul Gray

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	42	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	1	Sort, label and box pulps			WHI
FA450	43	50g Lead Collection Fire Assay Fusion - AAS Finish	50	Completed	VAN
EN002	43	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	43	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	43	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS

  
MAY LAI  
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

# CERTIFICATE OF ANALYSIS

## WHI19000750.1

Method Analyte	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
Unit	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
MDL	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1865014	Rock	6.19	0.056	2.4	55.3	6.0	75	0.4	40.9	15.7	306	2.75	426.7	19.8	8.9	161	1.2	0.4	3.8	52	1.61
1865015	Rock	2.85	0.015	1.6	46.4	26.4	76	0.7	25.9	13.5	233	2.77	164.6	2.5	12.5	42	0.8	1.2	2.5	29	0.13
1865016	Rock	4.33	0.088	0.9	61.9	5.5	113	0.6	51.4	20.5	488	3.92	239.2	44.0	10.0	87	1.2	0.4	4.6	32	0.91
1865017	Rock	2.05	0.082	0.5	38.7	6.5	96	0.3	38.5	13.8	517	3.37	62.1	51.1	9.8	187	0.2	0.2	3.7	86	3.06
1865018	Rock	5.12	0.071	2.6	6.4	3.8	69	<0.1	16.8	6.8	422	0.85	98.2	48.8	7.2	187	0.5	0.2	2.3	33	4.34
1865019	Rock	2.40	0.094	4.1	26.1	5.0	90	0.2	51.7	12.2	498	1.90	148.6	57.8	9.3	190	0.2	0.2	3.3	51	4.22
1865020	Rock	2.44	0.119	1.0	20.9	4.7	90	0.1	24.6	11.1	501	1.70	116.9	83.5	8.9	206	0.1	0.2	3.8	47	4.28
1865021	Rock	5.36	0.350	0.3	31.7	6.2	75	0.3	26.4	9.8	535	2.22	37.2	167.1	8.6	268	0.3	0.3	8.3	38	5.62
1865022	Rock	4.85	0.012	0.6	49.2	7.2	68	0.5	37.9	15.3	404	3.25	36.7	1.6	7.9	138	0.4	0.4	3.0	30	1.37
1865023	Rock	4.85	0.128	2.1	31.3	5.6	60	0.2	26.1	10.5	415	2.09	29.1	57.0	9.0	196	0.3	0.2	5.7	27	4.15
1865024	Rock	4.51	0.046	1.5	15.0	3.7	67	0.1	16.3	7.3	304	1.19	21.5	23.8	6.4	137	0.4	0.2	2.0	18	3.48
1865025	Rock	4.92	0.122	0.6	23.8	4.7	63	0.2	17.3	7.3	693	1.26	14.0	204.6	6.0	345	0.5	0.1	3.8	23	11.64
1865026	Rock	4.37	0.535	1.1	30.6	5.1	69	0.3	26.3	10.1	325	1.99	38.6	424.2	9.0	260	0.3	0.2	10.8	36	4.00
1865027	Rock	3.45	0.157	0.1	16.1	4.2	62	<0.1	15.4	7.6	557	1.11	17.4	66.3	6.2	256	0.4	0.2	3.9	22	9.16
1865028	Rock	4.23	0.027	0.3	44.9	6.7	57	0.4	33.1	14.2	352	3.32	63.4	8.8	7.3	275	<0.1	0.3	2.3	39	2.22
1865029	Rock	4.47	0.012	0.3	53.8	4.4	52	0.4	35.0	15.5	334	3.89	80.9	5.9	7.7	95	0.1	0.3	1.7	23	0.81
1865030	Rock	0.55	<0.005	<0.1	0.5	0.4	1	<0.1	<0.1	0.1	55	0.06	<0.5	0.9	<0.1	80	<0.1	<0.1	<0.1	<1	35.19
1865031	Rock	5.78	0.088	2.5	35.0	6.9	63	0.4	25.8	10.9	507	1.98	56.1	54.7	6.5	157	0.2	0.5	3.0	35	4.00
1865032	Rock	1.14	0.022	0.3	21.2	18.8	62	0.5	9.3	5.0	668	1.71	44.0	7.9	5.8	44	0.5	0.8	0.8	17	8.01
1865033	Rock	4.03	0.012	0.6	42.4	7.4	39	0.5	28.8	17.2	261	3.31	383.6	2.9	11.0	40	0.2	0.4	2.8	13	0.78
1865034	Rock	2.86	0.156	0.5	58.0	6.2	43	0.4	29.9	14.8	313	2.55	57.9	127.4	7.6	161	0.2	0.2	4.7	27	3.56
1865035	Rock	4.94	0.196	1.0	55.8	9.1	49	0.8	40.9	21.4	350	4.01	1154.3	35.9	8.2	140	0.3	0.8	10.3	27	1.78
1865036	Rock	5.57	0.020	0.9	46.6	7.7	53	0.6	35.1	15.1	339	3.48	441.4	5.7	8.5	159	0.6	0.6	3.8	32	2.18
1865037	Rock	5.51	0.047	1.1	63.3	8.0	47	0.5	36.4	15.6	274	3.12	214.1	14.7	8.7	175	0.3	0.4	4.6	29	2.55
1865038	Rock	1.17	0.007	0.3	14.0	21.1	53	<0.1	12.6	6.3	1754	1.46	14.7	<0.5	3.6	762	0.1	0.2	0.4	28	27.23
1865039	Rock	4.01	0.045	0.5	31.5	7.2	31	0.2	22.0	9.4	396	1.73	55.3	25.3	7.0	256	0.2	0.2	2.2	15	6.42
1865040	Rock	3.91	0.045	0.4	31.3	6.4	32	0.2	22.1	9.5	405	1.64	54.2	21.4	6.7	261	0.2	0.2	2.1	16	6.80
1865041	Rock	2.91	0.039	0.6	67.5	6.4	60	0.5	39.9	18.1	265	3.83	44.5	22.1	7.3	136	0.3	0.1	2.5	33	1.81
1865042	Rock	2.31	0.008	1.6	34.2	3.6	40	0.2	21.2	8.3	193	2.31	502.6	<0.5	7.9	29	0.3	0.4	0.7	10	0.95
1865043	Rock	5.31	0.016	1.1	26.9	3.8	35	0.3	25.5	9.0	85	1.67	969.9	1.5	6.1	17	0.3	0.7	1.5	8	0.49





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 21, 2019

Page: 2 of 3

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000750.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
1865014	Rock	0.036	11	30	1.00	343	0.090	<20	3.63	0.200	0.68	0.2	<0.01	4.8	0.8	0.80	9	2.3	<0.2
1865015	Rock	0.035	22	15	0.52	152	0.055	<20	1.39	0.007	0.56	0.1	<0.01	2.2	0.7	0.41	4	1.0	<0.2
1865016	Rock	0.048	12	28	1.24	181	0.101	<20	2.94	0.100	0.90	0.2	<0.01	4.0	1.0	1.43	8	<0.5	<0.2
1865017	Rock	0.060	10	56	1.99	333	0.124	<20	5.57	0.295	1.27	2.1	<0.01	6.7	1.2	0.95	14	<0.5	<0.2
1865018	Rock	0.061	12	23	0.73	149	0.085	<20	3.18	0.214	0.36	0.4	<0.01	1.9	0.3	0.08	8	<0.5	<0.2
1865019	Rock	0.058	11	79	1.37	339	0.109	<20	4.56	0.257	0.91	0.3	<0.01	3.9	0.8	0.35	11	0.6	<0.2
1865020	Rock	0.057	10	36	1.36	335	0.098	<20	4.40	0.241	0.88	0.3	<0.01	3.2	0.8	0.27	11	<0.5	<0.2
1865021	Rock	0.059	10	33	1.20	262	0.093	<20	4.66	0.257	0.74	47.7	<0.01	4.5	0.7	0.71	12	1.0	0.3
1865022	Rock	0.047	7	29	1.19	162	0.090	<20	3.52	0.166	0.82	0.2	<0.01	5.0	0.8	1.39	8	1.5	<0.2
1865023	Rock	0.054	10	23	0.81	176	0.095	<20	3.54	0.221	0.55	6.6	<0.01	3.3	0.5	0.69	8	0.9	<0.2
1865024	Rock	0.055	8	15	0.47	55	0.074	<20	2.59	0.207	0.20	0.8	<0.01	1.9	0.2	0.44	6	<0.5	<0.2
1865025	Rock	0.055	11	20	0.59	107	0.072	<20	3.52	0.195	0.29	9.0	<0.01	2.2	0.3	0.40	9	0.6	<0.2
1865026	Rock	0.041	15	28	0.71	176	0.097	<20	4.27	0.244	0.48	2.1	<0.01	3.9	0.4	0.70	11	1.1	0.4
1865027	Rock	0.052	12	22	0.59	74	0.085	<20	3.33	0.229	0.16	3.5	<0.01	2.4	0.1	0.26	8	<0.5	<0.2
1865028	Rock	0.042	9	34	1.42	238	0.081	<20	4.59	0.254	1.08	0.1	<0.01	6.7	1.0	1.27	11	1.0	<0.2
1865029	Rock	0.048	10	20	1.07	144	0.064	<20	2.37	0.077	0.81	0.2	<0.01	4.0	0.9	1.71	5	1.4	<0.2
1865030	Rock	0.006	1	<1	0.79	8	<0.001	<20	0.03	<0.001	0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
1865031	Rock	0.052	9	24	0.90	133	0.079	<20	3.23	0.167	0.37	0.7	<0.01	3.4	0.4	0.65	8	1.3	<0.2
1865032	Rock	0.083	14	13	0.65	37	0.055	<20	1.76	0.002	0.10	0.5	<0.01	2.6	0.2	0.53	4	1.1	<0.2
1865033	Rock	0.049	15	14	0.46	99	0.105	<20	1.57	0.033	0.32	0.6	<0.01	2.3	0.3	1.51	4	0.9	<0.2
1865034	Rock	0.067	8	24	0.53	102	0.075	<20	3.42	0.188	0.27	0.6	<0.01	3.3	0.2	1.15	8	2.3	0.2
1865035	Rock	0.043	8	30	1.11	148	0.074	<20	3.66	0.180	0.61	0.2	0.01	4.4	0.6	2.14	9	2.6	0.6
1865036	Rock	0.048	9	27	1.14	211	0.081	<20	4.04	0.178	0.79	0.2	<0.01	4.7	0.7	1.73	9	1.8	<0.2
1865037	Rock	0.055	9	23	0.81	172	0.064	<20	3.83	0.213	0.53	0.3	<0.01	4.0	0.5	1.55	9	2.3	<0.2
1865038	Rock	0.041	3	23	0.60	83	0.054	<20	1.89	0.053	0.47	0.1	<0.01	3.5	0.2	0.29	4	<0.5	<0.2
1865039	Rock	0.030	7	13	0.39	109	0.045	<20	2.63	0.158	0.22	0.3	<0.01	2.3	0.2	0.75	6	0.8	<0.2
1865040	Rock	0.032	7	14	0.38	117	0.046	<20	2.74	0.164	0.23	0.4	<0.01	2.5	0.1	0.70	6	1.0	<0.2
1865041	Rock	0.050	9	26	1.00	180	0.074	<20	3.81	0.181	0.60	0.3	<0.01	4.5	0.7	1.58	9	1.4	<0.2
1865042	Rock	0.025	9	8	0.49	343	0.015	<20	1.01	0.023	0.24	0.1	<0.01	1.4	0.2	0.94	3	1.2	<0.2
1865043	Rock	0.016	10	6	0.13	340	0.006	<20	0.56	0.010	0.14	0.1	<0.01	0.8	0.1	0.82	1	1.0	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 21, 2019

**Page:** 3 of 3

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000750.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1865044	Rock	4.45	0.013	0.2	72.7	5.4	40	0.3	24.9	10.1	181	3.17	301.9	2.3	11.1	37	<0.1	0.3	1.2	16	0.42
1865045	Rock	4.55	0.012	2.6	18.1	6.9	58	0.4	37.6	4.7	142	2.51	15.5	<0.5	4.8	17	0.4	1.2	1.8	14	0.53
1865046	Rock	2.73	0.012	22.8	33.2	3.2	259	0.3	87.4	9.3	93	1.94	5.7	0.9	4.4	16	3.4	0.8	1.4	74	0.41
1865047	Rock	2.59	<0.005	0.5	6.3	3.6	18	0.1	8.4	2.2	356	0.77	2.1	<0.5	2.5	464	0.4	0.3	0.7	9	27.24
1865048	Rock	3.97	0.014	5.2	17.3	6.9	168	0.3	40.4	5.1	553	1.56	41.3	<0.5	3.9	443	7.0	1.1	2.3	29	22.72
1865049	Rock	1.23	0.023	4.6	236.8	4.0	72	1.1	52.9	19.9	277	9.65	43.1	<0.5	6.6	23	1.2	0.7	3.2	49	1.43
1865050	Rock Pulp	0.12	1.225	6.3	109.5	6702.1	1530	42.7	16.4	10.4	1040	3.77	51.4	1242.0	2.5	85	15.7	30.1	0.8	95	1.02
1865051	Rock	3.94	0.074	3.5	35.3	6.1	80	0.5	57.3	12.2	308	3.63	140.9	<0.5	10.1	25	0.3	0.9	2.8	25	0.33
1865052	Rock	4.79	0.024	16.6	76.6	5.5	1550	0.8	91.3	6.9	224	2.19	6.3	<0.5	5.0	34	24.4	1.6	1.0	122	0.79
1865053	Rock	4.90	0.017	6.0	80.9	5.1	109	0.6	72.6	9.1	662	2.65	9.9	<0.5	4.8	32	1.2	0.8	2.3	16	0.40
1865054	Rock	4.35	0.016	10.1	97.2	8.8	231	0.8	87.1	12.9	487	3.60	29.5	<0.5	9.6	39	3.0	0.9	4.0	50	0.51
1865055	Rock	4.16	0.017	10.8	74.9	4.1	873	0.6	78.8	8.7	247	1.88	16.8	<0.5	3.0	37	13.5	1.2	1.5	175	0.89
1865056	Rock	6.26	0.014	1.9	52.8	4.6	54	0.4	53.7	8.9	221	2.56	431.7	<0.5	7.0	38	<0.1	0.7	2.4	34	0.93



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 21, 2019

**Page:** 3 of 3

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000750.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1865044	Rock	0.023	11	17	0.50	279	0.053	<20	1.49	0.024	0.34	0.3	<0.01	2.0	0.4	0.84	4	<0.5	<0.2
1865045	Rock	0.017	7	7	0.17	123	0.010	<20	0.52	0.012	0.10	0.1	<0.01	1.1	<0.1	1.33	1	1.1	<0.2
1865046	Rock	0.022	8	6	0.09	262	0.003	<20	0.46	0.015	0.19	0.1	0.02	1.1	0.2	1.00	1	4.1	<0.2
1865047	Rock	0.006	4	5	0.33	100	0.018	<20	0.41	0.004	0.03	0.1	<0.01	1.5	<0.1	0.45	<1	<0.5	<0.2
1865048	Rock	0.018	5	9	0.42	70	0.022	<20	0.57	0.014	0.05	0.3	0.03	2.1	<0.1	0.87	2	0.7	<0.2
1865049	Rock	0.022	8	11	0.41	82	0.001	<20	0.76	0.017	0.12	0.2	<0.01	2.4	<0.1	5.69	2	13.3	<0.2
1865050	Rock Pulp	0.053	6	20	0.81	137	0.143	<20	1.81	0.194	0.23	1.4	0.23	3.3	0.1	0.22	5	<0.5	<0.2
1865051	Rock	0.078	14	12	0.48	157	0.001	<20	1.04	0.034	0.14	<0.1	<0.01	1.6	<0.1	1.77	3	2.8	<0.2
1865052	Rock	0.332	13	12	0.20	282	0.002	<20	0.63	0.018	0.15	0.1	0.15	1.3	<0.1	1.28	2	22.9	<0.2
1865053	Rock	0.049	10	7	0.37	195	0.001	<20	0.64	0.008	0.13	0.1	0.01	1.4	<0.1	1.46	2	2.5	<0.2
1865054	Rock	0.154	13	14	0.58	186	0.002	<20	0.92	0.006	0.14	0.2	0.02	1.7	<0.1	1.99	2	5.5	<0.2
1865055	Rock	0.220	12	22	0.42	297	0.003	<20	0.77	0.007	0.14	0.1	0.10	1.5	0.1	0.91	2	11.5	<0.2
1865056	Rock	0.074	17	11	0.48	117	<0.001	<20	0.85	0.021	0.09	<0.1	<0.01	1.8	<0.1	1.37	2	3.5	<0.2



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 21, 2019

Page: 1 of 1 Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000750.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm		
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
Pulp Duplicates																					
1865042	Rock	2.31	0.008	1.6	34.2	3.6	40	0.2	21.2	8.3	193	2.31	502.6	<0.5	7.9	29	0.3	0.4	0.7	10	0.95
REP 1865042	QC			1.5	35.6	3.8	41	0.2	20.8	8.1	187	2.30	507.1	2.1	7.9	30	0.3	0.3	0.6	10	0.96
Core Reject Duplicates																					
1865030	Rock	0.55	<0.005	<0.1	0.5	0.4	1	<0.1	<0.1	0.1	55	0.06	<0.5	0.9	<0.1	80	<0.1	<0.1	<0.1	<1	35.19
DUP 1865030	QC		<0.005	<0.1	0.6	0.5	<1	<0.1	<0.1	0.1	52	0.05	0.9	2.3	<0.1	77	<0.1	<0.1	<0.1	<1	34.88
Reference Materials																					
STD BVGEO01	Standard			10.9	4429.2	195.8	1806	2.5	162.8	24.2	738	3.74	125.9	204.3	14.7	58	6.6	2.1	26.6	74	1.35
STD DS11	Standard			15.4	150.1	133.9	353	1.6	77.6	13.8	1019	3.08	44.5	106.3	7.2	66	2.2	7.5	11.7	46	1.03
STD OREAS263	Standard		0.208																		
STD OREAS262	Standard			0.5	117.1	54.6	152	0.5	64.4	27.4	545	3.29	36.0	59.6	8.9	36	0.6	2.4	1.0	22	3.02
STD OREAS262	Standard			0.6	116.7	54.4	153	0.5	63.2	26.8	527	3.26	37.9	52.1	8.5	37	0.6	2.8	1.0	21	2.99
STD OXI138	Standard		1.870																		
STD OXN117	Standard		7.552																		
STD OXI138 Expected			1.86																		
STD OREAS263 Expected			0.21																		
STD OXN117 Expected			7.679																		
STD BVGEO01 Expected				10.8	4415	187	1741	2.53	163	25	733	3.7	121	219	14.4	55	6.5	2.2	25.6	73	1.3219
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063
STD OREAS262 Expected				0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	65	9.33	36	0.61	3.39	1.03	22.5	2.98
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
Prep Wash																					
ROCK-WHI	Prep Blank		<0.005	1.1	2.9	0.9	32	<0.1	1.6	4.2	593	2.00	1.2	1.4	2.2	22	<0.1	<0.1	<0.1	25	0.67
ROCK-WHI	Prep Blank		0.005	0.8	2.9	0.9	31	<0.1	1.3	3.9	547	2.03	1.1	<0.5	2.2	23	<0.1	<0.1	<0.1	25	0.69



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 21, 2019

Page: 1 of 1

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000750.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																			
1865042	Rock	0.025	9	8	0.49	343	0.015	<20	1.01	0.023	0.24	0.1	<0.01	1.4	0.2	0.94	3	1.2	<0.2
REP 1865042	QC	0.024	9	9	0.49	336	0.015	<20	1.03	0.018	0.24	0.1	<0.01	1.5	0.2	0.95	3	1.6	<0.2
Core Reject Duplicates																			
1865030	Rock	0.006	1	<1	0.79	8	<0.001	<20	0.03	<0.001	0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
DUP 1865030	QC	0.006	1	<1	0.85	8	<0.001	<20	0.03	<0.001	0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
Reference Materials																			
STD BVGEO01	Standard	0.075	27	181	1.29	344	0.235	<20	2.32	0.181	0.88	3.1	0.10	6.1	0.6	0.67	7	4.7	0.7
STD DS11	Standard	0.066	17	58	0.83	417	0.085	<20	1.11	0.070	0.39	2.6	0.26	3.1	4.9	0.28	5	1.8	4.4
STD OREAS263	Standard																		
STD OREAS262	Standard	0.037	17	42	1.17	248	0.003	<20	1.33	0.062	0.32	<0.1	0.17	3.2	0.4	0.26	4	<0.5	<0.2
STD OREAS262	Standard	0.039	15	42	1.17	256	0.003	<20	1.22	0.068	0.29	0.1	0.15	3.3	0.5	0.27	4	0.6	0.3
STD OXI138	Standard																		
STD OXN117	Standard																		
STD OXI138 Expected																			
STD OREAS263 Expected																			
STD OXN117 Expected																			
STD BVGEO01 Expected		0.0727	25.9	171	1.2963	340	0.233		2.347	0.1924	0.89	3.5	0.1	5.97	0.62	0.6655	7.37	4.84	1.02
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56
STD OREAS262 Expected		0.04	15.9	41.7	1.17	248	0.003		1.204	0.071	0.312	0.13	0.17	3.24	0.47	0.253	3.73	0.4	0.23
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																			
ROCK-WHI	Prep Blank	0.041	7	4	0.55	61	0.082	<20	0.93	0.072	0.09	<0.1	<0.01	3.2	<0.1	<0.05	4	<0.5	<0.2
ROCK-WHI	Prep Blank	0.039	7	3	0.52	59	0.086	<20	0.97	0.084	0.11	<0.1	<0.01	3.1	<0.1	<0.05	4	<0.5	<0.2



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Submitted By: James Thom  
Receiving Lab: Canada-Whitehorse  
Received: November 07, 2019  
Report Date: November 21, 2019  
Page: 1 of 5

## CERTIFICATE OF ANALYSIS

WHI19000751.1

### CLIENT JOB INFORMATION

Project: McQuesten  
Shipment ID: MQ-19-32a  
P.O. Number  
Number of Samples: 108

### SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps  
PICKUP-RJT Client to Pickup Rejects

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Banyan Gold Corp.  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7  
Canada

CC: Paul Gray

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	106	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	2	Sort, label and box pulps			WHI
FA450	108	50g Lead Collection Fire Assay Fusion - AAS Finish	50	Completed	VAN
EN002	108	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	108	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	108	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS

  
MAY LAI  
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. \*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Banyan Gold Corp.**

1000-1050 West Pender St.

Vancouver British Columbia V6E 3S7 Canada

Project:

McQuesten

Report Date:

November 21, 2019

Page:

2 of 5

Part:

1 of 2

# CERTIFICATE OF ANALYSIS

## WHI19000751.1

Method Analyte	Unit	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
			Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
MDL		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	
1865057	Rock	1.62	0.007	0.7	9.6	105.5	141	1.8	9.3	2.7	4778	0.84	40.8	1.3	1.7	704	2.5	0.9	1.7	5	24.88
1865058	Rock	2.13	0.010	0.5	5.4	59.3	121	1.2	8.7	2.6	6499	0.85	427.9	1.6	1.4	1007	1.8	1.1	1.7	4	31.78
1865059	Rock	1.01	0.006	0.5	17.1	84.4	320	0.8	15.1	6.1	1151	1.20	44.6	3.4	4.1	130	2.3	1.0	0.4	8	5.59
1865060	Rock	0.97	0.006	0.4	13.7	128.1	235	1.0	12.0	4.7	1166	0.94	34.4	2.0	4.3	175	2.6	1.1	0.2	7	7.16
1865061	Rock	0.81	0.009	1.5	7.6	25.6	172	0.3	8.5	2.7	>10000	4.57	80.7	4.8	2.1	119	0.7	1.3	<0.1	8	3.88
1865062	Rock	3.69	0.043	0.7	30.3	196.3	451	2.7	13.0	4.9	1160	1.83	130.2	73.4	9.0	57	4.7	1.2	2.4	8	2.46
1865063	Rock	3.46	0.027	0.5	38.7	7.4	35	0.4	8.9	4.8	180	2.38	104.8	20.5	11.5	7	0.2	0.3	1.8	11	0.10
1865064	Rock	3.21	0.020	0.8	33.0	7.6	40	0.3	19.4	8.4	286	2.66	90.5	23.0	12.2	18	0.1	0.3	1.4	13	0.50
1865065	Rock	4.25	0.335	2.4	34.3	7.6	113	0.3	25.1	11.0	794	2.33	82.7	305.9	7.3	95	0.5	0.3	8.1	27	4.93
1865066	Rock	1.79	0.983	0.6	33.7	7.2	106	0.4	26.2	11.3	943	2.32	58.8	1394.2	6.5	144	0.3	0.3	18.6	33	8.52
1865067	Rock	2.12	0.070	0.5	26.4	6.3	73	0.1	16.2	9.0	460	1.65	49.3	31.7	8.6	75	0.3	0.2	1.6	16	3.88
1865068	Rock	3.37	0.021	0.2	4.9	10.8	27	0.4	8.5	3.2	576	0.77	111.6	5.6	2.0	679	0.1	0.4	1.2	4	26.70
1865069	Rock	3.26	<0.005	0.2	6.9	8.4	29	0.1	9.5	3.1	596	0.84	13.4	<0.5	1.9	695	0.2	0.9	0.1	4	27.83
1865070	Rock	0.81	<0.005	<0.1	0.3	0.4	3	<0.1	2.9	0.4	58	0.05	0.9	<0.5	<0.1	80	<0.1	<0.1	<0.1	<1	34.61
1865071	Rock	3.15	0.052	0.5	34.0	40.5	120	1.2	21.0	9.3	732	2.09	42.9	29.0	6.9	82	0.9	0.4	2.2	16	3.67
1865072	Rock	4.37	0.076	0.5	30.6	9.4	63	0.4	18.9	8.4	431	1.96	71.0	45.5	8.0	127	0.3	0.2	2.1	16	3.70
1865073	Rock	4.57	0.019	1.5	51.3	7.0	46	0.5	35.4	18.6	311	3.40	314.3	3.5	11.8	35	0.2	0.4	2.5	29	0.53
1865074	Rock	4.44	0.028	0.9	70.2	8.9	56	0.5	40.9	19.6	425	4.33	418.0	8.4	8.0	63	0.1	0.3	3.1	42	1.11
1865075	Rock	3.88	0.014	0.5	30.9	6.6	40	0.3	21.7	9.6	353	2.17	112.2	8.5	5.8	27	0.1	0.6	1.5	15	1.32
1865076	Rock	2.13	0.005	0.2	5.3	3.8	11	<0.1	9.0	3.2	312	0.67	6.9	<0.5	1.5	796	<0.1	0.3	0.1	4	30.40
1865077	Rock	5.09	0.041	1.2	73.3	7.6	73	0.5	43.0	18.5	492	3.65	111.2	26.3	8.2	101	0.1	0.3	2.7	35	3.92
1865078	Rock	1.79	0.180	0.6	23.8	11.9	94	0.2	21.4	9.0	894	2.30	22.1	77.8	6.6	328	0.4	0.3	3.5	39	17.44
1865079	Rock	2.00	0.037	0.7	56.7	8.0	99	0.3	36.5	17.1	589	3.38	66.6	10.1	10.5	60	0.3	0.3	1.9	38	2.48
1865080	Rock	1.82	0.049	0.7	55.9	8.7	103	0.3	35.0	15.4	588	3.16	54.3	28.5	10.3	63	0.3	0.3	1.9	39	2.54
1865081	Rock	2.90	0.033	4.5	35.9	44.2	268	1.3	31.5	16.4	1735	2.68	129.6	40.0	9.0	112	1.4	0.9	1.2	33	5.21
1865082	Rock	3.94	0.065	1.5	43.1	5.4	63	0.2	26.6	10.9	391	2.42	30.3	20.0	11.1	87	0.1	0.1	1.9	28	2.46
1865083	Rock	0.82	0.345	0.2	7.3	136.6	34	4.9	10.5	4.0	814	0.95	144.1	94.6	4.1	823	0.4	0.2	23.2	14	22.15
1865084	Rock	4.85	0.046	1.5	35.3	5.0	77	0.1	27.4	12.3	485	1.98	35.0	29.1	9.5	124	0.1	0.1	1.2	32	3.04
1865085	Rock	4.66	0.122	0.6	33.3	6.4	67	0.2	23.8	10.8	729	2.09	39.5	76.0	9.1	232	0.4	0.3	3.0	20	6.98
1865086	Rock	4.63	0.067	1.9	24.8	7.5	66	0.2	17.1	7.2	721	1.66	23.5	42.4	6.7	117	0.2	0.2	2.0	50	4.80



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 21, 2019

**Page:** 2 of 5

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000751.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.01	0.01	0.1	0.01	0.05	1	0.5	0.2	
1865057	Rock	0.024	4	4	0.23	47	<0.001	<20	0.17	0.004	0.09	<0.1	<0.01	1.6	0.1	<0.05	<1	0.8	0.2
1865058	Rock	0.027	4	2	0.28	36	<0.001	<20	0.10	0.005	0.06	0.2	<0.01	1.5	<0.1	0.06	<1	0.9	0.3
1865059	Rock	0.015	9	7	0.20	42	0.001	<20	0.37	0.003	0.14	0.3	<0.01	1.5	0.2	0.08	1	0.7	<0.2
1865060	Rock	0.015	9	7	0.21	44	<0.001	<20	0.35	0.004	0.15	<0.1	<0.01	1.5	0.2	0.05	1	0.6	<0.2
1865061	Rock	0.004	4	4	0.45	19	<0.001	<20	0.14	0.002	0.10	0.1	<0.01	0.7	0.2	0.10	<1	<0.5	<0.2
1865062	Rock	0.018	16	8	0.19	57	<0.001	<20	0.50	0.005	0.23	0.1	0.02	1.4	0.3	0.07	2	0.9	<0.2
1865063	Rock	0.024	24	9	0.23	56	0.002	<20	0.61	0.006	0.26	<0.1	<0.01	1.6	0.3	0.07	2	0.8	<0.2
1865064	Rock	0.027	23	11	0.43	66	0.008	<20	0.92	0.007	0.27	<0.1	<0.01	1.7	0.2	0.15	3	1.0	<0.2
1865065	Rock	0.043	11	18	1.00	204	0.052	<20	2.14	0.062	0.22	0.9	<0.01	3.0	0.2	0.30	6	1.3	0.4
1865066	Rock	0.048	10	22	1.22	322	0.067	<20	2.54	0.064	0.16	0.6	<0.01	3.1	0.2	0.29	7	1.3	0.7
1865067	Rock	0.026	10	13	0.49	63	0.032	<20	1.05	0.013	0.16	0.2	<0.01	2.1	0.2	0.17	3	0.6	<0.2
1865068	Rock	0.018	4	4	0.37	27	0.007	<20	0.36	0.006	0.07	<0.1	<0.01	1.3	<0.1	0.08	<1	0.5	0.2
1865069	Rock	0.025	4	3	0.43	24	0.001	<20	0.28	0.003	0.08	<0.1	<0.01	1.4	<0.1	0.10	<1	0.6	<0.2
1865070	Rock	0.005	<1	<1	0.62	5	0.001	<20	0.02	0.003	0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	0.6	<0.2
1865071	Rock	0.041	15	13	0.42	65	0.004	<20	0.95	0.010	0.18	<0.1	<0.01	2.2	0.2	0.17	3	1.3	<0.2
1865072	Rock	0.027	10	14	0.51	172	0.031	<20	1.52	0.041	0.23	0.3	<0.01	2.0	0.2	0.39	4	1.3	<0.2
1865073	Rock	0.032	14	19	0.79	137	0.043	<20	1.90	0.043	0.42	0.2	<0.01	2.9	0.5	1.18	5	1.7	<0.2
1865074	Rock	0.057	10	27	1.31	207	0.086	<20	3.14	0.089	0.67	0.3	<0.01	4.8	0.7	2.01	8	2.6	0.2
1865075	Rock	0.017	11	13	0.51	56	0.040	<20	0.96	0.009	0.26	0.1	<0.01	1.7	0.3	0.66	3	0.8	<0.2
1865076	Rock	0.026	4	4	0.41	13	0.003	<20	0.31	0.003	0.06	<0.1	<0.01	1.4	<0.1	0.20	<1	0.7	<0.2
1865077	Rock	0.046	10	24	1.18	173	0.065	<20	2.53	0.057	0.53	0.3	<0.01	4.3	0.6	1.44	7	2.7	<0.2
1865078	Rock	0.036	12	27	1.06	84	0.076	<20	2.07	0.040	0.28	2.9	<0.01	3.5	0.3	0.30	6	1.0	0.2
1865079	Rock	0.040	17	30	1.17	103	0.078	<20	2.37	0.056	0.61	0.4	<0.01	3.9	0.6	0.96	7	1.2	<0.2
1865080	Rock	0.040	15	30	1.21	110	0.074	<20	2.37	0.061	0.61	0.2	<0.01	4.1	0.7	0.94	7	1.4	<0.2
1865081	Rock	0.046	13	21	0.73	97	0.035	<20	1.66	0.043	0.41	0.3	<0.01	3.2	0.5	0.58	5	1.1	<0.2
1865082	Rock	0.037	14	20	0.80	90	0.067	<20	2.02	0.078	0.30	0.5	<0.01	2.4	0.2	0.59	6	1.1	<0.2
1865083	Rock	0.033	6	13	0.58	83	0.052	<20	1.78	0.086	0.31	0.4	<0.01	1.8	0.3	0.10	5	1.5	0.7
1865084	Rock	0.048	13	26	0.95	135	0.097	<20	2.86	0.151	0.35	0.6	<0.01	2.9	0.3	0.42	8	1.2	<0.2
1865085	Rock	0.028	12	18	0.66	134	0.046	<20	1.89	0.070	0.25	0.7	<0.01	2.9	0.3	0.57	5	1.4	<0.2
1865086	Rock	0.051	9	21	0.94	111	0.044	<20	1.86	0.065	0.29	0.3	<0.01	2.3	0.3	0.26	5	0.9	<0.2





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 21, 2019

Page: 3 of 5 Part: 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000751.1

Method Analyte Unit MDL	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
1865087	Rock	4.63	0.019	0.5	35.8	21.6	74	0.5	23.8	11.5	428	2.66	204.6	11.7	9.6	39	0.4	0.5	1.4	15	1.49
1865088	Rock	4.90	0.026	0.4	30.0	6.1	42	0.3	24.7	9.3	303	2.59	44.3	6.5	8.7	82	0.2	0.2	1.4	17	1.73
1865089	Rock	4.80	0.038	0.4	37.3	5.8	38	0.3	19.9	8.0	204	2.20	29.4	16.5	9.1	124	0.2	0.2	1.7	15	1.35
1865090	Rock Pulp	0.13	0.282	12.4	2164.4	1051.4	6944	18.4	32.6	16.6	525	8.24	278.8	41.2	0.8	41	48.2	26.0	10.7	47	2.03
1865091	Rock	4.66	0.050	0.5	39.0	5.9	41	0.3	22.6	9.6	226	2.61	109.9	10.1	9.2	52	0.1	0.2	2.3	13	0.83
1865092	Rock	4.86	0.007	0.5	30.3	4.7	39	0.2	18.0	8.5	244	1.76	26.1	1.8	7.5	44	0.1	0.2	0.6	15	0.98
1865093	Rock	4.37	0.066	0.6	29.8	4.7	48	0.2	17.0	8.4	402	1.79	32.2	35.0	7.7	204	0.2	0.1	1.3	18	4.04
1865094	Rock	5.19	0.033	0.3	30.3	4.7	44	0.1	15.1	8.0	317	1.67	149.0	8.5	7.6	74	0.1	0.2	1.1	11	2.84
1865095	Rock	4.31	0.012	0.3	32.1	47.1	391	0.4	15.8	6.9	537	1.88	9.5	8.1	8.4	62	4.6	0.4	0.7	10	3.28
1865096	Rock	4.45	0.008	0.4	21.4	62.7	202	0.7	13.6	5.2	1176	1.55	25.6	2.3	5.8	151	2.0	4.1	0.5	7	6.73
1865097	Rock	3.49	0.029	0.4	35.6	72.0	403	1.1	20.5	7.5	812	2.25	89.0	15.8	8.1	72	4.2	1.5	1.2	12	3.75
1865098	Rock	2.05	0.433	0.3	32.5	164.2	669	3.6	15.1	7.5	1156	1.52	122.6	366.4	10.3	61	7.1	3.9	16.8	7	2.84
1865099	Rock	2.33	0.039	0.5	19.3	327.2	1581	4.5	9.7	4.8	5213	1.98	518.4	18.1	6.5	298	18.8	1.1	4.4	8	11.92
1865100	Rock	2.44	0.052	0.4	17.5	228.6	1438	2.5	10.2	5.0	7226	2.10	692.9	26.4	6.9	330	17.0	1.4	2.0	9	14.86
1865101	Rock	3.43	0.111	0.5	27.2	760.7	1503	18.8	18.3	7.3	3879	1.86	603.8	67.4	6.5	124	17.3	1.6	24.4	17	5.59
1865102	Rock	2.26	0.067	0.5	34.1	27.7	115	0.7	22.6	14.1	1206	2.68	142.8	62.7	7.4	178	1.0	0.4	2.9	22	5.61
1865103	Rock	4.72	0.010	0.3	27.7	7.1	46	0.3	20.9	10.9	353	2.24	330.2	0.5	9.8	25	0.6	0.5	1.4	8	1.07
1865104	Rock	4.75	0.021	0.4	20.6	4.7	47	0.3	20.5	10.4	366	2.53	351.0	4.2	10.5	18	0.1	0.4	1.1	10	0.59
1865105	Rock	4.78	0.023	0.4	38.6	5.7	53	0.3	27.3	10.7	312	2.64	34.0	4.2	9.2	26	0.2	0.3	1.5	12	0.63
1865106	Rock	4.89	0.035	0.5	39.0	5.8	51	0.3	25.3	11.4	445	2.95	44.9	6.6	6.4	35	0.2	0.3	1.4	16	1.10
1865107	Rock	2.28	0.006	0.9	3.7	22.3	76	0.1	1.4	2.5	429	1.84	1.7	4.5	3.8	62	<0.1	0.2	0.5	11	1.37
1865108	Rock	3.35	0.011	0.5	20.6	5.1	29	0.1	9.9	5.6	232	1.78	28.8	1.0	8.1	17	<0.1	0.3	0.4	6	0.57
1865109	Rock	3.77	<0.005	0.8	2.2	23.5	69	<0.1	1.0	2.5	396	1.83	1.5	3.5	4.1	62	<0.1	0.2	0.3	10	1.44
1865110	Rock	0.56	<0.005	<0.1	0.8	0.5	1	<0.1	0.4	<0.1	54	0.08	0.7	<0.5	<0.1	69	<0.1	<0.1	<0.1	<1	35.80
1865111	Rock	4.66	0.064	1.4	45.3	6.1	64	0.3	25.4	12.9	490	3.17	71.9	12.4	6.9	34	0.2	0.6	1.7	27	1.18
1865112	Rock	4.46	0.116	0.4	32.8	5.0	65	0.2	24.0	10.3	570	2.18	23.0	97.3	6.9	127	0.2	0.3	3.1	22	4.61
1865113	Rock	5.28	0.237	0.8	7.3	22.4	109	0.3	17.8	7.4	968	1.31	53.2	177.9	7.1	175	0.6	0.6	5.1	30	7.52
1865114	Rock	4.95	0.103	0.5	31.6	4.6	56	0.2	18.8	7.7	518	1.91	15.6	57.1	6.3	114	0.5	0.1	2.4	23	4.78
1865115	Rock	5.28	0.095	0.7	19.8	78.8	241	1.0	17.2	7.9	1521	1.93	37.0	41.9	6.4	266	1.9	2.3	2.3	18	9.54
1865116	Rock	3.83	0.134	1.3	4.5	366.1	639	4.4	11.8	8.1	7895	3.39	72.5	73.5	4.1	572	6.7	2.0	5.7	22	17.72



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 21, 2019

**Page:** 3 of 5 **Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000751.1

Method Analyte Unit MDL	AQ200 P %	AQ200 La ppm	AQ200 Cr ppm	AQ200 Mg %	AQ200 Ba ppm	AQ200 Ti %	AQ200 B ppm	AQ200 Al %	AQ200 Na %	AQ200 K %	AQ200 W ppm	AQ200 Hg ppm	AQ200 Sc ppm	AQ200 Ti ppm	AQ200 S %	AQ200 Ga ppm	AQ200 Se ppm	AQ200 Te ppm	
1865087	Rock	0.032	12	14	0.58	67	0.020	<20	1.16	0.018	0.37	0.1	<0.01	1.9	0.4	0.88	3	1.2	<0.2
1865088	Rock	0.036	9	16	0.55	75	0.059	<20	1.57	0.064	0.38	0.2	<0.01	1.9	0.3	1.11	4	0.9	<0.2
1865089	Rock	0.022	8	15	0.44	144	0.053	<20	2.15	0.153	0.39	0.3	<0.01	1.8	0.3	0.95	5	1.2	<0.2
1865090	Rock Pulp	0.035	3	36	2.40	47	0.004	<20	1.75	0.006	0.06	0.4	2.51	3.0	4.6	6.42	7	30.1	0.3
1865091	Rock	0.027	9	16	0.49	96	0.045	<20	1.78	0.089	0.42	0.2	<0.01	2.0	0.4	0.91	5	0.9	<0.2
1865092	Rock	0.043	9	15	0.58	100	0.051	<20	1.46	0.074	0.38	1.7	<0.01	2.0	0.3	0.48	4	<0.5	<0.2
1865093	Rock	0.048	7	18	0.65	272	0.068	<20	2.38	0.153	0.34	0.3	<0.01	2.3	0.2	0.53	5	<0.5	<0.2
1865094	Rock	0.027	8	12	0.57	229	0.062	<20	1.44	0.053	0.25	0.3	<0.01	1.9	0.1	0.51	3	<0.5	<0.2
1865095	Rock	0.023	14	10	0.34	48	0.012	<20	0.85	0.011	0.25	0.1	<0.01	2.1	0.2	0.66	2	<0.5	<0.2
1865096	Rock	0.024	12	8	0.26	49	0.001	<20	0.70	<0.001	0.20	<0.1	<0.01	1.6	0.3	0.18	2	<0.5	<0.2
1865097	Rock	0.023	14	11	0.45	58	0.003	<20	0.95	<0.001	0.25	<0.1	0.02	2.2	0.4	0.41	3	<0.5	<0.2
1865098	Rock	0.027	15	7	0.28	70	<0.001	<20	0.65	0.002	0.28	<0.1	0.02	1.7	0.4	0.18	2	0.7	0.5
1865099	Rock	0.026	6	5	0.49	45	<0.001	<20	0.49	<0.001	0.22	<0.1	<0.01	2.3	0.3	0.32	1	0.5	0.3
1865100	Rock	0.019	7	5	0.52	47	<0.001	<20	0.48	<0.001	0.24	<0.1	0.02	2.3	0.4	0.33	1	0.6	<0.2
1865101	Rock	0.044	7	17	0.36	48	0.005	<20	0.76	0.003	0.24	0.3	0.03	3.7	0.4	0.51	2	1.8	0.8
1865102	Rock	0.046	8	19	0.90	256	0.039	<20	2.34	0.098	0.23	0.9	<0.01	4.0	0.3	0.66	6	1.1	<0.2
1865103	Rock	0.057	12	10	0.42	54	0.020	<20	0.84	0.006	0.34	0.1	<0.01	1.5	0.3	0.83	2	<0.5	<0.2
1865104	Rock	0.032	11	12	0.56	72	0.064	<20	1.15	0.007	0.39	0.2	<0.01	1.5	0.4	0.84	3	<0.5	<0.2
1865105	Rock	0.041	8	13	0.74	113	0.087	<20	1.36	0.014	0.46	0.2	<0.01	1.9	0.6	1.16	4	<0.5	<0.2
1865106	Rock	0.034	7	15	0.83	102	0.072	<20	1.48	0.012	0.48	0.3	<0.01	2.2	0.5	1.14	4	<0.5	<0.2
1865107	Rock	0.046	9	3	0.30	285	0.053	<20	1.30	0.060	0.49	<0.1	<0.01	1.0	0.4	<0.05	5	<0.5	<0.2
1865108	Rock	0.021	11	8	0.44	58	0.013	<20	0.82	0.006	0.26	<0.1	<0.01	1.0	0.2	0.51	2	<0.5	<0.2
1865109	Rock	0.050	7	3	0.29	247	0.062	<20	1.23	0.065	0.45	<0.1	<0.01	1.2	0.4	<0.05	5	<0.5	<0.2
1865110	Rock	0.006	<1	<1	0.60	8	0.001	<20	0.03	<0.001	0.04	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
1865111	Rock	0.028	9	20	0.97	100	0.086	<20	1.82	0.029	0.44	0.4	<0.01	2.3	0.4	1.25	5	<0.5	<0.2
1865112	Rock	0.056	8	18	0.80	153	0.068	<20	2.26	0.108	0.37	0.6	<0.01	2.4	0.3	0.65	6	<0.5	<0.2
1865113	Rock	0.051	11	21	1.01	172	0.065	<20	2.88	0.172	0.38	0.4	<0.01	2.8	0.4	0.07	7	<0.5	0.3
1865114	Rock	0.035	8	17	0.70	102	0.056	<20	1.99	0.091	0.26	0.9	<0.01	2.6	0.2	0.62	4	0.8	<0.2
1865115	Rock	0.056	12	13	0.91	86	0.025	<20	1.44	0.039	0.26	0.3	<0.01	3.3	0.3	0.17	3	<0.5	<0.2
1865116	Rock	0.042	9	9	2.08	59	0.001	<20	0.68	<0.001	0.16	0.1	0.01	3.3	0.3	0.07	2	<0.5	0.3



**BUREAU VERITAS**  
MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 21, 2019

Page: 4 of 5 Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000751.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1865117	Rock	2.94	0.021	0.2	3.8	218.9	499	1.6	11.7	7.2	6381	2.45	31.1	20.0	4.1	416	5.1	1.6	16	18.49	
1865118	Rock	5.37	0.132	0.2	41.5	8.2	92	0.4	30.6	15.5	727	3.52	86.8	64.7	6.9	100	0.2	0.7	3.6	31	3.72
1865119	Rock	1.29	0.596	0.6	69.1	5.1	66	0.5	33.5	15.3	398	4.24	50.8	567.9	7.7	34	0.2	0.3	10.9	24	0.77
1865120	Rock	1.19	0.394	0.6	65.4	4.8	64	0.4	30.7	13.6	406	4.01	33.1	300.9	7.5	33	0.1	0.3	7.2	25	0.90
1865121	Rock	3.64	0.083	1.0	67.8	4.9	62	0.4	30.2	18.0	471	3.45	43.1	83.9	7.7	51	0.2	0.2	2.1	34	2.58
1865122	Rock	4.78	0.163	0.5	48.6	82.0	366	1.6	26.7	13.2	1493	2.82	72.9	76.1	8.1	276	3.5	5.0	4.2	25	11.00
1865123	Rock	4.51	0.014	0.5	23.7	130.6	789	1.4	22.1	11.3	2518	2.94	267.5	2.3	7.7	762	7.3	4.2	1.8	10	16.27
1865124	Rock	4.92	0.193	1.0	47.7	5.9	57	0.4	28.3	12.4	424	2.96	35.2	79.9	7.8	99	0.3	0.2	4.7	18	3.27
1865125	Rock	4.95	0.080	1.6	56.6	13.5	58	0.5	32.2	14.7	296	3.03	105.0	45.2	7.5	84	0.4	0.4	3.0	40	1.88
1865126	Rock	4.94	0.090	0.6	57.5	6.8	51	0.6	35.3	16.9	473	3.97	207.3	42.6	7.2	113	0.2	0.4	2.9	35	2.70
1865127	Rock	5.17	0.070	0.6	64.4	7.6	60	0.5	40.6	20.9	289	4.25	546.8	17.6	9.7	41	0.1	0.5	2.1	30	0.65
1865128	Rock	5.07	0.166	0.3	37.2	5.6	35	0.3	20.1	10.9	239	2.52	408.8	196.6	8.1	107	0.2	0.3	1.8	19	2.32
1865129	Rock	5.06	0.013	0.2	21.8	5.9	22	0.2	11.3	4.7	246	1.40	52.4	5.7	6.0	114	0.2	0.1	0.4	8	4.31
1865130	Rock Pulp	0.12	1.192	6.4	105.2	6454.7	1497	40.8	16.0	10.4	1049	3.69	53.4	1364.1	2.5	78	15.4	29.1	0.7	98	0.98
1865131	Rock	2.77	0.052	0.3	23.2	6.0	37	0.2	21.8	11.7	476	1.62	113.0	26.3	6.8	293	0.2	0.2	1.5	18	9.84
1865132	Rock	2.80	0.058	0.4	58.2	7.3	55	0.3	40.0	17.9	439	2.79	37.6	38.0	8.0	100	0.2	0.2	2.6	31	2.30
1865133	Rock	4.71	0.032	0.2	35.4	12.1	47	0.5	15.6	8.2	674	2.07	32.0	18.7	7.1	183	0.2	2.4	0.9	13	6.26
1865134	Rock	4.13	0.006	1.2	36.9	8.9	37	0.6	24.0	9.4	712	1.73	361.9	0.6	10.1	576	0.4	9.0	1.2	10	12.61
1865135	Rock	4.41	0.013	3.5	25.9	6.3	74	0.6	28.0	7.7	248	2.09	138.5	<0.5	6.8	130	1.2	1.6	0.9	24	5.02
1865136	Rock	0.89	0.018	22.4	49.9	8.8	311	1.0	76.2	10.0	258	1.69	16.2	<0.5	4.7	112	2.8	27.4	1.1	68	4.64
1865137	Rock	4.87	<0.005	0.3	5.0	4.2	49	<0.1	7.5	2.3	327	0.89	6.2	<0.5	2.0	430	1.7	0.4	0.1	10	28.23
1865138	Rock	5.01	<0.005	0.7	4.7	3.5	13	<0.1	9.1	1.8	366	1.26	11.7	<0.5	1.3	493	0.1	0.4	0.2	9	31.23
1865139	Rock	2.26	<0.005	0.5	9.0	5.0	21	0.1	12.3	4.3	338	1.13	103.9	<0.5	2.6	465	0.3	0.4	0.6	10	24.14
1865140	Rock	2.21	<0.005	0.5	9.1	4.9	23	0.1	12.3	4.0	332	1.05	89.4	<0.5	2.6	472	0.4	0.4	0.4	9	25.35
1865141	Rock	3.44	0.016	0.5	69.7	8.9	260	0.3	28.2	17.1	232	2.73	18.1	16.1	10.6	15	0.8	0.3	0.7	17	0.60
1865142	Rock	3.76	0.021	0.5	38.7	5.7	51	0.3	26.1	9.9	264	3.32	12.6	0.7	11.1	47	0.2	0.2	1.0	21	1.84
1865143	Rock	4.47	0.007	3.8	29.7	4.9	166	0.3	52.2	10.9	376	3.31	5.5	0.9	6.8	38	1.1	0.6	0.3	50	0.86
1865144	Rock	5.02	0.009	1.2	26.8	5.9	83	0.3	43.5	11.4	202	3.43	129.0	<0.5	7.8	23	0.1	0.5	0.5	33	0.29
1865145	Rock	4.33	0.005	1.2	23.2	6.5	96	0.3	53.1	13.1	230	3.90	39.8	<0.5	7.3	26	0.2	0.7	0.4	42	0.20
1865146	Rock	5.05	0.010	1.7	31.9	7.7	82	0.4	51.8	12.5	289	3.44	11.9	<0.5	9.1	25	0.3	0.7	0.7	34	0.20



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: McQuesten  
Report Date: November 21, 2019

Page: 4 of 5

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000751.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
1865117	Rock	0.034	9	10	1.17	56	<0.001	<20	0.77	<0.001	0.18	0.1	<0.01	3.7	0.3	0.06	2	<0.5	<0.2
1865118	Rock	0.042	10	25	1.29	151	0.040	<20	1.98	0.026	0.59	0.8	<0.01	5.3	0.7	1.20	6	0.6	0.2
1865119	Rock	0.041	8	20	1.33	128	0.085	<20	2.15	0.020	0.50	0.3	<0.01	3.4	0.6	1.75	6	1.7	0.6
1865120	Rock	0.043	9	21	1.29	123	0.093	<20	2.17	0.020	0.40	0.3	<0.01	3.4	0.5	1.49	6	1.5	0.3
1865121	Rock	0.038	12	22	1.11	102	0.045	<20	1.94	0.021	0.30	0.7	<0.01	3.7	0.3	1.37	5	1.9	<0.2
1865122	Rock	0.061	10	14	1.05	84	0.003	<20	1.03	0.006	0.29	0.2	<0.01	4.9	0.3	0.46	3	0.7	0.2
1865123	Rock	0.040	14	5	1.96	84	<0.001	<20	0.45	0.003	0.29	0.1	<0.01	2.9	0.3	0.08	1	<0.5	<0.2
1865124	Rock	0.044	12	15	0.56	103	0.010	<20	1.16	0.012	0.32	36.9	<0.01	3.0	0.4	1.21	3	0.7	<0.2
1865125	Rock	0.039	9	22	0.83	236	0.050	<20	2.47	0.089	0.44	0.3	<0.01	3.4	0.4	1.29	7	1.1	<0.2
1865126	Rock	0.049	8	22	1.06	163	0.061	<20	2.65	0.059	0.34	0.5	<0.01	3.7	0.3	2.01	7	1.1	<0.2
1865127	Rock	0.065	13	20	0.80	108	0.056	<20	2.35	0.039	0.37	0.3	<0.01	4.0	0.4	1.54	7	0.5	<0.2
1865128	Rock	0.030	8	14	0.42	243	0.043	<20	1.93	0.076	0.30	0.3	<0.01	2.5	0.3	1.10	5	1.2	<0.2
1865129	Rock	0.023	4	7	0.31	168	0.031	<20	0.99	0.047	0.18	0.9	<0.01	1.2	0.1	0.56	2	0.6	<0.2
1865130	Rock Pulp	0.050	6	20	0.81	146	0.131	<20	1.79	0.197	0.22	1.5	0.25	3.2	0.1	0.21	5	<0.5	<0.2
1865131	Rock	0.047	8	14	0.60	661	0.069	<20	2.22	0.099	0.32	0.3	<0.01	2.6	0.2	0.58	5	<0.5	<0.2
1865132	Rock	0.052	8	21	1.19	275	0.056	<20	2.80	0.099	0.37	0.6	<0.01	4.1	0.3	1.16	7	0.8	<0.2
1865133	Rock	0.028	13	9	0.67	82	0.002	<20	0.80	0.005	0.20	0.2	<0.01	2.4	0.2	0.26	2	<0.5	<0.2
1865134	Rock	0.027	25	7	0.77	152	<0.001	<20	0.61	0.005	0.18	0.1	<0.01	1.7	0.2	0.13	2	<0.5	<0.2
1865135	Rock	0.022	12	9	0.37	195	0.002	<20	0.84	0.007	0.19	0.1	<0.01	1.6	0.2	0.71	2	<0.5	<0.2
1865136	Rock	0.048	13	8	0.28	157	<0.001	<20	0.60	0.014	0.13	0.3	<0.01	1.5	0.2	0.77	1	2.6	<0.2
1865137	Rock	0.004	4	6	0.34	63	0.009	<20	0.42	0.001	0.13	0.1	<0.01	1.4	<0.1	0.53	<1	<0.5	<0.2
1865138	Rock	0.003	3	5	0.32	56	0.007	<20	0.29	0.003	0.08	<0.1	<0.01	1.3	0.2	1.05	<1	<0.5	<0.2
1865139	Rock	0.006	5	7	0.39	100	0.015	<20	0.52	0.003	0.11	0.1	<0.01	1.8	<0.1	0.63	1	<0.5	<0.2
1865140	Rock	0.006	5	6	0.36	95	0.015	<20	0.47	0.003	0.11	0.1	<0.01	1.6	<0.1	0.60	1	<0.5	<0.2
1865141	Rock	0.023	18	15	0.49	140	0.023	<20	1.27	0.008	0.24	<0.1	0.02	2.1	0.1	0.75	3	<0.5	<0.2
1865142	Rock	0.036	16	16	0.64	172	0.032	<20	1.36	0.010	0.25	0.2	<0.01	1.8	0.2	1.47	4	1.1	<0.2
1865143	Rock	0.084	16	27	0.64	173	0.002	<20	1.76	0.048	0.14	<0.1	<0.01	1.9	<0.1	0.65	5	2.6	<0.2
1865144	Rock	0.059	19	27	0.55	159	0.001	<20	1.66	0.049	0.11	<0.1	<0.01	2.0	<0.1	0.57	5	1.3	<0.2
1865145	Rock	0.069	21	30	0.61	191	0.002	<20	2.06	0.060	0.12	<0.1	<0.01	2.1	<0.1	0.48	6	<0.5	<0.2
1865146	Rock	0.075	22	26	0.55	219	0.001	<20	1.69	0.050	0.12	<0.1	<0.01	2.0	<0.1	0.70	5	1.1	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 21, 2019

Page: 5 of 5

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000751.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1865147	Rock	5.02	0.009	1.3	36.6	8.6	142	0.6	46.2	9.0	383	3.94	14.5	<0.5	6.7	26	0.5	0.8	0.4	47	0.22
1865148	Rock	4.59	0.015	2.5	64.2	9.6	181	0.8	52.7	9.2	315	2.87	7.1	<0.5	4.4	18	1.1	0.8	0.3	33	0.27
1865149	Rock	4.46	0.019	0.7	74.4	6.7	99	0.2	38.4	5.2	905	2.07	25.8	<0.5	4.1	28	0.3	0.3	0.4	27	0.34
1865150	Rock	0.72	<0.005	<0.1	1.4	0.3	1	<0.1	<0.1	<0.1	88	0.07	<0.5	<0.5	<0.1	76	<0.1	<0.1	<0.1	<1	34.20
1865151	Rock	4.90	0.020	0.7	70.4	7.0	90	0.3	53.8	6.4	1086	2.30	53.3	<0.5	4.5	28	0.6	0.4	1.1	21	0.29
1865152	Rock	4.57	0.015	5.5	88.3	10.4	144	0.5	48.1	7.7	623	2.49	18.5	<0.5	3.2	16	1.4	1.3	0.5	23	0.23
1865153	Rock	4.91	0.013	4.6	74.0	9.8	94	0.6	43.3	8.6	998	3.27	13.8	<0.5	7.4	49	0.7	0.9	0.9	28	0.57
1865154	Rock	4.74	0.020	4.6	94.0	9.7	112	0.4	47.0	7.1	368	2.32	71.8	<0.5	3.6	17	0.8	0.7	0.8	21	0.12
1865155	Rock	4.98	0.020	2.2	106.8	4.3	76	0.4	36.3	10.1	585	2.35	26.1	<0.5	3.5	26	0.6	0.3	0.7	30	0.28
1865156	Rock	4.24	0.017	5.6	89.1	8.4	416	1.3	57.8	8.8	371	2.39	18.5	<0.5	4.0	37	5.8	1.4	0.9	96	0.68
1865157	Rock	4.38	0.024	1.8	64.0	6.2	58	0.6	62.3	10.7	283	3.09	9.3	<0.5	8.9	29	0.2	0.5	1.7	27	0.32
1865158	Rock	4.41	0.032	1.5	121.4	3.7	46	0.6	50.1	5.9	486	3.74	15.0	<0.5	3.9	21	0.2	0.4	1.3	41	0.64
1865159	Rock	2.28	0.045	1.5	76.7	3.4	68	0.4	47.5	6.3	313	3.27	26.1	<0.5	3.4	15	0.3	0.4	1.2	41	0.37
1865160	Rock	2.23	0.045	1.6	86.6	4.1	53	0.5	53.7	6.7	343	3.16	40.7	1.6	4.1	18	0.2	0.6	1.5	39	0.48
1865161	Rock	5.03	0.016	1.2	46.5	4.0	61	0.4	42.7	8.7	336	3.97	29.0	<0.5	4.9	22	0.1	0.5	1.1	32	0.29
1865162	Rock	4.50	0.013	1.4	31.0	3.1	92	0.2	48.5	10.9	261	3.25	22.8	0.7	4.8	24	0.2	0.6	0.8	28	0.24
1865163	Rock	4.41	0.009	1.0	32.0	3.5	22	0.2	34.1	6.9	128	1.78	1.6	<0.5	4.7	26	0.1	0.3	0.9	11	0.18
1865164	Rock	4.68	0.011	1.1	57.7	2.9	49	0.3	46.1	6.9	282	1.80	11.8	1.3	4.0	13	0.2	0.5	0.7	22	0.49



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 21, 2019

Page: 5 of 5

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000751.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1865147	Rock	0.070	18	27	0.72	212	0.002	<20	1.80	0.061	0.11	<0.1	<0.01	2.6	<0.1	1.01	5	2.3	<0.2
1865148	Rock	0.086	13	17	0.42	200	0.002	<20	0.98	0.032	0.10	<0.1	<0.01	1.7	<0.1	1.28	3	3.6	<0.2
1865149	Rock	0.025	12	17	0.48	290	0.004	<20	0.95	0.011	0.15	<0.1	<0.01	1.5	<0.1	0.63	3	0.7	<0.2
1865150	Rock	0.004	<1	<1	0.48	7	<0.001	<20	0.02	<0.001	0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
1865151	Rock	0.039	7	12	0.52	316	0.006	<20	1.04	0.016	0.16	0.2	<0.01	1.4	<0.1	0.84	3	<0.5	<0.2
1865152	Rock	0.026	6	13	0.33	248	0.003	<20	0.68	0.009	0.14	0.2	<0.01	1.1	<0.1	1.27	2	1.7	<0.2
1865153	Rock	0.051	7	13	0.58	265	0.003	<20	1.07	0.023	0.16	0.2	0.01	1.5	<0.1	1.88	3	2.0	<0.2
1865154	Rock	0.021	7	13	0.32	327	0.001	<20	0.67	0.009	0.17	0.1	0.01	1.1	<0.1	1.18	2	1.6	<0.2
1865155	Rock	0.033	11	15	0.50	258	0.006	<20	0.86	0.004	0.15	<0.1	<0.01	1.5	<0.1	0.92	3	1.2	0.3
1865156	Rock	0.134	10	22	0.44	293	0.002	<20	0.94	0.028	0.13	1.1	0.03	2.0	<0.1	1.01	3	6.5	<0.2
1865157	Rock	0.066	14	18	0.39	211	0.001	<20	1.11	0.040	0.11	<0.1	<0.01	1.9	<0.1	1.31	3	2.6	0.2
1865158	Rock	0.023	9	20	0.65	182	0.001	<20	1.01	0.026	0.09	0.1	<0.01	2.7	<0.1	1.99	3	2.7	<0.2
1865159	Rock	0.025	8	16	0.51	136	0.001	<20	0.86	0.021	0.06	<0.1	<0.01	2.4	<0.1	1.96	3	3.1	<0.2
1865160	Rock	0.039	9	19	0.50	134	0.001	<20	0.88	0.026	0.07	<0.1	<0.01	2.5	<0.1	1.82	3	2.7	<0.2
1865161	Rock	0.047	10	22	0.68	184	0.002	<20	1.46	0.042	0.12	<0.1	<0.01	2.8	<0.1	1.59	4	1.8	<0.2
1865162	Rock	0.067	12	23	0.43	136	0.001	<20	1.31	0.043	0.08	<0.1	<0.01	1.9	<0.1	1.03	4	1.9	<0.2
1865163	Rock	0.049	13	11	0.17	130	0.001	<20	0.73	0.041	0.09	0.1	<0.01	1.3	<0.1	0.60	2	0.8	<0.2
1865164	Rock	0.019	10	14	0.30	145	<0.001	<20	0.61	0.018	0.09	<0.1	<0.01	1.5	<0.1	0.79	2	1.1	<0.2



# QUALITY CONTROL REPORT

WHI19000751.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm		
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
Pulp Duplicates																					
1865062	Rock	3.69	0.043	0.7	30.3	196.3	451	2.7	13.0	4.9	1160	1.83	130.2	73.4	9.0	57	4.7	1.2	2.4	8	2.46
REP 1865062	QC			0.7	30.3	198.1	457	2.6	13.0	4.9	1150	1.84	130.3	31.5	9.1	57	4.8	1.2	2.5	8	2.48
1865095	Rock	4.31	0.012	0.3	32.1	47.1	391	0.4	15.8	6.9	537	1.88	9.5	8.1	8.4	62	4.6	0.4	0.7	10	3.28
REP 1865095	QC			0.3	31.3	47.3	389	0.4	15.9	7.0	553	1.96	11.5	5.5	8.3	62	4.7	0.4	0.7	10	3.41
1865114	Rock	4.95	0.103	0.5	31.6	4.6	56	0.2	18.8	7.7	518	1.91	15.6	57.1	6.3	114	0.5	0.1	2.4	23	4.78
REP 1865114	QC		0.120																		
1865123	Rock	4.51	0.014	0.5	23.7	130.6	789	1.4	22.1	11.3	2518	2.94	267.5	2.3	7.7	762	7.3	4.2	1.8	10	16.27
REP 1865123	QC		0.017																		
1865130	Rock Pulp	0.12	1.192	6.4	105.2	6454.7	1497	40.8	16.0	10.4	1049	3.69	53.4	1364.1	2.5	78	15.4	29.1	0.7	98	0.98
REP 1865130	QC			5.8	100.6	6327.2	1464	40.4	14.4	10.3	1032	3.61	47.2	1514.9	2.3	74	14.5	26.2	0.7	95	0.97
1865162	Rock	4.50	0.013	1.4	31.0	3.1	92	0.2	48.5	10.9	261	3.25	22.8	0.7	4.8	24	0.2	0.6	0.8	28	0.24
REP 1865162	QC		0.010																		
Core Reject Duplicates																					
1865084	Rock	4.85	0.046	1.5	35.3	5.0	77	0.1	27.4	12.3	485	1.98	35.0	29.1	9.5	124	0.1	0.1	1.2	32	3.04
DUP 1865084	QC		0.049	1.5	35.2	5.0	77	0.1	27.6	12.0	482	1.98	35.3	33.9	9.8	127	0.1	0.1	1.2	33	3.01
1865118	Rock	5.37	0.132	0.2	41.5	8.2	92	0.4	30.6	15.5	727	3.52	86.8	64.7	6.9	100	0.2	0.7	3.6	31	3.72
DUP 1865118	QC		0.137	0.2	43.7	8.6	101	0.5	30.2	15.8	719	3.56	73.4	84.3	7.4	110	0.4	0.8	3.7	31	3.86
1865152	Rock	4.57	0.015	5.5	88.3	10.4	144	0.5	48.1	7.7	623	2.49	18.5	<0.5	3.2	16	1.4	1.3	0.5	23	0.23
DUP 1865152	QC		0.019	5.7	89.2	10.8	149	0.5	48.5	7.7	621	2.67	16.2	<0.5	3.4	16	1.4	1.0	0.5	24	0.23
Reference Materials																					
STD BVGEO01	Standard			10.1	4193.0	165.6	1647	2.3	154.0	23.3	639	3.51	105.5	184.0	11.9	47	5.6	2.0	19.6	71	1.24
STD BVGEO01	Standard			10.1	4192.1	177.4	1666	2.5	156.3	23.6	668	3.55	118.3	209.3	12.5	50	6.6	2.1	23.3	71	1.25
STD DS11	Standard			13.1	138.1	130.0	311	1.6	71.1	13.4	985	2.99	39.5	66.1	6.3	59	2.1	5.7	9.9	51	1.00
STD DS11	Standard			13.4	144.9	132.5	335	1.5	81.8	13.5	1011	3.04	42.2	46.4	6.8	61	2.1	6.0	10.3	52	1.01
STD OREAS263	Standard		0.212																		
STD OREAS263	Standard		0.218																		
STD OREAS262	Standard			0.6	126.7	53.1	154	0.5	62.4	28.4	532	3.22	35.1	59.2	7.8	33	0.7	2.5	0.9	21	3.00
STD OREAS262	Standard			0.6	117.7	53.6	158	0.5	60.4	26.5	533	3.21	36.1	57.1	7.9	34	0.7	2.3	0.9	21	2.92



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 21, 2019

Page: 1 of 2

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000751.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																			
1865062	Rock	0.018	16	8	0.19	57	<0.001	<20	0.50	0.005	0.23	0.1	0.02	1.4	0.3	0.07	2	0.9	<0.2
REP 1865062	QC	0.018	17	8	0.19	58	<0.001	<20	0.51	0.005	0.24	<0.1	0.01	1.5	0.3	0.07	2	0.9	<0.2
1865095	Rock	0.023	14	10	0.34	48	0.012	<20	0.85	0.011	0.25	0.1	<0.01	2.1	0.2	0.66	2	<0.5	<0.2
REP 1865095	QC	0.022	14	10	0.34	49	0.011	<20	0.86	0.011	0.25	<0.1	<0.01	2.1	0.2	0.68	2	<0.5	<0.2
1865114	Rock	0.035	8	17	0.70	102	0.056	<20	1.99	0.091	0.26	0.9	<0.01	2.6	0.2	0.62	4	0.8	<0.2
REP 1865114	QC																		
1865123	Rock	0.040	14	5	1.96	84	<0.001	<20	0.45	0.003	0.29	0.1	<0.01	2.9	0.3	0.08	1	<0.5	<0.2
REP 1865123	QC																		
1865130	Rock Pulp	0.050	6	20	0.81	146	0.131	<20	1.79	0.197	0.22	1.5	0.25	3.2	0.1	0.21	5	<0.5	<0.2
REP 1865130	QC	0.049	6	19	0.79	139	0.124	<20	1.75	0.193	0.22	1.4	0.22	2.9	0.1	0.21	5	<0.5	<0.2
1865162	Rock	0.067	12	23	0.43	136	0.001	<20	1.31	0.043	0.08	<0.1	<0.01	1.9	<0.1	1.03	4	1.9	<0.2
REP 1865162	QC																		
Core Reject Duplicates																			
1865084	Rock	0.048	13	26	0.95	135	0.097	<20	2.86	0.151	0.35	0.6	<0.01	2.9	0.3	0.42	8	1.2	<0.2
DUP 1865084	QC	0.048	13	26	0.95	131	0.098	<20	2.83	0.156	0.34	0.6	<0.01	2.8	0.3	0.43	8	1.2	<0.2
1865118	Rock	0.042	10	25	1.29	151	0.040	<20	1.98	0.026	0.59	0.8	<0.01	5.3	0.7	1.20	6	0.6	0.2
DUP 1865118	QC	0.043	11	25	1.32	159	0.042	<20	2.07	0.026	0.61	0.7	<0.01	5.4	0.7	1.21	6	<0.5	<0.2
1865152	Rock	0.026	6	13	0.33	248	0.003	<20	0.68	0.009	0.14	0.2	<0.01	1.1	<0.1	1.27	2	1.7	<0.2
DUP 1865152	QC	0.023	6	13	0.35	250	0.003	<20	0.73	0.009	0.14	0.2	<0.01	1.2	<0.1	1.38	2	2.0	<0.2
Reference Materials																			
STD BVGEO01	Standard	0.065	22	158	1.24	291	0.201	<20	2.17	0.188	0.89	3.2	0.08	5.1	0.5	0.64	6	4.1	0.9
STD BVGEO01	Standard	0.066	24	167	1.23	352	0.208	<20	2.20	0.180	0.82	3.1	0.10	5.5	0.6	0.65	7	4.8	1.1
STD DS11	Standard	0.063	15	61	0.82	376	0.078	<20	1.13	0.070	0.39	2.6	0.22	3.0	4.6	0.27	5	1.9	4.2
STD DS11	Standard	0.067	16	57	0.83	403	0.084	<20	1.11	0.067	0.38	2.8	0.28	3.0	5.0	0.27	5	2.3	4.4
STD OREAS263	Standard																		
STD OREAS263	Standard																		
STD OREAS262	Standard	0.037	15	44	1.16	247	0.003	<20	1.24	0.070	0.31	0.1	0.15	3.4	0.5	0.26	4	<0.5	0.2
STD OREAS262	Standard	0.038	13	42	1.14	268	0.003	<20	1.27	0.063	0.29	0.1	0.16	3.0	0.5	0.26	4	<0.5	0.3





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 21, 2019

Page: 2 of 2

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000751.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
STD OREAS262	Standard			0.6	107.8	53.2	161	0.5	60.7	26.8	576	3.23	37.4	54.1	8.3	35	0.6	2.5	1.0	26	2.92	
STD OREAS262	Standard			0.7	118.2	55.3	155	0.4	68.7	27.6	548	3.39	37.1	59.8	9.0	35	0.6	2.2	0.9	25	3.03	
STD OXI138	Standard		1.820																			
STD OXI138	Standard		1.836																			
STD OXN117	Standard		7.628																			
STD OXN117	Standard		7.835																			
STD OXI138 Expected			1.86																			
STD OREAS263 Expected			0.21																			
STD OXN117 Expected			7.679																			
STD BVGEO01 Expected				10.8	4415	187	1741	2.53	163	25	733	3.7	121	219	14.4	55	6.5	2.2	25.6	73	1.3219	
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063	
STD OREAS262 Expected				0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	65	9.33	36	0.61	3.39	1.03	22.5	2.98	
BLK	Blank		<0.005																			
BLK	Blank		<0.005																			
BLK	Blank		<0.005																			
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
Prep Wash																						
ROCK-WHI	Prep Blank		<0.005	0.8	2.3	0.9	30	<0.1	1.4	3.6	544	1.86	0.8	<0.5	2.0	17	<0.1	<0.1	<0.1	24	0.63	
ROCK-WHI	Prep Blank		<0.005	0.8	4.3	0.9	30	<0.1	1.5	3.9	536	1.92	0.9	<0.5	2.1	19	<0.1	<0.1	<0.1	28	0.65	



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 21, 2019

Page: 2 of 2 Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000751.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.5	0.2	
STD OREAS262	Standard	0.039	14	41	1.17	244	0.003	<20	1.30	0.068	0.30	0.1	0.17	3.2	0.5	0.26	4	<0.5	0.2	
STD OREAS262	Standard	0.038	18	44	1.19	252	0.003	<20	1.42	0.071	0.34	<0.1	0.18	3.3	0.5	0.27	4	0.6	0.3	
STD OXI138	Standard																			
STD OXI138	Standard																			
STD OXN117	Standard																			
STD OXN117	Standard																			
STD OXI138 Expected																				
STD OREAS263 Expected																				
STD OXN117 Expected																				
STD BVGE001 Expected		0.0727	25.9	171	1.2963	340	0.233		2.347	0.1924	0.89	3.5	0.1	5.97	0.62	0.6655	7.37	4.84	1.02	
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56	
STD OREAS262 Expected		0.04	15.9	41.7	1.17	248	0.003		1.204	0.071	0.312	0.13	0.17	3.24	0.47	0.253	3.73	0.4	0.23	
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
Prep Wash																				
ROCK-WHI	Prep Blank	0.038	6	4	0.50	51	0.072	<20	0.86	0.065	0.09	<0.1	<0.01	2.6	<0.1	<0.05	4	<0.5	<0.2	
ROCK-WHI	Prep Blank	0.040	6	4	0.52	57	0.078	<20	0.92	0.081	0.10	<0.1	<0.01	2.7	<0.1	<0.05	4	<0.5	<0.2	



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Submitted By: James Thom  
Receiving Lab: Canada-Whitehorse  
Received: November 15, 2019  
Report Date: December 07, 2019  
Page: 1 of 5

## CERTIFICATE OF ANALYSIS

## WHI19000758.2

### CLIENT JOB INFORMATION

Project: McQuesten  
Shipment ID: MQ-19-33a  
P.O. Number  
Number of Samples: 120

### SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps  
PICKUP-RJT Client to Pickup Rejects

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Banyan Gold Corp.  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7  
Canada

CC: Paul Gray

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	117	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	3	Sort, label and box pulps			WHI
FA450	120	50g Lead Collection Fire Assay Fusion - AAS Finish	50	Completed	VAN
EN002	120	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	120	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	120	Per sample shipping charges for branch shipments			VAN
AQ370	1	1:1:1 Aqua Regia digestion ICP-ES analysis	1	Completed	VAN

### ADDITIONAL COMMENTS

Version 2 : AQ370-Pb Zn Ag included.



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. \*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: McQuesten  
Report Date: December 07, 2019

# CERTIFICATE OF ANALYSIS

## WHI19000758.2

Method Analyte Unit MDL	WGHT	FA450 Au ppm	AQ200 Mo ppm	AQ200 Cu ppm	AQ200 Pb ppm	AQ200 Zn ppm	AQ200 Ag ppm	AQ200 Ni ppm	AQ200 Co ppm	AQ200 Mn ppm	AQ200 Fe %	AQ200 As ppm	AQ200 Au ppb	AQ200 Th ppm	AQ200 Sr ppm	AQ200 Cd ppm	AQ200 Sb ppm	AQ200 Bi ppm	AQ200 V ppm	AQ200 Ca %
	kg	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1865165 Rock	4.92	0.011	2.5	65.9	5.6	119	0.4	49.6	13.2	280	2.27	140.1	2.6	3.4	64	1.0	0.9	1.3	38	1.03
1865166 Rock	3.83	0.011	1.7	46.4	4.2	110	0.3	45.8	8.4	403	2.24	87.5	<0.5	5.0	33	1.1	0.7	1.0	34	0.29
1865167 Rock	2.55	0.060	3.6	32.1	3.9	88	0.1	60.7	12.9	340	1.83	2165.6	53.6	5.2	135	0.4	1.3	1.3	56	2.04
1865168 Rock	5.82	0.007	2.5	29.2	3.9	100	0.3	32.1	8.4	366	1.91	60.5	<0.5	6.6	20	0.9	0.5	0.6	22	0.14
1865169 Rock	3.02	0.005	1.6	24.3	3.8	74	0.3	29.7	7.1	443	2.37	47.2	1.9	7.2	20	0.1	0.6	0.7	23	0.14
1865170 Rock Pulp	0.09	0.276	12.1	2116.7	981.1	6735	17.0	32.2	16.9	498	8.28	267.4	51.5	0.9	42	45.4	31.4	10.6	44	2.02
1865171 Rock	3.71	<0.005	1.2	35.3	4.1	64	0.3	35.2	7.4	230	1.58	38.6	<0.5	3.8	15	0.4	0.8	1.0	17	0.12
1865172 Rock	2.85	<0.005	4.3	63.2	3.3	72	0.3	57.5	11.6	245	2.38	61.2	9.2	3.2	52	0.2	0.3	0.4	82	0.77
1865173 Rock	4.45	0.015	4.5	73.4	2.9	112	0.3	43.6	9.2	241	2.45	628.7	10.7	2.4	36	0.6	0.5	1.6	96	0.81
1865174 Rock	4.49	0.064	14.5	25.4	3.6	90	0.1	76.4	8.3	213	1.99	229.3	54.8	4.1	127	0.4	0.4	1.6	515	1.48
1865175 Rock	4.84	0.005	16.5	23.8	1.8	55	0.1	73.0	8.9	110	1.43	316.8	2.7	3.6	26	0.2	0.5	0.5	184	0.31
1865176 Rock	4.25	0.012	13.7	32.5	1.6	90	0.1	80.3	12.9	143	1.56	276.4	3.3	3.1	13	0.6	0.6	0.9	80	0.19
1865177 Rock	3.71	0.008	6.3	38.4	2.2	85	0.1	64.0	9.7	179	1.94	131.4	5.8	3.0	31	0.2	0.3	0.4	88	0.33
1865178 Rock	5.14	0.022	3.3	67.3	2.5	57	0.3	48.1	8.1	171	2.65	160.8	1.9	3.0	13	0.5	0.7	1.9	35	0.23
1865179 Rock	2.35	0.020	1.5	58.7	6.7	61	0.5	37.7	14.9	245	3.24	767.3	3.2	8.8	102	0.6	0.5	2.8	36	1.67
1865180 Rock	2.11	0.035	1.4	58.4	6.9	87	0.5	38.1	15.1	231	3.14	1154.0	9.3	9.4	126	2.2	0.7	3.7	34	1.55
1865181 Rock	4.47	0.133	1.4	60.0	6.0	64	0.4	31.5	12.0	263	2.94	297.8	66.4	8.2	193	0.7	0.3	4.2	37	2.46
1865182 Rock	4.45	0.124	0.4	56.3	5.5	54	0.3	25.7	13.1	328	2.49	87.8	81.8	8.1	207	0.5	0.2	4.4	26	3.42
1865183 Rock	4.92	0.086	0.5	45.6	6.4	45	0.5	23.8	10.2	379	2.77	134.5	68.2	8.1	222	0.5	0.2	4.2	23	4.29
1865184 Rock	4.48	0.185	0.9	49.1	5.6	36	0.3	20.2	9.3	221	2.41	111.1	127.2	8.4	190	0.2	0.2	5.0	15	1.72
1865185 Rock	4.38	0.125	0.5	33.5	5.8	50	0.3	24.2	10.6	359	2.38	91.8	42.5	6.5	213	0.2	0.2	3.2	19	4.10
1865186 Rock	4.81	0.035	0.7	51.5	6.1	53	0.3	29.5	14.2	330	2.56	376.5	23.6	9.1	206	0.2	0.7	2.3	22	3.06
1865187 Rock	3.07	0.034	0.5	74.4	5.7	61	0.4	33.4	15.1	241	2.94	102.3	28.7	11.5	229	0.2	0.2	2.1	25	2.48
1865188 Rock	2.59	0.153	0.4	51.8	4.5	36	0.2	18.1	8.2	171	2.06	92.1	109.2	9.7	142	0.2	0.1	3.9	14	3.10
1865189 Rock	1.51	1.811	0.3	6.6	4.4	15	0.2	4.5	2.1	411	0.56	5.0	812.1	1.4	663	<0.1	0.1	39.0	3	28.55
1865190 Rock	0.60	<0.005	<0.1	0.8	0.3	<1	<0.1	<0.1	0.1	56	0.05	0.9	2.5	<0.1	70	<0.1	<0.1	<0.1	<1	33.43
1865191 Rock	3.51	0.164	0.4	18.8	3.7	46	<0.1	16.9	6.5	347	1.12	301.4	92.7	8.2	171	0.1	0.4	4.0	14	4.28
1865192 Rock	3.69	0.717	2.4	26.2	3.2	62	0.2	24.2	8.2	232	1.51	90.9	1424.1	8.4	167	0.1	0.2	14.1	23	3.39
1865193 Rock	4.89	0.076	0.4	38.6	4.0	83	0.2	28.2	11.4	431	2.88	95.9	59.4	9.0	140	0.2	0.2	2.5	33	2.55
1865194 Rock	4.41	0.040	4.6	45.1	5.6	72	0.4	43.8	11.5	315	2.48	270.7	19.0	8.2	117	0.3	0.5	1.8	101	2.35



# CERTIFICATE OF ANALYSIS

WHI19000758.2

Method Analyte Unit MDL	AQ200 P %	AQ200 La ppm	AQ200 Cr ppm	AQ200 Mg %	AQ200 Ba ppm	AQ200 Ti %	AQ200 B ppm	AQ200 Al %	AQ200 Na %	AQ200 K %	AQ200 W ppm	AQ200 Hg ppm	AQ200 Sc ppm	AQ200 Ti ppm	AQ200 S %	AQ200 Ga ppm	AQ200 Se ppm	AQ200 Te ppm	AQ370 Pb %	AQ370 Zn %
1865165	Rock	0.385	8	17	0.61	438	0.015	<20	1.15	0.020	0.28	0.2	<0.01	1.9	0.3	0.95	3	2.5	<0.2	
1865166	Rock	0.051	11	18	0.71	407	0.011	<20	1.29	0.030	0.21	<0.1	<0.01	1.9	0.2	0.63	4	1.5	<0.2	
1865167	Rock	0.052	10	27	0.43	447	0.041	<20	2.15	0.132	0.27	0.3	<0.01	3.0	0.2	0.51	6	2.2	<0.2	
1865168	Rock	0.052	13	14	0.54	257	0.003	<20	1.02	0.019	0.13	<0.1	<0.01	1.2	0.1	0.34	3	1.1	<0.2	
1865169	Rock	0.057	18	16	0.61	227	0.003	<20	1.23	0.019	0.13	<0.1	<0.01	1.2	<0.1	0.27	3	0.6	<0.2	
1865170	Rock Pulp	0.034	3	36	2.38	51	0.004	<20	1.68	0.009	0.06	0.4	2.54	3.3	4.8	6.52	7	29.6	0.3	
1865171	Rock	0.038	9	12	0.37	195	0.003	<20	0.72	0.014	0.12	<0.1	<0.01	1.2	<0.1	0.45	2	1.9	<0.2	
1865172	Rock	0.156	5	34	0.56	540	0.052	<20	1.32	0.055	0.36	0.1	<0.01	3.3	0.3	0.86	4	2.6	<0.2	
1865173	Rock	0.098	5	28	0.69	440	0.045	<20	1.38	0.033	0.42	0.2	<0.01	3.5	0.4	0.86	4	3.1	<0.2	
1865174	Rock	0.079	7	47	1.05	1085	0.098	<20	2.84	0.144	0.82	0.2	0.01	5.8	0.7	0.24	8	1.3	<0.2	
1865175	Rock	0.032	7	18	0.45	637	0.045	<20	1.15	0.040	0.47	0.2	0.01	2.1	0.5	0.30	3	1.5	<0.2	
1865176	Rock	0.036	7	15	0.37	409	0.025	<20	0.81	0.015	0.32	0.2	<0.01	1.6	0.4	0.34	2	1.2	<0.2	
1865177	Rock	0.037	6	26	0.47	562	0.047	<20	1.30	0.054	0.44	0.1	<0.01	2.7	0.4	0.41	3	1.3	<0.2	
1865178	Rock	0.058	5	17	0.49	305	0.031	<20	0.91	0.013	0.33	0.1	0.01	1.5	0.3	1.28	2	2.5	<0.2	
1865179	Rock	0.050	6	26	0.88	220	0.058	<20	3.26	0.141	0.45	0.3	0.01	3.4	0.4	1.68	8	2.9	0.2	
1865180	Rock	0.051	6	24	0.87	219	0.048	<20	3.01	0.120	0.43	0.3	0.02	3.1	0.4	1.58	7	3.3	0.2	
1865181	Rock	0.042	8	27	0.87	238	0.064	<20	3.89	0.228	0.49	0.3	0.02	3.6	0.5	1.35	9	2.6	<0.2	
1865182	Rock	0.039	6	20	0.59	105	0.068	<20	2.83	0.184	0.24	1.1	<0.01	2.5	0.2	1.08	7	1.9	<0.2	
1865183	Rock	0.033	6	18	0.59	136	0.053	<20	2.69	0.156	0.38	39.9	<0.01	3.0	0.3	1.40	7	1.9	0.2	
1865184	Rock	0.016	9	14	0.54	134	0.040	<20	2.23	0.124	0.33	7.8	<0.01	2.4	0.3	1.09	5	2.1	<0.2	
1865185	Rock	0.035	7	17	0.59	86	0.065	<20	2.33	0.134	0.33	19.3	<0.01	2.6	0.2	0.98	6	1.3	<0.2	
1865186	Rock	0.033	8	21	0.74	153	0.056	<20	3.13	0.203	0.38	0.3	<0.01	3.2	0.3	1.05	7	2.0	<0.2	
1865187	Rock	0.034	12	24	0.79	157	0.067	<20	3.68	0.231	0.48	0.3	<0.01	3.8	0.4	1.39	9	2.3	<0.2	
1865188	Rock	0.030	9	13	0.42	118	0.040	<20	2.41	0.155	0.32	3.5	<0.01	2.5	0.2	0.91	6	2.2	<0.2	
1865189	Rock	0.038	2	3	0.34	18	0.009	<20	0.40	0.020	0.07	>100	<0.01	0.6	<0.1	0.19	<1	<0.5	2.0	
1865190	Rock	0.006	<1	<1	0.40	7	<0.001	<20	<0.01	0.002	<0.01	0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
1865191	Rock	0.035	9	14	0.48	91	0.051	<20	2.14	0.146	0.18	2.1	0.01	1.7	0.1	0.29	5	<0.5	<0.2	
1865192	Rock	0.069	10	17	0.49	130	0.073	<20	3.34	0.209	0.45	0.8	0.01	2.1	0.4	0.33	8	<0.5	0.6	
1865193	Rock	0.044	8	29	1.30	337	0.103	<20	3.24	0.152	1.04	1.0	0.01	3.8	1.0	0.66	8	0.8	<0.2	
1865194	Rock	0.054	9	34	1.00	267	0.068	<20	2.84	0.158	0.44	0.3	<0.01	3.7	0.5	0.90	8	2.5	<0.2	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: December 07, 2019

Page: 2 of 5

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000758.2

Method	AQ370
Analyte	Ag
Unit	ppm
MDL	2
1865165	Rock
1865166	Rock
1865167	Rock
1865168	Rock
1865169	Rock
1865170	Rock Pulp
1865171	Rock
1865172	Rock
1865173	Rock
1865174	Rock
1865175	Rock
1865176	Rock
1865177	Rock
1865178	Rock
1865179	Rock
1865180	Rock
1865181	Rock
1865182	Rock
1865183	Rock
1865184	Rock
1865185	Rock
1865186	Rock
1865187	Rock
1865188	Rock
1865189	Rock
1865190	Rock
1865191	Rock
1865192	Rock
1865193	Rock
1865194	Rock



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Project:** McQuesten  
**Report Date:** December 07, 2019

**Page:** 3 of 5 **Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

# WHI19000758.2

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1865195	Rock	4.32	0.166	6.5	37.9	7.0	160	0.5	48.6	10.7	254	2.54	626.4	11.8	6.8	65	7.5	0.8	5.3	132	1.75
1865196	Rock	4.76	0.065	5.7	26.2	14.3	167	0.5	43.9	8.1	523	2.23	37.1	4.6	8.7	80	7.4	0.8	3.4	113	2.38
1865197	Rock	5.04	0.118	3.8	19.9	33.6	105	0.6	24.8	7.5	637	1.88	40.1	55.6	7.9	210	1.0	0.6	3.4	41	5.17
1865198	Rock	4.31	0.111	0.6	44.2	8.2	56	0.4	28.4	14.0	254	2.86	102.5	29.0	11.1	77	0.3	0.4	4.0	22	1.19
1865199	Rock	2.32	0.257	0.6	55.5	9.6	54	0.6	31.3	14.5	263	3.16	352.6	119.4	8.3	117	0.5	0.5	15.1	27	1.69
1865200	Rock	2.33	0.209	0.6	53.6	8.1	58	0.5	33.7	15.4	259	3.15	239.0	105.2	8.8	135	0.4	0.5	13.0	28	1.87
1865201	Rock	5.36	0.297	1.7	20.9	4.1	62	0.1	20.2	7.6	417	1.34	37.7	352.8	7.8	210	0.1	0.3	7.2	45	4.25
1865202	Rock	5.17	0.625	1.3	50.6	75.4	169	3.0	31.0	14.0	471	2.55	88.1	521.3	8.4	216	1.8	0.6	15.4	40	4.04
1865203	Rock	5.03	0.215	3.7	36.2	5.2	56	0.2	20.4	9.0	429	1.68	37.6	195.8	7.3	176	0.2	0.3	6.5	36	4.51
1865204	Rock	5.04	0.100	0.3	34.6	5.3	35	0.2	17.5	6.6	227	1.87	177.5	78.9	9.0	107	0.2	0.4	3.3	14	1.99
1865205	Rock	3.97	0.315	0.4	52.4	6.0	48	0.3	28.1	10.9	396	2.38	1719.5	216.5	8.5	178	0.2	3.7	6.0	23	3.95
1865206	Rock	3.75	0.140	0.6	53.2	9.8	58	0.3	34.9	16.3	375	2.84	481.6	101.7	10.0	96	0.2	1.5	5.9	22	2.64
1865207	Rock	4.06	0.006	1.0	3.4	30.3	93	0.2	1.8	2.4	406	1.46	21.0	1.9	4.3	104	0.2	0.2	0.5	3	2.52
1865208	Rock	4.63	0.283	0.6	92.8	6.9	72	0.5	34.0	17.1	427	4.20	372.4	189.7	8.2	166	0.3	0.6	11.9	38	3.17
1865209	Rock	4.86	0.300	0.6	75.5	6.1	63	0.4	28.6	14.1	574	3.08	79.1	154.0	6.3	192	0.2	0.4	8.5	33	4.35
1865210	Rock Pulp	0.12	1.177	6.3	115.5	6878.4	1587	43.9	16.8	10.8	1083	3.88	55.6	1241.4	2.4	84	15.1	30.3	0.7	100	1.08
1865211	Rock	5.01	0.396	0.9	81.7	12.7	42	1.4	43.2	22.7	293	5.25	1141.5	175.3	8.7	198	0.3	0.9	23.0	35	2.69
1865212	Rock	4.86	0.033	0.5	54.5	8.2	62	0.6	41.0	20.8	318	4.52	898.4	2.5	10.2	46	0.3	0.9	3.1	23	0.68
1865213	Rock	4.94	0.033	0.3	53.1	5.1	76	0.3	36.0	16.9	325	4.36	104.8	11.0	10.1	32	0.5	0.5	1.7	22	0.66
1865214	Rock	5.16	0.022	0.4	50.6	7.5	61	0.5	36.0	15.7	321	4.24	100.6	1.7	10.0	40	0.2	0.7	2.2	25	0.61
1865215	Rock	4.85	0.023	0.3	45.9	4.8	58	0.4	35.7	17.4	243	3.53	740.2	5.6	8.9	79	0.2	0.6	2.6	27	0.91
1865216	Rock	4.85	0.219	0.6	12.5	5.4	70	0.2	24.1	7.0	429	1.35	28.0	399.9	10.0	245	0.1	0.3	7.1	38	4.70
1865217	Rock	5.16	0.234	3.7	8.0	4.8	63	0.1	14.7	5.0	581	0.90	33.3	169.3	7.7	202	0.2	0.2	6.2	51	5.80
1865218	Rock	3.55	0.537	9.4	5.5	2.7	66	<0.1	10.2	3.2	605	0.69	42.0	162.9	6.1	116	0.2	0.4	6.9	25	5.79
1865219	Rock	2.29	0.051	1.1	44.2	8.3	39	0.4	24.9	11.6	208	2.43	81.2	19.1	12.7	390	0.4	0.2	3.3	28	2.28
1865220	Rock	2.10	0.047	1.0	43.1	7.2	35	0.4	25.2	12.0	205	2.44	78.9	19.3	12.2	416	0.3	0.2	2.9	26	2.04
1865221	Rock	4.52	0.047	0.3	53.4	7.8	48	0.6	25.2	11.4	272	3.12	321.8	18.2	11.2	147	0.5	0.4	3.4	24	1.77
1865222	Rock	4.51	0.045	0.3	35.3	8.5	53	0.5	17.3	9.0	288	2.53	351.3	22.2	10.1	77	1.1	0.3	3.2	14	1.20
1865223	Rock	5.25	0.047	0.4	38.0	155.9	619	2.2	18.1	7.8	750	2.41	631.3	44.5	10.5	45	6.2	0.8	2.6	13	1.33
1865224	Rock	2.28	3.314	5.1	134.0	>10000	>10000	>100	11.6	5.2	>10000	14.38	97.3	3813.6	2.5	539	231.6	15.0	9.3	11	11.25



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Project:** McQuesten  
**Report Date:** December 07, 2019

**Page:** 3 of 5

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

## WHI19000758.2

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ370	AQ370
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Pb	Zn	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	%	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.01	0.01	
1865195	Rock	0.064	7	27	0.97	457	0.045	<20	2.08	0.085	0.28	0.2	0.02	3.4	0.3	1.08	5	4.1	0.3		
1865196	Rock	0.067	6	25	0.99	431	0.060	<20	2.05	0.093	0.41	0.6	0.02	2.8	0.4	0.83	6	1.6	<0.2		
1865197	Rock	0.048	7	22	0.92	218	0.048	<20	2.81	0.181	0.35	1.1	0.01	3.1	0.4	0.61	7	0.6	<0.2		
1865198	Rock	0.031	10	21	0.79	282	0.087	<20	2.34	0.107	0.65	0.3	<0.01	2.6	0.6	1.20	6	1.6	<0.2		
1865199	Rock	0.034	7	27	0.90	175	0.082	<20	3.04	0.191	0.75	3.4	<0.01	3.5	0.8	1.43	8	3.2	0.6		
1865200	Rock	0.034	8	28	0.92	186	0.089	<20	3.29	0.213	0.76	13.5	<0.01	3.6	0.8	1.46	8	3.5	0.6		
1865201	Rock	0.058	9	30	0.91	236	0.088	<20	3.90	0.243	0.49	5.4	<0.01	2.9	0.5	0.28	10	1.2	0.3		
1865202	Rock	0.051	7	32	0.92	190	0.076	<20	4.27	0.333	0.64	0.9	0.02	3.9	0.6	1.06	11	2.9	0.7		
1865203	Rock	0.051	9	25	0.85	179	0.081	<20	3.83	0.253	0.46	0.7	<0.01	2.9	0.4	0.61	10	2.1	0.4		
1865204	Rock	0.025	9	15	0.50	90	0.042	<20	2.33	0.186	0.25	2.8	<0.01	1.9	0.2	0.77	6	1.9	0.2		
1865205	Rock	0.034	7	22	0.78	89	0.044	24	2.55	0.164	0.21	6.7	<0.01	2.4	0.1	1.06	7	3.2	0.4		
1865206	Rock	0.044	8	20	0.88	116	0.071	25	2.04	0.105	0.33	0.4	<0.01	2.6	0.2	1.19	5	3.1	0.4		
1865207	Rock	0.049	13	2	0.17	199	0.005	25	1.00	0.035	0.42	<0.1	<0.01	0.6	0.2	0.11	3	<0.5	<0.2		
1865208	Rock	0.039	7	33	1.34	181	0.102	28	4.11	0.259	0.68	0.5	0.01	4.4	0.6	1.89	10	5.4	0.7		
1865209	Rock	0.055	7	28	1.14	151	0.087	29	4.08	0.263	0.57	0.5	0.02	4.2	0.5	1.24	10	4.0	0.5		
1865210	Rock Pulp	0.053	6	22	0.87	146	0.151	33	1.91	0.230	0.26	1.4	0.23	3.4	0.1	0.21	6	<0.5	<0.2		
1865211	Rock	0.047	7	35	1.05	157	0.093	27	4.75	0.337	0.70	0.2	0.01	4.7	0.6	2.87	11	6.7	1.9		
1865212	Rock	0.039	10	21	1.02	132	0.110	<20	2.21	0.085	0.73	0.3	<0.01	3.1	0.7	2.13	5	2.4	0.3		
1865213	Rock	0.043	11	20	1.04	90	0.097	26	1.53	0.014	0.57	0.2	<0.01	2.8	0.6	1.79	4	1.2	<0.2		
1865214	Rock	0.038	9	22	1.10	122	0.130	31	2.02	0.058	0.76	0.3	<0.01	3.1	0.8	1.95	5	1.3	<0.2		
1865215	Rock	0.040	8	25	0.99	169	0.096	25	2.45	0.119	0.96	0.2	0.01	3.4	1.0	1.41	6	1.7	0.3		
1865216	Rock	0.063	10	36	1.16	222	0.109	28	4.92	0.339	0.62	0.7	0.02	3.7	0.5	0.25	13	0.8	0.3		
1865217	Rock	0.056	9	28	1.03	153	0.088	31	3.79	0.245	0.38	1.2	<0.01	2.3	0.3	0.15	9	0.8	0.3		
1865218	Rock	0.054	9	15	1.10	123	0.072	30	1.97	0.079	0.41	5.0	<0.01	0.9	0.4	0.09	5	0.7	0.3		
1865219	Rock	0.029	11	23	0.67	187	0.065	25	3.61	0.292	0.37	0.2	0.01	2.5	0.2	1.22	8	2.4	<0.2		
1865220	Rock	0.027	11	22	0.65	193	0.061	28	3.40	0.273	0.41	0.2	<0.01	2.4	0.3	1.18	8	2.6	<0.2		
1865221	Rock	0.028	8	23	0.88	256	0.059	25	3.35	0.198	0.60	0.2	0.01	3.1	0.5	1.54	8	3.3	0.2		
1865222	Rock	0.020	10	16	0.73	226	0.027	23	2.24	0.119	0.35	0.2	0.01	1.9	0.3	1.11	6	2.3	0.2		
1865223	Rock	0.023	12	12	0.59	97	0.005	25	1.11	0.018	0.30	<0.1	0.01	1.7	0.3	0.83	3	2.4	<0.2		
1865224	Rock	0.014	3	3	2.02	54	<0.001	<20	0.27	0.008	0.17	0.1	0.23	3.1	0.3	1.57	2	28.6	<0.2	1.64	2.50





**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: December 07, 2019

Page: 3 of 5

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000758.2

Method	AQ370
Analyte	Ag
Unit	ppm
MDL	2
1865195	Rock
1865196	Rock
1865197	Rock
1865198	Rock
1865199	Rock
1865200	Rock
1865201	Rock
1865202	Rock
1865203	Rock
1865204	Rock
1865205	Rock
1865206	Rock
1865207	Rock
1865208	Rock
1865209	Rock
1865210	Rock Pulp
1865211	Rock
1865212	Rock
1865213	Rock
1865214	Rock
1865215	Rock
1865216	Rock
1865217	Rock
1865218	Rock
1865219	Rock
1865220	Rock
1865221	Rock
1865222	Rock
1865223	Rock
1865224	Rock
	358



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: December 07, 2019

Page: 4 of 5 Part: 1 of 3

# CERTIFICATE OF ANALYSIS

## WHI19000758.2

Method Analyte Unit MDL	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1865225	Rock	4.84	0.060	0.7	64.3	866.1	1904	9.1	40.3	17.1	2079	3.87	1062.7	8.0	8.8	113	22.3	4.0	4.9	22	4.18
1865226	Rock	4.97	0.046	0.5	46.6	45.0	154	1.4	30.9	12.3	621	3.28	116.9	9.3	9.1	44	3.4	0.3	3.1	22	1.82
1865227	Rock	5.21	0.039	0.4	55.4	7.7	110	0.7	37.5	20.4	431	3.64	484.2	5.1	11.2	30	2.4	0.5	2.3	14	1.19
1865228	Rock	5.00	0.037	0.5	58.0	7.1	70	0.4	34.8	18.3	412	4.01	120.7	3.4	9.4	20	0.1	0.4	1.3	22	0.56
1865229	Rock	5.26	0.061	1.0	10.2	4.4	63	<0.1	15.7	6.5	778	1.12	16.1	89.1	6.0	241	0.2	0.2	1.5	26	7.60
1865230	Rock	0.51	<0.005	<0.1	0.3	0.7	1	<0.1	2.6	0.4	87	0.05	0.5	<0.5	<0.1	70	<0.1	<0.1	<0.1	<1	36.78
1865231	Rock	4.74	0.058	0.2	30.7	6.1	68	0.2	21.4	9.7	541	1.88	21.0	36.2	7.7	213	0.5	0.2	1.6	26	5.29
1865232	Rock	5.32	0.038	0.4	44.9	7.9	56	0.4	34.0	15.3	374	3.12	101.4	16.8	9.6	104	0.2	0.3	2.3	30	3.27
1865233	Rock	3.79	0.056	0.2	30.0	8.4	71	0.3	23.3	10.9	632	3.14	125.9	51.5	7.8	174	0.3	0.3	2.1	33	6.38
1865234	Rock	3.18	0.044	0.2	14.0	8.9	44	0.1	14.2	7.0	806	1.63	43.1	39.6	4.8	378	0.4	0.1	1.7	24	18.15
1865235	Rock	4.81	0.068	0.2	32.7	8.8	39	0.4	23.4	11.3	267	2.45	43.6	21.0	9.3	33	0.7	0.2	3.3	15	1.56
1865236	Rock	4.26	0.056	0.2	29.1	7.0	34	0.4	20.5	9.0	274	2.14	37.3	17.4	10.4	88	0.1	0.2	2.7	12	2.51
1865237	Rock	4.75	0.083	0.4	63.9	6.6	47	0.6	33.2	16.7	339	3.76	278.6	36.6	9.5	50	0.2	0.3	4.9	20	1.45
1865238	Rock	4.75	0.042	0.3	39.5	4.4	43	1.1	30.5	15.4	1082	3.71	130.3	11.8	10.2	135	<0.1	3.5	1.5	12	3.82
1865239	Rock	1.89	0.038	0.4	31.0	118.6	358	2.2	34.6	16.3	3763	4.64	167.4	6.4	16.2	512	3.5	20.7	1.4	11	11.46
1865240	Rock	1.66	0.039	0.4	31.5	128.6	339	2.8	33.2	16.0	3691	4.70	153.4	7.5	16.5	528	3.6	18.8	1.3	11	11.39
1865241	Rock	1.05	0.119	0.7	66.5	2502.0	5535	22.8	38.7	21.1	7583	5.88	160.8	100.5	9.7	414	65.4	6.8	5.8	26	8.92
1865242	Rock	4.81	0.290	0.6	46.1	231.9	410	3.3	27.8	12.7	1267	3.19	48.8	155.2	6.4	237	4.3	1.0	7.7	36	8.70
1865243	Rock	4.89	0.122	0.3	40.9	11.2	34	0.5	16.2	6.9	221	2.49	118.5	108.9	11.1	34	0.2	0.2	3.8	10	1.15
1865244	Rock	5.05	0.165	0.2	29.6	6.8	17	0.3	16.7	8.6	363	1.86	208.7	88.0	7.9	81	0.2	0.2	5.9	8	2.97
1865245	Rock	4.38	0.035	0.3	36.0	8.7	22	0.4	25.2	11.2	295	2.24	124.2	15.1	10.8	75	0.2	0.3	3.2	13	3.07
1865246	Rock	5.25	0.876	0.2	35.3	8.3	24	0.5	14.3	10.0	523	2.99	22.2	645.0	6.1	372	0.2	0.2	9.4	12	13.33
1865247	Rock	5.18	0.067	1.4	9.7	9.1	40	0.7	12.7	3.6	1832	1.44	71.5	8.6	4.2	671	0.4	3.4	2.5	9	12.34
1865248	Rock	5.17	<0.005	1.3	19.0	4.9	61	0.3	23.1	7.6	189	1.51	48.5	1.5	5.7	122	0.5	0.7	0.8	8	3.93
1865249	Rock	4.99	0.027	0.2	33.7	6.2	32	0.2	23.0	7.0	120	3.26	416.4	23.4	13.3	14	<0.1	0.3	1.4	15	0.24
1865250	Rock Pulp	0.10	0.331	13.9	2273.1	1102.5	7246	18.7	33.1	18.8	547	9.10	303.3	51.8	1.0	47	54.4	31.7	12.4	49	2.19
1865251	Rock	4.14	0.230	5.2	69.0	4.2	30	0.6	60.6	7.5	360	3.61	1224.5	3.8	6.0	82	0.5	0.5	6.3	53	5.22
1865252	Rock	3.63	0.018	0.7	51.1	4.5	24	0.5	27.0	14.5	150	3.34	235.4	6.0	8.5	20	<0.1	0.4	2.4	13	0.53
1865253	Rock	5.20	0.038	2.1	53.6	8.9	110	0.5	50.1	16.5	398	3.55	12.8	2.1	9.2	120	1.5	0.6	2.8	31	3.08
1865254	Rock	4.91	0.014	1.2	31.1	3.6	74	0.2	34.2	7.4	469	2.81	125.9	0.7	6.5	22	0.2	0.5	0.7	31	0.27



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: McQuesten  
Report Date: December 07, 2019

Page: 4 of 5

Part: 2 of 3

# CERTIFICATE OF ANALYSIS

# WHI19000758.2

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ370	AQ370
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Pb	Zn		
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	%		
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.01	0.01		
1865225	Rock	0.043	14	21	1.17	90	0.004	<20	1.36	0.006	0.37	<0.1	0.04	3.7	0.4	1.42	4	3.7	0.4			
1865226	Rock	0.050	15	25	1.13	96	0.032	<20	1.87	0.024	0.33	0.3	<0.01	3.1	0.3	1.46	5	2.4	<0.2			
1865227	Rock	0.034	25	14	0.83	64	0.005	<20	1.15	0.006	0.33	<0.1	<0.01	1.9	0.3	1.67	3	1.4	<0.2			
1865228	Rock	0.036	17	21	1.01	83	0.055	28	1.61	0.008	0.63	<0.1	<0.01	3.0	0.6	1.45	5	0.9	<0.2			
1865229	Rock	0.054	8	19	0.93	498	0.072	26	2.75	0.146	0.13	2.7	0.01	1.9	0.1	0.16	8	0.5	<0.2			
1865230	Rock	0.005	<1	<1	0.53	15	0.001	25	<0.01	0.007	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	1.9	<0.2			
1865231	Rock	0.046	12	23	0.81	649	0.084	23	3.18	0.210	0.27	1.8	0.02	3.1	0.2	0.60	9	1.7	<0.2			
1865232	Rock	0.041	12	25	1.01	296	0.084	25	2.91	0.135	0.50	0.3	0.02	3.9	0.5	1.25	8	1.8	<0.2			
1865233	Rock	0.041	11	24	1.26	423	0.088	<20	2.86	0.109	0.37	0.5	<0.01	3.7	0.3	1.28	7	1.5	<0.2			
1865234	Rock	0.029	11	18	0.83	286	0.067	<20	1.51	0.046	0.24	0.2	<0.01	2.6	0.1	0.39	4	<0.5	<0.2			
1865235	Rock	0.027	11	13	0.65	76	0.033	<20	1.22	0.013	0.21	0.2	<0.01	2.5	0.2	1.30	3	1.3	<0.2			
1865236	Rock	0.027	13	11	0.59	175	0.025	<20	1.37	0.037	0.30	3.2	<0.01	1.8	0.3	0.96	3	1.1	<0.2			
1865237	Rock	0.028	20	17	0.88	110	0.012	<20	1.41	0.007	0.31	0.1	<0.01	3.1	0.4	1.95	4	3.0	<0.2			
1865238	Rock	0.030	15	12	0.86	63	0.002	<20	1.16	0.005	0.27	0.1	<0.01	2.5	0.3	1.15	3	0.9	<0.2			
1865239	Rock	0.049	18	11	2.00	59	0.002	<20	1.32	0.004	0.25	0.1	<0.01	2.2	0.2	0.40	3	<0.5	<0.2			
1865240	Rock	0.045	17	11	1.99	67	0.002	<20	1.38	0.004	0.27	0.1	<0.01	2.2	0.2	0.40	3	<0.5	<0.2			
1865241	Rock	0.035	6	13	1.47	88	0.002	<20	1.50	0.003	0.23	0.2	0.07	3.9	0.3	1.81	5	3.9	0.4			
1865242	Rock	0.038	10	20	0.64	77	<0.001	<20	1.22	0.002	0.21	6.6	0.11	5.2	0.4	1.23	4	2.3	0.4			
1865243	Rock	0.018	16	9	0.48	114	0.006	<20	0.99	0.008	0.20	0.1	<0.01	1.8	0.2	1.22	3	2.3	0.2			
1865244	Rock	0.017	7	8	0.36	229	0.018	<20	1.17	0.042	0.19	0.4	<0.01	1.5	0.2	0.86	3	0.6	0.2			
1865245	Rock	0.045	10	11	0.48	140	0.070	<20	1.12	0.019	0.22	1.2	<0.01	1.7	0.2	1.11	3	<0.5	<0.2			
1865246	Rock	0.021	8	9	0.56	107	0.015	<20	0.91	0.020	0.23	1.4	<0.01	2.2	0.2	1.55	2	1.7	1.1			
1865247	Rock	0.025	8	6	0.56	101	0.006	<20	0.52	0.016	0.12	0.3	<0.01	1.3	0.1	0.28	1	<0.5	<0.2			
1865248	Rock	0.022	7	7	0.22	164	0.016	<20	0.59	0.009	0.13	0.1	<0.01	1.1	0.1	0.62	1	<0.5	<0.2			
1865249	Rock	0.034	12	15	0.48	153	0.022	<20	1.28	0.010	0.27	0.2	<0.01	1.9	0.3	0.90	4	0.8	<0.2			
1865250	Rock Pulp	0.036	4	40	2.62	54	0.004	<20	1.86	0.010	0.07	0.5	2.94	3.6	5.1	6.96	7	30.3	0.3			
1865251	Rock	0.029	8	12	0.47	152	0.026	<20	1.00	0.029	0.12	11.8	0.01	2.1	<0.1	2.12	3	3.7	0.6			
1865252	Rock	0.027	12	9	0.57	123	0.051	<20	1.03	0.013	0.17	0.4	<0.01	2.0	0.1	1.83	3	2.4	<0.2			
1865253	Rock	0.057	9	17	0.81	188	0.044	<20	1.69	0.034	0.20	0.2	0.01	2.4	0.1	1.76	4	2.9	<0.2			
1865254	Rock	0.047	15	17	0.58	180	0.002	<20	1.31	0.035	0.12	<0.1	<0.01	2.2	<0.1	0.66	4	1.0	<0.2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: December 07, 2019

Page: 4 of 5

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000758.2

Method	AQ370
Analyte	Ag
Unit	ppm
MDL	2
1865225	Rock
1865226	Rock
1865227	Rock
1865228	Rock
1865229	Rock
1865230	Rock
1865231	Rock
1865232	Rock
1865233	Rock
1865234	Rock
1865235	Rock
1865236	Rock
1865237	Rock
1865238	Rock
1865239	Rock
1865240	Rock
1865241	Rock
1865242	Rock
1865243	Rock
1865244	Rock
1865245	Rock
1865246	Rock
1865247	Rock
1865248	Rock
1865249	Rock
1865250	Rock Pulp
1865251	Rock
1865252	Rock
1865253	Rock
1865254	Rock



# CERTIFICATE OF ANALYSIS

WHI19000758.2

	Method Analyte	WGHT Wgt kg	FA450 Au ppm	AQ200 Mo ppm	AQ200 Cu ppm	AQ200 Pb ppm	AQ200 Zn ppm	AQ200 Ag ppm	AQ200 Ni ppm	AQ200 Co ppm	AQ200 Mn ppm	AQ200 Fe %	AQ200 As ppm	AQ200 Au ppb	AQ200 Th ppm	AQ200 Sr ppm	AQ200 Cd ppm	AQ200 Sb ppm	AQ200 Bi ppm	AQ200 V ppm	AQ200 Ca %	
																						Unit
																						MDL
1865255	Rock	4.83	0.009	1.4	38.0	5.7	166	0.3	47.4	11.4	500	3.79	16.8	<0.5	9.1	26	0.3	1.0	0.7	40	0.33	
1865256	Rock	4.78	0.008	1.6	33.5	4.3	115	0.2	55.6	12.6	295	3.92	11.1	<0.5	12.4	28	<0.1	0.5	0.6	40	0.19	
1865257	Rock	5.34	0.010	1.3	41.0	3.4	80	0.3	42.0	9.2	249	2.87	7.1	<0.5	7.8	26	0.2	0.5	0.5	27	0.29	
1865258	Rock	4.80	0.009	6.7	50.7	4.2	264	0.6	53.7	10.5	534	3.44	11.0	<0.5	7.3	30	2.7	1.1	0.6	31	0.33	
1865259	Rock	2.30	0.012	6.4	71.2	3.7	115	0.6	56.5	12.0	820	3.06	109.4	<0.5	4.8	42	1.3	1.4	1.0	22	0.64	
1865260	Rock	1.83	0.009	6.0	75.0	3.5	113	0.6	57.4	12.9	795	3.08	16.9	<0.5	4.9	30	1.3	1.1	1.0	22	0.53	
1865261	Rock	5.35	0.014	2.6	90.8	2.2	116	0.4	48.5	7.9	619	2.62	6.8	<0.5	3.6	27	1.2	0.6	1.0	24	0.21	
1865262	Rock	4.76	0.011	4.4	94.4	3.4	106	0.5	52.0	8.2	398	2.52	22.5	0.7	3.8	35	1.1	1.6	1.3	26	0.29	
1865263	Rock	4.60	0.009	3.5	78.3	2.2	148	0.3	45.9	10.4	816	2.55	32.6	<0.5	3.5	47	1.6	1.2	0.8	22	0.31	
1865264	Rock	4.61	0.015	7.1	85.8	2.7	344	0.5	58.8	7.7	763	2.31	13.7	<0.5	3.1	53	5.4	1.6	1.2	122	1.33	
1865265	Rock	4.69	0.028	2.8	38.6	4.6	30	0.4	51.7	11.4	223	3.25	36.3	0.6	6.1	25	0.2	0.9	3.0	30	0.31	
1865266	Rock	5.07	0.033	1.4	37.3	9.8	11	0.7	69.1	16.0	221	4.36	37.0	<0.5	4.0	40	<0.1	2.4	5.6	12	0.43	
1865267	Rock	4.93	0.014	2.3	41.9	7.1	52	0.5	57.4	11.1	203	3.17	23.9	<0.5	4.6	31	0.7	1.3	3.2	19	0.40	
1865268	Rock	4.39	0.017	8.5	50.2	53.8	851	3.4	71.6	9.2	152	2.80	29.4	1.2	5.2	28	12.7	1.8	2.3	118	0.46	
1865269	Rock	4.84	0.029	1.7	47.8	26.5	41	1.4	55.6	13.2	185	4.07	31.9	<0.5	10.2	27	0.2	1.1	4.9	23	0.30	
1865270	Rock	0.51	<0.005	<0.1	1.9	4.9	24	0.2	0.5	0.2	101	0.14	1.7	<0.5	0.1	72	<0.1	0.2	<0.1	<1	33.07	
1865271	Rock	4.67	0.021	1.4	45.7	14.1	24	0.9	43.9	10.6	174	2.93	20.8	<0.5	8.0	14	<0.1	1.0	3.7	19	0.19	
1865272	Rock	4.73	0.029	1.1	32.4	10.1	41	0.6	38.5	8.9	404	4.01	40.4	<0.5	6.6	14	<0.1	1.2	2.3	29	0.31	
1865273	Rock	4.89	0.020	1.2	30.0	7.3	34	0.4	34.2	8.3	269	3.00	29.1	<0.5	6.7	18	<0.1	0.7	1.5	19	0.24	
1865274	Rock	4.53	0.012	1.3	46.5	8.6	29	0.6	45.9	9.8	234	2.69	19.8	<0.5	5.3	22	<0.1	1.0	2.5	25	0.62	
1865275	Rock	4.80	0.010	1.0	44.5	8.4	39	0.5	34.6	7.6	416	2.23	23.5	<0.5	4.8	18	0.2	0.8	1.4	22	0.40	
1865276	Rock	4.91	0.037	1.0	82.8	6.1	48	0.5	41.7	10.2	290	2.48	928.8	2.1	5.1	17	0.2	1.1	2.6	23	0.41	
1865277	Rock	5.27	0.018	1.3	49.9	6.5	43	0.5	48.7	10.6	416	3.62	564.1	<0.5	5.9	27	<0.1	1.3	2.1	22	0.53	
1865278	Rock	4.78	0.010	1.6	32.1	4.6	65	0.4	37.9	7.7	393	2.59	17.9	0.5	6.0	29	0.2	0.6	0.6	21	0.66	
1865279	Rock	2.30	0.017	12.1	63.2	8.2	378	1.3	70.2	6.4	116	2.14	28.2	<0.5	3.2	35	4.2	2.5	0.6	107	1.12	
1865280	Rock	1.95	0.022	12.9	62.9	5.7	381	1.1	68.9	6.0	101	1.97	32.6	<0.5	3.2	34	4.3	2.8	0.5	104	1.02	
1865281	Rock	3.13	0.060	7.4	43.5	6.1	414	0.8	54.9	9.0	151	2.54	120.0	0.9	5.3	25	5.9	2.1	0.8	41	0.51	
1865282	Rock	2.83	0.034	11.1	55.4	3.6	1106	1.1	79.5	4.7	67	1.04	101.8	<0.5	2.7	29	18.3	4.4	1.5	137	0.90	
1865283	Rock	4.44	0.233	1.6	48.4	10.0	44	0.5	24.5	9.5	1085	2.76	47.6	26.6	4.1	424	0.3	2.7	8.1	25	13.83	
1865284	Rock	3.96	0.354	0.9	43.9	11.0	58	0.6	25.6	10.5	769	2.53	35.8	43.3	5.4	637	1.5	0.5	8.3	20	15.15	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Project:** McQuesten  
**Report Date:** December 07, 2019

**Page:** 5 of 5

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000758.2

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ370	AQ370
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Pb	Zn
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	%	
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.01	0.1	0.01	0.05	1	0.5	0.2	0.01	0.01	
1865255	Rock	0.080	18	27	0.83	220	0.002	<20	1.88	0.047	0.12	<0.1	0.02	2.5	0.1	0.64	5	0.8	<0.2		
1865256	Rock	0.069	29	27	0.70	196	0.002	<20	1.85	0.062	0.11	<0.1	<0.01	2.5	0.1	0.68	5	1.2	<0.2		
1865257	Rock	0.050	19	17	0.53	196	0.001	<20	1.23	0.041	0.11	<0.1	0.01	1.8	<0.1	0.75	3	1.5	<0.2		
1865258	Rock	0.058	19	14	0.64	197	0.001	<20	1.14	0.037	0.12	0.1	0.03	1.8	0.2	1.73	3	3.8	<0.2		
1865259	Rock	0.046	14	10	0.48	250	0.001	<20	0.82	0.008	0.17	0.1	0.01	1.2	0.2	1.56	2	2.7	<0.2		
1865260	Rock	0.052	14	11	0.54	238	0.001	<20	0.86	0.008	0.15	0.1	<0.01	1.3	0.2	1.67	2	2.4	<0.2		
1865261	Rock	0.025	14	14	0.54	253	0.001	<20	0.82	0.006	0.16	<0.1	0.02	1.2	0.1	1.23	2	1.6	<0.2		
1865262	Rock	0.042	12	12	0.47	242	0.001	<20	0.73	0.005	0.15	0.1	0.02	1.1	0.1	1.33	2	1.8	<0.2		
1865263	Rock	0.033	9	10	0.46	244	0.002	<20	0.72	0.005	0.17	0.1	0.01	1.3	0.1	1.17	2	1.2	<0.2		
1865264	Rock	0.181	11	24	0.71	305	0.004	<20	1.00	0.004	0.14	0.1	0.04	2.3	0.1	0.83	3	5.8	<0.2		
1865265	Rock	0.080	16	14	0.45	196	0.001	<20	1.24	0.032	0.13	<0.1	0.01	1.6	0.1	1.69	3	2.5	<0.2		
1865266	Rock	0.138	9	12	0.20	135	<0.001	<20	1.22	0.050	0.13	<0.1	<0.01	1.2	0.3	2.73	3	2.9	0.2		
1865267	Rock	0.095	9	14	0.31	148	<0.001	<20	1.13	0.040	0.10	<0.1	<0.01	1.4	<0.1	1.41	3	2.6	<0.2		
1865268	Rock	0.161	12	16	0.32	271	0.001	<20	1.27	0.040	0.17	<0.1	0.04	1.7	0.1	1.35	3	12.6	<0.2		
1865269	Rock	0.085	18	14	0.44	225	<0.001	<20	1.43	0.041	0.21	<0.1	<0.01	2.0	0.2	2.06	3	2.4	<0.2		
1865270	Rock	0.007	1	<1	0.83	15	<0.001	<20	0.02	0.001	0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2		
1865271	Rock	0.044	19	11	0.37	284	<0.001	<20	1.00	0.018	0.20	<0.1	<0.01	1.5	0.1	1.58	2	1.3	<0.2		
1865272	Rock	0.071	15	13	0.83	174	0.001	<20	1.42	0.012	0.10	<0.1	<0.01	2.3	<0.1	1.99	3	3.0	<0.2		
1865273	Rock	0.049	13	14	0.51	207	0.001	<20	1.11	0.017	0.13	<0.1	<0.01	1.8	<0.1	1.63	3	1.5	<0.2		
1865274	Rock	0.030	15	16	0.72	247	0.002	<20	1.05	0.005	0.11	<0.1	<0.01	1.7	<0.1	1.43	3	2.4	<0.2		
1865275	Rock	0.035	15	13	0.60	234	0.002	<20	0.96	0.006	0.09	<0.1	<0.01	1.6	<0.1	0.91	2	0.8	<0.2		
1865276	Rock	0.023	13	12	0.57	396	0.002	<20	1.00	0.008	0.14	<0.1	<0.01	1.7	<0.1	0.94	3	1.5	0.2		
1865277	Rock	0.068	8	14	0.50	192	0.001	<20	1.05	0.024	0.12	<0.1	<0.01	1.7	<0.1	1.89	3	3.1	<0.2		
1865278	Rock	0.065	11	12	0.63	176	0.001	<20	1.12	0.030	0.11	<0.1	<0.01	1.6	<0.1	0.91	3	1.5	<0.2		
1865279	Rock	0.418	8	17	0.23	335	0.003	<20	0.82	0.021	0.18	0.1	0.01	1.6	0.2	1.26	2	11.0	<0.2		
1865280	Rock	0.412	8	17	0.22	338	0.003	<20	0.81	0.020	0.18	0.2	0.01	1.6	0.1	1.10	2	9.5	<0.2		
1865281	Rock	0.107	9	9	0.31	183	<0.001	<20	0.81	0.022	0.13	0.1	<0.01	1.4	0.1	1.63	2	9.5	<0.2		
1865282	Rock	0.350	7	15	0.22	322	0.003	<20	0.59	0.007	0.19	0.2	0.02	1.3	0.1	0.56	1	13.2	<0.2		
1865283	Rock	0.052	7	12	1.59	80	0.004	<20	0.85	0.053	0.10	0.1	<0.01	3.1	<0.1	1.39	3	3.9	0.6		
1865284	Rock	0.050	13	20	0.85	112	0.072	<20	2.38	0.117	0.18	6.3	<0.01	2.5	0.1	1.43	6	2.0	0.5		



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: December 07, 2019

Page: 5 of 5

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000758.2

Method	AQ370
Analyte	Ag
Unit	ppm
MDL	2
1865255	Rock
1865256	Rock
1865257	Rock
1865258	Rock
1865259	Rock
1865260	Rock
1865261	Rock
1865262	Rock
1865263	Rock
1865264	Rock
1865265	Rock
1865266	Rock
1865267	Rock
1865268	Rock
1865269	Rock
1865270	Rock
1865271	Rock
1865272	Rock
1865273	Rock
1865274	Rock
1865275	Rock
1865276	Rock
1865277	Rock
1865278	Rock
1865279	Rock
1865280	Rock
1865281	Rock
1865282	Rock
1865283	Rock
1865284	Rock



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: McQuesten  
Report Date: December 07, 2019

Page: 1 of 3 Part: 1 of 3

# QUALITY CONTROL REPORT

# WHI19000758.2

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
Pulp Duplicates																					
1865177	Rock	3.71	0.008	6.3	38.4	2.2	85	0.1	64.0	9.7	179	1.94	131.4	5.8	3.0	31	0.2	0.3	0.4	88	0.33
REP 1865177	QC	0.014																			
1865184	Rock	4.48	0.185	0.9	49.1	5.6	36	0.3	20.2	9.3	221	2.41	111.1	127.2	8.4	190	0.2	0.2	5.0	15	1.72
REP 1865184	QC	0.8 49.3 5.4 36 0.3 19.1 9.1 221 2.41 110.1 165.7 8.2 184 0.2 0.1 5.3 15 1.81																			
1865218	Rock	3.55	0.537	9.4	5.5	2.7	66	<0.1	10.2	3.2	605	0.69	42.0	162.9	6.1	116	0.2	0.4	6.9	25	5.79
REP 1865218	QC	8.7 5.1 2.6 64 <0.1 9.7 3.2 575 0.67 48.1 266.1 6.0 111 0.2 0.3 6.6 24 5.31																			
1865237	Rock	4.75	0.083	0.4	63.9	6.6	47	0.6	33.2	16.7	339	3.76	278.6	36.6	9.5	50	0.2	0.3	4.9	20	1.45
REP 1865237	QC	0.094																			
1865246	Rock	5.25	0.876	0.2	35.3	8.3	24	0.5	14.3	10.0	523	2.99	22.2	645.0	6.1	372	0.2	0.2	9.4	12	13.33
REP 1865246	QC	0.805																			
1865253	Rock	5.20	0.038	2.1	53.6	8.9	110	0.5	50.1	16.5	398	3.55	12.8	2.1	9.2	120	1.5	0.6	2.8	31	3.08
REP 1865253	QC	2.0 54.5 9.0 106 0.5 51.0 16.3 395 3.54 16.0 2.1 9.2 121 1.5 0.6 2.9 31 3.00																			
1865277	Rock	5.27	0.018	1.3	49.9	6.5	43	0.5	48.7	10.6	416	3.62	564.1	<0.5	5.9	27	<0.1	1.3	2.1	22	0.53
REP 1865277	QC	1.3 49.3 6.0 42 0.5 48.6 10.6 387 3.49 572.1 <0.5 5.2 26 0.1 1.3 2.0 22 0.51																			
1865284	Rock	3.96	0.354	0.9	43.9	11.0	58	0.6	25.6	10.5	769	2.53	35.8	43.3	5.4	637	1.5	0.5	8.3	20	15.15
REP 1865284	QC	0.323																			
Core Reject Duplicates																					
1865171	Rock	3.71	<0.005	1.2	35.3	4.1	64	0.3	35.2	7.4	230	1.58	38.6	<0.5	3.8	15	0.4	0.8	1.0	17	0.12
DUP 1865171	QC	<0.005 1.2 37.7 4.2 69 0.3 37.0 7.6 236 1.60 34.4 <0.5 3.8 14 0.4 0.8 1.1 17 0.12																			
1865205	Rock	3.97	0.315	0.4	52.4	6.0	48	0.3	28.1	10.9	396	2.38	1719.5	216.5	8.5	178	0.2	3.7	6.0	23	3.95
DUP 1865205	QC	0.324 0.4 53.8 6.1 53 0.3 29.5 11.5 410 2.40 1804.8 348.0 8.9 184 0.2 3.8 6.4 24 4.16																			
1865239	Rock	1.89	0.038	0.4	31.0	118.6	358	2.2	34.6	16.3	3763	4.64	167.4	6.4	16.2	512	3.5	20.7	1.4	11	11.46
DUP 1865239	QC	0.037 0.3 29.6 120.6 336 2.3 34.0 15.4 3671 4.50 146.6 8.5 16.1 510 3.6 20.4 1.4 11 11.73																			
1865273	Rock	4.89	0.020	1.2	30.0	7.3	34	0.4	34.2	8.3	269	3.00	29.1	<0.5	6.7	18	<0.1	0.7	1.5	19	0.24
DUP 1865273	QC	0.021 1.2 27.8 7.5 31 0.4 32.4 7.6 255 2.78 25.4 <0.5 6.3 18 <0.1 0.5 1.3 19 0.22																			
Reference Materials																					
STD BVGEO01	Standard	10.1 4301.0 176.5 1668 2.5 156.0 23.3 669 3.58 108.5 219.5 13.0 50 6.0 2.8 22.7 74 1.25																			
STD BVGEO01	Standard	10.7 4448.5 184.7 1790 2.5 163.8 24.9 737 3.73 116.7 199.0 13.5 55 6.0 2.3 23.7 76 1.38																			





Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Project:** McQuesten  
**Report Date:** December 07, 2019

Page: 1 of 3

Part: 2 of 3

# QUALITY CONTROL REPORT

WHI19000758.2

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ370	AQ370
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Pb	Zn	
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	%	
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	0.01	0.01		
Pulp Duplicates																						
1865177	Rock	0.037	6	26	0.47	562	0.047	<20	1.30	0.054	0.44	0.1	<0.01	2.7	0.4	0.41	3	1.3	<0.2			
REP 1865177	QC																					
1865184	Rock	0.016	9	14	0.54	134	0.040	<20	2.23	0.124	0.33	7.8	<0.01	2.4	0.3	1.09	5	2.1	<0.2			
REP 1865184	QC	0.017	8	14	0.53	126	0.039	<20	2.20	0.123	0.33	7.8	<0.01	2.5	0.3	1.14	5	2.6	0.2			
1865218	Rock	0.054	9	15	1.10	123	0.072	30	1.97	0.079	0.41	5.0	<0.01	0.9	0.4	0.09	5	0.7	0.3			
REP 1865218	QC	0.051	9	14	1.06	118	0.065	28	1.92	0.078	0.41	4.4	<0.01	0.9	0.4	0.09	5	0.7	0.3			
1865237	Rock	0.028	20	17	0.88	110	0.012	<20	1.41	0.007	0.31	0.1	<0.01	3.1	0.4	1.95	4	3.0	<0.2			
REP 1865237	QC																					
1865246	Rock	0.021	8	9	0.56	107	0.015	<20	0.91	0.020	0.23	1.4	<0.01	2.2	0.2	1.55	2	1.7	1.1			
REP 1865246	QC																					
1865253	Rock	0.057	9	17	0.81	188	0.044	<20	1.69	0.034	0.20	0.2	0.01	2.4	0.1	1.76	4	2.9	<0.2			
REP 1865253	QC	0.055	9	16	0.79	199	0.043	<20	1.67	0.033	0.20	0.2	0.02	2.4	0.1	1.71	4	2.6	<0.2			
1865277	Rock	0.068	8	14	0.50	192	0.001	<20	1.05	0.024	0.12	<0.1	<0.01	1.7	<0.1	1.89	3	3.1	<0.2			
REP 1865277	QC	0.071	8	14	0.50	188	0.001	<20	1.04	0.024	0.12	<0.1	<0.01	1.8	<0.1	1.77	3	2.1	0.3			
1865284	Rock	0.050	13	20	0.85	112	0.072	<20	2.38	0.117	0.18	6.3	<0.01	2.5	0.1	1.43	6	2.0	0.5			
REP 1865284	QC																					
Core Reject Duplicates																						
1865171	Rock	0.038	9	12	0.37	195	0.003	<20	0.72	0.014	0.12	<0.1	<0.01	1.2	<0.1	0.45	2	1.9	<0.2			
DUP 1865171	QC	0.038	9	12	0.37	191	0.004	<20	0.70	0.014	0.11	<0.1	0.01	1.1	<0.1	0.45	2	1.1	<0.2			
1865205	Rock	0.034	7	22	0.78	89	0.044	24	2.55	0.164	0.21	6.7	<0.01	2.4	0.1	1.06	7	3.2	0.4			
DUP 1865205	QC	0.035	7	23	0.82	100	0.046	26	2.70	0.166	0.24	7.0	<0.01	2.5	0.1	1.10	7	3.0	0.3			
1865239	Rock	0.049	18	11	2.00	59	0.002	<20	1.32	0.004	0.25	0.1	<0.01	2.2	0.2	0.40	3	<0.5	<0.2			
DUP 1865239	QC	0.045	17	10	1.93	60	0.002	<20	1.31	0.004	0.25	0.1	<0.01	2.1	0.2	0.40	3	<0.5	<0.2			
1865273	Rock	0.049	13	14	0.51	207	0.001	<20	1.11	0.017	0.13	<0.1	<0.01	1.8	<0.1	1.63	3	1.5	<0.2			
DUP 1865273	QC	0.040	14	14	0.47	242	0.001	<20	1.05	0.019	0.14	<0.1	<0.01	1.8	<0.1	1.31	3	1.1	<0.2			
Reference Materials																						
STD BVGE001	Standard	0.068	24	172	1.26	324	0.222	<20	2.22	0.189	0.88	3.0	0.09	5.6	0.5	0.65	7	4.1	1.0			
STD BVGE001	Standard	0.071	25	184	1.33	339	0.238	31	2.32	0.202	0.95	3.5	0.07	6.1	0.6	0.68	8	5.1	0.9			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: December 07, 2019

Page: 1 of 3

Part: 3 of 3

# QUALITY CONTROL REPORT

WHI19000758.2

Method	AQ370
Analyte	Ag
Unit	ppm
MDL	2
Pulp Duplicates	
1865177	Rock
REP 1865177	QC
1865184	Rock
REP 1865184	QC
1865218	Rock
REP 1865218	QC
1865237	Rock
REP 1865237	QC
1865246	Rock
REP 1865246	QC
1865253	Rock
REP 1865253	QC
1865277	Rock
REP 1865277	QC
1865284	Rock
REP 1865284	QC
Core Reject Duplicates	
1865171	Rock
DUP 1865171	QC
1865205	Rock
DUP 1865205	QC
1865239	Rock
DUP 1865239	QC
1865273	Rock
DUP 1865273	QC
Reference Materials	
STD BVGE001	Standard
STD BVGE001	Standard



**QUALITY CONTROL REPORT**

**WHI19000758.2**

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
STD CDN-ME-9A	Standard																				
STD CDN-ME-14A	Standard																				
STD DS11	Standard			13.7	151.3	138.6	350	1.5	78.1	13.9	1026	3.06	41.8	62.6	7.7	69	2.4	7.5	12.1	50	1.07
STD DS11	Standard			13.1	138.3	126.5	323	1.7	72.4	12.5	944	2.92	40.5	106.7	6.7	58	2.2	7.4	10.8	46	1.02
STD OREAS262	Standard			0.6	115.1	57.3	156	0.5	62.9	27.2	575	3.33	36.5	76.7	9.1	37	0.6	3.2	1.0	23	2.94
STD OREAS262	Standard			0.6	113.9	50.3	150	0.5	61.4	26.3	532	3.29	35.5	71.8	8.2	33	0.6	3.0	1.0	22	2.85
STD OREAS262	Standard			0.7	116.1	52.7	152	0.5	63.9	26.5	508	3.23	34.6	73.7	8.1	33	0.6	3.1	0.9	23	2.82
STD OREAS262	Standard			0.6	119.3	53.8	150	0.5	65.4	27.6	551	3.29	35.4	57.9	8.6	34	0.6	2.4	1.0	23	3.12
STD OXB130	Standard		0.124																		
STD OXB130	Standard		0.121																		
STD OXI138	Standard		1.835																		
STD OXI138	Standard		1.757																		
STD OXN117	Standard		7.844																		
STD OXN117	Standard		7.588																		
STD OXI138 Expected			1.86																		
STD OXB130 Expected			0.125																		
STD OXN117 Expected			7.679																		
STD DS11 Expected			13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063	
STD BVGE001 Expected			10.8	4415	187	1741	2.53	163	25	733	3.7	121	219	14.4	55	6.5	2.2	25.6	73	1.3219	
STD OREAS262 Expected			0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	65	9.33	36	0.61	3.39	1.03	22.5	2.98	
STD CDN-ME-9A Expected																					
STD CDN-ME-14A Expected																					
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** December 07, 2019

Page: 2 of 3

Part: 2 of 3

# QUALITY CONTROL REPORT

## WHI19000758.2

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ370	AQ370	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Pb	Zn	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	%	
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.01	0.01	
STD CDN-ME-9A	Standard																				<0.01	<0.01
STD CDN-ME-14A	Standard																				0.49	2.98
STD DS11	Standard	0.068	19	59	0.86	425	0.091	<20	1.18	0.076	0.41	2.5	0.28	3.0	5.1	0.29	5	1.7	4.9			
STD DS11	Standard	0.069	16	55	0.82	364	0.082	<20	1.08	0.070	0.39	2.7	0.26	3.0	4.5	0.28	5	1.3	3.9			
STD OREAS262	Standard	0.036	18	44	1.22	283	0.003	<20	1.37	0.074	0.35	<0.1	0.19	3.3	0.6	0.25	4	<0.5	0.3			
STD OREAS262	Standard	0.039	15	42	1.20	246	0.003	<20	1.25	0.071	0.33	0.2	0.13	3.2	0.4	0.29	4	<0.5	<0.2			
STD OREAS262	Standard	0.036	16	43	1.17	252	0.003	<20	1.30	0.066	0.33	<0.1	0.19	3.1	0.5	0.26	4	<0.5	0.2			
STD OREAS262	Standard	0.039	16	44	1.20	252	0.003	26	1.37	0.071	0.35	<0.1	0.19	3.3	0.5	0.27	4	<0.5	0.2			
STD OXB130	Standard																					
STD OXB130	Standard																					
STD OXI138	Standard																					
STD OXI138	Standard																					
STD OXN117	Standard																					
STD OXN117	Standard																					
STD OXI138 Expected																						
STD OXB130 Expected																						
STD OXN117 Expected																						
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56			
STD BVGE001 Expected		0.0727	25.9	171	1.2963	340	0.233		2.347	0.1924	0.89	3.5	0.1	5.97	0.62	0.6655	7.37	4.84	1.02			
STD OREAS262 Expected		0.04	15.9	41.7	1.17	248	0.003		1.204	0.071	0.312	0.13	0.17	3.24	0.47	0.253	3.73	0.4	0.23			
STD CDN-ME-9A Expected																					0.003	0.0096
STD CDN-ME-14A Expected																					0.488	2.97
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2			



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: December 07, 2019

Page: 2 of 3

Part: 3 of 3

# QUALITY CONTROL REPORT

# WHI19000758.2

		<b>AQ370</b>
		<b>Ag</b>
		<b>ppm</b>
		<b>2</b>
STD CDN-ME-9A	Standard	3
STD CDN-ME-14A	Standard	44
STD DS11	Standard	
STD DS11	Standard	
STD OREAS262	Standard	
STD OREAS262	Standard	
STD OREAS262	Standard	
STD OREAS262	Standard	
STD OXB130	Standard	
STD OXB130	Standard	
STD OXI138	Standard	
STD OXI138	Standard	
STD OXN117	Standard	
STD OXN117	Standard	
STD OXI138 Expected		
STD OXB130 Expected		
STD OXN117 Expected		
STD DS11 Expected		
STD BVGEO01 Expected		
STD OREAS262 Expected		
STD CDN-ME-9A Expected		3.3
STD CDN-ME-14A Expected		42.3
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: December 07, 2019

Page: 3 of 3

Part: 1 of 3

# QUALITY CONTROL REPORT

WHI19000758.2

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
BLK	Blank																					
Prep Wash																						
ROCK-WHI	Prep Blank		<0.005	0.8	2.3	0.9	29	<0.1	0.9	3.7	522	1.78	1.1	3.0	2.0	19	<0.1	<0.1	<0.1	22	0.60	
ROCK-WHI	Prep Blank		<0.005	0.7	5.8	0.9	31	<0.1	1.2	3.9	549	1.95	1.0	0.5	2.0	18	<0.1	<0.1	<0.1	24	0.65	



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: December 07, 2019

Page: 3 of 3

Part: 2 of 3

# QUALITY CONTROL REPORT

WHI19000758.2

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ370	AQ370
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Pb	Zn
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	%
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.01	0.01
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank																			<0.01	<0.01
Prep Wash																					
ROCK-WHI	Prep Blank	0.038	5	2	0.52	53	0.070	<20	0.85	0.079	0.10	<0.1	<0.01	2.4	<0.1	<0.05	3	<0.5	<0.2		
ROCK-WHI	Prep Blank	0.038	6	3	0.54	57	0.074	<20	0.88	0.074	0.10	<0.1	<0.01	2.8	<0.1	<0.05	3	<0.5	<0.2		



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** December 07, 2019

**Page:** 3 of 3

**Part:** 3 of 3

# QUALITY CONTROL REPORT

# WHI19000758.2

		<b>AQ370</b>
		<b>Ag</b>
		<b>ppm</b>
		<b>2</b>
BLK	Blank	
BLK	Blank	<2
Prep Wash		
ROCK-WHI	Prep Blank	
ROCK-WHI	Prep Blank	



**APPENDIX 7**

**Powerline Zone**

**LAB CERTIFICATES**



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Submitted By: James Thom  
Receiving Lab: Canada-Whitehorse  
Received: July 08, 2019  
Report Date: August 10, 2019  
Page: 1 of 6

## CERTIFICATE OF ANALYSIS

WHI19000167.1

### CLIENT JOB INFORMATION

Project: McQuesten  
Shipment ID: MQ-19-01  
P.O. Number  
Number of Samples: 124

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
RTRN-RJT Return After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Banyan Gold Corp.  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7  
Canada

CC: Paul Gray

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	120	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	4	Sort, label and box pulps			WHI
FA450	124	50g Lead Collection Fire Assay Fusion - AAS Finish	50	Completed	VAN
EN002	124	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	124	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	124	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. \*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: McQuesten  
Report Date: August 10, 2019

Page: 2 of 6

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000167.1

Method Analyte Unit MDL	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1825001	Drill Core	2.34	0.014	1.3	37.8	12.3	92	0.3	30.1	10.4	414	2.67	95.0	8.9	3.6	51	0.9	1.2	0.2	29	1.92
1825002	Drill Core	1.41	0.008	0.9	47.7	11.6	67	0.3	38.0	18.0	717	3.18	152.6	4.2	2.3	62	0.6	1.0	0.1	58	4.81
1825003	Drill Core	3.17	0.016	0.5	29.2	13.1	67	2.5	20.8	6.2	332	1.47	45.8	4.7	4.0	25	0.7	1.2	0.4	15	0.67
1825004	Drill Core	2.65	0.018	1.2	47.5	26.4	130	1.2	35.7	11.6	615	2.59	113.5	1.0	5.2	49	1.3	1.5	0.7	37	1.41
1825005	Drill Core	4.00	0.013	0.6	52.9	6.4	94	0.8	53.0	26.0	538	4.99	301.1	5.2	8.3	42	<0.1	0.6	0.5	72	0.75
1825006	Drill Core	4.08	0.024	0.7	45.8	4.5	83	0.2	68.1	34.6	473	4.68	250.9	12.5	2.1	45	0.1	0.6	0.4	96	0.77
1825007	Drill Core	4.22	0.012	1.0	54.2	4.4	95	0.2	66.5	31.7	587	5.35	218.4	9.1	3.0	86	<0.1	0.3	0.5	109	1.22
1825008	Drill Core	4.43	<0.005	0.6	32.0	15.1	42	<0.1	28.1	18.0	195	2.71	47.0	1.1	9.4	33	<0.1	0.5	0.2	16	0.48
1825009	Drill Core	4.04	0.008	0.4	18.6	11.6	36	<0.1	18.3	9.5	286	2.03	29.7	3.4	9.3	29	<0.1	1.4	0.1	6	0.39
1825010	Rock Pulp	0.13	0.289	14.1	2317.6	1095.4	7357	19.5	34.9	19.2	552	8.88	292.1	42.5	1.5	46	50.3	29.5	11.3	47	2.18
1825011	Drill Core	3.66	0.014	0.4	12.5	10.0	34	<0.1	11.6	6.0	199	1.41	139.5	28.8	7.0	37	<0.1	1.6	<0.1	4	0.48
1825012	Drill Core	4.05	0.141	0.5	35.4	13.4	47	0.1	27.7	14.6	253	2.27	63.5	24.4	10.8	34	<0.1	1.2	1.3	3	0.46
1825013	Drill Core	4.45	0.013	0.3	19.9	9.0	35	<0.1	16.7	8.5	233	1.62	88.3	6.7	8.6	33	<0.1	1.9	0.2	3	0.51
1825014	Drill Core	4.82	8.193	1.2	15.7	16.7	25	0.3	13.2	6.9	228	1.43	43.4	360.4	7.3	41	<0.1	1.3	9.3	4	0.60
1825015	Drill Core	4.35	0.007	0.5	23.2	8.9	37	<0.1	20.8	10.6	211	2.15	26.1	20.4	10.1	30	<0.1	0.4	0.2	7	0.35
1825016	Drill Core	3.79	0.484	0.5	14.7	10.4	24	0.1	12.4	7.0	176	1.44	37.7	159.0	7.7	15	<0.1	1.0	7.3	8	0.24
1825017	Drill Core	3.75	0.017	1.0	35.1	5.2	95	0.1	59.8	26.6	624	5.12	104.9	6.1	7.2	52	<0.1	0.4	0.3	92	1.28
1825018	Drill Core	4.75	0.014	0.7	23.8	3.6	108	<0.1	294.8	46.9	886	5.28	600.1	12.6	2.8	120	0.1	0.7	0.2	97	2.16
1825019	Drill Core	2.31	0.061	0.3	17.9	7.4	27	<0.1	15.9	5.7	268	1.05	82.5	20.6	6.3	59	<0.1	3.0	1.2	7	0.89
1825020	Drill Core	1.78	0.015	0.3	20.8	6.3	33	<0.1	22.2	7.2	275	1.10	39.6	4.2	6.8	49	<0.1	3.2	0.3	8	0.84
1825021	Drill Core	4.34	0.019	0.2	9.1	6.8	19	<0.1	5.8	3.0	139	0.83	8.3	9.2	6.2	17	<0.1	1.8	0.2	4	0.29
1825022	Drill Core	5.01	0.085	0.2	10.3	9.1	25	<0.1	6.6	3.0	176	0.84	46.7	10.6	6.1	25	<0.1	1.5	0.9	3	0.50
1825023	Drill Core	4.25	0.006	0.3	12.1	8.1	32	<0.1	7.3	3.4	267	0.99	20.4	2.6	6.3	45	<0.1	1.3	<0.1	3	0.84
1825024	Drill Core	4.58	0.012	0.3	21.8	8.6	61	<0.1	18.5	8.6	351	2.12	38.9	8.2	10.9	43	<0.1	0.6	0.2	12	0.94
1825025	Drill Core	4.49	0.021	0.3	21.7	7.2	37	<0.1	17.6	8.1	289	1.93	10.7	5.6	11.9	42	<0.1	0.4	0.2	10	0.90
1825026	Drill Core	4.79	0.039	0.6	25.7	8.3	44	0.1	19.4	8.8	383	2.28	323.3	38.1	9.8	43	<0.1	0.9	0.5	7	1.05
1825027	Drill Core	4.05	1.688	0.4	32.4	7.7	61	0.2	27.4	13.6	425	2.79	345.6	182.9	10.3	41	<0.1	1.3	2.0	8	0.81
1825028	Drill Core	5.71	0.175	0.4	24.5	14.4	62	0.2	56.2	10.8	572	2.17	222.3	64.1	9.8	45	<0.1	3.9	2.9	15	1.31
1825029	Drill Core	3.97	0.488	0.5	59.2	10.7	52	0.2	25.9	11.1	727	2.59	86.8	321.7	9.8	252	<0.1	0.9	5.8	17	8.48
1825030	Rock	0.32	<0.005	0.2	0.7	0.4	1	<0.1	<0.1	<0.1	103	0.06	<0.5	2.3	<0.1	74	<0.1	<0.1	<0.1	<1	33.37

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** August 10, 2019

**Page:** 2 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000167.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
1825001	Drill Core	0.061	7	30	0.63	205	0.042	<20	0.91	0.017	0.09	0.5	0.06	2.9	0.1	1.78	3	1.3	<0.2
1825002	Drill Core	0.064	6	29	2.34	160	0.098	<20	1.41	0.015	0.08	0.8	0.03	3.2	0.1	0.77	3	<0.5	<0.2
1825003	Drill Core	0.033	11	17	0.34	118	0.026	<20	0.61	0.007	0.09	11.5	<0.01	1.6	0.1	0.11	2	<0.5	<0.2
1825004	Drill Core	0.077	13	35	0.83	235	0.049	<20	1.38	0.017	0.29	2.3	0.02	3.2	0.3	0.34	4	0.8	<0.2
1825005	Drill Core	0.090	11	82	1.94	126	0.111	<20	2.85	0.039	0.91	2.8	<0.01	6.2	0.9	0.77	9	0.7	<0.2
1825006	Drill Core	0.151	4	137	2.89	84	0.125	<20	3.03	0.066	0.26	0.4	<0.01	5.6	0.3	0.41	11	<0.5	<0.2
1825007	Drill Core	0.135	6	140	2.88	188	0.240	<20	3.79	0.143	1.72	0.3	<0.01	6.7	1.6	0.66	12	0.9	<0.2
1825008	Drill Core	0.063	18	23	0.60	210	0.039	<20	1.38	0.008	0.50	0.1	<0.01	1.7	0.3	0.26	4	<0.5	<0.2
1825009	Drill Core	0.014	19	9	0.35	139	0.002	<20	0.71	0.005	0.23	<0.1	<0.01	1.2	0.1	0.28	2	<0.5	<0.2
1825010	Rock Pulp	0.038	4	42	2.57	47	0.004	<20	1.88	0.010	0.06	0.5	2.70	3.4	5.0	6.82	7	28.8	0.3
1825011	Drill Core	0.031	16	7	0.26	96	0.003	<20	0.54	0.005	0.20	3.2	<0.01	0.8	0.1	0.25	1	<0.5	<0.2
1825012	Drill Core	0.031	21	5	0.35	92	0.002	<20	0.47	0.007	0.33	0.2	0.01	1.0	0.2	0.43	1	<0.5	<0.2
1825013	Drill Core	0.014	18	5	0.25	89	0.001	<20	0.44	0.005	0.28	0.1	<0.01	0.8	0.1	0.27	1	0.6	<0.2
1825014	Drill Core	0.014	16	7	0.27	64	0.002	<20	0.51	0.011	0.22	0.1	<0.01	0.8	0.1	0.16	2	<0.5	1.1
1825015	Drill Core	0.019	24	9	0.39	117	0.007	<20	0.76	0.010	0.40	<0.1	<0.01	1.1	0.2	0.31	2	<0.5	<0.2
1825016	Drill Core	0.016	18	12	0.34	116	0.010	<20	0.65	0.007	0.28	<0.1	<0.01	1.1	0.2	0.09	2	<0.5	0.5
1825017	Drill Core	0.097	16	103	2.55	397	0.161	<20	3.29	0.024	1.62	7.5	<0.01	9.3	1.3	0.28	11	<0.5	<0.2
1825018	Drill Core	0.073	5	332	4.71	302	0.217	<20	4.55	0.021	1.78	2.1	<0.01	8.8	1.7	0.14	14	<0.5	<0.2
1825019	Drill Core	0.009	14	15	0.39	63	0.005	<20	0.54	0.002	0.19	0.1	<0.01	1.1	0.2	<0.05	2	<0.5	<0.2
1825020	Drill Core	0.010	14	22	0.47	77	0.012	<20	0.65	0.003	0.27	0.2	0.01	1.3	0.2	<0.05	2	<0.5	<0.2
1825021	Drill Core	0.007	13	6	0.18	50	0.003	<20	0.43	0.002	0.13	<0.1	0.01	0.6	<0.1	0.06	1	<0.5	<0.2
1825022	Drill Core	0.006	13	5	0.19	63	0.002	<20	0.38	0.002	0.14	0.1	<0.01	0.5	<0.1	0.08	<1	<0.5	<0.2
1825023	Drill Core	0.010	12	5	0.23	80	0.001	<20	0.36	0.002	0.14	0.5	<0.01	0.6	<0.1	0.11	<1	<0.5	<0.2
1825024	Drill Core	0.013	18	18	0.55	170	0.023	<20	1.03	0.013	0.39	0.2	<0.01	1.8	0.3	0.16	3	<0.5	<0.2
1825025	Drill Core	0.021	23	15	0.43	103	0.007	<20	0.94	0.008	0.26	<0.1	<0.01	1.3	0.1	0.29	3	<0.5	<0.2
1825026	Drill Core	0.020	16	11	0.52	93	0.004	<20	0.71	0.006	0.28	0.1	<0.01	1.3	0.2	0.41	2	<0.5	<0.2
1825027	Drill Core	0.025	20	12	0.67	96	0.005	<20	0.88	0.007	0.33	0.1	<0.01	1.6	0.2	0.37	2	0.9	<0.2
1825028	Drill Core	0.037	20	54	0.67	113	0.017	<20	1.06	0.004	0.31	0.2	0.01	2.2	0.2	0.27	3	0.5	<0.2
1825029	Drill Core	0.044	17	17	0.58	239	0.023	<20	1.54	0.047	0.25	3.6	<0.01	2.5	0.2	0.74	4	2.5	0.4
1825030	Rock	0.007	1	<1	0.44	13	0.001	<20	0.03	0.002	0.02	0.3	<0.01	<0.1	<0.1	<0.05	<1	0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

# CERTIFICATE OF ANALYSIS

WHI19000167.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1825031	Drill Core	3.59	1.911	0.5	62.2	26.8	66	0.6	29.6	13.7	661	3.12	254.0	1032.6	11.7	131	<0.1	6.2	16.8	29	5.08
1825032	Drill Core	5.94	2.922	0.4	28.6	23.4	52	1.5	22.1	10.8	379	2.46	240.1	4896.0	9.5	36	<0.1	5.2	22.5	6	0.80
1825033	Drill Core	5.29	0.108	0.5	35.0	7.1	75	0.1	30.1	11.6	576	3.00	106.1	72.8	12.8	138	0.1	3.7	1.3	18	4.49
1825034	Drill Core	2.49	0.257	0.8	43.8	13.5	40	0.2	26.1	10.7	1420	2.57	16.4	262.7	10.0	404	0.2	0.2	6.8	21	14.85
1825035	Drill Core	5.94	0.352	0.2	39.5	11.7	76	0.2	32.4	14.7	472	3.41	72.2	375.6	11.6	63	<0.1	1.3	4.3	28	1.86
1825036	Drill Core	6.08	0.188	0.3	35.6	10.6	66	0.1	26.9	14.0	468	2.80	201.0	140.1	11.3	49	<0.1	2.5	2.1	11	1.09
1825037	Drill Core	3.53	0.219	0.3	10.2	15.4	52	<0.1	12.1	4.9	766	1.69	35.8	196.1	8.2	23	<0.1	3.5	1.4	9	0.66
1825038	Drill Core	6.10	0.007	0.1	38.6	25.3	98	0.2	38.9	17.6	511	3.96	427.9	3.0	11.6	35	0.4	2.5	0.3	16	0.53
1825039	Drill Core	2.47	0.021	0.3	31.5	5.1	99	<0.1	35.5	20.2	418	3.51	33.8	5.3	11.0	31	<0.1	1.8	0.2	13	0.41
1825040	Drill Core	1.98	0.035	0.5	28.6	4.9	89	<0.1	32.6	19.5	383	3.46	32.6	39.2	10.0	26	<0.1	1.2	0.2	13	0.37
1825041	Drill Core	5.00	0.391	0.7	35.4	11.6	86	0.2	35.5	16.0	532	3.79	138.4	188.8	11.6	44	<0.1	3.7	1.8	13	0.74
1825042	Drill Core	6.24	0.543	0.3	64.9	7.5	126	0.4	68.0	37.1	1373	4.96	1126.2	563.4	1.4	78	<0.1	2.4	12.9	88	2.58
1825043	Drill Core	3.84	0.210	0.5	34.4	8.0	76	0.1	30.7	13.6	494	3.65	430.2	197.7	11.0	43	<0.1	2.3	0.5	9	0.60
1825044	Drill Core	4.83	0.039	0.4	36.5	6.8	78	<0.1	32.2	16.1	488	3.38	327.1	30.3	12.1	31	<0.1	1.6	0.4	12	0.49
1825045	Drill Core	4.80	0.261	0.2	33.3	12.8	85	0.2	42.4	18.1	510	4.31	80.1	47.4	13.8	40	<0.1	2.6	5.0	12	0.61
1825046	Drill Core	4.27	0.018	0.1	29.5	4.4	96	<0.1	40.4	18.7	538	4.41	47.5	3.1	14.9	31	<0.1	5.4	0.2	12	0.45
1825047	Drill Core	5.18	0.008	0.2	28.8	9.5	74	<0.1	31.4	15.0	747	3.44	39.1	37.9	13.1	52	<0.1	0.3	0.3	13	0.84
1825048	Drill Core	3.81	0.033	0.4	61.4	7.1	95	0.1	51.5	22.2	696	4.67	68.6	10.3	12.5	27	<0.1	4.5	1.0	13	0.37
1825049	Drill Core	6.27	0.202	0.5	37.4	6.3	75	<0.1	52.9	21.0	912	4.65	1166.6	205.0	9.2	92	<0.1	4.8	0.7	21	1.51
1825050	Rock Pulp	0.13	2.745	13.5	3806.1	>10000	>10000	>100	90.3	41.6	4401	8.42	627.2	2714.5	4.7	20	125.2	205.8	29.5	61	2.14
1825051	Drill Core	4.60	0.151	0.3	18.7	4.0	65	0.1	28.0	13.1	439	3.14	287.8	292.5	11.0	43	<0.1	1.7	0.9	15	0.74
1825052	Drill Core	4.44	0.025	0.5	20.1	5.6	70	<0.1	35.2	16.7	671	4.13	98.9	19.0	10.2	51	<0.1	1.4	0.4	35	1.04
1825053	Drill Core	4.53	0.018	0.6	35.4	3.3	62	0.1	35.9	17.6	546	4.06	61.1	10.3	10.6	53	<0.1	0.7	0.5	50	0.97
1825054	Drill Core	4.78	0.033	0.3	4.3	2.3	38	<0.1	16.5	8.0	287	2.15	152.4	26.6	10.4	31	<0.1	1.1	0.2	10	0.46
1825055	Drill Core	4.69	0.358	0.6	40.5	6.4	115	0.2	37.0	20.2	1105	4.22	1258.4	310.4	5.8	145	0.1	8.2	3.0	47	3.05
1825056	Drill Core	4.30	0.181	0.8	49.5	5.9	119	0.1	63.2	32.7	1291	5.88	274.4	81.7	0.7	208	0.1	3.6	1.2	119	4.80
1825057	Drill Core	4.89	0.010	0.6	39.1	10.2	104	<0.1	39.1	18.5	562	3.69	54.4	4.0	10.3	43	<0.1	1.6	0.3	42	0.91
1825058	Drill Core	5.04	0.021	1.0	58.6	2.5	95	0.1	44.3	30.0	532	4.89	71.7	12.2	0.5	72	<0.1	0.7	0.3	144	2.04
1825059	Drill Core	2.23	0.313	1.1	57.4	3.2	108	0.2	73.7	36.4	517	4.58	304.8	300.8	0.4	75	0.1	0.8	5.0	127	2.03
1825060	Drill Core	2.10	0.274	1.0	61.0	3.3	102	0.3	74.3	36.8	538	4.78	243.4	1942.5	0.4	76	<0.1	0.8	4.7	135	2.14



# CERTIFICATE OF ANALYSIS

WHI19000167.1

Method Analyte Unit	AQ200																		
	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
MDL	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
1825031	Drill Core	0.030	30	26	0.66	146	0.022	<20	1.66	0.014	0.31	0.5	<0.01	4.2	0.3	0.63	5	1.7	0.8
1825032	Drill Core	0.029	21	7	0.54	90	0.002	<20	0.58	0.005	0.27	0.1	<0.01	1.3	0.1	0.23	1	<0.5	1.5
1825033	Drill Core	0.041	24	20	0.68	124	0.034	<20	1.39	0.013	0.42	0.3	<0.01	2.3	0.3	0.35	4	0.7	<0.2
1825034	Drill Core	0.036	27	20	0.51	556	0.059	<20	2.57	0.132	0.27	0.4	<0.01	5.0	0.2	0.64	6	0.8	0.4
1825035	Drill Core	0.033	24	31	0.86	159	0.062	<20	1.94	0.029	0.59	7.5	<0.01	4.1	0.5	0.39	6	0.9	0.4
1825036	Drill Core	0.042	26	15	0.60	109	0.007	<20	1.05	0.005	0.27	1.0	<0.01	2.2	0.2	0.20	3	<0.5	<0.2
1825037	Drill Core	0.011	19	12	0.40	72	0.002	<20	0.86	0.003	0.18	0.1	<0.01	1.8	0.1	0.05	3	<0.5	<0.2
1825038	Drill Core	0.055	28	18	0.87	61	0.007	<20	1.82	0.008	0.25	0.1	<0.01	2.7	0.1	0.14	5	<0.5	<0.2
1825039	Drill Core	0.036	30	16	0.87	66	0.004	<20	1.72	0.013	0.29	<0.1	<0.01	2.6	0.1	0.21	5	<0.5	<0.2
1825040	Drill Core	0.046	26	16	0.86	50	0.004	<20	1.68	0.009	0.26	<0.1	<0.01	2.6	0.1	0.22	4	<0.5	<0.2
1825041	Drill Core	0.035	23	16	0.95	93	0.004	<20	1.48	0.009	0.26	0.2	<0.01	2.8	0.1	0.43	4	<0.5	<0.2
1825042	Drill Core	0.037	2	138	1.85	150	0.127	<20	2.94	0.139	0.50	1.1	<0.01	8.3	0.6	1.27	9	1.5	0.5
1825043	Drill Core	0.041	23	11	0.75	73	0.002	<20	1.11	0.007	0.30	0.2	<0.01	2.3	0.2	0.75	3	<0.5	<0.2
1825044	Drill Core	0.030	27	15	0.75	79	0.010	<20	1.39	0.006	0.35	0.2	<0.01	2.4	0.2	0.40	4	<0.5	<0.2
1825045	Drill Core	0.067	34	15	0.85	76	0.008	<20	1.55	0.007	0.31	0.1	<0.01	2.5	0.2	0.20	4	<0.5	<0.2
1825046	Drill Core	0.056	40	18	0.90	102	0.004	<20	1.62	0.009	0.32	0.2	<0.01	2.5	0.2	0.07	4	<0.5	<0.2
1825047	Drill Core	0.035	33	18	0.79	89	0.006	<20	1.50	0.007	0.25	0.1	<0.01	3.0	0.2	0.16	4	<0.5	<0.2
1825048	Drill Core	0.058	38	14	1.15	72	0.003	<20	1.38	0.010	0.35	0.1	<0.01	3.5	0.2	0.21	3	<0.5	<0.2
1825049	Drill Core	0.073	16	36	1.45	83	0.005	<20	1.80	0.010	0.28	1.8	<0.01	4.1	0.2	0.93	5	<0.5	0.3
1825050	Rock Pulp	0.046	14	45	1.87	35	0.082	<20	1.91	0.036	0.26	3.1	2.66	4.8	2.0	4.97	9	9.9	0.4
1825051	Drill Core	0.045	20	21	0.95	84	0.004	<20	1.26	0.024	0.29	0.2	<0.01	2.7	0.2	0.65	4	<0.5	<0.2
1825052	Drill Core	0.053	17	43	1.42	103	0.009	<20	1.90	0.024	0.31	<0.1	<0.01	4.2	0.2	0.71	7	<0.5	<0.2
1825053	Drill Core	0.045	20	49	1.30	244	0.099	<20	2.30	0.043	0.87	0.2	<0.01	5.4	0.7	0.39	7	1.2	<0.2
1825054	Drill Core	0.013	22	17	0.68	132	0.007	<20	1.05	0.026	0.26	<0.1	<0.01	2.1	0.2	0.20	3	<0.5	<0.2
1825055	Drill Core	0.070	7	47	1.82	139	0.028	<20	1.33	0.043	0.39	1.1	<0.01	7.2	0.5	1.73	5	2.4	<0.2
1825056	Drill Core	0.130	6	115	3.29	106	0.048	<20	2.78	0.030	0.57	0.7	<0.01	12.8	0.7	0.88	11	1.3	<0.2
1825057	Drill Core	0.050	22	45	1.20	263	0.062	<20	1.88	0.019	0.69	0.9	<0.01	4.8	0.6	0.33	7	<0.5	<0.2
1825058	Drill Core	0.131	5	119	2.79	57	0.140	<20	2.89	0.061	0.53	0.2	<0.01	8.6	0.6	0.32	13	<0.5	<0.2
1825059	Drill Core	0.157	5	137	2.34	88	0.187	<20	2.77	0.110	1.11	5.5	<0.01	8.0	1.3	0.58	11	1.6	0.3
1825060	Drill Core	0.156	6	145	2.46	76	0.196	<20	2.83	0.111	1.10	2.2	<0.01	8.0	1.2	0.59	11	1.4	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 10, 2019

Page: 4 of 6

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000167.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1825061	Drill Core	5.11	0.010	0.8	34.4	9.7	108	<0.1	35.1	18.1	501	4.08	44.2	2.7	10.8	62	<0.1	1.7	0.3	37	1.01
1825062	Drill Core	4.69	0.008	0.5	26.0	5.1	71	<0.1	29.7	12.7	373	3.34	42.8	1.8	12.1	23	<0.1	0.4	0.4	16	0.27
1825063	Drill Core	3.95	0.017	0.4	33.4	5.0	48	<0.1	15.8	6.8	245	2.15	28.3	2.3	9.6	23	<0.1	0.3	0.3	7	0.29
1825064	Drill Core	5.30	0.011	0.4	45.6	49.9	70	0.3	28.8	11.9	319	3.19	86.6	7.0	13.1	22	0.1	0.4	2.6	9	0.28
1825065	Drill Core	5.47	0.020	0.3	21.4	6.5	55	<0.1	21.9	8.4	264	2.84	15.4	11.0	11.4	23	<0.1	0.4	0.2	7	0.37
1825066	Drill Core	4.66	0.028	0.4	41.2	11.6	54	<0.1	21.7	11.0	385	2.55	19.4	9.8	10.1	33	<0.1	0.3	0.8	17	0.75
1825067	Drill Core	4.92	0.061	0.6	42.6	7.4	96	<0.1	38.3	20.1	501	4.11	60.2	17.7	9.8	49	<0.1	0.3	0.9	62	1.27
1825068	Drill Core	4.48	0.075	0.6	25.4	8.7	81	<0.1	30.2	12.7	340	3.40	16.6	73.4	14.8	23	<0.1	0.2	1.1	30	0.53
1825069	Drill Core	5.68	0.874	0.7	122.9	7.4	151	0.3	49.1	28.8	654	5.41	63.3	439.4	4.4	98	0.1	0.7	7.3	126	1.68
1825070	Rock	0.21	<0.005	<0.1	0.6	2.0	8	<0.1	0.4	0.3	118	0.11	<0.5	<0.5	<0.1	63	<0.1	<0.1	<0.1	<1	28.00
1825071	Drill Core	5.30	0.197	1.2	84.0	4.5	123	0.2	38.5	25.6	464	4.25	50.5	196.9	2.4	90	0.4	0.4	3.1	103	1.25
1825072	Drill Core	4.54	0.134	0.9	47.1	4.9	110	0.1	43.3	24.2	434	4.48	63.0	73.3	6.1	41	<0.1	0.2	1.6	104	0.84
1825073	Drill Core	5.52	0.024	1.7	48.5	2.6	102	0.1	34.3	25.2	387	4.43	51.7	16.2	3.6	40	<0.1	0.3	0.4	107	0.99
1825074	Drill Core	4.46	0.033	1.0	51.6	2.7	130	0.2	54.9	29.2	531	4.68	62.9	2.7	1.3	45	<0.1	0.4	0.4	116	1.11
1825075	Drill Core	4.05	0.005	0.7	14.6	9.0	45	<0.1	15.4	6.2	230	1.92	9.0	2.2	7.3	24	<0.1	0.1	0.2	13	0.47
1825076	Drill Core	5.31	<0.005	0.2	11.4	6.8	19	<0.1	9.3	4.4	361	0.98	2.6	<0.5	5.4	37	<0.1	0.1	<0.1	5	1.14
1825077	Drill Core	5.07	0.475	0.5	27.6	5.9	30	0.1	11.2	4.6	538	1.39	12.0	537.0	5.8	84	<0.1	0.2	7.3	8	2.76
1825078	Drill Core	5.15	0.109	0.3	28.5	7.5	42	0.1	19.1	8.5	301	2.08	52.7	46.3	7.7	42	<0.1	1.2	0.7	11	0.83
1825079	Drill Core	0.38	1.585	0.5	217.1	163.7	158	9.3	83.0	39.3	1395	7.97	442.8	342.5	0.3	184	1.2	11.3	19.3	57	3.74
1825080	Rock Pulp	0.13	2.832	11.0	3725.3	>10000	>10000	>100	84.9	39.1	4109	7.87	615.0	3034.8	4.4	19	122.9	180.5	27.8	59	1.82
1825081	Drill Core	5.03	0.016	0.2	32.9	8.9	95	0.2	88.5	36.6	861	4.97	224.3	8.3	0.1	83	0.2	1.0	1.1	105	2.19
1825082	Drill Core	3.05	0.019	0.2	102.4	5.3	90	0.2	49.9	24.7	739	4.92	83.4	22.9	2.6	73	0.1	1.2	0.7	81	1.85
1825083	Drill Core	4.91	0.025	0.7	8.1	5.8	24	<0.1	8.3	3.5	160	1.25	42.4	3.8	6.1	29	<0.1	0.9	0.3	3	0.37
1825084	Drill Core	4.53	0.050	0.5	30.3	16.2	49	0.2	23.7	9.9	325	2.38	105.6	36.0	6.6	36	<0.1	0.8	0.8	17	0.60
1825085	Drill Core	4.63	0.189	0.3	47.9	9.8	77	0.2	43.4	19.5	690	3.57	104.8	226.1	7.2	56	0.1	1.1	3.7	41	1.04
1825086	Drill Core	3.84	0.008	1.5	44.2	7.1	80	<0.1	39.7	16.6	364	3.85	33.0	2.3	15.2	44	<0.1	1.1	0.5	16	0.46
1825087	Drill Core	4.21	0.021	0.7	31.8	11.7	73	<0.1	34.2	17.8	533	3.93	216.8	24.0	10.8	52	<0.1	0.6	0.4	36	0.65
1825088	Drill Core	5.44	0.013	0.8	38.0	6.7	98	<0.1	46.3	23.3	760	4.67	131.7	11.6	7.0	73	<0.1	0.5	0.4	88	1.53
1825089	Drill Core	2.39	1.621	0.6	23.9	20.0	67	1.5	33.3	15.7	619	3.83	91.8	1048.2	8.3	49	<0.1	4.0	25.6	50	0.92
1825090	Drill Core	2.33	1.791	0.6	23.5	26.4	65	1.3	33.1	16.2	615	3.83	343.9	1050.1	7.2	53	<0.1	5.3	18.5	54	1.03



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 10, 2019

Page: 4 of 6

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000167.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1825061	Drill Core	0.068	29	41	1.10	133	0.057	<20	2.06	0.014	0.57	0.2	<0.01	4.2	0.4	0.27	6	<0.5	<0.2
1825062	Drill Core	0.038	28	19	0.80	91	0.089	<20	1.67	0.010	0.90	0.2	<0.01	2.0	0.7	0.27	4	0.5	<0.2
1825063	Drill Core	0.025	19	9	0.46	70	0.023	<20	0.94	0.009	0.41	0.1	<0.01	1.8	0.2	0.15	2	<0.5	<0.2
1825064	Drill Core	0.043	27	12	0.69	74	0.034	<20	1.14	0.009	0.51	0.1	<0.01	1.7	0.3	0.19	3	<0.5	<0.2
1825065	Drill Core	0.044	26	9	0.56	93	0.018	<20	0.85	0.012	0.47	0.1	<0.01	1.4	0.3	0.10	2	<0.5	<0.2
1825066	Drill Core	0.031	17	20	0.64	156	0.037	<20	1.29	0.018	0.41	<0.1	<0.01	2.2	0.2	0.16	4	<0.5	<0.2
1825067	Drill Core	0.072	16	59	1.28	272	0.161	<20	2.77	0.105	1.07	0.9	<0.01	6.1	0.8	0.37	9	0.6	<0.2
1825068	Drill Core	0.049	21	34	0.91	312	0.123	<20	2.01	0.029	1.01	<0.1	<0.01	3.6	0.7	0.19	7	<0.5	<0.2
1825069	Drill Core	0.126	8	101	2.21	651	0.267	<20	3.55	0.162	1.63	8.0	0.01	8.8	1.7	1.16	13	5.0	0.2
1825070	Rock	0.006	<1	<1	2.01	12	0.001	<20	0.02	0.002	<0.01	<0.1	<0.01	1.9	<0.1	<0.05	<1	0.9	<0.2
1825071	Drill Core	0.131	6	88	1.77	442	0.238	<20	2.55	0.135	1.19	2.9	<0.01	6.1	1.1	0.69	11	2.7	<0.2
1825072	Drill Core	0.109	10	88	1.97	745	0.239	<20	3.10	0.111	1.76	0.4	<0.01	5.4	1.5	0.44	12	1.6	<0.2
1825073	Drill Core	0.127	8	82	2.03	549	0.227	<20	2.90	0.097	1.65	0.3	<0.01	5.0	1.4	0.50	12	1.8	<0.2
1825074	Drill Core	0.137	5	117	2.43	456	0.270	<20	3.10	0.105	1.80	7.0	<0.01	5.3	1.8	0.54	12	2.4	<0.2
1825075	Drill Core	0.011	11	16	0.51	273	0.056	<20	1.19	0.025	0.53	0.1	<0.01	1.9	0.2	0.11	4	<0.5	<0.2
1825076	Drill Core	0.036	11	7	0.24	87	0.014	<20	0.58	0.008	0.24	0.2	<0.01	1.3	<0.1	0.11	2	<0.5	<0.2
1825077	Drill Core	0.011	9	9	0.33	148	0.017	<20	0.89	0.035	0.20	>100	*	1.6	0.1	0.34	3	1.3	0.3
1825078	Drill Core	0.029	15	18	0.46	100	0.008	<20	0.70	0.013	0.33	0.6	<0.01	2.3	0.2	0.44	2	1.2	<0.2
1825079	Drill Core	0.070	2	120	2.19	79	0.025	<20	1.72	0.037	0.43	>100	*	9.1	0.4	3.05	8	6.2	1.0
1825080	Rock Pulp	0.046	13	42	1.79	32	0.071	<20	1.86	0.035	0.25	2.7	2.52	4.7	1.8	4.64	9	8.3	0.4
1825081	Drill Core	0.064	1	232	3.30	84	0.169	<20	3.52	0.055	1.15	1.8	<0.01	10.0	1.3	0.36	12	1.5	<0.2
1825082	Drill Core	0.044	4	140	1.91	130	0.182	<20	2.55	0.096	0.75	7.3	<0.01	8.5	0.9	1.32	9	5.5	<0.2
1825083	Drill Core	0.011	13	5	0.28	73	0.002	<20	0.50	0.006	0.18	0.4	<0.01	0.9	0.1	0.15	1	0.6	<0.2
1825084	Drill Core	0.017	13	30	0.59	240	0.022	<20	0.96	0.023	0.37	45.7	0.01	2.4	0.3	0.48	3	1.5	<0.2
1825085	Drill Core	0.026	13	66	1.06	226	0.074	<20	1.63	0.049	0.48	0.4	<0.01	4.4	0.5	0.70	5	1.3	<0.2
1825086	Drill Core	0.043	36	17	0.85	121	0.025	<20	1.59	0.011	0.57	0.4	<0.01	2.5	0.4	0.31	4	<0.5	<0.2
1825087	Drill Core	0.050	21	37	1.23	117	0.083	<20	2.19	0.016	0.63	1.1	<0.01	3.9	0.5	0.28	6	1.5	<0.2
1825088	Drill Core	0.094	15	75	2.26	242	0.179	<20	3.28	0.055	1.47	0.7	<0.01	7.5	1.5	0.44	10	0.8	<0.2
1825089	Drill Core	0.072	19	47	1.62	169	0.061	<20	2.32	0.027	0.60	0.3	<0.01	5.6	0.6	0.34	7	0.6	1.4
1825090	Drill Core	0.064	14	50	1.68	146	0.056	<20	2.36	0.027	0.62	0.3	<0.01	6.0	0.6	0.41	7	0.6	0.9





# CERTIFICATE OF ANALYSIS

WHI19000167.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1825091	Drill Core	4.26	0.114	0.9	52.5	11.2	122	0.2	48.4	24.5	1158	5.04	929.4	48.4	6.0	93	0.1	1.5	1.8	91	2.02
1825092	Drill Core	4.37	0.011	0.3	37.1	7.6	62	<0.1	32.0	14.6	378	3.30	44.3	4.7	11.6	39	<0.1	0.3	0.3	20	0.42
1825093	Drill Core	5.07	0.008	0.8	43.2	4.0	83	0.2	65.0	29.8	799	5.27	165.9	4.6	3.8	93	<0.1	0.6	0.4	117	1.24
1825094	Drill Core	4.68	1.513	0.7	170.0	9.2	81	0.5	50.7	25.5	731	6.12	114.1	1412.6	8.5	60	<0.1	1.3	15.5	49	1.02
1825095	Drill Core	4.87	0.126	0.7	34.9	6.8	56	0.1	30.1	15.2	766	3.10	706.4	94.2	12.5	82	<0.1	2.7	0.5	6	1.25
1825096	Drill Core	4.55	0.120	0.2	48.9	11.0	90	0.3	40.4	18.0	754	4.09	1508.9	226.5	12.8	44	0.1	1.8	1.0	13	0.76
1825097	Drill Core	4.60	0.161	0.3	28.6	10.1	54	0.1	27.1	12.1	699	2.73	302.1	159.2	9.3	48	<0.1	2.0	1.7	9	0.98
1825098	Drill Core	5.05	0.011	0.2	16.8	5.4	36	<0.1	13.0	5.2	372	1.91	83.5	9.2	8.6	36	<0.1	1.2	0.2	6	0.57
1825099	Drill Core	4.48	0.011	<0.1	11.5	3.6	33	<0.1	10.6	4.5	273	1.82	54.9	6.1	9.0	24	<0.1	0.6	0.1	6	0.33
1825100	Rock	0.37	<0.005	<0.1	0.4	0.9	2	<0.1	0.5	0.5	88	0.07	<0.5	3.1	<0.1	72	<0.1	<0.1	<0.1	<1	29.97
1825101	Drill Core	4.26	0.027	0.4	20.6	6.1	53	<0.1	21.7	10.4	471	2.61	51.9	36.4	10.3	59	<0.1	1.4	0.2	8	0.89
1825102	Drill Core	3.95	0.015	0.3	32.0	14.5	66	0.1	28.2	14.4	598	2.93	74.1	6.6	11.0	63	<0.1	4.4	1.0	11	1.00
1825103	Drill Core	3.96	0.030	0.2	36.8	7.9	78	0.3	38.3	15.5	506	3.69	193.0	16.4	10.8	52	0.2	2.8	2.1	13	0.65
1825104	Drill Core	5.06	0.060	0.3	15.1	6.4	32	<0.1	10.1	4.3	477	1.33	89.5	11.1	7.9	52	0.2	2.0	0.3	3	1.04
1825105	Drill Core	5.81	0.108	0.2	15.9	14.2	23	0.2	4.9	3.0	397	0.67	85.3	25.2	5.5	48	<0.1	1.9	2.0	1	1.26
1825106	Drill Core	3.38	0.657	0.2	10.8	7.8	22	<0.1	7.1	3.7	524	1.02	28.6	6.5	6.3	60	0.1	1.9	0.3	3	1.23
1825107	Drill Core	5.57	0.010	0.4	39.1	6.0	72	<0.1	39.0	15.0	547	3.76	31.2	2.5	15.8	47	<0.1	2.6	0.4	10	0.44
1825108	Drill Core	4.62	0.010	0.7	38.4	8.2	109	0.1	42.2	18.4	637	3.92	124.1	3.2	16.1	41	<0.1	2.1	0.6	8	0.31
1825109	Drill Core	5.02	0.026	0.1	44.0	4.4	87	0.2	42.1	14.4	529	4.24	46.9	11.2	14.1	55	<0.1	3.6	0.2	10	0.58
1825110	Rock	0.19	<0.005	<0.1	0.8	0.5	<1	<0.1	0.1	<0.1	105	0.07	<0.5	<0.5	<0.1	75	<0.1	<0.1	<0.1	<1	30.75
1825111	Drill Core	4.24	0.005	0.2	38.2	4.2	107	<0.1	45.3	17.8	492	4.55	14.3	1.6	14.3	29	<0.1	3.6	0.3	16	0.29
1825112	Drill Core	5.09	0.006	0.4	51.9	16.5	85	0.1	30.8	15.3	673	3.83	20.4	2.4	12.9	59	<0.1	2.5	0.5	18	0.58
1825113	Drill Core	4.02	0.006	0.5	36.1	19.2	82	<0.1	32.8	18.8	918	3.86	29.3	<0.5	15.9	112	<0.1	5.2	0.3	12	1.12
1825114	Drill Core	2.89	0.020	1.9	62.8	12.6	95	0.2	43.6	20.4	573	4.71	62.4	12.4	12.2	102	<0.1	9.2	0.4	34	1.30
1825115	Drill Core	5.56	0.019	0.5	46.7	13.5	98	0.1	49.3	20.6	786	4.54	107.4	23.8	10.7	114	<0.1	2.7	1.0	39	1.74
1825116	Drill Core	5.92	0.016	1.4	44.7	10.3	68	0.1	38.8	15.2	451	4.06	17.4	12.2	10.7	314	<0.1	0.9	0.8	38	4.78
1825117	Drill Core	5.92	0.008	2.1	44.4	12.5	93	0.1	36.6	17.0	417	3.86	231.4	2.5	14.3	59	<0.1	1.0	0.3	30	0.73
1825118	Drill Core	4.24	0.546	0.4	33.2	11.5	73	0.2	20.7	9.7	707	2.63	172.6	67.8	12.5	159	0.7	2.0	1.8	11	3.92
1825119	Drill Core	5.02	0.125	0.2	23.9	16.8	67	0.2	18.9	8.9	569	2.24	58.6	131.6	15.2	136	0.5	1.2	4.1	10	3.22
1825120	Rock Pulp	0.13	2.862	12.9	3834.9	>10000	>10000	>100	93.2	41.5	4480	8.91	643.6	3347.8	5.0	20	123.6	157.0	26.3	66	1.99



# CERTIFICATE OF ANALYSIS

WHI19000167.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
1825091	Drill Core	0.115	13	78	2.48	162	0.134	<20	3.14	0.019	1.38	5.3	<0.01	7.6	1.6	0.60	10	1.3	<0.2
1825092	Drill Core	0.035	22	24	0.85	95	0.037	<20	1.71	0.015	0.45	0.3	<0.01	3.0	0.4	0.31	5	<0.5	<0.2
1825093	Drill Core	0.146	7	124	3.13	209	0.213	<20	3.99	0.131	1.40	0.2	<0.01	8.5	1.5	0.84	12	1.8	<0.2
1825094	Drill Core	0.097	12	48	1.43	119	0.082	<20	2.32	0.017	0.44	0.9	<0.01	5.4	0.5	1.95	6	3.0	1.2
1825095	Drill Core	0.022	14	7	0.59	85	0.002	<20	0.76	0.008	0.31	0.2	<0.01	2.1	0.2	1.16	2	0.5	<0.2
1825096	Drill Core	0.117	28	16	0.83	57	0.003	<20	1.72	0.015	0.28	0.3	<0.01	2.8	0.1	0.25	4	0.9	0.3
1825097	Drill Core	0.020	20	10	0.55	78	0.002	<20	1.03	0.007	0.25	0.8	<0.01	2.1	0.1	0.45	3	1.6	<0.2
1825098	Drill Core	0.013	18	7	0.33	171	0.002	<20	0.79	0.004	0.23	2.1	<0.01	1.5	0.1	0.26	2	0.6	<0.2
1825099	Drill Core	0.016	20	7	0.26	110	0.003	<20	0.78	0.004	0.24	0.1	<0.01	1.2	0.1	0.23	2	<0.5	<0.2
1825100	Rock	0.005	1	<1	0.34	17	<0.001	<20	0.02	0.001	<0.01	<0.1	<0.01	1.9	<0.1	<0.05	<1	<0.5	<0.2
1825101	Drill Core	0.033	18	10	0.52	99	0.003	<20	1.06	0.005	0.28	0.3	<0.01	1.7	0.1	0.49	3	1.0	<0.2
1825102	Drill Core	0.041	22	13	0.63	78	0.008	<20	1.36	0.006	0.32	0.2	<0.01	2.2	0.2	0.39	3	<0.5	<0.2
1825103	Drill Core	0.063	17	15	0.76	79	0.004	<20	1.57	0.007	0.31	0.2	<0.01	2.1	0.1	0.55	4	0.5	<0.2
1825104	Drill Core	0.009	11	6	0.29	131	0.001	<20	0.52	0.003	0.21	0.1	<0.01	0.8	0.1	0.33	1	<0.5	<0.2
1825105	Drill Core	0.006	11	4	0.12	79	<0.001	<20	0.29	0.002	0.12	<0.1	0.01	0.4	<0.1	0.19	<1	<0.5	<0.2
1825106	Drill Core	0.006	12	4	0.27	73	0.001	<20	0.43	0.003	0.15	<0.1	<0.01	0.7	<0.1	0.15	1	<0.5	<0.2
1825107	Drill Core	0.033	40	12	0.83	66	0.003	<20	1.30	0.007	0.35	0.1	<0.01	1.8	0.2	0.31	3	<0.5	<0.2
1825108	Drill Core	0.039	32	10	0.82	67	0.002	<20	1.14	0.009	0.33	0.1	<0.01	1.7	0.1	0.31	3	<0.5	<0.2
1825109	Drill Core	0.054	26	13	0.74	74	0.002	<20	1.37	0.008	0.33	<0.1	0.01	2.2	0.2	0.39	3	<0.5	<0.2
1825110	Rock	0.005	1	<1	0.46	14	<0.001	<20	<0.01	0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
1825111	Drill Core	0.050	31	20	0.93	85	0.003	<20	2.13	0.009	0.29	0.1	<0.01	2.1	<0.1	0.11	6	<0.5	<0.2
1825112	Drill Core	0.038	30	20	0.90	68	0.003	<20	1.95	0.009	0.26	<0.1	<0.01	2.4	0.1	0.08	5	<0.5	<0.2
1825113	Drill Core	0.037	37	14	0.89	84	0.003	<20	1.56	0.007	0.32	<0.1	<0.01	2.1	0.2	<0.05	4	<0.5	<0.2
1825114	Drill Core	0.064	23	26	1.09	131	0.004	<20	2.03	0.007	0.29	0.3	0.01	4.1	0.7	1.19	6	<0.5	<0.2
1825115	Drill Core	0.064	19	42	1.53	76	0.009	<20	2.17	0.007	0.32	0.2	<0.01	4.9	0.2	0.37	6	<0.5	<0.2
1825116	Drill Core	0.049	22	27	1.05	128	0.021	<20	2.13	0.007	0.34	0.3	<0.01	3.0	0.2	0.29	6	<0.5	<0.2
1825117	Drill Core	0.049	27	22	0.83	73	0.015	<20	1.82	0.006	0.31	0.2	<0.01	2.3	0.2	0.46	5	<0.5	<0.2
1825118	Drill Core	0.029	21	12	0.55	73	0.002	<20	1.13	0.003	0.26	0.3	0.02	2.2	0.3	0.55	3	<0.5	<0.2
1825119	Drill Core	0.024	27	12	0.41	62	0.003	<20	1.03	0.008	0.32	0.1	<0.01	1.7	0.2	0.45	3	<0.5	<0.2
1825120	Rock Pulp	0.046	13	46	1.87	33	0.078	<20	1.95	0.042	0.28	2.0	2.40	4.8	1.7	4.87	8	10.8	0.4



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 10, 2019

Page: 6 of 6

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000167.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1825121	Drill Core	3.88	0.095	0.2	22.5	17.1	69	0.2	16.7	9.6	460	2.00	44.4	25.0	18.9	124	0.6	1.9	2.5	7	2.41
1825122	Drill Core	6.69	0.258	1.7	47.3	16.5	58	0.3	25.3	12.3	547	2.84	248.1	119.2	9.9	249	0.2	5.0	7.5	20	3.76
1825123	Drill Core	6.88	0.147	1.0	20.1	13.3	34	0.2	12.2	5.7	892	1.52	60.7	82.2	4.1	1428	0.3	3.3	3.8	16	24.51
1825124	Drill Core	3.68	0.129	0.5	46.7	20.4	76	0.4	25.1	12.0	1148	3.31	711.9	69.5	10.4	291	0.5	3.2	2.6	14	5.90



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 10, 2019

Page: 6 of 6

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000167.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
1825121	Drill Core	0.022	21	9	0.34	75	0.003	<20	0.83	0.017	0.32	0.1	0.01	1.4	0.1	0.60	2	<0.5	<0.2
1825122	Drill Core	0.044	9	13	0.61	72	0.002	<20	1.13	0.008	0.30	1.4	<0.01	1.8	0.1	0.87	3	0.6	<0.2
1825123	Drill Core	0.045	9	12	0.48	32	0.006	<20	0.69	0.010	0.15	27.8	0.01	2.2	<0.1	0.34	2	0.8	0.2
1825124	Drill Core	0.035	9	12	0.75	192	0.003	<20	1.08	0.026	0.29	35.1	0.01	3.1	0.2	1.02	3	1.8	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 10, 2019

Page: 1 of 3

Part: 1 of 2

# QUALITY CONTROL REPORT

## WHI19000167.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
Pulp Duplicates																					
REP 1825009	QC		0.4	19.1	11.2	35	<0.1	17.0	9.1	256	1.93	31.3	2.8	7.7	28	<0.1	1.6	0.2	6	0.37	
1825023	Drill Core	4.25	0.006	0.3	12.1	8.1	32	<0.1	7.3	3.4	267	0.99	20.4	2.6	6.3	45	<0.1	1.3	<0.1	3	0.84
REP 1825023	QC	<0.005																			
1825037	Drill Core	3.53	0.219	0.3	10.2	15.4	52	<0.1	12.1	4.9	766	1.69	35.8	196.1	8.2	23	<0.1	3.5	1.4	9	0.66
REP 1825037	QC	0.271																			
REP 1825043	QC		0.6	35.9	8.1	82	<0.1	33.3	15.0	519	3.67	418.8	142.4	11.5	45	<0.1	2.4	0.5	8	0.62	
1825044	Drill Core	4.83	0.039	0.4	36.5	6.8	78	<0.1	32.2	16.1	488	3.38	327.1	30.3	12.1	31	<0.1	1.6	0.4	12	0.49
REP 1825044	QC	0.037																			
1825078	Drill Core	5.15	0.109	0.3	28.5	7.5	42	0.1	19.1	8.5	301	2.08	52.7	46.3	7.7	42	<0.1	1.2	0.7	11	0.83
REP 1825078	QC		0.4	31.2	8.6	46	0.1	19.3	8.9	304	2.11	55.6	74.9	7.6	43	<0.1	1.1	0.8	11	0.85	
1825095	Drill Core	4.87	0.126	0.7	34.9	6.8	56	0.1	30.1	15.2	766	3.10	706.4	94.2	12.5	82	<0.1	2.7	0.5	6	1.25
REP 1825095	QC	0.120																			
1825109	Drill Core	5.02	0.026	0.1	44.0	4.4	87	0.2	42.1	14.4	529	4.24	46.9	11.2	14.1	55	<0.1	3.6	0.2	10	0.58
REP 1825109	QC	0.029																			
1825112	Drill Core	5.09	0.006	0.4	51.9	16.5	85	0.1	30.8	15.3	673	3.83	20.4	2.4	12.9	59	<0.1	2.5	0.5	18	0.58
REP 1825112	QC		0.5	53.7	18.4	86	0.1	30.7	16.4	692	3.84	25.9	2.1	13.5	61	<0.1	2.4	0.4	18	0.57	
Core Reject Duplicates																					
1825009	Drill Core	4.04	0.008	0.4	18.6	11.6	36	<0.1	18.3	9.5	286	2.03	29.7	3.4	9.3	29	<0.1	1.4	0.1	6	0.39
DUP 1825009	QC	0.008																			
1825043	Drill Core	3.84	0.210	0.5	34.4	8.0	76	0.1	30.7	13.6	494	3.65	430.2	197.7	11.0	43	<0.1	2.3	0.5	9	0.60
DUP 1825043	QC	0.137																			
1825077	Drill Core	5.07	0.475	0.5	27.6	5.9	30	0.1	11.2	4.6	538	1.39	12.0	537.0	5.8	84	<0.1	0.2	7.3	8	2.76
DUP 1825077	QC	0.575																			
1825111	Drill Core	4.24	0.005	0.2	38.2	4.2	107	<0.1	45.3	17.8	492	4.55	14.3	1.6	14.3	29	<0.1	3.6	0.3	16	0.29
DUP 1825111	QC	0.005																			
Reference Materials																					
STD BVGEO01	Standard		10.6	4439.5	189.5	1890	2.6	157.3	25.2	749	3.80	119.5	233.6	14.9	60	6.5	2.6	25.7	73	1.43	
STD BVGEO01	Standard		10.6	4432.5	185.2	1836	2.5	156.3	25.0	719	3.76	118.7	215.6	15.3	57	6.3	2.3	24.1	74	1.27	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** August 10, 2019

**Page:** 1 of 3

**Part:** 2 of 2

# QUALITY CONTROL REPORT

WHI19000167.1

Method		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																			
REP 1825009	QC	0.012	16	8	0.33	113	0.002	<20	0.65	0.004	0.19	<0.1	<0.01	1.1	0.1	0.27	2	<0.5	<0.2
1825023	Drill Core	0.010	12	5	0.23	80	0.001	<20	0.36	0.002	0.14	0.5	<0.01	0.6	<0.1	0.11	<1	<0.5	<0.2
REP 1825023																			
1825037	Drill Core	0.011	19	12	0.40	72	0.002	<20	0.86	0.003	0.18	0.1	<0.01	1.8	0.1	0.05	3	<0.5	<0.2
REP 1825037																			
REP 1825043	QC	0.041	24	11	0.79	71	0.002	<20	1.10	0.008	0.28	0.2	<0.01	2.2	0.2	0.74	3	<0.5	<0.2
1825044	Drill Core	0.030	27	15	0.75	79	0.010	<20	1.39	0.006	0.35	0.2	<0.01	2.4	0.2	0.40	4	<0.5	<0.2
REP 1825044																			
1825078	Drill Core	0.029	15	18	0.46	100	0.008	<20	0.70	0.013	0.33	0.6	<0.01	2.3	0.2	0.44	2	1.2	<0.2
REP 1825078	QC	0.029	15	19	0.47	100	0.008	<20	0.72	0.013	0.33	0.5	<0.01	2.2	0.2	0.44	2	1.0	<0.2
1825095	Drill Core	0.022	14	7	0.59	85	0.002	<20	0.76	0.008	0.31	0.2	<0.01	2.1	0.2	1.16	2	0.5	<0.2
REP 1825095																			
1825109	Drill Core	0.054	26	13	0.74	74	0.002	<20	1.37	0.008	0.33	<0.1	0.01	2.2	0.2	0.39	3	<0.5	<0.2
REP 1825109																			
1825112	Drill Core	0.038	30	20	0.90	68	0.003	<20	1.95	0.009	0.26	<0.1	<0.01	2.4	0.1	0.08	5	<0.5	<0.2
REP 1825112	QC	0.037	31	20	0.91	69	0.003	<20	1.95	0.008	0.26	<0.1	<0.01	2.4	0.1	0.08	5	<0.5	<0.2
Core Reject Duplicates																			
1825009	Drill Core	0.014	19	9	0.35	139	0.002	<20	0.71	0.005	0.23	<0.1	<0.01	1.2	0.1	0.28	2	<0.5	<0.2
DUP 1825009	QC	0.012	16	8	0.33	116	0.002	<20	0.66	0.004	0.19	<0.1	<0.01	1.2	0.1	0.26	2	<0.5	<0.2
1825043	Drill Core	0.041	23	11	0.75	73	0.002	<20	1.11	0.007	0.30	0.2	<0.01	2.3	0.2	0.75	3	<0.5	<0.2
DUP 1825043	QC	0.042	24	11	0.80	74	0.003	<20	1.14	0.008	0.29	0.2	<0.01	2.0	0.2	0.76	3	0.7	<0.2
1825077	Drill Core	0.011	9	9	0.33	148	0.017	<20	0.89	0.035	0.20	>100	*	1.6	0.1	0.34	3	1.3	0.3
DUP 1825077	QC	0.012	9	10	0.34	157	0.018	<20	0.93	0.038	0.20	>100	*	1.3	0.1	0.36	3	1.5	0.4
1825111	Drill Core	0.050	31	20	0.93	85	0.003	<20	2.13	0.009	0.29	0.1	<0.01	2.1	<0.1	0.11	6	<0.5	<0.2
DUP 1825111	QC	0.051	34	21	0.96	90	0.003	<20	2.25	0.012	0.33	<0.1	<0.01	2.3	0.1	0.11	6	<0.5	<0.2
Reference Materials																			
STD BVGE001	Standard	0.074	27	177	1.31	346	0.240	<20	2.37	0.193	0.89	3.6	0.08	5.9	0.6	0.65	7	5.0	1.1
STD BVGE001	Standard	0.073	26	172	1.31	329	0.230	<20	2.34	0.196	0.89	3.4	0.08	5.7	0.6	0.66	7	4.0	1.1



# QUALITY CONTROL REPORT

WHI19000167.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
STD DS11	Standard			12.4	149.1	129.1	351	1.8	75.0	12.7	998	3.00	41.7	73.9	7.3	70	2.1	7.1	11.7	47	1.00
STD DS11	Standard			14.5	152.3	132.4	330	1.7	81.1	13.1	1013	3.06	40.6	54.5	8.0	64	2.4	6.5	10.7	47	1.06
STD OREAS262	Standard			0.7	119.6	58.3	157	0.5	66.7	27.9	574	3.32	36.5	65.9	9.2	38	0.7	3.0	1.0	21	3.21
STD OREAS262	Standard			0.6	117.9	52.8	145	0.5	61.2	27.1	537	3.20	36.3	64.2	8.6	36	0.6	3.2	1.0	21	2.93
STD OREAS262	Standard			0.7	121.0	56.5	153	0.4	67.1	26.8	530	3.34	36.0	53.9	10.0	34	0.6	1.9	0.9	23	2.97
STD OREAS262	Standard			0.6	119.4	54.5	151	0.4	64.9	28.1	555	3.30	35.1	58.7	9.5	35	0.5	2.5	0.9	22	3.00
STD OREAS256	Standard		7.144																		
STD OREAS256	Standard		7.347																		
STD OREAS256	Standard		7.153																		
STD OXC145	Standard		0.217																		
STD OXC145	Standard		0.206																		
STD OXC145	Standard		0.208																		
STD OXC145	Standard		0.200																		
STD OXH139	Standard		1.309																		
STD OXH139	Standard		1.298																		
STD OXH139	Standard		1.290																		
STD OXH139	Standard		1.309																		
STD OXN134	Standard		7.523																		
STD BVGE001 Expected				10.8	4415	187	1741	2.53	163	25	733	3.7	121	219	14.4	55	6.5	2.2	25.6	73	1.3219
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063
STD OREAS262 Expected				0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	65	9.33	36	0.61	3.39	1.03	22.5	2.98
STD OREAS256 Expected			7.66																		
STD OXC145 Expected			0.212																		
STD OXH139 Expected			1.312																		
STD OXN134 Expected			7.667																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01



# QUALITY CONTROL REPORT

WHI19000167.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD DS11	Standard	0.068	17	57	0.82	414	0.088	<20	1.14	0.069	0.39	2.6	0.25	3.2	4.8	0.27	5	2.1	5.3
STD DS11	Standard	0.070	18	60	0.83	421	0.089	<20	1.16	0.070	0.39	2.6	0.22	3.1	4.7	0.27	5	1.8	4.7
STD OREAS262	Standard	0.039	19	42	1.20	266	0.004	<20	1.32	0.068	0.32	0.1	0.17	3.6	0.5	0.25	4	0.7	<0.2
STD OREAS262	Standard	0.035	16	39	1.15	237	0.003	<20	1.23	0.066	0.30	0.2	0.17	3.3	0.5	0.25	4	0.7	0.3
STD OREAS262	Standard	0.041	17	44	1.19	249	0.003	<20	1.34	0.071	0.34	<0.1	0.16	3.4	0.4	0.26	4	<0.5	<0.2
STD OREAS262	Standard	0.038	17	43	1.17	253	0.003	<20	1.34	0.067	0.31	<0.1	0.16	3.1	0.5	0.26	4	<0.5	0.2
STD OREAS256	Standard																		
STD OREAS256	Standard																		
STD OREAS256	Standard																		
STD OXC145	Standard																		
STD OXC145	Standard																		
STD OXC145	Standard																		
STD OXC145	Standard																		
STD OXH139	Standard																		
STD OXH139	Standard																		
STD OXH139	Standard																		
STD OXH139	Standard																		
STD OXN134	Standard																		
STD BVGEO01 Expected		0.0727	25.9	171	1.2963	340	0.233		2.347	0.1924	0.89	3.5	0.1	5.97	0.62	0.6655	7.37	4.84	1.02
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56
STD OREAS262 Expected		0.04	15.9	41.7	1.17	248	0.003		1.204	0.071	0.312	0.13	0.17	3.24	0.47	0.253	3.73	0.4	0.23
STD OREAS256 Expected																			
STD OXC145 Expected																			
STD OXH139 Expected																			
STD OXN134 Expected																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	1.0	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 10, 2019

Page: 3 of 3

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000167.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
Prep Wash																					
ROCK-WHI	Prep Blank		0.013	1.0	2.3	4.9	30	<0.1	1.0	3.9	485	1.79	0.9	11.4	3.2	22	<0.1	<0.1	<0.1	24	0.58
ROCK-WHI	Prep Blank		<0.005	0.7	2.7	19.8	31	0.1	0.7	3.8	483	1.78	0.6	2.4	2.7	21	<0.1	<0.1	0.2	22	0.62



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 10, 2019

Page: 3 of 3

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000167.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200		
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
Prep Wash																				
ROCK-WHI	Prep Blank	0.044	6	3	0.46	62	0.080	<20	0.89	0.075	0.08	<0.1	<0.01	2.8	<0.1	<0.05	4	<0.5	<0.2	
ROCK-WHI	Prep Blank	0.041	6	2	0.44	63	0.075	<20	0.85	0.074	0.08	<0.1	<0.01	2.6	<0.1	<0.05	3	<0.5	<0.2	



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Submitted By: James Thom  
Receiving Lab: Canada-Whitehorse  
Received: July 08, 2019  
Report Date: August 09, 2019  
Page: 1 of 4

## CERTIFICATE OF ANALYSIS

WHI19000168.1

### CLIENT JOB INFORMATION

Project: McQuesten  
Shipment ID: MQ-19-02  
P.O. Number  
Number of Samples: 73

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
RTRN-RJT Return After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Banyan Gold Corp.  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7  
Canada

CC: Paul Gray

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	71	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	2	Sort, label and box pulps			WHI
FA450	73	50g Lead Collection Fire Assay Fusion - AAS Finish	50	Completed	VAN
EN002	73	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	73	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	73	Per sample shipping charges for branch shipments			VAN
FA550	1	Lead collection fire assay 50G fusion - Grav finish	50	Completed	VAN

### ADDITIONAL COMMENTS

  
SOFIA DEVOTA  
XRF Manager

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. \*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



# CERTIFICATE OF ANALYSIS

WHI19000168.1

Method	Analyte	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Unit		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
MDL		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1825125	Drill Core	4.91	1.161	0.5	24.2	8.6	47	0.2	43.4	10.4	426	2.36	171.1	1301.1	11.3	113	0.1	0.3	14.4	22	6.26
1825126	Drill Core	4.34	0.042	0.3	14.4	12.1	52	0.1	22.8	8.1	371	2.24	40.1	18.5	12.3	83	<0.1	0.2	0.4	17	2.05
1825127	Drill Core	3.54	0.267	0.3	46.2	10.1	60	0.2	30.8	13.2	695	3.18	40.9	205.2	13.8	230	0.3	<0.1	6.4	24	9.19
1825128	Drill Core	5.45	0.030	0.2	45.1	3.6	77	<0.1	41.6	18.4	290	3.93	92.7	112.1	15.3	36	0.1	0.4	0.6	18	0.87
1825129	Drill Core	2.39	0.006	0.4	30.1	11.5	61	<0.1	27.3	11.2	364	2.62	32.0	8.4	13.6	31	<0.1	0.4	0.2	9	0.64
1825130	Drill Core	2.42	0.005	0.4	18.6	13.2	58	<0.1	22.0	9.4	343	2.42	21.1	2.1	11.8	29	<0.1	0.4	0.2	8	0.57
1825131	Drill Core	4.11	0.015	0.4	23.6	4.7	77	<0.1	29.4	12.9	438	3.57	427.8	7.8	13.8	37	<0.1	0.5	0.2	10	0.54
1825132	Drill Core	6.05	0.026	0.4	24.3	6.5	54	<0.1	27.3	12.2	321	2.87	479.2	8.0	10.3	31	<0.1	0.4	0.4	10	0.51
1825133	Drill Core	3.78	<0.005	<0.1	15.1	3.0	77	0.3	30.0	12.2	253	4.01	38.7	<0.5	13.8	43	<0.1	0.2	<0.1	22	0.44
1825134	Drill Core	3.76	0.009	1.1	39.6	4.8	89	<0.1	34.3	16.9	315	3.52	53.6	2.5	15.8	28	<0.1	0.7	0.8	10	0.37
1825135	Drill Core	4.17	0.115	0.8	39.6	17.0	77	0.1	32.6	16.9	531	3.11	173.2	22.2	13.1	77	<0.1	1.4	1.1	12	1.24
1825136	Drill Core	5.01	0.011	0.1	38.0	7.2	87	<0.1	48.3	19.7	417	4.39	79.3	1.7	17.1	30	<0.1	1.0	0.4	12	0.45
1825137	Drill Core	4.29	<0.005	0.3	32.3	14.2	72	<0.1	30.7	14.9	324	3.40	11.6	<0.5	13.0	26	<0.1	1.9	0.4	14	0.30
1825138	Drill Core	5.78	1.924	0.5	58.3	12.3	134	0.5	100.5	37.9	1305	4.95	884.3	2829.5	5.4	114	0.2	3.5	19.1	88	3.91
1825139	Drill Core	3.90	0.600	0.9	52.5	7.2	76	0.1	43.5	20.0	536	4.13	67.1	586.3	13.5	56	<0.1	1.4	7.9	13	1.05
1825140	Rock	1.69	<0.005	<0.1	0.8	0.4	<1	<0.1	<0.1	0.7	97	0.06	<0.5	<0.5	<0.1	73	<0.1	<0.1	<0.1	<1	32.19
1825141	Drill Core	4.33	1.440	0.5	41.7	9.8	135	0.4	66.6	29.4	1438	4.71	2288.5	916.5	5.0	90	0.3	4.7	5.6	65	2.76
1825142	Drill Core	5.11	0.277	1.2	43.7	7.1	77	0.2	35.4	14.6	463	3.85	1122.4	171.3	12.8	27	<0.1	1.8	1.0	10	0.45
1825143	Drill Core	4.29	0.018	1.3	35.3	8.3	66	<0.1	31.0	14.0	527	3.19	213.5	5.8	11.9	39	<0.1	0.9	0.3	13	0.74
1825144	Drill Core	3.30	0.066	0.6	31.0	7.6	70	<0.1	31.5	19.5	493	3.24	253.2	22.0	14.1	35	<0.1	1.1	0.6	7	0.54
1825145	Drill Core	4.08	0.337	0.7	61.6	12.5	68	0.2	41.2	20.0	482	3.69	664.0	177.5	12.9	47	<0.1	2.0	1.9	32	0.90
1825146	Drill Core	3.47	0.070	0.7	36.3	8.8	66	<0.1	29.1	14.2	585	3.13	51.5	28.2	13.9	44	<0.1	0.3	0.3	13	1.11
1825147	Drill Core	4.46	0.081	1.1	48.3	7.4	79	<0.1	48.3	22.0	659	3.98	146.7	34.3	17.1	27	<0.1	0.7	0.9	13	0.41
1825148	Drill Core	3.96	0.039	0.6	48.7	8.6	102	0.2	48.6	17.7	499	4.25	32.0	1365.7	15.7	25	<0.1	0.5	0.6	17	0.43
1825149	Drill Core	1.40	0.008	0.9	42.8	3.8	86	<0.1	49.2	17.9	439	3.86	34.9	2.0	15.5	21	<0.1	0.2	0.4	7	0.27
1825150	Drill Core	1.30	0.009	0.9	50.6	4.2	94	<0.1	54.1	24.7	403	4.08	44.3	1.5	16.2	23	<0.1	0.2	0.5	8	0.28
1825151	Drill Core	1.55	0.006	0.4	43.3	5.0	99	<0.1	44.6	17.3	522	4.51	9.0	4.2	13.9	11	<0.1	0.2	0.4	10	0.13
1825152	Drill Core	6.47	0.410	1.0	68.1	3.3	85	0.2	46.0	27.7	502	4.10	77.2	355.3	3.9	50	0.1	0.3	6.7	86	1.62
1825153	Drill Core	4.30	0.276	1.0	49.3	6.5	112	0.1	58.6	27.7	517	4.88	91.5	172.4	6.3	43	<0.1	0.3	3.8	92	1.30
1825154	Drill Core	7.39	0.028	1.1	55.7	1.7	67	<0.1	52.9	27.6	350	4.19	71.7	12.4	0.9	48	<0.1	0.2	0.5	100	1.02



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** August 09, 2019

**Page:** 2 of 4

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

## WHI19000168.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.9
1825125	Drill Core	0.020	14	55	0.86	165	0.052	<20	1.76	0.052	0.41	0.7	<0.01	2.9	0.4	0.28	5	0.8	0.8
1825126	Drill Core	0.021	23	26	0.55	118	0.035	<20	1.32	0.028	0.43	2.0	<0.01	2.4	0.3	0.12	4	<0.5	<0.2
1825127	Drill Core	0.045	17	23	0.63	228	0.072	<20	2.23	0.062	0.53	0.5	<0.01	3.0	0.5	0.63	5	1.9	0.2
1825128	Drill Core	0.043	28	20	0.77	157	0.061	<20	1.70	0.020	0.78	0.2	<0.01	2.5	0.6	0.25	4	<0.5	<0.2
1825129	Drill Core	0.030	25	12	0.60	73	0.009	<20	0.87	0.017	0.27	<0.1	<0.01	1.8	0.2	0.19	2	<0.5	<0.2
1825130	Drill Core	0.023	21	11	0.57	67	0.007	<20	0.80	0.019	0.25	0.3	<0.01	1.6	0.1	0.15	2	<0.5	<0.2
1825131	Drill Core	0.041	24	13	0.81	82	0.012	<20	1.14	0.016	0.38	0.1	<0.01	2.0	0.2	0.25	3	<0.5	<0.2
1825132	Drill Core	0.028	18	13	0.65	62	0.005	<20	1.14	0.021	0.26	<0.1	<0.01	1.6	0.1	0.24	3	<0.5	<0.2
1825133	Drill Core	0.035	26	29	0.81	150	0.063	<20	2.16	0.017	0.63	0.5	<0.01	2.6	0.3	0.07	6	<0.5	<0.2
1825134	Drill Core	0.040	33	13	0.85	67	0.003	<20	1.20	0.014	0.29	<0.1	<0.01	1.8	0.1	0.13	3	<0.5	<0.2
1825135	Drill Core	0.059	26	16	0.77	77	0.003	<20	1.25	0.012	0.29	0.1	<0.01	2.3	0.2	0.35	3	<0.5	<0.2
1825136	Drill Core	0.058	33	15	0.80	75	0.003	<20	1.49	0.015	0.28	0.1	<0.01	2.4	0.1	0.25	4	<0.5	<0.2
1825137	Drill Core	0.040	27	18	0.83	90	0.005	<20	1.73	0.016	0.26	<0.1	<0.01	1.9	<0.1	0.16	4	<0.5	<0.2
1825138	Drill Core	0.038	5	182	2.08	157	0.128	<20	3.03	0.095	0.72	>100	<0.01	9.3	0.9	0.80	11	2.6	1.4
1825139	Drill Core	0.051	26	20	1.01	126	0.011	<20	1.19	0.014	0.32	15.4	<0.01	2.5	0.3	0.48	3	<0.5	0.7
1825140	Rock	0.006	1	<1	0.85	16	0.001	<20	0.02	0.002	0.03	0.4	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1825141	Drill Core	0.034	6	120	1.60	188	0.075	<20	2.30	0.043	0.65	13.7	0.04	7.8	0.7	0.71	8	1.8	0.8
1825142	Drill Core	0.042	23	14	0.85	77	0.003	<20	0.82	0.008	0.31	0.5	<0.01	2.1	0.2	0.50	2	<0.5	0.3
1825143	Drill Core	0.037	20	15	0.72	76	0.011	<20	0.86	0.013	0.29	4.1	<0.01	2.3	0.2	0.44	3	<0.5	<0.2
1825144	Drill Core	0.029	26	10	0.66	67	0.007	<20	0.81	0.011	0.33	0.2	<0.01	1.7	0.2	0.45	2	<0.5	<0.2
1825145	Drill Core	0.066	17	33	0.82	120	0.043	<20	1.78	0.041	0.41	0.7	<0.01	3.6	0.4	0.82	5	1.0	0.2
1825146	Drill Core	0.023	24	15	0.65	82	0.018	<20	1.27	0.020	0.35	1.2	<0.01	2.4	0.3	0.28	3	<0.5	<0.2
1825147	Drill Core	0.044	29	14	0.85	62	0.013	<20	1.32	0.014	0.38	0.1	<0.01	2.5	0.3	0.48	4	<0.5	<0.2
1825148	Drill Core	0.078	33	21	1.02	82	0.022	<20	1.93	0.014	0.42	0.2	<0.01	2.5	0.3	0.39	5	<0.5	<0.2
1825149	Drill Core	0.027	28	10	0.79	53	0.003	<20	0.97	0.015	0.31	0.1	<0.01	1.8	0.2	0.51	2	<0.5	<0.2
1825150	Drill Core	0.024	29	10	0.79	59	0.003	<20	1.05	0.017	0.33	0.1	<0.01	2.0	0.2	0.68	2	<0.5	<0.2
1825151	Drill Core	0.034	30	11	0.93	45	0.002	<20	1.34	0.013	0.27	<0.1	<0.01	1.9	<0.1	0.35	3	<0.5	<0.2
1825152	Drill Core	0.138	8	81	1.63	112	0.171	<20	2.28	0.124	0.61	0.3	<0.01	4.7	0.6	0.56	10	1.5	0.2
1825153	Drill Core	0.099	11	118	2.77	795	0.215	<20	3.41	0.041	1.82	0.5	<0.01	5.7	1.8	0.27	14	<0.5	<0.2
1825154	Drill Core	0.137	4	127	2.29	1109	0.213	<20	2.96	0.132	1.15	0.1	<0.01	4.6	0.8	0.11	12	<0.5	<0.2



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 09, 2019

Page: 3 of 4

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000168.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1825155	Drill Core	5.24	0.215	1.1	65.6	2.3	57	0.1	54.4	24.9	365	3.35	72.4	278.5	0.8	92	0.1	0.3	6.6	87	2.19
1825156	Drill Core	4.82	0.039	1.1	67.1	2.2	65	<0.1	55.1	26.9	366	3.51	107.9	9.5	0.9	83	<0.1	0.2	0.7	91	2.25
1825157	Drill Core	4.61	0.041	0.9	63.0	3.5	64	0.1	62.8	29.0	376	3.59	127.5	120.4	0.8	77	0.1	0.3	0.4	91	2.22
1825158	Drill Core	5.40	0.069	1.0	64.0	4.2	72	0.1	54.2	27.4	366	3.57	80.5	48.2	1.7	118	0.1	0.4	1.2	85	2.22
1825159	Drill Core	4.57	0.126	0.9	64.7	3.0	97	<0.1	59.9	29.5	523	4.32	237.2	59.1	0.7	92	0.2	0.3	1.3	119	2.72
1825160	Rock Pulp		0.288	13.6	2197.6	1059.5	7096	19.6	33.2	17.8	516	8.77	278.0	41.5	1.5	43	49.5	30.3	11.2	45	2.07
1825161	Drill Core	5.64	0.164	1.0	62.4	2.0	65	<0.1	54.7	25.8	356	3.50	84.1	40.0	0.5	72	<0.1	0.3	1.1	92	1.70
1825162	Drill Core	4.50	0.018	1.0	53.5	1.6	68	<0.1	62.7	26.6	421	3.96	46.4	17.9	0.4	75	<0.1	0.5	0.3	100	1.93
1825163	Drill Core	4.96	1.337	1.2	54.8	12.7	107	0.5	69.3	32.4	658	4.99	707.1	359.1	0.4	92	0.2	2.2	14.9	133	3.03
1825164	Drill Core	5.10	0.105	0.7	47.8	6.5	123	0.1	79.0	37.3	1204	6.12	141.2	48.6	0.7	218	0.1	2.5	2.5	153	4.73
1825165	Drill Core	4.64	0.337	1.3	91.9	10.1	151	0.2	56.9	30.0	985	5.58	63.9	246.1	6.0	83	<0.1	1.5	4.8	111	2.55
1825166	Drill Core	6.29	0.168	0.9	54.9	3.3	90	0.1	49.9	26.6	445	4.15	98.3	95.1	0.6	69	0.1	0.3	1.7	98	1.43
1825167	Drill Core	4.04	0.038	1.0	49.2	4.2	141	0.1	76.3	36.0	676	5.24	673.1	20.6	0.4	103	0.2	0.6	0.6	154	2.25
1825168	Drill Core	1.09	>10	1.3	85.0	54.8	235	4.1	71.4	41.7	1269	7.63	6838.3	25800.3	0.6	125	0.4	6.7	149.0	187	3.67
1825169	Drill Core	3.28	0.040	0.9	24.5	11.3	54	<0.1	20.4	9.3	294	2.07	24.1	47.1	8.9	30	<0.1	0.5	0.3	16	0.61
1825170	Drill Core	2.99	0.116	1.1	22.5	9.3	49	0.3	20.7	8.9	281	2.02	27.5	1883.5	8.6	27	<0.1	0.5	0.5	14	0.59
1825171	Drill Core	3.68	0.009	0.8	31.8	3.9	140	<0.1	87.8	31.9	770	5.11	134.3	4.5	3.0	72	<0.1	0.3	0.2	102	1.60
1825172	Drill Core	4.57	0.927	0.5	59.3	5.2	99	0.2	40.1	21.4	713	4.08	79.7	932.1	5.4	77	<0.1	3.3	9.6	63	1.80
1825173	Drill Core	3.42	<0.005	0.6	39.6	10.9	119	<0.1	35.0	15.5	452	3.80	18.2	<0.5	13.7	25	0.8	1.5	0.2	12	0.31
1825174	Drill Core	4.15	0.409	0.5	12.4	9.5	29	<0.1	10.4	5.2	196	1.52	41.0	41.3	6.6	24	<0.1	2.4	1.4	6	0.34
1825175	Drill Core	3.67	0.044	0.4	17.6	6.9	28	<0.1	12.0	5.9	177	1.60	44.9	53.6	7.8	21	<0.1	3.2	0.3	5	0.30
1825176	Drill Core	3.73	0.013	0.4	15.5	6.4	28	<0.1	12.1	5.5	157	1.57	29.7	8.4	7.8	14	<0.1	2.4	0.2	6	0.18
1825177	Drill Core	3.57	2.392	0.4	147.4	7.7	76	0.6	79.3	30.6	716	5.55	45.4	2100.4	3.7	182	0.1	2.1	27.8	66	2.80
1825178	Drill Core	5.01	0.667	0.6	49.7	9.2	52	0.4	24.4	12.8	338	2.75	37.6	1002.2	7.9	54	<0.1	3.1	8.3	16	0.80
1825179	Drill Core	4.54	0.318	1.3	42.4	10.0	77	0.2	39.0	18.8	805	4.40	365.9	162.6	12.1	83	<0.1	5.1	0.7	33	1.58
1825180	Rock Pulp		2.799	11.5	3693.7	>10000	>10000	>100	92.3	41.7	4300	8.44	639.6	3409.6	4.7	18	127.7	173.9	26.2	63	1.91
1825181	Drill Core	4.18	0.031	0.6	70.3	11.6	74	0.2	47.5	22.1	629	4.25	367.6	28.8	10.9	56	<0.1	6.8	0.5	12	0.96
1825182	Drill Core	3.82	0.051	1.0	65.0	9.7	120	0.3	98.4	35.8	1232	5.33	287.9	56.6	3.8	89	0.1	2.3	2.4	79	2.42
1825183	Drill Core	3.91	0.028	0.7	49.6	12.1	83	0.1	48.3	23.4	514	3.85	162.3	132.0	14.1	34	<0.1	0.9	0.7	13	0.45
1825184	Drill Core	5.35	0.008	1.2	47.9	9.1	103	0.2	49.9	25.8	566	4.17	47.4	4.4	14.8	35	<0.1	1.5	0.4	16	0.41

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 09, 2019

Page: 3 of 4

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000168.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550
	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.9
1825155	Drill Core	0.146	4	92	1.52	220	0.142	<20	2.29	0.214	0.27	>100	0.03	5.3	0.3	0.16	10	<0.5	0.3	
1825156	Drill Core	0.161	5	97	1.61	66	0.134	<20	2.18	0.167	0.19	0.4	<0.01	6.3	0.2	0.21	9	<0.5	<0.2	
1825157	Drill Core	0.151	4	113	1.78	69	0.150	<20	2.24	0.143	0.11	0.3	<0.01	6.0	<0.1	0.21	10	<0.5	<0.2	
1825158	Drill Core	0.162	4	96	1.64	49	0.144	<20	2.14	0.134	0.09	0.2	<0.01	4.1	0.1	0.33	9	0.8	<0.2	
1825159	Drill Core	0.160	4	117	2.26	211	0.156	<20	2.76	0.127	0.86	0.7	0.01	7.7	0.9	0.34	12	1.2	<0.2	
1825160	Rock Pulp	0.036	4	39	2.51	49	0.004	<20	1.83	0.008	0.06	0.7	2.71	3.4	4.6	6.71	7	35.6	0.4	
1825161	Drill Core	0.167	4	95	1.68	363	0.166	<20	2.21	0.166	0.57	0.5	0.01	4.7	0.5	0.23	9	<0.5	<0.2	
1825162	Drill Core	0.141	4	123	2.20	363	0.163	<20	2.63	0.153	0.67	0.3	0.02	6.4	0.6	0.17	10	<0.5	<0.2	
1825163	Drill Core	0.140	5	149	2.84	547	0.148	<20	3.28	0.094	0.99	2.9	0.01	10.6	1.0	0.29	13	1.8	0.8	
1825164	Drill Core	0.138	5	149	3.43	110	0.106	<20	3.59	0.039	0.74	0.3	0.01	14.0	1.0	0.54	14	0.9	<0.2	
1825165	Drill Core	0.110	11	105	2.24	362	0.152	<20	3.01	0.050	1.09	25.0	<0.01	9.8	1.0	0.88	12	3.0	0.3	
1825166	Drill Core	0.149	4	105	2.02	392	0.171	<20	2.52	0.120	0.68	1.3	<0.01	4.3	0.6	0.48	11	0.7	<0.2	
1825167	Drill Core	0.153	5	157	3.13	903	0.234	<20	3.73	0.095	1.90	>100	<0.01	11.8	1.8	0.36	16	0.6	<0.2	
1825168	Drill Core	0.146	3	157	3.93	340	0.190	<20	4.36	0.043	2.01	0.6	0.04	16.4	2.2	1.11	21	6.8	15.9	48.1
1825169	Drill Core	0.019	19	19	0.56	191	0.029	<20	0.97	0.014	0.44	0.7	<0.01	1.9	0.3	0.25	3	<0.5	<0.2	
1825170	Drill Core	0.018	17	20	0.52	168	0.026	<20	0.91	0.014	0.43	0.2	<0.01	1.6	0.3	0.26	3	<0.5	<0.2	
1825171	Drill Core	0.062	5	230	3.41	381	0.297	<20	4.39	0.120	2.43	3.6	<0.01	10.0	2.5	0.36	13	1.6	<0.2	
1825172	Drill Core	0.046	9	103	1.62	196	0.089	<20	2.29	0.051	0.95	56.0	<0.01	6.5	1.0	0.67	9	3.0	0.7	
1825173	Drill Core	0.073	28	15	0.94	97	0.012	<20	1.25	0.013	0.40	0.2	<0.01	1.8	0.3	0.23	3	<0.5	<0.2	
1825174	Drill Core	0.010	13	8	0.38	110	0.003	<20	0.61	0.017	0.18	0.1	<0.01	0.9	<0.1	0.21	2	<0.5	<0.2	
1825175	Drill Core	0.041	15	8	0.36	96	0.004	<20	0.60	0.021	0.24	0.1	<0.01	0.9	0.1	0.36	2	0.6	<0.2	
1825176	Drill Core	0.011	16	10	0.35	137	0.004	<20	0.65	0.022	0.23	0.2	<0.01	0.9	0.1	0.33	2	<0.5	<0.2	
1825177	Drill Core	0.050	5	121	1.26	235	0.107	<20	3.44	0.303	0.41	4.1	<0.01	6.9	0.4	2.16	9	7.2	1.2	
1825178	Drill Core	0.019	15	24	0.71	130	0.020	<20	1.19	0.024	0.34	4.6	<0.01	1.9	0.3	0.63	4	1.2	0.4	
1825179	Drill Core	0.058	20	35	1.39	103	0.016	<20	1.70	0.009	0.39	0.4	<0.01	4.2	0.4	0.58	5	0.9	<0.2	
1825180	Rock Pulp	0.048	13	45	1.87	33	0.071	<20	1.88	0.040	0.26	2.2	2.36	4.7	1.8	4.82	8	11.0	0.4	
1825181	Drill Core	0.047	18	14	0.97	150	0.003	<20	1.28	0.008	0.31	0.2	<0.01	2.2	0.3	1.07	3	0.6	<0.2	
1825182	Drill Core	0.103	9	104	2.22	157	0.114	<20	2.85	0.028	0.84	2.3	<0.01	6.4	0.9	1.02	9	1.9	<0.2	
1825183	Drill Core	0.043	29	13	0.78	63	0.015	<20	1.38	0.013	0.37	0.1	<0.01	1.9	0.2	0.68	4	0.9	<0.2	
1825184	Drill Core	0.041	30	16	0.91	133	0.031	<20	1.61	0.009	0.50	0.9	<0.01	2.2	0.5	0.52	4	<0.5	<0.2	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 09, 2019

Page: 4 of 4 Part: 1 of 2

# CERTIFICATE OF ANALYSIS

## WHI19000168.1

Method Analyte Unit MDL	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1825185	Drill Core	3.41	0.012	0.5	32.8	10.7	80	<0.1	39.2	19.8	544	3.50	472.4	4.4	18.0	42	<0.1	1.9	0.5	16	0.69
1825186	Drill Core	5.71	0.034	0.8	40.0	12.2	102	0.1	43.3	22.0	770	4.26	184.5	10.8	15.0	44	<0.1	4.2	0.5	11	0.83
1825187	Drill Core	6.27	0.421	0.2	39.1	9.2	77	0.2	39.5	17.8	616	3.73	106.2	143.2	16.5	41	<0.1	0.9	1.0	14	0.66
1825188	Drill Core	4.63	0.022	0.4	29.2	8.5	78	<0.1	34.4	13.9	767	3.64	24.5	15.0	11.4	39	<0.1	1.2	0.5	14	0.64
1825189	Drill Core	2.73	0.050	0.5	24.1	7.8	67	<0.1	25.8	10.9	510	3.39	41.8	26.7	10.0	48	<0.1	0.9	0.3	11	0.83
1825190	Drill Core	2.29	0.034	0.2	22.8	6.5	66	<0.1	26.0	11.4	501	3.37	32.1	13.9	9.9	46	<0.1	1.0	0.2	11	0.83
1825191	Drill Core	3.36	0.128	0.1	38.7	13.0	78	0.1	36.6	18.3	672	3.48	188.1	120.9	10.1	45	<0.1	3.4	0.3	11	0.82
1825192	Drill Core	4.86	0.033	0.4	24.4	9.1	46	<0.1	19.5	7.8	481	2.17	72.0	12.9	10.4	42	<0.1	3.1	0.3	6	1.00
1825193	Drill Core	4.26	0.016	0.3	22.1	8.4	61	<0.1	24.7	10.9	501	2.71	64.8	6.5	16.0	31	<0.1	4.1	0.2	7	0.57
1825194	Drill Core	4.64	0.036	0.3	19.1	10.9	54	<0.1	14.9	7.0	383	1.77	87.1	8.7	12.1	50	0.2	4.3	0.3	5	1.34
1825195	Drill Core	4.58	0.018	0.3	19.2	11.9	126	<0.1	14.0	6.8	625	1.67	50.5	8.2	10.7	50	0.4	3.3	0.3	5	1.06
1825196	Drill Core	4.45	0.033	0.7	36.0	6.8	51	<0.1	24.6	11.3	474	2.84	50.5	19.4	13.8	41	<0.1	2.6	0.5	11	0.72
1825197	Drill Core	8.40	0.007	0.4	40.8	16.0	95	<0.1	37.7	16.7	708	3.85	4.9	10.5	16.9	33	<0.1	3.3	0.4	15	0.47





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 09, 2019

Page: 4 of 4

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000168.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.9
1825185	Drill Core	0.029	35	18	0.72	110	0.035	<20	1.54	0.009	0.55	0.2	<0.01	2.0	0.5	0.46	4	0.6	<0.2	
1825186	Drill Core	0.059	32	14	0.88	96	0.004	<20	1.30	0.008	0.31	0.1	<0.01	2.0	0.2	0.32	4	0.8	<0.2	
1825187	Drill Core	0.042	37	17	0.74	87	0.014	<20	1.54	0.010	0.37	0.1	<0.01	2.2	0.3	0.31	4	<0.5	<0.2	
1825188	Drill Core	0.059	25	16	0.75	59	0.009	<20	1.53	0.009	0.31	0.1	<0.01	2.0	0.2	0.22	4	<0.5	<0.2	
1825189	Drill Core	0.042	17	15	0.60	96	0.004	<20	1.33	0.009	0.29	0.1	<0.01	1.6	0.2	0.63	4	<0.5	<0.2	
1825190	Drill Core	0.050	17	14	0.58	86	0.004	<20	1.31	0.008	0.29	<0.1	<0.01	1.5	0.2	0.61	4	<0.5	<0.2	
1825191	Drill Core	0.049	16	13	0.69	82	0.002	<20	1.34	0.009	0.30	0.2	<0.01	1.8	0.2	1.05	3	<0.5	<0.2	
1825192	Drill Core	0.019	20	7	0.45	61	0.002	<20	0.68	0.006	0.23	0.1	<0.01	1.3	0.1	0.31	2	<0.5	<0.2	
1825193	Drill Core	0.045	30	10	0.58	71	0.002	<20	0.91	0.009	0.26	0.1	<0.01	2.2	0.1	<0.05	2	<0.5	<0.2	
1825194	Drill Core	0.012	16	8	0.39	60	0.001	<20	0.65	0.005	0.17	0.2	0.01	1.4	0.2	0.33	2	<0.5	<0.2	
1825195	Drill Core	0.020	15	8	0.48	76	0.002	<20	0.67	0.004	0.21	0.1	<0.01	1.3	0.1	0.31	2	<0.5	<0.2	
1825196	Drill Core	0.021	24	13	0.70	90	0.003	<20	1.34	0.009	0.28	0.3	<0.01	2.0	0.2	0.28	4	<0.5	<0.2	
1825197	Drill Core	0.037	33	19	0.91	78	0.009	<20	2.02	0.009	0.26	0.2	<0.01	2.6	0.1	0.22	5	<0.5	<0.2	



# QUALITY CONTROL REPORT

WHI19000168.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
Pulp Duplicates																					
1825126	Drill Core	4.34	0.042	0.3	14.4	12.1	52	0.1	22.8	8.1	371	2.24	40.1	18.5	12.3	83	<0.1	0.2	0.4	17	2.05
REP 1825126	QC	0.029																			
REP 1825136	QC	0.007																			
1825139	Drill Core	3.90	0.600	0.9	52.5	7.2	76	0.1	43.5	20.0	536	4.13	67.1	586.3	13.5	56	<0.1	1.4	7.9	13	1.05
REP 1825139	QC	0.8 51.9 7.3 83 0.1 42.5 18.7 537 4.18 59.9 524.3 13.8 57 <0.1 1.2 6.3 13 1.07																			
1825168	Drill Core	1.09	>10	1.3	85.0	54.8	235	4.1	71.4	41.7	1269	7.63	6838.3	25800.3	0.6	125	0.4	6.7	149.0	187	3.67
REP 1825168	QC																				
1825173	Drill Core	3.42	<0.005	0.6	39.6	10.9	119	<0.1	35.0	15.5	452	3.80	18.2	<0.5	13.7	25	0.8	1.5	0.2	12	0.31
REP 1825173	QC	0.5 38.7 10.2 120 <0.1 34.2 15.6 457 3.80 17.2 59.1 13.7 25 0.9 1.6 0.2 12 0.31																			
Core Reject Duplicates																					
1825136	Drill Core	5.01	0.011	0.1	38.0	7.2	87	<0.1	48.3	19.7	417	4.39	79.3	1.7	17.1	30	<0.1	1.0	0.4	12	0.45
DUP 1825136	QC	0.009 0.1 37.7 7.9 91 <0.1 48.5 20.4 407 4.45 76.6 0.7 18.0 31 <0.1 1.1 0.4 13 0.43																			
1825170	Drill Core	2.99	0.116	1.1	22.5	9.3	49	0.3	20.7	8.9	281	2.02	27.5	1883.5	8.6	27	<0.1	0.5	0.5	14	0.59
DUP 1825170	QC	0.074 1.2 24.2 10.0 54 <0.1 20.7 9.3 270 1.96 30.6 9.4 9.2 28 <0.1 0.5 0.3 13 0.58																			
Reference Materials																					
STD AGPROOF	Standard																				
STD BVGEO01	Standard	10.7 4436.8 187.9 1748 2.5 159.7 25.0 729 3.81 120.5 218.4 15.3 57 6.6 2.2 25.8 74 1.35																			
STD DS11	Standard	12.8 147.8 135.2 319 1.6 82.4 13.6 1003 3.11 41.7 93.1 9.5 65 2.3 6.1 11.4 46 1.03																			
STD DS11	Standard	14.0 149.4 139.6 340 1.9 80.6 13.8 1044 3.17 45.3 47.3 9.5 65 2.7 6.0 12.1 47 1.05																			
STD OREAS262	Standard	0.6 116.4 55.4 145 0.4 62.7 26.7 516 3.24 35.5 55.8 9.4 33 0.6 2.6 0.9 20 2.84																			
STD OREAS262	Standard	0.6 121.4 58.2 152 0.5 65.4 27.2 531 3.28 36.5 64.5 10.6 35 0.7 2.2 1.0 21 3.16																			
STD OREAS262	Standard	0.6 118.3 59.9 152 0.5 70.0 30.0 561 3.41 38.0 64.0 10.7 38 0.7 2.0 1.0 21 3.26																			
STD OREAS256	Standard	7.153																			
STD OXC145	Standard	0.210																			
STD OXC145	Standard	0.208																			
STD OXH139	Standard	1.320																			
STD OXH139	Standard	1.290																			
STD OXN134	Standard	7.661																			



# QUALITY CONTROL REPORT

WHI19000168.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.9	
Pulp Duplicates																				
1825126	Drill Core	0.021	23	26	0.55	118	0.035	<20	1.32	0.028	0.43	2.0	<0.01	2.4	0.3	0.12	4	<0.5	<0.2	
REP 1825126	QC																			
REP 1825136	QC																			
1825139	Drill Core	0.051	26	20	1.01	126	0.011	<20	1.19	0.014	0.32	15.4	<0.01	2.5	0.3	0.48	3	<0.5	0.7	
REP 1825139	QC	0.048	25	21	1.01	135	0.011	<20	1.20	0.015	0.31	15.8	<0.01	2.6	0.2	0.48	3	0.6	0.4	
1825168	Drill Core	0.146	3	157	3.93	340	0.190	<20	4.36	0.043	2.01	0.6	0.04	16.4	2.2	1.11	21	6.8	15.9	48.1
REP 1825168	QC																			51.5
1825173	Drill Core	0.073	28	15	0.94	97	0.012	<20	1.25	0.013	0.40	0.2	<0.01	1.8	0.3	0.23	3	<0.5	<0.2	
REP 1825173	QC	0.069	29	15	0.92	97	0.012	<20	1.25	0.010	0.40	0.1	<0.01	1.8	0.2	0.22	3	<0.5	<0.2	
Core Reject Duplicates																				
1825136	Drill Core	0.058	33	15	0.80	75	0.003	<20	1.49	0.015	0.28	0.1	<0.01	2.4	0.1	0.25	4	<0.5	<0.2	
DUP 1825136	QC	0.059	33	15	0.80	69	0.003	<20	1.49	0.016	0.29	<0.1	<0.01	2.4	0.1	0.25	4	<0.5	<0.2	
1825170	Drill Core	0.018	17	20	0.52	168	0.026	<20	0.91	0.014	0.43	0.2	<0.01	1.6	0.3	0.26	3	<0.5	<0.2	
DUP 1825170	QC	0.018	18	19	0.52	167	0.026	<20	0.87	0.012	0.40	0.3	<0.01	1.5	0.3	0.25	3	<0.5	<0.2	
Reference Materials																				
STD AGPROOF	Standard																			<0.9
STD BVGEO01	Standard	0.076	26	171	1.31	338	0.229	<20	2.36	0.202	0.92	3.9	0.08	5.8	0.7	0.72	7	5.4	1.0	
STD DS11	Standard	0.066	18	59	0.85	416	0.090	<20	1.16	0.071	0.40	2.9	0.24	3.3	5.0	0.27	5	2.0	4.3	
STD DS11	Standard	0.071	18	60	0.87	421	0.090	<20	1.19	0.071	0.40	2.7	0.23	3.2	5.2	0.28	5	2.3	4.7	
STD OREAS262	Standard	0.039	14	41	1.16	245	0.003	<20	1.16	0.070	0.28	0.1	0.16	2.9	0.4	0.25	4	<0.5	0.2	
STD OREAS262	Standard	0.039	18	42	1.15	267	0.004	<20	1.23	0.066	0.31	0.1	0.15	3.5	0.5	0.25	4	<0.5	<0.2	
STD OREAS262	Standard	0.041	18	45	1.21	262	0.003	<20	1.27	0.073	0.32	<0.1	0.15	3.5	0.5	0.26	4	<0.5	0.2	
STD OREAS256	Standard																			
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			



# QUALITY CONTROL REPORT

WHI19000168.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
STD OXQ114	Standard																				
STD SP49	Standard																				
STD BVGEO01 Expected				10.8	4415	187	1741	2.53	163	25	733	3.7	121	219	14.4	55	6.5	2.2	25.6	73	1.3219
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063
STD OREAS262 Expected				0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	65	9.33	36	0.61	3.39	1.03	22.5	2.98
STD OXN134 Expected			7.667																		
STD OXC145 Expected			0.212																		
STD OXH139 Expected			1.312																		
STD OREAS256 Expected			7.66																		
STD AGPROOF Expected																					
STD SP49 Expected																					
STD OXQ114 Expected																					
BLK	Blank			<0.1	<0.1	0.4	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
Prep Wash																					
ROCK-WHI	Prep Blank		<0.005	1.1	2.4	1.5	30	<0.1	0.9	3.8	496	1.98	1.3	<0.5	5.8	28	<0.1	<0.1	<0.1	24	0.67
ROCK-WHI	Prep Blank		<0.005	0.8	3.2	1.6	30	<0.1	1.0	3.8	523	2.11	0.9	<0.5	4.7	25	<0.1	<0.1	<0.1	23	0.65



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 09, 2019

Page: 2 of 2

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000168.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550		
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t	
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.9	
STD OXQ114	Standard																			35.0	
STD SP49	Standard																				18.1
STD BVGEO01 Expected		0.0727	25.9	171	1.2963	340	0.233		2.347	0.1924	0.89	3.5	0.1	5.97	0.62	0.6655	7.37	4.84	1.02		
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56		
STD OREAS262 Expected		0.04	15.9	41.7	1.17	248	0.003		1.204	0.071	0.312	0.13	0.17	3.24	0.47	0.253	3.73	0.4	0.23		
STD OXN134 Expected																					
STD OXC145 Expected																					
STD OXH139 Expected																					
STD OREAS256 Expected																					
STD AGPROOF Expected																				0	
STD SP49 Expected																				18.34	
STD OXQ114 Expected																				35.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	0.2	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																			<0.9	
Prep Wash																					
ROCK-WHI	Prep Blank	0.042	7	3	0.44	71	0.091	<20	0.96	0.113	0.11	<0.1	<0.01	3.5	<0.1	<0.05	4	<0.5	<0.2		
ROCK-WHI	Prep Blank	0.039	7	4	0.45	67	0.093	<20	0.92	0.106	0.10	<0.1	<0.01	3.2	<0.1	<0.05	4	<0.5	<0.2		



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Submitted By: James Thom  
Receiving Lab: Canada-Whitehorse  
Received: July 08, 2019  
Report Date: August 07, 2019  
Page: 1 of 4

## CERTIFICATE OF ANALYSIS

WHI19000169.1

### CLIENT JOB INFORMATION

Project: McQuesten  
Shipment ID: MQ-19-03  
P.O. Number  
Number of Samples: 69

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
RTRN-RJT Return After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Banyan Gold Corp.  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7  
Canada

CC: Paul Gray

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	67	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	2	Sort, label and box pulps			WHI
FA450	69	50g Lead Collection Fire Assay Fusion - AAS Finish	50	Completed	VAN
EN002	69	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	69	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	69	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 07, 2019

Page: 2 of 4

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000169.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1825198	Drill Core	5.63	0.093	0.8	51.4	6.1	100	0.2	49.5	21.9	636	4.55	444.3	94.0	11.3	57	<0.1	2.4	1.1	25	1.12
1825199	Drill Core	5.71	0.239	0.6	55.6	8.1	106	0.2	86.6	27.6	1228	4.75	691.2	307.5	8.7	116	0.1	6.3	2.7	36	2.85
1825200	Rock	0.74	<0.005	<0.1	0.9	0.4	<1	<0.1	<0.1	0.8	72	0.06	1.0	<0.5	<0.1	74	<0.1	<0.1	<0.1	<1	32.28
1825201	Drill Core	5.50	0.635	0.8	34.8	8.5	87	0.2	37.1	16.9	703	4.06	235.3	403.3	11.1	63	<0.1	3.3	6.0	48	1.43
1825202	Drill Core	5.94	0.271	0.4	32.2	4.1	76	<0.1	34.0	16.2	675	3.70	140.1	191.3	11.9	67	<0.1	2.1	3.3	42	1.58
1825203	Drill Core	4.29	0.109	1.1	65.5	9.3	117	2.3	71.8	30.9	1179	6.16	331.4	74.2	12.8	74	0.1	1.4	1.5	79	1.92
1825204	Drill Core	4.61	0.276	0.7	51.1	9.4	104	1.7	64.3	22.8	768	4.61	163.6	260.0	12.9	37	<0.1	0.5	2.3	72	1.02
1825205	Drill Core	6.26	0.556	1.3	82.4	3.8	106	0.2	52.9	32.5	649	5.27	100.6	687.3	1.8	92	<0.1	0.5	5.3	139	2.25
1825206	Drill Core	6.81	0.176	1.1	54.7	6.9	113	0.2	57.6	29.4	629	4.79	274.8	139.5	5.3	78	0.2	0.5	2.0	118	2.02
1825207	Drill Core	6.20	0.133	1.0	61.4	3.9	104	0.2	61.2	33.1	676	5.08	199.9	95.5	1.2	83	0.1	0.6	1.5	127	2.60
1825208	Drill Core	1.92	0.127	1.0	42.2	3.6	116	0.1	74.7	36.2	1331	5.78	175.7	66.0	0.9	100	0.2	0.7	1.4	157	3.28
1825209	Drill Core	2.52	0.356	0.6	26.8	9.4	65	0.3	34.0	16.8	746	3.37	445.6	133.2	6.1	50	<0.1	6.1	4.4	38	1.50
1825210	Drill Core	2.97	0.211	0.7	25.3	8.0	63	0.2	33.9	15.8	696	3.14	411.5	198.6	6.2	54	<0.1	6.2	2.9	37	1.50
1825211	Drill Core	5.10	0.183	0.7	19.2	15.5	37	0.3	16.0	7.6	356	2.04	1038.2	237.4	7.6	36	<0.1	4.8	7.9	8	0.68
1825212	Drill Core	6.06	0.076	0.9	27.2	9.4	34	<0.1	19.1	7.5	307	1.93	72.0	43.0	7.3	32	<0.1	1.8	0.6	10	0.70
1825213	Drill Core	5.59	0.125	0.4	35.5	4.7	55	<0.1	30.8	12.6	482	2.89	144.7	115.9	9.4	47	<0.1	1.0	1.8	32	1.04
1825214	Drill Core	6.57	0.031	0.4	50.2	7.4	89	<0.1	41.7	17.8	406	4.39	33.9	15.4	13.3	38	<0.1	1.4	0.5	23	0.61
1825215	Drill Core	5.00	0.011	0.5	37.3	7.1	96	0.2	48.5	20.5	470	4.40	81.5	6.9	15.2	37	<0.1	3.4	0.2	17	0.59
1825216	Drill Core	4.66	0.062	0.7	50.4	9.3	122	0.1	114.2	32.7	961	5.74	419.2	17.5	10.6	64	<0.1	1.1	0.7	76	1.63
1825217	Drill Core	5.13	0.054	1.6	24.6	7.4	67	0.4	58.3	19.0	636	3.63	467.8	12.2	12.6	79	<0.1	1.9	0.8	52	1.76
1825218	Drill Core	4.27	0.045	0.7	41.1	10.2	63	<0.1	42.3	18.8	584	3.97	598.8	43.2	14.4	41	<0.1	6.0	1.1	31	0.71
1825219	Drill Core	6.23	0.018	1.0	39.5	12.3	85	0.1	43.5	18.8	1046	4.42	147.7	11.7	11.2	70	<0.1	13.7	0.5	26	1.63
1825220	Rock Pulp	0.13	0.264	13.8	2205.4	1062.6	7089	18.7	33.9	19.1	565	8.74	281.1	35.9	3.9	47	50.4	26.7	11.8	46	2.31
1825221	Drill Core	6.01	0.038	0.5	33.8	8.4	87	0.3	33.9	12.2	682	3.46	89.3	28.0	13.6	36	<0.1	6.5	2.1	9	0.68
1825222	Drill Core	5.58	0.016	0.1	29.2	4.3	63	<0.1	25.7	10.3	410	3.29	134.5	8.3	12.3	32	<0.1	3.8	0.3	11	0.53
1825223	Drill Core	7.42	0.135	0.3	21.5	7.3	54	<0.1	24.7	10.2	489	2.46	72.5	172.0	12.6	39	<0.1	4.2	1.6	6	0.68
1825224	Drill Core	3.91	0.108	2.4	40.2	8.3	37	4.4	17.7	6.9	332	3.91	148.0	58.4	12.9	25	<0.1	9.9	0.5	6	0.45
1825225	Drill Core	6.43	0.044	0.4	13.2	6.4	24	0.1	9.7	4.4	241	1.08	69.7	16.7	6.6	22	<0.1	1.4	0.7	3	0.39
1825226	Drill Core	4.93	0.017	0.5	19.8	7.6	33	<0.1	16.3	7.5	314	1.83	109.2	11.0	10.7	34	<0.1	1.0	0.3	6	0.71
1825227	Drill Core	6.09	0.037	0.7	41.3	6.8	85	<0.1	44.6	18.3	441	4.16	79.7	10.1	17.0	32	<0.1	2.9	1.2	18	0.49

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** August 07, 2019

**Page:** 2 of 4

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000169.1

Method Analyte Unit MDL	AQ200																		
	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1825198	Drill Core	0.084	14	32	1.08	102	0.014	<20	2.08	0.024	0.34	>100	0.01	3.7	0.2	0.71	6	0.7	<0.2
1825199	Drill Core	0.053	7	69	1.83	101	0.008	<20	1.59	0.015	0.31	22.9	<0.01	6.4	0.3	1.59	5	2.0	<0.2
1825200	Rock	0.006	1	<1	0.39	15	<0.001	<20	0.02	<0.001	0.02	0.2	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1825201	Drill Core	0.054	13	52	1.56	229	0.051	<20	1.87	0.023	0.62	4.0	<0.01	6.4	0.6	1.01	7	1.1	0.4
1825202	Drill Core	0.049	15	46	1.41	171	0.054	<20	1.78	0.037	0.50	0.3	<0.01	4.9	0.5	0.65	7	1.1	<0.2
1825203	Drill Core	0.081	17	111	2.44	185	0.092	<20	3.27	0.035	0.91	13.6	<0.01	9.0	1.0	0.57	11	1.1	<0.2
1825204	Drill Core	0.050	16	114	1.94	267	0.128	<20	2.76	0.042	1.14	10.1	<0.01	8.2	1.2	0.42	10	1.2	<0.2
1825205	Drill Core	0.154	6	125	2.60	495	0.256	<20	3.12	0.113	1.42	24.8	<0.01	9.7	1.6	0.69	13	2.7	0.3
1825206	Drill Core	0.118	9	124	2.21	271	0.199	<20	2.74	0.088	1.12	0.6	<0.01	9.3	1.2	0.56	11	1.2	<0.2
1825207	Drill Core	0.147	5	141	2.64	349	0.193	<20	2.99	0.095	1.25	14.7	<0.01	9.6	1.5	0.61	12	1.2	<0.2
1825208	Drill Core	0.133	5	165	3.61	382	0.195	<20	3.21	0.061	1.45	0.5	<0.01	15.8	2.0	0.45	13	<0.5	<0.2
1825209	Drill Core	0.047	11	52	1.40	222	0.046	<20	1.48	0.015	0.46	0.8	<0.01	5.1	0.5	0.52	5	0.6	0.4
1825210	Drill Core	0.045	11	53	1.29	220	0.050	<20	1.42	0.012	0.45	0.9	<0.01	5.1	0.5	0.49	5	<0.5	0.2
1825211	Drill Core	0.013	12	13	0.52	121	0.003	<20	0.71	0.004	0.19	0.3	<0.01	1.7	0.2	0.48	2	0.6	0.4
1825212	Drill Core	0.014	14	17	0.47	109	0.015	<20	0.70	0.021	0.21	0.6	<0.01	1.5	0.1	0.32	2	0.6	<0.2
1825213	Drill Core	0.039	14	48	0.88	185	0.077	<20	1.59	0.045	0.52	0.5	<0.01	4.0	0.6	0.45	5	0.8	<0.2
1825214	Drill Core	0.054	25	36	0.96	106	0.037	<20	1.99	0.022	0.46	0.6	<0.01	3.3	0.4	0.35	6	0.7	<0.2
1825215	Drill Core	0.053	32	35	1.07	95	0.003	<20	1.52	0.006	0.30	0.2	<0.01	2.8	0.2	0.28	4	<0.5	<0.2
1825216	Drill Core	0.060	15	164	2.80	238	0.125	<20	3.52	0.012	1.38	4.9	<0.01	9.2	1.6	0.50	11	1.0	<0.2
1825217	Drill Core	0.062	20	81	1.62	157	0.072	<20	2.41	0.040	0.73	1.8	<0.01	6.1	0.9	0.28	8	<0.5	<0.2
1825218	Drill Core	0.056	26	39	1.32	119	0.025	<20	2.15	0.006	0.37	0.4	<0.01	3.6	0.3	0.26	6	<0.5	<0.2
1825219	Drill Core	0.054	21	31	1.04	102	0.007	<20	1.60	0.007	0.25	0.6	0.02	4.5	0.8	0.95	5	0.5	<0.2
1825220	Rock Pulp	0.038	4	43	2.55	48	0.005	<20	1.84	0.011	0.06	0.5	2.65	4.0	5.0	6.68	8	30.5	0.3
1825221	Drill Core	0.023	31	12	0.76	81	0.006	<20	1.02	0.007	0.25	0.7	<0.01	2.1	0.2	0.25	3	<0.5	0.3
1825222	Drill Core	0.035	26	14	0.64	116	0.006	<20	1.28	0.006	0.28	0.2	<0.01	2.2	0.2	0.13	4	<0.5	<0.2
1825223	Drill Core	0.035	22	9	0.55	115	0.002	<20	0.72	0.004	0.23	0.2	<0.01	1.7	0.3	0.38	2	<0.5	<0.2
1825224	Drill Core	0.011	13	20	0.28	69	0.001	<20	0.54	0.004	0.17	32.0	0.09	1.5	2.5	3.12	1	<0.5	<0.2
1825225	Drill Core	0.011	14	5	0.24	60	0.001	<20	0.45	0.003	0.15	0.6	0.01	0.8	0.1	0.23	1	<0.5	<0.2
1825226	Drill Core	0.013	14	8	0.39	60	0.003	<20	0.63	0.005	0.20	0.1	<0.01	1.6	0.1	0.24	2	<0.5	<0.2
1825227	Drill Core	0.055	19	22	1.10	63	0.006	<20	1.69	0.005	0.27	0.2	<0.01	2.6	0.1	0.53	4	<0.5	<0.2





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** August 07, 2019

**Page:** 3 of 4

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000169.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1825228	Drill Core	5.55	0.231	0.8	36.3	14.0	86	0.2	31.8	14.2	522	3.37	384.7	90.3	13.8	54	<0.1	8.2	3.6	15	1.06
1825229	Drill Core	2.42	0.027	0.4	22.2	6.8	33	<0.1	15.0	7.8	332	1.92	45.6	4.6	9.0	43	<0.1	1.9	0.2	5	1.07
1825230	Drill Core	2.12	0.010	0.3	24.6	8.6	41	0.1	15.6	7.4	327	1.84	22.6	6.4	9.7	44	<0.1	1.5	0.2	5	1.04
1825231	Drill Core	2.61	0.158	2.9	58.3	13.1	91	0.2	44.2	20.4	699	4.22	581.0	13.6	15.5	46	0.2	2.0	1.4	10	0.96
1825232	Drill Core	5.25	0.164	5.7	88.6	14.2	98	0.3	62.2	22.1	1335	4.36	156.9	37.2	8.6	119	0.3	3.9	2.7	66	3.57
1825233	Drill Core	5.86	0.016	3.3	57.0	12.6	102	0.2	58.0	23.9	789	4.46	125.3	1.4	12.5	82	<0.1	1.2	0.5	63	1.74
1825234	Drill Core	6.61	0.006	0.6	33.2	10.4	93	<0.1	37.6	18.4	552	4.31	78.8	<0.5	14.9	32	<0.1	1.5	0.2	20	0.44
1825235	Drill Core	6.76	0.006	0.6	16.1	6.0	35	<0.1	12.9	5.8	279	1.75	67.0	<0.5	8.4	38	<0.1	0.8	0.1	7	0.64
1825236	Drill Core	3.38	0.005	0.2	9.5	5.4	28	<0.1	10.5	4.9	152	1.37	5.7	1.6	7.5	25	<0.1	0.1	<0.1	5	0.32
1825237	Drill Core	5.90	0.033	1.0	36.8	7.4	74	<0.1	33.7	17.1	450	3.58	75.8	6.8	13.5	58	<0.1	0.8	0.6	18	0.78
1825238	Drill Core	4.85	0.017	0.8	35.2	7.9	81	0.1	44.6	18.1	498	3.78	73.9	5.0	13.5	60	<0.1	1.0	0.2	43	1.04
1825239	Drill Core	4.64	0.006	0.9	41.9	7.8	84	0.1	41.5	16.9	454	3.73	30.2	0.6	15.8	47	<0.1	0.4	0.3	30	0.62
1825240	Rock Pulp	0.13	2.799	13.4	3856.6	>10000	>10000	>100	97.1	43.7	4327	8.09	638.2	2519.2	8.4	18	122.7	167.5	27.4	61	1.90
1825241	Drill Core	4.69	0.020	1.3	37.5	9.2	78	0.1	37.2	15.1	471	3.47	70.8	7.7	11.9	54	<0.1	0.7	0.5	31	1.00
1825242	Drill Core	4.15	0.006	1.7	46.1	7.7	95	0.1	43.8	19.2	445	4.20	76.6	2.7	12.7	59	<0.1	0.7	0.2	58	1.10
1825243	Drill Core	6.23	0.034	2.9	37.5	12.0	82	0.1	34.9	14.1	627	3.21	69.2	31.1	10.4	96	<0.1	0.5	0.7	84	1.94
1825244	Drill Core	4.87	0.020	1.0	32.5	13.4	81	<0.1	28.5	15.1	335	3.07	42.3	41.4	14.1	52	<0.1	0.4	0.4	34	0.94
1825245	Drill Core	4.46	0.013	1.8	37.3	10.4	76	<0.1	29.5	12.1	508	2.75	47.0	6.8	12.6	219	<0.1	0.3	0.3	53	2.85
1825246	Drill Core	6.68	0.017	1.2	37.2	11.5	90	0.1	30.9	13.0	354	3.08	33.8	15.4	12.8	59	0.1	0.4	0.6	21	0.84
1825247	Drill Core	2.00	0.050	0.7	11.8	9.0	26	<0.1	9.2	5.2	682	1.22	9.3	10.3	5.3	1027	<0.1	0.1	1.0	19	19.02
1825248	Drill Core	5.38	0.018	1.3	47.2	9.3	76	0.2	36.2	14.8	547	3.36	42.5	6.2	13.4	100	0.1	0.5	0.6	33	2.20
1825249	Drill Core	1.16	0.009	0.5	37.0	5.9	94	0.1	45.8	18.1	375	3.67	60.9	3.2	17.5	28	<0.1	0.5	0.4	21	0.47
1825250	Drill Core	0.97	0.009	0.5	46.1	7.0	90	0.1	41.8	18.2	400	3.85	69.9	1.3	17.1	30	<0.1	0.6	0.4	23	0.49
1825251	Drill Core	3.06	0.010	1.9	66.0	10.3	82	0.2	37.6	15.6	567	3.37	49.1	5.3	13.8	124	<0.1	1.3	0.3	49	2.22
1825252	Drill Core	4.14	0.007	1.7	42.1	10.3	84	<0.1	36.0	16.2	564	3.47	105.5	2.0	13.2	91	<0.1	0.4	0.2	77	1.53
1825253	Drill Core	4.54	0.009	0.7	51.8	6.0	85	<0.1	32.4	16.6	402	3.71	55.9	3.7	17.5	39	<0.1	0.3	0.2	30	0.77
1825254	Drill Core	4.27	0.006	0.6	26.0	6.4	65	0.8	22.2	10.2	276	2.60	24.3	1.0	14.3	306	<0.1	0.5	0.1	16	4.43
1825255	Drill Core	3.26	0.280	1.1	23.9	10.9	33	0.5	10.9	6.6	696	1.66	16.8	56.7	5.6	1178	<0.1	0.6	3.9	14	19.53
1825256	Drill Core	4.86	0.344	3.3	79.1	10.5	80	2.8	33.6	16.1	581	3.41	50.9	299.9	14.0	245	0.1	0.9	7.3	44	4.08
1825257	Drill Core	3.06	0.183	0.3	53.5	8.3	47	0.3	17.9	7.6	385	2.35	43.3	247.0	18.6	87	<0.1	1.9	3.4	14	1.39



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 07, 2019

Page: 3 of 4

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000169.1

Method Analyte	Unit	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
MDL		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
1825228	Drill Core	0.050	15	15	0.90	56	0.003	<20	1.08	0.004	0.23	0.2	0.01	2.5	0.2	0.84	3	<0.5	<0.2
1825229	Drill Core	0.016	15	6	0.41	58	0.002	<20	0.61	0.003	0.19	0.1	<0.01	1.2	<0.1	0.36	1	<0.5	<0.2
1825230	Drill Core	0.016	16	7	0.42	58	0.002	<20	0.63	0.003	0.18	0.1	<0.01	1.2	<0.1	0.35	2	<0.5	<0.2
1825231	Drill Core	0.057	17	13	0.79	86	0.002	<20	0.78	0.006	0.29	0.2	<0.01	1.9	0.1	1.05	2	0.9	<0.2
1825232	Drill Core	0.109	20	59	1.07	153	0.011	<20	1.42	0.001	0.21	0.9	0.03	7.0	0.2	1.64	4	2.9	<0.2
1825233	Drill Core	0.092	23	62	1.21	158	0.055	<20	2.18	0.008	0.57	0.2	<0.01	4.2	0.4	0.78	6	1.2	<0.2
1825234	Drill Core	0.061	30	20	0.95	71	0.011	<20	1.62	0.008	0.34	0.1	<0.01	2.4	0.1	0.18	4	<0.5	<0.2
1825235	Drill Core	0.014	13	9	0.44	85	0.010	<20	0.72	0.007	0.23	0.8	<0.01	1.3	0.1	0.27	2	<0.5	<0.2
1825236	Drill Core	0.008	12	7	0.26	82	0.007	<20	0.52	0.008	0.21	<0.1	<0.01	0.7	0.1	0.30	1	<0.5	<0.2
1825237	Drill Core	0.041	21	22	0.78	113	0.040	<20	1.51	0.007	0.49	0.2	<0.01	2.2	0.4	0.38	4	<0.5	<0.2
1825238	Drill Core	0.079	15	47	1.32	175	0.082	<20	2.28	0.026	0.78	0.7	<0.01	4.7	0.6	0.65	7	<0.5	<0.2
1825239	Drill Core	0.050	20	33	1.08	172	0.070	<20	2.18	0.036	0.66	0.3	<0.01	3.2	0.5	0.68	6	<0.5	<0.2
1825240	Rock Pulp	0.049	13	47	1.84	31	0.075	<20	1.89	0.036	0.25	2.1	2.35	5.5	1.8	4.73	8	9.1	0.4
1825241	Drill Core	0.048	16	32	0.97	138	0.064	<20	1.72	0.020	0.69	0.3	<0.01	3.1	0.5	0.74	5	<0.5	<0.2
1825242	Drill Core	0.083	17	47	1.39	219	0.116	<20	2.52	0.049	1.00	0.6	<0.01	4.8	0.8	0.67	7	0.7	<0.2
1825243	Drill Core	0.131	15	46	1.38	315	0.126	<20	2.68	0.103	0.96	1.2	<0.01	6.2	1.0	0.40	8	0.9	<0.2
1825244	Drill Core	0.060	22	29	0.88	198	0.096	<20	1.96	0.043	0.82	0.5	<0.01	3.2	0.7	0.33	6	0.6	<0.2
1825245	Drill Core	0.060	18	30	1.04	265	0.097	<20	2.15	0.074	0.78	0.9	<0.01	3.9	0.7	0.35	6	<0.5	<0.2
1825246	Drill Core	0.055	17	21	0.77	144	0.068	<20	1.57	0.017	0.68	0.2	<0.01	2.5	0.7	0.53	5	<0.5	<0.2
1825247	Drill Core	0.024	10	16	0.51	134	0.055	<20	1.48	0.095	0.34	0.3	<0.01	2.4	0.2	0.22	3	<0.5	<0.2
1825248	Drill Core	0.049	16	29	0.88	142	0.070	<20	1.85	0.041	0.59	4.7	<0.01	3.6	0.5	0.68	6	0.7	<0.2
1825249	Drill Core	0.030	17	22	0.84	116	0.099	<20	1.80	0.013	0.92	0.3	<0.01	2.7	1.0	0.72	5	<0.5	<0.2
1825250	Drill Core	0.032	18	24	0.86	127	0.098	<20	1.88	0.015	0.95	1.3	<0.01	2.7	1.0	0.73	5	0.6	<0.2
1825251	Drill Core	0.080	12	31	1.11	198	0.090	<20	2.38	0.084	0.70	4.6	<0.01	4.5	0.7	0.81	7	2.2	<0.2
1825252	Drill Core	0.093	17	49	1.38	337	0.148	<20	3.20	0.134	1.13	0.5	<0.01	5.9	0.9	0.41	9	<0.5	<0.2
1825253	Drill Core	0.038	19	27	0.82	128	0.093	<20	2.11	0.037	0.86	2.9	<0.01	3.2	0.7	0.52	6	1.5	<0.2
1825254	Drill Core	0.038	16	16	0.53	98	0.051	<20	1.36	0.014	0.57	4.6	<0.01	2.1	0.4	0.31	4	<0.5	<0.2
1825255	Drill Core	0.032	7	9	0.45	52	0.010	<20	0.72	0.004	0.21	6.8	<0.01	1.9	0.1	0.33	2	0.5	<0.2
1825256	Drill Core	0.051	16	26	0.78	156	0.061	<20	1.88	0.063	0.51	82.6	<0.01	4.0	0.5	1.01	5	2.2	0.2
1825257	Drill Core	0.007	34	12	0.49	74	0.027	<20	1.04	0.018	0.29	1.1	<0.01	2.5	0.2	0.73	3	1.9	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 07, 2019

Page: 4 of 4

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000169.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1825258	Drill Core	2.97	0.007	0.2	28.5	5.8	49	0.2	18.4	8.0	304	1.99	26.5	2.6	8.9	45	<0.1	0.8	0.2	9	0.67
1825259	Drill Core	3.05	0.039	0.3	37.3	6.1	143	0.2	19.6	8.6	376	2.33	73.7	24.0	9.5	54	0.1	0.4	0.2	7	1.08
1825260	Rock	0.88	<0.005	<0.1	0.2	0.3	4	<0.1	1.0	0.7	74	0.04	<0.5	<0.5	<0.1	66	<0.1	<0.1	<0.1	<1	29.62
1825261	Drill Core	3.91	0.058	1.0	36.0	6.9	66	0.1	28.7	12.3	548	2.97	93.4	39.7	16.4	43	<0.1	0.5	0.5	10	0.73
1825262	Drill Core	1.11	0.031	0.3	31.7	5.9	31	0.1	8.0	3.4	386	1.51	29.5	6.1	6.8	55	<0.1	1.5	0.2	6	1.11
1825263	Drill Core	4.02	<0.005	0.2	7.8	8.0	41	<0.1	6.5	3.0	200	0.90	4.7	<0.5	8.4	25	<0.1	0.2	<0.1	3	0.40
1825264	Drill Core	5.08	0.065	0.2	13.2	7.6	33	<0.1	11.3	5.0	305	1.64	19.4	15.6	9.7	37	<0.1	0.5	0.5	7	0.48
1825265	Drill Core	3.11	0.008	0.2	11.0	7.6	28	0.1	8.7	3.7	250	1.23	66.4	<0.5	10.0	30	<0.1	0.2	0.2	6	0.40
1825266	Drill Core	6.63	0.049	1.2	46.7	8.3	95	0.1	31.0	14.4	547	3.05	39.8	6.5	15.3	71	0.8	0.3	0.9	24	1.52



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** August 07, 2019

**Page:** 4 of 4

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000169.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1825258	Drill Core	0.010	12	9	0.31	61	0.023	<20	0.85	0.008	0.34	0.8	<0.01	1.5	0.2	0.46	2	<0.5	<0.2
1825259	Drill Core	0.017	10	10	0.35	47	0.011	<20	0.93	0.034	0.26	1.3	<0.01	1.5	0.2	0.53	3	0.9	<0.2
1825260	Rock	0.005	<1	<1	0.51	14	<0.001	<20	0.02	0.001	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1825261	Drill Core	0.040	14	12	0.41	70	0.024	<20	1.02	0.013	0.39	0.3	<0.01	1.8	0.3	0.57	3	<0.5	<0.2
1825262	Drill Core	0.007	9	6	0.32	45	0.004	<20	0.62	0.003	0.16	0.3	<0.01	1.1	0.1	0.34	2	1.2	<0.2
1825263	Drill Core	0.007	17	5	0.14	92	0.005	<20	0.49	0.006	0.21	0.1	<0.01	0.6	<0.1	0.13	1	<0.5	<0.2
1825264	Drill Core	0.010	17	8	0.26	130	0.012	<20	0.76	0.010	0.26	<0.1	<0.01	1.0	0.1	0.15	2	<0.5	<0.2
1825265	Drill Core	0.010	17	8	0.18	161	0.017	<20	0.65	0.013	0.28	0.3	<0.01	0.9	0.1	0.15	2	<0.5	<0.2
1825266	Drill Core	0.041	17	17	0.55	110	0.062	<20	1.47	0.032	0.50	0.3	<0.01	2.6	0.4	0.69	4	1.1	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 07, 2019

Page: 1 of 2

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000169.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
Pulp Duplicates																					
1825208	Drill Core	1.92	0.127	1.0	42.2	3.6	116	0.1	74.7	36.2	1331	5.78	175.7	66.0	0.9	100	0.2	0.7	1.4	157	3.28
REP 1825208	QC			1.1	43.8	3.7	126	0.1	81.7	38.7	1387	6.00	186.1	156.3	0.9	109	0.2	0.7	1.5	164	3.39
1825215	Drill Core	5.00	0.011	0.5	37.3	7.1	96	0.2	48.5	20.5	470	4.40	81.5	6.9	15.2	37	<0.1	3.4	0.2	17	0.59
REP 1825215	QC		0.012																		
1825242	Drill Core	4.15	0.006	1.7	46.1	7.7	95	0.1	43.8	19.2	445	4.20	76.6	2.7	12.7	59	<0.1	0.7	0.2	58	1.10
REP 1825242	QC			1.8	48.0	7.7	99	0.1	43.9	19.8	454	4.33	79.1	1.9	12.8	60	<0.1	0.8	0.2	59	1.13
1825247	Drill Core	2.00	0.050	0.7	11.8	9.0	26	<0.1	9.2	5.2	682	1.22	9.3	10.3	5.3	1027	<0.1	0.1	1.0	19	19.02
REP 1825247	QC		0.045																		
1825259	Drill Core	3.05	0.039	0.3	37.3	6.1	143	0.2	19.6	8.6	376	2.33	73.7	24.0	9.5	54	0.1	0.4	0.2	7	1.08
REP 1825259	QC		0.042																		
Core Reject Duplicates																					
1825210	Drill Core	2.97	0.211	0.7	25.3	8.0	63	0.2	33.9	15.8	696	3.14	411.5	198.6	6.2	54	<0.1	6.2	2.9	37	1.50
DUP 1825210	QC		0.178	0.6	27.6	7.8	68	0.2	35.3	14.9	704	3.21	368.7	151.3	6.5	54	<0.1	6.3	3.1	37	1.49
1825244	Drill Core	4.87	0.020	1.0	32.5	13.4	81	<0.1	28.5	15.1	335	3.07	42.3	41.4	14.1	52	<0.1	0.4	0.4	34	0.94
DUP 1825244	QC		0.014	0.9	31.9	13.8	85	<0.1	27.1	15.4	327	3.01	41.5	8.9	13.9	50	<0.1	0.4	0.4	34	0.92
Reference Materials																					
STD BVGEO01	Standard			10.1	4346.8	183.2	1715	2.4	162.0	24.2	727	3.65	115.8	213.8	17.5	52	6.1	2.5	23.4	71	1.30
STD DS11	Standard			14.3	145.3	127.2	321	1.5	76.6	13.0	971	2.99	40.2	40.9	8.8	59	2.0	6.9	10.1	46	1.01
STD DS11	Standard			12.8	147.8	135.2	319	1.6	82.4	13.6	1003	3.11	41.7	93.1	9.5	65	2.3	6.1	11.4	46	1.03
STD OREAS262	Standard			0.5	119.4	54.2	146	0.5	63.5	27.9	518	3.17	34.8	62.1	9.5	34	0.6	3.0	0.9	20	3.01
STD OREAS262	Standard			0.6	121.4	58.2	152	0.5	65.4	27.2	531	3.28	36.5	64.5	10.6	35	0.7	2.2	1.0	21	3.16
STD OREAS262	Standard			0.4	115.7	53.9	150	0.4	61.2	25.8	537	3.24	34.3	52.7	10.8	33	0.5	2.4	0.9	20	3.00
STD OREAS256	Standard		7.153																		
STD OXC145	Standard		0.212																		
STD OXC145	Standard		0.208																		
STD OXH139	Standard		1.291																		
STD OXH139	Standard		1.290																		
STD OXN134	Standard		7.587																		



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 07, 2019

Page: 1 of 2

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000169.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																			
1825208	Drill Core	0.133	5	165	3.61	382	0.195	<20	3.21	0.061	1.45	0.5	<0.01	15.8	2.0	0.45	13	<0.5	<0.2
REP 1825208	QC	0.150	6	177	3.87	402	0.208	<20	3.29	0.064	1.51	0.9	<0.01	17.5	2.1	0.46	14	1.1	<0.2
1825215	Drill Core	0.053	32	35	1.07	95	0.003	<20	1.52	0.006	0.30	0.2	<0.01	2.8	0.2	0.28	4	<0.5	<0.2
REP 1825215	QC																		
1825242	Drill Core	0.083	17	47	1.39	219	0.116	<20	2.52	0.049	1.00	0.6	<0.01	4.8	0.8	0.67	7	0.7	<0.2
REP 1825242	QC	0.086	17	46	1.41	220	0.119	<20	2.58	0.050	1.02	0.7	<0.01	4.7	0.8	0.69	8	0.8	<0.2
1825247	Drill Core	0.024	10	16	0.51	134	0.055	<20	1.48	0.095	0.34	0.3	<0.01	2.4	0.2	0.22	3	<0.5	<0.2
REP 1825247	QC																		
1825259	Drill Core	0.017	10	10	0.35	47	0.011	<20	0.93	0.034	0.26	1.3	<0.01	1.5	0.2	0.53	3	0.9	<0.2
REP 1825259	QC																		
Core Reject Duplicates																			
1825210	Drill Core	0.045	11	53	1.29	220	0.050	<20	1.42	0.012	0.45	0.9	<0.01	5.1	0.5	0.49	5	<0.5	0.2
DUP 1825210	QC	0.046	12	53	1.29	235	0.050	<20	1.42	0.014	0.46	1.0	<0.01	5.3	0.6	0.50	5	<0.5	<0.2
1825244	Drill Core	0.060	22	29	0.88	198	0.096	<20	1.96	0.043	0.82	0.5	<0.01	3.2	0.7	0.33	6	0.6	<0.2
DUP 1825244	QC	0.057	22	28	0.88	187	0.092	<20	1.93	0.037	0.81	0.3	<0.01	3.2	0.7	0.33	6	0.8	<0.2
Reference Materials																			
STD BVGEO01	Standard	0.073	26	166	1.28	331	0.232	<20	2.22	0.175	0.88	3.7	0.07	5.9	0.6	0.68	7	4.3	0.9
STD DS11	Standard	0.063	17	56	0.81	373	0.092	<20	1.12	0.068	0.38	2.7	0.26	2.8	4.4	0.27	5	1.7	3.9
STD DS11	Standard	0.066	18	59	0.85	416	0.090	<20	1.16	0.071	0.40	2.9	0.24	3.3	5.0	0.27	5	2.0	4.3
STD OREAS262	Standard	0.038	15	41	1.16	231	0.003	<20	1.18	0.066	0.29	0.1	0.17	3.3	0.4	0.25	4	0.6	0.2
STD OREAS262	Standard	0.039	18	42	1.15	267	0.004	<20	1.23	0.066	0.31	0.1	0.15	3.5	0.5	0.25	4	<0.5	<0.2
STD OREAS262	Standard	0.035	14	40	1.18	241	0.003	<20	1.16	0.067	0.28	0.1	0.15	3.1	0.5	0.26	4	<0.5	0.2
STD OREAS256	Standard																		
STD OXC145	Standard																		
STD OXC145	Standard																		
STD OXH139	Standard																		
STD OXH139	Standard																		
STD OXN134	Standard																		



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 07, 2019

Page: 2 of 2

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000169.1

	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm		
	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
STD DS11 Expected			13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063	
STD BVGEO01 Expected			10.8	4415	187	1741	2.53	163	25	733	3.7	121	219	14.4	55	6.5	2.2	25.6	73	1.3219	
STD OREAS262 Expected			0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	65	9.33	36	0.61	3.39	1.03	22.5	2.98	
STD OXN134 Expected		7.667																			
STD OXC145 Expected		0.212																			
STD OXH139 Expected		1.312																			
STD OREAS256 Expected		7.66																			
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
Prep Wash																					
ROCK-WHI	Prep Blank	<0.005	0.7	2.2	1.3	28	<0.1	1.2	3.7	460	1.86	1.3	<0.5	3.8	19	<0.1	<0.1	<0.1	23	0.57	
ROCK-WHI	Prep Blank	<0.005	0.9	2.5	1.1	30	<0.1	0.8	4.1	485	1.89	1.0	<0.5	3.6	21	<0.1	<0.1	<0.1	24	0.60	



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 07, 2019

Page: 2 of 2

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000169.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56
STD BVGE001 Expected		0.0727	25.9	171	1.2963	340	0.233		2.347	0.1924	0.89	3.5	0.1	5.97	0.62	0.6655	7.37	4.84	1.02
STD OREAS262 Expected		0.04	15.9	41.7	1.17	248	0.003		1.204	0.071	0.312	0.13	0.17	3.24	0.47	0.253	3.73	0.4	0.23
STD OXN134 Expected																			
STD OXC145 Expected																			
STD OXH139 Expected																			
STD OREAS256 Expected																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	0.2	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
ROCK-WHI	Prep Blank	0.037	6	3	0.45	59	0.078	<20	0.86	0.081	0.09	<0.1	<0.01	2.8	<0.1	<0.05	4	<0.5	<0.2
ROCK-WHI	Prep Blank	0.043	6	3	0.47	58	0.081	<20	0.89	0.087	0.08	<0.1	<0.01	2.7	<0.1	<0.05	4	<0.5	<0.2





**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Submitted By: James Thom  
Receiving Lab: Canada-Whitehorse  
Received: July 08, 2019  
Report Date: August 12, 2019  
Page: 1 of 4

## CERTIFICATE OF ANALYSIS

WHI19000170.1

### CLIENT JOB INFORMATION

Project: McQuesten  
Shipment ID: MQ-19-04  
P.O. Number  
Number of Samples: 68

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
RTRN-RJT Return After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Banyan Gold Corp.  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7  
Canada

CC: Paul Gray

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	66	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	2	Sort, label and box pulps			WHI
FA450	68	50g Lead Collection Fire Assay Fusion - AAS Finish	50	Completed	VAN
EN002	68	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	68	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	68	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS

  
SOFIA DEVOTA  
XRF Manager

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** August 12, 2019

# CERTIFICATE OF ANALYSIS

# WHI19000170.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1825267	Drill Core	5.61	0.008	0.4	20.4	5.6	36	0.2	18.5	8.0	293	1.55	33.0	4.3	11.0	19	<0.1	1.3	0.2	3	0.32
1825268	Drill Core	1.87	0.011	0.4	14.9	6.3	34	1.4	10.6	4.8	259	1.27	121.5	5.0	7.8	15	<0.1	2.2	0.1	3	0.29
1825269	Drill Core	1.88	0.010	0.4	23.1	4.3	32	0.2	12.9	7.6	336	1.53	68.8	7.9	9.5	37	<0.1	1.6	0.1	3	0.66
1825270	Rock	0.79	<0.005	<0.1	2.9	0.5	1	<0.1	<0.1	0.3	115	0.09	0.9	<0.5	<0.1	78	<0.1	<0.1	<0.1	<1	31.67
1825271	Drill Core	6.27	0.019	0.4	25.5	6.5	36	<0.1	15.1	7.3	315	1.75	89.3	7.7	10.0	34	<0.1	1.3	0.2	5	0.70
1825272	Drill Core	3.76	0.094	0.3	22.4	4.5	37	0.1	15.0	7.1	313	1.82	262.1	96.3	9.5	39	<0.1	2.0	0.5	3	0.77
1825273	Drill Core	5.28	0.059	0.4	13.4	8.0	27	<0.1	14.6	5.4	232	1.66	47.4	13.5	6.9	28	<0.1	1.1	1.4	7	0.50
1825274	Drill Core	4.25	0.069	0.6	47.2	9.4	63	0.2	35.0	15.0	497	3.45	230.0	59.5	12.6	53	<0.1	1.2	1.2	21	1.03
1825275	Drill Core	5.34	0.017	0.6	41.1	8.5	76	0.1	37.5	16.6	571	3.59	87.2	11.0	12.4	37	<0.1	0.9	0.4	19	0.54
1825276	Drill Core	5.37	0.008	1.3	38.2	6.5	75	<0.1	36.8	15.5	396	3.26	53.4	2.7	13.2	33	<0.1	0.8	0.5	16	0.44
1825277	Drill Core	3.77	0.059	1.3	41.9	5.7	83	0.1	34.8	18.9	433	3.71	131.5	300.1	16.8	35	<0.1	0.6	0.4	10	0.42
1825278	Drill Core	5.21	0.009	3.0	75.4	13.0	104	0.3	60.5	24.6	784	4.47	168.8	0.8	11.0	72	0.4	0.9	0.7	77	1.58
1825279	Drill Core	3.82	0.009	0.7	40.2	8.1	90	0.1	43.0	19.9	457	4.13	152.3	1.3	15.5	38	<0.1	0.7	0.4	37	0.81
1825280	Rock Pulp	0.13	0.288	13.4	2267.1	1083.8	7214	19.0	35.1	19.0	539	8.63	274.2	90.3	0.9	46	49.4	32.4	11.1	46	2.08
1825281	Drill Core	5.09	0.014	4.6	71.4	11.8	115	0.2	50.5	23.0	655	4.36	167.1	3.2	12.9	51	<0.1	2.3	0.6	63	1.13
1825282	Drill Core	5.17	0.011	1.7	50.9	7.9	82	0.1	39.6	20.0	534	4.03	139.3	4.1	14.5	51	<0.1	2.5	0.3	26	0.89
1825283	Drill Core	4.61	0.018	0.8	41.1	6.9	84	0.1	39.3	20.2	399	4.04	82.3	6.9	14.5	39	<0.1	2.8	0.3	10	0.58
1825284	Drill Core	5.49	0.022	2.5	42.6	14.0	99	0.1	41.0	19.0	545	4.16	99.7	7.0	11.8	52	<0.1	6.0	0.4	28	0.79
1825285	Drill Core	5.20	0.012	1.7	39.6	9.6	78	<0.1	32.2	14.5	611	3.31	124.8	5.9	11.3	82	<0.1	3.6	0.3	30	1.48
1825286	Drill Core	6.44	0.021	0.6	35.5	11.4	79	<0.1	31.1	18.4	474	3.32	113.6	20.1	17.9	53	<0.1	2.0	0.4	16	0.93
1825287	Drill Core	6.07	0.010	0.5	33.4	10.0	64	<0.1	29.3	14.9	523	2.99	71.9	11.8	16.0	79	<0.1	2.0	0.3	16	1.44
1825288	Drill Core	6.16	1.121	1.2	33.4	18.4	75	0.1	34.5	15.8	500	3.45	147.4	205.5	16.4	48	<0.1	8.5	5.2	12	0.83
1825289	Drill Core	3.45	0.187	1.3	30.6	10.7	68	0.1	28.2	14.7	455	3.22	250.6	42.1	14.9	54	<0.1	3.9	2.0	12	0.93
1825290	Drill Core	3.09	0.081	0.9	27.1	11.0	57	<0.1	24.1	12.4	427	2.78	292.4	22.1	13.6	55	<0.1	3.4	1.1	12	0.95
1825291	Drill Core	3.04	0.058	1.3	35.6	8.1	81	<0.1	33.0	14.8	511	3.41	159.7	44.2	13.1	64	<0.1	2.6	0.3	41	1.23
1825292	Drill Core	6.83	1.051	0.9	39.1	11.1	41	0.1	17.1	9.0	542	2.26	52.9	322.8	8.3	850	0.1	0.7	8.8	17	13.17
1825293	Drill Core	5.99	1.460	2.9	65.6	10.5	93	0.3	34.3	15.4	652	3.73	872.6	569.8	13.9	127	<0.1	2.0	2.7	45	2.78
1825294	Drill Core	6.61	0.079	1.9	44.4	9.1	68	0.2	26.8	13.0	596	2.78	271.9	49.4	10.9	383	<0.1	1.7	1.2	24	7.56
1825295	Drill Core	1.03	3.594	16.8	204.5	18.7	24	1.3	10.1	26.1	351	6.54	10.1	2982.9	3.7	489	0.1	1.4	37.0	12	8.56
1825296	Drill Core	4.59	0.556	1.5	49.2	24.5	86	0.6	31.9	16.0	468	3.43	57.8	44.0	17.2	128	<0.1	1.0	12.8	30	2.06

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Project:** McQuesten  
**Report Date:** August 12, 2019

# CERTIFICATE OF ANALYSIS

WHI19000170.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2
1825267	Drill Core	0.011	17	5	0.30	53	0.001	<20	0.47	0.005	0.21	0.5	0.01	0.8	0.1	0.30	1	<0.5	<0.2
1825268	Drill Core	0.014	13	5	0.26	37	0.001	<20	0.50	0.004	0.16	3.5	0.02	0.7	0.1	0.29	1	<0.5	<0.2
1825269	Drill Core	0.009	14	5	0.37	43	0.001	<20	0.50	0.005	0.20	0.4	0.01	1.0	<0.1	0.36	1	<0.5	<0.2
1825270	Rock	0.005	1	<1	1.25	38	<0.001	<20	0.02	0.003	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
1825271	Drill Core	0.038	13	7	0.35	65	0.003	<20	0.58	0.006	0.23	0.6	0.01	1.0	<0.1	0.55	1	<0.5	<0.2
1825272	Drill Core	0.015	12	5	0.33	60	0.002	<20	0.49	0.007	0.22	0.2	<0.01	0.8	<0.1	0.78	1	<0.5	<0.2
1825273	Drill Core	0.011	12	10	0.33	60	0.016	<20	0.69	0.010	0.25	19.6	<0.01	1.0	0.1	0.22	2	<0.5	<0.2
1825274	Drill Core	0.048	17	24	0.95	95	0.051	<20	1.50	0.012	0.55	0.2	<0.01	2.4	0.5	0.87	4	<0.5	<0.2
1825275	Drill Core	0.050	20	21	0.93	84	0.028	<20	1.71	0.012	0.46	0.1	<0.01	2.2	0.3	0.53	4	<0.5	<0.2
1825276	Drill Core	0.034	23	17	0.79	113	0.051	<20	1.48	0.009	0.56	0.2	<0.01	2.1	0.4	0.43	4	<0.5	<0.2
1825277	Drill Core	0.040	28	12	0.66	105	0.027	<20	0.96	0.011	0.51	0.1	<0.01	1.9	0.4	0.45	2	<0.5	<0.2
1825278	Drill Core	0.090	15	74	1.27	189	0.133	<20	2.55	0.063	0.79	0.6	<0.01	6.0	0.6	1.17	7	1.3	<0.2
1825279	Drill Core	0.045	17	40	1.10	223	0.119	<20	2.29	0.017	1.02	0.2	<0.01	3.6	0.9	0.55	7	<0.5	<0.2
1825280	Rock Pulp	0.037	4	41	2.46	42	0.005	<20	1.86	0.010	0.06	0.5	2.59	3.7	4.7	6.61	7	31.5	0.3
1825281	Drill Core	0.105	14	45	1.20	157	0.110	<20	2.07	0.016	0.76	0.3	<0.01	4.0	0.7	1.21	6	0.8	<0.2
1825282	Drill Core	0.060	21	28	0.90	108	0.072	<20	1.78	0.009	0.67	0.1	<0.01	3.0	0.6	0.68	5	<0.5	<0.2
1825283	Drill Core	0.051	19	15	0.66	75	0.011	<20	1.38	0.010	0.35	<0.1	<0.01	1.5	0.2	1.28	4	<0.5	<0.2
1825284	Drill Core	0.074	14	23	1.11	102	0.021	<20	1.73	0.011	0.44	<0.1	<0.01	2.4	0.3	1.24	5	0.5	<0.2
1825285	Drill Core	0.057	13	23	0.92	84	0.023	<20	1.62	0.021	0.35	16.2	<0.01	2.6	0.2	0.73	5	0.5	<0.2
1825286	Drill Core	0.040	24	20	0.63	81	0.047	<20	1.65	0.022	0.51	5.8	<0.01	2.3	0.4	0.46	5	<0.5	<0.2
1825287	Drill Core	0.042	21	18	0.59	77	0.059	<20	1.50	0.015	0.55	0.2	<0.01	2.3	0.5	0.44	4	<0.5	<0.2
1825288	Drill Core	0.041	19	15	0.63	66	0.016	<20	1.38	0.016	0.39	2.0	<0.01	1.9	0.2	0.87	4	<0.5	<0.2
1825289	Drill Core	0.045	18	13	0.57	57	0.014	<20	1.27	0.017	0.34	0.1	<0.01	1.8	0.2	0.71	4	<0.5	<0.2
1825290	Drill Core	0.042	17	12	0.49	67	0.012	<20	1.16	0.016	0.34	0.1	<0.01	1.6	0.2	0.63	3	<0.5	<0.2
1825291	Drill Core	0.057	17	27	0.96	126	0.069	<20	1.72	0.028	0.63	0.2	<0.01	3.5	0.5	0.61	5	<0.5	<0.2
1825292	Drill Core	0.056	10	15	0.47	96	0.039	<20	1.27	0.037	0.32	>100	*	2.4	0.3	0.54	3	1.4	0.8
1825293	Drill Core	0.058	22	30	0.84	150	0.060	<20	2.04	0.062	0.48	11.2	<0.01	4.3	0.5	0.83	6	1.7	0.4
1825294	Drill Core	0.048	15	20	0.58	111	0.048	<20	1.65	0.068	0.42	35.0	<0.01	2.8	0.3	0.63	5	1.0	<0.2
1825295	Drill Core	0.021	5	9	0.31	49	0.022	<20	0.76	0.018	0.18	>100	0.04	1.6	0.2	3.91	2	23.2	2.4
1825296	Drill Core	0.039	22	27	0.86	175	0.087	<20	2.16	0.033	0.67	4.6	<0.01	3.5	0.6	0.52	6	<0.5	0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



**CERTIFICATE OF ANALYSIS**

**WHI19000170.1**

Method Analyte Unit MDL	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1825297	Drill Core	4.43	0.318	0.3	38.3	11.2	55	0.1	21.2	11.5	542	2.58	85.6	7.8	9.8	99	<0.1	0.9	1.4	14	1.91
1825298	Drill Core	4.31	0.016	0.3	17.0	8.9	32	<0.1	10.8	5.4	317	1.58	144.4	14.0	7.3	40	<0.1	0.5	0.3	6	0.75
1825299	Drill Core	4.30	0.034	0.3	6.8	6.3	11	<0.1	8.1	2.7	254	1.19	56.7	1.8	7.1	22	<0.1	0.4	0.4	3	0.35
1825300	Rock Pulp	0.13	3.008	13.2	3816.8	>10000	>10000	>100	94.2	43.0	4415	8.88	644.9	4744.5	5.7	19	130.7	186.5	28.1	65	1.95
1825301	Drill Core	5.02	0.018	0.2	11.3	12.9	39	<0.1	7.8	3.2	292	1.03	37.8	2.2	7.2	41	0.3	0.8	0.3	4	0.66
1825302	Drill Core	4.63	0.018	0.7	25.2	18.9	62	0.1	18.9	9.4	388	2.18	38.7	1.0	9.8	40	0.3	0.5	0.4	9	0.59
1825303	Drill Core	3.94	0.166	0.4	12.8	7.6	24	<0.1	12.1	6.2	262	1.31	251.4	150.8	5.9	34	<0.1	1.2	1.0	2	0.49
1825304	Drill Core	4.91	0.117	0.5	14.6	11.4	26	<0.1	11.2	6.1	251	1.40	356.7	41.9	8.2	28	<0.1	0.9	0.6	4	0.41
1825305	Drill Core	3.89	0.088	0.8	12.4	8.5	28	0.2	9.4	4.6	260	1.26	903.4	75.7	6.2	24	<0.1	2.3	3.5	3	0.37
1825306	Drill Core	4.57	0.067	0.4	41.5	10.7	73	0.2	25.5	12.6	384	2.73	191.0	62.9	10.3	51	<0.1	0.5	1.3	14	1.21
1825307	Drill Core	7.03	0.073	0.3	24.7	14.5	55	0.2	14.9	7.2	328	2.00	41.3	75.6	12.1	72	0.1	0.6	1.8	15	1.26
1825308	Drill Core	2.40	0.032	0.2	24.6	10.4	56	0.2	12.8	6.5	390	2.17	21.2	43.5	12.8	64	<0.1	0.2	1.8	13	1.14
1825309	Drill Core	1.55	0.518	0.3	129.2	8.5	54	0.4	15.5	11.1	697	2.84	80.8	683.2	10.1	151	0.6	0.3	11.0	11	5.40
1825310	Drill Core	0.97	0.542	0.3	64.4	8.5	51	0.3	16.2	11.2	627	2.68	131.2	566.7	9.9	141	0.8	0.5	15.4	10	4.09
1825311	Drill Core	6.85	0.287	0.3	47.2	10.8	54	0.3	18.6	11.4	687	2.15	24.3	298.1	12.3	360	1.0	0.2	12.1	14	6.97
1825312	Drill Core	3.52	0.073	0.4	49.6	10.3	73	0.2	24.8	13.4	604	2.99	21.7	38.4	13.7	147	0.5	1.0	2.7	18	4.00
1825313	Drill Core	5.13	0.439	0.2	67.2	8.9	68	0.3	21.1	11.3	511	2.49	82.3	414.1	11.0	157	0.6	0.4	7.1	15	3.34
1825314	Drill Core	4.71	0.497	0.2	60.0	11.2	72	0.3	20.1	10.4	377	2.56	22.6	317.4	13.3	144	0.3	0.4	6.4	16	1.80
1825315	Drill Core	4.79	4.512	0.4	70.3	19.6	74	0.8	25.1	12.1	332	2.86	783.2	5722.4	16.5	102	0.2	1.0	43.9	17	1.86
1825316	Drill Core	6.34	0.183	0.3	90.4	9.5	94	0.2	32.9	13.3	344	3.78	37.7	135.8	19.3	129	<0.1	0.5	1.7	24	1.83
1825317	Drill Core	3.28	3.032	0.2	161.9	9.9	66	0.6	19.8	12.7	516	4.35	314.1	1404.5	14.4	264	0.1	3.0	20.9	22	3.63
1825318	Drill Core	3.23	1.228	0.2	90.9	12.4	51	0.7	18.3	8.6	625	2.67	443.0	874.1	11.5	171	0.1	4.9	10.4	13	3.99
1825319	Drill Core	6.05	0.058	0.3	32.7	7.8	56	0.2	20.8	8.8	249	2.24	49.3	13.6	12.6	43	<0.1	0.4	0.7	10	1.02
1825320	Rock	0.64	<0.005	<0.1	2.1	0.4	<1	<0.1	<0.1	<0.1	88	0.07	<0.5	1.1	<0.1	79	<0.1	<0.1	<0.1	<1	32.26
1825321	Drill Core	4.39	3.117	0.6	135.2	12.9	53	0.6	20.1	15.8	615	3.52	74.8	1309.8	10.1	252	0.6	1.1	18.7	16	5.16
1825322	Drill Core	5.03	0.013	0.9	60.3	5.9	66	0.2	40.3	17.1	253	3.50	160.5	2.2	10.5	47	<0.1	0.9	0.7	14	1.09
1825323	Drill Core	5.99	<0.005	0.3	29.1	4.9	51	0.2	18.1	9.8	191	2.47	8.7	1.6	11.6	66	<0.1	0.2	0.3	12	0.51
1825324	Drill Core	3.85	<0.005	0.8	77.1	7.5	82	0.4	55.6	22.7	339	4.31	69.7	0.6	6.2	42	<0.1	0.8	0.9	7	0.59
1825325	Drill Core	1.04	0.027	0.6	33.9	10.5	37	0.3	22.0	10.1	440	3.17	349.1	9.5	5.8	75	<0.1	1.0	0.5	9	1.48
1825326	Drill Core	5.93	0.044	0.9	73.0	7.7	78	0.4	42.6	17.9	332	4.11	99.7	11.7	8.8	132	0.2	0.6	1.3	16	0.80



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

CERTIFICATE OF ANALYSIS

WHI19000170.1

Table with columns: Method, Analyte, Unit, MDL, and 19 elements (P, La, Cr, Mg, Ba, Ti, B, Al, Na, K, W, Hg, Sc, Ti, S, Ga, Se, Te) with their respective values and detection limits.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** August 12, 2019

**Page:** 4 of 4

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000170.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1825327	Drill Core	0.70	0.005	0.6	139.1	4.2	59	0.3	17.2	20.1	299	4.05	2.8	5.8	4.5	51	<0.1	0.1	0.2	10	1.37
1825328	Drill Core	2.45	<0.005	0.9	70.0	5.0	59	0.3	46.9	18.4	283	3.96	60.2	1.5	8.0	87	<0.1	0.4	0.5	14	0.50
1825329	Drill Core	1.89	0.008	0.4	26.1	6.6	37	0.1	18.7	9.0	403	1.93	66.3	2.3	9.7	103	<0.1	0.2	0.2	8	0.79
1825330	Drill Core	1.56	<0.005	0.4	26.2	6.3	36	0.1	21.9	9.8	332	2.04	54.8	1.2	9.2	105	<0.1	0.2	0.2	9	0.53
1825331	Drill Core	3.72	<0.005	0.8	50.6	12.6	83	0.2	44.9	17.8	410	3.89	22.4	<0.5	5.0	41	<0.1	0.4	0.4	7	0.34
1825332	Drill Core	2.71	<0.005	0.2	25.6	6.0	59	0.1	23.3	11.6	335	2.79	49.7	<0.5	8.5	78	<0.1	0.2	0.2	14	0.48
1825333	Drill Core	3.78	<0.005	1.3	69.0	8.2	89	0.6	56.1	22.7	342	4.41	38.2	1.4	5.3	43	<0.1	0.4	0.7	7	0.25
1825334	Drill Core	4.11	<0.005	0.4	47.1	9.7	66	1.8	28.5	14.1	419	2.91	52.8	<0.5	10.7	259	<0.1	0.6	0.2	14	1.32



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** August 12, 2019

**Page:** 4 of 4

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000170.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1825327	Drill Core	0.002	5	18	0.94	97	0.030	<20	1.41	0.021	0.26	0.3	0.01	2.8	0.2	1.85	5	9.0	<0.2
1825328	Drill Core	0.041	10	19	0.73	178	0.046	<20	1.60	0.030	0.62	0.3	0.01	2.3	0.8	1.61	4	2.7	<0.2
1825329	Drill Core	0.020	11	13	0.45	132	0.029	<20	0.95	0.015	0.25	0.2	0.01	1.2	0.2	0.50	3	1.3	<0.2
1825330	Drill Core	0.018	11	13	0.45	193	0.030	<20	1.00	0.020	0.27	0.2	0.01	1.2	0.2	0.59	3	0.9	<0.2
1825331	Drill Core	0.053	9	10	0.65	64	0.004	<20	1.10	0.017	0.24	0.1	<0.01	1.1	0.1	1.82	3	0.8	<0.2
1825332	Drill Core	0.016	9	17	0.71	152	0.051	<20	1.61	0.047	0.55	0.2	<0.01	1.9	0.5	0.72	4	<0.5	<0.2
1825333	Drill Core	0.023	8	11	0.69	42	0.008	<20	1.10	0.008	0.28	0.8	<0.01	1.0	0.3	2.08	3	1.4	<0.2
1825334	Drill Core	0.018	13	18	0.69	97	0.032	<20	1.51	0.007	0.51	3.9	0.01	2.2	0.5	0.63	4	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 12, 2019

Page: 1 of 2 Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000170.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
Pulp Duplicates																					
1825281	Drill Core	5.09	0.014	4.6	71.4	11.8	115	0.2	50.5	23.0	655	4.36	167.1	3.2	12.9	51	<0.1	2.3	0.6	63	1.13
REP 1825281	QC	0.013																			
1825287	Drill Core	6.07	0.010	0.5	33.4	10.0	64	<0.1	29.3	14.9	523	2.99	71.9	11.8	16.0	79	<0.1	2.0	0.3	16	1.44
REP 1825287	QC	0.9 34.3 10.3 67 <0.1 30.0 15.8 537 3.05 74.3 3.2 16.2 80 <0.1 2.1 0.3 17 1.46																			
REP 1825302	QC	0.024																			
1825321	Drill Core	4.39	3.117	0.6	135.2	12.9	53	0.6	20.1	15.8	615	3.52	74.8	1309.8	10.1	252	0.6	1.1	18.7	16	5.16
REP 1825321	QC	0.6 134.4 12.9 55 0.5 20.4 15.9 592 3.47 67.1 1025.3 10.1 253 0.7 1.1 18.6 16 5.18																			
Core Reject Duplicates																					
1825268	Drill Core	1.87	0.011	0.4	14.9	6.3	34	1.4	10.6	4.8	259	1.27	121.5	5.0	7.8	15	<0.1	2.2	0.1	3	0.29
DUP 1825268	QC	0.016 0.4 15.3 7.3 39 0.8 10.9 5.1 270 1.36 147.0 7.7 7.9 16 <0.1 2.3 0.2 3 0.29																			
1825302	Drill Core	4.63	0.018	0.7	25.2	18.9	62	0.1	18.9	9.4	388	2.18	38.7	1.0	9.8	40	0.3	0.5	0.4	9	0.59
DUP 1825302	QC	0.023 0.6 22.5 16.1 59 <0.1 18.9 9.4 360 2.03 38.9 166.5 9.7 38 0.2 0.6 0.4 8 0.55																			
Reference Materials																					
STD BVGEO01	Standard	10.6 4469.7 193.0 1764 2.6 161.4 24.8 703 3.77 124.0 224.6 16.7 54 6.7 3.0 25.0 74 1.28																			
STD DS11	Standard	15.0 160.0 131.9 352 1.7 84.2 14.0 1051 3.15 42.8 92.4 8.8 66 2.5 7.3 11.2 49 1.07																			
STD OREAS262	Standard	0.6 125.5 55.6 150 0.4 68.1 28.7 565 3.37 36.9 55.5 9.7 36 0.6 2.6 1.0 22 3.08																			
STD OREAS262	Standard	0.7 118.3 56.2 152 0.4 62.5 27.0 516 3.27 35.2 62.4 9.3 34 0.6 3.4 1.0 21 2.90																			
STD OREAS256	Standard	7.396																			
STD OXC145	Standard	0.216																			
STD OXH139	Standard	1.324																			
STD DS11 Expected		13.9 149 138 345 1.71 77.7 14.2 1055 3.1 42.8 79 7.65 67.3 2.37 7.2 12.2 50 1.063																			
STD BVGEO01 Expected		10.8 4415 187 1741 2.53 163 25 733 3.7 121 219 14.4 55 6.5 2.2 25.6 73 1.3219																			
STD OREAS262 Expected		0.68 118 56 154 0.45 62 26.9 530 3.284 35.8 65 9.33 36 0.61 3.39 1.03 22.5 2.98																			
STD OXC145 Expected		0.212																			
STD OXH139 Expected		1.312																			
STD OREAS256 Expected		7.66																			
BLK	Blank	<0.1 <0.1 <0.1 <1 <0.1 <0.1 <0.1 <1 <0.01 <0.5 <0.5 <0.1 <1 <0.1 <0.1 <0.1 <1 <0.01																			
BLK	Blank	<0.1 <0.1 <0.1 <1 <0.1 <0.1 <0.1 <1 <0.01 <0.5 <0.5 <0.1 <1 <0.1 <0.1 <0.1 <1 <0.01																			





Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 12, 2019

Page: 1 of 2

Part: 2 of 2

# QUALITY CONTROL REPORT

## WHI19000170.1

Method		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																			
1825281	Drill Core	0.105	14	45	1.20	157	0.110	<20	2.07	0.016	0.76	0.3	<0.01	4.0	0.7	1.21	6	0.8	<0.2
REP 1825281	QC																		
1825287	Drill Core	0.042	21	18	0.59	77	0.059	<20	1.50	0.015	0.55	0.2	<0.01	2.3	0.5	0.44	4	<0.5	<0.2
REP 1825287	QC	0.045	20	18	0.60	78	0.059	<20	1.52	0.015	0.55	0.2	<0.01	2.3	0.5	0.45	4	<0.5	<0.2
REP 1825302	QC																		
1825321	Drill Core	0.027	10	13	0.51	133	0.014	<20	1.94	0.157	0.17	>100	<0.01	2.3	<0.1	1.59	5	7.2	1.0
REP 1825321	QC	0.025	10	13	0.51	135	0.015	<20	1.93	0.153	0.17	>100	<0.01	2.2	<0.1	1.57	5	9.2	1.2
Core Reject Duplicates																			
1825268	Drill Core	0.014	13	5	0.26	37	0.001	<20	0.50	0.004	0.16	3.5	0.02	0.7	0.1	0.29	1	<0.5	<0.2
DUP 1825268	QC	0.013	13	6	0.26	40	0.001	<20	0.54	0.005	0.19	2.7	0.02	0.8	0.2	0.32	1	<0.5	<0.2
1825302	Drill Core	0.038	15	10	0.35	95	0.013	<20	0.88	0.009	0.31	0.2	<0.01	1.5	0.2	0.28	2	<0.5	<0.2
DUP 1825302	QC	0.038	15	10	0.32	89	0.013	<20	0.82	0.009	0.30	0.2	<0.01	1.2	0.2	0.26	2	<0.5	<0.2
Reference Materials																			
STD BVGEO01	Standard	0.074	27	169	1.31	346	0.236	<20	2.33	0.192	0.92	3.9	0.10	5.6	0.6	0.68	7	5.8	1.1
STD DS11	Standard	0.071	18	60	0.85	436	0.097	<20	1.17	0.069	0.40	2.8	0.25	3.3	4.8	0.28	5	2.0	4.2
STD OREAS262	Standard	0.037	16	43	1.21	237	0.003	<20	1.27	0.070	0.31	<0.1	0.15	3.3	0.4	0.27	4	<0.5	<0.2
STD OREAS262	Standard	0.040	15	41	1.17	244	0.003	<20	1.22	0.072	0.30	0.2	0.18	3.1	0.4	0.25	4	<0.5	<0.2
STD OREAS256	Standard																		
STD OXC145	Standard																		
STD OXH139	Standard																		
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56
STD BVGEO01 Expected		0.0727	25.9	171	1.2963	340	0.233		2.347	0.1924	0.89	3.5	0.1	5.97	0.62	0.6655	7.37	4.84	1.02
STD OREAS262 Expected		0.04	15.9	41.7	1.17	248	0.003		1.204	0.071	0.312	0.13	0.17	3.24	0.47	0.253	3.73	0.4	0.23
STD OXC145 Expected																			
STD OXH139 Expected																			
STD OREAS256 Expected																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 12, 2019

Page: 2 of 2

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000170.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
Prep Wash																					
ROCK-WHI	Prep Blank	<0.005	0.8	3.8	1.3	31	<0.1	1.4	4.5	529	1.94	1.3	2.9	6.8	24	<0.1	<0.1	<0.1	25	0.69	
ROCK-WHI	Prep Blank	<0.005	0.9	2.3	1.1	28	<0.1	0.9	4.1	515	1.94	1.3	1.2	4.2	20	<0.1	<0.1	<0.1	25	0.61	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: August 12, 2019

Page: 2 of 2

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000170.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
ROCK-WHI	Prep Blank	0.044	6	3	0.47	53	0.082	<20	0.94	0.081	0.08	<0.1	<0.01	2.9	<0.1	<0.05	4	<0.5	<0.2
ROCK-WHI	Prep Blank	0.040	7	3	0.45	50	0.090	<20	0.87	0.080	0.09	<0.1	0.01	3.0	<0.1	<0.05	4	<0.5	<0.2



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Submitted By: James Thom  
Receiving Lab: Canada-Whitehorse  
Received: November 15, 2019  
Report Date: November 25, 2019  
Page: 1 of 6

## CERTIFICATE OF ANALYSIS

WHI19000759.1

### CLIENT JOB INFORMATION

Project: McQuesten  
Shipment ID: MQ-19-34a  
P.O. Number  
Number of Samples: 138

### SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps  
PICKUP-RJT Client to Pickup Rejects

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Banyan Gold Corp.  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7  
Canada

CC: Paul Gray

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	135	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	3	Sort, label and box pulps			WHI
FA450	138	50g Lead Collection Fire Assay Fusion - AAS Finish	50	Completed	VAN
EN002	138	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	138	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	138	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS

  
MAY LAI  
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 25, 2019

**Page:** 2 of 6

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

## WHI19000759.1

Method Analyte Unit MDL	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1865285	Rock	3.96	0.020	0.6	36.0	9.8	83	0.1	40.9	16.4	612	3.85	120.9	10.9	12.8	15	<0.1	0.5	0.4	20	0.22
1865286	Rock	5.02	0.013	0.6	41.9	6.6	92	<0.1	42.5	18.2	563	3.79	74.9	5.6	14.7	26	<0.1	0.9	0.4	16	0.39
1865287	Rock	5.08	0.009	0.4	36.7	6.9	76	0.1	38.1	19.5	563	3.37	78.0	7.2	11.8	39	<0.1	1.9	0.3	11	0.49
1865288	Rock	4.68	0.023	2.3	38.6	6.2	58	<0.1	42.0	19.9	286	3.41	185.4	4.4	10.7	48	<0.1	0.7	0.4	14	0.55
1865289	Rock	1.83	0.189	1.1	86.7	6.5	96	0.2	53.9	24.1	644	5.44	137.1	117.6	6.9	82	<0.1	0.5	1.5	61	1.40
1865290	Rock	1.48	0.108	0.9	89.1	6.3	93	0.2	55.7	25.3	668	5.24	126.1	192.3	5.9	100	<0.1	0.5	1.3	64	1.50
1865291	Rock	3.81	0.051	1.2	55.3	3.8	119	0.1	58.0	31.5	1189	5.49	255.1	15.0	3.3	107	0.1	0.9	0.8	135	2.01
1865292	Rock	3.43	0.072	1.5	41.4	8.2	80	0.1	37.9	21.4	905	3.98	266.9	67.9	4.8	142	<0.1	8.3	0.6	38	2.46
1865293	Rock	2.93	<0.005	0.3	17.1	7.6	37	<0.1	16.6	7.3	227	1.84	12.0	3.2	7.9	20	<0.1	1.7	0.1	6	0.25
1865294	Rock	4.63	0.019	0.8	27.6	8.7	57	<0.1	25.0	12.0	252	2.33	60.1	3.1	10.1	26	<0.1	0.6	0.5	9	0.34
1865295	Rock	4.57	<0.005	0.4	12.1	8.5	31	<0.1	9.4	4.1	212	1.56	39.0	4.9	6.1	25	<0.1	0.4	0.1	7	0.48
1865296	Rock	5.09	<0.005	0.3	12.8	9.2	42	<0.1	11.7	5.5	169	1.37	12.2	3.2	6.6	23	<0.1	2.2	0.1	5	0.34
1865297	Rock	4.22	0.007	0.2	7.7	4.8	22	<0.1	7.4	3.1	134	1.20	32.8	4.5	6.5	21	<0.1	1.5	0.2	5	0.27
1865298	Rock	3.68	0.062	0.1	4.4	6.1	12	<0.1	3.4	1.4	211	0.85	16.5	11.6	3.6	48	<0.1	0.8	0.4	2	0.85
1865299	Rock	2.48	0.141	0.2	9.6	5.3	16	<0.1	6.2	2.3	120	1.03	18.9	14.8	6.3	16	<0.1	0.4	0.6	4	0.23
1865300	Rock	2.73	0.005	0.1	8.2	4.3	14	<0.1	5.2	1.9	102	0.91	4.5	2.0	5.6	16	<0.1	0.4	0.2	4	0.24
1865301	Rock	4.35	0.010	0.2	5.6	6.9	17	<0.1	5.4	2.3	160	0.98	25.2	2.2	5.4	68	0.1	1.0	<0.1	4	0.64
1865302	Rock	5.65	<0.005	0.2	14.5	12.1	24	<0.1	14.9	7.5	186	1.54	26.5	2.6	7.6	26	<0.1	1.3	0.2	5	0.36
1865303	Rock	4.34	<0.005	0.3	20.1	7.2	42	<0.1	19.1	9.9	208	2.20	32.3	0.5	8.8	18	<0.1	0.4	0.1	9	0.22
1865304	Rock	4.64	0.035	0.5	14.7	7.6	37	<0.1	14.1	6.5	242	1.99	103.6	24.7	7.6	30	<0.1	0.9	0.4	11	0.49
1865305	Rock	4.99	0.014	3.2	37.5	19.3	43	0.1	18.9	8.5	172	1.91	131.9	2.8	9.4	23	0.1	0.9	0.4	5	0.33
1865306	Rock	4.83	<0.005	0.2	10.2	9.8	27	<0.1	9.1	4.8	223	1.29	14.9	1.0	7.9	27	<0.1	2.4	<0.1	4	0.52
1865307	Rock	4.53	<0.005	0.4	6.4	5.4	18	<0.1	7.8	4.0	160	1.29	7.9	<0.5	8.2	20	<0.1	0.8	0.1	5	0.33
1865308	Rock	4.91	0.030	0.3	25.3	2.0	78	<0.1	270.1	44.4	891	5.58	438.4	16.8	3.3	87	<0.1	1.5	0.4	102	2.08
1865309	Rock	4.85	<0.005	0.3	26.7	2.6	51	<0.1	355.5	43.1	794	4.45	372.8	1.7	3.9	110	<0.1	1.7	0.2	59	1.29
1865310	Rock	0.55	<0.005	<0.1	0.4	0.8	<1	<0.1	1.8	0.7	85	0.08	1.1	<0.5	0.2	85	<0.1	<0.1	<0.1	<1	35.34
1865311	Rock	4.76	0.016	0.3	22.3	5.2	79	<0.1	178.6	30.8	737	4.98	239.8	1.7	6.1	85	<0.1	1.0	0.2	73	1.03
1865312	Rock	4.64	0.009	0.3	20.2	6.4	36	<0.1	20.7	10.3	252	2.07	187.6	2.8	9.6	26	<0.1	10.0	0.2	6	0.35
1865313	Rock	1.23	<0.005	0.2	16.5	4.2	40	<0.1	15.7	6.3	423	3.11	18.9	<0.5	8.5	298	<0.1	13.5	0.1	5	3.40
1865314	Rock	4.41	<0.005	0.4	10.0	5.1	67	<0.1	90.7	17.1	435	3.26	117.7	1.5	7.0	41	<0.1	4.4	<0.1	38	0.52



Bureau Veritas Commodities Canada Ltd. 9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada PHONE (604) 253-3158

CERTIFICATE OF ANALYSIS

WHI19000759.1

Table with columns: Method, Analyte, Unit, MDL, and 19 elements (P, La, Cr, Mg, Ba, Ti, B, Al, Na, K, W, Hg, Sc, Ti, S, Ga, Se, Te) with their respective concentrations and detection limits.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



**BUREAU VERITAS**  
MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 25, 2019

**Page:** 3 of 6

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000759.1

Method Analyte Unit MDL	WGHT Wgt kg	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
1865315	Rock	5.83	<0.005	0.5	9.8	4.6	63	<0.1	25.9	11.9	345	2.66	12.2	<0.5	7.1	26	<0.1	0.6	0.1	40	0.44
1865316	Rock	4.69	0.008	0.4	41.4	5.1	89	<0.1	91.2	34.0	724	5.69	378.4	3.4	6.5	39	0.6	1.5	0.4	69	0.77
1865317	Rock	3.67	0.229	0.3	54.9	10.1	74	0.3	124.4	21.9	984	3.78	334.4	536.5	8.8	234	0.2	14.4	2.8	19	4.02
1865318	Rock	0.65	0.394	0.3	35.9	178.4	58	1.8	19.8	9.4	1751	1.93	357.8	346.2	7.5	935	1.9	4.6	10.7	23	22.67
1865319	Rock	2.73	0.196	0.4	39.5	9.1	78	0.2	48.9	19.0	472	3.30	211.0	358.3	11.4	55	<0.1	5.5	1.6	13	1.10
1865320	Rock	2.12	0.104	0.5	36.9	8.8	78	0.1	48.3	17.1	499	3.37	161.6	155.2	12.3	57	<0.1	5.1	1.0	16	1.20
1865321	Rock	5.19	0.038	0.4	26.2	10.0	60	<0.1	27.2	11.1	464	2.82	43.5	7.4	9.8	59	<0.1	3.2	0.5	6	1.11
1865322	Rock	4.89	3.388	0.8	50.0	18.0	59	0.6	25.8	12.4	972	2.86	114.2	3467.1	11.4	291	0.3	1.1	78.1	26	11.75
1865323	Rock	2.70	0.782	0.7	41.1	24.1	77	0.2	21.1	9.4	1106	2.32	156.0	687.5	11.8	421	0.9	0.6	12.0	23	17.41
1865324	Rock	4.95	2.033	0.6	76.8	25.3	70	0.6	21.2	10.7	1038	2.58	1150.0	1516.3	8.5	468	0.6	1.2	37.1	20	16.91
1865325	Rock	3.76	0.805	0.5	48.5	15.9	63	0.2	24.9	17.4	821	2.61	355.9	620.1	8.5	332	0.2	0.8	8.6	20	10.92
1865326	Rock	4.59	0.017	0.3	40.3	10.9	88	<0.1	31.8	13.6	347	3.42	80.6	15.1	12.6	37	<0.1	0.6	0.6	16	0.85
1865327	Rock	5.00	0.009	0.7	30.2	15.7	90	<0.1	31.0	14.0	432	3.29	193.4	10.0	12.2	35	<0.1	1.5	0.4	19	0.57
1865328	Rock	4.17	0.210	0.3	30.7	8.4	90	0.1	35.8	14.1	412	3.59	221.5	63.0	10.9	44	<0.1	4.2	2.1	11	0.48
1865329	Rock	4.89	0.032	0.3	32.5	40.5	86	0.2	34.1	16.3	394	3.63	97.4	20.1	12.0	28	<0.1	5.3	0.6	11	0.42
1865330	Rock	0.65	<0.005	<0.1	0.4	0.3	<1	<0.1	1.4	0.6	91	0.06	<0.5	3.2	0.3	76	<0.1	<0.1	<0.1	<1	33.61
1865331	Rock	5.14	0.044	0.7	35.0	6.0	93	<0.1	40.3	22.0	532	3.77	227.1	33.6	10.4	53	<0.1	5.4	0.6	14	0.68
1865332	Rock	4.68	0.124	0.4	34.3	7.1	86	0.4	35.8	18.1	567	3.51	681.7	1286.7	10.7	39	<0.1	2.6	0.7	13	0.66
1865333	Rock	5.15	0.023	0.3	25.7	10.3	77	<0.1	31.7	17.7	615	3.40	143.9	5.8	10.0	37	<0.1	1.1	0.4	17	0.70
1865334	Rock	4.49	0.099	0.5	36.6	15.8	67	0.1	26.4	14.2	473	2.84	177.7	65.5	10.4	37	<0.1	3.3	1.0	9	0.67
1865335	Rock	4.91	0.146	0.8	35.9	8.3	105	0.1	36.8	14.8	698	4.04	149.7	44.3	11.1	38	<0.1	2.2	1.9	20	0.77
1865336	Rock	4.29	0.035	0.9	26.9	10.4	93	<0.1	34.1	19.4	570	3.33	132.6	116.2	11.1	38	<0.1	2.4	0.7	15	0.61
1865337	Rock	4.81	0.021	1.0	32.7	7.7	111	<0.1	40.8	20.5	729	4.37	223.3	10.9	12.0	50	<0.1	6.2	0.4	17	0.72
1865338	Rock	5.11	0.012	1.2	44.6	7.5	96	<0.1	45.0	20.6	619	4.37	122.9	6.8	13.3	31	<0.1	0.7	0.4	24	0.48
1865339	Rock	1.92	0.007	0.4	34.4	5.6	81	<0.1	31.8	14.2	468	3.64	138.4	2.9	7.2	38	<0.1	0.6	0.3	38	1.08
1865340	Rock	2.00	0.090	0.4	36.0	5.9	91	<0.1	35.6	17.4	542	3.83	307.5	3.1	6.8	41	<0.1	0.6	0.3	46	1.11
1865341	Rock	4.49	0.337	0.4	42.1	5.7	66	0.2	34.7	17.8	600	3.24	601.0	463.4	6.7	49	<0.1	1.8	0.4	22	1.20
1865342	Rock	4.48	0.008	0.2	26.9	5.0	99	<0.1	40.0	19.5	616	4.27	93.7	5.2	12.3	27	<0.1	1.3	0.1	22	0.49
1865343	Rock	4.89	0.341	0.2	33.0	8.3	105	0.1	40.7	20.4	687	4.13	142.5	37.8	12.6	38	<0.1	1.1	2.3	29	0.85
1865344	Rock	4.63	<0.005	0.3	35.9	6.7	94	<0.1	37.0	18.0	680	3.77	15.1	1.4	13.4	25	<0.1	0.5	0.4	20	0.38

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 25, 2019

Page: 3 of 6 Part: 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000759.1

Method Analyte Unit MDL	AQ200																			
	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te		
	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm		
1865315	Rock	0.026	13	68	1.80	189	0.087	<20	1.99	0.015	1.13	<0.1	<0.01	4.8	1.3	0.12	6	<0.5	<0.2	
1865316	Rock	0.050	11	155	4.52	115	0.066	<20	3.74	0.007	0.84	<0.1	<0.01	9.8	1.0	0.27	11	<0.5	<0.2	
1865317	Rock	0.030	12	63	1.71	127	0.006	<20	1.39	0.005	0.37	11.3	<0.01	3.9	0.4	0.89	4	1.8	<0.2	
1865318	Rock	0.021	12	19	0.54	199	0.042	<20	1.82	0.104	0.19	0.2	<0.01	3.2	0.2	0.42	5	1.7	0.4	
1865319	Rock	0.026	23	24	0.88	113	0.008	<20	1.21	0.013	0.37	0.2	<0.01	2.6	0.3	0.37	3	0.6	<0.2	
1865320	Rock	0.027	20	26	0.88	111	0.011	<20	1.32	0.022	0.39	0.2	<0.01	2.6	0.3	0.42	4	1.0	<0.2	
1865321	Rock	0.033	20	9	0.66	69	0.002	<20	0.82	0.009	0.29	<0.1	<0.01	1.6	0.2	0.48	2	<0.5	<0.2	
1865322	Rock	0.043	26	24	0.68	180	0.012	<20	1.71	0.037	0.28	31.6	<0.01	3.5	0.2	0.69	5	1.8	2.8	
1865323	Rock	0.032	34	21	0.57	156	0.002	<20	1.25	0.020	0.24	31.7	<0.01	3.1	0.1	0.61	4	1.6	0.7	
1865324	Rock	0.040	21	19	0.45	250	0.030	<20	1.74	0.075	0.33	93.9	<0.01	3.0	0.3	0.81	5	2.9	1.7	
1865325	Rock	0.042	19	18	0.53	138	0.020	<20	1.53	0.043	0.30	>100	*	3.2	0.2	0.64	4	1.8	0.6	
1865326	Rock	0.034	26	18	0.80	123	0.041	<20	1.38	0.020	0.52	3.6	<0.01	2.7	0.4	0.37	4	0.8	<0.2	
1865327	Rock	0.035	27	24	0.78	115	0.044	<20	1.58	0.017	0.61	1.0	<0.01	2.9	0.6	0.24	5	<0.5	<0.2	
1865328	Rock	0.050	26	12	0.66	98	0.004	<20	1.22	0.008	0.34	8.9	<0.01	2.3	0.2	0.35	3	<0.5	<0.2	
1865329	Rock	0.049	20	13	0.76	84	0.003	<20	1.38	0.009	0.33	0.5	<0.01	1.9	0.2	0.74	4	<0.5	<0.2	
1865330	Rock	0.007	1	<1	0.68	14	0.001	<20	0.02	<0.001	0.03	0.4	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2	
1865331	Rock	0.026	21	17	0.87	95	0.006	<20	1.29	0.013	0.39	0.2	<0.01	2.3	0.3	0.80	4	<0.5	<0.2	
1865332	Rock	0.024	25	16	0.76	110	0.010	<20	1.16	0.019	0.37	0.2	<0.01	2.3	0.3	0.54	3	0.6	<0.2	
1865333	Rock	0.029	24	19	0.81	95	0.018	<20	1.52	0.018	0.39	0.2	<0.01	2.4	0.3	0.28	4	<0.5	<0.2	
1865334	Rock	0.020	23	11	0.57	91	0.002	<20	0.91	0.009	0.30	0.2	<0.01	1.5	0.2	0.51	2	<0.5	<0.2	
1865335	Rock	0.025	24	24	0.88	112	0.018	<20	1.73	0.018	0.39	1.0	<0.01	2.8	0.3	0.37	5	<0.5	<0.2	
1865336	Rock	0.021	23	19	0.80	93	0.020	<20	1.38	0.018	0.39	0.2	<0.01	2.1	0.4	0.45	4	<0.5	<0.2	
1865337	Rock	0.026	28	21	0.95	99	0.012	<20	1.47	0.011	0.38	0.2	<0.01	3.0	0.3	0.27	5	<0.5	<0.2	
1865338	Rock	0.044	31	28	1.03	132	0.053	<20	2.21	0.012	0.64	0.1	<0.01	3.2	0.6	0.24	6	<0.5	<0.2	
1865339	Rock	0.139	17	45	1.11	136	0.067	<20	2.08	0.029	0.71	1.8	<0.01	4.2	0.6	0.37	7	<0.5	<0.2	
1865340	Rock	0.123	18	57	1.32	156	0.075	<20	2.33	0.026	0.80	1.4	<0.01	4.8	0.6	0.33	8	1.0	<0.2	
1865341	Rock	0.053	15	34	0.75	75	0.020	<20	1.44	0.058	0.33	0.2	<0.01	3.2	0.2	0.66	4	<0.5	<0.2	
1865342	Rock	0.070	26	26	1.00	94	0.035	<20	2.06	0.013	0.44	0.1	<0.01	2.7	0.3	0.20	6	<0.5	<0.2	
1865343	Rock	0.052	29	31	1.01	183	0.059	<20	2.21	0.021	0.61	0.2	<0.01	3.5	0.5	0.21	7	0.5	<0.2	
1865344	Rock	0.030	36	24	0.87	112	0.031	<20	2.17	0.028	0.34	0.1	<0.01	2.7	0.1	0.13	6	<0.5	<0.2	





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 25, 2019

Page: 4 of 6 Part: 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000759.1

Method Analyte Unit MDL	WGHT Wgt kg	FA450 Au ppm	AQ200 Mo ppm	AQ200 Cu ppm	AQ200 Pb ppm	AQ200 Zn ppm	AQ200 Ag ppm	AQ200 Ni ppm	AQ200 Co ppm	AQ200 Mn ppm	AQ200 Fe %	AQ200 As ppm	AQ200 Au ppb	AQ200 Th ppm	AQ200 Sr ppm	AQ200 Cd ppm	AQ200 Sb ppm	AQ200 Bi ppm	AQ200 V ppm	AQ200 Ca %	
1865345	Rock	4.67	0.007	0.5	35.2	8.5	93	<0.1	38.3	14.1	759	3.50	48.1	3.6	10.9	23	<0.1	0.5	0.5	13	0.36
1865346	Rock	4.66	<0.005	0.6	44.2	7.4	106	<0.1	47.3	20.7	850	4.26	5.5	<0.5	10.6	13	<0.1	0.5	0.5	14	0.16
1865347	Rock	4.77	0.041	0.7	48.0	5.6	90	<0.1	45.9	18.1	374	3.92	19.6	23.6	10.2	13	<0.1	0.8	1.2	10	0.12
1865348	Rock	3.52	0.016	1.0	30.6	10.9	110	<0.1	79.7	24.2	810	4.96	138.5	9.2	8.2	45	<0.1	1.1	0.3	42	0.90
1865349	Rock	3.33	0.008	0.7	16.1	3.8	55	<0.1	30.2	15.5	382	3.33	60.6	2.6	10.9	41	<0.1	0.2	<0.1	38	0.72
1865350	Rock Pulp	0.13	1.230	6.3	116.3	6967.5	1550	44.1	16.4	10.6	1076	3.82	56.5	923.4	2.2	82	14.5	30.9	0.7	98	1.08
1865351	Rock	4.53	0.335	0.9	68.0	3.0	112	0.2	55.5	33.8	535	5.00	123.9	503.3	0.4	92	0.1	0.5	3.5	136	1.79
1865352	Rock	5.07	0.435	1.0	53.4	3.6	135	0.2	50.7	26.6	788	4.72	132.1	100.6	2.5	92	0.1	0.5	2.4	127	2.30
1865353	Rock	5.04	0.021	1.0	58.4	2.9	106	<0.1	48.5	31.2	646	5.10	143.0	11.7	0.6	141	0.1	0.3	0.2	158	2.26
1865354	Rock	3.97	0.115	1.2	59.6	2.7	81	0.1	45.2	29.3	675	4.77	34.3	14.0	0.6	186	0.2	0.4	0.4	144	2.48
1865355	Rock	3.10	0.410	1.0	52.3	3.0	102	0.1	70.4	34.4	1132	5.68	127.9	493.6	0.5	265	0.1	3.4	3.1	131	4.44
1865356	Rock	2.15	0.040	1.1	57.5	4.0	112	0.1	73.5	35.1	1383	6.09	170.3	16.3	0.6	414	0.2	11.9	0.6	115	6.16
1865357	Rock	4.84	0.675	1.3	62.1	6.3	104	0.2	79.0	36.2	735	4.79	297.3	166.3	0.4	141	0.2	0.8	7.4	138	2.67
1865358	Rock	4.90	0.698	1.0	59.6	6.5	125	0.3	78.1	35.1	908	5.36	473.5	574.7	0.5	151	0.1	1.2	6.4	144	3.30
1865359	Rock	2.14	0.018	0.8	59.1	2.1	80	<0.1	65.2	30.1	559	4.64	76.9	10.4	0.4	147	0.1	0.5	0.2	133	2.56
1865360	Rock	2.04	0.029	0.8	60.3	2.3	82	0.1	67.8	30.7	560	4.61	109.0	54.9	0.4	159	0.2	0.6	0.5	131	2.71
1865361	Rock	4.69	0.340	1.2	68.9	2.6	100	0.1	64.7	31.8	631	4.50	180.2	177.4	0.4	138	0.1	0.7	2.7	128	3.17
1865362	Rock	4.97	<0.005	0.9	62.4	1.0	56	<0.1	52.8	23.7	362	3.41	9.3	2.5	0.5	53	<0.1	0.3	<0.1	99	1.45
1865363	Rock	3.33	0.054	1.1	60.5	2.5	97	0.2	68.9	32.4	526	4.32	105.6	22.9	0.4	58	<0.1	0.5	0.6	118	1.61
1865364	Rock	4.85	0.008	0.6	46.0	12.1	268	0.1	46.6	24.4	751	4.92	83.9	2.8	6.2	44	0.3	0.4	0.3	83	1.18
1865365	Rock	4.73	<0.005	0.3	29.4	9.3	92	<0.1	29.5	12.5	425	3.15	45.1	<0.5	11.2	34	<0.1	0.3	0.2	21	0.55
1865366	Rock	4.41	0.075	0.5	26.4	7.3	71	0.1	27.5	13.1	384	2.93	71.9	48.8	11.7	26	<0.1	0.8	1.0	12	0.34
1865367	Rock	4.29	0.084	3.0	16.6	12.0	39	0.2	14.7	6.3	290	1.68	194.8	25.3	6.8	33	<0.1	1.9	2.8	8	0.53
1865368	Rock	4.60	0.047	0.4	31.7	7.9	71	<0.1	30.4	11.9	218	3.53	17.4	28.0	13.1	31	<0.1	1.8	0.5	15	0.44
1865369	Rock	4.60	0.149	0.3	22.5	13.0	49	0.1	19.8	7.8	212	2.65	75.2	2.7	9.6	27	<0.1	0.4	0.5	15	0.39
1865370	Rock	0.67	<0.005	<0.1	0.4	0.9	<1	<0.1	<0.1	<0.1	69	0.05	0.6	<0.5	0.1	66	<0.1	<0.1	<0.1	<1	33.38
1865371	Rock	4.09	<0.005	0.4	14.7	5.3	54	<0.1	26.7	7.5	210	3.29	15.9	<0.5	10.3	25	<0.1	0.5	0.2	17	0.30
1865372	Rock	4.33	0.020	1.7	37.4	7.1	70	<0.1	34.2	12.6	270	3.55	74.9	6.6	12.2	28	<0.1	0.7	0.5	17	0.46
1865373	Rock	4.69	<0.005	0.4	40.4	9.8	77	<0.1	35.0	12.9	337	3.36	4.0	<0.5	13.0	24	<0.1	0.4	0.2	13	0.42
1865374	Rock	4.22	0.010	0.7	29.6	11.3	64	<0.1	30.4	12.9	329	3.21	48.8	2.1	10.6	29	<0.1	0.3	0.3	28	0.52



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 25, 2019

**Page:** 4 of 6 **Part:** 2 of 2

**CERTIFICATE OF ANALYSIS**

**WHI19000759.1**

	Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1865345	Rock	0.022	32	15	0.79	58	0.005	<20	1.49	0.021	0.29	<0.1	<0.01	2.0	0.1	0.29	4	<0.5	<0.2	
1865346	Rock	0.040	29	15	0.88	49	0.003	<20	1.62	0.020	0.29	<0.1	<0.01	2.2	<0.1	0.54	4	<0.5	<0.2	
1865347	Rock	0.023	29	13	0.74	71	0.003	<20	1.27	0.019	0.35	0.1	<0.01	2.0	0.1	0.71	3	<0.5	<0.2	
1865348	Rock	0.064	20	82	1.81	178	0.067	<20	2.38	0.011	0.81	0.1	<0.01	4.7	0.6	0.18	7	<0.5	<0.2	
1865349	Rock	0.041	23	42	1.20	286	0.075	<20	2.26	0.043	0.59	0.1	<0.01	3.7	0.3	0.13	7	<0.5	<0.2	
1865350	Rock Pulp	0.057	6	22	0.84	142	0.149	<20	1.90	0.220	0.24	1.2	0.22	3.4	0.1	0.23	6	<0.5	<0.2	
1865351	Rock	0.152	5	136	2.75	74	0.170	<20	3.05	0.116	0.64	5.8	<0.01	8.0	0.7	0.47	13	1.4	0.2	
1865352	Rock	0.131	7	117	2.36	191	0.243	<20	2.82	0.104	1.20	2.5	<0.01	8.1	1.2	0.55	12	1.7	<0.2	
1865353	Rock	0.157	7	118	2.74	229	0.161	<20	3.11	0.093	0.85	2.7	<0.01	10.6	0.9	0.22	13	<0.5	<0.2	
1865354	Rock	0.154	7	105	2.53	348	0.178	<20	2.67	0.148	0.34	0.1	<0.01	10.5	0.3	0.19	12	0.8	<0.2	
1865355	Rock	0.140	8	144	2.99	107	0.083	<20	2.98	0.080	0.28	0.1	<0.01	12.8	0.3	0.25	12	1.5	0.2	
1865356	Rock	0.134	8	125	3.41	66	0.037	<20	2.61	0.036	0.38	0.1	<0.01	13.6	0.4	0.20	11	0.6	<0.2	
1865357	Rock	0.158	6	150	2.50	59	0.152	<20	2.82	0.132	0.74	1.3	<0.01	10.6	0.8	0.42	12	0.5	0.7	
1865358	Rock	0.140	7	153	2.89	164	0.138	<20	3.31	0.072	1.05	43.7	0.02	12.2	1.3	0.42	13	1.7	0.5	
1865359	Rock	0.146	5	137	2.54	38	0.130	<20	2.98	0.143	0.29	0.2	<0.01	9.2	0.3	0.16	11	<0.5	<0.2	
1865360	Rock	0.139	6	143	2.52	41	0.128	<20	2.99	0.147	0.31	0.2	<0.01	10.0	0.4	0.17	11	<0.5	<0.2	
1865361	Rock	0.148	5	129	2.27	77	0.148	<20	2.90	0.151	0.41	1.5	<0.01	9.3	0.5	0.30	12	1.1	0.2	
1865362	Rock	0.158	5	101	1.75	32	0.134	<20	2.11	0.203	0.04	<0.1	<0.01	5.4	<0.1	0.12	8	<0.5	<0.2	
1865363	Rock	0.160	5	132	2.15	50	0.221	<20	2.62	0.207	0.66	0.2	<0.01	5.8	0.7	0.47	10	1.1	<0.2	
1865364	Rock	0.086	15	84	1.38	230	0.101	<20	2.52	0.035	0.66	<0.1	<0.01	7.2	0.4	0.34	9	<0.5	<0.2	
1865365	Rock	0.042	25	23	0.76	130	0.049	<20	1.68	0.039	0.56	0.1	<0.01	2.2	0.3	0.19	5	<0.5	<0.2	
1865366	Rock	0.024	25	15	0.63	116	0.041	<20	1.07	0.011	0.58	0.1	<0.01	1.6	0.4	0.28	3	<0.5	<0.2	
1865367	Rock	0.024	16	11	0.34	59	0.015	<20	0.65	0.027	0.26	1.0	<0.01	1.5	0.2	0.19	2	<0.5	<0.2	
1865368	Rock	0.083	35	19	0.67	137	0.050	<20	1.52	0.010	0.74	0.1	<0.01	1.8	0.6	0.19	4	<0.5	<0.2	
1865369	Rock	0.034	19	19	0.56	88	0.063	<20	1.36	0.012	0.63	0.1	<0.01	1.6	0.5	0.10	3	<0.5	<0.2	
1865370	Rock	0.005	<1	<1	0.60	11	<0.001	<20	0.02	0.001	0.02	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2	
1865371	Rock	0.046	26	31	0.61	79	0.055	<20	1.65	0.014	0.59	0.1	<0.01	1.7	0.4	0.06	4	<0.5	<0.2	
1865372	Rock	0.071	27	20	0.70	108	0.066	<20	1.53	0.010	0.74	0.1	<0.01	2.0	0.6	0.30	4	<0.5	<0.2	
1865373	Rock	0.042	32	17	0.71	139	0.044	<20	1.46	0.009	0.55	<0.1	<0.01	1.7	0.3	0.17	4	<0.5	<0.2	
1865374	Rock	0.050	20	32	0.90	97	0.072	<20	1.82	0.015	0.67	<0.1	<0.01	2.7	0.4	0.15	5	<0.5	<0.2	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 25, 2019

Page: 5 of 6

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000759.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1865375	Rock	3.26	<0.005	1.1	30.0	4.6	73	0.1	36.2	19.2	437	3.91	24.9	<0.5	8.9	52	<0.1	0.2	0.2	60	0.94
1865376	Rock	3.76	0.015	1.0	40.7	5.8	92	0.1	40.9	20.9	416	4.21	43.1	7.3	11.1	31	<0.1	0.2	0.4	65	0.57
1865377	Rock	4.50	0.046	1.2	53.8	2.5	93	0.1	40.0	27.6	421	4.29	105.7	24.5	0.5	39	<0.1	0.2	0.5	112	1.41
1865378	Rock	4.28	0.040	0.8	54.8	1.6	59	<0.1	55.6	26.6	309	3.09	110.7	24.6	0.3	63	0.3	0.3	0.4	83	1.31
1865379	Rock	4.82	0.064	0.7	64.0	2.6	87	0.1	52.3	26.8	332	3.56	69.7	93.0	0.3	68	0.2	0.3	0.7	98	1.16
1865380	Rock Pulp	0.17	0.269	13.5	2089.5	898.9	6697	17.8	30.8	17.1	487	8.13	274.5	73.0	0.8	40	45.7	31.1	9.3	44	1.94
1865381	Rock	1.44	<0.005	0.3	54.7	2.9	100	0.1	39.3	17.9	360	4.77	24.3	<0.5	11.2	16	<0.1	0.2	<0.1	74	0.46
1865382	Rock	5.00	0.019	0.9	62.9	2.8	79	0.1	41.0	25.5	362	3.80	81.1	12.0	0.5	112	<0.1	0.4	0.3	113	1.68
1865383	Rock	3.92	0.866	0.8	56.9	2.8	86	0.1	52.9	27.0	418	3.92	113.3	201.6	0.3	59	<0.1	0.3	5.2	102	1.66
1865384	Rock	3.40	0.147	1.0	58.7	3.2	108	0.1	75.0	31.5	481	4.36	185.6	186.4	0.2	71	0.1	0.3	1.1	124	1.60
1865385	Rock	2.83	0.064	0.3	19.9	6.6	41	0.1	16.8	7.4	376	1.50	91.7	962.8	5.4	51	<0.1	0.3	0.3	19	1.74
1865386	Rock	3.08	0.006	0.2	10.1	7.5	30	<0.1	9.1	3.9	473	1.09	5.8	3.0	5.4	39	<0.1	0.2	0.1	10	1.42
1865387	Rock	3.37	0.063	0.7	22.5	13.7	132	0.1	12.5	5.9	1214	1.50	8.8	48.0	5.9	339	0.3	0.5	1.3	16	10.93
1865388	Rock	3.56	0.017	0.6	19.1	10.9	40	0.3	16.4	6.2	227	1.86	23.3	112.8	6.5	29	<0.1	0.6	0.5	8	0.55
1865389	Rock	3.50	0.018	0.5	35.7	6.6	43	0.1	16.4	7.6	419	1.63	50.1	54.0	5.5	48	0.3	0.9	0.4	6	1.41
1865390	Rock	1.09	<0.005	<0.1	2.9	0.7	<1	<0.1	<0.1	0.1	73	0.07	0.6	0.6	0.1	66	<0.1	<0.1	<0.1	<1	31.95
1865391	Rock	1.90	0.040	0.6	26.5	7.4	66	0.1	18.8	8.3	1812	1.82	15.1	35.2	6.6	426	0.3	0.5	0.8	19	13.16
1865392	Rock	1.68	0.011	1.0	22.9	9.3	108	0.1	12.5	7.7	373	1.16	7.1	7.5	5.5	37	0.2	0.2	0.4	4	1.37
1865393	Rock	0.78	0.048	0.3	12.2	8.8	49	<0.1	11.5	5.7	1513	1.03	17.7	25.6	6.9	318	0.3	0.2	1.1	17	9.65
1865394	Rock	4.00	0.008	0.7	30.0	6.8	60	0.1	26.6	13.9	401	2.64	38.1	5.0	8.4	89	<0.1	0.3	0.3	26	1.59
1865395	Rock	2.34	0.012	0.4	43.0	6.9	62	0.1	44.4	14.6	342	2.67	134.5	4.8	5.5	60	<0.1	1.1	0.3	31	1.07
1865396	Rock	2.72	0.075	0.3	21.2	11.6	33	0.2	12.4	6.3	212	1.44	50.2	56.4	7.2	38	<0.1	1.7	0.6	4	0.54
1865397	Rock	4.69	0.008	0.4	54.2	3.1	75	0.1	113.7	33.9	575	4.69	274.6	<0.5	4.1	73	<0.1	0.9	0.2	70	1.52
1865398	Rock	4.15	0.176	0.6	41.9	5.3	106	0.2	71.5	34.5	869	5.54	158.0	168.2	0.2	128	0.2	1.9	1.9	114	2.62
1865399	Rock	2.02	0.276	0.3	46.3	5.8	64	0.2	24.9	17.2	1117	2.80	66.1	325.2	3.2	227	<0.1	4.1	3.9	31	3.48
1865400	Rock	1.89	0.306	0.4	45.0	6.0	64	0.2	25.7	16.2	816	2.75	92.6	274.6	3.8	210	0.1	3.7	3.8	28	2.60
1865401	Rock	3.97	0.007	0.6	8.5	5.9	17	<0.1	7.0	3.0	131	1.00	42.1	3.5	6.0	30	<0.1	0.6	0.1	5	0.45
1865402	Rock	2.72	<0.005	0.3	9.9	5.6	17	<0.1	5.8	2.2	114	0.95	21.6	2.0	5.8	28	<0.1	0.4	<0.1	5	0.29
1865403	Rock	3.60	0.233	0.7	19.4	6.4	45	<0.1	20.1	9.3	246	1.94	51.4	68.5	8.6	36	<0.1	0.4	0.1	9	0.42
1865404	Rock	1.97	0.839	0.4	86.4	7.2	75	0.4	78.4	35.2	797	4.81	1025.9	809.9	1.8	211	0.2	1.0	13.2	77	2.18

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 25, 2019

Page: 5 of 6 Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000759.1

Method Analyte Unit MDL	AQ200 P % 0.001	AQ200 La ppm 1	AQ200 Cr ppm 1	AQ200 Mg % 0.01	AQ200 Ba ppm 1	AQ200 Ti % 0.001	AQ200 B ppm 20	AQ200 Al % 0.01	AQ200 Na % 0.001	AQ200 K % 0.01	AQ200 W ppm 0.1	AQ200 Hg ppm 0.01	AQ200 Sc ppm 0.1	AQ200 Ti ppm 0.1	AQ200 S % 0.05	AQ200 Ga ppm 1	AQ200 Se ppm 0.5	AQ200 Te ppm 0.2	
1865375	Rock	0.123	12	59	1.23	250	0.131	<20	2.65	0.100	0.96	12.1	<0.01	5.3	0.6	0.57	9	<0.5	<0.2
1865376	Rock	0.063	16	62	1.32	277	0.148	<20	2.61	0.061	1.07	1.2	<0.01	5.8	0.7	0.38	9	<0.5	<0.2
1865377	Rock	0.150	4	99	2.11	204	0.168	<20	2.47	0.104	0.61	4.8	<0.01	4.9	0.5	0.41	11	<0.5	<0.2
1865378	Rock	0.141	3	108	1.48	228	0.128	<20	1.99	0.163	0.42	<0.1	<0.01	4.4	0.3	0.21	8	<0.5	<0.2
1865379	Rock	0.141	3	111	1.71	370	0.177	<20	2.22	0.134	0.58	0.1	<0.01	4.7	0.5	0.33	9	0.7	<0.2
1865380	Rock Pulp	0.034	3	38	2.28	49	0.004	<20	1.69	0.009	0.06	0.4	2.36	3.2	4.2	6.27	7	29.3	0.3
1865381	Rock	0.066	15	67	1.47	1731	0.220	<20	2.99	0.039	1.71	<0.1	<0.01	7.2	0.8	0.10	12	<0.5	<0.2
1865382	Rock	0.155	4	89	1.68	649	0.202	<20	2.35	0.147	0.95	1.1	<0.01	6.1	0.7	0.40	10	1.1	<0.2
1865383	Rock	0.123	3	110	2.00	1094	0.200	<20	2.79	0.125	1.35	1.7	<0.01	4.0	1.1	0.41	10	1.6	0.3
1865384	Rock	0.146	4	152	2.31	1111	0.237	<20	3.04	0.133	1.48	1.1	<0.01	5.7	1.3	0.44	11	1.6	<0.2
1865385	Rock	0.065	13	25	0.52	215	0.045	<20	0.93	0.016	0.40	3.9	<0.01	2.1	0.3	0.20	4	0.7	<0.2
1865386	Rock	0.017	10	12	0.35	180	0.037	<20	0.82	0.038	0.31	0.5	<0.01	1.2	0.2	0.13	2	<0.5	<0.2
1865387	Rock	0.032	10	15	0.69	260	0.029	<20	1.34	0.048	0.24	0.1	<0.01	2.4	0.1	0.35	4	0.5	<0.2
1865388	Rock	0.043	14	11	0.43	143	0.014	<20	0.82	0.008	0.27	<0.1	<0.01	1.3	0.1	0.23	2	<0.5	<0.2
1865389	Rock	0.016	12	9	0.38	126	0.004	<20	0.57	0.013	0.22	8.6	<0.01	1.2	0.1	0.39	2	<0.5	<0.2
1865390	Rock	0.005	<1	<1	0.62	12	0.002	<20	0.02	0.002	0.02	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1865391	Rock	0.077	16	15	0.94	375	0.030	<20	1.51	0.047	0.26	0.4	<0.01	2.1	0.1	0.42	4	<0.5	<0.2
1865392	Rock	0.011	10	7	0.21	116	0.006	<20	0.48	0.022	0.15	0.1	0.01	0.7	<0.1	0.49	1	<0.5	<0.2
1865393	Rock	0.103	17	14	0.57	251	0.037	<20	1.41	0.091	0.19	0.2	<0.01	2.1	0.1	0.20	4	<0.5	<0.2
1865394	Rock	0.020	11	36	0.85	289	0.090	<20	1.58	0.048	0.66	7.3	<0.01	2.5	0.5	0.56	5	<0.5	<0.2
1865395	Rock	0.023	9	80	0.99	344	0.093	<20	1.65	0.050	0.61	1.1	<0.01	3.4	0.6	0.48	5	1.3	<0.2
1865396	Rock	0.009	14	7	0.29	89	0.002	<20	0.52	0.005	0.21	5.1	<0.01	0.9	0.1	0.27	1	<0.5	<0.2
1865397	Rock	0.050	7	232	2.71	104	0.151	<20	3.14	0.064	0.81	0.2	<0.01	5.4	0.8	0.42	10	0.7	<0.2
1865398	Rock	0.058	1	225	3.39	74	0.124	<20	3.62	0.037	0.94	>100	*	11.1	1.2	0.26	13	<0.5	<0.2
1865399	Rock	0.026	6	47	1.11	85	0.036	<20	1.19	0.025	0.25	15.2	<0.01	4.7	0.3	0.58	4	1.7	0.2
1865400	Rock	0.028	7	43	0.99	93	0.024	<20	1.16	0.025	0.24	2.2	<0.01	4.8	0.3	0.62	4	0.8	0.3
1865401	Rock	0.074	13	9	0.25	51	0.010	<20	0.53	0.009	0.18	0.3	<0.01	0.7	0.1	0.07	2	<0.5	<0.2
1865402	Rock	0.005	10	9	0.24	68	0.010	<20	0.51	0.009	0.17	0.8	<0.01	0.6	0.1	0.07	1	<0.5	<0.2
1865403	Rock	0.009	18	17	0.54	195	0.011	<20	0.82	0.007	0.29	0.1	<0.01	1.1	0.1	0.19	2	<0.5	<0.2
1865404	Rock	0.035	4	129	1.37	215	0.167	<20	3.08	0.251	0.55	9.1	<0.01	7.3	0.5	1.54	9	3.7	0.6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



**BUREAU VERITAS**  
MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 25, 2019

Page: 6 of 6

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000759.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1865405	Rock	1.72	0.043	0.7	58.0	14.0	97	0.2	40.5	22.5	842	3.77	185.1	46.1	7.0	189	0.2	14.2	0.9	45	3.13
1865406	Rock	3.49	0.363	1.2	57.8	6.6	120	0.2	63.3	34.9	1179	6.24	161.2	271.7	0.6	358	0.2	1.4	4.6	161	4.26
1865407	Rock	3.17	0.030	0.9	32.4	12.7	89	0.1	35.1	16.7	605	3.76	897.9	19.5	11.2	64	<0.1	4.0	0.7	19	0.87
1865408	Rock	4.44	0.013	1.3	38.9	8.5	84	0.1	34.4	16.5	497	3.66	149.6	10.9	10.7	100	<0.1	1.4	0.4	30	1.35
1865409	Rock	4.74	0.119	0.6	64.8	8.3	99	0.2	49.3	20.5	603	4.38	732.3	37.4	13.1	46	<0.1	3.6	0.6	12	0.57
1865410	Rock Pulp	0.13	1.267	5.8	105.5	6432.2	1469	42.0	15.7	9.9	1024	3.56	50.6	1145.8	2.5	77	14.1	32.4	0.7	92	0.99
1865411	Rock	4.78	0.007	0.4	45.7	4.9	107	0.1	47.8	19.7	627	4.72	31.6	4.6	14.2	44	<0.1	1.9	0.5	18	0.44
1865412	Rock	4.68	0.009	0.3	60.0	7.0	88	0.2	38.2	17.3	601	4.16	11.7	1.9	12.6	56	<0.1	1.2	0.3	19	0.50
1865413	Rock	4.62	0.016	0.4	32.7	8.4	79	0.1	33.5	16.4	763	3.48	55.4	7.5	11.2	77	<0.1	1.8	0.4	14	0.89
1865414	Rock	3.90	0.021	0.3	23.2	14.8	53	0.1	22.3	11.9	543	2.37	256.1	10.7	9.6	47	<0.1	4.4	0.4	7	0.95
1865415	Rock	4.31	0.046	0.2	27.4	5.7	74	<0.1	27.7	11.9	658	3.30	58.8	109.2	10.5	54	0.1	1.4	0.3	12	1.09
1865416	Rock	4.48	0.040	0.2	27.5	8.5	72	<0.1	26.0	13.1	615	3.04	46.5	8.9	11.3	65	<0.1	3.1	1.1	12	0.87
1865417	Rock	4.23	0.007	0.3	19.8	8.2	27	<0.1	13.9	6.7	350	1.36	233.8	5.7	8.0	32	<0.1	1.4	0.2	5	0.53
1865418	Rock	4.29	0.007	0.2	20.5	8.1	34	<0.1	14.7	6.3	386	1.71	39.1	2.8	8.4	39	<0.1	1.3	0.1	7	0.62
1865419	Rock	1.97	0.076	0.3	19.2	9.1	34	<0.1	12.3	6.0	412	1.52	205.2	42.8	8.3	43	<0.1	2.0	0.5	6	0.81
1865420	Rock	1.56	0.070	0.3	17.3	10.9	33	<0.1	12.2	6.2	419	1.50	181.2	35.8	8.5	42	<0.1	2.1	0.6	5	0.79
1865421	Rock	3.28	0.019	0.3	13.6	8.7	28	<0.1	8.9	4.1	536	1.28	74.5	18.4	6.9	54	<0.1	1.3	0.2	5	1.24
1865422	Rock	2.89	0.009	0.3	21.3	7.4	37	<0.1	18.0	8.3	423	1.73	72.8	8.9	8.2	46	<0.1	1.1	0.1	5	0.80



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 25, 2019

Page: 6 of 6

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000759.1

Method Analyte Unit MDL	AQ200																			
	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te		
	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm		
	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2		
1865405	Rock	0.097	16	45	1.38	134	0.006	<20	1.73	0.005	0.24	0.5	<0.01	6.2	0.2	0.34	6	0.9	<0.2	
1865406	Rock	0.141	7	145	2.97	117	0.129	<20	3.76	0.029	1.06	0.3	<0.01	15.7	1.2	0.63	14	1.4	<0.2	
1865407	Rock	0.035	19	24	1.11	96	0.020	<20	1.75	0.009	0.31	0.1	<0.01	2.0	0.2	0.45	5	0.6	<0.2	
1865408	Rock	0.043	19	32	1.08	708	0.043	<20	1.81	0.007	0.51	0.3	<0.01	2.8	0.5	0.48	5	0.6	<0.2	
1865409	Rock	0.068	23	15	0.95	268	0.004	<20	1.51	0.006	0.24	0.3	<0.01	2.1	0.1	0.72	4	0.8	<0.2	
1865410	Rock Pulp	0.050	6	20	0.79	134	0.137	<20	1.77	0.204	0.23	1.3	0.23	3.1	0.1	0.21	5	<0.5	<0.2	
1865411	Rock	0.073	33	23	1.01	119	0.016	<20	2.19	0.010	0.28	0.1	0.01	2.0	0.1	0.44	6	<0.5	<0.2	
1865412	Rock	0.039	30	22	0.93	75	0.010	<20	2.11	0.008	0.22	<0.1	<0.01	2.1	<0.1	0.16	6	<0.5	<0.2	
1865413	Rock	0.037	21	17	0.75	70	0.004	<20	1.66	0.009	0.24	0.1	<0.01	1.9	0.1	0.37	5	<0.5	<0.2	
1865414	Rock	0.017	17	10	0.55	53	0.002	<20	0.92	0.006	0.19	0.2	<0.01	1.2	0.1	0.28	3	0.5	<0.2	
1865415	Rock	0.071	18	16	0.67	65	0.007	<20	1.46	0.008	0.26	0.2	<0.01	1.5	0.1	0.35	4	<0.5	<0.2	
1865416	Rock	0.019	20	15	0.75	65	0.009	<20	1.35	0.009	0.26	0.1	<0.01	1.7	0.1	0.22	4	<0.5	<0.2	
1865417	Rock	0.022	16	7	0.30	48	0.002	<20	0.58	0.009	0.26	<0.1	<0.01	0.8	0.1	0.27	2	<0.5	<0.2	
1865418	Rock	0.030	16	10	0.43	54	0.009	<20	0.79	0.013	0.27	<0.1	<0.01	1.0	0.1	0.25	2	<0.5	<0.2	
1865419	Rock	0.008	14	8	0.37	73	0.002	<20	0.63	0.005	0.20	0.2	<0.01	0.9	<0.1	0.30	2	<0.5	<0.2	
1865420	Rock	0.008	15	7	0.36	50	0.002	<20	0.57	0.004	0.19	0.1	0.01	0.9	<0.1	0.32	2	<0.5	<0.2	
1865421	Rock	0.007	12	7	0.27	52	0.002	<20	0.50	0.004	0.19	0.2	<0.01	0.8	<0.1	0.43	1	<0.5	<0.2	
1865422	Rock	0.011	15	7	0.36	73	0.002	<20	0.61	0.008	0.26	<0.1	<0.01	0.8	0.1	0.47	2	<0.5	<0.2	



# QUALITY CONTROL REPORT

WHI19000759.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm		
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
Pulp Duplicates																					
1865288	Rock	4.68	0.023	2.3	38.6	6.2	58	<0.1	42.0	19.9	286	3.41	185.4	4.4	10.7	48	<0.1	0.7	0.4	14	0.55
REP 1865288	QC			2.7	39.1	5.7	61	<0.1	42.0	19.1	294	3.48	175.4	4.0	11.1	51	<0.1	0.7	0.4	14	0.53
1865312	Rock	4.64	0.009	0.3	20.2	6.4	36	<0.1	20.7	10.3	252	2.07	187.6	2.8	9.6	26	<0.1	10.0	0.2	6	0.35
REP 1865312	QC		0.007																		
1865322	Rock	4.89	3.388	0.8	50.0	18.0	59	0.6	25.8	12.4	972	2.86	114.2	3467.1	11.4	291	0.3	1.1	78.1	26	11.75
REP 1865322	QC			0.7	49.3	19.0	59	0.5	27.1	12.3	1028	2.83	114.0	2860.8	12.8	312	0.3	1.3	80.0	26	11.59
1865353	Rock	5.04	0.021	1.0	58.4	2.9	106	<0.1	48.5	31.2	646	5.10	143.0	11.7	0.6	141	0.1	0.3	0.2	158	2.26
REP 1865353	QC		0.018																		
1865357	Rock	4.84	0.675	1.3	62.1	6.3	104	0.2	79.0	36.2	735	4.79	297.3	166.3	0.4	141	0.2	0.8	7.4	138	2.67
REP 1865357	QC			1.4	60.5	6.3	105	0.3	76.8	34.3	775	4.77	282.4	170.5	0.4	140	0.2	0.8	7.4	139	2.69
1865382	Rock	5.00	0.019	0.9	62.9	2.8	79	0.1	41.0	25.5	362	3.80	81.1	12.0	0.5	112	<0.1	0.4	0.3	113	1.68
REP 1865382	QC		0.018																		
REP 1865392	QC			0.9	23.0	9.1	107	0.1	11.4	7.3	380	1.17	5.7	7.8	5.8	37	0.2	0.3	0.4	5	1.37
Core Reject Duplicates																					
1865290	Rock	1.48	0.108	0.9	89.1	6.3	93	0.2	55.7	25.3	668	5.24	126.1	192.3	5.9	100	<0.1	0.5	1.3	64	1.50
DUP 1865290	QC		0.103	1.0	91.2	6.5	97	0.2	57.6	26.2	687	5.45	130.0	88.8	6.6	107	<0.1	0.5	1.3	67	1.57
1865324	Rock	4.95	2.033	0.6	76.8	25.3	70	0.6	21.2	10.7	1038	2.58	1150.0	1516.3	8.5	468	0.6	1.2	37.1	20	16.91
DUP 1865324	QC		2.389	0.7	78.2	25.0	70	0.5	20.8	10.3	1040	2.62	1266.8	1570.6	9.3	463	0.6	1.2	33.8	20	16.98
1865358	Rock	4.90	0.698	1.0	59.6	6.5	125	0.3	78.1	35.1	908	5.36	473.5	574.7	0.5	151	0.1	1.2	6.4	144	3.30
DUP 1865358	QC		0.650	0.9	61.3	6.3	126	0.3	77.0	35.0	898	5.46	482.7	620.8	0.4	154	0.2	1.2	5.9	148	3.40
1865392	Rock	1.68	0.011	1.0	22.9	9.3	108	0.1	12.5	7.7	373	1.16	7.1	7.5	5.5	37	0.2	0.2	0.4	4	1.37
DUP 1865392	QC		0.014	0.8	24.1	9.6	119	0.2	13.1	7.8	375	1.23	4.9	27.2	6.2	38	0.2	0.3	0.5	5	1.34
Reference Materials																					
STD BVGEO01	Standard			11.1	4592.2	197.6	1818	2.6	171.2	26.0	750	3.93	124.2	258.8	17.1	62	6.9	2.7	25.3	78	1.40
STD BVGEO01	Standard			10.7	4465.1	176.0	1729	2.5	160.5	24.2	743	3.73	119.3	216.3	13.0	54	6.3	2.5	22.9	74	1.30
STD DS11	Standard			14.9	151.6	135.9	343	1.7	79.7	13.6	1059	3.15	41.5	51.7	7.3	65	2.4	7.9	11.0	48	1.08
STD DS11	Standard			15.7	159.5	131.0	350	1.7	80.5	14.4	1093	3.24	46.4	70.2	6.8	67	2.6	7.7	10.9	53	1.12
STD DS11	Standard			15.9	157.3	139.5	364	1.8	85.5	14.3	1063	3.16	44.8	60.7	8.0	67	2.5	6.9	11.0	49	1.09



# QUALITY CONTROL REPORT

WHI19000759.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																			
1865288	Rock	0.048	22	16	0.73	85	0.025	<20	1.31	0.006	0.51	<0.1	<0.01	1.7	0.4	0.32	4	<0.5	<0.2
REP 1865288	QC	0.048	25	16	0.75	93	0.026	<20	1.37	0.007	0.53	0.1	<0.01	1.8	0.4	0.31	4	0.6	<0.2
1865312	Rock	0.026	21	7	0.49	156	0.002	<20	0.64	0.005	0.24	0.2	<0.01	1.0	0.2	0.13	2	<0.5	<0.2
REP 1865312	QC																		
1865322	Rock	0.043	26	24	0.68	180	0.012	<20	1.71	0.037	0.28	31.6	<0.01	3.5	0.2	0.69	5	1.8	2.8
REP 1865322	QC	0.041	27	24	0.67	184	0.013	<20	1.69	0.037	0.27	31.2	0.01	3.5	0.2	0.69	5	1.7	2.8
1865353	Rock	0.157	7	118	2.74	229	0.161	<20	3.11	0.093	0.85	2.7	<0.01	10.6	0.9	0.22	13	<0.5	<0.2
REP 1865353	QC																		
1865357	Rock	0.158	6	150	2.50	59	0.152	<20	2.82	0.132	0.74	1.3	<0.01	10.6	0.8	0.42	12	0.5	0.7
REP 1865357	QC	0.163	7	150	2.49	59	0.154	<20	2.81	0.129	0.74	1.6	<0.01	10.7	0.8	0.42	12	0.9	0.6
1865382	Rock	0.155	4	89	1.68	649	0.202	<20	2.35	0.147	0.95	1.1	<0.01	6.1	0.7	0.40	10	1.1	<0.2
REP 1865382	QC																		
REP 1865392	QC	0.011	10	8	0.21	119	0.006	<20	0.48	0.022	0.15	<0.1	0.01	0.6	<0.1	0.52	1	<0.5	<0.2
Core Reject Duplicates																			
1865290	Rock	0.097	10	75	1.39	125	0.148	<20	2.81	0.173	0.94	0.9	<0.01	5.8	0.8	1.15	9	3.4	<0.2
DUP 1865290	QC	0.101	12	78	1.44	140	0.162	<20	2.98	0.189	1.00	0.9	<0.01	6.4	0.9	1.18	9	3.0	<0.2
1865324	Rock	0.040	21	19	0.45	250	0.030	<20	1.74	0.075	0.33	93.9	<0.01	3.0	0.3	0.81	5	2.9	1.7
DUP 1865324	QC	0.038	21	18	0.45	248	0.029	<20	1.72	0.074	0.34	70.4	0.02	3.0	0.3	0.81	5	2.8	1.6
1865358	Rock	0.140	7	153	2.89	164	0.138	<20	3.31	0.072	1.05	43.7	0.02	12.2	1.3	0.42	13	1.7	0.5
DUP 1865358	QC	0.147	7	156	2.93	168	0.141	<20	3.32	0.079	1.08	37.5	0.02	12.6	1.3	0.43	13	1.0	0.4
1865392	Rock	0.011	10	7	0.21	116	0.006	<20	0.48	0.022	0.15	0.1	0.01	0.7	<0.1	0.49	1	<0.5	<0.2
DUP 1865392	QC	0.011	11	7	0.23	132	0.007	<20	0.52	0.024	0.15	<0.1	0.01	0.8	<0.1	0.53	1	<0.5	<0.2
Reference Materials																			
STD BVGEO01	Standard	0.080	28	187	1.38	365	0.243	<20	2.47	0.212	0.92	3.4	0.09	6.6	0.7	0.72	8	5.4	1.0
STD BVGEO01	Standard	0.070	24	169	1.29	315	0.230	<20	2.31	0.187	0.86	3.4	0.09	5.6	0.6	0.67	7	5.0	1.0
STD DS11	Standard	0.069	18	59	0.86	356	0.091	<20	1.17	0.075	0.41	2.4	0.23	3.2	5.1	0.28	5	2.0	4.3
STD DS11	Standard	0.073	18	65	0.89	383	0.096	<20	1.24	0.080	0.42	2.5	0.25	3.4	4.9	0.30	5	2.8	4.7
STD DS11	Standard	0.068	19	62	0.86	428	0.093	<20	1.22	0.081	0.42	2.5	0.29	3.1	5.2	0.27	5	2.4	5.0





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 25, 2019

Page: 2 of 3

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000759.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
STD OREAS262	Standard			0.7	113.5	52.8	145	0.4	62.4	26.4	538	3.18	34.7	71.6	8.5	33	0.6	3.0	0.9	21	2.93
STD OREAS262	Standard			0.6	121.3	58.9	151	0.5	66.3	27.7	564	3.36	38.0	76.9	9.9	39	0.7	3.1	1.0	23	3.07
STD OREAS262	Standard			0.7	120.5	51.6	153	0.5	65.1	26.9	548	3.26	36.5	66.7	8.1	34	0.7	3.9	0.9	23	3.02
STD OREAS262	Standard			0.7	116.7	51.1	154	0.5	65.4	26.7	551	3.21	36.7	69.9	8.5	34	0.7	3.8	0.9	22	2.87
STD OREAS262	Standard			0.7	116.4	53.0	150	0.5	65.5	26.6	534	3.20	35.3	67.6	8.8	35	0.6	3.5	0.9	22	2.86
STD OXB130	Standard		0.124																		
STD OXB130	Standard		0.124																		
STD OXB130	Standard		0.124																		
STD OXI138	Standard		1.848																		
STD OXI138	Standard		1.882																		
STD OXN117	Standard		7.734																		
STD OXN117	Standard		7.680																		
STD OXN117	Standard		7.631																		
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063
STD BVGEO01 Expected				10.8	4415	187	1741	2.53	163	25	733	3.7	121	219	14.4	55	6.5	2.2	25.6	73	1.3219
STD OREAS262 Expected				0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	65	9.33	36	0.61	3.39	1.03	22.5	2.98
STD OXI138 Expected			1.86																		
STD OXB130 Expected			0.125																		
STD OXN117 Expected			7.679																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		



Bureau Veritas Commodities Canada Ltd. 9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada PHONE (604) 253-3158

QUALITY CONTROL REPORT

WHI19000759.1

Table with columns for various elements (P, La, Cr, Mg, Ba, Ti, B, Al, Na, K, W, Hg, Sc, Tl, S, Ga, Se, Te) and rows for different standards (STD OREAS262, STD OXB130, STD OXI138, STD OXN117, STD DS11 Expected, etc.) and blank samples (BLK).



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 25, 2019

Page: 3 of 3

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000759.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
Prep Wash																					
ROCK-WHI	Prep Blank	<0.005	0.8	2.3	1.0	32	<0.1	1.4	3.9	573	1.85	0.8	<0.5	2.1	19	<0.1	<0.1	<0.1	25	0.67	
ROCK-WHI	Prep Blank	<0.005	0.9	4.0	1.5	30	<0.1	1.6	4.2	535	1.89	0.8	<0.5	2.3	24	<0.1	<0.1	<0.1	26	0.69	



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 25, 2019

Page: 3 of 3

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000759.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
Prep Wash		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
ROCK-WHI	Prep Blank	0.040	6	3	0.56	55	0.073	<20	0.96	0.081	0.09	<0.1	<0.01	3.0	<0.1	<0.05	4	<0.5	<0.2
ROCK-WHI	Prep Blank	0.039	7	3	0.53	69	0.084	<20	0.99	0.103	0.10	<0.1	<0.01	3.1	<0.1	<0.05	4	<0.5	<0.2



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Submitted By: James Thom  
Receiving Lab: Canada-Whitehorse  
Received: November 15, 2019  
Report Date: November 27, 2019  
Page: 1 of 2

## CERTIFICATE OF ANALYSIS

WHI19000760.1

### CLIENT JOB INFORMATION

Project: McQuesten  
Shipment ID: MQ-19-34a  
P.O. Number  
Number of Samples: 14

### SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps  
PICKUP-RJT Client to Pickup Rejects

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Banyan Gold Corp.  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7  
Canada

CC: Paul Gray

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	14	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	0	Sort, label and box pulps			WHI
FA450	14	50g Lead Collection Fire Assay Fusion - AAS Finish	50	Completed	VAN
EN002	14	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	14	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	14	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS

  
MAY LAI  
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 27, 2019

Page: 2 of 2

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000760.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1865423	Rock	4.63	0.088	0.3	8.7	8.1	22	<0.1	6.7	3.1	423	1.09	42.1	2.0	5.7	36	<0.1	0.5	0.2	6	0.72
1865424	Rock	3.62	0.045	0.4	20.7	7.6	38	<0.1	15.6	6.5	270	1.68	39.0	2.0	8.8	40	<0.1	0.4	0.1	9	0.54
1865425	Rock	4.03	<0.005	0.4	17.2	9.4	42	<0.1	18.2	8.5	442	1.78	35.9	<0.5	9.3	59	<0.1	0.4	0.2	9	0.86
1865426	Rock	2.62	0.005	0.4	42.1	10.2	81	0.1	41.2	16.7	512	4.07	33.3	3.7	13.0	47	<0.1	0.9	0.5	20	0.49
1865427	Rock	2.53	0.008	0.4	25.4	9.9	65	0.1	28.2	12.9	445	2.39	43.4	3.3	9.9	44	<0.1	4.7	0.6	10	0.52
1865428	Rock	4.45	<0.005	0.6	42.9	5.0	108	<0.1	42.6	19.0	634	4.29	8.8	1.9	12.8	38	<0.1	0.5	0.7	16	0.39
1865429	Rock	4.11	<0.005	0.5	45.0	5.2	109	<0.1	43.6	19.7	531	4.45	22.8	1.5	14.3	44	<0.1	0.7	0.3	17	0.42
1865430	Rock	0.84	<0.005	<0.1	0.5	0.5	<1	<0.1	2.5	0.4	90	0.09	<0.5	<0.5	0.1	68	<0.1	<0.1	<0.1	<1	33.78
1865431	Rock	3.06	0.006	0.4	45.6	9.9	81	<0.1	39.4	18.4	377	4.13	22.0	2.8	12.4	36	<0.1	1.9	0.4	15	0.29
1865432	Rock	3.82	0.012	0.7	25.8	12.3	51	0.1	20.2	9.1	448	2.15	90.2	8.8	7.4	76	<0.1	3.1	0.4	10	1.01
1865433	Rock	4.61	0.056	0.7	46.7	11.0	66	0.2	33.0	15.1	578	3.49	40.9	62.5	7.8	78	<0.1	5.5	1.0	26	1.10
1865434	Rock	5.23	0.078	0.8	60.9	9.1	108	0.2	56.4	27.0	827	5.59	134.0	10.1	5.9	101	<0.1	5.0	0.8	89	1.71
1865435	Rock	2.21	0.012	1.0	54.6	7.0	137	0.1	58.1	28.5	763	4.74	256.8	7.9	9.6	84	0.1	2.3	0.5	60	1.48
1865436	Rock	2.19	0.006	1.1	33.9	8.1	119	0.1	19.5	8.7	492	2.38	61.3	0.9	6.0	64	0.3	5.6	0.3	11	1.05



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 27, 2019

Page: 2 of 2

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000760.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
1865423	Rock	0.006	9	8	0.24	54	0.018	<20	0.57	0.012	0.20	0.5	<0.01	0.7	0.1	0.16	2	<0.5	<0.2
1865424	Rock	0.013	15	12	0.41	84	0.029	<20	0.85	0.009	0.30	6.1	<0.01	1.0	0.2	0.25	3	<0.5	<0.2
1865425	Rock	0.014	17	11	0.41	110	0.027	<20	0.83	0.007	0.30	0.1	<0.01	1.2	0.2	0.29	3	<0.5	<0.2
1865426	Rock	0.097	27	22	0.95	81	0.055	<20	1.93	0.009	0.57	0.3	<0.01	2.1	0.5	0.35	5	<0.5	<0.2
1865427	Rock	0.068	25	12	0.53	57	0.005	<20	1.09	0.006	0.22	0.2	<0.01	1.4	0.1	0.30	4	<0.5	<0.2
1865428	Rock	0.073	30	21	1.00	55	0.006	<20	2.15	0.010	0.25	<0.1	<0.01	1.9	<0.1	0.06	6	<0.5	<0.2
1865429	Rock	0.075	29	22	1.02	67	0.019	<20	2.24	0.008	0.30	0.1	<0.01	2.0	0.2	0.16	6	<0.5	<0.2
1865430	Rock	0.006	<1	<1	0.48	15	0.001	<20	0.03	0.003	0.02	<0.1	<0.01	0.1	<0.1	<0.05	<1	1.6	<0.2
1865431	Rock	0.047	26	18	0.90	62	0.007	<20	1.99	0.008	0.28	0.2	<0.01	2.1	0.2	0.33	5	<0.5	<0.2
1865432	Rock	0.025	13	11	0.68	73	0.003	<20	0.88	0.007	0.25	0.2	<0.01	1.7	0.2	0.42	3	0.7	<0.2
1865433	Rock	0.043	13	28	1.10	129	0.026	<20	1.52	0.011	0.40	2.3	0.01	2.7	0.3	0.77	5	1.4	<0.2
1865434	Rock	0.100	11	83	2.39	138	0.111	<20	3.10	0.017	1.12	2.0	0.02	8.1	1.2	0.73	10	1.4	<0.2
1865435	Rock	0.097	19	56	1.88	160	0.086	<20	2.71	0.026	0.78	3.6	<0.01	5.7	0.8	0.53	8	1.1	<0.2
1865436	Rock	0.024	10	9	0.43	46	0.007	<20	0.77	0.005	0.21	0.2	0.01	1.3	0.5	0.66	2	0.6	<0.2



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: McQuesten  
Report Date: November 27, 2019

Page: 1 of 2 Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000760.1

Method	Analyte	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
Pulp Duplicates																					
1865426	Rock	2.62	0.005	0.4	42.1	10.2	81	0.1	41.2	16.7	512	4.07	33.3	3.7	13.0	47	<0.1	0.9	0.5	20	0.49
REP 1865426	QC		0.007	0.5	39.9	9.1	79	0.1	37.7	15.0	510	4.01	27.7	1.9	12.7	46	<0.1	1.0	0.4	19	0.48
1865430	Rock	0.84	<0.005	<0.1	0.5	0.5	<1	<0.1	2.5	0.4	90	0.09	<0.5	<0.5	0.1	68	<0.1	<0.1	<0.1	<1	33.78
REP 1865430	QC		<0.005																		
1865436	Rock	2.19	0.006	1.1	33.9	8.1	119	0.1	19.5	8.7	492	2.38	61.3	0.9	6.0	64	0.3	5.6	0.3	11	1.05
REP 1865436	QC		0.008	1.0	35.5	8.5	120	0.1	20.3	9.9	505	2.44	72.8	7.2	6.3	66	0.4	6.2	0.3	11	1.07
Reference Materials																					
STD BVGEO01	Standard			9.4	4217.2	172.2	1623	2.4	151.6	23.8	645	3.44	109.1	204.3	12.9	49	5.9	2.9	21.5	68	1.22
STD DS11	Standard			14.9	151.6	135.9	343	1.7	79.7	13.6	1059	3.15	41.5	51.7	7.3	65	2.4	7.9	11.0	48	1.08
STD DS11	Standard			14.2	150.3	129.6	335	1.6	85.1	14.2	1038	3.14	44.1	85.3	7.3	63	2.1	7.4	10.5	49	1.05
STD OREAS262	Standard			0.7	113.5	52.8	145	0.4	62.4	26.4	538	3.18	34.7	71.6	8.5	33	0.6	3.0	0.9	21	2.93
STD OREAS262	Standard			0.6	119.6	53.2	151	0.4	63.5	28.5	516	3.13	35.5	78.5	8.9	34	0.6	3.8	1.0	21	2.83
STD OREAS262	Standard			0.7	118.6	56.5	155	0.5	67.2	27.3	541	3.31	36.8	74.0	9.2	35	0.6	3.2	1.0	22	2.99
STD OXB130	Standard		0.124																		
STD OXB130	Standard		0.124																		
STD OXB130	Standard		0.121																		
STD OXI138	Standard		1.848																		
STD OXI138	Standard		1.819																		
STD OXI138	Standard		1.822																		
STD OXN117	Standard		7.680																		
STD OXN117	Standard		7.598																		
STD OXN117	Standard		7.860																		
STD BVGEO01 Expected				10.8	4415	187	1741	2.53	163	25	733	3.7	121	219	14.4	55	6.5	2.2	25.6	73	1.3219
STD OXI138 Expected			1.86																		
STD OXB130 Expected			0.125																		
STD OXN117 Expected			7.679																		
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063
STD OREAS262 Expected			0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	65	9.33	36	0.61	3.39	1.03	22.5	2.98	





Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 27, 2019

Page: 1 of 2 Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000760.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																			
1865426	Rock	0.097	27	22	0.95	81	0.055	<20	1.93	0.009	0.57	0.3	<0.01	2.1	0.5	0.35	5	<0.5	<0.2
REP 1865426	QC	0.097	26	20	0.96	80	0.054	<20	1.93	0.009	0.56	0.3	<0.01	2.1	0.4	0.32	5	<0.5	<0.2
1865430	Rock	0.006	<1	<1	0.48	15	0.001	<20	0.03	0.003	0.02	<0.1	<0.01	0.1	<0.1	<0.05	<1	1.6	<0.2
REP 1865430	QC																		
1865436	Rock	0.024	10	9	0.43	46	0.007	<20	0.77	0.005	0.21	0.2	0.01	1.3	0.5	0.66	2	0.6	<0.2
REP 1865436	QC	0.023	11	10	0.44	50	0.007	<20	0.80	0.005	0.22	0.2	0.01	1.5	0.5	0.68	2	<0.5	<0.2
Reference Materials																			
STD BVGEO01	Standard	0.070	24	155	1.19	316	0.230	<20	2.11	0.176	0.80	4.0	0.09	5.3	0.5	0.63	7	5.0	0.9
STD DS11	Standard	0.069	18	59	0.86	356	0.091	<20	1.17	0.075	0.41	2.4	0.23	3.2	5.1	0.28	5	2.0	4.3
STD DS11	Standard	0.069	17	59	0.85	401	0.090	<20	1.14	0.072	0.40	2.8	0.28	3.0	5.1	0.29	5	2.4	4.8
STD OREAS262	Standard	0.038	15	41	1.16	238	0.003	<20	1.34	0.067	0.31	0.1	0.14	3.1	0.4	0.26	4	0.8	0.2
STD OREAS262	Standard	0.038	17	40	1.10	254	0.003	<20	1.27	0.066	0.31	0.1	0.15	3.3	0.5	0.25	4	<0.5	0.2
STD OREAS262	Standard	0.038	16	43	1.19	249	0.003	<20	1.26	0.067	0.31	0.1	0.16	3.1	0.5	0.27	4	0.6	0.2
STD OXB130	Standard																		
STD OXB130	Standard																		
STD OXB130	Standard																		
STD OXI138	Standard																		
STD OXI138	Standard																		
STD OXI138	Standard																		
STD OXN117	Standard																		
STD OXN117	Standard																		
STD OXN117	Standard																		
STD BVGEO01 Expected		0.0727	25.9	171	1.2963	340	0.233		2.347	0.1924	0.89	3.5	0.1	5.97	0.62	0.6655	7.37	4.84	1.02
STD OXI138 Expected																			
STD OXB130 Expected																			
STD OXN117 Expected																			
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56
STD OREAS262 Expected		0.04	15.9	41.7	1.17	248	0.003		1.204	0.071	0.312	0.13	0.17	3.24	0.47	0.253	3.73	0.4	0.23



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 27, 2019

Page: 2 of 2

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000760.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
BLK	Blank		<0.005																			
BLK	Blank		<0.005																			
BLK	Blank		<0.005																			
BLK	Blank		<0.005																			
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
Prep Wash																						
ROCK-WHI	Prep Blank		<0.005	2.3	2.9	0.8	31	<0.1	1.7	3.9	563	1.92	1.1	<0.5	1.9	18	<0.1	<0.1	<0.1	25	0.66	
ROCK-WHI	Prep Blank		<0.005	1.0	4.5	0.9	29	<0.1	1.2	3.9	519	1.91	0.8	0.8	1.9	21	<0.1	<0.1	<0.1	26	0.66	



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 27, 2019

Page: 2 of 2

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000760.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																			
ROCK-WHI	Prep Blank	0.040	6	4	0.56	58	0.075	<20	0.91	0.063	0.09	<0.1	0.01	2.9	<0.1	<0.05	4	<0.5	<0.2
ROCK-WHI	Prep Blank	0.039	5	3	0.51	53	0.074	<20	0.93	0.076	0.08	<0.1	<0.01	2.6	<0.1	<0.05	4	<0.5	<0.2



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Submitted By: James Thom  
Receiving Lab: Canada-Whitehorse  
Received: November 15, 2019  
Report Date: November 27, 2019  
Page: 1 of 4

## CERTIFICATE OF ANALYSIS

WHI19000761.1

### CLIENT JOB INFORMATION

Project: McQuesten  
Shipment ID: MQ-19-35a  
P.O. Number  
Number of Samples: 85

### SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps  
PICKUP-RJT Client to Pickup Rejects

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Banyan Gold Corp.  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7  
Canada

CC: Paul Gray

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	82	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	3	Sort, label and box pulps			WHI
FA450	85	50g Lead Collection Fire Assay Fusion - AAS Finish	50	Completed	VAN
EN002	85	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	85	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	85	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS

  
MAY LAI  
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



# CERTIFICATE OF ANALYSIS

WHI19000761.1

Method Analyte Unit MDL	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1865437	Rock	4.90	0.011	0.5	34.3	10.2	79	0.1	34.5	14.0	406	3.57	39.2	7.7	13.6	12	0.1	0.6	0.4	21	0.27
1865438	Rock	3.12	1.642	0.4	21.5	17.1	65	0.4	27.2	10.4	398	3.08	148.2	150.0	11.2	11	<0.1	0.8	10.5	20	0.32
1865439	Rock	2.71	<0.005	0.5	26.5	8.4	70	<0.1	40.5	13.4	336	3.64	48.7	<0.5	13.7	12	<0.1	0.3	0.3	24	0.31
1865440	Rock Pulp	0.09	0.271	13.1	2168.4	1026.0	6973	18.5	32.4	18.6	542	8.56	269.9	68.7	1.9	45	50.5	31.3	12.3	44	2.07
1865441	Rock	2.46	0.014	0.2	34.1	6.4	53	0.3	24.6	8.7	314	2.37	18.8	11.5	11.3	25	<0.1	0.2	0.5	19	0.67
1865442	Rock	3.23	<0.005	0.3	30.1	6.2	105	<0.1	18.4	8.5	282	2.18	14.4	1.0	11.5	18	0.1	0.2	0.2	14	0.47
1865443	Rock	2.88	0.170	0.4	23.3	8.7	58	0.2	20.0	9.6	322	2.62	51.5	412.5	10.7	26	<0.1	2.9	2.9	4	0.61
1865444	Rock	4.26	0.017	0.5	21.3	12.0	37	<0.1	18.6	8.3	351	1.83	37.4	4.7	11.8	28	<0.1	2.1	0.4	6	0.66
1865445	Rock	4.12	0.154	0.4	13.7	9.7	23	0.2	9.1	4.2	240	1.23	126.1	96.0	8.7	22	<0.1	2.7	3.4	7	0.61
1865446	Rock	4.15	0.183	0.5	40.2	6.6	46	<0.1	19.7	8.9	369	2.31	94.4	70.3	11.2	30	<0.1	2.2	1.7	9	0.94
1865447	Rock	3.60	0.050	0.3	34.7	9.9	48	0.1	16.7	9.4	341	2.14	408.5	23.3	10.7	28	0.2	1.1	0.9	6	0.87
1865448	Rock	3.76	0.172	0.5	32.7	5.9	62	<0.1	32.9	12.9	341	2.98	291.7	38.0	12.1	23	<0.1	0.5	0.5	11	0.69
1865449	Rock	2.04	7.262	0.7	60.5	9.5	29	1.7	23.7	16.7	664	1.86	1927.5	29615.5	7.7	329	0.5	2.5	62.3	15	16.03
1865450	Rock	1.69	4.716	0.8	51.7	9.6	28	0.3	22.1	14.9	657	1.84	1673.5	4407.3	7.9	344	0.3	1.7	43.0	16	16.65
1865451	Rock	4.44	0.463	0.4	55.2	10.2	43	0.2	20.5	10.9	648	2.15	64.2	320.2	10.5	281	0.1	0.2	6.0	21	13.34
1865452	Rock	4.62	0.015	0.5	28.2	6.2	74	<0.1	33.8	15.1	291	2.84	72.7	16.1	14.9	34	<0.1	0.4	0.3	20	0.84
1865453	Rock	4.28	0.008	0.3	33.4	5.6	81	<0.1	42.4	17.9	312	3.85	70.7	12.7	15.6	36	<0.1	0.9	0.3	18	0.60
1865454	Rock	6.60	0.027	0.4	30.7	8.1	65	<0.1	26.8	11.2	297	2.87	126.5	12.7	13.2	27	<0.1	0.5	0.3	11	0.49
1865455	Rock	2.79	0.014	0.9	34.9	5.8	86	<0.1	38.2	16.9	303	3.55	88.9	2.9	15.7	27	<0.1	0.5	0.4	15	0.38
1865456	Rock	3.57	0.011	0.3	35.5	5.2	61	<0.1	32.8	14.7	323	2.98	266.2	35.5	12.9	26	<0.1	0.6	0.5	11	0.45
1865457	Rock	4.53	0.040	0.6	28.4	5.8	64	<0.1	32.5	22.1	342	3.18	421.5	9.4	12.3	29	<0.1	1.0	0.4	7	0.52
1865458	Rock	4.71	0.040	0.3	53.1	7.8	90	0.1	45.1	18.6	488	4.09	92.7	42.9	15.2	28	<0.1	2.1	0.5	11	0.32
1865459	Rock	5.04	0.192	1.4	36.5	9.8	84	<0.1	35.5	18.9	541	3.66	57.2	8.0	13.8	26	<0.1	1.1	0.7	16	0.49
1865460	Rock	0.64	<0.005	<0.1	2.4	0.5	<1	<0.1	1.2	0.7	104	0.08	1.4	4.2	0.4	75	<0.1	<0.1	<0.1	<1	32.29
1865461	Rock	4.54	0.006	0.2	32.4	5.1	79	<0.1	36.8	16.8	536	3.71	48.8	5.7	12.7	26	<0.1	0.2	0.3	23	0.53
1865462	Rock	4.52	0.045	0.2	40.3	4.8	79	<0.1	30.4	14.5	475	3.40	43.0	12.3	12.6	32	<0.1	0.6	0.3	12	0.62
1865463	Rock	4.71	0.011	0.5	34.9	5.2	103	<0.1	36.3	18.3	578	4.07	115.2	19.6	13.6	20	<0.1	0.8	0.5	18	0.30
1865464	Rock	4.49	0.025	0.1	44.2	7.3	86	<0.1	40.6	16.2	749	4.33	121.6	16.2	11.9	32	<0.1	0.9	0.3	17	0.59
1865465	Rock	5.26	0.030	0.8	39.2	7.2	60	<0.1	36.4	23.3	687	3.18	125.4	19.2	11.9	50	<0.1	0.8	0.7	17	0.96
1865466	Rock	4.86	0.028	0.6	42.0	8.4	101	<0.1	45.6	22.5	786	4.25	76.8	12.6	14.1	44	<0.1	2.1	0.5	13	0.63



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 27, 2019

Page: 2 of 4

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000761.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
1865437	Rock	0.035	31	27	0.87	127	0.046	<20	1.79	0.019	0.45	0.3	<0.01	2.3	0.3	<0.05	5	<0.5	<0.2
1865438	Rock	0.028	19	28	0.79	163	0.064	<20	1.62	0.026	0.67	0.2	<0.01	2.4	0.5	<0.05	5	<0.5	0.8
1865439	Rock	0.027	24	34	0.87	161	0.087	<20	1.88	0.022	0.85	<0.1	<0.01	2.7	0.7	0.07	6	<0.5	<0.2
1865440	Rock Pulp	0.042	4	40	2.50	50	0.004	<20	1.82	0.013	0.06	0.6	2.56	3.5	5.2	6.30	7	29.4	0.3
1865441	Rock	0.054	23	20	0.50	191	0.042	<20	1.44	0.041	0.43	20.7	<0.01	2.1	0.2	0.09	4	<0.5	<0.2
1865442	Rock	0.029	15	22	0.52	146	0.064	<20	1.22	0.025	0.55	0.5	0.02	1.8	0.4	0.27	4	0.6	<0.2
1865443	Rock	0.043	19	7	0.49	127	0.002	<20	0.55	0.008	0.28	0.2	<0.01	1.1	0.1	0.19	1	<0.5	<0.2
1865444	Rock	0.039	19	11	0.40	88	0.005	<20	0.70	0.014	0.28	0.2	<0.01	1.3	0.2	0.21	2	<0.5	<0.2
1865445	Rock	0.009	12	10	0.26	71	0.011	<20	0.57	0.024	0.18	2.7	<0.01	1.1	0.1	0.19	2	<0.5	<0.2
1865446	Rock	0.025	15	12	0.47	103	0.008	<20	0.81	0.016	0.27	0.3	<0.01	1.7	0.2	0.46	3	1.1	<0.2
1865447	Rock	0.023	15	9	0.39	90	0.002	<20	0.69	0.009	0.22	0.6	<0.01	1.2	0.1	0.47	2	0.6	<0.2
1865448	Rock	0.050	20	18	0.71	101	0.023	<20	0.98	0.018	0.48	2.8	<0.01	1.9	0.3	0.46	3	<0.5	<0.2
1865449	Rock	0.033	15	15	0.37	135	0.020	<20	1.86	0.137	0.16	>100	<0.01	1.9	0.1	0.72	5	3.0	5.1
1865450	Rock	0.037	17	17	0.39	170	0.021	<20	1.94	0.137	0.16	>100	<0.01	1.9	0.1	0.68	5	2.8	3.6
1865451	Rock	0.045	21	22	0.54	137	0.039	<20	1.85	0.094	0.22	17.3	<0.01	2.6	0.2	0.67	5	2.0	0.4
1865452	Rock	0.031	27	23	0.79	111	0.060	<20	1.55	0.026	0.61	3.4	<0.01	2.6	0.6	0.24	5	<0.5	<0.2
1865453	Rock	0.052	33	22	0.92	105	0.067	<20	1.63	0.012	0.78	1.2	<0.01	2.3	0.8	0.22	4	<0.5	<0.2
1865454	Rock	0.030	27	15	0.63	86	0.019	<20	1.11	0.014	0.38	0.9	<0.01	1.9	0.3	0.18	3	<0.5	<0.2
1865455	Rock	0.041	33	21	0.94	79	0.039	<20	1.65	0.013	0.54	0.7	<0.01	1.9	0.4	0.19	4	<0.5	<0.2
1865456	Rock	0.064	26	13	0.72	83	0.017	<20	1.12	0.012	0.38	0.8	<0.01	1.8	0.3	0.30	3	<0.5	<0.2
1865457	Rock	0.036	21	9	0.61	79	0.009	<20	0.77	0.014	0.35	0.5	<0.01	1.8	0.3	0.33	2	<0.5	<0.2
1865458	Rock	0.037	23	13	0.84	81	0.004	<20	1.22	0.012	0.31	0.5	<0.01	2.2	0.2	0.70	3	<0.5	<0.2
1865459	Rock	0.035	27	20	0.83	70	0.016	<20	1.74	0.017	0.28	0.4	<0.01	2.4	0.2	0.33	5	<0.5	<0.2
1865460	Rock	0.007	2	<1	0.53	15	0.001	<20	0.03	0.002	0.02	0.4	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1865461	Rock	0.026	24	27	0.84	133	0.056	<20	2.02	0.028	0.44	0.4	<0.01	3.0	0.4	0.25	6	<0.5	<0.2
1865462	Rock	0.018	22	18	0.71	85	0.007	<20	1.35	0.015	0.31	0.2	<0.01	1.9	0.2	0.45	4	<0.5	<0.2
1865463	Rock	0.040	27	24	0.93	67	0.015	<20	1.83	0.015	0.32	0.2	<0.01	2.3	0.2	0.29	5	<0.5	<0.2
1865464	Rock	0.046	26	21	0.92	80	0.005	<20	1.87	0.013	0.27	<0.1	<0.01	2.1	0.1	0.43	5	0.5	<0.2
1865465	Rock	0.024	25	16	0.72	157	0.026	<20	1.21	0.040	0.45	0.1	<0.01	2.9	0.4	0.44	4	0.6	<0.2
1865466	Rock	0.034	33	17	1.02	86	0.003	<20	1.40	0.011	0.30	<0.1	<0.01	2.5	0.2	0.26	4	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 27, 2019

**Page:** 3 of 4

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000761.1

Method Analyte Unit MDL	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1865467	Rock	5.18	0.488	0.3	32.7	7.6	89	0.1	53.9	19.1	649	3.69	158.8	399.5	6.3	77	<0.1	5.4	5.2	47	1.34
1865468	Rock	3.96	0.030	0.8	39.6	10.6	94	<0.1	38.3	15.9	521	4.23	77.8	17.8	13.3	29	<0.1	2.1	0.5	14	0.38
1865469	Rock	2.34	0.028	0.3	41.0	7.8	104	<0.1	44.6	21.8	667	4.67	58.9	12.1	11.4	28	<0.1	1.3	0.5	20	0.50
1865470	Rock	2.17	0.014	0.3	60.2	9.7	101	0.1	44.4	22.7	659	4.50	49.1	4.1	10.9	29	<0.1	1.4	0.4	19	0.51
1865471	Rock	5.02	0.005	0.4	53.0	7.2	123	<0.1	52.3	21.3	657	4.58	15.9	5.8	16.4	25	<0.1	0.5	0.7	21	0.42
1865472	Rock	4.28	0.037	0.2	40.3	6.7	93	<0.1	39.6	16.6	587	4.03	185.3	12.8	12.5	30	<0.1	0.9	0.5	17	0.55
1865473	Rock	4.60	0.012	0.2	31.6	6.4	95	<0.1	32.0	14.2	796	3.80	72.9	7.5	12.9	27	<0.1	0.8	0.4	14	0.56
1865474	Rock	4.23	<0.005	0.7	59.8	18.6	101	0.1	48.4	25.1	1122	4.04	13.0	<0.5	14.0	24	<0.1	0.5	0.5	17	0.46
1865475	Rock	4.49	0.128	0.8	50.1	8.6	128	<0.1	50.3	17.6	972	4.88	10.1	1.9	13.9	18	<0.1	1.1	0.5	16	0.24
1865476	Rock	4.67	0.007	1.3	58.1	9.1	111	0.1	57.4	28.0	1048	5.03	42.7	5.1	14.9	24	<0.1	4.1	0.7	16	0.30
1865477	Rock	4.47	0.046	0.7	52.7	16.2	107	0.2	48.2	24.7	719	4.43	134.1	27.3	11.0	22	<0.1	3.5	0.9	13	0.40
1865478	Rock	4.72	1.299	0.6	37.8	58.1	90	0.4	38.6	18.2	555	3.49	374.7	143.2	9.4	31	0.1	8.2	32.2	12	0.71
1865479	Rock	3.36	0.204	0.6	50.8	6.1	57	0.2	29.0	14.0	445	3.22	186.0	52.6	10.5	48	<0.1	3.9	1.9	14	0.84
1865480	Rock Pulp	0.12	1.268	6.3	119.3	6718.3	1533	43.2	17.4	10.7	1087	3.77	55.2	1479.4	2.9	82	18.0	32.2	0.8	98	1.05
1865481	Rock	4.19	0.293	1.0	55.5	8.3	148	0.2	158.8	52.0	2571	7.11	1001.3	306.0	0.7	258	0.1	8.1	2.7	121	6.36
1865482	Rock	4.29	0.098	0.8	22.5	8.9	165	0.1	162.1	46.2	2184	7.23	549.2	18.7	1.9	229	0.3	4.4	1.9	138	5.10
1865483	Rock	4.31	0.314	1.1	31.6	24.9	122	0.2	66.8	25.3	1583	4.57	292.4	107.9	5.5	159	0.3	8.1	12.4	52	3.73
1865484	Rock	4.08	0.032	0.8	36.4	6.5	97	<0.1	78.7	24.2	794	4.32	183.3	12.6	7.9	109	0.1	8.1	1.0	58	2.08
1865485	Rock	3.74	0.040	0.8	57.5	4.8	109	0.1	63.8	21.3	830	4.82	113.5	11.1	9.1	129	<0.1	2.2	0.5	81	2.05
1865486	Rock	5.00	0.013	1.0	67.1	3.0	108	0.1	74.2	39.4	996	5.81	108.8	9.0	0.7	297	0.2	1.6	0.2	166	4.87
1865487	Rock	4.73	0.729	1.5	75.1	2.6	118	0.7	80.4	34.8	712	5.09	140.5	5624.6	0.5	139	0.1	1.2	8.2	148	2.67
1865488	Rock	5.56	0.196	0.9	74.2	1.8	92	0.2	62.5	31.2	493	4.42	79.0	167.2	0.4	92	<0.1	0.4	3.3	124	1.60
1865489	Rock	2.44	0.211	0.9	65.4	1.6	78	<0.1	60.7	28.0	456	4.05	62.9	77.7	0.4	88	<0.1	0.5	1.5	126	1.82
1865490	Rock	2.22	0.288	0.9	72.6	1.6	86	0.1	62.0	30.1	508	4.36	71.4	382.5	0.5	121	<0.1	0.4	3.0	133	1.96
1865491	Rock	4.89	0.917	0.9	65.0	12.5	163	0.3	73.0	32.4	840	5.37	206.7	876.2	0.5	127	0.1	5.7	11.2	152	3.86
1865492	Rock	4.64	0.052	1.0	65.7	2.2	79	0.1	58.0	29.0	440	3.85	66.9	86.2	0.4	85	0.1	0.4	0.9	117	1.96
1865493	Rock	4.89	0.228	1.0	76.8	2.2	92	0.1	60.9	29.1	464	4.25	70.4	146.5	0.4	82	0.1	0.3	2.6	121	1.71
1865494	Rock	5.62	0.078	0.9	58.9	2.9	84	0.1	63.2	28.7	498	4.08	74.2	24.9	1.3	69	<0.1	0.6	1.1	116	1.46
1865495	Rock	4.30	0.184	0.9	102.1	4.5	78	0.2	36.6	23.2	444	3.84	36.1	118.6	2.4	101	0.1	0.5	1.9	101	1.76
1865496	Rock	4.98	0.008	1.0	69.2	1.3	64	<0.1	57.7	25.5	366	3.66	21.2	5.2	0.5	135	<0.1	0.3	<0.1	107	2.29



# CERTIFICATE OF ANALYSIS

WHI19000761.1

Method Analyte	Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1865467	Rock	0.038	14	84	1.42	106	0.028	<20	1.92	0.019	0.41	2.7	<0.01	5.1	0.4	0.35	7	0.6	0.3	
1865468	Rock	0.055	32	17	1.07	54	0.003	<20	1.56	0.013	0.25	<0.1	<0.01	2.2	0.1	0.27	5	<0.5	<0.2	
1865469	Rock	0.034	28	25	1.00	66	0.004	<20	2.10	0.010	0.25	0.1	<0.01	2.4	<0.1	0.42	6	<0.5	<0.2	
1865470	Rock	0.032	25	24	0.99	62	0.004	<20	2.05	0.008	0.20	0.1	<0.01	2.4	<0.1	0.38	6	<0.5	<0.2	
1865471	Rock	0.064	45	24	1.07	91	0.014	<20	2.43	0.021	0.27	<0.1	<0.01	2.5	<0.1	0.17	7	<0.5	<0.2	
1865472	Rock	0.048	29	21	0.88	108	0.022	<20	1.70	0.011	0.36	1.8	<0.01	2.0	0.3	0.31	5	<0.5	<0.2	
1865473	Rock	0.027	33	18	0.76	116	0.022	<20	1.44	0.011	0.40	0.4	<0.01	2.1	0.3	0.17	4	<0.5	<0.2	
1865474	Rock	0.029	41	18	0.92	48	0.002	<20	1.74	0.016	0.25	<0.1	<0.01	2.6	<0.1	0.39	5	<0.5	<0.2	
1865475	Rock	0.046	41	18	1.16	51	0.003	<20	1.98	0.015	0.32	<0.1	<0.01	2.2	0.1	0.38	5	<0.5	<0.2	
1865476	Rock	0.030	37	16	1.14	40	0.003	<20	2.03	0.010	0.26	0.1	<0.01	2.1	0.1	0.55	5	0.5	<0.2	
1865477	Rock	0.109	27	12	0.89	67	0.003	<20	1.59	0.010	0.32	0.2	<0.01	2.1	0.1	0.95	5	<0.5	<0.2	
1865478	Rock	0.059	21	13	0.85	61	0.003	<20	1.46	0.009	0.24	0.2	<0.01	1.9	0.1	0.53	4	0.5	1.2	
1865479	Rock	0.031	21	17	0.81	131	0.004	<20	1.36	0.006	0.26	0.3	<0.01	1.9	0.2	0.57	4	0.7	<0.2	
1865480	Rock Pulp	0.056	7	21	0.84	153	0.153	<20	1.87	0.212	0.24	1.4	0.24	3.1	0.1	0.22	5	<0.5	<0.2	
1865481	Rock	0.077	5	215	4.10	113	0.020	<20	3.88	<0.001	0.42	0.4	<0.01	12.3	0.6	0.74	13	1.7	0.2	
1865482	Rock	0.074	6	248	4.63	155	0.045	<20	4.69	0.007	0.57	0.2	<0.01	14.4	0.8	0.27	15	<0.5	<0.2	
1865483	Rock	0.053	12	76	2.35	73	0.003	<20	1.95	0.003	0.21	13.6	<0.01	7.1	0.2	0.30	8	0.7	0.3	
1865484	Rock	0.049	16	94	2.11	129	0.015	<20	2.51	0.004	0.36	0.3	<0.01	7.4	0.3	0.39	9	<0.5	<0.2	
1865485	Rock	0.064	18	107	2.32	245	0.039	<20	2.87	0.012	0.56	1.7	<0.01	8.9	0.4	0.40	11	0.5	<0.2	
1865486	Rock	0.145	9	169	3.03	298	0.091	<20	3.51	0.049	0.54	0.1	<0.01	14.5	0.5	0.24	13	<0.5	<0.2	
1865487	Rock	0.152	6	156	2.81	275	0.211	<20	3.31	0.136	1.24	9.0	0.02	10.8	1.4	0.45	14	1.1	0.3	
1865488	Rock	0.153	4	133	2.29	466	0.237	<20	2.77	0.151	0.98	0.6	<0.01	7.1	0.8	0.44	11	1.2	<0.2	
1865489	Rock	0.150	4	120	2.26	420	0.196	<20	2.70	0.130	0.89	2.8	<0.01	7.4	0.8	0.23	10	<0.5	<0.2	
1865490	Rock	0.146	5	128	2.45	467	0.216	<20	2.90	0.155	0.95	1.1	0.01	8.4	0.9	0.32	11	0.8	<0.2	
1865491	Rock	0.139	6	149	3.06	362	0.176	<20	3.29	0.072	1.13	5.8	<0.01	13.1	1.4	0.49	15	1.3	0.7	
1865492	Rock	0.153	5	120	1.99	215	0.205	<20	2.46	0.190	0.54	0.8	<0.01	6.8	0.5	0.28	10	0.6	<0.2	
1865493	Rock	0.153	5	131	2.17	449	0.239	<20	2.87	0.155	1.09	0.9	<0.01	6.1	1.0	0.41	12	1.4	<0.2	
1865494	Rock	0.144	6	131	2.11	281	0.231	<20	2.71	0.138	1.06	0.3	<0.01	6.2	0.9	0.30	11	0.5	<0.2	
1865495	Rock	0.127	8	80	1.71	94	0.144	<20	2.18	0.120	0.36	0.3	<0.01	6.9	0.4	0.41	9	1.7	<0.2	
1865496	Rock	0.147	5	109	2.03	577	0.188	<20	2.52	0.181	0.58	0.2	<0.01	6.3	0.5	0.14	10	<0.5	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: McQuesten  
Report Date: November 27, 2019

Page: 4 of 4

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000761.1

Method Analyte Unit MDL	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1865497	Rock	5.28	0.155	0.9	66.8	2.4	92	<0.1	70.9	31.5	553	4.59	76.3	66.8	0.4	171	0.1	0.7	1.6	134	2.96
1865498	Rock	4.04	0.806	0.7	79.3	16.4	136	0.3	57.2	35.0	1130	5.37	210.9	596.0	1.1	165	0.2	7.5	8.3	112	3.46
1865499	Rock	4.05	0.109	0.5	92.7	4.5	176	0.3	84.0	39.6	1292	6.52	132.3	55.3	0.4	131	0.2	2.6	1.6	122	3.14
1865500	Rock	0.82	<0.005	<0.1	0.5	0.4	<1	<0.1	<0.1	0.6	93	0.09	<0.5	<0.5	<0.1	71	<0.1	<0.1	<0.1	<1	33.60
1865501	Rock	3.94	0.212	0.3	19.3	8.3	44	<0.1	15.2	6.8	291	1.80	99.8	74.7	8.8	42	<0.1	1.9	0.7	6	0.76
1865502	Rock	4.02	0.023	0.4	15.7	9.8	38	<0.1	12.2	5.3	196	1.28	29.2	13.9	7.8	44	<0.1	1.2	0.2	4	0.58
1865503	Rock	3.18	0.134	0.4	12.9	10.3	27	0.1	7.8	4.3	219	1.23	49.9	41.3	6.6	32	<0.1	2.5	1.1	4	0.54
1865504	Rock	2.67	0.070	0.7	26.9	6.6	51	0.1	24.7	11.1	837	3.78	143.3	55.0	7.2	436	<0.1	5.9	1.0	11	6.73
1865505	Rock	4.67	0.133	1.0	47.2	12.4	83	0.1	38.6	17.1	603	4.21	190.2	25.1	16.3	38	<0.1	1.7	1.3	8	0.36
1865506	Rock	3.97	0.009	0.2	15.6	10.8	36	<0.1	13.2	7.2	180	1.70	14.6	4.0	9.8	30	<0.1	1.1	0.2	6	0.30
1865507	Rock	4.44	0.035	0.6	11.8	7.4	29	<0.1	10.9	6.6	133	1.41	480.8	23.1	8.2	22	<0.1	1.2	0.2	4	0.23
1865508	Rock	4.68	0.452	0.9	85.7	7.7	112	0.2	55.7	26.7	666	5.38	783.6	381.6	11.1	94	0.1	2.6	1.1	82	1.51
1865509	Rock	2.35	0.047	1.0	69.6	10.2	130	0.2	53.2	31.3	1314	5.53	357.1	258.5	5.6	156	0.1	3.3	3.1	121	2.72
1865510	Rock	2.24	0.063	1.0	97.0	8.7	141	0.2	57.7	31.8	1504	6.06	326.0	50.5	4.8	165	0.2	2.5	1.8	133	2.90
1865511	Rock	4.63	0.012	0.8	45.1	15.6	110	<0.1	77.4	24.7	590	4.59	117.2	10.0	15.2	57	<0.1	3.2	0.5	40	0.86
1865512	Rock	4.23	0.052	0.6	49.2	9.6	85	0.1	69.1	21.1	758	4.33	286.7	21.0	13.6	83	<0.1	2.3	1.0	30	1.16
1865513	Rock	4.43	0.564	0.5	38.3	16.3	89	0.4	36.6	15.8	628	4.22	483.8	577.0	15.4	76	0.2	4.0	5.0	11	0.84
1865514	Rock	4.92	0.017	0.5	52.7	12.7	95	0.1	46.5	18.0	1177	4.37	129.5	18.0	14.1	60	<0.1	2.3	0.5	16	0.83
1865515	Rock	4.34	0.013	0.5	60.0	9.7	89	0.2	45.3	20.3	1139	4.06	74.9	5.7	15.3	66	<0.1	2.2	0.6	20	0.84
1865516	Rock	4.92	0.008	0.7	68.4	10.1	85	0.2	55.1	26.8	1007	4.40	57.7	8.4	15.1	45	<0.1	2.5	0.6	20	0.77
1865517	Rock	4.73	4.565	0.9	69.2	46.3	104	0.4	51.2	35.7	874	4.46	436.3	821.5	13.6	71	<0.1	9.8	25.2	14	0.66
1865518	Rock	4.27	0.017	0.4	40.5	11.4	87	<0.1	44.8	20.2	662	3.74	62.4	13.3	15.2	89	<0.1	0.9	0.7	14	0.90
1865519	Rock	2.89	1.336	0.5	38.5	13.9	64	0.3	29.2	13.3	604	2.88	29.2	336.8	14.6	84	<0.1	1.3	6.8	10	0.82
1865520	Rock Pulp	0.13	0.302	12.9	2116.9	992.0	6799	17.7	29.2	18.5	511	8.08	268.9	93.2	1.9	45	51.1	31.9	11.8	47	1.96
1865521	Rock	3.85	0.032	0.3	36.9	8.1	55	<0.1	19.5	12.1	357	2.34	57.5	57.1	10.1	52	<0.1	2.8	0.3	9	0.69



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 27, 2019

**Page:** 4 of 4

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000761.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm		
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1865497	Rock	0.145	6	137	2.47	442	0.199	<20	2.91	0.132	0.78	42.9	0.02	9.8	0.8	0.24	12	<0.5	<0.2	
1865498	Rock	0.124	4	127	2.42	296	0.185	<20	2.77	0.124	0.62	1.8	<0.01	11.4	0.7	0.99	11	2.7	0.3	
1865499	Rock	0.076	1	226	3.51	271	0.301	<20	4.15	0.078	1.36	1.1	<0.01	13.3	1.6	1.02	14	3.9	<0.2	
1865500	Rock	0.008	1	<1	0.99	16	0.002	<20	0.03	0.002	0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2	
1865501	Rock	0.018	16	9	0.46	135	0.002	<20	0.70	0.006	0.24	0.2	<0.01	1.0	0.2	0.57	2	<0.5	<0.2	
1865502	Rock	0.011	15	6	0.29	73	0.002	<20	0.53	0.006	0.16	0.1	<0.01	0.9	<0.1	0.28	1	<0.5	<0.2	
1865503	Rock	0.011	13	6	0.33	47	0.003	<20	0.48	0.004	0.13	0.9	<0.01	0.8	0.1	0.23	1	<0.5	<0.2	
1865504	Rock	0.031	15	16	2.03	128	0.002	<20	0.83	0.004	0.20	0.2	<0.01	1.9	0.2	0.23	2	<0.5	<0.2	
1865505	Rock	0.053	34	9	0.92	82	0.007	<20	0.77	0.005	0.37	0.4	<0.01	1.9	0.2	0.44	2	<0.5	<0.2	
1865506	Rock	0.011	22	9	0.42	95	0.003	<20	0.76	0.012	0.25	<0.1	<0.01	1.0	0.1	0.10	2	<0.5	<0.2	
1865507	Rock	0.014	17	6	0.32	80	0.002	<20	0.54	0.011	0.21	<0.1	<0.01	0.8	<0.1	0.22	1	<0.5	<0.2	
1865508	Rock	0.106	19	72	1.64	346	0.143	<20	2.67	0.064	1.09	9.4	<0.01	7.5	1.1	1.32	8	2.3	<0.2	
1865509	Rock	0.130	11	107	3.16	174	0.155	<20	3.90	0.046	1.24	0.4	<0.01	11.2	1.5	0.53	13	1.1	<0.2	
1865510	Rock	0.120	11	114	3.37	173	0.153	<20	4.10	0.040	1.28	5.6	<0.01	12.2	1.5	0.54	15	1.2	<0.2	
1865511	Rock	0.060	24	78	1.56	135	0.060	<20	2.43	0.008	0.66	0.1	<0.01	4.3	0.5	0.57	7	<0.5	<0.2	
1865512	Rock	0.047	27	63	1.55	108	0.023	<20	1.94	0.008	0.52	0.5	<0.01	3.9	0.5	0.43	5	0.7	<0.2	
1865513	Rock	0.049	29	14	0.89	53	0.003	<20	1.30	0.006	0.25	0.2	<0.01	1.9	0.2	0.39	3	<0.5	<0.2	
1865514	Rock	0.034	20	18	0.98	67	0.004	<20	1.62	0.008	0.29	0.1	<0.01	2.5	0.2	0.87	5	<0.5	<0.2	
1865515	Rock	0.038	30	20	0.97	86	0.011	<20	2.01	0.010	0.31	<0.1	<0.01	2.6	0.3	0.42	5	<0.5	<0.2	
1865516	Rock	0.138	23	22	0.94	58	0.014	<20	2.03	0.013	0.33	0.1	<0.01	2.6	0.2	0.78	5	<0.5	<0.2	
1865517	Rock	0.092	22	15	0.93	128	0.004	<20	1.59	0.011	0.30	<0.1	<0.01	2.2	0.2	1.25	4	0.8	0.6	
1865518	Rock	0.032	26	17	0.79	107	0.012	<20	1.48	0.007	0.35	<0.1	<0.01	2.3	0.3	0.67	4	0.6	<0.2	
1865519	Rock	0.025	27	12	0.59	106	0.004	<20	1.16	0.007	0.24	<0.1	<0.01	1.7	0.1	0.36	3	<0.5	0.4	
1865520	Rock Pulp	0.038	4	37	2.39	56	0.004	<20	1.78	0.010	0.07	0.8	2.44	3.3	4.8	6.19	7	29.5	0.3	
1865521	Rock	0.028	21	10	0.44	94	0.003	<20	0.90	0.006	0.22	0.2	0.02	1.5	0.4	0.75	2	0.7	<0.2	



# QUALITY CONTROL REPORT

WHI19000761.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
Pulp Duplicates																					
1865450	Rock	1.69	4.716	0.8	51.7	9.6	28	0.3	22.1	14.9	657	1.84	1673.5	4407.3	7.9	344	0.3	1.7	43.0	16	16.65
REP 1865450	QC			0.8	53.3	9.6	29	0.4	22.9	15.4	671	1.86	1604.8	4455.3	8.2	340	0.3	1.7	46.1	16	16.46
1865471	Rock	5.02	0.005	0.4	53.0	7.2	123	<0.1	52.3	21.3	657	4.58	15.9	5.8	16.4	25	<0.1	0.5	0.7	21	0.42
REP 1865471	QC		0.006																		
1865477	Rock	4.47	0.046	0.7	52.7	16.2	107	0.2	48.2	24.7	719	4.43	134.1	27.3	11.0	22	<0.1	3.5	0.9	13	0.40
REP 1865477	QC		0.052																		
1865484	Rock	4.08	0.032	0.8	36.4	6.5	97	<0.1	78.7	24.2	794	4.32	183.3	12.6	7.9	109	0.1	8.1	1.0	58	2.08
REP 1865484	QC			0.9	37.9	6.3	101	0.1	77.0	23.3	778	4.24	174.0	68.6	7.5	101	<0.1	8.7	1.0	57	2.05
1865517	Rock	4.73	4.565	0.9	69.2	46.3	104	0.4	51.2	35.7	874	4.46	436.3	821.5	13.6	71	<0.1	9.8	25.2	14	0.66
REP 1865517	QC			0.9	69.9	44.5	104	0.6	55.2	32.4	844	4.57	423.2	1673.5	14.7	74	<0.1	9.5	24.8	15	0.68
Core Reject Duplicates																					
1865463	Rock	4.71	0.011	0.5	34.9	5.2	103	<0.1	36.3	18.3	578	4.07	115.2	19.6	13.6	20	<0.1	0.8	0.5	18	0.30
DUP 1865463	QC		0.017	0.5	33.1	5.7	99	<0.1	39.2	18.3	561	3.98	116.6	32.2	13.2	23	<0.1	1.0	0.6	19	0.34
1865497	Rock	5.28	0.155	0.9	66.8	2.4	92	<0.1	70.9	31.5	553	4.59	76.3	66.8	0.4	171	0.1	0.7	1.6	134	2.96
DUP 1865497	QC		0.135	1.0	66.9	2.2	93	<0.1	69.7	31.9	535	4.46	72.6	44.2	0.4	152	0.1	0.5	1.5	133	2.91
Reference Materials																					
STD BVGEO01	Standard			10.4	4510.1	179.1	1739	2.6	168.5	25.4	756	3.69	121.6	212.1	15.1	56	7.0	2.5	23.8	77	1.33
STD DS11	Standard			15.6	149.5	144.5	331	1.7	84.0	14.8	1068	3.20	48.4	81.1	9.6	72	2.7	7.2	12.6	52	1.09
STD DS11	Standard			14.0	151.8	135.5	336	1.6	80.1	13.6	1014	3.13	43.6	80.1	8.9	63	2.3	7.1	11.9	50	1.06
STD OREAS262	Standard			0.6	117.7	63.6	165	0.5	66.6	30.3	549	3.32	38.5	67.6	10.9	37	0.7	2.6	1.1	24	3.03
STD OREAS262	Standard			0.6	123.6	63.3	160	0.5	68.0	29.7	566	3.43	39.5	62.8	10.7	35	0.7	2.5	1.1	22	3.11
STD OREAS262	Standard			0.6	128.8	56.5	164	0.5	68.7	28.5	564	3.40	36.6	62.4	10.3	35	0.7	2.1	1.0	24	3.14
STD OXB130	Standard		0.123																		
STD OXB130	Standard		0.126																		
STD OXI138	Standard		1.857																		
STD OXI138	Standard		1.864																		
STD OXN117	Standard		7.747																		
STD OXN117	Standard		7.747																		



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 27, 2019

Page: 1 of 2

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000761.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																			
1865450	Rock	0.037	17	17	0.39	170	0.021	<20	1.94	0.137	0.16	>100	<0.01	1.9	0.1	0.68	5	2.8	3.6
REP 1865450	QC	0.035	17	17	0.39	167	0.024	<20	1.95	0.138	0.17	>100	<0.01	2.1	<0.1	0.67	5	2.6	3.4
1865471	Rock	0.064	45	24	1.07	91	0.014	<20	2.43	0.021	0.27	<0.1	<0.01	2.5	<0.1	0.17	7	<0.5	<0.2
REP 1865471	QC																		
1865477	Rock	0.109	27	12	0.89	67	0.003	<20	1.59	0.010	0.32	0.2	<0.01	2.1	0.1	0.95	5	<0.5	<0.2
REP 1865477	QC																		
1865484	Rock	0.049	16	94	2.11	129	0.015	<20	2.51	0.004	0.36	0.3	<0.01	7.4	0.3	0.39	9	<0.5	<0.2
REP 1865484	QC	0.047	16	95	2.12	125	0.016	<20	2.49	0.004	0.35	0.2	0.01	7.1	0.3	0.38	8	0.7	<0.2
1865517	Rock	0.092	22	15	0.93	128	0.004	<20	1.59	0.011	0.30	<0.1	<0.01	2.2	0.2	1.25	4	0.8	0.6
REP 1865517	QC	0.097	24	16	0.95	136	0.004	<20	1.64	0.012	0.31	0.1	<0.01	2.3	0.2	1.28	4	0.7	0.8
Core Reject Duplicates																			
1865463	Rock	0.040	27	24	0.93	67	0.015	<20	1.83	0.015	0.32	0.2	<0.01	2.3	0.2	0.29	5	<0.5	<0.2
DUP 1865463	QC	0.052	32	23	0.92	79	0.017	<20	1.83	0.014	0.35	<0.1	<0.01	2.2	0.2	0.30	5	<0.5	<0.2
1865497	Rock	0.145	6	137	2.47	442	0.199	<20	2.91	0.132	0.78	42.9	0.02	9.8	0.8	0.24	12	<0.5	<0.2
DUP 1865497	QC	0.141	6	134	2.50	430	0.182	<20	2.97	0.125	0.78	41.9	0.02	9.8	0.8	0.23	11	0.6	<0.2
Reference Materials																			
STD BVGEO01	Standard	0.075	27	188	1.34	350	0.253	<20	2.40	0.193	0.89	3.4	0.11	5.9	0.6	0.68	7	4.9	1.0
STD DS11	Standard	0.080	19	61	0.88	399	0.094	<20	1.22	0.074	0.41	2.5	0.24	3.5	5.2	0.29	5	2.2	4.8
STD DS11	Standard	0.073	18	60	0.85	438	0.089	<20	1.17	0.073	0.40	3.1	0.24	3.3	5.0	0.28	5	2.0	4.5
STD OREAS262	Standard	0.047	20	46	1.21	274	0.003	<20	1.36	0.069	0.33	0.1	0.17	3.7	0.5	0.28	4	<0.5	0.3
STD OREAS262	Standard	0.044	18	46	1.23	276	0.003	<20	1.33	0.074	0.32	<0.1	0.17	3.6	0.5	0.26	4	<0.5	0.2
STD OREAS262	Standard	0.039	18	46	1.25	260	0.003	<20	1.43	0.073	0.35	<0.1	0.16	3.5	0.5	0.28	4	0.5	0.2
STD OXB130	Standard																		
STD OXB130	Standard																		
STD OXI138	Standard																		
STD OXI138	Standard																		
STD OXN117	Standard																		
STD OXN117	Standard																		



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 27, 2019

Page: 2 of 2

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000761.1

	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
STD OXI138 Expected	1.86																				
STD OXB130 Expected	0.125																				
STD OXN117 Expected	7.679																				
STD DS11 Expected			13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063	
STD BVGE001 Expected			10.8	4415	187	1741	2.53	163	25	733	3.7	121	219	14.4	55	6.5	2.2	25.6	73	1.3219	
STD OREAS262 Expected			0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	65	9.33	36	0.61	3.39	1.03	22.5	2.98	
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
Prep Wash																					
ROCK-WHI	Prep Blank	<0.005	0.7	1.9	1.3	31	<0.1	0.9	3.5	527	1.83	0.8	1.0	2.7	18	<0.1	<0.1	<0.1	22	0.56	
ROCK-WHI	Prep Blank	<0.005	0.9	4.4	0.9	32	<0.1	1.5	4.5	567	1.99	0.8	<0.5	2.5	21	<0.1	<0.1	<0.1	28	0.68	



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 27, 2019

Page: 2 of 2

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000761.1

	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
STD OXI138 Expected																			
STD OXB130 Expected																			
STD OXN117 Expected																			
STD DS11 Expected	0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56	
STD BVGE001 Expected	0.0727	25.9	171	1.2963	340	0.233		2.347	0.1924	0.89	3.5	0.1	5.97	0.62	0.6655	7.37	4.84	1.02	
STD OREAS262 Expected	0.04	15.9	41.7	1.17	248	0.003		1.204	0.071	0.312	0.13	0.17	3.24	0.47	0.253	3.73	0.4	0.23	
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																			
ROCK-WHI	Prep Blank	0.043	6	3	0.47	51	0.073	<20	0.78	0.066	0.08	<0.1	<0.01	2.7	<0.1	<0.05	4	<0.5	<0.2
ROCK-WHI	Prep Blank	0.046	6	4	0.54	52	0.078	<20	0.94	0.080	0.09	<0.1	<0.01	3.1	<0.1	<0.05	4	<0.5	<0.2



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Submitted By: James Thom  
Receiving Lab: Canada-Whitehorse  
Received: November 15, 2019  
Report Date: November 28, 2019  
Page: 1 of 4

## CERTIFICATE OF ANALYSIS

WHI19000762.1

### CLIENT JOB INFORMATION

Project: McQuesten  
Shipment ID: MQ-19-36a  
P.O. Number  
Number of Samples: 84

### SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps  
PICKUP-RJT Client to Pickup Rejects

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Banyan Gold Corp.  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7  
Canada

CC: Paul Gray

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	83	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	1	Sort, label and box pulps			WHI
FA450	84	50g Lead Collection Fire Assay Fusion - AAS Finish	50	Completed	VAN
EN002	84	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	84	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	84	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS

  
MAY LAI  
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 28, 2019

Page: 2 of 4

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000762.1

Method Analyte	Unit	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
			Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
MDL		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1865522	Rock	5.13	0.021	0.5	59.6	11.3	105	0.1	52.2	33.8	492	4.35	66.7	7.7	13.9	24	<0.1	3.3	0.9	16	0.44	
1865523	Rock	3.49	0.041	0.4	41.8	6.9	107	0.1	45.1	22.2	501	4.41	126.0	33.3	16.2	28	<0.1	1.9	0.4	16	0.37	
1865524	Rock	4.76	0.790	0.9	42.0	13.3	75	0.3	35.5	16.7	483	3.42	1527.7	682.8	12.2	48	0.2	4.4	5.4	14	0.96	
1865525	Rock	4.24	0.431	1.1	100.3	9.5	164	0.2	141.5	55.8	1502	7.42	3444.5	415.2	4.7	106	0.2	3.3	4.1	132	3.12	
1865526	Rock	5.22	0.380	1.2	58.5	4.7	118	0.3	56.7	36.5	1145	5.64	910.7	792.7	0.7	125	0.2	3.3	2.7	142	2.67	
1865527	Rock	3.32	0.044	1.4	63.6	3.2	81	0.1	33.5	28.9	355	4.05	239.8	25.6	0.9	75	0.1	0.5	0.5	138	1.38	
1865528	Rock	3.91	0.485	1.0	77.4	6.1	118	0.4	48.9	35.4	833	5.20	226.0	803.8	1.3	76	0.2	1.1	5.0	163	2.27	
1865529	Rock	2.16	0.009	0.7	29.0	7.7	80	0.1	48.0	18.8	551	3.92	109.5	5.2	9.3	33	<0.1	0.9	0.2	62	1.00	
1865530	Rock	1.99	0.012	0.6	31.5	9.9	75	0.1	48.4	18.8	547	3.83	124.9	14.4	9.5	35	<0.1	1.3	0.4	55	0.96	
1865531	Rock	4.90	0.047	1.1	47.8	7.6	84	0.1	48.3	20.1	642	4.37	72.3	15.6	11.3	35	<0.1	0.9	0.9	50	0.99	
1865532	Rock	4.18	1.885	1.2	65.2	35.3	101	1.0	42.1	25.6	854	4.78	1441.9	4236.9	6.7	99	0.1	15.9	14.8	63	2.22	
1865533	Rock	3.81	0.041	1.3	60.7	4.1	120	0.2	68.9	34.9	751	5.11	146.8	62.3	0.7	113	0.1	1.8	0.6	128	2.57	
1865534	Rock	3.95	0.010	0.9	46.2	23.8	104	<0.1	45.1	20.9	358	4.44	60.3	6.2	18.3	28	<0.1	3.1	0.2	44	0.51	
1865535	Rock	4.98	0.034	1.5	57.8	2.8	98	0.1	52.6	32.1	494	4.55	120.6	31.6	0.9	66	0.1	0.5	0.5	131	1.45	
1865536	Rock	4.04	0.042	1.3	44.7	7.2	137	<0.1	83.5	47.3	1127	6.91	849.9	33.9	0.6	124	0.2	1.1	0.6	200	3.35	
1865537	Rock	4.60	0.132	1.3	60.5	6.2	179	0.2	61.8	41.0	954	6.24	314.4	37.3	1.0	94	0.1	0.8	2.8	166	2.53	
1865538	Rock	4.40	0.101	0.6	24.6	7.3	54	<0.1	28.9	14.8	340	3.42	151.0	49.5	13.1	31	<0.1	1.2	1.2	24	0.52	
1865539	Rock	4.27	0.018	0.9	24.9	12.9	58	<0.1	26.8	12.2	352	2.70	96.8	63.0	12.7	38	<0.1	2.9	0.5	14	0.55	
1865540	Rock	0.35	<0.005	<0.1	1.2	0.5	<1	<0.1	0.6	0.9	116	0.11	<0.5	0.5	0.3	85	<0.1	<0.1	<0.1	<1	34.62	
1865541	Rock	4.75	0.241	0.9	65.9	6.8	79	0.2	37.5	19.8	527	3.94	100.4	166.3	9.3	64	<0.1	0.7	2.1	68	1.26	
1865542	Rock	5.18	0.178	1.2	56.2	4.2	135	0.3	72.4	35.6	800	5.47	145.0	1959.7	1.2	76	0.1	0.6	1.2	145	1.83	
1865543	Rock	3.91	0.016	0.7	28.4	14.4	52	<0.1	22.4	10.5	354	2.68	87.1	7.7	9.4	40	<0.1	1.3	0.2	26	0.62	
1865544	Rock	4.45	1.216	1.0	59.7	10.2	125	0.3	39.8	22.0	1121	4.49	523.1	801.3	5.4	112	0.1	6.8	7.5	77	2.80	
1865545	Rock	3.96	1.117	1.0	81.8	22.3	97	0.9	62.4	27.4	1121	5.18	2479.5	540.1	5.8	123	0.2	12.2	14.5	52	2.34	
1865546	Rock	4.86	3.756	1.1	55.3	21.6	108	0.8	58.2	25.8	1114	4.69	2322.6	2270.4	7.5	116	0.2	15.8	18.4	37	2.40	
1865547	Rock	4.22	0.277	1.3	59.8	10.0	117	0.2	61.5	24.5	680	4.73	298.3	113.7	13.9	88	0.1	2.3	2.1	39	1.44	
1865548	Rock	3.85	<0.005	0.5	44.3	18.7	90	<0.1	36.1	16.3	359	3.74	10.9	5.1	14.3	25	<0.1	1.1	0.4	13	0.33	
1865549	Rock	1.50	0.005	0.6	54.4	9.1	102	0.2	44.6	25.3	736	4.79	19.9	1.6	8.1	46	<0.1	1.2	0.4	72	1.29	
1865550	Rock	1.47	0.006	0.7	59.4	7.5	99	0.2	46.3	28.0	674	4.83	22.1	3.9	8.5	48	<0.1	1.0	0.4	70	1.22	
1865551	Rock	5.28	0.665	2.5	28.6	9.6	105	0.2	37.7	17.7	478	4.18	632.0	261.9	12.9	29	0.2	2.6	3.5	40	0.54	





# CERTIFICATE OF ANALYSIS

WHI19000762.1

Method Analyte	Unit	AQ200																		
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
MDL		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm		
1865522	Rock	0.092	31	17	0.97	60	0.003	<20	2.06	0.013	0.31	0.1	<0.01	2.0	0.1	0.56	5	<0.5	<0.2	
1865523	Rock	0.032	29	19	0.95	111	0.006	<20	1.88	0.009	0.33	0.1	<0.01	2.4	0.2	0.72	5	<0.5	<0.2	
1865524	Rock	0.045	22	18	0.83	126	0.011	<20	1.38	0.007	0.39	1.2	<0.01	2.3	0.3	0.95	4	0.9	0.6	
1865525	Rock	0.102	8	194	3.60	315	0.160	<20	4.17	0.022	1.54	33.4	<0.01	11.9	1.9	1.19	16	4.8	0.5	
1865526	Rock	0.155	6	116	2.98	97	0.151	<20	3.18	0.100	0.90	0.5	<0.01	12.4	1.2	0.85	14	1.4	0.3	
1865527	Rock	0.167	6	94	2.08	371	0.185	<20	2.52	0.147	0.77	0.2	<0.01	7.6	0.7	0.39	12	<0.5	<0.2	
1865528	Rock	0.160	6	125	2.82	466	0.238	<20	3.27	0.091	1.08	94.2	<0.01	11.1	1.2	0.58	15	1.8	0.3	
1865529	Rock	0.061	15	79	1.52	316	0.115	<20	2.26	0.056	0.69	0.3	<0.01	5.9	0.6	0.46	8	0.7	<0.2	
1865530	Rock	0.070	15	70	1.40	324	0.107	<20	2.17	0.057	0.66	0.3	<0.01	5.2	0.5	0.45	7	0.6	<0.2	
1865531	Rock	0.059	19	56	1.24	267	0.137	<20	2.12	0.044	0.92	0.2	<0.01	4.6	0.7	0.56	7	1.1	<0.2	
1865532	Rock	0.099	11	61	1.76	195	0.043	<20	1.98	0.024	0.61	0.8	<0.01	7.5	0.6	1.03	8	3.5	1.2	
1865533	Rock	0.150	5	132	2.64	273	0.244	<20	3.17	0.139	1.35	5.6	<0.01	8.9	1.5	0.64	11	1.5	<0.2	
1865534	Rock	0.054	37	48	1.17	399	0.121	31	2.40	0.023	1.05	0.2	<0.01	5.2	0.7	0.24	8	<0.5	<0.2	
1865535	Rock	0.169	5	117	2.31	108	0.220	<20	2.93	0.153	1.44	0.3	<0.01	6.5	1.3	0.41	12	0.9	<0.2	
1865536	Rock	0.154	6	197	4.75	123	0.173	<20	4.83	0.030	1.65	0.1	<0.01	20.5	1.9	0.25	20	<0.5	<0.2	
1865537	Rock	0.163	5	139	3.66	369	0.318	<20	4.42	0.155	2.57	13.1	<0.01	14.1	2.6	0.67	17	2.6	<0.2	
1865538	Rock	0.035	24	29	0.92	318	0.054	<20	1.73	0.019	0.69	0.2	<0.01	2.8	0.6	0.24	5	<0.5	<0.2	
1865539	Rock	0.035	24	20	0.73	369	0.022	<20	1.17	0.011	0.44	0.2	<0.01	1.9	0.3	0.34	4	<0.5	<0.2	
1865540	Rock	0.007	2	<1	1.26	18	0.001	<20	0.03	0.003	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2	
1865541	Rock	0.074	14	63	1.35	849	0.206	<20	2.40	0.111	0.93	0.8	<0.01	6.3	0.8	0.71	8	2.1	<0.2	
1865542	Rock	0.148	5	161	3.26	317	0.309	<20	3.71	0.123	2.22	14.7	<0.01	8.4	2.2	0.55	15	1.5	<0.2	
1865543	Rock	0.015	17	38	0.85	472	0.045	<20	1.59	0.012	0.54	0.2	<0.01	3.3	0.4	0.26	5	<0.5	<0.2	
1865544	Rock	0.093	12	70	2.13	434	0.057	<20	2.67	0.005	0.74	1.9	<0.01	8.9	0.8	0.62	10	1.6	0.5	
1865545	Rock	0.089	10	71	1.81	136	0.054	<20	2.42	0.109	0.33	0.4	<0.01	6.1	0.4	1.78	8	2.2	1.6	
1865546	Rock	0.074	10	58	1.71	149	0.019	<20	1.67	0.041	0.39	0.3	<0.01	5.4	0.4	1.55	6	2.5	1.8	
1865547	Rock	0.079	27	63	1.32	184	0.073	32	2.25	0.097	0.80	0.4	<0.01	4.7	0.8	0.73	6	1.7	<0.2	
1865548	Rock	0.088	35	17	0.80	95	0.019	28	1.60	0.014	0.39	0.6	<0.01	1.9	0.2	0.24	4	<0.5	<0.2	
1865549	Rock	0.096	15	66	1.73	197	0.142	33	2.62	0.075	0.92	0.6	<0.01	6.5	0.9	0.62	9	1.2	<0.2	
1865550	Rock	0.096	15	65	1.64	226	0.155	35	2.63	0.094	0.93	0.2	<0.01	6.1	1.0	0.77	9	1.3	<0.2	
1865551	Rock	0.060	28	42	1.26	367	0.093	<20	2.41	0.022	1.08	0.2	<0.01	4.7	1.0	0.25	8	<0.5	0.6	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 28, 2019

**Page:** 3 of 4

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000762.1

Method Analyte Unit MDL	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
	Wgt Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca		
	kg ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm		
	0.01 0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01		
1865552	Rock	4.24	0.017	0.6	22.7	7.4	101	<0.1	194.0	50.3	862	4.81	1021.1	17.8	1.8	180	0.1	1.1	0.3	84	2.08
1865553	Rock	4.47	0.011	0.6	55.3	8.3	91	0.1	53.6	24.3	593	4.47	138.6	15.8	9.5	71	<0.1	3.5	0.5	42	1.22
1865554	Rock	4.59	0.015	0.3	57.6	7.5	88	0.1	49.2	21.4	448	4.24	89.7	15.3	13.8	45	<0.1	2.6	0.4	19	0.63
1865555	Rock	4.18	0.008	0.5	45.9	8.9	75	<0.1	39.5	18.1	445	3.99	67.9	10.3	13.4	36	<0.1	2.1	0.5	15	0.55
1865556	Rock	4.48	0.012	0.5	37.6	14.1	81	<0.1	39.3	15.9	520	4.19	53.8	13.9	13.8	39	<0.1	2.4	0.3	15	0.60
1865557	Rock	4.12	0.104	0.6	36.6	10.3	91	<0.1	40.1	16.8	506	4.19	384.1	24.5	15.4	43	<0.1	3.0	0.5	13	0.56
1865558	Rock	4.84	0.018	0.6	44.6	11.5	95	<0.1	43.6	18.5	580	4.22	38.4	6.1	15.3	35	<0.1	3.1	0.5	15	0.66
1865559	Rock	3.96	0.076	0.6	42.7	18.4	96	0.1	42.4	16.9	862	4.06	378.5	35.4	12.5	45	0.1	6.3	1.2	14	1.00
1865560	Rock	0.56	<0.005	<0.1	0.6	0.5	<1	<0.1	0.8	0.6	100	0.07	0.8	<0.5	0.2	78	<0.1	<0.1	<0.1	<1	33.81
1865561	Rock	4.64	0.018	0.4	47.7	9.3	111	0.1	50.5	20.3	784	4.71	23.4	1.4	13.8	24	<0.1	2.9	0.5	22	0.42
1865562	Rock	3.74	0.022	0.3	45.6	10.4	125	<0.1	51.2	20.3	679	4.99	17.1	0.5	17.6	27	<0.1	2.5	0.4	21	0.34
1865563	Rock	4.33	0.024	0.3	27.4	9.3	78	<0.1	33.3	16.2	669	3.58	41.0	1.6	13.6	38	<0.1	1.5	0.2	16	0.68
1865564	Rock	5.08	0.023	0.5	30.8	6.3	77	<0.1	34.2	16.3	581	3.33	122.3	8.0	14.7	49	<0.1	1.7	0.4	7	0.86
1865565	Rock	4.58	0.023	0.4	36.2	4.1	70	<0.1	36.1	14.3	608	3.26	67.9	7.3	14.1	53	<0.1	3.1	0.3	8	1.06
1865566	Rock	3.46	0.325	0.4	33.4	10.3	50	0.3	17.8	7.9	464	2.11	1163.1	344.0	8.2	42	<0.1	6.6	0.7	5	0.79
1865567	Rock	4.73	0.022	0.3	22.7	5.6	48	<0.1	15.3	7.0	299	1.49	77.2	13.2	9.6	22	<0.1	2.0	0.2	5	0.36
1865568	Rock	4.88	0.083	0.4	16.6	12.6	17	0.2	5.9	3.2	255	1.14	459.7	73.7	6.4	29	<0.1	3.1	1.2	2	0.54
1865569	Rock	1.74	1.609	0.3	29.5	21.1	44	0.6	15.7	7.9	399	1.59	115.8	448.1	9.5	48	0.1	4.0	15.0	4	1.03
1865570	Rock	1.68	1.134	0.3	26.6	25.4	31	0.9	11.0	5.5	420	1.23	170.8	311.7	8.3	55	<0.1	5.5	18.2	3	1.14
1865571	Rock	4.94	3.062	0.4	24.1	25.1	53	0.8	18.7	8.6	365	1.67	92.1	927.1	10.6	37	<0.1	5.3	19.0	5	0.77
1865572	Rock	4.31	0.411	0.6	21.9	10.2	41	<0.1	16.0	7.1	355	1.64	50.9	16.3	11.3	37	<0.1	1.2	1.3	5	0.70
1865573	Rock	4.30	0.118	0.4	21.4	8.2	46	0.1	15.0	7.6	483	1.77	243.7	167.2	10.5	65	<0.1	1.4	0.8	6	1.39
1865574	Rock	4.34	0.325	0.4	21.9	8.6	40	0.1	15.6	7.9	338	1.74	110.4	66.9	10.1	45	<0.1	3.0	1.8	5	1.00
1865575	Rock	4.40	0.032	0.6	32.6	5.4	63	<0.1	29.4	12.5	523	2.89	118.0	12.5	11.8	50	<0.1	2.6	0.6	8	0.87
1865576	Rock	5.40	0.022	1.2	47.9	13.5	103	0.1	45.9	22.0	694	4.11	136.0	13.1	12.3	93	<0.1	1.8	3.0	36	1.57
1865577	Rock	3.70	<0.005	0.4	29.7	10.2	43	0.1	16.7	8.3	299	1.87	14.0	2.4	11.3	51	<0.1	1.3	0.2	10	0.90
1865578	Rock	4.12	0.021	2.4	32.6	8.8	74	<0.1	27.6	12.3	776	2.69	83.8	7.8	8.9	137	<0.1	1.8	0.4	56	2.40
1865579	Rock	4.71	0.034	1.0	52.7	11.9	101	0.2	46.2	24.3	928	4.90	65.5	9.2	12.2	173	0.2	2.8	0.8	26	2.25
1865580	Rock	0.73	<0.005	<0.1	0.8	0.5	<1	<0.1	0.9	0.7	87	0.09	<0.5	<0.5	0.2	84	<0.1	<0.1	<0.1	<1	36.60
1865581	Rock	4.80	0.010	2.6	45.0	13.7	119	0.2	42.4	20.4	519	4.40	62.2	2.2	12.7	85	0.1	0.6	0.5	53	1.33



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 28, 2019

**Page:** 3 of 4

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000762.1

Method Analyte Unit MDL	AQ200 P %	AQ200 La ppm	AQ200 Cr ppm	AQ200 Mg %	AQ200 Ba ppm	AQ200 Ti %	AQ200 B ppm	AQ200 Al %	AQ200 Na %	AQ200 K %	AQ200 W ppm	AQ200 Hg ppm	AQ200 Sc ppm	AQ200 Ti ppm	AQ200 S %	AQ200 Ga ppm	AQ200 Se ppm	AQ200 Te ppm																				
																			0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2		
																			1865552	Rock	0.074	4	239	3.32	136	0.169	<20	4.46	0.216	0.87	0.2	<0.01	6.5	0.9	0.33	12	0.5	<0.2
																			1865553	Rock	0.060	17	57	1.39	98	0.048	<20	2.26	0.029	0.55	0.1	<0.01	4.4	0.5	1.00	7	0.9	<0.2
1865554	Rock	0.126	26	23	0.89	83	0.025	<20	1.87	0.016	0.51	0.1	<0.01	2.8	0.4	0.75	5	0.5	<0.2																			
1865555	Rock	0.041	26	19	0.85	64	0.009	<20	1.68	0.012	0.27	<0.1	<0.01	2.7	0.2	0.47	5	<0.5	<0.2																			
1865556	Rock	0.076	30	19	0.87	59	0.010	<20	1.80	0.014	0.29	0.1	<0.01	2.0	0.2	0.48	5	<0.5	<0.2																			
1865557	Rock	0.041	26	18	0.88	71	0.008	<20	1.54	0.012	0.32	0.1	<0.01	2.0	0.2	0.85	4	<0.5	<0.2																			
1865558	Rock	0.056	29	18	0.87	76	0.003	28	1.76	0.013	0.32	0.1	<0.01	2.4	0.2	0.84	5	<0.5	<0.2																			
1865559	Rock	0.109	21	15	0.90	63	0.002	<20	1.64	0.014	0.30	0.1	<0.01	2.0	0.1	1.14	4	0.6	<0.2																			
1865560	Rock	0.008	1	<1	0.49	15	0.001	<20	0.03	0.003	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2																			
1865561	Rock	0.102	33	22	1.14	47	0.009	<20	2.27	0.016	0.23	<0.1	<0.01	2.8	<0.1	0.56	6	<0.5	<0.2																			
1865562	Rock	0.035	36	25	1.15	60	0.010	<20	2.53	0.017	0.25	<0.1	<0.01	2.3	<0.1	0.36	7	<0.5	<0.2																			
1865563	Rock	0.029	22	19	0.79	58	0.007	<20	1.71	0.012	0.21	<0.1	<0.01	2.0	0.1	0.34	5	<0.5	<0.2																			
1865564	Rock	0.037	24	8	0.67	76	0.002	<20	0.80	0.009	0.28	0.1	<0.01	1.7	0.2	0.52	2	<0.5	<0.2																			
1865565	Rock	0.093	18	12	0.68	80	0.002	<20	1.07	0.008	0.25	0.2	<0.01	1.7	0.1	0.87	3	<0.5	<0.2																			
1865566	Rock	0.016	12	6	0.47	65	<0.001	<20	0.55	0.005	0.19	0.2	<0.01	1.3	0.3	1.17	2	0.6	<0.2																			
1865567	Rock	0.028	22	7	0.39	68	0.002	<20	0.56	0.004	0.21	0.1	<0.01	1.1	0.2	0.22	2	<0.5	<0.2																			
1865568	Rock	0.008	10	4	0.17	63	<0.001	<20	0.30	0.004	0.15	<0.1	<0.01	0.6	<0.1	0.55	<1	<0.5	<0.2																			
1865569	Rock	0.019	19	6	0.41	67	0.001	<20	0.55	0.004	0.22	1.2	<0.01	1.0	0.1	0.32	1	<0.5	0.7																			
1865570	Rock	0.034	16	5	0.31	56	0.001	<20	0.47	0.004	0.19	0.1	<0.01	0.9	<0.1	0.29	1	<0.5	1.1																			
1865571	Rock	0.040	22	6	0.40	69	0.002	<20	0.54	0.004	0.22	0.1	<0.01	1.1	0.1	0.23	1	<0.5	1.0																			
1865572	Rock	0.018	23	7	0.42	61	0.002	<20	0.66	0.004	0.24	0.1	<0.01	1.1	0.1	0.22	2	<0.5	<0.2																			
1865573	Rock	0.034	19	7	0.47	51	0.002	<20	0.64	0.002	0.22	0.1	<0.01	1.4	0.1	0.43	2	<0.5	<0.2																			
1865574	Rock	0.036	18	7	0.54	58	0.002	<20	0.71	0.004	0.21	0.1	<0.01	1.3	0.2	0.19	2	<0.5	<0.2																			
1865575	Rock	0.044	25	11	0.76	65	0.003	<20	0.64	0.005	0.24	0.2	<0.01	2.0	0.2	0.33	2	<0.5	<0.2																			
1865576	Rock	0.077	26	36	1.18	192	0.021	<20	1.83	0.007	0.47	51.9	<0.01	4.5	0.4	0.52	6	1.0	<0.2																			
1865577	Rock	0.109	23	13	0.48	131	0.006	<20	0.98	0.005	0.23	0.3	<0.01	1.8	0.2	0.41	3	<0.5	<0.2																			
1865578	Rock	0.082	21	30	1.00	239	0.032	<20	1.53	0.005	0.50	0.3	<0.01	4.3	0.6	0.40	5	0.5	<0.2																			
1865579	Rock	0.080	22	28	1.35	80	0.004	<20	1.60	0.006	0.32	0.2	<0.01	4.5	0.3	0.46	4	0.8	<0.2																			
1865580	Rock	0.009	1	<1	0.41	16	0.002	<20	0.03	0.002	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2																			
1865581	Rock	0.086	21	38	1.25	141	0.059	<20	2.39	0.022	0.57	0.4	<0.01	4.2	0.3	0.62	7	0.7	<0.2																			



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 28, 2019

**Page:** 4 of 4 **Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000762.1

Method	Analyte	Unit	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
			Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
MDL			kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
			0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1865582	Rock		4.64	0.008	2.4	47.3	9.3	110	<0.1	45.6	19.7	495	4.22	80.9	14.0	12.5	67	<0.1	0.5	0.3	73	1.06
1865583	Rock		4.82	0.015	2.1	61.1	11.3	99	0.1	39.0	18.5	792	3.92	101.3	1.0	11.7	122	<0.1	0.6	0.4	73	2.21
1865584	Rock		4.21	0.052	1.3	44.8	8.4	93	0.1	38.1	21.6	524	3.95	101.3	1.9	15.1	54	<0.1	0.9	1.8	33	0.79
1865585	Rock		4.54	0.964	1.3	64.6	28.4	175	1.6	42.3	19.2	502	4.30	1133.8	4442.4	11.6	67	1.3	2.8	8.0	29	0.92
1865586	Rock		5.01	0.005	2.2	50.8	10.8	81	0.1	36.6	18.0	525	3.65	156.3	1.9	10.4	73	<0.1	1.0	0.5	45	1.18
1865587	Rock		4.48	<0.005	0.6	44.2	7.8	70	0.2	34.7	18.2	482	3.74	31.7	0.7	12.5	74	<0.1	0.4	0.3	37	1.12
1865588	Rock		3.98	<0.005	0.6	43.0	5.6	56	0.1	23.2	15.3	315	2.53	70.9	0.7	9.3	67	<0.1	0.4	0.3	12	0.92
1865589	Rock		2.00	0.174	0.7	73.7	9.2	83	0.2	24.9	16.6	401	3.60	28.6	55.7	9.2	108	<0.1	0.5	4.1	33	1.27
1865590	Rock		1.86	0.019	0.5	119.2	8.9	67	0.2	22.7	13.3	318	3.26	17.0	5.7	10.1	57	<0.1	0.3	0.6	23	0.91
1865591	Rock		4.33	<0.005	0.3	19.5	8.0	40	<0.1	14.1	7.3	253	1.68	78.8	2.9	10.4	45	<0.1	0.3	0.2	9	0.69
1865592	Rock		4.66	0.014	0.3	18.1	7.1	31	<0.1	14.1	6.7	237	1.59	23.3	8.9	9.6	44	<0.1	0.2	0.6	9	0.70
1865593	Rock		4.83	0.008	0.4	16.1	5.7	26	<0.1	9.8	4.8	259	1.53	39.3	1.3	7.6	41	<0.1	0.3	0.2	8	0.77
1865594	Rock		4.13	<0.005	1.9	59.6	8.6	96	0.1	36.1	16.9	623	3.76	102.3	<0.5	11.3	118	<0.1	0.3	0.3	80	1.14
1865595	Rock		4.42	0.033	1.3	18.0	9.0	30	<0.1	14.1	7.8	601	1.52	29.4	6.0	6.1	1410	<0.1	0.2	1.1	23	23.25
1865596	Rock		4.00	0.222	0.4	27.9	14.2	57	0.2	20.3	9.3	303	2.52	410.5	99.4	12.7	42	<0.1	1.0	4.4	11	0.64
1865597	Rock		4.80	<0.005	0.5	22.1	8.7	44	<0.1	16.6	7.8	353	1.75	35.3	1.8	9.7	39	<0.1	1.0	0.2	6	0.57
1865598	Rock		4.28	<0.005	0.3	12.8	7.6	22	<0.1	7.4	3.8	333	1.35	11.3	9.8	7.9	44	<0.1	0.4	0.2	4	0.64
1865599	Rock		4.00	0.006	0.3	21.9	8.3	49	<0.1	15.0	7.0	438	2.11	21.1	3.0	10.3	44	<0.1	0.4	0.2	10	0.57
1865600	Rock Pulp		0.13	0.290	12.9	2242.8	1037.1	6875	18.6	31.0	18.3	517	8.34	276.6	37.0	2.3	44	51.1	30.3	12.6	48	2.03
1865601	Rock		3.24	<0.005	0.2	8.7	5.8	19	<0.1	3.9	1.9	323	0.81	6.3	<0.5	5.7	36	<0.1	0.4	<0.1	4	0.65
1865602	Rock		5.17	0.028	0.3	16.5	9.6	35	<0.1	10.6	5.2	456	1.51	19.9	6.7	7.9	55	<0.1	0.6	0.5	7	1.04
1865603	Rock		4.12	0.065	0.9	41.2	12.1	64	0.2	25.6	14.1	718	3.13	77.3	114.9	9.8	296	<0.1	0.6	1.2	20	4.38
1865604	Rock		4.62	0.037	0.5	53.5	11.1	68	0.1	29.4	14.6	351	2.68	42.8	11.8	12.6	333	0.1	0.2	0.9	16	3.70
1865605	Rock		3.70	0.126	0.7	63.9	10.9	59	0.3	21.4	10.1	494	2.56	32.4	87.4	10.3	117	0.1	0.2	3.2	19	1.97



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 28, 2019

Page: 4 of 4

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000762.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm		
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2		
1865582	Rock	0.093	20	47	1.55	280	0.121	<20	2.65	0.016	1.09	0.1	<0.01	5.5	0.9	0.44	8	<0.5	<0.2	
1865583	Rock	0.111	19	50	1.65	265	0.088	<20	2.44	0.027	0.79	21.8	<0.01	5.8	0.6	0.59	8	1.0	<0.2	
1865584	Rock	0.065	28	31	1.01	194	0.098	<20	1.99	0.008	0.82	8.8	<0.01	3.5	0.7	0.34	6	<0.5	<0.2	
1865585	Rock	0.069	20	26	1.11	183	0.022	<20	1.75	0.014	0.45	0.3	0.01	3.1	0.4	0.94	6	1.4	0.5	
1865586	Rock	0.086	20	32	1.17	217	0.072	<20	1.93	0.013	0.67	0.2	<0.01	4.0	0.5	0.58	6	0.7	<0.2	
1865587	Rock	0.061	19	33	1.11	186	0.089	<20	2.09	0.051	0.74	0.2	<0.01	3.8	0.6	0.97	6	0.5	<0.2	
1865588	Rock	0.031	15	15	0.56	68	0.028	<20	1.01	0.009	0.28	0.2	<0.01	1.5	0.3	0.54	3	0.6	<0.2	
1865589	Rock	0.069	15	32	1.04	426	0.085	<20	1.73	0.016	0.69	0.8	<0.01	3.5	0.7	0.99	6	2.7	<0.2	
1865590	Rock	0.039	17	24	0.79	152	0.066	<20	1.48	0.012	0.57	0.3	<0.01	2.8	0.5	0.79	5	2.0	<0.2	
1865591	Rock	0.015	16	13	0.38	92	0.028	<20	0.83	0.010	0.31	0.2	<0.01	1.2	0.2	0.23	3	<0.5	<0.2	
1865592	Rock	0.038	14	12	0.39	102	0.035	<20	0.90	0.010	0.36	0.2	<0.01	1.3	0.3	0.25	2	<0.5	<0.2	
1865593	Rock	0.014	11	10	0.32	82	0.012	<20	0.74	0.008	0.24	0.1	<0.01	1.1	0.2	0.33	2	<0.5	<0.2	
1865594	Rock	0.103	16	53	1.64	679	0.155	<20	3.01	0.062	1.15	0.2	<0.01	6.3	0.8	0.54	9	0.8	<0.2	
1865595	Rock	0.029	10	16	0.47	234	0.055	<20	1.18	0.037	0.32	0.2	<0.01	2.3	0.3	0.36	3	0.5	<0.2	
1865596	Rock	0.025	24	13	0.41	66	0.017	<20	1.17	0.008	0.37	0.1	<0.01	1.8	0.2	0.24	3	<0.5	0.5	
1865597	Rock	0.033	19	7	0.28	52	0.002	<20	0.76	0.005	0.28	<0.1	<0.01	1.1	0.1	0.12	2	<0.5	<0.2	
1865598	Rock	0.016	13	5	0.22	43	0.004	<20	0.62	0.004	0.21	0.1	<0.01	0.8	0.1	0.23	1	<0.5	<0.2	
1865599	Rock	0.019	17	11	0.40	72	0.028	<20	1.12	0.007	0.40	<0.1	<0.01	1.8	0.2	0.16	3	<0.5	<0.2	
1865600	Rock Pulp	0.041	4	41	2.48	44	0.004	<20	1.88	0.010	0.07	0.5	2.59	3.5	4.9	6.31	7	30.9	0.3	
1865601	Rock	0.010	11	5	0.19	55	0.008	<20	0.54	0.006	0.19	0.1	<0.01	0.7	<0.1	0.08	1	<0.5	<0.2	
1865602	Rock	0.016	19	8	0.28	94	0.015	<20	0.80	0.004	0.25	0.1	<0.01	1.1	0.1	<0.05	2	<0.5	<0.2	
1865603	Rock	0.039	11	18	0.68	272	0.051	<20	1.69	0.024	0.46	27.0	0.01	2.7	0.4	0.59	5	1.3	<0.2	
1865604	Rock	0.021	18	17	0.53	225	0.065	<20	1.68	0.050	0.51	0.2	0.01	2.2	0.3	0.53	4	0.8	<0.2	
1865605	Rock	0.050	17	14	0.51	237	0.040	<20	1.31	0.040	0.22	0.3	<0.01	2.2	0.1	0.87	4	2.7	<0.2	



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 28, 2019

Page: 1 of 2 Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000762.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
Pulp Duplicates																					
1865544	Rock	4.45	1.216	1.0	59.7	10.2	125	0.3	39.8	22.0	1121	4.49	523.1	801.3	5.4	112	0.1	6.8	7.5	77	2.80
REP 1865544	QC	0.609																			
1865550	Rock	1.47	0.006	0.7	59.4	7.5	99	0.2	46.3	28.0	674	4.83	22.1	3.9	8.5	48	<0.1	1.0	0.4	70	1.22
REP 1865550	QC	0.007																			
1865552	Rock	4.24	0.017	0.6	22.7	7.4	101	<0.1	194.0	50.3	862	4.81	1021.1	17.8	1.8	180	0.1	1.1	0.3	84	2.08
REP 1865552	QC	0.5 22.3 7.7 99 <0.1 198.4 51.1 873 4.79 1027.0 24.3 1.6 173 0.1 1.1 0.3 84 2.08																			
1865587	Rock	4.48	<0.005	0.6	44.2	7.8	70	0.2	34.7	18.2	482	3.74	31.7	0.7	12.5	74	<0.1	0.4	0.3	37	1.12
REP 1865587	QC	0.6 44.9 8.1 73 0.2 36.5 17.7 467 3.73 30.8 1.9 13.1 79 <0.1 0.3 0.4 36 1.12																			
Core Reject Duplicates																					
1865543	Rock	3.91	0.016	0.7	28.4	14.4	52	<0.1	22.4	10.5	354	2.68	87.1	7.7	9.4	40	<0.1	1.3	0.2	26	0.62
DUP 1865543	QC	<0.005 0.7 31.1 10.1 53 <0.1 24.0 11.1 372 2.69 92.6 4.4 9.7 39 <0.1 1.4 0.2 27 0.61																			
1865577	Rock	3.70	<0.005	0.4	29.7	10.2	43	0.1	16.7	8.3	299	1.87	14.0	2.4	11.3	51	<0.1	1.3	0.2	10	0.90
DUP 1865577	QC	<0.005 0.3 30.0 9.7 41 0.1 17.0 8.5 286 1.83 9.8 1.6 10.7 50 <0.1 1.5 0.2 10 0.90																			
Reference Materials																					
STD BVGEO01	Standard	10.7 4431.9 192.6 1746 2.6 161.3 24.7 749 3.83 118.0 217.0 16.1 57 6.2 2.5 26.0 75 1.30																			
STD BVGEO01	Standard	10.6 4518.2 187.8 1769 2.7 164.2 24.4 723 3.77 127.9 209.2 14.9 56 7.5 2.5 25.3 76 1.31																			
STD DS11	Standard	15.6 149.5 144.5 331 1.7 84.0 14.8 1068 3.20 48.4 81.1 9.6 72 2.7 7.2 12.6 52 1.09																			
STD DS11	Standard	16.3 156.2 152.8 372 1.9 85.5 14.3 1087 3.24 47.6 128.2 9.4 71 2.9 7.7 13.5 53 1.11																			
STD OREAS262	Standard	0.6 121.6 60.7 150 0.5 66.4 30.1 579 3.42 38.9 61.0 10.8 38 0.7 3.0 1.1 23 3.09																			
STD OREAS262	Standard	0.6 117.7 63.6 165 0.5 66.6 30.3 549 3.32 38.5 67.6 10.9 37 0.7 2.6 1.1 24 3.03																			
STD OREAS262	Standard	0.6 115.4 62.6 157 0.5 64.3 28.3 547 3.33 38.4 59.6 11.1 36 0.7 2.9 1.1 24 3.01																			
STD OREAS262	Standard	0.6 124.9 53.6 157 0.5 64.1 27.7 535 3.34 35.0 53.2 8.9 34 0.7 1.9 0.9 23 3.09																			
STD OXB130	Standard	0.127																			
STD OXB130	Standard	0.123																			
STD OXB130	Standard	0.126																			
STD OXI138	Standard	1.910																			
STD OXI138	Standard	1.857																			
STD OXI138	Standard	1.818																			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 28, 2019

Page: 1 of 2

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000762.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te		
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm		
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2		
Pulp Duplicates																				
1865544	Rock	0.093	12	70	2.13	434	0.057	<20	2.67	0.005	0.74	1.9	<0.01	8.9	0.8	0.62	10	1.6	0.5	
REP 1865544	QC																			
1865550	Rock	0.096	15	65	1.64	226	0.155	35	2.63	0.094	0.93	0.2	<0.01	6.1	1.0	0.77	9	1.3	<0.2	
REP 1865550	QC																			
1865552	Rock	0.074	4	239	3.32	136	0.169	<20	4.46	0.216	0.87	0.2	<0.01	6.5	0.9	0.33	12	0.5	<0.2	
REP 1865552	QC	0.079	4	240	3.30	128	0.167	<20	4.43	0.217	0.87	0.3	<0.01	6.3	0.9	0.33	12	<0.5	<0.2	
1865587	Rock	0.061	19	33	1.11	186	0.089	<20	2.09	0.051	0.74	0.2	<0.01	3.8	0.6	0.97	6	0.5	<0.2	
REP 1865587	QC	0.062	20	35	1.12	193	0.090	<20	2.02	0.051	0.74	0.2	<0.01	3.8	0.6	0.94	6	0.6	<0.2	
Core Reject Duplicates																				
1865543	Rock	0.015	17	38	0.85	472	0.045	<20	1.59	0.012	0.54	0.2	<0.01	3.3	0.4	0.26	5	<0.5	<0.2	
DUP 1865543	QC	0.014	17	38	0.86	477	0.045	<20	1.59	0.011	0.54	0.1	<0.01	3.2	0.4	0.26	5	<0.5	<0.2	
1865577	Rock	0.109	23	13	0.48	131	0.006	<20	0.98	0.005	0.23	0.3	<0.01	1.8	0.2	0.41	3	<0.5	<0.2	
DUP 1865577	QC	0.111	22	13	0.46	124	0.006	<20	0.98	0.004	0.23	0.2	<0.01	1.7	0.3	0.43	3	<0.5	<0.2	
Reference Materials																				
STD BVGEO01	Standard	0.073	28	172	1.34	348	0.233	<20	2.37	0.201	0.94	3.2	0.09	6.1	0.6	0.68	7	4.7	1.0	
STD BVGEO01	Standard	0.074	27	173	1.33	356	0.256	<20	2.36	0.196	0.92	3.7	0.10	6.0	0.6	0.67	8	5.5	1.0	
STD DS11	Standard	0.080	19	61	0.88	399	0.094	<20	1.22	0.074	0.41	2.5	0.24	3.5	5.2	0.29	5	2.2	4.8	
STD DS11	Standard	0.081	20	65	0.89	464	0.099	<20	1.24	0.074	0.41	2.7	0.27	3.8	5.3	0.30	5	2.4	5.0	
STD OREAS262	Standard	0.046	17	44	1.25	265	0.003	<20	1.34	0.075	0.32	0.1	0.16	3.6	0.5	0.27	4	<0.5	0.2	
STD OREAS262	Standard	0.047	20	46	1.21	274	0.003	<20	1.36	0.069	0.33	0.1	0.17	3.7	0.5	0.28	4	<0.5	0.3	
STD OREAS262	Standard	0.043	19	46	1.22	267	0.003	<20	1.34	0.068	0.32	<0.1	0.16	3.7	0.5	0.28	4	<0.5	0.2	
STD OREAS262	Standard	0.039	19	46	1.22	243	0.003	<20	1.37	0.073	0.34	<0.1	0.15	3.4	0.4	0.27	4	<0.5	0.2	
STD OXB130	Standard																			
STD OXB130	Standard																			
STD OXB130	Standard																			
STD OXI138	Standard																			
STD OXI138	Standard																			
STD OXI138	Standard																			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 28, 2019

Page: 2 of 2

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000762.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
STD OXN117	Standard	7.639																			
STD OXN117	Standard	7.747																			
STD OXN117	Standard	7.763																			
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063
STD BVGE001 Expected				10.8	4415	187	1741	2.53	163	25	733	3.7	121	219	14.4	55	6.5	2.2	25.6	73	1.3219
STD OREAS262 Expected				0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	65	9.33	36	0.61	3.39	1.03	22.5	2.98
STD OXI138 Expected		1.86																			
STD OXB130 Expected		0.125																			
STD OXN117 Expected		7.679																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank	<0.005																			
Prep Wash																					
ROCK-WHI	Prep Blank	<0.005	0.7	6.7	1.0	32	<0.1	1.5	4.8	562	2.05	0.8	0.6	2.4	27	<0.1	<0.1	<0.1	30	0.74	
ROCK-WHI	Prep Blank	<0.005	0.7	5.6	1.0	39	<0.1	1.5	4.4	587	2.04	1.2	<0.5	2.3	23	<0.1	<0.1	<0.1	30	0.70	





Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 28, 2019

Page: 2 of 2

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000762.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200		
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
STD OXN117	Standard																			
STD OXN117	Standard																			
STD OXN117	Standard																			
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56	
STD BVGE001 Expected		0.0727	25.9	171	1.2963	340	0.233		2.347	0.1924	0.89	3.5	0.1	5.97	0.62	0.6655	7.37	4.84	1.02	
STD OREAS262 Expected		0.04	15.9	41.7	1.17	248	0.003		1.204	0.071	0.312	0.13	0.17	3.24	0.47	0.253	3.73	0.4	0.23	
STD OXI138 Expected																				
STD OXB130 Expected																				
STD OXN117 Expected																				
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																			
Prep Wash																				
ROCK-WHI	Prep Blank	0.044	7	4	0.58	62	0.095	<20	1.03	0.091	0.10	<0.1	<0.01	3.5	<0.1	<0.05	4	<0.5	<0.2	
ROCK-WHI	Prep Blank	0.049	7	3	0.56	62	0.092	<20	1.01	0.088	0.10	<0.1	<0.01	3.5	<0.1	<0.05	4	<0.5	<0.2	



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Submitted By: James Thom  
Receiving Lab: Canada-Whitehorse  
Received: November 15, 2019  
Report Date: November 29, 2019  
Page: 1 of 5

## CERTIFICATE OF ANALYSIS

WHI19000763.1

### CLIENT JOB INFORMATION

Project: McQuesten  
Shipment ID: MQ-19-37a  
P.O. Number  
Number of Samples: 95

### SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps  
PICKUP-RJT Client to Pickup Rejects

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Banyan Gold Corp.  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7  
Canada

CC: Paul Gray

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	93	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	2	Sort, label and box pulps			WHI
FA450	95	50g Lead Collection Fire Assay Fusion - AAS Finish	50	Completed	VAN
EN002	95	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	95	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	95	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS

  
MAY LAI  
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 29, 2019

Page: 2 of 5

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

## WHI19000763.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1865606	Rock	4.22	0.020	0.8	39.7	8.6	85	0.1	34.6	14.7	374	4.09	192.1	16.2	13.9	17	<0.1	2.3	0.4	13	0.26
1865607	Rock	4.90	0.040	0.9	52.0	9.2	88	0.2	47.3	23.9	489	4.26	238.6	41.2	12.3	20	<0.1	3.2	0.6	13	0.34
1865608	Rock	3.75	0.054	0.5	40.8	11.1	79	0.1	41.5	16.5	529	3.67	617.9	42.1	12.9	26	<0.1	2.8	0.4	14	0.50
1865609	Rock	2.25	0.010	0.3	41.1	7.4	72	<0.1	32.2	12.3	369	3.93	134.8	7.9	13.7	18	<0.1	1.5	0.2	14	0.29
1865610	Rock	2.00	0.014	0.5	39.2	8.8	72	<0.1	37.0	15.2	448	3.73	123.4	6.9	13.6	22	<0.1	1.2	0.2	15	0.38
1865611	Rock	3.81	0.162	1.2	61.9	11.0	60	0.3	30.8	15.1	649	3.66	453.6	147.1	9.6	49	<0.1	2.9	0.5	9	0.88
1865612	Rock	4.27	0.069	0.7	52.3	18.5	84	0.1	39.2	18.0	1108	3.81	197.9	37.7	12.2	30	<0.1	2.1	0.5	13	0.63
1865613	Rock	4.90	0.011	0.9	67.6	10.6	99	0.1	53.5	26.5	939	4.42	40.5	10.0	11.3	22	<0.1	2.8	0.5	19	0.36
1865614	Rock	3.31	<0.005	1.0	98.1	13.5	115	0.2	58.9	38.1	891	4.48	37.9	3.2	15.0	31	<0.1	1.0	0.7	21	0.66
1865615	Rock	5.21	0.056	0.7	87.6	9.7	96	0.2	56.3	23.7	1098	4.74	816.4	31.1	12.9	37	<0.1	2.1	0.9	16	0.92
1865616	Rock	2.99	0.699	1.8	53.3	13.6	65	0.5	38.3	22.7	579	3.88	1482.3	261.8	10.4	39	<0.1	7.3	5.3	9	0.71
1865617	Rock	1.23	0.029	1.0	15.0	12.6	29	0.3	9.2	4.0	263	1.31	60.9	24.0	6.3	19	0.1	8.8	0.3	5	0.62
1865618	Rock	2.79	0.021	0.4	22.5	15.2	56	0.2	25.1	11.3	420	2.00	278.3	6.8	11.2	31	<0.1	2.5	0.7	5	0.54
1865619	Rock	3.93	<0.005	0.2	14.9	9.0	32	<0.1	13.3	5.8	360	1.49	16.3	2.0	8.3	18	<0.1	0.9	0.1	6	0.32
1865620	Rock	0.99	<0.005	<0.1	1.6	0.4	<1	<0.1	0.5	0.4	101	0.13	0.9	1.7	0.2	84	<0.1	<0.1	<0.1	<1	34.49
1865621	Rock	3.70	0.028	0.3	23.0	9.9	48	<0.1	21.0	9.6	296	1.92	49.2	6.5	10.7	27	<0.1	1.3	0.6	6	0.54
1865622	Rock	4.18	0.008	0.3	13.5	7.3	36	<0.1	14.9	6.9	355	1.76	47.1	1.6	10.2	26	<0.1	0.6	0.1	6	0.41
1865623	Rock	3.36	0.008	0.4	11.6	6.6	25	<0.1	10.0	4.3	286	1.41	254.4	5.7	6.8	22	<0.1	1.7	0.2	4	0.45
1865624	Rock	3.54	0.420	0.3	20.0	9.6	48	0.1	19.1	8.5	468	2.34	62.3	9.1	8.6	50	<0.1	2.3	0.8	5	1.07
1865625	Rock	4.26	0.018	0.8	29.0	9.2	68	<0.1	25.1	12.5	582	3.01	238.7	11.4	8.2	62	<0.1	3.1	0.5	25	1.09
1865626	Rock	2.48	0.033	1.2	50.4	9.7	109	0.2	43.0	20.2	890	4.38	254.1	17.4	8.3	117	<0.1	5.9	0.7	45	1.74
1865627	Rock	2.93	0.071	3.0	45.4	10.3	102	0.1	41.2	19.9	907	4.01	1504.0	24.0	7.7	94	<0.1	6.1	1.4	37	1.76
1865628	Rock	3.79	0.022	0.7	44.9	8.6	103	0.1	35.7	17.4	624	4.26	450.0	16.8	9.8	48	0.1	1.8	0.7	15	0.75
1865629	Rock	2.36	0.050	1.2	47.5	8.0	94	0.1	34.7	20.7	376	3.99	470.3	58.0	12.7	32	<0.1	2.2	0.7	15	0.35
1865630	Rock	2.46	0.088	1.5	33.8	13.5	94	0.1	33.9	19.5	625	3.85	882.2	41.2	12.9	54	<0.1	3.4	1.1	13	0.81
1865631	Rock	3.88	0.163	0.2	39.9	9.3	105	0.1	38.4	19.5	588	4.34	1099.7	120.2	13.3	45	0.1	3.1	1.1	16	0.53
1865632	Rock	3.90	0.012	0.6	34.4	6.8	80	<0.1	38.4	17.5	673	3.88	100.1	8.1	10.0	189	<0.1	1.7	0.3	14	5.08
1865633	Rock	3.05	1.698	0.8	39.8	15.5	60	0.3	31.9	17.4	589	3.35	390.9	547.8	11.8	71	<0.1	4.2	8.0	9	1.27
1865634	Rock	4.02	0.135	0.8	29.3	11.5	140	0.2	30.2	15.7	1082	2.87	363.6	70.1	8.2	313	2.2	2.9	1.0	9	7.77
1865635	Rock	1.96	0.247	0.4	24.0	11.0	36	<0.1	12.1	7.2	1303	2.44	65.3	129.8	9.9	330	0.1	6.3	2.0	12	7.76



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 29, 2019

**Page:** 2 of 5

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000763.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
1865606	Rock	0.041	32	16	0.73	56	0.006	<20	1.74	0.010	0.28	0.1	<0.01	1.7	0.1	0.32	5	1.1	<0.2
1865607	Rock	0.046	25	17	0.69	57	0.004	<20	1.57	0.014	0.32	0.1	<0.01	2.0	0.2	0.93	4	0.6	<0.2
1865608	Rock	0.044	25	16	0.63	92	0.008	<20	1.45	0.014	0.36	0.1	<0.01	2.0	0.2	0.68	4	<0.5	<0.2
1865609	Rock	0.057	31	18	0.71	76	0.010	<20	1.80	0.014	0.30	0.1	<0.01	1.6	0.1	0.33	5	<0.5	<0.2
1865610	Rock	0.057	29	18	0.69	80	0.012	<20	1.75	0.017	0.32	<0.1	<0.01	1.9	0.2	0.37	5	0.5	<0.2
1865611	Rock	0.031	15	13	0.61	64	0.002	<20	1.11	0.014	0.28	0.1	<0.01	1.9	0.1	1.46	3	1.3	<0.2
1865612	Rock	0.039	22	14	0.76	76	0.004	<20	1.42	0.013	0.30	<0.1	<0.01	2.2	0.1	0.90	4	0.6	<0.2
1865613	Rock	0.031	33	21	0.92	61	0.014	<20	1.88	0.022	0.28	0.2	<0.01	2.5	0.2	0.60	5	<0.5	<0.2
1865614	Rock	0.137	41	23	0.90	53	0.013	<20	2.23	0.018	0.29	0.2	<0.01	2.4	0.2	0.62	6	<0.5	<0.2
1865615	Rock	0.047	27	15	0.92	69	0.013	<20	1.57	0.008	0.42	0.3	<0.01	3.0	0.3	1.20	4	1.3	<0.2
1865616	Rock	0.053	18	10	0.50	105	0.002	<20	0.83	0.008	0.28	0.3	0.01	2.3	0.6	1.60	3	2.0	0.5
1865617	Rock	0.010	10	7	0.30	80	0.001	<20	0.35	0.003	0.10	0.2	0.02	0.8	0.4	0.55	1	0.8	<0.2
1865618	Rock	0.014	27	7	0.46	68	0.001	<20	0.61	0.007	0.30	0.1	<0.01	1.2	0.2	0.19	2	<0.5	<0.2
1865619	Rock	0.009	20	8	0.34	44	0.003	<20	0.66	0.007	0.23	<0.1	<0.01	1.1	<0.1	0.14	2	<0.5	<0.2
1865620	Rock	0.007	1	<1	0.77	17	0.001	<20	0.03	0.001	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1865621	Rock	0.083	24	10	0.43	66	0.003	<20	0.73	0.007	0.29	0.1	<0.01	1.2	0.1	0.24	2	<0.5	<0.2
1865622	Rock	0.009	19	10	0.41	67	0.003	<20	0.77	0.005	0.27	<0.1	<0.01	1.0	0.2	0.14	2	<0.5	<0.2
1865623	Rock	0.011	14	7	0.29	54	0.001	<20	0.50	0.004	0.18	0.1	<0.01	0.8	0.1	0.31	1	<0.5	<0.2
1865624	Rock	0.020	15	8	0.49	69	0.002	<20	0.68	0.005	0.24	0.3	0.01	1.2	0.1	0.93	2	<0.5	<0.2
1865625	Rock	0.075	17	20	0.93	104	0.011	<20	1.35	0.006	0.34	0.2	<0.01	2.9	0.2	0.59	4	<0.5	<0.2
1865626	Rock	0.102	13	33	1.84	106	0.008	<20	2.17	0.017	0.32	0.1	<0.01	3.4	0.2	0.87	7	<0.5	<0.2
1865627	Rock	0.116	12	27	1.41	113	0.005	<20	1.68	0.019	0.31	0.2	<0.01	3.2	0.2	1.19	5	1.3	0.4
1865628	Rock	0.048	18	18	0.86	130	0.005	<20	1.54	0.013	0.35	0.1	<0.01	1.7	0.2	1.28	4	0.9	<0.2
1865629	Rock	0.033	22	18	0.74	151	0.036	<20	1.67	0.013	0.55	0.2	<0.01	2.0	0.4	0.75	5	<0.5	<0.2
1865630	Rock	0.035	23	17	0.80	140	0.033	<20	1.49	0.015	0.52	0.1	<0.01	2.2	0.4	0.80	4	0.8	<0.2
1865631	Rock	0.038	21	19	0.80	80	0.019	<20	1.68	0.018	0.47	0.1	<0.01	2.4	0.3	0.91	5	<0.5	0.2
1865632	Rock	0.036	17	19	0.70	67	0.018	<20	1.67	0.014	0.40	0.1	<0.01	2.3	0.2	0.54	5	<0.5	<0.2
1865633	Rock	0.042	20	11	0.56	75	0.006	<20	1.08	0.013	0.38	17.2	0.01	1.9	0.2	1.07	3	0.9	0.7
1865634	Rock	0.041	13	8	0.59	59	0.002	<20	0.73	0.005	0.30	0.4	<0.01	2.2	0.2	0.76	2	0.9	<0.2
1865635	Rock	0.024	16	12	0.44	282	0.004	<20	0.98	0.003	0.21	0.3	0.02	2.5	0.2	1.05	3	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 29, 2019

Page: 3 of 5

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000763.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1865636	Rock	2.56	0.480	0.5	32.7	18.0	66	0.2	23.5	13.8	553	2.75	1000.3	308.4	15.9	104	0.1	3.4	3.9	13	2.23
1865637	Rock	3.73	0.271	1.2	33.8	30.1	53	0.1	20.5	10.9	685	2.37	228.6	64.0	11.4	130	<0.1	2.8	3.1	18	3.05
1865638	Rock	4.07	0.111	0.7	36.9	7.9	75	0.2	34.0	18.0	465	3.87	753.9	74.7	16.3	43	<0.1	1.9	0.8	11	0.64
1865639	Rock	4.27	0.246	0.8	38.3	9.2	65	<0.1	23.4	12.2	492	2.86	48.7	8.3	12.4	350	0.1	1.1	0.3	20	5.50
1865640	Rock Pulp	0.12	1.220	6.1	113.4	6727.3	1557	43.7	17.0	11.4	1073	3.94	58.9	1197.5	3.5	91	15.9	33.0	0.8	99	1.16
1865641	Rock	4.40	0.553	0.5	33.2	10.8	84	0.2	33.3	17.3	347	3.57	81.8	141.6	13.3	104	<0.1	1.4	3.6	21	1.58
1865642	Rock	3.46	0.006	0.5	22.7	11.6	71	<0.1	25.6	13.6	306	3.20	20.2	2.3	12.3	168	<0.1	0.7	0.3	18	2.25
1865643	Rock	0.52	0.035	0.2	35.2	7.1	79	<0.1	31.2	16.3	439	3.83	53.0	18.2	15.4	115	<0.1	1.0	0.4	33	2.50
1865644	Rock	3.91	<0.005	0.6	7.2	6.1	15	<0.1	5.6	2.4	328	0.68	7.1	1.8	2.4	1668	<0.1	0.6	<0.1	10	29.83
1865645	Rock	3.11	0.009	0.9	43.0	12.1	35	<0.1	14.1	7.3	644	1.65	14.6	1.5	6.4	1223	0.1	0.4	0.3	23	22.08
1865646	Rock	2.83	0.043	0.3	6.4	5.3	11	<0.1	4.2	2.8	976	0.60	7.3	5.5	2.3	1528	<0.1	1.5	1.1	8	32.98
1865647	Rock	4.26	0.012	0.5	46.8	8.6	58	0.1	19.5	11.8	573	2.39	45.7	5.3	7.9	54	<0.1	1.5	0.3	8	1.39
1865648	Rock	4.58	<0.005	0.5	53.2	9.8	80	<0.1	31.1	16.1	1067	3.76	29.9	2.2	10.0	39	<0.1	1.2	0.3	10	0.58
1865649	Rock	2.14	0.057	1.1	18.5	7.6	48	<0.1	16.0	6.9	743	2.15	110.2	37.8	8.1	61	<0.1	1.1	0.4	6	1.28
1865650	Rock	2.11	0.045	0.2	21.2	8.2	44	<0.1	14.8	6.2	568	1.87	77.8	33.9	8.4	53	<0.1	1.3	0.3	4	1.04
1865651	Rock	4.62	0.028	0.8	25.0	10.8	59	<0.1	21.7	10.1	764	2.86	67.9	7.0	9.9	55	<0.1	0.7	0.2	12	1.21
1865652	Rock	3.79	0.036	0.7	28.1	9.1	57	<0.1	23.2	10.8	394	2.53	211.8	13.3	9.9	48	<0.1	1.1	0.4	11	0.80
1865653	Rock	4.66	0.799	0.7	23.1	38.0	37	0.8	14.0	5.9	355	1.85	282.0	213.3	8.7	52	<0.1	5.6	24.9	7	0.79
1865654	Rock	2.28	0.064	0.5	19.2	10.7	35	<0.1	12.6	5.5	355	1.85	141.5	73.6	8.7	48	<0.1	0.4	0.4	7	0.77
1865655	Rock	3.28	0.101	1.0	38.3	8.9	69	0.1	26.4	12.0	641	2.85	354.1	163.2	10.2	67	0.1	1.5	1.1	8	1.44
1865656	Rock	4.39	0.039	0.3	18.8	9.8	38	0.1	13.6	5.6	373	1.67	193.0	37.6	10.5	46	<0.1	1.8	0.2	4	0.81
1865657	Rock	4.82	0.109	0.3	55.1	11.3	65	0.2	15.4	9.4	450	2.42	67.3	126.7	15.2	84	0.6	1.6	2.5	14	1.71
1865658	Rock	4.07	1.256	0.7	44.8	14.3	63	0.2	19.3	9.3	387	2.53	85.8	154.2	11.0	74	<0.1	1.0	6.7	15	1.54
1865659	Rock	4.59	0.101	0.4	57.4	17.1	70	0.3	21.3	10.6	399	2.90	156.0	66.8	13.8	67	0.2	0.7	3.8	15	1.67
1865660	Rock	0.87	<0.005	<0.1	0.5	0.5	<1	<0.1	0.8	0.7	99	0.07	0.6	1.0	0.3	84	<0.1	<0.1	<0.1	<1	36.67
1865661	Rock	4.40	0.069	0.7	36.5	8.1	77	0.2	23.0	11.2	325	2.38	80.7	627.7	15.4	56	0.6	0.6	1.3	11	1.36
1865662	Rock	4.43	0.037	0.4	37.6	17.8	103	0.2	21.1	11.2	365	2.26	14.4	26.5	14.4	111	0.2	0.2	1.5	19	1.24
1865663	Rock	4.47	0.224	0.2	47.2	12.6	63	0.3	19.5	9.9	344	2.50	10.6	227.8	16.4	166	0.1	0.1	8.2	17	1.66
1865664	Rock	4.45	0.122	0.3	38.5	11.8	66	0.2	25.4	12.9	341	2.95	20.4	108.9	18.4	106	<0.1	0.2	3.4	18	1.95
1865665	Rock	4.39	0.477	0.3	87.6	10.1	68	0.2	20.7	11.8	457	3.20	26.9	501.9	16.3	161	<0.1	0.6	11.5	17	2.12



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 29, 2019

**Page:** 3 of 5

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000763.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
1865636	Rock	0.032	20	16	0.56	76	0.004	<20	1.39	0.007	0.31	0.3	<0.01	2.2	0.2	0.57	4	0.7	0.5
1865637	Rock	0.031	16	16	0.58	128	0.013	<20	1.23	0.006	0.28	0.2	<0.01	2.8	0.2	0.48	4	0.7	0.2
1865638	Rock	0.042	23	16	0.63	73	0.011	<20	1.46	0.012	0.41	0.2	<0.01	2.0	0.3	0.95	4	0.5	<0.2
1865639	Rock	0.050	16	17	0.56	89	0.042	<20	1.46	0.013	0.40	0.3	<0.01	2.5	0.3	0.46	4	0.7	<0.2
1865640	Rock Pulp	0.061	7	22	0.86	151	0.151	<20	1.97	0.237	0.25	1.5	0.22	3.9	0.1	0.23	6	<0.5	<0.2
1865641	Rock	0.030	23	23	0.70	138	0.076	<20	1.91	0.011	0.71	0.3	0.01	2.3	0.6	0.33	6	0.6	0.2
1865642	Rock	0.037	20	19	0.65	80	0.062	<20	1.68	0.010	0.56	0.2	<0.01	1.8	0.5	0.18	5	0.6	<0.2
1865643	Rock	0.028	33	32	0.79	223	0.051	<20	2.43	0.007	0.46	0.7	0.01	4.5	0.7	0.34	9	<0.5	<0.2
1865644	Rock	0.019	6	6	0.29	81	0.012	<20	0.35	<0.001	0.13	0.2	0.01	1.4	0.2	0.20	1	<0.5	<0.2
1865645	Rock	0.040	13	18	0.64	110	0.037	<20	1.15	0.002	0.36	0.2	<0.01	2.9	0.2	0.20	3	<0.5	<0.2
1865646	Rock	0.019	7	8	0.35	35	0.004	<20	0.37	<0.001	0.10	0.2	<0.01	1.6	0.1	0.11	<1	<0.5	<0.2
1865647	Rock	0.028	13	8	0.52	57	0.004	<20	0.83	0.006	0.28	0.1	<0.01	2.1	0.2	0.49	2	1.1	<0.2
1865648	Rock	0.024	14	10	0.74	65	0.025	<20	1.15	0.006	0.32	0.2	<0.01	2.6	0.2	0.41	3	<0.5	<0.2
1865649	Rock	0.020	13	7	0.43	55	0.003	<20	0.82	0.004	0.28	0.1	<0.01	1.3	0.2	0.49	2	<0.5	<0.2
1865650	Rock	0.018	12	5	0.37	52	0.002	<20	0.65	0.003	0.26	0.1	<0.01	1.1	0.1	0.56	2	<0.5	<0.2
1865651	Rock	0.066	17	13	0.67	75	0.032	<20	1.40	0.004	0.39	0.2	<0.01	2.3	0.3	0.12	3	<0.5	<0.2
1865652	Rock	0.041	13	11	0.48	78	0.025	<20	1.13	0.006	0.35	0.1	<0.01	1.8	0.3	0.36	3	<0.5	<0.2
1865653	Rock	0.025	14	9	0.33	104	0.011	<20	0.85	0.007	0.32	0.1	<0.01	1.3	0.2	0.44	2	0.7	0.4
1865654	Rock	0.033	12	8	0.37	76	0.013	<20	0.87	0.005	0.26	<0.1	<0.01	1.3	0.2	0.32	2	<0.5	<0.2
1865655	Rock	0.031	12	9	0.51	84	0.003	<20	1.06	0.006	0.29	0.1	<0.01	1.5	0.2	0.68	3	0.6	<0.2
1865656	Rock	0.011	14	5	0.26	62	0.002	<20	0.61	0.009	0.21	<0.1	<0.01	1.0	0.1	0.44	1	<0.5	<0.2
1865657	Rock	0.022	15	14	0.49	159	0.032	<20	1.34	0.067	0.32	0.7	<0.01	2.6	0.2	0.87	4	2.1	<0.2
1865658	Rock	0.021	13	14	0.62	146	0.028	<20	1.49	0.048	0.32	49.2	0.01	2.5	0.2	0.62	5	1.6	0.4
1865659	Rock	0.024	12	16	0.57	165	0.048	<20	1.43	0.065	0.37	0.4	<0.01	2.4	0.3	0.84	4	2.6	<0.2
1865660	Rock	0.008	1	<1	0.69	19	0.002	<20	0.03	<0.001	<0.01	0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
1865661	Rock	0.035	20	13	0.43	115	0.032	<20	1.13	0.031	0.38	0.1	<0.01	2.0	0.3	0.56	3	1.1	<0.2
1865662	Rock	0.031	19	20	0.52	481	0.080	<20	2.08	0.151	0.51	0.3	0.01	2.9	0.3	0.67	6	1.2	<0.2
1865663	Rock	0.036	24	19	0.58	611	0.072	<20	2.09	0.149	0.35	0.3	<0.01	2.5	0.2	0.81	6	1.7	0.3
1865664	Rock	0.038	17	20	0.65	254	0.092	<20	2.06	0.098	0.54	0.3	<0.01	2.7	0.3	0.62	6	1.1	<0.2
1865665	Rock	0.034	17	16	0.80	285	0.040	<20	1.98	0.053	0.30	7.2	0.05	2.7	0.2	0.97	6	3.4	0.4



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Project:** McQuesten  
**Report Date:** November 29, 2019

**Page:** 4 of 5

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000763.1

Method	Analyte	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit	MDL	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1865666	Rock	3.85	0.224	0.8	105.4	11.3	57	0.3	38.9	17.0	828	3.50	109.6	190.0	10.0	203	0.1	0.7	5.4	14	4.34
1865667	Rock	4.94	0.061	1.4	98.8	8.3	82	0.4	49.4	19.1	600	4.28	653.7	30.0	7.8	86	0.3	2.9	2.0	7	1.56
1865668	Rock	5.29	0.012	2.2	80.4	12.4	87	0.3	44.7	18.0	489	3.91	640.1	6.6	7.0	87	0.3	1.9	1.3	9	1.23
1865669	Rock	2.35	0.018	8.4	77.0	13.6	117	0.3	51.0	20.5	615	3.80	80.7	2.7	5.9	81	0.2	1.1	0.8	8	1.03
1865670	Rock	2.47	0.019	3.7	65.3	14.8	103	0.3	49.9	20.4	656	3.96	65.7	21.1	5.4	84	0.1	2.4	0.7	8	1.14
1865671	Rock	4.49	0.073	0.3	34.1	10.3	76	0.2	28.6	12.5	414	3.01	167.4	26.8	7.6	73	<0.1	1.3	0.8	8	0.95
1865672	Rock	4.62	0.026	0.3	27.1	8.3	63	<0.1	17.0	7.9	305	2.22	74.6	5.2	10.0	62	<0.1	0.7	0.3	9	0.75
1865673	Rock	4.85	0.119	0.4	33.6	7.0	52	0.3	20.0	8.5	309	1.93	607.4	93.5	9.5	53	<0.1	3.6	0.6	4	0.82
1865674	Rock	4.46	0.021	0.6	31.3	8.9	56	0.1	20.0	10.3	417	2.07	84.5	39.2	9.7	68	<0.1	1.2	0.7	5	1.30
1865675	Rock	4.17	0.262	0.7	56.1	9.7	40	0.3	30.3	12.1	338	2.48	1640.7	166.0	9.0	68	<0.1	1.8	2.4	6	1.07
1865676	Rock	3.68	0.011	0.7	49.9	10.9	67	0.2	35.6	14.4	477	3.33	60.7	<0.5	6.9	81	<0.1	0.5	0.6	8	0.97
1865677	Rock	4.35	0.012	0.6	41.1	9.6	61	0.2	34.4	16.6	351	2.91	52.1	2.2	8.3	69	0.2	0.6	0.5	7	0.85
1865678	Rock	4.59	0.119	0.3	37.7	12.3	61	0.2	15.2	8.1	409	1.82	64.3	87.5	9.7	110	0.1	0.7	3.1	8	1.62
1865679	Rock	4.36	0.121	0.2	21.6	11.9	57	0.1	8.2	4.0	389	1.30	82.5	57.4	9.6	80	0.6	1.4	1.9	5	1.34
1865680	Rock Pulp	0.09	0.280	13.3	2250.3	1050.3	7112	18.5	31.7	17.9	532	8.20	282.0	55.0	2.2	46	49.2	30.7	12.0	47	2.07
1865681	Rock	4.77	0.087	0.2	27.5	8.1	36	0.1	11.0	5.8	263	1.30	47.6	94.2	9.5	91	0.2	1.7	1.7	5	1.23
1865682	Rock	4.39	0.034	0.3	27.5	12.5	51	0.2	13.9	7.4	318	1.78	111.0	17.2	11.4	92	0.3	0.5	1.2	9	1.47
1865683	Rock	4.53	0.217	0.3	25.3	14.7	56	0.2	16.9	8.5	318	1.89	43.2	154.3	9.4	86	0.1	1.0	2.3	9	0.98
1865684	Rock	3.14	0.150	0.2	39.4	15.6	68	0.3	12.1	6.7	480	2.20	30.0	85.7	9.6	123	0.2	1.9	2.7	9	1.58
1865685	Rock	3.94	0.034	0.3	35.1	18.2	96	0.4	18.5	8.5	395	2.49	95.1	30.4	9.3	73	0.6	3.0	0.6	6	1.01
1865686	Rock	3.00	0.096	1.1	55.7	16.1	84	0.6	38.9	16.3	562	3.97	249.7	34.5	7.7	121	0.1	2.9	1.6	8	0.85
1865687	Rock	4.43	0.012	0.9	26.5	10.7	44	0.1	13.3	6.7	319	1.95	32.5	9.9	8.5	71	<0.1	0.2	0.4	6	0.99
1865688	Rock	4.03	1.866	0.4	74.0	8.9	92	0.3	18.7	10.4	805	3.04	35.1	2130.5	9.5	132	<0.1	0.6	22.7	16	2.44
1865689	Rock	2.28	0.078	0.3	52.5	8.6	57	0.1	18.5	10.4	319	2.48	64.9	50.3	7.8	63	<0.1	0.3	1.0	8	0.90
1865690	Rock	2.23	0.057	0.3	54.7	7.5	63	0.1	20.3	10.9	330	2.47	61.8	55.7	9.4	68	<0.1	0.4	0.7	8	0.88
1865691	Rock	2.49	0.041	0.3	41.7	11.0	59	0.3	19.2	10.9	394	2.28	202.7	23.4	9.0	76	0.2	0.6	1.4	6	1.14
1865692	Rock	2.84	0.014	1.2	30.4	11.6	32	0.3	10.4	6.0	438	1.59	57.2	11.0	8.8	87	0.2	1.2	0.8	3	1.34
1865693	Rock	1.58	0.015	0.3	33.0	11.1	50	0.3	17.3	8.2	425	2.34	203.2	10.6	9.6	89	0.2	2.6	0.4	4	1.20
1865694	Rock	4.74	0.010	0.2	12.2	17.2	47	0.2	7.9	3.9	417	1.44	36.4	7.7	12.5	117	0.3	1.6	0.3	3	0.94
1865695	Rock	4.52	0.019	0.2	23.1	57.3	140	0.5	10.7	5.9	635	1.31	311.6	13.0	14.0	64	1.9	1.3	0.6	3	0.96



# CERTIFICATE OF ANALYSIS

WHI19000763.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm		
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
1865666	Rock	0.032	10	16	0.59	148	0.027	<20	2.45	0.179	0.26	0.7	<0.01	2.6	0.2	1.58	7	2.9	0.3	
1865667	Rock	0.022	8	10	0.74	100	0.007	<20	0.98	0.007	0.30	0.4	<0.01	2.1	0.2	2.01	3	2.0	0.3	
1865668	Rock	0.069	11	12	0.67	123	0.012	<20	1.23	0.007	0.36	0.6	<0.01	1.8	0.3	1.67	3	1.5	<0.2	
1865669	Rock	0.022	7	11	0.76	81	0.010	<20	1.12	0.005	0.28	0.3	<0.01	1.6	0.2	1.59	3	1.1	<0.2	
1865670	Rock	0.023	7	11	0.75	84	0.011	<20	1.15	0.007	0.31	0.3	<0.01	1.6	0.3	1.92	3	1.1	<0.2	
1865671	Rock	0.029	10	11	0.66	76	0.011	<20	1.07	0.005	0.29	0.2	<0.01	1.5	0.2	0.81	3	<0.5	<0.2	
1865672	Rock	0.013	14	10	0.52	77	0.009	<20	1.02	0.010	0.28	0.2	<0.01	1.7	0.2	0.38	3	0.6	<0.2	
1865673	Rock	0.008	12	6	0.37	60	0.001	<20	0.63	0.005	0.21	0.2	0.01	1.1	0.1	0.65	2	0.8	<0.2	
1865674	Rock	0.018	13	7	0.37	72	0.004	<20	0.77	0.005	0.27	0.3	<0.01	1.3	0.2	0.64	2	0.7	<0.2	
1865675	Rock	0.018	13	7	0.35	64	0.003	<20	0.78	0.006	0.24	0.4	0.01	1.3	0.2	0.97	2	2.5	0.7	
1865676	Rock	0.053	10	10	0.63	72	0.005	<20	1.12	0.006	0.27	0.3	<0.01	1.7	0.2	1.28	3	1.1	<0.2	
1865677	Rock	0.050	11	8	0.48	81	0.005	<20	0.99	0.009	0.28	0.2	<0.01	1.4	0.1	1.03	2	0.6	<0.2	
1865678	Rock	0.012	12	9	0.45	78	0.002	<20	0.82	0.004	0.20	0.1	<0.01	1.9	0.2	0.45	2	1.1	<0.2	
1865679	Rock	0.012	14	8	0.35	58	0.002	<20	0.67	0.004	0.17	0.1	0.02	1.2	0.1	0.23	2	0.6	<0.2	
1865680	Rock Pulp	0.039	4	40	2.50	58	0.004	<20	1.88	0.011	0.06	0.5	2.62	3.7	5.2	6.55	7	29.4	0.3	
1865681	Rock	0.012	14	6	0.30	59	0.001	<20	0.59	0.006	0.18	0.2	0.02	0.9	0.1	0.35	2	0.5	<0.2	
1865682	Rock	0.015	12	11	0.41	69	0.016	<20	0.84	0.024	0.26	<0.1	0.01	1.5	0.1	0.51	3	0.8	<0.2	
1865683	Rock	0.015	12	12	0.40	73	0.024	<20	0.87	0.012	0.32	<0.1	<0.01	1.4	0.3	0.39	3	<0.5	<0.2	
1865684	Rock	0.024	11	12	0.56	163	0.009	<20	1.05	0.024	0.26	<0.1	<0.01	1.6	0.2	0.61	3	1.4	<0.2	
1865685	Rock	0.016	12	7	0.41	68	0.002	<20	0.72	0.010	0.24	<0.1	<0.01	1.4	0.2	1.01	2	1.0	<0.2	
1865686	Rock	0.026	14	11	0.65	144	0.001	<20	1.09	0.008	0.28	0.1	<0.01	2.2	0.3	1.92	3	1.5	<0.2	
1865687	Rock	0.027	13	8	0.40	61	0.002	<20	0.76	0.012	0.22	<0.1	<0.01	1.2	0.1	0.39	2	<0.5	<0.2	
1865688	Rock	0.050	12	15	1.16	125	0.027	<20	1.63	0.045	0.48	7.3	<0.01	2.5	0.5	0.79	6	3.2	1.3	
1865689	Rock	0.025	14	9	0.50	71	0.007	<20	0.90	0.012	0.30	<0.1	<0.01	1.5	0.2	0.63	3	1.5	<0.2	
1865690	Rock	0.027	16	11	0.48	78	0.009	<20	0.92	0.013	0.34	<0.1	<0.01	1.6	0.2	0.57	3	1.0	<0.2	
1865691	Rock	0.018	12	7	0.50	63	0.001	<20	0.67	0.009	0.24	<0.1	<0.01	1.3	0.2	0.62	2	1.1	<0.2	
1865692	Rock	0.030	11	5	0.37	52	<0.001	<20	0.50	0.003	0.19	<0.1	<0.01	1.1	0.2	0.39	1	0.7	<0.2	
1865693	Rock	0.032	13	6	0.48	71	<0.001	<20	0.73	0.006	0.26	0.2	<0.01	1.5	0.3	0.52	2	0.9	<0.2	
1865694	Rock	0.011	19	4	0.31	64	<0.001	<20	0.53	0.004	0.24	<0.1	<0.01	1.0	0.2	0.19	1	<0.5	<0.2	
1865695	Rock	0.019	19	5	0.24	72	<0.001	<20	0.47	0.005	0.31	<0.1	<0.01	0.8	0.3	0.29	<1	0.5	<0.2	





**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 29, 2019

Page: 5 of 5

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000763.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1865696	Rock	4.93	0.028	0.3	35.5	15.1	51	0.3	24.8	11.6	502	2.51	290.8	9.5	11.1	118	0.2	1.2	0.8	9	1.19
1865697	Rock	3.24	0.081	0.2	24.5	13.0	66	0.3	11.8	5.4	347	1.90	78.0	79.2	8.2	86	0.2	0.7	3.3	15	1.04
1865698	Rock	3.23	0.028	0.3	21.0	10.3	49	0.1	18.8	7.5	325	2.00	169.8	11.8	9.3	65	<0.1	0.4	0.5	14	1.05
1865699	Rock	3.19	0.184	0.3	33.4	17.6	63	0.4	13.3	7.1	428	1.99	135.0	171.6	9.9	77	0.5	0.5	4.8	8	1.73
1865700	Rock	0.54	<0.005	<0.1	1.6	0.4	<1	<0.1	0.3	0.7	101	0.09	<0.5	0.6	0.3	74	<0.1	<0.1	<0.1	<1	33.94



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 29, 2019

Page: 5 of 5

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000763.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
1865696	Rock	0.031	15	9	0.45	124	0.011	<20	0.94	0.010	0.34	0.1	<0.01	1.9	0.3	0.37	2	0.8	<0.2
1865697	Rock	0.014	10	18	0.49	193	0.045	<20	1.24	0.050	0.42	0.6	<0.01	2.1	0.3	0.41	4	0.9	<0.2
1865698	Rock	0.017	13	17	0.43	85	0.036	<20	1.07	0.027	0.42	<0.1	<0.01	1.8	0.3	0.35	3	0.5	<0.2
1865699	Rock	0.026	11	10	0.42	69	0.006	<20	0.82	0.008	0.23	0.1	<0.01	1.8	0.2	0.63	3	1.6	<0.2
1865700	Rock	0.007	1	<1	0.94	14	0.001	<20	0.03	0.003	0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 29, 2019

Page: 1 of 2

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000763.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
Pulp Duplicates																					
1865618	Rock	2.79	0.021	0.4	22.5	15.2	56	0.2	25.1	11.3	420	2.00	278.3	6.8	11.2	31	<0.1	2.5	0.7	5	0.54
REP 1865618	QC	0.024																			
1865621	Rock	3.70	0.028	0.3	23.0	9.9	48	<0.1	21.0	9.6	296	1.92	49.2	6.5	10.7	27	<0.1	1.3	0.6	6	0.54
REP 1865621	QC	0.3 22.5 9.5 47 <0.1 19.8 9.9 296 1.93 52.4 13.5 10.4 28 <0.1 1.4 0.6 6 0.55																			
1865656	Rock	4.35	0.012	0.6	41.1	9.6	61	0.2	34.4	16.6	351	2.91	52.1	2.2	8.3	69	0.2	0.6	0.5	7	0.85
REP 1865677	QC	0.010																			
1865681	Rock	4.77	0.087	0.2	27.5	8.1	36	0.1	11.0	5.8	263	1.30	47.6	94.2	9.5	91	0.2	1.7	1.7	5	1.23
REP 1865681	QC	0.079																			
1865688	Rock	4.03	1.866	0.4	74.0	8.9	92	0.3	18.7	10.4	805	3.04	35.1	2130.5	9.5	132	<0.1	0.6	22.7	16	2.44
REP 1865688	QC	0.4 74.5 9.2 90 0.4 17.9 10.8 831 3.10 28.8 2504.5 9.7 129 0.1 0.7 22.7 16 2.52																			
Core Reject Duplicates																					
1865622	Rock	4.18	0.008	0.3	13.5	7.3	36	<0.1	14.9	6.9	355	1.76	47.1	1.6	10.2	26	<0.1	0.6	0.1	6	0.41
DUP 1865622	QC	<0.005 0.3 13.6 7.0 34 <0.1 15.1 6.5 349 1.76 50.7 2.2 9.3 24 <0.1 0.7 0.1 6 0.39																			
1865656	Rock	4.39	0.039	0.3	18.8	9.8	38	0.1	13.6	5.6	373	1.67	193.0	37.6	10.5	46	<0.1	1.8	0.2	4	0.81
DUP 1865656	QC	0.043 0.3 19.5 10.0 42 0.1 10.6 6.2 360 1.71 199.5 43.6 10.3 45 <0.1 1.8 0.3 4 0.78																			
1865690	Rock	2.23	0.057	0.3	54.7	7.5	63	0.1	20.3	10.9	330	2.47	61.8	55.7	9.4	68	<0.1	0.4	0.7	8	0.88
DUP 1865690	QC	0.050 0.4 52.3 8.1 58 0.1 19.6 10.5 308 2.46 59.8 38.9 8.8 61 <0.1 0.4 0.7 8 0.88																			
Reference Materials																					
STD BVGEO01	Standard	10.6 4465.3 191.3 1743 2.6 163.0 24.6 748 3.62 122.3 242.0 15.7 55 6.7 2.7 26.0 74 1.32																			
STD BVGEO01	Standard	10.6 4518.2 187.8 1769 2.7 164.2 24.4 723 3.77 127.9 209.2 14.9 56 7.5 2.5 25.3 76 1.31																			
STD DS11	Standard	15.5 158.4 128.8 349 2.0 82.0 13.7 1021 3.12 43.0 104.5 8.0 60 2.5 6.4 10.1 49 1.04																			
STD OREAS262	Standard	0.6 119.0 58.5 154 0.5 64.4 28.5 555 3.23 37.1 67.0 10.5 35 0.7 2.8 1.1 22 2.99																			
STD OREAS262	Standard	0.6 126.5 59.5 168 0.5 65.9 29.0 565 3.55 40.1 67.0 10.7 38 0.7 2.8 1.1 24 3.17																			
STD OREAS262	Standard	0.6 124.9 53.6 157 0.5 64.1 27.7 535 3.34 35.0 53.2 8.9 34 0.7 1.9 0.9 23 3.09																			
STD OREAS262	Standard	0.6 118.0 53.0 145 0.4 62.0 25.4 525 3.20 35.3 83.1 9.0 32 0.7 3.1 0.9 22 2.89																			
STD OXB130	Standard	0.128																			
STD OXB130	Standard	0.127																			



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 29, 2019

Page: 1 of 2

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000763.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																			
1865618	Rock	0.014	27	7	0.46	68	0.001	<20	0.61	0.007	0.30	0.1	<0.01	1.2	0.2	0.19	2	<0.5	<0.2
REP 1865618	QC																		
1865621	Rock	0.083	24	10	0.43	66	0.003	<20	0.73	0.007	0.29	0.1	<0.01	1.2	0.1	0.24	2	<0.5	<0.2
REP 1865621	QC	0.079	24	9	0.43	71	0.003	<20	0.73	0.006	0.29	0.1	<0.01	1.3	0.1	0.24	2	<0.5	<0.2
REP 1865656	QC	0.011	15	5	0.26	62	0.002	<20	0.60	0.008	0.21	<0.1	<0.01	1.0	0.1	0.43	1	<0.5	<0.2
1865677	Rock	0.050	11	8	0.48	81	0.005	<20	0.99	0.009	0.28	0.2	<0.01	1.4	0.1	1.03	2	0.6	<0.2
REP 1865677	QC																		
1865681	Rock	0.012	14	6	0.30	59	0.001	<20	0.59	0.006	0.18	0.2	0.02	0.9	0.1	0.35	2	0.5	<0.2
REP 1865681	QC																		
1865688	Rock	0.050	12	15	1.16	125	0.027	<20	1.63	0.045	0.48	7.3	<0.01	2.5	0.5	0.79	6	3.2	1.3
REP 1865688	QC	0.050	13	16	1.15	123	0.028	<20	1.65	0.048	0.50	7.2	<0.01	2.4	0.5	0.81	6	3.1	1.3
Core Reject Duplicates																			
1865622	Rock	0.009	19	10	0.41	67	0.003	<20	0.77	0.005	0.27	<0.1	<0.01	1.0	0.2	0.14	2	<0.5	<0.2
DUP 1865622	QC	0.009	18	9	0.40	61	0.003	<20	0.74	0.006	0.26	<0.1	<0.01	0.9	0.1	0.14	2	<0.5	<0.2
1865656	Rock	0.011	14	5	0.26	62	0.002	<20	0.61	0.009	0.21	<0.1	<0.01	1.0	0.1	0.44	1	<0.5	<0.2
DUP 1865656	QC	0.011	14	5	0.26	58	0.002	<20	0.61	0.009	0.21	<0.1	<0.01	1.0	<0.1	0.46	2	<0.5	<0.2
1865690	Rock	0.027	16	11	0.48	78	0.009	<20	0.92	0.013	0.34	<0.1	<0.01	1.6	0.2	0.57	3	1.0	<0.2
DUP 1865690	QC	0.024	13	10	0.48	67	0.008	<20	0.90	0.012	0.31	<0.1	<0.01	1.5	0.2	0.58	3	1.0	<0.2
Reference Materials																			
STD BVGEO01	Standard	0.081	27	175	1.31	354	0.233	<20	2.34	0.192	0.88	3.6	0.09	5.9	0.6	0.67	8	5.0	1.0
STD BVGEO01	Standard	0.074	27	173	1.33	356	0.256	<20	2.36	0.196	0.92	3.7	0.10	6.0	0.6	0.67	8	5.5	1.0
STD DS11	Standard	0.064	17	58	0.85	411	0.092	<20	1.16	0.072	0.41	2.8	0.25	3.0	5.5	0.27	5	2.3	4.8
STD OREAS262	Standard	0.044	16	43	1.18	254	0.003	<20	1.29	0.068	0.31	<0.1	0.16	3.3	0.5	0.27	4	<0.5	0.2
STD OREAS262	Standard	0.046	20	47	1.27	273	0.004	<20	1.46	0.076	0.35	0.1	0.16	3.8	0.5	0.27	4	<0.5	0.3
STD OREAS262	Standard	0.039	19	46	1.22	243	0.003	<20	1.37	0.073	0.34	<0.1	0.15	3.4	0.4	0.27	4	<0.5	0.2
STD OREAS262	Standard	0.035	16	42	1.16	252	0.004	<20	1.28	0.066	0.32	0.1	0.16	3.0	0.5	0.26	4	<0.5	<0.2
STD OXB130	Standard																		
STD OXB130	Standard																		



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 29, 2019

Page: 2 of 2

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000763.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
STD OXB130	Standard	0.127																			
STD OXI138	Standard	1.826																			
STD OXI138	Standard	1.910																			
STD OXI138	Standard	1.866																			
STD OXN117	Standard	7.689																			
STD OXN117	Standard	7.639																			
STD OXN117	Standard	7.524																			
STD OXI138 Expected		1.86																			
STD OXB130 Expected		0.125																			
STD OXN117 Expected		7.679																			
STD BVGE001 Expected			10.8	4415	187	1741	2.53	163	25	733	3.7	121	219	14.4	55	6.5	2.2	25.6	73	1.3219	
STD DS11 Expected			13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063	
STD OREAS262 Expected			0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	65	9.33	36	0.61	3.39	1.03	22.5	2.98	
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
Prep Wash																					
ROCK-WHI	Prep Blank	<0.005	1.1	5.7	1.2	36	<0.1	1.6	4.4	593	2.14	1.4	3.0	2.5	26	<0.1	<0.1	<0.1	30	0.72	
ROCK-WHI	Prep Blank	<0.005	0.8	3.8	1.6	34	<0.1	1.9	4.6	598	2.09	0.9	1.1	2.3	23	<0.1	<0.1	<0.1	28	0.71	



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 29, 2019

Page: 2 of 2

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000763.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200		
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
STD OXB130	Standard																			
STD OXI138	Standard																			
STD OXI138	Standard																			
STD OXI138	Standard																			
STD OXN117	Standard																			
STD OXN117	Standard																			
STD OXN117	Standard																			
STD OXI138 Expected																				
STD OXB130 Expected																				
STD OXN117 Expected																				
STD BVGE001 Expected		0.0727	25.9	171	1.2963	340	0.233		2.347	0.1924	0.89	3.5	0.1	5.97	0.62	0.6655	7.37	4.84	1.02	
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56	
STD OREAS262 Expected		0.04	15.9	41.7	1.17	248	0.003		1.204	0.071	0.312	0.13	0.17	3.24	0.47	0.253	3.73	0.4	0.23	
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
Prep Wash																				
ROCK-WHI	Prep Blank	0.042	7	4	0.57	66	0.103	<20	1.05	0.093	0.11	<0.1	<0.01	3.2	<0.1	<0.05	4	<0.5	<0.2	
ROCK-WHI	Prep Blank	0.046	7	5	0.60	62	0.097	<20	1.01	0.080	0.10	<0.1	<0.01	3.3	<0.1	<0.05	4	<0.5	<0.2	



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Submitted By: James Thom  
Receiving Lab: Canada-Whitehorse  
Received: November 15, 2019  
Report Date: November 28, 2019  
Page: 1 of 6

## CERTIFICATE OF ANALYSIS

WHI19000764.1

### CLIENT JOB INFORMATION

Project: McQuesten  
Shipment ID: MQ-19-38a  
P.O. Number  
Number of Samples: 121

### SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps  
PICKUP-RJT Client to Pickup Rejects

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Banyan Gold Corp.  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7  
Canada

CC: Paul Gray

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	118	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	3	Sort, label and box pulps			WHI
FA450	121	50g Lead Collection Fire Assay Fusion - AAS Finish	50	Completed	VAN
EN002	121	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	121	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	121	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS

  
MAY LAI  
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 28, 2019

**Page:** 2 of 6

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000764.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1865701	Rock	1.12	0.015	0.3	23.9	9.4	70	<0.1	25.7	14.7	390	3.19	88.7	14.2	16.1	32	<0.1	3.3	0.2	12	0.54
1865702	Rock	3.53	0.066	0.8	35.8	7.6	65	0.5	31.4	15.7	537	3.31	44.0	4.2	14.1	62	0.1	4.5	0.4	10	1.32
1865703	Rock	5.11	0.016	1.1	38.5	7.7	81	0.1	33.3	18.2	681	3.46	75.8	13.7	16.1	70	0.1	5.3	0.4	4	0.88
1865704	Rock	4.01	0.218	1.2	33.5	15.5	72	0.1	31.0	15.4	538	3.61	90.0	71.1	14.8	43	<0.1	6.4	2.2	6	0.62
1865705	Rock	4.58	0.013	2.4	43.4	8.2	107	0.1	44.4	18.2	671	4.23	47.4	2.8	12.3	57	<0.1	3.8	0.5	23	0.93
1865706	Rock	4.45	0.079	3.1	50.1	9.5	106	0.2	40.3	17.3	466	3.30	49.9	34.6	9.4	134	0.2	2.4	1.1	58	2.59
1865707	Rock	3.37	0.101	1.6	37.3	9.0	77	0.1	36.6	17.8	855	3.24	73.7	101.9	9.9	267	0.2	0.3	1.0	41	5.79
1865708	Rock	3.32	0.007	2.1	42.2	8.2	97	0.1	44.0	21.1	380	4.14	127.2	2.9	16.6	30	<0.1	0.6	0.3	37	0.65
1865709	Rock	3.07	0.114	3.8	74.4	7.3	142	0.3	46.4	19.5	335	4.04	41.8	102.1	12.4	37	0.3	0.5	2.0	75	0.89
1865710	Rock	0.64	<0.005	<0.1	0.6	0.3	<1	<0.1	1.3	<0.1	107	0.08	<0.5	0.6	0.1	78	<0.1	<0.1	<0.1	<1	32.60
1865711	Rock	4.38	0.087	1.8	42.1	11.0	41	0.2	19.2	7.6	648	1.69	22.4	47.1	4.4	1668	0.2	0.2	1.6	30	25.19
1865712	Rock	2.50	0.093	0.5	48.5	6.6	54	0.1	20.8	12.3	467	1.94	44.7	63.3	12.1	54	<0.1	2.7	1.4	15	1.63
1865713	Rock	4.09	0.006	0.3	12.5	7.0	27	<0.1	8.8	4.0	255	1.30	19.9	2.4	9.6	28	<0.1	1.3	0.2	5	0.59
1865714	Rock	3.83	<0.005	0.4	35.4	10.3	107	<0.1	33.7	14.6	816	3.30	88.9	1.4	11.9	35	0.6	0.6	0.2	12	0.69
1865715	Rock	2.83	0.046	0.9	31.5	7.7	103	<0.1	31.1	14.7	789	3.21	66.7	4.1	13.2	27	0.1	0.9	0.7	13	0.49
1865716	Rock	2.68	0.077	1.6	40.8	8.1	67	0.1	32.9	16.3	473	2.17	147.5	58.3	11.9	42	0.1	0.8	1.4	10	1.13
1865717	Rock	1.32	0.180	1.0	23.1	29.5	34	0.1	11.3	6.4	1023	1.36	9.8	61.7	8.3	282	0.6	0.3	2.3	9	9.57
1865718	Rock	4.65	0.153	0.3	38.1	13.2	46	0.2	12.4	6.4	513	1.76	35.2	68.4	8.7	70	0.2	0.8	1.9	9	2.45
1865719	Rock	2.10	0.008	0.4	31.0	11.2	84	<0.1	19.2	10.6	297	2.42	80.4	2.6	12.1	39	0.2	1.6	0.3	15	1.11
1865720	Rock	1.90	0.006	0.4	32.0	15.1	65	0.1	25.2	12.7	294	2.49	64.3	4.3	12.2	38	0.1	1.3	0.4	16	1.08
1865721	Rock	1.75	0.190	0.7	40.9	19.0	50	0.3	7.8	4.7	516	1.25	24.4	179.3	6.3	63	0.2	1.3	2.6	7	2.57
1865722	Rock	3.42	0.115	1.2	36.0	12.6	54	0.2	15.9	8.0	2185	2.01	12.8	93.0	8.9	508	0.7	2.1	2.5	18	17.26
1865723	Rock	3.67	0.068	<0.1	36.1	10.1	85	0.2	31.6	16.1	487	3.25	33.0	70.7	13.8	67	<0.1	0.8	2.0	25	1.71
1865724	Rock	2.09	0.386	0.9	72.4	10.9	86	0.2	35.7	15.2	690	3.63	71.7	139.9	11.0	82	<0.1	3.8	1.1	19	2.29
1865725	Rock	4.68	2.179	5.3	42.5	16.5	55	0.3	23.6	11.3	475	3.08	201.3	612.3	8.4	53	0.1	10.4	14.5	9	1.34
1865726	Rock	4.58	0.038	0.6	31.4	9.1	66	<0.1	21.0	11.2	399	2.30	95.6	57.3	9.3	49	0.2	4.0	0.6	6	1.21
1865727	Rock	4.27	0.446	0.4	49.1	9.0	109	0.3	19.9	12.3	593	2.46	208.5	258.6	8.3	97	3.7	4.9	4.0	9	2.94
1865728	Rock	4.82	0.036	0.1	26.6	11.4	81	0.1	16.1	8.9	464	2.25	35.4	16.0	12.6	84	0.5	3.7	1.0	11	2.63
1865729	Rock	4.45	0.044	0.2	24.7	12.9	64	0.2	15.0	10.5	374	1.89	91.6	71.3	12.9	58	0.6	3.1	1.2	11	1.61
1865730	Rock Pulp	0.13	1.211	6.4	114.6	6619.5	1532	42.7	17.1	10.4	1071	3.78	54.0	1033.3	3.1	85	16.2	33.6	0.8	97	1.06





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 28, 2019

Page: 2 of 6

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000764.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
1865701	Rock	0.042	31	17	0.58	62	0.017	<20	1.59	0.007	0.24	0.3	<0.01	1.9	0.2	0.22	4	<0.5	<0.2
1865702	Rock	0.081	30	11	0.81	75	0.015	<20	1.13	0.011	0.33	2.3	<0.01	1.6	0.2	0.33	3	<0.5	<0.2
1865703	Rock	0.048	34	7	0.55	56	0.002	<20	0.69	0.010	0.31	0.3	<0.01	1.4	0.2	0.34	2	<0.5	<0.2
1865704	Rock	0.044	29	9	0.51	116	0.005	<20	1.07	0.011	0.33	0.3	<0.01	1.4	0.2	0.61	2	<0.5	<0.2
1865705	Rock	0.042	26	18	0.85	94	0.011	<20	1.46	0.009	0.36	0.2	<0.01	2.6	0.2	0.49	4	<0.5	<0.2
1865706	Rock	0.055	20	31	0.97	201	0.090	<20	2.10	0.050	0.64	0.3	<0.01	3.8	0.5	0.58	6	1.1	<0.2
1865707	Rock	0.043	16	32	0.93	233	0.130	<20	2.26	0.037	0.99	0.2	0.01	4.3	0.9	0.30	7	0.7	<0.2
1865708	Rock	0.056	25	31	0.87	138	0.128	<20	2.15	0.014	1.02	0.2	0.01	3.2	1.1	0.58	6	0.6	<0.2
1865709	Rock	0.087	19	37	1.05	193	0.116	<20	2.21	0.060	0.74	0.2	0.02	4.5	0.7	1.33	6	2.5	<0.2
1865710	Rock	0.007	1	<1	0.56	14	0.002	<20	0.04	0.003	0.01	<0.1	<0.01	0.2	<0.1	0.06	<1	<0.5	<0.2
1865711	Rock	0.054	10	17	0.54	117	0.048	<20	1.11	0.023	0.21	>100	0.06	2.6	0.2	0.58	3	2.4	<0.2
1865712	Rock	0.015	24	15	0.47	94	0.028	<20	1.20	0.020	0.16	0.5	0.02	2.4	0.2	0.47	4	1.3	<0.2
1865713	Rock	0.009	16	7	0.18	100	0.005	<20	0.58	0.006	0.20	0.2	<0.01	0.9	0.2	0.31	2	<0.5	<0.2
1865714	Rock	0.155	16	14	0.49	98	0.047	<20	1.28	0.007	0.53	0.2	<0.01	1.7	0.4	0.37	3	<0.5	<0.2
1865715	Rock	0.036	22	14	0.48	96	0.054	<20	1.26	0.009	0.56	0.2	<0.01	1.9	0.5	0.20	3	<0.5	<0.2
1865716	Rock	0.028	16	11	0.40	123	0.025	<20	0.99	0.015	0.31	0.2	<0.01	1.6	0.2	0.45	3	0.8	<0.2
1865717	Rock	0.021	12	10	0.37	142	0.033	<20	1.02	0.042	0.16	0.2	0.01	1.6	<0.1	0.40	3	0.9	<0.2
1865718	Rock	0.017	15	12	0.37	58	0.023	<20	0.89	0.012	0.19	0.3	0.01	1.7	0.1	0.49	3	1.3	<0.2
1865719	Rock	0.021	23	18	0.49	89	0.049	<20	1.34	0.013	0.47	0.1	<0.01	2.3	0.4	0.27	4	<0.5	<0.2
1865720	Rock	0.023	26	17	0.49	77	0.045	<20	1.35	0.011	0.43	0.2	<0.01	2.4	0.4	0.35	4	0.6	<0.2
1865721	Rock	0.020	12	8	0.29	27	0.001	<20	0.55	0.004	0.13	0.3	0.01	1.4	<0.1	0.29	2	1.1	<0.2
1865722	Rock	0.038	16	16	0.56	349	0.033	<20	1.29	0.003	0.20	13.2	0.01	3.4	0.2	0.44	3	1.6	<0.2
1865723	Rock	0.028	22	27	0.78	173	0.076	<20	2.06	0.011	0.63	0.4	<0.01	3.6	0.5	0.37	5	1.1	<0.2
1865724	Rock	0.023	18	19	0.64	87	0.022	<20	1.41	0.006	0.38	0.3	0.01	3.6	0.4	0.98	5	1.9	<0.2
1865725	Rock	0.019	12	11	0.55	62	0.003	<20	0.98	0.014	0.30	0.2	<0.01	1.8	0.2	1.13	3	1.6	0.7
1865726	Rock	0.020	14	8	0.39	55	0.003	<20	0.77	0.013	0.31	0.1	<0.01	1.3	0.1	0.89	2	0.7	<0.2
1865727	Rock	0.025	9	9	0.41	62	0.006	<20	0.75	0.021	0.29	6.4	0.01	1.9	0.1	1.26	2	2.0	0.2
1865728	Rock	0.024	17	12	0.42	97	0.026	<20	1.02	0.029	0.41	0.1	<0.01	1.9	0.3	0.59	3	1.3	<0.2
1865729	Rock	0.025	16	12	0.37	100	0.024	<20	1.07	0.057	0.33	0.1	<0.01	1.7	0.2	0.63	3	1.1	<0.2
1865730	Rock Pulp	0.052	7	20	0.83	150	0.158	<20	1.89	0.211	0.24	1.5	0.22	3.3	0.1	0.22	5	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 28, 2019

Page: 3 of 6

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000764.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1865731	Rock	4.55	0.094	0.3	41.6	11.7	105	0.2	30.3	14.7	317	3.21	63.7	33.0	16.6	53	0.6	1.0	1.2	17	1.37
1865732	Rock	4.64	0.007	0.3	46.9	19.5	92	0.3	27.0	12.5	441	3.11	173.2	5.9	11.9	63	0.5	1.2	0.5	21	1.78
1865733	Rock	4.33	0.513	0.3	58.0	11.2	64	0.3	22.3	12.6	384	2.38	67.4	1033.0	15.1	51	0.1	1.7	8.5	12	1.70
1865734	Rock	4.35	0.714	0.3	46.7	18.2	67	0.5	16.7	9.8	388	2.09	218.6	343.0	13.7	61	1.0	6.9	9.6	9	1.83
1865735	Rock	4.38	0.334	0.4	51.1	14.4	78	0.3	22.2	11.9	520	2.72	116.7	224.9	17.9	60	0.6	3.6	5.2	11	2.09
1865736	Rock	4.65	0.122	0.3	30.3	15.4	63	0.3	14.9	7.5	432	2.10	207.6	77.6	13.6	75	0.8	3.2	4.1	13	2.13
1865737	Rock	4.62	0.020	0.2	27.4	9.0	50	0.1	16.1	7.7	315	2.12	67.6	10.7	12.9	52	<0.1	2.2	0.6	11	1.53
1865738	Rock	4.56	0.114	0.2	32.7	14.6	74	0.3	17.2	7.6	736	1.86	29.1	102.0	10.3	405	1.9	1.3	4.2	15	10.53
1865739	Rock	1.49	0.219	0.7	98.4	10.1	69	0.3	35.8	15.6	409	3.50	122.2	334.0	12.0	84	0.2	0.6	4.2	20	1.57
1865740	Rock	1.47	0.367	0.8	125.9	10.6	65	0.4	38.9	16.9	390	3.68	115.5	218.4	12.6	85	0.2	0.6	3.5	19	1.66
1865741	Rock	3.25	0.042	1.2	60.9	12.0	73	0.2	36.6	13.9	703	3.18	226.9	6.4	13.6	82	<0.1	2.0	0.9	16	2.27
1865742	Rock	4.51	0.006	1.5	96.5	7.7	93	0.4	58.5	20.9	467	4.51	65.1	2.2	5.5	21	0.3	1.8	1.0	7	0.22
1865743	Rock	4.80	0.034	0.8	61.7	7.9	86	0.3	48.4	18.3	573	4.05	138.4	10.2	4.3	34	0.1	2.4	0.7	6	0.48
1865744	Rock	4.72	0.021	2.0	86.4	7.3	95	0.4	54.5	21.0	417	4.20	101.0	6.1	5.7	30	0.1	1.8	0.8	5	0.36
1865745	Rock	4.17	0.009	2.0	95.0	8.8	99	0.4	62.4	22.8	395	4.19	65.5	1.8	5.8	50	0.2	1.6	0.9	6	0.62
1865746	Rock	2.55	0.009	2.3	113.8	8.0	79	0.4	59.3	22.4	340	4.40	72.4	2.4	6.9	44	0.1	1.2	1.0	7	0.57
1865747	Rock	3.69	0.011	1.7	66.3	10.6	75	0.3	37.6	15.5	673	3.54	60.0	1.1	4.3	75	0.1	1.2	0.7	6	1.33
1865748	Rock	4.75	0.008	0.3	32.7	7.7	91	0.1	19.0	8.7	578	2.40	76.7	3.3	9.3	67	0.2	1.6	0.3	11	1.98
1865749	Rock	4.20	0.012	0.3	26.9	11.5	68	0.2	17.5	9.9	410	2.06	34.4	7.1	9.1	48	0.3	1.3	0.5	5	1.04
1865750	Rock	0.72	<0.005	<0.1	0.5	0.3	<1	<0.1	0.3	<0.1	83	0.06	<0.5	<0.5	<0.1	79	<0.1	<0.1	<0.1	<1	33.22
1865751	Rock	3.82	0.343	0.5	38.0	15.4	64	0.3	19.8	10.3	479	2.46	279.3	104.6	9.5	57	<0.1	3.8	7.1	6	1.19
1865752	Rock	3.55	0.092	0.2	22.0	8.4	39	0.1	7.1	3.1	412	1.26	32.3	75.6	11.6	45	0.1	1.7	1.4	4	1.11
1865753	Rock	3.72	0.048	0.3	32.3	27.8	50	0.2	17.8	10.3	447	2.22	77.7	27.0	10.3	56	0.2	2.2	1.6	5	1.22
1865754	Rock	4.48	0.019	0.3	33.0	19.0	56	0.2	22.1	11.2	429	2.47	118.6	18.3	11.4	54	0.3	2.8	1.3	7	1.07
1865755	Rock	3.74	0.213	0.3	32.1	14.5	86	0.3	17.0	10.6	357	2.28	243.1	74.1	11.2	44	0.7	2.2	3.3	8	0.77
1865756	Rock	4.54	0.023	0.2	20.0	9.9	51	0.1	15.0	7.6	415	2.23	44.4	9.5	11.2	42	<0.1	0.6	0.8	11	0.73
1865757	Rock	4.55	0.235	0.4	32.6	8.1	47	0.1	14.3	6.5	472	2.26	213.3	109.9	10.3	53	0.1	1.6	1.5	6	1.10
1865758	Rock	4.53	0.162	0.5	35.1	16.0	47	0.2	16.4	8.1	297	1.93	271.9	71.9	10.3	29	0.3	0.9	2.1	6	0.65
1865759	Rock	2.12	0.123	0.3	27.6	16.4	37	0.2	11.6	5.6	428	1.62	154.5	76.4	9.8	49	0.2	2.7	1.6	3	1.05
1865760	Rock	2.02	0.047	0.3	31.0	15.2	39	0.1	11.5	6.1	425	1.76	150.9	52.7	9.6	43	0.3	2.5	0.7	4	0.96



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 28, 2019

**Page:** 3 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000764.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
1865731	Rock	0.040	22	18	0.60	109	0.065	<20	1.75	0.053	0.59	0.2	<0.01	2.5	0.4	0.65	5	1.3	<0.2
1865732	Rock	0.036	12	22	0.69	133	0.068	<20	2.11	0.123	0.58	0.4	0.01	3.1	0.4	0.91	6	2.1	<0.2
1865733	Rock	0.030	17	13	0.43	101	0.034	<20	1.24	0.071	0.33	0.3	0.01	1.8	0.2	0.78	3	2.2	0.4
1865734	Rock	0.022	16	10	0.31	82	0.015	<20	0.96	0.052	0.27	10.1	<0.01	1.7	0.1	0.85	3	1.4	0.5
1865735	Rock	0.031	24	12	0.46	78	0.019	<20	1.18	0.045	0.33	0.2	<0.01	2.3	0.2	1.06	3	1.8	0.2
1865736	Rock	0.023	17	15	0.39	96	0.040	<20	1.38	0.113	0.37	2.2	0.01	2.1	0.3	0.81	4	1.3	<0.2
1865737	Rock	0.022	16	12	0.44	79	0.032	<20	1.17	0.047	0.41	8.5	<0.01	1.9	0.3	0.46	3	1.0	<0.2
1865738	Rock	0.033	12	17	0.40	153	0.034	<20	2.19	0.190	0.15	1.9	0.02	2.2	<0.1	0.68	5	1.4	<0.2
1865739	Rock	0.034	15	20	0.71	157	0.028	<20	2.47	0.136	0.27	63.6	<0.01	3.2	0.2	1.36	7	4.0	<0.2
1865740	Rock	0.031	14	19	0.66	169	0.023	<20	2.51	0.146	0.27	>100	<0.01	2.9	0.2	1.59	6	4.2	0.2
1865741	Rock	0.044	20	14	0.72	93	0.007	<20	1.50	0.049	0.28	0.5	<0.01	3.0	0.1	1.09	5	2.3	<0.2
1865742	Rock	0.017	12	10	0.71	54	0.002	<20	1.14	0.012	0.32	0.2	<0.01	1.4	0.2	2.12	3	1.1	<0.2
1865743	Rock	0.030	10	8	0.74	52	0.003	<20	0.87	0.012	0.34	0.1	<0.01	1.4	0.2	1.86	2	1.4	<0.2
1865744	Rock	0.035	12	7	0.71	60	0.002	<20	0.77	0.014	0.35	0.2	<0.01	1.4	0.2	2.02	2	1.8	<0.2
1865745	Rock	0.021	10	9	0.61	73	0.004	<20	1.12	0.009	0.31	0.2	<0.01	1.5	0.3	1.99	2	2.4	<0.2
1865746	Rock	0.016	11	9	0.61	67	0.005	<20	1.06	0.009	0.38	0.2	<0.01	1.5	0.3	2.11	2	2.1	<0.2
1865747	Rock	0.020	8	9	0.72	61	0.002	<20	0.98	0.007	0.28	0.1	<0.01	1.5	0.2	1.47	2	1.0	<0.2
1865748	Rock	0.133	12	12	0.82	85	0.011	<20	1.24	0.007	0.38	8.0	<0.01	2.0	0.3	0.57	4	1.0	<0.2
1865749	Rock	0.068	12	6	0.37	59	0.002	<20	0.64	0.012	0.25	<0.1	<0.01	1.1	0.1	0.75	2	0.5	<0.2
1865750	Rock	0.007	1	<1	0.47	15	0.001	<20	0.03	0.002	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1865751	Rock	0.014	11	7	0.53	56	0.002	<20	0.72	0.011	0.24	<0.1	<0.01	1.4	0.1	0.77	2	1.0	0.4
1865752	Rock	0.010	15	5	0.29	49	0.001	<20	0.53	0.006	0.18	<0.1	<0.01	1.0	0.1	0.28	1	<0.5	<0.2
1865753	Rock	0.028	12	6	0.42	61	0.002	<20	0.75	0.005	0.27	0.1	<0.01	1.3	0.1	0.79	2	1.3	<0.2
1865754	Rock	0.015	13	8	0.41	72	0.009	<20	0.91	0.013	0.33	0.1	<0.01	1.4	0.2	0.86	3	<0.5	<0.2
1865755	Rock	0.013	14	9	0.40	103	0.019	<20	1.11	0.038	0.37	0.8	<0.01	1.4	0.2	0.64	3	0.8	<0.2
1865756	Rock	0.018	14	12	0.45	108	0.045	<20	1.29	0.049	0.46	0.1	<0.01	1.7	0.3	0.45	3	0.6	<0.2
1865757	Rock	0.023	12	7	0.43	58	0.006	<20	0.78	0.021	0.28	0.3	<0.01	1.4	0.2	0.59	2	0.6	<0.2
1865758	Rock	0.032	14	7	0.32	57	0.013	<20	0.80	0.010	0.30	0.1	<0.01	1.2	0.2	0.58	2	<0.5	<0.2
1865759	Rock	0.014	12	5	0.29	83	0.003	<20	0.54	0.005	0.24	<0.1	0.01	0.9	0.1	0.65	1	0.8	<0.2
1865760	Rock	0.014	12	5	0.32	81	0.005	<20	0.66	0.006	0.27	0.1	<0.01	1.0	0.1	0.65	1	0.8	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 28, 2019

Page: 4 of 6 Part: 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000764.1

Method Analyte	Unit	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
			Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
MDL	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1865761	Rock	4.15	0.060	0.4	19.5	23.6	55	0.2	10.9	5.8	380	1.65	237.3	51.5	8.6	36	1.3	4.5	0.7	3	0.80
1865762	Rock	4.15	0.116	0.2	20.9	13.4	37	0.1	12.1	6.5	522	1.60	176.9	148.5	8.6	55	<0.1	1.9	1.4	5	1.18
1865763	Rock	4.49	0.072	0.2	21.3	11.7	44	0.1	9.4	4.3	606	1.62	51.8	57.6	9.4	53	0.1	1.1	1.0	6	1.10
1865764	Rock	3.05	<0.005	0.3	29.2	48.7	61	0.3	18.2	10.4	264	2.03	553.6	3.7	10.4	25	0.9	0.8	0.4	6	0.44
1865765	Rock	4.65	0.076	0.3	18.6	23.7	43	0.2	11.0	5.6	206	1.24	168.5	14.0	10.2	22	0.7	1.3	1.8	4	0.31
1865766	Rock	3.01	0.008	0.2	24.9	20.6	65	0.1	15.1	6.5	200	1.58	145.0	2.9	10.4	15	0.4	3.2	0.4	4	0.21
1865767	Rock	4.97	0.149	0.5	34.0	11.2	55	0.2	17.8	9.2	580	2.15	246.4	311.4	9.3	43	0.3	1.7	1.6	5	1.10
1865768	Rock	4.05	0.843	1.0	14.6	12.7	138	0.2	25.4	10.5	848	2.43	80.3	687.0	8.5	134	0.5	5.5	15.9	63	3.39
1865769	Rock	3.91	0.076	0.6	44.1	13.5	73	0.3	24.2	12.2	527	3.07	625.6	33.8	9.9	86	0.1	4.9	4.6	11	1.56
1865770	Rock Pulp	0.09	0.291	14.1	2187.5	1025.1	6948	18.4	34.5	18.7	509	8.28	275.4	51.4	1.1	45	52.7	33.8	12.2	46	2.04
1865771	Rock	3.85	0.125	0.9	71.7	7.7	63	0.2	27.7	15.7	405	2.93	837.9	133.0	9.2	67	0.2	3.5	1.4	11	1.52
1865772	Rock	2.71	0.059	0.3	50.7	10.3	67	0.2	20.7	10.0	525	2.99	1434.1	47.2	8.7	84	0.2	3.1	2.9	11	1.85
1865773	Rock	2.39	0.166	0.1	16.1	26.3	71	0.3	8.1	6.0	1558	1.59	1086.3	135.7	5.3	582	4.1	3.4	4.6	10	23.07
1865774	Rock	4.54	0.422	0.4	75.0	44.1	100	0.5	22.9	11.4	696	2.86	759.0	271.3	11.9	185	2.8	13.3	11.0	13	5.01
1865775	Rock	4.31	0.080	0.2	24.9	100.6	93	0.9	11.7	5.5	532	1.60	83.0	28.8	7.7	403	6.0	9.6	3.5	11	14.32
1865776	Rock	4.44	0.094	0.3	41.1	170.9	86	1.4	14.3	7.2	590	2.02	248.8	111.5	8.8	416	4.2	1.4	6.4	19	14.71
1865777	Rock	3.58	0.093	0.2	39.1	31.4	123	0.4	20.7	9.1	738	2.10	165.4	89.5	11.2	252	4.8	1.0	4.0	24	7.52
1865778	Rock	3.75	0.084	0.3	30.1	18.2	72	0.3	16.6	7.2	387	1.95	110.4	60.5	9.3	366	2.0	0.9	1.9	17	11.61
1865779	Rock	1.26	0.324	0.3	53.1	16.2	49	0.3	18.5	9.4	536	2.24	82.7	303.3	11.2	206	0.2	1.1	10.2	16	6.16
1865780	Rock	1.29	0.308	0.3	48.6	15.0	53	0.3	19.7	10.6	595	2.31	59.6	269.2	12.0	205	0.2	1.8	6.9	16	6.84
1865781	Rock	4.81	0.053	0.7	37.0	9.5	43	0.1	16.1	6.7	232	1.98	187.3	24.5	14.3	53	<0.1	2.6	0.8	5	1.06
1865782	Rock	4.20	0.417	0.9	68.1	12.7	72	0.3	32.4	15.2	503	3.60	180.8	339.1	17.9	83	0.2	5.8	4.2	8	1.59
1865783	Rock	4.60	0.218	1.3	67.3	8.6	74	0.5	27.5	12.5	391	3.36	229.5	930.7	13.9	80	0.1	4.7	2.1	7	1.47
1865784	Rock	4.42	1.147	0.5	57.4	20.0	69	0.4	24.6	11.8	337	2.97	317.7	374.3	16.0	74	0.2	6.3	12.4	21	1.41
1865785	Rock	4.78	0.038	0.3	37.6	9.8	73	0.1	24.4	11.8	281	2.92	42.0	8.1	17.0	57	<0.1	0.5	0.8	18	1.13
1865786	Rock	4.54	0.248	0.4	33.6	14.4	85	0.2	16.8	7.9	327	2.30	116.2	144.0	14.6	76	1.5	0.4	3.7	19	1.24
1865787	Rock	4.62	0.369	0.5	47.6	18.9	47	0.3	17.7	9.0	623	2.22	91.3	236.6	12.4	204	0.2	0.4	8.2	16	5.53
1865788	Rock	3.44	0.142	0.2	50.4	9.0	85	0.1	21.6	10.3	290	2.64	34.6	81.0	15.3	130	0.9	0.3	1.6	22	2.50
1865789	Rock	3.08	0.799	0.2	65.2	13.8	88	0.5	14.9	7.0	546	2.02	45.2	1520.5	9.0	421	2.8	0.3	9.6	16	10.23
1865790	Rock	0.62	<0.005	<0.1	0.6	0.3	<1	<0.1	<0.1	<0.1	87	0.07	<0.5	<0.5	0.1	73	<0.1	<0.1	<0.1	<1	30.71



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 28, 2019

**Page:** 4 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000764.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
1865761	Rock	0.020	11	5	0.24	48	0.002	<20	0.52	0.013	0.26	<0.1	<0.01	0.8	0.1	0.63	1	0.6	<0.2
1865762	Rock	0.017	12	6	0.31	58	0.004	<20	0.66	0.010	0.29	<0.1	<0.01	1.1	0.1	0.43	2	0.6	<0.2
1865763	Rock	0.013	12	7	0.35	59	0.011	<20	0.76	0.026	0.29	0.1	<0.01	1.2	0.1	0.33	2	0.5	<0.2
1865764	Rock	0.014	13	8	0.30	60	0.017	<20	0.80	0.009	0.33	0.1	<0.01	1.1	0.2	0.52	2	<0.5	<0.2
1865765	Rock	0.016	16	5	0.18	55	0.009	<20	0.55	0.009	0.25	0.1	<0.01	0.8	0.1	0.24	2	<0.5	<0.2
1865766	Rock	0.011	15	5	0.20	50	0.007	<20	0.61	0.008	0.27	<0.1	<0.01	0.8	0.1	0.49	1	<0.5	<0.2
1865767	Rock	0.013	12	6	0.52	62	0.005	<20	0.74	0.010	0.30	0.1	<0.01	1.2	0.2	0.65	2	0.8	<0.2
1865768	Rock	0.046	14	28	1.65	158	0.038	<20	2.10	0.045	0.40	1.9	<0.01	4.5	0.3	0.15	6	<0.5	0.6
1865769	Rock	0.025	15	13	0.56	72	0.014	<20	1.22	0.009	0.36	0.2	<0.01	2.2	0.4	0.92	3	0.9	<0.2
1865770	Rock Pulp	0.036	4	38	2.45	43	0.004	<20	1.79	0.010	0.06	0.5	2.64	3.5	4.9	6.41	7	30.0	0.3
1865771	Rock	0.032	12	10	0.50	153	0.004	<20	1.03	0.011	0.29	0.3	<0.01	1.9	0.2	1.08	3	1.9	<0.2
1865772	Rock	0.029	10	11	0.69	57	0.004	<20	1.21	0.010	0.27	3.1	<0.01	2.2	0.1	0.95	4	1.1	<0.2
1865773	Rock	0.039	7	9	0.41	68	0.013	<20	0.94	0.020	0.19	29.3	0.01	2.5	0.1	0.36	2	0.9	<0.2
1865774	Rock	0.026	14	13	0.61	59	0.003	<20	1.13	0.012	0.29	0.2	<0.01	2.3	0.2	1.17	3	1.3	0.3
1865775	Rock	0.019	10	14	0.34	121	0.021	<20	1.10	0.074	0.21	0.9	<0.01	1.9	0.2	0.62	3	<0.5	<0.2
1865776	Rock	0.018	13	23	0.52	210	0.036	<20	1.61	0.118	0.30	0.2	<0.01	3.0	0.2	0.72	5	0.8	<0.2
1865777	Rock	0.020	14	27	0.68	215	0.056	<20	1.80	0.122	0.42	0.3	0.01	3.5	0.4	0.54	6	0.9	<0.2
1865778	Rock	0.019	17	23	0.48	89	0.020	<20	1.29	0.067	0.27	0.2	<0.01	2.9	0.2	0.77	4	0.7	<0.2
1865779	Rock	0.020	12	17	0.46	190	0.044	<20	1.64	0.127	0.28	0.2	<0.01	2.1	0.2	0.73	5	1.7	0.3
1865780	Rock	0.023	12	18	0.49	155	0.038	<20	1.52	0.107	0.28	0.3	<0.01	2.3	0.2	0.74	4	1.2	0.2
1865781	Rock	0.027	22	7	0.28	65	0.003	<20	0.78	0.008	0.28	1.8	0.01	0.9	0.1	0.68	2	<0.5	<0.2
1865782	Rock	0.036	21	9	0.59	67	0.003	<20	0.92	0.015	0.31	>100	<0.01	1.9	0.2	1.77	3	2.1	<0.2
1865783	Rock	0.036	14	8	0.51	78	0.004	<20	0.90	0.012	0.31	0.6	<0.01	1.8	0.3	1.87	2	2.0	<0.2
1865784	Rock	0.033	16	22	0.69	212	0.058	<20	1.74	0.085	0.49	7.0	<0.01	2.9	0.5	0.86	6	2.5	0.9
1865785	Rock	0.031	19	21	0.64	145	0.054	<20	1.51	0.043	0.54	0.7	<0.01	2.2	0.5	0.72	5	0.6	<0.2
1865786	Rock	0.021	17	21	0.58	182	0.063	<20	1.54	0.071	0.50	0.3	0.01	2.3	0.4	0.50	5	1.1	<0.2
1865787	Rock	0.024	15	19	0.49	263	0.056	<20	1.89	0.152	0.40	0.9	<0.01	2.3	0.3	0.67	5	1.7	0.2
1865788	Rock	0.032	25	24	0.69	332	0.086	<20	2.26	0.123	0.65	2.2	0.02	2.9	0.6	0.56	7	1.4	<0.2
1865789	Rock	0.027	10	16	0.49	352	0.052	<20	1.90	0.126	0.23	11.8	0.02	2.6	0.2	0.71	5	3.2	0.4
1865790	Rock	0.005	<1	<1	0.54	13	0.001	<20	0.02	0.002	<0.01	<0.1	<0.01	0.2	<0.1	0.05	<1	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 28, 2019

**Page:** 5 of 6

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000764.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1865791	Rock	4.45	2.081	0.5	66.2	12.1	52	0.7	22.7	10.7	231	2.59	42.3	3412.0	11.9	59	<0.1	2.4	19.0	8	1.21
1865792	Rock	4.06	0.033	0.2	36.7	8.4	64	0.1	19.4	10.5	253	2.59	73.4	15.6	12.1	41	<0.1	0.7	0.5	13	0.84
1865793	Rock	4.14	0.365	0.2	40.4	11.5	95	0.2	14.0	6.4	484	2.28	313.6	284.0	8.7	83	1.7	3.6	2.8	5	2.34
1865794	Rock	4.34	0.773	0.3	55.8	12.9	55	0.3	12.3	7.2	639	2.26	197.2	374.3	9.7	176	0.7	4.8	4.6	8	5.10
1865795	Rock	4.14	0.319	0.3	70.8	12.8	115	0.3	15.0	10.5	637	2.48	90.3	367.8	11.8	137	3.6	3.3	4.9	13	3.90
1865796	Rock	4.22	0.184	0.3	44.7	11.1	65	0.1	23.4	10.7	354	2.61	117.2	118.5	14.8	65	<0.1	1.9	3.1	14	1.46
1865797	Rock	4.48	0.526	0.4	37.5	9.7	35	0.2	10.3	5.8	326	1.67	48.8	279.0	12.6	55	<0.1	0.9	5.6	9	1.34
1865798	Rock	4.16	0.039	0.4	37.2	6.3	73	<0.1	31.9	13.1	234	3.54	62.7	8.6	16.6	37	<0.1	0.4	0.5	20	0.63
1865799	Rock	1.27	0.219	0.2	50.3	9.2	54	0.2	21.9	10.6	431	3.00	55.9	183.9	12.3	137	<0.1	0.3	3.3	19	3.34
1865800	Rock	1.19	0.024	0.3	53.2	9.2	61	0.2	24.7	11.6	451	3.14	68.6	17.4	13.6	124	<0.1	0.4	0.9	20	3.11
1865801	Rock	0.53	0.338	0.2	62.3	10.5	315	0.3	14.6	8.7	865	2.29	7.0	323.8	11.1	254	17.2	<0.1	10.6	16	6.58
1865802	Rock	4.24	0.046	0.7	32.6	8.5	71	<0.1	22.1	9.5	354	2.46	50.2	45.3	13.5	84	<0.1	0.3	0.8	35	1.21
1865803	Rock	4.43	0.028	2.3	99.4	5.8	67	0.2	29.4	12.2	785	3.81	152.3	5.3	6.3	64	<0.1	0.4	0.7	59	0.92
1865804	Rock	4.52	<0.005	2.2	68.2	6.8	78	0.1	31.5	13.6	589	3.50	214.8	0.9	8.3	72	<0.1	0.6	0.4	63	0.91
1865805	Rock	2.65	0.022	2.6	86.4	8.9	96	0.1	43.4	20.1	547	4.25	238.1	6.8	11.0	66	<0.1	0.7	1.0	60	0.71
1865806	Rock	4.11	0.016	0.5	52.8	16.4	82	0.1	34.1	18.5	481	3.70	103.9	36.4	12.2	44	<0.1	1.6	1.1	31	0.47
1865807	Rock	3.85	0.008	2.2	52.2	6.4	93	0.2	36.2	15.3	521	3.19	76.6	1.8	9.6	121	<0.1	1.8	0.4	66	1.52
1865808	Rock	4.86	0.042	0.6	62.2	8.2	85	0.2	99.4	28.2	935	4.43	319.9	15.9	9.0	275	<0.1	0.5	1.0	62	4.04
1865809	Rock	4.35	0.030	0.6	33.7	10.5	128	0.2	159.5	40.5	961	5.89	1310.6	21.5	3.3	86	<0.1	1.0	0.7	126	1.47
1865810	Rock Pulp	0.12	1.338	6.4	112.4	6667.4	1513	39.4	17.0	10.9	1052	3.76	51.9	1436.3	2.6	77	14.5	29.0	0.7	93	1.00
1865811	Rock	3.57	<0.005	1.2	52.1	5.7	102	0.1	165.4	36.8	774	4.98	230.9	1.9	7.8	78	<0.1	0.4	0.2	89	0.86
1865812	Rock	4.28	0.011	0.9	61.2	8.6	109	0.2	200.8	37.1	763	4.91	290.9	10.3	9.1	105	<0.1	0.8	0.3	67	1.67
1865813	Rock	4.03	0.011	0.3	44.5	8.1	58	<0.1	45.0	13.4	381	2.61	64.0	3.1	11.5	56	<0.1	0.7	0.3	14	0.94
1865814	Rock	4.23	0.007	0.2	25.3	6.0	48	<0.1	22.8	10.9	315	2.24	48.7	2.8	9.5	50	<0.1	0.4	0.2	9	0.62
1865815	Rock	4.12	0.005	0.6	36.5	10.7	89	<0.1	38.2	15.4	384	3.54	65.5	1.1	11.7	54	<0.1	0.6	0.2	15	0.67
1865816	Rock	4.12	<0.005	0.3	23.3	11.0	58	<0.1	24.8	11.6	342	2.50	34.2	0.7	9.7	31	<0.1	0.3	0.1	17	0.54
1865817	Rock	4.39	0.009	0.4	28.3	20.8	71	<0.1	26.4	11.7	405	2.55	66.5	11.4	9.6	35	0.6	0.3	0.5	19	0.60
1865818	Rock	4.23	0.107	0.4	32.8	10.3	58	<0.1	27.1	11.9	311	2.46	246.4	16.3	10.6	40	<0.1	0.5	0.7	17	0.62
1865819	Rock	1.28	0.006	0.4	29.6	7.3	78	<0.1	37.0	17.2	372	3.45	26.6	1.9	10.9	44	<0.1	0.3	0.2	24	0.55
1865820	Rock	1.52	0.021	0.4	29.2	10.8	80	<0.1	37.2	17.4	425	3.48	30.9	12.5	11.3	65	<0.1	0.3	0.3	25	0.83



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 28, 2019

Page: 5 of 6

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000764.1

Method Analyte Unit	AQ200 P	AQ200 La ppm	AQ200 Cr ppm	AQ200 Mg %	AQ200 Ba ppm	AQ200 Ti %	AQ200 B ppm	AQ200 Al %	AQ200 Na %	AQ200 K %	AQ200 W ppm	AQ200 Hg ppm	AQ200 Sc ppm	AQ200 Tl ppm	AQ200 S %	AQ200 Ga ppm	AQ200 Se ppm	AQ200 Te ppm	MDL	
																			0.001	1
1865791	Rock	0.030	16	9	0.29	101	0.009	<20	0.88	0.018	0.30	>100	<0.01	1.5	0.2	0.94	3	2.1	1.0	
1865792	Rock	0.032	14	14	0.51	104	0.041	<20	1.32	0.027	0.50	1.5	<0.01	2.2	0.3	0.49	4	1.3	<0.2	
1865793	Rock	0.021	8	6	0.33	77	0.002	<20	0.61	0.025	0.26	0.2	<0.01	1.6	0.1	1.36	2	1.0	<0.2	
1865794	Rock	0.020	9	8	0.34	71	0.003	<20	0.75	0.025	0.24	2.6	<0.01	2.0	0.1	1.21	2	2.1	<0.2	
1865795	Rock	0.024	15	12	0.50	87	0.022	<20	1.27	0.086	0.25	1.4	0.01	2.7	0.1	0.96	3	3.0	<0.2	
1865796	Rock	0.034	21	15	0.51	77	0.013	<20	1.27	0.039	0.28	1.1	<0.01	2.2	0.2	0.57	4	1.4	<0.2	
1865797	Rock	0.016	15	11	0.27	64	0.021	<20	0.80	0.038	0.23	12.8	<0.01	1.6	0.1	0.40	3	1.7	0.2	
1865798	Rock	0.049	26	23	0.73	110	0.082	<20	1.93	0.031	0.71	1.7	<0.01	2.3	0.7	0.46	6	<0.5	<0.2	
1865799	Rock	0.034	14	22	0.58	139	0.089	<20	1.99	0.112	0.63	1.5	<0.01	2.5	0.6	0.74	6	1.6	<0.2	
1865800	Rock	0.036	16	24	0.63	138	0.097	<20	2.00	0.094	0.69	3.7	<0.01	2.5	0.6	0.60	6	1.4	<0.2	
1865801	Rock	0.018	13	17	0.32	193	0.072	<20	2.10	0.275	0.19	0.3	0.04	1.7	0.1	1.06	6	3.5	0.4	
1865802	Rock	0.046	16	28	0.80	223	0.097	<20	1.86	0.087	0.73	0.6	0.01	3.0	0.6	0.35	6	0.5	<0.2	
1865803	Rock	0.096	14	30	1.14	270	0.115	<20	2.26	0.050	0.93	1.2	0.01	4.6	0.6	0.84	7	1.4	<0.2	
1865804	Rock	0.107	16	38	1.55	313	0.141	<20	2.69	0.052	1.29	0.3	<0.01	4.8	0.7	0.52	8	1.0	<0.2	
1865805	Rock	0.082	19	37	1.43	290	0.148	<20	2.65	0.027	1.46	0.2	<0.01	4.7	1.0	0.62	9	1.4	<0.2	
1865806	Rock	0.030	20	30	0.97	199	0.111	<20	2.17	0.014	1.10	0.2	<0.01	3.4	0.7	0.17	7	0.6	<0.2	
1865807	Rock	0.079	14	45	1.86	373	0.125	<20	2.73	0.024	1.20	10.2	<0.01	5.7	0.9	0.38	9	0.9	<0.2	
1865808	Rock	0.058	14	108	2.22	594	0.167	<20	3.62	0.097	1.43	0.7	<0.01	6.4	1.1	0.76	10	2.1	<0.2	
1865809	Rock	0.057	7	288	4.53	307	0.297	<20	4.95	0.073	2.94	0.2	<0.01	12.4	2.9	0.53	15	1.7	<0.2	
1865810	Rock Pulp	0.052	6	22	0.83	135	0.145	<20	1.82	0.201	0.23	1.4	0.23	3.0	0.1	0.23	5	<0.5	<0.2	
1865811	Rock	0.043	13	239	3.79	537	0.246	<20	4.47	0.033	2.88	0.2	<0.01	9.9	2.5	0.63	13	1.2	<0.2	
1865812	Rock	0.043	17	236	3.02	463	0.178	<20	3.83	0.062	1.95	0.3	<0.01	8.0	1.8	0.73	12	2.0	<0.2	
1865813	Rock	0.023	18	38	0.71	160	0.031	<20	1.23	0.011	0.42	7.0	<0.01	1.8	0.3	0.51	4	0.9	<0.2	
1865814	Rock	0.016	15	14	0.50	86	0.023	<20	1.07	0.013	0.37	0.1	<0.01	1.3	0.3	0.27	3	<0.5	<0.2	
1865815	Rock	0.021	19	22	0.80	91	0.034	<20	1.55	0.012	0.55	0.2	<0.01	2.0	0.4	0.40	4	<0.5	<0.2	
1865816	Rock	0.017	16	25	0.62	115	0.074	<20	1.36	0.019	0.65	0.3	<0.01	1.8	0.5	0.25	4	<0.5	<0.2	
1865817	Rock	0.021	14	26	0.67	121	0.071	<20	1.46	0.017	0.68	0.3	<0.01	1.9	0.5	0.22	5	<0.5	<0.2	
1865818	Rock	0.015	19	24	0.63	107	0.049	<20	1.32	0.015	0.58	0.2	<0.01	1.8	0.4	0.22	4	<0.5	<0.2	
1865819	Rock	0.025	22	32	0.89	164	0.095	<20	1.92	0.012	0.96	36.1	<0.01	2.5	0.7	0.16	6	<0.5	<0.2	
1865820	Rock	0.024	23	33	0.92	164	0.092	<20	1.94	0.013	0.95	0.2	<0.01	2.6	0.7	0.16	6	<0.5	<0.2	



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 28, 2019

Page: 6 of 6

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000764.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1865821	Rock	2.26	<0.005	0.2	23.7	9.5	61	<0.1	26.4	10.8	407	2.54	16.2	2.2	10.0	51	<0.1	0.2	0.1	18	0.70





**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 28, 2019

Page: 6 of 6

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000764.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
1865821	Rock	0.014	20	25	0.69	131	0.063	<20	1.45	0.016	0.64	0.1	<0.01	1.8	0.4	0.10	5	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: McQuesten  
Report Date: November 28, 2019

Page: 1 of 2 Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000764.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
Pulp Duplicates																					
1865718	Rock	4.65	0.153	0.3	38.1	13.2	46	0.2	12.4	6.4	513	1.76	35.2	68.4	8.7	70	0.2	0.8	1.9	9	2.45
REP 1865718	QC			0.3	37.3	12.5	44	0.2	12.1	6.4	505	1.74	36.4	70.2	8.9	66	0.1	0.6	1.6	10	2.42
1865752	Rock	3.55	0.092	0.2	22.0	8.4	39	0.1	7.1	3.1	412	1.26	32.3	75.6	11.6	45	0.1	1.7	1.4	4	1.11
REP 1865752	QC			0.2	22.1	8.2	36	0.1	6.6	2.9	384	1.26	28.1	68.5	11.6	45	0.2	1.5	1.2	4	1.11
REP 1865760	QC		0.048																		
1865773	Rock	2.39	0.166	0.1	16.1	26.3	71	0.3	8.1	6.0	1558	1.59	1086.3	135.7	5.3	582	4.1	3.4	4.6	10	23.07
REP 1865773	QC		0.140																		
1865787	Rock	4.62	0.369	0.5	47.6	18.9	47	0.3	17.7	9.0	623	2.22	91.3	236.6	12.4	204	0.2	0.4	8.2	16	5.53
REP 1865787	QC			0.4	48.5	18.6	49	0.3	18.0	9.1	637	2.19	91.6	276.3	13.0	210	0.3	0.3	7.6	17	5.52
1865821	Rock	2.26	<0.005	0.2	23.7	9.5	61	<0.1	26.4	10.8	407	2.54	16.2	2.2	10.0	51	<0.1	0.2	0.1	18	0.70
REP 1865821	QC			0.2	24.5	9.4	61	<0.1	26.0	10.4	413	2.60	14.0	0.5	9.9	51	<0.1	0.2	0.1	18	0.72
Core Reject Duplicates																					
1865726	Rock	4.58	0.038	0.6	31.4	9.1	66	<0.1	21.0	11.2	399	2.30	95.6	57.3	9.3	49	0.2	4.0	0.6	6	1.21
DUP 1865726	QC		0.035	0.6	32.9	8.3	62	<0.1	21.4	12.2	382	2.30	95.5	33.7	9.8	46	0.2	3.5	0.6	6	1.09
1865760	Rock	2.02	0.047	0.3	31.0	15.2	39	0.1	11.5	6.1	425	1.76	150.9	52.7	9.6	43	0.3	2.5	0.7	4	0.96
DUP 1865760	QC		0.047	0.3	28.7	17.3	45	0.2	12.2	6.9	408	1.76	188.8	38.0	9.8	45	0.3	2.4	0.6	4	0.94
1865794	Rock	4.34	0.773	0.3	55.8	12.9	55	0.3	12.3	7.2	639	2.26	197.2	374.3	9.7	176	0.7	4.8	4.6	8	5.10
DUP 1865794	QC		0.473	0.3	58.6	11.8	52	0.3	12.6	6.7	615	2.18	191.4	442.3	9.3	165	0.5	4.6	4.5	8	5.28
Reference Materials																					
STD BVGEO01	Standard			10.2	4317.6	190.4	1706	2.6	160.9	24.4	738	3.57	114.8	224.9	15.1	55	6.8	2.6	24.5	72	1.27
STD BVGEO01	Standard			10.8	4302.7	180.8	1711	2.5	161.7	25.3	711	3.66	117.6	215.9	14.2	53	5.9	2.5	22.9	72	1.35
STD DS11	Standard			15.2	157.6	148.2	357	1.7	78.6	13.8	947	3.06	45.0	70.6	8.1	67	2.7	7.6	12.1	49	1.04
STD DS11	Standard			14.7	151.3	139.2	349	1.7	82.5	13.6	1101	3.27	42.8	83.1	7.9	67	2.4	8.0	11.9	52	1.09
STD OREAS262	Standard			0.5	121.5	57.5	143	0.5	60.9	26.6	516	3.17	35.8	70.6	9.1	35	0.8	3.1	1.0	22	2.93
STD OREAS262	Standard			0.6	119.4	59.4	152	0.5	63.5	27.7	520	3.20	36.3	68.7	10.2	36	0.8	3.3	1.1	21	2.95
STD OREAS262	Standard			0.7	127.8	59.4	158	0.5	67.6	28.3	552	3.29	38.7	67.5	10.4	39	0.7	3.2	1.1	23	3.00
STD OREAS262	Standard			0.7	118.8	55.3	153	0.4	68.2	28.0	549	3.28	36.9	64.4	9.1	35	0.6	2.8	0.9	22	3.04
STD OXB130	Standard		0.122																		



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 28, 2019

Page: 1 of 2 Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000764.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																			
1865718	Rock	0.017	15	12	0.37	58	0.023	<20	0.89	0.012	0.19	0.3	0.01	1.7	0.1	0.49	3	1.3	<0.2
REP 1865718	QC	0.015	14	11	0.36	55	0.021	<20	0.90	0.011	0.19	0.4	0.01	2.0	0.1	0.50	2	1.3	<0.2
1865752	Rock	0.010	15	5	0.29	49	0.001	<20	0.53	0.006	0.18	<0.1	<0.01	1.0	0.1	0.28	1	<0.5	<0.2
REP 1865752	QC	0.010	15	5	0.29	47	0.001	<20	0.53	0.006	0.18	<0.1	0.01	0.9	<0.1	0.27	1	0.7	<0.2
REP 1865760	QC																		
1865773	Rock	0.039	7	9	0.41	68	0.013	<20	0.94	0.020	0.19	29.3	0.01	2.5	0.1	0.36	2	0.9	<0.2
REP 1865773	QC																		
1865787	Rock	0.024	15	19	0.49	263	0.056	<20	1.89	0.152	0.40	0.9	<0.01	2.3	0.3	0.67	5	1.7	0.2
REP 1865787	QC	0.023	16	19	0.49	260	0.061	<20	1.93	0.156	0.40	0.8	0.02	2.4	0.3	0.68	6	2.0	<0.2
1865821	Rock	0.014	20	25	0.69	131	0.063	<20	1.45	0.016	0.64	0.1	<0.01	1.8	0.4	0.10	5	<0.5	<0.2
REP 1865821	QC	0.014	20	26	0.71	133	0.065	<20	1.46	0.017	0.65	0.1	<0.01	1.9	0.4	0.10	5	<0.5	<0.2
Core Reject Duplicates																			
1865726	Rock	0.020	14	8	0.39	55	0.003	<20	0.77	0.013	0.31	0.1	<0.01	1.3	0.1	0.89	2	0.7	<0.2
DUP 1865726	QC	0.019	15	9	0.39	56	0.003	<20	0.80	0.012	0.32	<0.1	<0.01	1.3	0.1	0.88	2	1.0	<0.2
1865760	Rock	0.014	12	5	0.32	81	0.005	<20	0.66	0.006	0.27	0.1	<0.01	1.0	0.1	0.65	1	0.8	<0.2
DUP 1865760	QC	0.013	13	5	0.32	80	0.004	<20	0.66	0.006	0.27	0.7	<0.01	1.1	0.2	0.65	1	0.6	<0.2
1865794	Rock	0.020	9	8	0.34	71	0.003	<20	0.75	0.025	0.24	2.6	<0.01	2.0	0.1	1.21	2	2.1	<0.2
DUP 1865794	QC	0.020	9	7	0.34	63	0.003	<20	0.73	0.024	0.23	2.5	<0.01	1.9	0.1	1.18	2	1.9	<0.2
Reference Materials																			
STD BVGEO01	Standard	0.067	26	167	1.27	333	0.242	<20	2.30	0.186	0.86	3.6	0.11	5.4	0.6	0.66	7	5.0	1.0
STD BVGEO01	Standard	0.069	26	173	1.32	326	0.239	<20	2.33	0.194	0.92	3.5	0.10	5.8	0.6	0.73	8	4.9	1.0
STD DS11	Standard	0.072	18	58	0.85	414	0.098	<20	1.16	0.072	0.40	2.6	0.27	3.3	5.1	0.28	5	2.3	4.5
STD DS11	Standard	0.074	20	60	0.91	438	0.101	<20	1.24	0.078	0.43	2.7	0.25	3.2	5.0	0.29	5	1.6	4.7
STD OREAS262	Standard	0.041	17	41	1.16	250	0.003	<20	1.26	0.066	0.31	0.1	0.17	3.1	0.5	0.26	4	0.8	0.2
STD OREAS262	Standard	0.039	19	41	1.17	262	0.003	<20	1.28	0.067	0.31	0.1	0.18	3.3	0.5	0.26	4	<0.5	0.2
STD OREAS262	Standard	0.038	20	45	1.21	262	0.004	<20	1.37	0.069	0.34	0.1	0.17	3.3	0.5	0.26	4	<0.5	0.2
STD OREAS262	Standard	0.038	16	43	1.22	248	0.003	<20	1.31	0.070	0.31	0.1	0.16	3.1	0.5	0.28	4	0.6	0.2
STD OXB130	Standard																		



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 28, 2019

Page: 2 of 2

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000764.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
STD OXB130	Standard		0.122																		
STD OXB130	Standard		0.126																		
STD OXI138	Standard		1.805																		
STD OXI138	Standard		1.852																		
STD OXI138	Standard		1.818																		
STD OXN117	Standard		7.485																		
STD OXN117	Standard		7.668																		
STD OXN117	Standard		7.763																		
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063
STD BVGE001 Expected				10.8	4415	187	1741	2.53	163	25	733	3.7	121	219	14.4	55	6.5	2.2	25.6	73	1.3219
STD OREAS262 Expected				0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	65	9.33	36	0.61	3.39	1.03	22.5	2.98
STD OXI138 Expected			1.86																		
STD OXB130 Expected			0.125																		
STD OXN117 Expected			7.679																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		<0.005																		
Prep Wash																					
ROCK-WHI	Prep Blank		<0.005	0.6	5.1	0.9	36	<0.1	1.4	4.2	579	2.01	1.0	4.1	2.2	20	<0.1	<0.1	<0.1	30	0.68
ROCK-WHI	Prep Blank		<0.005	0.7	5.4	1.0	35	<0.1	1.3	4.4	549	1.95	1.2	1.5	2.4	22	<0.1	<0.1	<0.1	26	0.66



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 28, 2019

Page: 2 of 2 Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000764.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200		
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
STD OXB130	Standard																			
STD OXB130	Standard																			
STD OXI138	Standard																			
STD OXI138	Standard																			
STD OXI138	Standard																			
STD OXN117	Standard																			
STD OXN117	Standard																			
STD OXN117	Standard																			
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56	
STD BVGE001 Expected		0.0727	25.9	171	1.2963	340	0.233		2.347	0.1924	0.89	3.5	0.1	5.97	0.62	0.6655	7.37	4.84	1.02	
STD OREAS262 Expected		0.04	15.9	41.7	1.17	248	0.003		1.204	0.071	0.312	0.13	0.17	3.24	0.47	0.253	3.73	0.4	0.23	
STD OXI138 Expected																				
STD OXB130 Expected																				
STD OXN117 Expected																				
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																			
Prep Wash																				
ROCK-WHI	Prep Blank	0.044	6	4	0.58	54	0.098	<20	0.98	0.076	0.08	<0.1	0.01	3.3	<0.1	<0.05	4	<0.5	<0.2	
ROCK-WHI	Prep Blank	0.045	7	4	0.56	66	0.098	<20	0.96	0.081	0.09	0.1	<0.01	3.6	<0.1	<0.05	4	<0.5	<0.2	



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Submitted By: James Thom  
Receiving Lab: Canada-Whitehorse  
Received: November 18, 2019  
Report Date: November 28, 2019  
Page: 1 of 5

## CERTIFICATE OF ANALYSIS

WHI19000765.1

### CLIENT JOB INFORMATION

Project: McQuesten  
Shipment ID: MQ-19-39a  
P.O. Number  
Number of Samples: 91

### SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps  
PICKUP-RJT Client to Pickup Rejects

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Banyan Gold Corp.  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7  
Canada

CC: Paul Gray

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	89	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	2	Sort, label and box pulps			WHI
FA450	91	50g Lead Collection Fire Assay Fusion - AAS Finish	50	Completed	VAN
EN002	91	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	91	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	91	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS

  
MAY LAI  
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 28, 2019

**Page:** 2 of 5

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000765.1

Method Analyte Unit MDL	WGHT Wgt kg	FA450 Au ppm	AQ200 Mo ppm	AQ200 Cu ppm	AQ200 Pb ppm	AQ200 Zn ppm	AQ200 Ag ppm	AQ200 Ni ppm	AQ200 Co ppm	AQ200 Mn ppm	AQ200 Fe %	AQ200 As ppm	AQ200 Au ppb	AQ200 Th ppm	AQ200 Sr ppm	AQ200 Cd ppm	AQ200 Sb ppm	AQ200 Bi ppm	AQ200 V ppm	AQ200 Ca %	
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1865822	Rock	1.83	0.314	0.3	11.0	9.0	25	0.1	6.3	2.7	303	1.17	183.6	252.9	5.7	20	<0.1	2.0	0.9	3	0.56
1865823	Rock	4.28	0.052	0.3	10.3	12.7	23	0.1	8.2	3.4	248	1.14	151.3	47.2	5.5	15	<0.1	1.6	1.3	3	0.31
1865824	Rock	4.10	0.186	1.2	29.5	8.0	50	<0.1	20.2	9.0	324	2.34	233.5	91.4	8.3	25	<0.1	1.5	1.3	8	0.59
1865825	Rock	3.63	1.175	3.7	38.5	16.8	78	0.5	16.7	7.2	580	2.36	581.2	345.3	9.1	41	0.1	4.5	8.8	9	1.44
1865826	Rock	4.00	2.422	0.6	64.9	15.0	84	0.5	25.6	12.9	584	3.24	85.4	2941.1	13.2	113	0.1	1.5	19.5	26	2.88
1865827	Rock	3.81	0.026	0.5	49.6	9.7	84	0.1	28.4	11.3	405	3.26	41.6	5.3	10.7	45	<0.1	1.3	0.8	13	1.33
1865828	Rock	3.06	0.041	0.4	16.4	7.3	30	<0.1	10.4	5.5	216	1.52	65.3	46.2	9.0	21	<0.1	0.8	0.9	5	0.49
1865829	Rock	4.67	0.053	0.4	15.7	8.1	30	0.1	9.2	3.9	495	1.46	51.5	282.9	7.6	35	<0.1	0.7	0.8	7	1.28
1865830	Rock	0.67	<0.005	<0.1	0.7	0.3	<1	<0.1	2.8	0.4	94	0.08	<0.5	<0.5	<0.1	84	<0.1	<0.1	<0.1	<1	33.00
1865831	Rock	3.41	0.028	0.3	9.3	10.1	27	<0.1	10.4	3.2	471	1.62	366.4	24.5	7.3	37	<0.1	1.4	0.1	5	1.07
1865832	Rock	3.60	0.490	0.3	15.8	9.8	28	0.2	9.3	4.4	377	1.56	2988.8	402.1	7.0	41	<0.1	5.9	4.3	2	1.01
1865833	Rock	3.61	1.889	0.5	65.1	28.1	34	0.9	13.9	8.3	412	2.26	1247.4	396.9	7.9	86	<0.1	6.0	23.1	3	2.45
1865834	Rock	4.47	0.368	0.6	90.0	10.9	94	0.8	30.4	14.0	640	3.71	2099.9	388.7	9.3	92	0.1	6.0	2.6	11	2.41
1865835	Rock	5.01	1.768	0.4	74.2	15.9	76	0.7	24.2	13.5	841	3.12	3117.1	1182.9	9.7	172	0.4	10.5	8.9	11	4.39
1865836	Rock	4.06	0.374	0.3	46.5	16.3	113	0.3	20.2	11.6	676	2.38	151.7	134.6	12.2	108	2.4	3.9	5.3	13	3.55
1865837	Rock	4.51	1.081	0.5	50.0	18.4	67	0.9	21.2	11.2	841	2.75	607.5	554.8	10.1	128	0.4	24.5	14.9	6	3.81
1865838	Rock	5.06	0.220	0.3	53.3	15.6	89	1.1	19.8	11.2	743	2.78	1007.6	172.3	8.5	134	0.5	19.6	2.6	8	3.78
1865839	Rock	2.34	0.267	0.3	42.6	14.1	79	0.2	17.9	11.1	398	2.26	58.9	113.9	10.5	75	0.8	5.7	2.9	13	2.26
1865840	Rock	1.87	0.381	0.3	46.0	14.3	78	0.2	19.1	11.9	439	2.37	56.9	155.4	10.0	88	1.0	5.1	3.9	14	2.55
1865841	Rock	4.79	0.651	0.4	49.3	11.7	83	0.2	25.1	15.9	446	2.84	518.2	540.0	12.1	127	0.4	1.2	9.0	18	2.77
1865842	Rock	4.66	0.135	0.4	51.9	10.8	117	0.2	27.3	12.7	573	3.01	34.6	76.3	13.9	173	2.1	0.7	2.8	18	3.88
1865843	Rock	4.81	0.119	0.3	46.4	13.2	87	0.2	21.9	11.7	433	2.69	29.8	105.5	12.8	106	0.8	2.0	2.1	14	2.38
1865844	Rock	4.53	0.385	0.5	65.8	10.5	73	0.3	26.0	14.9	431	3.43	562.6	294.0	12.2	83	0.1	1.0	10.9	16	1.62
1865845	Rock	4.86	1.067	0.3	36.9	11.1	85	0.2	29.1	13.7	337	3.58	622.1	520.1	10.8	33	<0.1	2.4	6.9	11	0.72
1865846	Rock	4.41	0.082	0.3	41.9	9.5	61	0.1	21.4	10.6	378	2.72	56.5	180.7	8.7	68	<0.1	1.0	1.5	12	1.61
1865847	Rock	2.78	0.294	0.2	43.7	8.6	35	0.2	13.8	6.7	428	1.70	61.5	77.8	9.8	77	<0.1	1.7	2.4	7	2.17
1865848	Rock	2.85	0.231	0.2	28.0	16.0	54	0.1	13.7	6.2	523	1.40	9.4	85.2	9.0	327	0.9	0.5	3.0	11	8.53
1865849	Rock	3.31	1.123	0.5	171.7	10.9	52	0.5	22.3	16.7	512	4.07	222.0	1262.1	10.8	126	0.1	2.3	12.1	16	4.02
1865850	Rock Pulp	0.09	0.261	14.1	2218.6	1090.4	7119	17.5	32.2	18.2	556	8.70	272.0	69.6	1.1	47	53.3	34.6	12.6	46	2.08
1865851	Rock	5.07	0.354	0.8	106.0	9.2	57	0.3	26.3	13.5	507	3.28	589.6	260.5	6.7	66	<0.1	2.1	3.5	12	1.83



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 28, 2019

**Page:** 2 of 5

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000765.1

Method Analyte Unit MDL	AQ200 P %	AQ200 La ppm	AQ200 Cr ppm	AQ200 Mg %	AQ200 Ba ppm	AQ200 Ti %	AQ200 B ppm	AQ200 Al %	AQ200 Na %	AQ200 K %	AQ200 W ppm	AQ200 Hg ppm	AQ200 Sc ppm	AQ200 Ti ppm	AQ200 S %	AQ200 Ga ppm	AQ200 Se ppm	AQ200 Te ppm	
																			0.001
1865822	Rock	0.009	10	4	0.18	85	0.001	<20	0.38	0.005	0.14	0.1	0.02	0.5	<0.1	0.42	1	<0.5	<0.2
1865823	Rock	0.009	10	5	0.15	75	0.002	<20	0.38	0.005	0.17	<0.1	<0.01	0.4	<0.1	0.27	1	<0.5	<0.2
1865824	Rock	0.039	15	9	0.36	94	0.010	<20	0.90	0.010	0.32	0.1	<0.01	1.2	0.2	0.50	3	0.6	<0.2
1865825	Rock	0.020	13	10	0.47	128	0.015	<20	1.00	0.010	0.28	0.3	<0.01	1.8	0.2	0.66	3	1.5	1.0
1865826	Rock	0.030	20	25	0.80	423	0.083	<20	2.41	0.096	0.54	26.9	<0.01	3.5	0.4	0.88	7	3.1	1.4
1865827	Rock	0.045	15	16	0.65	106	0.026	<20	1.46	0.023	0.34	0.2	<0.01	2.1	0.2	0.68	4	1.2	<0.2
1865828	Rock	0.029	14	7	0.25	61	0.014	<20	0.73	0.014	0.25	0.2	<0.01	0.9	0.2	0.23	2	<0.5	<0.2
1865829	Rock	0.011	10	9	0.35	78	0.029	<20	0.94	0.026	0.32	0.1	0.01	1.0	0.2	0.20	3	<0.5	<0.2
1865830	Rock	0.007	1	<1	0.59	14	0.001	<20	<0.01	0.005	0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	0.7	<0.2
1865831	Rock	0.011	11	7	0.29	67	0.012	<20	0.86	0.008	0.28	0.1	<0.01	0.8	0.2	0.18	2	<0.5	<0.2
1865832	Rock	0.014	9	3	0.21	54	<0.001	<20	0.40	0.005	0.22	0.2	0.01	0.6	0.1	1.03	1	0.6	0.3
1865833	Rock	0.012	9	5	0.41	45	<0.001	<20	0.72	0.007	0.19	0.1	0.02	0.9	0.1	1.20	2	2.9	1.4
1865834	Rock	0.039	10	12	0.70	90	0.005	<20	1.15	0.010	0.34	1.7	<0.01	2.7	0.3	1.76	4	3.5	0.3
1865835	Rock	0.032	12	11	0.64	79	0.007	<20	0.97	0.027	0.27	6.9	<0.01	2.9	0.2	1.65	3	4.2	1.2
1865836	Rock	0.021	15	13	0.55	144	0.017	<20	1.27	0.015	0.24	0.4	0.01	2.6	0.2	0.83	3	2.2	0.2
1865837	Rock	0.029	10	7	0.54	101	0.002	<20	0.64	0.016	0.28	0.4	<0.01	2.4	0.2	1.70	2	2.0	0.9
1865838	Rock	0.030	9	9	0.38	93	0.004	<20	0.74	0.014	0.29	0.2	<0.01	2.2	0.2	1.74	2	1.6	<0.2
1865839	Rock	0.025	18	14	0.41	105	0.031	<20	1.13	0.055	0.31	21.3	<0.01	2.2	0.2	0.71	4	1.9	<0.2
1865840	Rock	0.070	18	16	0.43	122	0.035	<20	1.26	0.067	0.34	0.7	<0.01	2.4	0.2	0.67	4	2.2	0.3
1865841	Rock	0.029	20	22	0.60	358	0.061	<20	1.87	0.109	0.43	0.5	0.01	2.7	0.3	0.80	5	2.6	0.7
1865842	Rock	0.042	26	22	0.64	436	0.071	<20	1.89	0.083	0.45	0.3	0.01	2.8	0.4	0.77	5	1.8	<0.2
1865843	Rock	0.033	24	15	0.50	191	0.041	<20	1.44	0.071	0.34	0.3	0.01	2.5	0.2	0.90	4	1.7	<0.2
1865844	Rock	0.040	19	17	0.62	297	0.032	<20	1.78	0.076	0.41	0.2	<0.01	2.8	0.3	1.06	5	2.4	0.4
1865845	Rock	0.037	20	16	0.63	79	0.021	<20	1.26	0.010	0.41	0.2	<0.01	2.2	0.4	0.76	4	0.7	0.5
1865846	Rock	0.032	17	13	0.57	86	0.023	<20	1.24	0.033	0.38	0.2	<0.01	2.1	0.3	0.42	4	1.2	<0.2
1865847	Rock	0.031	13	8	0.35	105	0.013	<20	0.91	0.056	0.22	0.4	<0.01	1.7	0.1	0.54	3	1.7	<0.2
1865848	Rock	0.026	11	13	0.37	338	0.035	<20	1.54	0.118	0.18	2.8	<0.01	1.7	<0.1	0.41	4	1.0	<0.2
1865849	Rock	0.043	13	15	0.68	190	0.011	<20	1.77	0.088	0.21	>100	<0.01	2.5	0.1	1.72	6	7.7	0.8
1865850	Rock Pulp	0.041	4	42	2.55	57	0.005	<20	1.84	0.011	0.07	1.4	2.67	3.8	5.5	6.39	8	32.7	0.3
1865851	Rock	0.037	10	14	0.60	126	0.007	<20	1.36	0.056	0.24	28.8	<0.01	2.2	0.2	1.45	4	4.1	0.2





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 28, 2019

Page: 3 of 5

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000765.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1865852	Rock	4.95	0.007	1.1	59.7	12.3	72	0.3	45.8	18.4	637	3.65	95.4	2.6	5.8	78	0.1	1.7	0.9	8	1.59
1865853	Rock	5.09	0.007	1.7	61.9	10.9	75	0.2	36.7	15.2	674	3.52	129.2	3.0	5.1	58	<0.1	3.0	0.7	8	1.16
1865854	Rock	4.23	<0.005	0.7	39.2	7.2	59	0.2	30.1	13.8	508	2.97	37.0	<0.5	5.5	42	<0.1	0.6	0.4	9	0.79
1865855	Rock	4.27	0.017	0.5	27.9	11.0	48	0.1	16.5	8.3	339	1.97	22.3	7.4	8.3	43	<0.1	1.8	0.7	7	0.86
1865856	Rock	4.60	5.675	0.5	36.3	21.3	55	0.8	20.3	9.3	312	2.34	343.9	1741.3	9.4	48	0.2	6.6	15.5	6	1.02
1865857	Rock	3.97	0.032	0.4	27.6	7.6	50	<0.1	19.8	11.0	442	2.33	225.8	32.7	7.4	58	<0.1	0.8	0.5	6	1.28
1865858	Rock	4.48	0.244	0.6	31.8	7.8	36	0.1	10.2	5.0	243	1.42	42.0	67.8	8.4	51	<0.1	1.0	2.2	6	1.30
1865859	Rock	2.45	0.161	0.2	29.5	6.6	31	<0.1	4.8	2.6	319	1.17	25.8	282.6	7.7	136	<0.1	1.7	2.5	5	2.44
1865860	Rock	2.52	0.397	0.1	24.7	8.9	33	0.2	5.1	2.8	312	1.27	22.5	433.2	8.1	99	<0.1	2.9	3.6	5	2.04
1865861	Rock	3.31	0.295	0.2	15.1	13.6	22	0.3	4.9	4.2	282	1.24	81.7	62.9	6.4	175	0.1	3.0	6.5	6	3.06
1865862	Rock	4.60	0.009	0.3	16.1	9.2	34	0.2	8.0	3.7	301	1.41	26.1	4.0	7.1	61	0.2	1.1	0.2	3	0.98
1865863	Rock	2.98	0.524	0.5	9.1	23.4	79	4.6	9.3	5.0	1288	1.71	206.6	106.9	6.0	204	1.2	2.7	8.5	3	5.02
1865864	Rock	4.69	0.543	0.3	35.5	144.7	350	3.7	13.8	7.2	1804	2.02	93.6	312.3	9.1	222	5.6	2.4	11.4	5	7.76
1865865	Rock	4.04	0.253	0.3	49.2	12.6	48	0.2	17.1	8.3	688	2.22	19.2	190.7	7.4	300	0.2	0.5	2.7	16	11.66
1865866	Rock	4.88	0.025	0.3	24.5	25.3	60	1.0	20.8	9.8	512	2.13	16.9	13.4	8.2	194	0.3	0.4	2.0	19	7.18
1865867	Rock	4.59	0.284	0.2	35.1	14.2	48	0.3	15.6	8.6	449	1.94	24.5	231.9	9.3	201	0.4	0.5	4.5	14	8.25
1865868	Rock	2.56	0.158	0.2	34.0	23.1	59	1.3	21.0	12.0	455	2.48	71.2	139.7	11.3	127	0.2	1.1	3.9	10	3.16
1865869	Rock	3.53	0.531	0.2	62.6	12.7	68	0.7	15.5	8.2	501	2.23	81.8	1105.1	8.1	141	0.2	2.2	14.2	10	4.19
1865870	Rock	0.96	<0.005	<0.1	0.6	0.4	<1	<0.1	0.6	0.5	81	0.08	<0.5	<0.5	<0.1	65	<0.1	<0.1	<0.1	<1	28.44
1865871	Rock	5.96	0.067	0.6	37.6	8.2	54	0.2	23.2	11.0	355	2.69	130.8	162.6	11.2	76	0.1	1.9	1.8	7	1.76
1865872	Rock	3.77	0.578	0.5	41.0	9.5	86	0.2	33.2	14.6	352	3.96	118.5	479.9	16.3	57	<0.1	0.8	5.7	9	0.90
1865873	Rock	5.08	0.586	0.5	43.5	9.4	73	0.3	30.7	12.3	292	3.31	167.6	43.6	16.1	67	0.1	0.8	3.7	8	1.22
1865874	Rock	4.62	0.065	0.2	39.0	11.1	73	0.4	25.2	11.9	350	2.94	108.4	40.4	14.4	89	0.5	0.7	0.6	8	1.91
1865875	Rock	3.25	0.884	0.2	19.7	21.8	56	0.3	14.3	15.2	728	1.72	75.4	55.2	11.1	214	0.8	1.2	2.4	10	7.41
1865876	Rock	5.50	1.988	0.4	61.8	20.2	56	0.8	22.9	11.5	638	2.60	1367.4	1919.6	8.9	185	0.5	3.2	14.6	5	5.39
1865877	Rock	3.42	0.010	0.2	28.3	9.3	52	0.1	17.1	8.2	295	2.37	238.0	6.6	10.2	47	<0.1	0.6	0.5	7	1.07
1865878	Rock	5.14	0.200	0.3	37.3	12.3	65	0.2	20.4	11.8	383	2.55	1237.1	110.0	10.3	66	0.1	1.3	3.3	9	1.55
1865879	Rock	2.26	0.443	0.3	21.5	41.8	63	0.7	15.3	8.4	233	1.76	676.0	106.1	10.8	33	1.2	0.9	7.0	9	0.86
1865880	Rock	2.29	0.342	0.4	20.3	49.0	65	0.9	12.6	7.0	235	1.65	815.1	165.3	9.7	35	1.4	0.9	8.4	10	0.93
1865881	Rock	4.70	0.255	0.2	29.1	15.0	48	0.2	12.9	6.7	409	1.53	53.0	248.4	10.8	149	0.7	0.3	7.6	11	4.12



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 28, 2019

**Page:** 3 of 5

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000765.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
1865852	Rock	0.038	11	11	0.71	86	0.002	<20	1.12	0.008	0.28	2.4	<0.01	1.9	0.3	1.49	3	1.7	<0.2
1865853	Rock	0.029	10	12	0.76	74	0.004	<20	1.18	0.013	0.27	0.5	<0.01	1.9	0.2	1.42	3	1.7	<0.2
1865854	Rock	0.055	11	12	0.63	85	0.012	<20	1.15	0.017	0.30	0.3	<0.01	1.5	0.2	0.89	3	0.6	<0.2
1865855	Rock	0.016	12	9	0.46	87	0.016	<20	0.92	0.021	0.26	0.3	<0.01	1.4	0.2	0.57	3	<0.5	<0.2
1865856	Rock	0.066	13	7	0.41	100	0.004	<20	0.82	0.014	0.27	0.3	<0.01	1.2	0.2	0.89	2	1.1	1.0
1865857	Rock	0.012	12	8	0.50	75	0.002	<20	0.85	0.008	0.23	0.2	<0.01	1.2	0.1	0.58	2	0.6	<0.2
1865858	Rock	0.034	12	7	0.38	70	0.005	<20	0.75	0.017	0.19	1.1	<0.01	1.1	0.1	0.37	2	1.0	<0.2
1865859	Rock	0.026	10	6	0.36	48	0.008	<20	0.62	0.018	0.15	0.3	<0.01	0.9	<0.1	0.24	2	0.9	<0.2
1865860	Rock	0.021	9	6	0.38	46	0.006	<20	0.60	0.015	0.15	0.5	<0.01	0.9	0.1	0.28	2	0.8	<0.2
1865861	Rock	0.035	6	6	0.35	42	0.010	<20	0.49	0.016	0.10	1.0	<0.01	0.8	<0.1	0.29	2	1.3	0.3
1865862	Rock	0.011	12	5	0.35	47	0.002	<20	0.51	0.007	0.18	<0.1	<0.01	1.1	0.2	0.32	1	0.6	<0.2
1865863	Rock	0.018	8	3	0.30	58	<0.001	<20	0.34	0.003	0.17	0.5	0.01	1.2	0.2	0.62	<1	0.7	0.3
1865864	Rock	0.017	8	6	0.47	68	0.002	<20	0.46	0.006	0.26	0.5	0.01	2.2	0.4	0.62	1	1.9	0.3
1865865	Rock	0.032	11	17	0.66	112	0.016	<20	1.15	0.037	0.22	0.3	<0.01	2.4	0.2	0.76	4	1.7	<0.2
1865866	Rock	0.019	16	21	0.65	125	0.017	<20	1.26	0.060	0.25	0.2	<0.01	2.6	0.2	0.63	4	0.6	<0.2
1865867	Rock	0.023	13	16	0.57	196	0.018	<20	1.25	0.056	0.21	2.0	<0.01	2.1	0.2	0.65	4	1.7	<0.2
1865868	Rock	0.019	16	13	0.47	96	0.005	<20	1.03	0.022	0.31	0.2	0.01	1.9	0.3	0.55	3	1.3	<0.2
1865869	Rock	0.035	15	12	0.47	122	0.006	<20	1.05	0.016	0.19	0.4	<0.01	1.9	0.2	0.59	3	2.5	0.7
1865870	Rock	0.006	<1	<1	0.44	11	0.001	<20	<0.01	0.003	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1865871	Rock	0.031	18	10	0.53	48	0.003	<20	0.90	0.010	0.22	0.2	<0.01	1.5	0.2	0.60	3	1.1	<0.2
1865872	Rock	0.042	24	12	0.70	56	0.004	<20	1.23	0.009	0.27	0.2	<0.01	1.7	0.2	0.72	4	0.7	0.3
1865873	Rock	0.032	19	11	0.56	81	0.003	<20	0.95	0.010	0.23	0.2	<0.01	1.6	0.2	0.97	3	1.3	<0.2
1865874	Rock	0.024	16	10	0.56	59	0.004	<20	0.96	0.014	0.26	0.1	<0.01	1.7	0.2	0.85	3	1.2	<0.2
1865875	Rock	0.021	12	12	0.42	78	0.014	<20	0.89	0.022	0.22	0.2	<0.01	2.1	0.2	0.34	3	0.7	<0.2
1865876	Rock	0.035	6	5	0.44	86	0.001	<20	0.54	0.005	0.21	0.5	<0.01	1.9	0.1	1.51	2	2.9	1.1
1865877	Rock	0.025	12	9	0.37	39	0.005	<20	0.93	0.005	0.19	0.1	<0.01	1.1	0.1	0.47	3	<0.5	<0.2
1865878	Rock	0.024	12	10	0.45	111	0.003	<20	0.93	0.008	0.21	0.2	<0.01	1.3	0.1	0.67	3	1.3	0.2
1865879	Rock	0.018	15	11	0.40	69	0.017	<20	0.88	0.032	0.24	0.2	<0.01	1.2	0.2	0.38	3	0.8	0.3
1865880	Rock	0.015	14	11	0.42	87	0.019	<20	0.96	0.044	0.27	0.5	<0.01	1.3	0.2	0.34	3	0.7	0.3
1865881	Rock	0.022	12	12	0.43	150	0.028	<20	1.27	0.091	0.19	0.2	<0.01	1.6	0.1	0.46	4	1.2	0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** November 28, 2019

Page: 4 of 5

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000765.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1865882	Rock	4.71	0.017	0.4	19.6	13.6	37	0.1	11.3	5.1	410	1.53	27.6	5.2	10.9	64	0.1	0.5	0.5	7	1.84
1865883	Rock	5.23	0.017	0.3	32.0	11.5	65	0.1	22.6	10.3	326	2.69	43.2	3.0	14.1	46	<0.1	0.4	0.4	14	1.09
1865884	Rock	4.25	0.071	0.7	35.6	9.0	74	0.1	22.9	11.1	345	2.54	58.4	16.6	12.5	64	0.6	0.5	0.9	32	1.39
1865885	Rock	4.64	0.012	3.5	58.5	7.3	105	0.2	45.1	19.4	633	4.06	72.5	2.1	7.8	68	0.2	0.8	0.4	84	1.53
1865886	Rock	3.93	1.119	1.0	43.6	8.9	121	0.2	125.8	28.9	817	5.29	312.1	216.9	5.6	83	<0.1	1.7	2.1	72	1.73
1865887	Rock	4.60	0.008	1.9	49.1	13.8	84	0.2	33.9	17.9	728	3.89	62.3	<0.5	5.9	91	<0.1	0.9	0.4	72	2.34
1865888	Rock	4.76	0.222	0.7	33.8	7.2	92	0.2	52.7	22.1	775	4.10	298.0	203.4	3.8	94	<0.1	1.7	1.9	70	2.12
1865889	Rock	4.03	0.153	0.8	42.3	6.4	104	0.2	125.2	26.4	801	4.42	325.3	58.1	3.8	119	0.1	5.1	3.7	62	2.38
1865890	Rock Pulp	0.13	1.253	5.9	106.8	6284.6	1446	40.5	16.1	10.2	985	3.45	51.8	1021.3	2.5	72	13.5	30.0	0.6	86	0.89
1865891	Rock	5.41	0.819	0.5	30.5	24.6	107	0.5	153.2	37.6	1169	5.54	420.2	159.5	2.7	129	0.1	10.9	19.2	96	2.10
1865892	Rock	4.34	0.007	0.3	40.9	8.8	80	0.1	92.2	27.0	696	4.45	132.5	3.2	5.8	50	<0.1	1.6	0.3	66	1.10
1865893	Rock	4.82	<0.005	0.8	55.2	7.5	92	0.1	99.9	26.9	576	4.29	216.0	1.7	7.2	59	<0.1	1.3	0.4	51	1.24
1865894	Rock	5.20	0.211	1.0	44.5	9.8	87	0.2	99.5	24.9	518	4.09	187.7	53.4	9.3	43	<0.1	2.3	1.9	21	0.74
1865895	Rock	4.23	0.031	0.3	15.0	6.6	31	<0.1	14.5	5.5	230	1.51	29.7	5.6	9.7	64	<0.1	1.1	0.3	5	0.52
1865896	Rock	4.44	0.009	0.3	22.0	8.2	36	<0.1	14.3	5.8	220	1.68	94.5	1.8	7.9	41	<0.1	1.0	0.3	10	0.45
1865897	Rock	4.82	0.014	0.4	40.3	12.6	64	<0.1	34.5	16.1	442	2.92	34.4	5.3	10.5	54	<0.1	0.7	0.4	16	0.57
1865898	Rock	4.50	0.012	0.2	23.4	9.4	39	<0.1	15.2	6.0	453	1.78	29.0	12.9	7.2	62	<0.1	1.3	0.3	9	0.92
1865899	Rock	2.86	1.035	0.3	30.9	11.7	40	0.2	20.2	7.5	307	2.10	679.0	640.2	7.2	65	<0.1	2.3	1.8	8	0.56
1865900	Rock	2.52	2.406	0.4	32.5	9.3	41	0.4	26.4	8.8	339	2.38	871.5	1288.9	6.9	73	<0.1	2.9	3.2	9	0.70
1865901	Rock	4.38	0.142	0.4	26.9	6.6	54	<0.1	23.7	11.0	278	2.28	56.6	4.7	9.2	46	<0.1	1.4	0.3	9	0.51
1865902	Rock	4.56	0.104	0.3	21.1	17.3	47	<0.1	17.3	8.8	215	1.95	847.4	103.1	7.4	39	0.3	3.8	0.7	5	0.32
1865903	Rock	5.49	0.070	0.4	20.5	11.7	55	0.1	20.2	8.7	365	2.16	637.0	44.1	7.9	53	0.1	3.0	1.2	9	0.60
1865904	Rock	4.44	0.109	0.3	16.4	10.7	28	0.1	10.9	4.7	224	1.35	141.3	66.6	6.2	40	<0.1	2.6	2.8	4	0.41
1865905	Rock	4.70	0.027	0.3	18.4	13.8	41	<0.1	18.8	10.5	284	1.90	232.8	18.1	7.8	55	<0.1	1.7	0.2	7	0.65
1865906	Rock	4.50	0.014	0.2	18.2	11.0	46	<0.1	20.5	8.2	294	2.12	187.4	8.6	7.9	38	<0.1	0.9	0.2	11	0.42
1865907	Rock	4.39	0.023	0.3	18.8	9.1	45	<0.1	19.5	8.1	249	2.07	264.1	22.8	8.3	28	<0.1	1.1	0.2	9	0.33
1865908	Rock	3.14	0.015	0.4	21.0	13.8	54	<0.1	24.9	11.3	272	2.51	194.8	12.1	9.7	39	<0.1	1.1	0.3	16	0.52
1865909	Rock	3.20	0.093	0.3	10.6	8.5	33	<0.1	15.2	6.2	468	1.76	104.8	39.5	8.3	58	0.2	1.4	0.4	12	1.39
1865910	Rock	1.12	<0.005	<0.1	0.7	0.4	1	<0.1	3.0	0.4	88	0.06	1.0	<0.5	<0.1	89	<0.1	<0.1	<0.1	<1	34.58
1865911	Rock	4.59	0.033	0.4	43.7	2.8	62	0.3	24.7	25.8	261	3.42	554.9	34.5	0.6	57	0.1	0.6	1.2	80	0.97



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 28, 2019

Page: 4 of 5

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000765.1

Method Analyte	Unit	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
MDL		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm		
1865882	Rock	0.015	14	8	0.29	61	0.006	<20	0.65	0.017	0.20	<0.1	<0.01	1.0	0.1	0.32	2	0.6	<0.2	
1865883	Rock	0.036	17	18	0.55	88	0.032	<20	1.28	0.022	0.34	0.3	<0.01	1.9	0.3	0.48	4	0.9	<0.2	
1865884	Rock	0.038	17	27	0.83	230	0.077	<20	1.79	0.069	0.67	0.2	<0.01	3.5	0.5	0.46	6	1.1	<0.2	
1865885	Rock	0.087	15	58	1.96	291	0.133	<20	2.67	0.037	1.09	0.2	<0.01	5.6	0.8	0.80	9	1.4	<0.2	
1865886	Rock	0.046	11	161	2.95	215	0.125	<20	3.11	0.018	1.10	0.1	<0.01	7.6	1.0	0.74	11	0.8	<0.2	
1865887	Rock	0.120	16	52	1.78	216	0.091	<20	2.27	0.009	0.77	0.2	<0.01	4.5	0.7	0.72	7	0.7	<0.2	
1865888	Rock	0.045	8	96	2.47	198	0.113	<20	2.71	0.007	1.18	0.2	<0.01	7.2	1.4	0.65	9	1.0	<0.2	
1865889	Rock	0.052	8	144	2.94	178	0.130	<20	3.06	0.033	0.97	0.2	<0.01	6.7	1.2	0.55	9	1.8	<0.2	
1865890	Rock Pulp	0.047	6	20	0.76	131	0.132	<20	1.62	0.183	0.22	1.4	0.21	2.8	0.1	0.21	5	<0.5	<0.2	
1865891	Rock	0.045	6	219	4.63	94	0.106	<20	4.13	0.004	1.11	0.6	<0.01	11.4	1.4	0.30	12	1.1	0.9	
1865892	Rock	0.046	12	123	2.73	100	0.062	<20	3.02	0.012	0.70	0.1	<0.01	7.0	0.7	0.45	9	0.7	<0.2	
1865893	Rock	0.033	17	101	2.02	133	0.105	<20	2.58	0.012	0.98	0.2	<0.01	5.6	1.1	0.58	7	1.0	<0.2	
1865894	Rock	0.035	18	77	1.35	165	0.050	<20	1.71	0.008	0.79	1.8	<0.01	3.0	0.8	0.91	6	0.8	<0.2	
1865895	Rock	0.011	19	7	0.35	84	0.002	<20	0.84	0.006	0.21	<0.1	<0.01	0.8	0.1	0.11	2	<0.5	<0.2	
1865896	Rock	0.068	11	16	0.40	101	0.030	<20	0.95	0.013	0.37	0.2	<0.01	1.1	0.2	0.15	3	<0.5	<0.2	
1865897	Rock	0.023	18	22	0.64	122	0.042	<20	1.38	0.015	0.54	0.2	<0.01	1.9	0.3	0.32	4	<0.5	<0.2	
1865898	Rock	0.011	11	12	0.39	57	0.012	<20	0.79	0.019	0.23	0.1	<0.01	1.1	0.1	0.30	2	<0.5	<0.2	
1865899	Rock	0.009	11	11	0.48	66	0.004	<20	0.90	0.011	0.22	0.1	<0.01	1.2	0.1	0.56	2	0.7	0.2	
1865900	Rock	0.011	9	13	0.48	70	0.005	<20	0.89	0.010	0.24	0.1	<0.01	1.2	0.2	0.90	3	1.2	0.3	
1865901	Rock	0.023	15	12	0.47	80	0.010	<20	0.92	0.014	0.34	0.1	<0.01	1.3	0.2	0.49	3	<0.5	<0.2	
1865902	Rock	0.010	14	9	0.36	73	0.003	<20	0.75	0.012	0.28	<0.1	<0.01	0.7	0.1	0.65	2	<0.5	<0.2	
1865903	Rock	0.013	13	12	0.45	72	0.012	<20	0.83	0.017	0.32	0.1	<0.01	1.2	0.2	0.51	3	<0.5	<0.2	
1865904	Rock	0.009	12	8	0.25	59	0.004	<20	0.53	0.014	0.20	0.7	<0.01	0.6	0.1	0.31	2	<0.5	<0.2	
1865905	Rock	0.041	15	10	0.36	71	0.006	<20	0.77	0.013	0.29	0.1	<0.01	0.9	0.2	0.44	2	<0.5	<0.2	
1865906	Rock	0.011	15	17	0.46	121	0.028	<20	0.97	0.018	0.39	<0.1	<0.01	1.3	0.3	0.29	3	<0.5	<0.2	
1865907	Rock	0.018	17	15	0.41	105	0.024	<20	0.89	0.018	0.39	0.1	<0.01	1.1	0.2	0.23	3	<0.5	<0.2	
1865908	Rock	0.017	18	22	0.60	105	0.055	<20	1.24	0.021	0.60	0.3	<0.01	1.7	0.5	0.16	4	<0.5	<0.2	
1865909	Rock	0.013	12	18	0.44	121	0.033	<20	0.81	0.031	0.33	0.3	<0.01	1.7	0.2	0.30	3	<0.5	<0.2	
1865910	Rock	0.007	1	<1	0.55	13	0.001	<20	0.03	0.004	0.01	0.4	<0.01	0.1	<0.1	<0.05	<1	0.8	<0.2	
1865911	Rock	0.048	2	51	0.98	519	0.214	<20	1.48	0.113	0.45	0.2	<0.01	3.9	0.4	0.60	8	1.1	<0.2	



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 28, 2019

Page: 5 of 5

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000765.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1865912	Rock	4.28	0.034	0.3	47.2	4.0	60	0.2	40.5	23.3	246	3.06	877.3	116.3	0.1	77	<0.1	0.8	1.5	69	0.96



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 28, 2019

Page: 5 of 5

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000765.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
1865912	Rock	0.038	1	102	1.25	322	0.175	24	1.58	0.119	0.29	0.2	<0.01	3.9	0.2	0.46	8	1.5	<0.2



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 28, 2019

Page: 1 of 2 Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000765.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
Pulp Duplicates																					
1865844	Rock	4.53	0.385	0.5	65.8	10.5	73	0.3	26.0	14.9	431	3.43	562.6	294.0	12.2	83	0.1	1.0	10.9	16	1.62
REP 1865844	QC	0.440																			
1865855	Rock	4.27	0.017	0.5	27.9	11.0	48	0.1	16.5	8.3	339	1.97	22.3	7.4	8.3	43	<0.1	1.8	0.7	7	0.86
REP 1865855	QC	0.6 26.2 10.7 45 0.1 16.1 8.6 337 1.96 25.6 9.9 7.2 42 <0.1 1.6 0.8 7 0.80																			
1865890	Rock Pulp	0.13	1.253	5.9	106.8	6284.6	1446	40.5	16.1	10.2	985	3.45	51.8	1021.3	2.5	72	13.5	30.0	0.6	86	0.89
REP 1865890	QC	6.2 107.4 6423.3 1493 40.6 16.7 10.5 1002 3.58 51.2 932.0 2.5 76 14.1 31.1 0.7 88 0.94																			
Core Reject Duplicates																					
1865824	Rock	4.10	0.186	1.2	29.5	8.0	50	<0.1	20.2	9.0	324	2.34	233.5	91.4	8.3	25	<0.1	1.5	1.3	8	0.59
DUP 1865824	QC	0.092 1.4 29.1 8.4 50 0.1 19.7 8.7 315 2.27 238.1 44.2 7.6 25 <0.1 1.5 1.1 7 0.59																			
1865858	Rock	4.48	0.244	0.6	31.8	7.8	36	0.1	10.2	5.0	243	1.42	42.0	67.8	8.4	51	<0.1	1.0	2.2	6	1.30
DUP 1865858	QC	0.212 0.7 34.2 7.8 35 0.1 10.3 5.0 261 1.44 46.2 48.5 8.3 50 <0.1 0.9 1.9 6 1.35																			
1865892	Rock	4.34	0.007	0.3	40.9	8.8	80	0.1	92.2	27.0	696	4.45	132.5	3.2	5.8	50	<0.1	1.6	0.3	66	1.10
DUP 1865892	QC	0.006 0.3 41.4 9.6 86 0.1 97.9 29.1 726 4.66 157.5 2.1 6.2 53 <0.1 1.7 0.3 69 1.15																			
Reference Materials																					
STD BVGEO01	Standard	10.9 4299.9 174.4 1749 2.6 159.3 25.3 707 3.64 116.8 212.5 13.9 53 5.9 2.5 22.0 72 1.28																			
STD BVGEO01	Standard	10.8 4302.7 180.8 1711 2.5 161.7 25.3 711 3.66 117.6 215.9 14.2 53 5.9 2.5 22.9 72 1.35																			
STD DS11	Standard	14.2 147.2 131.1 329 1.7 83.2 14.1 1015 3.14 44.8 64.4 7.9 64 2.2 6.6 10.5 50 1.06																			
STD DS11	Standard	15.4 157.7 140.0 336 1.7 75.6 14.1 1006 3.05 44.5 69.2 9.7 65 2.6 7.8 11.9 48 0.98																			
STD OREAS262	Standard	0.7 116.3 55.7 153 0.5 68.6 28.3 536 3.35 36.8 70.7 9.5 34 0.6 2.2 0.9 22 2.96																			
STD OREAS262	Standard	0.7 120.2 59.7 145 0.5 64.7 27.4 524 3.15 37.5 70.0 10.8 36 0.6 4.1 1.1 21 2.91																			
STD OREAS262	Standard	0.7 108.7 51.7 142 0.4 64.4 26.7 502 3.09 33.8 63.7 8.5 32 0.5 3.2 0.9 21 2.79																			
STD OREAS262	Standard	0.7 118.8 55.3 153 0.4 68.2 28.0 549 3.28 36.9 64.4 9.1 35 0.6 2.8 0.9 22 3.04																			
STD OXB130	Standard	0.121																			
STD OXB130	Standard	0.122																			
STD OXB130	Standard	0.126																			
STD OXI138	Standard	1.830																			
STD OXI138	Standard	1.852																			
STD OXI138	Standard	1.818																			



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 28, 2019

Page: 1 of 2

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000765.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																			
1865844	Rock	0.040	19	17	0.62	297	0.032	<20	1.78	0.076	0.41	0.2	<0.01	2.8	0.3	1.06	5	2.4	0.4
REP 1865844	QC																		
1865855	Rock	0.016	12	9	0.46	87	0.016	<20	0.92	0.021	0.26	0.3	<0.01	1.4	0.2	0.57	3	<0.5	<0.2
REP 1865855	QC	0.016	11	8	0.46	83	0.015	<20	0.90	0.021	0.25	0.3	<0.01	1.3	0.2	0.52	3	<0.5	<0.2
1865890	Rock Pulp	0.047	6	20	0.76	131	0.132	<20	1.62	0.183	0.22	1.4	0.21	2.8	0.1	0.21	5	<0.5	<0.2
REP 1865890	QC	0.049	6	21	0.78	133	0.142	<20	1.67	0.191	0.22	1.5	0.22	3.0	0.1	0.21	5	<0.5	<0.2
Core Reject Duplicates																			
1865824	Rock	0.039	15	9	0.36	94	0.010	<20	0.90	0.010	0.32	0.1	<0.01	1.2	0.2	0.50	3	0.6	<0.2
DUP 1865824	QC	0.043	13	9	0.35	87	0.009	<20	0.87	0.009	0.29	0.1	<0.01	1.2	0.2	0.49	2	0.6	<0.2
1865858	Rock	0.034	12	7	0.38	70	0.005	<20	0.75	0.017	0.19	1.1	<0.01	1.1	0.1	0.37	2	1.0	<0.2
DUP 1865858	QC	0.051	12	7	0.39	70	0.005	<20	0.76	0.017	0.19	1.5	<0.01	1.1	0.1	0.37	2	1.1	<0.2
1865892	Rock	0.046	12	123	2.73	100	0.062	<20	3.02	0.012	0.70	0.1	<0.01	7.0	0.7	0.45	9	0.7	<0.2
DUP 1865892	QC	0.050	13	128	2.88	104	0.066	<20	3.17	0.011	0.73	0.2	<0.01	7.3	0.7	0.47	9	0.8	<0.2
Reference Materials																			
STD BVGEO01	Standard	0.068	25	171	1.27	323	0.232	<20	2.24	0.182	0.85	3.9	0.09	5.8	0.6	0.67	8	4.8	1.0
STD BVGEO01	Standard	0.069	26	173	1.32	326	0.239	<20	2.33	0.194	0.92	3.5	0.10	5.8	0.6	0.73	8	4.9	1.0
STD DS11	Standard	0.068	18	59	0.85	409	0.092	<20	1.17	0.074	0.40	2.7	0.30	3.1	5.1	0.28	5	2.5	4.7
STD DS11	Standard	0.067	19	59	0.84	382	0.092	<20	1.15	0.071	0.40	3.1	0.24	3.1	5.1	0.26	5	2.2	4.8
STD OREAS262	Standard	0.039	18	43	1.19	247	0.004	<20	1.37	0.071	0.34	<0.1	0.17	3.2	0.5	0.26	4	0.6	0.2
STD OREAS262	Standard	0.040	18	43	1.17	262	0.003	<20	1.23	0.068	0.31	0.2	0.16	3.2	0.5	0.26	4	0.6	0.2
STD OREAS262	Standard	0.035	16	40	1.10	230	0.003	<20	1.11	0.065	0.29	0.1	0.15	2.9	0.5	0.25	4	0.5	0.2
STD OREAS262	Standard	0.038	16	43	1.22	248	0.003	<20	1.31	0.070	0.31	0.1	0.16	3.1	0.5	0.28	4	0.6	0.2
STD OXB130	Standard																		
STD OXB130	Standard																		
STD OXB130	Standard																		
STD OXI138	Standard																		
STD OXI138	Standard																		
STD OXI138	Standard																		





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 28, 2019

Page: 2 of 2

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000765.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
STD OXN117	Standard	7.689																			
STD OXN117	Standard	7.668																			
STD OXN117	Standard	7.763																			
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063
STD BVGE001 Expected				10.8	4415	187	1741	2.53	163	25	733	3.7	121	219	14.4	55	6.5	2.2	25.6	73	1.3219
STD OREAS262 Expected				0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	65	9.33	36	0.61	3.39	1.03	22.5	2.98
STD OXI138 Expected		1.86																			
STD OXB130 Expected		0.125																			
STD OXN117 Expected		7.679																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank	<0.005																			
Prep Wash																					
ROCK-WHI	Prep Blank	<0.005	0.8	2.9	1.0	33	<0.1	1.5	3.9	571	1.94	0.9	<0.5	2.2	21	<0.1	<0.1	<0.1	<0.1	23	0.67
ROCK-WHI	Prep Blank	<0.005	0.9	4.0	1.0	32	<0.1	1.4	4.2	551	1.98	0.9	<0.5	2.2	23	<0.1	<0.1	<0.1	<0.1	26	0.72



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: November 28, 2019

Page: 2 of 2 Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000765.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200		
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
STD OXN117	Standard																			
STD OXN117	Standard																			
STD OXN117	Standard																			
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56	
STD BVGE001 Expected		0.0727	25.9	171	1.2963	340	0.233		2.347	0.1924	0.89	3.5	0.1	5.97	0.62	0.6655	7.37	4.84	1.02	
STD OREAS262 Expected		0.04	15.9	41.7	1.17	248	0.003		1.204	0.071	0.312	0.13	0.17	3.24	0.47	0.253	3.73	0.4	0.23	
STD OXI138 Expected																				
STD OXB130 Expected																				
STD OXN117 Expected																				
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																			
Prep Wash																				
ROCK-WHI	Prep Blank	0.041	6	3	0.54	54	0.083	<20	0.91	0.077	0.10	<0.1	<0.01	2.8	<0.1	<0.05	4	<0.5	<0.2	
ROCK-WHI	Prep Blank	0.040	6	3	0.55	56	0.087	<20	0.97	0.082	0.10	<0.1	<0.01	2.9	<0.1	<0.05	4	<0.5	<0.2	



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Submitted By: James Thom  
Receiving Lab: Canada-Whitehorse  
Received: November 18, 2019  
Report Date: December 09, 2019  
Page: 1 of 4

## CERTIFICATE OF ANALYSIS

WHI19000766.1

### CLIENT JOB INFORMATION

Project: McQuesten  
Shipment ID: MQ-19-40a  
P.O. Number  
Number of Samples: 63

### SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps  
PICKUP-RJT Client to Pickup Rejects

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Banyan Gold Corp.  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7  
Canada

CC: Paul Gray

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	61	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	2	Sort, label and box pulps			WHI
FA450	63	50g Lead Collection Fire Assay Fusion - AAS Finish	50	Completed	VAN
EN002	63	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	63	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	63	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS

  
MAY LAI  
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** December 09, 2019

**Page:** 2 of 4

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000766.1

Method Analyte	Unit	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
			Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
MDL		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
1865913	Rock	2.63	<0.005	0.2	24.5	5.6	55	<0.1	202.7	34.3	551	3.53	385.0	2.6	4.9	48	<0.1	1.2	0.2	49	3.03	
1865914	Rock	2.19	0.043	0.3	37.8	7.6	44	<0.1	26.0	10.4	661	2.49	34.9	27.6	8.4	187	<0.1	0.6	1.0	19	6.00	
1865915	Rock	3.49	0.029	0.4	4.9	1.4	114	<0.1	484.5	64.0	1253	5.41	694.3	22.5	2.0	72	0.2	1.6	0.3	88	2.88	
1865916	Rock	3.63	0.014	0.3	13.0	0.9	102	<0.1	500.2	60.4	1053	5.79	646.2	9.3	0.5	58	0.2	1.3	0.2	99	2.47	
1865917	Rock	2.45	0.043	0.4	37.6	4.9	85	<0.1	96.6	21.5	467	3.67	130.4	11.7	10.3	55	<0.1	0.7	0.4	24	1.27	
1865918	Rock	5.12	0.133	0.5	28.1	4.7	96	<0.1	209.7	30.5	1229	3.41	400.3	87.9	5.7	223	0.1	1.9	2.1	48	9.95	
1865919	Rock	2.22	0.105	0.6	23.3	3.4	116	<0.1	310.8	42.9	1517	4.22	1013.7	106.5	3.5	292	0.1	17.0	1.4	53	8.80	
1865920	Rock	2.08	0.087	0.7	23.9	3.6	134	<0.1	377.2	50.8	1393	4.57	1037.3	79.7	3.5	237	0.1	33.9	1.2	58	7.24	
1865921	Rock	3.67	1.199	0.7	50.6	7.3	103	0.2	203.3	32.0	970	3.68	491.7	1071.7	8.4	208	0.1	3.2	14.8	37	5.63	
1865922	Rock	3.00	0.506	0.5	71.9	12.2	52	0.3	32.7	13.7	1352	2.63	133.8	445.8	11.2	332	0.1	1.8	7.3	22	11.45	
1865923	Rock	3.94	0.676	0.5	45.0	5.9	64	0.2	25.5	10.4	755	3.40	107.3	849.4	9.9	267	<0.1	2.6	6.8	15	4.72	
1865924	Rock	4.31	0.109	0.5	16.6	11.8	55	<0.1	16.6	6.8	478	2.13	138.8	25.8	9.5	107	<0.1	1.3	1.0	7	1.70	
1865925	Rock	5.69	0.489	0.4	22.5	33.8	54	0.9	11.6	5.2	340	1.24	226.7	463.8	9.4	33	0.2	3.4	19.9	8	0.98	
1865926	Rock	3.35	0.297	0.4	23.1	14.5	86	0.1	22.2	9.4	633	2.45	70.6	97.7	12.5	47	0.5	1.7	2.4	12	1.11	
1865927	Rock	4.81	0.073	0.7	32.0	11.2	81	<0.1	33.8	17.1	473	3.13	184.4	34.3	13.0	36	<0.1	2.6	1.0	12	0.61	
1865928	Rock	3.74	1.314	0.6	34.5	19.3	85	0.3	41.1	19.4	499	3.40	1119.5	268.1	12.1	41	<0.1	4.6	8.2	12	0.63	
1865929	Rock	4.14	0.243	0.4	37.2	8.5	96	0.1	40.9	17.2	409	4.16	1076.4	173.5	13.7	20	<0.1	2.7	0.7	7	0.31	
1865930	Rock Pulp	0.13	0.279	14.2	2241.6	1069.0	7148	19.2	35.5	19.1	540	8.88	279.2	52.6	1.0	46	45.3	26.3	10.5	47	2.13	
1865931	Rock	2.68	0.018	0.6	28.6	12.5	165	<0.1	140.6	40.1	1301	5.52	911.4	85.7	3.2	140	<0.1	1.1	0.4	98	2.70	
1865932	Rock	4.16	0.013	0.3	36.2	18.9	106	0.3	41.5	17.0	408	5.18	106.8	9.7	13.0	28	<0.1	2.6	6.2	11	0.37	
1865933	Rock	3.68	0.013	0.6	41.7	14.8	108	<0.1	46.4	19.0	395	4.24	440.4	14.2	17.3	15	<0.1	2.0	0.7	10	0.15	
1865934	Rock	4.01	0.013	0.7	54.0	26.1	118	0.1	50.1	22.7	428	4.50	107.7	8.4	14.0	36	<0.1	2.4	0.6	17	0.42	
1865935	Rock	3.86	0.073	0.7	37.9	7.4	67	<0.1	35.2	14.2	641	3.76	593.6	48.1	9.4	38	<0.1	4.7	0.6	17	0.84	
1865936	Rock	2.47	0.016	0.3	29.8	6.7	68	<0.1	29.9	13.1	434	3.52	68.7	17.9	10.6	32	<0.1	3.0	0.2	14	0.51	
1865937	Rock	4.21	0.376	0.6	45.8	30.6	169	1.3	38.0	19.3	871	4.16	376.7	282.3	7.1	131	1.0	9.2	2.2	53	2.14	
1865938	Rock	4.17	2.139	1.0	39.6	63.5	320	2.1	53.0	25.4	1794	4.51	720.0	399.9	7.7	206	3.5	12.6	0.7	47	2.82	
1865939	Rock	2.20	0.077	1.0	39.0	7.8	105	0.1	43.4	25.9	1780	5.84	99.0	58.5	3.3	354	0.2	4.8	0.6	99	6.33	
1865940	Rock	2.33	0.080	1.0	35.9	6.5	114	0.1	53.4	32.8	1296	6.08	148.2	44.0	2.4	265	0.2	4.7	0.7	122	5.00	
1865941	Rock	5.66	0.811	0.9	66.5	19.4	120	1.5	55.2	28.9	1441	4.90	90.6	1829.1	2.0	274	0.3	8.8	7.9	87	6.02	
1865942	Rock	3.48	0.210	1.3	80.2	8.7	197	0.2	109.7	45.4	986	7.19	190.5	237.7	0.7	211	0.2	19.9	2.3	154	3.60	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: December 09, 2019

Page: 2 of 4

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000766.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
1865913 Rock	0.042	12	216	4.25	161	0.109	<20	2.91	0.011	1.00	0.1	<0.01	5.3	0.9	0.07	8	0.6	<0.2	
1865914 Rock	0.035	19	23	0.61	139	0.050	<20	1.46	0.015	0.52	2.0	<0.01	2.4	0.3	0.20	4	1.0	<0.2	
1865915 Rock	0.041	5	499	5.49	206	0.187	<20	4.37	0.006	2.09	>100	*	9.7	2.0	<0.05	13	0.5	<0.2	
1865916 Rock	0.049	2	592	5.92	162	0.215	<20	4.53	0.005	2.39	0.6	<0.01	10.5	2.2	0.06	12	0.8	<0.2	
1865917 Rock	0.040	24	88	1.64	110	0.029	<20	1.76	0.009	0.53	2.2	<0.01	3.4	0.5	0.17	5	<0.5	<0.2	
1865918 Rock	0.035	13	224	2.65	319	0.155	<20	2.84	0.043	0.85	5.2	<0.01	5.4	0.8	0.24	8	1.0	<0.2	
1865919 Rock	0.040	12	327	3.44	250	0.166	29	3.05	0.031	1.25	8.1	0.02	5.9	1.2	0.15	9	1.3	<0.2	
1865920 Rock	0.044	11	358	3.50	275	0.169	37	3.27	0.030	1.37	3.1	0.02	6.6	1.3	0.16	10	1.3	<0.2	
1865921 Rock	0.031	22	136	1.40	326	0.056	21	2.18	0.022	0.45	13.2	<0.01	5.0	0.4	0.45	7	2.3	0.8	
1865922 Rock	0.032	32	20	0.58	140	0.004	<20	1.11	0.007	0.24	1.7	<0.01	3.7	0.3	0.23	3	2.4	0.5	
1865923 Rock	0.027	22	18	1.48	191	0.004	<20	1.04	0.011	0.34	2.1	<0.01	2.5	0.3	0.29	4	1.7	0.6	
1865924 Rock	0.018	21	10	0.72	98	0.001	<20	0.62	0.007	0.25	1.0	<0.01	1.4	0.2	0.13	2	<0.5	<0.2	
1865925 Rock	0.011	19	11	0.30	68	0.001	<20	0.59	0.007	0.14	>100	<0.01	1.1	0.2	0.13	2	1.0	0.4	
1865926 Rock	0.029	32	14	0.61	87	0.007	<20	1.00	0.012	0.33	0.9	0.01	2.0	0.2	0.17	3	0.5	<0.2	
1865927 Rock	0.020	32	15	0.79	72	0.005	<20	1.15	0.012	0.32	0.8	<0.01	1.9	0.2	0.16	4	<0.5	<0.2	
1865928 Rock	0.031	27	16	0.78	81	0.003	<20	1.30	0.012	0.34	0.9	<0.01	2.1	0.2	0.50	4	1.1	0.3	
1865929 Rock	0.045	32	10	0.77	74	0.002	<20	0.88	0.013	0.32	0.8	<0.01	1.5	0.2	0.23	3	<0.5	0.4	
1865930 Rock Pulp	0.037	4	41	2.57	56	0.005	23	1.92	0.018	0.07	1.2	2.77	3.5	5.0	6.46	8	30.5	0.3	
1865931 Rock	0.064	7	194	2.84	205	0.144	<20	4.19	0.196	1.12	0.7	0.07	9.5	1.0	0.40	12	0.5	<0.2	
1865932 Rock	0.052	34	15	1.02	89	0.005	<20	1.31	0.017	0.38	0.6	0.03	2.1	0.2	0.21	4	<0.5	<0.2	
1865933 Rock	0.034	45	14	0.95	62	0.003	<20	1.36	0.018	0.33	0.6	0.02	1.7	0.2	0.29	4	<0.5	<0.2	
1865934 Rock	0.052	32	19	1.14	67	0.003	<20	1.85	0.015	0.33	0.5	<0.01	2.3	0.2	0.80	5	<0.5	<0.2	
1865935 Rock	0.035	21	24	1.02	92	0.003	<20	1.68	0.011	0.29	0.5	<0.01	2.1	0.2	0.71	5	0.6	<0.2	
1865936 Rock	0.035	24	19	0.82	158	0.003	<20	1.72	0.012	0.26	0.4	0.01	1.7	0.2	0.27	5	<0.5	<0.2	
1865937 Rock	0.061	21	48	1.39	687	0.006	<20	1.92	0.011	0.26	0.7	0.05	6.4	0.4	0.37	7	0.9	0.2	
1865938 Rock	0.079	20	51	1.84	448	0.004	<20	1.64	0.008	0.30	0.7	0.11	7.2	0.4	0.35	6	0.7	<0.2	
1865939 Rock	0.096	14	89	3.09	92	0.018	<20	2.80	0.004	0.20	0.7	0.03	12.7	0.2	0.14	11	0.8	<0.2	
1865940 Rock	0.109	12	125	2.84	124	0.027	<20	3.40	0.005	0.31	0.4	0.03	14.6	0.4	0.21	13	0.8	<0.2	
1865941 Rock	0.091	9	83	2.33	99	0.017	<20	2.44	0.004	0.31	0.7	0.02	9.7	0.8	0.72	9	2.4	0.5	
1865942 Rock	0.151	12	170	2.81	183	0.090	<20	4.15	0.009	1.08	30.6	<0.01	16.7	1.2	0.81	16	2.9	<0.2	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** December 09, 2019

**Page:** 3 of 4

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000766.1

Method Analyte	Unit	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
			Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
MDL		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1865943	Rock	1.66	0.006	0.5	121.1	15.0	105	0.2	41.0	18.7	607	4.11	18.5	1.9	13.7	106	<0.1	3.7	0.3	61	2.04	
1865944	Rock	3.39	1.333	1.2	68.3	6.0	122	0.3	44.1	31.3	918	5.43	117.3	497.7	0.6	136	0.1	1.6	6.1	147	2.84	
1865945	Rock	3.31	1.960	3.2	83.3	9.7	117	0.5	31.0	20.1	807	3.99	142.7	1327.1	3.2	110	<0.1	4.7	18.4	69	2.30	
1865946	Rock	4.04	1.441	1.9	63.3	11.2	88	0.5	34.0	14.4	655	3.54	137.7	1114.2	4.0	94	<0.1	4.8	11.7	45	1.81	
1865947	Rock	4.63	0.033	4.8	10.7	4.3	21	<0.1	6.6	3.1	208	0.93	27.6	11.5	4.6	39	<0.1	1.5	0.2	3	0.65	
1865948	Rock	4.04	0.028	0.5	15.9	6.0	36	<0.1	12.9	4.8	254	1.86	62.3	9.3	6.5	25	<0.1	2.1	0.9	7	0.52	
1865949	Rock	4.30	0.008	0.8	21.5	5.9	41	<0.1	19.5	10.3	266	1.94	46.7	3.2	8.4	26	<0.1	1.6	0.2	6	0.51	
1865950	Rock Pulp	0.12	1.283	6.0	102.7	6248.3	1432	39.7	16.1	10.2	984	3.50	50.7	1110.1	2.5	77	13.7	29.3	0.6	89	0.95	
1865951	Rock	4.78	0.066	0.6	39.4	5.7	42	<0.1	13.7	8.4	296	1.73	47.8	37.9	8.1	28	<0.1	2.3	1.0	6	0.68	
1865952	Rock	4.47	0.008	0.5	38.5	5.8	54	<0.1	28.8	11.8	433	2.75	54.3	2.0	9.6	44	<0.1	0.8	0.1	18	0.97	
1865953	Rock	4.40	0.083	0.5	34.6	7.5	77	<0.1	32.1	13.6	367	3.63	120.9	64.0	14.3	35	<0.1	1.1	1.0	10	0.44	
1865954	Rock	5.00	0.012	0.9	27.1	5.9	117	<0.1	65.0	31.0	1184	5.18	139.0	8.5	3.0	94	<0.1	1.6	0.3	127	2.49	
1865955	Rock	4.71	0.023	0.6	45.4	8.5	82	0.1	42.5	18.4	802	4.37	43.9	46.9	7.5	67	<0.1	3.4	1.1	59	1.36	
1865956	Rock	5.25	0.347	0.5	25.3	19.3	61	0.2	37.6	15.9	659	3.87	399.2	110.6	11.9	50	<0.1	3.4	3.8	40	0.84	
1865957	Rock	4.47	2.103	0.9	43.5	7.6	107	0.2	68.6	30.7	1186	5.23	329.9	296.0	2.3	101	0.1	2.3	4.9	134	2.42	
1865958	Rock	4.72	0.087	0.9	58.0	4.0	116	0.1	74.5	31.9	763	4.98	109.6	84.1	0.5	96	0.2	0.6	2.1	144	2.17	
1865959	Rock	1.46	0.093	1.3	31.7	5.7	126	0.1	60.9	32.6	1481	5.31	220.9	56.1	1.5	123	<0.1	2.1	1.3	133	2.45	
1865960	Rock	1.71	0.184	1.2	53.2	5.8	114	0.1	60.8	31.8	1610	5.62	173.8	153.2	1.6	137	<0.1	1.9	1.6	133	2.78	
1865961	Rock	5.52	0.012	0.9	57.3	6.3	94	<0.1	45.7	23.2	502	3.82	21.9	6.7	11.8	20	<0.1	2.4	0.5	8	0.24	
1865962	Rock	4.21	0.024	0.8	30.4	8.7	76	<0.1	32.4	14.5	509	3.07	38.5	30.1	11.6	40	<0.1	2.1	0.4	11	0.53	
1865963	Rock	5.26	0.022	0.5	30.5	11.1	72	<0.1	30.9	16.5	699	2.96	158.0	118.7	10.1	39	<0.1	3.1	0.4	12	0.70	
1865964	Rock	2.50	0.018	0.6	24.6	7.9	94	<0.1	37.2	16.2	667	3.76	41.9	5.0	10.7	36	<0.1	4.0	0.4	14	0.55	
1865965	Rock	2.41	0.032	1.0	35.6	7.5	92	<0.1	34.9	16.6	875	3.71	204.5	10.2	10.1	40	<0.1	2.5	0.5	8	0.79	
1865966	Rock	2.29	0.013	2.7	76.2	12.3	94	0.5	49.0	20.9	966	4.39	22.1	5.6	8.9	39	<0.1	2.3	0.5	12	0.84	
1865967	Rock	4.31	0.171	14.9	51.2	16.7	102	4.9	35.9	14.4	751	3.39	106.7	55.6	7.2	79	0.4	7.0	0.7	14	1.58	
1865968	Rock	4.11	0.032	0.7	38.1	13.2	92	<0.1	45.0	17.0	1194	3.68	49.4	19.2	12.0	47	<0.1	10.2	0.4	14	0.92	
1865969	Rock	2.43	0.063	0.5	19.2	6.8	36	<0.1	25.9	11.7	641	2.42	2024.2	35.2	5.9	97	<0.1	5.2	0.2	9	3.24	
1865970	Rock	1.87	<0.005	<0.1	0.7	0.3	<1	<0.1	2.0	0.4	72	0.07	1.1	<0.5	<0.1	78	<0.1	<0.1	<0.1	<1	33.62	
1865971	Rock	3.92	<0.005	0.2	53.2	6.8	80	<0.1	38.0	16.2	408	3.60	14.4	1.9	11.2	67	<0.1	2.9	0.2	14	1.84	
1865972	Rock	4.39	0.028	0.7	34.2	11.5	72	0.1	41.6	17.6	456	4.10	665.1	17.7	11.7	52	<0.1	6.1	0.6	11	0.71	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

**Project:** McQuesten  
**Report Date:** December 09, 2019

**Page:** 3 of 4

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000766.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
1865943	Rock	0.050	18	59	1.37	404	0.041	<20	2.13	0.006	0.55	0.3	<0.01	6.1	0.5	0.71	9	1.8	<0.2
1865944	Rock	0.128	6	106	2.63	286	0.225	<20	3.00	0.052	1.20	0.3	<0.01	12.5	1.5	0.80	12	2.7	0.5
1865945	Rock	0.067	8	55	1.70	266	0.047	<20	1.94	0.005	0.69	1.2	<0.01	7.6	0.8	0.93	8	3.3	1.1
1865946	Rock	0.045	9	54	1.33	842	0.051	<20	1.64	0.006	0.61	0.7	<0.01	4.4	0.7	0.66	6	2.8	0.9
1865947	Rock	0.010	10	4	0.21	964	0.002	<20	0.33	0.005	0.13	1.5	<0.01	0.6	<0.1	0.26	<1	<0.5	<0.2
1865948	Rock	0.010	13	9	0.44	87	0.003	<20	0.73	0.010	0.20	0.4	<0.01	0.9	<0.1	0.36	2	<0.5	<0.2
1865949	Rock	0.015	19	8	0.48	90	0.003	<20	0.63	0.008	0.27	0.4	<0.01	1.0	0.1	0.22	2	<0.5	<0.2
1865950	Rock Pulp	0.048	6	20	0.77	128	0.137	<20	1.71	0.193	0.22	1.3	0.20	3.0	0.1	0.20	5	<0.5	<0.2
1865951	Rock	0.010	16	8	0.37	100	0.002	<20	0.59	0.005	0.22	2.1	0.02	0.9	0.2	0.33	2	1.0	<0.2
1865952	Rock	0.028	18	23	0.73	84	0.017	<20	1.12	0.007	0.38	0.3	<0.01	2.2	0.3	0.33	4	0.7	<0.2
1865953	Rock	0.055	31	13	0.63	90	0.016	<20	1.13	0.009	0.46	0.2	<0.01	1.6	0.3	0.49	3	<0.5	<0.2
1865954	Rock	0.106	9	131	3.25	85	0.169	<20	3.59	0.032	1.48	0.2	<0.01	11.4	1.6	0.40	12	0.6	<0.2
1865955	Rock	0.064	17	51	1.80	112	0.057	<20	2.33	0.008	0.74	0.2	<0.01	5.7	0.7	0.56	8	0.5	<0.2
1865956	Rock	0.034	25	42	1.27	170	0.032	<20	1.86	0.014	0.53	0.2	<0.01	4.7	0.5	0.40	7	0.5	0.3
1865957	Rock	0.115	8	130	3.06	83	0.161	<20	3.05	0.037	1.16	3.8	<0.01	10.9	1.4	0.41	13	0.9	0.3
1865958	Rock	0.122	6	150	3.45	82	0.149	<20	3.41	0.045	0.90	1.5	<0.01	11.6	1.0	0.30	14	<0.5	<0.2
1865959	Rock	0.118	8	121	3.31	235	0.145	<20	3.47	0.023	1.45	3.8	<0.01	11.9	1.6	0.33	13	0.9	<0.2
1865960	Rock	0.126	8	120	3.32	170	0.128	<20	3.33	0.023	1.26	11.7	<0.01	11.8	1.4	0.41	13	1.0	<0.2
1865961	Rock	0.031	31	9	0.76	95	0.002	<20	0.88	0.010	0.32	0.2	<0.01	1.5	0.1	0.50	3	<0.5	<0.2
1865962	Rock	0.029	29	12	0.62	94	0.014	<20	1.03	0.009	0.38	0.2	<0.01	1.6	0.3	0.28	3	<0.5	<0.2
1865963	Rock	0.015	23	14	0.66	78	0.004	<20	1.23	0.007	0.25	0.2	<0.01	1.6	0.1	0.23	4	<0.5	<0.2
1865964	Rock	0.022	22	16	0.78	62	0.005	<20	1.38	0.007	0.28	0.2	<0.01	2.0	0.2	0.43	4	<0.5	<0.2
1865965	Rock	0.037	20	9	0.75	71	0.003	<20	0.86	0.009	0.31	0.2	<0.01	1.7	0.2	0.56	3	<0.5	<0.2
1865966	Rock	0.039	21	11	0.86	85	0.002	<20	1.25	0.009	0.27	1.9	<0.01	1.9	0.2	0.73	4	0.5	<0.2
1865967	Rock	0.046	15	16	0.76	172	0.005	<20	0.91	0.011	0.27	16.2	0.01	2.2	0.6	0.78	3	0.7	<0.2
1865968	Rock	0.062	28	14	0.84	63	0.005	<20	1.47	0.007	0.29	0.2	<0.01	2.0	0.2	0.31	5	<0.5	<0.2
1865969	Rock	0.042	12	10	0.48	43	0.002	<20	1.05	0.009	0.19	0.4	<0.01	1.4	<0.1	0.19	3	<0.5	<0.2
1865970	Rock	0.005	<1	<1	0.58	10	0.001	<20	0.02	0.003	0.02	<0.1	<0.01	0.1	<0.1	<0.05	<1	0.6	<0.2
1865971	Rock	0.047	29	16	0.68	69	0.004	<20	1.78	0.011	0.26	0.1	<0.01	1.8	0.1	0.06	5	<0.5	<0.2
1865972	Rock	0.068	21	15	0.72	95	0.004	<20	1.48	0.009	0.33	0.3	0.01	2.1	0.4	0.67	4	<0.5	<0.2



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: December 09, 2019

Page: 4 of 4

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000766.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
1865973	Rock	4.08	0.199	0.5	39.9	9.5	70	<0.1	33.1	14.1	487	3.27	73.2	4.3	11.0	39	<0.1	1.3	0.5	10	0.65
1865974	Rock	3.00	0.041	0.3	31.2	12.0	75	<0.1	47.3	20.0	465	4.08	91.2	10.7	15.2	43	<0.1	0.8	0.4	17	0.52
1865975	Rock	3.04	<0.005	0.5	42.4	6.9	92	<0.1	42.0	16.3	410	3.59	15.1	<0.5	12.8	61	<0.1	1.0	0.3	16	0.80





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: December 09, 2019

Page: 4 of 4

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000766.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
1865973	Rock	0.031	24	13	0.67	76	0.003	<20	1.22	0.008	0.29	0.1	<0.01	1.7	0.1	0.28	4	<0.5	<0.2
1865974	Rock	0.054	33	18	0.73	105	0.020	<20	1.81	0.009	0.39	0.2	<0.01	2.1	0.2	0.32	5	<0.5	<0.2
1865975	Rock	0.044	27	19	0.88	115	0.014	<20	1.78	0.010	0.31	0.2	<0.01	1.9	0.1	0.33	5	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: December 09, 2019

Page: 1 of 2 Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000766.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm		
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
Pulp Duplicates																					
1865914	Rock	2.19	0.043	0.3	37.8	7.6	44	<0.1	26.0	10.4	661	2.49	34.9	27.6	8.4	187	<0.1	0.6	1.0	19	6.00
REP 1865914	QC			0.3	39.5	7.6	44	<0.1	25.5	10.9	651	2.43	33.3	37.4	8.5	185	0.1	0.6	0.9	19	6.12
1865919	Rock	2.22	0.105	0.6	23.3	3.4	116	<0.1	310.8	42.9	1517	4.22	1013.7	106.5	3.5	292	0.1	17.0	1.4	53	8.80
REP 1865919	QC		0.099																		
1865924	Rock	4.31	0.109	0.5	16.6	11.8	55	<0.1	16.6	6.8	478	2.13	138.8	25.8	9.5	107	<0.1	1.3	1.0	7	1.70
REP 1865924	QC			0.6	16.1	10.8	55	0.1	16.6	6.8	482	2.16	137.7	55.7	9.4	109	<0.1	1.3	1.0	7	1.67
1865958	Rock	4.72	0.087	0.9	58.0	4.0	116	0.1	74.5	31.9	763	4.98	109.6	84.1	0.5	96	0.2	0.6	2.1	144	2.17
REP 1865958	QC			0.9	57.0	3.8	113	0.1	73.4	32.3	758	5.00	119.3	54.7	0.5	95	0.1	0.5	2.1	143	2.14
1865964	Rock	2.50	0.018	0.6	24.6	7.9	94	<0.1	37.2	16.2	667	3.76	41.9	5.0	10.7	36	<0.1	4.0	0.4	14	0.55
REP 1865964	QC		0.012																		
1865975	Rock	3.04	<0.005	0.5	42.4	6.9	92	<0.1	42.0	16.3	410	3.59	15.1	<0.5	12.8	61	<0.1	1.0	0.3	16	0.80
REP 1865975	QC		<0.005	0.4	42.5	6.9	93	<0.1	38.1	14.5	374	3.42	13.2	5.3	12.6	60	<0.1	1.4	0.3	15	0.78
Core Reject Duplicates																					
1865925	Rock	5.69	0.489	0.4	22.5	33.8	54	0.9	11.6	5.2	340	1.24	226.7	463.8	9.4	33	0.2	3.4	19.9	8	0.98
DUP 1865925	QC		0.535	0.4	22.5	36.2	52	1.0	11.4	5.0	335	1.21	197.1	971.0	9.2	32	0.2	4.0	21.5	8	0.97
1865959	Rock	1.46	0.093	1.3	31.7	5.7	126	0.1	60.9	32.6	1481	5.31	220.9	56.1	1.5	123	<0.1	2.1	1.3	133	2.45
DUP 1865959	QC		0.081	1.3	32.0	5.2	127	<0.1	61.3	31.5	1489	5.52	176.8	51.7	1.5	123	<0.1	2.3	1.1	139	2.50
Reference Materials																					
STD BVGEO01	Standard			10.7	4382.7	174.4	1729	2.6	159.8	25.1	704	3.61	116.4	210.2	14.1	54	5.7	2.4	21.7	72	1.30
STD DS11	Standard			14.2	147.2	131.1	329	1.7	83.2	14.1	1015	3.14	44.8	64.4	7.9	64	2.2	6.6	10.5	50	1.06
STD DS11	Standard			15.0	149.7	136.6	340	1.7	78.1	13.6	1013	3.14	40.5	64.6	7.2	70	2.3	7.2	11.2	48	1.06
STD DS11	Standard			13.8	145.7	138.0	332	1.8	80.1	14.0	1001	3.10	42.6	48.7	7.5	64	2.3	6.0	11.3	48	1.09
STD DS11	Standard			14.9	153.0	130.4	330	2.0	79.6	14.0	983	3.09	40.5	57.5	7.9	66	2.4	8.2	11.5	48	1.04
STD OREAS262	Standard			0.7	116.3	55.7	153	0.5	68.6	28.3	536	3.35	36.8	70.7	9.5	34	0.6	2.2	0.9	22	2.96
STD OREAS262	Standard			0.7	113.2	54.3	150	0.5	61.0	25.9	526	3.18	34.0	72.9	8.6	36	0.6	3.7	1.0	21	2.84
STD OREAS262	Standard			0.8	108.8	51.2	142	0.5	64.3	26.1	504	3.14	34.6	65.0	8.6	32	0.5	3.0	0.9	22	2.83
STD OREAS262	Standard			0.6	113.3	57.0	143	0.5	63.5	26.8	513	3.25	35.7	54.4	9.1	35	0.7	2.3	1.1	21	2.99
STD OREAS262	Standard			0.7	119.2	53.8	148	0.4	62.1	27.5	492	3.08	35.5	67.7	9.2	35	0.7	4.5	1.0	20	2.76



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Client: **Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: December 09, 2019

Page: 1 of 2

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000766.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																			
1865914	Rock	0.035	19	23	0.61	139	0.050	<20	1.46	0.015	0.52	2.0	<0.01	2.4	0.3	0.20	4	1.0	<0.2
REP 1865914	QC	0.036	18	22	0.62	139	0.050	<20	1.47	0.015	0.51	2.1	<0.01	2.5	0.3	0.20	4	1.0	<0.2
1865919	Rock	0.040	12	327	3.44	250	0.166	29	3.05	0.031	1.25	8.1	0.02	5.9	1.2	0.15	9	1.3	<0.2
REP 1865919	QC																		
1865924	Rock	0.018	21	10	0.72	98	0.001	<20	0.62	0.007	0.25	1.0	<0.01	1.4	0.2	0.13	2	<0.5	<0.2
REP 1865924	QC	0.018	21	10	0.72	98	0.001	<20	0.63	0.006	0.25	0.9	<0.01	1.4	0.2	0.13	2	<0.5	<0.2
1865958	Rock	0.122	6	150	3.45	82	0.149	<20	3.41	0.045	0.90	1.5	<0.01	11.6	1.0	0.30	14	<0.5	<0.2
REP 1865958	QC	0.120	6	148	3.41	81	0.151	<20	3.35	0.048	0.90	1.6	<0.01	11.4	1.0	0.30	14	<0.5	<0.2
1865964	Rock	0.022	22	16	0.78	62	0.005	<20	1.38	0.007	0.28	0.2	<0.01	2.0	0.2	0.43	4	<0.5	<0.2
REP 1865964	QC																		
1865975	Rock	0.044	27	19	0.88	115	0.014	<20	1.78	0.010	0.31	0.2	<0.01	1.9	0.1	0.33	5	<0.5	<0.2
REP 1865975	QC	0.038	31	18	0.85	121	0.017	<20	1.70	0.007	0.30	0.2	<0.01	1.9	0.1	0.32	5	<0.5	<0.2
Core Reject Duplicates																			
1865925	Rock	0.011	19	11	0.30	68	0.001	<20	0.59	0.007	0.14	>100	<0.01	1.1	0.2	0.13	2	1.0	0.4
DUP 1865925	QC	0.011	19	11	0.29	66	0.001	<20	0.58	0.007	0.14	>100	<0.01	1.1	0.2	0.13	2	0.9	0.4
1865959	Rock	0.118	8	121	3.31	235	0.145	<20	3.47	0.023	1.45	3.8	<0.01	11.9	1.6	0.33	13	0.9	<0.2
DUP 1865959	QC	0.119	8	124	3.43	238	0.149	<20	3.53	0.025	1.51	2.7	<0.01	12.1	1.6	0.32	13	0.9	<0.2
Reference Materials																			
STD BVGE001	Standard	0.068	25	177	1.28	322	0.234	<20	2.31	0.191	0.87	3.5	0.08	5.9	0.6	0.67	8	4.9	1.0
STD DS11	Standard	0.068	18	59	0.85	409	0.092	<20	1.17	0.074	0.40	2.7	0.30	3.1	5.1	0.28	5	2.5	4.7
STD DS11	Standard	0.073	19	56	0.84	392	0.096	<20	1.17	0.072	0.41	2.5	0.26	3.2	4.8	0.28	5	2.2	4.7
STD DS11	Standard	0.075	18	59	0.84	360	0.092	<20	1.13	0.073	0.40	2.5	0.23	3.2	5.0	0.27	5	2.4	4.4
STD DS11	Standard	0.067	18	57	0.83	389	0.094	<20	1.14	0.073	0.40	2.4	0.25	3.1	4.6	0.27	5	1.6	4.4
STD OREAS262	Standard	0.039	18	43	1.19	247	0.004	<20	1.37	0.071	0.34	<0.1	0.17	3.2	0.5	0.26	4	0.6	0.2
STD OREAS262	Standard	0.035	18	41	1.13	245	0.003	<20	1.29	0.066	0.32	0.1	0.15	3.1	0.4	0.25	4	<0.5	0.2
STD OREAS262	Standard	0.036	16	40	1.12	231	0.003	<20	1.20	0.064	0.31	0.1	0.16	3.0	0.5	0.26	4	0.6	0.2
STD OREAS262	Standard	0.040	15	41	1.16	236	0.003	<20	1.23	0.069	0.30	<0.1	0.15	3.1	0.5	0.25	4	<0.5	0.2
STD OREAS262	Standard	0.037	17	39	1.15	245	0.003	<20	1.26	0.066	0.30	0.2	0.15	3.0	0.4	0.25	4	0.5	0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: December 09, 2019

Page: 2 of 2

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000766.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
STD OXB130	Standard		0.118																		
STD OXB130	Standard		0.121																		
STD OXB130	Standard		0.121																		
STD OXI138	Standard		1.892																		
STD OXI138	Standard		1.830																		
STD OXI138	Standard		1.783																		
STD OXN117	Standard		7.909																		
STD OXN117	Standard		7.689																		
STD OXN117	Standard		7.438																		
STD BVGE001 Expected				10.8	4415	187	1741	2.53	163	25	733	3.7	121	219	14.4	55	6.5	2.2	25.6	73	1.3219
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063
STD OREAS262 Expected				0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	65	9.33	36	0.61	3.39	1.03	22.5	2.98
STD OXI138 Expected			1.86																		
STD OXB130 Expected			0.125																		
STD OXN117 Expected			7.679																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
Prep Wash																					
ROCK-WHI	Prep Blank		<0.005	1.1	3.2	1.0	28	<0.1	0.8	3.8	450	1.75	1.0	<0.5	2.3	22	<0.1	<0.1	<0.1	23	0.62
ROCK-WHI	Prep Blank		<0.005	1.0	3.1	0.9	30	<0.1	0.9	3.6	444	1.68	1.1	<0.5	2.4	23	<0.1	<0.1	<0.1	23	0.57



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Banyan Gold Corp.**  
1000-1050 West Pender St.  
Vancouver British Columbia V6E 3S7 Canada

Project: McQuesten  
Report Date: December 09, 2019

Page: 2 of 2 Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000766.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200		
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
STD OXB130	Standard																			
STD OXB130	Standard																			
STD OXB130	Standard																			
STD OXI138	Standard																			
STD OXI138	Standard																			
STD OXI138	Standard																			
STD OXN117	Standard																			
STD OXN117	Standard																			
STD OXN117	Standard																			
STD BVGE001 Expected		0.0727	25.9	171	1.2963	340	0.233		2.347	0.1924	0.89	3.5	0.1	5.97	0.62	0.6655	7.37	4.84	1.02	
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56	
STD OREAS262 Expected		0.04	15.9	41.7	1.17	248	0.003		1.204	0.071	0.312	0.13	0.17	3.24	0.47	0.253	3.73	0.4	0.23	
STD OXI138 Expected																				
STD OXB130 Expected																				
STD OXN117 Expected																				
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	0.2	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																			
BLK	Blank																			
Prep Wash																				
ROCK-WHI	Prep Blank	0.043	7	2	0.42	56	0.083	<20	0.80	0.092	0.11	<0.1	<0.01	2.9	<0.1	<0.05	3	<0.5	<0.2	
ROCK-WHI	Prep Blank	0.042	7	2	0.42	48	0.077	<20	0.73	0.056	0.08	<0.1	<0.01	2.6	<0.1	<0.05	3	<0.5	<0.2	