



MS Analytical

An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Go Cobalt Mining Corp.**
810-789 West Pender Street
Vancouver, BC, V6C 2V6
Canada

CERTIFICATE OF ANALYSIS: YVR1810668

Project Name: Monster 2018
Job Received Date: 17-Jul-2018
Job Report Date: 06-Aug-2018
Number of Samples: 41
Report Version: Final

COMMENTS:

Coarse gold may be present in some samples. NR indicates sample not received.

Test results reported relate only to the samples as received by the laboratory. Unless otherwise stated above, sufficient sample was received for the methods requested and all samples were received in acceptable condition. Analytical results in unsigned reports marked "preliminary" are subject to change, pending final QC review. Please refer to MS Analyticals' *Schedule of Services and Fees* for our complete Terms and Conditions

SAMPLE PREPARATION	
METHOD CODE	DESCRIPTION
PRP-910	Dry, Crush to 70% passing 2mm, Split 250g, Pulverize to 85% passing 75µm

ANALYTICAL METHODS	
METHOD CODE	DESCRIPTION
IMS-131	Multi-Element, 20g, 3:1 Aqua Regia, ICP-AES/MS, Ultra Trace Level

Signature:

Yvette Hsi, BSc.
Laboratory Manager
MS Analytical



An A2 Global Company

MS Analytical
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Go Cobalt Mining Corp.**
810-789 West Pender Street
Vancouver, BC, V6C 2V6
Canada

CERTIFICATE OF ANALYSIS:	YVR1810668
---------------------------------	-------------------

Project Name: Monster 2018
 Job Received Date: 17-Jul-2018
 Job Report Date: 06-Aug-2018
 Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	IMS-131 Ag ppm	IMS-131 Al %	IMS-131 As ppm	IMS-131 Au ppm	IMS-131 B ppm	IMS-131 Ba ppm	IMS-131 Be ppm	IMS-131 Bi ppm	IMS-131 Ca %	IMS-131 Cd ppm	IMS-131 Ce ppm
Granite Blank	QC-P-BK	--	LOR	0.03	1.03	1.0	0.0009	40	63	0.23	0.01	0.81	0.20	12.25
Granite Blank	QC-P-BK	--		0.02	1.01	0.8	0.0008	35	63	0.23	0.01	0.79	0.18	12.31
M18-1	Rock	1.65		0.04	0.62	5.9	0.0076	36	130	0.15	0.35	2.16	0.08	39.15
M18-1PD	QC-PD	--		0.04	0.65	5.9	0.0055	32	145	0.15	0.32	2.14	0.10	38.70
M18-2	Rock	1.12		0.86	1.95	84.8	0.0080	28	153	0.18	0.38	0.06	0.09	50.24
M18-3	Rock	1.10		1.55	0.26	39.8	0.0035	21	53	0.13	0.79	2.55	0.13	45.89
M18-4	Rock	1.52		0.01	3.11	2.6	0.0020	24	49	0.18	0.09	1.71	0.02	7.38
M18-5a	Rock	0.39		0.26	1.11	102.3	0.0023	19	247	0.68	10.07	0.50	0.03	20.56
M18-5b	Rock	3.61		0.17	1.28	1.6	0.0014	24	204	0.43	0.19	0.96	0.05	31.00
M18-6	Rock	1.66		0.01	0.43	4.8	0.0007	<10	158	0.22	0.07	3.35	0.02	11.43
M18-7	Rock	1.01		0.01	2.57	2.1	0.0048	16	715	0.50	0.06	2.39	0.02	40.66
M18-8	Rock	1.00		0.02	3.02	1.2	0.0010	<10	1872	0.21	0.07	5.59	0.01	29.95
M18-9	Rock	1.11		0.08	3.60	20.6	0.0013	13	208	0.26	0.41	3.08	<0.01	11.35
M18-10	Rock	1.29		0.12	3.00	19.9	0.0065	10	202	0.30	4.55	6.12	0.04	10.47
M18-11	Rock	1.26		0.05	0.07	2.2	<0.0005	<10	28	0.08	0.06	11.03	0.02	18.01
M18-12	Rock	1.80		0.13	3.86	5.8	0.0030	<10	1121	0.49	0.53	2.62	0.03	12.09
M18-13	Rock	0.98		0.08	0.02	1.3	0.0016	<10	1076	<0.05	2.61	>25	0.70	9.61
M18-14	Rock	0.79		<0.01	0.23	1.1	<0.0005	<10	21	0.18	0.02	10.77	<0.01	5.25
M18-15	Rock	1.01		0.01	0.50	17.7	0.0013	<10	43	0.16	0.28	3.25	0.01	2.36
M18-16	Rock	1.64		0.06	0.19	1.5	<0.0005	<10	51	0.10	0.06	8.34	0.03	7.32
M18-17	Rock	2.03		0.05	0.03	0.4	0.0006	<10	11	<0.05	0.05	5.69	0.08	2.83
M18-18	Rock	1.06		<0.01	3.99	0.6	<0.0005	<10	26	0.58	0.02	0.72	<0.01	14.74
M18-19	Rock	0.98		0.09	2.20	7.1	0.0035	<10	42	0.25	0.30	2.49	0.03	28.95
M18-20	Rock	1.09		<0.01	0.85	1.1	0.0020	<10	41	0.16	0.03	2.95	0.03	37.54
M18-22	Rock	1.31		0.01	2.32	0.4	0.0010	<10	437	0.24	0.14	3.92	<0.01	17.59

***Please refer to the cover page for comments regarding this certificate. ***



An A2 Global Company

MS Analytical
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Go Cobalt Mining Corp.**
810-789 West Pender Street
Vancouver, BC, V6C 2V6
Canada

CERTIFICATE OF ANALYSIS: YVR1810668

Project Name: Monster 2018
 Job Received Date: 17-Jul-2018
 Job Report Date: 06-Aug-2018
 Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	IMS-131 Ag ppm	IMS-131 Al %	IMS-131 As ppm	IMS-131 Au ppm	IMS-131 B ppm	IMS-131 Ba ppm	IMS-131 Be ppm	IMS-131 Bi ppm	IMS-131 Ca %	IMS-131 Cd ppm	IMS-131 Ce ppm
		0.01	LOR	0.01	0.01	0.1	0.0005	10	10	0.05	0.01	0.01	0.01	0.02
M18-23	Rock	NR		NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
M18-24	Rock	3.88		0.12	0.05	1.0	0.0013	<10	<10	0.06	0.21	15.94	0.05	13.92
M18-25	Rock	0.85		<0.01	0.46	1.5	0.0010	<10	80	0.32	0.01	7.10	<0.01	33.56
M18-26	Rock	1.59		0.10	1.33	3.8	0.0007	<10	91	1.31	0.64	0.21	0.02	159.68
M18-27	Rock	0.60		0.22	0.27	0.4	0.0035	<10	23	0.06	0.12	4.91	0.02	14.78
M18-29	Rock	0.63		0.04	0.30	0.2	<0.0005	<10	<10	0.07	1.27	14.60	<0.01	3.08
M18-30	Rock	0.59		0.03	1.00	4.1	0.0010	<10	131	0.26	0.11	3.85	<0.01	21.20
M18-31	Rock	0.68		1.11	0.65	3.5	0.0024	<10	17	0.15	0.83	0.03	0.02	116.10
M18-32	Rock	0.74		0.25	0.17	1.2	0.0133	<10	17	0.14	0.28	6.94	0.02	4.89
M18-34	Rock	2.28		0.11	1.68	4.4	0.0044	<10	60	0.39	0.36	0.22	0.02	67.47
M18-35	Rock	1.86		0.01	2.50	2.9	0.0024	<10	24	0.48	0.01	0.46	0.02	3.74
M18-36	Rock	1.10		0.05	0.22	3.7	0.0006	13	24	0.08	<0.01	2.81	0.01	56.08
M18-39	Rock	1.75		0.08	2.64	3.2	0.0045	<10	392	0.59	0.27	1.35	<0.01	42.73
M18-39PD	QC-PD	--		0.07	2.53	3.3	0.0029	<10	430	0.58	0.27	1.41	<0.01	40.27
M18-40	Rock	1.73		<0.01	0.37	0.6	<0.0005	<10	66	0.32	0.02	3.82	<0.01	6.05
M18-41	Rock	1.84		<0.01	0.41	0.8	<0.0005	<10	61	0.39	0.03	1.99	<0.01	15.98
M18-42	Rock	0.60		<0.01	0.51	0.8	0.0008	<10	94	0.52	0.05	1.42	<0.01	22.40
L1	Rock	2.48		<0.01	0.33	1.4	<0.0005	<10	1497	0.08	0.08	2.87	0.01	30.75
L2	Rock	1.58		0.02	2.64	4.2	0.0014	<10	2373	0.42	0.32	1.63	<0.01	6.88
L3	Rock	2.38		3.62	0.20	19.8	<0.0005	<10	390	0.22	0.07	9.53	31.49	12.82
DUP M18-42				<0.01	0.48	0.8	0.0008	<10	90	0.51	0.05	1.40	0.01	20.53
STD BLANK				<0.01	<0.01	<0.1	<0.0005	<10	<10	<0.05	<0.01	<0.01	<0.01	<0.02
STD OREAS 601				46.24	0.87	277.3	0.7463	<10	133	0.66	20.37	1.15	7.31	44.94

***Please refer to the cover page for comments regarding this certificate. ***



An A2 Global Company

MS Analytical
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Go Cobalt Mining Corp.**
810-789 West Pender Street
Vancouver, BC, V6C 2V6
Canada

CERTIFICATE OF ANALYSIS: YVR1810668

Project Name: Monster 2018
 Job Received Date: 17-Jul-2018
 Job Report Date: 06-Aug-2018
 Report Version: Final

	IMS-131 Co ppm	IMS-131 Cr ppm	IMS-131 Cs ppm	IMS-131 Cu ppm	IMS-131 Fe %	IMS-131 Ga ppm	IMS-131 Ge ppm	IMS-131 Hf ppm	IMS-131 Hg ppm	IMS-131 In ppm	IMS-131 K %	IMS-131 La ppm	IMS-131 Li ppm	IMS-131 Mg %
Sample ID	0.1	1	0.05	0.2	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01
Granite Blank	4.0	120	0.16	4.7	1.89	4.05	<0.05	0.18	<0.005	0.012	0.12	6.3	2.3	0.51
Granite Blank	3.8	112	0.16	4.1	1.84	4.07	<0.05	0.18	<0.005	0.013	0.12	6.3	2.2	0.50
M18-1	50.5	97	<0.05	5.0	7.75	4.11	<0.05	0.36	0.119	0.105	0.21	20.2	10.9	1.53
M18-1PD	46.5	112	<0.05	5.1	7.95	4.22	<0.05	0.35	0.128	0.105	0.22	20.4	11.1	1.55
M18-2	38.9	124	0.44	168.5	6.91	7.74	<0.05	0.23	1.016	0.027	0.10	24.3	33.8	1.80
M18-3	29.4	156	0.25	4751.2	1.66	2.33	<0.05	0.40	0.160	0.055	0.19	20.7	3.0	1.42
M18-4	53.4	171	0.11	31.7	5.93	10.53	<0.05	0.14	0.007	0.032	0.06	3.5	48.9	4.95
M18-5a	78.6	108	0.72	7591.0	2.36	3.70	<0.05	0.74	0.009	0.106	0.40	10.8	11.7	0.71
M18-5b	12.2	117	0.94	3387.4	3.53	4.52	<0.05	0.38	0.042	0.039	0.43	16.0	19.1	1.23
M18-6	11.8	135	0.15	49.0	1.06	1.39	<0.05	0.29	0.010	0.041	0.30	5.8	1.5	1.81
M18-7	38.8	81	0.26	2.5	7.51	12.15	<0.05	0.52	0.021	0.027	0.29	20.8	39.0	3.93
M18-8	14.3	60	0.42	261.6	5.73	11.66	<0.05	0.47	0.014	0.088	0.12	15.9	30.5	6.82
M18-9	61.6	182	0.43	728.9	8.15	13.44	<0.05	0.05	0.015	0.105	0.15	5.5	57.2	5.45
M18-10	48.8	142	0.45	481.3	6.95	9.84	<0.05	0.16	0.006	0.051	0.16	4.8	79.3	3.30
M18-11	3.1	56	<0.05	547.6	2.13	1.05	<0.05	0.18	0.013	0.042	0.07	10.4	0.9	5.97
M18-12	39.2	154	0.69	1316.3	7.84	12.95	<0.05	0.08	0.008	0.133	0.17	6.8	82.6	4.45
M18-13	5.4	5	<0.05	149.4	1.38	0.55	<0.05	<0.02	0.037	0.048	<0.01	5.4	0.4	0.27
M18-14	5.7	43	0.14	1.2	2.13	0.88	<0.05	0.10	0.026	0.042	0.18	2.9	9.5	6.32
M18-15	111.1	117	0.05	4.6	2.49	0.95	<0.05	0.15	0.008	0.015	0.19	1.1	7.4	1.73
M18-16	12.4	79	0.05	1295.2	7.62	1.09	<0.05	0.03	0.016	0.050	0.02	3.3	2.0	4.49
M18-17	3.4	135	<0.05	293.7	1.47	0.23	<0.05	<0.02	0.014	0.064	0.01	0.9	0.8	3.47
M18-18	24.6	260	0.18	7.2	8.93	11.46	0.19	0.05	<0.005	0.016	0.02	8.2	55.8	4.49
M18-19	52.0	58	0.07	1765.7	7.61	10.86	<0.05	0.03	0.009	0.062	0.05	15.8	29.0	3.65
M18-20	7.5	63	0.09	29.2	5.11	5.44	<0.05	0.47	0.013	0.021	0.22	18.3	13.8	0.72
M18-22	28.9	128	0.93	3612.3	6.21	7.75	<0.05	0.04	0.010	0.095	0.21	9.3	52.6	4.31

Please refer to the cover page for comments regarding this certificate.



An A2 Global Company

MS Analytical
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Go Cobalt Mining Corp.**
810-789 West Pender Street
Vancouver, BC, V6C 2V6
Canada

CERTIFICATE OF ANALYSIS:	YVR1810668
---------------------------------	-------------------

Project Name: Monster 2018
 Job Received Date: 17-Jul-2018
 Job Report Date: 06-Aug-2018
 Report Version: Final

Sample ID	IMS-131 Co ppm	IMS-131 Cr ppm	IMS-131 Cs ppm	IMS-131 Cu ppm	IMS-131 Fe %	IMS-131 Ga ppm	IMS-131 Ge ppm	IMS-131 Hf ppm	IMS-131 Hg ppm	IMS-131 In ppm	IMS-131 K %	IMS-131 La ppm	IMS-131 Li ppm	IMS-131 Mg %
M18-23	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
M18-24	7.5	26	<0.05	2385.3	2.96	0.76	<0.05	0.13	0.033	0.050	0.03	7.1	1.2	9.79
M18-25	3.5	41	0.17	9.3	3.43	2.65	<0.05	0.53	0.006	0.029	0.34	16.8	11.5	4.40
M18-26	10.5	51	0.95	1865.8	2.28	9.21	<0.05	0.28	0.031	0.027	0.36	87.8	10.3	0.56
M18-27	3.9	96	0.16	1794.7	2.00	1.31	<0.05	0.06	0.009	0.054	0.08	7.2	4.3	2.67
M18-29	8.8	35	0.06	42.9	2.67	1.12	<0.05	0.03	<0.005	0.038	0.04	1.2	4.3	8.94
M18-30	15.9	95	0.33	59.6	2.91	3.59	<0.05	0.14	0.006	0.031	0.22	10.7	15.3	2.73
M18-31	6.5	138	0.22	5778.3	1.52	6.23	<0.05	0.12	<0.005	0.116	0.08	49.5	7.8	0.32
M18-32	9.1	66	0.08	3900.1	2.18	0.58	<0.05	0.08	0.008	0.053	0.12	1.9	1.5	4.02
M18-34	12.7	69	0.55	5397.7	2.52	5.56	<0.05	0.28	0.012	0.039	0.40	32.8	32.7	1.52
M18-35	15.5	89	0.78	21.0	6.19	8.12	<0.05	0.21	0.032	0.011	0.16	1.9	50.9	2.91
M18-36	2.6	62	<0.05	7.0	17.30	4.20	0.28	<0.02	0.008	0.047	<0.01	25.8	2.3	1.36
M18-39	25.6	81	0.30	8204.0	6.22	9.73	0.07	0.29	0.036	0.026	0.14	19.6	64.4	3.68
M18-39PD	25.9	72	0.30	8016.7	5.90	9.43	0.07	0.28	0.034	0.024	0.13	18.7	62.0	3.56
M18-40	8.4	47	0.17	29.7	3.16	0.95	<0.05	0.38	0.006	0.021	0.30	2.5	2.2	2.01
M18-41	10.4	43	0.24	16.3	3.04	1.35	<0.05	0.42	<0.005	0.014	0.32	7.9	3.0	0.98
M18-42	11.6	40	0.31	2.6	3.80	1.80	<0.05	0.41	0.005	0.016	0.41	12.1	2.9	0.66
L1	19.2	84	<0.05	2.5	3.77	2.50	0.06	0.38	0.007	0.016	0.14	17.4	4.5	0.70
L2	31.5	145	0.43	47.6	5.71	7.92	0.11	0.17	<0.005	0.073	0.15	3.2	47.9	3.11
L3	18.8	41	0.44	60.1	2.78	1.23	<0.05	0.15	1.538	0.014	0.14	6.1	3.7	6.20
DUP M18-42	11.5	39	0.29	2.1	3.70	1.72	<0.05	0.39	0.006	0.015	0.39	10.7	3.2	0.64
STD BLANK	<0.1	<1	<0.05	<0.2	<0.01	<0.05	<0.05	<0.02	<0.005	<0.005	<0.01	<0.2	<0.1	<0.01
STD OREAS 601	4.5	47	1.87	1053.1	2.31	4.83	0.13	0.66	0.295	1.616	0.26	21.8	8.1	0.20

***Please refer to the cover page for comments regarding this certificate. ***



An A2 Global Company

MS Analytical
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Go Cobalt Mining Corp.**
810-789 West Pender Street
Vancouver, BC, V6C 2V6
Canada

CERTIFICATE OF ANALYSIS:	YVR1810668
---------------------------------	-------------------

Project Name: Monster 2018
 Job Received Date: 17-Jul-2018
 Job Report Date: 06-Aug-2018
 Report Version: Final

	IMS-131 Mn ppm	IMS-131 Mo ppm	IMS-131 Na %	IMS-131 Nb ppm	IMS-131 Ni ppm	IMS-131 P ppm	IMS-131 Pb ppm	IMS-131 Rb ppm	IMS-131 Re ppm	IMS-131 S %	IMS-131 Sb ppm	IMS-131 Sc ppm	IMS-131 Se ppm	IMS-131 Sn ppm
Sample ID	5	0.05	0.01	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2
Granite Blank	505	2.39	0.12	0.41	3.5	443	34.9	3.0	<0.001	0.02	0.14	3.4	<0.2	0.6
Granite Blank	491	2.30	0.12	0.39	3.2	427	29.2	2.9	<0.001	0.01	0.07	3.4	<0.2	0.5
M18-1	1316	1.09	0.02	0.44	26.5	514	13.6	3.5	<0.001	0.59	0.31	11.5	0.6	1.5
M18-1PD	1378	1.18	0.03	0.44	25.8	528	14.4	3.7	<0.001	0.53	0.31	11.8	0.6	1.5
M18-2	955	8.91	<0.01	<0.05	36.8	282	50.7	2.6	<0.001	0.06	6.74	4.9	1.2	0.3
M18-3	753	3.61	<0.01	0.09	21.7	441	21.4	3.9	0.001	0.09	1.73	4.8	4.8	0.3
M18-4	2078	0.64	0.06	<0.05	134.4	301	3.1	1.9	<0.001	0.08	0.19	17.0	<0.2	0.5
M18-5a	264	7.64	0.05	<0.05	12.0	546	6.0	19.5	0.003	0.20	0.41	2.0	0.3	0.3
M18-5b	674	1.14	0.04	<0.05	23.0	406	3.3	18.8	<0.001	0.28	0.42	7.8	0.7	0.4
M18-6	1150	2.34	0.04	<0.05	8.4	348	1.7	11.5	<0.001	0.05	0.10	2.6	<0.2	0.3
M18-7	1009	2.72	0.09	<0.05	74.7	834	1.8	13.8	0.002	0.21	0.21	7.2	0.4	0.9
M18-8	1978	0.52	0.18	<0.05	32.9	983	2.5	3.6	<0.001	0.13	0.21	14.5	<0.2	0.5
M18-9	1746	0.55	0.04	<0.05	96.6	524	2.8	3.5	0.001	0.27	0.18	38.6	0.6	0.3
M18-10	1615	0.26	0.04	0.06	86.2	447	11.6	9.2	<0.001	0.09	0.42	36.2	0.6	0.6
M18-11	2658	0.55	<0.01	0.07	4.2	1280	4.1	1.7	<0.001	0.03	0.08	2.3	<0.2	0.3
M18-12	1208	0.35	0.11	<0.05	78.9	551	248.6	6.5	<0.001	0.08	0.48	32.8	0.3	0.4
M18-13	3280	0.20	0.10	<0.05	4.6	42	81.6	0.1	<0.001	0.02	0.15	2.6	<0.2	<0.2
M18-14	3508	0.33	<0.01	0.06	8.2	1817	2.2	9.7	<0.001	<0.01	0.67	1.6	<0.2	<0.2
M18-15	1085	1.25	0.05	<0.05	13.9	375	2.7	5.6	<0.001	0.76	0.07	3.0	1.7	<0.2
M18-16	3682	2.84	<0.01	0.14	11.2	193	5.7	0.9	<0.001	0.10	0.27	1.3	0.2	1.8
M18-17	1270	1.45	0.01	0.06	3.7	166	7.6	0.5	0.001	0.01	0.07	0.4	<0.2	0.3
M18-18	1506	0.29	0.03	<0.05	77.2	580	3.7	1.2	<0.001	<0.01	0.07	16.3	<0.2	<0.2
M18-19	1462	1.75	0.07	<0.05	56.8	425	1.6	1.3	<0.001	0.13	0.28	29.5	1.8	0.2
M18-20	456	2.09	0.02	0.06	21.2	511	1.7	6.0	<0.001	<0.01	0.23	3.3	<0.2	0.5
M18-22	1868	1.36	0.06	<0.05	106.0	103	0.7	6.6	<0.001	0.32	0.22	27.3	0.8	0.3

***Please refer to the cover page for comments regarding this certificate. ***



An A2 Global Company

MS Analytical
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Go Cobalt Mining Corp.**
810-789 West Pender Street
Vancouver, BC, V6C 2V6
Canada

CERTIFICATE OF ANALYSIS:	YVR1810668
---------------------------------	-------------------

Project Name: Monster 2018
 Job Received Date: 17-Jul-2018
 Job Report Date: 06-Aug-2018
 Report Version: Final

	IMS-131 Mn ppm	IMS-131 Mo ppm	IMS-131 Na %	IMS-131 Nb ppm	IMS-131 Ni ppm	IMS-131 P ppm	IMS-131 Pb ppm	IMS-131 Rb ppm	IMS-131 Re ppm	IMS-131 S %	IMS-131 Sb ppm	IMS-131 Sc ppm	IMS-131 Se ppm	IMS-131 Sn ppm
Sample ID	5	0.05	0.01	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2
M18-23	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
M18-24	3563	0.63	<0.01	<0.05	8.5	78	6.0	1.2	<0.001	0.25	0.18	0.7	1.5	<0.2
M18-25	1972	0.81	<0.01	0.05	8.1	817	1.2	16.0	<0.001	<0.01	0.19	2.0	<0.2	0.3
M18-26	149	1.17	0.03	<0.05	24.8	617	6.0	19.3	<0.001	0.20	0.27	2.2	0.3	0.6
M18-27	2950	2.24	0.01	0.09	9.0	265	1.3	5.3	0.001	0.10	0.07	0.5	0.7	<0.2
M18-29	4498	1.17	<0.01	<0.05	10.2	373	0.8	2.7	<0.001	<0.01	<0.05	3.3	0.2	<0.2
M18-30	2082	1.57	0.02	<0.05	18.6	446	1.4	10.8	<0.001	<0.01	0.11	4.4	<0.2	0.4
M18-31	74	3.17	<0.01	0.05	13.5	94	10.7	4.4	0.001	<0.01	0.13	0.5	0.2	0.2
M18-32	3135	2.62	<0.01	<0.05	7.3	397	2.0	5.3	<0.001	0.06	0.08	1.6	0.6	<0.2
M18-34	157	2.66	<0.01	<0.05	28.3	931	1.2	22.3	<0.001	<0.01	0.20	2.8	1.4	0.4
M18-35	329	1.35	0.02	<0.05	42.6	872	0.9	6.8	<0.001	<0.01	0.15	4.8	<0.2	1.1
M18-36	1047	1.84	0.01	6.66	15.5	2479	0.7	0.3	<0.001	<0.01	0.36	1.6	<0.2	2.4
M18-39	793	3.24	0.06	<0.05	51.0	701	1.1	6.6	<0.001	0.48	0.17	6.7	1.6	1.0
M18-39PD	784	3.08	0.07	<0.05	49.3	703	1.1	6.3	<0.001	0.44	0.17	6.7	1.6	0.9
M18-40	1129	0.87	0.01	0.06	5.7	1089	0.9	13.2	<0.001	0.20	0.13	2.0	<0.2	0.6
M18-41	725	0.99	0.01	0.05	6.7	913	1.0	14.6	<0.001	0.16	0.17	1.8	<0.2	0.5
M18-42	751	0.97	0.02	0.09	7.1	967	1.2	20.1	<0.001	0.18	0.22	2.0	<0.2	0.5
L1	640	1.39	0.13	0.14	5.3	496	2.0	3.1	<0.001	0.04	0.20	3.3	<0.2	0.7
L2	1016	0.53	0.21	<0.05	61.4	336	1.4	9.0	<0.001	0.05	0.62	17.7	<0.2	0.5
L3	2340	1.66	0.04	<0.05	37.0	62	148.3	5.9	0.002	0.58	5.62	2.2	<0.2	0.3
DUP M18-42	742	0.95	0.01	0.08	7.0	960	1.2	18.8	<0.001	0.18	0.23	1.9	<0.2	0.5
STD BLANK	<5	<0.05	<0.01	<0.05	<0.2	<10	<0.2	<0.1	<0.001	<0.01	<0.05	<0.1	<0.2	<0.2
STD OREAS 601	446	3.58	0.09	0.35	23.0	363	283.8	14.8	<0.001	1.11	20.53	1.7	11.9	2.5

***Please refer to the cover page for comments regarding this certificate. ***



An A2 Global Company

MS Analytical
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Go Cobalt Mining Corp.**
810-789 West Pender Street
Vancouver, BC, V6C 2V6
Canada

CERTIFICATE OF ANALYSIS:	YVR1810668
---------------------------------	-------------------

Project Name: Monster 2018
 Job Received Date: 17-Jul-2018
 Job Report Date: 06-Aug-2018
 Report Version: Final

	IMS-131 Sr ppm	IMS-131 Ta ppm	IMS-131 Te ppm	IMS-131 Th ppm	IMS-131 Ti %	IMS-131 Tl ppm	IMS-131 U ppm	IMS-131 V ppm	IMS-131 W ppm	IMS-131 Y ppm	IMS-131 Zn ppm	IMS-131 Zr ppm
Sample ID	0.2	0.01	0.01	0.2	0.005	0.02	0.05	1	0.05	0.05	1	0.5
Granite Blank	28.0	0.01	0.01	2.0	0.094	0.02	0.41	24	0.90	8.93	86	3.9
Granite Blank	28.4	<0.01	<0.01	2.0	0.095	0.02	0.41	24	0.90	8.92	77	3.8
M18-1	3.6	<0.01	0.06	9.0	0.072	<0.02	0.51	47	4.12	8.48	31	15.2
M18-1PD	3.6	<0.01	0.07	9.0	0.075	<0.02	0.53	48	4.21	8.68	34	15.0
M18-2	3.0	<0.01	0.05	2.7	<0.005	<0.02	2.04	50	0.63	2.60	60	8.0
M18-3	9.8	<0.01	0.16	6.1	<0.005	0.10	3.28	33	1.22	5.04	35	14.6
M18-4	6.5	<0.01	0.01	0.9	0.006	<0.02	0.46	104	0.55	4.86	85	5.4
M18-5a	4.9	<0.01	0.01	5.4	<0.005	0.15	9.16	11	0.64	8.12	12	22.6
M18-5b	3.9	<0.01	<0.01	4.4	0.014	0.07	1.58	69	0.52	5.70	26	12.9
M18-6	5.7	<0.01	0.04	4.3	<0.005	0.03	0.93	8	0.79	5.31	4	11.5
M18-7	27.8	<0.01	0.09	11.6	0.035	0.03	2.57	67	0.74	6.05	17	16.6
M18-8	67.8	<0.01	<0.01	4.8	0.005	0.08	1.11	58	0.21	12.05	56	15.3
M18-9	12.8	<0.01	0.01	<0.2	0.007	0.02	0.08	213	0.07	15.13	93	1.1
M18-10	40.7	<0.01	<0.01	<0.2	0.210	0.04	0.07	209	<0.05	15.49	84	3.0
M18-11	35.9	<0.01	<0.01	2.9	<0.005	<0.02	0.87	11	<0.05	12.11	13	5.8
M18-12	26.4	<0.01	0.01	0.9	0.014	0.02	1.19	230	<0.05	8.67	85	2.3
M18-13	1834.7	<0.01	0.02	<0.2	<0.005	<0.02	1.48	4	<0.05	18.15	206	<0.5
M18-14	61.3	<0.01	0.01	2.5	<0.005	<0.02	1.65	8	0.21	8.84	5	3.4
M18-15	8.1	<0.01	0.03	2.8	<0.005	0.03	0.44	5	<0.05	3.05	5	5.6
M18-16	25.0	<0.01	<0.01	0.9	0.006	<0.02	1.68	29	1.93	12.57	6	0.9
M18-17	8.6	<0.01	0.07	<0.2	<0.005	<0.02	1.11	4	0.11	3.44	21	<0.5
M18-18	5.4	<0.01	0.01	1.3	0.011	<0.02	0.09	171	<0.05	3.06	86	2.3
M18-19	8.0	<0.01	0.06	0.4	0.033	<0.02	0.80	293	0.11	13.04	36	1.0
M18-20	9.5	<0.01	0.03	8.7	0.015	<0.02	4.07	46	0.71	10.22	11	15.0
M18-22	12.5	<0.01	0.01	0.5	0.007	0.02	0.29	85	0.13	10.97	75	1.1

***Please refer to the cover page for comments regarding this certificate. ***



An A2 Global Company

MS Analytical
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Go Cobalt Mining Corp.**
810-789 West Pender Street
Vancouver, BC, V6C 2V6
Canada

CERTIFICATE OF ANALYSIS:	YVR1810668
---------------------------------	-------------------

Project Name: Monster 2018
 Job Received Date: 17-Jul-2018
 Job Report Date: 06-Aug-2018
 Report Version: Final

	IMS-131 Sr ppm	IMS-131 Ta ppm	IMS-131 Te ppm	IMS-131 Th ppm	IMS-131 Ti %	IMS-131 Tl ppm	IMS-131 U ppm	IMS-131 V ppm	IMS-131 W ppm	IMS-131 Y ppm	IMS-131 Zn ppm	IMS-131 Zr ppm
Sample ID	0.2	0.01	0.01	0.2	0.005	0.02	0.05	1	0.05	0.05	1	0.5
M18-23	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
M18-24	22.6	<0.01	<0.01	0.9	<0.005	<0.02	1.34	7	0.20	15.00	16	5.2
M18-25	13.4	<0.01	0.01	6.6	0.020	0.03	1.20	10	0.29	10.15	8	16.3
M18-26	3.3	<0.01	0.04	11.8	<0.005	0.08	0.95	15	0.17	5.56	8	11.1
M18-27	12.1	<0.01	0.04	1.3	<0.005	<0.02	3.15	6	0.55	6.00	4	2.1
M18-29	36.2	<0.01	0.12	1.1	<0.005	<0.02	0.90	6	0.25	11.09	3	0.9
M18-30	16.7	<0.01	0.04	4.6	0.013	0.04	0.69	28	0.44	6.19	14	5.4
M18-31	2.0	<0.01	0.05	6.1	<0.005	<0.02	4.30	7	0.68	2.01	11	4.0
M18-32	32.6	<0.01	<0.01	2.1	<0.005	<0.02	3.08	4	0.38	4.30	6	3.3
M18-34	5.0	<0.01	<0.01	12.5	0.005	0.07	4.79	18	0.29	3.66	10	10.1
M18-35	2.3	<0.01	0.05	10.0	0.038	0.02	0.90	67	0.59	1.83	34	7.1
M18-36	5.7	0.01	0.02	0.4	0.006	<0.02	0.49	330	1.14	6.67	5	<0.5
M18-39	11.2	<0.01	0.05	11.0	0.020	<0.02	5.07	50	0.32	6.43	35	10.8
M18-39PD	11.1	<0.01	0.01	11.0	0.018	<0.02	5.28	47	0.29	6.48	33	10.8
M18-40	10.6	<0.01	0.02	10.4	0.032	0.03	1.69	9	0.35	6.22	2	14.3
M18-41	6.7	<0.01	0.02	11.5	0.037	0.04	1.56	10	0.32	4.65	1	15.6
M18-42	10.0	<0.01	0.03	12.7	0.060	0.05	2.61	14	0.33	4.72	2	16.8
L1	16.5	<0.01	0.01	6.1	0.033	<0.02	1.51	24	0.65	5.31	6	13.0
L2	80.9	<0.01	0.04	0.3	0.297	0.02	0.18	176	0.27	7.45	62	3.9
L3	30.8	<0.01	<0.01	2.2	<0.005	0.09	0.47	5	0.25	13.08	9991	6.3
DUP M18-42	9.7	<0.01	0.02	12.2	0.057	0.04	2.49	13	0.32	4.58	1	16.3
STD BLANK	<0.2	<0.01	<0.01	<0.2	<0.005	<0.02	<0.05	<1	<0.05	<0.05	<1	<0.5
STD OREAS 601	35.3	<0.01	14.72	6.3	0.012	0.68	1.84	9	1.08	5.53	1300	26.5

***Please refer to the cover page for comments regarding this certificate. ***