



MSALABS  
 Unit 1, 20120 102nd Avenue  
 Langley, BC V1M 4B4  
 Phone: +1-604-888-0875

To: **Go Cobalt Mining Corp.**  
**1100 Melville Street**  
**Vancouver, BC, V6E 4A6**  
**Canada**

**TEST REPORT: YVR1910514**

Project Name: Monster 2019  
 Job Received Date: 29-Jul-2019  
 Job Report Date: 26-Aug-2019  
 Number of Samples: 90  
 Report Version: Final

**COMMENTS:**

Coarse gold may be present in some samples.

Test results reported relate to the tested samples only on an "as received" basis. Unless otherwise stated above, sufficient sample was received for the methods requested and all samples were received in acceptable condition. Analytical results in unsigned reports marked "provisional" are subject to change, pending final QC review and approval. The customer has not provided any information that can affect the validity of the test results. Please refer to MSALABS' Schedule of Services and Fees for our complete Terms and Conditions. Preliminary results are applicable when a portion of samples in a job is 100% completed and reported or 1 of a number of methods on the same job have been completed 100%. Results cannot change, but additional results or results for additional methods can be added.

SAMPLE PREPARATION	
METHOD CODE	DESCRIPTION
PRP-910	Dry, Crush to 70% passing 2mm, Split 250g, Pulverize to 85% passing 75µm

ANALYTICAL METHODS	
METHOD CODE	DESCRIPTION
FAS-111	Au, Fire Assay, 30g fusion, AAS, Trace Level
ICF-6Cu	Cu, 0.2g, 4-Acid, ICP-AES, Ore Grade
ICA-6Co	Co, 0.4g, 3:1 Aqua Regia, ICP-AES, Ore Grade
ICA-6Cu	Cu, 0.4g, 3:1 Aqua Regia, ICP-AES, Ore Grade
IMS-131	Multi-Element, 20g, 3:1 Aqua Regia, ICP-AES/MS, Ultra Trace Level

**Signature:**

Yvette Hsi, BSc.  
 Laboratory Manager  
 MSALABS



MSALABS  
 Unit 1, 20120 102nd Avenue  
 Langley, BC V1M 4B4  
 Phone: +1-604-888-0875

To: **Go Cobalt Mining Corp.**  
**1100 Melville Street**  
**Vancouver, BC, V6E 4A6**  
**Canada**

<b>TEST REPORT:</b>	<b>YVR1910514</b>
---------------------	-------------------

Project Name: Monster 2019  
 Job Received Date: 29-Jul-2019  
 Job Report Date: 26-Aug-2019  
 Report Version: Final

	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	FAS-111 Au ppm	ICF-6Cu Cu %	ICA-6Co Co %	ICA-6Cu Cu %	IMS-131 Ag ppm	IMS-131 Al %	IMS-131 As ppm	IMS-131 Au ppm	IMS-131 B ppm
		0.01	LOR	0.005	0.001	0.001	0.001	0.01	0.01	0.1	0.0005	10
Granite Blank	QC-P-BK	--						0.01	0.98	0.8	<0.0005	<10
Granite Blank	QC-P-BK	--						0.01	1.11	0.7	<0.0005	<10
034752	Rock	1.63		0.033			1.054	0.61	5.10	376.8	0.0342	21
034753	Rock	1.66		0.071			1.229	1.14	2.95	140.4	0.0141	16
034754	Rock	0.65		0.009			1.289	0.27	3.92	2.0	0.0091	26
034755	Rock	0.96		0.075			2.722	2.31	3.85	5.2	0.1583	19
034756	Rock	1.16		0.020				0.12	3.91	0.5	0.0221	21
034757	Rock	0.31		0.028	22.332		>10	0.28	0.78	8.8	0.0121	10
034758	Rock	0.58		0.010				0.18	0.23	47.3	0.0128	<10
034759	Rock	1.28						0.06	1.92	0.6	0.0009	19
034760	Rock	0.73						0.22	1.68	1.4	0.0020	17
034761	Rock	0.68		<0.005				0.27	0.81	7.1	0.0083	17
034762	Rock	0.65		0.013				0.30	0.73	7.5	0.0175	17
034763	Rock	0.83		0.021				0.13	0.77	27.9	0.0195	20
034764	Rock	0.67						0.18	0.48	8.9	0.0046	15
034765	Rock	0.94						0.35	0.56	8.7	0.0023	16
034766	Rock	0.52		0.015				0.28	2.03	22.8	0.0144	16
034767	Rock	0.52					2.336	0.42	1.78	130.1	0.0038	25
034768	Rock	1.21		0.061				1.46	0.39	18.9	0.0493	10
034768PD	QC-PD	--		0.029				1.54	0.40	18.5	0.0361	16
034769	Rock	0.78		0.279		1.463		0.16	0.92	>10000	0.2580	18
034770	Rock	0.52						1.95	0.02	64.0	0.0022	<10
034771	Rock	0.66		0.122			1.700	2.80	1.17	3461.2	0.1360	10
034772	Rock	1.03		0.019				0.09	0.36	3764.0	0.0198	<10
034773	Rock	0.44						0.10	0.33	8.2	0.0022	15

\*\*\*Please refer to the cover page for comments regarding this test report. \*\*\*



MSALABS  
 Unit 1, 20120 102nd Avenue  
 Langley, BC V1M 4B4  
 Phone: +1-604-888-0875

To: **Go Cobalt Mining Corp.**  
**1100 Melville Street**  
**Vancouver, BC, V6E 4A6**  
**Canada**

<b>TEST REPORT:</b>	<b>YVR1910514</b>
---------------------	-------------------

Project Name: Monster 2019  
 Job Received Date: 29-Jul-2019  
 Job Report Date: 26-Aug-2019  
 Report Version: Final

	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	FAS-111 Au ppm 0.005	ICF-6Cu Cu % 0.001	ICA-6Co Co % 0.001	ICA-6Cu Cu % 0.001	IMS-131 Ag ppm 0.01	IMS-131 Al % 0.01	IMS-131 As ppm 0.1	IMS-131 Au ppm 0.0005	IMS-131 B ppm 10
034774	Rock	0.55		0.041			5.919	11.84	0.28	126.7	0.0423	26
034775	Rock	0.70		0.009				0.95	1.24	188.6	0.0084	10
034776	Rock	0.79		0.021				1.19	1.68	935.5	0.0186	14
034777	Rock	0.91		0.258				5.34	1.46	6218.3	0.1318	14
034778	Rock	1.00		0.519			6.100	15.20	0.16	8237.6	0.5187	<10
034779	Rock	0.76		0.007			1.234	5.05	3.20	10.9	0.0127	12
034780	Rock	0.66						0.06	0.06	6.2	0.0008	11
034781	Rock	0.40						0.76	1.06	41.9	0.0031	10
034782	Rock	0.78		0.012				3.17	0.44	9.1	0.0051	<10
034783	Rock	0.53						0.53	1.24	6.3	0.0011	10
034784	Rock	0.64						0.24	0.58	3.0	0.0014	<10
034785	Rock	0.51						3.94	1.46	77.3	<0.0005	<10
034786	Rock	0.80		0.375		1.112		0.29	0.27	>10000	0.2951	12
034787	Rock	0.75		0.016				1.68	2.64	83.3	0.0136	17
034788	Rock	0.58						0.52	1.36	257.6	0.0031	10
034789	Rock	0.54		0.111				2.69	0.40	155.6	0.0549	<10
034790	Rock	0.81		0.189				2.96	0.87	>10000	0.1817	<10
034791	Rock	0.53		0.079				0.12	0.95	2484.9	0.0096	<10
034792	Rock	0.65						1.56	1.06	168.2	0.0038	<10
034793	Rock	0.63		0.020				1.07	0.49	55.6	0.0155	<10
034794	Rock	0.54		0.132				12.50	0.74	56.2	0.0904	<10
034795	Rock	0.59						1.36	1.21	17.2	<0.0005	<10
034796	Rock	0.98						3.65	0.08	18.0	0.0007	<10
034797	Rock	0.54						1.42	2.20	382.5	0.0019	18
034798	Rock	0.66		0.015			1.037	1.68	3.52	7.6	0.0119	21

\*\*\*Please refer to the cover page for comments regarding this test report.\*\*\*



MSALABS  
 Unit 1, 20120 102nd Avenue  
 Langley, BC V1M 4B4  
 Phone: +1-604-888-0875

To: **Go Cobalt Mining Corp.**  
**1100 Melville Street**  
**Vancouver, BC, V6E 4A6**  
**Canada**

<b>TEST REPORT:</b>	<b>YVR1910514</b>
---------------------	-------------------

Project Name: Monster 2019  
 Job Received Date: 29-Jul-2019  
 Job Report Date: 26-Aug-2019  
 Report Version: Final

	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	FAS-111 Au ppm	ICF-6Cu Cu %	ICA-6Co Co %	ICA-6Cu Cu %	IMS-131 Ag ppm	IMS-131 Al %	IMS-131 As ppm	IMS-131 Au ppm	IMS-131 B ppm
		0.01	LOR	0.005	0.001	0.001	0.001	0.01	0.01	0.1	0.0005	10
034799	Rock	0.71		0.065				0.34	0.46	49.5	0.0669	28
034800	Rock	0.79						1.41	0.47	250.0	0.0024	<10
034801	Rock	0.83		0.011				1.52	4.66	9.0	0.0085	17
034802	Rock	0.92		0.021				0.39	3.20	50.3	0.0155	13
034803	Rock	0.72		0.024			2.330	6.44	3.18	4.8	0.0178	11
034804	Rock	0.56		0.016			1.880	21.08	4.21	3.7	0.0117	12
034805	Rock	0.86						0.11	2.88	19.5	0.0027	10
034806	Rock	0.97		0.030			1.005	0.27	3.49	13.4	0.0280	25
034807	Rock	0.65						1.04	0.06	12.2	0.0009	<10
034808	Rock	0.99						0.30	0.04	29.9	0.0011	11
034809	Rock	0.57		0.019			1.221	0.62	0.46	9.8	0.0181	<10
034810	Rock	0.69		0.011				0.47	1.57	5.0	0.0083	12
034951	Rock	1.15						0.10	0.05	36.9	0.0014	<10
034952	Rock	1.48						0.03	2.64	2.5	0.0033	11
034953	Rock	1.55		0.026				0.51	0.28	7993.6	0.0205	<10
034954	Rock	1.10		0.011			3.429	1.26	0.52	39.6	0.0091	<10
034955	Rock	1.22						3.34	0.97	82.9	0.0019	23
034956	Rock	1.51						0.24	1.98	3.6	0.0020	<10
034957	Rock	1.40						0.26	0.11	3.3	0.0016	<10
034958	Rock	1.02						0.33	0.12	1.0	0.0015	<10
034959	Rock	0.71		0.035			7.314	8.54	0.22	17.5	0.0311	20
034960	Rock	1.63		0.017				0.12	3.01	385.2	0.0159	18
034961	Rock	2.99		0.010				0.11	3.76	57.3	0.0057	16
034961PD	QC-PD	--		0.007				0.12	3.88	62.0	0.0061	17
034962	Rock	2.18						0.20	4.60	72.0	0.0044	21

\*\*\*Please refer to the cover page for comments regarding this test report.\*\*\*



MSALABS  
 Unit 1, 20120 102nd Avenue  
 Langley, BC V1M 4B4  
 Phone: +1-604-888-0875

To: **Go Cobalt Mining Corp.**  
**1100 Melville Street**  
**Vancouver, BC, V6E 4A6**  
**Canada**

<b>TEST REPORT:</b>	<b>YVR1910514</b>
---------------------	-------------------

Project Name: Monster 2019  
 Job Received Date: 29-Jul-2019  
 Job Report Date: 26-Aug-2019  
 Report Version: Final

	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	FAS-111 Au ppm	ICF-6Cu Cu %	ICA-6Co Co %	ICA-6Cu Cu %	IMS-131 Ag ppm	IMS-131 Al %	IMS-131 As ppm	IMS-131 Au ppm	IMS-131 B ppm
		0.01	LOR	0.005	0.001	0.001	0.001	0.01	0.01	0.1	0.0005	10
034963	Rock	2.55		0.009				0.19	4.06	167.5	0.0064	22
034964	Rock	2.30		0.008				0.23	4.34	114.9	0.0066	22
034965	Rock	1.28						0.02	2.65	96.1	0.0020	17
034966	Rock	1.22						0.03	2.84	38.3	0.0018	25
034967	Rock	1.03		0.023				0.06	2.05	1002.5	0.0215	14
034968	Rock	2.30						0.15	2.14	56.1	0.0045	14
034969	Rock	1.77		0.162			1.800	3.21	0.91	7638.6	0.1738	13
034970	Rock	1.98		0.110			2.006	3.16	1.04	4994.4	0.1154	13
034971	Rock	3.02		0.016				0.11	1.14	62.2	0.0609	<10
034972	Rock	2.01		0.061				1.29	1.08	847.9	0.0433	<10
034973	Rock	1.02		0.039			1.803	52.33	0.47	291.6	0.0467	<10
034974	Rock	1.46						1.05	0.50	2.2	0.0011	<10
034975	Rock	1.15					1.740	25.90	0.38	21.0	<0.0005	<10
034976	Rock	0.99						29.79	0.45	6.4	<0.0005	<10
034977	Rock	1.66		0.083				3.64	0.36	657.0	0.0124	<10
034978	Rock	1.25						0.92	0.57	9.0	0.0037	<10
034979	Rock	1.49						3.38	0.23	232.4	0.0009	<10
034980	Rock	1.25		0.010			1.176	0.37	5.03	63.0	0.0095	18
034981	Rock	2.15		<0.005				0.48	5.05	80.4	0.0056	18

\*\*\*Please refer to the cover page for comments regarding this test report.\*\*\*



MSALABS  
 Unit 1, 20120 102nd Avenue  
 Langley, BC V1M 4B4  
 Phone: +1-604-888-0875

To: **Go Cobalt Mining Corp.**  
**1100 Melville Street**  
**Vancouver, BC, V6E 4A6**  
**Canada**

<b>TEST REPORT:</b>	<b>YVR1910514</b>
---------------------	-------------------

Project Name: Monster 2019  
 Job Received Date: 29-Jul-2019  
 Job Report Date: 26-Aug-2019  
 Report Version: Final

	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	FAS-111 Au ppm 0.005	ICF-6Cu Cu % 0.001	ICA-6Co Co % 0.001	ICA-6Cu Cu % 0.001	IMS-131 Ag ppm 0.01	IMS-131 Al % 0.01	IMS-131 As ppm 0.1	IMS-131 Au ppm 0.0005	IMS-131 B ppm 10
DUP 034777								5.32	1.47	6376.5	0.1338	20
DUP 034794								12.51	0.72	57.6	0.0799	<10
DUP 034775				0.009								
STD BLANK								<0.01	<0.01	<0.1	<0.0005	<10
STD BLANK								<0.01	<0.01	<0.1	<0.0005	<10
STD BLANK				<0.005								
STD BLANK						<0.001	<0.001					
STD BLANK					<0.001							
STD OREAS 24b								0.07	3.32	8.0	0.0021	12
STD OREAS 600								25.30	1.03	83.5	0.1976	<10
STD GBM310-6												
STD OxA131				0.076								
STD GBM917-4						1.157	6.055					
STD CCU-1e					22.900							

\*\*\*Please refer to the cover page for comments regarding this test report. \*\*\*



MSALABS  
 Unit 1, 20120 102nd Avenue  
 Langley, BC V1M 4B4  
 Phone: +1-604-888-0875

To: **Go Cobalt Mining Corp.**  
**1100 Melville Street**  
**Vancouver, BC, V6E 4A6**  
**Canada**

<b>TEST REPORT:</b>	<b>YVR1910514</b>
---------------------	-------------------

Project Name: Monster 2019  
 Job Received Date: 29-Jul-2019  
 Job Report Date: 26-Aug-2019  
 Report Version: Final

	IMS-131 Ba ppm	IMS-131 Be ppm	IMS-131 Bi ppm	IMS-131 Ca %	IMS-131 Cd ppm	IMS-131 Ce ppm	IMS-131 Co ppm	IMS-131 Cr ppm	IMS-131 Cs ppm	IMS-131 Cu ppm	IMS-131 Fe %	IMS-131 Ga ppm
	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05	0.2	0.01	0.05
Granite Blank	85	0.17	0.01	0.67	0.02	14.46	3.5	131	0.08	3.2	1.83	3.98
Granite Blank	93	0.13	0.01	0.70	0.02	15.16	4.2	122	0.09	5.6	1.95	4.24
034752	84	0.38	14.69	1.15	0.02	10.44	273.7	67	0.17	>10000	10.16	13.42
034753	73	0.08	3.22	0.28	0.03	15.06	92.2	191	0.14	>10000	8.41	12.86
034754	370	0.29	1.22	0.36	<0.01	9.22	70.8	148	1.41	>10000	10.46	14.55
034755	30	0.34	1.81	1.16	0.06	76.70	41.6	120	0.26	>10000	9.24	20.83
034756	56	0.48	0.37	4.01	<0.01	22.14	21.3	53	0.24	65.1	8.47	13.12
034757	62	0.35	0.13	0.15	0.05	38.75	2.6	44	0.24	>10000	2.48	1.58
034758	83	0.29	0.79	4.76	<0.01	9.11	21.2	101	0.08	4721.3	2.72	0.62
034759	369	0.66	0.09	4.11	<0.01	47.43	17.8	68	0.85	493.9	2.96	4.46
034760	119	0.34	0.82	2.64	<0.01	55.07	45.1	66	0.47	2452.4	3.24	6.20
034761	71	0.90	1.19	2.73	<0.01	70.68	16.5	59	1.20	1624.2	2.98	2.67
034762	57	1.12	3.11	2.85	<0.01	49.75	18.0	54	1.36	1617.2	3.78	2.47
034763	112	0.78	1.59	3.19	0.01	55.46	13.0	63	0.95	1404.5	3.47	2.60
034764	76	0.29	1.43	4.80	0.03	40.89	19.8	55	0.31	3870.9	3.35	2.22
034765	2644	0.67	0.59	5.61	0.09	29.40	96.0	49	0.75	3491.9	1.46	1.67
034766	128	0.37	9.48	1.09	0.02	5.16	26.6	116	0.36	2211.0	4.39	5.74
034767	70	0.58	0.36	1.31	0.02	90.63	71.7	42	1.23	>10000	7.52	14.54
034768	49	0.19	0.78	7.13	0.03	44.43	24.7	51	0.19	4233.9	2.99	1.66
034768PD	48	0.17	0.78	7.11	0.03	39.23	24.7	49	0.19	4378.3	2.98	1.62
034769	23	0.18	1.61	9.92	<0.01	7.69	>10000	31	0.51	30.0	4.52	3.85
034770	12	<0.05	8.37	4.58	0.13	3.33	35.2	124	0.07	2030.0	1.24	0.12
034771	49	0.19	1.41	6.13	0.08	264.45	2042.1	55	0.45	>10000	4.82	5.85
034772	161	0.20	0.26	7.11	0.02	8.81	2499.9	38	0.21	2677.6	2.48	1.40
034773	2565	0.19	0.07	15.88	0.06	20.25	26.4	15	0.10	436.0	3.84	1.30

\*\*\*Please refer to the cover page for comments regarding this test report.\*\*\*



MSALABS  
 Unit 1, 20120 102nd Avenue  
 Langley, BC V1M 4B4  
 Phone: +1-604-888-0875

To: **Go Cobalt Mining Corp.**  
**1100 Melville Street**  
**Vancouver, BC, V6E 4A6**  
**Canada**

<b>TEST REPORT:</b>	<b>YVR1910514</b>
---------------------	-------------------

Project Name: Monster 2019  
 Job Received Date: 29-Jul-2019  
 Job Report Date: 26-Aug-2019  
 Report Version: Final

	IMS-131 Ba ppm 10	IMS-131 Be ppm 0.05	IMS-131 Bi ppm 0.01	IMS-131 Ca % 0.01	IMS-131 Cd ppm 0.01	IMS-131 Ce ppm 0.02	IMS-131 Co ppm 0.1	IMS-131 Cr ppm 1	IMS-131 Cs ppm 0.05	IMS-131 Cu ppm 0.2	IMS-131 Fe % 0.01	IMS-131 Ga ppm 0.05
034774	18	0.09	3.54	6.93	0.09	9.19	54.0	44	0.14	>10000	14.29	0.88
034775	56	0.20	0.49	0.09	<0.01	8.46	57.8	125	0.44	128.6	5.78	6.37
034776	68	0.35	0.26	2.68	0.96	3.08	313.1	100	0.52	3224.6	4.96	7.61
034777	67	0.41	0.90	6.05	1.71	163.00	2872.2	73	6.77	4552.0	5.55	6.39
034778	37	0.19	2.61	10.88	1.76	21.83	5599.2	80	0.20	>10000	3.95	0.76
034779	660	0.15	1.54	0.87	0.02	422.99	27.0	174	0.36	>10000	6.32	9.89
034780	10	<0.05	0.02	15.20	<0.01	26.55	6.2	21	0.08	2498.5	2.61	0.28
034781	112	0.46	0.30	4.52	0.04	33.19	32.1	86	0.52	4836.2	2.47	2.89
034782	48	0.25	0.85	5.67	0.02	9.72	9.3	98	0.14	9908.1	2.68	1.23
034783	72	0.80	0.32	0.18	0.01	84.76	5.4	84	0.90	4117.3	1.55	3.66
034784	67	0.36	0.34	5.00	0.01	17.64	7.9	70	0.31	5188.8	1.90	3.08
034785	310	0.59	1.75	0.12	0.03	162.75	18.6	127	0.36	8966.3	1.98	6.57
034786	38	0.11	2.34	8.99	0.03	6.01	>10000	71	0.12	2189.3	3.08	1.10
034787	81	0.99	0.65	0.32	5.10	120.15	58.8	74	0.59	4405.1	5.69	10.78
034788	89	0.53	0.56	4.27	0.54	35.16	86.9	86	0.29	1720.7	3.58	5.60
034789	29	0.16	0.44	1.45	0.38	102.74	24.6	123	0.12	3162.2	1.20	2.22
034790	257	0.20	2.89	0.95	0.01	12.69	7872.8	83	0.13	7235.7	1.91	3.33
034791	115	0.28	1.17	4.29	0.01	54.04	1218.9	56	0.21	2120.2	2.55	3.98
034792	97	0.32	2.13	1.34	1.35	34.16	82.8	108	0.43	2396.5	3.27	4.06
034793	215	0.27	1.03	6.63	0.05	21.25	73.2	50	0.16	7473.8	2.93	1.55
034794	134	0.31	29.52	0.54	0.02	46.61	44.0	56	0.76	5447.3	2.03	3.39
034795	348	0.19	0.56	8.60	0.14	169.82	11.5	36	0.26	2272.5	4.21	6.30
034796	52	0.07	1.64	10.14	0.33	21.27	15.9	19	0.13	3758.7	2.01	0.50
034797	19	0.53	3.36	0.79	0.09	5.19	86.5	124	0.75	263.5	11.90	11.93
034798	113	0.73	1.01	1.64	0.03	19.97	70.4	77	1.23	>10000	10.02	18.38

\*\*\*Please refer to the cover page for comments regarding this test report.\*\*\*





MSALABS  
 Unit 1, 20120 102nd Avenue  
 Langley, BC V1M 4B4  
 Phone: +1-604-888-0875

To: **Go Cobalt Mining Corp.**  
**1100 Melville Street**  
**Vancouver, BC, V6E 4A6**  
**Canada**

<b>TEST REPORT:</b>	<b>YVR1910514</b>
---------------------	-------------------

Project Name: Monster 2019  
 Job Received Date: 29-Jul-2019  
 Job Report Date: 26-Aug-2019  
 Report Version: Final

	IMS-131 Ba ppm 10	IMS-131 Be ppm 0.05	IMS-131 Bi ppm 0.01	IMS-131 Ca % 0.01	IMS-131 Cd ppm 0.01	IMS-131 Ce ppm 0.02	IMS-131 Co ppm 0.1	IMS-131 Cr ppm 1	IMS-131 Cs ppm 0.05	IMS-131 Cu ppm 0.2	IMS-131 Fe % 0.01	IMS-131 Ga ppm 0.05
034799	147	0.71	2.93	0.05	0.01	23.56	2.6	49	0.71	5030.8	16.86	1.75
034800	29	0.08	0.84	3.11	0.56	17.70	195.3	72	0.29	4018.9	2.18	1.88
034801	2055	0.21	2.86	0.79	0.01	52.27	92.5	85	0.19	8749.1	12.08	26.72
034802	301	0.36	1.86	1.18	<0.01	39.93	376.2	118	0.49	4188.4	7.82	21.65
034803	244	0.48	4.95	2.37	0.04	32.13	44.6	77	1.00	>10000	7.29	13.01
034804	373	0.35	48.69	0.14	0.04	6.87	63.3	110	0.28	>10000	7.69	19.06
034805	1061	0.13	3.60	1.22	0.01	6.58	41.1	175	0.34	319.7	5.59	9.52
034806	120	0.29	1.27	1.38	0.03	39.87	141.7	78	0.55	>10000	15.33	17.67
034807	10	0.10	1.04	14.97	0.06	13.61	4.6	19	0.05	3970.5	1.99	0.41
034808	<10	<0.05	2.98	13.88	0.04	11.02	14.4	22	0.07	1212.4	1.66	0.24
034809	76	0.27	2.04	0.20	0.02	5.11	14.9	41	0.93	>10000	1.62	2.28
034810	60	0.88	1.11	0.19	0.01	39.09	29.2	230	6.82	5275.8	2.16	5.57
034951	12	<0.05	0.48	15.06	0.02	18.10	7.3	21	0.10	566.8	1.50	0.30
034952	62	0.74	0.11	2.00	<0.01	21.57	62.9	57	0.49	1209.3	9.67	15.75
034953	149	0.08	5.15	7.67	0.01	13.25	5303.0	31	0.10	4824.0	2.50	1.21
034954	47	0.17	0.66	3.98	0.05	5.47	75.6	30	0.20	>10000	5.59	1.26
034955	18	0.20	0.16	0.68	0.24	6.87	66.5	58	0.17	210.8	17.50	6.58
034956	569	0.22	0.22	1.28	<0.01	25.27	25.5	72	0.30	1970.0	4.28	13.31
034957	125	0.08	0.03	13.36	0.03	33.92	14.6	23	0.10	556.2	2.70	0.76
034958	402	0.05	0.23	3.81	0.01	3.15	30.2	95	0.12	1499.4	1.23	0.47
034959	22	0.07	2.27	8.70	0.65	5.99	68.3	37	0.06	>10000	11.91	0.86
034960	161	0.30	0.87	0.33	0.02	86.59	201.6	31	0.49	2680.3	8.24	19.50
034961	108	0.25	0.37	0.23	0.01	50.32	79.9	29	0.28	1583.4	9.61	23.18
034961PD	106	0.26	0.40	0.23	0.02	49.75	80.3	25	0.26	1491.1	9.56	22.33
034962	115	0.25	1.27	0.30	0.01	86.37	112.6	31	0.20	4133.9	11.74	27.63

\*\*\*Please refer to the cover page for comments regarding this test report.\*\*\*



MSALABS  
 Unit 1, 20120 102nd Avenue  
 Langley, BC V1M 4B4  
 Phone: +1-604-888-0875

To: **Go Cobalt Mining Corp.**  
**1100 Melville Street**  
**Vancouver, BC, V6E 4A6**  
**Canada**

<b>TEST REPORT:</b>	<b>YVR1910514</b>
---------------------	-------------------

Project Name: Monster 2019  
 Job Received Date: 29-Jul-2019  
 Job Report Date: 26-Aug-2019  
 Report Version: Final

	IMS-131 Ba ppm	IMS-131 Be ppm	IMS-131 Bi ppm	IMS-131 Ca %	IMS-131 Cd ppm	IMS-131 Ce ppm	IMS-131 Co ppm	IMS-131 Cr ppm	IMS-131 Cs ppm	IMS-131 Cu ppm	IMS-131 Fe %	IMS-131 Ga ppm
	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05	0.2	0.01	0.05
034963	73	0.38	1.79	0.33	0.02	61.52	161.4	22	0.38	3315.3	10.50	25.33
034964	137	0.31	1.54	0.28	0.02	60.98	155.4	25	0.29	5275.5	11.18	25.93
034965	140	0.39	0.32	1.78	<0.01	61.38	140.2	36	0.63	293.9	8.72	17.40
034966	115	0.38	0.32	1.68	<0.01	55.68	105.8	25	0.50	412.1	9.43	18.64
034967	142	0.30	1.40	0.86	0.01	40.86	1019.2	35	0.34	495.4	7.69	14.53
034968	120	0.32	0.80	1.90	0.02	89.83	44.6	82	0.17	3602.0	8.45	12.73
034969	206	0.17	3.64	6.45	0.04	31.29	4580.8	42	0.11	>10000	3.61	2.93
034970	213	0.17	2.58	4.64	0.02	32.05	2658.7	56	0.11	>10000	3.74	3.26
034971	156	0.27	0.56	5.16	0.01	73.61	111.9	40	0.19	3528.9	2.86	3.22
034972	444	0.24	1.41	3.39	0.02	10.63	775.6	53	0.28	8717.8	2.62	3.71
034973	297	0.12	0.32	0.46	0.29	3.04	387.9	62	0.28	>10000	0.93	1.90
034974	195	0.47	0.15	3.52	0.03	44.91	8.3	24	0.26	5995.5	1.67	1.58
034975	126	0.32	1.34	0.08	0.13	65.44	10.3	48	0.22	>10000	1.13	1.29
034976	83	0.41	1.95	0.08	0.03	148.56	2.0	35	0.27	6555.3	0.66	2.00
034977	39	0.43	1.45	3.85	0.78	10.09	161.7	29	0.17	2248.8	0.83	1.15
034978	85	0.42	0.36	2.47	1.30	81.58	20.5	30	0.25	565.3	0.95	2.11
034979	32	0.23	0.64	5.79	0.37	12.51	67.2	33	0.12	1978.1	1.18	0.73
034980	144	0.35	11.05	1.62	0.02	84.96	159.5	82	0.28	>10000	10.81	20.17
034981	121	0.37	2.46	0.63	<0.01	52.45	156.1	77	0.62	6906.3	9.69	17.25

\*\*\*Please refer to the cover page for comments regarding this test report.\*\*\*



MSALABS  
 Unit 1, 20120 102nd Avenue  
 Langley, BC V1M 4B4  
 Phone: +1-604-888-0875

To: **Go Cobalt Mining Corp.**  
**1100 Melville Street**  
**Vancouver, BC, V6E 4A6**  
**Canada**

<b>TEST REPORT:</b>	<b>YVR1910514</b>
---------------------	-------------------

Project Name: Monster 2019  
 Job Received Date: 29-Jul-2019  
 Job Report Date: 26-Aug-2019  
 Report Version: Final

	IMS-131 Ba ppm 10	IMS-131 Be ppm 0.05	IMS-131 Bi ppm 0.01	IMS-131 Ca % 0.01	IMS-131 Cd ppm 0.01	IMS-131 Ce ppm 0.02	IMS-131 Co ppm 0.1	IMS-131 Cr ppm 1	IMS-131 Cs ppm 0.05	IMS-131 Cu ppm 0.2	IMS-131 Fe % 0.01	IMS-131 Ga ppm 0.05
DUP 034777	68	0.41	0.90	6.09	1.68	160.02	3014.6	70	6.78	4601.0	5.66	6.33
DUP 034794	133	0.30	29.32	0.55	0.03	44.12	42.2	55	0.70	5464.7	2.02	3.29
DUP 034775												
STD BLANK	<10	<0.05	<0.01	<0.01	<0.01	<0.02	<0.1	<1	<0.05	<0.2	<0.01	<0.05
STD BLANK	<10	<0.05	<0.01	<0.01	<0.01	<0.02	<0.1	<1	<0.05	<0.2	<0.01	<0.05
STD BLANK												
STD BLANK												
STD OREAS 24b	153	1.56	0.75	0.47	0.05	63.44	14.8	111	9.82	36.5	4.07	11.51
STD OREAS 600	73	0.75	7.11	1.75	3.59	37.23	6.8	25	2.59	491.6	2.22	4.03
STD GBM310-6							484.6					
STD OxA131												
STD GBM917-4												
STD CCU-1e												

\*\*\*Please refer to the cover page for comments regarding this test report.\*\*\*



MSALABS  
 Unit 1, 20120 102nd Avenue  
 Langley, BC V1M 4B4  
 Phone: +1-604-888-0875

To: **Go Cobalt Mining Corp.**  
**1100 Melville Street**  
**Vancouver, BC, V6E 4A6**  
**Canada**

<b>TEST REPORT:</b>	<b>YVR1910514</b>
---------------------	-------------------

Project Name: Monster 2019  
 Job Received Date: 29-Jul-2019  
 Job Report Date: 26-Aug-2019  
 Report Version: Final

	IMS-131 Ge ppm 0.05	IMS-131 Hf ppm 0.02	IMS-131 Hg ppm 0.005	IMS-131 In ppm 0.005	IMS-131 K % 0.01	IMS-131 La ppm 0.2	IMS-131 Li ppm 0.1	IMS-131 Mg % 0.01	IMS-131 Mn ppm 5	IMS-131 Mo ppm 0.05	IMS-131 Na % 0.01	IMS-131 Nb ppm 0.05
Granite Blank	0.10	0.15	<0.005	0.008	0.14	5.9	1.8	0.47	503	1.55	0.13	0.32
Granite Blank	0.11	0.17	<0.005	0.009	0.14	6.2	1.6	0.57	570	1.62	0.14	0.33
034752	0.75	0.35	0.023	0.251	0.07	4.1	104.2	4.24	995	2.71	0.01	<0.05
034753	0.39	0.15	0.104	0.131	0.07	6.8	55.7	2.35	1317	1.17	0.02	<0.05
034754	0.13	0.33	0.029	0.086	0.18	4.1	103.8	4.14	772	1.48	0.06	<0.05
034755	0.58	0.25	0.078	0.120	0.06	32.8	61.1	4.32	1110	2.20	0.03	<0.05
034756	0.10	0.19	0.027	0.046	0.25	9.7	36.7	5.16	1849	25.41	0.01	<0.05
034757	0.11	0.22	0.034	0.030	0.22	17.9	5.4	0.20	186	11.09	0.01	<0.05
034758	<0.05	0.13	0.045	0.353	0.15	3.6	1.1	1.83	2802	1.26	0.02	<0.05
034759	0.07	0.35	0.007	0.049	0.55	21.2	40.0	3.19	2541	0.47	0.04	<0.05
034760	0.08	0.52	0.013	0.042	0.53	25.2	33.5	2.39	1032	0.74	0.02	<0.05
034761	0.08	0.45	0.007	0.036	0.61	34.7	4.6	1.41	1652	5.04	0.01	0.07
034762	0.07	0.43	0.011	0.048	0.57	23.7	4.3	1.28	2212	3.89	0.01	0.06
034763	0.07	0.51	0.009	0.046	0.59	28.9	4.4	1.35	2922	1.91	0.02	0.06
034764	0.06	0.39	0.122	0.078	0.42	18.7	4.0	2.44	2007	2.73	0.03	0.17
034765	<0.05	0.09	0.037	0.020	0.42	11.6	5.5	3.14	2369	0.49	<0.01	<0.05
034766	0.10	0.36	0.024	0.052	0.37	2.1	49.9	1.72	927	0.43	0.02	<0.05
034767	0.23	0.20	0.008	0.331	0.22	35.6	52.7	1.59	1075	0.54	0.07	<0.05
034768	0.07	0.31	0.016	0.202	0.23	18.7	4.0	3.53	3847	4.67	0.01	<0.05
034768PD	0.07	0.30	0.015	0.195	0.24	15.1	4.0	3.49	3833	4.41	0.01	<0.05
034769	0.11	0.17	0.019	0.045	0.25	3.0	15.5	5.29	5703	4.37	<0.01	<0.05
034770	<0.05	<0.02	0.094	0.053	0.01	1.2	0.4	2.48	2075	1.42	0.02	0.07
034771	0.38	0.24	0.073	0.500	0.19	125.2	23.8	4.07	2552	10.91	0.01	<0.05
034772	<0.05	0.29	0.016	0.108	0.31	3.6	1.8	3.47	3350	2.84	0.02	<0.05
034773	0.10	0.11	0.039	0.112	0.07	7.6	5.2	9.52	7457	0.80	<0.01	0.05

\*\*\*Please refer to the cover page for comments regarding this test report.\*\*\*



MSALABS  
 Unit 1, 20120 102nd Avenue  
 Langley, BC V1M 4B4  
 Phone: +1-604-888-0875

To: **Go Cobalt Mining Corp.**  
**1100 Melville Street**  
**Vancouver, BC, V6E 4A6**  
**Canada**

<b>TEST REPORT:</b>	<b>YVR1910514</b>
---------------------	-------------------

Project Name: Monster 2019  
 Job Received Date: 29-Jul-2019  
 Job Report Date: 26-Aug-2019  
 Report Version: Final

	IMS-131 Ge ppm 0.05	IMS-131 Hf ppm 0.02	IMS-131 Hg ppm 0.005	IMS-131 In ppm 0.005	IMS-131 K % 0.01	IMS-131 La ppm 0.2	IMS-131 Li ppm 0.1	IMS-131 Mg % 0.01	IMS-131 Mn ppm 5	IMS-131 Mo ppm 0.05	IMS-131 Na % 0.01	IMS-131 Nb ppm 0.05
034774	0.14	0.30	1.324	0.096	0.08	3.5	3.2	3.90	3092	34.64	0.01	<0.05
034775	0.06	0.94	1.164	0.029	0.30	3.7	18.3	0.86	86	6.40	0.02	<0.05
034776	0.20	0.54	0.499	0.146	0.36	1.2	21.3	2.30	1491	1.51	0.02	<0.05
034777	0.89	0.13	0.497	0.401	1.12	77.9	19.9	3.96	3970	3.63	0.01	0.16
034778	0.13	0.05	0.098	1.926	0.08	8.5	2.7	6.28	3015	3.47	0.02	0.08
034779	0.84	0.14	0.014	0.174	0.07	200.5	83.2	3.11	1093	0.55	0.08	<0.05
034780	0.05	0.09	0.010	0.158	0.05	9.4	1.5	8.79	5131	0.18	0.03	<0.05
034781	0.05	0.23	0.017	0.083	0.51	13.4	16.5	2.84	1992	3.76	0.02	<0.05
034782	0.05	0.37	0.012	0.080	0.33	3.9	1.6	2.99	2154	1.25	0.02	<0.05
034783	0.09	0.32	0.013	0.026	0.57	38.3	7.1	0.35	103	0.56	0.02	<0.05
034784	<0.05	0.23	0.107	0.065	0.35	8.4	13.0	2.99	2448	0.82	0.03	0.05
034785	0.21	0.38	0.086	0.029	0.40	82.5	12.3	0.99	105	2.70	0.03	<0.05
034786	<0.05	0.18	0.097	0.153	0.19	2.4	2.0	4.56	3036	2.24	0.02	<0.05
034787	0.24	0.69	7.567	0.125	0.43	64.2	55.2	2.05	287	11.42	0.02	<0.05
034788	0.10	0.45	0.238	0.060	0.45	16.3	14.4	2.76	1834	1.82	0.02	0.06
034789	0.13	0.16	0.050	0.061	0.15	53.9	3.4	0.96	508	4.12	0.02	<0.05
034790	<0.05	0.33	0.173	0.214	0.21	5.6	10.3	1.02	596	4.15	0.03	<0.05
034791	0.08	0.34	0.050	0.087	0.27	27.6	11.8	2.92	2217	2.64	0.02	<0.05
034792	0.18	0.22	2.712	0.143	0.12	16.9	28.2	1.68	770	3.76	0.02	<0.05
034793	<0.05	0.26	0.085	0.143	0.24	9.6	4.9	3.55	4139	4.93	0.02	<0.05
034794	0.26	0.81	0.265	0.159	0.27	22.8	13.7	0.74	509	3.78	0.02	<0.05
034795	0.31	0.22	0.065	0.178	0.14	88.9	12.2	5.39	4020	1.50	0.03	<0.05
034796	0.06	0.13	0.061	0.366	0.08	8.6	0.6	5.52	3574	0.81	0.01	<0.05
034797	0.28	0.10	0.346	0.263	0.18	1.8	48.5	2.61	2023	1.45	0.02	<0.05
034798	0.13	0.38	0.052	0.052	0.28	8.8	66.8	3.28	1221	1.31	0.03	<0.05

\*\*\*Please refer to the cover page for comments regarding this test report.\*\*\*



MSALABS  
 Unit 1, 20120 102nd Avenue  
 Langley, BC V1M 4B4  
 Phone: +1-604-888-0875

To: **Go Cobalt Mining Corp.**  
**1100 Melville Street**  
**Vancouver, BC, V6E 4A6**  
**Canada**

<b>TEST REPORT:</b>	<b>YVR1910514</b>
---------------------	-------------------

Project Name: Monster 2019  
 Job Received Date: 29-Jul-2019  
 Job Report Date: 26-Aug-2019  
 Report Version: Final

	IMS-131 Ge ppm 0.05	IMS-131 Hf ppm 0.02	IMS-131 Hg ppm 0.005	IMS-131 In ppm 0.005	IMS-131 K % 0.01	IMS-131 La ppm 0.2	IMS-131 Li ppm 0.1	IMS-131 Mg % 0.01	IMS-131 Mn ppm 5	IMS-131 Mo ppm 0.05	IMS-131 Na % 0.01	IMS-131 Nb ppm 0.05
034799	0.09	0.53	0.060	0.041	0.40	11.3	3.2	0.07	25	62.55	0.02	0.58
034800	0.08	0.15	0.132	0.095	0.10	8.6	10.5	1.84	2433	3.64	<0.01	<0.05
034801	0.51	0.19	0.015	0.106	0.05	28.2	92.0	3.87	3235	1.34	<0.01	<0.05
034802	0.18	0.42	0.016	0.080	0.21	22.4	77.0	3.13	1369	1.59	0.04	<0.05
034803	0.09	0.64	0.259	0.087	0.30	14.6	99.7	4.68	1349	75.46	0.02	<0.05
034804	0.20	0.60	0.020	0.047	0.12	3.3	167.9	4.58	1379	2.72	0.03	<0.05
034805	0.18	0.17	0.012	0.036	0.09	3.0	86.7	3.18	1538	1.05	<0.01	0.07
034806	0.17	0.46	0.094	0.085	0.21	21.9	75.5	3.37	1136	6.43	0.02	<0.05
034807	0.05	0.09	0.023	0.161	0.04	5.7	2.1	8.57	7804	1.21	0.02	<0.05
034808	<0.05	0.05	0.012	0.076	0.04	7.1	1.1	8.10	5960	2.02	0.01	<0.05
034809	<0.05	0.40	0.237	0.019	0.31	2.4	3.8	0.23	318	1.25	0.01	<0.05
034810	0.07	0.58	0.043	0.045	0.48	18.8	31.3	1.37	247	0.78	<0.01	<0.05
034951	<0.05	0.05	0.016	0.171	0.03	9.2	1.6	9.10	6354	1.01	0.02	<0.05
034952	0.37	0.04	0.014	0.086	0.08	10.0	63.5	4.15	867	0.98	0.06	<0.05
034953	0.05	0.15	0.028	0.404	0.07	6.1	8.0	4.32	2782	2.24	0.02	<0.05
034954	0.08	0.22	0.266	0.169	0.14	2.3	6.9	2.33	1373	2.98	0.06	<0.05
034955	0.08	0.58	0.384	0.016	0.22	3.3	14.0	1.11	901	3.96	<0.01	<0.05
034956	0.17	0.53	0.016	0.040	0.20	13.6	34.3	2.70	740	1.84	0.06	<0.05
034957	0.07	0.29	0.056	0.173	0.08	13.6	1.8	7.43	3549	1.24	0.03	<0.05
034958	<0.05	0.07	0.114	0.030	0.10	1.2	0.9	2.03	1230	3.38	0.04	<0.05
034959	0.19	0.08	0.397	0.574	0.04	2.3	4.4	4.64	3770	3.84	0.02	<0.05
034960	0.20	0.13	0.103	0.054	0.20	41.2	59.5	1.87	750	1.56	0.04	<0.05
034961	0.38	0.10	0.052	0.058	0.11	24.1	76.2	2.46	941	1.42	0.03	<0.05
034961PD	0.33	0.10	0.055	0.060	0.11	24.1	75.1	2.37	960	1.32	0.04	<0.05
034962	0.56	0.12	0.087	0.081	0.08	46.8	92.3	3.16	1301	1.99	0.02	<0.05

\*\*\*Please refer to the cover page for comments regarding this test report.\*\*\*



MSALABS  
 Unit 1, 20120 102nd Avenue  
 Langley, BC V1M 4B4  
 Phone: +1-604-888-0875

To: **Go Cobalt Mining Corp.**  
**1100 Melville Street**  
**Vancouver, BC, V6E 4A6**  
**Canada**

<b>TEST REPORT:</b>	<b>YVR1910514</b>
---------------------	-------------------

Project Name: Monster 2019  
 Job Received Date: 29-Jul-2019  
 Job Report Date: 26-Aug-2019  
 Report Version: Final

	IMS-131 Ge ppm 0.05	IMS-131 Hf ppm 0.02	IMS-131 Hg ppm 0.005	IMS-131 In ppm 0.005	IMS-131 K % 0.01	IMS-131 La ppm 0.2	IMS-131 Li ppm 0.1	IMS-131 Mg % 0.01	IMS-131 Mn ppm 5	IMS-131 Mo ppm 0.05	IMS-131 Na % 0.01	IMS-131 Nb ppm 0.05
034963	0.46	0.13	0.120	0.093	0.10	29.6	90.5	2.83	1117	1.81	0.03	<0.05
034964	0.52	0.11	0.117	0.093	0.09	31.0	92.1	2.99	1261	2.20	0.03	<0.05
034965	0.17	0.12	0.009	0.120	0.20	28.1	57.1	2.42	1458	0.65	0.04	<0.05
034966	0.23	0.11	0.007	0.112	0.12	24.7	57.2	2.62	1529	0.74	0.05	<0.05
034967	0.21	0.17	0.015	0.085	0.16	17.6	41.3	1.68	1052	1.16	0.04	0.11
034968	0.23	0.56	0.045	0.095	0.18	43.2	57.9	2.53	1369	3.02	0.03	0.15
034969	0.07	0.23	0.062	0.492	0.16	13.2	12.5	4.27	3354	4.58	0.03	<0.05
034970	0.07	0.27	0.043	0.484	0.17	13.6	13.4	3.40	2465	5.63	0.03	<0.05
034971	0.06	0.53	0.019	0.136	0.30	34.2	15.0	3.34	2610	3.51	0.02	<0.05
034972	<0.05	0.49	0.041	0.116	0.34	4.5	12.8	2.37	2042	2.50	0.04	<0.05
034973	0.06	0.63	0.099	0.680	0.15	1.2	6.0	0.55	305	13.98	0.07	<0.05
034974	0.05	0.59	0.015	0.043	0.42	19.7	8.4	1.81	1680	0.83	0.02	<0.05
034975	0.10	0.21	0.020	0.257	0.23	32.5	1.8	0.10	202	3.34	0.01	<0.05
034976	0.15	0.30	0.017	0.092	0.31	71.7	2.0	0.07	24	2.87	<0.01	<0.05
034977	<0.05	0.23	0.101	0.124	0.28	4.0	1.6	2.12	1046	1.09	<0.01	<0.05
034978	0.08	0.17	0.036	0.095	0.27	32.8	5.9	1.50	646	0.80	0.01	<0.05
034979	<0.05	0.15	0.036	0.111	0.18	4.9	1.3	3.20	1740	1.32	0.01	<0.05
034980	0.40	0.23	0.056	0.148	0.08	37.7	143.5	5.70	1626	1.79	0.02	<0.05
034981	0.16	0.26	0.140	0.088	0.13	21.2	151.8	5.16	1419	0.85	0.02	<0.05

\*\*\*Please refer to the cover page for comments regarding this test report.\*\*\*



MSALABS  
 Unit 1, 20120 102nd Avenue  
 Langley, BC V1M 4B4  
 Phone: +1-604-888-0875

To: **Go Cobalt Mining Corp.**  
**1100 Melville Street**  
**Vancouver, BC, V6E 4A6**  
**Canada**

<b>TEST REPORT:</b>	<b>YVR1910514</b>
---------------------	-------------------

Project Name: Monster 2019  
 Job Received Date: 29-Jul-2019  
 Job Report Date: 26-Aug-2019  
 Report Version: Final

	IMS-131 Ge ppm 0.05	IMS-131 Hf ppm 0.02	IMS-131 Hg ppm 0.005	IMS-131 In ppm 0.005	IMS-131 K % 0.01	IMS-131 La ppm 0.2	IMS-131 Li ppm 0.1	IMS-131 Mg % 0.01	IMS-131 Mn ppm 5	IMS-131 Mo ppm 0.05	IMS-131 Na % 0.01	IMS-131 Nb ppm 0.05
DUP 034777	0.99	0.12	0.488	0.407	1.12	76.2	19.5	4.02	4036	3.56	0.01	0.16
DUP 034794	0.27	0.82	0.272	0.159	0.26	21.2	13.5	0.73	508	3.78	0.02	<0.05
DUP 034775												
STD BLANK	<0.05	<0.02	<0.005	<0.005	<0.01	<0.2	<0.1	<0.01	<5	<0.05	<0.01	<0.05
STD BLANK	<0.05	<0.02	<0.005	<0.005	<0.01	<0.2	<0.1	<0.01	<5	<0.05	<0.01	<0.05
STD BLANK												
STD BLANK												
STD BLANK												
STD OREAS 24b	0.20	0.59	0.011	0.047	1.17	29.2	46.4	1.42	355	4.03	0.11	0.30
STD OREAS 600	0.09	0.21	0.287	0.788	0.21	18.5	6.5	0.35	686	2.07	0.05	0.07
STD GBM310-6												
STD OxA131												
STD GBM917-4												
STD CCU-1e												

\*\*\*Please refer to the cover page for comments regarding this test report. \*\*\*





MSALABS  
 Unit 1, 20120 102nd Avenue  
 Langley, BC V1M 4B4  
 Phone: +1-604-888-0875

To: **Go Cobalt Mining Corp.**  
**1100 Melville Street**  
**Vancouver, BC, V6E 4A6**  
**Canada**

<b>TEST REPORT:</b>	<b>YVR1910514</b>
---------------------	-------------------

Project Name: Monster 2019  
 Job Received Date: 29-Jul-2019  
 Job Report Date: 26-Aug-2019  
 Report Version: Final

	IMS-131 Ni ppm	IMS-131 P ppm	IMS-131 Pb ppm	IMS-131 Rb ppm	IMS-131 Re ppm	IMS-131 S %	IMS-131 Sb ppm	IMS-131 Sc ppm	IMS-131 Se ppm	IMS-131 Sn ppm	IMS-131 Sr ppm	IMS-131 Ta ppm
Granite Blank	3.4	414	1.2	3.7	<0.001	0.01	<0.05	2.6	<0.2	0.4	23.8	<0.01
Granite Blank	4.1	417	1.6	3.7	0.001	0.03	<0.05	3.3	<0.2	0.4	33.0	<0.01
034752	95.7	634	7.7	3.9	0.001	0.02	1.56	5.8	0.7	<0.2	4.3	<0.01
034753	50.1	585	4.2	1.9	<0.001	0.80	0.41	14.2	1.0	0.2	4.0	<0.01
034754	85.5	809	1.8	7.7	0.001	0.62	0.23	19.0	1.2	0.4	6.9	<0.01
034755	112.3	1891	2.7	2.6	0.005	0.17	0.28	14.7	31.8	0.3	4.6	<0.01
034756	53.9	545	1.1	12.0	0.066	0.16	0.20	5.8	0.9	1.0	16.8	<0.01
034757	6.6	362	2.2	9.2	<0.001	0.02	0.47	3.3	4.6	2.5	1.5	0.02
034758	11.2	257	0.9	5.8	0.001	0.38	0.11	1.6	0.8	<0.2	15.8	<0.01
034759	40.8	653	2.0	26.2	<0.001	0.01	0.21	3.7	<0.2	0.3	17.0	<0.01
034760	34.3	716	1.3	27.3	0.003	0.17	0.19	4.7	0.7	0.5	9.3	<0.01
034761	7.4	696	1.9	28.7	0.001	0.05	0.62	4.3	0.5	0.8	16.5	<0.01
034762	8.5	678	3.5	28.7	0.003	0.06	0.97	4.9	0.9	1.0	18.7	<0.01
034763	10.0	672	2.2	30.8	0.002	0.03	0.74	6.0	0.6	0.8	21.1	0.04
034764	6.3	562	3.2	18.8	0.003	0.33	0.29	5.3	0.3	0.5	19.7	0.01
034765	29.6	1033	16.0	20.0	0.002	0.08	1.16	3.0	<0.2	0.4	43.4	<0.01
034766	31.8	720	3.5	13.6	<0.001	0.01	0.44	3.3	0.2	0.2	4.1	<0.01
034767	23.7	1752	3.3	8.3	0.002	0.04	0.47	23.1	1.9	1.1	8.9	<0.01
034768	5.7	350	4.1	8.6	<0.001	0.32	0.29	3.6	0.4	<0.2	18.1	<0.01
034768PD	5.7	360	4.0	8.8	0.001	0.34	0.29	3.6	0.4	0.2	17.9	<0.01
034769	248.7	427	2.0	9.8	0.003	0.86	0.37	4.2	0.6	<0.2	21.6	<0.01
034770	8.4	15	292.2	0.5	<0.001	0.13	0.38	0.3	2.2	<0.2	13.4	<0.01
034771	106.2	228	7.8	8.3	0.003	1.51	0.91	7.9	1.2	0.3	14.4	<0.01
034772	103.0	448	2.9	10.5	0.001	0.13	0.53	4.3	0.3	<0.2	15.3	<0.01
034773	11.0	114	5.5	2.9	0.001	0.10	0.32	6.6	<0.2	0.2	148.8	<0.01

\*\*\*Please refer to the cover page for comments regarding this test report.\*\*\*



MSALABS  
 Unit 1, 20120 102nd Avenue  
 Langley, BC V1M 4B4  
 Phone: +1-604-888-0875

To: **Go Cobalt Mining Corp.**  
**1100 Melville Street**  
**Vancouver, BC, V6E 4A6**  
**Canada**

<b>TEST REPORT:</b>	<b>YVR1910514</b>
---------------------	-------------------

Project Name: Monster 2019  
 Job Received Date: 29-Jul-2019  
 Job Report Date: 26-Aug-2019  
 Report Version: Final

	IMS-131 Ni ppm	IMS-131 P ppm	IMS-131 Pb ppm	IMS-131 Rb ppm	IMS-131 Re ppm	IMS-131 S %	IMS-131 Sb ppm	IMS-131 Sc ppm	IMS-131 Se ppm	IMS-131 Sn ppm	IMS-131 Sr ppm	IMS-131 Ta ppm
	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01
034774	49.3	546	478.0	3.0	0.006	7.60	36.10	2.4	17.4	<0.2	14.3	<0.01
034775	21.3	408	35.5	11.3	<0.001	1.58	10.23	2.4	2.0	0.5	14.6	<0.01
034776	204.9	421	489.2	17.9	0.003	0.42	0.78	3.3	0.4	0.3	12.8	<0.01
034777	288.2	384	126.6	148.0	<0.001	0.85	1.23	5.5	1.7	0.4	19.6	<0.01
034778	137.1	36	67.2	5.5	0.006	2.07	0.93	5.2	4.5	0.7	22.7	<0.01
034779	60.4	102	2.7	2.3	<0.001	0.35	0.52	12.4	4.0	<0.2	7.4	<0.01
034780	4.2	422	1.2	1.6	0.003	0.27	0.07	1.5	<0.2	<0.2	38.9	0.01
034781	19.8	803	2.0	23.5	0.002	0.18	0.47	4.2	1.3	0.5	22.0	<0.01
034782	4.9	345	2.1	13.5	0.002	0.08	0.49	3.6	4.5	0.2	8.8	<0.01
034783	15.8	591	2.1	29.1	<0.001	0.03	0.41	2.0	0.6	0.4	2.8	<0.01
034784	9.2	687	1.3	19.0	0.002	0.33	0.36	4.0	<0.2	0.3	18.2	<0.01
034785	14.7	598	24.6	18.5	0.002	0.06	1.11	2.1	2.7	0.2	4.0	<0.01
034786	444.1	216	17.0	9.9	0.001	0.91	2.64	2.6	0.3	<0.2	25.6	<0.01
034787	48.9	746	789.7	19.8	0.003	0.35	0.75	2.9	0.9	0.3	3.6	<0.01
034788	45.0	255	93.1	21.1	0.001	0.16	0.82	3.2	0.6	0.2	12.1	<0.01
034789	17.0	204	22.5	6.3	0.002	0.17	5.49	1.3	0.8	<0.2	4.5	<0.01
034790	82.6	439	5.8	8.8	0.004	0.58	0.61	1.5	1.1	<0.2	3.3	<0.01
034791	39.7	456	3.8	11.6	0.003	0.33	0.19	3.7	0.3	<0.2	9.8	<0.01
034792	48.9	192	116.0	5.9	0.002	0.52	0.79	1.9	1.6	<0.2	4.8	<0.01
034793	16.8	308	4.1	10.8	0.003	0.83	0.51	2.0	1.5	<0.2	25.6	<0.01
034794	53.0	614	138.3	7.3	0.001	0.46	1.54	3.8	48.3	<0.2	4.8	<0.01
034795	12.9	431	22.9	6.3	0.002	0.03	0.27	6.2	7.9	<0.2	17.8	<0.01
034796	6.1	142	16.7	3.4	0.001	0.07	5.52	2.0	1.9	<0.2	13.0	0.03
034797	241.0	48	27.2	7.5	0.005	6.49	19.98	21.3	5.5	0.2	24.6	0.02
034798	96.1	698	4.2	14.9	0.009	1.33	0.39	14.7	4.9	0.5	11.3	<0.01

\*\*\*Please refer to the cover page for comments regarding this test report. \*\*\*



MSALABS  
 Unit 1, 20120 102nd Avenue  
 Langley, BC V1M 4B4  
 Phone: +1-604-888-0875

To: **Go Cobalt Mining Corp.**  
**1100 Melville Street**  
**Vancouver, BC, V6E 4A6**  
**Canada**

<b>TEST REPORT:</b>	<b>YVR1910514</b>
---------------------	-------------------

Project Name: Monster 2019  
 Job Received Date: 29-Jul-2019  
 Job Report Date: 26-Aug-2019  
 Report Version: Final

	IMS-131 Ni ppm	IMS-131 P ppm	IMS-131 Pb ppm	IMS-131 Rb ppm	IMS-131 Re ppm	IMS-131 S %	IMS-131 Sb ppm	IMS-131 Sc ppm	IMS-131 Se ppm	IMS-131 Sn ppm	IMS-131 Sr ppm	IMS-131 Ta ppm
	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01
034799	3.0	459	14.3	18.9	0.038	0.09	12.48	2.6	0.6	1.4	8.8	<0.01
034800	32.6	144	116.7	3.2	0.003	0.30	0.51	2.7	0.4	<0.2	12.4	<0.01
034801	54.6	670	1.9	1.5	0.002	0.14	0.09	29.2	1.1	1.0	6.0	<0.01
034802	103.8	548	1.4	6.4	0.012	0.55	0.20	21.8	4.1	0.2	5.9	<0.01
034803	66.4	565	11.5	16.2	0.002	0.78	4.63	10.5	4.1	<0.2	11.2	<0.01
034804	72.4	567	5.4	5.2	0.002	0.07	0.39	13.4	1.6	0.3	5.1	<0.01
034805	80.0	423	3.5	3.5	<0.001	0.07	1.19	6.8	0.2	0.2	117.3	<0.01
034806	58.9	828	3.6	10.2	0.002	1.04	0.27	19.3	2.0	0.9	7.6	<0.01
034807	2.2	2210	7.3	1.4	0.008	0.14	17.80	1.2	0.3	<0.2	38.0	<0.01
034808	7.8	141	4.4	1.4	0.005	0.08	1.96	1.5	<0.2	<0.2	31.0	<0.01
034809	45.0	672	5.6	9.0	0.001	<0.01	0.92	2.2	0.3	0.5	2.0	<0.01
034810	57.2	621	5.4	18.3	0.001	0.01	1.01	10.5	0.8	0.3	2.6	<0.01
034951	2.7	250	3.1	1.3	0.001	0.04	0.66	0.5	<0.2	<0.2	22.3	<0.01
034952	50.1	587	1.3	3.8	0.002	0.10	0.15	30.6	0.4	0.6	11.8	<0.01
034953	34.5	306	2.4	3.2	0.004	0.15	0.72	2.8	0.6	<0.2	26.0	0.01
034954	20.5	645	0.9	4.6	0.001	3.03	0.22	10.0	10.6	0.5	5.7	<0.01
034955	54.9	410	176.8	11.5	0.006	>10	13.45	3.3	0.4	0.5	2.9	<0.01
034956	36.7	539	2.5	6.6	0.006	0.16	0.23	3.5	3.4	0.7	13.5	<0.01
034957	8.7	741	13.3	3.2	0.002	0.14	2.42	5.0	<0.2	<0.2	26.9	<0.01
034958	9.7	195	0.9	4.7	0.002	0.12	0.17	1.2	<0.2	<0.2	13.1	<0.01
034959	64.7	137	643.0	1.7	0.002	5.17	1.47	4.6	25.2	0.4	25.1	<0.01
034960	50.5	1318	4.9	10.7	0.002	0.10	0.23	8.2	0.9	0.5	5.6	<0.01
034961	45.5	1018	1.7	4.4	<0.001	0.05	0.15	10.2	0.8	0.3	4.1	<0.01
034961PD	48.9	1075	1.6	4.1	<0.001	0.04	0.13	10.4	1.0	0.4	3.6	<0.01
034962	93.1	1026	1.6	3.3	0.001	0.21	0.30	15.9	0.6	0.6	4.1	<0.01

\*\*\*Please refer to the cover page for comments regarding this test report.\*\*\*



MSALABS  
 Unit 1, 20120 102nd Avenue  
 Langley, BC V1M 4B4  
 Phone: +1-604-888-0875

To: **Go Cobalt Mining Corp.**  
**1100 Melville Street**  
**Vancouver, BC, V6E 4A6**  
**Canada**

<b>TEST REPORT:</b>	<b>YVR1910514</b>
---------------------	-------------------

Project Name: Monster 2019  
 Job Received Date: 29-Jul-2019  
 Job Report Date: 26-Aug-2019  
 Report Version: Final

	IMS-131 Ni ppm	IMS-131 P ppm	IMS-131 Pb ppm	IMS-131 Rb ppm	IMS-131 Re ppm	IMS-131 S %	IMS-131 Sb ppm	IMS-131 Sc ppm	IMS-131 Se ppm	IMS-131 Sn ppm	IMS-131 Sr ppm	IMS-131 Ta ppm
	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01
034963	67.9	1222	2.0	4.0	0.001	0.17	0.24	15.9	0.7	0.8	4.5	<0.01
034964	74.0	1093	1.8	3.7	0.002	0.25	0.27	16.8	0.7	0.5	4.1	<0.01
034965	48.0	978	2.3	12.0	0.002	0.03	0.44	26.2	0.2	0.7	8.8	<0.01
034966	39.0	1015	2.3	5.3	0.002	0.04	0.46	24.4	0.3	0.8	8.7	<0.01
034967	97.5	954	2.9	6.6	0.002	0.10	0.61	13.6	0.6	0.8	5.5	<0.01
034968	48.8	759	2.0	6.5	0.001	0.06	0.27	11.0	0.2	0.9	6.0	0.04
034969	159.4	236	6.5	6.7	0.003	1.11	0.61	2.3	0.8	<0.2	10.9	0.01
034970	112.4	257	5.1	7.1	0.002	1.03	0.38	1.9	0.6	0.2	9.0	<0.01
034971	46.5	585	1.2	12.7	0.001	0.50	0.14	2.7	0.5	0.2	10.7	<0.01
034972	43.8	547	4.4	14.4	0.002	0.32	0.46	4.4	1.0	0.3	12.1	<0.01
034973	30.4	380	32.9	7.3	0.012	0.63	128.59	2.0	2.3	<0.2	8.2	<0.01
034974	4.8	990	2.3	19.9	0.001	0.14	0.87	1.8	0.3	0.3	29.6	<0.01
034975	5.7	427	18.2	9.6	0.002	0.03	2.14	1.7	8.4	0.3	1.9	<0.01
034976	3.4	560	19.5	13.5	0.002	0.02	0.24	1.4	4.3	0.3	2.3	<0.01
034977	18.8	448	36.7	12.0	<0.001	0.09	0.36	1.6	1.2	0.3	9.5	<0.01
034978	10.9	440	31.7	11.6	<0.001	0.01	0.13	1.9	<0.2	0.2	8.6	<0.01
034979	9.2	427	10.2	7.9	0.001	0.06	0.29	4.0	0.3	<0.2	9.8	<0.01
034980	48.5	418	3.7	3.8	0.003	0.84	0.17	18.6	1.8	0.4	5.9	<0.01
034981	48.4	433	2.9	6.5	0.002	0.56	0.21	11.7	0.3	0.3	4.0	<0.01

\*\*\*Please refer to the cover page for comments regarding this test report.\*\*\*



MSALABS  
 Unit 1, 20120 102nd Avenue  
 Langley, BC V1M 4B4  
 Phone: +1-604-888-0875

To: **Go Cobalt Mining Corp.**  
**1100 Melville Street**  
**Vancouver, BC, V6E 4A6**  
**Canada**

<b>TEST REPORT:</b>	<b>YVR1910514</b>
---------------------	-------------------

Project Name: Monster 2019  
 Job Received Date: 29-Jul-2019  
 Job Report Date: 26-Aug-2019  
 Report Version: Final

	IMS-131 Ni ppm 0.2	IMS-131 P ppm 10	IMS-131 Pb ppm 0.2	IMS-131 Rb ppm 0.1	IMS-131 Re ppm 0.001	IMS-131 S % 0.01	IMS-131 Sb ppm 0.05	IMS-131 Sc ppm 0.1	IMS-131 Se ppm 0.2	IMS-131 Sn ppm 0.2	IMS-131 Sr ppm 0.2	IMS-131 Ta ppm 0.01
DUP 034777	290.9	392	127.7	146.9	<0.001	0.87	1.24	5.5	1.6	0.5	19.7	<0.01
DUP 034794	52.3	604	136.4	6.9	0.001	0.46	1.58	3.7	49.4	<0.2	4.7	<0.01
DUP 034775												
STD BLANK	<0.2	<10	<0.2	<0.1	<0.001	<0.01	<0.05	<0.1	<0.2	<0.2	<0.2	<0.01
STD BLANK	<0.2	<10	<0.2	<0.1	<0.001	<0.01	<0.05	<0.1	<0.2	<0.2	<0.2	<0.01
STD BLANK												
STD BLANK												
STD OREAS 24b	58.3	640	9.5	123.2	0.001	0.21	0.58	10.1	<0.2	2.3	31.4	<0.01
STD OREAS 600	15.1	503	152.2	9.4	<0.001	1.76	8.43	1.9	7.0	1.1	37.2	<0.01
STD GBM310-6												
STD OxA131												
STD GBM917-4												
STD CCU-1e												

\*\*\*Please refer to the cover page for comments regarding this test report. \*\*\*



MSALABS  
 Unit 1, 20120 102nd Avenue  
 Langley, BC V1M 4B4  
 Phone: +1-604-888-0875

To: **Go Cobalt Mining Corp.**  
**1100 Melville Street**  
**Vancouver, BC, V6E 4A6**  
**Canada**

<b>TEST REPORT:</b>	<b>YVR1910514</b>
---------------------	-------------------

Project Name: Monster 2019  
 Job Received Date: 29-Jul-2019  
 Job Report Date: 26-Aug-2019  
 Report Version: Final

	IMS-131 Te ppm	IMS-131 Th ppm	IMS-131 Ti %	IMS-131 Tl ppm	IMS-131 U ppm	IMS-131 V ppm	IMS-131 W ppm	IMS-131 Y ppm	IMS-131 Zn ppm	IMS-131 Zr ppm
	0.01	0.2	0.005	0.02	0.05	1	0.05	0.05	1	0.5
Granite Blank	<0.01	2.2	0.089	<0.02	0.52	24	0.08	9.31	28	4.7
Granite Blank	<0.01	2.2	0.101	<0.02	0.52	29	0.09	9.85	32	5.2
034752	0.23	3.9	0.008	0.14	4.04	110	<0.05	7.22	46	16.9
034753	0.03	1.5	0.009	<0.02	1.87	216	<0.05	4.58	54	7.0
034754	0.05	1.8	0.036	0.03	1.18	242	0.14	6.09	38	16.8
034755	0.32	15.2	0.006	<0.02	6.41	199	<0.05	12.77	26	12.9
034756	0.11	12.7	0.007	0.03	5.95	41	0.74	6.09	24	8.9
034757	0.06	6.4	<0.005	0.13	129.13	18	0.21	6.86	3	10.6
034758	0.07	2.0	<0.005	<0.02	1.48	6	<0.05	10.64	2	6.4
034759	<0.01	6.9	0.007	0.11	1.21	17	<0.05	11.88	33	18.6
034760	0.03	11.2	0.010	0.07	2.05	39	0.07	10.51	22	26.4
034761	0.08	10.3	0.013	0.10	4.09	31	0.49	12.03	5	23.3
034762	0.11	8.7	0.018	0.09	3.18	32	0.74	12.34	5	23.4
034763	0.05	6.9	0.014	0.08	2.96	45	0.33	12.00	6	25.5
034764	0.06	7.8	0.020	0.06	1.36	31	0.22	13.26	12	17.5
034765	<0.01	14.7	<0.005	0.12	23.73	13	0.05	18.72	36	17.2
034766	0.11	4.8	<0.005	0.11	3.13	57	<0.05	8.24	18	20.1
034767	<0.01	5.7	0.025	0.03	1.39	225	<0.05	27.41	60	10.1
034768	0.04	4.5	<0.005	0.04	2.22	15	<0.05	10.99	10	13.5
034768PD	0.07	4.4	<0.005	0.04	2.19	14	<0.05	10.66	9	13.4
034769	0.49	4.2	<0.005	0.03	3.88	20	<0.05	12.53	15	8.2
034770	<0.01	0.3	<0.005	<0.02	3.00	4	<0.05	3.09	67	0.8
034771	0.47	9.4	0.006	0.15	4.18	28	<0.05	10.84	46	13.5
034772	0.39	5.0	<0.005	0.03	3.54	16	<0.05	8.92	8	14.3
034773	0.01	2.5	0.005	<0.02	0.72	30	0.22	20.23	31	5.6

\*\*\*Please refer to the cover page for comments regarding this test report.\*\*\*



MSALABS  
 Unit 1, 20120 102nd Avenue  
 Langley, BC V1M 4B4  
 Phone: +1-604-888-0875

To: **Go Cobalt Mining Corp.**  
**1100 Melville Street**  
**Vancouver, BC, V6E 4A6**  
**Canada**

<b>TEST REPORT:</b>	<b>YVR1910514</b>
---------------------	-------------------

Project Name: Monster 2019  
 Job Received Date: 29-Jul-2019  
 Job Report Date: 26-Aug-2019  
 Report Version: Final

	IMS-131 Te ppm 0.01	IMS-131 Th ppm 0.2	IMS-131 Ti % 0.005	IMS-131 Tl ppm 0.02	IMS-131 U ppm 0.05	IMS-131 V ppm 1	IMS-131 W ppm 0.05	IMS-131 Y ppm 0.05	IMS-131 Zn ppm 1	IMS-131 Zr ppm 0.5
034774	0.03	1.9	<0.005	0.31	32.92	22	<0.05	13.23	15	24.6
034775	0.05	6.1	<0.005	2.57	5.07	31	<0.05	3.11	11	43.9
034776	0.03	5.1	0.010	0.06	7.14	36	<0.05	4.48	518	24.1
034777	0.33	4.2	0.090	0.47	0.88	35	0.32	13.36	689	5.3
034778	0.26	0.8	<0.005	0.02	0.85	20	0.05	41.42	134	2.2
034779	0.02	0.7	0.005	<0.02	0.93	112	<0.05	5.01	25	6.0
034780	0.02	1.1	<0.005	<0.02	0.68	5	<0.05	39.00	7	3.4
034781	0.07	10.8	<0.005	0.23	6.71	16	<0.05	13.70	19	25.1
034782	0.13	3.8	<0.005	0.03	5.79	11	0.07	9.73	5	19.3
034783	0.01	6.6	<0.005	0.09	2.24	13	<0.05	4.89	7	16.7
034784	0.02	8.1	<0.005	0.04	3.03	13	0.05	10.34	5	12.2
034785	0.25	8.0	0.005	0.04	3.74	33	0.07	6.44	22	23.9
034786	0.36	2.5	<0.005	<0.02	10.58	8	0.06	12.51	4	9.2
034787	0.11	10.4	0.013	0.06	5.01	62	0.09	6.57	3882	37.2
034788	0.06	6.1	0.010	0.05	6.06	21	0.12	10.34	280	25.0
034789	0.17	2.3	<0.005	<0.02	0.82	10	1.52	4.13	108	8.4
034790	0.10	4.3	<0.005	0.03	2.95	20	0.98	6.16	17	16.7
034791	0.08	6.2	<0.005	0.03	1.07	24	0.61	17.27	17	19.2
034792	0.11	2.3	0.006	0.03	1.63	20	1.16	5.16	526	11.2
034793	0.17	3.3	<0.005	0.04	1.46	10	0.60	10.78	16	13.5
034794	0.34	10.5	<0.005	0.10	3.67	40	0.56	5.37	25	38.0
034795	0.06	5.8	<0.005	0.02	2.36	35	0.28	16.70	36	13.5
034796	0.01	1.9	<0.005	<0.02	1.43	10	0.24	12.88	47	5.9
034797	0.89	0.6	0.011	0.09	0.14	164	0.26	5.36	116	4.2
034798	0.06	2.0	0.006	0.07	4.24	225	0.15	10.49	106	21.4

\*\*\*Please refer to the cover page for comments regarding this test report.\*\*\*



MSALABS  
 Unit 1, 20120 102nd Avenue  
 Langley, BC V1M 4B4  
 Phone: +1-604-888-0875

To: **Go Cobalt Mining Corp.**  
**1100 Melville Street**  
**Vancouver, BC, V6E 4A6**  
**Canada**

<b>TEST REPORT:</b>	<b>YVR1910514</b>
---------------------	-------------------

Project Name: Monster 2019  
 Job Received Date: 29-Jul-2019  
 Job Report Date: 26-Aug-2019  
 Report Version: Final

	IMS-131 Te ppm	IMS-131 Th ppm	IMS-131 Ti %	IMS-131 Tl ppm	IMS-131 U ppm	IMS-131 V ppm	IMS-131 W ppm	IMS-131 Y ppm	IMS-131 Zn ppm	IMS-131 Zr ppm
	0.01	0.2	0.005	0.02	0.05	1	0.05	0.05	1	0.5
034799	0.23	8.2	0.097	0.07	12.99	34	2.49	7.61	4	28.7
034800	0.13	1.6	<0.005	0.02	2.57	16	0.77	5.77	221	7.8
034801	<0.01	2.4	0.010	<0.02	5.12	215	0.27	7.38	109	12.4
034802	0.05	3.5	0.012	0.03	1.34	221	0.18	7.69	76	21.6
034803	0.08	7.0	0.005	0.09	12.69	79	0.15	12.29	55	37.3
034804	0.03	5.9	<0.005	0.02	12.12	109	0.20	5.20	115	33.6
034805	0.02	0.3	0.283	<0.02	0.14	130	0.20	6.41	101	6.2
034806	0.02	2.4	0.040	0.04	1.69	275	1.25	5.55	32	26.4
034807	<0.01	0.7	<0.005	<0.02	1.20	10	0.25	6.80	12	4.0
034808	0.03	0.8	<0.005	0.03	1.14	15	0.30	5.58	13	2.6
034809	0.02	13.4	<0.005	0.05	6.71	22	0.32	4.20	6	19.9
034810	<0.01	3.6	<0.005	0.09	26.71	82	0.10	6.95	46	37.5
034951	0.03	0.5	<0.005	<0.02	1.39	5	0.29	6.78	6	2.5
034952	<0.01	1.1	0.024	<0.02	0.12	301	0.13	10.38	52	1.1
034953	0.05	1.7	<0.005	0.02	2.47	12	0.38	10.88	8	6.9
034954	0.17	2.9	<0.005	<0.02	0.86	49	0.22	9.08	10	11.1
034955	0.04	4.8	<0.005	3.45	1.98	29	0.45	3.57	107	32.1
034956	0.01	8.9	0.009	0.02	2.81	51	0.38	4.95	16	22.8
034957	0.01	4.0	<0.005	<0.02	1.40	18	0.26	24.15	11	13.7
034958	0.10	1.6	0.006	<0.02	0.80	7	1.12	11.15	3	3.4
034959	0.01	0.7	<0.005	0.35	21.69	16	0.56	9.93	383	4.0
034960	0.04	3.6	0.015	0.04	0.50	279	0.19	9.52	74	6.5
034961	0.03	3.0	0.013	<0.02	0.48	288	0.15	6.73	85	5.2
034961PD	0.03	3.7	0.012	<0.02	0.50	288	0.17	6.83	84	5.3
034962	0.02	2.6	0.012	<0.02	0.38	299	0.36	7.23	72	6.0

\*\*\*Please refer to the cover page for comments regarding this test report.\*\*\*





MSALABS  
 Unit 1, 20120 102nd Avenue  
 Langley, BC V1M 4B4  
 Phone: +1-604-888-0875

To: **Go Cobalt Mining Corp.**  
**1100 Melville Street**  
**Vancouver, BC, V6E 4A6**  
**Canada**

<b>TEST REPORT:</b>	<b>YVR1910514</b>
---------------------	-------------------

Project Name: Monster 2019  
 Job Received Date: 29-Jul-2019  
 Job Report Date: 26-Aug-2019  
 Report Version: Final

	IMS-131 Te ppm	IMS-131 Th ppm	IMS-131 Ti %	IMS-131 Tl ppm	IMS-131 U ppm	IMS-131 V ppm	IMS-131 W ppm	IMS-131 Y ppm	IMS-131 Zn ppm	IMS-131 Zr ppm
	0.01	0.2	0.005	0.02	0.05	1	0.05	0.05	1	0.5
034963	<0.01	3.0	0.010	<0.02	0.44	306	0.37	8.62	88	6.3
034964	0.01	2.6	0.011	<0.02	0.35	304	0.27	7.70	78	5.6
034965	0.02	3.2	0.038	0.04	0.43	352	0.09	17.43	77	5.1
034966	0.01	3.1	0.052	0.02	0.51	359	0.10	20.64	87	5.0
034967	0.02	5.9	0.043	0.02	0.88	243	0.25	16.60	56	8.1
034968	0.12	10.5	0.066	0.02	2.90	138	1.06	12.55	38	25.3
034969	0.12	2.2	<0.005	0.02	1.21	16	0.51	28.82	11	10.0
034970	0.02	2.8	<0.005	<0.02	1.42	19	0.67	24.41	11	11.4
034971	0.12	7.3	<0.005	0.04	2.69	20	0.50	21.20	16	22.7
034972	0.08	7.4	<0.005	0.08	1.84	24	0.40	12.10	19	22.5
034973	0.32	8.5	<0.005	0.02	2.70	32	0.50	4.26	38	28.9
034974	0.01	11.7	<0.005	0.09	4.58	8	0.25	12.20	5	29.2
034975	0.03	4.2	<0.005	0.03	1.29	25	0.59	3.25	19	9.9
034976	0.03	7.2	<0.005	0.03	1.85	19	0.41	4.00	10	15.9
034977	0.28	2.6	<0.005	0.02	2.08	19	0.43	7.19	103	11.0
034978	0.04	5.5	<0.005	0.03	1.07	20	0.31	3.91	178	7.9
034979	0.07	2.9	<0.005	<0.02	0.98	12	0.50	12.64	46	6.8
034980	0.05	2.4	0.010	<0.02	2.09	201	0.20	13.63	62	11.3
034981	<0.01	7.0	0.006	0.03	0.72	115	0.18	9.03	66	10.5

\*\*\*Please refer to the cover page for comments regarding this test report.\*\*\*



MSALABS  
 Unit 1, 20120 102nd Avenue  
 Langley, BC V1M 4B4  
 Phone: +1-604-888-0875

To: **Go Cobalt Mining Corp.**  
**1100 Melville Street**  
**Vancouver, BC, V6E 4A6**  
**Canada**

<b>TEST REPORT:</b>	<b>YVR1910514</b>
---------------------	-------------------

Project Name: Monster 2019  
 Job Received Date: 29-Jul-2019  
 Job Report Date: 26-Aug-2019  
 Report Version: Final

	IMS-131 Te ppm 0.01	IMS-131 Th ppm 0.2	IMS-131 Ti % 0.005	IMS-131 Tl ppm 0.02	IMS-131 U ppm 0.05	IMS-131 V ppm 1	IMS-131 W ppm 0.05	IMS-131 Y ppm 0.05	IMS-131 Zn ppm 1	IMS-131 Zr ppm 0.5
DUP 034777	0.32	4.1	0.090	0.47	0.86	33	0.31	13.23	696	5.1
DUP 034794	0.36	10.3	<0.005	0.10	3.57	39	0.58	5.31	25	37.4
DUP 034775										
STD BLANK	<0.01	<0.2	<0.005	<0.02	<0.05	<1	<0.05	<0.05	<1	<0.5
STD BLANK	<0.01	<0.2	<0.005	<0.02	<0.05	<1	<0.05	<0.05	<1	<0.5
STD BLANK										
STD BLANK										
STD BLANK										
STD OREAS 24b	0.02	14.6	0.212	0.67	1.83	84	1.28	11.58	96	26.3
STD OREAS 600	7.44	5.2	<0.005	0.59	1.11	13	0.57	6.05	607	9.4
STD GBM310-6										
STD OxA131										
STD GBM917-4										
STD CCU-1e										

\*\*\*Please refer to the cover page for comments regarding this test report. \*\*\*