



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Submitted By: Scott Petsel
Receiving Lab: Canada-Whitehorse
Received: July 17, 2019
Report Date: August 23, 2019
Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000219.1

CLIENT JOB INFORMATION

Project: Stu Copper
Shipment ID: STU #1
P.O. Number
Number of Samples: 54

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2
Canada

CC: Debbie James
Samantha Dyck

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
DY060	54	Dry at 60C			WHI
SS80	54	Dry at 60C sieve 100g to -80 mesh			WHI
MA300	54	4 Acid digestion ICP-ES analysis	0.25	Completed	VAN
EN001-MA	54	Environmental disposal fee - Multi-acid neutralization			WHI
AQ115	54	Acid digest, Au by ICP-MS analysis	15	Completed	VAN
SHP01	54	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS


JEFFREY CANNON
Geochemistry Department Supervisor

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: August 23, 2019

Page: 2 of 3

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI19000219.1

Method Analyte Unit MDL	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300
	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	
1480151	Soil	<2	35	16	71	<0.5	38	14	682	4.06	11	<20	4	352	<0.4	<5	<5	139	2.02	0.066	22
1480152	Soil	<2	53	10	71	<0.5	49	21	838	4.17	6	<20	3	305	<0.4	<5	<5	159	2.46	0.083	18
1480153	Soil	<2	33	9	64	<0.5	28	14	595	3.66	6	<20	<2	435	<0.4	<5	<5	127	2.04	0.041	13
1480154	Soil	<2	29	10	61	<0.5	25	13	573	3.31	6	<20	4	414	<0.4	<5	<5	119	2.03	0.033	18
1480155	Soil	<2	80	6	59	<0.5	52	16	706	3.41	<5	<20	2	290	<0.4	<5	<5	117	3.66	0.080	13
1480156	Soil	<2	60	11	75	<0.5	55	20	674	4.19	7	<20	3	244	<0.4	<5	<5	158	2.06	0.071	17
1480157	Soil	<2	29	12	56	<0.5	28	13	459	3.52	10	<20	4	290	<0.4	<5	<5	126	1.68	0.046	21
1480158	Soil	<2	58	11	46	<0.5	12	14	785	3.73	11	<20	<2	344	<0.4	<5	<5	134	1.31	0.047	15
1480159	Soil	2	66	10	54	<0.5	16	21	560	3.96	12	<20	4	256	<0.4	<5	<5	137	1.22	0.074	19
1480160	Soil	6	401	12	68	<0.5	18	35	512	4.43	19	<20	3	313	<0.4	<5	<5	124	1.48	0.063	19
1480161	Soil	<2	37	10	65	<0.5	30	15	652	4.00	7	<20	2	280	<0.4	<5	<5	156	1.54	0.032	18
1480162	Soil	<2	39	6	55	<0.5	21	12	743	2.92	<5	<20	4	426	<0.4	<5	<5	101	1.93	0.062	18
1480163	Soil	<2	22	8	55	<0.5	15	10	453	3.33	6	<20	3	434	<0.4	<5	<5	125	1.82	0.038	17
1480164	Soil	<2	19	12	53	<0.5	16	9	430	2.83	6	<20	4	390	<0.4	<5	<5	100	1.46	0.028	18
1480165	Soil	<2	31	8	47	<0.5	40	15	561	3.21	8	<20	2	310	<0.4	<5	<5	130	2.79	0.023	9
1480166	Soil	<2	21	7	53	<0.5	6	7	428	2.19	<5	<20	<2	591	<0.4	<5	<5	66	2.10	0.057	12
1480167	Soil	<2	57	9	55	<0.5	15	13	505	3.81	26	<20	3	445	<0.4	<5	<5	127	1.99	0.048	18
1480168	Soil	<2	31	9	52	<0.5	13	9	572	2.75	12	<20	4	394	<0.4	<5	<5	98	1.53	0.039	19
1480169	Soil	2	27	6	56	<0.5	7	7	450	2.33	8	<20	3	529	<0.4	<5	<5	64	1.73	0.049	16
1480170	Soil	34	194	7	122	<0.5	13	19	694	4.88	18	<20	2	236	<0.4	<5	<5	95	1.13	0.089	21
1480171	Soil	3	54	8	65	<0.5	13	8	390	2.40	9	<20	2	475	<0.4	<5	<5	76	1.80	0.035	16
1480172	Soil	<2	52	11	114	<0.5	26	13	538	3.08	32	<20	2	408	<0.4	<5	<5	98	1.68	0.055	16
1480173	Soil	<2	79	15	104	<0.5	40	14	517	3.79	72	<20	4	326	<0.4	<5	<5	120	1.69	0.030	24
1480174	Soil	<2	77	13	63	<0.5	38	16	571	4.23	17	<20	4	346	<0.4	<5	<5	140	2.27	0.042	22
1480175	Soil	<2	20	9	54	<0.5	6	8	448	2.27	<5	<20	<2	594	<0.4	<5	<5	65	2.04	0.058	12
1480176	Soil	<2	32	10	52	<0.5	28	11	457	3.01	9	<20	3	363	<0.4	<5	<5	106	1.64	0.031	20
1480177	Soil	<2	94	<5	89	<0.5	339	53	1239	6.61	<5	<20	<2	172	<0.4	<5	<5	186	2.61	0.058	12
1480178	Soil	<2	45	9	85	<0.5	156	29	997	4.53	<5	<20	<2	354	<0.4	<5	<5	135	2.35	0.081	15
1480179	Soil	<2	75	7	81	<0.5	255	41	972	5.31	<5	<20	2	262	<0.4	<5	<5	153	2.87	0.043	14
1480180	Soil	<2	30	11	53	<0.5	27	11	569	3.20	5	<20	3	420	<0.4	<5	<5	107	1.98	0.031	16



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: August 23, 2019

Page: 2 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI19000219.1

Method Analyte	Unit	MDL	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115
			Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm	S %	Au ppb
1480151	Soil		89	1.28	958	0.45	7.81	2.12	1.35	<4	52	5	15	7	<1	16	<0.1	3.5
1480152	Soil		111	1.59	710	0.47	7.53	1.88	1.08	<4	59	2	21	6	1	21	<0.1	1.6
1480153	Soil		68	1.08	764	0.44	7.49	2.39	1.55	<4	88	3	10	6	1	11	<0.1	<0.5
1480154	Soil		61	1.11	838	0.42	7.33	2.31	1.52	<4	76	2	12	7	1	12	<0.1	<0.5
1480155	Soil		107	1.37	479	0.34	6.61	1.49	0.92	<4	60	2	24	4	<1	22	<0.1	1.9
1480156	Soil		122	1.56	642	0.47	6.89	1.85	1.07	<4	55	3	22	5	1	22	<0.1	2.4
1480157	Soil		77	1.13	863	0.41	6.81	1.88	1.30	<4	47	3	12	9	1	11	<0.1	1.9
1480158	Soil		31	1.06	820	0.36	6.67	2.23	1.68	<4	76	3	9	6	1	11	<0.1	35.7
1480159	Soil		51	0.92	889	0.50	6.33	1.94	1.44	<4	55	3	12	12	1	10	<0.1	21.5
1480160	Soil		44	0.80	831	0.41	6.99	2.11	1.50	<4	64	2	13	10	1	10	<0.1	52.4
1480161	Soil		82	1.19	773	0.48	7.25	1.91	1.16	<4	51	3	13	7	1	14	<0.1	<0.5
1480162	Soil		48	1.01	748	0.35	6.68	2.13	1.43	<4	81	<2	14	5	1	11	<0.1	<0.5
1480163	Soil		42	0.93	766	0.45	6.40	2.15	1.59	<4	82	2	9	6	1	9	<0.1	<0.5
1480164	Soil		36	0.83	859	0.37	6.43	2.15	1.65	<4	82	2	9	7	1	7	<0.1	<0.5
1480165	Soil		69	1.18	625	0.33	7.51	1.61	0.98	<4	54	2	9	5	<1	14	<0.1	<0.5
1480166	Soil		7	0.73	809	0.27	6.71	2.80	2.05	<4	121	<2	7	5	1	5	<0.1	<0.5
1480167	Soil		36	1.03	835	0.43	7.04	2.27	1.58	<4	80	3	11	8	1	9	<0.1	6.2
1480168	Soil		38	0.77	880	0.38	6.35	2.19	1.73	<4	81	<2	9	9	1	7	<0.1	0.7
1480169	Soil		13	0.68	893	0.29	7.06	2.69	2.17	<4	117	2	8	7	1	5	<0.1	0.9
1480170	Soil		21	0.78	674	0.40	8.78	2.08	1.84	<4	55	3	13	23	2	9	<0.1	18.2
1480171	Soil		26	0.76	813	0.31	6.57	2.38	1.81	<4	98	3	8	5	1	6	<0.1	4.1
1480172	Soil		52	1.04	790	0.36	6.94	2.14	1.66	<4	86	3	11	6	1	9	<0.1	7.7
1480173	Soil		87	1.21	794	0.39	7.19	1.83	1.31	<4	60	4	18	8	1	13	<0.1	46.4
1480174	Soil		82	1.40	761	0.48	7.42	2.02	1.19	<4	53	4	17	9	1	16	<0.1	6.8
1480175	Soil		7	0.73	829	0.27	6.77	2.84	2.04	<4	126	<2	8	4	1	5	<0.1	<0.5
1480176	Soil		69	0.99	883	0.38	6.53	2.07	1.53	<4	69	2	10	8	1	9	<0.1	1.6
1480177	Soil		525	6.92	389	0.34	6.47	0.91	0.69	<4	36	<2	10	4	<1	21	<0.1	0.6
1480178	Soil		333	3.29	660	0.41	6.47	1.59	1.29	<4	70	<2	11	5	1	14	<0.1	<0.5
1480179	Soil		524	4.76	525	0.35	6.40	1.29	1.20	<4	55	<2	11	5	<1	18	<0.1	<0.5
1480180	Soil		54	1.04	816	0.41	7.11	2.32	1.52	<4	70	2	11	8	1	10	<0.1	<0.5



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: August 23, 2019

Page: 3 of 3

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI19000219.1

Method	Analyte	Unit	MDL	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300			
				Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
				ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm		
				2	2	5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01	0.002	2		
1480181	Soil			<2	22	14	56	<0.5	24	11	460	3.57	10	<20	4	293	<0.4	<5	<5	130	1.28	0.031	19
1480182	Soil			<2	35	15	64	<0.5	19	11	938	3.04	<5	<20	3	373	<0.4	<5	<5	119	1.60	0.033	18
1480183	Soil			<2	45	10	69	<0.5	49	20	713	4.37	10	<20	2	361	<0.4	<5	<5	166	2.12	0.034	12
1480184	Soil			<2	29	10	78	<0.5	21	12	503	3.53	6	<20	2	318	<0.4	<5	<5	146	1.46	0.024	19
1480185	Soil			<2	49	10	50	<0.5	9	7	580	2.13	<5	<20	2	539	<0.4	<5	<5	55	1.96	0.093	16
1480186	Soil			2	127	8	56	<0.5	22	16	1007	4.39	11	<20	3	323	<0.4	<5	<5	127	1.77	0.058	21
1480187	Soil			<2	35	12	43	<0.5	20	13	572	4.23	11	<20	3	272	<0.4	<5	<5	133	1.29	0.054	16
1480188	Soil			13	846	8	36	<0.5	33	25	649	7.09	12	20	<2	133	<0.4	5	<5	278	1.41	0.057	11
1480189	Soil			<2	18	6	54	<0.5	6	7	435	2.34	<5	<20	4	606	<0.4	<5	<5	64	2.18	0.052	14
1480190	Soil			<2	34	15	69	<0.5	28	17	964	3.74	7	<20	5	313	<0.4	<5	<5	134	1.64	0.052	18
1480191	Soil			<2	48	11	62	<0.5	20	12	508	3.12	6	<20	3	467	<0.4	<5	<5	95	1.90	0.039	12
1480192	Soil			<2	28	11	56	<0.5	15	11	836	2.65	<5	<20	3	508	<0.4	<5	<5	69	1.88	0.052	14
1480193	Soil			3	40	8	45	<0.5	25	11	455	3.31	8	<20	4	376	<0.4	<5	<5	118	1.71	0.040	14
1480194	Soil			<2	38	10	52	<0.5	18	12	727	2.62	<5	<20	4	475	<0.4	<5	<5	83	1.85	0.048	16
1480195	Soil			<2	20	10	52	<0.5	6	7	414	2.13	<5	<20	3	567	<0.4	<5	<5	54	1.91	0.033	13
1480211	Soil			<2	140	9	76	<0.5	46	20	812	4.46	10	<20	4	343	<0.4	<5	<5	148	2.02	0.058	15
1480212	Soil			<2	302	8	40	<0.5	22	14	631	4.22	12	<20	<2	381	<0.4	<5	<5	67	1.92	0.059	22
1480213	Soil			<2	171	7	28	<0.5	22	10	327	4.49	12	<20	<2	100	<0.4	<5	<5	75	0.87	0.112	20
1480214	Soil			<2	39	16	57	<0.5	33	13	599	3.68	10	<20	6	294	<0.4	<5	<5	127	1.72	0.033	19
1480215	Soil			4	75	8	50	<0.5	13	9	482	2.85	17	<20	4	375	<0.4	<5	<5	81	1.93	0.086	19
1480216	Soil			6	46	6	45	<0.5	10	9	425	3.06	8	<20	3	367	<0.4	<5	<5	79	1.26	0.044	16
1480217	Soil			<2	100	6	75	<0.5	48	23	815	5.74	12	<20	<2	144	<0.4	<5	<5	232	0.86	0.055	6
1480218	Soil			<2	44	13	67	<0.5	26	13	503	3.79	10	<20	5	279	<0.4	<5	<5	141	1.27	0.027	18
1480219	Soil			<2	36	7	98	<0.5	89	27	866	5.86	7	<20	<2	212	<0.4	5	<5	226	0.96	0.035	5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: August 23, 2019

Page: 3 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI19000219.1

Method	Analyte	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115
		Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc	S	Au	
Unit		ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb
MDL		2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1	0.1	0.5	
1480181	Soil	60	0.93	876	0.42	6.68	1.83	1.45	<4	62	3	10	9	1	10	<0.1	<0.5	
1480182	Soil	45	0.87	820	0.42	6.54	2.13	1.54	<4	77	3	10	8	1	9	<0.1	<0.5	
1480183	Soil	90	1.57	649	0.41	7.77	2.13	1.30	<4	70	3	11	5	1	16	<0.1	<0.5	
1480184	Soil	48	1.04	793	0.44	6.85	1.98	1.42	<4	61	<2	11	8	1	11	<0.1	<0.5	
1480185	Soil	6	0.58	847	0.23	6.71	2.60	2.07	<4	125	<2	13	4	1	5	<0.1	<0.5	
1480186	Soil	47	0.71	825	0.35	7.06	1.76	1.26	<4	71	<2	19	7	1	13	<0.1	3.5	
1480187	Soil	49	1.05	758	0.47	7.97	2.11	1.48	<4	49	3	11	9	<1	13	<0.1	3.6	
1480188	Soil	36	0.94	671	0.63	11.14	1.37	0.96	<4	51	4	11	7	1	16	<0.1	159.0	
1480189	Soil	9	0.75	854	0.27	7.06	2.81	2.18	<4	133	<2	8	5	1	5	<0.1	1.3	
1480190	Soil	78	1.06	837	0.43	6.44	1.84	1.32	<4	60	3	10	8	1	11	<0.1	3.7	
1480191	Soil	36	0.92	751	0.33	6.71	2.42	1.64	<4	106	2	9	5	1	8	<0.1	1.5	
1480192	Soil	42	0.80	843	0.27	6.59	2.56	1.96	<4	121	<2	8	5	1	6	<0.1	1.3	
1480193	Soil	56	0.96	749	0.41	6.71	2.27	1.48	<4	77	2	9	8	1	10	<0.1	2.0	
1480194	Soil	50	0.83	824	0.32	6.29	2.47	1.90	<4	107	<2	8	6	1	7	<0.1	2.4	
1480195	Soil	9	0.66	841	0.24	6.87	2.71	2.21	<4	132	<2	7	5	1	4	<0.1	1.3	
1480211	Soil	112	1.29	751	0.41	7.21	1.80	1.38	<4	68	3	10	7	1	13	<0.1	20.7	
1480212	Soil	31	1.09	266	0.39	8.43	3.31	0.71	<4	45	2	13	41	2	8	<0.1	11.1	
1480213	Soil	35	0.92	519	0.39	9.09	1.44	2.11	<4	47	3	8	28	1	8	<0.1	27.1	
1480214	Soil	88	1.06	828	0.39	6.83	1.82	1.31	<4	55	4	12	8	1	11	<0.1	1.9	
1480215	Soil	32	0.73	802	0.33	6.76	2.17	1.55	<4	77	<2	17	11	1	10	<0.1	8.9	
1480216	Soil	22	0.70	767	0.37	7.14	2.44	1.84	<4	78	2	8	13	1	6	<0.1	3.9	
1480217	Soil	93	1.71	366	0.47	8.14	1.64	1.16	<4	45	2	9	3	<1	23	<0.1	17.2	
1480218	Soil	60	1.07	710	0.40	7.02	1.78	1.24	<4	58	2	12	7	1	15	<0.1	9.3	
1480219	Soil	161	2.39	422	0.82	7.67	1.96	1.38	<4	75	3	9	4	<1	23	<0.1	1.2	



QUALITY CONTROL REPORT

WHI19000219.1

Method	Analyte	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL		2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01	0.002	
Pulp Duplicates																					
1480163	Soil	<2	22	8	55	<0.5	15	10	453	3.33	6	<20	3	434	<0.4	<5	<5	125	1.82	0.038	17
REP 1480163	QC	<2	22	9	54	<0.5	15	10	451	3.35	6	<20	3	438	<0.4	<5	<5	124	1.84	0.038	16
1480172	Soil	<2	52	11	114	<0.5	26	13	538	3.08	32	<20	2	408	<0.4	<5	<5	98	1.68	0.055	16
REP 1480172	QC																				
1480193	Soil	3	40	8	45	<0.5	25	11	455	3.31	8	<20	4	376	<0.4	<5	<5	118	1.71	0.040	14
REP 1480193	QC	3	40	9	46	<0.5	25	11	465	3.42	7	<20	3	389	<0.4	<5	<5	120	1.78	0.040	16
1480211	Soil	<2	140	9	76	<0.5	46	20	812	4.46	10	<20	4	343	<0.4	<5	<5	148	2.02	0.058	15
REP 1480211	QC																				
Reference Materials																					
STD OREAS25A-4A	Standard	2	32	26	44	0.5	47	8	485	6.44	10	<20	14	45	<0.4	6	<5	163	0.29	0.050	21
STD OREAS25A-4A	Standard	2	32	27	47	<0.5	47	9	493	6.84	11	<20	13	47	<0.4	<5	<5	168	0.27	0.051	21
STD OREAS45E	Standard	<2	742	18	43	0.7	454	58	539	24.50	14	<20	13	15	<0.4	<5	<5	314	0.06	0.034	10
STD OREAS45E	Standard	<2	771	28	48	<0.5	463	55	540	25.04	15	<20	10	16	<0.4	<5	<5	326	0.07	0.034	12
STD OREAS901	Standard																				
STD OREAS901	Standard																				
STD OREAS45E Expected		2.4	780	18.2	46.7	0.311	454	57	570	24.12	16.3	2.41	12.9	15.9		1		322	0.065	0.034	11
STD OREAS25A-4A Expected		2.41	33.9	25.2	44.4		45.8	7.7	480	6.6	9.94	2.94	15.8	48.5		0.65		157	0.301	0.048	21.8
STD OREAS901 Expected																					
BLK	Blank	<2	<2	<5	<2	<0.5	<2	<2	<5	<0.01	<5	<20	<2	<2	<0.4	<5	<5	<2	<0.01	<0.002	<2
BLK	Blank	<2	<2	<5	<2	<0.5	<2	<2	<5	<0.01	<5	<20	<2	<2	<0.4	<5	<5	<2	<0.01	<0.002	<2
BLK	Blank																				
BLK	Blank																				



QUALITY CONTROL REPORT

WHI19000219.1

Method	Analyte	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115
		Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc	S	Au
Unit		ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb
MDL		2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1	0.1	0.5
Pulp Duplicates																	
1480163	Soil	42	0.93	766	0.45	6.40	2.15	1.59	<4	82	2	9	6	1	9	<0.1	<0.5
REP 1480163	QC	40	0.91	759	0.45	6.48	2.15	1.60	<4	81	2	9	7	1	9	<0.1	
1480172	Soil	52	1.04	790	0.36	6.94	2.14	1.66	<4	86	3	11	6	1	9	<0.1	7.7
REP 1480172	QC																7.5
1480193	Soil	56	0.96	749	0.41	6.71	2.27	1.48	<4	77	2	9	8	1	10	<0.1	2.0
REP 1480193	QC	56	0.99	761	0.42	6.99	2.33	1.52	<4	79	<2	9	8	1	10	<0.1	
1480211	Soil	112	1.29	751	0.41	7.21	1.80	1.38	<4	68	3	10	7	1	13	<0.1	20.7
REP 1480211	QC																17.3
Reference Materials																	
STD OREAS25A-4A	Standard	113	0.32	142	0.97	8.97	0.13	0.49	<4	158	6	11	19	<1	13	<0.1	
STD OREAS25A-4A	Standard	114	0.32	151	1.00	9.24	0.12	0.52	<4	162	6	11	20	1	13	<0.1	
STD OREAS45E	Standard	988	0.15	236	0.53	6.63	0.06	0.34	<4	106	<2	8	6	<1	89	<0.1	
STD OREAS45E	Standard	993	0.15	250	0.53	7.00	0.05	0.34	<4	101	3	9	8	<1	91	<0.1	
STD OREAS901	Standard																366.1
STD OREAS901	Standard																367.3
STD OREAS45E Expected		979	0.156	252	0.559	6.78	0.059	0.324	1.07	97	1.32	8.28	6.8	0.62	93	0.046	
STD OREAS25A-4A Expected		115	0.327	147	0.93	8.87	0.131	0.482	2	155	4.06	10.5	20.9	0.93	13.7	0.047	
STD OREAS901 Expected																	363
BLK	Blank	<2	<0.01	<1	<0.01	<0.01	<0.01	<0.01	<4	<2	<2	<2	<2	<1	<1	<0.1	
BLK	Blank	<2	<0.01	<1	<0.01	<0.01	<0.01	<0.01	<4	<2	<2	<2	<2	<1	<1	<0.1	
BLK	Blank																<0.5
BLK	Blank																<0.5