



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** True Point Exploration Inc.  
904 – 409 Granville St.  
Vancouver British Columbia V6G 1T2 Canada

Submitted By: Scott Petsel  
Receiving Lab: Canada-Whitehorse  
Received: August 20, 2019  
Report Date: August 30, 2019  
Page: 1 of 3

## CERTIFICATE OF ANALYSIS

WHI19000398.1

### CLIENT JOB INFORMATION

Project: Stu Copper  
Shipment ID: Stu 4  
P.O. Number: Stu Copper  
Number of Samples: 35

### SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT Dispose of Reject After 60 days

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	35	Crush, split and pulverize 250 g rock to 200 mesh			WHI
MA300	35	4 Acid digestion ICP-ES analysis	0.25	Completed	VAN
EN001-MA	35	Environmental disposal fee - Multi-acid neutralization			VAN
LH402	35	Cu in oxide form, 5% H2SO4	1	Completed	VAN
AQ115-IGN	35	Ignite samples, acid digest, Au by ICP-MS	15	Completed	VAN
SLBHP	35	Sort, label and box pulps			WHI
SHP01	35	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: True Point Exploration Inc.  
904 – 409 Granville St.  
Vancouver British Columbia V6G 1T2  
Canada

CC: Samantha Dyck  
Debbie James



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** True Point Exploration Inc.  
904 – 409 Granville St.  
Vancouver British Columbia V6G 1T2 Canada

**Project:** Stu Copper  
**Report Date:** August 30, 2019

**Page:** 2 of 3

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000398.1

Method Analyte Unit MDL	WGHT	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300
	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	P	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
	0.01	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01	0.002	
1497460	Rock	0.93	<2	<2	20	11	<0.5	<2	<2	148	0.57	<5	<20	<2	732	<0.4	<5	<5	9	0.51	0.005
1497461	Rock	0.86	<2	<2	10	53	<0.5	2	6	707	2.67	<5	<20	<2	835	<0.4	<5	<5	66	2.91	0.070
1894501	Rock	1.95	<2	<2	8	63	<0.5	6	10	694	3.48	<5	<20	3	800	<0.4	<5	<5	96	3.29	0.104
1894502	Rock	1.38	<2	6	23	65	<0.5	8	8	749	3.56	<5	<20	12	195	<0.4	<5	<5	71	1.78	0.050
1894503	Rock	1.98	<2	16	5	65	<0.5	1170	99	1469	7.23	<5	<20	2	44	<0.4	<5	<5	58	1.14	0.039
1894504	Rock	1.38	<2	<2	16	9	<0.5	2	<2	231	0.57	<5	<20	3	125	<0.4	<5	<5	5	0.17	0.005
1894502A	Rock Pulp	0.08	164	3607	53	124	5.1	28	20	500	4.99	65	<20	2	232	0.5	6	<5	177	0.42	0.110
1894505	Rock	1.37	<2	<2	16	8	<0.5	<2	<2	161	0.55	<5	<20	<2	163	<0.4	<5	<5	5	0.31	0.004
1894506	Rock	1.45	<2	<2	14	59	<0.5	5	5	957	2.29	6	<20	4	91	<0.4	<5	<5	37	0.12	0.017
1894507	Rock	2.33	<2	<2	19	55	<0.5	<2	4	410	1.96	<5	<20	11	217	<0.4	<5	<5	29	1.21	0.026
1894508	Rock	2.23	<2	12	11	26	<0.5	<2	<2	299	1.29	<5	<20	9	206	<0.4	<5	<5	14	0.56	0.011
1894509	Rock	1.78	<2	3	<5	3	<0.5	<2	<2	49	0.35	<5	<20	4	44	<0.4	<5	<5	3	0.10	0.006
1894510	Rock	2.40	<2	<2	<5	111	<0.5	220	40	1922	7.18	<5	<20	3	172	<0.4	<5	<5	176	7.86	0.089
1894511	Rock	2.12	<2	3	9	50	<0.5	3	8	635	3.33	<5	<20	9	315	<0.4	<5	<5	58	2.47	0.048
1894511A	Rock Pulp	0.11	153	3635	50	126	3.3	28	19	502	4.99	63	<20	<2	231	0.5	8	<5	174	0.42	0.107
1894551	Rock	2.10	<2	<2	15	15	<0.5	<2	<2	384	0.88	<5	<20	<2	256	<0.4	<5	<5	11	0.41	0.006
1894552	Rock	2.42	<2	<2	19	23	<0.5	<2	3	281	1.20	<5	<20	7	252	<0.4	<5	<5	14	0.92	0.014
1894553	Rock	1.74	<2	<2	11	62	<0.5	5	11	1140	4.15	<5	<20	6	496	<0.4	<5	<5	85	4.60	0.052
1894554	Rock	1.49	<2	7	24	80	<0.5	5	14	1092	5.20	<5	<20	3	174	<0.4	6	<5	185	1.80	0.039
1894555	Rock	2.37	<2	7	18	69	<0.5	3	10	973	3.88	6	<20	5	289	<0.4	6	<5	142	2.38	0.051
1894556	Rock	1.87	<2	5	19	83	<0.5	5	15	1301	4.84	<5	<20	6	310	<0.4	7	<5	185	3.02	0.057
1894557	Rock	1.85	3	7	18	106	<0.5	5	16	1280	5.01	7	<20	5	291	<0.4	8	<5	172	3.34	0.056
1894558	Rock	1.85	<2	6	22	71	<0.5	<2	7	653	4.26	6	<20	4	341	<0.4	<5	<5	171	1.26	0.055
1894559	Rock	2.59	<2	6	12	30	<0.5	<2	<2	369	5.59	12	<20	5	303	<0.4	<5	<5	158	0.50	0.057
1894560	Rock	1.94	<2	8	12	72	<0.5	2	7	959	4.84	7	<20	5	388	<0.4	5	<5	169	2.44	0.067
1894512	Rock	2.20	<2	2	12	64	<0.5	3	11	878	4.07	<5	<20	7	307	<0.4	<5	<5	75	3.08	0.057
1894513	Rock	2.30	<2	4	13	105	<0.5	2	11	1424	4.52	8	<20	4	413	<0.4	6	<5	169	3.59	0.068
1894514	Rock	1.51	3	6	13	9	0.5	<2	<2	75	1.57	<5	<20	6	82	<0.4	<5	<5	143	0.07	0.022
1894515	Rock	2.48	<2	4	13	68	<0.5	5	12	815	3.77	<5	<20	11	414	<0.4	<5	<5	112	2.55	0.063
1894516	Rock Pulp	0.16	150	3653	53	123	3.3	28	20	501	4.96	67	<20	<2	218	<0.4	8	<5	176	0.43	0.109



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** True Point Exploration Inc.  
904 – 409 Granville St.  
Vancouver British Columbia V6G 1T2 Canada

**Project:** Stu Copper  
**Report Date:** August 30, 2019

**Page:** 2 of 3

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI19000398.1

Method Analyte Unit MDL	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	LH402	AQ115	
	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm	S %	Cu/Ox %	Au ppb	
1497460	Rock	<2	3	0.05	6159	0.04	6.44	3.17	3.24	<4	12	<2	<2	<2	<1	<1	<0.1	<0.001	2.5
1497461	Rock	7	6	0.69	1202	0.22	7.82	3.63	1.45	<4	9	<2	10	7	1	6	<0.1	<0.001	1.9
1894501	Rock	14	12	1.14	1808	0.33	7.51	2.70	1.84	<4	7	<2	13	8	1	9	<0.1	<0.001	1.6
1894502	Rock	29	13	1.00	1152	0.37	7.42	1.83	2.80	<4	45	4	23	12	2	15	<0.1	<0.001	2.1
1894503	Rock	5	1278	18.74	137	0.09	1.57	0.04	0.02	<4	<2	<2	3	<2	<1	14	<0.1	0.001	1.7
1894504	Rock	3	<2	0.04	1543	0.01	6.06	2.92	2.92	<4	21	<2	6	4	<1	1	<0.1	<0.001	1.9
1894502A	Rock Pulp	14	48	0.83	139	0.24	7.09	1.17	5.49	29	24	3	12	3	1	12	2.7	0.051	985.0
1894505	Rock	3	2	0.03	1207	0.01	6.22	3.04	3.20	<4	31	<2	6	4	<1	1	<0.1	<0.001	2.7
1894506	Rock	6	5	0.07	1060	0.06	7.30	1.48	2.60	<4	17	<2	11	5	1	3	<0.1	<0.001	1.0
1894507	Rock	14	5	0.51	1173	0.16	6.62	2.07	3.35	<4	17	<2	9	8	1	5	<0.1	<0.001	1.9
1894508	Rock	10	3	0.24	1896	0.09	5.30	1.78	2.99	<4	19	<2	6	6	<1	3	<0.1	<0.001	1.5
1894509	Rock	2	<2	0.02	378	<0.01	1.54	0.45	0.94	<4	3	<2	<2	<2	<1	<1	<0.1	<0.001	1.2
1894510	Rock	13	623	4.16	291	0.48	7.27	1.75	1.12	<4	21	3	47	13	2	30	<0.1	<0.001	<0.5
1894511	Rock	12	12	0.67	1364	0.27	7.26	2.33	2.05	<4	10	<2	15	9	1	10	<0.1	<0.001	0.8
1894511A	Rock Pulp	14	50	0.83	84	0.24	7.02	1.17	5.21	28	23	3	12	3	1	12	2.7	0.046	1000.3
1894551	Rock	3	3	0.04	2590	0.03	6.49	2.63	2.89	<4	14	<2	5	3	<1	2	<0.1	<0.001	<0.5
1894552	Rock	7	<2	0.16	1238	0.08	6.91	2.95	2.70	<4	20	<2	7	6	1	3	<0.1	<0.001	<0.5
1894553	Rock	16	7	1.29	158	0.28	7.82	2.96	0.69	<4	10	2	21	10	2	18	<0.1	<0.001	<0.5
1894554	Rock	21	28	2.40	172	0.43	8.09	0.93	1.94	<4	64	2	21	7	1	24	1.5	<0.001	3.6
1894555	Rock	18	22	1.57	258	0.42	7.14	1.39	1.36	<4	79	2	18	7	1	20	0.9	<0.001	3.4
1894556	Rock	18	29	2.28	275	0.43	7.94	1.38	1.25	<4	80	2	20	7	1	24	1.2	<0.001	2.1
1894557	Rock	16	29	1.92	163	0.40	7.71	1.55	1.36	<4	81	2	20	6	1	22	1.5	<0.001	2.7
1894558	Rock	15	6	1.38	108	0.41	8.83	1.55	1.91	<4	57	<2	19	5	1	23	1.5	<0.001	3.4
1894559	Rock	13	8	0.52	914	0.31	6.76	0.59	1.24	<4	56	<2	10	4	1	19	0.1	<0.001	<0.5
1894560	Rock	18	4	1.64	316	0.31	7.98	1.62	0.26	<4	52	<2	17	5	1	20	0.7	<0.001	2.7
1894512	Rock	21	8	0.90	1296	0.33	7.51	2.24	2.15	<4	10	3	20	10	2	14	<0.1	<0.001	<0.5
1894513	Rock	15	6	2.09	155	0.36	8.56	2.07	0.42	<4	66	<2	19	6	1	17	2.4	<0.001	2.0
1894514	Rock	10	10	0.30	892	0.35	6.61	0.78	3.09	<4	80	2	9	6	<1	13	0.2	<0.001	2.6
1894515	Rock	19	11	1.29	1669	0.34	8.00	2.25	2.08	<4	68	2	16	7	1	14	<0.1	<0.001	<0.5
1894516	Rock Pulp	13	44	0.83	85	0.24	6.79	1.16	4.63	35	24	3	12	3	1	13	2.6	0.048	1298.6



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** True Point Exploration Inc.  
904 – 409 Granville St.  
Vancouver British Columbia V6G 1T2 Canada

**Project:** Stu Copper  
**Report Date:** August 30, 2019

**Page:** 3 of 3

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI19000398.1

Method	WGHT	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01	0.002	
1894517	Rock	2.65	<2	9	18	83	<0.5	<2	12	1038	4.63	<5	<20	6	330	<0.4	<5	<5	171	1.92	0.062
1894518	Rock	1.52	<2	13	19	91	<0.5	7	21	1129	5.60	<5	<20	3	388	<0.4	6	<5	215	5.45	0.062
1894519	Rock	1.94	<2	4	5	19	<0.5	<2	3	66	0.58	<5	<20	5	6	<0.4	<5	<5	14	0.02	0.005
1894520	Rock	2.04	<2	8	11	43	<0.5	<2	4	372	4.38	<5	<20	4	186	<0.4	<5	<5	198	0.49	0.033
1895454	Rock	1.39	<2	22	10	84	<0.5	11	27	811	5.37	13	<20	3	336	<0.4	7	<5	188	3.62	0.062



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** True Point Exploration Inc.  
904 – 409 Granville St.  
Vancouver British Columbia V6G 1T2 Canada

**Project:** Stu Copper  
**Report Date:** August 30, 2019

**Page:** 3 of 3

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI19000398.1

Method	Analyte	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	LH402	AQ115
		La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc	S	Cu/Ox	Au
Unit		ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppb
MDL		2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1	0.1	0.001	0.5
1894517	Rock	21	6	1.88	125	0.24	8.24	2.16	0.93	<4	83	<2	21	4	1	19	2.4	<0.001	7.2
1894518	Rock	13	19	2.57	507	0.49	8.93	2.12	0.50	<4	23	<2	21	5	<1	27	<0.1	<0.001	<0.5
1894519	Rock	8	<2	0.07	266	0.01	2.30	0.02	0.80	<4	19	<2	7	2	<1	1	<0.1	<0.001	3.0
1894520	Rock	10	21	1.28	72	0.34	6.45	1.20	1.62	<4	53	<2	10	5	<1	25	1.6	<0.001	3.2
1895454	Rock	13	27	2.07	242	0.53	8.75	3.39	0.67	<4	45	3	23	6	1	23	1.7	<0.001	8.2



# QUALITY CONTROL REPORT

WHI19000398.1

Method	WGHT	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01	0.002	
Pulp Duplicates																					
1894552	Rock	2.42	<2	<2	19	23	<0.5	<2	3	281	1.20	<5	<20	7	252	<0.4	<5	<5	14	0.92	0.014
REP 1894552	QC		<2	<2	18	23	<0.5	<2	3	288	1.22	<5	<20	6	253	<0.4	<5	<5	14	0.93	0.014
1894518	Rock	1.52	<2	13	19	91	<0.5	7	21	1129	5.60	<5	<20	3	388	<0.4	6	<5	215	5.45	0.062
REP 1894518	QC																				
1894519	Rock	1.94	<2	4	5	19	<0.5	<2	3	66	0.58	<5	<20	5	6	<0.4	<5	<5	14	0.02	0.005
REP 1894519	QC																				
1895454	Rock	1.39	<2	22	10	84	<0.5	11	27	811	5.37	13	<20	3	336	<0.4	7	<5	188	3.62	0.062
REP 1895454	QC																				
Core Reject Duplicates																					
1894513	Rock	2.30	<2	4	13	105	<0.5	2	11	1424	4.52	8	<20	4	413	<0.4	6	<5	169	3.59	0.068
DUP 1894513	QC		<2	4	13	106	<0.5	2	11	1419	4.48	8	<20	3	407	<0.4	5	<5	170	3.57	0.069
Reference Materials																					
STD CPZO-1_5PER	Standard																				
STD CPZO-1_5PER	Standard																				
STD OREAS25A-4A	Standard		2	29	23	41	<0.5	45	7	477	6.41	9	<20	17	44	<0.4	<5	<5	150	0.28	0.048
STD OREAS25A-4A	Standard		<2	30	21	42	<0.5	45	7	484	6.43	9	<20	13	44	<0.4	<5	<5	155	0.27	0.048
STD OREAS45E	Standard		<2	782	16	43	<0.5	465	57	560	25.01	15	<20	15	16	<0.4	<5	<5	319	0.06	0.035
STD OREAS45H	Standard		<2	779	8	38	<0.5	444	89	403	20.46	15	<20	7	27	<0.4	<5	<5	274	0.14	0.024
STD OREAS901	Standard																				
STD OREAS901	Standard																				
STD OREAS901	Standard																				
STD OREAS45E Expected			2.4	780	18.2	46.7	0.311	454	57	570	24.12	16.3	2.41	12.9	15.9		1		322	0.065	0.034
STD OREAS25A-4A Expected			2.41	33.9	25.2	44.4		45.8	7.7	480	6.6	9.94	2.94	15.8	48.5		0.65		157	0.301	0.048
STD OREAS45H Expected			1.55	767	11.9	39.7		423	88	380	19.52	16.9		7.26	27.1				263	0.135	0.023
STD CPZO-1_5PER Expected																					
STD OREAS901 Expected																					
BLK	Blank		<2	<2	<5	<2	<0.5	<2	<2	<5	<0.01	<5	<20	<2	<2	<0.4	<5	<5	<2	<0.01	<0.002
BLK	Blank		<2	<2	<5	<2	<0.5	<2	<2	<5	<0.01	<5	<20	<2	<2	<0.4	<5	<5	<2	<0.01	<0.002



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: True Point Exploration Inc.**  
904 – 409 Granville St.  
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper  
Report Date: August 30, 2019

Page: 1 of 2

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000398.1

Method	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	LH402	AQ115	
Analyte	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc	S	Cu/Ox	Au	
Unit	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppb	
MDL	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1	0.1	0.001	0.5	
Pulp Duplicates																			
1894552	Rock	7	<2	0.16	1238	0.08	6.91	2.95	2.70	<4	20	<2	7	6	1	3	<0.1	<0.001	<0.5
REP 1894552	QC	7	<2	0.16	1234	0.09	6.92	2.88	2.63	<4	19	<2	7	6	1	3	<0.1		
1894518	Rock	13	19	2.57	507	0.49	8.93	2.12	0.50	<4	23	<2	21	5	<1	27	<0.1	<0.001	<0.5
REP 1894518	QC																		<0.5
1894519	Rock	8	<2	0.07	266	0.01	2.30	0.02	0.80	<4	19	<2	7	2	<1	1	<0.1	<0.001	3.0
REP 1894519	QC																		<0.001
1895454	Rock	13	27	2.07	242	0.53	8.75	3.39	0.67	<4	45	3	23	6	1	23	1.7	<0.001	8.2
REP 1895454	QC																		<0.001
Core Reject Duplicates																			
1894513	Rock	15	6	2.09	155	0.36	8.56	2.07	0.42	<4	66	<2	19	6	1	17	2.4	<0.001	2.0
DUP 1894513	QC	14	7	2.09	159	0.35	8.48	2.02	0.42	<4	65	<2	18	6	1	17	2.4	<0.001	2.3
Reference Materials																			
STD CPZO-1_5PER	Standard																		0.268
STD CPZO-1_5PER	Standard																		0.271
STD OREAS25A-4A	Standard	15	105	0.31	140	0.90	9.06	0.14	0.51	<4	145	5	10	19	<1	12	<0.1		
STD OREAS25A-4A	Standard	20	113	0.31	143	0.97	8.70	0.13	0.49	<4	158	5	11	19	<1	13	<0.1		
STD OREAS45E	Standard	11	1022	0.16	255	0.54	6.97	0.06	0.35	<4	98	<2	9	6	<1	93	<0.1		
STD OREAS45H	Standard	12	643	0.25	333	0.90	8.18	0.09	0.22	<4	129	4	10	14	1	60	<0.1		
STD OREAS901	Standard																		0.083
STD OREAS901	Standard																		353.1
STD OREAS901	Standard																		396.0
STD OREAS45E Expected		11	979	0.156	252	0.559	6.78	0.059	0.324	1.07	97	1.32	8.28	6.8	0.62	93	0.046		
STD OREAS25A-4A Expected		21.8	115	0.327	147	0.93	8.87	0.131	0.482	2	155	4.06	10.5	20.9	0.93	13.7	0.047		
STD OREAS45H Expected		12.4	602	0.238	332	0.878	7.99	0.09	0.205		131	1.93	10.4	14.8	1.09	57			
STD CPZO-1_5PER Expected																			0.26
STD OREAS901 Expected																			363
BLK	Blank	<2	<2	<0.01	<1	<0.01	<0.01	<0.01	<0.01	<4	<2	<2	<2	<2	<1	<1	<0.1		
BLK	Blank	<2	<2	<0.01	<1	<0.01	<0.01	<0.01	<0.01	<4	<2	<2	<2	<2	<1	<1	<0.1		



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: True Point Exploration Inc.**  
904 – 409 Granville St.  
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper  
Report Date: August 30, 2019

Page: 2 of 2

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI19000398.1

		WGHT	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	P
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.01	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01	0.002
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank		<2	2	<5	33	<0.5	<2	3	616	1.95	<5	<20	<2	199	<0.4	<5	<5	32	1.51	0.040
ROCK-WHI	Prep Blank		<2	<2	<5	34	<0.5	<2	3	647	2.04	<5	<20	3	197	<0.4	<5	<5	32	1.49	0.041





Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: True Point Exploration Inc.**  
904 – 409 Granville St.  
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper  
Report Date: August 30, 2019

Page: 2 of 2

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI19000398.1

		MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	LH402	AQ115
		La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc	S	Cu/Ox	Au
		ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppb
		2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1	0.1	0.001	0.5
BLK	Blank																	<0.001	
BLK	Blank																	<0.001	
BLK	Blank																		<0.5
BLK	Blank																		<0.5
Prep Wash																			
ROCK-WHI	Prep Blank	12	<2	0.47	824	0.19	6.93	3.41	1.71	<4	50	<2	16	5	<1	6	<0.1	<0.001	5.5
ROCK-WHI	Prep Blank	11	2	0.50	823	0.19	7.09	3.52	1.77	<4	51	<2	16	5	<1	6	<0.1	<0.001	4.6