



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 1
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 28-AUG-2020
This copy reported on
30-AUG-2020
Account: NUF

CERTIFICATE WH20165151

Project: CULVERT
P.O. No.: Lot#1
This report is for 156 Rock samples submitted to our lab in Whitehorse, YT, Canada on 29-JUL-2020.

The following have access to data associated with this certificate:
KIM TYLER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS41	Ultra Trace Aqua Regia ICP-MS	
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, General Manager, North Vancouver



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 2 - A
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-AUG-2020
 Account: NUF

Project: CULVERT

CERTIFICATE OF ANALYSIS WH20165151

Sample Description	Method Analyte Units LOD	WEI-21	Au-AA26	Au-GRA22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Recvd Wt. kg	Au ppm	Au ppm	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm
		0.02	0.01	0.05	0.01	0.01	0.1	0.02	10	10	0.05	0.01	0.01	0.01	0.02	0.1
R322501		1.16	<0.01		0.02	1.44	21.9	<0.02	<10	20	0.36	0.32	0.01	0.21	48.3	12.0
R322502		0.90	0.01		0.03	1.06	59.7	<0.02	<10	10	0.20	1.14	0.04	0.06	13.30	3.3
R322503		1.29	<0.01		0.02	2.28	51.5	<0.02	<10	40	0.73	0.17	0.05	0.24	69.8	12.0
R322504		2.42	<0.01		0.61	1.21	230	<0.02	<10	20	0.33	2.66	0.11	0.07	28.5	7.5
R322505		0.95	<0.01		0.17	2.23	1745	<0.02	10	50	0.30	0.56	0.14	2.87	29.2	27.6
R322506		1.80	0.04		1.19	1.60	3270	0.04	<10	10	0.29	30.6	0.14	1.93	14.20	7.3
R322507		2.01	<0.01		0.02	1.38	87.1	<0.02	<10	40	0.39	0.33	0.03	0.06	62.4	5.6
R322508		2.01	0.01		0.13	0.11	797	<0.02	<10	10	0.09	1.15	<0.01	0.18	8.98	2.0
R322509		2.16	<0.01		0.07	1.48	349	<0.02	<10	60	0.49	0.93	0.03	0.73	57.8	19.2
R322510		2.01	<0.01		0.05	0.58	177.0	<0.02	<10	30	0.42	0.94	<0.01	0.33	34.6	13.0
R322511		2.26	<0.01		0.08	1.10	287	<0.02	<10	20	0.45	0.47	0.03	0.06	36.0	10.7
R322512		2.36	<0.01		0.06	1.50	81.7	<0.02	<10	20	0.40	0.52	0.03	0.70	36.8	16.8
R322513		1.27	<0.01		0.29	0.97	21.5	<0.02	<10	10	0.13	16.50	0.02	2.32	6.26	7.3
R322514		1.53	<0.01		0.11	0.77	14.6	<0.02	<10	20	0.21	0.61	0.01	0.03	26.2	4.8
R322515		0.78	<0.01		0.02	0.94	103.5	<0.02	<10	20	0.33	0.20	0.01	0.02	38.1	4.4
R322516		1.26	<0.01		0.02	2.09	23.3	<0.02	<10	20	0.30	0.19	0.04	0.01	30.0	13.1
R322517		1.61	0.04		0.41	0.88	336	0.03	<10	20	0.27	7.61	0.02	0.13	26.0	9.2
R322518		2.07	2.32		1.05	1.46	2810	11.20	<10	20	0.30	1.57	0.06	0.66	31.0	6.8
R322519		1.73	0.17		0.43	0.85	120.0	0.12	<10	20	0.53	5.06	0.01	0.29	27.9	5.6
R322520		1.46	1.17		0.44	1.43	3270	0.75	<10	20	0.51	1.44	0.05	1.54	13.80	7.6
R322521		1.80	0.02		0.15	1.02	37.2	<0.02	<10	20	0.51	1.77	0.06	0.50	27.5	24.3
R322522		1.66	0.26		0.30	1.66	5180	0.53	<10	20	0.41	4.32	0.04	1.81	18.75	9.8
R322523		1.40	12.20		0.81	0.54	>10000	7.42	<10	40	0.32	7.25	0.02	2.35	30.4	4.9
R322524		0.76	45.7		1.03	0.58	>10000	24.8	<10	10	0.48	0.79	0.01	0.13	14.55	5.4
R322525		1.59	1.51		0.76	1.24	3230	4.92	<10	40	1.06	28.9	0.02	0.39	40.7	4.7
R322526		1.49	0.08		0.13	2.08	326	0.05	<10	10	0.34	1.63	0.05	8.90	21.6	11.4
R322527		1.26	0.02		0.09	2.34	35.0	<0.02	<10	20	0.77	0.87	0.05	0.39	40.6	39.6
R322528		1.24	0.43		0.14	0.64	128.5	0.04	<10	30	0.89	2.62	0.02	0.23	67.4	6.7
R322529		0.43	11.60		0.61	0.23	3000	6.39	<10	60	0.24	1.12	<0.01	0.33	29.1	0.9
R322530		1.68	78.0		2.52	0.53	7410	>25.0	<10	20	0.39	0.90	0.01	0.34	26.0	1.3
R322531		1.82	26.1		0.83	1.14	3810	17.05	<10	20	0.52	0.58	0.01	0.26	25.5	5.9
R322532		1.90	>100	157.0	4.81	0.50	6210	>25.0	<10	20	0.55	0.71	0.01	0.12	19.25	3.1
R322533		1.59	0.11		0.32	2.32	26.8	0.10	<10	10	0.33	7.83	0.01	0.35	24.4	11.7
R322534		1.54	0.86		0.50	1.02	>10000	0.74	<10	20	0.35	9.97	0.04	1.12	16.60	17.1
R322535		2.34	0.05		0.34	1.07	108.0	0.02	10	10	0.28	12.60	0.01	0.32	44.4	1.6
R322536		1.08	0.24		0.08	0.99	295	0.07	<10	10	0.51	1.46	0.02	0.68	20.0	21.6
R322537		1.52	0.50		0.24	2.07	528	1.68	<10	20	0.73	0.95	0.01	1.30	73.4	5.1
R322538		1.45	0.03		0.38	0.43	106.0	0.03	<10	10	0.30	29.8	<0.01	0.26	27.4	3.5
R322539		1.23	<0.01		0.10	1.38	77.6	<0.02	<10	10	0.26	3.26	0.01	0.18	27.7	2.8
R322540		1.14	<0.01		0.03	1.91	19.9	<0.02	<10	20	0.64	0.50	0.05	0.07	64.2	8.9



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 2 - B
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-AUG-2020
 Account: NUF

Project: CULVERT

CERTIFICATE OF ANALYSIS WH20165151

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm
		1	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
R322501		18	0.92	13.9	3.03	4.35	0.06	0.09	<0.01	0.010	0.11	23.2	41.6	0.45	406	0.24
R322502		13	0.39	27.1	2.42	3.32	<0.05	0.04	<0.01	0.015	0.04	6.6	29.9	0.39	280	1.02
R322503		22	1.31	11.7	4.49	7.50	0.08	0.15	0.01	0.020	0.13	35.5	71.2	0.81	920	0.10
R322504		22	0.85	19.5	2.74	4.06	<0.05	0.06	<0.01	0.021	0.06	14.2	35.1	0.42	511	1.06
R322505		21	1.47	6.0	4.47	7.32	0.05	0.12	<0.01	0.208	0.07	14.0	64.3	0.89	1390	0.18
R322506		21	0.31	40.7	3.84	5.18	0.08	0.02	<0.01	1.160	0.02	6.3	45.9	0.67	365	0.77
R322507		22	1.17	11.2	2.62	4.80	0.07	0.13	<0.01	0.027	0.12	31.6	38.3	0.44	389	0.17
R322508		16	0.19	21.2	1.03	0.37	<0.05	0.04	<0.01	0.104	0.02	4.4	2.0	0.01	73	1.14
R322509		25	1.09	75.2	3.41	4.98	0.06	0.17	<0.01	0.192	0.12	30.2	43.7	0.45	937	1.27
R322510		15	0.67	44.3	2.31	1.86	<0.05	0.07	<0.01	0.017	0.08	17.3	9.7	0.11	190	2.20
R322511		21	0.82	20.3	2.55	3.37	<0.05	0.11	<0.01	0.020	0.08	18.4	32.0	0.35	383	0.61
R322512		20	0.73	56.6	3.12	5.09	0.05	0.11	<0.01	0.561	0.08	19.2	46.1	0.52	822	0.35
R322513		20	0.22	199.5	2.39	3.52	<0.05	0.02	0.01	0.738	0.02	3.1	32.9	0.44	992	0.18
R322514		18	0.64	23.6	1.61	2.32	<0.05	0.07	<0.01	0.015	0.06	12.6	18.6	0.28	240	0.31
R322515		19	0.83	11.7	2.18	3.00	0.05	0.07	<0.01	0.012	0.07	18.9	19.4	0.30	239	0.17
R322516		15	0.69	1.4	4.10	6.48	0.06	0.05	<0.01	0.013	0.07	14.4	66.2	0.82	734	0.19
R322517		13	1.35	82.3	3.62	3.09	<0.05	0.05	0.01	0.060	0.04	12.5	24.3	0.27	469	0.16
R322518		20	1.21	26.7	3.28	5.58	0.05	0.09	<0.01	0.017	0.07	14.7	43.1	0.59	543	0.97
R322519		14	1.93	154.5	4.14	5.19	0.05	0.13	0.01	0.035	0.07	14.1	17.1	0.21	194	0.19
R322520		15	3.39	66.0	3.28	4.59	<0.05	0.03	<0.01	0.044	0.05	6.3	43.1	0.62	547	0.24
R322521		14	1.35	45.3	2.01	3.30	<0.05	0.08	<0.01	0.023	0.06	13.0	34.5	0.37	885	0.19
R322522		21	3.97	92.5	4.12	5.42	0.05	0.05	<0.01	0.065	0.03	8.4	51.3	0.63	515	8.12
R322523		11	5.14	34.4	2.63	1.76	<0.05	0.11	<0.01	0.032	0.08	15.4	8.2	0.11	128	3.83
R322524		15	2.26	87.9	1.95	1.72	<0.05	0.04	<0.01	0.009	0.08	7.1	14.2	0.21	133	0.29
R322525		16	21.9	98.2	3.49	4.94	0.06	0.10	<0.01	1.215	0.08	20.5	22.1	0.35	313	0.10
R322526		25	0.64	80.6	4.48	6.68	0.10	0.06	<0.01	0.095	0.01	10.3	49.6	0.89	647	0.21
R322527		18	1.40	88.0	4.92	7.80	0.07	0.11	<0.01	0.049	0.09	20.4	79.3	1.01	1680	0.11
R322528		13	2.35	83.6	2.64	3.83	0.12	0.19	<0.01	0.023	0.12	33.0	12.4	0.12	143	0.28
R322529		9	0.92	16.7	0.97	0.92	<0.05	0.07	<0.01	0.013	0.09	15.2	2.0	0.02	41	0.66
R322530		10	1.98	21.8	1.44	1.85	<0.05	0.05	<0.01	0.007	0.12	13.3	12.2	0.15	111	0.23
R322531		13	2.69	52.2	2.50	3.77	<0.05	0.12	<0.01	0.014	0.10	13.1	36.7	0.49	315	1.34
R322532		10	2.38	71.0	1.53	1.48	<0.05	0.07	0.01	0.009	0.09	9.6	10.1	0.16	143	0.19
R322533		22	0.61	82.9	5.09	7.18	0.06	0.09	0.01	1.365	0.05	12.1	73.9	1.07	1060	0.13
R322534		20	3.03	48.1	5.45	3.90	0.06	0.07	0.01	0.041	0.05	7.7	30.5	0.40	337	0.27
R322535		16	0.51	36.2	2.52	3.85	0.05	0.10	0.01	1.850	0.04	21.9	23.5	0.34	257	0.30
R322536		18	0.87	45.8	2.38	3.53	<0.05	0.06	<0.01	0.025	0.02	9.2	33.4	0.38	918	1.30
R322537		29	3.45	68.1	3.84	6.91	0.09	0.19	<0.01	0.026	0.10	37.8	64.1	0.87	673	1.68
R322538		8	0.30	64.6	3.41	1.77	<0.05	0.06	0.01	0.801	<0.01	13.8	4.4	0.04	58	14.15
R322539		14	0.54	41.7	2.96	4.52	<0.05	0.05	<0.01	0.386	0.05	13.4	31.9	0.45	355	0.17
R322540		25	1.84	25.4	4.24	5.73	0.08	0.21	<0.01	0.016	0.11	32.5	59.0	0.66	342	0.24



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 2 - C
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-AUG-2020
 Account: NUF

Project: CULVERT

CERTIFICATE OF ANALYSIS WH20165151

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm
R322501		0.02	<0.05	25.3	190	5.1	4.3	<0.001	0.01	0.14	1.0	<0.2	<0.2	6.9	<0.01	<0.01
R322502		0.01	<0.05	11.2	330	10.3	1.8	<0.001	0.01	0.07	0.8	<0.2	0.2	3.9	<0.01	0.01
R322503		0.03	<0.05	34.6	360	3.6	5.6	<0.001	0.01	0.14	2.4	<0.2	0.4	6.7	<0.01	<0.01
R322504		0.02	<0.05	17.5	560	52.7	2.9	<0.001	0.02	0.13	1.2	<0.2	0.2	9.5	<0.01	0.04
R322505		0.03	<0.05	29.8	670	16.8	4.2	<0.001	0.03	0.32	2.9	0.2	0.4	10.0	<0.01	0.07
R322506		0.01	<0.05	11.8	980	88.5	1.0	<0.001	0.06	0.55	5.0	0.3	0.4	16.3	<0.01	0.40
R322507		0.03	<0.05	19.5	240	3.2	5.6	<0.001	0.01	0.13	1.4	<0.2	0.5	7.5	<0.01	<0.01
R322508		0.02	<0.05	2.9	100	15.6	1.0	<0.001	0.03	0.28	0.4	<0.2	<0.2	9.9	<0.01	0.07
R322509		0.02	<0.05	29.4	310	5.7	5.6	<0.001	0.01	0.22	1.5	<0.2	0.6	7.6	<0.01	<0.01
R322510		0.02	<0.05	14.2	200	37.2	3.4	<0.001	0.01	0.24	0.9	<0.2	<0.2	8.1	<0.01	0.01
R322511		0.02	<0.05	21.0	280	17.4	3.7	<0.001	0.01	0.13	1.1	<0.2	0.2	8.2	<0.01	0.03
R322512		0.02	<0.05	25.2	240	12.1	4.0	<0.001	0.02	0.28	1.7	<0.2	0.4	6.7	<0.01	<0.01
R322513		0.01	<0.05	12.8	140	18.8	1.1	<0.001	0.05	0.25	1.3	0.2	0.5	3.8	<0.01	0.07
R322514		0.01	<0.05	8.9	140	11.2	2.8	<0.001	<0.01	0.21	0.9	<0.2	<0.2	4.3	<0.01	0.04
R322515		0.02	<0.05	11.1	210	4.0	3.6	<0.001	<0.01	0.14	1.1	<0.2	<0.2	4.4	<0.01	<0.01
R322516		0.02	<0.05	37.4	210	6.7	3.6	<0.001	<0.01	<0.05	2.2	<0.2	<0.2	4.8	<0.01	0.01
R322517		0.03	<0.05	10.5	360	21.7	2.1	<0.001	0.05	0.22	2.3	0.2	0.7	17.7	<0.01	0.06
R322518		0.03	<0.05	13.8	390	33.5	4.1	<0.001	0.20	0.99	2.5	0.2	0.4	8.6	<0.01	0.03
R322519		0.02	<0.05	10.8	210	18.4	4.4	<0.001	0.03	0.24	1.5	0.4	0.9	8.9	<0.01	0.06
R322520		0.02	<0.05	16.0	320	9.5	3.2	<0.001	0.06	0.87	1.6	<0.2	0.4	11.8	<0.01	0.03
R322521		0.02	<0.05	25.8	320	10.0	3.5	<0.001	0.02	0.13	2.1	0.2	0.4	10.2	<0.01	0.02
R322522		0.03	<0.05	17.2	290	15.4	2.3	0.001	0.38	1.05	2.7	0.3	0.6	24.0	<0.01	0.36
R322523		0.04	<0.05	10.9	150	37.8	4.8	<0.001	0.45	4.48	1.6	0.7	0.5	11.2	<0.01	0.36
R322524		0.01	<0.05	8.0	40	8.3	4.1	<0.001	0.39	2.91	0.7	0.4	<0.2	23.7	<0.01	0.37
R322525		0.04	<0.05	10.7	280	30.4	7.6	<0.001	0.01	0.67	2.8	0.2	0.9	137.5	<0.01	0.21
R322526		0.03	<0.05	17.2	390	6.7	0.7	<0.001	0.16	0.14	3.8	0.2	0.4	4.7	<0.01	0.02
R322527		0.02	<0.05	51.0	360	8.6	4.8	<0.001	0.01	0.14	4.2	0.2	0.7	9.9	<0.01	0.01
R322528		0.02	0.63	13.7	280	6.4	12.1	<0.001	0.01	0.22	1.8	0.3	1.6	9.7	0.01	0.03
R322529		0.01	<0.05	1.5	70	101.0	5.0	<0.001	0.03	1.37	1.0	0.2	<0.2	9.5	<0.01	0.09
R322530		0.01	<0.05	4.6	70	4.5	6.2	<0.001	0.11	2.04	0.7	0.3	<0.2	59.2	<0.01	0.07
R322531		0.01	<0.05	13.1	80	43.3	5.7	<0.001	0.11	1.21	1.5	<0.2	<0.2	22.8	<0.01	0.10
R322532		0.01	<0.05	7.7	40	25.3	5.0	<0.001	0.18	1.83	0.6	0.3	<0.2	21.3	<0.01	0.14
R322533		0.01	<0.05	18.7	170	9.2	2.6	<0.001	0.07	0.20	3.0	0.3	1.4	4.6	<0.01	0.06
R322534		0.03	<0.05	14.5	280	28.7	3.1	<0.001	1.75	13.60	2.4	2.1	0.4	9.6	<0.01	0.53
R322535		0.05	<0.05	3.6	380	19.8	2.0	<0.001	0.03	0.29	2.6	0.3	1.1	15.8	<0.01	0.09
R322536		0.02	<0.05	23.3	90	5.9	1.3	<0.001	0.03	0.26	2.0	0.2	0.3	4.2	<0.01	0.02
R322537		0.04	<0.05	21.7	190	16.9	5.5	<0.001	<0.01	0.26	3.7	<0.2	0.3	13.8	<0.01	0.03
R322538		0.06	<0.05	3.3	320	39.5	0.3	<0.001	0.04	0.34	1.0	0.5	4.8	14.7	<0.01	0.20
R322539		0.03	<0.05	9.3	210	8.1	2.7	<0.001	0.01	0.21	1.6	<0.2	1.1	5.1	<0.01	0.04
R322540		0.01	<0.05	33.5	380	25.8	5.2	<0.001	<0.01	0.23	2.1	<0.2	<0.2	9.7	<0.01	0.02



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 2 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-AUG-2020
 Account: NUF

Project: CULVERT

CERTIFICATE OF ANALYSIS WH20165151

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.2	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R322501		8.1	<0.005	0.03	0.45	9	0.08	2.30	86	4.0
R322502		2.4	<0.005	<0.02	0.45	6	0.10	1.10	61	2.0
R322503		12.6	0.005	0.04	0.56	15	0.10	3.62	125	5.6
R322504		4.6	<0.005	0.02	0.68	8	0.12	2.31	84	2.5
R322505		9.2	<0.005	0.03	0.92	17	0.09	3.45	237	4.9
R322506		0.8	<0.005	<0.02	0.38	48	0.34	3.23	322	0.5
R322507		10.0	<0.005	0.03	0.48	9	0.12	2.77	62	5.4
R322508		1.5	<0.005	<0.02	0.26	1	0.07	0.59	22	1.7
R322509		9.8	<0.005	0.03	1.57	10	0.09	3.65	134	7.3
R322510		6.7	<0.005	0.02	0.73	5	0.11	1.99	71	3.3
R322511		7.2	<0.005	0.02	0.80	7	0.10	2.40	68	4.1
R322512		6.9	<0.005	0.03	1.95	13	0.05	2.23	212	4.6
R322513		1.6	<0.005	<0.02	0.49	7	<0.05	0.92	403	1.0
R322514		3.9	<0.005	0.03	0.43	6	<0.05	1.35	35	2.8
R322515		6.2	<0.005	0.02	0.62	6	<0.05	1.65	40	3.0
R322516		4.4	<0.005	0.02	0.29	15	<0.05	1.81	95	1.9
R322517		5.4	<0.005	0.02	0.79	8	0.12	2.27	118	1.9
R322518		9.6	<0.005	0.02	0.79	15	0.46	2.16	92	3.9
R322519		7.3	<0.005	0.03	0.48	12	0.26	1.51	77	5.8
R322520		3.9	<0.005	0.02	0.78	12	0.05	2.78	116	1.3
R322521		5.8	<0.005	0.03	1.04	8	0.08	3.00	129	3.8
R322522		9.6	<0.005	<0.02	0.78	14	0.17	2.36	154	1.9
R322523		12.9	<0.005	0.03	1.07	5	0.24	2.95	72	4.8
R322524		3.7	<0.005	0.02	0.73	4	0.11	2.10	25	1.8
R322525		9.0	<0.005	0.05	0.85	11	0.57	3.57	184	3.8
R322526		11.3	<0.005	<0.02	1.38	20	0.11	2.08	142	2.2
R322527		6.4	<0.005	0.03	0.76	20	0.35	3.95	210	4.7
R322528		8.2	<0.005	0.07	0.62	6	0.54	3.07	84	7.7
R322529		5.6	<0.005	0.03	0.38	2	0.37	1.39	9	3.1
R322530		5.5	<0.005	0.04	1.08	4	0.34	1.96	21	2.1
R322531		6.4	<0.005	0.04	0.92	7	0.21	2.37	64	5.1
R322532		4.9	<0.005	0.03	0.73	3	0.14	2.31	27	2.8
R322533		4.6	<0.005	0.02	0.79	19	24.6	2.12	274	3.3
R322534		9.6	<0.005	0.02	0.71	10	0.36	3.85	50	2.4
R322535		9.8	<0.005	<0.02	0.84	8	0.92	1.75	170	3.8
R322536		4.9	<0.005	<0.02	0.80	9	0.08	2.37	142	2.3
R322537		16.3	<0.005	0.03	1.61	20	0.17	4.13	114	8.3
R322538		9.9	<0.005	<0.02	1.21	4	0.39	1.03	183	2.4
R322539		7.0	<0.005	0.02	0.91	11	0.13	1.29	165	2.0
R322540		14.7	<0.005	0.03	1.04	12	<0.05	4.05	86	9.1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 3 - A
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-AUG-2020
 Account: NUF

Project: CULVERT

CERTIFICATE OF ANALYSIS WH20165151

Sample Description	Method Analyte Units LOD	WEI-21	Au-AA26	Au-GRA22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Recvd Wt. kg	Au ppm	Au ppm	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm
R322541		1.64	<0.01		0.11	1.37	9.9	<0.02	<10	30	0.56	0.45	0.05	0.03	47.0	10.6
R322542		0.95	0.09		0.72	0.09	>10000	0.09	<10	10	0.19	4.40	0.01	0.17	4.47	9.2
R322543		1.98	0.08		0.16	0.61	107.5	0.03	<10	10	0.26	11.65	0.01	0.17	21.3	3.0
R322544		1.29	3.95		0.29	1.58	441	2.94	<10	30	0.73	1.63	<0.01	0.35	63.8	12.0
R322545		0.98	7.61		0.71	1.80	213	9.58	<10	30	0.64	0.82	0.01	0.07	62.5	6.3
R322546		1.53	5.64		0.50	0.80	5010	7.78	<10	40	0.41	0.67	0.01	0.39	35.2	2.7
R322547		1.27	3.79		0.14	1.19	291	1.98	<10	40	0.59	0.48	0.03	0.23	88.1	5.8
R322548		1.70	6.79		0.14	1.18	3170	2.30	<10	50	0.54	0.46	0.02	0.14	59.7	1.1
R322549		1.23	0.47		0.08	0.32	73.0	0.11	<10	10	0.16	1.54	<0.01	0.04	4.55	3.1
R322550		1.42	1.80		0.14	0.83	3340	1.71	<10	50	0.47	0.42	0.01	0.13	20.4	2.2
R322551		1.31	>100	157.0	5.73	0.38	6530	>25.0	<10	90	0.68	0.83	0.01	0.35	28.2	0.8
R322552		1.01	3.02		0.20	1.33	6290	2.06	<10	30	0.42	1.02	0.01	0.03	39.8	2.9
R322553		1.12	2.73		0.27	0.35	4430	2.98	<10	10	0.34	0.88	0.01	0.08	19.35	0.9
R322554		1.51	18.90		0.96	0.11	>10000	13.05	<10	10	0.15	2.43	<0.01	0.03	7.20	2.0
R322555		1.07	11.40		0.47	0.31	>10000	7.22	<10	20	0.47	2.01	0.01	0.07	12.80	2.3
R322556		0.90	17.35		0.89	0.12	9710	12.85	<10	10	0.15	3.01	<0.01	0.03	6.24	1.9
R322557		1.40	1.06		0.09	0.19	3840	0.39	<10	10	0.16	0.74	<0.01	0.04	8.53	1.2
R322558		2.26	5.27		0.34	0.70	7000	4.38	<10	20	0.65	0.61	0.01	0.12	34.2	2.0
R322559		1.63	7.68		0.80	1.17	3440	5.97	<10	30	0.59	15.50	0.02	0.12	45.0	1.9
R322560		1.08	7.44		0.75	0.36	9890	6.10	<10	20	0.35	5.30	0.01	0.07	15.90	3.6
R322561		1.40	0.05		0.05	0.57	29.6	0.02	<10	20	0.25	0.74	0.01	0.01	34.1	1.6
R322562		0.99	0.01		0.06	0.09	66.4	<0.02	<10	<10	0.05	2.50	<0.01	0.01	0.54	0.5
R322563		1.16	1.04		0.07	1.93	2010	0.58	<10	30	0.44	0.46	0.01	0.03	90.1	2.1
R322564		1.04	0.04		0.02	2.02	355	0.07	<10	30	0.43	0.40	<0.01	0.03	110.5	3.1
R322565		1.33	8.44		0.89	0.83	>10000	7.20	<10	30	0.64	1.16	0.01	0.24	33.0	1.6
R322566		0.79	9.33		0.72	0.21	>10000	10.65	<10	20	0.30	3.21	<0.01	0.05	11.20	3.6
R322567		1.53	1.34		0.08	1.10	958	0.45	<10	30	0.33	1.29	0.01	0.03	53.3	1.6
R322568		1.21	12.15		0.62	1.04	302	9.88	<10	30	0.22	0.26	<0.01	0.02	34.6	1.3
R322569		1.55	6.56		0.38	1.44	5900	6.33	<10	30	0.45	0.31	0.01	0.01	50.6	1.4
R322570		1.06	0.22		0.17	0.87	45.0	1.03	<10	20	0.53	1.13	0.01	0.05	50.1	3.1
R322571		0.48	<0.01		0.02	3.38	62.7	<0.02	<10	40	0.36	0.51	0.08	0.05	21.7	26.5
R322572		1.32	<0.01		0.01	0.91	53.9	<0.02	<10	10	0.22	0.16	0.08	0.01	22.5	5.5
R322573		1.60	3.77		0.27	0.56	26.2	1.41	<10	20	0.47	2.22	0.01	0.09	36.6	3.4
R322574		0.75	0.01		0.28	2.55	36.0	<0.02	<10	10	0.48	2.42	0.01	0.14	30.2	19.3
R322575		1.21	0.32		0.13	0.22	68.4	0.05	<10	10	0.13	0.59	0.01	0.05	13.30	1.0
R322576		0.78	2.46		0.09	0.31	120.5	1.26	<10	20	0.22	0.24	<0.01	0.04	34.8	1.3
R322577		0.70	1.10		0.21	0.26	32.2	2.20	<10	10	0.23	0.30	<0.01	0.02	24.1	2.6
R322578		1.06	2.84		1.53	0.36	6450	>25.0	<10	10	0.29	0.37	0.01	0.03	8.36	1.4
R322579		1.59	0.36		0.07	2.55	23.0	0.27	<10	40	0.62	0.92	0.02	0.03	67.2	7.9
R322580		1.13	6.92		0.35	0.63	>10000	5.78	<10	20	0.43	0.81	0.01	0.05	16.00	3.3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 3 - B
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-AUG-2020
 Account: NUF

Project: CULVERT

CERTIFICATE OF ANALYSIS WH20165151

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm
		1	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
R322541		17	1.90	41.4	3.24	4.50	0.06	0.12	<0.01	0.017	0.10	24.1	51.6	0.43	414	0.41
R322542		7	1.05	46.4	1.74	0.26	<0.05	0.02	0.01	0.018	0.02	2.3	2.2	0.01	96	0.39
R322543		12	0.63	24.0	2.02	2.40	<0.05	0.04	<0.01	0.451	0.05	11.3	20.1	0.20	193	0.37
R322544		16	2.03	40.9	3.58	4.98	0.07	0.15	<0.01	0.029	0.14	32.6	39.4	0.47	388	0.49
R322545		19	2.05	30.9	3.63	6.85	0.07	0.15	<0.01	0.015	0.15	32.6	45.0	0.71	374	0.10
R322546		15	1.51	13.4	2.18	2.70	0.05	0.09	<0.01	0.010	0.11	17.5	14.7	0.26	210	0.50
R322547		13	2.65	17.9	3.07	4.56	0.08	0.20	<0.01	0.012	0.17	43.6	20.9	0.31	309	0.11
R322548		14	2.38	4.1	2.34	3.93	0.06	0.09	<0.01	0.011	0.16	28.3	29.5	0.43	271	0.15
R322549		13	0.31	20.9	1.15	0.97	<0.05	0.03	<0.01	0.045	0.02	2.3	10.8	0.10	104	0.23
R322550		18	2.45	6.4	1.77	2.42	<0.05	0.06	<0.01	0.009	0.08	10.7	27.8	0.32	241	0.62
R322551		9	7.36	7.9	1.13	1.06	<0.05	0.07	<0.01	0.009	0.13	14.9	4.7	0.05	63	0.25
R322552		14	2.11	41.6	2.81	3.94	0.05	0.13	<0.01	0.016	0.17	21.4	33.8	0.42	311	0.19
R322553		11	2.98	30.7	1.34	1.40	<0.05	0.05	<0.01	0.008	0.09	10.3	6.1	0.08	74	0.21
R322554		13	2.23	32.3	1.14	0.37	<0.05	0.02	<0.01	<0.005	0.05	3.7	1.0	0.01	20	0.31
R322555		25	5.84	17.3	1.73	1.03	<0.05	0.05	<0.01	0.006	0.10	6.8	6.2	0.07	69	0.37
R322556		15	3.11	19.1	1.04	0.36	<0.05	0.03	<0.01	0.005	0.04	3.1	1.3	0.01	30	0.26
R322557		14	1.74	40.8	0.83	0.63	<0.05	0.03	<0.01	0.005	0.05	4.2	3.2	0.03	38	0.18
R322558		10	5.08	21.7	2.14	2.44	<0.05	0.14	<0.01	0.009	0.15	18.5	14.9	0.21	138	0.26
R322559		13	7.30	68.0	3.95	4.31	0.05	0.14	<0.01	0.017	0.14	23.8	24.4	0.35	230	21.3
R322560		9	3.27	42.5	1.63	1.16	<0.05	0.06	<0.01	0.008	0.11	8.5	5.5	0.06	56	0.33
R322561		15	0.92	21.8	1.43	1.95	<0.05	0.07	<0.01	0.012	0.08	18.2	13.7	0.17	142	0.20
R322562		11	0.15	17.9	0.50	0.39	<0.05	<0.02	<0.01	0.005	<0.01	0.3	2.5	0.03	41	0.18
R322563		20	1.94	21.5	3.56	6.20	0.09	0.16	<0.01	0.018	0.19	47.2	50.1	0.67	362	0.09
R322564		17	1.92	8.7	3.25	6.40	0.10	0.17	<0.01	0.024	0.18	58.5	63.0	0.70	491	0.07
R322565		11	6.31	22.0	2.34	2.68	0.05	0.09	<0.01	0.011	0.18	17.1	19.9	0.21	138	1.02
R322566		13	3.32	25.2	1.84	0.69	<0.05	0.05	<0.01	0.007	0.11	6.1	2.5	0.02	35	0.53
R322567		16	1.49	21.4	2.37	3.73	0.05	0.09	<0.01	0.041	0.14	27.9	25.3	0.33	253	0.16
R322568		13	0.80	7.7	1.77	3.26	<0.05	0.07	<0.01	0.007	0.09	17.7	32.4	0.36	227	0.12
R322569		14	2.31	15.2	2.87	4.78	0.06	0.11	<0.01	0.013	0.17	27.1	42.8	0.47	322	0.17
R322570		12	1.25	30.8	1.68	2.68	0.05	0.11	<0.01	0.017	0.11	26.2	22.4	0.28	235	0.34
R322571		25	0.96	3.5	6.69	9.42	0.05	0.09	<0.01	0.016	0.12	10.5	111.5	1.22	1680	0.29
R322572		21	0.39	15.9	1.86	2.61	<0.05	0.05	<0.01	0.014	0.06	11.9	30.2	0.31	231	0.25
R322573		12	1.18	44.1	1.26	2.11	<0.05	0.13	<0.01	0.013	0.10	18.9	12.6	0.12	135	0.45
R322574		26	0.77	100.5	5.04	8.42	0.07	0.12	<0.01	0.058	0.04	14.9	106.5	1.04	1120	0.38
R322575		10	0.48	7.0	1.00	0.61	<0.05	0.05	<0.01	<0.005	0.05	6.8	1.3	0.02	35	0.39
R322576		8	1.26	4.6	1.48	1.27	<0.05	0.13	<0.01	<0.005	0.11	18.7	3.2	0.03	55	0.19
R322577		12	0.91	5.4	1.71	1.08	<0.05	0.10	<0.01	<0.005	0.08	12.4	1.7	0.02	63	0.16
R322578		15	3.37	11.0	1.31	1.34	<0.05	0.03	<0.01	0.005	0.07	4.3	9.4	0.12	91	0.35
R322579		30	2.53	19.1	4.40	7.29	0.07	0.18	<0.01	0.016	0.20	36.1	75.6	0.86	595	0.08
R322580		14	3.96	24.5	2.09	2.08	<0.05	0.06	<0.01	0.006	0.11	8.8	16.1	0.22	157	0.31



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 3 - C
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-AUG-2020
 Account: NUF

Project: CULVERT

CERTIFICATE OF ANALYSIS WH20165151

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm
		0.01	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
R322541		0.02	<0.05	20.2	330	11.7	5.2	<0.001	0.01	0.33	1.5	0.3	0.6	11.7	<0.01	0.01
R322542		0.01	<0.05	8.8	50	35.4	1.2	<0.001	0.40	2.87	0.2	0.6	0.2	6.0	<0.01	0.24
R322543		0.03	<0.05	6.4	190	25.3	2.9	<0.001	0.03	0.44	0.9	0.2	0.5	12.2	<0.01	0.07
R322544		0.02	<0.05	17.2	250	7.6	8.0	<0.001	0.01	0.40	2.0	0.2	0.5	12.5	<0.01	0.01
R322545		0.02	<0.05	13.1	180	58.1	9.5	<0.001	0.02	0.40	2.4	<0.2	<0.2	10.4	<0.01	0.02
R322546		0.02	<0.05	6.1	120	13.7	6.1	<0.001	0.11	1.89	1.0	0.2	<0.2	15.3	<0.01	0.07
R322547		0.02	<0.05	14.0	240	7.7	9.9	<0.001	0.01	0.39	1.3	0.2	0.2	10.7	<0.01	0.02
R322548		0.02	<0.05	3.3	210	4.3	8.9	<0.001	0.04	1.27	1.3	<0.2	0.4	9.6	<0.01	0.07
R322549		0.01	<0.05	6.7	80	4.0	1.2	<0.001	0.04	0.22	1.0	<0.2	<0.2	2.3	<0.01	0.04
R322550		0.01	<0.05	8.0	60	4.4	4.6	<0.001	0.05	1.12	1.0	0.2	<0.2	28.0	<0.01	0.02
R322551		0.02	<0.05	2.6	50	42.8	8.6	<0.001	0.08	2.51	0.6	0.2	<0.2	87.9	<0.01	0.06
R322552		0.02	<0.05	9.3	130	7.2	9.3	<0.001	0.34	2.13	1.2	0.2	0.4	14.8	<0.01	0.04
R322553		0.02	<0.05	3.1	60	3.8	5.2	<0.001	0.18	1.02	0.6	0.2	0.2	35.9	<0.01	0.03
R322554		0.01	<0.05	4.6	20	4.8	3.5	<0.001	0.60	3.30	0.2	0.6	<0.2	13.6	<0.01	0.09
R322555		0.02	<0.05	4.9	40	5.4	6.6	<0.001	0.53	3.97	0.4	0.4	0.2	48.4	<0.01	0.06
R322556		0.01	<0.05	3.3	20	5.9	3.1	<0.001	0.42	2.88	0.2	0.3	<0.2	21.8	<0.01	0.11
R322557		0.01	<0.05	3.3	20	3.1	3.1	<0.001	0.25	1.13	0.3	0.2	<0.2	14.1	<0.01	0.04
R322558		0.02	<0.05	6.1	80	15.1	8.5	<0.001	0.24	1.96	0.8	0.4	<0.2	44.0	<0.01	0.04
R322559		0.02	<0.05	7.9	270	21.3	8.4	0.001	0.04	1.02	1.3	0.5	0.5	39.4	<0.01	0.12
R322560		0.02	<0.05	6.7	40	8.4	6.4	<0.001	0.74	2.73	0.5	0.3	0.2	24.0	<0.01	0.07
R322561		0.02	<0.05	4.4	140	4.9	4.2	<0.001	0.02	0.12	0.7	<0.2	0.3	4.7	<0.01	<0.01
R322562		0.01	<0.05	1.5	20	3.0	0.2	<0.001	0.02	0.13	0.2	<0.2	<0.2	0.6	<0.01	0.02
R322563		0.03	<0.05	12.0	150	3.6	9.8	<0.001	0.02	0.71	1.7	0.2	0.3	11.1	<0.01	0.01
R322564		0.03	<0.05	7.8	170	2.0	9.4	<0.001	<0.01	0.20	1.7	0.2	0.6	8.8	<0.01	<0.01
R322565		0.02	<0.05	5.8	130	308	10.7	<0.001	0.36	4.43	1.0	0.4	<0.2	34.3	<0.01	0.06
R322566		0.02	<0.05	6.7	30	8.4	6.8	<0.001	0.90	5.65	0.3	0.5	0.2	21.9	<0.01	0.10
R322567		0.03	<0.05	6.2	200	5.9	7.5	<0.001	0.01	0.38	1.2	0.2	0.4	9.2	<0.01	0.01
R322568		0.02	<0.05	5.4	50	6.8	4.9	<0.001	<0.01	0.21	0.9	<0.2	0.2	4.6	<0.01	<0.01
R322569		0.03	<0.05	7.4	160	11.5	9.4	<0.001	0.14	2.54	1.4	<0.2	0.2	18.8	<0.01	0.03
R322570		0.03	<0.05	9.0	100	7.0	5.7	<0.001	0.01	0.12	1.2	0.2	0.5	7.2	<0.01	0.01
R322571		0.02	<0.05	41.7	480	28.1	6.7	<0.001	<0.01	0.13	2.4	<0.2	<0.2	9.6	<0.01	0.02
R322572		0.02	<0.05	13.8	460	8.8	3.3	<0.001	<0.01	0.09	1.3	0.2	<0.2	7.4	<0.01	0.01
R322573		0.03	<0.05	7.1	100	18.5	5.8	<0.001	0.01	0.15	0.9	0.2	0.4	13.2	<0.01	0.01
R322574		0.02	<0.05	26.2	150	10.7	2.7	<0.001	0.15	0.13	4.9	0.2	0.5	4.0	<0.01	0.02
R322575		0.01	<0.05	2.5	50	12.4	3.2	<0.001	0.01	0.08	0.3	0.2	<0.2	2.4	<0.01	0.02
R322576		0.02	<0.05	3.2	70	8.0	6.6	<0.001	<0.01	0.18	0.4	0.2	<0.2	3.3	<0.01	0.01
R322577		0.02	<0.05	8.3	70	10.4	4.8	<0.001	0.01	0.14	0.6	<0.2	<0.2	2.4	<0.01	0.01
R322578		0.01	<0.05	3.4	30	5.1	4.6	<0.001	0.21	1.81	0.5	0.2	<0.2	25.9	<0.01	0.03
R322579		0.05	<0.05	18.2	250	7.8	10.4	<0.001	0.04	0.11	2.0	<0.2	0.4	20.7	<0.01	0.01
R322580		0.02	<0.05	7.1	50	9.5	6.4	<0.001	0.59	3.62	0.7	0.4	<0.2	25.5	<0.01	0.08



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 3 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-AUG-2020
 Account: NUF

Project: CULVERT

CERTIFICATE OF ANALYSIS WH20165151

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Th	Ti	Tl	U	V	W	Y	Zn	Zr
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R322541		11.2	<0.005	0.04	1.32	9	0.08	2.77	71	4.5
R322542		2.0	<0.005	<0.02	0.92	1	<0.05	0.64	22	1.3
R322543		5.4	<0.005	0.02	0.57	6	0.19	1.00	90	1.7
R322544		11.5	<0.005	0.05	1.82	11	0.36	2.47	90	6.1
R322545		8.9	<0.005	0.05	0.61	16	0.29	2.03	86	6.0
R322546		6.8	<0.005	0.03	0.82	7	1.17	2.44	37	3.8
R322547		14.3	<0.005	0.06	0.55	8	0.28	3.55	85	8.4
R322548		11.1	<0.005	0.05	0.54	8	0.30	2.53	31	3.9
R322549		1.3	<0.005	<0.02	0.61	2	0.07	0.40	24	1.0
R322550		4.9	<0.005	0.03	1.52	5	0.32	1.73	35	2.3
R322551		4.6	<0.005	0.06	1.51	2	0.20	2.98	14	2.7
R322552		10.4	<0.005	0.06	1.50	8	0.16	1.92	39	5.5
R322553		3.8	<0.005	0.03	0.91	3	0.14	1.11	15	2.0
R322554		1.3	<0.005	0.03	0.48	1	0.11	0.71	3	1.0
R322555		3.4	<0.005	0.04	0.68	2	0.13	1.45	13	1.9
R322556		1.2	<0.005	0.03	0.33	1	0.08	0.49	4	0.9
R322557		1.8	<0.005	0.02	0.59	2	0.07	0.63	7	1.0
R322558		8.9	<0.005	0.06	1.15	5	0.18	2.45	35	5.5
R322559		11.8	<0.005	0.07	1.79	10	0.31	2.62	57	5.6
R322560		5.1	<0.005	0.05	0.90	3	0.31	1.32	11	2.1
R322561		5.9	<0.005	0.03	0.28	5	0.06	1.33	26	2.6
R322562		0.6	<0.005	<0.02	0.16	1	<0.05	0.11	9	<0.5
R322563		18.7	<0.005	0.06	1.39	12	1.02	3.38	49	6.8
R322564		16.6	<0.005	0.05	1.11	13	0.20	3.40	49	6.3
R322565		7.8	<0.005	0.08	1.57	6	0.51	2.59	27	3.8
R322566		2.5	<0.005	0.04	0.62	2	0.12	1.08	6	1.5
R322567		9.0	<0.005	0.05	0.74	8	0.17	2.00	36	3.8
R322568		4.0	<0.005	0.03	0.47	8	0.10	1.22	27	2.9
R322569		10.3	<0.005	0.06	1.03	10	0.18	2.05	34	4.6
R322570		6.0	<0.005	0.03	0.45	7	0.13	2.07	43	4.5
R322571		8.8	<0.005	0.03	0.53	21	0.05	2.28	132	4.4
R322572		3.4	<0.005	0.02	0.61	6	<0.05	1.70	38	2.5
R322573		4.8	<0.005	0.03	0.56	5	0.11	2.13	36	4.8
R322574		6.1	<0.005	0.02	0.75	20	0.07	2.52	140	4.7
R322575		2.3	<0.005	0.02	0.09	2	0.08	0.76	14	2.0
R322576		3.3	<0.005	0.04	0.13	3	0.23	1.23	17	5.1
R322577		3.1	<0.005	0.03	0.19	3	0.17	1.20	35	3.8
R322578		1.8	<0.005	0.03	0.67	3	0.11	0.75	15	1.2
R322579		17.5	<0.005	0.06	1.22	15	0.11	2.59	78	7.8
R322580		3.9	<0.005	0.04	0.81	5	0.17	1.39	26	2.2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 4 - A
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-AUG-2020
 Account: NUF

Project: CULVERT

CERTIFICATE OF ANALYSIS WH20165151

Sample Description	Method Analyte Units LOD	WEI-21	Au-AA26	Au-GRA22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Recvd Wt. kg	Au ppm	Au ppm	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm
R322581		1.46	2.24		0.28	1.12	5460	1.73	<10	20	0.36	1.47	0.01	0.03	27.3	2.6
R322582		1.28	5.10		0.53	0.58	3440	5.26	<10	30	0.69	0.51	0.01	0.12	34.4	2.1
R322583		1.03	13.65		0.43	0.27	>10000	5.54	<10	10	0.14	3.53	<0.01	0.02	13.70	0.9
R322584		1.75	4.17		0.21	0.36	5020	1.93	<10	10	0.33	0.89	0.01	0.03	14.05	1.1
R322585		0.52	6.66		0.70	0.16	7960	8.83	<10	30	0.25	0.84	<0.01	0.05	13.00	0.4
R322586		1.31	0.05		0.13	0.55	316	0.02	<10	40	0.37	0.57	0.01	0.26	63.2	1.7
R322587		0.95		306	9.79	0.19	6580	>25.0	<10	100	0.24	0.88	<0.01	0.23	14.40	0.7
R322588		0.83	1.36		0.18	1.47	230	1.42	<10	50	0.77	1.54	0.01	0.42	85.9	4.1
R322589		0.82	1.18		0.05	1.03	66.0	0.28	<10	50	0.62	0.27	0.05	0.09	88.5	2.6
R322590		0.97	0.11		0.05	0.68	539	0.04	<10	20	0.20	0.69	0.01	0.03	36.5	0.9
R322591		0.82	0.06		0.26	0.86	87.3	0.03	10	30	1.32	1.99	0.02	0.08	30.0	4.5
R322592		1.36	0.28		0.11	0.41	2810	0.22	<10	20	0.38	0.27	17.10	0.08	22.2	13.4
R322593		0.97	0.04		0.04	0.08	1425	<0.02	<10	<10	0.10	0.13	0.05	0.02	2.27	3.6
R322594		1.34	0.02		0.04	0.88	202	<0.02	<10	10	0.14	0.23	0.05	0.01	21.3	5.4
R322595		0.82	0.03		0.05	0.59	2430	0.08	<10	40	0.08	0.11	0.01	0.05	17.70	2.6
R322596		1.06	0.15		0.07	0.57	1565	0.16	<10	10	0.14	0.12	0.02	0.04	18.80	4.4
R322597		0.79	0.54		0.14	0.45	6160	0.51	<10	10	0.11	0.14	0.17	0.12	5.05	5.9
R322598		0.83	0.90		0.30	0.49	35.2	0.66	<10	10	0.20	0.73	0.01	0.01	17.75	2.5
R322599		1.12	5.07		0.44	1.81	20.3	8.13	10	50	0.50	0.60	0.01	0.03	72.0	3.8
R322600		0.88	<0.01		0.07	0.15	4.2	<0.02	<10	<10	0.06	0.27	0.02	<0.01	2.54	0.6
R322601		0.85	<0.01		<0.01	0.03	17.4	<0.02	<10	<10	<0.05	0.01	<0.01	<0.01	0.39	1.1
R322602		0.74	0.01		1.11	0.49	37.0	<0.02	20	<10	0.22	4.07	0.03	0.18	20.6	11.3
R322603		1.24	0.12		0.49	1.27	934	0.10	<10	<10	0.13	2.77	0.10	3.93	29.6	9.7
R322604		1.66	<0.01		0.01	0.07	23.6	<0.02	<10	<10	<0.05	0.16	<0.01	0.02	0.81	0.6
R322605		2.37	0.05		0.07	0.89	56.2	<0.02	<10	20	0.32	1.56	<0.01	0.05	35.1	3.0
R322606		1.33	0.46		0.07	1.65	40.5	0.06	<10	30	0.39	0.47	0.01	0.06	37.3	3.9
R322607		1.27	0.05		0.06	0.27	25.0	<0.02	<10	<10	0.14	2.42	<0.01	0.07	11.10	3.5
R322608		1.29	0.03		0.13	1.09	100.0	0.02	<10	10	0.26	3.59	0.01	0.32	24.0	2.3
R322609		0.49	0.07		0.04	1.32	207	0.02	<10	10	0.20	1.30	0.04	0.60	15.85	10.3
R322610		0.86	25.9		1.85	0.42	8860	>25.0	<10	10	0.43	0.99	0.01	0.19	15.65	4.0
R322611		1.88	10.00		1.33	0.32	4060	>25.0	<10	10	0.25	0.38	0.01	0.17	14.25	2.1
R322612		1.59	0.40		0.67	0.83	>10000	0.31	<10	<10	0.17	22.7	0.03	2.22	6.40	11.9
R322613		1.34	0.01		0.05	0.68	86.5	<0.02	<10	<10	0.12	1.28	0.02	0.07	13.50	8.6
R322614		1.65	0.05		1.07	1.40	64.7	0.04	<10	10	0.24	52.5	0.01	0.27	18.50	1.6
R322615		2.23	0.27		0.10	1.33	659	0.12	10	30	0.49	1.00	0.02	0.06	38.0	4.0
R322616		1.64	0.01		0.06	0.20	61.0	<0.02	<10	<10	0.28	0.66	0.02	0.19	1.78	12.0
R322617		1.88	<0.01		0.02	1.69	4.7	<0.02	10	30	0.30	0.20	0.06	0.02	57.3	9.7
R322618		1.20	0.02		0.01	1.38	5.1	<0.02	<10	20	0.27	0.32	0.02	0.02	37.8	10.7
R322619		1.03	<0.01		0.03	0.68	7.0	<0.02	<10	10	0.15	0.08	0.12	0.23	7.56	6.9
R322620		1.22	0.01		0.01	0.37	26.1	<0.02	<10	<10	0.12	0.10	0.01	0.01	5.06	2.6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 4 - B
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-AUG-2020
 Account: NUF

Project: CULVERT

CERTIFICATE OF ANALYSIS WH20165151

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		1	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
R322581		19	1.35	27.7	2.64	3.60	0.05	0.08	<0.01	0.010	0.12	14.8	25.9	0.40	246	5.17
R322582		8	4.97	26.1	2.79	3.74	0.09	0.24	<0.01	0.008	0.17	19.0	6.1	0.10	60	0.28
R322583		12	2.21	36.4	1.78	1.00	<0.05	0.06	<0.01	0.009	0.10	7.2	4.6	0.05	55	0.29
R322584		13	2.94	28.9	1.34	1.17	<0.05	0.04	<0.01	0.007	0.10	7.4	5.1	0.06	58	0.21
R322585		9	1.97	14.9	1.09	0.54	<0.05	0.04	<0.01	<0.005	0.08	7.3	1.8	0.01	30	0.25
R322586		7	1.94	7.2	1.12	1.90	0.08	0.23	<0.01	<0.005	0.18	33.8	3.4	0.07	85	0.18
R322587		9	0.81	2.7	0.89	0.58	<0.05	0.03	0.01	0.006	0.08	7.6	1.9	0.02	58	0.24
R322588		16	2.50	18.9	3.64	5.47	0.09	0.17	<0.01	0.013	0.18	44.3	24.9	0.37	354	0.09
R322589		13	3.03	7.2	2.67	3.87	0.09	0.25	<0.01	0.010	0.20	45.6	15.0	0.25	246	0.13
R322590		17	0.84	16.3	1.46	2.33	<0.05	0.08	<0.01	0.016	0.11	18.9	15.1	0.22	203	0.17
R322591		13	1.35	163.5	3.19	2.43	0.05	0.09	<0.01	0.016	0.14	15.2	16.4	0.18	148	0.34
R322592		4	0.89	37.0	3.29	0.69	<0.05	0.18	<0.01	0.039	0.12	11.2	3.5	0.31	1850	0.09
R322593		10	0.22	10.3	1.55	0.13	<0.05	0.02	<0.01	0.006	0.01	1.0	0.5	0.01	122	0.14
R322594		23	0.60	14.0	2.15	2.56	<0.05	0.09	<0.01	0.009	0.05	9.2	28.5	0.28	210	0.21
R322595		10	1.30	7.5	1.50	1.10	<0.05	0.03	0.01	0.017	0.01	8.1	6.8	0.05	92	0.18
R322596		13	0.89	17.5	1.99	1.40	<0.05	0.05	0.01	0.014	0.03	8.6	12.8	0.12	163	0.18
R322597		11	1.16	16.7	2.24	1.27	<0.05	0.03	0.01	0.018	0.05	2.4	14.7	0.19	354	0.20
R322598		17	0.54	42.0	1.60	1.60	<0.05	0.06	<0.01	0.007	0.04	8.9	10.8	0.15	151	1.68
R322599		20	2.87	39.4	3.21	5.43	0.07	0.13	<0.01	0.015	0.21	35.7	45.7	0.57	486	0.32
R322600		14	0.12	4.3	0.60	0.45	<0.05	<0.02	<0.01	<0.005	<0.01	1.3	4.3	0.05	48	0.18
R322601		13	0.10	0.4	0.35	0.14	<0.05	<0.02	0.01	<0.005	0.01	0.2	3.3	0.01	63	0.15
R322602		12	0.55	165.5	5.20	1.82	0.05	0.08	<0.01	0.046	0.01	10.8	15.4	0.14	339	0.60
R322603		31	0.48	66.9	3.02	4.14	0.07	0.09	<0.01	0.043	0.01	12.9	33.5	0.58	428	0.21
R322604		17	0.10	4.5	0.40	0.19	<0.05	<0.02	<0.01	<0.005	<0.01	0.4	1.9	0.01	41	0.20
R322605		27	0.74	21.5	1.89	2.61	0.05	0.09	<0.01	0.019	0.10	18.4	21.1	0.30	220	0.19
R322606		21	1.17	7.0	2.99	4.26	0.06	0.07	<0.01	0.014	0.16	18.9	45.2	0.60	343	0.19
R322607		14	0.26	33.4	0.82	0.84	<0.05	0.04	<0.01	0.014	0.02	5.9	7.8	0.10	89	0.18
R322608		17	0.35	50.4	2.67	3.44	0.06	0.06	<0.01	0.484	0.02	11.2	22.7	0.36	271	0.21
R322609		20	0.16	30.0	3.17	4.22	0.06	0.06	<0.01	0.095	<0.01	7.3	41.6	0.60	503	0.12
R322610		12	3.26	201	1.78	1.15	<0.05	0.08	<0.01	0.013	0.10	8.2	8.5	0.10	94	1.07
R322611		19	1.16	15.3	0.97	0.86	<0.05	0.04	0.01	0.006	0.07	7.1	6.2	0.07	69	0.45
R322612		14	1.72	104.5	3.95	3.37	0.06	<0.02	<0.01	0.208	0.01	2.9	25.1	0.37	289	0.59
R322613		15	0.50	22.4	1.79	1.89	<0.05	0.02	<0.01	0.030	0.01	6.8	19.5	0.26	438	0.14
R322614		13	0.19	49.8	3.01	4.56	0.10	0.02	0.01	2.59	<0.01	9.0	29.3	0.47	350	2.59
R322615		19	1.09	20.4	2.61	4.00	0.05	0.10	<0.01	0.021	0.15	19.9	36.3	0.44	371	0.21
R322616		17	0.19	32.5	1.10	0.34	<0.05	<0.02	<0.01	0.031	0.01	0.8	12.1	0.01	130	0.21
R322617		22	0.76	1.6	2.82	4.83	0.06	0.06	<0.01	0.018	0.12	28.7	59.4	0.64	461	0.13
R322618		18	0.76	8.6	2.56	3.96	0.05	0.08	<0.01	0.010	0.11	20.2	36.9	0.45	440	0.19
R322619		15	0.29	26.5	1.53	2.30	<0.05	0.02	0.01	0.053	0.01	3.8	26.1	0.29	949	0.19
R322620		27	0.22	4.2	0.98	1.07	<0.05	0.02	<0.01	0.007	0.02	2.7	12.6	0.12	105	0.22



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 4 - C
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-AUG-2020
 Account: NUF

Project: CULVERT

CERTIFICATE OF ANALYSIS WH20165151

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm
R322581		0.02	<0.05	5.7	180	12.9	7.3	<0.001	0.17	1.78	1.3	0.3	0.4	11.3	<0.01	0.04
R322582		0.03	0.22	4.6	100	40.2	15.2	<0.001	0.39	1.44	1.4	0.4	0.2	23.2	0.02	0.03
R322583		0.02	<0.05	2.9	40	7.4	5.6	<0.001	0.35	3.44	0.4	0.3	0.2	60.7	<0.01	0.06
R322584		0.02	<0.05	3.9	40	7.1	6.1	<0.001	0.38	1.14	0.4	<0.2	<0.2	40.5	<0.01	0.04
R322585		0.01	<0.05	1.1	50	5.1	4.7	<0.001	0.12	2.16	0.3	0.2	<0.2	21.7	<0.01	0.03
R322586		0.03	<0.05	3.6	80	25.2	9.9	<0.001	0.02	0.19	0.8	0.2	<0.2	11.4	<0.01	<0.01
R322587		0.01	<0.05	2.4	20	75.0	4.6	<0.001	0.06	2.54	0.4	<0.2	<0.2	33.2	<0.01	0.02
R322588		0.04	<0.05	6.8	380	7.9	9.3	<0.001	0.02	0.33	1.8	<0.2	0.4	31.8	<0.01	0.01
R322589		0.03	<0.05	8.4	260	8.1	10.7	<0.001	0.01	0.18	1.3	<0.2	0.2	23.1	<0.01	0.01
R322590		0.02	<0.05	3.7	70	3.1	5.1	<0.001	0.01	0.21	0.8	<0.2	0.4	4.5	<0.01	0.01
R322591		0.03	<0.05	11.1	470	5.9	7.0	<0.001	0.07	0.27	0.9	0.7	0.7	6.9	<0.01	0.03
R322592		0.01	<0.05	28.8	200	41.4	5.3	<0.001	0.19	1.57	3.0	0.5	<0.2	807	<0.01	0.03
R322593		0.01	<0.05	6.7	100	11.9	0.6	<0.001	0.01	0.66	0.4	0.2	<0.2	12.9	<0.01	<0.01
R322594		0.05	<0.05	12.7	280	33.1	2.0	<0.001	0.18	0.15	1.3	<0.2	<0.2	4.2	<0.01	0.01
R322595		0.05	<0.05	8.1	160	16.6	1.2	<0.001	0.03	0.54	1.4	<0.2	<0.2	8.6	<0.01	0.07
R322596		0.04	<0.05	9.3	170	12.1	1.6	<0.001	0.04	1.41	2.2	<0.2	<0.2	11.2	<0.01	<0.01
R322597		0.02	<0.05	14.3	240	8.5	2.6	<0.001	0.52	2.33	0.9	<0.2	<0.2	33.0	<0.01	<0.01
R322598		0.02	<0.05	7.8	180	52.2	2.2	<0.001	0.06	0.18	0.7	<0.2	<0.2	11.0	<0.01	0.03
R322599		0.04	<0.05	9.6	360	10.9	9.0	<0.001	0.03	0.38	1.8	<0.2	0.4	27.8	<0.01	0.01
R322600		0.01	<0.05	2.4	150	25.3	0.2	<0.001	0.01	<0.05	0.3	<0.2	<0.2	2.6	<0.01	<0.01
R322601		0.01	<0.05	1.7	30	<0.2	0.3	<0.001	0.01	<0.05	0.1	<0.2	<0.2	0.4	<0.01	<0.01
R322602		0.02	<0.05	10.6	310	66.8	0.6	<0.001	0.09	0.51	2.0	0.6	0.9	11.0	<0.01	0.08
R322603		0.06	<0.05	12.9	600	30.1	0.6	<0.001	0.29	0.47	2.7	<0.2	0.7	9.6	<0.01	0.03
R322604		0.01	<0.05	2.9	30	0.6	0.3	<0.001	0.01	0.05	0.1	<0.2	<0.2	0.5	<0.01	<0.01
R322605		0.02	<0.05	8.3	120	5.8	4.4	<0.001	0.02	0.13	1.1	<0.2	0.4	4.5	<0.01	0.01
R322606		0.03	<0.05	14.8	160	6.4	6.4	<0.001	0.01	0.12	1.7	<0.2	0.3	8.0	0.01	<0.01
R322607		0.01	<0.05	3.6	60	4.1	1.1	<0.001	0.01	0.13	0.4	<0.2	0.2	1.5	<0.01	0.02
R322608		0.06	<0.05	4.6	240	7.0	1.0	<0.001	0.02	0.24	2.3	0.4	1.1	12.7	<0.01	0.04
R322609		0.08	<0.05	14.0	310	3.2	0.3	<0.001	0.19	0.12	3.3	<0.2	0.3	3.5	<0.01	0.01
R322610		0.01	<0.05	9.2	60	23.5	5.4	<0.001	0.51	2.51	0.6	0.4	<0.2	33.5	<0.01	0.17
R322611		0.01	<0.05	5.2	60	15.9	4.0	<0.001	0.21	1.51	0.4	<0.2	<0.2	13.3	<0.01	0.04
R322612		0.03	<0.05	6.7	270	33.7	0.5	<0.001	1.00	4.26	2.4	1.1	0.9	20.0	<0.01	0.47
R322613		0.03	<0.05	11.1	170	2.9	0.7	<0.001	0.04	0.08	1.2	<0.2	0.3	2.4	<0.01	<0.01
R322614		0.05	<0.05	4.6	390	83.5	0.2	<0.001	0.04	0.50	3.0	0.4	3.1	13.0	<0.01	0.39
R322615		0.03	<0.05	9.2	180	8.6	6.2	<0.001	0.04	0.27	1.5	<0.2	0.4	9.4	<0.01	0.01
R322616		0.01	<0.05	18.6	190	2.7	0.6	<0.001	0.07	0.10	0.7	<0.2	<0.2	3.7	<0.01	0.01
R322617		0.03	<0.05	18.1	300	2.3	4.8	<0.001	0.01	<0.05	1.7	<0.2	0.2	5.8	<0.01	<0.01
R322618		0.02	<0.05	17.4	140	2.7	4.2	<0.001	0.01	0.05	1.4	<0.2	<0.2	3.8	<0.01	<0.01
R322619		0.01	<0.05	15.0	150	2.7	0.8	<0.001	0.05	<0.05	2.4	<0.2	<0.2	3.1	<0.01	<0.01
R322620		0.01	<0.05	7.8	90	0.8	1.2	<0.001	0.02	0.05	0.5	<0.2	<0.2	1.9	<0.01	<0.01



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 4 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-AUG-2020
 Account: NUF

Project: CULVERT

CERTIFICATE OF ANALYSIS WH20165151

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.2	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R322581		4.8	<0.005	0.04	0.95	10	0.23	1.42	41	3.3
R322582		7.9	<0.005	0.08	0.85	5	0.59	2.24	37	12.1
R322583		2.6	<0.005	0.04	0.49	2	0.08	0.68	9	2.1
R322584		3.2	<0.005	0.03	0.76	3	0.09	1.01	11	1.6
R322585		1.4	<0.005	0.04	0.41	1	0.09	0.59	5	1.3
R322586		6.6	<0.005	0.06	0.49	4	0.21	2.61	28	11.0
R322587		2.8	<0.005	0.03	0.36	2	0.17	1.24	9	1.2
R322588		13.7	<0.005	0.06	0.85	15	0.81	2.84	71	7.8
R322589		13.4	<0.005	0.06	0.79	9	0.35	3.01	49	10.8
R322590		5.2	<0.005	0.03	0.74	6	0.09	1.58	27	3.4
R322591		5.6	<0.005	0.04	1.89	7	0.14	1.99	69	4.2
R322592		3.5	<0.005	0.03	1.21	3	0.25	15.80	68	9.1
R322593		0.6	<0.005	<0.02	0.34	1	<0.05	1.37	27	1.3
R322594		5.2	<0.005	<0.02	0.46	8	<0.05	1.78	38	4.7
R322595		5.2	<0.005	<0.02	0.48	3	<0.05	1.11	29	1.5
R322596		3.2	<0.005	<0.02	0.49	4	0.06	1.77	35	2.1
R322597		1.0	<0.005	0.02	0.15	4	0.05	1.41	85	1.1
R322598		3.2	<0.005	0.02	1.44	4	0.15	1.00	30	2.5
R322599		11.8	0.006	0.05	0.89	14	0.15	2.74	55	6.1
R322600		0.7	<0.005	<0.02	0.11	1	<0.05	0.38	7	<0.5
R322601		<0.2	<0.005	<0.02	<0.05	1	<0.05	0.06	3	<0.5
R322602		4.2	<0.005	<0.02	0.46	6	0.29	2.08	154	3.2
R322603		12.6	<0.005	<0.02	0.90	12	11.50	2.03	252	2.2
R322604		0.2	<0.005	<0.02	0.12	1	0.06	0.14	8	<0.5
R322605		5.0	<0.005	0.03	0.65	7	0.12	1.47	40	3.7
R322606		8.3	<0.005	0.04	0.66	11	0.15	1.72	58	3.4
R322607		2.4	<0.005	<0.02	0.36	2	0.05	0.78	15	1.5
R322608		6.1	<0.005	<0.02	0.59	10	0.16	1.05	265	1.8
R322609		7.0	<0.005	<0.02	0.61	13	3.65	2.18	215	1.9
R322610		4.2	<0.005	0.04	0.84	3	0.21	2.39	29	3.4
R322611		2.6	<0.005	0.03	0.67	2	0.13	1.21	15	1.6
R322612		1.7	<0.005	<0.02	0.47	6	1.09	1.73	130	<0.5
R322613		2.6	<0.005	<0.02	0.47	5	0.07	1.04	75	1.0
R322614		6.1	<0.005	<0.02	1.35	8	2.17	0.90	191	0.9
R322615		8.0	<0.005	0.04	0.77	10	0.12	1.96	48	4.3
R322616		0.3	<0.005	<0.02	0.90	2	0.05	1.07	76	<0.5
R322617		9.5	0.007	0.02	0.39	12	0.05	2.28	60	2.4
R322618		5.8	<0.005	0.03	0.38	11	<0.05	1.36	52	3.6
R322619		1.0	<0.005	<0.02	0.15	6	<0.05	4.01	151	0.8
R322620		1.1	<0.005	<0.02	0.31	3	<0.05	0.51	27	0.8



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 5 - A
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-AUG-2020
 Account: NUF

Project: CULVERT

CERTIFICATE OF ANALYSIS WH20165151

Sample Description	Method Analyte Units LOD	WEI-21	Au-AA26	Au-GRA22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Recvd Wt. kg	Au ppm	Au ppm	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm
R322621		0.02	0.01	0.05	0.01	0.01	0.1	0.02	10	10	0.05	0.01	0.01	0.01	0.02	0.1
R322622		1.36	0.01		0.10	1.25	19.5	<0.02	<10	10	0.20	0.99	0.04	0.33	52.6	10.0
R322623		1.16	5.01		0.11	0.10	>10000	3.44	<10	10	0.09	0.71	<0.01	0.02	8.12	0.3
R322624		1.19	>100	139.0	5.61	0.58	7240	>25.0	<10	10	0.22	0.87	0.08	0.09	10.25	2.0
R322625		1.39	0.03		0.32	1.57	50.3	0.11	<10	20	0.21	1.55	0.03	<0.01	34.1	8.6
R322626		1.81	0.13		0.07	0.52	22.4	0.06	<10	<10	0.11	0.36	0.16	0.04	4.04	10.1
R322627		1.13	2.15		0.14	0.13	123.0	0.63	<10	<10	0.13	2.28	<0.01	0.03	5.10	1.0
R322628		1.42	0.03		0.12	1.41	7.1	<0.02	<10	<10	0.20	5.68	0.02	0.04	9.60	27.8
R322629		1.61	<0.01		0.06	0.07	3.3	<0.02	<10	<10	0.06	0.15	0.02	0.02	1.33	0.9
R322630		1.51	0.05		0.22	0.05	310	0.03	<10	<10	<0.05	0.48	0.04	0.01	0.98	0.7
R322631		1.41	2.30		0.18	0.28	8030	2.07	<10	10	0.31	1.64	0.02	0.06	7.64	4.8
R322632		1.95	1.35		0.06	1.89	>10000	1.28	<10	30	0.94	0.88	0.02	0.05	33.1	10.8
R322633		1.33	48.1		1.32	0.35	>10000	>25.0	<10	10	0.36	1.53	0.07	0.10	8.66	6.4
R322634		1.54	0.09		0.01	0.04	43.9	0.02	<10	<10	0.05	0.03	0.01	0.01	0.87	3.5
R322635		0.99	0.14		<0.01	0.01	18.5	0.08	<10	<10	<0.05	0.01	<0.01	0.01	0.12	0.3
R322636		0.72	<0.01		0.01	2.81	13.5	<0.02	<10	30	0.49	0.29	0.05	0.01	69.5	10.6
R322637		1.26	0.02		0.09	3.39	11.6	<0.02	<10	10	0.18	0.96	0.66	0.05	27.9	17.2
R322638		0.84	<0.01		0.01	2.90	21.5	<0.02	<10	40	0.58	0.18	0.05	0.01	54.8	12.3
R322639		1.46	<0.01		0.41	0.18	8.5	<0.02	<10	<10	0.07	19.35	0.01	0.77	1.10	2.8
R322640		1.37	<0.01		0.07	0.10	5.4	<0.02	<10	10	0.08	2.19	0.02	1.82	2.37	4.5
R322641		0.94	<0.01		0.02	0.23	40.3	<0.02	<10	10	0.11	0.13	0.03	0.05	12.05	20.6
R322642		1.11	<0.01		0.01	0.02	12.2	<0.02	<10	<10	<0.05	0.03	<0.01	0.01	1.18	0.6
R322643		1.15	<0.01		0.03	0.10	2.9	<0.02	<10	<10	0.08	0.11	0.05	0.03	1.04	5.7
R322644		0.76	<0.01		<0.01	0.01	43.4	<0.02	<10	<10	<0.05	0.01	0.07	<0.01	0.60	0.7
R322645		1.15	0.02		0.03	0.03	1730	0.02	<10	<10	<0.05	0.05	<0.01	0.05	1.67	0.8
R322646		1.14	0.33		0.97	0.05	8350	0.26	<10	<10	0.05	1.76	0.01	0.02	1.86	1.7
R322647		0.53	1.66		0.11	0.96	6480	0.78	<10	10	0.41	0.33	0.01	0.07	43.9	3.5
R322648		1.78	0.44		0.28	2.03	28.7	1.24	<10	10	0.33	0.76	0.10	0.49	21.4	10.3
R322649		1.14	<0.01		0.04	0.11	5.4	<0.02	<10	<10	<0.05	0.02	0.09	0.01	1.33	1.3
R322751		1.43	0.01		0.02	0.12	21.5	<0.02	<10	<10	0.06	0.01	0.01	0.01	3.50	1.0
R322752		0.97	<0.01		0.06	1.53	3.9	<0.02	<10	20	0.30	0.38	0.05	0.07	48.4	9.9
R322753		0.99	<0.01		0.94	1.43	10.9	<0.02	<10	10	0.43	1.18	0.03	0.10	21.1	10.5
R322754		0.75	0.02		0.07	1.84	12.1	<0.02	<10	30	0.29	1.23	0.05	<0.01	32.3	4.5
R322755		0.97	0.01		0.09	1.42	15.1	<0.02	10	40	0.71	1.61	0.04	0.04	59.5	7.4
R322756		0.79	0.01		0.21	2.65	23.2	<0.02	<10	10	0.48	1.26	0.04	0.04	21.5	13.1
R322757		1.43	0.01		0.12	0.29	43.1	<0.02	10	10	0.19	2.04	0.03	1.02	52.1	2.6
R322757		1.79	4.35		0.22	0.35	5730	1.74	<10	10	0.31	1.62	0.01	0.05	14.20	1.2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 5 - B
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-AUG-2020
 Account: NUF

Project: CULVERT

CERTIFICATE OF ANALYSIS WH20165151

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		1	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
R322621		24	0.33	38.8	2.82	3.84	0.08	0.08	<0.01	0.032	0.02	23.9	37.6	0.57	494	0.12
R322622		7	0.57	7.5	1.47	0.41	<0.05	0.04	<0.01	0.008	0.05	4.3	1.1	<0.01	23	0.51
R322623		16	1.83	8.9	1.60	1.98	<0.05	0.05	<0.01	0.007	0.06	4.8	19.2	0.26	145	0.58
R322624		23	0.71	14.5	2.91	4.64	0.05	0.06	<0.01	0.016	0.10	17.9	45.7	0.58	572	0.20
R322625		18	0.18	160.5	1.71	2.24	<0.05	<0.02	<0.01	0.014	0.01	2.1	15.5	0.24	390	0.27
R322626		15	0.19	15.5	0.90	0.59	<0.05	<0.02	<0.01	0.019	0.02	2.7	3.0	0.03	51	0.27
R322627		22	0.48	90.9	3.40	4.81	0.05	0.04	0.01	0.029	0.02	4.7	56.5	0.57	1220	0.23
R322628		16	0.15	2.1	0.33	0.24	<0.05	<0.02	<0.01	<0.005	0.01	0.7	3.7	0.02	245	0.26
R322629		17	0.06	2.3	0.51	0.12	<0.05	<0.02	0.01	<0.005	<0.01	0.4	2.2	0.01	39	0.19
R322630		16	0.67	4.2	1.46	0.81	<0.05	0.02	<0.01	0.008	0.03	3.9	8.8	0.11	149	0.31
R322631		23	2.48	45.6	4.18	5.54	0.06	0.09	<0.01	0.023	0.18	17.5	66.4	0.79	524	0.32
R322632		15	0.67	20.0	2.31	1.04	<0.05	0.04	<0.01	0.009	0.07	4.4	9.7	0.11	111	0.61
R322633		18	0.05	10.3	0.46	0.22	<0.05	<0.02	<0.01	<0.005	<0.01	0.4	2.5	0.01	80	0.20
R322634		18	0.05	1.3	0.23	0.07	<0.05	<0.02	<0.01	<0.005	<0.01	<0.2	0.5	<0.01	42	0.24
R322635		38	2.46	9.6	4.67	8.24	0.09	0.17	<0.01	0.017	0.18	37.1	81.8	0.98	689	0.08
R322636		33	0.46	86.9	6.81	11.05	0.08	0.11	<0.01	0.035	0.04	13.0	114.0	1.48	1420	0.61
R322637		35	1.68	14.2	5.01	8.36	0.08	0.14	<0.01	0.021	0.19	27.1	89.9	1.07	787	0.11
R322638		14	0.15	85.6	1.37	0.92	<0.05	<0.02	0.01	2.42	<0.01	0.5	8.0	0.06	249	0.23
R322639		20	0.12	3.8	0.48	0.34	<0.05	<0.02	<0.01	0.136	0.01	1.1	6.6	0.02	594	0.20
R322640		21	0.28	4.8	0.76	0.73	<0.05	0.02	<0.01	0.014	0.02	5.5	7.0	0.07	265	0.25
R322641		16	0.08	7.0	0.50	0.10	<0.05	<0.02	<0.01	<0.005	0.01	0.6	1.1	<0.01	31	0.16
R322642		17	0.21	2.7	0.63	0.22	<0.05	0.02	<0.01	0.008	0.01	0.4	2.4	0.02	624	0.21
R322643		12	0.07	0.9	0.32	0.05	<0.05	<0.02	<0.01	<0.005	<0.01	0.2	0.3	<0.01	55	0.18
R322644		12	0.36	4.5	0.58	0.10	<0.05	<0.02	<0.01	0.010	0.02	0.8	0.5	<0.01	39	0.18
R322645		16	1.16	5.2	0.97	0.15	<0.05	<0.02	<0.01	<0.005	0.03	0.9	0.5	<0.01	48	0.26
R322646		13	4.67	18.5	3.10	3.24	0.06	0.10	<0.01	0.020	0.07	20.4	23.8	0.24	86	0.28
R322647		18	0.40	26.4	3.75	6.00	0.07	0.08	<0.01	0.541	0.02	9.5	85.4	0.90	867	0.15
R322648		14	0.07	2.8	0.38	0.29	<0.05	<0.02	<0.01	0.006	<0.01	0.5	3.4	0.03	42	0.16
R322649		18	0.21	2.9	0.48	0.32	<0.05	<0.02	<0.01	<0.005	0.01	1.8	3.6	0.03	52	0.26
R322751		23	0.87	8.9	2.66	4.17	0.05	0.11	<0.01	0.010	0.12	23.5	46.2	0.49	324	0.19
R322752		17	0.93	23.4	3.61	4.11	0.05	0.09	<0.01	0.013	0.08	11.1	43.6	0.46	292	0.34
R322753		16	1.60	11.6	3.40	5.87	0.06	0.07	<0.01	0.015	0.12	16.2	70.5	0.69	640	0.83
R322754		13	3.15	32.3	2.70	4.62	0.08	0.15	<0.01	0.031	0.16	29.5	47.5	0.42	496	2.59
R322755		17	0.75	101.5	6.18	8.28	0.10	0.03	<0.01	0.033	0.01	10.1	96.0	0.95	880	1.24
R322756		8	0.91	51.7	2.41	1.31	0.06	0.11	<0.01	0.149	0.03	23.1	4.6	0.03	178	0.86
R322757		12	2.52	26.9	1.41	1.07	<0.05	0.04	<0.01	0.009	0.08	7.2	7.0	0.07	80	0.29



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 5 - C
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-AUG-2020
 Account: NUF

Project: CULVERT

CERTIFICATE OF ANALYSIS WH20165151

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm
R322621		0.10	<0.05	15.9	260	7.0	1.3	<0.001	0.08	0.11	3.5	0.2	0.8	4.8	<0.01	0.01
R322622		0.01	<0.05	1.1	20	15.5	2.9	<0.001	0.20	5.01	0.2	0.2	<0.2	3.9	<0.01	0.09
R322623		0.01	<0.05	4.6	400	5.3	3.4	<0.001	0.22	2.22	0.9	0.2	<0.2	48.0	<0.01	0.12
R322624		0.03	<0.05	16.0	190	118.0	4.8	<0.001	0.04	0.15	1.8	0.2	<0.2	6.3	<0.01	0.04
R322625		0.01	<0.05	6.7	110	9.6	0.7	<0.001	0.07	0.28	1.7	<0.2	<0.2	4.4	<0.01	0.01
R322626		0.01	<0.05	2.8	80	7.7	0.9	<0.001	0.02	0.24	0.2	<0.2	0.2	3.3	<0.01	0.02
R322627		0.01	<0.05	34.0	70	11.6	1.2	0.002	0.29	0.33	2.0	0.3	0.3	3.0	<0.01	0.04
R322628		0.01	<0.05	2.3	80	5.5	0.4	<0.001	0.01	0.06	0.3	<0.2	<0.2	1.1	<0.01	0.01
R322629		0.01	<0.05	2.1	180	53.1	0.2	<0.001	0.12	0.26	0.3	<0.2	<0.2	3.5	<0.01	0.01
R322630		0.02	<0.05	9.6	50	20.0	1.7	<0.001	0.54	3.11	0.7	0.3	<0.2	7.6	<0.01	0.10
R322631		0.03	<0.05	26.9	140	8.1	8.3	<0.001	0.57	3.45	2.2	0.2	0.3	26.6	<0.01	0.02
R322632		0.01	<0.05	12.2	310	41.2	3.5	<0.001	1.26	5.54	0.6	0.3	<0.2	17.9	<0.01	0.07
R322633		0.01	<0.05	3.0	70	0.8	0.1	<0.001	0.04	0.06	0.3	<0.2	<0.2	0.9	<0.01	<0.01
R322634		<0.01	<0.05	0.9	10	0.3	0.1	<0.001	0.01	<0.05	<0.1	<0.2	<0.2	0.2	<0.01	<0.01
R322635		0.06	<0.05	29.7	260	2.9	8.8	<0.001	0.04	0.10	2.8	<0.2	0.2	11.1	<0.01	0.01
R322636		0.03	<0.05	29.1	410	30.7	2.1	<0.001	0.40	0.08	5.0	<0.2	0.2	10.3	<0.01	0.02
R322637		0.04	<0.05	29.2	240	2.9	8.8	<0.001	0.11	0.16	3.0	<0.2	0.3	7.5	<0.01	0.01
R322638		<0.01	<0.05	1.7	90	30.5	0.4	<0.001	0.07	0.66	0.7	0.2	0.3	1.5	<0.01	0.09
R322639		0.01	<0.05	4.7	90	5.2	0.5	<0.001	0.01	0.06	0.7	<0.2	<0.2	1.7	<0.01	0.01
R322640		0.01	<0.05	19.0	160	3.2	1.0	<0.001	0.01	0.06	1.0	<0.2	<0.2	1.9	<0.01	0.01
R322641		0.01	<0.05	1.1	30	0.8	0.4	<0.001	0.02	0.05	0.2	<0.2	<0.2	3.9	<0.01	<0.01
R322642		0.01	<0.05	16.2	250	13.7	0.4	<0.001	0.01	<0.05	0.5	<0.2	<0.2	4.5	<0.01	0.01
R322643		0.01	<0.05	1.7	320	0.3	<0.1	<0.001	0.01	0.09	0.1	<0.2	<0.2	4.8	<0.01	<0.01
R322644		0.01	<0.05	1.8	30	3.6	0.8	<0.001	0.06	0.68	0.2	<0.2	<0.2	14.0	<0.01	0.03
R322645		0.01	<0.05	4.9	20	216	1.6	<0.001	0.34	4.31	0.2	0.5	<0.2	27.8	<0.01	0.46
R322646		0.04	<0.05	8.8	230	36.9	4.2	<0.001	0.06	3.74	2.7	<0.2	<0.2	64.2	<0.01	0.01
R322647		0.03	<0.05	20.4	570	24.0	1.2	<0.001	0.05	0.09	2.7	<0.2	0.2	11.5	<0.01	0.02
R322648		0.01	<0.05	2.7	400	29.6	0.1	<0.001	0.01	<0.05	0.2	<0.2	<0.2	4.4	<0.01	<0.01
R322649		0.01	<0.05	3.0	70	2.4	0.5	<0.001	0.01	0.07	0.3	<0.2	<0.2	1.2	<0.01	<0.01
R322751		0.02	<0.05	19.3	330	12.1	5.7	<0.001	0.02	<0.05	1.3	<0.2	0.2	8.4	<0.01	0.01
R322752		0.02	<0.05	19.7	530	2350	3.8	<0.001	0.06	1.03	1.3	2.1	0.4	10.0	<0.01	0.04
R322753		0.04	<0.05	9.8	420	15.7	6.2	<0.001	0.04	0.29	1.9	<0.2	0.5	9.7	<0.01	0.02
R322754		0.06	<0.05	12.1	310	14.8	8.4	<0.001	0.05	0.17	1.7	<0.2	1.4	12.2	<0.01	0.04
R322755		0.02	<0.05	19.9	410	17.0	0.6	<0.001	0.46	0.34	3.9	0.4	0.7	5.4	<0.01	0.06
R322756		0.07	<0.05	2.9	370	5.7	1.7	<0.001	0.14	0.22	1.0	0.4	0.8	14.4	<0.01	0.04
R322757		0.01	<0.05	3.7	60	7.5	5.0	<0.001	0.22	1.46	0.6	<0.2	0.2	28.1	<0.01	0.08



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 5 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-AUG-2020
 Account: NUF

Project: CULVERT

CERTIFICATE OF ANALYSIS WH20165151

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.2	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R322621		14.7	0.005	<0.02	0.57	10	0.30	2.75	201	3.2
R322622		1.4	<0.005	0.02	0.24	1	0.09	0.33	4	1.8
R322623		2.0	<0.005	0.02	0.87	4	0.41	1.83	27	1.6
R322624		9.2	<0.005	0.03	0.52	13	<0.05	1.55	49	2.2
R322625		0.8	<0.005	<0.02	3.22	4	<0.05	1.76	45	<0.5
R322626		0.8	<0.005	<0.02	0.47	1	0.12	0.29	19	<0.5
R322627		2.5	<0.005	<0.02	1.10	12	<0.05	2.89	119	1.7
R322628		<0.2	<0.005	<0.02	0.17	1	<0.05	0.63	7	<0.5
R322629		<0.2	<0.005	<0.02	0.06	1	<0.05	0.49	4	<0.5
R322630		1.8	<0.005	<0.02	0.56	2	0.08	1.94	33	1.0
R322631		12.8	<0.005	0.05	3.12	12	0.17	3.44	73	4.0
R322632		2.8	<0.005	0.02	1.14	3	0.37	2.22	24	1.6
R322633		<0.2	<0.005	<0.02	0.61	1	<0.05	0.28	8	<0.5
R322634		<0.2	<0.005	<0.02	0.05	<1	<0.05	<0.05	2	<0.5
R322635		17.5	0.005	0.05	1.13	17	<0.05	3.41	75	7.6
R322636		17.3	0.005	<0.02	1.28	28	<0.05	2.99	162	4.7
R322637		15.4	0.005	0.05	0.84	20	0.05	3.02	83	6.0
R322638		0.2	<0.005	<0.02	1.42	2	<0.05	0.34	395	<0.5
R322639		0.4	<0.005	<0.02	0.38	1	<0.05	0.60	126	<0.5
R322640		1.0	<0.005	<0.02	0.16	2	0.12	1.54	39	1.0
R322641		<0.2	<0.005	<0.02	<0.05	<1	<0.05	0.11	2	<0.5
R322642		<0.2	<0.005	<0.02	0.26	1	<0.05	1.99	23	1.3
R322643		<0.2	<0.005	<0.02	0.05	<1	<0.05	0.73	3	<0.5
R322644		0.2	<0.005	<0.02	0.07	<1	<0.05	0.43	29	<0.5
R322645		0.4	<0.005	<0.02	0.11	1	<0.05	0.64	5	0.5
R322646		10.6	<0.005	0.03	0.80	10	0.09	2.79	51	4.1
R322647		8.0	<0.005	<0.02	0.97	15	0.10	2.62	180	3.0
R322648		<0.2	<0.005	<0.02	0.09	1	<0.05	0.95	9	<0.5
R322649		0.5	<0.005	<0.02	0.27	1	<0.05	0.34	7	<0.5
R322751		7.2	<0.005	0.03	0.58	9	<0.05	2.99	59	5.0
R322752		5.6	<0.005	0.02	0.84	9	<0.05	1.76	81	3.8
R322753		5.4	<0.005	0.03	0.49	14	0.05	1.69	58	3.2
R322754		15.2	<0.005	0.05	0.64	11	0.14	2.89	53	6.6
R322755		9.9	<0.005	<0.02	3.37	18	0.07	2.59	129	1.2
R322756		10.0	<0.005	<0.02	1.18	3	0.47	1.98	175	4.4
R322757		3.5	<0.005	0.03	0.94	3	0.09	1.01	14	1.8



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: Appendix 1
 Total # Appendix Pages: 1
 Finalized Date: 28-AUG-2020
 Account: NUF

Project: CULVERT

CERTIFICATE OF ANALYSIS WH20165151

CERTIFICATE COMMENTS									
	ANALYTICAL COMMENTS								
Applies to Method:	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g). ME-MS41								
	LABORATORY ADDRESSES								
Applies to Method:	Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada. <table style="width: 100%; border: none;"> <tr> <td>CRU-31</td> <td>CRU-QC</td> <td>LOG-21</td> <td>PUL-31</td> </tr> <tr> <td>PUL-QC</td> <td>SPL-21</td> <td>WEI-21</td> <td></td> </tr> </table>	CRU-31	CRU-QC	LOG-21	PUL-31	PUL-QC	SPL-21	WEI-21	
CRU-31	CRU-QC	LOG-21	PUL-31						
PUL-QC	SPL-21	WEI-21							
Applies to Method:	Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada. <table style="width: 100%; border: none;"> <tr> <td>Au-AA26</td> <td>Au-GRA22</td> <td>ME-MS41</td> </tr> </table>	Au-AA26	Au-GRA22	ME-MS41					
Au-AA26	Au-GRA22	ME-MS41							