



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 1
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-AUG-2020
 Account: NUF

CERTIFICATE WH20165168

Project: CULVERT

This report is for 116 Soil samples submitted to our lab in Whitehorse, YT, Canada on 29-JUL-2020.

The following have access to data associated with this certificate:

KIM TYLER		
-----------	--	--

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES	
ALS CODE	DESCRIPTION
ME-MS41L	Super Trace Lowest DL AR by ICP-MS

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Saa Traxler, General Manager, North Vancouver



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 2 - A
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-AUG-2020
 Account: NUF

Project: CULVERT

CERTIFICATE OF ANALYSIS WH20165168

Sample Description	Method Analyte Units LOD	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
		0.02	0.0002	0.001	0.01	0.01	10	0.5	0.01	0.0005	0.01	0.001	0.003	0.001	0.01	0.005
CGST01		0.47	0.0053	0.042	2.18	47.3	<10	13.5	0.84	0.566	0.11	0.098	51.4	21.8	29.8	2.26
LHSKS01		0.29	0.0008	0.062	1.79	157.5	<10	12.9	1.73	0.497	0.01	0.145	47.0	19.45	27.8	10.15
LHSKS02		0.48	0.0007	0.059	1.68	210	<10	9.2	1.49	0.473	0.01	0.154	79.4	25.5	21.2	9.58
LHSKS03		0.35	0.0010	0.132	1.80	92.7	<10	16.8	0.69	0.632	0.01	0.107	74.5	30.4	26.0	6.05
LHSKS04		0.54	0.0018	0.080	1.75	35.2	<10	15.3	0.78	0.476	0.04	0.105	63.2	32.5	22.3	6.79
LHSKS05A		0.47	0.0008	0.254	2.31	30.4	<10	16.2	0.67	0.881	0.06	0.086	74.9	33.6	33.2	4.64
LHSKS05B		0.26	0.0003	0.648	1.75	25.5	<10	23.3	0.50	1.295	0.02	0.066	32.5	22.8	22.8	6.63
LHSBS01		0.45	0.0013	0.069	1.53	25.0	<10	15.3	0.32	0.438	0.01	0.046	50.2	4.24	25.2	2.38
LHSBS02		0.40	0.0322	0.127	1.04	114.0	<10	12.8	0.96	0.394	0.01	0.160	61.4	42.1	13.45	21.0
LHSBS03		0.47	0.0009	0.117	1.17	51.0	<10	26.0	0.51	0.386	0.03	0.094	54.9	50.0	14.40	3.84
LHSBS04		0.50	0.0004	0.087	2.21	31.4	<10	19.6	0.78	0.643	0.02	0.128	77.0	59.1	29.8	5.86
LHSBS05		0.81	0.0003	0.080	2.28	25.8	<10	15.6	0.68	0.620	0.02	0.110	80.7	52.6	30.9	5.15
LHSBS06		0.50	0.0007	0.183	2.23	25.7	<10	33.3	0.89	1.490	0.04	0.088	66.3	48.9	32.2	9.66
LHSBS07		0.67	0.0008	0.171	2.31	18.45	<10	19.3	1.02	0.880	0.06	0.096	76.9	53.6	33.3	6.23
LHSBS08		0.67	0.0005	0.105	1.76	15.35	<10	21.5	0.55	0.530	0.04	0.085	40.0	19.85	22.9	3.60
LHSBS09		0.40	0.0013	0.132	1.94	18.55	<10	24.4	0.88	0.559	0.08	0.258	43.6	29.9	24.2	5.30
LHSBS10		0.45	0.0008	0.193	2.19	26.1	<10	26.9	1.08	0.843	0.06	0.124	51.1	41.9	27.8	8.58
LHSBS11		0.44	0.0011	0.097	1.74	26.8	<10	19.6	0.52	0.571	0.04	0.140	55.5	25.7	23.3	3.03
LHSBS12		0.57	0.0150	0.186	1.99	135.0	<10	46.3	1.33	1.670	0.04	0.570	43.3	85.2	23.1	9.81
LHSBS13		0.61	0.0230	0.342	2.20	247	<10	38.6	1.90	3.40	0.06	2.54	59.8	102.0	26.1	9.52
RSKS01		0.21	0.0013	0.311	1.55	229	<10	34.1	0.36	0.486	0.01	0.071	32.7	22.0	24.9	1.710
RSKS02		0.22	0.0002	0.076	1.42	72.7	<10	21.6	0.19	0.436	0.01	0.036	55.3	5.13	20.8	1.415
RSKS03		0.29	0.0003	0.138	1.03	22.7	<10	28.5	0.20	0.428	0.01	0.030	52.2	3.15	14.30	1.330
RSKS04		0.24	<0.0002	0.049	1.70	66.1	<10	34.5	0.18	0.405	0.01	0.021	75.3	3.75	21.3	1.190
RSKS05		0.23	0.0002	0.125	1.63	33.2	<10	35.0	0.19	0.356	0.01	0.030	52.2	2.90	15.80	1.320
RSKS06		0.17	0.0003	0.263	1.96	62.9	<10	41.1	0.23	0.442	0.01	0.043	61.5	5.42	25.3	1.775
RSKS07		0.18	0.0002	0.197	1.69	55.9	<10	35.3	0.23	0.420	0.01	0.055	52.5	6.49	23.3	1.895
RSKS08		0.19	0.0002	0.131	1.25	41.3	<10	36.2	0.22	0.394	0.01	0.041	37.6	7.21	14.35	2.31
RSKS09		0.20	0.0028	0.258	1.61	113.5	<10	66.7	0.35	0.650	0.05	0.068	52.5	9.94	16.90	1.715
RSKS10		0.22	0.0002	0.142	1.66	43.7	<10	47.7	0.26	0.480	0.01	0.046	58.9	5.56	20.6	1.525
RSKS11		0.19	0.0024	0.193	1.52	191.5	<10	38.6	0.31	0.754	0.01	0.047	53.8	6.86	21.6	3.27
RSKS12		0.22	0.0028	0.283	1.66	70.3	<10	22.2	0.25	0.435	0.01	0.044	54.8	6.27	23.8	2.15
RSKS13		0.19	<0.0002	0.127	1.41	59.0	<10	28.0	0.23	0.365	0.01	0.026	50.3	5.30	20.1	1.185
RSBS01		0.31	0.0017	0.061	2.20	54.5	<10	34.4	0.25	0.388	0.01	0.033	64.7	7.15	27.5	0.988
RSBS02		0.34	0.0002	0.202	1.88	64.8	<10	36.3	0.23	0.491	0.01	0.048	59.2	7.39	29.2	1.910
RSBS03		0.40	0.0002	0.225	2.44	53.8	<10	29.5	0.25	0.330	0.01	0.047	50.4	9.71	30.5	1.055
RSBS04		0.22	0.0016	0.037	1.22	34.3	<10	22.8	0.16	0.325	0.01	0.024	42.5	5.39	19.15	1.130
RSBS05		0.26	<0.0002	0.043	0.65	10.80	<10	20.4	0.09	0.148	0.01	0.021	17.05	1.990	6.23	0.446
RSBS06		0.35	0.0003	0.038	1.96	52.3	<10	24.8	0.25	0.435	0.01	0.034	50.6	9.68	30.4	1.160
RSBS07		0.29	0.0002	0.064	1.52	32.4	<10	35.9	0.21	0.373	0.01	0.025	60.6	5.73	19.90	1.390



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 2 - B
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-AUG-2020
 Account: NUF

Project: CULVERT

CERTIFICATE OF ANALYSIS WH20165168

Sample Description	Method Analyte Units LOD	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
CGST01		36.9	4.93	6.25	0.136	0.043	0.007	0.017	0.02	27.2	63.3	0.84	709	0.49	0.004	0.063
LHKS01		80.9	8.48	5.22	0.119	0.063	0.027	0.029	0.02	22.4	48.0	0.38	460	0.69	0.003	0.072
LHKS02		72.7	7.00	4.93	0.175	0.021	0.010	0.021	0.02	38.6	58.7	0.41	362	0.98	0.004	0.018
LHKS03		38.2	5.23	5.08	0.116	0.043	0.015	0.025	0.03	36.5	57.4	0.56	758	0.70	0.003	0.119
LHKS04		36.8	4.78	5.54	0.128	0.027	0.013	0.023	0.02	30.5	55.3	0.57	670	0.49	0.008	0.064
LHKS05A		44.7	5.03	6.47	0.123	0.026	0.021	0.024	0.02	37.7	96.3	0.83	911	0.75	0.003	0.049
LHKS05B		36.4	3.84	5.77	0.063	0.074	0.035	0.027	0.02	15.95	50.7	0.54	1250	1.23	0.007	0.215
LHSBS01		22.4	4.46	5.70	0.084	0.061	0.029	0.017	0.03	25.2	40.3	0.49	320	0.74	0.005	0.203
LHSBS02		44.8	4.89	3.49	0.113	0.013	0.011	0.044	0.02	28.6	24.6	0.20	549	0.41	0.002	0.036
LHSBS03		29.6	3.33	3.63	0.096	0.033	0.006	0.017	0.02	25.9	38.5	0.33	716	0.39	0.013	0.107
LHSBS04		43.9	5.33	6.64	0.127	0.037	0.015	0.023	0.03	38.6	80.8	0.72	1090	0.58	0.004	0.132
LHSBS05		37.3	5.25	6.85	0.133	0.033	0.013	0.022	0.02	39.9	92.4	0.75	1210	0.56	0.002	0.070
LHSBS06		66.4	5.27	7.46	0.108	0.045	0.011	0.040	0.03	32.9	62.0	0.71	1800	1.63	0.003	0.256
LHSBS07		50.9	4.97	7.08	0.132	0.030	0.011	0.030	0.02	37.9	82.0	0.82	1200	0.98	0.003	0.048
LHSBS08		31.6	3.38	5.13	0.082	0.052	0.025	0.019	0.03	19.75	50.9	0.57	674	0.63	0.009	0.166
LHSBS09		38.0	3.98	5.61	0.087	0.068	0.035	0.019	0.03	21.7	57.7	0.65	800	0.53	0.008	0.093
LHSBS10		54.0	4.42	5.92	0.089	0.057	0.023	0.029	0.04	25.3	66.3	0.71	1080	0.61	0.004	0.082
LHSBS11		32.3	3.76	5.51	0.107	0.040	0.012	0.022	0.02	28.0	56.2	0.58	806	0.57	0.009	0.145
LHSBS12		75.6	4.79	6.38	0.081	0.053	0.038	0.083	0.03	20.3	50.8	0.54	3920	1.78	0.008	0.281
LHSBS13		175.5	6.69	6.31	0.123	0.031	0.048	0.287	0.03	29.9	62.1	0.72	4670	3.38	0.007	0.087
RSKS01		25.7	4.70	6.38	0.072	0.019	0.040	0.018	0.04	16.85	31.0	0.40	1040	0.77	0.005	0.132
RSKS02		13.85	4.17	6.68	0.076	0.025	0.024	0.013	0.02	28.5	30.0	0.36	288	0.63	0.004	0.272
RSKS03		11.50	4.16	10.45	0.073	0.016	0.021	0.017	0.02	27.0	9.3	0.09	95.0	0.96	0.003	0.946
RSKS04		9.71	4.19	7.61	0.094	0.041	0.015	0.017	0.02	38.3	35.1	0.36	246	0.66	0.004	0.528
RSKS05		8.12	3.12	6.96	0.064	0.030	0.037	0.011	0.02	27.3	22.6	0.20	164.0	0.63	0.006	0.903
RSKS06		12.70	4.67	8.59	0.090	0.057	0.020	0.017	0.02	31.8	36.9	0.40	317	0.69	0.006	0.747
RSKS07		14.80	4.06	6.42	0.073	0.039	0.031	0.020	0.03	27.3	31.1	0.33	377	0.62	0.006	0.527
RSKS08		13.15	3.56	9.31	0.068	0.007	0.027	0.014	0.02	20.0	16.6	0.19	611	0.74	0.007	0.454
RSKS09		31.5	4.63	8.29	0.083	0.031	0.031	0.017	0.02	27.2	22.0	0.25	1390	0.66	0.005	0.385
RSKS10		12.10	4.04	7.97	0.077	0.024	0.028	0.017	0.02	30.0	28.6	0.30	330	0.79	0.005	0.781
RSKS11		25.8	4.63	7.77	0.084	0.032	0.026	0.016	0.03	28.2	32.7	0.39	722	0.59	0.004	0.268
RSKS12		13.15	4.90	8.25	0.090	0.045	0.025	0.017	0.03	28.4	35.6	0.38	444	0.56	0.004	0.428
RSKS13		15.90	3.96	6.79	0.078	0.015	0.031	0.015	0.02	24.9	28.8	0.34	303	0.56	0.006	0.479
RSBS01		14.20	4.90	7.52	0.098	0.092	0.017	0.017	0.02	32.2	48.8	0.52	403	0.49	0.003	0.405
RSBS02		16.70	5.60	8.30	0.106	0.030	0.021	0.020	0.02	29.0	44.1	0.50	510	0.68	0.003	0.502
RSBS03		16.90	4.65	6.74	0.090	0.071	0.043	0.015	0.02	24.9	58.6	0.66	464	0.43	0.004	0.271
RSBS04		11.10	3.83	6.58	0.070	0.007	0.012	0.013	0.03	20.9	23.8	0.28	341	0.62	0.008	0.530
RSBS05		6.52	1.310	3.53	0.032	0.002	0.015	0.007	0.02	8.22	7.8	0.09	100.0	0.28	0.017	0.277
RSBS06		17.85	5.66	7.66	0.097	0.050	0.014	0.017	0.03	24.8	47.5	0.60	503	0.60	0.004	0.471
RSBS07		10.10	3.88	6.93	0.083	0.040	0.009	0.013	0.02	30.0	29.8	0.33	416	0.56	0.005	0.620



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 2 - C
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-AUG-2020
 Account: NUF

Project: CULVERT

CERTIFICATE OF ANALYSIS WH20165168

Sample Description	Method Analyte Units LOD	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Ni	P	Pb	Pd	Pt	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
CGST01		42.9	0.055	16.70	<0.001	<0.002	1.610	0.0003	0.02	0.291	2.45	0.485	0.16	10.25	<0.005	0.021
LHSKS01		40.6	0.260	47.0	0.002	<0.002	2.74	<0.0002	0.05	0.751	3.49	0.381	0.17	6.54	<0.005	0.024
LHSKS02		40.4	0.149	44.8	0.002	<0.002	1.860	<0.0002	0.03	0.647	2.40	0.157	0.14	22.8	<0.005	0.015
LHSKS03		24.7	0.102	82.4	0.002	<0.002	3.71	<0.0002	0.03	0.469	1.855	0.254	0.20	14.05	<0.005	0.026
LHSKS04		45.7	0.076	47.5	<0.001	<0.002	2.11	<0.0002	0.02	0.424	2.10	0.165	0.13	12.25	<0.005	0.020
LHSKS05A		42.4	0.066	78.8	0.001	<0.002	2.49	<0.0002	0.02	0.231	2.48	0.197	0.18	8.42	<0.005	0.030
LHSKS05B		26.0	0.092	67.9	0.001	<0.002	3.26	<0.0002	0.06	0.274	1.355	0.219	0.22	4.72	<0.005	0.041
LHSBS01		10.50	0.118	27.3	0.002	<0.002	4.74	<0.0002	0.05	0.659	1.500	0.312	0.21	10.90	<0.005	0.025
LHSBS02		26.2	0.108	113.0	<0.001	<0.002	2.64	<0.0002	0.02	2.24	2.45	0.221	0.27	15.65	<0.005	0.012
LHSBS03		25.6	0.070	49.4	0.003	<0.002	2.28	<0.0002	0.01	0.376	1.610	0.153	0.13	14.25	<0.005	0.016
LHSBS04		51.4	0.091	39.8	<0.001	<0.002	3.35	<0.0002	0.02	0.297	2.12	0.195	0.21	8.69	<0.005	0.026
LHSBS05		52.9	0.086	41.7	0.004	<0.002	3.01	<0.0002	0.02	0.214	2.16	0.166	0.18	5.84	<0.005	0.028
LHSBS06		43.4	0.137	180.5	<0.001	<0.002	5.18	<0.0002	0.03	0.344	2.29	0.326	0.27	8.28	<0.005	0.050
LHSBS07		56.4	0.072	87.4	0.004	<0.002	2.58	<0.0002	0.01	0.223	2.54	0.157	0.15	8.40	<0.005	0.035
LHSBS08		27.9	0.074	27.3	0.001	<0.002	2.98	<0.0002	0.04	0.181	1.620	0.209	0.16	6.11	<0.005	0.018
LHSBS09		36.6	0.094	47.0	<0.001	<0.002	2.75	<0.0002	0.04	0.185	1.955	0.147	0.14	10.35	<0.005	0.023
LHSBS10		43.4	0.079	52.7	0.001	<0.002	3.25	<0.0002	0.03	0.189	2.04	0.163	0.21	8.86	<0.005	0.030
LHSBS11		31.4	0.064	26.4	0.001	<0.002	2.42	<0.0002	0.02	0.183	1.905	0.159	0.17	5.61	<0.005	0.024
LHSBS12		52.4	0.110	35.5	0.002	<0.002	4.39	<0.0002	0.05	0.347	2.48	0.314	0.39	9.50	<0.005	0.043
LHSBS13		75.3	0.107	38.0	0.003	<0.002	2.99	0.0002	0.03	0.470	3.85	0.287	0.61	15.25	<0.005	0.060
RSKS01		19.80	0.164	29.4	0.002	<0.002	5.54	<0.0002	0.10	0.454	0.637	0.354	0.18	5.29	<0.005	0.030
RSKS02		13.80	0.074	23.1	<0.001	<0.002	5.26	<0.0002	0.02	0.296	1.350	0.240	0.22	3.82	<0.005	0.022
RSKS03		8.17	0.071	12.70	0.002	<0.002	5.26	<0.0002	0.02	0.425	1.055	0.346	0.57	4.83	<0.005	0.031
RSKS04		10.45	0.035	20.7	0.001	<0.002	4.31	<0.0002	0.01	0.221	1.555	0.247	0.39	4.40	<0.005	0.021
RSKS05		7.21	0.034	14.55	0.001	<0.002	4.89	<0.0002	0.02	0.229	1.310	0.376	0.45	4.71	0.011	0.017
RSKS06		13.80	0.050	17.05	0.001	<0.002	6.22	<0.0002	0.02	0.299	1.930	0.262	0.42	3.89	0.009	0.022
RSKS07		13.20	0.079	17.45	<0.001	<0.002	7.12	<0.0002	0.02	0.277	1.445	0.269	0.28	4.70	0.007	0.020
RSKS08		11.20	0.117	12.35	0.001	<0.002	6.48	<0.0002	0.02	0.326	0.929	0.255	0.41	4.84	<0.005	0.019
RSKS09		15.55	0.177	17.55	0.001	<0.002	7.06	<0.0002	0.02	0.378	1.240	0.265	0.31	8.94	0.007	0.034
RSKS10		12.20	0.065	18.30	<0.001	<0.002	7.50	<0.0002	0.02	0.316	1.440	0.325	0.48	5.82	<0.005	0.022
RSKS11		17.75	0.116	77.0	0.001	<0.002	7.30	<0.0002	0.02	0.379	1.615	0.290	0.26	4.23	<0.005	0.049
RSKS12		14.15	0.088	20.6	0.003	<0.002	5.31	<0.0002	0.02	0.253	1.750	0.262	0.25	3.35	<0.005	0.028
RSKS13		11.10	0.073	23.5	<0.001	<0.002	4.57	<0.0002	0.01	0.258	1.090	0.249	0.24	4.91	<0.005	0.028
RSBS01		16.40	0.036	17.95	<0.001	<0.002	4.27	<0.0002	<0.01	0.187	1.790	0.275	0.25	2.91	<0.005	0.020
RSBS02		15.70	0.113	28.3	<0.001	<0.002	5.65	<0.0002	0.01	0.304	1.520	0.230	0.29	3.33	<0.005	0.025
RSBS03		19.90	0.036	18.45	<0.001	<0.002	4.34	<0.0002	<0.01	0.181	2.10	0.274	0.15	2.78	<0.005	0.013
RSBS04		10.40	0.055	12.95	<0.001	<0.002	5.24	<0.0002	0.01	0.260	0.930	0.253	0.31	3.22	<0.005	0.022
RSBS05		3.76	0.031	6.52	<0.001	<0.002	2.81	<0.0002	0.01	0.102	0.397	0.165	0.15	3.77	<0.005	0.009
RSBS06		19.40	0.093	17.05	<0.001	<0.002	5.42	<0.0002	0.01	0.256	1.640	0.214	0.18	4.12	<0.005	0.021
RSBS07		11.10	0.063	16.45	<0.001	<0.002	7.14	<0.0002	0.01	0.227	1.220	0.256	0.34	4.62	<0.005	0.016



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 2 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-AUG-2020
 Account: NUF

Project: CULVERT

CERTIFICATE OF ANALYSIS WH20165168

Sample Description	Method Analyte Units LOD	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Th	Ti	Tl	U	V	W	Y	Zn	Zr
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.002	0.001	0.001	0.005	0.1	0.001	0.003	0.1	0.01
CGST01		11.50	0.005	0.012	4.24	18.6	3.89	6.81	149.5	1.49
LHSKS01		12.80	0.004	0.033	4.13	16.5	0.049	5.30	103.0	2.03
LHSKS02		18.25	0.002	0.021	2.54	13.0	0.045	7.19	131.0	1.36
LHSKS03		10.10	0.005	0.035	1.485	15.7	0.089	4.26	88.0	1.36
LHSKS04		11.80	0.004	0.024	1.835	14.5	0.058	5.44	108.5	1.18
LHSKS05A		13.85	0.004	0.022	1.900	16.9	0.073	4.73	113.5	1.19
LHSKS05B		3.58	0.008	0.040	1.065	17.8	0.153	2.53	84.7	2.58
LHSBS01		4.94	0.008	0.042	0.913	18.4	0.080	2.04	56.2	1.75
LHSBS02		14.60	0.002	0.037	1.560	10.1	0.043	8.13	109.5	0.82
LHSBS03		10.50	0.011	0.032	1.025	12.9	0.054	4.09	70.5	2.43
LHSBS04		10.70	0.008	0.030	1.795	18.2	0.109	5.66	129.0	1.16
LHSBS05		10.40	0.005	0.027	1.760	17.4	0.062	4.63	127.5	0.99
LHSBS06		8.87	0.010	0.055	1.815	24.5	0.117	4.65	128.0	1.66
LHSBS07		13.10	0.004	0.028	1.725	16.7	0.111	5.17	139.0	1.13
LHSBS08		3.91	0.009	0.035	1.065	15.6	0.236	3.89	85.7	1.70
LHSBS09		5.85	0.005	0.023	1.405	14.1	0.076	4.02	110.5	2.26
LHSBS10		8.08	0.004	0.030	1.860	15.9	0.064	5.44	122.0	1.75
LHSBS11		5.94	0.008	0.024	1.410	15.4	0.072	3.70	92.5	1.38
LHSBS12		7.29	0.011	0.055	3.11	23.2	1.580	5.73	193.0	1.81
LHSBS13		18.60	0.005	0.045	5.87	19.8	7.49	10.10	366	1.30
RSKS01		0.380	0.002	0.043	1.440	19.9	0.125	2.58	61.2	0.57
RSKS02		4.77	0.007	0.039	0.435	21.5	0.174	1.575	47.1	1.08
RSKS03		6.37	0.018	0.058	0.485	35.1	0.290	1.840	27.8	1.03
RSKS04		9.98	0.007	0.051	0.452	25.4	0.175	2.01	40.5	2.46
RSKS05		5.96	0.010	0.069	0.456	26.0	0.225	1.750	27.8	1.59
RSKS06		8.64	0.011	0.058	0.491	27.9	0.238	2.05	49.5	3.39
RSKS07		4.29	0.011	0.055	0.498	24.2	0.164	2.00	50.9	1.24
RSKS08		0.680	0.016	0.068	0.506	27.2	0.236	1.470	40.0	0.37
RSKS09		2.33	0.009	0.066	0.474	28.1	0.210	2.29	59.8	1.25
RSKS10		6.37	0.010	0.068	0.550	30.3	0.248	1.960	48.3	1.02
RSKS11		4.77	0.006	0.057	0.833	24.1	0.179	1.965	70.0	1.15
RSKS12		8.04	0.007	0.041	0.474	23.2	0.137	1.745	57.3	1.83
RSKS13		4.43	0.009	0.038	0.513	19.2	0.150	1.715	45.3	0.88
RSBS01		10.25	0.006	0.043	0.488	20.8	0.130	2.22	58.2	4.77
RSBS02		7.62	0.009	0.043	0.462	23.6	0.163	1.800	66.7	1.27
RSBS03		7.76	0.006	0.029	0.445	16.9	0.074	1.950	74.2	3.04
RSBS04		2.41	0.012	0.038	0.375	20.7	0.150	1.395	40.7	0.33
RSBS05		0.232	0.011	0.025	0.265	10.0	0.096	0.778	13.8	0.09
RSBS06		8.22	0.008	0.035	0.456	22.0	0.138	1.845	75.3	2.64
RSBS07		8.41	0.008	0.048	0.426	20.7	0.172	1.855	44.7	2.43



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 3 - A
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-AUG-2020
 Account: NUF

Project: CULVERT

CERTIFICATE OF ANALYSIS WH20165168

Sample Description	Method Analyte Units LOD	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
		0.02	0.0002	0.001	0.01	0.01	10	0.5	0.01	0.0005	0.01	0.001	0.003	0.001	0.01	0.005
RSBS08		0.34	<0.0002	0.155	1.81	39.6	<10	48.8	0.27	0.372	0.01	0.056	50.2	7.33	21.5	1.250
RSBS09		0.28	0.0002	0.107	1.49	39.9	<10	33.9	0.21	0.398	0.01	0.038	61.6	7.40	19.45	1.305
RSBS10		0.34	0.0005	0.078	2.27	51.6	<10	49.9	0.31	0.408	0.01	0.038	58.4	12.10	31.5	1.630
RSBS11		0.39	0.0003	0.057	2.13	39.7	<10	60.0	0.33	0.379	0.01	0.045	60.7	11.05	30.0	1.830
RSBS12		0.40	0.0005	0.042	2.26	48.9	<10	47.2	0.48	0.404	0.01	0.029	70.2	12.80	32.4	1.285
RSBS13		0.38	0.0004	0.026	2.30	40.1	<10	42.6	0.46	0.340	0.01	0.036	66.1	14.10	31.6	1.030
RSBS14		0.31	0.0005	0.098	2.04	41.3	<10	37.4	0.28	0.351	0.01	0.029	68.0	8.55	28.2	0.901
RSBS15		0.33	0.0010	0.163	2.62	61.8	<10	62.4	0.53	0.368	0.01	0.052	62.0	15.60	33.4	1.175
RSBS16		0.37	0.0009	0.128	2.82	62.6	<10	69.3	0.42	0.412	0.01	0.043	65.0	15.95	37.5	1.585
RSBS17		0.32	0.0009	0.391	2.46	60.3	<10	42.6	0.39	0.430	0.01	0.049	70.8	17.50	33.8	1.135
RSBS18		0.48	0.0004	0.050	2.50	72.7	<10	48.7	0.35	0.448	0.01	0.043	62.8	14.40	35.0	1.585
RSBS19		0.29	<0.0002	0.095	1.32	27.7	<10	38.4	0.23	0.421	0.01	0.038	58.9	5.94	18.15	1.175
RSBS20		0.31	0.0004	0.183	1.56	45.6	<10	28.6	0.28	0.489	0.01	0.041	47.8	7.99	21.9	1.520
RSBS21		0.38	0.0003	0.194	1.68	40.9	<10	35.2	0.24	0.482	0.02	0.042	57.3	15.30	25.0	1.650
RSBS22		0.41	0.0004	0.133	2.57	53.7	<10	40.4	0.30	0.442	0.01	0.051	51.0	10.70	35.6	1.410
RSBS23		0.24	<0.0002	0.078	1.71	37.6	<10	23.9	0.22	0.431	0.01	0.024	49.5	8.99	28.0	1.405
RSBS24		0.30	0.0004	0.049	2.01	46.8	<10	28.8	0.31	0.413	0.01	0.031	52.4	11.40	25.7	1.290
RSBS25		0.27	0.0002	0.139	1.57	35.4	<10	36.2	0.24	0.409	0.01	0.051	48.5	9.40	22.3	1.740
RSBS26		0.37	0.0004	0.118	2.39	46.6	<10	54.0	0.32	0.409	0.01	0.043	67.0	14.75	34.6	1.655
RSBS27		0.38	0.0003	0.215	2.13	50.7	<10	43.8	0.34	0.416	0.01	0.042	51.8	12.90	30.4	1.550
RSBS28		0.27	<0.0002	0.180	1.71	28.5	<10	42.9	0.22	0.342	0.01	0.035	64.1	7.34	20.9	1.275
RSBS29		0.37	0.0002	0.077	1.93	40.1	<10	42.1	0.28	0.376	0.01	0.043	58.4	10.15	25.4	1.200
RSBS30		0.30	<0.0002	0.127	1.47	29.1	<10	40.6	0.18	0.354	0.01	0.035	80.6	7.52	25.5	1.150
RSBS31		0.43	0.0008	0.074	2.15	34.2	<10	44.5	0.34	0.336	0.01	0.035	76.0	13.20	30.0	1.040
RSBS32		0.46	0.0007	0.028	2.37	37.8	<10	38.4	0.39	0.332	0.01	0.020	77.9	12.45	34.1	0.905
RSBS33		0.33	0.0014	0.020	2.31	40.6	<10	29.5	0.33	0.332	0.01	0.026	70.5	12.75	35.0	0.815
RSBS34		0.33	0.0006	0.152	1.28	14.40	<10	32.3	0.25	0.358	0.02	0.051	55.6	7.02	15.00	2.20
RSBS35		0.21	0.0004	0.047	0.23	0.74	<10	7.9	0.03	0.0387	0.03	0.007	1.545	0.500	1.20	0.118
RSBS36		0.23	0.0023	0.224	1.72	70.2	<10	42.3	0.43	0.453	0.03	0.114	34.0	13.60	17.50	3.25
RSBS37		0.24	0.0006	0.315	0.95	88.3	<10	39.1	0.20	0.454	0.02	0.102	57.4	7.20	10.75	1.750
RSBS38		0.21	0.0005	0.046	0.63	31.9	<10	13.6	0.22	0.401	0.06	0.066	19.20	6.34	8.54	0.638
RSBS39		0.35	0.0031	0.168	2.06	55.1	<10	34.1	1.08	0.732	0.06	0.332	55.7	79.5	21.3	2.43
RSBS40		0.44	0.0031	0.341	1.74	41.5	<10	23.2	1.04	0.494	0.01	0.077	56.9	40.7	19.05	2.87
RSBS41		0.33	0.0098	0.293	2.26	202	<10	21.9	1.55	0.780	0.03	0.167	56.8	91.7	20.7	2.97
RSBS42		0.36	0.0027	0.106	2.07	235	<10	16.7	0.52	0.580	0.01	0.057	73.1	12.10	25.9	1.990
RSBS43		0.28	0.0081	0.187	1.77	70.9	<10	29.1	1.07	0.567	0.02	0.116	39.7	77.4	17.35	1.935
RSBS44		0.34	0.0011	0.304	1.39	33.2	<10	39.2	0.46	0.542	0.03	0.101	42.5	16.60	17.50	1.540
RSBS45		0.35	0.0005	0.218	1.27	37.2	<10	43.7	0.33	0.580	0.02	0.096	59.8	14.20	21.2	1.735
RSBS46		0.26	0.0007	0.453	1.34	70.9	<10	29.1	0.50	0.664	0.02	0.117	38.5	18.15	19.60	1.790
RSBS47		0.37	0.0006	0.167	1.22	46.9	<10	31.9	0.24	0.486	0.03	0.073	43.3	7.07	22.0	1.415



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 3 - B
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-AUG-2020
 Account: NUF

Project: CULVERT

CERTIFICATE OF ANALYSIS WH20165168

Sample Description	Method Analyte Units LOD	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
RSBS08		12.95	4.01	6.73	0.077	0.065	0.026	0.016	0.03	24.5	33.0	0.37	410	0.45	0.005	0.413
RSBS09		14.45	3.61	7.23	0.082	0.021	0.018	0.013	0.03	30.0	25.7	0.31	334	0.66	0.005	0.581
RSBS10		18.60	4.79	6.88	0.096	0.048	0.016	0.014	0.05	28.8	54.0	0.64	535	0.50	0.004	0.389
RSBS11		15.75	4.53	7.15	0.091	0.065	0.023	0.018	0.05	30.3	46.2	0.53	534	0.52	0.004	0.391
RSBS12		32.4	4.59	6.55	0.104	0.045	0.007	0.018	0.07	34.3	56.3	0.70	464	0.33	0.005	0.131
RSBS13		28.3	4.42	6.27	0.103	0.049	0.006	0.014	0.05	31.9	61.8	0.77	529	0.26	0.005	0.105
RSBS14		15.30	4.61	6.97	0.106	0.042	0.012	0.014	0.04	33.3	48.4	0.62	425	0.30	0.004	0.201
RSBS15		29.7	4.55	6.45	0.095	0.126	0.022	0.018	0.07	30.3	64.4	0.77	498	0.23	0.004	0.109
RSBS16		20.7	5.01	7.11	0.102	0.141	0.026	0.019	0.07	31.8	64.5	0.79	539	0.36	0.005	0.215
RSBS17		27.7	4.91	6.64	0.115	0.053	0.024	0.022	0.04	35.2	66.4	0.79	550	0.41	0.003	0.111
RSBS18		26.0	5.54	7.04	0.105	0.065	0.010	0.021	0.04	30.7	61.4	0.74	517	0.42	0.004	0.170
RSBS19		9.79	4.10	8.06	0.091	0.028	0.022	0.016	0.03	29.0	19.0	0.24	429	0.56	0.004	0.891
RSBS20		16.65	5.16	7.94	0.085	0.028	0.028	0.020	0.03	24.2	28.4	0.32	478	0.83	0.005	0.771
RSBS21		15.80	4.95	8.09	0.097	0.040	0.020	0.020	0.03	28.9	31.8	0.38	780	0.68	0.004	0.634
RSBS22		21.0	6.09	7.99	0.106	0.095	0.032	0.021	0.03	25.2	54.3	0.62	471	0.62	0.004	0.548
RSBS23		13.75	5.57	8.12	0.099	0.043	0.020	0.013	0.04	24.2	37.7	0.48	468	0.58	0.005	0.560
RSBS24		21.7	4.76	6.69	0.097	0.059	0.014	0.019	0.02	26.1	48.3	0.56	461	0.58	0.004	0.379
RSBS25		13.20	4.21	7.75	0.082	0.028	0.041	0.015	0.04	24.1	25.1	0.28	517	0.65	0.007	0.826
RSBS26		20.8	5.06	7.26	0.101	0.060	0.023	0.017	0.05	32.4	55.0	0.64	566	0.48	0.004	0.341
RSBS27		23.8	4.45	6.61	0.087	0.068	0.016	0.019	0.06	25.4	54.2	0.65	502	0.41	0.006	0.248
RSBS28		11.25	3.88	7.42	0.089	0.032	0.009	0.015	0.03	31.4	32.8	0.35	447	0.50	0.004	0.524
RSBS29		15.95	4.04	6.81	0.092	0.045	0.016	0.016	0.03	29.0	45.1	0.51	388	0.47	0.004	0.475
RSBS30		9.69	3.34	7.59	0.112	0.035	0.019	0.017	0.03	41.9	32.3	0.39	297	0.49	<0.001	0.476
RSBS31		19.10	4.24	6.42	0.102	0.028	0.016	0.014	0.04	38.0	56.4	0.69	498	0.33	0.005	0.191
RSBS32		22.6	4.70	6.63	0.108	0.052	0.017	0.013	0.04	38.4	65.3	0.82	494	0.29	0.006	0.109
RSBS33		21.0	4.78	6.71	0.099	0.074	0.015	0.018	0.05	36.5	64.5	0.85	521	0.29	0.006	0.093
RSBS34		8.25	2.98	5.74	0.073	0.016	0.024	0.007	0.03	28.6	27.4	0.23	348	0.60	0.006	0.757
RSBS35		1.86	0.310	1.695	0.009	<0.002	0.013	<0.005	0.02	0.823	0.3	0.01	12.4	0.14	0.029	0.033
RSBS36		33.6	3.88	5.70	0.061	0.074	0.050	0.019	0.03	17.00	32.0	0.34	882	0.61	0.019	0.379
RSBS37		13.95	3.18	6.22	0.095	0.011	0.023	0.010	0.03	30.7	10.8	0.12	282	0.45	0.009	0.439
RSBS38		14.15	2.01	2.58	0.055	0.015	0.017	0.010	0.02	9.51	14.8	0.17	163.0	0.48	0.015	0.181
RSBS39		65.7	6.77	4.80	0.130	0.040	0.038	0.029	0.04	28.2	49.1	0.55	2650	0.88	0.006	0.101
RSBS40		50.4	5.51	4.36	0.122	0.041	0.030	0.021	0.03	28.7	35.4	0.45	804	0.69	0.008	0.107
RSBS41		84.1	7.46	4.67	0.148	0.045	0.043	0.026	0.04	28.3	52.0	0.53	2260	1.11	0.005	0.048
RSBS42		43.9	6.65	5.21	0.145	0.076	0.024	0.019	0.03	40.0	50.0	0.56	304	0.68	0.003	0.079
RSBS43		56.7	5.12	4.37	0.098	0.074	0.101	0.022	0.04	18.50	35.8	0.37	1655	0.97	0.009	0.308
RSBS44		32.8	5.24	5.24	0.099	0.022	0.093	0.022	0.03	21.0	22.0	0.26	922	0.82	0.006	0.343
RSBS45		20.1	5.47	7.13	0.123	0.017	0.078	0.020	0.03	30.8	15.8	0.18	1160	0.82	0.004	0.729
RSBS46		29.2	5.93	6.19	0.107	0.022	0.068	0.019	0.03	18.65	20.2	0.22	1035	0.82	0.006	0.340
RSBS47		16.35	6.07	7.85	0.116	0.004	0.062	0.013	0.03	22.2	17.0	0.23	497	0.77	0.005	0.639



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 3 - C
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-AUG-2020
 Account: NUF

Project: CULVERT

CERTIFICATE OF ANALYSIS WH20165168

Sample Description	Method Analyte Units LOD	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Ni	P	Pb	Pd	Pt	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RSBS08		12.95	0.075	16.00	<0.001	<0.002	6.78	<0.0002	0.01	0.201	1.360	0.311	0.24	4.18	<0.005	0.016
RSBS09		12.45	0.064	16.95	<0.001	<0.002	6.00	<0.0002	0.01	0.247	1.250	0.320	0.36	4.30	<0.005	0.016
RSBS10		23.3	0.046	17.45	<0.001	<0.002	6.53	<0.0002	<0.01	0.229	1.855	0.223	0.21	3.45	<0.005	0.018
RSBS11		19.50	0.059	15.25	<0.001	<0.002	7.28	<0.0002	<0.01	0.235	1.670	0.219	0.29	3.39	<0.005	0.019
RSBS12		27.7	0.038	21.9	<0.001	<0.002	5.93	<0.0002	<0.01	0.237	2.08	0.102	0.19	3.74	<0.005	0.016
RSBS13		28.7	0.030	18.75	0.001	<0.002	4.59	<0.0002	<0.01	0.166	2.07	0.085	0.15	3.62	<0.005	0.013
RSBS14		18.90	0.063	14.05	0.002	<0.002	4.86	<0.0002	<0.01	0.176	1.680	0.129	0.19	3.07	<0.005	0.013
RSBS15		29.6	0.026	26.3	0.002	<0.002	5.79	<0.0002	<0.01	0.215	2.09	0.155	0.13	3.29	<0.005	0.012
RSBS16		29.5	0.030	17.95	<0.001	<0.002	6.64	<0.0002	<0.01	0.231	2.32	0.210	0.19	3.70	<0.005	0.016
RSBS17		31.3	0.026	30.8	<0.001	<0.002	5.24	<0.0002	<0.01	0.231	2.11	0.167	0.12	3.22	<0.005	0.016
RSBS18		28.6	0.048	15.85	<0.001	<0.002	6.24	<0.0002	<0.01	0.235	2.03	0.160	0.14	3.04	<0.005	0.018
RSBS19		9.71	0.134	14.75	<0.001	<0.002	5.11	<0.0002	0.01	0.242	1.145	0.205	0.45	4.25	<0.005	0.019
RSBS20		13.80	0.160	22.7	<0.001	<0.002	5.43	<0.0002	0.01	0.309	1.225	0.323	0.35	4.41	<0.005	0.027
RSBS21		14.85	0.151	34.3	<0.001	<0.002	6.10	<0.0002	0.01	0.282	1.395	0.261	0.32	5.60	<0.005	0.022
RSBS22		21.3	0.077	18.85	<0.001	<0.002	5.54	<0.0002	0.02	0.279	2.36	0.350	0.27	3.29	0.007	0.022
RSBS23		17.15	0.172	14.95	<0.001	<0.002	6.20	<0.0002	0.01	0.243	1.380	0.195	0.23	3.25	<0.005	0.020
RSBS24		21.9	0.068	16.35	0.001	<0.002	5.33	<0.0002	0.01	0.246	1.560	0.245	0.25	3.09	<0.005	0.019
RSBS25		12.70	0.095	23.0	<0.001	<0.002	6.57	<0.0002	0.01	0.285	1.255	0.304	0.35	4.00	0.005	0.021
RSBS26		23.7	0.049	16.70	0.001	<0.002	6.27	<0.0002	<0.01	0.251	2.22	0.247	0.22	5.14	<0.005	0.017
RSBS27		26.5	0.038	16.30	0.002	<0.002	6.16	<0.0002	0.01	0.214	1.835	0.173	0.19	3.43	<0.005	0.017
RSBS28		11.85	0.063	14.15	<0.001	<0.002	6.04	<0.0002	<0.01	0.189	1.330	0.198	0.30	3.55	<0.005	0.014
RSBS29		19.00	0.042	17.75	<0.001	<0.002	4.99	<0.0002	<0.01	0.209	1.570	0.186	0.27	3.27	<0.005	0.015
RSBS30		15.80	0.035	13.15	<0.001	<0.002	6.33	<0.0002	0.01	0.184	1.810	0.153	0.31	4.81	<0.005	0.014
RSBS31		27.1	0.027	17.50	<0.001	<0.002	5.66	<0.0002	0.01	0.250	2.06	0.122	0.17	4.14	<0.005	0.014
RSBS32		30.4	0.025	17.75	<0.001	<0.002	5.14	<0.0002	0.01	0.240	2.34	0.099	0.14	3.51	<0.005	0.013
RSBS33		31.6	0.039	17.45	<0.001	<0.002	4.31	<0.0002	0.01	0.230	2.10	0.072	0.13	3.64	<0.005	0.012
RSBS34		11.45	0.036	10.35	<0.001	<0.002	6.41	<0.0002	0.02	0.247	1.195	0.162	0.46	4.57	<0.005	0.018
RSBS35		0.72	0.049	2.21	<0.001	<0.002	0.669	<0.0002	0.02	0.028	0.095	0.061	0.09	6.36	<0.005	<0.003
RSBS36		20.6	0.097	29.5	<0.001	0.002	5.40	<0.0002	0.05	0.365	1.290	0.204	0.19	8.95	0.010	0.022
RSBS37		11.10	0.079	25.4	0.001	<0.002	3.49	<0.0002	0.01	0.290	0.947	0.143	0.28	6.22	<0.005	0.026
RSBS38		12.70	0.084	35.8	<0.001	<0.002	1.300	<0.0002	0.02	0.408	0.632	0.083	0.09	8.31	<0.005	0.016
RSBS39		58.0	0.146	63.3	<0.001	<0.002	3.76	<0.0002	0.03	1.160	1.885	0.222	0.14	17.10	<0.005	0.030
RSBS40		31.8	0.095	43.3	<0.001	<0.002	3.69	<0.0002	0.04	0.810	1.600	0.210	0.14	12.15	<0.005	0.020
RSBS41		77.2	0.147	66.8	0.001	<0.002	3.45	<0.0002	0.03	1.295	2.18	0.253	0.14	17.00	<0.005	0.032
RSBS42		26.0	0.062	36.2	<0.001	<0.002	2.95	<0.0002	0.02	0.975	1.825	0.268	0.10	5.84	<0.005	0.024
RSBS43		28.1	0.151	42.8	0.003	<0.002	4.85	<0.0002	0.05	1.070	1.510	0.369	0.15	6.02	<0.005	0.033
RSBS44		21.8	0.153	33.9	<0.001	<0.002	3.96	<0.0002	0.05	0.857	1.140	0.328	0.27	5.85	<0.005	0.031
RSBS45		15.10	0.245	22.5	<0.001	<0.002	5.41	<0.0002	0.02	0.661	1.355	0.338	0.38	5.10	<0.005	0.031
RSBS46		17.80	0.212	26.7	<0.001	<0.002	5.82	<0.0002	0.04	0.668	0.967	0.332	0.24	8.54	<0.005	0.034
RSBS47		13.70	0.384	19.20	<0.001	<0.002	4.07	<0.0002	0.04	0.665	1.070	0.299	0.37	6.58	<0.005	0.031



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 3 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-AUG-2020
 Account: NUF

Project: CULVERT

CERTIFICATE OF ANALYSIS WH20165168

Sample Description	Method Analyte Units LOD	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Th	Ti	Ti	U	V	W	Y	Zn	Zr
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.002	0.001	0.001	0.005	0.1	0.001	0.003	0.1	0.01
RSBS08		6.17	0.006	0.044	0.464	19.5	0.163	1.945	52.6	2.35
RSBS09		6.17	0.008	0.050	0.471	21.9	0.190	1.970	45.9	1.03
RSBS10		9.80	0.008	0.042	0.469	21.1	0.103	1.980	82.0	2.54
RSBS11		9.92	0.008	0.041	0.476	22.4	0.124	1.940	72.9	3.18
RSBS12		11.95	0.005	0.036	0.687	20.3	0.078	3.12	80.5	2.24
RSBS13		11.05	0.005	0.029	0.575	17.8	0.059	3.04	85.0	2.28
RSBS14		10.15	0.004	0.027	0.425	19.3	0.094	2.36	69.3	2.21
RSBS15		12.50	0.004	0.033	0.502	17.8	0.061	2.31	88.7	5.40
RSBS16		12.50	0.006	0.040	0.515	21.3	0.078	2.48	106.5	6.31
RSBS17		12.00	0.004	0.029	0.523	17.5	0.052	2.45	95.0	3.11
RSBS18		10.85	0.004	0.030	0.484	19.3	0.064	2.10	93.8	3.80
RSBS19		7.28	0.010	0.041	0.411	28.0	0.164	1.860	41.7	1.49
RSBS20		5.32	0.011	0.040	0.519	27.1	0.211	1.670	60.6	1.28
RSBS21		7.48	0.009	0.046	0.504	24.1	0.175	2.00	62.1	1.84
RSBS22		8.93	0.011	0.038	0.625	24.0	0.135	2.43	84.2	4.31
RSBS23		6.58	0.010	0.037	0.412	23.1	0.173	1.535	63.3	1.64
RSBS24		6.24	0.007	0.033	0.555	18.5	0.139	1.890	78.9	2.28
RSBS25		5.14	0.012	0.053	0.528	25.6	0.200	1.865	54.3	1.08
RSBS26		10.75	0.007	0.044	0.518	22.3	0.096	2.96	84.1	3.37
RSBS27		8.30	0.006	0.035	0.418	17.9	0.087	1.940	83.0	2.70
RSBS28		7.83	0.006	0.044	0.390	20.7	0.141	1.875	47.9	1.72
RSBS29		8.18	0.007	0.038	0.417	20.1	0.132	1.970	64.9	1.84
RSBS30		9.03	0.008	0.041	0.400	21.2	0.145	2.16	54.4	1.54
RSBS31		10.10	0.008	0.035	0.474	20.4	0.097	2.50	76.3	1.53
RSBS32		11.85	0.007	0.033	0.527	21.4	0.076	2.79	85.3	2.66
RSBS33		8.94	0.006	0.027	0.397	21.5	0.077	2.35	91.2	2.36
RSBS34		6.75	0.015	0.055	0.463	26.1	0.179	2.22	38.5	0.76
RSBS35		0.012	0.006	0.014	0.188	6.1	0.039	0.311	2.8	0.10
RSBS36		3.32	0.012	0.046	0.752	17.0	0.122	2.20	67.7	2.76
RSBS37		4.29	0.009	0.050	0.439	22.6	0.148	1.640	37.8	0.43
RSBS38		0.811	0.009	0.014	0.466	8.6	0.080	0.894	37.9	0.39
RSBS39		5.96	0.004	0.044	2.25	12.8	0.115	4.92	133.0	1.27
RSBS40		5.80	0.003	0.035	1.630	11.8	0.060	4.71	87.5	1.49
RSBS41		6.39	0.002	0.038	3.83	11.8	0.077	6.91	145.0	1.87
RSBS42		13.05	0.002	0.036	1.050	12.6	0.071	2.48	75.1	4.83
RSBS43		3.12	0.009	0.061	1.515	14.5	0.190	3.67	96.0	2.89
RSBS44		2.29	0.007	0.052	0.951	20.0	0.182	2.03	71.2	0.98
RSBS45		5.43	0.013	0.052	0.668	28.6	0.230	2.10	57.8	0.59
RSBS46		1.490	0.008	0.036	0.770	21.5	0.184	1.915	68.3	0.87
RSBS47		1.465	0.014	0.053	0.535	32.9	0.240	1.630	48.8	0.18



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 4 - A
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-AUG-2020
 Account: NUF

Project: CULVERT

CERTIFICATE OF ANALYSIS WH20165168

Sample Description	Method	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
Units		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
LOD		0.02	0.0002	0.001	0.01	0.01	10	0.5	0.01	0.0005	0.01	0.001	0.003	0.001	0.01	0.005
RSBS48		0.21	0.0010	0.095	0.84	21.2	<10	32.1	0.23	0.480	0.03	0.077	50.6	6.44	15.40	1.325
RSBS49		0.29	0.0013	0.099	2.62	88.0	<10	27.2	0.47	0.406	0.02	0.053	58.0	15.15	38.9	1.425
RSBS50		0.48	0.0022	0.084	2.09	81.8	<10	21.4	0.52	0.646	0.01	0.043	66.3	20.4	30.2	1.310
RSBS51		0.35	0.0015	0.237	1.91	69.4	<10	27.3	0.52	0.512	0.01	0.106	51.3	18.65	26.5	1.465
RUSK14		0.28	0.0002	0.050	2.01	45.8	<10	35.7	0.26	0.361	0.01	0.039	76.3	9.15	26.1	1.185
RUSK15		0.26	0.0010	0.117	2.20	46.6	<10	32.3	0.41	0.405	0.01	0.046	73.3	13.40	28.7	0.991
RUSK16		0.23	0.0010	0.046	2.24	49.7	<10	53.4	0.45	0.420	0.01	0.031	84.9	14.20	28.6	1.205
RUSK17		0.20	0.0002	0.209	1.23	24.5	<10	29.6	0.20	0.353	0.02	0.083	30.6	4.29	16.00	1.050
RUSK18		0.27	0.0021	0.054	2.13	122.0	<10	18.0	0.33	0.311	0.01	0.031	50.5	11.20	27.4	0.960
RUSK19		0.22	0.0007	0.074	1.57	73.8	<10	21.6	0.27	0.318	0.01	0.028	52.5	8.27	18.15	1.040
RUSK20		0.24	0.0005	0.225	1.87	109.0	<10	15.3	0.24	0.353	0.01	0.025	49.7	7.90	23.7	1.080
RUSK21		0.28	0.0009	0.073	1.87	91.9	<10	35.8	0.46	0.321	0.02	0.073	43.1	10.70	20.2	1.315
RUSK23		0.27	0.0004	0.084	1.38	61.3	<10	24.4	0.27	0.289	0.02	0.061	33.0	9.43	14.60	1.005
RUSK24		0.18	0.0004	0.133	1.68	154.5	<10	37.3	0.30	0.361	0.02	0.053	48.2	7.14	19.15	0.928
RUSK25		0.23	0.0011	0.147	1.47	180.0	<10	50.9	0.30	0.434	0.02	0.067	57.2	7.16	15.10	0.709
RUSK26		0.26	0.0164	0.046	1.28	66.7	<10	32.1	0.22	0.391	0.01	0.033	65.2	5.25	12.40	1.040
RUSK27		0.19	0.0003	0.126	0.98	50.2	<10	30.8	0.17	0.279	0.01	0.034	39.3	3.46	8.98	0.688
RUSK28		0.24	0.0012	0.100	2.36	59.5	<10	24.4	0.41	0.363	0.01	0.100	62.1	17.15	33.8	0.969
RUSK29		0.36	0.0013	0.396	3.60	53.0	<10	27.7	0.81	0.386	0.02	0.091	34.4	7.56	21.7	0.985
RUSK30		0.25	0.0003	0.087	1.99	84.2	<10	51.3	0.40	0.449	0.01	0.072	54.5	10.40	23.0	1.570
RUSK31		0.21	0.0016	0.317	0.93	48.9	<10	39.9	0.21	0.379	0.01	0.087	46.3	8.16	13.60	2.34
RUSK32		0.14	0.0016	0.152	1.71	87.5	<10	54.6	0.48	0.341	0.21	0.037	30.1	14.30	24.1	1.880
RUSK33		0.44	0.0033	0.048	2.42	90.0	<10	32.8	0.62	0.414	0.03	0.051	86.0	25.8	39.8	1.285
RUSK34		0.31	0.0022	0.098	2.22	93.2	<10	25.3	0.53	0.412	0.05	0.061	67.4	14.95	34.6	1.555
RUSK35		0.24	0.0014	0.203	1.64	78.4	<10	38.0	0.40	0.373	0.01	0.040	54.1	9.46	21.7	1.295
RUSK36		0.26	0.0028	0.117	1.09	54.4	<10	32.1	0.25	0.334	0.02	0.051	41.1	7.35	19.95	1.215
RUSK37		0.29	0.0005	0.262	1.22	205	<10	32.0	0.28	0.496	0.01	0.066	38.9	10.15	22.1	1.280
RUSK38		0.26	0.0002	0.273	1.53	94.2	<10	41.0	0.31	0.520	0.02	0.079	52.3	11.75	24.0	2.31
RUSK39		0.27	0.0003	0.349	1.54	58.2	<10	61.3	0.34	0.485	0.02	0.070	56.8	8.72	18.10	1.925
RUSK40		0.21	<0.0002	0.145	1.42	51.2	<10	43.3	0.26	0.484	0.01	0.052	71.3	9.26	24.8	1.940
RUSK25B		0.44	0.0011	0.019	1.90	19.35	<10	43.9	0.40	0.412	0.04	0.032	78.0	16.50	31.2	0.688
LHN-S-K01		0.37	0.0459	0.623	1.16	2890	<10	32.4	0.64	0.968	0.36	0.395	46.7	41.1	17.25	5.40
LHN-S-K02		0.34	0.510	0.575	1.15	9250	<10	43.8	0.90	1.240	0.03	0.292	60.6	55.1	27.5	5.84
GCSB01		0.48	0.0011	0.209	1.80	32.4	<10	28.6	0.43	0.834	0.04	0.172	29.4	24.0	29.0	5.23
GCSB02		0.38	0.0194	0.054	2.04	59.6	<10	12.1	0.79	0.846	0.01	0.101	89.7	25.4	26.9	5.75
BA0120899		0.56	0.0045	0.315	2.30	42.0	<10	23.8	1.00	1.500	0.02	0.094	58.1	69.4	32.4	11.05



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 4 - B
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-AUG-2020
 Account: NUF

Project: CULVERT

CERTIFICATE OF ANALYSIS WH20165168

Sample Description	Method Analyte Units LOD	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
RSBS48		14.70	4.17	5.57	0.098	0.003	0.048	0.016	0.03	25.6	7.5	0.10	618	0.84	0.006	0.557
RSBS49		26.7	5.91	6.23	0.129	0.063	0.040	0.019	0.03	30.2	69.8	0.70	540	0.56	0.004	0.240
RSBS50		34.1	7.46	6.38	0.151	0.050	0.018	0.023	0.02	33.6	55.5	0.58	491	0.84	0.005	0.386
RSBS51		26.3	6.11	6.23	0.120	0.043	0.052	0.017	0.03	26.2	45.0	0.46	834	0.68	0.006	0.314
RUSK14		12.90	5.39	6.91	0.143	0.033	0.021	0.016	0.03	38.8	46.1	0.50	334	0.48	0.005	0.388
RUSK15		27.9	4.92	6.11	0.135	0.053	0.024	0.019	0.04	37.2	59.6	0.66	418	0.53	0.006	0.130
RUSK16		27.7	4.99	6.43	0.150	0.029	0.022	0.018	0.05	43.1	57.8	0.64	474	0.49	0.007	0.137
RUSK17		24.2	2.99	5.09	0.055	0.006	0.051	0.014	0.03	15.40	19.8	0.25	226	0.48	0.006	0.182
RUSK18		21.9	4.73	<0.004	0.008	0.083	0.015	0.012	0.03	26.6	60.7	0.74	493	0.44	0.004	0.082
RUSK19		18.25	4.03	5.19	0.107	0.026	0.016	0.015	0.02	27.6	36.8	0.46	373	0.43	0.006	0.142
RUSK20		19.90	4.99	6.13	0.111	0.023	0.016	0.012	0.03	25.9	47.7	0.59	418	0.43	0.007	0.203
RUSK21		21.1	4.27	4.70	0.099	0.042	0.023	0.013	0.04	22.5	45.5	0.52	431	0.47	0.009	0.229
RUSK23		11.05	3.78	4.62	0.082	0.020	0.028	0.010	0.04	17.05	25.5	0.29	821	0.41	0.008	0.218
RUSK24		16.25	4.21	6.87	0.101	0.034	0.032	0.013	0.03	24.3	31.2	0.38	405	0.53	0.012	0.491
RUSK25		17.20	3.96	6.43	0.091	0.016	0.039	0.014	0.03	30.2	20.0	0.25	381	0.67	0.009	0.658
RUSK26		14.10	3.12	6.63	0.101	0.015	0.029	0.010	0.02	33.8	17.6	0.19	159.0	0.55	0.006	0.440
RUSK27		11.40	2.16	4.86	0.071	0.014	0.022	0.009	0.03	19.70	9.4	0.12	103.0	0.41	0.009	0.219
RUSK28		27.4	4.85	5.76	0.138	0.070	0.025	0.016	0.03	32.7	65.9	0.76	462	0.39	0.004	0.170
RUSK29		19.60	5.00	6.43	0.101	0.104	0.098	0.017	0.03	17.00	23.5	0.24	285	0.83	0.006	0.947
RUSK30		17.95	4.45	7.24	0.112	0.044	0.028	0.018	0.04	28.5	38.0	0.40	322	0.82	0.005	0.708
RUSK31		11.75	3.49	5.90	0.089	0.007	0.020	0.012	0.03	23.7	14.0	0.17	753	0.63	0.011	0.509
RUSK32		18.00	3.11	4.91	0.076	0.052	0.024	0.014	0.04	15.25	46.3	0.48	557	0.47	0.010	0.258
RUSK33		37.8	5.33	5.87	0.150	0.027	0.013	0.018	0.04	44.0	72.5	0.82	605	0.55	0.004	0.092
RUSK34		27.8	5.32	6.34	0.134	0.046	0.024	0.022	0.04	34.3	65.0	0.68	580	0.50	0.005	0.155
RUSK35		19.10	4.25	6.28	0.109	0.012	0.026	0.015	0.03	28.1	36.1	0.38	324	0.53	0.009	0.431
RUSK36		14.50	3.24	5.18	0.076	0.008	0.019	0.011	0.03	20.3	24.2	0.28	259	0.49	0.011	0.345
RUSK37		20.4	4.57	7.84	0.080	0.009	0.035	0.023	0.02	19.20	20.1	0.22	461	0.71	0.010	0.467
RUSK38		24.3	4.76	7.74	0.093	0.028	0.042	0.022	0.02	25.6	27.5	0.27	598	0.66	0.008	0.513
RUSK39		20.0	4.09	8.36	0.092	0.024	0.042	0.017	0.03	27.9	20.3	0.20	419	0.82	0.007	0.847
RUSK40		20.2	4.36	7.20	0.102	0.038	0.028	0.020	0.02	33.4	25.4	0.28	319	0.78	0.006	0.616
RUSK25B		38.8	4.30	5.49	0.130	0.018	0.007	0.017	0.03	35.3	51.2	0.72	575	0.35	0.004	0.161
LHN-S-K01		87.8	6.81	3.08	0.123	0.052	0.044	0.056	0.03	21.8	28.5	0.26	1920	0.94	0.006	0.138
LHN-S-K02		116.5	9.87	3.03	0.166	0.023	0.026	0.048	0.04	27.9	27.0	0.27	1255	2.19	0.010	0.143
GCSB01		33.3	3.91	5.24	0.072	0.047	0.132	0.021	0.04	14.10	47.6	0.57	1335	0.80	0.006	0.126
GCSB02		40.1	4.93	5.62	0.117	0.030	0.012	0.031	0.02	47.3	55.8	0.63	910	0.61	0.002	0.033
BA0120899		117.0	5.20	6.44	0.092	0.049	0.032	0.048	0.02	30.2	78.9	0.82	3450	2.88	0.004	0.099



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 4 - C
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-AUG-2020
 Account: NUF

Project: CULVERT

CERTIFICATE OF ANALYSIS WH20165168

Sample Description	Method Analyte Units LOD	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Ni	P	Pb	Pd	Pt	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RSBS48		9.80	0.306	17.20	0.001	<0.002	4.95	<0.0002	0.03	0.724	0.884	0.250	0.42	8.17	<0.005	0.027
RSBS49		33.1	0.072	23.7	<0.001	<0.002	3.87	<0.0002	0.02	0.584	2.30	0.225	0.13	4.62	<0.005	0.023
RSBS50		39.2	0.111	31.3	<0.001	<0.002	3.59	<0.0002	0.02	1.545	2.08	0.203	0.16	5.15	<0.005	0.037
RSBS51		25.7	0.143	31.9	0.002	<0.002	5.23	<0.0002	0.03	0.795	1.760	0.246	0.20	5.34	<0.005	0.029
RUSK14		19.30	0.074	16.00	<0.001	<0.002	5.21	<0.0002	0.01	0.348	1.795	0.179	0.18	4.00	<0.005	0.021
RUSK15		30.7	0.049	23.2	<0.001	<0.002	4.25	<0.0002	0.01	0.451	2.14	0.164	0.11	4.21	<0.005	0.018
RUSK16		28.3	0.048	24.4	<0.001	<0.002	5.98	<0.0002	<0.01	0.402	2.14	0.123	0.15	4.14	<0.005	0.017
RUSK17		11.60	0.134	17.55	0.001	<0.002	4.95	<0.0002	0.07	0.325	0.446	0.247	0.15	4.68	<0.005	0.019
RUSK18		24.9	0.051	19.45	0.001	<0.002	2.57	<0.0002	0.01	0.296	0.052	0.077	0.09	3.35	<0.005	0.010
RUSK19		17.65	0.083	17.50	<0.001	<0.002	3.62	<0.0002	0.01	0.321	1.210	0.124	0.11	3.96	<0.005	0.014
RUSK20		20.8	0.089	15.75	<0.001	<0.002	2.97	<0.0002	0.01	0.268	1.575	0.085	0.16	3.42	<0.005	0.019
RUSK21		22.2	0.083	19.85	<0.001	<0.002	3.95	<0.0002	0.02	0.374	1.410	0.128	0.13	6.26	<0.005	0.016
RUSK23		12.35	0.232	15.80	0.001	<0.002	5.17	<0.0002	0.03	0.260	0.782	0.139	0.15	4.51	<0.005	0.017
RUSK24		15.75	0.060	17.90	<0.001	<0.002	4.90	<0.0002	0.01	0.349	1.500	0.185	0.18	5.54	<0.005	0.025
RUSK25		14.50	0.136	23.3	<0.001	<0.002	4.76	<0.0002	0.01	0.433	1.230	0.258	0.31	6.50	<0.005	0.025
RUSK26		11.30	0.075	16.70	<0.001	<0.002	5.03	<0.0002	0.01	0.404	0.941	0.194	0.30	4.89	<0.005	0.018
RUSK27		8.33	0.131	14.50	<0.001	<0.002	4.51	<0.0002	0.01	0.276	0.548	0.186	0.21	5.17	<0.005	0.016
RUSK28		33.1	0.046	24.0	<0.001	<0.002	3.26	<0.0002	0.01	0.358	2.28	0.107	0.09	3.72	<0.005	0.017
RUSK29		12.85	0.132	26.7	0.002	<0.002	4.50	<0.0002	0.04	0.401	2.52	0.743	0.28	4.15	0.018	0.029
RUSK30		19.60	0.053	27.6	<0.001	<0.002	7.92	<0.0002	0.01	0.376	1.780	0.195	0.34	5.06	<0.005	0.021
RUSK31		10.10	0.156	21.5	<0.001	<0.002	9.23	<0.0002	0.01	0.319	1.045	0.201	0.25	4.80	<0.005	0.023
RUSK32		27.8	0.117	20.0	0.002	<0.002	5.16	<0.0002	0.06	0.256	1.250	0.227	0.16	19.20	<0.005	0.011
RUSK33		43.6	0.047	27.6	0.002	<0.002	3.11	<0.0002	0.01	0.694	2.75	0.120	0.10	8.25	<0.005	0.018
RUSK34		31.4	0.080	23.5	0.001	<0.002	4.87	<0.0002	0.02	0.585	2.24	0.154	0.12	8.27	<0.005	0.020
RUSK35		20.3	0.076	19.95	0.002	<0.002	5.57	<0.0002	0.01	0.521	1.450	0.177	0.18	5.46	<0.005	0.021
RUSK36		15.90	0.088	16.25	0.002	0.002	7.75	0.0005	0.02	0.435	0.928	0.123	0.19	6.73	0.005	0.015
RUSK37		16.35	0.176	19.25	<0.001	<0.002	4.05	<0.0002	0.02	0.354	0.793	0.281	0.28	4.66	<0.005	0.031
RUSK38		18.45	0.097	21.8	<0.001	<0.002	6.58	<0.0002	0.02	0.429	1.280	0.301	0.23	6.45	0.006	0.025
RUSK39		15.50	0.084	26.0	<0.001	<0.002	7.49	<0.0002	0.02	0.498	1.090	0.247	0.35	7.65	0.006	0.025
RUSK40		16.95	0.083	21.8	<0.001	<0.002	7.04	<0.0002	0.01	0.546	1.420	0.263	0.30	5.39	<0.005	0.023
RUSK25B		33.3	0.039	19.55	<0.001	<0.002	3.60	<0.0002	<0.01	0.255	2.34	0.072	0.13	4.55	<0.005	0.012
LHN-S-K01		69.9	0.075	151.5	0.002	<0.002	2.82	<0.0002	0.03	1.350	3.11	0.294	0.12	27.2	<0.005	0.083
LHN-S-K02		79.1	0.080	128.5	<0.001	<0.002	3.49	<0.0002	0.05	5.28	3.27	0.531	0.14	48.2	<0.005	0.117
GCSB01		31.3	0.117	34.9	<0.001	<0.002	3.07	<0.0002	0.08	0.226	1.665	0.194	0.21	3.99	<0.005	0.021
GCSB02		38.3	0.040	19.50	0.001	<0.002	1.990	<0.0002	0.01	0.146	2.26	0.136	0.42	4.02	<0.005	0.020
BA0120899		50.8	0.073	103.0	0.003	<0.002	2.59	<0.0002	0.01	0.262	3.15	0.266	0.21	3.74	<0.005	0.033



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
 100 KING STREET WEST, SUITE 5700
 TORONTO ON M5X 1C7

Page: 4 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-AUG-2020
 Account: NUF

Project: CULVERT

CERTIFICATE OF ANALYSIS WH20165168

Sample Description	Method Analyte Units LOD	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Th	Ti	Ti	U	V	W	Y	Zn	Zr
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.002	0.001	0.001	0.005	0.1	0.001	0.003	0.1	0.01
RSBS48		1.735	0.012	0.053	0.498	26.3	1.300	1.560	60.3	0.15
RSBS49		8.74	0.005	0.032	0.612	19.9	0.157	2.41	98.1	2.54
RSBS50		9.24	0.007	0.036	1.010	20.5	0.161	3.13	97.7	2.58
RSBS51		5.34	0.008	0.041	0.706	21.4	0.236	2.30	75.1	1.54
RUSK14		9.17	0.007	0.033	0.408	21.2	0.095	1.980	60.3	1.92
RUSK15		8.72	0.004	0.031	0.587	17.1	0.055	2.50	82.8	2.03
RUSK16		9.37	0.003	0.038	0.599	18.0	0.052	2.79	78.4	1.32
RUSK17		0.183	0.001	0.046	0.548	14.5	0.123	1.315	44.2	0.22
RUSK18		6.01	0.003	0.021	0.568	14.5	0.115	1.875	75.8	2.50
RUSK19		3.61	0.005	0.027	0.469	14.4	0.136	1.725	56.0	0.83
RUSK20		4.90	0.005	0.022	0.415	16.2	0.213	1.600	64.8	0.84
RUSK21		4.68	0.006	0.026	0.570	13.2	0.089	2.07	69.7	1.27
RUSK23		1.280	0.006	0.025	0.438	14.5	0.147	1.340	46.3	0.73
RUSK24		4.69	0.010	0.041	0.496	20.1	0.231	1.665	54.1	1.38
RUSK25		5.63	0.011	0.036	0.556	24.8	0.246	1.930	54.1	0.90
RUSK26		3.20	0.008	0.047	0.440	22.5	0.199	1.920	39.4	0.42
RUSK27		0.551	0.007	0.039	0.389	15.9	0.159	1.315	27.7	0.53
RUSK28		8.44	0.005	0.024	0.568	17.6	0.089	2.35	87.9	2.38
RUSK29		4.20	0.016	0.039	1.035	23.7	0.300	3.40	48.0	4.13
RUSK30		7.44	0.009	0.057	0.580	25.1	0.231	2.25	62.4	2.36
RUSK31		3.89	0.011	0.057	0.390	21.0	0.215	1.365	43.1	0.33
RUSK32		1.625	0.005	0.040	1.130	14.5	0.143	3.38	64.3	1.38
RUSK33		10.80	0.004	0.029	0.953	18.9	0.146	5.17	95.6	1.35
RUSK34		6.56	0.004	0.032	0.814	19.5	0.165	2.86	82.3	1.49
RUSK35		4.17	0.009	0.040	0.497	20.4	0.201	1.945	54.8	0.56
RUSK36		2.85	0.009	0.038	0.441	19.1	0.212	1.695	45.4	0.39
RUSK37		0.966	0.011	0.027	0.481	28.8	0.224	1.485	68.1	0.30
RUSK38		5.42	0.008	0.038	0.551	25.3	0.215	1.720	75.0	1.27
RUSK39		4.39	0.010	0.049	0.608	31.3	0.344	1.925	68.3	1.08
RUSK40		9.90	0.008	0.053	0.586	26.8	0.384	2.37	57.9	2.25
RUSK25B		13.60	0.012	0.033	0.669	20.0	0.145	6.77	84.7	0.80
LHN-S-K01		4.32	0.005	0.038	2.28	11.2	3.34	16.75	211	2.20
LHN-S-K02		11.10	0.005	0.043	4.44	11.4	0.403	12.30	249	1.66
GCSB01		5.68	0.005	0.030	1.205	17.5	0.098	2.32	94.2	1.51
GCSB02		18.35	0.001	0.028	2.21	16.8	0.045	3.12	126.5	1.22
BA0120899		18.10	0.004	0.037	2.96	19.6	0.101	5.89	158.5	1.76



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 28-AUG-2020
Account: NUF

Project: CULVERT

CERTIFICATE OF ANALYSIS WH20165168

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41L

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
LOG-22 SCR-41 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
ME-MS41L