

Target Evaluation Report on 2020 Surface Work

On the

Clear Creek Property

YMEP Grant Number 20-012

Dawson Mining Division
Yukon Territory

398,500mE and 7,085,000mN

UTM Nad83 Zone 8N

NTS: 115P14

YC84372 – YC84377
YD05581 – YD05582
YC84360 – YC84371
YD05583 – YD05617
YD60081 – YD60101
YD60114 – YD60118
YD60136 – YD60139

Ellen 1 - 6
Ellen 7 - 8
Mary 1 - 12
Mary 13 - 47
Zoe 1 – 21
Zoe 34 -38
Zoe 56 - 59

for

SITKA GOLD CORP

By

Joel Gillham, B.Sc.

January 28, 2021

Table of Contents

Summary & Introduction	1
Location, Property Information, and Access.....	2
Previous Work.....	5
Geology and Mineralization.....	16
Saddle Stock.....	18
Eiger Stock.....	18
Josephine Stock.....	18
Pukelman Stock.....	18
Structures.....	19
Mineralization.....	20
Saddle Zone.....	20
Josephine Zone	21
Eiger Zone	21
Pukelman Zone	22
Property Soil Statistics	22
Deposit Model.....	24
Adjacent Properties	26
Clear Creek – Victoria Gold	26
Eagle Gold Project (Dublin Gulch) – Victoria Gold.....	26
Brewery Creek – Golden Predator	27
2020 Exploration.....	28
Rock Sampling.....	29
Soil Sampling.....	31
Diamond Drilling	33
LiDAR Survey	44
Data Verification	45
Interpretation, Conclusions and Recommendations	46
References	47
Certificate of Qualifications	49
Statement of Costs.....	50

List of Figures

Figure 1 – Clear Creek Location.....	3
Figure 2 – Infrastructure and physiography (modified from GoogleEarth).....	4
Figure 3 – Claims	4
Figure 4 – Clear Creek property zones.....	5
Figure 5 – 1989 Goldrite soil sampling.....	8
Figure 6 - 1992 Noranda Trenching at Saddle (Trench S-3 is north of S-2; taken from Duke, 1992)	9
Figure 7 - 1991 Noranda Exploration Detailed Trench Map of the Eiger Zone (Taken from Duke, J. 1992)	10
Figure 8 - Stratagold Soil sampling, between Contact and Josephine zones.....	12
Figure 9 - Stratagold Silt Sampling, Eiger and Saddle zones	13
Figure 10 - 2009 Rock sampling, Kreft	14
Figure 11 - Golden Predator 2010 drill collar Locations (Modified form O’Brien, 2011).	15
Figure 12 - Golden Predator 2011 soil sampling (Soil data provided by Kreft)	15
Figure 13 – 2017 Soil and Rock Results, Eiger zone. (Huber, 2017).....	16
Figure 14 – Geology of the western Selwyn Basin (Modified from Stephens, 2000)	17
Figure 15 - Clear Creek Property Geology (Huber 2018)	19
Figure 16 (a) - Major fault and fracture set Schematic (Taken from Stephens et al., 2000) (b) – Equal- area, lower hemisphere projection of joints and mineralized veins through Clear Creek stocks (Pukelman, Rhosgobel, Eiger, Josephine and Saddle). Clusters around north and south poles indicate predominantly east-west trending steeply dipping veins (Taken from Marsh et al., 1999)	20
Figure 17 – Compilation of historic Soil Data.....	23
Figure 18 – Clear Creek Compilation	24
Figure 19 – Map of Tintina Gold Province and Deposits (Taken from Kirk, 2016; modified from Hart, 2007)	25
Figure 20 – Plan model of IRGS from the Tintina Gold Province (Taken from Hart, 2005)	26
Figure 21– Adjacent properties	27
Figure 22 – 2020 Project site map (camp, core storage and drill sites).....	28
Figure 23 - 2020 Eiger zone surface rock samples	30
Figure 24 - Thematic Au-in-soil 2020 & historic samples	32
Figure 25 - 2020 Drillholes with surface projections	34
Figure 26 - DDRCCC-20-001 - 66.71 to 79.9 meters.....	36
Figure 27 - DDRCCC-20-002 - 294 - 296 meters grading 16.1 g/t Au.....	39
Figure 28 - Schematic cross section of hole DDRCCC-20-002 w simplified geology and Au grade	39
Figure 29 - DDRCCC-20-003 - Typical section of Eiger stock diorite from 152.28 -164.7 m	40
Figure 30 - DDRCCC-20-033 - section of high grade vein grading 9.57 g/t over 0.86 meters @ 300m depth	41
Figure 31 - schematic cross-section of holes 3 & 4 at the Eiger zone.....	41
Figure 32 - Hole 4 51.75 to 65.0 m. Eiger diorite w interval of felsic dike	42
Figure 33 - Hole 4. qtz stockworked felsic dike @ 56m	43

List of Tables

Table 1 - List of Claims	2
Table 2 – Yukon MINFILE Showings	5
Table 3 – Exploration History	6
Table 4 – 1991 Hemlo RC Drill Intersections (Bidwell, 1992)	10
Table 5 – Golden Predator 2010 RC Drill Intersections, Saddle Zone (O’Brien, 2011)	14
Table 6 – Saddle Zone Sample Highlights	21
Table 7 – Josephine Zone Sample Highlights	21
Table 8 – Eiger Zone Sample Highlights	21
Table 9 – Pukelman Zone Sample Highlights	22
Table 10 – Property Soil Statistics (Golden Predator Survey 2010)	22
Table 11 – Soil Element Correlation.....	23
Table 12 - 2020 Surface Rock Samples - Eiger Zone.....	29
Table 13 - 2020 Soil Results.....	31
Table 14 - 2020 Diamond Drillhole Locations/Orientations.....	33
Table 15 - Significant gold intercepts from 2020 drillholes.....	35

Appendices

Appendix I	Soil Sampling Results
Appendix II	Rock Sample Results
Appendix III	Drill Logs and Assay Certificates
Appendix IV	LiDAR Report and full scale maps
Appendix V	Supporting Documentation for Cost Statement

Summary & Introduction

The Clear Creek Property (the "Property") includes 85 contiguous, un-surveyed mineral titles that cover an approximate area of 1,700 hectares. The mineral titles are recorded 100% to Bernard Kreft ("Kreft"), which Sitka Gold Corp ("Sitka") acquired an option to in June 2020.

The Clear Creek property is permitted under a 5 year, Class 3 Land Use Permit, Approval No. LQ00494 valid to July 8, 2023 which allows for: fuel storage, road and trail building, clearing helicopter pads and drill sites, trenching, drilling, and soil sampling.

The Property is located in the West Ridge area within the Tintina gold belt, central Yukon. Locally the Property lies within the Tombstone Gold Belt ("TGB") characterized by the Tombstone Plutonic Suite ("TPS") which is comprised of highly deformed metasedimentary Hyland Group rocks intruded by mid-Cretaceous TPS stocks and dykes. Cretaceous aged intrusive rocks and the adjacent altered sediments (hornfels) are considered highly favourable for hosting intrusion-related gold deposits such as Brewery Creek, Dublin Gulch, and Fort Knox (Alaska).

Previous work on the Property has outlined several highly anomalous and extensive gold-in-soil trends on the margins of four intrusions. These anomalies all show strong correlations with bismuth, arsenic, tungsten and lesser silver; similar to geochemical signatures seen at Victoria Gold's Eagle Gold Project (Dublin Gulch) and Kinross's Fort Knox. Historic rock samples from the Property have returned values up to 319.5 g/t Au and 233 g/t Au. Many of the high grade samples collected on the property are from sheeted quartz veins and quartz-arsenopyrite veins often found within or on the margins of the intrusions. Additionally, significant gold grades of up to 25.1 g/t Au have been returned from metasediments with disseminations and weak stockworks of pyrite and arsenopyrite. Several historic intervals have also been recorded from the limited RC drilling and trenching work completed on the Property with up to 2.11 g/t Au over 25 meters from a trench and 0.65 g/t Au over 88 meters (bottoming in 3.0 metres grading 1.296 g/t gold) .

Sitka completed a field exploration program on the Property in 2020, which included 1093.4 meters of diamond drilling from 4 road accessible setups, limited soil sampling and prospecting, and a property wide LiDAR survey. Significant gold mineralization was encountered in all four diamond drillholes including 297 meters of 0.52 g/t Au from hole DDRCCC-20-002 (entire length of core) which bottomed in 16.1 g/t Au over 2 meters. The total cost of the 2020 exploration program on the property was \$536,148.24.

The work was supported by YMEP grant number 20-012.

The Property merits additional diamond drilling based on the successful results obtained in the 2020 field season and on the highly prospective nature of the underlying Cretaceous aged intrusions and Hyland Group rocks exemplified by the presence of the nearby Eagle Gold and Brewery Creek deposits, significant unconstrained bedrock gold occurrences, the scale and extent of soil geochemical anomalies on the Property, the existing 4x4 road system, and the active Class 3 exploration permit.

Location, Property Information, and Access

The Clear Creek property covers an approximate area of 1,700 hectares within the Dawson Mining Division of Yukon Territory. It is located approximately 110 km east of Dawson City (Figure 1). The approximate centre of the property is at 398,500mE and 7,085,000mN, UTM Nad83 Zone 8N on N.T.S. sheets 115P14. The Property includes 85 contiguous, un-surveyed mineral titles (Figure 2) more fully described in Table 1 below.

Table 1 - List of Claims

Grant Number	Name	Recorded To	Expiry**
YC84372 – YC84377	Ellen 1 – 6	Bernard Kreft – 100%	2030\12\31
YD05581 – YD05582	Ellen 7 – 8	Bernard Kreft – 100%	2030\12\31
YC84360 – YC84371	Mary 1 – 12	Bernard Kreft – 100%	2030\12\31
YD05583 – YD05605	Mary 13 – 35	Bernard Kreft – 100%	2030\12\31
YD05606	Mary 36	Bernard Kreft – 100%	2030\12\31
YD05607	Mary 37	Bernard Kreft – 100%	2030\12\31
YD05608	Mary 38	Bernard Kreft – 100%	2030\12\31
YD05609	Mary 39	Bernard Kreft – 100%	2030\12\31
YD05610	Mary 40	Bernard Kreft – 100%	2030\12\31
YD05611	Mary 41	Bernard Kreft – 100%	2030\12\31
YD05612	Mary 42	Bernard Kreft – 100%	2030\12\31
YD05613	Mary 43	Bernard Kreft – 100%	2030\12\31
YD05614	Mary 44	Bernard Kreft – 100%	2030\12\31
YD05615 – YD05617	Mary 45 – 47	Bernard Kreft – 100%	2030\12\31
YD60081 – YD60101	Zoe 1 – 21	Bernard Kreft – 100%	2030\12\31
YD60114 – YD60118	Zoe 34 -38	Bernard Kreft – 100%	2030\12\31
YD60136 – YD60139	Zoe 56 – 59	Bernard Kreft – 100%	2030\12\31

On June 26, 2020 Sitka Gold Corp. (“Sitka”) entered into an option agreement with Bernie Kreft (“Kreft”) for the Property which is the subject of this report. Under the terms of the agreement Sitka has the option to earn 100% interest in the Property, in order to do so they must spend \$1,250,000 over a 5 year period, and make cash and Sitka share issuances to Kreft. The project is also subject to a 2% royalty payable to Kreft with a buy down of 50% which can be purchased for \$1,500,000 at anytime prior to commencement of commercial production.

The Clear Creek property is permitted under a 5 year, Class 3 Land Use Permit, Approval No. LQ00494 until July 8, 2023 which allows for: fuel storage, road and trail building, clearing helicopter pads and drill sites, trenching, drilling, and exploration and soil sampling.




Figure 1 – Clear Creek Location

Access into the project area is by a 46 kilometre long (approximate 1.4 hours travel time) government maintained gravel road originating at Barlow Lake on the Klondike Highway and ending in the valley of the Left Fork of Clear Creek near its confluence with Right Fork Clear Creek. Rough roads related to placer mining extend along both forks of Clear Creek from this point, with further access to the project provided by 4x4 drive roads (Figure 2). The access road is in good condition apart from a seasonal washout that exists where the road leaves the Clear Creek valley bottom near the end of the placer workings, and begins its climb up the hillside. Numerous local exploration roads provide rough access to most of the zones. A camp can be supported from Dawson City, where a wide range of services are available or from Whitehorse where a full range of services are available including line-cutting, geophysics, drilling, assaying, aircraft charters etc.

The Clear Creek property is located at the transition between the Klondike Plateau and the Ogilvie mountains to the north. Topography is moderate to steep, but generally not a hindrance to exploration efforts (Figure 2). Property elevations range from 1000 to 1830 meters. The majority of the property is located above tree line, with vegetation consisting of mosses, grasses and some willow. The Clear Creek property has a northern interior climate characterized by a wide temperature range with warm summers, long cold winters and light precipitation. The property experiences rapid weather changes with somewhat cooler weather and more precipitation than what typically occurs in the Dawson area. Windstorms are common at higher elevations. A normal field season lasts from late May to mid-September, but certain types of exploration and mining are possible on a year round basis. The area escaped the last two continental glaciation episodes, but was affected by montane glaciation resulting in the presence of several cirques and moraines. True outcrop is rare, but there is abundant subcrop and locally derived talus suitable for surface prospecting and rock-sampling purposes.




Figure 2 – Infrastructure and physiography (modified from GoogleEarth)




Figure 3 – Claims

Previous Work

The YGS MINFILE database lists two mineral showings documented within or adjacent to the Property and are listed and briefly described in Table 2 below. MINFILE showings are displayed in Figure 4 below as well as the property zones and intrusive bodies discussed in the following property history.

Table 2 – Yukon MINFILE Showings

MINFILE No.	MINFILE Name	Type	Description
115P011	Josephine	Plutonic related Au	The Josephine showing encompasses mineralization observed in the Saddle, Eiger and Josephine stocks: the Saddle zone is noted as a mineralized shear zone 300m wide by 2,700m long with several quartz-sulfide veins. The Eiger zone mineralization is associated with quartz-arsenopyrite veins striking 100° and dipping steeply south. The Josephine zone consists of quartz-arsenopyrite-pyrrhotite veins in hornfels.
115P 013	Pukelman	Plutonic related Au	Gold bearing arsenopyrite, galena and scheelite occur in sheeted quartz veins and argillically altered stockworks adjacent to the stock.




Figure 4 – Clear Creek property zones.

The Clear Creek area has a long history of placer activity dating back to 1900 when the first placers claims were recorded. Hard rock activity in the area was first recorded in 1902 with work at Lewis Gulch and Josephine Creek. Table 3 below lists all known exploration history covering the Clear Creek property. The data was compiled using the Yukon Geological Survey's Integrated Data System (YGSIDS) and Yukon Mining Map Viewer. The following descriptions of work history focus on exploration completed within the modern Property boundaries.

Table 3 – Exploration History

Assessment Report #	Year	Operator	Author	Work completed
090926	1981	Canada Tungsten	Rainbird, R.H.	soil, rock, silt geochemistry, prospecting, mapping
062291	1987	M.E. Compu Software Inc.	Wallis, J.E.	Data compilation, summarize pre existing data
092146	1987	Gold Rite Mining Corp.	Nicholson, G.	soil geochemistry, prospecting,
092748	1989	Gold Rite Mining Corp.	Doherty, R.A.	soil, rock, silt geochemistry, prospecting, mapping, geophysics, at Saddle / Contact ; diamond drilling at Contact;
092984	1991	Noranda Exploration Co.	Duke, J.L.	Soil and rock geochemistry and trenching
093011	1991	Noranda exploration Co.	Duke, J.L.	Soil and rock geochemistry, IP and magnetics ground survey, and trenching
093097	1992	Hemlo Gold Mines Inc.	Bidwell, G.	Reverse circulation drilling
093289	1994	Ivanhoe GoldFields Ltd.	Doherty, R.A.	geochemical sampling, geological mapping, road and grid construction
093372	1995	Kennecott Canada Ltd.	Coombes, S.F.	reverse circulation drilling, geochemical sampling, geological mapping and road construction
093763	1997	New Millennium Mining	Doherty, R.A.	Trenching
093937	1998	Newmont Mines Ltd.	Stammers, M.A.	soil, rock, silt geochemistry, prospecting, mapping, property wide airborne EM and radiometrics
094058	1999	Redstar Resources Corp.	Stammers, M.A.	Soil and rock geochemistry, diamond drilling and line cutting
095031	2004	StrataGold Corp.	Hladky, D.	Orthophoto, Satellite Imagery
094885	2006	StrataGold Corp.	Whitehead, K.	Soil, and silt, geochemistry and trenching
095152	2009	Bernie Kreft	Kreft, B.	Soil and rock geochemistry and prospecting
095539	2011	Golden Predator Canada Corp.	O'Brien, E.	Diamond drilling and Reverse circulation drilling
095984	2011	Golden Predator Canada Corp	Shutty, M.	Diamond drilling, soil geochemistry
097108	2017	Kestrel Gold Inc.	Huber, M.	Soil and rock geochemistry

After the original staking in the early 1900's little hard rock exploration was completed in the area until the demand for tungsten in the late 1970's and early 1980's drove activity back into the area with exploration focused on skarns related to the Rhosgobelm, Pukelman and Barney stocks.

090926 – Canada Tungsten Mining Corp. – 1981 – Bema Industries Ltd., on behalf of Canada Tungsten, completed a large mapping program and an extensive geochemical survey on its West Ridge claim block consisting of soil, silt, sludge and rock sampling. Much of the work was completed adjacent to the modern Clear Creek property with limited prospecting and geological mapping at a 1:5000 scale over the Josephine grid (primarily Josephine and Pukelman Stocks). Several auriferous quartz-arsenopyrite stockworks were found to occur on the margins of the intrusions. Two significant arsenopyrite bearing quartz veins were exposed over the Josephine grid from this work with assays up to 5.14 g/t Au (0.15 opt Au) and 3.01 g/t Au (0.088 opt Au; Rainbird, 1981). Canada Tungsten was first to notice the potential for

lode gold deposits in the area with strong gold assays from stream, soil and rock samples, however with declining tungsten and tin market these claims were allowed to lapse.

062291 – M.E. Compu Software Inc. – 1987 – Robertson and McCrory of Whitehorse staked the RUM claims in 1987 (part of present day Clear Creek) and optioned them to Compu Software who completed a compilation of the Clear Creek area. The work outlined favourable gold targets based on the work completed by Bema in 1981.

092146 – Goldrite Mining Corp. – 1987 – Goldrite acquired the Clear Creek property (RUM claims) in 1987 and began exploration to follow up on the anomalous gold values exposed by Cananda Tungsten. They completed detailed soil grids over presumably the Rhosgobel and Josephine Bema grids (the report failed to define grid or baseline locations, assumption is made from recommendations in assessment report 062291). Spot anomalies of up to 206 ppb Au were recorded from the Josephine grid (Nicholson, 1987).

092748 – Goldrite Mining Corp. – 1989 – Goldrite staked an additional 84 claims (RYE claims; part of the present day Clear Creek) prior to the 1988 exploration program and based on favourable results from the season staked another 132 claims. The program focused primarily on the Contact Zone (south of the Pukelman intrusion, outside current property extents) and the Saddle zone (east of Saddle stock) with limited work completed on the Gossan, Pukelman, and Josephine zones. The Author georeferenced soil data collected over the Property in 1989 by Goldrite and compiled the data into Figure 5 below (some sample locations may be off by as much as 50m or more due to poor referencing controls and older methods of mapping).

- ***Saddle and Gossan Zones***

A soil grid with 149 samples (0.7 x 4.0 km) was completed over the Saddle zone with 33 samples returning results greater than 500 ppb Au and values up to 3,740 ppb Au. The anomaly forms a strong east-west trend thought to be related to a structural break (Doherty, 1989). Rock sampling from the Saddle zone returned gold values up to 4.29 g/t.

A total of 14 soil samples were taken from the Gossan zone, south of Saddle zone, 12 samples assayed between 105 to 571 ppb Au. One rusty limonitic sample was panned for a heavy metal concentrate and assayed 1,778 ppb Au. One rock sample from the Gossan Zone returned 0.68 g/t Au (Doherty, 1989).

- ***Josephine Zone***

Goldrite also returned excellent soil values from Josephine Creek Gossan zone with soil values up to 315 ppb Au and just west of this zone soil values returned 497 ppb Au. Rock samples returned up to 2.19 g/t Au from a 10cm wide quartz vein with arsenopyrite from the southwest edge of the Josephine stock.

- ***Pukelman (North) Zone***

Soil sampling over the north portion of the Pukelman grid revealed a large soil anomaly with values up to 1,330 ppb Au over an area roughly 400 x 500 m. Several soil samples were taken along contour lines in the area which returned up to 616 ppb Au. Soil sampling was also completed along the road with 15 samples over roughly 500m exceeding 100 ppb Au with up to 556 ppb Au. Excellent rock grab samples were recorded from the Pukelman North zone with gold assays up to 2.03 g/t.

092984 – Noranda Exploration Co. – 1991 – Noranda acquired the RUM and original 84 RYE claims of the Clear Creek project in 1990, the other claims staked in the area were allowed to lapse. Three exploration programs were completed by Noranda between June 1990 and June 1991 which included soil and rock sampling and trenching. The 1991 rock sampling over the Saddle Zone returned several significant results with 5 of the 26 samples returning greater than 1.5 g/t Au with values up to 4.82 g/t Au (Duke, 1991).

093011 –Noranda Exploration Co. – 1992 – A total of 560 meters of trenching was completed over the Saddle and Eiger Zones in 1991. This program also included the collection of 442 rock samples, 1,661 soil samples, a 138 line-kilometer magnetometer survey and an eight line-kilometer I.P. survey.

- **Saddle Zone**

Trenching over the Saddle zone returned 2.11 g/t Au over 25m including 6.05 g/t Au over 5m in trench S-2, through a quartz monzonite with disseminated sulphide mineralization (Figure 6). Trench S-3 returned two significant intervals of 1.27 g/t Au over 15m adjacent to a lamphrophyre dyke and 1.14 g/t Au over 10m within a rusty blue schist with quartzite. Trench S-1 intersected 0.86 g/t Au over 10m (Duke, 1992)




Figure 5 – 1989 Goldrite soil sampling





Figure 6 - 1992 Noranda Trenching at Saddle (Trench S-3 is north of S-2; taken from Duke, 1992)

- **Eiger Zone**

Trenching over the Eiger zone (previously Elger) returned 1.09 g/t Au over 35m including 4.2 g/t Au over 5m from Trench E-1. Trench E-2 returned 4.72g/t Au over 1.0m (Figure 8). Figure 8 also highlights several significant results from the Eiger zone including 319.5 g/t Au, from a quartz-arsenopyrite vein (Greg vein) in a sheared diorite, and a nearby rock chip samples which assayed 233 g/t Au (Duke, 1992).




Figure 7 - 1991 Noranda Exploration Detailed Trench Map of the Eiger Zone (Taken from Duke, J. 1992)

093097 – Hemlo Gold Mines Inc. – 1992 – A RC drill program (6 holes, 644.0m) was conducted over the Pukelman, Eiger, and Saddle zones, several significant drill intersections were encountered from the Eiger and Saddle zone which are listed in Table 4 below. Drill hole CCRC-92-3 bottomed in mineralization with 1.4 g/t Au from 141 -142 m (end of hole; Bidwell, 1992).

Table 4 – 1991 Hemlo RC Drill Intersections (Bidwell, 1992)

Hole	Zone	From (m)	To (m)	Interval (m)	Au g/t
CCRC-92-3	Eiger	54.0	142.0	88.0	0.65
Including		114.0	122.0	8.0	1.91
CCRC-92-4	Eiger	16.0	32.0	16.0	0.69
including		30.0	32.0	2.0	2.90
CCRC-92-5	Saddle	38.0	50.0	12.0	0.55
CCRC-92-6	Saddle	10.0	14.0	4.0	0.56

093289 – Ivanhoe Goldfields Ltd. – 1994 – Ivanhoe acquired the Clear Creek project in 1993 (RUM and RYE claims) and staked additional claims adjacent to the block. In 1994 Aurum Geological Consultants Inc. constructed roads to further access the Saddle and Rhosgobel Zones and established a picket grid over the Saddle intrusion. Minimal sampling was completed in this season.

093372 – Kennecott Canada Inc. – 1995 – In 1995 Kennecott optioned the Clear Creek project and completed a 27 hole drill program over the Rhosgobel stock as well as soil and rock geochemistry and geological mapping. Some geological mapping was completed over the current property extent; however no analytical work was recorded over the current claims.

093763 – New Millennium Mining Ltd. – 1997 – The property was acquired by New Millennium Mining in 1997 who had Aurum Geological Consultants complete soil geochemical surveys and trenching programs over the Property. A total of 87 linear meters in two trenches was completed over the Saddle Zone, Trench 97-4 returned an interval of 1.13 g/t Au over 10.5 meters with up to 2.6 g/t Au. The best result from Trench 97-5 was 0.49 g/t Au over 1.5m from a monzonite dyke with disseminated pyrite and arsenopyrite (Doherty, 1997).

093937 – Newmont Exploration Ltd. – 1998 – Newmont acquired the option from New Millennium and consolidated it with their adjacent land tenure. A two stage exploration program was completed in 1998 which included geological and geochemical surveys in July and an airborne magnetic and radiometric geophysical survey in August.

- ***Newmont Soil Sampling***

A total of 232 soil samples were collected over three locations including the Saddle and Eiger zones. Grid sampling over the Saddle zone delineated an open gold-in-soil anomaly roughly 1km² with values up to 710 ppb Au. Soil sampling over the Eiger stock returned gold values up to 195 ppb Au over a 1000 x 800 meter anomaly, open to the west. Resampling trenches and select sample locations around the Saddle stock confirmed previous gold values, including 10 meters of 1.0 g/t Au from New Millennium's 1997, T97-4 trench (Stammers, 1998).

- ***Newmont Airborne Geophysics***

The Saddle, Eiger, Pukelman and Josephine stocks showed minimal expression on the airborne magnetics with little contrast between the intrusive stocks and the surrounding metasediments. Intrusive rocks in the area were therefore found to be better defined by radiometric geophysical responses, particularly potassium. It was also concluded by Stammer (1998) that based on the magnetics and radiometric responses the Saddle, Eiger, Josephine and Pukelman stocks are likely part of a single body. The discrepancy between the mapped geology and radiometric response was attributed to three possible reasons; 1) the stocks may be more extensive at surface than mapped, 2) contact metamorphism from the intrusions may have introduced potassium to the host metasediments 3) mechanical weathering and transport may have dispersed intrusive material over a large area. The report also identified two dominant structural trends one oriented NW-SE and the second WNW-ESE defined by linear magnetic lows interpreted to be major faults (Stammers, 1998).

094058 – Redstar Resources Corp. – 1999 – In 1999 Redstar optioned the Clear Creek property from Newmont and completed soil and rock geochemical surveys as well as diamond drilling over the Bear Paw zone (south of Clear Creek property). Work completed within current Property boundaries included a soil geochemical grid between Josephine Creek and Big Creek. Soil values from this grid returned up to 300 ppb Au exposing a preliminary soil anomaly roughly 1200 x 800m, one rock sample was collected from this zone which assayed 0.40 g/t Au. Redstar also resampled Noranda’s 1991 trench S-2 in the Saddle zone which returned 1.72 g/t Au over 20m (original results 2.11 g/t over 25m), additional grab samples from the area returned up to 2.85 g/t Au (Stammers, 1999).

095031 – StrataGold Corp. – 2004 – Stratagold acquired the Clear Creek project in 2004 and collected orthophoto maps and satellite imagery over the property.

094885 – StrataGold Corp. – 2006 – The fieldwork completed in 2006 by Stratagold included soil sampling grids, silt sampling and trenching. Portions of the soil and silt sampling program were complete over the current Property extents, with many of the samples returning elevated gold values. The Author georeferenced soil and silt data collected over the Property in 2006 by Stratagold and compiled the data into Figure 12 and Figure 13 below.

- ***StrataGold Soil Sampling***

A soil grid was completed to better define the Contact zone extents (adjacent claims), some of this work falls onto the current Clear Creek property located near the southwestern portion of the Josephine zone. The entire grid returned highly anomalous samples with values up to 1,025, ppb Au (Figure 8).




Figure 8 - Stratagold Soil sampling, between Contact and Josephine zones.

- ***StrataGold Silt Sampling***

Silt samples taken from the unnamed creek draining the north side of the Saddle zone returned values greater than 50 ppb Au over roughly a 700m interval with values up to 164 ppb Au. Samples from the unnamed creek draining the north side of the Eiger zone returned values from 100 ppb to 361 ppb Au over roughly 400m with values strengthening in an upstream direction. Sampling was also completed on the right fork of Lewis Gulch (east of Pukelman) with values up to 383 ppb Au just outside the property limits downstream from the confluence of the left and right forks of Lewis Gulch. (Figure 9; Whitehead, 2006).




Figure 9 - Stratagold Silt Sampling, Eiger and Saddle zones

095152 – Bernard Kreft – 2009 – In 2009 Bernard Kreft of Whitehorse staked 55 claims (Mary and Ellen claims) covering the Eiger, Saddle, Josephine and Pukelman North zones. That same year Kreft completed road rehabilitation, prospecting and rock sampling concentrated on the four stocks. Grab samples from the Pukelman North zone returned assays up to 7.09 g/t Au, Eiger zone returned values up to 4.36 g/t Au, Saddle zone sampling returned values up to 4.08 g/t Au, the Josephine zone returned values up to 4.97 g/t Au (Figure 10; Kreft, 2009).




Figure 10 - 2009 Rock sampling, Krefth

095539 – Golden Predator Canada Corp. – 2010 – In 2010 the property was optioned to Golden Predator who completed 1139.95m of reverse circulation drilling over 18 holes (Figure 11). Eleven holes were drilled over the Saddle zone totaling 731.52m, significant intersections are listed in Table 5 below. Seven holes were drilled over the Josephine zone, however due to significant subsurface water all holes were terminated before reaching target depth (O’Brien, 2011). Due to permitting restrictions at the time of the program, holes were spotted on (and relatively restricted to) roads rather than geological merit.

Table 5 – Golden Predator 2010 RC Drill Intersections, Saddle Zone (O’Brien, 2011)

Hole	From (m)	To (m)	Interval (m)	Au g/t
CC10-25	10.67	33.53	22.86	1.24
and	45.72	47.24	1.52	1.50
CC10-27	3.05	10.67	7.62	0.54
CC10-28	9.14	19.81	10.67	0.53
and	48.77	53.34	4.57	0.93
CC10-29	1.52	6.10	4.58	1.07
CC10-35	1.52	6.10	4.58	0.93




Figure 11 - Golden Predator 2010 drill collar Locations (Modified form O'Brien, 2011).

095984 – Golden Predator Canada Corp. – 2010 – Also in 2010 Golden Predator completed a soil sampling program over a large portion of the Clear Creek property. Roughly 600 samples were taken with approximately 50 of those returning values greater than 180 ppb Au. Highly anomalous clusters were exposed over the Eiger and Saddle zones with values up to 4,384 ppb Au from Eiger (Figure 12; Shutty, 2011).




Figure 12 - Golden Predator 2011 soil sampling (Soil data provided by Kreft)

097108 – Kestrel Gold Inc. – 2017 – In 2017 Kestrel optioned the Ellen, Mary and Zoe claims from Bernard Kreft and completed soil and rock sampling over the Eiger and Saddle zones. Rock sampling over the Saddle zone returned values up to 5.59, 1.86 and 1.25 g/t Au and soil values up to 938 ppb Au with a cluster of eight samples greater than 300 ppb Au. Eiger zone rock samples returned values up to 100.1 g/t Au and soil up to 1550 ppb Au (Figure 13; Huber, 2017).




Figure 13 – 2017 Soil and Rock Results, Eiger zone. (Huber, 2017)

Geology and Mineralization

The following geological description is derived from regional compilation maps by Gordey and Makepeace (2000) and descriptions by Marsh et al, (1999) and Hart (2002).

Regionally, the Clear Creek area lies northwest of the Tintina Fault within the western part of the Selwyn Basin. The western Selwyn Basin is divided into three tectonic sheets by the Dawson, Tombstone, and Robert Service thrusts (Figure 14). These tectonic sheets were subsequently intruded by the northwest trending Mid-Cretaceous Tombstone Suite and the Late Cretaceous McQueston Suite. Together these intrusive suites are commonly referred to as the Tombstone Gold Belt.




Figure 14 – Geology of the western Selwyn Basin (Modified from Stephens, 2000)

The Property is primarily underlain by Neoproterozoic Yusezyu Formation (PCH1) part of the Hyland Group which is described as coarse- to fine-grained clastic sediments, often sandstones interbedded with shales (Figure 15). Hyland Group sediments form the oldest group of the Selwyn Basin which underlies much of the area northeast of the Tintina Fault Zone. The Yusezyu Formation consists of coarse-grained, gritty sandstones and pebbly conglomerates inter-fingered with siltstones and shales (Murphy, 1997). Within the Clear Creek area, the Hyland group consist primarily of (greatest to least abundance) psammite, phyllite, quartzite, conglomerate, schist and calc-silicate rocks which have been deformed and metamorphosed in the Tombstone high-strain zone (Stephens, 1999). Regional metamorphic grade is nominally greenschist but is transitional and decreases from south to north.

The Property covers the Saddle, Eiger, Josephine and portions of the Pukelman stocks all belonging to the mid-Cretaceous Tombstone Plutonic Suite (TPS) which intrude the Hyland Group (Figure 19). The TPS forms a narrow (50km wide), east-west trending belt, 550km long, of lithologically distinct intrusions across north-central Yukon (Mortenson et al., 1997). The composition of TPS stocks vary from quartz monzonite, granite, granodiorite and diorite (Murphy, 1997) with well constrained ages between 89 and 95Ma (Mortenson et al., 1997). The intrusions were emplaced over a considerable depth range with highly variable wallrock, compositions of the intrusions consist of both single phase bodies and larger composite bodies.

Contact metamorphism within the Hyland Group rocks encompasses up to 500 meters around the stocks characterized primarily by rusty weathered biotite hornfels and rare calc-silicate skarn (Marsh et al., 1999). Hydrothermal alteration is commonly exhibited by sericite, bleaching, silicification and argillic alteration near structural features such as cross cutting faults, fractures, joints, and foliation. Zones of variably mineralized, hydrothermal breccias are also spatially and temporally related to the intrusive rocks (Stephens, 2000). East-southeast trending lamprophyre (up to 12m wide) and aplite (usually much thinner) dykes are common within the clear creek area and crosscut many of the stocks. Gold mineralization often occurs within quartz-sulphide veins and sheeted stockwork within and adjacent to these stocks and dykes (Marsh et al., 1999).

Saddle Stock

The Saddle stock is described in Marsh et al., 1999 as a porphyritic intrusion ranging from medium- to coarse-grained monzonite to medium-grained granite. Several quartz veins (often auriferous) cut the stock which have altered the adjacent monzonite and granite with abundant secondary biotite, sparse disseminated sulphide (po-py-asp) and feldspar altered to sericite. Several fine-grained lamprophyre dykes (primarily fine-grained biotite and feldspar) transect the stock; these are often associated with abundant arsenopyrite-rich fracture fill quartz veins. These veins hosted by the lamprophyre dykes often contain highly elevated Au, Ag, Bi, and Sn (Marsh et al., 1999). Roughly 200 meters east of the Saddle stock outcrops a similar monzonitic to granitic sill crosscut by similar quartz veins and lamprophyre dykes.

Eiger Stock

The Eiger stock, described in Marsh et al., 1999, is an equigranular, fine- to medium-grained diorite with occasional mafic phenocrysts. Aplitic dykes up to 2 meters wide cut the southern contact of the stock where strong gold grades have been defined.

Josephine Stock

The Josephine stock is described by Marsh et al., 1999 as a fine- to medium-grained granodiorite with abundant biotite, recrystallized quartz and feldspar and minor garnet in altered areas.

Pukelman Stock

The Pukelman stock similar to the Saddle stock is described by Marsh et al., 1999 as a porphyritic monzonite. Abundant medium- to coarse-grained masses of biotite occur throughout the stock, they are thought to be part of a late-stage magmatic event and are often associated with strong gold values.




Figure 15 - Clear Creek Property Geology (Huber 2018)

Structures

Stephens et al., (2000) conducted the most comprehensive investigation of structural controls on gold mineralization at Clear Creek to date; some of their implications for the Property are described here. Four early ductile deformation events in the Hyland Group rocks allowed for the development of four different types of quartz veins which are associated with a progression from ductile to brittle-ductile behavior. These ductile deformation events were followed by three major brittle structural trends; 1) BF_a South to south-southeast striking (~165°) steep, major faults with mostly sinistral displacement 2) BF_b East-southeast striking (~115°) steep fracture zones and 3) BF_c Northeast striking (~035°), steep fracture zones (Figure 16). This was followed by the emplacement of the Tombstone Plutonic Suite on a generally east-west trend, with some influence from the BF_a major faults. The east-west fracture sets continued to develop after the emplacement of the TPS which resulted in the widespread structure of auriferous sheeted quartz veins in the clear creek area.

Stephens et al., suggested several favourable sites for mineralization based on fault geometry (dilation of fractures) and connectivity; 1) most favourable site are east-west fracture zones BF_b connected to $\sim 165^\circ$ faults BF_a , and more favourable if connected to two BF_a faults 2) BF_a major faults ($\sim 165^\circ$) with misoriented segments or more easterly striking segments and 3) BF_c structures connected to BF_a major faults may also provide dilation sites for mineralization (Stephens et al., 2000).




Figure 16 (a) - Major fault and fracture set Schematic (Taken from Stephens et al., 2000) (b) - Equal-area, lower hemisphere projection of joints and mineralized veins through Clear Creek stocks (Pukelman, Rhosgobel, Eiger, Josephine and Saddle). Clusters around north and south poles indicate predominantly east-west trending steeply dipping veins (Taken from Marsh et al., 1999)

BF_a are strike slip faults, BF_b are transtensional and BF_c are transpressional faults.

Mineralization

Gold mineralization is predominantly associated with quartz veining occurring within intrusive stocks and adjacent sediments, with significant mineralization associated with intense stockwork or sheeted veining. The linear nature of many of the gold-in-soil anomalies and exposed veins suggests a strong structural control for mineralization, however, anomalous gold values in the area have also been found within argillically altered and limonitic intrusive material with an absence of veining. Gold shows a moderate to strong association with arsenic and bismuth and occasional tungsten and tin, with the highest gold grades invariably associated with highly anomalous bismuth.

Saddle Zone

Mineralization within the Saddle zone occurs in a variety of forms. Strong Au, As, W values are found within east-west trending quartz veins or sheeted quartz veins cutting the intrusion as well as within the altered host rock adjacent to the veins. Alteration often contains abundant secondary biotite, disseminated sulphide and occasionally feldspar altered to sericite (Marsh et al., 1999).

Gold is often found within fracture fill arsenopyrite-rich quartz veins within lamprophyre dykes that cut the intrusion. East of the stock, highly anomalous gold values are associated with aplite and lamprophyre dykes cut by quartz veins. These veins can contain abundant scheelite which have assayed up to 900 ppm W with >10 g/t Au (Marsh et al., 1999).

Table 6 – Saddle Zone Sample Highlights

Company	Zone	Au (g/t)	Description	Reference
YGS	Saddle	>10	Quartz vein with sulphides from aplite dyke	(Marsh et al., 1999)
YGS	Saddle	4.53	Aplite vein associated with quartz vein	(Marsh et al., 1999)
YGS	Saddle	>10	Quartz vein within lamprophyre dyke	(Marsh et al., 1999)
YGS	Saddle	3.23	Quartz vein within lamprophyre dyke	(Marsh et al., 1999)
YGS	Saddle	1.36	Hydrothermally altered porphyry quartz monzonite	(Marsh et al., 1999)
YGS	Saddle	2.85	Quartz monzonite with disseminated sulphides	(Marsh et al., 1999)
YGS	Saddle	3.92	Quartz vein within monzonite	(Marsh et al., 1999)
Goldrite	Saddle	4.29	Quartz porphyry disseminated blebby arsenopyrite	AR092748
Newmont	Saddle	8.99	No description	AR093937
Noranda	Saddle	4.82	No description	AR093011
Noranda	Saddle	2.11 over 25m	Trench S-2 through quartz monzonite with minor arsenopyrite.	AR093011
Noranda	Saddle	1.27 over 15m	Trench S-3 through rusty blue schist with quartzite.	AR093011
Noranda	Saddle	1.14 over 10m	Trench S-3 adjacent to lamprophyre dyke.	AR093011
New Millennium	Saddle	1.13 over 10.5m	Trench through quartz monzonite with sulphide rich quartz veins.	AR093763
Redstar	Saddle	2.93 over 5m	Trench through quartz monzonite with arsenopyrite rich quartz veins.	AR094058
Redstar	Saddle	2.85	Float grab, arsenopyrite rich gabbro	AR094058
Kreft	Saddle	4.08	Quartz vein arsenopyrite rich	AR095152
Kestrel	Saddle	5.59	Quartz vein arsenopyrite rich	AR097108

Josephine Zone

Gold mineralization within the Josephine zone occurs as a series of transparent to milky, arsenopyrite-rich quartz veins from less than a millimeter wide up to 13 cm wide (Marsh et al., 1999).

Table 7 – Josephine Zone Sample Highlights

Company	Zone	Au (g/t)	Description	Reference
Bema	Josephine	3.01	Quartz arsenopyrite veins	AR090926
Kreft	Josephine	4.97	Quartz arsenopyrite veins	AR095152
Goldrite	Josephine	2.19	10cm wide quartz vein with up to 30% Aspy along selvages	AR092748
YGS	Josephine	2.39	Quartz arsenopyrite vein	(Marsh et al., 1999)

Eiger Zone

Gold mineralization occurs on the southern margin of the stock primarily within sulphide rich quartz veins. Significant gold values have been associated with quartz-arsenopyrite veins in sheared diorite.

Table 8 – Eiger Zone Sample Highlights

Company	Zone	Au (g/t)	Description	Reference
Hemlo	Eiger	0.65 over 88.09m	RC hole 92-3 through diorite, quartz and minor sulphides	AR093097
Noranda	Eiger	1.09 over 35m	Trench E-1 through diorite.	AR093011
Noranda	Eiger	319.5	Visible gold associated with high bismuth	AR093011
Noranda	Eiger	233	Grab sample	AR093097
Noranda	Eiger	37	Wilson vein, grey quartz	AR093011

Noranda	Eiger	22.2	Greg vein	AR093011
YGS	Eiger	3.29	Arsenopyrite vein in diorite	(Marsh et al., 1999)
Kreft	Eiger	4.36	Quartz vein with rusty selvages	AR095152
Kestrel	Eiger	100.1	Quartz vein with massive arsenopyrite and pyrite	AR097108
Kestrel	Eiger	26.4	Quartz vein with arsenopyrite and semi-massive sulphide	AR097109

Pukelman Zone

Gold mineralization occurs on the margins of the stock and extends well into the hornfels aureole often with relatively high silver and lead. These occur as arsenopyrite-bearing quartz veins or sheeted quartz veins. Strong gold values have also been assayed from biotite-rich zones within the monzonite stock (Marsh et al., 1999).

Table 9 – Pukelman Zone Sample Highlights

Company	Zone	Au (g/t)	Description	Reference
Kreft	Pukelman	2.21 over 4.0m	Sheeted veins on WNW trend	AR095152
Goldrite	Pukelman	2.03	Grab sample from hornfels	AR092748
Goldrite	Pukelman	1.68	Quartz arsenopyrite vein near intrusive 2% Aspy	AR092748
YGS	Pukelman	1.85	Biotite-rich altered quartz monzonite	(Marsh et al., 1999)

Property Soil Statistics

Given that the 2010 Golden Predator soil survey offers the most comprehensive soil data on the property it was used to represent various soil statistics and correlations. Gold, silver, copper, lead, zinc, arsenic, bismuth, chromium, tin and tungsten results were evaluated as calculated percentiles and gold was plotted as a thematic map (Figure 21). The soil data expresses significantly elevated gold, arsenic, bismuth and tungsten values over the Clear Creek project.

Table 10 – Property Soil Statistics (Golden Predator Survey 2010)

Field	Count	Maximum	50th Percentile	70th Percentile	80th Percentile	95th Percentile	99th Percentile
Au_ppb	588	4383	28.7	53.9	82.7	285.7	1,046.000
Ag_ppm	588	3.7	0.1	0.2	0.2	0.5	0.91
Cu_ppm	588	417.4	35.05	46.9	54.56	82.195	136.57
Pb_ppm	588	49.9	10.8	12.6	13.9	20.095	32.14
Zn_ppm	588	181	65	72	78	91.65	118.26
As_ppm	588	8,900.2	203.1	384.68	511.36	967.235	1433.71
Bi_ppm	588	234.7	1.5	2.4	3.7	11.2	31.51
Cr_ppm	588	1115	33	42	53	131.3	239.34
Sb_ppm	588	17.5	1.2	1.7	2.2	4.7	8.31
W_ppm	588	95.1	1.7	3.4	5.7	18.485	36.49

Soil results were also evaluated with a Pearson product-moment correlation to determine relationships between various elements, values range between -1 (negative correlation) to 1 (positive correlation). Elements with a moderate to strong correlation with Au are presented in Table 11 below. Gold shows various correlations and is often coincident with silver, arsenic, tungsten and most significantly with bismuth.

Table 11 – Soil Element Correlation

	Au	Ag	Cu	Pb	Zn	As	Bi	Cr	Sb	W
Au	1.00	0.65	0.54	0.26	0.12	0.76	0.87	0.10	0.24	0.67
Ag	0.65	1.00	0.57	0.47	0.23	0.73	0.66	0.01	0.36	0.46
Cu	0.54	0.57	1.00	0.33	0.48	0.65	0.65	0.13	0.34	0.52
Pb	0.26	0.47	0.33	1.00	0.44	0.42	0.34	0.08	0.44	0.24
Zn	0.12	0.23	0.48	0.44	1.00	0.28	0.16	0.33	0.29	0.17
As	0.76	0.73	0.65	0.42	0.28	1.00	0.82	0.13	0.42	0.60
Bi	0.87	0.66	0.65	0.34	0.16	0.82	1.00	0.14	0.24	0.65
Cr	0.10	0.01	0.13	0.08	0.33	0.13	0.14	1.00	0.17	0.18
Sb	0.24	0.36	0.34	0.44	0.29	0.42	0.24	0.17	1.00	0.31
W	0.67	0.46	0.52	0.24	0.17	0.60	0.65	0.18	0.31	1.00




Figure 17 – Compilation of historic Soil Data.

Soil data from several of the work programs completed over the Clear Creek property was compiled and is represented in Figure 17 above. Locations for some of the historical data was georeferenced based on stream, contour and historic claim boundaries, these do not represent exact sample locations. Soil data was contoured to represent the significance of the anomalous gold zones, samples greater than 20 ppb (yellow squares) are considered anomalous in the region, samples greater than 50 ppb (orange) are considered anomalous for the property and samples greater than 150 ppb (red and purple) are considered highly anomalous for the property.




Figure 18 – Clear Creek Compilation

Deposit Model

More recent exploration on the Property has been focused on identifying an intrusion related gold system (“IRGS”) which have many similarities to orogenic gold deposits. The project area lies in an underexplored part of the loosely defined Tintina Gold Province (Figure 19). This metallurgical province has past production of 29.9 million ounces and 39.3 million ounces of resources for total gold resources of 69.2 million ounces. The property is part of the Tombstone Gold Belt (pink shading in Figure 19) which is the prominent host to IRGS in Yukon and Alaska, notable deposits from the belt include low grade, high tonnage examples such as: Fort Knox in Alaska with 117.09 million tonnes at a gold grade of 0.86 g/t (4.1

million ounces; Fairbanks Gold Mining Inc.) and Eagle Gold with 116 million tonnes at a diluted grade of 0.66 g/t Au (Dublin Gulch; Victoria Gold, 2018) and similar to Brewery Creek epizonal deposit with 17.172 million tonnes at a gold grade of 1.45 g/t (0.726 million ounces; Barr, 2013)

Gold mineralization on the Clear Creek intrusions share strong similarities with the Eagle Gold deposit and the Fort Knox deposit in Alaska, including sheeted quartz vein systems hosted within intrusions, anomalous bismuth, tungsten, and arsenic as well as mineralized metasediments adjacent to the intrusive bodies.




Figure 19 – Map of Tintina Gold Province and Deposits (Taken from Kirk, 2016; modified from Hart, 2007)

Hart (2005) describes the most common characteristics for IRGS deposits which include: 1) metaluminous to peraluminous, sub-alkalic to alkalic, volatile-rich plutons which are intermediate to felsic, 2) tectonic setting, in deformed shelf sequences well inboard of convergent plate boundaries, 3) gold associations variably with elevated W, Bi, As, Mo, Te and Sn, 4) Zoning of sulphide concentrations, low sulphide within igneous bodies increased through skarn to rich base metal veins distally (Figure 21), 5) gold mineralization emplaced post-deformation, 6) low gold grades in sheeted quartz veins within pluton and 7) typically in areas formally known for tungsten or tin deposits.

Gold mineralization in IRGS is hosted by millimeter to metre wide sheeted quartz veins and stockworks in equigranular to porphyritic granitic intrusions and adjacent country rock (hornfels). Native gold is associated with pyrite, arsenopyrite, pyrrhotite, scheelite and bismuth as well as telluride minerals. A number of deposits have late and/or peripheral arsenopyrite, stibnite or galena veins.

Intrusion related deposits and occurrences within the Tombstone Gold belt are associated with mid- to late-Cretaceous intrusions hosted by the intrusions and/or the older basement rocks. There is typically a strong correlation between gold and bismuth with low and reduced sulfide mineralogy (Hart, 2007).




Figure 20 – Plan model of IRGS from the Tintina Gold Province (Taken from Hart, 2005)

Adjacent Properties

Clear Creek – Victoria Gold

The adjacent Clear Creek property held by Victoria Gold Corp. shares much of the same geology and mineralization. Gold mineralization is associated with arsenopyrite in quartz veins with strong correlations to bismuth. Past drilling on the property has encountered several significant zones including: 42.68m at 1.87 g/t Au and 1.52m at 137.5 g/t Au (Victoria Gold, 2018)

Eagle Gold Project (Dublin Gulch) – Victoria Gold

Victoria Gold's Eagle Gold project is located approximately 60 km ENE from Clear Creek. The Eagle Gold project is the most advanced project in the region and potentially the biggest gold mine in Yukon history. The Eagle Gold Mine poured its first gold in Q3 2019 and declared commercial production on July 1, 2020 with a projected annual output of 210,000 oz Au. Total pre-production reserves for the Eagle mine are stated at 155 Mt at a diluted grade of 0.65 g/t Au (Victoria Gold, 2020). The deposit occurs on the western margin of an intrusive stock at the contact with metasediments. The main zone is comprised of extensional, white to grey, 060° to 085° striking quartz veins from less than one millimeter up to 10cm. Veins contain very little <5% sulphide, with most common minerals being pyrrhotite, pyrite, arsenopyrite, sphalerite, bismuthinite and galena (Victoria Gold, 2018).

Brewery Creek – Golden Predator

Golden Predator's Brewery Creek deposit is located approximately 60km to the west-northwest. Historically (1996 to 2002) the Brewery Creek Reserve Trend produced approximately 280,000 ounces of gold from seven near-surface oxide deposits (Barr, 2013). Currently the property has an indicated resources of 17.6Mt at 1.27 g/t Au and inferred resources of 21.7Mt at 1.18 g/t Au with a preliminary economic assessment at US\$1250 per ounce gold. The property is comprised of several Tombstone Suite Cretaceous monzonite and quartz monzonite intrusions within siliciclastic sedimentary strata. Fracture controlled gold mineralization related to post Tombstone age compressional events occur within monzonite intrusions and sedimentary strata. Roughly 85% of the ore mined from Brewery Creek was hosted by various Cretaceous-aged quartz monzonite sills (Golden Predator, 2018). Geologically the intrusive rocks are similar to Clear Creek however mineralization at Brewery Creek is more distal and has a Au-As-Sb signature versus Au-As-Bi-W found at Clear Creek, Eagle Gold and Fort Knox.




Figure 21– Adjacent properties

2020 Exploration

The 2020 exploration program (the “Program”) on the Property included soil and rock sampling, 1093.4 meters of diamond drilling in 4 holes, and a LiDAR survey covering the entirety of the 17,000 hectare property. A tent camp was constructed on the north bank of Left Clear Creek (Fig 22) to accommodate work crews. Sitka hired Fox Exploration to provide camp facilities and support staff, and to act as general contractor for the program. New Age Drilling Solutions of Whitehorse, YT was contracted to complete the diamond drilling; McElhanney Ltd of Vancouver, BC was contracted to complete the LiDAR survey; and, Ground Truth Exploration of Dawson, YT was contracted to complete the soil sampling portion of the Program. Analytical work was completed by Bureau Veritas Laboratories (“BV”) and ALS Canada Ltd. (“ALS”) with final analytical results received between September 3, 2020 and December 31, 2020. Certificates of Analysis from BV and ALS can be found in the respective Appendices. The Authors compiled the field data into digital maps and wrote this Report up to January 28, 2021.




Figure 22 – 2020 Project site map (camp, core storage and drill sites)

Rock Sampling

A total of eleven rock grab and chip samples were taken from Eiger Zone and returned values from 1.56 g/t gold to 27.8 g/t gold. Sample locations were tagged in the field using flagging inscribed with the field ID found in the sample description. Sample descriptions were recorded in field with hand written notes and locations recorded with handheld GPS receivers in map datum UTM Nad83 Zone 8N. Sample locations and descriptions, and Au results are presented below in Table 12 and Figure 23. Additional assay information and complete description are located in Appendix I.

Rock samples were placed in industry standard poly rock bags with the appropriate sample tags provided by ALS. Samples were then sealed in rice bags and taken to Whitehorse for preparation and subsequently to Vancouver for analysis. Samples were crushed to 70% < 2mm before an approximately 250 g split was taken for pulverizing to 85% < 75 micrometers. The pulverized sample was then analyzed by multi-element ultra trace aqua regia ICP-MS (ALS code ME-MS41) and by 30 g fire-assay with atomic-absorption finish for gold (ALS code Au-AA25).

Table 12 – 2020 Surface Rock Samples – Eiger zone

Sample ID	East	North	Elv (m)	Type	Width (m)	Strike	Dip	Description	Recvd Wt. kg	Au ppm	As ppm	Bi ppm
1774951	398493.1	7085395	1628.8	Chip	0.8	290	80	rough chip 29isibl mostly bull quartz with trace ASPY.	1.98	7.52	5180	255
1774952	398494.6	7085391	1629.3	Grab				2 cm ASPY vein on margins of 5 cm bull qz vn with tr ASPY.	0.98	7.58	>10000	218
1774953	398497.5	7085384	1629.4	Chip	5			rough chip across 1774951 and 1774952. Mostly rusty diorite with trace of fin Sx and material from ..51 and ..52	3.42	1.82	3600	57
1774954	398494.4	7085380	1627.9	chip	1	116	90	rough chip across 1 m felsic dyke with moderate stwk of 0.1 to 1 cm qz veinlets. Locally oxidized but no 29isible sulphides.	2.24	1.56	338	83.8
1774960	398422	7085352	1615	Grab	0.07	110	90	7cm qtz vein striking 110deg with near vertical d ip. Trace ASPY. Hosted in Diorite.	1.33	23	6450	499
1774961	398490	7085433	1592	Grab				Abundant Iron and Arsenic oxide staining along margin of qtz. 6cm wide grab sample of ASPY rich qtz.	1.91	27.8	>10000	1235
1774962	398543	7085406	1624	Chip	0.25	285	85	25cm chip across outcropping qtz- aspy vein. Northern margin of vein is sulphide and wallrock selvedge rich while southern half of vein is white bull qtz.	3.6	4.72	>10000	279
1774963	398543	7085407	1624	Grab		285	85	Select grab from ASPY rich northern margin of qtz- aspy vein described in sample 1774962	0.56	9.8	>10000	519
1774965	398616	7085401	1669	Sub crop	0.06			Qtz-Aspy subcropping vein. About 5m vertical below ridge top buried 2 feet below some As oxide stained pebbles on surface	2.38	6.8	>10000	379
1774966	398553	7085407	1630	Chip	0.75	280		Chip sample across 75cm of qtz- aspy vein. Vein contains 2 ~ 10-15 cm wide Aspy rich zones, rest is white quartz w trace mineralization.	1.23	6.76	>10000	287
1774967	398553.5	7085408	1630	Chip	0.07	280		7 cm select grab of Aspy rich northern selvedge from 75 cm wide vein sampled in 1774966	3.48	6.49	>10000	379

Rock sampling was targeted at the Eiger zone where significant historical results were reported (Huber 2018) and a diamond drillhole (DDRCCC-20-003) was planned for the 2020 season. All samples returned significant gold value and confirmed the presence of numerous gold bearing structures on 100-110 degree azimuths and dipping steeply to the north and south. Gold grades of the 2020 samples ranged from 1.56 g/t Au across a 1m chip sample, to 27.8 g/t Au from a 6 cm wide select grab sample.




Figure 23 - 2020 Eiger zone surface rock samples

Soil Sampling

A total of 218 soil samples, including 6 field duplicates, were collected over the Property in 2020. Collection of the samples was completed by Ground Truth Exploration of Dawson, YT. A complete table of sample descriptions and locations, along with assay certificate and full-scale map with sample IDs is located in Appendix II. The samples for the 2020 program were collected from the south-eastern portion of the Project, and were intended to fill in gaps between historical grids (Figure 24).

Field technicians navigated to sample sites using handheld GPS units. A C-Horizon sample is collected using an Eijlcamp brand hand auger at a depth of between 20cm and 110cm. Where necessary, in rocky or frozen ground, a mattock is used to obtain the sample. Photos are taken of the sample site 5m from sample hole with auger inserted. Typically, 400 to 500 g of soil is placed in a pre-labeled bag. An aluminum metal tag inscribed with the sample identification number is attached to a rock or branch in a visible area at the sample site along with a length of pink flagging tape. A field duplicate sample is taken once for every 25 samples. The GPS location of the sample site is recorded with a Garmin 60cx or 76cx GPS device in UTM NAD 83 format, and the waypoint is labeled with the project name and the sample identification number. A weather-proof handheld device equipped with a barcode scanner is used in the field to record the descriptive attributes of the sample collected, including sample identification number, soil colour, soil horizon, slope, sample depth, ground and tree vegetation and sample quality and any other relevant information. Samples were dried in the field, then sealed in rice bags and taken to Whitehorse for preparation and analysis by BV Minerals.

Analytical procedures at BV included further drying of samples at 60 degree Celsius before screening 100g of the sample to -80 mesh, followed by a 15 g sub-sample subjected to Aqua Regia digestion and analyzed by ICP-MS for a suite of 37 elements (BV Prep code SS80, analysis code AQ201).

Samples from the soil survey returned gold values ranging from 1.7 ppb to a maximum of 645.8 ppb Au. Gold, arsenic and bismuth results from 2020 were evaluated as calculated percentiles and are compared with the 2010 GPD soil survey (Table 13) and gold results for the 2020 samples are plotted as a thematic map below in Figure 24. The results were generally successful at extending the boundaries of a known historical anomaly into the area sampled during the 2020 Program

Table 13 – 2020 Soil Results

Percentile	2020 Survey			2010 GPD Survey		
	Au(ppb)	As(ppm)	Bi(ppm)	Au(ppb)	As(ppm)	Bi(ppm)
50	25.1	289.3	0.9	28.7	203.1	1.5
70	41.9	462.6	1.4	53.9	384.638	2.4
80	62.5	611.8	1.9	82.7	511.36	3.7
95	172.5	840.1	3.6	285.7	967.235	11.2
99	425.9	1221.2	6.7	1046	1433.71	31.51
mean	49.3	373.0	1.4			
max	645.8	2739.7	8.7	4383	8900.2	234.7
Count	218	218	218	588	588	588




Figure 24 - Thematic Au-in-soil 2020 & historic samples

Diamond Drilling

A total of 1093.4 meters of NQ size diamond drilling was completed between four holes targeting mineralization at the Eiger and Saddle zones. Drilling was carried out by New Age Drilling Solutions (“New Age”) of Whitehorse using a skid mounted drill. A Volvo 220 DL excavator and Caterpillar D5 bulldozer were supplied by New Age to assist with drill pad construction and reclamation, road rehabilitation, and moving of the drill. Work by New Age was carried out between July 31st and Aug 20th before the drill was used at an adjacent project. All drill sites were road accessible and located either on, or within 35 meters of existing roads. The drill was demobbed from site on August 30th.

A table of drillhole collar locations and orientations is presented below (table 14) for the 4 holes completed at the Project in 2020. Figure 25 presents the location of the drillhole collars along with surface projections of the drill stems and select mineralization encountered downhole, and is plotted over historic Au-in-soil polygons. No downhole surveys were conducted during the Program. Drill logs and assay certificates are presented in Appendix III.

Table 14 – Diamond Drillhole Locations/Orientations

Drillhole ID	Easting	Northing	Elevation	Azimuth (collar)	Dip (collar)	Length Final (m)
DDRCCC-20-001	397401	7085681	1824	180	-45	209
DDRCCC-20-002	396784	7085613	1685	200	-60	296
DDRCCC-20-003	398536	7085250	1707	341	-45	307.4
DDRCCC-20-004	398617	7085359	1686	189	-45	281

Drill core was transported to the logging facilities at the Sika Camp at the end of each drill shift. The core was then teched for recovery, geologically logged, tagged for sampling, and photographed. All recovered core was sampled at site by sawing the core in half with a diamond bladed saw, and placing one half of the cut core in a labelled sample poly bag along with the corresponding portion of the sample tag. The poly bags were then zip tied and packaged in a rice bag with several other samples, which was then closed with a security tag and shipped to either BV or ALS in Whitehorse as single-hole-shipments to be prepped for assay. In total 1,076.3 meters of core was recovered and sampled over 573 samples. In addition to the core samples, standards and blanks were inserted into the sample sequence alternating between a standard and a blank every tenth (10th) sample. Standards inserted in to the sequence were certified reference material (“CRM”) provided by CDN Resource Laboratories Inc (“CDN”). CRM’s used in this program were CDN-GS-2U and CDN-GS-PJ4 which have stated Au values of 2.12 and 0.479 ppm respectively. Cut drill core for the program herein described is now stored on the neighbouring Barney Ridge property, located approximately 6.5 km to west of the Sitka Camp along the Left Clear Creek access road (Figure 22). Several select boxes are currently held at the YGS yard in Whitehorse.




Figure 25 - 2020 Drillholes with surface projections

Drillholes DDRCCC-20-001 and DDRCCC-20-002 were prepped and assayed at BV. Preparation of the samples at BV consisted of standard crush and split, followed by pulverization of 1 kg of sample to -200 mesh. Analysis consisted of a 0.5 g sample subjected to aqua regia digestion and multi-element ICP-MS assay (BV Code AQ200), as well as a 50g sample subjected to fire-assay with an AAS finish (BV Code FA450). Following receipt of the initial assays, a selection of high gold and/or high arsenic value samples from holes -001 & -002 were further analyzed at BV by metallic screen assay (BV Code FS652).

Drillholes DDRCCC-20-003 and DDRCCC-20-004 were prepped and assayed at ALS. Preparation at the ALS lab consisted of fine crushing to 70% < 2mm, followed by splitting to 1 kg and pulverize the subsample to 85% < 75 micrometers. Assays consisted of a 35 element aqua regia digestion ICP-AES (ALS Code ME-ICP41) along with a 30 g fire assay ICP-AES finish for gold (ALS Code Au-ICP21). Overlimit

results for gold were further investigated by a 30 g fire assay with gravimetric finish (ALS Code Au- GRAV21). Upon receipt of the final assays for holes -003 & -004 from ALS, a selection of high gold and/or high arsenic samples were further subjected to metallic screen analysis (ALS Codes Au-SCR24, Au-AA26).

Hole ID	From (m)	To (m)	Interval* (m)	Gold (g/t)
DDRCCC20-001	3.00	87.80	84.80	0.52
including	72.10	85.70	13.60	1.63
including	69.00	87.05	18.05	1.34
and	3.00	21.00	18.00	0.90
DDRCCC20-002	9.00	296.00	287.00	0.52
including	65.00	296.00	231.00	0.61
Including	156.45	257.21	100.76	0.82
and	294.00	296.00	2.00	16.10
DDRCCC20-003	3.0	307.4	304.4	0.36
Including	27.0	65.0	38.0	0.67
Including	243.0	300.5	57.5	0.50
Including	251.0	262.6	11.6	1.20
Including	251.0	251.9	0.9	9.57
DDRCCC20-004	2.1	281.0	278.8	0.4
Including	187.0	271.0	84.0	0.72
Including	131.9	271.0	139.1	0.61
Including	212.0	271.0	59.0	0.87
Including	234.0	271.0	37.0	1.05
Including	131.9	138.5	6.6	1.27

Table 15 – Significant Au intercepts from 2020 diamond drillholes

DDRCCC-20-001

Drillhole DDRCCC-20-001 was collared at the north end of the Saddle zone and drilled south on an azimuth of 180 degrees with a -45 degree dip to a depth of 209 meters. The hole targeted the robust soil anomaly historically defining the Saddle zone and beneath a historical Noranda trench S-2 (Assessment Report 093011) which returned 25 meters of 2.11 g/t Au.

The hole encountered hornfelsed metasedimentary schist and minor quartzite for most of its length, and significantly, xxx meters of feldspar megacrystic monzonite similar in texture and composition to the Saddle stock between xxx and xxx. The intrusive had conformable contacts with the metasedimentary units encountered on either side of its intersection, and is interpreted to be a sill dipping slight-to-moderately north consistent with the metasediments mapped at surface. The strongest mineralization was associated with the intrusive sill and the metasediments in close contact which returned 1.34 g/t Au

over 18.05 meters between 69 and 87.05 meters downhole (Figure 26). A schematic cross section of the hole with simplified geology and Au grades is presented in Figure 27.



Figure 26 - DDRCCC-20-001 - 66.71 to 79.9 meters




Figure 27 - Schematic cross section of DDRCCC20-001 with simplified geology and Au grades

DDRCCC-20-002

Drillhole DDRCCC-20-002 was collared on the road approximately 600 meters west of drillhole -001, on the margin of the mapped Saddle stock, and approximately on historic collars of reverse circulation holes CCRC-5 & -6. The hole was drilled on an azimuth of 200 degrees with a -60 degree dip. The intended target of the hole was to test below a four station >1,000 ppb Au surface soil anomaly located approximately 110 m to the south and downslope of the hole collar.

The hole was collared in, and for the most part remained in intrusive rocks of the Saddle stock (Figure 28) aside from a small hornfelsed section of metasediment schist. A 30.3 meter zone of intense pervasively oxidized rock was encountered between 92.5 and 122.8 meters (Figure 29). Significant gold

mineralization was encountered in the hole with a 241 meter section from 55 meter downhole to the end of hole at 296 meters grading 0.59 g/t Au, and including a 100.8 m section grading 0.82 g/t and a 2 m section grading 16.1 g/t Au at the bottom of the hole (Figure 30). A diagrammatic cross section of the drillhole is presented below in Figure 31 including Au grade and simplified geology.




Figure 28 - DDRCCC-20-002 - 140.1 - 144.59 meters. Typical intersection of Saddle intrusive



Figure 29 - DDRCCC-20-002 - 107.05 - 118.65 - Section of a zone of intense oxidation




Figure 27 - DDRCCC-20-002 - 294 - 296 meters grading 16.1 g/t Au




Figure 28 - Schematic cross section of hole DDRCCC-20-002 w simplified geology and Au grade

DDRCCC-20-003

Drillhole DDRCCC-20-003 was collared in the Eiger zone at an azimuth of 341 degrees with a -45 dip, and total length of 307.4 meters. The drillhole targeted a zone of sheeted quartz veins in Eiger stock diorite sampled and reported in the surface rock sample section of this report which are exposed at surface on the north slope of a large cirque which separates the Eiger and Saddle zones.

The hole was collared and remained in Eiger stock diorite (Figure 32) throughout its length, with minor lamprophyre and felsic intrusive units also encountered. Sheeted quartz veins associated with gold mineralization were present throughout the hole with locally varying densities and grades. The entire hole was mineralized from casing at 3 meters to the bottom of hole at 307.4 meters for an interval of 304.4 meters grading 0.36 g/t Au, including a 57.5 meters section grading 0.50 g/t which includes several high grade sheeted veins such as 9.57 g/t over 0.86 meters (Figure 33). A schematic cross section including hole DDRCCC-20-004 with Au grades and simplified geology is presented below in Figure 34.



Figure 29 - DDRCCC-20-003 - Typical section of Eiger stock diorite from 152.28 -164.7 m




Figure 30 - DDRCCC-20-033 - section of high grade vein grading 9.57 g/t over 0.86 meters @ 300m depth




Figure 31 - schematic cross-section of holes 3 & 4 at the Eiger zone

DDRCCC-20-004

Hole DDRCCC-20-004 was collared at an azimuth of 189 degrees with a -45 degree dip and total depth of 281 meters. The hole was collared in Eiger stock diorite and crossed into the hornfelsed metasedimentary biotite schist country rock towards the bottom of the hole. A few minor felsic and lamprophyre intrusive dikes were encountered within the diorite stock.

Mineralized sheeted quartz veins were present throughout its length, with the most significant mineralization on both sides of the intrusive-metasedimentary contact between 131.9 and 271 meters for an interval of 139.1 meters grading 0.61 g/t Au. The entire hole from casing at 2.1 meters to end of hole at 281 meters graded 0.40 g/t Au. The small felsic dikes (Figures 35 & 36) (mapped on surface a few meters wide and of similar orientation to the sheeted-quartz veins) are more stockworked in nature with higher quartz density, but similar grades (54.3 to 59.15 meters graded 0.5 g/t gold)



Figure 32 - Hole 4 51.75 to 65.0 m. Eiger diorite w interval of felsic dike



Figure 33 - Hole 4. qtz stockworked felsic dike @ 56m

Reclamation

No reclamation for the 2020 program was performed. Drillholes -001, -002, and -004 were collared on existing roads which did not create any new disturbance. Drillhole -003 required construction of a short 40m spur road and pad site (Figure 37) which was left un-reclaimed. No other disturbance was created during the Program.



Figure 37 - spur road and drill pad for Hole DDRCCC-20-003

LiDAR Survey

A LiDAR survey was performed by Mcelhanney Ltd. of Vancouver over the entire Clear Creek property on September 23rd, 2020. The survey also included portions of the adjoining RC Gold claims and the nearby Barney Ridge Project (both operated by Sitka Gold). The survey used an Optech Galaxy system for LiDAR data capture and an on board Camera Phase One iXU-RS1000 RGB for orthophoto capture both mounted on a Piper Navajo fixed wing Aircraft. The mean density of the point cloud (all points) was measured at nominal 18.3 pts/m² and the bare earth (ground) point density was measured at nominal 4.5 pts/m² and the standard deviation of the airborne GPS solution for using KAR (Kinematics Ambiguity Resolution) was estimated to 0.013 m, 0.013 m and 0.022 m in East, North and height directions, respectively.

Figure 38 shows the area of interest with respect to the Clear Creek Project covered by the survey. The LiDAR survey report from Mcelhanney along with full scale orthophoto and hillshade image maps can be found in Appendix IV.

As of the date of this report no detailed analysis of the LiDAR point cloud data has been undertaken to assist in structural interpretation of this Project.




Figure 38 - LiDAR Survey Area - Clear Creek

Data Verification

It is the Authors opinion that the sampling procedures, security measures, sample preparations, and analytical methods applied to the rock samples were diligently followed and are adequate to meet industry standards commonly accepted for this level of exploration. The Author has relied upon the adequacy and accuracy of the analytical results provided by BV and ALS. Independent verification of those results has not been undertaken. The Author reconciled the field data with the analytical results and found no irregularities.

Interpretation, Conclusions and Recommendations

The results from the 2020 drill program were successful at intersecting significant gold mineralization contained within east-west (approximate) oriented sheeted quartz veins in all four holes over an east-west distance of 1800 meters. Mineralization shows strong correlations with bismuth, arsenic, tungsten and silver; similar to geochemical signatures seen at Eagle Gold (Dublin Gulch) and Fort Knox. The grades encountered in the 2020 drillholes are of a similar tenor to those being actively mined by Victoria Gold at the Eagle deposit.

All four of the 2020 drillholes were associated with soil geochemical anomalies, and past exploration efforts also confirm the excellent correlation of bedrock gold mineralization with these anomalies, emphasizing the highly prospective nature of the unexplored portions of these anomalies.

The large number of gold occurrences within the Tombstone Gold Belt clearly shows the highly prospective nature of this setting for gold deposits. Located in the heart of the TGB, intruded by four intermediate to felsic intrusions with metasedimentary (hornfels) aureole, quartz stockwork and breccias in the thermal aureole, auriferous mineralization within quartz veins and sheeted quartz veins, strong associations with Bi, W, and As, low sulphide content with a reduced mineral assemblage (po-py-asp) this property has all the hallmarks of an intrusion related gold deposit.

Further detailed structural mapping may significantly assist in delineating additional gold bearing mineralization. A detailed interpretation of the LIDAR data set should be undertaken prior to additional field mapping exercises to assist in targeting zones with a potential for high structural density. The steeply dipping east-west mineralized quartz veins that have been observed and sampled in all stocks on the property represent the most favourable vein set orientation for gold mineralization in the Clear Creek area. This is due to the continued development of east-west dilatational vein sets during post tectonic activity which introduced additional mineralized fluids. The intersection of these east-west sets with north-east or north-west trending structures or breaks are prime targets.

The Property is located in a relatively isolated part of the Yukon, nevertheless due to placer operations and historic hard rock exploration several 4X4 roads exist and provide adequate access to the property, typically alleviating the need for helicopters. Dawson City, located approximately 110 kilometres from the Property, offers a wide range of services including equipment, supplies and labor. Good access to the Property and its proximity to a service center certainly improve the project's logistics and relative cost of exploration work.

Permitting may often cause delays to exploration projects. The Clear Creek property has been approved for a 5 year, Class 3 Land Use Permit, Approval No. LQ00494 valid to July 8, 2023 and which allows for the exploration steps such as trenching, drilling and roadwork, which are necessary to advance the project.

The Clear Creek Project has proven on this first pass diamond drilling reported herein that significant mineralization is present on the property that warrants an expanded diamond drill campaign.

References

- Barr, J., Hulse, D., Keane, J., Lechner, M., Newton, C., (2013). NI 43-101 Technical Report on Resources Brewery Creek Project, Yukon, Canada. Prepared for Northern Tiger.
- Bidwell, G. E., 1993. Hemlo Gold Mines Incorporated, Clear Lake Area, Yukon. Yukon Mining Assessment Report 093097.
- Doherty, R. A.; Robinson, Sally D., 1988. Goldrite Mining Corporation, Clear Creek Area, Yukon. Yukon Mining Assessment Report 092748.
- Doherty, R.A., (1997): 1997 assessment report on the Clear Creek property. Yukon Mining Assessment Report 093763.
- Duke, Jessie L., 1991. Noranda Exploration Company Limited, Clear Lake Area, Yukon. Yukon Mining Assessment Report 092984.
- Duke, Jessie L., 1992. Noranda Exploration Company Limited, Clear Lake Area, Yukon. Yukon Mining Assessment Report 093011.
- Gordey, S. P. and Makepeace, A.J. (2000): Yukon digital geology, S.P. Gordey and A.J. Makepeace (comp.): Geol. Survey of Canada, Open File D3826.
- Hart, C. (2002): The Geological Framework of the Yukon Territory, Yukon Geology Website: http://www.geology.gov.yk.ca/pdf/bedrock_geology.pdf
- Hart, C., (2005): Classifying, distinguishing and exploring for Intrusion-Related Gold Systems in The Gangue - Geological Association of Canada, Mineral Deposits Division Issue 87.
- Huber, M. (2017): Assessment report on 2017 surface work on the Clear Creek Property, Clear Creek Area, Yukon. Yukon Mining Assessment Report 097108.
- Huber, M. (2018): 2018 Technical Report on the Clear Creek Property. For Kestrel Gold Inc.
- Kirk, Fraser. (2016). Paragenesis, Geochemistry and Metallogeny of the Dublin Gulch Intrusion-related Au Deposit, Yukon Territory, Canada.
- Kreft, B., 2009. Prospecting report on the Mary 1-47 and Ellen 1-8 claims. Energy, Mines and Resources Property File Collection, 095152.
- Kreft, B., (2010): Prospecting and Geochemical Sampling on the Clear Creek Project, Dawson Mining District, Yukon, NTS Sheet 115P14, 63°48' W / 137°10' N, (Assessment report #095540).
- Marsh, E.E., Hart, C.J.R, Goldfarb, R.J. and Allen, T.L., (1999): Geology and geochemistry of the Clear Creek gold occurrences, Tombstone gold belt, central Yukon Territory. In: Yukon Exploration and Geology 1998, C.F. Roots and D.S. Emond (eds.), Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, p. 185-196.

- Mortenson, J.K., Lang, J.R., Poulsen, K.H. and Murphy, D.C., 1997. Geology and metallogeny of the Tombstone Plutonic Suite: a progress report; Regional and system-scale controls on the formation of copper and/or gold magmatic-hydrothermal mineralization. Principal investigator: John F.H. Thompson. Mineral Deposit Research Unit, Department of Earth and Ocean Sciences, University of British Columbia. Murphy, D. C. (1997): Geology of the McQueston River Region, Northern McQueston and Mayo Map Areas, Yukon Territory (115P/14, 15, 16 | 105M/13, 14), Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, Bulletin 6, 122 p.
- Nicholson, George., 1988. Gold Rite Mining Corporation, Clear Creek Area, Yukon. Yukon Mining Assessment Report 092146.
- O'Brien, E. and Kreft, B., (2010): 2010 diamond drilling program Clear Creek property. Energy, Mines and Resources Property File Collection, 095539.
- Rainbird, R. H., (1981). Bema Industries Limited, Clear Creek Area, Yukon. Yukon Mining Assessment Report 090926.
- Roots, C.F. (1997): Geology of the Mayo Map area, Yukon Territory (105M), Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, Bulletin 7, 82 p.
- Schulze, C. (2012): Technical Report for the Barney Ridge Property, Dawson Mining District, Yukon, NTS Sheet 115P14, 63°48' W / 137°10' N, (unpub).
- Shutty, M. (2011): Assessment Report, 2011 Exploration Program, Clear Creek Property. Yukon Mining Assessment Report 095984
- Stammers, M.A., 1997. Geological and geochemical assessment report on the BZ 1-79 claims. Yukon Mining Assessment Report 093767.
- Stammers, M.A., (1998): Geophysical, geological and geochemical assessment report on the Clear Creek property. Yukon Mining Assessment Report 093937.
- Stammers, M.A. (1999): Geochemical and Diamond Drilling Assessment Report on the Clear Creek Property; report for Redstar Resources Corporation by Pamicon Developments Ltd.
- Stephens, J.R., Oliver, N.H.S., Baker, T., and Hart, C.J.R., 2000. Structural evolution and controls on gold mineralization at Clear Creek, Yukon. In: Yukon Exploration and Geology 1999, Emond, D.S. and Weston, L.W. (eds.), Exploration and Geological Sciences Division, Yukon Region, Indian and Northern Affairs Canada, p. 151-163.
- Stephens, J.R. and Weeks, S., 2001. Intrusive-breccia-hosted gold mineralization associated with ca. 92 Ma Tombstone Plutonic Suite magmatism: An example from the Bear Paw breccia zone, Clear Creek, Tintina gold belt, Yukon. In: Yukon Exploration and Geology 2000, Emond, D.S. and Weston, L.W. (eds.), Exploration and Geological Sciences Division, Yukon Region, Indian and Northern Affairs Canada, p. 347-353.
- Victoria Gold Corp. (2018). Clear Creek Project Overview. <https://www.vitgoldcorp.com/projects/non-core-properties/clear-creek>. (Accessed Oct 09, 2018)

Certificate of Qualifications

I, Joel Cameron Gillham, do hereby declare that:

- 1) I am currently working as a consultant out of my home in Vancouver, British Columbia;
- 2) I graduated with a Bachelor of Science degree from Simon Fraser University in 2007;
- 3) I have worked as a geological scientist in the mineral exploration continuously since 2005;
- 4) I am not aware of any material fact or material change with respect to the subject matter of this report, the omission to disclose which makes this report misleading;
- 5) I have not previously worked on the property that is the subject of this report prior to the work herein disclosed, but have completed an extensive literature search and reviewed all available data to me.

Dated at Vancouver, British Columbia this 28th day of January, 2021



Joel C. Gillham

Statement of Costs

2020 CLEAR CREEK STATEMENT OF EXPENDITURES (Grouping HD03565)				
<u>Company</u>	<u>Invoice Description</u>	<u>Invoice Total</u>	<u>Clear Creek Portion of Invoice</u>	<u>Notes</u>
Fox Exploration Invoices (20103, 20107, 20108)	Project supervision, geological crew, camp w/ support staff, truck and equipment rental, mob/demob...	\$558,295.65	\$246,230.40	Camp and support staff used for Clear Creek, RC Gold and Barney Ridge work programs. 60% of Fox invoice, less helicopter, pad building & analytical charges, applied to Clear Creek (30% applied to RC Gold & 10% applied to Barney Ridge projects)
McElhenney	LiDAR Survey	\$48,000.00	\$16,000.00	1/3 applied to Clear Creek (1/3 to Barney Ridge; 1/3 to RC)
Bureau Veritas (VANI372117, 373945, 373608)	Analytical	\$13,160.80	\$13,160.80	Rock and drillcore analysis
ALS Laboratory (5272946, 5273045)	Analytical	\$13,111.06	\$13,111.06	Rock and drillcore analysis
New Age Invoices (20191021, 20191025)	Diamond Drilling	\$365,468.97	\$243,645.98	2/3 applied to Clear Creek (1/3 applied to RC Gold)
Final Assessment Report	Preparation of Final Report	\$4,000.00	\$4,000.00	
TOTAL:			\$536,148.24	

Supporting documents for the cost statement are included in Appendix V

APPENDIX I

SOIL SAMPLING RESULTS

2020 Soil Sample Descriptions - Clear Creek Project

sample_id	technician_id	sample_date	utm zone	utm east	utm north	elv (m)	sample method	sample depth (cm)	sampled horizon	site slope	soil colour	site vegetation	site ground cover	sample moisture	sample quality	sample texture	sample notes
1464938	Mark Severinsen	8/16/2020	08N	400900	7083900	1458	Auger	60	C	Steep	Chocolate Brown	Dwarf Birch	Reindeer Moss	Dry	Good	Gravel	Coarse,Rocky Sample,Rocky Terrain,Sandy
1464939	Mark Severinsen	8/16/2020	08N	400897	7083849	1486	Auger	70	C	Steep	Reddish Yellow	Dwarf Birch	Reindeer Moss	Dry	Good	Silt	Coarse,Rocky Sample
1464940	Mark Severinsen	8/16/2020	08N	400910	7083803	1478	Auger	40	C	Pronounced Slope	Light Brown	No Tree Cover	Burnt Moss	Dry	Good	Gravel	Clay,Coarse,Rocky Sample,Rocky Terrain,Sandy
1464941	Mark Severinsen	8/16/2020	08N	400899	7083751	1487	Hands	30	C	Steep	Chocolate Brown	No Tree Cover	Rock Cover	Dry	Poor	Gravel	Rocky Sample,Rocky Terrain
1464942	Mark Severinsen	8/16/2020	08N	400912	7083698	1540	Mattock	30	C	Steep	Chocolate Brown	No Tree Cover	Rock Cover	Damp	Good	Silt	Quartz Chips,Rocky Sample,Rocky Terrain
1464943	Mark Severinsen	8/16/2020	08N	400893	7083657	1564	Hands	30	C	Steep	Chocolate Brown	No Tree Cover	Bare Soil	Damp	Good	Silt	Coarse,Mud,Sandy,Talus
1464944	Mark Severinsen	8/16/2020	08N	400899	7083601	1568	Auger	30	C	Subtle Slope	Chocolate Brown	No Tree Cover	Thin Moss Cover	Damp	Good	Silt	Coarse
1464945	Mark Severinsen	8/16/2020	08N	400899	7083551	1537	Auger	40	C	Subtle Slope	Chocolate Brown	No Tree Cover	Thin Moss Cover	Damp	Good	Silt	Coarse,Quartz Chips,Rocky Sample
1464946	Mark Severinsen	8/16/2020	08N	400898	7083502	1549	Auger	50	C	Steep	Chocolate Brown	Dwarf Birch	Bare Soil	Dry	Good	Silt	Coarse
1464947	Mark Severinsen	8/16/2020	08N	400899	7083451	1523	Mattock	30	C	Steep	Chocolate Brown	Dwarf Birch	Reindeer Moss	Damp	Good	Silt	Rocky Sample
1464951	Mark Severinsen	8/16/2020	08N	400895	7083400	1471	Auger	60	C	Steep	Chocolate Brown	Dwarf Birch	Reindeer Moss	Damp	Good	Silt	Fine
1464952	Mark Severinsen	8/16/2020	08N	400900	7083351	1450	Hands	20	B	Steep	Chocolate Brown	Dwarf Birch	Bare Soil	Dry	Good	Silt	Fine
1464953	Mark Severinsen	8/16/2020	08N	400902	7083303	1425	Auger	60	C	Steep	Chocolate Brown	Dwarf Birch	Reindeer Moss	Damp	Good	Silt	Coarse
1464954	Mark Severinsen	8/16/2020	08N	400902	7083256	1396	Auger	50	C	Steep	Chocolate Brown	Dwarf Birch	Reindeer Moss	Damp	Good	Silt	Sandy
1464955	Mark Severinsen	8/16/2020	08N	400807	7083251	1397	Auger	60	C	Steep	Reddish Yellow	Dwarf Birch	Reindeer Moss	Damp	Good	Silt	Sandy
1464956	Mark Severinsen	8/16/2020	08N	400806	7083298	1427	Auger	50	C	Steep	Chocolate Brown	Dwarf Birch	Reindeer Moss	Dry	Good	Sand	Clay,Coarse
1464957	Mark Severinsen	8/16/2020	08N	400801	7083351	1451	Auger	60	C	Steep	Reddish Yellow	Dwarf Birch	Reindeer Moss	Damp	Good	Sand	Clay
1464958	Mark Severinsen	8/16/2020	08N	400803	7083400	1464	Auger	30	B	Steep	Chocolate Brown	Dwarf Birch	Reindeer Moss	Damp	Good	Silt	Sandy
1464959	Mark Severinsen	8/16/2020	08N	400805	7083452	1516	Auger	70	C	Steep	Chocolate Brown	Dwarf Birch	Reindeer Moss	Damp	Good	Silt	Coarse,Rocky Sample,Sandy
1464960	Mark Severinsen	8/16/2020	08N	400804	7083499	1521	Auger	60	C	Pronounced Slope	Chocolate Brown	Dwarf Birch	Reindeer Moss	Damp	Good	Silt	Rocky Terrain,Rusty Rock Chip,Sandy
1464961	Mark Severinsen	8/16/2020	08N	400803	7083550	1539	Auger	40	C	Subtle Slope	Chocolate Brown	Dwarf Birch	Thin Moss Cover	Dry	Good	Silt	Coarse,Sandy
1464962	Mark Severinsen	8/16/2020	08N	400802	7083599	1575	Auger	30	B	Subtle Slope	Chocolate Brown	Dwarf Birch	Reindeer Moss	Damp	Good	Silt	Sandy
1464963	Mark Severinsen	8/16/2020	08N	400803	7083652	1527	Auger	20	C	Steep	Chocolate Brown	No Tree Cover	Bare Soil	Damp	Good	Gravel	Clay
1464964	Mark Severinsen	8/16/2020	08N	400794	7083695	1500	Hands	20	C	Steep	Chocolate Brown	No Tree Cover	Rock Cover	Damp	Good	Gravel	Coarse,Talus
1464965	Mark Severinsen	8/16/2020	08N	400801	7083752	1476	Hands	20	C	Steep	Chocolate Brown	No Tree Cover	Bare Soil	Damp	Good	Silt	Coarse,Rocky Sample,Talus
1464966	Mark Severinsen	8/16/2020	08N	400800	7083801	1463	Hands	30	C	Subtle Slope	Chocolate Brown	No Tree Cover	Bare Soil	Dry	Good	Silt	Coarse,Talus
1464967	Mark Severinsen	8/16/2020	08N	400800	7083853	1423	Auger	30	C	Pronounced Slope	Chocolate Brown	White Spruce	Thin Moss Cover	Dry	Good	Silt	Coarse
1464968	Mark Severinsen	8/16/2020	08N	400800	7083898	1409	Auger	60	C	Subtle Slope	Light Brown	Balsam Fir	Thin Moss Cover	Damp	Good	Clay	Coarse,Rocky Sample
1464969	Mark Severinsen	8/16/2020	08N	400694	7083450	1420	Auger	60	C	Steep	Chocolate Brown	Dwarf Birch	Reindeer Moss	Damp	Good	Clay	Coarse,Rocky Sample,Rusty Rock Chip
1464970	Mark Severinsen	8/16/2020	08N	400606	7083449	1519	Auger	80	C	Steep	Chocolate Brown	Dwarf Birch	Reindeer Moss	Damp	Good	Silt	Sandy
1464971	Phil Severinsen	8/16/2020	08N	400496	7083352	1497	Auger	50	C	Steep	Chocolate Brown	Dwarf Birch	Reindeer Moss	Damp	Good	Clay	Coarse
1778478	Phil Severinsen	8/16/2020	08N	400202	7083398	1608	Auger	40	C	Pronounced Slope	Light Brown	Dwarf Birch	Rock Cover	Damp	Good	Clay	Rusty Rock Chip
1778479	Phil Severinsen	8/16/2020	08N	400198	7083350	1545	Auger	40	C	Pronounced Slope	Light Brown	Dwarf Birch	Bare Soil	Damp	Good	Clay	Rusty Rock Chip,Top Layer
1778480	Phil Severinsen	8/16/2020	08N	400198	7083300	1528	Auger	50	C	Pronounced Slope	Chocolate Brown	Dwarf Birch	Thin Moss Cover	Damp	Good	Clay	Rusty Rock Chip,Sandy
1778481	Phil Severinsen	8/16/2020	08N	400201	7083248	1493	Auger	50	C	Pronounced Slope	Light Brown	Dwarf Birch	Reindeer Moss	Damp	Excellent	Clay	Bright Orange Rust,Sandy
1778482	Phil Severinsen	8/16/2020	08N	400201	7083200	1465	Auger	60	C	Steep	Light Brown	Dwarf Birch	Reindeer Moss	Damp	Good	Clay	Organic 10%,Sandy
1778483	Phil Severinsen	8/16/2020	08N	400200	7083149	1456	Auger	60	C	Pronounced Slope	Light Brown	Dwarf Birch	Reindeer Moss	Damp	Excellent	Clay	Bright Orange Rust,Rusty Rock Chip,Sandy
1778485	Phil Severinsen	8/16/2020	08N	400301	7083147	1428	Auger	90	C	Pronounced Slope	Chocolate Brown	Dwarf Birch	Reindeer Moss	Damp	Good	Clay	Bright Orange Rust,Sandy
1778486	Phil Severinsen	8/16/2020	08N	400301	7083200	1456	Auger	70	C	Pronounced Slope	Chocolate Brown	Dwarf Birch	Reindeer Moss	Damp	Excellent	Sand	Clay,Rusty Rock Chip
1778487	Phil Severinsen	8/16/2020	08N	400300	7083251	1481	Auger	70	B	Pronounced Slope	Chocolate Brown	Dwarf Birch	Reindeer Moss	Damp	Excellent	Clay	Organic 10%,Rocky Sample,Rocky Terrain,Sandy
1778488	Phil Severinsen	8/16/2020	08N	400301	7083301	1484	Auger	70	C	Pronounced Slope	Light Brown	Dwarf Birch	Reindeer Moss	Damp	Good	Clay	Organic 10%,Sandy
1778489	Phil Severinsen	8/16/2020	08N	400301	7083350	1538	Auger	60	C	Pronounced Slope	Chocolate Brown	Dwarf Birch	Reindeer Moss	Damp	Good	Clay	Sandy
1778490	Phil Severinsen	8/16/2020	08N	400298	7083401	1585	Mattock	30	B	Pronounced Slope	Chocolate Brown	Dwarf Birch	Reindeer Moss	Damp	Good	Clay	Coarse,Organic 10%,Rocky Terrain,Rusty Rock Chip
1778491	Phil Severinsen	8/16/2020	08N	400299	7083450	1591	Auger	40	C	Pronounced Slope	Light Brown	Dwarf Birch	Bare Soil	Damp	Excellent	Clay	Rusty Rock Chip,Sandy,Top Layer
1778492	Phil Severinsen	8/16/2020	08N	400400	7083450	1552	Auger	70	C	Pronounced Slope	Light Brown	Dwarf Birch	Reindeer Moss	Damp	Good	Clay	Bright Orange Rust,Sandy
1778493	Phil Severinsen	8/16/2020	08N	400401	7083401	1536	Auger	70	B	Pronounced Slope	Chocolate Brown	Dwarf Birch	Reindeer Moss	Damp	Excellent	Clay	Organic 10%,Rocky Sample,Rocky Terrain,Sandy
1778494	Phil Severinsen	8/16/2020	08N	400399	7083349	1497	Auger	60	C	Pronounced Slope	Chocolate Brown	Dwarf Birch	Reindeer Moss	Damp	Good	Clay	Rocky Sample,Rocky Terrain,Rusty Rock Chip,Sandy
1778495	Phil Severinsen	8/16/2020	08N	400401	7083301	1487	Auger	70	C	Pronounced Slope	Light Brown	Dwarf Birch	Reindeer Moss	Damp	Good	Clay	Rusty Rock Chip,Sandy
1778496	Phil Severinsen	8/16/2020	08N	400400	7083250	1420	Auger	70	C	Pronounced Slope	Chocolate Brown	Dwarf Birch	Sphagnum Moss < 30cm	Damp	Good	Clay	Sandy
1778497	Phil Severinsen	8/16/2020	08N	400402	7083200	1430	Auger	70	C	Pronounced Slope	Chocolate Brown	Dwarf Birch	Reindeer Moss	Damp	Good	Clay	Sandy
1778498	Phil Severinsen	8/16/2020	08N	400400	7083153	1400	Auger	70	B	Pronounced Slope	Chocolate Brown	Dwarf Birch	Reindeer Moss	Damp	Good	Clay	Organic 10%,Rocky Terrain,Sandy
1778499	Phil Severinsen	8/16/2020	08N	400499	7083151	1399	Auger	50	C	Pronounced Slope	Chocolate Brown	Black Spruce	Reindeer Moss	Damp	Good	Clay	Bright Orange Rust,Sandy
1778500	Phil Severinsen	8/16/2020	08N	400499	7083151	1399											
1638301	Phil Severinsen	8/16/2020	08N	400699	7083255	1419	Auger	70	C	Pronounced Slope	Chocolate Brown	Dwarf Birch	Reindeer Moss	Damp	Good	Clay	Sandy
1638302	Phil Severinsen	8/16/2020	08N	400699	7083299	1442	Auger	60	B	Pronounced Slope	Chocolate Brown	Dwarf Birch	Reindeer Moss	Damp	Good	Clay	Organic 10%,Sandy
1638303	Phil Severinsen	8/16/2020	08N	400697	7083350	1470	Auger	60	C	Pronounced Slope	Chocolate Brown	Dwarf Birch	Reindeer Moss	Damp	Good	Clay	Rocky Sample,Rocky Terrain,Sandy
1638304	Phil Severinsen	8/16/2020	08N	400699	7083400	1495	Auger	50	C	Pronounced Slope	Chocolate Brown	Dwarf Birch	Reindeer Moss	Damp	Excellent	Sand	Clay,Rusty Rock Chip
1638305	Phil Severinsen	8/16/2020	08N	400597	7083399	1521	Auger	50	B	Pronounced Slope	Chocolate Brown	Dwarf Birch	Reindeer Moss	Damp	Good	Clay	Coarse,Organic 10%,Rocky Terrain
1638306	Phil Severinsen	8/16/2020	08N	400598	7083351	1455	Auger	50	B	Pronounced Slope	Chocolate Brown	Dwarf Birch	Reindeer Moss	Damp	Excellent	Clay	Organic 10%,Sandy

sample_id	technician_id	sample_date	utm zone	utm east	utm north	elv (m)	sample method	sample depth (cm)	sampled horizon	site slope	soil colour	site vegetation	site ground cover	sample moisture	sample quality	sample texture	sample notes
1638392	Mark Severinsen	8/18/2020	08N	399396	7084600	1343	Auger	40	C	Subtle Slope	Chocolate Brown	Dwarf Birch	Bare Soil	Damp	Good	Silt	Rusty Rock Chip,Sandy
1638393	Mark Severinsen	8/18/2020	08N	399398	7084650	1346	Auger	50	C	Subtle Slope	Chocolate Brown	Dwarf Birch	Thin Moss Cover	Damp	Good	Silt	Coarse,Sandy
1638394	Mark Severinsen	8/18/2020	08N	399400	7084750	1345	Auger	40	B	Pronounced Slope	Reddish Brown	Dwarf Birch	Thin Moss Cover	Damp	Good	Silt	Fine,Organic 10%,Rocky Terrain
1638395	Mark Severinsen	8/18/2020	08N	399385	7084798	1364	Hands	30	B	Steep	Chocolate Brown	Dwarf Birch	Thin Moss Cover	Damp	Poor	Silt	Rocky Terrain,Small Sample
1638334	Phil Severinsen	8/18/2020	08N	399177	7084651	1345	Auger	50	C	Subtle Slope	Chocolate Brown	Dwarf Birch	Thin Moss Cover	Damp	Good	Clay	Coarse
1638336	Phil Severinsen	8/18/2020	08N	399195	7084549	1343	Auger	40	C	Pronounced Slope	Chocolate Brown	Dwarf Birch	Thin Moss Cover	Damp	Good	Sand	Clay,Possible Creek Contamination,Rocky Terrain,Rusty Rock Chip
1638337	Phil Severinsen	8/18/2020	08N	399198	7084508	1425	Auger	20	B	Pronounced Slope	Chocolate Brown	Dwarf Birch	Reindeer Moss	Damp	Good	Sand	Clay,Outcrop Nearby,Rocky Sample,Rocky Terrain
1638338	Phil Severinsen	8/18/2020	08N	399198	7084450	1380	Auger	40	C	Pronounced Slope	Chocolate Brown	Willows	Reindeer Moss	Damp	Good	Clay	Sandy
1638335	Phil Severinsen	8/18/2020	08N	399195	7084601	1390	Auger	50	B	Pronounced Slope	Chocolate Brown	Dwarf Birch	Reindeer Moss	Damp	Good	Clay	Sandy
1638339	Phil Severinsen	8/18/2020	08N	399197	7084400	1384	Auger	60	C	Pronounced Slope	Chocolate Brown	Subalpine Fir	Reindeer Moss	Damp	Good	Clay	Sandy
1638340	Phil Severinsen	8/18/2020	08N	399198	7084350	1420	Auger	30	C	Pronounced Slope	Chocolate Brown	No Tree Cover	Thin Moss Cover	Damp	Good	Clay	Fine,Rocky Terrain,Sandy
1638341	Phil Severinsen	8/18/2020	08N	399198	7084300	1432	Auger	50	C	Pronounced Slope	Chocolate Brown	Willows	Bare Soil	Damp	Excellent	Clay	Sandy
1638342	Phil Severinsen	8/18/2020	08N	399199	7084250	1455	Auger	50	C	Subtle Slope	Light Brown	Willows	Bare Soil	Damp	Excellent	Clay	Coarse,Rusty Rock Chip,Sandy
1638343	Phil Severinsen	8/18/2020	08N	399201	7084200	1449	Auger	40	C	Pronounced Slope	Light Brown	Willows	Bare Soil	Damp	Excellent	Sand	Clay
1638344	Phil Severinsen	8/18/2020	08N	399201	7084149	1481	Auger	40	C	Pronounced Slope	Light Brown	Willows	Bare Soil	Damp	Excellent	Sand	Clay,Rusty Rock Chip
1638345	Phil Severinsen	8/18/2020	08N	399599	7084148	1429	Auger	50	C	Pronounced Slope	Chocolate Brown	Dwarf Birch	Thin Moss Cover	Damp	Good	Clay	Sandy
1638346	Phil Severinsen	8/18/2020	08N	399600	7084100	1404	Auger	50	C	Pronounced Slope	Chocolate Brown	Dwarf Birch	Reindeer Moss	Damp	Good	Clay	Rusty Rock Chip,Sandy
1638347	Phil Severinsen	8/18/2020	08N	399600	7084049	1419	Auger	40	C	Pronounced Slope	Chocolate Brown	No Tree Cover	Grass Cover	Damp	Good	Clay	Rusty Rock Chip,Sandy
1638348	Phil Severinsen	8/18/2020	08N	399599	7084000	1432	Auger	40	B	Subtle Slope	Chocolate Brown	Dwarf Birch	Reindeer Moss	Damp	Good	Silt	Clay,Organic 10%,Rocky Terrain,Sandy
1638349	Phil Severinsen	8/18/2020	08N	399600	7083950	1435	Auger	110	C	Pronounced Slope	Chocolate Brown	No Tree Cover	Grass Cover	Damp	Good	Clay	Coarse
1638350	Phil Severinsen	8/18/2020	08N	399600	7083950	1435											
1638351	Phil Severinsen	8/18/2020	08N	399602	7083900	1363	Auger	50	C	Subtle Slope	Chocolate Brown	Dwarf Birch	Thin Moss Cover	Damp	Good	Clay	Fine,Sandy
1638352	Phil Severinsen	8/18/2020	08N	399599	7083849	1415	Auger	40	C	Pronounced Slope	Reddish Yellow	No Tree Cover	Bare Soil	Damp	Excellent	Clay	Coarse,Top Layer
1638353	Phil Severinsen	8/18/2020	08N	399600	7083800	1435	Auger	30	B	Subtle Slope	Chocolate Brown	Dwarf Birch	Bare Soil	Damp	Good	Clay	Organic 10%,Rocky Terrain,Sandy
1638354	Phil Severinsen	8/18/2020	08N	399601	7083750	1435	Auger	30	C	Pronounced Slope	Chocolate Brown	No Tree Cover	Bare Soil	Damp	Good	Clay	Coarse,Mud,Rocky Terrain,Sandy
1638355	Phil Severinsen	8/18/2020	08N	399600	7083701	1468	Auger	30	C	Pronounced Slope	Chocolate Brown	Willows	Bare Soil	Damp	Good	Sand	Clay,Rocky Terrain,Rusty Rock Chip
1638482	Shawna Jeppesen	8/18/2020	08N	399500	7083700	1480	Auger	40	B	Pronounced Slope	Chocolate Brown	No Tree Cover	Rock Cover	Dry	Good	Silt	Clay,Coarse,Organic 10%,Quartz Chips,Rocky Sample,Rusty Rock Chip
1638483	Shawna Jeppesen	8/18/2020	08N	399507	7083751	1425	Auger	40	C	Steep	Light Brown	No Tree Cover	Rock Cover	Damp	Good	Silt	Clay,Coarse,Rocky Sample,Rocky Terrain,Rusty Rock Chip,Sandy
1638484	Shawna Jeppesen	8/18/2020	08N	399507	7083799	1434	Auger	40	C	Pronounced Slope	Chocolate Brown	No Tree Cover	Reindeer Moss	Dry	Good	Silt	Clay,Coarse,Rocky Sample,Sandy
1638485	Shawna Jeppesen	8/18/2020	08N	399505	7083850	1422	Auger	40	B	Pronounced Slope	Light Grey	No Tree Cover	Reindeer Moss	Dry	Good	Silt	Clay,Coarse,Quartz Chips,Rocky Sample, Rocky Terrain,Rusty Rock Chip,Sandy
1638486	Shawna Jeppesen	8/18/2020	08N	399503	7083900	1412	Auger	40	C	Pronounced Slope	Chocolate Brown	No Tree Cover	Rock Cover	Dry	Good	Silt	Clay,Coarse,Quartz Chips,Rocky Sample, Rocky Terrain,Rusty Rock Chip,Sandy
1638487	Shawna Jeppesen	8/18/2020	08N	399505	7083950	1413	Auger	40	C	Pronounced Slope	Chocolate Brown	Balsam Fir	Reindeer Moss	Dry	Good	Silt	Clay,Coarse,Organic 10%,Quartz Chips,Sandy
1638488	Shawna Jeppesen	8/18/2020	08N	399505	7084000	1405	Auger	30	B	Pronounced Slope	Chocolate Brown	Balsam Fir	Rock Cover	Dry	Good	Silt	Clay,Coarse,Organic 10%,Rusty Rock Chip,Sandy
1638489	Shawna Jeppesen	8/18/2020	08N	399503	7084051	1436	Auger	30	C	Pronounced Slope	Light Brown	No Tree Cover	Reindeer Moss	Dry	Good	Silt	Coarse,Organic 10%,Quartz Chips,Rusty Rock Chip,Sandy
1638490	Shawna Jeppesen	8/18/2020	08N	399504	7084099	1434	Auger	80	C	Steep	Light Brown	No Tree Cover	Reindeer Moss	Dry	Good	Silt	Clay,Coarse,Dull Red Rust,Rocky Terrain,Rusty Rock Chip,Sandy
1638491	Shawna Jeppesen	8/18/2020	08N	399501	7084151	1478	Auger	80	C	Subtle Slope	Dark Olivine Green	No Tree Cover	Reindeer Moss	Dry	Good	Silt	Clay,Coarse,Dull Red Rust,Rocky Terrain,Rusty Rock Chip
1638492	Shawna Jeppesen	8/18/2020	08N	399501	7084201	1470	Auger	40	C	Flat	Reddish Brown	No Tree Cover	Rock Cover	Dry	Good	Silt	Bright Orange Rust,Clay,Coarse,Dull Red Rust,Sandy
1638493	Shawna Jeppesen	8/18/2020	08N	399501	7084250	1431	Auger	50	C	Pronounced Slope	Reddish Brown	No Tree Cover	Reindeer Moss	Dry	Good	Silt	Bright Orange Rust,Clay,Coarse,Dull Red Rust, Rocky Sample,Rusty Rock Chip,Sandy
1638494	Shawna Jeppesen	8/18/2020	08N	399502	7084301	1411	Auger	30	C	Pronounced Slope	Light Grey	No Tree Cover	Bare Soil	Dry	Good	Silt	Bright Orange Rust,Coarse,Sandy
1638495	Shawna Jeppesen	8/18/2020	08N	399501	7084352	1466	Auger	40	C	Subtle Slope	Chocolate Brown	Balsam Fir	Reindeer Moss	Dry	Good	Silt	Coarse,Dull Red Rust,Organic 10%,Rusty Rock Chip,Sandy
1638496	Shawna Jeppesen	8/18/2020	08N	399503	7084401	1402	Auger	60	C	Subtle Slope	Chocolate Brown	Balsam Fir	Needle Cover	Dry	Good	Silt	Bright Orange Rust,Clay,Coarse,Dull Red Rust,Sandy
1638497	Shawna Jeppesen	8/18/2020	08N	399500	7084451	1378	Auger	50	C	Subtle Slope	Chocolate Brown	No Tree Cover	Reindeer Moss	Dry	Good	Silt	Bright Orange Rust,Clay,Sandy
1638498	Shawna Jeppesen	8/18/2020	08N	399498	7084501	1365	Auger	40	C	Subtle Slope	Light Brown	Balsam Fir	Reindeer Moss	Dry	Good	Silt	Bright Orange Rust,Clay,Sandy



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Sitka Gold Corp.**
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Submitted By: Cor Coe
Receiving Lab: Canada-Whitehorse
Received: August 28, 2020
Analysis Start: September 24, 2020
Report Date: October 21, 2020
Page: 1 of 9

CERTIFICATE OF ANALYSIS

WHI20000325.1

CLIENT JOB INFORMATION

Project: Barney Ridge
Shipment ID: BNR200820-02-SOIL
P.O. Number
Number of Samples: 218

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Fox Exploration Ltd.
1701 Robert Lang Dr.
Courtenay British Columbia V9N 1A2
Canada

CC: Ryan Coe
Greg Dawson
Joel Gillham
Don Penner

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	218	Dry at 60C sieve 100g to -80 mesh			WHI
AQ201	218	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
DISPL	218	Disposal of pulps			VAN
SHP01	218	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS


JEFFREY CANNON
Geochemistry Department Supervisor



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Sitka Gold Corp.
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: Barney Ridge
Report Date: October 21, 2020

Page: 2 of 9

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000325.1

Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	
	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	1	0.1	0.01	0.001	
1545926	Soil	1.4	26.0	12.2	54	0.2	22.2	8.0	221	3.34	157.7	1.3	14.8	7.3	14	0.1	1.0	0.7	64	0.08	0.055
1545927	Soil	1.0	31.9	12.8	66	0.1	30.6	12.6	302	3.80	165.6	1.4	11.8	10.7	21	0.1	1.1	0.7	64	0.15	0.067
1545928	Soil	1.1	21.8	12.7	56	<0.1	18.5	7.7	245	3.23	109.6	1.2	3.4	7.2	12	0.2	0.9	0.5	51	0.09	0.041
1545929	Soil	1.3	26.3	13.3	70	<0.1	22.2	13.3	425	3.65	118.1	1.5	13.5	5.6	11	0.2	1.0	0.5	53	0.08	0.069
1545930	Soil	0.8	24.7	8.9	48	0.1	17.9	8.4	209	2.92	251.6	1.1	17.2	7.4	14	0.2	0.9	0.7	41	0.11	0.050
1545931	Soil	1.1	28.7	13.4	74	0.2	28.2	16.1	384	3.18	266.2	1.9	80.0	9.3	16	0.2	1.1	0.6	45	0.12	0.056
1545932	Soil	1.4	12.1	12.5	31	0.5	11.5	4.0	203	2.40	139.4	0.8	17.1	3.2	11	<0.1	0.9	0.7	52	0.06	0.042
1638289	Soil	1.4	13.7	11.8	41	0.2	14.1	5.3	190	2.88	48.7	0.9	1.7	3.3	10	<0.1	0.7	0.6	63	0.07	0.037
1638290	Soil	0.9	30.5	9.0	40	0.1	16.5	7.4	148	2.56	132.2	2.9	9.1	19.4	16	<0.1	1.2	0.9	21	0.03	0.046
1638291	Soil	0.9	29.0	10.3	57	0.1	25.0	9.7	247	2.87	126.8	1.3	15.1	9.1	12	0.1	0.9	0.6	37	0.13	0.053
1638292	Soil	1.1	28.6	10.6	58	0.2	29.1	9.8	248	2.99	182.7	1.2	20.6	6.6	13	0.2	1.1	0.7	42	0.11	0.041
1638293	Soil	1.4	19.1	11.2	53	0.1	18.3	9.2	352	3.11	136.3	0.9	20.4	3.5	11	0.3	0.7	0.5	55	0.09	0.048
1638294	Soil	1.5	20.8	10.8	52	0.2	16.0	5.8	198	2.82	136.4	1.2	19.2	2.2	12	0.1	0.8	0.7	51	0.08	0.037
1638295	Soil	1.6	16.5	11.3	43	0.2	12.4	4.8	181	3.03	121.3	0.9	14.0	2.2	9	0.1	0.7	0.7	60	0.05	0.044
1638296	Soil	1.2	17.9	11.0	44	<0.1	13.9	5.5	151	2.65	84.3	1.0	8.9	1.4	9	0.1	0.7	0.5	41	0.06	0.040
1638297	Soil	1.3	20.1	11.1	55	0.1	17.6	8.9	286	2.82	88.1	1.0	8.5	4.0	11	0.2	0.7	0.5	46	0.08	0.048
1638298	Soil	1.1	14.7	6.7	29	1.0	10.0	2.7	63	1.28	78.0	0.8	25.1	0.1	9	0.2	0.4	0.5	26	0.05	0.062
1638299	Soil	1.2	32.7	10.2	60	0.2	22.9	9.9	259	2.97	154.2	1.4	15.5	3.8	17	0.1	0.8	0.8	44	0.13	0.052
1638300	Soil	1.2	32.5	11.0	59	0.2	23.1	10.0	267	3.04	148.4	1.5	19.0	3.4	17	0.1	0.8	0.8	46	0.13	0.057
1638482	Soil	1.2	61.3	11.6	67	0.7	37.4	21.4	378	4.32	756.9	2.7	168.6	12.6	23	0.1	8.2	3.4	41	0.08	0.063
1638483	Soil	1.3	53.4	152.6	115	10.1	23.9	10.9	180	3.90	1105.3	2.3	194.8	14.8	10	0.2	21.6	5.7	20	0.02	0.048
1638484	Soil	1.1	47.0	35.7	81	0.8	25.9	10.6	185	3.85	798.5	2.0	89.2	7.8	11	0.2	5.7	3.1	27	0.05	0.050
1638485	Soil	1.2	37.9	36.1	88	0.9	22.9	11.9	295	2.97	723.6	1.7	59.5	4.8	8	0.3	6.1	2.8	23	0.04	0.047
1638486	Soil	0.9	42.0	11.9	63	0.4	21.7	7.8	222	2.94	710.9	1.4	82.5	3.7	14	0.3	2.5	3.5	41	0.12	0.058
1638487	Soil	1.2	37.9	11.0	64	0.4	25.6	9.9	271	3.31	699.7	2.0	56.2	3.4	15	0.2	1.9	2.4	51	0.08	0.058
1638488	Soil	1.3	32.9	10.2	53	0.4	17.8	5.8	193	3.00	497.9	1.5	15.6	1.1	12	0.2	1.2	2.1	42	0.07	0.071
1638489	Soil	1.1	28.9	10.3	54	0.2	17.2	7.5	215	3.04	432.2	1.3	32.5	2.0	10	0.1	1.9	1.4	35	0.07	0.068
1638490	Soil	1.3	33.9	11.3	60	<0.1	20.6	8.9	204	3.55	203.3	1.3	18.3	9.4	11	0.1	1.4	0.6	39	0.05	0.035
1638491	Soil	1.2	27.9	10.2	66	<0.1	31.7	10.8	225	3.21	86.0	1.1	26.9	7.9	10	0.2	1.0	0.4	43	0.09	0.038
1638492	Soil	1.2	36.3	9.2	58	<0.1	18.5	6.6	156	3.15	131.6	1.4	68.8	11.4	9	<0.1	1.3	0.9	34	0.07	0.035



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Sitka Gold Corp.**
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: Barney Ridge
Report Date: October 21, 2020

Page: 2 of 9

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000325.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL
1545926	Soil	25	57	0.49	97	0.060	1	1.44	0.007	0.09	0.2	0.04	3.1	0.2	0.07	6	<0.5	<0.2
1545927	Soil	28	88	0.78	165	0.066	<1	1.64	0.008	0.14	0.2	0.03	4.5	0.3	0.06	6	<0.5	<0.2
1545928	Soil	25	29	0.41	96	0.036	1	1.61	0.006	0.06	0.2	0.04	2.7	0.2	<0.05	5	<0.5	<0.2
1545929	Soil	23	34	0.45	88	0.031	1	1.86	0.005	0.07	0.2	0.03	2.8	0.2	<0.05	6	<0.5	<0.2
1545930	Soil	20	23	0.37	70	0.033	1	1.27	0.007	0.05	0.5	0.07	2.1	0.1	<0.05	4	<0.5	<0.2
1545931	Soil	22	29	0.45	100	0.044	<1	1.55	0.008	0.08	0.3	0.04	2.8	0.2	0.05	5	<0.5	<0.2
1545932	Soil	22	29	0.19	56	0.039	<1	0.88	0.004	0.05	0.4	0.06	1.7	0.3	0.05	6	<0.5	<0.2
1638289	Soil	18	28	0.26	70	0.042	<1	1.40	0.004	0.05	0.2	0.05	2.1	0.2	<0.05	7	<0.5	<0.2
1638290	Soil	62	15	0.23	48	0.009	<1	0.81	0.003	0.05	0.2	0.01	2.4	0.2	<0.05	3	<0.5	<0.2
1638291	Soil	25	42	0.50	79	0.035	1	1.13	0.005	0.09	0.5	0.03	2.7	0.2	<0.05	4	0.5	<0.2
1638292	Soil	25	49	0.54	93	0.035	1	1.28	0.006	0.08	0.3	0.05	2.7	0.2	<0.05	4	<0.5	<0.2
1638293	Soil	17	36	0.37	81	0.054	2	1.26	0.006	0.07	0.6	0.04	2.3	0.2	<0.05	6	0.6	<0.2
1638294	Soil	20	30	0.38	85	0.040	2	1.24	0.006	0.08	0.3	0.05	2.0	0.2	<0.05	6	0.6	<0.2
1638295	Soil	17	29	0.26	63	0.049	1	1.20	0.005	0.06	0.4	0.06	1.8	0.2	<0.05	7	0.6	<0.2
1638296	Soil	17	23	0.28	65	0.023	2	1.24	0.004	0.04	0.4	0.05	1.5	0.2	<0.05	5	0.6	<0.2
1638297	Soil	18	28	0.35	83	0.035	1	1.40	0.006	0.06	0.4	0.06	2.3	0.2	<0.05	5	0.6	<0.2
1638298	Soil	15	22	0.14	51	0.010	2	0.72	0.006	0.06	0.2	0.09	0.4	0.2	0.07	4	0.5	<0.2
1638299	Soil	21	33	0.47	130	0.034	1	1.42	0.008	0.10	0.7	0.04	2.6	0.3	<0.05	5	0.6	<0.2
1638300	Soil	21	35	0.48	134	0.037	1	1.50	0.008	0.09	0.8	0.03	2.7	0.3	<0.05	5	0.6	<0.2
1638482	Soil	47	46	0.37	89	0.039	<1	1.17	0.012	0.19	22.2	0.05	4.9	0.8	0.10	4	1.2	<0.2
1638483	Soil	54	19	0.10	47	0.006	2	0.54	0.004	0.11	11.5	0.03	3.1	0.8	0.10	2	1.3	<0.2
1638484	Soil	41	19	0.19	53	0.010	1	0.86	0.005	0.07	3.8	0.03	2.0	0.6	<0.05	3	0.9	<0.2
1638485	Soil	41	17	0.13	52	0.008	2	0.58	0.004	0.07	2.7	0.04	1.7	0.6	<0.05	2	0.8	<0.2
1638486	Soil	24	30	0.37	82	0.037	1	1.23	0.008	0.08	15.0	0.03	2.5	0.4	<0.05	4	0.8	<0.2
1638487	Soil	27	57	0.56	110	0.051	1	1.64	0.009	0.17	4.4	0.04	3.0	0.5	0.08	6	0.9	<0.2
1638488	Soil	20	32	0.36	76	0.034	1	1.77	0.009	0.12	2.7	0.07	1.7	0.4	0.11	6	0.9	<0.2
1638489	Soil	29	23	0.30	61	0.027	<1	1.14	0.007	0.10	2.8	0.04	1.4	0.3	0.07	4	0.7	<0.2
1638490	Soil	27	30	0.48	79	0.043	<1	1.59	0.006	0.16	1.6	0.02	2.7	0.5	0.09	5	<0.5	<0.2
1638491	Soil	21	49	0.55	90	0.058	<1	1.64	0.006	0.14	0.5	0.02	3.0	0.3	<0.05	5	<0.5	<0.2
1638492	Soil	32	26	0.49	89	0.042	<1	1.37	0.005	0.17	0.6	0.02	2.9	0.6	<0.05	5	0.6	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Sitka Gold Corp.**
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: Barney Ridge
Report Date: October 21, 2020

Page: 3 of 9

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000325.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	0.1	1	0.1	0.1	2	0.01	0.001
1638493	Soil	1.4	34.3	12.9	62	<0.1	21.0	6.6	210	3.46	59.6	1.3	15.6	5.5	14	<0.1	0.9	0.5	45	0.06	0.043
1638494	Soil	1.4	33.4	9.7	66	<0.1	23.7	10.6	233	2.98	93.4	1.2	19.2	7.5	11	0.2	1.1	0.7	36	0.07	0.040
1638495	Soil	1.5	32.2	10.4	73	<0.1	24.0	8.8	227	3.06	86.0	1.5	19.4	5.3	13	0.2	1.0	0.7	45	0.12	0.055
1638496	Soil	1.0	22.2	9.2	55	<0.1	17.4	5.6	144	2.46	62.7	1.0	8.4	3.5	11	<0.1	0.7	0.5	41	0.11	0.044
1638497	Soil	1.0	15.2	10.5	44	<0.1	13.8	5.9	175	2.27	56.5	0.9	16.8	0.9	10	0.1	0.7	0.6	39	0.08	0.043
1638498	Soil	1.2	20.3	9.6	65	<0.1	20.7	10.0	307	2.62	72.6	1.0	25.1	2.2	10	0.2	0.8	0.4	44	0.09	0.049
1464938	Soil	0.8	45.0	17.3	91	0.2	48.7	28.8	624	4.00	51.9	2.5	3.1	16.6	14	0.2	0.8	0.5	26	0.10	0.052
1464939	Soil	0.8	39.8	44.8	74	0.6	24.6	11.1	289	3.73	560.6	1.8	24.0	8.6	12	0.3	1.6	3.5	28	0.07	0.049
1464940	Soil	0.6	43.6	19.2	68	0.5	25.1	23.0	572	3.70	315.7	2.6	11.1	19.8	14	0.1	1.2	2.3	22	0.06	0.041
1464941	Soil	1.2	69.8	15.3	93	0.5	41.0	23.7	512	5.75	492.6	5.0	44.8	16.4	20	0.1	2.3	1.8	25	0.11	0.069
1464942	Soil	1.1	61.2	12.8	92	0.6	40.7	20.0	427	4.99	395.8	3.8	26.2	12.2	23	0.1	2.1	2.0	29	0.14	0.054
1464943	Soil	2.2	67.4	19.9	96	1.3	31.7	26.7	1242	5.42	2739.7	8.4	294.6	5.5	28	0.3	4.2	8.7	44	0.25	0.122
1464944	Soil	1.1	18.6	11.7	54	0.4	21.3	9.1	306	2.94	70.1	0.7	5.4	3.2	9	<0.1	1.0	0.4	47	0.07	0.028
1464945	Soil	1.0	37.3	9.2	57	0.2	20.5	8.7	250	3.40	71.7	1.4	9.5	11.4	12	0.1	1.1	0.7	32	0.11	0.054
1464946	Soil	1.3	27.7	12.4	59	0.3	24.5	10.8	305	3.19	170.6	1.4	13.9	5.8	17	0.2	0.9	0.8	54	0.15	0.061
1464947	Soil	1.3	20.1	11.5	54	0.1	19.2	9.0	341	3.27	150.3	1.1	15.8	5.5	12	0.2	0.8	0.6	60	0.09	0.056
1464951	Soil	1.2	28.6	9.7	63	0.1	28.5	10.0	272	3.54	128.0	1.3	36.5	3.8	14	0.2	1.0	0.6	56	0.09	0.053
1464952	Soil	1.5	22.9	10.8	49	0.5	19.3	5.9	178	3.14	205.2	1.1	33.1	4.9	13	0.2	1.0	0.9	54	0.07	0.048
1464953	Soil	1.3	20.2	10.3	49	0.2	17.3	5.9	188	2.87	141.9	1.1	23.1	1.2	11	0.2	0.7	0.7	50	0.06	0.055
1464954	Soil	1.1	16.6	10.3	40	<0.1	13.2	4.8	119	2.51	127.4	1.1	11.3	0.8	9	<0.1	0.7	0.7	42	0.06	0.046
1464955	Soil	1.0	17.5	9.7	51	<0.1	15.6	7.0	241	2.60	70.8	1.0	12.2	1.3	10	<0.1	0.6	0.4	44	0.07	0.055
1464956	Soil	1.1	25.5	9.6	60	<0.1	20.6	9.0	259	2.94	168.2	1.2	12.1	3.8	13	0.1	1.0	0.6	42	0.07	0.052
1464957	Soil	1.3	28.1	11.4	62	<0.1	21.4	9.6	350	3.46	248.1	1.4	13.7	3.5	15	0.2	1.1	0.8	51	0.07	0.060
1464958	Soil	1.4	19.1	10.1	56	0.1	20.4	8.9	311	3.22	110.1	0.9	21.2	5.1	12	0.2	0.9	0.6	56	0.07	0.040
1464959	Soil	1.1	32.3	9.7	63	0.1	31.4	12.6	331	3.14	127.3	1.6	33.7	3.1	18	0.2	0.9	0.7	49	0.13	0.057
1464960	Soil	1.4	29.9	12.2	59	<0.1	24.0	8.6	285	3.54	58.8	1.5	13.2	3.3	11	0.1	1.1	0.4	43	0.07	0.062
1638376	Soil	1.2	42.3	16.8	53	1.4	12.9	5.1	92	2.99	781.8	2.4	194.9	9.7	8	0.2	6.0	4.7	20	0.03	0.054
1638377	Soil	0.8	40.9	62.8	89	1.1	18.6	7.4	112	2.92	960.6	1.9	61.3	14.7	10	0.4	8.7	3.7	20	0.05	0.046
1638378	Soil	1.3	41.8	13.1	59	0.2	20.7	7.6	251	3.43	725.0	1.6	49.1	3.9	13	0.2	2.6	2.6	45	0.07	0.064
1638379	Soil	1.0	42.6	11.2	69	0.1	48.4	14.6	280	3.96	740.6	2.1	70.1	9.2	20	0.2	3.2	2.6	49	0.12	0.064



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Sitka Gold Corp.**
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: Barney Ridge
Report Date: October 21, 2020

Page: 3 of 9

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000325.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	0.2
1638493	Soil	25	29	0.54	101	0.048	<1	1.86	0.008	0.23	0.4	0.03	3.0	0.4	0.08	6	0.6	<0.2
1638494	Soil	22	25	0.46	93	0.049	<1	1.46	0.006	0.15	3.0	0.02	2.6	0.3	0.05	5	0.5	<0.2
1638495	Soil	24	29	0.49	92	0.056	1	1.62	0.007	0.13	3.0	0.02	2.9	0.3	<0.05	5	0.6	<0.2
1638496	Soil	22	26	0.45	73	0.048	1	1.59	0.005	0.09	1.1	0.03	2.3	0.3	<0.05	5	<0.5	<0.2
1638497	Soil	15	22	0.30	66	0.023	1	1.29	0.004	0.05	0.6	0.04	1.3	0.2	<0.05	4	<0.5	<0.2
1638498	Soil	16	26	0.41	71	0.037	1	1.38	0.005	0.07	0.7	0.04	2.1	0.2	<0.05	5	0.5	<0.2
1464938	Soil	45	21	0.52	73	0.012	<1	1.37	0.004	0.04	0.1	0.01	2.2	<0.1	<0.05	4	<0.5	<0.2
1464939	Soil	37	19	0.35	63	0.012	<1	1.12	0.004	0.04	0.6	0.02	1.6	<0.1	<0.05	4	<0.5	<0.2
1464940	Soil	52	16	0.40	33	0.005	<1	1.16	0.004	0.04	0.1	<0.01	1.9	<0.1	<0.05	4	<0.5	<0.2
1464941	Soil	50	26	0.58	66	0.011	<1	1.55	0.008	0.06	0.3	0.04	2.6	0.1	<0.05	5	0.6	<0.2
1464942	Soil	46	31	0.67	83	0.016	<1	1.75	0.008	0.11	0.2	0.02	3.2	0.3	<0.05	6	0.7	<0.2
1464943	Soil	30	34	0.59	196	0.035	2	2.18	0.016	0.13	1.1	0.09	4.8	0.3	0.07	6	1.2	0.3
1464944	Soil	17	25	0.35	77	0.038	1	1.51	0.004	0.05	0.3	0.05	2.2	0.1	<0.05	5	<0.5	<0.2
1464945	Soil	30	26	0.48	76	0.028	<1	1.22	0.005	0.07	0.2	0.02	2.1	0.2	<0.05	4	<0.5	<0.2
1464946	Soil	23	53	0.63	165	0.052	1	1.63	0.008	0.14	0.4	0.04	3.0	0.3	<0.05	6	0.6	<0.2
1464947	Soil	17	41	0.40	100	0.052	2	1.60	0.006	0.08	0.4	0.05	2.8	0.2	<0.05	6	<0.5	<0.2
1464951	Soil	19	58	0.71	109	0.045	2	1.77	0.007	0.13	0.9	0.04	3.5	0.3	<0.05	6	<0.5	<0.2
1464952	Soil	19	49	0.43	78	0.044	2	1.37	0.007	0.08	0.3	0.08	2.6	0.3	<0.05	6	0.5	<0.2
1464953	Soil	19	47	0.43	77	0.030	1	1.41	0.005	0.07	0.3	0.04	1.8	0.2	<0.05	5	0.6	<0.2
1464954	Soil	18	29	0.32	77	0.019	1	1.30	0.004	0.05	0.3	0.05	1.3	0.2	<0.05	5	<0.5	<0.2
1464955	Soil	15	30	0.38	91	0.026	2	1.51	0.005	0.05	0.3	0.05	1.9	0.2	<0.05	5	<0.5	<0.2
1464956	Soil	21	31	0.42	80	0.036	1	1.37	0.005	0.07	0.9	0.04	2.3	0.2	<0.05	4	<0.5	<0.2
1464957	Soil	22	42	0.46	102	0.044	<1	1.70	0.005	0.09	0.7	0.03	2.6	0.3	<0.05	5	<0.5	<0.2
1464958	Soil	19	42	0.44	78	0.055	2	1.40	0.005	0.07	0.3	0.05	2.5	0.2	<0.05	6	0.5	<0.2
1464959	Soil	23	52	0.57	125	0.037	1	1.51	0.006	0.09	0.5	0.03	3.0	0.3	<0.05	5	<0.5	<0.2
1464960	Soil	30	41	0.46	73	0.027	<1	1.36	0.004	0.06	0.2	0.03	2.1	0.2	<0.05	5	<0.5	<0.2
1638376	Soil	48	14	0.13	49	0.006	1	0.62	0.004	0.08	3.4	0.04	2.3	0.7	<0.05	2	0.9	<0.2
1638377	Soil	41	13	0.13	49	0.007	<1	0.52	0.003	0.07	2.5	0.02	3.1	0.7	<0.05	2	0.7	<0.2
1638378	Soil	31	35	0.42	93	0.035	<1	1.62	0.007	0.12	4.4	0.03	2.6	0.6	0.05	5	0.7	<0.2
1638379	Soil	32	81	0.74	117	0.053	<1	1.66	0.007	0.25	4.7	0.02	4.6	0.8	0.06	5	0.6	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Sitka Gold Corp.**
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: Barney Ridge
Report Date: October 21, 2020

Page: 4 of 9

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000325.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL
1638380	Soil	1.1	35.1	10.4	57	<0.1	26.4	7.7	200	3.59	434.8	1.4	31.8	6.4	16	0.1	1.4	2.0	50	0.06	0.055
1638381	Soil	1.0	39.9	9.0	57	0.1	26.4	8.1	213	3.52	709.6	1.3	150.8	8.5	17	0.1	1.3	3.2	47	0.08	0.048
1638382	Soil	0.7	28.9	8.4	55	0.1	32.9	8.9	191	3.02	365.5	1.2	53.6	4.9	14	0.1	1.5	1.3	43	0.10	0.059
1638383	Soil	0.9	39.0	10.3	52	0.1	23.8	7.3	200	3.64	667.2	1.5	66.8	6.6	20	0.1	1.6	2.2	47	0.07	0.050
1638384	Soil	1.0	40.0	11.7	60	0.1	23.1	9.5	253	3.62	459.4	1.6	97.3	6.4	20	0.1	2.5	1.5	45	0.08	0.054
1638385	Soil	1.3	40.8	13.1	65	0.1	25.2	8.8	274	3.50	665.3	1.9	28.6	4.1	20	0.2	1.8	1.3	46	0.09	0.072
1638386	Soil	1.1	33.6	10.2	68	<0.1	24.6	9.0	262	3.38	358.9	1.5	28.7	6.2	17	0.1	1.6	1.1	46	0.11	0.059
1638387	Soil	1.0	30.7	9.5	60	<0.1	20.6	7.7	211	2.97	264.8	1.4	21.6	5.2	14	0.1	1.4	0.9	44	0.10	0.052
1638388	Soil	0.7	31.2	8.0	62	0.2	21.6	9.3	220	2.50	210.4	1.4	19.7	5.6	15	0.2	0.9	0.6	40	0.16	0.073
1638389	Soil	0.7	17.6	7.9	51	<0.1	15.4	5.9	183	2.23	104.9	0.9	24.9	2.8	13	0.1	0.8	0.5	38	0.13	0.057
1638390	Soil	1.1	17.9	9.2	66	<0.1	19.1	8.6	311	2.73	104.2	0.9	15.9	3.4	13	0.1	0.9	0.5	48	0.12	0.050
1638391	Soil	1.0	22.3	8.2	63	<0.1	21.9	9.5	329	2.73	199.9	1.1	27.0	4.7	16	0.2	1.0	0.7	47	0.17	0.070
1638392	Soil	1.2	21.6	9.1	66	<0.1	22.1	8.8	293	2.71	156.0	1.2	39.4	2.1	13	0.2	0.9	0.6	48	0.11	0.066
1638393	Soil	1.4	24.0	11.8	67	0.1	21.0	17.2	750	3.14	213.0	1.2	37.0	1.7	14	0.2	1.2	1.1	49	0.11	0.070
1638394	Soil	1.7	17.1	10.8	47	0.1	14.4	5.9	206	3.88	90.2	1.0	11.1	3.3	9	0.2	0.7	0.4	66	0.06	0.040
1638395	Soil	1.0	23.5	9.4	54	<0.1	27.6	8.9	236	3.39	200.0	1.2	50.1	5.6	11	0.3	0.8	0.6	63	0.06	0.041
1464961	Soil	0.8	21.6	9.1	74	<0.1	32.1	15.9	467	3.04	34.9	1.3	2.6	8.1	19	0.1	0.7	0.3	74	0.17	0.072
1464962	Soil	1.1	20.7	11.1	56	<0.1	25.2	11.4	327	2.97	67.7	0.8	4.1	3.1	13	<0.1	0.8	0.3	47	0.10	0.045
1464963	Soil	1.1	57.7	37.6	83	3.2	22.4	10.5	356	4.70	388.5	2.6	13.4	8.8	15	0.1	4.7	0.9	31	0.07	0.077
1464964	Soil	1.2	58.5	22.2	93	1.2	33.0	24.1	741	4.74	876.8	3.7	35.6	8.8	23	0.2	2.9	2.0	35	0.09	0.095
1464965	Soil	1.0	44.6	17.2	85	0.5	45.1	27.3	751	4.07	636.6	2.7	19.3	9.9	17	0.2	2.5	1.7	34	0.11	0.071
1464966	Soil	1.0	50.8	14.4	76	0.4	45.6	20.9	458	4.91	677.1	4.0	46.7	18.9	25	0.1	2.2	2.5	39	0.12	0.059
1464967	Soil	1.5	40.8	17.2	75	0.4	29.6	12.7	363	4.01	260.8	2.3	10.7	5.6	15	0.2	1.2	1.2	47	0.09	0.076
1464968	Soil	1.0	45.7	17.6	79	0.4	37.0	17.3	373	4.17	195.8	2.8	7.5	20.0	10	0.1	1.5	1.2	20	0.03	0.040
1464969	Soil	1.1	25.3	13.8	59	0.2	25.5	11.7	315	3.17	308.7	1.3	13.0	5.6	13	0.2	1.0	0.7	50	0.09	0.058
1464970	Soil	1.3	43.0	16.4	79	0.1	72.4	23.0	469	3.98	344.4	2.0	10.9	10.8	20	0.3	1.2	0.7	57	0.14	0.062
1464971	Soil	1.5	15.9	13.2	44	0.2	14.3	6.2	262	3.39	129.9	0.9	7.5	5.8	9	<0.1	0.9	0.6	53	0.06	0.045
1464972	Soil	1.2	25.4	15.1	55	0.5	16.0	6.1	230	3.25	205.8	1.1	8.2	4.1	9	0.1	2.1	1.2	46	0.05	0.036
1464973	Soil	0.8	21.5	12.3	50	0.9	19.1	7.3	218	2.66	366.5	1.0	37.6	3.4	11	0.2	3.7	0.5	37	0.08	0.046
1464974	Soil	1.3	21.9	13.8	56	0.3	21.2	8.8	298	2.93	266.8	1.0	14.8	4.6	10	0.1	2.0	0.6	49	0.07	0.033



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Sitka Gold Corp.**
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: Barney Ridge
Report Date: October 21, 2020

Page: 4 of 9

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000325.1

Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	TI ppm	S %	Ga ppm	Se ppm	Te ppm	
1638380	Soil	28	61	0.60	87	0.058	<1	1.92	0.008	0.20	3.4	0.03	2.9	0.5	0.07	6	0.6	<0.2
1638381	Soil	26	77	0.74	117	0.073	<1	1.83	0.013	0.32	4.2	0.02	3.6	0.7	0.12	5	<0.5	<0.2
1638382	Soil	23	66	0.56	75	0.041	<1	1.44	0.006	0.20	2.2	0.03	2.7	0.5	<0.05	4	<0.5	<0.2
1638383	Soil	28	57	0.60	110	0.054	<1	1.69	0.009	0.20	4.4	0.02	3.6	0.6	0.07	6	0.6	<0.2
1638384	Soil	26	36	0.50	104	0.047	<1	1.68	0.010	0.18	3.2	0.02	3.2	0.5	0.06	6	0.7	<0.2
1638385	Soil	25	36	0.49	123	0.041	1	1.78	0.009	0.14	2.2	0.03	3.1	0.5	0.06	6	0.6	<0.2
1638386	Soil	25	34	0.54	98	0.060	<1	1.76	0.008	0.14	2.9	0.02	3.3	0.4	<0.05	5	<0.5	<0.2
1638387	Soil	23	30	0.48	89	0.049	<1	1.62	0.007	0.11	2.1	0.02	2.9	0.3	<0.05	5	<0.5	<0.2
1638388	Soil	23	27	0.44	102	0.051	<1	1.35	0.006	0.10	2.2	0.03	3.0	0.2	<0.05	4	<0.5	<0.2
1638389	Soil	19	25	0.36	69	0.037	<1	1.30	0.005	0.07	1.4	0.03	2.1	0.2	<0.05	4	<0.5	<0.2
1638390	Soil	19	29	0.41	93	0.046	<1	1.43	0.005	0.07	1.4	0.04	2.6	0.2	<0.05	4	<0.5	<0.2
1638391	Soil	21	30	0.43	90	0.053	<1	1.15	0.007	0.09	2.7	0.02	2.4	0.2	<0.05	4	<0.5	<0.2
1638392	Soil	18	31	0.47	93	0.039	<1	1.50	0.007	0.08	1.7	0.02	2.5	0.2	<0.05	5	<0.5	<0.2
1638393	Soil	18	36	0.51	98	0.048	<1	1.71	0.007	0.12	5.2	0.05	2.5	0.3	0.06	6	0.5	<0.2
1638394	Soil	16	35	0.32	59	0.074	1	1.89	0.004	0.07	1.6	0.07	2.6	0.2	0.06	8	0.7	<0.2
1638395	Soil	23	50	0.68	78	0.091	<1	2.26	0.006	0.18	2.8	0.05	3.7	0.3	0.06	7	<0.5	<0.2
1464961	Soil	23	152	1.10	282	0.100	<1	1.85	0.007	0.44	0.3	0.02	7.2	0.6	<0.05	6	<0.5	<0.2
1464962	Soil	17	31	0.46	102	0.037	<1	1.79	0.006	0.05	0.2	0.03	2.7	0.2	<0.05	5	<0.5	<0.2
1464963	Soil	42	25	0.45	54	0.014	<1	1.44	0.006	0.05	0.3	0.06	1.8	0.1	0.06	5	<0.5	<0.2
1464964	Soil	41	26	0.46	90	0.024	<1	1.54	0.011	0.07	0.6	0.07	2.5	0.1	0.08	5	0.6	<0.2
1464965	Soil	35	25	0.41	91	0.024	<1	1.38	0.007	0.06	0.7	0.04	2.6	0.1	<0.05	4	<0.5	<0.2
1464966	Soil	47	41	0.71	119	0.022	2	1.72	0.005	0.16	0.5	0.02	4.7	0.3	<0.05	5	<0.5	<0.2
1464967	Soil	28	34	0.53	77	0.023	2	1.80	0.007	0.07	0.4	0.03	2.1	0.2	<0.05	5	0.5	<0.2
1464968	Soil	50	21	0.38	43	0.005	1	1.07	0.003	0.04	0.1	0.01	2.3	<0.1	<0.05	4	<0.5	<0.2
1464969	Soil	19	40	0.49	99	0.037	2	1.73	0.006	0.07	0.5	0.04	2.7	0.2	<0.05	5	<0.5	<0.2
1464970	Soil	28	90	0.62	132	0.037	1	1.51	0.008	0.16	0.3	0.03	5.4	0.4	0.06	5	<0.5	<0.2
1464971	Soil	19	30	0.23	51	0.038	2	1.28	0.004	0.05	0.4	0.05	1.9	0.2	<0.05	6	<0.5	<0.2
1464972	Soil	22	26	0.32	66	0.026	2	1.33	0.005	0.05	0.3	0.05	1.7	0.2	<0.05	5	<0.5	<0.2
1464973	Soil	18	24	0.34	86	0.023	2	1.28	0.005	0.04	0.4	0.04	2.1	0.2	<0.05	4	<0.5	<0.2
1464974	Soil	20	28	0.35	76	0.036	2	1.43	0.005	0.06	0.7	0.06	2.2	0.2	<0.05	5	0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Sitka Gold Corp.**
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: Barney Ridge
Report Date: October 21, 2020

Page: 5 of 9

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000325.1

Method Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	2	0.01	0.001	
1464975	Soil		1.2	21.3	13.4	56	0.3	21.0	9.2	305	3.03	268.8	1.0	13.0	5.2	10	0.1	1.8	0.6	47	0.07	0.030
1464976	Soil		1.1	31.8	14.3	63	0.1	24.8	9.5	276	3.59	459.0	1.4	89.4	9.1	11	0.2	2.0	1.2	43	0.08	0.037
1464977	Soil		1.3	35.6	13.7	50	0.2	21.6	9.0	210	3.62	759.6	1.5	75.8	8.4	16	0.2	1.9	1.8	43	0.06	0.052
1464978	Soil		1.6	30.2	16.3	46	0.2	17.6	6.6	229	3.26	581.4	1.1	51.2	4.3	13	0.1	1.1	1.5	43	0.06	0.062
1464979	Soil		1.6	28.8	19.2	54	0.3	19.4	6.7	225	3.49	723.1	1.4	78.5	3.2	13	0.1	2.0	1.7	45	0.06	0.051
1464980	Soil		1.5	27.9	12.6	58	0.2	18.8	8.6	295	3.19	541.2	1.7	31.9	2.5	14	0.2	1.0	1.2	45	0.07	0.055
1464981	Soil		1.5	27.4	15.3	63	0.1	20.1	11.4	382	3.29	605.9	1.5	39.7	3.8	16	0.2	1.1	1.4	45	0.07	0.061
1464982	Soil		2.7	43.6	21.3	66	0.3	19.9	10.1	247	4.04	533.7	1.7	49.9	7.1	16	0.2	1.3	1.2	35	0.05	0.067
1464983	Soil		1.4	34.4	23.2	66	0.4	23.5	10.0	276	3.35	610.4	1.6	62.0	5.1	15	0.3	1.6	1.4	40	0.06	0.057
1464984	Soil		1.2	40.8	12.6	63	0.2	28.8	10.0	233	3.61	617.6	1.7	85.1	7.1	18	0.2	1.3	1.7	49	0.07	0.050
1464985	Soil		1.2	43.5	14.3	63	0.3	26.7	11.2	238	3.66	589.9	1.7	160.6	10.7	18	0.1	1.8	1.3	38	0.07	0.056
1464986	Soil		1.1	41.8	20.6	66	0.5	29.0	14.1	254	3.49	746.4	1.9	69.7	11.1	20	0.1	2.8	1.3	39	0.11	0.051
1464987	Soil		1.1	37.0	33.7	74	6.6	32.9	12.5	386	3.39	424.0	1.8	85.1	11.1	16	0.2	19.3	0.9	27	0.05	0.049
1464988	Soil		1.2	36.0	16.5	72	0.5	23.1	10.6	367	3.82	334.2	1.8	18.3	10.6	15	0.3	5.7	0.9	40	0.06	0.050
1464989	Soil		1.2	43.3	11.5	54	0.3	21.2	9.8	265	2.89	845.9	1.2	41.9	5.8	15	0.2	1.4	1.9	37	0.10	0.050
1464990	Soil		1.1	22.1	12.1	52	0.1	17.4	6.2	224	2.98	506.1	0.9	13.0	4.4	10	0.1	1.1	1.0	46	0.06	0.038
1464991	Soil		1.4	23.9	14.8	64	0.4	19.9	10.5	338	3.35	321.0	1.3	13.1	8.1	12	0.2	1.5	0.7	51	0.08	0.045
1464992	Soil		1.5	20.8	15.1	59	0.1	18.7	8.4	271	3.52	342.1	1.0	12.3	5.8	16	0.2	1.8	1.0	62	0.10	0.050
1464993	Soil		1.4	16.2	16.1	49	0.7	15.1	6.8	234	3.02	344.7	0.9	22.9	2.5	11	0.2	2.5	0.7	55	0.07	0.057
1464994	Soil		1.2	21.5	16.4	53	1.9	18.4	8.7	261	3.19	356.7	0.9	24.6	6.2	11	0.2	2.4	0.7	51	0.07	0.044
1464995	Soil		1.6	21.9	21.7	50	2.0	18.3	6.2	189	3.13	417.0	1.1	67.2	4.1	11	0.2	3.1	0.9	48	0.06	0.047
1464996	Soil		1.5	29.9	24.3	56	1.1	19.6	6.7	179	3.56	503.2	1.3	39.0	9.7	18	0.1	2.4	1.4	43	0.05	0.046
1464997	Soil		1.3	24.8	14.1	52	0.3	19.0	7.2	175	2.87	327.0	1.3	25.0	2.6	12	0.1	1.0	0.8	42	0.06	0.054
1464998	Soil		1.1	83.5	15.2	70	0.5	40.1	23.6	382	4.80	1068.0	2.4	448.1	13.8	33	0.1	5.5	8.1	49	0.09	0.069
1464999	Soil		1.5	50.2	22.3	68	1.5	24.5	11.6	184	3.73	1158.1	2.6	125.5	18.8	15	0.3	6.5	3.6	26	0.04	0.061
1465000	Soil		1.4	49.6	20.3	65	1.4	24.8	11.8	191	3.79	1222.6	2.7	156.3	18.9	17	0.3	6.7	4.0	26	0.05	0.065
1545933	Soil		1.7	61.8	105.6	87	0.7	25.9	14.6	262	4.24	615.7	3.1	106.3	17.5	19	0.3	7.2	2.8	40	0.06	0.072
1545934	Soil		1.0	59.7	26.0	152	2.0	27.5	13.2	160	4.67	624.7	3.3	86.2	21.9	9	0.4	9.7	3.0	22	0.01	0.063
1545935	Soil		1.2	29.1	24.9	37	1.9	9.3	2.9	50	2.24	698.3	1.9	645.8	16.4	7	0.1	10.5	3.1	17	0.02	0.041
1545936	Soil		1.2	51.0	15.5	74	0.5	23.6	9.7	216	3.78	1268.1	1.7	89.8	10.5	17	0.3	6.5	6.9	58	0.06	0.060



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Sitka Gold Corp.**
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: Barney Ridge
Report Date: October 21, 2020

Page: 5 of 9

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000325.1

Method Analyte Unit MDL	AQ201																	
	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te	
	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	0.2
1464975	Soil	19	28	0.36	76	0.036	2	1.44	0.005	0.06	0.5	0.04	2.4	0.2	<0.05	4	<0.5	<0.2
1464976	Soil	26	29	0.41	80	0.034	1	1.46	0.005	0.07	0.5	0.05	2.7	0.2	0.05	5	<0.5	<0.2
1464977	Soil	24	28	0.38	78	0.031	1	1.42	0.010	0.10	0.6	0.05	2.2	0.3	0.06	5	0.6	<0.2
1464978	Soil	25	29	0.33	70	0.035	1	1.25	0.008	0.09	0.9	0.04	1.8	0.3	<0.05	5	0.5	<0.2
1464979	Soil	26	34	0.38	78	0.027	1	1.40	0.007	0.08	0.4	0.04	1.8	0.3	0.07	5	<0.5	<0.2
1464980	Soil	23	28	0.37	84	0.029	1	1.46	0.008	0.07	1.2	0.05	1.7	0.2	0.06	5	<0.5	<0.2
1464981	Soil	21	28	0.44	101	0.034	1	1.72	0.007	0.08	0.5	0.04	2.2	0.2	<0.05	6	<0.5	<0.2
1464982	Soil	23	29	0.46	98	0.027	<1	1.42	0.016	0.11	0.8	0.03	2.2	0.4	0.21	5	<0.5	<0.2
1464983	Soil	26	34	0.45	96	0.033	1	1.54	0.010	0.11	1.7	0.05	2.2	0.3	0.09	5	<0.5	<0.2
1464984	Soil	25	45	0.58	114	0.040	1	1.71	0.010	0.12	1.4	0.04	3.0	0.4	<0.05	5	<0.5	<0.2
1464985	Soil	31	31	0.46	89	0.038	<1	1.44	0.007	0.15	0.8	0.03	2.3	0.3	0.08	5	<0.5	<0.2
1464986	Soil	28	31	0.46	123	0.034	<1	1.41	0.007	0.11	0.6	0.03	2.9	0.3	<0.05	4	<0.5	<0.2
1464987	Soil	39	27	0.23	73	0.015	2	0.94	0.004	0.07	0.4	0.05	2.1	0.2	<0.05	3	<0.5	<0.2
1464988	Soil	32	25	0.36	82	0.029	1	1.34	0.005	0.07	0.5	0.04	2.1	0.1	<0.05	4	<0.5	<0.2
1464989	Soil	22	23	0.40	79	0.030	1	1.34	0.009	0.06	1.0	0.05	2.1	0.1	<0.05	4	0.6	<0.2
1464990	Soil	20	26	0.36	70	0.031	1	1.48	0.006	0.05	0.5	0.05	1.9	0.1	<0.05	5	<0.5	<0.2
1464991	Soil	21	28	0.39	89	0.039	1	1.70	0.007	0.06	0.5	0.05	2.4	0.2	<0.05	5	<0.5	<0.2
1464992	Soil	20	52	0.40	108	0.052	1	1.44	0.007	0.08	0.7	0.04	2.8	0.2	<0.05	6	<0.5	<0.2
1464993	Soil	19	30	0.28	65	0.032	1	1.53	0.005	0.04	0.3	0.06	1.6	0.2	0.07	6	<0.5	<0.2
1464994	Soil	19	26	0.31	71	0.034	1	1.36	0.005	0.05	0.4	0.06	2.1	0.2	0.05	5	<0.5	<0.2
1464995	Soil	23	30	0.26	81	0.029	<1	1.18	0.004	0.06	0.5	0.06	1.7	0.2	<0.05	6	<0.5	<0.2
1464996	Soil	30	30	0.41	95	0.037	1	1.33	0.007	0.09	0.9	0.04	2.0	0.4	0.09	5	<0.5	<0.2
1464997	Soil	22	29	0.33	80	0.024	1	1.29	0.006	0.06	0.7	0.04	1.3	0.3	0.05	5	<0.5	<0.2
1464998	Soil	30	35	0.53	112	0.054	<1	1.56	0.028	0.27	76.4	0.03	4.7	0.9	0.22	5	1.6	0.2
1464999	Soil	46	25	0.16	70	0.007	<1	0.76	0.010	0.09	3.4	0.04	3.6	0.7	0.09	3	0.8	<0.2
1465000	Soil	44	24	0.17	76	0.009	1	0.77	0.015	0.09	3.4	0.04	3.6	0.6	0.11	2	0.7	<0.2
1545933	Soil	44	54	0.46	97	0.040	<1	1.34	0.012	0.23	8.7	0.04	4.3	1.1	0.11	4	0.9	<0.2
1545934	Soil	50	18	0.18	28	0.004	2	0.69	0.003	0.09	2.9	0.04	4.1	0.9	0.08	3	0.5	<0.2
1545935	Soil	57	13	0.06	31	0.005	2	0.33	0.003	0.06	4.8	0.04	1.9	0.5	<0.05	2	0.6	<0.2
1545936	Soil	32	42	0.36	77	0.025	2	1.46	0.009	0.09	8.3	0.03	5.4	1.2	0.08	5	1.2	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Sitka Gold Corp.
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: Barney Ridge
Report Date: October 21, 2020

Page: 6 of 9

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000325.1

Method Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	2	0.01	0.001	
1545937	Soil		1.3	35.5	15.1	51	0.3	20.6	6.0	230	3.75	803.3	1.3	28.0	7.9	15	0.1	2.0	3.1	50	0.05	0.058
1545938	Soil		1.3	32.9	13.0	58	0.3	19.5	9.6	365	3.71	331.4	1.4	16.4	7.0	13	0.1	1.3	1.2	51	0.06	0.068
1545939	Soil		1.5	20.3	12.4	54	<0.1	15.4	5.7	240	2.87	152.6	1.0	11.5	2.7	11	0.1	1.1	0.7	54	0.06	0.051
1545940	Soil		1.3	39.8	11.8	63	0.2	19.9	10.6	333	3.81	982.5	1.6	62.9	10.3	27	0.2	2.7	2.7	39	0.08	0.060
1545941	Soil		1.4	48.8	14.1	58	0.1	18.2	10.4	255	3.51	711.8	2.1	45.5	13.0	23	0.1	1.7	3.2	34	0.07	0.060
1545942	Soil		1.3	44.1	20.3	63	0.1	19.8	8.1	218	3.80	550.6	2.2	30.0	14.0	28	0.2	1.7	2.0	42	0.07	0.050
1545943	Soil		1.3	33.2	10.5	74	<0.1	24.8	10.7	239	3.54	103.4	1.2	16.3	8.1	23	0.2	0.9	0.7	45	0.08	0.052
1545944	Soil		1.9	64.7	18.6	71	0.3	21.5	19.0	355	5.21	64.5	3.3	453.6	6.3	198	<0.1	0.8	5.9	41	0.37	0.134
1545945	Soil		1.8	39.0	13.9	68	<0.1	23.3	11.5	306	3.90	129.3	2.1	29.0	4.2	24	0.2	1.7	0.9	46	0.09	0.069
1545946	Soil		1.2	22.7	10.0	62	<0.1	18.7	8.6	314	2.87	111.0	1.1	12.3	5.5	15	0.2	0.8	0.6	45	0.12	0.059
1545947	Soil		1.4	21.8	10.6	57	<0.1	17.9	7.0	228	2.93	120.1	1.0	22.1	3.9	14	0.1	0.8	0.6	47	0.09	0.048
1545948	Soil		1.2	21.0	9.8	51	<0.1	17.0	5.8	179	2.57	168.4	1.1	16.5	3.0	13	<0.1	0.9	0.8	43	0.08	0.042
1545949	Soil		1.2	27.2	12.7	63	<0.1	21.9	9.2	278	2.87	175.8	1.4	25.1	3.3	14	0.1	1.0	0.7	47	0.11	0.067
1545950	Soil		1.1	20.7	11.5	47	<0.1	16.0	5.4	150	2.53	179.2	1.2	12.7	1.3	12	<0.1	0.9	0.8	48	0.07	0.062
1638476	Soil		0.9	29.5	9.6	61	0.1	21.2	7.6	260	2.52	154.6	1.4	21.6	6.8	16	0.2	1.0	0.7	43	0.16	0.076
1638477	Soil		1.2	27.9	10.6	64	0.1	23.3	8.9	276	2.75	116.0	1.4	15.1	3.6	14	0.2	1.0	0.8	52	0.13	0.063
1638478	Soil		1.2	39.1	9.9	69	<0.1	37.4	14.6	368	3.01	237.6	1.9	47.6	8.3	34	0.1	1.0	1.5	62	0.33	0.078
1638479	Soil		1.3	36.7	12.0	78	<0.1	45.0	15.8	376	3.39	227.9	2.0	217.3	6.5	20	0.2	0.9	0.9	61	0.19	0.059
1638480	Soil		1.8	34.7	9.8	81	0.1	56.4	14.6	328	2.75	281.7	1.5	46.0	6.6	33	0.2	0.8	1.3	51	0.32	0.077
1638481	Soil		2.2	16.4	11.7	54	0.1	18.0	5.6	203	2.92	297.6	1.2	30.9	6.2	16	0.2	0.7	1.8	68	0.11	0.045
1638301	Soil		1.5	17.2	13.8	50	0.2	19.0	6.4	213	2.92	126.3	1.0	5.8	2.7	11	0.1	0.8	0.4	51	0.09	0.055
1638302	Soil		1.4	21.7	13.3	58	0.2	22.2	10.5	353	3.00	147.3	1.1	16.8	4.7	14	0.2	1.0	0.5	48	0.11	0.062
1638303	Soil		1.4	23.1	13.6	56	0.1	24.3	9.9	300	2.98	178.3	1.2	14.5	3.9	14	0.2	1.0	0.6	51	0.09	0.062
1638304	Soil		0.9	30.1	9.6	67	0.2	31.3	14.3	305	2.94	245.7	1.4	20.4	6.8	15	0.2	1.3	0.7	43	0.11	0.050
1638305	Soil		1.3	18.8	15.2	60	0.2	25.3	9.4	311	3.46	263.1	1.0	9.4	4.2	14	0.3	1.1	0.9	59	0.10	0.053
1638306	Soil		1.5	23.2	15.8	69	0.6	25.1	11.3	423	3.74	259.5	1.0	7.4	8.6	14	0.2	1.1	0.6	56	0.09	0.072
1638307	Soil		1.6	33.2	13.4	66	1.2	27.8	11.7	412	3.76	413.1	1.6	17.3	4.3	21	0.1	1.3	0.7	64	0.09	0.063
1638308	Soil		1.3	22.0	16.0	66	0.6	22.5	10.6	352	2.70	177.7	1.1	28.8	3.3	13	0.2	1.0	0.5	43	0.11	0.062
1638309	Soil		1.2	22.5	15.2	62	0.3	22.0	10.0	295	2.96	187.8	1.2	29.5	6.3	12	0.2	1.1	0.5	46	0.08	0.051
1638310	Soil		1.5	16.8	21.5	40	2.4	13.6	5.1	200	2.64	122.9	0.8	15.5	1.7	8	0.1	1.3	0.4	43	0.06	0.058



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Sitka Gold Corp.**
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: Barney Ridge
Report Date: October 21, 2020

Page: 6 of 9

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000325.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	0.2
1545937	Soil	25	41	0.40	82	0.048	1	1.52	0.010	0.13	9.3	0.06	2.2	0.4	0.10	7	0.7	<0.2
1545938	Soil	26	30	0.35	65	0.038	1	1.34	0.007	0.08	2.5	0.06	2.0	0.2	0.07	5	<0.5	<0.2
1545939	Soil	18	27	0.24	59	0.038	1	1.14	0.005	0.05	1.1	0.05	1.5	0.2	<0.05	6	<0.5	<0.2
1545940	Soil	28	29	0.44	86	0.039	1	1.51	0.011	0.14	2.2	0.05	2.3	0.3	0.09	4	0.8	<0.2
1545941	Soil	36	29	0.43	82	0.036	1	1.44	0.011	0.21	6.7	0.02	2.6	0.4	0.10	5	0.5	<0.2
1545942	Soil	34	35	0.60	102	0.048	<1	1.73	0.011	0.23	2.0	0.02	3.2	0.5	0.08	6	<0.5	<0.2
1545943	Soil	22	29	0.48	90	0.058	1	1.54	0.009	0.13	0.8	0.02	2.4	0.3	0.06	5	0.5	<0.2
1545944	Soil	16	19	1.16	269	0.095	<1	2.59	0.012	0.84	0.9	0.01	4.0	1.1	0.57	8	<0.5	0.7
1545945	Soil	24	31	0.47	84	0.041	2	1.64	0.005	0.14	1.4	0.03	2.2	0.5	0.08	6	0.7	<0.2
1545946	Soil	20	29	0.49	78	0.056	1	1.57	0.006	0.11	1.4	0.02	2.4	0.3	<0.05	5	0.7	<0.2
1545947	Soil	20	31	0.46	73	0.044	1	1.57	0.006	0.10	1.2	0.02	2.2	0.3	<0.05	5	<0.5	<0.2
1545948	Soil	21	28	0.39	75	0.041	<1	1.25	0.006	0.08	1.9	0.02	2.0	0.2	0.06	5	<0.5	<0.2
1545949	Soil	20	31	0.45	80	0.040	1	1.46	0.006	0.08	1.9	0.03	2.2	0.3	<0.05	5	0.5	<0.2
1545950	Soil	19	30	0.36	70	0.029	<1	1.34	0.005	0.07	1.3	0.04	1.4	0.3	0.07	6	<0.5	<0.2
1638476	Soil	22	29	0.42	89	0.052	<1	1.29	0.006	0.08	2.0	0.03	3.0	0.2	<0.05	4	<0.5	<0.2
1638477	Soil	19	33	0.48	99	0.057	<1	1.66	0.007	0.09	3.5	0.04	3.0	0.2	0.05	5	0.6	<0.2
1638478	Soil	22	45	0.69	147	0.082	<1	1.53	0.015	0.21	6.2	0.02	4.8	0.3	<0.05	6	<0.5	<0.2
1638479	Soil	22	53	0.72	169	0.066	2	1.99	0.007	0.10	2.9	0.03	4.1	0.3	<0.05	6	<0.5	<0.2
1638480	Soil	19	49	0.65	122	0.073	1	1.52	0.010	0.13	4.8	0.02	3.2	0.2	0.06	5	0.7	<0.2
1638481	Soil	18	34	0.37	112	0.096	1	1.28	0.006	0.11	4.6	0.05	2.4	0.2	0.06	7	0.7	<0.2
1638301	Soil	17	36	0.38	79	0.033	1	1.44	0.007	0.06	0.7	0.06	2.1	0.2	<0.05	6	<0.5	<0.2
1638302	Soil	23	36	0.43	92	0.039	<1	1.46	0.007	0.09	1.4	0.03	2.4	0.2	<0.05	5	<0.5	<0.2
1638303	Soil	20	41	0.49	92	0.040	<1	1.41	0.007	0.08	0.9	0.03	2.5	0.3	0.05	5	<0.5	<0.2
1638304	Soil	24	40	0.46	90	0.043	<1	1.21	0.006	0.09	1.3	0.04	2.8	0.3	<0.05	4	<0.5	<0.2
1638305	Soil	16	54	0.50	116	0.052	1	1.85	0.006	0.07	0.6	0.05	2.9	0.3	0.06	7	<0.5	<0.2
1638306	Soil	21	47	0.47	90	0.055	1	1.92	0.006	0.09	1.5	0.05	2.9	0.2	<0.05	6	<0.5	<0.2
1638307	Soil	21	59	0.79	130	0.060	1	2.09	0.010	0.28	13.4	0.04	4.1	0.6	0.08	7	<0.5	<0.2
1638308	Soil	23	34	0.38	77	0.032	1	1.32	0.006	0.08	0.9	0.04	1.9	0.2	<0.05	5	<0.5	<0.2
1638309	Soil	21	35	0.43	92	0.035	1	1.36	0.006	0.07	0.6	0.04	2.6	0.2	<0.05	5	<0.5	<0.2
1638310	Soil	16	24	0.20	52	0.024	<1	0.98	0.006	0.04	0.3	0.06	1.2	0.2	0.06	5	0.7	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Sitka Gold Corp.
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: Barney Ridge
Report Date: October 21, 2020

Page: 7 of 9

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000325.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
1638311	Soil	1.2	21.7	13.5	63	0.4	21.7	12.4	379	2.71	170.0	1.2	12.4	4.4	13	0.2	0.9	0.5	39	0.12	0.064
1638312	Soil	1.3	24.1	13.7	66	0.2	21.0	9.5	335	2.98	153.4	1.3	11.4	4.3	15	0.2	1.0	0.5	46	0.09	0.058
1638313	Soil	1.9	54.1	14.1	62	0.2	28.3	15.0	349	4.28	480.8	1.7	35.4	12.7	27	0.1	1.6	2.1	43	0.08	0.077
1638314	Soil	1.2	34.9	12.0	59	<0.1	21.4	9.3	259	3.34	227.7	1.3	41.7	7.2	18	0.2	0.9	1.1	43	0.08	0.048
1638315	Soil	1.3	35.0	11.7	56	0.1	19.9	8.0	234	3.14	462.9	1.5	56.5	6.2	19	0.2	1.1	1.8	44	0.09	0.052
1638316	Soil	2.1	28.3	18.3	61	1.0	17.6	7.2	264	3.66	348.5	1.4	20.6	4.4	13	0.1	1.6	1.1	50	0.06	0.050
1638317	Soil	1.4	37.7	23.0	69	0.6	30.4	13.5	421	3.80	274.1	2.0	9.0	4.4	11	0.1	1.3	1.8	27	0.06	0.056
1638318	Soil	1.2	38.9	21.7	83	0.9	54.6	24.7	488	4.00	193.7	2.4	13.3	5.1	10	0.2	1.7	0.6	28	0.09	0.071
1778478	Soil	2.0	27.6	20.9	43	2.5	17.4	5.0	143	3.06	307.3	1.2	25.7	4.4	12	<0.1	1.6	1.6	40	0.04	0.041
1778479	Soil	1.6	19.8	14.0	47	0.2	15.5	6.2	196	3.03	215.3	1.0	10.8	3.6	10	0.2	0.9	0.8	48	0.07	0.045
1778480	Soil	1.5	27.5	14.2	51	0.6	16.7	8.4	249	3.24	296.7	1.4	19.3	4.7	12	0.2	1.2	1.1	41	0.06	0.051
1778481	Soil	1.2	33.8	12.6	71	0.3	29.6	15.8	407	3.28	378.1	1.5	19.8	4.8	14	0.2	2.4	0.9	45	0.07	0.047
1778482	Soil	1.3	29.3	15.4	70	0.8	24.9	13.4	437	3.29	500.7	1.4	37.4	2.1	12	0.3	2.7	1.2	44	0.07	0.058
1778483	Soil	1.2	24.1	11.3	66	0.2	20.2	11.3	335	2.99	373.6	1.4	28.3	5.6	12	0.3	1.4	1.0	43	0.09	0.059
1778484	Soil	1.3	29.9	12.7	61	0.4	19.9	9.8	271	3.07	441.4	1.7	41.9	5.3	13	0.2	1.5	1.1	42	0.07	0.056
1778485	Soil	1.2	21.8	13.5	56	0.9	17.3	9.8	343	2.89	205.8	1.3	18.5	1.0	11	0.2	0.9	0.6	42	0.08	0.058
1778486	Soil	1.1	28.5	12.9	65	0.4	23.2	11.3	290	3.13	220.1	1.3	17.8	6.4	13	0.2	1.1	0.7	40	0.08	0.044
1778487	Soil	1.3	17.7	11.3	52	0.2	17.4	7.6	254	3.16	107.3	0.9	8.0	2.6	10	0.2	0.8	0.5	52	0.08	0.041
1778488	Soil	1.4	17.7	12.0	49	0.7	16.3	8.9	282	2.85	98.5	1.0	4.8	2.7	10	0.2	0.7	0.4	52	0.08	0.057
1778489	Soil	1.7	20.0	11.4	48	0.2	14.6	5.4	179	3.27	174.1	1.0	9.7	5.0	12	0.1	0.8	0.6	55	0.06	0.040
1778490	Soil	1.3	30.2	10.3	68	0.5	36.5	8.3	360	3.16	337.8	1.6	22.9	1.3	17	0.2	1.0	1.7	64	0.11	0.089
1778491	Soil	1.4	19.2	12.3	46	0.3	20.4	8.3	216	2.89	193.4	1.2	10.3	4.4	10	0.1	1.1	0.7	54	0.08	0.033
1778492	Soil	1.6	31.4	18.1	57	0.2	26.6	10.2	253	3.26	244.9	1.9	13.0	2.5	15	0.1	1.1	0.9	54	0.08	0.060
1778493	Soil	1.3	27.0	14.7	65	0.9	24.7	10.4	406	3.27	277.4	1.4	11.2	1.8	15	0.2	1.6	0.7	52	0.09	0.061
1778494	Soil	1.4	23.8	12.3	68	0.2	20.9	10.4	399	2.97	140.0	1.2	7.3	1.8	13	0.2	0.9	0.5	52	0.09	0.056
1778495	Soil	1.3	22.6	11.7	57	0.4	19.4	9.5	304	3.17	256.9	1.2	223.8	3.6	13	0.2	1.0	0.6	47	0.08	0.047
1778496	Soil	1.2	16.6	11.1	50	0.2	15.4	8.4	320	2.90	135.5	1.0	7.4	1.8	10	0.2	0.7	0.4	48	0.08	0.051
1778497	Soil	1.4	15.8	11.8	62	0.6	16.0	8.9	415	2.92	74.8	0.9	5.0	1.5	10	0.2	0.9	0.4	50	0.08	0.058
1778498	Soil	1.0	10.9	11.8	33	0.4	8.7	3.7	139	2.02	99.7	0.8	7.2	0.4	9	0.1	0.5	0.5	41	0.05	0.038
1778499	Soil	1.1	33.1	176.7	94	10.4	26.6	13.7	406	3.22	503.8	1.4	212.4	2.7	13	0.4	13.1	0.6	36	0.10	0.061



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Sitka Gold Corp.**
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: Barney Ridge
Report Date: October 21, 2020

Page: 7 of 9

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000325.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	
1638311	Soil	19	29	0.36	86	0.032	1	1.37	0.006	0.07	0.3	0.05	2.4	0.2	<0.05	4	<0.5	<0.2
1638312	Soil	23	30	0.38	123	0.032	1	1.38	0.006	0.07	0.4	0.05	2.3	0.2	<0.05	5	<0.5	<0.2
1638313	Soil	36	29	0.46	97	0.038	1	1.69	0.014	0.20	2.7	0.03	2.7	0.3	0.12	6	1.0	<0.2
1638314	Soil	21	26	0.48	67	0.034	1	1.48	0.010	0.06	2.4	0.03	2.4	0.2	0.05	5	0.7	<0.2
1638315	Soil	21	27	0.50	79	0.040	1	1.51	0.012	0.07	28.2	0.02	2.6	0.2	0.07	5	0.8	<0.2
1638316	Soil	25	32	0.46	70	0.036	2	1.55	0.008	0.05	0.9	0.04	2.1	0.2	<0.05	7	0.7	<0.2
1638317	Soil	38	25	0.33	62	0.008	1	1.15	0.005	0.05	0.4	0.03	1.3	0.1	<0.05	4	0.5	<0.2
1638318	Soil	27	22	0.31	40	0.015	1	1.04	0.004	0.04	0.3	0.05	1.4	0.1	<0.05	4	0.6	<0.2
1778478	Soil	27	25	0.16	63	0.015	1	1.11	0.006	0.07	0.3	0.08	1.4	0.3	<0.05	6	0.6	<0.2
1778479	Soil	20	25	0.27	64	0.028	1	1.22	0.005	0.05	0.3	0.04	1.8	0.2	<0.05	6	0.5	<0.2
1778480	Soil	25	24	0.29	74	0.028	1	1.10	0.005	0.07	0.4	0.04	1.8	0.2	<0.05	5	0.6	<0.2
1778481	Soil	25	45	0.48	95	0.040	1	1.43	0.006	0.09	0.8	0.03	2.3	0.2	<0.05	5	0.6	<0.2
1778482	Soil	23	37	0.41	100	0.025	1	1.49	0.006	0.07	0.7	0.05	2.1	0.2	<0.05	5	0.6	<0.2
1778483	Soil	22	28	0.41	95	0.037	1	1.50	0.006	0.05	0.5	0.04	2.9	0.2	<0.05	5	<0.5	<0.2
1778484	Soil	22	28	0.41	82	0.031	1	1.49	0.006	0.06	0.6	0.04	2.5	0.2	<0.05	5	0.6	<0.2
1778485	Soil	20	28	0.35	78	0.020	1	1.42	0.005	0.05	0.3	0.05	1.4	0.2	<0.05	5	0.7	<0.2
1778486	Soil	26	27	0.41	79	0.033	1	1.39	0.006	0.07	0.9	0.04	2.3	0.2	<0.05	5	0.5	<0.2
1778487	Soil	17	30	0.33	61	0.044	1	1.50	0.005	0.05	0.7	0.05	2.0	0.2	<0.05	6	0.6	<0.2
1778488	Soil	16	28	0.31	79	0.035	1	1.71	0.005	0.05	0.6	0.06	2.3	0.2	<0.05	6	0.7	<0.2
1778489	Soil	20	29	0.30	60	0.044	1	1.45	0.006	0.08	0.7	0.07	2.1	0.3	<0.05	6	0.6	<0.2
1778490	Soil	18	92	0.80	111	0.052	2	1.94	0.014	0.24	2.3	0.09	2.8	0.5	0.15	7	0.8	<0.2
1778491	Soil	19	31	0.30	80	0.041	1	1.51	0.005	0.05	0.4	0.05	2.4	0.2	<0.05	6	0.5	<0.2
1778492	Soil	29	37	0.33	95	0.031	1	1.29	0.005	0.08	0.3	0.04	2.4	0.3	<0.05	6	0.5	<0.2
1778493	Soil	21	40	0.47	92	0.038	1	1.57	0.008	0.11	1.4	0.05	2.1	0.3	0.06	6	0.6	<0.2
1778494	Soil	20	33	0.44	81	0.038	1	1.74	0.007	0.07	0.9	0.07	2.0	0.2	<0.05	6	0.7	<0.2
1778495	Soil	18	30	0.40	77	0.040	1	1.70	0.007	0.07	0.6	0.05	2.4	0.3	<0.05	5	0.6	<0.2
1778496	Soil	16	27	0.33	70	0.031	<1	1.60	0.006	0.06	0.4	0.05	2.0	0.2	<0.05	5	0.8	<0.2
1778497	Soil	17	30	0.32	76	0.036	1	1.61	0.005	0.05	0.4	0.05	2.0	0.2	<0.05	6	0.6	<0.2
1778498	Soil	16	21	0.20	52	0.023	1	1.02	0.005	0.05	0.3	0.06	0.9	0.2	<0.05	5	0.6	<0.2
1778499	Soil	20	23	0.34	71	0.025	1	1.18	0.006	0.05	0.6	0.05	1.9	0.1	<0.05	4	0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Sitka Gold Corp.
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: Barney Ridge
Report Date: October 21, 2020

Page: 8 of 9

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000325.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1778500	Soil	1.1	34.0	278.5	107	14.0	26.0	13.8	387	3.24	612.7	1.4	216.3	2.9	13	0.4	19.6	0.7	32	0.10	0.061
1638319	Soil	0.8	28.0	13.3	56	0.4	23.7	10.0	229	2.74	345.0	1.5	20.4	6.4	15	0.2	1.0	1.7	34	0.15	0.058
1638320	Soil	1.3	40.1	13.2	58	1.0	16.4	8.7	235	3.34	447.6	2.0	32.5	4.6	21	0.2	1.7	1.3	39	0.10	0.069
1638321	Soil	1.4	50.7	18.0	61	0.9	24.3	7.3	188	4.25	648.7	2.5	127.5	10.6	22	0.1	2.4	2.8	45	0.08	0.055
1638322	Soil	1.3	21.6	9.8	47	<0.1	15.9	7.1	238	2.71	244.8	1.1	14.1	3.7	10	0.1	0.8	0.8	45	0.07	0.032
1638323	Soil	1.1	47.5	16.3	80	0.7	25.5	11.8	309	4.33	335.4	2.5	40.4	8.0	14	0.1	1.9	1.6	37	0.08	0.060
1638324	Soil	1.3	41.4	14.3	64	1.3	16.9	7.2	268	3.38	281.8	1.8	65.6	2.5	13	0.2	1.9	1.1	30	0.07	0.084
1638325	Soil	1.1	52.0	16.0	71	1.0	23.6	13.2	411	4.24	446.8	2.2	47.8	12.7	21	0.2	2.2	1.8	34	0.13	0.082
1638326	Soil	2.0	67.7	13.7	71	0.4	44.0	28.4	650	4.96	1214.5	3.2	159.5	10.2	27	0.2	3.5	2.3	38	0.12	0.071
1638327	Soil	1.2	49.9	11.9	72	0.4	28.7	16.5	390	4.13	788.2	1.7	107.6	8.0	21	0.2	1.7	2.3	60	0.12	0.088
1638328	Soil	1.1	50.7	12.8	65	0.5	21.3	11.1	331	4.31	839.1	2.5	80.0	9.6	24	0.3	3.1	2.4	34	0.10	0.082
1638329	Soil	0.8	29.3	9.0	59	0.2	21.5	9.8	271	3.08	562.6	1.5	38.4	6.8	19	0.2	1.5	1.2	37	0.10	0.055
1638330	Soil	1.0	30.9	10.8	59	0.4	20.7	8.0	266	3.07	513.0	1.8	30.6	4.8	16	0.2	1.3	1.1	42	0.11	0.070
1638331	Soil	0.8	31.3	9.5	62	0.3	21.9	9.0	295	2.85	361.1	1.5	35.6	7.7	19	0.2	1.2	0.9	39	0.18	0.079
1638332	Soil	1.0	34.4	10.2	61	0.4	20.2	8.4	257	3.15	423.9	1.7	73.0	6.2	18	0.2	1.2	1.1	41	0.14	0.071
1638333	Soil	1.3	29.2	10.4	61	0.3	20.3	9.6	312	2.88	336.7	1.4	30.9	4.3	15	0.3	1.1	1.1	45	0.12	0.066
1638334	Soil	0.9	24.2	10.2	65	<0.1	22.1	10.9	361	2.80	46.3	1.0	8.5	3.5	14	0.1	0.9	0.4	49	0.13	0.063
1638335	Soil	1.5	20.4	9.9	64	<0.1	21.5	11.7	490	2.87	160.7	1.0	11.3	1.3	14	<0.1	0.9	0.7	57	0.11	0.059
1638336	Soil	1.7	30.4	13.3	62	<0.1	22.9	8.7	266	3.34	365.0	1.3	31.8	3.5	15	0.1	1.3	1.4	52	0.09	0.058
1638337	Soil	1.2	48.6	9.9	72	0.2	39.4	28.3	516	2.82	306.0	2.3	72.1	8.4	21	0.3	2.2	1.1	33	0.14	0.052
1638338	Soil	1.9	35.2	17.8	47	0.2	15.7	6.4	175	4.49	457.0	2.0	20.2	4.0	30	0.2	1.3	1.0	49	0.07	0.119
1638339	Soil	1.1	32.8	9.4	65	<0.1	23.7	9.0	232	3.12	332.4	1.6	25.0	4.9	15	0.2	1.2	1.1	47	0.11	0.067
1638340	Soil	1.2	39.4	11.1	75	0.1	28.4	12.2	318	3.30	354.3	1.7	41.4	6.7	17	0.2	1.2	1.2	45	0.14	0.077
1638341	Soil	1.6	37.2	12.0	63	0.1	21.5	9.3	231	3.62	425.2	1.9	25.9	5.4	18	<0.1	1.4	1.4	48	0.08	0.063
1638342	Soil	1.0	50.4	11.1	69	0.1	28.0	13.6	241	3.75	585.3	2.7	57.9	17.8	17	<0.1	3.2	1.7	29	0.06	0.048
1638343	Soil	0.9	49.5	12.9	70	0.1	31.8	17.4	288	4.03	671.2	2.9	44.8	19.8	18	<0.1	3.1	1.7	27	0.07	0.043
1638344	Soil	0.7	48.8	13.0	63	<0.1	22.1	13.0	231	3.95	529.5	2.5	43.7	20.3	19	<0.1	2.6	1.5	27	0.06	0.043
1638345	Soil	1.2	28.6	11.5	62	<0.1	24.3	10.6	350	3.37	64.2	1.2	19.0	8.1	14	<0.1	1.0	0.7	47	0.08	0.046
1638346	Soil	1.0	29.1	8.2	59	<0.1	22.2	7.4	183	2.61	50.1	1.4	32.4	11.0	15	0.2	1.0	0.4	37	0.15	0.066
1638347	Soil	0.8	26.0	7.4	58	<0.1	20.4	7.9	249	2.50	281.1	1.1	22.5	8.4	16	0.3	1.1	0.9	35	0.18	0.077



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Sitka Gold Corp.**
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: Barney Ridge
Report Date: October 21, 2020

Page: 8 of 9

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000325.1

Method Analyte Unit MDL	AQ201																	
	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te	
	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1778500	Soil	20	21	0.31	69	0.024	1	1.08	0.006	0.05	0.5	0.04	1.9	0.1	<0.05	3	0.7	<0.2
1638319	Soil	24	26	0.38	78	0.039	1	1.14	0.007	0.07	0.8	0.03	2.2	0.2	<0.05	4	0.5	<0.2
1638320	Soil	30	24	0.42	74	0.027	1	1.33	0.008	0.06	0.8	0.02	1.8	0.2	<0.05	5	0.7	<0.2
1638321	Soil	34	40	0.63	92	0.035	<1	1.81	0.009	0.15	2.0	0.02	3.4	0.4	0.07	6	0.8	<0.2
1638322	Soil	17	23	0.32	65	0.037	1	1.44	0.007	0.05	1.0	0.05	2.0	0.2	<0.05	5	0.7	<0.2
1638323	Soil	37	37	0.51	75	0.025	1	1.40	0.007	0.07	0.6	0.04	2.6	0.2	<0.05	5	0.6	<0.2
1638324	Soil	27	24	0.39	49	0.015	2	1.32	0.011	0.07	2.1	0.13	1.2	0.2	0.10	5	0.7	<0.2
1638325	Soil	32	27	0.45	73	0.027	1	1.35	0.011	0.06	0.9	0.05	2.2	0.2	0.05	4	0.6	<0.2
1638326	Soil	29	25	0.40	102	0.025	1	1.30	0.010	0.10	9.9	0.05	3.0	0.3	0.06	4	0.8	<0.2
1638327	Soil	22	36	0.59	113	0.040	<1	1.83	0.010	0.11	6.4	0.06	3.1	0.2	0.07	6	0.7	<0.2
1638328	Soil	34	26	0.50	77	0.023	<1	1.52	0.012	0.08	1.3	0.03	2.5	0.2	<0.05	4	0.6	<0.2
1638329	Soil	22	28	0.45	80	0.034	<1	1.36	0.008	0.06	0.6	0.03	2.2	0.2	<0.05	4	<0.5	<0.2
1638330	Soil	23	29	0.46	104	0.031	<1	1.41	0.008	0.06	0.5	0.04	2.3	0.2	<0.05	4	0.6	<0.2
1638331	Soil	21	25	0.43	95	0.037	<1	1.17	0.007	0.06	0.7	0.03	2.5	0.1	<0.05	4	<0.5	<0.2
1638332	Soil	24	32	0.46	94	0.035	<1	1.30	0.008	0.07	0.9	0.04	2.3	0.2	<0.05	4	<0.5	<0.2
1638333	Soil	20	28	0.42	97	0.036	<1	1.36	0.007	0.06	1.3	0.03	2.4	0.2	<0.05	4	<0.5	<0.2
1638334	Soil	17	30	0.51	107	0.052	<1	1.80	0.008	0.06	1.1	0.04	3.6	0.2	<0.05	5	<0.5	<0.2
1638335	Soil	13	33	0.49	100	0.041	<1	1.63	0.007	0.07	2.1	0.02	2.6	0.2	<0.05	6	<0.5	<0.2
1638336	Soil	23	36	0.46	76	0.054	<1	1.54	0.008	0.11	3.2	0.02	2.2	0.3	<0.05	6	<0.5	<0.2
1638337	Soil	17	23	0.41	110	0.047	<1	1.11	0.010	0.14	8.8	0.02	3.2	0.3	<0.05	3	<0.5	<0.2
1638338	Soil	23	23	0.28	83	0.036	<1	1.42	0.012	0.12	0.9	0.06	1.4	0.2	0.11	7	0.8	<0.2
1638339	Soil	23	30	0.50	93	0.047	<1	1.60	0.007	0.09	2.5	0.02	2.7	0.3	<0.05	5	<0.5	<0.2
1638340	Soil	21	32	0.52	93	0.048	<1	1.71	0.007	0.12	2.5	0.02	3.2	0.3	<0.05	5	0.5	<0.2
1638341	Soil	26	34	0.53	89	0.044	<1	1.73	0.008	0.15	1.6	0.02	2.5	0.4	0.06	6	0.6	<0.2
1638342	Soil	37	28	0.48	84	0.030	<1	1.46	0.006	0.20	2.5	0.02	3.3	0.4	<0.05	5	<0.5	<0.2
1638343	Soil	36	27	0.51	89	0.026	<1	1.74	0.005	0.29	1.8	<0.01	3.0	0.5	<0.05	5	0.5	<0.2
1638344	Soil	35	27	0.49	73	0.029	<1	1.63	0.007	0.26	1.1	0.01	2.6	0.5	<0.05	5	<0.5	<0.2
1638345	Soil	24	34	0.52	143	0.054	<1	1.82	0.007	0.16	0.7	0.02	3.2	0.5	0.05	6	<0.5	<0.2
1638346	Soil	28	25	0.44	124	0.055	<1	1.28	0.006	0.15	1.0	0.05	2.7	0.3	<0.05	4	<0.5	<0.2
1638347	Soil	23	24	0.41	91	0.047	<1	1.10	0.007	0.10	2.7	0.02	2.6	0.2	<0.05	3	<0.5	<0.2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Sitka Gold Corp.**
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: Barney Ridge
Report Date: October 21, 2020

Page: 9 of 9

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000325.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	0.1	0.1	0.1	0.1	2	0.01	0.001
1638348	Soil	1.6	21.2	16.4	54	0.2	16.0	7.0	279	3.12	467.1	0.9	14.8	4.7	10	0.1	1.7	1.3	66	0.07	0.050
1638349	Soil	0.9	45.2	12.9	63	0.2	24.4	10.0	229	3.25	813.3	1.8	60.2	8.5	17	0.2	2.7	3.7	44	0.10	0.064
1638350	Soil	0.9	38.2	10.7	65	0.2	25.9	11.0	286	3.24	677.5	1.8	54.1	9.7	18	0.3	2.2	2.5	47	0.12	0.069
1638351	Soil	0.9	40.1	14.6	56	0.3	20.6	6.2	175	2.95	690.2	1.4	36.9	5.4	15	0.2	2.5	3.5	41	0.09	0.056
1638352	Soil	1.2	60.8	25.5	57	0.9	25.4	15.1	295	3.90	727.3	3.1	114.1	9.1	22	<0.1	5.4	4.0	42	0.06	0.063
1638353	Soil	1.3	58.7	38.7	69	1.2	23.6	13.4	239	4.04	642.0	2.7	130.1	13.9	20	0.3	6.7	4.3	38	0.05	0.058
1638354	Soil	1.2	36.8	9.7	70	0.2	25.7	11.0	312	3.37	462.9	1.4	317.7	7.7	21	0.3	1.6	1.7	49	0.15	0.071
1638355	Soil	1.0	47.4	9.8	65	0.2	24.7	12.3	282	3.72	674.1	1.9	96.6	11.2	29	0.2	2.0	2.5	46	0.17	0.077



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Sitka Gold Corp.**
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: Barney Ridge
Report Date: October 21, 2020

Page: 9 of 9

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000325.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	0.2
1638348	Soil	18	27	0.28	75	0.036	<1	1.37	0.005	0.07	1.3	0.04	2.2	0.3	<0.05	7	<0.5	<0.2
1638349	Soil	27	41	0.53	105	0.047	<1	1.54	0.009	0.14	11.1	0.02	3.3	0.5	<0.05	5	0.8	<0.2
1638350	Soil	27	44	0.56	127	0.058	<1	1.51	0.009	0.16	5.8	0.02	3.7	0.5	<0.05	5	0.6	<0.2
1638351	Soil	25	30	0.38	77	0.035	<1	1.42	0.007	0.09	10.3	0.03	2.6	0.5	0.06	5	0.6	<0.2
1638352	Soil	44	52	0.46	113	0.032	<1	1.72	0.011	0.18	14.1	0.04	3.8	0.9	0.09	5	0.8	<0.2
1638353	Soil	36	41	0.36	93	0.039	<1	1.17	0.012	0.19	22.1	0.03	3.4	0.8	0.10	4	1.3	<0.2
1638354	Soil	24	30	0.53	115	0.056	<1	1.56	0.013	0.11	4.8	0.02	2.8	0.3	0.07	4	<0.5	<0.2
1638355	Soil	29	29	0.51	116	0.059	<1	1.58	0.021	0.16	5.6	0.02	3.2	0.4	0.10	5	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Sitka Gold Corp.
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: Barney Ridge
Report Date: October 21, 2020

Page: 1 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI20000325.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
1638495	Soil	1.5	32.2	10.4	73	<0.1	24.0	8.8	227	3.06	86.0	1.5	19.4	5.3	13	0.2	1.0	0.7	45	0.12	0.055
REP 1638495	QC	1.4	31.2	10.1	70	<0.1	23.5	8.7	224	3.01	84.0	1.4	24.9	5.2	13	0.2	1.0	0.6	44	0.12	0.054
1638388	Soil	0.7	31.2	8.0	62	0.2	21.6	9.3	220	2.50	210.4	1.4	19.7	5.6	15	0.2	0.9	0.6	40	0.16	0.073
REP 1638388	QC	0.7	31.5	8.1	62	0.2	21.9	9.7	217	2.61	205.8	1.4	17.9	5.7	16	0.2	0.9	0.6	37	0.16	0.072
1464989	Soil	1.2	43.3	11.5	54	0.3	21.2	9.8	265	2.89	845.9	1.2	41.9	5.8	15	0.2	1.4	1.9	37	0.10	0.050
REP 1464989	QC	1.2	43.5	11.1	58	0.3	21.4	9.8	266	2.86	853.7	1.2	34.4	5.5	15	0.1	1.4	1.9	39	0.11	0.051
1638301	Soil	1.5	17.2	13.8	50	0.2	19.0	6.4	213	2.92	126.3	1.0	5.8	2.7	11	0.1	0.8	0.4	51	0.09	0.055
REP 1638301	QC	1.6	16.8	13.2	48	0.2	17.8	6.0	212	2.78	121.3	1.0	11.8	2.4	11	0.1	0.7	0.4	50	0.08	0.052
1778496	Soil	1.2	16.6	11.1	50	0.2	15.4	8.4	320	2.90	135.5	1.0	7.4	1.8	10	0.2	0.7	0.4	48	0.08	0.051
REP 1778496	QC	1.2	17.3	11.3	52	0.2	16.0	8.8	321	2.90	139.7	1.0	9.3	1.8	11	0.1	0.7	0.4	47	0.08	0.053
1638350	Soil	0.9	38.2	10.7	65	0.2	25.9	11.0	286	3.24	677.5	1.8	54.1	9.7	18	0.3	2.2	2.5	47	0.12	0.069
REP 1638350	QC	0.9	38.0	10.6	65	0.2	25.3	10.6	271	3.13	670.9	1.8	54.8	9.8	18	0.3	2.2	2.5	46	0.13	0.066
Reference Materials																					
STD BVGEO01	Standard	10.8	4119.0	187.3	1641	2.5	167.8	25.0	664	3.74	119.8	4.0	219.2	16.7	53	6.1	3.7	25.1	76	1.24	0.081
STD BVGEO01	Standard	11.0	4401.5	185.6	1712	2.6	161.8	25.9	671	3.89	121.1	3.9	211.8	17.9	58	6.6	3.7	24.9	78	1.33	0.073
STD BVGEO01	Standard	11.2	4367.3	188.9	1750	2.6	166.9	26.0	720	3.94	120.5	3.9	218.2	17.5	60	6.8	3.6	25.5	80	1.32	0.081
STD BVGEO01	Standard	11.3	4371.9	197.2	1713	2.6	173.8	25.7	719	3.96	127.6	4.1	236.7	14.2	57	6.4	3.7	27.0	79	1.36	0.077
STD DS11	Standard	15.5	139.7	133.2	322	1.9	82.6	14.5	990	3.13	44.5	2.7	103.6	7.9	65	2.2	8.1	10.8	50	1.06	0.066
STD DS11	Standard	16.3	149.0	138.8	345	2.0	88.1	15.1	1039	3.31	45.9	2.8	79.9	8.2	68	2.3	8.7	10.9	55	1.12	0.067
STD DS11	Standard	14.9	141.3	140.5	344	1.7	80.5	14.1	909	3.15	45.6	2.8	70.5	9.5	68	2.4	8.7	11.8	51	1.00	0.074
STD OREAS262	Standard	0.7	110.6	57.2	156	0.5	68.0	29.4	535	3.39	36.9	1.3	70.1	9.6	35	0.7	5.5	1.0	24	2.88	0.038
STD OREAS262	Standard	0.7	110.5	56.2	151	0.5	67.9	28.9	531	3.28	36.0	1.2	73.4	9.3	34	0.6	5.7	1.0	23	2.83	0.037
STD OREAS262	Standard	0.7	121.4	59.7	164	0.5	69.5	28.9	543	3.55	38.9	1.3	77.1	11.0	37	0.7	6.1	1.0	25	3.01	0.046
STD OREAS262	Standard	0.6	116.3	59.7	155	0.5	65.6	29.1	502	3.49	38.5	1.3	70.3	11.1	37	0.6	5.6	1.1	24	2.92	0.041
STD OREAS262	Standard	0.7	110.5	56.6	146	0.5	61.5	26.2	482	3.14	37.1	1.2	68.3	11.0	35	0.6	5.9	1.0	22	2.75	0.040
STD OREAS262	Standard	0.7	110.3	57.9	154	0.5	64.9	27.3	479	3.23	38.2	1.3	61.4	10.9	37	0.5	4.7	1.0	24	2.92	0.044
STD OREAS262	Standard	0.7	117.4	60.8	158	0.5	68.5	27.6	563	3.58	36.3	1.3	82.9	8.9	37	0.7	6.0	1.1	24	3.07	0.041
STD DS11 Expected		14.6	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3	2.37	8.74	12.2	50	1.063	0.0701



QUALITY CONTROL REPORT

WHI20000325.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																		
1638495	Soil	24	29	0.49	92	0.056	1	1.62	0.007	0.13	3.0	0.02	2.9	0.3	<0.05	5	0.6	<0.2
REP 1638495	QC	23	28	0.48	90	0.053	1	1.59	0.007	0.12	2.7	0.03	2.9	0.3	<0.05	5	0.6	<0.2
1638388	Soil	23	27	0.44	102	0.051	<1	1.35	0.006	0.10	2.2	0.03	3.0	0.2	<0.05	4	<0.5	<0.2
REP 1638388	QC	23	26	0.42	101	0.048	<1	1.31	0.005	0.09	2.2	0.05	3.1	0.2	<0.05	4	<0.5	<0.2
1464989	Soil	22	23	0.40	79	0.030	1	1.34	0.009	0.06	1.0	0.05	2.1	0.1	<0.05	4	0.6	<0.2
REP 1464989	QC	22	24	0.41	78	0.031	1	1.34	0.009	0.06	1.0	0.04	2.2	0.2	0.05	4	0.6	<0.2
1638301	Soil	17	36	0.38	79	0.033	1	1.44	0.007	0.06	0.7	0.06	2.1	0.2	<0.05	6	<0.5	<0.2
REP 1638301	QC	17	36	0.38	80	0.031	<1	1.41	0.007	0.06	0.7	0.05	2.0	0.2	<0.05	5	<0.5	<0.2
1778496	Soil	16	27	0.33	70	0.031	<1	1.60	0.006	0.06	0.4	0.05	2.0	0.2	<0.05	5	0.8	<0.2
REP 1778496	QC	16	28	0.33	72	0.031	1	1.59	0.006	0.06	0.4	0.05	2.0	0.2	<0.05	5	0.7	<0.2
1638350	Soil	27	44	0.56	127	0.058	<1	1.51	0.009	0.16	5.8	0.02	3.7	0.5	<0.05	5	0.6	<0.2
REP 1638350	QC	29	44	0.53	122	0.059	<1	1.51	0.008	0.16	6.1	0.02	3.6	0.5	<0.05	5	<0.5	<0.2
Reference Materials																		
STD BVGEO01	Standard	26	194	1.35	265	0.222	2	2.27	0.187	0.83	4.9	0.09	5.6	0.6	0.71	7	4.9	1.0
STD BVGEO01	Standard	27	201	1.36	288	0.229	4	2.42	0.202	0.93	5.1	0.10	6.0	0.6	0.66	7	4.5	1.0
STD BVGEO01	Standard	26	201	1.39	284	0.233	3	2.33	0.213	0.87	5.1	0.09	6.0	0.7	0.74	7	4.7	1.0
STD BVGEO01	Standard	26	201	1.34	292	0.234	3	2.36	0.197	0.90	5.2	0.10	6.0	0.6	0.73	7	5.4	1.0
STD DS11	Standard	18	59	0.81	368	0.092	7	1.13	0.067	0.38	2.9	0.27	3.2	4.9	0.30	5	2.3	4.6
STD DS11	Standard	19	63	0.89	383	0.099	7	1.23	0.072	0.40	3.2	0.29	3.4	5.3	0.33	5	2.4	4.9
STD DS11	Standard	18	60	0.88	372	0.092	8	1.16	0.071	0.37	2.9	0.26	3.2	4.9	0.29	5	2.3	4.6
STD OREAS262	Standard	18	44	1.18	241	0.003	4	1.28	0.064	0.30	0.2	0.18	3.3	0.5	0.30	4	0.8	0.2
STD OREAS262	Standard	16	42	1.15	240	0.003	3	1.24	0.061	0.29	0.2	0.18	3.1	0.5	0.29	4	0.6	0.3
STD OREAS262	Standard	19	47	1.25	258	0.003	2	1.42	0.067	0.32	0.3	0.16	3.2	0.5	0.28	4	<0.5	0.2
STD OREAS262	Standard	18	45	1.24	257	0.002	4	1.37	0.071	0.30	0.2	0.17	3.3	0.5	0.27	4	<0.5	0.3
STD OREAS262	Standard	16	42	1.19	250	0.002	4	1.26	0.066	0.27	0.2	0.15	3.1	0.5	0.25	4	<0.5	<0.2
STD OREAS262	Standard	17	46	1.19	250	0.003	4	1.30	0.068	0.29	0.2	0.15	3.0	0.5	0.29	4	0.5	0.2
STD OREAS262	Standard	18	48	1.17	264	0.003	3	1.33	0.065	0.31	0.3	0.15	3.3	0.5	0.28	4	<0.5	0.2
STD DS11 Expected		18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.26	3.4	4.9	0.2835	5.1	2.2	4.56



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: Sitka Gold Corp.
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: Barney Ridge
Report Date: October 21, 2020

Page: 2 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI20000325.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
STD BVGEO01	Expected	11.2	4415	187	1741	2.53	163	25	733	3.7	121	3.77	219	14.4	55	6.5	3.39	25.6	73	1.3219	0.0727
STD OREAS262	Expected	0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	1.22	65	9.33	36	0.61	5.06	1.03	22.5	2.98	0.04
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	0.6	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Sitka Gold Corp.**
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: Barney Ridge
Report Date: October 21, 2020

Page: 2 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI20000325.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD BVGEO01 Expected		25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	0.1	5.97	0.62	0.6655	7.37	4.84	1.02
STD OREAS262 Expected		15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	0.17	3.24	0.47	0.253	4.1	0.4	0.23
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

399000

400000

401000

7084000

7084000


7083000

7083000

399000

400000

401000



SITKA GOLD CORP


Clear Creek Property - 2020 & Historic Soil Sample Locations

Projection: NAD83 UTM Z8
Date: Jan 14, 2021
Scale: 1:5,000



Legend

- 2020 Soil Sample (ID#)
- Historic Soil Sample
- Watercourse
- Claim Boundary
- Road



APPENDIX II

ROCK SAMPLE RESULTS

2020 Clear Creek Rock Samples

Sample	Property	Target	Easting	Northing	Elevation	Type	Width (m)	Strike	Dip (RhR)	Sampled By	Date	Description
1774951	Clear Creek	Eiger	398493.1	7085395	1628.786	Chip	0.8	290	80	GD	2020/08/21	GD20082101 - rough chip across mostly bull quartz with trace ASPY. Site of JRIR09
1774952	Clear Creek	Eiger	398494.6	7085391	1629.332	Grab				GD	2020/08/21	GD200821 02 - 2 cm ASPY vein on margins of 5 cm bull qz vn with tr ASPY. Site of JEIR-07
1774953	Clear Creek	Eiger	398497.5	7085384	1629.378	Chip	5			GD	2020/08/21	GD200821 03 - rough chip across 1774951 and 1774952. Mostly rusty diorite with trace of fin Sx and material from ..51 and ..52
1774954	Clear Creek	Eiger	398494.4	7085380	1627.891	chip	1	116	90	GD	2020/08/21	GD200821 04 - rough chip across 1 m felsic dyke with moderate stwk of 0.1 to 1 cm qz veinlets. Locally oxidized by no visible sulphides.
1774960	Clear Creek	Eiger	398422	7085352	1615	Grab	0.07	110	90	JG	2020/08/21	JCG200821-01. 7cm qtz vein striking 110deg with near vertical dip. Trace ASPY. Hosted in Diorite.
1774961	Clear Creek	Eiger	398490	7085433	1592	Grab				JG	2020/08/21	deg. Abundant Iron and Arsenic oxide staining along margin of qtz. 6cm wide grab sample of ASPY rich qtz.
1774962	Clear Creek	Eiger	398543	7085406	1624	Chip	0.25	285	85	JG	2020/08/21	JCG200821-03. 25cm chip across outcropping qtz-aspery vein. Northern margin of vein is sulphide and wallrock selvage rich while southern half of vein is white bull qtz.
1774963	Clear Creek	Eiger	398543	7085407	1624	Grab		285	85	JG	2020/08/21	JCG200821-04. Select grab from ASPY rich northern margin of qtz-aspery vein described in sample 1774962
1774965	Clear Creek	Eiger	398616	7085401	1669	Subcrop	0.06			JG	2020/08/23	JCG200823-01. Qtz-Aspy subcropping vein. About 5m vertical below ridge top buried 2 feet below some As oxide stained pebbles on surface
1774966	Clear Creek	Eiger	398553	7085407	1630	Chip	0.75	280		JG	2020/08/23	JCG200823-02. Chip sample across 75cm of qtz-aspery vein. Vein contains 2 ~ 10-15 cm wide Aspy rich zones, rest is white quartz w trace mineralization.
1774967	Clear Creek	Eiger	398553.5	7085408	1630	Chip	0.07	280		JG	2020/08/23	JCG200823-03. 7 cm select grab of Aspy rich northern selvage from 75 cm wide vein sampled in 1774966



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: SITKA GOLD CORP
 1500-409 GRANVILLE ST.
 VANCOUVER BC V6C 1T2

Page: 1
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 3-SEP-2020
 Account: TISLOG

CERTIFICATE WH20185890

Project: RC GOLD

This report is for 17 Rock samples submitted to our lab in Whitehorse, YT, Canada on 26-AUG-2020.

The following have access to data associated with this certificate:

COR COE RYAN COE	RYAN COE GREG DAWSON	COR COE
---------------------	-------------------------	---------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	
ME-MS41	Ultra Trace Aqua Regia ICP-MS	
Au-AA25	Ore Grade Au 30g FA AA finish	AAS

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Saa Traxler, General Manager, North Vancouver



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **SITKA GOLD CORP**
1500-409 GRANVILLE ST.
VANCOUVER BC V6C 1T2

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 3-SEP-2020
 Account: TISLOG

Project: RC GOLD

CERTIFICATE OF ANALYSIS WH20185890

Sample Description	Method Analyte Units LOD	WEI-21	Au-AA25	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	0.01	0.01	0.01	0.1	0.02	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
1774951		1.98	7.52	0.82	0.45	5180	5.06	<10	120	0.14	255	0.16	0.07	3.07	12.1	34
1774952		0.98	7.58	3.09	1.04	>10000	7.00	<10	40	0.14	218	0.13	0.11	8.59	11.7	91
1774953		3.42	1.82	0.64	2.84	3600	1.41	<10	650	0.74	57.0	1.15	0.13	34.0	13.1	124
1774954		2.24	1.56	0.43	0.92	338	2.07	<10	130	0.66	83.8	0.29	0.07	36.6	9.0	11
1774955		1.86	0.13	0.07	0.32	404	<0.02	<10	30	0.29	0.50	0.01	0.15	31.8	10.1	11
1774956		0.91	0.01	0.03	0.18	143.0	<0.02	<10	10	0.08	0.35	0.01	0.02	19.15	0.3	10
1774957		1.15	0.01	0.07	0.40	101.0	<0.02	<10	30	0.23	0.18	0.01	0.02	29.1	0.8	12
1774958		1.04	0.01	0.06	0.25	188.0	0.03	<10	20	0.47	0.14	<0.01	0.07	23.0	4.3	11
1774959		2.39	2.22	1.05	0.08	>10000	1.80	<10	90	<0.05	0.43	<0.01	3.45	8.58	0.6	25
1774960		1.33	23.0	1.86	0.17	6450	19.80	<10	30	0.05	499	0.04	0.03	2.88	37.9	31
1774961		1.91	27.8	4.40	0.11	>10000	>25.0	<10	30	0.10	1235	0.30	0.06	4.37	44.0	15
1774962		3.60	4.72	1.05	0.12	>10000	4.55	10	20	0.13	279	0.23	0.04	2.11	19.3	20
1774963		0.56	9.80	1.40	0.06	>10000	9.55	<10	10	<0.05	519	0.02	0.04	0.68	13.7	12
1774964		0.95	0.36	0.36	0.12	5080	0.29	10	90	0.06	1.68	0.01	0.14	10.50	0.2	20
1774965		2.38	6.80	7.53	0.22	>10000	6.80	<10	40	0.11	379	0.74	0.18	4.96	6.7	29
1774966		1.23	6.76	0.98	0.19	>10000	7.34	<10	40	0.09	287	0.09	0.05	2.93	46.3	22
1774967		3.48	6.49	1.30	0.02	>10000	6.57	<10	<10	<0.05	379	0.05	0.04	0.41	31.4	11



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **SITKA GOLD CORP**
1500-409 GRANVILLE ST.
VANCOUVER BC V6C 1T2

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 3-SEP-2020
 Account: TISLOG

Project: RC GOLD

CERTIFICATE OF ANALYSIS WH20185890

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
Units		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
LOD		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
1774951		8.53	14.4	1.20	1.86	0.08	0.03	0.16	<0.005	0.20	1.5	15.0	0.32	71	1.11	0.03
1774952		4.01	15.8	4.34	4.23	0.16	0.08	0.04	0.020	0.11	4.0	44.4	1.00	136	6.52	0.03
1774953		27.8	157.0	4.30	9.55	0.19	0.38	0.01	0.017	0.84	16.7	75.6	1.74	304	1.61	0.13
1774954		4.99	24.3	0.88	2.78	0.06	0.42	0.06	<0.005	0.17	20.4	13.6	0.21	58	1.86	0.09
1774955		0.92	16.8	2.63	1.15	<0.05	0.03	0.01	0.010	0.09	15.3	4.2	0.01	83	0.39	0.01
1774956		0.48	8.1	0.63	0.57	<0.05	<0.02	<0.01	<0.005	0.08	8.4	3.2	0.01	20	0.17	0.01
1774957		0.83	22.4	4.08	0.89	0.05	0.03	0.06	0.012	0.13	14.4	2.5	0.01	23	0.23	0.01
1774958		0.71	11.8	5.22	0.86	0.05	0.02	0.02	0.006	0.07	11.5	1.5	0.01	51	0.16	0.01
1774959		0.54	23.1	1.23	0.50	<0.05	<0.02	0.08	0.085	0.03	4.3	0.4	<0.01	22	0.19	0.01
1774960		3.37	2.1	0.86	0.85	<0.05	<0.02	0.02	<0.005	0.07	1.4	6.2	0.15	39	2.21	0.01
1774961		3.04	4.7	6.80	0.45	0.12	<0.02	0.06	0.030	0.06	2.4	2.7	0.05	23	2.22	0.01
1774962		1.19	4.2	2.93	0.57	0.06	<0.02	0.29	0.008	0.03	1.0	3.7	0.09	50	1.83	0.01
1774963		0.42	8.8	9.11	0.31	0.12	<0.02	0.03	0.029	0.01	0.3	1.4	0.02	22	0.81	0.01
1774964		0.36	4.9	1.34	0.42	<0.05	0.02	0.01	0.008	0.05	4.6	6.0	0.01	40	0.30	0.01
1774965		2.54	7.9	14.60	0.99	0.19	0.02	0.04	0.049	0.09	2.5	2.8	0.05	33	3.67	0.01
1774966		5.39	5.0	2.99	0.99	0.09	<0.02	0.04	0.009	0.11	1.5	6.7	0.15	53	0.98	0.01
1774967		0.49	2.1	12.15	0.17	0.15	<0.02	0.01	0.037	0.01	0.2	0.5	<0.01	22	1.48	0.01



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: SITKA GOLD CORP
 1500-409 GRANVILLE ST.
 VANCOUVER BC V6C 1T2

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 3-SEP-2020
 Account: TISLOG

Project: RC GOLD

CERTIFICATE OF ANALYSIS WH20185890

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm
1774951		0.55	3.5	100	6.7	34.1	0.013	0.22	10.30	2.1	4.5	0.7	11.0	<0.01	5.39	0.8
1774952		0.15	6.2	280	71.0	17.5	0.004	1.30	61.5	4.6	11.4	2.9	21.1	<0.01	4.70	2.2
1774953		0.63	7.9	890	9.5	118.0	0.002	0.43	5.42	12.2	5.6	5.3	103.0	<0.01	1.07	7.6
1774954		1.04	5.3	240	4.9	20.4	0.006	0.07	1.59	1.5	0.5	0.8	59.7	<0.01	1.56	15.7
1774955		<0.05	3.9	290	14.1	5.5	<0.001	0.01	10.35	1.4	0.3	<0.2	2.0	<0.01	0.06	6.2
1774956		<0.05	0.9	50	36.7	4.5	<0.001	0.01	3.64	0.5	0.2	<0.2	1.2	<0.01	0.02	4.0
1774957		<0.05	4.0	190	7.8	7.9	<0.001	0.01	14.65	1.5	0.4	<0.2	4.1	<0.01	0.03	6.9
1774958		<0.05	34.1	310	9.4	4.0	<0.001	0.01	26.1	1.8	<0.2	0.2	1.5	<0.01	0.03	4.7
1774959		<0.05	1.5	30	430	1.5	<0.001	0.36	160.5	0.6	0.6	0.2	4.0	<0.01	0.05	1.6
1774960		0.14	9.2	40	4.0	12.8	0.001	0.25	6.66	0.8	5.0	0.3	18.9	<0.01	12.85	0.4
1774961		<0.05	3.7	30	13.5	13.7	<0.001	2.90	110.5	0.7	39.6	0.3	21.3	<0.01	15.70	0.3
1774962		0.61	3.7	40	5.7	4.4	0.037	1.24	34.8	0.7	10.9	0.2	19.9	<0.01	3.80	0.3
1774963		0.06	1.5	10	8.4	1.2	<0.001	4.78	173.0	0.3	34.7	<0.2	2.1	<0.01	7.68	<0.2
1774964		<0.05	1.4	110	26.1	3.3	<0.001	0.03	13.85	0.4	0.3	<0.2	1.9	<0.01	0.17	2.0
1774965		0.15	1.1	180	72.8	13.3	0.001	4.69	227	0.9	50.1	0.5	86.7	<0.01	7.50	0.8
1774966		0.11	4.3	40	3.0	19.1	0.001	1.17	32.7	1.4	28.1	0.3	12.8	<0.01	5.47	0.3
1774967		0.05	3.6	10	3.1	1.8	0.001	5.96	156.0	0.2	46.6	<0.2	5.2	<0.01	6.23	<0.2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **SITKA GOLD CORP**
1500-409 GRANVILLE ST.
VANCOUVER BC V6C 1T2

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 3-SEP-2020
 Account: TISLOG

Project: RC GOLD

CERTIFICATE OF ANALYSIS WH20185890

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
1774951		0.030	0.37	0.31	19	1260	2.40	9	0.6
1774952		0.022	0.28	0.58	48	83.0	2.30	16	1.5
1774953		0.200	0.93	2.29	103	56.2	9.68	36	13.4
1774954		0.023	0.19	3.01	8	670	4.25	9	14.2
1774955		<0.005	0.12	0.80	11	2.22	2.97	41	1.1
1774956		<0.005	0.06	0.39	2	1.81	1.09	4	0.5
1774957		<0.005	0.09	0.71	5	0.59	1.66	35	1.3
1774958		<0.005	0.05	0.92	6	0.60	2.98	127	1.0
1774959		<0.005	0.14	0.70	2	0.28	0.49	70	<0.5
1774960		0.013	0.09	0.13	7	68.1	0.63	4	<0.5
1774961		<0.005	0.14	0.82	6	12.00	3.60	2	<0.5
1774962		0.005	0.39	0.44	5	4340	4.09	3	<0.5
1774963		<0.005	0.03	0.12	3	11.15	0.39	2	<0.5
1774964		<0.005	0.09	0.27	3	9.08	0.91	6	0.9
1774965		0.005	0.32	5.58	28	55.7	1.88	3	0.5
1774966		0.012	0.16	0.87	12	123.5	0.80	5	<0.5
1774967		<0.005	0.04	0.60	3	4.99	0.13	<2	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **SITKA GOLD CORP**
1500-409 GRANVILLE ST.
VANCOUVER BC V6C 1T2

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 3-SEP-2020
Account: TISLOG

Project: RC GOLD

CERTIFICATE OF ANALYSIS WH20185890

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
CRU-31 CRU-QC LOG-21 PUL-31
PUL-QC SPL-21 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-AA25 ME-MS41

APPENDIX III

DIAMOND DRILLING RESULTS

Diamond Drill Descriptive Log						
Drillhole: DDRCCC-20-001			Logger: J Gillham			
Collar: (UTM Nad83 Z8) 397401 E, 7085681N, 1824 masl						
Azimuth: 180		Dip: -45deg		Total Length: 209 meters		
Hole	From_m	To_m	Lithology	Colour	Grain size	Description
DDRCCC-20-001	0	3	CAS			3m Casing
DDRCCC-20-001	3	4	B SCHT	grey	VFG	Finely laminated metasediment unit. Vfg Biotite schist. Grey to brown/green. Biotite rich darker layers, w minor <10% lighter coloured qtz/chl rich bands to sub mm. layering at 70-85 deg TCA
DDRCCC-20-001	4	6.24	LMPR	dk grey		Dark grey-green lamprophyre dyke. Irregular upper and lower contacts. A few xenoliths of the hornfelsed metasediment biotite schist to 15 cm between 5m and 6.24m. No visible qtz stringers in dike. A couple qtz stringers (sub mm) in the clasts/xenoliths cutting across the schist foliation (probably the target near vert sheeted qtz stringers observed from surface mapping)
DDRCCC-20-001	6.24	66.7	B SCHT	dk grey		Dark Grey -brown/green foliated finely laminated hornfelsed metasediment biotite schist. Qtz-chl rich dominant intervals from 34m-38m; 46-46.5m; 49.5-50.5m; 53.5-53.75m. Qtz stringers @35-40deg TCA cut foliation. Foliation at 70-90deg TCA.
DDRCCC-20-001	66.7	66.84	MNZT	lt grey	MCG	Light grey monzonite with euhedral plag phenos to 2 cm comprise ~20% of unit. Few % coarse biotite phenos, some contained within plag phenos. Finer grained gm of feldspar>qtz-mafics. Sharp undulating upper and lower contacts at70-85deg TCA. No vis qtz stringers cutting unit.
DDRCCC-20-001	66.84	74.02	B SCHT	dk grey	VFG	Same "biotite schist" hornfelsed metasediment as above. Foliation 50-70deg TCA. A 20cm monzonite intrusion concordant w foliation at 71.85m. A few quartz 'boudinages' // foliation to 20cm wide. Some sulphides associated w chlorite alteration adjacent the quartz.
DDRCCC-20-001	74.02	79.51	QZMN	lt grey		Feldspar megacrystic qtz monzonite. White feldspar phenocrysts (identified as kspar by previous operators) to 2+ cm. Biotite to 1-2mm and fine grained qtz & feldspar gm. Up to 1-2% disseminated sulphides (Py-Aspy) as f.g aggregates associated w mafic minerals. Upper contact concordant with metasediment foliation at 65deg TCA. Lower ctc at 65deg TCA.
DDRCCC-20-001	79.51	82.73	LMPR	dk grey		Dark grey lamprophyre intrusive. Biotite phyrlic to 1mm comprises 10% of unit. 1-2% vfg sulphide(pyrite? Po? Aspy?) A few rounded partially resorbed xenoliths of the metasediment to 5 cm. One partially resorbed rounded lith of the qtz monzonite. Upper and lower contacts with the Qmonz at 60-65deg TCA.

DDRCCC-20-001	82.73	85.71	QZMN	lt grey		Same quartz monzonite as above. Lower contact concordant with foliation of below metased unit at 65deg TCA.
DDRCCC-20-001	85.71	87.05	QRZT			white quartzite. Suggary texture and a slight touch of rusty staining from oxidation on fractures/joints. Upper and lower contacts condordant with foliation in biotite schist.
DDRCCC-20-001	87.05	92.8	B SCHT	dk grey		Same biotite schist hornfelses metasediment as above. 3 cm lampo dike // the 40-45 deg TCA structures and adjacent a 3cm qtz vein at 91.8m.
DDRCCC-20-001	92.8	94.5	APLT	beige		fine grained beige/buff coloured intrusive. Small sub-mm qtz eyes in a qtz-feldspar gm. Trace (<1% py?aspy?po? Diss sulphides. One 10cm xenolith of foliated biotite schist metased. Patchy silica replacement producing a somewhat mottled texture in places. Abundant rusty fractures giving a variable orange stain to the interval. Upper contact at 70deg TCA. Lower contact at 20deg TCA.
DDRCCC-20-001	94.5	177.64	B SCHT	dk grey		Biotite Schist hornfelses metased as above. Foliation 60-80deg TCA. Rusty oxidized alt on on fracture surfaces and in hostrock (104-119) to 100% locally between 106 and 108, but more commonly 2-5%. A few quartz rich zones w 1% diss py-aspy between 160-173 with green chlorite alteration halos (5%).
DDRCCC-20-001	177.64	179.13	FPD	dk grey		dark green/grey diorite intrusive. Euhedral feldspar phenos to 1mm (2-4%). Phyrlic biotite, and 1-2% disseminated f.g. sulphide (Py). Upper and lower contacts are irregular but generally around 45deg TCA. Interval contains thin qtz +/- sulphide structures at 40-50deg TCA.
DDRCCC-20-001	179.13	209	B SCHT	dk grey		biotite schist hornfelses metasediment continues. Abundant Po in sedimentary layers and cross cutting structures from 204 to 209 eoh

Diamond Drill Geotech/Recovery					
Drillhole: DDRCCC-20-001			Logger: J Gillham		
Collar: (UTM Nad83 Z8) 397401 E, 7085681N, 1824 masl					
Azimuth: 180		Dip: -45deg		Total Length: 209 meters	
Drillhole	From_m	To_m	Interval_m	Rec'd_m	Rec'd_%
DDRCCC-20-001	5	8	3	2.86	95.33
DDRCCC-20-001	8	11	3	2.9	96.67
DDRCCC-20-001	11	14	3	2.57	85.67
DDRCCC-20-001	14	17	3	2.89	96.33
DDRCCC-20-001	17	20	3	3.01	100.33
DDRCCC-20-001	20	23	3	2.9	96.67
DDRCCC-20-001	23	26	3	3	100
DDRCCC-20-001	26	29	3	2.81	93.67
DDRCCC-20-001	29	32	3	3.02	100.67
DDRCCC-20-001	32	35	3	3.05	101.67
DDRCCC-20-001	35	38	3	2.91	97
DDRCCC-20-001	38	41	3	2.92	97.33
DDRCCC-20-001	41	44	3	2.73	91
DDRCCC-20-001	44	47	3	2.91	97
DDRCCC-20-001	47	50	3	3.06	102
DDRCCC-20-001	50	51	1	1.01	101
DDRCCC-20-001	51	53	2	2.01	100.5
DDRCCC-20-001	53	56	3	2.93	97.67
DDRCCC-20-001	56	59	3	3.04	101.33
DDRCCC-20-001	59	62	3	2.97	99
DDRCCC-20-001	62	65	3	2.62	87.33
DDRCCC-20-001	65	68	3	2.86	95.33
DDRCCC-20-001	68	71	3	3.05	101.67
DDRCCC-20-001	71	74	3	2.97	99.00
DDRCCC-20-001	74	77	3	2.88	96.00
DDRCCC-20-001	77	80	3	3.05	101.67
DDRCCC-20-001	80	83	3	2.96	98.67
DDRCCC-20-001	83	86	3	2.94	98.00
DDRCCC-20-001	86	89	3	2.76	92.00
DDRCCC-20-001	89	92	3	2.89	96.33
DDRCCC-20-001	92	95	3	2.84	94.67
DDRCCC-20-001	95	98	3	3.01	100.33
DDRCCC-20-001	98	101	3	2.78	92.67
DDRCCC-20-001	101	104	3	3.05	101.67
DDRCCC-20-001	104	107	3	2.78	92.67
DDRCCC-20-001	107	110	3	2.91	97.00
DDRCCC-20-001	110	113	3	3.06	102.00
DDRCCC-20-001	113	116	3	2.93	97.67
DDRCCC-20-001	116	119	3	2.86	95.33
DDRCCC-20-001	119	122	3	3.02	100.67
DDRCCC-20-001	122	125	3	3.03	101.00
DDRCCC-20-001	125	128	3	2.82	94.00

DDRCCC-20-001	128	131	3	3.05	101.67
DDRCCC-20-001	131	134	3	2.84	94.67
DDRCCC-20-001	134	137	3	3.05	101.67
DDRCCC-20-001	137	140	3	2.93	97.67
DDRCCC-20-001	140	143	3	2.87	95.67
DDRCCC-20-001	143	146	3	2.8	93.33
DDRCCC-20-001	146	149	3	3.02	100.67
DDRCCC-20-001	149	151	2	2.2	110.00
DDRCCC-20-001	151	152	1	0.73	73.00
DDRCCC-20-001	152	155	3	2.92	97.33
DDRCCC-20-001	155	158	3	3.01	100.33
DDRCCC-20-001	158	161	3	2.77	92.33
DDRCCC-20-001	161	164	3	3.02	100.67
DDRCCC-20-001	164	167	3	2.63	87.67
DDRCCC-20-001	167	170	3	2.95	98.33
DDRCCC-20-001	170	173	3	3.02	100.67
DDRCCC-20-001	173	176	3	3.05	101.67
DDRCCC-20-001	176	179	3	2.95	98.33
DDRCCC-20-001	179	182	3	2.86	95.33
DDRCCC-20-001	182	185	3	3	100.00
DDRCCC-20-001	185	188	3	3.05	101.67
DDRCCC-20-001	188	191	3	2.87	95.67
DDRCCC-20-001	191	194	3	3.04	101.33
DDRCCC-20-001	194	197	3	2.96	98.67
DDRCCC-20-001	197	200	3	2.97	99.00
DDRCCC-20-001	200	203	3	2.93	97.67
DDRCCC-20-001	203	206	3	2.92	97.33
DDRCCC-20-001	206	209	3	3.01	100.33

Diamond Drill Descriptive Log						
Drillhole: DDRCCC-20-002				Logger: J Gillham		
Collar: (UTM Nad83 Z8) 396784 E, 7085613N, 1685 masl						
Azimuth: 200		Dip: -60deg		Total Length: 296 meters		
Hole	From_m	To_m	Lithology	Colour	Grain size	Description
DDRCCC-20-002	0	9	CAS			9m casing
DDRCCC-20-002	9	61.2	QZMN	lt grey	MCG	feldspar megacrystic qtz monzonite. White euhedral feldspars to 4 cm with occasional biotite inclusions. Light grey (locally to dark grey). Biotite phyric to 1-2 mm. trace to 1-2% disseminated pyrite (trace arseno) often replacing biotite. Locally xenoliths of biotite schist metasediment.
DDRCCC-20-002	61.2	61.6	BSLT	dk grey		fine grained mafic dike - basalt. Dark grey. Small phyric feldspars <<1mm. Irregular upper and lower contacts. Brecciated qmonz @ lower ctc. Qtz stringer structures seen above and below are generally absent in this unit.
DDRCCC-20-002	61.6	75.9	QZMN	lt grey		Unit continues as above the mafic dike. Feldspar megacrystic qtz monzonite. White euhedral feldspars to 4 cm with occasional biotite inclusions. Light grey (locally to dark grey). Biotite phyric to 1-2 mm. trace to 1-2% disseminated pyrite (trace arseno) often replacing biotite. Locally xenoliths of biotite schist metasediment. Significant oxidation in patches as described in alteration.
DDRCCC-20-002	75.9	81.85	CNGL	dk grey		Brecciated/Conglomerate unit. Silicified rock flour matrix. Subangular to rounded clasts to 10 cm. Approx 70% biotite schist metasediment; 20-25% feld megacrystic quartz monzonite; 5-10% slightly bladed feldspar phyric (2-4mm) basalt. Locally oxidized @ 76.4 m and from 79.8 to 81.85m. Upper contact is @ 70deg TCA. Lower ctc @ 60deg TCA. Some vfg disseminated sulphides (Py + Aspy?) in matrix 1-2%. A few hairline oxidized structures, but generally absent <0.5%.
DDRCCC-20-002	81.85	92.85	QZMN	lt grey		Quartz Monzonite as above. Abundant subangular to angular biotite schist metasediment xenoliths, locally to 80% of interval over 10cm. 2 pervasive moderate oxidized zones between 85.5-86 and 86.5-97.2 both @ ~30deg TCA. Core is rubbly with moderate pervasive 'bleached' alteration & patchy weak oxidized alt from 90.7 to end of interval.

DDRCCC-20-002	92.85	105.3	CNGL	dk grey	Breccia/Conglomerate unit as above. Silicified rock flour matrix. Subangular to rounded clasts to 10 cm. Approx 70% biotite schist metasediment; 20-25% feld megacrystic quartz monzonite; 5-10% slightly bladed feldspar phyric (2-4mm) basalt. ~0.5% hairline oxidized +/- qtz-sulphide structures. patchy to locally pervasive intense oxidized alteration increasing in intensity from 101m to end of interval. Lower contact is obscured by complete oxidization and this unit may continue into below unit.
DDRCCC-20-002	105.3	110	CNGL	orange	Oxidized rubble. May be conglomerate/breccia as above or quartz monzonite below. A few discernable pieces of biotite schist metasediment remnants.
DDRCCC-20-002	110	122.8	QZMN	orange	Complete/intense pervasive oxidization. Unit is mostly sand sized rubble. Protolith is likely quartz monzonite as remnant qtz phenos indicate intrusive rock, and a few relic megacrystic feldspars along with biotite schist metased xenos are visible where the unit is less rubbly. Groundmass is a light rusty brown/orange. some faint quartz stringers. Orange gouge common. Abrupt lower contact into dark/light grey unoxidized qmonz at 30deg TCA.
DDRCCC-20-002	122.8	156.45	QZMN	dk grey	Quartz Monzonite megacrystic feldspar to 3 cm similar to above. abundant biotite phenos and qtz eyes to 1mm. Sulphide (pyrite - aspy) +/- qtz stringers plus qtz-trace sulphide stringers @ 30deg TCA ~0.5%. Dark to light grey. Light green sericite bearing gouge at 145.9m, 146.7-150m, 149.8-149.9, 151.2-151.3, 151.65-151.8, 152-152.1, 155.2, 155.7-155.8. oxidized rubble from 148.8-148.88.
DDRCCC-20-002	156.45	157.42	MNDR	dk grey	quartz monzodiorite'. Similar to the megacrystic qtz monz, but lacking megacrystic feldspars. Euhedral 1mm phenos: feldspar ~10% and 5% biotite. Sub mm qtz eyes. Sulphide +/- qtz stringers (<1mm) as above to ~0.5%.
DDRCCC-20-002	157.42	172.15	QZMN	dk grey	quartz monzonite megacrystic feldspar as above. Several 'quartz monzodiorite' dikes between: 166.53-166.6; 167.64-168.55; 170.0-170.17; 171.6-171.93. Contacts are irregular. Sulphide-qtz stringers ~0.5% cut all lithology. Trace-0.5% f.g. disseminated sulphides (py).
DDRCCC-20-002	172.15	193.26	MNDR	dk grey	quartz monzodiorite' as above. Green to dark grey. A few qtz monz xenos between 176.74-177.09. sulphide py>aspy +/- qtz stringers ~1% mostly around 30deg TCA.
DDRCCC-20-002	193.26	197.75	QZMN	dk grey	quartz monzonite megacrystic feldspar as above. ~0.5% stringers.

DDRCCC-20-002	197.75	211.8	MNDR	dk grey	quartz monzodiorite' as above. A few xenos of megacrystic qmonz variably resorbed. ASPY>PY>Qtz stringers ~1%. Some late sericite on unmineralized joints. Trace disseminated vfg sulphides (PY?)
DDRCCC-20-002	211.8	213.24	QZMN	dk grey	grey Qmonz. Upper & lower ctc @ 80deg TCA. ~0.5 qtz>sulphide stringers
DDRCCC-20-002	213.24	214.85	MNDR	dk green	Greenish/grey qtz monzodiorite as above. ~1% sulphide>qtz stringres @ 30deg TCA
DDRCCC-20-002	214.85	257.21	QZMN	green	megacrystic feld - qtz monz as above. Greenish groundmass, weak-mod pervasive chl al of gm and some metased xenoliths from start of interval to ~231.8m then, gradual decrease to fresh white/grey gm over 10-20m. Thicker qtz veins (5-20 mm) at 70-80deg TCA as opposed to the thin sulphide rich stringers at 30deg TCA. the 70*-80deg TCA qtz veins are generally sulphide poor, but contain mm+ size clots occasionally especially where intersecting stringers @ 30deg TCA. No offset or Xcutting relationship observed at the intersection of the two vein sets. Chlorite alt'd section at beginning of interval has a higher VN density + widths with some late sericite +/- chl and calcite on some joints. Feldspar megacrysts become comparatively rare below 245 m, locally forming 10% of unit over 10's of cms, while they above this zone they commonly account for 20% of interval. Vn density is ~0.5% in non-chl alt and up to 1-3% in the more chl alt gm of the qmonz with the thick veins at 70-80deg TCA accounting for much of the volume increase.
DDRCCC-20-002	257.21	274		dk grey	apparently massive dark grey meta sandstone? Rounded to subrounded lithic clasts bearing white feldspar and locally qtz up to 5 cm, commonly <1 cm. Bte-feldspar-calcite gm with ~1% disseminated pyrite/pyrhotite? trace calcite-qtz-py stringers <1mm <<0.5%. Abundant fizzing with application of acid.
DDRCCC-20-002	274	289.84		grey	Foliated metasediment biotite schist. Dark grey. Interbeds of lighter grey feldspar rich schist. Sericite-calcite alteration on joint surfaces. Calcite +/- qtz stringers +/- sericite and trace ~1% disseminated Py-Po. Intruded by a few narrow dikes/sills of light grey Feld megacrystic QMonz (275-275.33; 275.52-275.92; 276.9-277.06; 278-279.95; 279.63-279.88; 285.45-285.65; 285.76-286.09; 287.88-287.94; 288.85-289.15) <0.5% hairline stringers cutting foliated seds and QMonz at 20-40deg TCA (15/3m section). Foliation ~70-80deg TCA

DDRCCC-20-002	289.84	296	QZMN	lt grey		megacrystic feld qtz monz. Course grained qtz and bte compared to previous qmonz - borderline pegmatitic wih bte to 5mm long. Foliated metased xenoliths to 10cm comprising ~15% of interval. Veining similar to above with 0.5% hairline stringers, but some cm size clots of ASPY associated with the more pegmatitic material at bottom of interval.
---------------	--------	-----	------	---------	--	---

Diamond Drill Log - Qtz (sulphide) Vein Log

Drillhole: DDRCCC-20-002

Logger: J Gillham

Collar: (UTM Nad83 Z8) 396784 E, 7085613N, 1685 masl

Azimuth: 200

Dip: -60deg

Total Length: 296 meters

Drillhole	From_m	To_m	Interval (m)	Vein count#	Tot_Vein width (mm)	Vein_%	Comments
DDRCCC-20-002	0	173	173	ND			No Data
DDRCCC-20-002	173	176	3	24	44	1.5%	
DDRCCC-20-002	176	179	3	26	31	1.0%	
DDRCCC-20-002	179	182	3	28	34	1.1%	
DDRCCC-20-002	182	194	12	ND			No Data
DDRCCC-20-002	194	197	3	9	13	0.4%	
DDRCCC-20-002	197	203	6	19	26	0.4%	
DDRCCC-20-002	203	206	3	20	24	0.8%	
DDRCCC-20-002	206	209	3	15	23	0.8%	
DDRCCC-20-002	209	215	6	22	31	0.5%	
DDRCCC-20-002	215	218	3	18	38	1.3%	
DDRCCC-20-002	218	221	3	11	24	0.8%	
DDRCCC-20-002	221	224	3	10	100	3.3%	
DDRCCC-20-002	224	227	3	13	60	2.0%	
DDRCCC-20-002	227	230	3	11	60	2.0%	
DDRCCC-20-002	230	233	3	12	22	0.7%	
DDRCCC-20-002	233	236	3	13	15	0.5%	
DDRCCC-20-002	236	239	3	21	37	1.2%	
DDRCCC-20-002	239	242	3	15	28	0.9%	
DDRCCC-20-002	242	245	3	14	17	0.6%	
DDRCCC-20-002	245	248	3	21	33	1.1%	
DDRCCC-20-002	248	251	3	11	14	0.5%	
DDRCCC-20-002	251	254	3	17	21	0.7%	
DDRCCC-20-002	254	257	3	14	16	0.5%	
DDRCCC-20-002	257	296	39	ND			No Data

Diamond Drill Geotech/Recovery					
Drillhole: DDRCCC-20-001			Logger: J Gillham		
Collar: (UTM Nad83 Z8) 396784 E, 7085613N, 1685 masl					
Azimuth: 200		Dip: -60deg		Total Length: 296 meters	
Drillhole	From_m	To_m	Interval_m	Rec'd_m	Rec'd_%
DDRCCC-20-002	9	11	2	2.2	110
DDRCCC-20-002	11	14	3	2.82	94
DDRCCC-20-002	14	17	3	2.9	96.67
DDRCCC-20-002	17	18	1	0.82	82
DDRCCC-20-002	18	20	2	1.93	96.5
DDRCCC-20-002	20	21.8	1.8	1.4	77.78
DDRCCC-20-002	21.8	23	1.2	0.98	81.67
DDRCCC-20-002	23	24.2	1.2	1.14	95.00
DDRCCC-20-002	24.2	25.7	1.5	1.37	91.33
DDRCCC-20-002	25.7	26.5	0.8	0.75	93.75
DDRCCC-20-002	26.5	28.4	1.9	1.83	96.32
DDRCCC-20-002	28.4	29	0.6	0.69	115.00
DDRCCC-20-002	29	31	2	2.13	106.50
DDRCCC-20-002	31	32	1	0.94	94.00
DDRCCC-20-002	32	35	3	2.48	82.67
DDRCCC-20-002	35	36.2	1.2	0.95	79.17
DDRCCC-20-002	36.2	37	0.8	0.94	117.50
DDRCCC-20-002	37	38	1	1.14	114.00
DDRCCC-20-002	38	39.8	1.8	1.46	81.11
DDRCCC-20-002	39.8	41	1.2	1.49	124.17
DDRCCC-20-002	41	42.8	1.8	1.79	99.44
DDRCCC-20-002	42.8	44	1.2	1.25	104.17
DDRCCC-20-002	44	47	3	3.25	108.33
DDRCCC-20-002	47	49.7	2.7	2.25	83.33
DDRCCC-20-002	49.7	50	0.3	0.39	130.00
DDRCCC-20-002	50	51.2	1.2	1.26	105.00
DDRCCC-20-002	51.2	52.3	1.1	1.12	101.82
DDRCCC-20-002	52.3	53	0.7	0.69	98.57
DDRCCC-20-002	53	55.2	2.2	1.96	89.09
DDRCCC-20-002	55.2	56	0.8	0.84	105.00
DDRCCC-20-002	56	57.3	1.3	1.42	109.23
DDRCCC-20-002	57.3	59	1.7	1.75	102.94
DDRCCC-20-002	59	62	3	3.6	120.00
DDRCCC-20-002	62	65	3	3.2	106.67
DDRCCC-20-002	65	68	3	2.9	96.67
DDRCCC-20-002	68	71	3	3.3	110.00
DDRCCC-20-002	71	74	3	2.6	86.67
DDRCCC-20-002	74	77	3	1.91	63.67
DDRCCC-20-002	77	80	3	2.5	83.33
DDRCCC-20-002	80	83	3	3.62	120.67

DDRCCC-20-002	83	86	3	3.2	106.67
DDRCCC-20-002	86	89	3	3.16	105.33
DDRCCC-20-002	89	92	3	2.9	96.67
DDRCCC-20-002	92	95	3	2.05	68.33
DDRCCC-20-002	95	98	3	2.7	90.00
DDRCCC-20-002	98	101	3	2.95	98.33
DDRCCC-20-002	101	104	3	2.59	86.33
DDRCCC-20-002	104	107	3	2.65	88.33
DDRCCC-20-002	107	110	3	2.1	70.00
DDRCCC-20-002	110	111.3	1.3	1.05	80.77
DDRCCC-20-002	111.3	113	1.7	1.45	85.29
DDRCCC-20-002	113	116	3	2.61	87.00
DDRCCC-20-002	116	117.3	1.3	1.25	96.15
DDRCCC-20-002	117.3	119	1.7	1.55	91.18
DDRCCC-20-002	119	120	1	0.95	95.00
DDRCCC-20-002	120	122	2	1.25	62.50
DDRCCC-20-002	122	123.4	1.4	1.1	78.57
DDRCCC-20-002	123.4	125	1.6	1.45	90.63
DDRCCC-20-002	125	128	3	3.02	100.67
DDRCCC-20-002	128	131	3	3.04	101.33
DDRCCC-20-002	131	132.4	1.4	1.31	93.57
DDRCCC-20-002	132.4	134	1.6	1.51	94.38
DDRCCC-20-002	134	137	3	3.97	132.33
DDRCCC-20-002	137	140	3	2.99	99.67
DDRCCC-20-002	140	143	3	3.01	100.33
DDRCCC-20-002	143	146	3	3	100.00
DDRCCC-20-002	146	149	3	2.62	87.33
DDRCCC-20-002	149	152	3	2.87	95.67
DDRCCC-20-002	152	155	3	2.82	94.00
DDRCCC-20-002	155	158	3	2.77	92.33
DDRCCC-20-002	158	161	3	2.88	96.00
DDRCCC-20-002	161	164	3	2.98	99.33
DDRCCC-20-002	164	167	3	2.93	97.67
DDRCCC-20-002	167	170	3	2.97	99.00
DDRCCC-20-002	170	173	3	2.93	97.67
DDRCCC-20-002	173	176	3	2.98	99.33
DDRCCC-20-002	176	179	3	3	100.00
DDRCCC-20-002	179	182	3	2.98	99.33
DDRCCC-20-002	182	185	3	2.96	98.67
DDRCCC-20-002	185	188	3	2.95	98.33
DDRCCC-20-002	188	191	3	2.98	99.33
DDRCCC-20-002	191	194	3	2.96	98.67
DDRCCC-20-002	194	197	3	3.02	100.67
DDRCCC-20-002	197	200	3	2.89	96.33
DDRCCC-20-002	200	203	3	2.86	95.33
DDRCCC-20-002	203	206	3	3.06	102.00
DDRCCC-20-002	206	209	3	2.96	98.67

DDRCCC-20-002	209	212	3	2.84	94.67
DDRCCC-20-002	212	215	3	3	100.00
DDRCCC-20-002	215	218	3	2.93	97.67
DDRCCC-20-002	218	221	3	3.04	101.33
DDRCCC-20-002	221	224	3	3	100.00
DDRCCC-20-002	224	227	3	3.05	101.67
DDRCCC-20-002	227	230	3	3.05	101.67
DDRCCC-20-002	230	233	3	3.05	101.67
DDRCCC-20-002	233	236	3	2.98	99.33
DDRCCC-20-002	236	239	3	3	100.00
DDRCCC-20-002	239	242	3	3	100.00
DDRCCC-20-002	242	245	3	3.03	101.00
DDRCCC-20-002	245	248	3	3	100.00
DDRCCC-20-002	248	251	3	3	100.00
DDRCCC-20-002	251	254	3	2.95	98.33
DDRCCC-20-002	254	257	3	3.02	100.67
DDRCCC-20-002	257	260	3	3.04	101.33
DDRCCC-20-002	260	263	3	3.05	101.67
DDRCCC-20-002	263	266	3	2.98	99.33
DDRCCC-20-002	266	269	3	3.01	100.33
DDRCCC-20-002	269	272	3	2.92	97.33
DDRCCC-20-002	272	275	3	2.96	98.67
DDRCCC-20-002	275	278	3	2.83	94.33
DDRCCC-20-002	278	281	3	2.98	99.33
DDRCCC-20-002	281	284	3	2.69	89.67
DDRCCC-20-002	284	287	3	2.51	83.67
DDRCCC-20-002	287	290	3	2.81	93.67
DDRCCC-20-002	290	293	3	3.3	110.00
DDRCCC-20-002	293	296	3	2.94	98.00

Diamond Drill Descriptive Log						
Drillhole: DDRCCC-20-003			Logger: J Gillham			
Collar: (UTM Nad83 Z8) 398536 E, 7085250, 1707 masl						
Azimuth: 341deg		Dip: -45deg		Total Length: 307.4 meters		
Hole	From_m	To_m	Lithology	Colour	Grain size	Description
DDRCCC-20-003	0	3	CAS			Casing to 3 m
DDRCCC-20-003	3	75.6	DIOR	dk grey		dark grey, f.g. diorite of the Eiger Stock, consisting of equigranular feldspar and biotite + amphibole/hornblende, with 1-2% vfg disseminated sulphide (PY?). Sheeted mm hariline qtz+/- sulphide(Py-AsPy). Sulphides on joints/stringers are mostly oxidized to 65m, after which oxidation is less common. Wider Qtz veins to 8cm are common (see vein density sheet), but generally devoid of significant sulphide content in the qtz, but massive AsPY-Py can be present on some of the vein margins. 5 mm massive Aspy/Py on margin of 80mm qtz vein @ 127.3. A few minor blebs/flecks of Chalcopyrite @ 47.13. Veins are generally parallel (sheeted) and at 45 degrees TCA. Significant gouge zone w a few chips of qtz @ 56.5m for 30cm - poor recovery.
DDRCCC-20-003	75.6	80.18	LATI	cream		cream coloured f.g. felsic intrusive. gm is silicified with traces of mafic phenos (bte?) paritally replaced by vfg Py(ASPYP?). Lower contact is 45deg TCA and parallel to the sheeted veins. Interval contains ~3% qtz veining. ~80% o the veining is at 45deg TCA // to the sheeted veins and up to 10mm, while the remaining approx 20% cuts at all angles more commonly 1-2mm giving this interval a more 'stockwork' than 'sheeted' appearance. Qtz is light grey, with rare vis sulphides -> mostly vfg. Interval is variably FeOX stained a rusty orange.
DDRCCC-20-003	80.18	105.85	DIOR	dk grey		Same f.g. Diorite as above. Oxidation on joints/veins is rare other than immediately below the contact with the above felsic intrusive. Sheeted veining continues as above diorite unit. Significant veins @ 83.33-83.64 (180mm true thickness) & 60mm between 92.1-92.2. The thicker sheeted qtz veins are qtz>> sulphide, whereas the thin mm-sub mm veins can be sulphide dominant.
DDRCCC-20-003	105.85	111.55	LATI	cream		crem coloured fg felsic intrusive with silicified groundmass as above. Same style and density of qtz stockwork. Less oxidized/rusty staining, more small clots of visible sulphde (Aspy-Py-Po) in the veins. Upper and lower contact at 45deg TCA

DDRCCC-20-003	111.55	169.5	DIOR	dk grey		dk grey f.g. equigranular Eiger diorite as above. Generally weaker veining to 130m than seen in the unit higher up section. Between 119-125 interval is slightly calcite altered and contains relict xenoliths? clasts of f.g. dark material - weakly fizzes under the application of acid. Between 137.05-137.25 ~20cm of grey gouge w broken core either side - no lith/alt/vn change observed across the stc. @ 148.8 & 151 ~10 cm of broken, sericite rich slightly green gouge. Below ~151, Po is common as a disseminated sulphide > Py in the host lithology and more common along vein margins. Significant qtz veins 45deg TCA @ 153.5m (10 cm) & 158m (11cm)
DDRCCC-20-003	169.5	171.67	LATI	cream		f.g. felsic intrusive. White matrix, f.g. qtz and feldspar, 3-5% biotite phenos (Similar to above felsic units, but less silicified; fresher). Qtz stockwork/sheeting w grey qtz to 10mm similar to above felsic dikes. Upper and lower contact sharp @ 45deg TCA.
DDRCCC-20-003	171.67	178.07	DIOR	dk grey		Diorite unit continues as above from 111.5-169.5. Po content increases near lower contact
DDRCCC-20-003	178.07	181.46	FPD	dk green		Dark green feldspar porphyritic (2mm euhedral) f.g. diorite. Clear contact with earlier Eiger diorite (above) @ 45deg TCA. Hairline sub-mm to 1 mm sulphide rich Py-AsPy-Po stringers generally lacking qtz ~0.5%
DDRCCC-20-003	181.46	182.4	LAMP	dk green		Dark grey green Biotite porphyritic (to 2mm) lamprophyre. Disseminated sulphides (Py-AsPY?) and clots of Po to 2-3%. No visible veining. Contacts at 45deg TCA
DDRCCC-20-003	182.4	183	FPD	dk green		feldspar porphyritic diorite as above.
DDRCCC-20-003	183	208.5	DIOR	dk grey		equigranular 'eiger' diorite with sheeted veining continues as above. Po more common in veining and disseminated. Trace chalcopyrite appears on some vein margins. Significant veins at 192.9-193.05 (5cm); 194.2-194.45 (15cm).
DDRCCC-20-003	208.5	209.3	FPD	dk green		feldspar porphyritic diorite as above. No visible mineralized structures. Cts @ 45deg TCA
DDRCCC-20-003	209.3	276.3	DIOR	dk grey		equigranular 'eiger' diorite continues as above. Thicker Qtz>> sulphide veins are more common in this interval. Significant veins: 30mm w CPY @ 225.5; 120mm @ 240.8; 50mm @ 241.25; 100mm @ 250.6; 200mm @ 251.6; 30mm w CPY @ 247.2; 80mm @ 259.5; 250mm rusty w CPY @ 262.4.
DDRCCC-20-003	276.3	276.9	LAMP	dk green		Lamprophyre' dike as above. No visible mineralized structures
DDRCCC-20-003	276.9	299.7	DIOR	dk grey		equigranular 'eiger' diorite continues. Some narrow late sericite/calcite structures cutting the zone at low angles TCA.

DDRCCC-20-003	299.7	300.46	MS	orange		massive ASPY cemented qtz breccia / fault zone. Interval begins w rusty broken Diorite fragments to 3cm. Followed by: 17cm of ASPY cemented breccia - ~45% ASPY cement, 45% qtz clasts, 10% rusty gouge/Dior. Then 22 cm rusty gouge/Dior with some ASPY clots; then rusty rubbly DIOR with a 45deg TCA lower etc.
DDRCCC-20-003	300.46	307.4	DIOR	dk grey		equigranular 'Eiger' diorite continues. Some narrow late sericite/calcite structures cutting the zone at low angles TCA. @ 306.65 100mm QV @ 45deg TCA.

Diamond Drill Log - Qtz (sulphide) Vein Log

Drillhole: DDRCCC-20-003

Logger: J Gillham

Collar: (UTM Nad83 Z8) 398536 E, 7085250, 1707 masl

Azimuth: 341

Dip: -45deg

Total Length: 307.4 meters

Drillhole	From_m	To_m	Interval (m)	Vein count#	Tot_Vein width (mm)	Vein_%	Comments
DDRCCC-20-003	3	5	2	6	7	0.4%	
DDRCCC-20-003	5	8	3	14	43	1.4%	
DDRCCC-20-003	8	11	3	13	10	0.3%	
DDRCCC-20-003	11	14	3	17	49	1.6%	
DDRCCC-20-003	14	17	3	23	55	1.8%	
DDRCCC-20-003	17	20	3	28	60	2.0%	
DDRCCC-20-003	20	23	3	24	50	1.7%	
DDRCCC-20-003	23	26	3	17	17	0.6%	
DDRCCC-20-003	26	29	3	25	105	3.5%	5mm massive sulphide on margin of 8cm qtz vn
DDRCCC-20-003	29	32	3	26	100	3.3%	
DDRCCC-20-003	32	35	3	33	33	1.1%	
DDRCCC-20-003	35	38	3	22	100	3.3%	
DDRCCC-20-003	38	41	3	17	17	0.6%	
DDRCCC-20-003	41	44	3	20	70	2.3%	
DDRCCC-20-003	44	47	3	28	90	3.0%	
DDRCCC-20-003	47	50	3	19	30	1.0%	CPY noted
DDRCCC-20-003	50	53	3	15	49	1.6%	
DDRCCC-20-003	53	56	3	19	28	0.9%	
DDRCCC-20-003	56	57.3	1.3	7	85	6.5%	
DDRCCC-20-003	57.3	59	1.7	13	13	0.8%	
DDRCCC-20-003	59	62	3	17	23	0.8%	
DDRCCC-20-003	62	65	3	13	31	1.0%	
DDRCCC-20-003	65	68	3	10	20	0.7%	
DDRCCC-20-003	68	71	3	6	16	0.5%	
DDRCCC-20-003	71	74	3	9	43	1.4%	
DDRCCC-20-003	74	75.6	1.6	4	7	0.4%	
DDRCCC-20-003	75.6	77	1.4	34	52	3.7%	
DDRCCC-20-003	77	80.18	3.18	69	94	3.0%	
DDRCCC-20-003	80.18	83	2.82	22	15	0.5%	
DDRCCC-20-003	83	86	3	24	240	8.0%	150mm + 30 mm VNS
DDRCCC-20-003	86	89	3	16	19	0.6%	
DDRCCC-20-003	89	92	3	33	50	1.7%	
DDRCCC-20-003	92	95	3	25	90	3.0%	
DDRCCC-20-003	95	98	3	30	50	1.7%	
DDRCCC-20-003	98	101	3	23	30	1.0%	
DDRCCC-20-003	101	104	3	24	74	2.5%	
DDRCCC-20-003	104	105.85	1.85	11	26	1.4%	

DDRCCC-20-003	105.85	107	1.15	36	110	9.6%	
DDRCCC-20-003	107	110	3	104	253	8.4%	
DDRCCC-20-003	110	111.55	1.55	44	77	5.0%	
DDRCCC-20-003	111.55	113	1.45	10	17	1.2%	
DDRCCC-20-003	113	116	3	14	36	1.2%	
DDRCCC-20-003	116	119	3	10	10	0.3%	
DDRCCC-20-003	119	122	3	3	3	0.1%	
DDRCCC-20-003	122	125	3	0	0	0.0%	
DDRCCC-20-003	125	128	3	5	5	0.2%	
DDRCCC-20-003	128	131	3	14	43	1.4%	
DDRCCC-20-003	131	134	3	22	55	1.8%	
DDRCCC-20-003	134	137	3	22	25	0.8%	
DDRCCC-20-003	137	140	3	20	25	0.8%	
DDRCCC-20-003	140	143	3	32	100	3.3%	
DDRCCC-20-003	143	146	3	35	42	1.4%	
DDRCCC-20-003	146	149	3	24	78	2.6%	
DDRCCC-20-003	149	152	3	24	63	2.1%	
DDRCCC-20-003	152	155	3	15	124	4.1%	Po
DDRCCC-20-003	155	157.9	2.9	12	57	2.0%	
DDRCCC-20-003	157.9	158.9	1	1	110	11.0%	
DDRCCC-20-003	158.9	160.4	1.5	8	14	0.9%	
DDRCCC-20-003	160.4	161	0.6	1	300	50.0%	VN
DDRCCC-20-003	161	164	3	20	29	1.0%	
DDRCCC-20-003	164	167	3	16	31	1.0%	
DDRCCC-20-003	167	169.5	2.5	12	18	0.7%	
DDRCCC-20-003	169.5	171.67	2.17	35	52	2.4%	
DDRCCC-20-003	171.67	173	1.33	9	16	1.2%	
DDRCCC-20-003	173	176	3	15	21	0.7%	
DDRCCC-20-003	176	178.07	2.07	8	12	0.6%	
DDRCCC-20-003	178.07	181.46	3.39	15	17	0.5%	
DDRCCC-20-003	181.46	182.4	0.94	0	0	0.0%	Lamprophyre
DDRCCC-20-003	182.4	183	0.6	7	7	1.2%	
DDRCCC-20-003	183	185	2	5	5	0.3%	
DDRCCC-20-003	185	188	3	17	36	1.2%	
DDRCCC-20-003	188	191	3	16	38	1.3%	
DDRCCC-20-003	191	192.9	1.9	4	13	0.7%	
DDRCCC-20-003	192.9	193.05	0.15	1	50	33.3%	VN
DDRCCC-20-003	193.05	194.2	1.15	4	4	0.3%	
DDRCCC-20-003	194.2	194.45	0.25	1	150	60.0%	CPY, VN
DDRCCC-20-003	194.45	197	2.55	7	27	1.1%	CPY
DDRCCC-20-003	197	200	3	12	58	1.9%	CPY
DDRCCC-20-003	200	203	3	9	16	0.5%	
DDRCCC-20-003	203	206	3	12	27	0.9%	
DDRCCC-20-003	206	208.5	2.5	14	51	2.0%	CPY
DDRCCC-20-003	208.5	209.3	0.8	0	0	0.0%	
DDRCCC-20-003	209.3	212	2.7	12	46	1.7%	
DDRCCC-20-003	212	215	3	14	84	2.8%	

DDRCCC-20-003	215	218	3	13	91	3.0%	CPY
DDRCCC-20-003	218	221	3	18	68	2.3%	
DDRCCC-20-003	221	224	3	7	39	1.3%	
DDRCCC-20-003	224	227	3	6	38	1.3%	CPY
DDRCCC-20-003	227	230	3	8	47	1.6%	
DDRCCC-20-003	230	233	3	9	13	0.4%	
DDRCCC-20-003	233	236	3	9	57	1.9%	
DDRCCC-20-003	236	239	3	17	140	4.7%	
DDRCCC-20-003	239	240.68	1.68	3	24	1.4%	
DDRCCC-20-003	240.68	240.97	0.29	1	120	41.4%	
DDRCCC-20-003	240.97	242	1.03	3	64	6.2%	
DDRCCC-20-003	242	245	3	9	102	3.4%	
DDRCCC-20-003	245	248	3	9	131	4.4%	
DDRCCC-20-003	248	250.54	2.54	6	26	1.0%	
DDRCCC-20-003	250.54	250.73	0.19	1	100	52.6%	
DDRCCC-20-003	250.73	251.5	0.77	4	28	3.6%	
DDRCCC-20-003	251.5	251.86	0.36	1	200	55.6%	
DDRCCC-20-003	251.86	254	2.14	10	79	3.7%	
DDRCCC-20-003	254	257	3	6	42	1.4%	
DDRCCC-20-003	257	259.45	2.45	7	14	0.6%	
DDRCCC-20-003	259.45	259.65	0.2	1	80	40.0%	
DDRCCC-20-003	259.65	262.2	2.55	9	37	1.5%	
DDRCCC-20-003	262.2	262.61	0.41	1	250	61.0%	
DDRCCC-20-003	262.61	266	3.39	14	70	2.1%	
DDRCCC-20-003	266	269	3	11	35	1.2%	
DDRCCC-20-003	269	272	3	18	27	0.9%	
DDRCCC-20-003	272	275	3	8	28	0.9%	
DDRCCC-20-003	275	276.3	1.3	6	9	0.7%	
DDRCCC-20-003	276.3	276.94	0.64	3	3	0.5%	
DDRCCC-20-003	276.94	278	1.06	9	11	1.0%	
DDRCCC-20-003	278	281	3	19	29	1.0%	
DDRCCC-20-003	281	284	3	8	29	1.0%	
DDRCCC-20-003	284	287	3	16	49	1.6%	
DDRCCC-20-003	287	290	3	6	34	1.1%	
DDRCCC-20-003	290	293	3	10	20	0.7%	
DDRCCC-20-003	293	296	3	10	13	0.4%	
DDRCCC-20-003	296	299	3	14	22	0.7%	
DDRCCC-20-003	299	299.7	0.7	4	4	0.6%	
DDRCCC-20-003	299.7	300.4	0.7	1	350	50.0%	Massive Sulphide BX (Greg or Wilson VN?)
DDRCCC-20-003	300.4	302	1.6	12	16	1.0%	
DDRCCC-20-003	302	305	3	5	5	0.2%	
DDRCCC-20-003	305	306.65	1.65	3	3	0.2%	
DDRCCC-20-003	306.65	307.4	0.75	3	102	13.6%	

Diamond Drill Geotech/Recovery					
Drillhole: DDRCCC-20-003			Logger: J Gillham		
Collar: (UTM Nad83 Z8) 398536 E, 7085250, 1707 masl					
Azimuth: 341		Dip: -45deg		Total Length: 307.4 meters	
Drillhole	From_m	To_m	Interval_m	Rec'd_m	Rec'd_%
DDRCCC-20-003	3	5	2	1.65	82.50
DDRCCC-20-003	5	8	3	2.36	78.67
DDRCCC-20-003	8	11	3	2.48	82.67
DDRCCC-20-003	11	14	3	2.37	79.00
DDRCCC-20-003	14	17	3	2.6	86.67
DDRCCC-20-003	17	20	3	2.83	94.33
DDRCCC-20-003	20	23	3	2.67	89.00
DDRCCC-20-003	23	26	3	2.63	87.67
DDRCCC-20-003	26	29	3	2.78	92.67
DDRCCC-20-003	29	32	3	2.6	86.67
DDRCCC-20-003	32	35	3	2.8	93.33
DDRCCC-20-003	35	38	3	2.92	97.33
DDRCCC-20-003	38	41	3	2.63	87.67
DDRCCC-20-003	41	44	3	2.85	95.00
DDRCCC-20-003	44	47	3	2.71	90.33
DDRCCC-20-003	47	50	3	2.42	80.67
DDRCCC-20-003	50	53	3	2.83	94.33
DDRCCC-20-003	53	56	3	2.81	93.67
DDRCCC-20-003	56	57.3	1.3	0.86	66.15
DDRCCC-20-003	57.3	59	1.7	1.42	83.53
DDRCCC-20-003	59	62	3	2.9	96.67
DDRCCC-20-003	62	65	3	2.67	89.00
DDRCCC-20-003	65	66.4	1.4	1.3	92.86
DDRCCC-20-003	66.4	68	1.6	1.56	97.50
DDRCCC-20-003	68	71	3	2.88	96.00
DDRCCC-20-003	71	74	3	2.86	95.33
DDRCCC-20-003	74	75.6	1.6	1.6	100.00
DDRCCC-20-003	75.6	77	1.4	1.27	90.71
DDRCCC-20-003	77	80	3	2.86	95.33
DDRCCC-20-003	80	83	3	2.92	97.33
DDRCCC-20-003	83	86	3	3.01	100.33
DDRCCC-20-003	86	89	3	2.98	99.33
DDRCCC-20-003	89	92	3	2.99	99.67
DDRCCC-20-003	92	95	3	2.88	96.00
DDRCCC-20-003	95	98	3	2.94	98.00
DDRCCC-20-003	98	101	3	2.83	94.33
DDRCCC-20-003	101	104	3	2.76	92.00
DDRCCC-20-003	104	107	3	2.98	99.33
DDRCCC-20-003	107	110	3	3	100.00
DDRCCC-20-003	110	113	3	2.76	92.00
DDRCCC-20-003	113	116	3	2.88	96.00

DDRCCC-20-003	116	119	3	2.87	95.67
DDRCCC-20-003	119	122	3	2.94	98.00
DDRCCC-20-003	122	125	3	2.81	93.67
DDRCCC-20-003	125	128	3	3.15	105.00
DDRCCC-20-003	128	131	3	2.77	92.33
DDRCCC-20-003	131	134	3	2.92	97.33
DDRCCC-20-003	134	137	3	2.63	87.67
DDRCCC-20-003	137	140	3	2.88	96.00
DDRCCC-20-003	140	143	3	2.85	95.00
DDRCCC-20-003	143	146	3	2.96	98.67
DDRCCC-20-003	146	149	3	2.76	92.00
DDRCCC-20-003	149	152	3	2.52	84.00
DDRCCC-20-003	152	155	3	3.01	100.33
DDRCCC-20-003	155	158	3	2.95	98.33
DDRCCC-20-003	158	161	3	2.98	99.33
DDRCCC-20-003	161	164	3	2.85	95.00
DDRCCC-20-003	164	167	3	2.89	96.33
DDRCCC-20-003	167	170	3	3.03	101.00
DDRCCC-20-003	170	173	3	2.9	96.67
DDRCCC-20-003	173	176	3	2.96	98.67
DDRCCC-20-003	176	179	3	2.98	99.33
DDRCCC-20-003	179	182	3	2.88	96.00
DDRCCC-20-003	182	185	3	2.95	98.33
DDRCCC-20-003	185	188	3	3	100.00
DDRCCC-20-003	188	191	3	2.81	93.67
DDRCCC-20-003	191	194	3	3.04	101.33
DDRCCC-20-003	194	197	3	3	100.00
DDRCCC-20-003	197	200	3	2.99	99.67
DDRCCC-20-003	200	203	3	2.93	97.67
DDRCCC-20-003	203	206	3	2.96	98.67
DDRCCC-20-003	206	209	3	2.93	97.67
DDRCCC-20-003	209	212	3	2.92	97.33
DDRCCC-20-003	212	215	3	2.9	96.67
DDRCCC-20-003	215	218	3	2.93	97.67
DDRCCC-20-003	218	221	3	2.95	98.33
DDRCCC-20-003	221	224	3	3.02	100.67
DDRCCC-20-003	224	227	3	2.87	95.67
DDRCCC-20-003	227	230	3	2.96	98.67
DDRCCC-20-003	230	233	3	3	100.00
DDRCCC-20-003	233	236	3	2.89	96.33
DDRCCC-20-003	236	239	3	3.01	100.33
DDRCCC-20-003	239	242	3	2.95	98.33
DDRCCC-20-003	242	245	3	2.88	96.00
DDRCCC-20-003	245	248	3	2.97	99.00
DDRCCC-20-003	248	251	3	2.94	98.00
DDRCCC-20-003	251	254	3	2.75	91.67
DDRCCC-20-003	254	257	3	3.03	101.00

DDRCCC-20-003	257	260	3	2.97	99.00
DDRCCC-20-003	260	263	3	2.98	99.33
DDRCCC-20-003	263	266	3	2.96	98.67
DDRCCC-20-003	266	269	3	2.49	83.00
DDRCCC-20-003	269	272	3	2.93	97.67
DDRCCC-20-003	272	275	3	2.9	96.67
DDRCCC-20-003	275	278	3	2.97	99.00
DDRCCC-20-003	278	281	3	2.98	99.33
DDRCCC-20-003	281	284	3	2.93	97.67
DDRCCC-20-003	284	287	3	2.94	98.00
DDRCCC-20-003	287	290	3	2.78	92.67
DDRCCC-20-003	290	293	3	3.02	100.67
DDRCCC-20-003	293	296	3	2.98	99.33
DDRCCC-20-003	296	299	3	2.83	94.33
DDRCCC-20-003	299	302	3	3.01	100.33
DDRCCC-20-003	302	305	3	3	100.00
DDRCCC-20-003	305	307.4	2.4	2.21	92.08

Diamond Drill Descriptive Log

Drillhole: DDRCCC-20-004

Logger: J Gillham

Collar: (UTM Nad83 Z8) 398617 E, 7085359N, 1686 masl

Azimuth: 189

Dip: -45deg

Total Length: 281 meters

Hole	From_m	To_m	Lithology	Colour	Grain size	Description
DDRCCC-20-004	0	2.1				2.1m Casing
DDRCCC-20-004	2.1	54.3	DIOR	dk grey		f.g. equigranular feld-bte-qtz-amphibole diorite 'Eiger' as seen in hole DDRCCC20-003. Locally abundant xenoliths from 1mm to 10cm are dominantly metaseds (bte schist) sometimes with reaction rims altered to Po. Several large 5-10 cm subangular qtz xenos (qtzite? or metamorphic sedimentary bull qtz?) from 2.1-47.5. Unit is calcareous and fizzes abundantly between 20-25m where small remnant xeno's are most abundant, and locally calcareous throughout the interval where small xeno content is increased. Disseminated Py>Po ~1%. Sheeted qtz veins +/- ASPY-PY @ 45deg TCA from sub mm to 10-20mm throughout the interval @~0.5-1%. An 11 cm Qtz-Aspy structure @ 38m. 1 cm of massive aspy at 35.2m along with 1 cm of slightly rusty to green gouge @ 45deg TCA
DDRCCC-20-004	54.3	59.15	LATI	cream		cream coloured f.g. felsic intrusive. gm is silicified, a few relict qtz eyes and traces of mafic phenos (bte?) paritally replaced by vfg Py(ASPY?). Lower contact is 45deg TCA and parallel to the sheeted veins. Interval contains ~3% qtz veining. ~80% o the veining is at 45deg

DDRCCC-20-004	59.15	229	DIOR	dk grey	equigranular diorite continues as above. Relict xenolith content (small rounded to subrounded) a few %. 10cm of sandy rusty rubble w qtz fragments @ 82m. 86.1-89.7m fault zone marked by drillers block @ 89 w 0.5m of core unrecovered but containing rusty qtz chips not seen in the rest of the interval. 90.8-90.92 - slightly rusty 7.5cm qtz vein @ 45dTCA, no vis sulphides. 95.4-99 broken core w abundant late ser-cal veining at low angles to TCA. @102m qtz vein rubble ~8cm worth? slightly rusty. @106.5 7mm work of qtz stringers with up to 50% ASPY, slightly bleached/light green sericite alt'd wallrock. @ 118.3 35mm qtz vein. @ 127.5m ~15mm of sandy rusty qtz (weathered sulphide rich material?). @131.9-132.7 ~120mm worth of rusty qtz vein rubble. @ 134.8-136.2 couple small intervals of broken qtz + rusty rubble totaling 60mm. @ 137.4-138 ~50mm of white qtz rubble followed by rusty sand+qtz (5-10cm). @143m ~120mm of broken white qtz. @154-155.3 green bubbly gouge. @193.75-194.2 10mm rusty sulphide (ASPY?) followed by 1800 qtz w trace sulphide followed by another 55mm of sheeted stringers. @221.6 30mm of mass ASPY w qtz @ 45dTCA Oxidization of the bubbly/sandy qtz intervals decreases between 150-200m depth, mostly unweathered below 200m.
DDRCCC-20-004	229	266.3	DIOR	dk grey	equigranular diorite with abundant foliated metased xenoliths from sub cm to 50 cm of core length. Where sheeted veins cut the xenos, high sulphide content in the qtz veins results (best seen at seen at 230.2 & 260.7. @ 254.5-255m 200 mm qtz vein @ 45dTCA. From 257.6 to contact at 266.33 xeno content increases.
DDRCCC-20-004	266.33	272.38	B SCHT	dk grey	Foliated metasediment biotite schist. Dark grey. Interbeds of lighter grey feldspar rich schist and quartzite. A few < 10cm fingers of the eiger diorite intrude along foliation @ 80deg TCA. Sheeted qtz veins (sulphide poor) cut unit @ 45deg TCA w some minor veins @ 20-30dTCA. Sericite-calcite alteration on joint surfaces. Calcite +/- qtz stringers +/- sericite and trace ~1% disseminated Py-Po. Intruded by a few narrow dikes/sills
DDRCCC-20-004	272.38	275	DIOR	dk grey	Small interval of equigranular diorite with abundant xenoliths.
DDRCCC-20-004	275	281	B SCHT	dk grey	Foliated metasediments continue, with quartzite more prevalent at top of interval. ~1% qtz veins (qtz>>sx)

Diamond Drill Log - Qtz (sulphide) Vein Log

Drillhole: DDRCCC-20-004

Logger: J Gillham

Collar: (UTM Nad83 Z8) 398617 E, 7085359N, 1686 masl

Azimuth: 189

Dip: -45deg

Total Length: 281 meters

Drillhole	From_m	To_m	Interval (m)	Vein count#	Tot_Vein width (mm)	Vein_%	Comments
DDRCCC-20-004	2.1	5	2.9	3	10	0.3%	
DDRCCC-20-004	5	8	3	6	43	1.4%	
DDRCCC-20-004	8	11	3	8	20	0.7%	
DDRCCC-20-004	11	14	3	8	18	0.6%	
DDRCCC-20-004	14	17	3	9	39	1.3%	
DDRCCC-20-004	17	20	3	5	6	0.2%	
DDRCCC-20-004	20	23	3	1	1	0.0%	
DDRCCC-20-004	23	26	3	3	3	0.1%	
DDRCCC-20-004	26	29	3	2	13	0.4%	
DDRCCC-20-004	29	32	3	15	70	2.3%	
DDRCCC-20-004	32	35	3	10	30	1.0%	
DDRCCC-20-004	35	38.2	3.2	6	149	4.7%	
DDRCCC-20-004	38.2	41	2.8	6	8	0.3%	
DDRCCC-20-004	41	44	3	13	27	0.9%	
DDRCCC-20-004	44	47	3	7	9	0.3%	
DDRCCC-20-004	47	50	3	16	15	0.5%	
DDRCCC-20-004	50	53	3	9	14	0.5%	
DDRCCC-20-004	53	54.3	1.3	6	10	0.8%	
DDRCCC-20-004	54.3	56	1.7	30	62	3.6%	
DDRCCC-20-004	56	59.15	3.15	50	119	3.8%	
DDRCCC-20-004	59.15	62	2.85	6	11	0.4%	
DDRCCC-20-004	62	65	3	9	16	0.5%	
DDRCCC-20-004	65	68	3	8	34	1.1%	
DDRCCC-20-004	68	71	3	8	14	0.5%	
DDRCCC-20-004	71	74	3	7	11	0.4%	
DDRCCC-20-004	74	77	3	10	30	1.0%	
DDRCCC-20-004	77	80	3	7	8	0.3%	
DDRCCC-20-004	80	83	3	6	75	2.5%	
DDRCCC-20-004	83	86	3	18	19	0.6%	
DDRCCC-20-004	86	89	3	7	38	1.3%	fault zone
DDRCCC-20-004	89	92	3	4	78	2.6%	
DDRCCC-20-004	92	95	3	3	32	1.1%	rubble
DDRCCC-20-004	95	98	3	3	7	0.2%	
DDRCCC-20-004	98	101	3	8	10	0.3%	
DDRCCC-20-004	101	104	3	6	95	3.2%	
DDRCCC-20-004	104	107	3	9	14	0.5%	ASPY
DDRCCC-20-004	107	110	3	10	19	0.6%	
DDRCCC-20-004	110	113	3	9	21	0.7%	
DDRCCC-20-004	113	116	3	13	31	1.0%	
DDRCCC-20-004	116	119	3	8	58	1.9%	
DDRCCC-20-004	119	122	3	6	7	0.2%	
DDRCCC-20-004	122	125	3	9	14	0.5%	

DDRCCC-20-004	125	128	3	14	39	1.3%	
DDRCCC-20-004	128	131	3	13	25	0.8%	10mm mass ASPY
DDRCCC-20-004	131	131.9	0.9	2	2	0.2%	
DDRCCC-20-004	131.9	132.7	0.8	1	120	15.0%	qtz rubble
DDRCCC-20-004	132.7	134	1.3	4	7	0.5%	
DDRCCC-20-004	134	134.8	0.8	2	2	0.2%	
DDRCCC-20-004	134.8	136.2	1.4	6	73	5.2%	
DDRCCC-20-004	136.2	137	0.8	4	4	0.5%	
DDRCCC-20-004	137	137.4	0.4	1	1	0.2%	
DDRCCC-20-004	137.4	138.5	1.1	5	63	5.7%	couple rubbled qtz veins
DDRCCC-20-004	138.5	140	1.5	10	18	1.2%	
DDRCCC-20-004	140	143	3	1	1	0.0%	sericite faults - broken
DDRCCC-20-004	143	143.9	0.9	1	120	13.3%	qtz rubble
DDRCCC-20-004	143.9	146	2.1	4	5	0.2%	
DDRCCC-20-004	146	149	3	6	11	0.4%	
DDRCCC-20-004	149	152	3	2	54	1.8%	50mm vein
DDRCCC-20-004	152	155	3	6	52	1.7%	
DDRCCC-20-004	155	158	3	2	2	0.1%	
DDRCCC-20-004	158	161	3	13	86	2.9%	mass ASPY
DDRCCC-20-004	161	164	3	17	15	0.5%	
DDRCCC-20-004	164	167	3	18	21	0.7%	CPY
DDRCCC-20-004	167	170	3	15	57	1.9%	
DDRCCC-20-004	170	173	3	13	17	0.6%	
DDRCCC-20-004	173	176	3	8	8	0.3%	
DDRCCC-20-004	176	179	3	8	28	0.9%	
DDRCCC-20-004	179	182	3	8	10	0.3%	
DDRCCC-20-004	182	185	3	4	6	0.2%	
DDRCCC-20-004	185	188	3	11	14	0.5%	
DDRCCC-20-004	188	191	3	14	25	0.8%	
DDRCCC-20-004	191	191.15	0.15	1	60	40.0%	VN
DDRCCC-20-004	191.15	193.75	2.6	10	20	0.8%	
DDRCCC-20-004	193.75	194.2	0.45	11	234	52.0%	180mm vn
DDRCCC-20-004	194.2	197	2.8	20	54	1.9%	mass ASPY 5mm
DDRCCC-20-004	197	200	3	15	35	1.2%	
DDRCCC-20-004	200	203	3	16	32	1.1%	
DDRCCC-20-004	203	206	3	7	21	0.7%	
DDRCCC-20-004	206	209	3	13	19	0.6%	
DDRCCC-20-004	209	212	3	5	30	1.0%	
DDRCCC-20-004	212	215	3	16	28	0.9%	
DDRCCC-20-004	215	218	3	13	51	1.7%	thick ASPY selv & stringers
DDRCCC-20-004	218	221	3	15	51	1.7%	
DDRCCC-20-004	221	224	3	15	49	1.6%	mass ASPY
DDRCCC-20-004	224	227	3	14	39	1.3%	
DDRCCC-20-004	227	230	3	13	49	1.6%	
DDRCCC-20-004	230	233	3	10	34	1.1%	
DDRCCC-20-004	233	236	3	16	94	3.1%	mass ASPY +trace CPY
DDRCCC-20-004	236	239	3	20	137	4.6%	mass ASPY +trace CPY
DDRCCC-20-004	239	242	3	21	121	4.0%	

DDRCCC-20-004	242	245	3	13	47	1.6%	
DDRCCC-20-004	245	248	3	19	121	4.0%	
DDRCCC-20-004	248	251	3	18	65	2.2%	
DDRCCC-20-004	251	254	3	9	74	2.5%	mass ASPY
DDRCCC-20-004	254	257	3	7	235	7.8%	
DDRCCC-20-004	257	260	3	9	80	2.7%	
DDRCCC-20-004	260	263	3	8	69	2.3%	10mm ASPY
DDRCCC-20-004	263	266	3	9	39	1.3%	
DDRCCC-20-004	266	269	3	20	33	1.1%	
DDRCCC-20-004	269	272	3	10	24	0.8%	ASPY
DDRCCC-20-004	272	275	3	4	8	0.3%	
DDRCCC-20-004	275	278	3	12	39	1.3%	
DDRCCC-20-004	278	281	3	11	40	1.3%	

Diamond Drill Geotech/Recovery					
Drillhole: DDRCCC-20-004			Logger: J Gillham		
Collar: (UTM Nad83 Z8) 398617 E, 7085359N, 1686 masl					
Azimuth: 189		Dip: -45deg		Total Length: 281 meters	
Drillhole	From_m	To_m	Interval_m	Rec'd_m	Rec'd_%
DDRCCC-20-004	2.1	5	2.9	2.7	93.10
DDRCCC-20-004	5	8	3	2.96	98.67
DDRCCC-20-004	8	11	3	1.9	63.33
DDRCCC-20-004	11	14	3	2.6	86.67
DDRCCC-20-004	14	17	3	2.53	84.33
DDRCCC-20-004	17	20	3	2.31	77.00
DDRCCC-20-004	20	23	3	3.02	100.67
DDRCCC-20-004	23	26	3	2.7	90.00
DDRCCC-20-004	26	29	3	3.01	100.33
DDRCCC-20-004	29	32	3	2.56	85.33
DDRCCC-20-004	32	35	3	2.96	98.67
DDRCCC-20-004	35	38	3	2.57	85.67
DDRCCC-20-004	38	41	3	2.88	96.00
DDRCCC-20-004	41	44	3	2.94	98.00
DDRCCC-20-004	44	47	3	2.84	94.67
DDRCCC-20-004	47	50	3	2.95	98.33
DDRCCC-20-004	50	53	3	2.84	94.67
DDRCCC-20-004	53	56	3	2.87	95.67
DDRCCC-20-004	56	59	3	2.91	97.00
DDRCCC-20-004	59	62	3	2.91	97.00
DDRCCC-20-004	62	65	3	2.68	89.33
DDRCCC-20-004	65	68	3	2.82	94.00
DDRCCC-20-004	68	71	3	2.96	98.67
DDRCCC-20-004	71	74	3	2.97	99.00
DDRCCC-20-004	74	77	3	2.68	89.33
DDRCCC-20-004	77	80	3	2.99	99.67
DDRCCC-20-004	80	83	3	2.86	95.33
DDRCCC-20-004	83	86	3	2.98	99.33
DDRCCC-20-004	86	89	3	2.47	82.33
DDRCCC-20-004	89	92	3	2.49	83.00
DDRCCC-20-004	92	95	3	2.72	90.67
DDRCCC-20-004	95	98	3	2.78	92.67
DDRCCC-20-004	98	101	3	2.69	89.67
DDRCCC-20-004	101	104	3	2.7	90.00
DDRCCC-20-004	104	107	3	3.03	101.00
DDRCCC-20-004	107	110	3	288	9600.00
DDRCCC-20-004	110	113	3	2.94	98.00
DDRCCC-20-004	113	116	3	2.88	96.00
DDRCCC-20-004	116	119	3	3.05	101.67
DDRCCC-20-004	119	122	3	2.69	89.67
DDRCCC-20-004	122	125	3	3	100.00
DDRCCC-20-004	125	128	3	3.05	101.67

DDRCCC-20-004	128	131	3	2.91	97.00
DDRCCC-20-004	131	134	3	2.49	83.00
DDRCCC-20-004	134	137	3	2.61	87.00
DDRCCC-20-004	137	140	3	2.95	98.33
DDRCCC-20-004	140	143	3	2.63	87.67
DDRCCC-20-004	143	146	3	2.85	95.00
DDRCCC-20-004	146	149	3	2.73	91.00
DDRCCC-20-004	149	152	3	2.66	88.67
DDRCCC-20-004	152	155	3	2.96	98.67
DDRCCC-20-004	155	158	3	2.91	97.00
DDRCCC-20-004	158	161	3	2.94	98.00
DDRCCC-20-004	161	164	3	2.87	95.67
DDRCCC-20-004	164	167	3	3.01	100.33
DDRCCC-20-004	167	170	3	2.92	97.33
DDRCCC-20-004	170	173	3	3.01	100.33
DDRCCC-20-004	173	176	3	2.94	98.00
DDRCCC-20-004	176	179	3	2.89	96.33
DDRCCC-20-004	179	182	3	2.87	95.67
DDRCCC-20-004	182	185	3	2.9	96.67
DDRCCC-20-004	185	188	3	2.89	96.33
DDRCCC-20-004	188	191	3	3	100.00
DDRCCC-20-004	191	194	3	2.8	93.33
DDRCCC-20-004	194	197	3	2.89	96.33
DDRCCC-20-004	197	200	3	2.89	96.33
DDRCCC-20-004	200	203	3	2.95	98.33
DDRCCC-20-004	203	206	3	2.99	99.67
DDRCCC-20-004	206	209	3	3.02	100.67
DDRCCC-20-004	209	212	3	2.97	99.00
DDRCCC-20-004	212	215	3	2.96	98.67
DDRCCC-20-004	215	218	3	3.01	100.33
DDRCCC-20-004	218	221	3	3.02	100.67
DDRCCC-20-004	221	224	3	2.95	98.33
DDRCCC-20-004	224	227	3	2.99	99.67
DDRCCC-20-004	227	230	3	2.89	96.33
DDRCCC-20-004	230	233	3	3.01	100.33
DDRCCC-20-004	233	236	3	3.04	101.33
DDRCCC-20-004	236	239	3	2.97	99.00
DDRCCC-20-004	239	242	3	2.98	99.33
DDRCCC-20-004	242	245	3	3.01	100.33
DDRCCC-20-004	245	248	3	2.94	98.00
DDRCCC-20-004	248	251	3	3.02	100.67
DDRCCC-20-004	251	254	3	2.75	91.67
DDRCCC-20-004	254	257	3	3	100.00
DDRCCC-20-004	257	260	3	3.01	100.33
DDRCCC-20-004	260	263	3	2.76	92.00
DDRCCC-20-004	263	266	3	3.05	101.67
DDRCCC-20-004	266	269	3	2.92	97.33

DDRCCC-20-004	269	272	3	2.95	98.33
DDRCCC-20-004	272	275	3	2.97	99.00
DDRCCC-20-004	275	278	3	2.93	97.67
DDRCCC-20-004	278	281	3	3.02	100.67

Clear Creek 2020 Drillhole Samples/Select Assay Results

Hole	From_m	To_m	Sample	Wgt(KG)	Au(PPM)	Au ppm Overlimit	Au(PPB)	As(PPM)	Bi(PPM)	W(PPM)	Cu(PPM)	Ag(PPM)
DDRCCC-20-001	3	4	1808001	2.67	3.248		3508	53.3	55.9	83.8	104.4	0.4
DDRCCC-20-001	4	5	1808002	2.74	0.04		23.2	6.3	0.6	2	12.2	<0.1
DDRCCC-20-001	5	6.24	1808003	3.28	0.223		167	17	3.1	5.2	26.7	<0.1
DDRCCC-20-001	6.24	8	1808004	4.13	0.641		1428.8	134.4	11.4	44.5	93.8	0.2
DDRCCC-20-001	8	10	1808005	5.18	2.292		1880.9	870.3	35.8	37.4	77.8	0.2
DDRCCC-20-001	10	11.6	1808006	3.61	0.143		129.9	74.3	2.7	8.5	38.1	<0.1
DDRCCC-20-001	11.6	12.3	1808007	1.09	0.015		8.5	106.2	0.6	1	56.2	<0.1
DDRCCC-20-001	12.3	13.1	1808008	1.95	0.008		5.5	27.2	0.5	0.4	70.3	0.1
DDRCCC-20-001	13.1	15	1808009	5.22	0.006		15.2	14.3	0.5	1.5	58	0.2
DDRCCC-20-001	15	17	1808011	4.28	0.017		10.1	18.1	0.3	5.2	28.4	<0.1
DDRCCC-20-001	17	19	1808012	5.07	1.677		1510	62.3	30.4	>100.0	56.2	0.3
DDRCCC-20-001	19	21	1808013	5.19	1.639		824.4	148.7	23.8	8.2	63.4	0.2
DDRCCC-20-001	21	23	1808014	4.83	0.129		186.6	21.7	1.5	0.3	38.8	<0.1
DDRCCC-20-001	23	25	1808015	4.63	0.005		2.6	19	0.3	2.9	52.4	0.1
DDRCCC-20-001	25	27	1808016	5.32	<0.005		1.1	23.5	0.2	0.3	26.3	<0.1
DDRCCC-20-001	27	29	1808017	4.93	0.006		2.2	4.3	0.3	0.4	41.5	<0.1
DDRCCC-20-001	29	31	1808018	5.15	0.014		7.9	48.8	0.9	1	39.8	<0.1
DDRCCC-20-001	31	33	1808019	4.92	0.777		414.3	364.8	11.9	6.9	52.7	0.1
DDRCCC-20-001	33	35	1808021	5.13	0.054		73.6	20.6	2.3	10.8	35.4	<0.1
DDRCCC-20-001	35	37	1808022	5.1	0.013		8.6	7.6	0.9	2.2	26	<0.1
DDRCCC-20-001	37	39	1808023	4.77	0.017		18.2	13.5	1.8	7.4	43.6	<0.1
DDRCCC-20-001	39	41	1808024	4.63	<0.005		3.4	32.1	0.4	0.6	31	<0.1
DDRCCC-20-001	41	43	1808025	3.97	0.031		<0.5	31	0.3	0.3	27	<0.1
DDRCCC-20-001	43	45	1808026	4.97	0.2		1517.4	311.8	3.7	9.7	39.1	0.3
DDRCCC-20-001	45	47	1808027	5.37	0.294		206.4	94.5	2.6	2.6	25.2	<0.1
DDRCCC-20-001	47	49	1808028	5.22	0.006		1.5	47.9	0.2	0.7	21.8	<0.1
DDRCCC-20-001	49	51	1808029	4.31	0.043		41	397.8	0.6	0.2	25.6	<0.1
DDRCCC-20-001	51	53	1808031	5.03	<0.005		<0.5	4.9	<0.1	0.3	21.3	<0.1
DDRCCC-20-001	53	55	1808032	5.16	<0.005		<0.5	5.1	0.1	0.2	20.9	<0.1
DDRCCC-20-001	55	57	1808033	4.77	<0.005		<0.5	4.6	0.2	0.4	28.9	<0.1
DDRCCC-20-001	57	59	1808034	5.34	<0.005		3	32.8	0.2	0.3	34.8	<0.1
DDRCCC-20-001	59	61	1808035	5.51	<0.005		2.9	17.6	0.2	0.8	20.2	<0.1
DDRCCC-20-001	61	63	1808036	4.53	<0.005		2.1	13.1	0.4	0.4	24.3	<0.1
DDRCCC-20-001	63	65	1808037	5.1	<0.005		3.5	160.2	0.7	0.4	36.2	<0.1
DDRCCC-20-001	65	67	1808038	5.25	0.009		9.1	36.5	1	1.6	47.4	<0.1
DDRCCC-20-001	67	69	1808039	4.89	<0.005		0.7	27.5	0.2	0.4	43.5	<0.1
DDRCCC-20-001	69	71	1808041	5.3	0.705		731.4	3168.1	21.6	47.8	34.8	<0.1
DDRCCC-20-001	71	72.1	1808042	2.85	0.013		12	29.6	0.5	4.7	47.6	<0.1
DDRCCC-20-001	72.1	74	1808043	4.29	0.643		629.7	352.9	13	>100.0	25.8	<0.1
DDRCCC-20-001	74	76	1808044	4.8	3.923		2632.9	1184.8	70.8	>100.0	42.5	0.3
DDRCCC-20-001	76	78	1808045	4.76	1.793		1233.1	283.8	34.1	74.1	127.8	0.2
DDRCCC-20-001	78	79.5	1808046	3.77	2.559		1495.6	569.2	62.2	50.4	108.5	0.2
DDRCCC-20-001	79.5	81	1808047	3.96	<0.005		2.2	6.1	0.6	0.4	59.8	<0.1
DDRCCC-20-001	81	82.73	1808048	4.16	0.012		10.4	5.9	0.8	0.7	51.5	<0.1
DDRCCC-20-001	82.73	84.4	1808049	4.11	2.019		2013.9	855.9	37.2	77.5	91	0.2
DDRCCC-20-001	84.4	85.7	1808051	3.4	1.763		807.8	742.1	37.8	45.7	113.8	0.2
DDRCCC-20-001	85.7	87.05	1808052	3.46	0.463		279.2	152.9	10.2	35.4	8.5	<0.1
DDRCCC-20-001	87.05	87.8	1808053	1.12	0.221		137.9	31.9	4	0.7	7.6	<0.1
DDRCCC-20-001	87.8	89	1808054	2.95	0.014		30.4	22.2	0.2	0.3	7.5	<0.1
DDRCCC-20-001	89	91	1808055	7.44	0.079		26.1	178.7	1.1	11.3	13.5	<0.1
DDRCCC-20-001	91	92.8	1808056	2.01	0.006		2.5	43.3	0.1	0.7	3.5	<0.1
DDRCCC-20-001	92.8	94.5	1808057	3.78	0.021		22.8	375.2	0.3	5.3	1.6	<0.1
DDRCCC-20-001	94.5	96	1808058	3.8	0.006		9.6	58.2	0.1	0.2	13.7	<0.1
DDRCCC-20-001	96	98	1808059	5.37	<0.005		5	30.1	0.2	0.1	30.8	<0.1
DDRCCC-20-001	98	100	1808061	4.65	<0.005		7.6	15.8	0.2	0.1	35.6	<0.1
DDRCCC-20-001	100	102	1808062	5.51	<0.005		2.1	9.2	0.2	0.2	32.6	<0.1
DDRCCC-20-001	102	104	1808063	5.61	0.006		6.8	84.4	0.2	0.1	21.6	<0.1
DDRCCC-20-001	104	106	1808064	4.64	0.018		15.6	253.3	0.4	1.9	25.3	<0.1
DDRCCC-20-001	106	108	1808065	5.15	0.238		200.6	915.3	12.8	1.1	17.6	0.4

Hole	From_m	To_m	Sample	Wgt(KG)	Au(PPM)	Au ppm Overlimit	Au(PPB)	As(PPM)	Bi(PPM)	W(PPM)	Cu(PPM)	Ag(PPM)
DDRCCC-20-001	108	110	1808066	4.56	0.057		40.8	483.7	1.5	7.9	10.6	<0.1
DDRCCC-20-001	110	112	1808067	5.33	0.422		524.7	105.3	17.5	8	14.8	0.1
DDRCCC-20-001	112	114	1808068	5.37	0.008		1.4	51	0.4	0.2	31.2	<0.1
DDRCCC-20-001	114	116	1808069	5.14	0.011		1.8	21.5	0.3	0.2	31.9	<0.1
DDRCCC-20-001	116	118	1808071	4.71	0.018		12.1	52.2	1.8	0.6	48.8	<0.1
DDRCCC-20-001	118	120	1808072	5.19	0.015		58.2	75.3	0.5	0.6	20.7	<0.1
DDRCCC-20-001	120	122	1808073	5.49	0.005		2.1	26.6	0.8	0.4	20.9	<0.1
DDRCCC-20-001	122	126	1808074	10.6	0.018		14.2	135	0.7	0.6	26.2	<0.1
DDRCCC-20-001	126	128	1808075	4.66	0.013		12.2	242.3	0.6	0.6	15.4	<0.1
DDRCCC-20-001	128	130	1808076	5.63	0.007		2.6	131.2	0.3	0.4	12.5	<0.1
DDRCCC-20-001	130	132	1808077	4.91	0.038		55.6	128.3	1.3	10.8	41.3	<0.1
DDRCCC-20-001	132	134	1808078	4.95	0.081		42.6	358.4	4.6	0.4	39.4	0.1
DDRCCC-20-001	134	136	1808079	5.04	0.394		180.4	617.4	6.2	>100.0	29.5	0.2
DDRCCC-20-001	136	138	1808081	5.34	0.079		46.3	129.2	1.6	5.2	48.1	0.1
DDRCCC-20-001	138	140	1808082	4.84	0.311		236	244.2	5.7	1.7	80.4	0.3
DDRCCC-20-001	140	142	1808083	5.48	0.023		12.2	225.2	0.7	1.1	30	<0.1
DDRCCC-20-001	142	144	1808084	4.82	0.029		20	314	1.1	0.6	42.6	<0.1
DDRCCC-20-001	144	146	1808085	4.84	0.008		57.4	100.3	0.8	0.4	56	<0.1
DDRCCC-20-001	146	148	1808086	5.1	0.096		96.3	393.4	3.3	25.9	30.1	<0.1
DDRCCC-20-001	148	150	1808087	5.21	0.03		21.1	239.1	1.2	6.5	23.2	<0.1
DDRCCC-20-001	150	152	1808088	4.73	0.02		13.3	20.6	0.7	9	14.7	<0.1
DDRCCC-20-001	152	154	1808089	5.09	0.038		29.6	198.1	0.6	9.3	23.5	<0.1
DDRCCC-20-001	154	156	1808091	4.57	0.024		21.4	368.2	0.8	26.8	24.1	<0.1
DDRCCC-20-001	156	158	1808092	5.11	0.009		7.4	349.3	0.6	0.6	37	<0.1
DDRCCC-20-001	158	160	1808093	4.64	0.018		4.7	61.4	0.5	1.1	24.1	<0.1
DDRCCC-20-001	160	162	1808094	5.41	0.024		10	61.2	0.4	3.1	13.5	<0.1
DDRCCC-20-001	162	164	1808095	5.16	0.159		179	233.7	3.1	17.5	11.3	<0.1
DDRCCC-20-001	164	166	1808096	5.13	<0.005		1.1	17	0.2	0.3	29.1	<0.1
DDRCCC-20-001	166	168	1808097	4.36	0.106		94.7	53.6	1.3	0.4	35.2	<0.1
DDRCCC-20-001	168	170	1808098	4.95	0.099		101.6	758	0.9	0.4	39.4	0.1
DDRCCC-20-001	170	172	1808099	5.27	0.595		643.9	1559.2	12.3	29.8	58.8	0.2
DDRCCC-20-001	172	174	1807501	5.2	<0.005		2.4	27.8	0.3	0.3	40.3	<0.1
DDRCCC-20-001	174	176	1807502	5.35	<0.005		1	44.2	0.3	0.3	42.2	<0.1
DDRCCC-20-001	176	177.64	1807503	4.12	<0.005		<0.5	23.6	0.3	0.9	41.7	<0.1
DDRCCC-20-001	177.64	179.13	1807504	3.72	0.13		128.8	115.1	4	18.5	63.4	0.1
DDRCCC-20-001	179.13	181	1807505	4.41	0.12		306.3	373.6	3.2	3.4	15.5	<0.1
DDRCCC-20-001	181	183	1807506	4.98	<0.005		4.6	29.7	0.2	0.2	30.9	<0.1
DDRCCC-20-001	183	185	1807507	5.15	0.009		6.5	27.7	0.4	1.1	21.2	<0.1
DDRCCC-20-001	185	187	1807508	5.26	0.006		4.7	13	0.4	0.4	37.9	<0.1
DDRCCC-20-001	187	189	1807509	5.17	0.012		6.1	39.3	0.4	1	43.6	<0.1
DDRCCC-20-001	189	191	1807511	5.04	0.01		16	23.2	0.4	0.6	40.6	<0.1
DDRCCC-20-001	191	193	1807512	5.54	0.006		4.8	13.8	0.2	1.8	40.1	<0.1
DDRCCC-20-001	193	195	1807513	5.02	0.01		5.1	18.7	0.2	2.5	20.6	<0.1
DDRCCC-20-001	195	197	1807514	5.11	0.009		8.2	28	0.6	0.2	56.5	<0.1
DDRCCC-20-001	197	199	1807515	4.82	0.245		432.7	298.6	6.9	0.3	56.8	0.2
DDRCCC-20-001	199	201	1807516	4.98	0.065		28.2	214	1.6	25.9	29.4	<0.1
DDRCCC-20-001	201	203	1807517	5.06	0.091		84.3	566.9	4.1	5.9	39.5	<0.1
DDRCCC-20-001	203	205	1807518	5.04	0.011		8.7	43.7	0.2	1	38	<0.1
DDRCCC-20-001	205	207	1807519	5.2	0.009		10.1	42.1	0.3	1.4	131.1	0.2
DDRCCC-20-001	207	209	1807521	5.39	0.014		8.5	74.5	0.6	9.1	144.7	0.2
DDRCCC-20-002	9	11	1807522	5.76	0.042		37.1	334.6	1.7	7.1	15	<0.1
DDRCCC-20-002	11	13	1807523	5.28	0.109		48.2	155.3	2.8	4.1	9.5	<0.1
DDRCCC-20-002	13	15	1807524	4.7	0.019		6.3	174.4	0.9	0.7	5.7	<0.1
DDRCCC-20-002	15	17	1807525	4.42	0.055		60.9	4596.8	1.9	0.5	6.3	0.2
DDRCCC-20-002	17	19	1807526	4.43	0.06		46.3	771.2	2.9	5.3	13.9	0.2
DDRCCC-20-002	19	21	1807527	4.68	0.067		117.6	480.9	0.8	2.8	2.4	<0.1
DDRCCC-20-002	21	23	1807528	4.93	0.475		218	1681.3	3.9	9.6	9.9	0.2
DDRCCC-20-002	23	25	1807529	4.67	0.382		736.2	810.3	11.7	17.1	19.8	0.3
DDRCCC-20-002	25	27	1807531	3.37	0.168		139.7	239.7	7.9	9.6	9.6	0.2
DDRCCC-20-002	27	29	1807532	4.27	0.062		59.7	532.4	5.4	5.2	17.1	0.2

Hole	From_m	To_m	Sample	Wgt(KG)	Au(PPM)	Au ppm Overlimit	Au(PPB)	As(PPM)	Bi(PPM)	W(PPM)	Cu(PPM)	Ag(PPM)
DDRCCC-20-002	29	31	1807533	4.85	0.113		68.2	473.7	2.7	4.6	3.7	<0.1
DDRCCC-20-002	31	33	1807534	4.93	0.335		312.6	1632.2	11.8	4.5	11.4	0.3
DDRCCC-20-002	33	35	1807535	4.33	0.073		61.8	482.2	2.9	4	13.9	0.2
DDRCCC-20-002	35	37	1807536	4.48	0.056		45.3	814.3	1.9	2.5	10.2	<0.1
DDRCCC-20-002	37	39	1807537	5.65	0.28		205.7	295.9	14.9	4.5	8.2	0.6
DDRCCC-20-002	39	41	1807538	3.55	0.05		77.4	199.2	1.8	10.1	10.8	<0.1
DDRCCC-20-002	41	43	1807539	4.49	0.041		19	58.5	1.7	2.2	4	<0.1
DDRCCC-20-002	43	45	1807541	4.49	0.047		13.7	260.6	1.4	0.8	3.4	0.1
DDRCCC-20-002	45	47	1807542	5.15	0.005		2.6	182.9	0.6	1.5	1.9	0.1
DDRCCC-20-002	47	49	1807543	4.05	0.099		35.5	101.4	1.3	1.3	4.1	<0.1
DDRCCC-20-002	49	51	1807544	4.36	0.052		23.1	37.6	1.8	2.9	6.3	<0.1
DDRCCC-20-002	51	53	1807545	4.41	0.019		23.8	96.4	0.6	1.2	3.2	<0.1
DDRCCC-20-002	53	55	1807546	4.26	0.16		136.2	403.5	2.9	6	6.9	0.1
DDRCCC-20-002	55	57	1807547	5.33	0.551		276.9	348	10.8	1.8	9.8	0.3
DDRCCC-20-002	57	59	1807548	4.28	0.032		48.1	96	1.1	1.7	2.3	<0.1
DDRCCC-20-002	59	61	1807549	4.33	0.186		72.1	426.3	2.7	2.1	13.8	0.2
DDRCCC-20-002	61	63	1807551	4.65	0.128		233.4	68.2	5.3	69.2	11.1	0.2
DDRCCC-20-002	63	65	1807552	4.54	0.257		138.7	311.6	7.7	6.8	8.4	0.3
DDRCCC-20-002	65	67	1807553	4.55	0.459		369.3	1642.3	9.6	51.8	11.2	0.5
DDRCCC-20-002	67	69	1807554	5.36	0.282		319.8	46.4	6.8	29.2	11.4	0.3
DDRCCC-20-002	69	71	1807555	4.51	0.113		83.3	1060.3	2.8	5.6	4.6	<0.1
DDRCCC-20-002	71	73	1807556	3.95	0.278		197.7	235.3	5.6	5	5.7	0.2
DDRCCC-20-002	73	74.5	1807557	3.47	2.492		2170.9	421.1	45.1	13.9	17.6	2
DDRCCC-20-002	74.5	75.9	1807558	3.19	0.988		434	148.8	18.8	2.8	6.4	0.3
DDRCCC-20-002	75.9	78	1807559	5.45	0.3		731.3	722.9	9.2	2.6	19.3	0.5
DDRCCC-20-002	78	80	1807561	5.11	0.046		46.2	853.1	7.1	3.3	12.4	0.7
DDRCCC-20-002	80	82	1807562	3.66	0.085		78.8	463.1	3.3	1.6	21.1	0.2
DDRCCC-20-002	82	84	1807563	4.74	0.019		7.5	88.2	0.8	2.6	11	<0.1
DDRCCC-20-002	84	86	1807564	4.58	0.024		16.3	221.6	0.9	12.1	7.5	<0.1
DDRCCC-20-002	86	88	1807565	4.76	0.062		61.2	104.1	2.6	0.7	3.5	0.1
DDRCCC-20-002	88	90.7	1807566	6.71	0.064		50.8	195.1	2.2	3.1	6.9	0.1
DDRCCC-20-002	90.7	92.85	1807567	2.7	0.05		48.9	117.5	1.4	0.4	8	<0.1
DDRCCC-20-002	92.85	95	1807568	3.32	0.264		331.6	148.6	15	1.8	16.9	0.5
DDRCCC-20-002	95	97	1807569	4.11	0.117		583.8	113.3	2.8	2.5	13.3	0.3
DDRCCC-20-002	97	99	1807571	4.78	0.286		231.3	392.2	3.9	13	35.7	0.2
DDRCCC-20-002	99	101	1807572	4.85	0.015		12.2	63.1	0.7	1.1	8.2	<0.1
DDRCCC-20-002	101	102.5	1807573	3.16	0.025		20.5	98	0.4	0.6	11.1	<0.1
DDRCCC-20-002	102.5	104	1807574	2.2	0.166		173.5	2796.7	2.6	1.4	18.6	0.5
DDRCCC-20-002	104	105.3	1807575	2.93	0.537		325.3	3051.2	10.4	3.3	34.5	0.9
DDRCCC-20-002	105.3	107	1807576	3.31	0.366		359.3	1303.4	12.1	3.1	47.2	1.9
DDRCCC-20-002	107	110	1807577	4.34	0.155		145.1	1268	2.7	2	20	0.8
DDRCCC-20-002	110	111.3	1807578	2.7	0.216		205.3	1033	5.2	1.8	16.1	1
DDRCCC-20-002	111.3	113	1807579	3.32	0.094		104.2	559.1	33	0.8	13.8	1.3
DDRCCC-20-002	113	116	1807581	5.47	0.069		61.4	595.4	4	1	7.3	0.3
DDRCCC-20-002	116	117.3	1807582	2.75	0.155		100.4	760.3	4.1	2.2	7.7	0.2
DDRCCC-20-002	117.3	119	1807583	3.18	0.218		144.2	487.2	4.1	3.4	6.6	0.2
DDRCCC-20-002	119	120.2	1807584	2.1	0.956		451.2	818	21.8	13.8	25.1	0.4
DDRCCC-20-002	120.2	122	1807585	3.03	0.272		190.1	1694	5.2	2.1	9.3	0.3
DDRCCC-20-002	122	122.8	1807586	1.08	0.107		22.5	235.1	2.5	0.5	5.9	<0.1
DDRCCC-20-002	122.8	125	1807587	5.07	0.575		501.6	1280.5	12.8	45.2	11.6	0.4
DDRCCC-20-002	125	126.95	1807588	5.1	0.087		143.4	317.8	2.1	27.3	4.7	<0.1
DDRCCC-20-002	126.95	129	1807589	5.18	0.008		6.7	30.8	0.9	14.9	5.5	<0.1
DDRCCC-20-002	129	131	1807591	5.28	0.307		254.2	1275.1	11.9	19.7	27.2	<0.1
DDRCCC-20-002	131	133	1807592	4.58	0.299		286.1	1065.8	13.7	15.8	23.9	0.1
DDRCCC-20-002	133	135	1807593	4.67	0.266		192.4	737.1	10.6	9.9	21	<0.1
DDRCCC-20-002	135	137	1807594	5.09	0.118		81	851.7	4.3	14.1	30.7	0.1
DDRCCC-20-002	137	139	1807595	4.95	0.313		1012.9	854.4	9.9	34.3	36.6	0.4
DDRCCC-20-002	139	141	1807596	5.11	0.088		33.1	878.2	4.5	14.9	11.8	0.2
DDRCCC-20-002	141	143	1807597	5.07	0.218		101.6	242.8	6.6	10	13.6	0.1
DDRCCC-20-002	143	145	1807598	5.21	0.231		265.2	1401.7	9.9	20	46.5	0.2

Hole	From_m	To_m	Sample	Wgt(KG)	Au(PPM)	Au ppm Overlimit	Au(PPB)	As(PPM)	Bi(PPM)	W(PPM)	Cu(PPM)	Ag(PPM)
DDRCCC-20-002	145	146.7	1807599	4.37	0.276		195.6	2739.9	11.1	40.3	60.8	0.4
DDRCCC-20-002	146.7	149	1807601	5.12	0.045		31.5	723.8	1.6	>100.0	11.5	0.1
DDRCCC-20-002	149	151	1807602	5.11	0.232		253.1	986.5	4.6	13.4	8.5	0.1
DDRCCC-20-002	151	153	1807603	5.47	0.377		242.2	380.5	6.5	29.4	15.6	0.1
DDRCCC-20-002	153	155	1807604	4.72	0.585		578.6	2640.8	21.3	41.8	20.5	1.6
DDRCCC-20-002	155	156.45	1807605	2.81	0.126		144.8	3963.4	2.5	17.3	5.4	<0.1
DDRCCC-20-002	156.45	157.42	1807606	1.83	7.185		5701.9	787.4	119.5	>100.0	33.7	1.4
DDRCCC-20-002	157.42	159	1807607	4.13	1.591		1527.8	865.9	25.8	52	5.4	0.5
DDRCCC-20-002	159	161	1807608	4.54	1.145		495.5	543.3	18.1	54.4	11.2	0.3
DDRCCC-20-002	161	163	1807609	4.96	1.054		972.4	640.7	17.3	31.1	8.7	0.3
DDRCCC-20-002	163	165	1807611	5.04	1.223		1376.6	1294.4	24.2	>100.0	16.1	0.3
DDRCCC-20-002	165	167	1807612	4.92	0.117		267.9	321.2	5.1	60.3	6.6	0.1
DDRCCC-20-002	167	169	1807613	4.91	0.262		365	627.9	9.6	78.3	18.8	0.2
DDRCCC-20-002	169	171	1807614	4.92	0.701		571.4	743.8	22.8	>100.0	19.3	0.2
DDRCCC-20-002	171	172.15	1807615	2.9	0.096		71.7	1589.6	3.7	29.9	13.4	<0.1
DDRCCC-20-002	172.15	174	1807616	4.55	0.229		188.4	400.5	7.9	89.8	13.4	0.1
DDRCCC-20-002	174	176	1807617	5	0.344		140.1	717.9	13.3	>100.0	29.4	0.1
DDRCCC-20-002	176	178	1807618	5.15	0.13		103.6	567.4	5.7	90.3	10.7	<0.1
DDRCCC-20-002	178	180	1807619	5.08	0.086		197.5	365	1.8	93.9	18.2	0.1
DDRCCC-20-002	180	182	1807621	4.87	0.328		368.2	3871.9	5.6	83.9	11.5	0.1
DDRCCC-20-002	182	184	1807622	5.07	3.736		1510.2	5756.2	42.5	59.2	6.3	0.3
DDRCCC-20-002	184	186	1807623	4.95	0.634		688.4	2721.7	11	79.5	14.9	0.2
DDRCCC-20-002	186	188	1807624	4.98	0.018		10.7	34.8	4.4	>100.0	43.8	0.3
DDRCCC-20-002	188	190	1807625	5.08	0.065		69.6	1481.5	3	78.1	10.1	0.1
DDRCCC-20-002	190	192	1807626	5.04	0.258		269.5	960.4	8	54.5	9.2	0.2
DDRCCC-20-002	192	193.26	1807627	3.02	0.084		43.9	565.6	1.8	71.3	7.9	<0.1
DDRCCC-20-002	193.26	195.5	1807628	5.69	0.364		287.5	2244	6.3	15	2.7	<0.1
DDRCCC-20-002	195.5	197.75	1807629	5.73	4.476		3836.7	837.5	103.6	>100.0	5.6	0.5
DDRCCC-20-002	197.75	200	1807631	5.4	0.502		417.4	624.9	12.1	98.7	32	0.1
DDRCCC-20-002	200	202.06	1807632	4.77	0.148		106.5	1471.2	5.9	41.9	21.1	<0.1
DDRCCC-20-002	202.06	204	1807633	4.74	0.585		230.2	1645.4	17.5	74.5	21.6	0.4
DDRCCC-20-002	204	206	1807634	5.14	0.263		108.8	902.5	6.6	68.4	18.4	0.1
DDRCCC-20-002	206	208	1807635	4.75	0.185		184.9	1133	9.2	85.8	32.8	<0.1
DDRCCC-20-002	208	210	1807636	5.18	0.564		439.3	1318	15.7	>100.0	25.6	0.1
DDRCCC-20-002	210	211.8	1807637	4.09	0.393		713	2602	9.4	>100.0	21.6	0.1
DDRCCC-20-002	211.8	213.24	1807638	3.62	3.019		2213.7	3370.1	66.9	>100.0	10.2	0.2
DDRCCC-20-002	213.24	214.85	1807639	4.2	0.808		660.1	2091.7	19.4	59	23.8	0.2
DDRCCC-20-002	214.85	217	1807641	5.25	0.484		540.1	1664.1	10.5	78.4	15.7	0.1
DDRCCC-20-002	217	219	1807642	5.23	0.793		790.8	2087.8	16.8	>100.0	29.3	0.2
DDRCCC-20-002	219	221	1807643	4.99	0.545		1485.4	544.6	15.2	88.7	54.6	0.5
DDRCCC-20-002	221	223	1807644	4.62	0.332		341.9	785	15.2	10	15.1	0.1
DDRCCC-20-002	223	225	1807645	5.01	0.021		25.4	56.9	0.6	17.9	6.1	<0.1
DDRCCC-20-002	225	227	1807646	5.06	1.658		843.2	1399.8	31.9	89.5	7.9	0.1
DDRCCC-20-002	227	229	1807647	4.94	1.336		247.2	1323.4	12.5	>100.0	13.6	<0.1
DDRCCC-20-002	229	231	1807648	5.37	0.147		1699.9	116.1	2.9	59	8.6	0.3
DDRCCC-20-002	231	233	1807649	5.31	0.213		223.6	315.1	4.6	31	10	<0.1
DDRCCC-20-002	233	235	1807651	5.07	0.893		847.9	733	18.3	71.6	5.9	<0.1
DDRCCC-20-002	235	237	1807652	5.25	0.27		314.2	322	5.4	30.7	7.2	<0.1
DDRCCC-20-002	237	239	1807653	5.12	2.053		1575.1	1224.9	36.8	70.4	9	0.1
DDRCCC-20-002	239	241	1807654	5.15	1.469		968.7	2089.8	23.4	97.8	13.3	<0.1
DDRCCC-20-002	241	243	1807655	5.23	0.521		630.2	335.3	10.2	63.6	20.8	<0.1
DDRCCC-20-002	243	245	1807656	5.29	0.427		460.4	991.4	9.2	69.1	19.6	<0.1
DDRCCC-20-002	245	247	1807657	5.15	0.922		354.6	213.3	14.6	50.7	10.8	<0.1
DDRCCC-20-002	247	249	1807658	5.29	0.644		1135	622.5	12.1	24.6	6.8	0.1
DDRCCC-20-002	249	251	1807659	5.26	0.455		491	432	9	33	5.7	<0.1
DDRCCC-20-002	251	253	1807661	5.18	0.874		959.7	687.6	11.5	14.2	5.9	<0.1
DDRCCC-20-002	253	255	1807662	5.18	0.334		311.6	449.9	5.8	25	10.9	<0.1
DDRCCC-20-002	255	257.21	1807663	5.77	0.75		821	791.9	9.8	32.9	16.3	<0.1
DDRCCC-20-002	257.21	259	1807664	4.79	0.045		27.9	134.9	0.5	2.8	40.7	0.2
DDRCCC-20-002	259	261	1807665	5.45	0.006		3.6	113.1	0.3	0.9	50	0.2

Hole	From_m	To_m	Sample	Wgt(KG)	Au(PPM)	Au ppm Overlimit	Au(PPB)	As(PPM)	Bi(PPM)	W(PPM)	Cu(PPM)	Ag(PPM)
DDRCCC-20-002	261	263	1807666	5.5	0.029		20.1	298.5	0.4	0.5	43.7	0.2
DDRCCC-20-002	263	265	1807667	5.29	0.036		30.9	505.8	0.5	0.3	40.4	0.1
DDRCCC-20-002	265	267	1807668	5.39	<0.005		1.5	16.5	0.1	0.7	49.6	0.2
DDRCCC-20-002	267	269	1807669	5.51	0.136		113.1	1127.2	1	0.4	43.6	0.1
DDRCCC-20-002	269	270	1807671	2.56	<0.005		1.3	18.3	0.2	0.3	40.7	<0.1
DDRCCC-20-002	270	272	1807672	4.8	<0.005		3	16	0.2	0.6	38.3	0.1
DDRCCC-20-002	272	274	1807673	5.46	0.008		3.6	67.5	0.3	1.1	39.3	0.1
DDRCCC-20-002	274	276	1807674	5.24	0.034		25.1	297.1	0.5	0.6	11.9	<0.1
DDRCCC-20-002	276	278	1807675	4.14	0.083		51	454.9	0.8	0.6	22.7	<0.1
DDRCCC-20-002	278	280	1807676	5.33	0.162		156.1	870.5	2.2	1.4	14.9	<0.1
DDRCCC-20-002	280	282	1807677	5.27	0.016		9.3	279.9	0.3	0.2	8.5	<0.1
DDRCCC-20-002	282	284	1807678	4.41	0.034		26.7	408.3	0.8	1.2	11.9	<0.1
DDRCCC-20-002	284	286	1807679	5.51	0.035		25.4	359.2	0.7	0.5	20.3	<0.1
DDRCCC-20-002	286	288	1807681	4.05	0.046		28	291.2	0.9	0.4	9.6	<0.1
DDRCCC-20-002	288	290	1807682	4.94	0.034		28.3	449.8	0.6	1.4	21.9	<0.1
DDRCCC-20-002	290	292	1807683	6	0.029		24.5	179.6	0.5	0.6	3.6	<0.1
DDRCCC-20-002	292	294	1807684	5.12	0.177		150.7	1090	2.9	0.6	9.5	<0.1
DDRCCC-20-002	294	296	1807685	5.13	>10.000	16.1	13578	>10000.0	259.6	5.8	7.6	1.1
DDRCCC-20-003	3	5	1807686	5.03	0.076			60	3	10	33	0.3
DDRCCC-20-003	5	8	1807687	6.78	0.539			412	16	10	30	0.4
DDRCCC-20-003	8	9.5	1807688	4.2	0.152			82	3	<10	26	0.3
DDRCCC-20-003	9.5	11	1807689	2.79	0.279			65	13	<10	28	0.3
DDRCCC-20-003	11	13.3	1807691	5.42	0.966			116	32	<10	28	0.4
DDRCCC-20-003	13.3	15	1807692	5.03	0.16			146	8	<10	42	0.3
DDRCCC-20-003	15	17	1807693	3.95	0.168			173	4	20	33	0.3
DDRCCC-20-003	17	19	1807694	5.24	0.073			185	<2	<10	24	<0.2
DDRCCC-20-003	19	21	1807695	5.09	0.805			112	19	10	30	0.3
DDRCCC-20-003	21	23	1807696	4.9	0.15			70	6	<10	29	0.2
DDRCCC-20-003	23	25	1807697	5.69	0.079			84	3	10	31	0.3
DDRCCC-20-003	25	27	1807698	4.65	0.65			169	18	10	30	0.6
DDRCCC-20-003	27	29	1807699	4.69	5.88			>10000	203	40	25	1.3
DDRCCC-20-003	29	31	1807701	7.47	0.318			668	7	10	28	0.2
DDRCCC-20-003	31	33	1807702	2.74	0.082			216	<2	<10	30	0.2
DDRCCC-20-003	33	35	1807703	4.71	0.074			130	<2	<10	34	0.2
DDRCCC-20-003	35	37	1807704	5.55	0.38			84	5	<10	31	0.3
DDRCCC-20-003	37	39	1807705	5.57	0.101			55	2	<10	28	0.2
DDRCCC-20-003	39	41	1807706	4.45	0.026			69	<2	10	27	<0.2
DDRCCC-20-003	41	43	1807707	5.66	0.724			113	7	10	27	0.2
DDRCCC-20-003	43	44	1807708	2.6	0.411			85	12	<10	30	0.2
DDRCCC-20-003	44	45.5	1807709	4.06	0.07			31	2	10	26	<0.2
DDRCCC-20-003	45.5	47	1807711	3.59	0.659			173	19	20	34	0.2
DDRCCC-20-003	47	49	1807712	4.39	0.271			575	9	20	35	0.3
DDRCCC-20-003	49	51	1807713	5.9	0.157			78	3	10	33	0.2
DDRCCC-20-003	51	53	1807714	5.33	0.243			271	8	20	33	0.2
DDRCCC-20-003	53	55	1807715	5.05	0.241			141	9	10	37	0.2
DDRCCC-20-003	55	56	1807716	2.71	0.043			63	2	<10	33	<0.2
DDRCCC-20-003	56	57.3	1807717	2.89	3.39			127	57	<10	30	0.3
DDRCCC-20-003	57.3	59	1807718	3.95	0.147			153	5	10	38	<0.2
DDRCCC-20-003	59	61	1807719	5.32	0.098			70	4	10	33	<0.2
DDRCCC-20-003	61	63	1807721	5.61	0.317			156	10	20	29	0.2
DDRCCC-20-003	63	65	1807722	4.87	0.655			180	14	<10	36	0.2
DDRCCC-20-003	65	66.4	1807723	4.4	0.094			84	4	20	26	<0.2
DDRCCC-20-003	66.4	68	1807724	3.62	0.196			120	8	10	29	0.2
DDRCCC-20-003	68	70	1807725	4.9	0.082			108	3	20	26	0.2
DDRCCC-20-003	70	72	1807726	5.62	0.151			64	3	<10	36	0.2
DDRCCC-20-003	72	74	1807727	5.03	0.086			130	3	10	31	0.2
DDRCCC-20-003	74	75.6	1807728	4.07	0.062			208	3	10	31	<0.2
DDRCCC-20-003	75.6	77	1807729	3.42	0.232			487	8	10	39	<0.2
DDRCCC-20-003	77	78.5	1807731	3.25	1.15			1050	34	20	49	<0.2
DDRCCC-20-003	78.5	80.18	1807732	4.31	0.801			802	21	10	55	<0.2

Hole	From_m	To_m	Sample	Wgt(KG)	Au(PPM)	Au ppm Overlimit	Au(PPB)	As(PPM)	Bi(PPM)	W(PPM)	Cu(PPM)	Ag(PPM)
DDRCCC-20-003	80.18	82	1807733	5.1	0.033			169	<2	<10	30	<0.2
DDRCCC-20-003	82	84	1807734	5.23	0.448			2110	10	60	29	0.2
DDRCCC-20-003	84	86	1807735	5.54	0.456			314	20	10	28	0.2
DDRCCC-20-003	86	88	1807736	5.37	0.039			405	<2	10	35	0.2
DDRCCC-20-003	88	90	1807737	5.45	0.065			1040	<2	10	28	<0.2
DDRCCC-20-003	90	92	1807738	5.63	0.072			192	2	10	38	0.2
DDRCCC-20-003	92	94	1807739	5.22	0.802			284	30	30	47	0.2
DDRCCC-20-003	94	96	1807741	5.59	0.176			656	4	30	44	<0.2
DDRCCC-20-003	96	98	1807742	5.43	0.185			2230	5	30	36	0.3
DDRCCC-20-003	98	100	1807743	5.75	0.099			1160	2	10	27	<0.2
DDRCCC-20-003	100	102	1807744	4.7	0.576			1530	13	30	31	4
DDRCCC-20-003	102	104	1807745	5.11	0.488			4260	8	30	38	0.2
DDRCCC-20-003	104	105.83	1807746	5.13	0.132			620	3	20	34	<0.2
DDRCCC-20-003	105.83	107	1807747	3.12	1.76			3780	42	110	23	0.3
DDRCCC-20-003	107	108.5	1807748	3.93	0.933			2440	27	30	27	0.2
DDRCCC-20-003	108.5	110	1807749	4.05	1.685			4020	45	20	18	0.2
DDRCCC-20-003	110	111.55	1807751	3.85	0.729			1290	20	40	20	0.2
DDRCCC-20-003	111.55	113	1807752	3.96	0.241			1930	7	20	27	<0.2
DDRCCC-20-003	113	115	1807753	5.48	0.227			1130	5	60	32	0.2
DDRCCC-20-003	115	117	1807754	5.54	0.105			368	2	10	39	0.2
DDRCCC-20-003	117	119	1807755	5.28	0.067			216	<2	<10	41	0.2
DDRCCC-20-003	119	121	1807756	5.36	0.026			117	<2	<10	51	<0.2
DDRCCC-20-003	121	123	1807757	5.67	0.001			10	<2	<10	57	0.2
DDRCCC-20-003	123	125	1807758	4.97	<0.001			4	<2	<10	58	0.2
DDRCCC-20-003	125	127	1807759	5.43	0.057			56	<2	10	52	0.3
DDRCCC-20-003	127	129	1807761	6.15	0.496			868	14	10	40	0.2
DDRCCC-20-003	129	131	1807762	5.3	0.046			101	<2	<10	28	<0.2
DDRCCC-20-003	131	133	1807763	5.03	0.169			225	3	20	45	0.2
DDRCCC-20-003	133	135	1807764	5.55	0.066			61	<2	<10	31	<0.2
DDRCCC-20-003	135	136.2	1807765	3.34	0.276			90	8	<10	32	<0.2
DDRCCC-20-003	136.2	138.2	1807766	4.54	0.039			79	2	<10	33	0.5
DDRCCC-20-003	138.2	140	1807767	4.89	0.171			127	4	<10	36	<0.2
DDRCCC-20-003	140	142	1807768	5.38	0.774			612	25	40	63	0.2
DDRCCC-20-003	142	144	1807769	5.37	0.129			172	3	40	34	0.2
DDRCCC-20-003	144	146	1807771	5.21	0.102			202	3	20	44	<0.2
DDRCCC-20-003	146	148	1807772	5.06	0.423			244	15	10	34	<0.2
DDRCCC-20-003	148	150	1807773	5.4	0.299			124	10	120	66	27.3
DDRCCC-20-003	150	152	1807774	5.02	0.132			85	4	10	28	0.4
DDRCCC-20-003	152	154	1807775	5.47	0.965			243	40	290	67	0.2
DDRCCC-20-003	154	156	1807776	5.56	0.285			283	9	20	31	0.2
DDRCCC-20-003	156	157.9	1807777	5.16	0.072			39	2	<10	22	0.2
DDRCCC-20-003	157.9	158.2	1807778	0.86	1.555			586	63	110	25	<0.2
DDRCCC-20-003	158.2	160.4	1807779	5.83	0.131			409	5	260	26	0.2
DDRCCC-20-003	160.4	161	1807781	1.12	3.18			>10000	134	120	15	0.8
DDRCCC-20-003	161	163	1807782	5.5	0.236			80	8	10	23	0.4
DDRCCC-20-003	163	165	1807783	5.4	0.284			46	9	<10	20	0.2
DDRCCC-20-003	165	167	1807784	5.3	0.123			56	3	20	23	<0.2
DDRCCC-20-003	167	169.5	1807785	6.82	0.083			71	3	30	25	0.2
DDRCCC-20-003	169.5	171.67	1807786	5.32	0.342			253	14	30	53	<0.2
DDRCCC-20-003	171.67	173.55	1807787	5.11	0.022			89	2	<10	21	<0.2
DDRCCC-20-003	173.55	175.8	1807788	6.18	0.109			225	3	10	23	<0.2
DDRCCC-20-003	175.8	178.07	1807789	6.26	0.085			221	<2	10	34	0.2
DDRCCC-20-003	178.07	179.5	1807791	3.79	0.126			210	5	10	95	0.2
DDRCCC-20-003	179.5	181.46	1807792	4.77	0.015			143	2	<10	33	<0.2
DDRCCC-20-003	181.46	182.4	1807793	2.63	0.002			10	<2	<10	57	<0.2
DDRCCC-20-003	182.4	183	1807794	1.63	0.024			196	<2	<10	24	0.2
DDRCCC-20-003	183	185	1807795	5.7	0.063			53	<2	<10	32	0.2
DDRCCC-20-003	185	187	1807796	5.55	0.047			441	2	30	34	0.3
DDRCCC-20-003	187	189	1807797	5.61	0.114			126	3	20	32	<0.2
DDRCCC-20-003	189	191	1807798	4.96	0.016			50	<2	<10	27	0.2

Hole	From_m	To_m	Sample	Wgt(KG)	Au(PPM)	Au ppm Overlimit	Au(PPB)	As(PPM)	Bi(PPM)	W(PPM)	Cu(PPM)	Ag(PPM)
DDRCCC-20-003	191	192.9	1807799	5.4	0.432			74	15	90	29	0.2
DDRCCC-20-003	192.9	194.45	1807801	4.58	0.426			330	15	60	20	0.3
DDRCCC-20-003	194.45	197	1807802	6.92	0.177			83	5	10	39	0.2
DDRCCC-20-003	197	199	1807803	5.3	0.38			47	12	<10	17	<0.2
DDRCCC-20-003	199	201	1807804	5.84	0.525			172	27	30	37	0.3
DDRCCC-20-003	201	203	1807805	5.57	0.241			156	9	40	39	<0.2
DDRCCC-20-003	203	205	1807806	5.52	0.939			115	38	50	22	0.2
DDRCCC-20-003	205	207	1807807	5.96	0.055			53	<2	10	12	<0.2
DDRCCC-20-003	207	208.5	1807808	4.24	0.215			147	10	40	20	0.3
DDRCCC-20-003	208.5	209.3	1807809	2.27	0.012			74	<2	<10	29	0.3
DDRCCC-20-003	209.3	211	1807811	4.39	0.089			141	5	10	25	<0.2
DDRCCC-20-003	211	213	1807812	5.37	0.075			147	2	10	20	0.2
DDRCCC-20-003	213	215	1807813	5.36	0.387			749	16	40	31	<0.2
DDRCCC-20-003	215	217	1807814	5.42	0.089			137	3	10	30	0.2
DDRCCC-20-003	217	219	1807815	5.93	0.456			277	22	50	63	0.2
DDRCCC-20-003	219	221	1807816	4.83	0.127			336	4	10	41	0.2
DDRCCC-20-003	221	223	1807817	5.68	0.139			141	17	10	25	<0.2
DDRCCC-20-003	223	225	1807818	5.61	0.061			32	<2	10	27	0.3
DDRCCC-20-003	225	227	1807819	5.41	0.218			194	12	20	20	0.5
DDRCCC-20-003	227	229	1807821	5.6	0.081			37	2	<10	12	0.2
DDRCCC-20-003	229	231	1807822	5.72	0.182			133	6	30	40	0.3
DDRCCC-20-003	231	233	1807823	5.64	0.061			72	2	10	26	0.2
DDRCCC-20-003	233	235	1807824	5.75	0.061			129	<2	10	30	<0.2
DDRCCC-20-003	235	237	1807825	5.31	0.27			269	18	60	43	0.2
DDRCCC-20-003	237	239	1807826	5.86	0.145			157	11	20	29	<0.2
DDRCCC-20-003	239	240.68	1807827	4.14	0.566			122	20	20	26	0.3
DDRCCC-20-003	240.68	241.4	1807828	2.18	0.317			1050	22	100	29	<0.2
DDRCCC-20-003	241.4	243	1807829	5.2	0.072			41	6	10	27	0.2
DDRCCC-20-003	243	245	1807831	5.38	1.435			525	87	30	29	0.2
DDRCCC-20-003	245	247	1807832	5.7	0.259			135	20	20	23	0.2
DDRCCC-20-003	247	249	1807833	5.89	0.515			230	36	40	32	0.3
DDRCCC-20-003	249	251	1807834	5.76	0.566			576	34	60	29	0.2
DDRCCC-20-003	251	251.86	1807835	2.27	>10.0			4720	508	1530	89	1.4
DDRCCC-20-003	251.86	254	1807836	5.16	0.418			179	30	60	36	0.3
DDRCCC-20-003	254	256	1807837	5.8	0.028			41	5	10	23	<0.2
DDRCCC-20-003	256	258	1807838	6.07	0.068			168	7	40	32	0.3
DDRCCC-20-003	258	260	1807839	5.4	0.408			329	10	490	44	0.2
DDRCCC-20-003	260	262.2	1807841	5.9	0.146			64	7	10	40	0.3
DDRCCC-20-003	262.2	262.6	1807842	1.23	8.58			3510	425	200	90	1
DDRCCC-20-003	262.6	264	1807843	4.1	0.038			42	5	10	13	0.2
DDRCCC-20-003	264	266	1807844	5.61	0.286			173	18	20	31	0.2
DDRCCC-20-003	266	268	1807845	4.07	0.206			301	19	10	117	0.4
DDRCCC-20-003	268	270	1807846	5.33	0.025			136	6	<10	19	<0.2
DDRCCC-20-003	270	272	1807847	5.14	0.109			222	7	10	42	0.2
DDRCCC-20-003	272	274	1807848	5.07	0.064			72	6	10	24	0.2
DDRCCC-20-003	274	276.3	1807849	5.98	0.028			37	4	10	30	0.2
DDRCCC-20-003	276.3	276.94	1807851	1.57	0.003			7	3	<10	60	0.2
DDRCCC-20-003	276.94	279	1807852	5.55	0.129			151	10	20	35	0.2
DDRCCC-20-003	279	281	1807853	4.99	0.088			39	7	20	36	0.2
DDRCCC-20-003	281	283	1807854	5.45	0.03			67	4	<10	40	0.2
DDRCCC-20-003	283	285	1807855	5.64	0.069			433	6	30	31	0.3
DDRCCC-20-003	285	287	1807856	5.25	0.11			85	4	20	25	0.2
DDRCCC-20-003	287	289	1807857	4.64	0.153			56	3	50	27	0.2
DDRCCC-20-003	289	291	1807858	5.31	0.097			139	6	10	40	<0.2
DDRCCC-20-003	291	293	1807859	5.47	0.045			73	2	40	29	<0.2
DDRCCC-20-003	293	295	1807861	5.52	1.02			184	25	10	22	0.3
DDRCCC-20-003	295	297	1807862	5.02	0.078			48	8	<10	22	<0.2
DDRCCC-20-003	297	298.5	1807863	3.97	0.717			100	29	30	28	0.2
DDRCCC-20-003	298.5	299.7	1807864	3.16	0.2			166	14	20	41	<0.2
DDRCCC-20-003	299.7	300.46	1807865	1.49	3.99			>10000	274	90	24	3.8

Hole	From_m	To_m	Sample	Wgt(KG)	Au(PPM)	Au ppm Overlimit	Au(PPB)	As(PPM)	Bi(PPM)	W(PPM)	Cu(PPM)	Ag(PPM)
DDRCCC-20-003	300.46	302	1807866	4.06	0.168			168	15	20	40	0.3
DDRCCC-20-003	302	304	1807867	5.12	0.061			205	7	<10	26	<0.2
DDRCCC-20-003	304	306	1807868	5.55	0.008			28	4	<10	28	<0.2
DDRCCC-20-003	306	307.4	1807869	3.53	0.087			366	9	120	25	0.2
DDRCCC-20-004	2.1	4.6	1807871	6.61	0.069			112	3	20	33	0.2
DDRCCC-20-004	4.6	5.94	1807872	3.4	0.098			106	3	40	27	0.2
DDRCCC-20-004	5.94	8	1807873	5.52	0.496			99	16	20	27	0.2
DDRCCC-20-004	8	11	1807874	4.63	0.036			208	2	20	23	0.2
DDRCCC-20-004	11	13	1807875	5.1	0.212			334	9	10	45	0.2
DDRCCC-20-004	13	15	1807876	5.12	0.159			412	6	10	25	0.2
DDRCCC-20-004	15	17	1807877	4.25	0.091			102	6	<10	24	0.3
DDRCCC-20-004	17	19	1807878	3.86	0.011			36	<2	<10	21	0.3
DDRCCC-20-004	19	21	1807879	5.08	0.959			101	31	10	48	0.3
DDRCCC-20-004	21	23	1807881	5.81	0.012			18	<2	<10	55	0.2
DDRCCC-20-004	23	25	1807882	5.79	0.002			22	2	<10	56	0.3
DDRCCC-20-004	25	27	1807883	4.66	0.002			23	<2	<10	53	0.4
DDRCCC-20-004	27	29	1807884	5.39	1.805			122	46	<10	46	0.3
DDRCCC-20-004	29	31	1807885	4.35	0.26			1270	16	100	34	0.2
DDRCCC-20-004	31	33	1807886	5.52	0.762			311	24	40	30	0.3
DDRCCC-20-004	33	35	1807887	5.54	0.035			268	<2	10	22	0.2
DDRCCC-20-004	35	37	1807888	4.88	0.527			6930	10	20	26	0.2
DDRCCC-20-004	37	39	1807889	5.64	0.564			3380	16	50	28	0.2
DDRCCC-20-004	39	41	1807891	5.86	0.048			325	5	10	31	<0.2
DDRCCC-20-004	41	43	1807892	5.14	0.091			218	4	10	36	0.3
DDRCCC-20-004	43	45	1807893	5.72	0.267			41	4	<10	26	0.2
DDRCCC-20-004	45	47	1807894	5.42	0.006			57	<2	<10	30	<0.2
DDRCCC-20-004	47	49	1807895	5.54	0.032			173	<2	<10	34	0.2
DDRCCC-20-004	49	51	1807896	5.62	0.048			291	<2	10	31	0.2
DDRCCC-20-004	51	53	1807897	5.67	0.096			512	5	20	36	0.3
DDRCCC-20-004	53	54.3	1807898	3.64	0.088			236	4	30	39	0.2
DDRCCC-20-004	54.3	56	1807899	3.51	0.38			436	13	230	13	0.2
DDRCCC-20-004	56	57.5	1807901	3.82	0.168			1170	7	10	8	<0.2
DDRCCC-20-004	57.5	59.15	1807902	4.32	0.912			1560	29	90	26	<0.2
DDRCCC-20-004	59.15	61	1807903	5.04	0.108			106	6	10	39	0.2
DDRCCC-20-004	61	63	1807904	5.48	0.065			160	3	10	29	0.3
DDRCCC-20-004	63	65	1807905	4.92	0.09			485	3	10	26	0.2
DDRCCC-20-004	65	67	1807906	4.68	0.234			4080	6	20	28	<0.2
DDRCCC-20-004	67	69	1807907	5.72	0.224			982	8	30	42	<0.2
DDRCCC-20-004	69	71	1807908	5.63	0.025			41	<2	<10	29	<0.2
DDRCCC-20-004	71	73	1807909	5.6	0.057			32	2	<10	29	0.4
DDRCCC-20-004	73	75	1807911	3.88	0.082			275	2	<10	30	0.2
DDRCCC-20-004	75	77	1807912	6.33	0.557			1260	23	420	33	0.2
DDRCCC-20-004	77	79	1807913	5.7	0.043			74	<2	10	25	0.2
DDRCCC-20-004	79	81.5	1807914	6.73	0.006			33	<2	<10	26	<0.2
DDRCCC-20-004	81.5	82.5	1807915	2.16	1.165			768	76	10	27	0.4
DDRCCC-20-004	82.5	84	1807916	4.19	0.04			126	<2	10	29	0.2
DDRCCC-20-004	84	86	1807917	4.94	0.048			56	3	<10	28	0.2
DDRCCC-20-004	86	87.5	1807918	4.33	0.303			743	10	10	24	0.3
DDRCCC-20-004	87.5	89.7	1807919	3.54	0.142			174	3	<10	31	<0.2
DDRCCC-20-004	89.7	91.5	1807921	5.58	0.121			209	5	10	31	0.2
DDRCCC-20-004	91.5	93	1807922	4.21	0.005			30	<2	<10	23	0.2
DDRCCC-20-004	93	95	1807923	4.96	0.006			33	<2	<10	28	0.2
DDRCCC-20-004	95	96.6	1807924	4.55	0.094			180	2	<10	32	0.2
DDRCCC-20-004	96.6	98	1807925	3.25	0.629			308	22	<10	38	0.4
DDRCCC-20-004	98	99.1	1807926	2.62	0.061			69	2	<10	33	0.2
DDRCCC-20-004	99.1	101	1807927	4.16	0.04			64	2	<10	29	0.3
DDRCCC-20-004	101	103	1807928	4.82	0.082			227	4	10	26	0.2
DDRCCC-20-004	103	105	1807929	5.58	0.077			1040	3	30	27	0.2
DDRCCC-20-004	105	107	1807931	5.8	0.083			730	3	10	34	0.2
DDRCCC-20-004	107	109	1807932	5.16	0.044			904	2	10	34	0.2

Hole	From_m	To_m	Sample	Wgt(KG)	Au(PPM)	Au ppm Overlimit	Au(PPB)	As(PPM)	Bi(PPM)	W(PPM)	Cu(PPM)	Ag(PPM)
DDRCCC-20-004	109	111	1807933	5.65	0.012			78	<2	<10	33	0.2
DDRCCC-20-004	111	113	1807934	5.45	0.051			108	3	10	34	0.2
DDRCCC-20-004	113	115	1807935	5.48	0.152			290	7	30	40	0.2
DDRCCC-20-004	115	117	1807936	5.79	0.061			211	2	10	39	0.2
DDRCCC-20-004	117	119	1807937	5.84	0.267			714	10	<10	31	0.2
DDRCCC-20-004	119	121	1807938	5.04	0.018			101	2	10	43	0.2
DDRCCC-20-004	121	123	1807939	5.69	0.099			442	5	20	31	<0.2
DDRCCC-20-004	123	125	1807941	6.05	0.086			616	4	10	30	0.2
DDRCCC-20-004	125	127	1807942	5.26	0.264			182	9	<10	33	0.2
DDRCCC-20-004	127	128	1807943	2.93	0.351			4470	6	20	37	0.2
DDRCCC-20-004	128	130	1807944	5.32	0.307			2100	10	10	40	<0.2
DDRCCC-20-004	130	131.9	1807945	5.08	0.027			84	<2	<10	29	<0.2
DDRCCC-20-004	131.9	132.7	1807946	1.31	3.11			3800	103	20	13	0.3
DDRCCC-20-004	132.7	134.8	1807947	5.91	0.116			129	6	10	30	<0.2
DDRCCC-20-004	134.8	136.2	1807948	2.37	1.375			421	37	10	27	0.3
DDRCCC-20-004	136.2	137.4	1807949	3.73	0.109			235	3	10	29	0.2
DDRCCC-20-004	137.4	138.5	1774001	2.57	3.27			>10000	199	20	18	0.7
DDRCCC-20-004	138.5	140	1774002	4.42	0.272			605	7	60	26	<0.2
DDRCCC-20-004	140	141.5	1774003	3.96	0.084			89	4	<10	28	<0.2
DDRCCC-20-004	141.5	143	1774004	2.93	0.237			100	11	10	32	<0.2
DDRCCC-20-004	143	143.9	1774005	2.16	0.822			415	27	40	23	<0.2
DDRCCC-20-004	143.9	146	1774006	5.73	0.097			60	5	<10	31	<0.2
DDRCCC-20-004	146	148	1774007	5.27	0.164			328	6	<10	30	<0.2
DDRCCC-20-004	148	150	1774008	5.88	0.02			47	2	<10	31	0.2
DDRCCC-20-004	150	152	1774009	4.61	0.317			106	12	<10	29	0.2
DDRCCC-20-004	152	154	1774010	5.54	0.781			314	45	10	29	0.4
DDRCCC-20-004	154	155.3	1774012	3.1	0.103			76	5	<10	33	<0.2
DDRCCC-20-004	155.3	157	1774013	4.56	0.008			34	<2	<10	27	0.2
DDRCCC-20-004	157	158.5	1774014	4.17	0.005			37	<2	<10	27	<0.2
DDRCCC-20-004	158.5	159.5	1774015	2.58	0.295			465	13	70	35	<0.2
DDRCCC-20-004	159.5	161	1774016	4.16	0.023			59	<2	10	31	0.2
DDRCCC-20-004	161	163	1774017	5.42	0.156			521	4	10	26	<0.2
DDRCCC-20-004	163	165	1774018	5.79	0.305			438	10	20	30	<0.2
DDRCCC-20-004	165	167	1774019	5.15	0.079			111	2	10	29	<0.2
DDRCCC-20-004	167	169	1774021	4.99	3.69			657	96	20	27	0.4
DDRCCC-20-004	169	170.9	1774022	5.05	0.171			156	6	10	35	0.2
DDRCCC-20-004	170.9	173	1774023	5.05	0.169			124	10	<10	32	<0.2
DDRCCC-20-004	173	175	1774024	5.31	0.019			32	<2	<10	30	<0.2
DDRCCC-20-004	175	177	1774025	5.59	0.561			730	23	10	28	0.2
DDRCCC-20-004	177	179	1774026	4.97	0.035			203	<2	20	39	<0.2
DDRCCC-20-004	179	181	1774027	4.77	0.158			100	4	30	32	<0.2
DDRCCC-20-004	181	183	1774028	5.98	0.027			62	2	<10	28	<0.2
DDRCCC-20-004	183	185	1774029	5.67	0.133			38	9	20	37	<0.2
DDRCCC-20-004	185	187	1774031	4.99	0.028			131	2	10	27	<0.2
DDRCCC-20-004	187	189	1774032	5.63	0.499			209	15	10	29	0.2
DDRCCC-20-004	189	191	1774033	5.49	0.372			622	12	10	28	0.2
DDRCCC-20-004	191	192	1774034	2.82	0.718			1090	38	20	21	<0.2
DDRCCC-20-004	192	193.5	1774035	3.78	0.205			498	2	<10	24	<0.2
DDRCCC-20-004	193.5	194.6	1774036	3.14	0.414			4040	14	270	32	<0.2
DDRCCC-20-004	194.6	196.6	1774037	5.55	0.166			178	10	10	27	<0.2
DDRCCC-20-004	196.6	198	1774038	5.11	0.346			481	7	10	22	0.2
DDRCCC-20-004	198	200	1774039	4.34	0.154			833	7	10	24	<0.2
DDRCCC-20-004	200	202	1774041	5.34	0.216			1750	11	10	25	<0.2
DDRCCC-20-004	202	204	1774042	5.43	0.87			386	30	100	32	0.2
DDRCCC-20-004	204	206	1774043	5.42	0.108			727	2	20	27	0.2
DDRCCC-20-004	206	208	1774044	4.93	0.261			1520	8	20	30	0.2
DDRCCC-20-004	208	210	1774045	5.89	0.314			1320	13	20	33	<0.2
DDRCCC-20-004	210	212	1774046	5.54	0.122			210	6	<10	27	<0.2
DDRCCC-20-004	212	214	1774047	5.54	1.165			1010	38	100	88	0.3
DDRCCC-20-004	214	216	1774048	5.73	0.215			1140	5	20	29	<0.2

Hole	From_m	To_m	Sample	Wgt(KG)	Au(PPM)	Au ppm Overlimit	Au(PPB)	As(PPM)	Bi(PPM)	W(PPM)	Cu(PPM)	Ag(PPM)
DDRCCC-20-004	216	218	1774049	5.71	2.39			2270	70	100	27	0.3
DDRCCC-20-004	218	220	1774051	4.91	0.23			1810	8	70	35	0.2
DDRCCC-20-004	220	222	1774052	5.66	1.905			9530	59	20	29	0.2
DDRCCC-20-004	222	224	1774053	6.47	0.2			198	9	10	47	<0.2
DDRCCC-20-004	224	226	1774054	5.25	0.045			32	2	10	33	<0.2
DDRCCC-20-004	226	228	1774055	5.41	0.077			33	6	10	37	<0.2
DDRCCC-20-004	228	230	1774056	5.36	0.139			388	8	20	61	<0.2
DDRCCC-20-004	230	232	1774057	5.24	0.194			74	16	30	60	0.2
DDRCCC-20-004	232	234	1774058	5.6	0.149			273	8	10	30	0.2
DDRCCC-20-004	234	236	1774059	5.98	2.34			1130	79	50	79	0.3
DDRCCC-20-004	236	238.1	1774061	5.44	2.64			527	66	120	37	0.4
DDRCCC-20-004	238.1	240	1774062	5.34	1.015			486	70	170	123	0.4
DDRCCC-20-004	240	242	1774063	5.33	0.618			1680	41	410	38	<0.2
DDRCCC-20-004	242	244	1774064	5.74	0.019			413	2	70	24	<0.2
DDRCCC-20-004	244	246	1774065	5.65	0.501			143	25	40	37	<0.2
DDRCCC-20-004	246	248	1774066	5.32	0.42			1910	18	170	31	0.2
DDRCCC-20-004	248	250	1774067	5.28	0.339			1590	21	90	56	0.2
DDRCCC-20-004	250	251	1774068	2.97	1.035			8110	27	90	174	0.4
DDRCCC-20-004	251	253	1774069	5.79	0.695			2150	24	230	84	0.3
DDRCCC-20-004	253	254.5	1774071	4.4	0.177			84	11	50	32	<0.2
DDRCCC-20-004	254.5	255.5	1774072	2.83	2.23			2580	118	130	28	0.3
DDRCCC-20-004	255.5	257	1774073	3.86	0.483			1940	17	20	27	0.2
DDRCCC-20-004	257	259	1774074	5.21	0.486			926	19	70	74	0.2
DDRCCC-20-004	259	261	1774075	5.58	0.786			2420	30	270	95	0.4
DDRCCC-20-004	261	263	1774076	5.39	0.598			566	15	20	26	<0.2
DDRCCC-20-004	263	265	1774077	4.91	4.64			3910	137	90	20	0.7
DDRCCC-20-004	265	267	1774078	5.35	0.861			2330	24	140	55	0.3
DDRCCC-20-004	267	269	1774079	5.29	0.728			714	29	20	17	0.2
DDRCCC-20-004	269	271	1774081	5.36	0.496			1150	19	40	23	0.2
DDRCCC-20-004	271	273	1774082	5.21	0.33			396	11	40	24	0.2
DDRCCC-20-004	273	275	1774083	5.51	0.12			635	5	10	23	<0.2
DDRCCC-20-004	275	277	1774084	5	0.037			181	<2	20	24	<0.2
DDRCCC-20-004	277	279	1774085	5.22	0.121			217	13	50	86	<0.2
DDRCCC-20-004	279	281	1774086	5.45	0.076			99	5	10	41	<0.2

Clear Creek - Diamond Drill Core Box Ends			
Hole	From_m	To_m	Box_Number
DDRCCC-20-001	3	6.41	1
DDRCCC-20-001	6.41	10.58	2
DDRCCC-20-001	10.58	14.68	3
DDRCCC-20-001	14.68	19.31	4
DDRCCC-20-001	19.31	23.62	5
DDRCCC-20-001	23.62	27.62	6
DDRCCC-20-001	27.62	32	7
DDRCCC-20-001	32	36.41	8
DDRCCC-20-001	36.41	40.71	9
DDRCCC-20-001	40.71	45.53	10
DDRCCC-20-001	45.53	49.56	11
DDRCCC-20-001	49.56	53.75	12
DDRCCC-20-001	53.75	58.1	13
DDRCCC-20-001	58.1	62.45	14
DDRCCC-20-001	62.45	66.71	15
DDRCCC-20-001	66.71	71	16
DDRCCC-20-001	71	75.5	17
DDRCCC-20-001	75.5	79.1	18
DDRCCC-20-001	79.1	84.4	19
DDRCCC-20-001	84.4	88.55	20
DDRCCC-20-001	88.55	92.95	21
DDRCCC-20-001	92.95	97.25	22
DDRCCC-20-001	97.25	101.9	23
DDRCCC-20-001	101.9	106.47	24
DDRCCC-20-001	106.47	110.8	25
DDRCCC-20-001	110.8	115.75	26
DDRCCC-20-001	115.75	119.7	27
DDRCCC-20-001	119.7	124	28
DDRCCC-20-001	124	128.6	29
DDRCCC-20-001	128.6	133	30
DDRCCC-20-001	133	137.37	31
DDRCCC-20-001	137.37	141.74	32
DDRCCC-20-001	141.74	146.45	33
DDRCCC-20-001	146.45	150.55	34
DDRCCC-20-001	150.55	155.2	35
DDRCCC-20-001	155.2	159.7	36
DDRCCC-20-001	159.7	164	37
DDRCCC-20-001	164	168.7	38
DDRCCC-20-001	168.7	173	39
DDRCCC-20-001	173	177.47	40
DDRCCC-20-001	177.47	182	41
DDRCCC-20-001	182	186.33	42
DDRCCC-20-001	186.33	190.88	43
DDRCCC-20-001	190.88	195.25	44
DDRCCC-20-001	195.25	199.74	45

DDRCCC-20-001	199.74	204.3	46
DDRCCC-20-001	204.3	208.83	47
DDRCCC-20-001	208.83	209	48
DDRCCC-20-002	9	12.28	1
DDRCCC-20-002	12.28	16.15	2
DDRCCC-20-002	16.15	20.26	3
DDRCCC-20-002	20.26	24.4	4
DDRCCC-20-002	24.4	28.4	5
DDRCCC-20-002	28.4	32.33	6
DDRCCC-20-002	32.33	36.85	7
DDRCCC-20-002	36.85	41	8
DDRCCC-20-002	41	45.15	9
DDRCCC-20-002	45.15	49.3	10
DDRCCC-20-002	49.3	53.35	11
DDRCCC-20-002	53.35	57.68	12
DDRCCC-20-002	57.68	61.9	13
DDRCCC-20-002	61.9	66.16	14
DDRCCC-20-002	66.16	70.6	15
DDRCCC-20-002	70.6	74.63	16
DDRCCC-20-002	74.63	78.9	17
DDRCCC-20-002	78.9	83.16	18
DDRCCC-20-002	83.16	87.44	19
DDRCCC-20-002	87.44	91.9	20
DDRCCC-20-002	91.9	95.72	21
DDRCCC-20-002	95.72	99.59	22
DDRCCC-20-002	99.59	103.74	23
DDRCCC-20-002	103.74	107.05	24
DDRCCC-20-002	107.05	111	25
DDRCCC-20-002	111	114.5	26
DDRCCC-20-002	114.5	118.65	27
DDRCCC-20-002	118.65	122.7	28
DDRCCC-20-002	122.7	126.95	29
DDRCCC-20-002	126.95	131.15	30
DDRCCC-20-002	131.15	135.7	31
DDRCCC-20-002	135.7	140.1	32
DDRCCC-20-002	140.1	144.59	33
DDRCCC-20-002	144.59	148.88	34
DDRCCC-20-002	148.88	152.91	35
DDRCCC-20-002	152.91	157.3	36
DDRCCC-20-002	157.3	161.66	37
DDRCCC-20-002	161.66	166.17	38
DDRCCC-20-002	166.17	170.6	39
DDRCCC-20-002	170.6	175.14	40
DDRCCC-20-002	175.14	179.58	41
DDRCCC-20-002	179.58	184.1	42
DDRCCC-20-002	184.1	188.61	43
DDRCCC-20-002	188.61	193.1	44

DDRCCC-20-002	193.1	197.41	45
DDRCCC-20-002	197.41	202.06	46
DDRCCC-20-002	202.06	206.22	47
DDRCCC-20-002	206.22	210.68	48
DDRCCC-20-002	210.68	215.6	49
DDRCCC-20-002	215.6	219.75	50
DDRCCC-20-002	219.75	224	51
DDRCCC-20-002	224	228.13	52
DDRCCC-20-002	228.13	232.55	53
DDRCCC-20-002	232.55	237	54
DDRCCC-20-002	237	241.4	55
DDRCCC-20-002	241.4	245.8	56
DDRCCC-20-002	245.8	250.31	57
DDRCCC-20-002	250.31	254.85	58
DDRCCC-20-002	254.85	259.15	59
DDRCCC-20-002	259.15	263.56	60
DDRCCC-20-002	263.56	268.05	61
DDRCCC-20-002	268.05	272.38	62
DDRCCC-20-002	272.38	276.9	63
DDRCCC-20-002	276.9	281.16	64
DDRCCC-20-002	281.16	285.4	65
DDRCCC-20-002	285.4	289.84	66
DDRCCC-20-002	289.84	293.98	67
DDRCCC-20-002	293.98	296	68
DDRCCC-20-003	3	6.3	1
DDRCCC-20-003	6.3	10.4	2
DDRCCC-20-003	10.4	13.3	3
DDRCCC-20-003	13.3	16.77	4
DDRCCC-20-003	16.77	20.66	5
DDRCCC-20-003	20.66	24.8	6
DDRCCC-20-003	24.8	29	7
DDRCCC-20-003	29	33.2	8
DDRCCC-20-003	33.2	37.1	9
DDRCCC-20-003	37.1	41.13	10
DDRCCC-20-003	41.13	45.1	11
DDRCCC-20-003	45.1	49.7	12
DDRCCC-20-003	49.7	53.68	13
DDRCCC-20-003	53.68	57.8	14
DDRCCC-20-003	57.8	62	15
DDRCCC-20-003	62	66.37	16
DDRCCC-20-003	66.37	70.72	17
DDRCCC-20-003	70.72	75.2	18
DDRCCC-20-003	75.2	79.1	19
DDRCCC-20-003	79.1	83.33	20
DDRCCC-20-003	83.33	87.71	21
DDRCCC-20-003	87.71	92.1	22
DDRCCC-20-003	92.1	96.67	23

DDRCCC-20-003	96.67	101.1	24
DDRCCC-20-003	101.1	105.6	25
DDRCCC-20-003	105.6	109.85	26
DDRCCC-20-003	109.85	114.08	27
DDRCCC-20-003	114.08	118.39	28
DDRCCC-20-003	118.39	122.56	29
DDRCCC-20-003	122.56	127.12	30
DDRCCC-20-003	127.12	131	31
DDRCCC-20-003	131	135.35	32
DDRCCC-20-003	135.35	139.36	33
DDRCCC-20-003	139.36	143.77	34
DDRCCC-20-003	143.77	148.2	35
DDRCCC-20-003	148.2	152.28	36
DDRCCC-20-003	152.28	156.66	37
DDRCCC-20-003	156.66	160.85	38
DDRCCC-20-003	160.85	164.7	39
DDRCCC-20-003	164.7	169.11	40
DDRCCC-20-003	169.11	173.55	41
DDRCCC-20-003	173.55	177.94	42
DDRCCC-20-003	177.94	182.4	43
DDRCCC-20-003	182.4	186.79	44
DDRCCC-20-003	186.79	191.46	45
DDRCCC-20-003	191.46	195.83	46
DDRCCC-20-003	195.83	200.16	47
DDRCCC-20-003	200.16	204.55	48
DDRCCC-20-003	204.55	208.88	49
DDRCCC-20-003	208.88	213.15	50
DDRCCC-20-003	213.15	217.55	51
DDRCCC-20-003	217.55	221.83	52
DDRCCC-20-003	221.83	226.24	53
DDRCCC-20-003	226.24	230.57	54
DDRCCC-20-003	230.57	234.85	55
DDRCCC-20-003	234.85	239.22	56
DDRCCC-20-003	239.22	243.91	57
DDRCCC-20-003	243.91	248	58
DDRCCC-20-003	248	252.38	59
DDRCCC-20-003	252.38	256.74	60
DDRCCC-20-003	256.74	261.1	61
DDRCCC-20-003	261.1	265.47	62
DDRCCC-20-003	265.47	269.83	63
DDRCCC-20-003	269.83	274.33	64
DDRCCC-20-003	274.33	278.68	65
DDRCCC-20-003	278.68	283.28	66
DDRCCC-20-003	283.28	287.59	67
DDRCCC-20-003	287.59	292.07	68
DDRCCC-20-003	292.07	296.24	69
DDRCCC-20-003	296.24	300.52	70

DDRCCC-20-003	300.52	304.56	71
DDRCCC-20-003	304.56	307.4	72
DDRCCC-20-004	2.1	5.94	1
DDRCCC-20-004	5.94	10.4	2
DDRCCC-20-004	10.4	14.04	3
DDRCCC-20-004	14.04	17.58	4
DDRCCC-20-004	17.58	21.79	5
DDRCCC-20-004	21.79	25.71	6
DDRCCC-20-004	25.71	29.76	7
DDRCCC-20-004	29.76	34.25	8
DDRCCC-20-004	34.25	38.61	9
DDRCCC-20-004	38.61	43.1	10
DDRCCC-20-004	43.1	47.49	11
DDRCCC-20-004	47.49	51.75	12
DDRCCC-20-004	51.75	56.18	13
DDRCCC-20-004	56.18	60.32	14
DDRCCC-20-004	60.32	65	15
DDRCCC-20-004	65	69.16	16
DDRCCC-20-004	69.16	73.44	17
DDRCCC-20-004	73.44	77.49	18
DDRCCC-20-004	77.49	81.72	19
DDRCCC-20-004	81.72	86.22	20
DDRCCC-20-004	86.22	90.92	21
DDRCCC-20-004	90.92	95.42	22
DDRCCC-20-004	95.42	98.93	23
DDRCCC-20-004	98.93	103.48	24
DDRCCC-20-004	103.48	107.32	25
DDRCCC-20-004	107.32	111.89	26
DDRCCC-20-004	111.89	116.41	27
DDRCCC-20-004	116.41	120.51	28
DDRCCC-20-004	120.51	125.15	29
DDRCCC-20-004	125.15	129.22	30
DDRCCC-20-004	129.22	133.5	31
DDRCCC-20-004	133.5	137.26	32
DDRCCC-20-004	137.26	140.5	33
DDRCCC-20-004	140.5	143.43	34
DDRCCC-20-004	143.43	148.62	35
DDRCCC-20-004	148.62	153.15	36
DDRCCC-20-004	153.15	157.22	37
DDRCCC-20-004	157.22	161.55	38
DDRCCC-20-004	161.55	165.93	39
DDRCCC-20-004	165.93	170.3	40
DDRCCC-20-004	170.3	174.53	41
DDRCCC-20-004	174.53	179	42
DDRCCC-20-004	179	183.5	43
DDRCCC-20-004	183.5	188	44
DDRCCC-20-004	188	192.15	45

DDRCCC-20-004	192.15	196.6	46
DDRCCC-20-004	196.6	200.73	47
DDRCCC-20-004	200.73	205.27	48
DDRCCC-20-004	205.27	209.73	49
DDRCCC-20-004	209.73	214.29	50
DDRCCC-20-004	214.29	218.36	51
DDRCCC-20-004	218.36	222.6	52
DDRCCC-20-004	222.6	227	53
DDRCCC-20-004	227	231.58	54
DDRCCC-20-004	231.58	235.91	55
DDRCCC-20-004	235.91	240.33	56
DDRCCC-20-004	240.33	244.77	57
DDRCCC-20-004	244.77	249.27	58
DDRCCC-20-004	249.27	253.5	59
DDRCCC-20-004	253.5	257.9	60
DDRCCC-20-004	257.9	262.42	61
DDRCCC-20-004	262.42	267	62
DDRCCC-20-004	267	271.5	63
DDRCCC-20-004	271.5	275.8	64
DDRCCC-20-004	275.8	280.32	65
DDRCCC-20-004	280.32	281	66



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Sitka Gold Corp.**
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Submitted By: Cor Coe
Receiving Lab: Canada-Whitehorse
Received: August 14, 2020
Analysis Start: October 09, 2020
Report Date: October 21, 2020
Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI20000258.1

CLIENT JOB INFORMATION

Project: RC_Gold
Shipment ID: RC20-200814-DD-01
P.O. Number
Number of Samples: 121

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Fox Exploration Ltd.
1701 Robert Lang Dr.
Courtenay British Columbia V9N 1A2
Canada

CC: Fox Exploration attn Ryan Coe
Greg Dawson
Joel Gillham
Don Penner

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-1KG	121	Crush, split and pulverize 1kg of sample to 200 mesh			WHI
FA450	121	50g Lead Collection Fire Assay Fusion - AAS Finish	50	Completed	VAN
AQ200	121	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SLBHP	121	Sort, label and box pulps			WHI
SHP01	121	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Sitka Gold Corp.
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: RC_Gold
Report Date: October 21, 2020

Page: 2 of 6

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000258.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	
1808001	Drill Core	2.67	3.248	1.3	104.4	5.9	52	0.4	31.8	20.7	395	3.32	53.3	1.0	3508.0	13.0	219	0.1	0.7	55.9	65
1808002	Drill Core	2.74	0.040	1.6	12.2	4.4	83	<0.1	14.6	20.2	999	5.06	6.3	1.5	23.2	8.9	279	0.1	0.5	0.6	201
1808003	Drill Core	3.28	0.223	1.3	26.7	4.7	64	<0.1	20.3	20.5	898	5.25	17.0	1.6	167.0	9.9	214	0.2	0.4	3.1	202
1808004	Drill Core	4.13	0.641	0.8	93.8	4.6	57	0.2	33.5	19.0	447	3.81	134.4	0.9	1428.8	12.9	128	<0.1	0.5	11.4	72
1808005	Drill Core	5.18	2.292	1.2	77.8	3.8	55	0.2	32.1	20.8	377	3.36	870.3	1.0	1880.9	11.7	102	<0.1	1.4	35.8	64
1808006	Drill Core	3.61	0.143	0.7	38.1	3.9	35	<0.1	15.3	9.0	236	2.14	74.3	0.9	129.9	8.6	78	<0.1	0.4	2.7	26
1808007	Drill Core	1.09	0.015	1.0	56.2	5.6	73	<0.1	23.5	15.1	956	3.59	106.2	0.6	8.5	10.6	23	<0.1	0.9	0.6	77
1808008	Drill Core	1.95	0.008	0.7	70.3	6.5	102	0.1	41.8	26.3	982	4.85	27.2	0.6	5.5	7.4	12	<0.1	0.3	0.5	93
1808009	Drill Core	5.22	0.006	1.2	58.0	4.5	74	0.2	38.5	23.6	621	4.04	14.3	0.6	15.2	8.3	77	<0.1	0.2	0.5	80
1808010	Rock Pulp	0.09	0.517	13.6	770.0	20.8	121	0.6	14.9	14.4	672	3.37	12.9	0.6	576.9	1.9	119	0.7	1.0	0.1	82
1808011	Drill Core	4.28	0.017	0.5	28.4	4.0	51	<0.1	19.8	10.1	259	2.95	18.1	1.0	10.1	8.6	32	<0.1	0.3	0.3	39
1808012	Drill Core	5.07	1.677	1.1	56.2	4.0	72	0.3	33.8	17.8	393	3.71	62.3	1.4	1510.0	11.0	89	<0.1	0.5	30.4	63
1808013	Drill Core	5.19	1.639	0.8	63.4	4.3	75	0.2	34.3	19.9	506	4.24	148.7	1.1	824.4	10.7	86	<0.1	0.5	23.8	68
1808014	Drill Core	4.83	0.129	2.5	38.8	5.0	61	<0.1	20.0	10.6	234	2.90	21.7	0.9	186.6	8.8	18	<0.1	0.3	1.5	34
1808015	Drill Core	4.63	0.005	0.9	52.4	5.0	71	0.1	29.2	17.1	405	3.68	19.0	1.0	2.6	9.5	63	<0.1	0.2	0.3	53
1808016	Drill Core	5.32	<0.005	0.7	26.3	3.8	63	<0.1	22.7	10.9	255	2.94	23.5	1.2	1.1	10.2	7	<0.1	0.2	0.2	40
1808017	Drill Core	4.93	0.006	0.8	41.5	5.1	87	<0.1	24.0	12.2	175	3.50	4.3	1.6	2.2	11.9	8	<0.1	0.1	0.3	46
1808018	Drill Core	5.15	0.014	0.6	39.8	3.1	77	<0.1	26.4	14.3	212	3.36	48.8	1.6	7.9	12.0	25	<0.1	0.3	0.9	46
1808019	Drill Core	4.92	0.777	1.0	52.7	4.1	59	0.1	22.4	13.7	267	3.03	364.8	1.2	414.3	10.1	47	<0.1	0.6	11.9	41
1808020	Drill Core	0.66	<0.005	4.7	6.4	2.8	21	<0.1	9.8	3.6	1157	4.02	4.4	0.9	<0.5	9.7	73	<0.1	0.2	0.1	28
1808021	Drill Core	5.13	0.054	0.9	35.4	3.5	39	<0.1	31.3	10.0	262	2.14	20.6	1.2	73.6	9.4	196	<0.1	0.2	2.3	34
1808022	Drill Core	5.10	0.013	1.3	26.0	2.4	39	<0.1	18.1	8.4	297	2.19	7.6	0.9	8.6	8.3	132	<0.1	0.2	0.9	38
1808023	Drill Core	4.77	0.017	1.7	43.6	6.2	74	<0.1	33.4	16.0	318	3.85	13.5	1.4	18.2	11.9	24	<0.1	0.3	1.8	55
1808024	Drill Core	4.63	<0.005	0.8	31.0	4.7	75	<0.1	24.4	11.9	306	3.19	32.1	1.5	3.4	11.6	11	<0.1	0.2	0.4	42
1808025	Drill Core	3.97	0.031	0.6	27.0	3.5	39	<0.1	15.6	8.0	310	2.31	31.0	1.3	<0.5	9.0	12	<0.1	0.2	0.3	27
1808026	Drill Core	4.97	0.200	0.4	39.1	3.9	63	0.3	31.7	15.3	296	3.46	311.8	1.3	1517.4	10.5	35	<0.1	0.6	3.7	48
1808027	Drill Core	5.37	0.294	0.4	25.2	3.5	49	<0.1	21.2	10.1	315	2.46	94.5	1.0	206.4	9.7	84	<0.1	0.3	2.6	37
1808028	Drill Core	5.22	0.006	0.3	21.8	4.4	58	<0.1	34.8	20.2	290	3.52	47.9	1.6	1.5	14.0	14	<0.1	0.3	0.2	52
1808029	Drill Core	4.31	0.043	0.5	25.6	4.5	53	<0.1	29.0	13.7	279	3.34	397.8	1.2	41.0	12.4	12	<0.1	1.4	0.6	42
1808030	Rock Pulp	0.09	2.030	78.7	1830.1	17.7	61	1.6	11.8	16.3	506	3.46	7.8	1.3	1988.9	4.0	353	0.2	1.5	1.1	98



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Sitka Gold Corp.
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: RC_Gold
Report Date: October 21, 2020

Page: 2 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000258.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.5	0.2	
1808001	Drill Core	2.45	0.042	28	56	1.10	101	0.228	<20	4.20	0.299	1.15	83.8	0.03	8.3	0.9	0.57	15	1.3	2.1
1808002	Drill Core	4.28	0.229	17	369	3.42	1156	0.561	<20	4.61	0.274	3.21	2.0	<0.01	8.2	1.6	<0.05	11	<0.5	<0.2
1808003	Drill Core	4.15	0.198	19	372	3.44	928	0.538	<20	4.79	0.237	3.21	5.2	<0.01	16.9	2.1	0.16	14	0.5	<0.2
1808004	Drill Core	2.02	0.054	27	60	1.35	99	0.258	<20	4.17	0.289	1.48	44.5	0.02	9.7	1.1	0.72	14	1.8	0.5
1808005	Drill Core	1.85	0.036	24	57	1.14	90	0.213	<20	3.69	0.220	1.24	37.4	<0.01	8.4	0.8	0.67	13	0.9	1.9
1808006	Drill Core	1.08	0.016	16	33	0.51	40	0.113	<20	1.77	0.153	0.46	8.5	<0.01	3.3	0.3	0.42	6	<0.5	<0.2
1808007	Drill Core	3.17	0.035	27	57	1.28	83	0.168	<20	2.82	0.011	1.49	1.0	<0.01	10.9	1.1	0.26	10	<0.5	<0.2
1808008	Drill Core	0.56	0.041	16	71	1.87	151	0.276	<20	3.42	0.036	2.09	0.4	<0.01	9.8	1.4	0.90	11	<0.5	<0.2
1808009	Drill Core	1.25	0.042	19	66	1.48	116	0.260	<20	3.36	0.136	1.64	1.5	<0.01	9.0	1.1	0.84	11	<0.5	<0.2
1808010	Rock Pulp	2.53	0.089	5	26	1.28	193	0.064	<20	1.49	0.104	0.12	1.3	0.07	5.8	<0.1	0.56	6	1.1	<0.2
1808011	Drill Core	0.48	0.027	18	45	0.85	80	0.124	<20	1.81	0.059	0.96	5.2	<0.01	4.2	0.6	0.47	5	<0.5	<0.2
1808012	Drill Core	1.23	0.031	19	55	1.22	100	0.208	<20	3.33	0.143	1.48	>100	*	7.6	0.9	0.71	10	0.8	1.4
1808013	Drill Core	1.47	0.023	19	59	1.31	100	0.233	<20	3.60	0.147	1.56	8.2	<0.01	8.8	0.9	1.10	11	0.5	1.5
1808014	Drill Core	0.30	0.010	17	39	0.73	62	0.083	<20	1.54	0.040	0.83	0.3	<0.01	3.6	0.5	0.70	5	<0.5	<0.2
1808015	Drill Core	1.33	0.027	19	50	1.10	93	0.179	<20	2.60	0.063	1.30	2.9	<0.01	6.1	0.9	0.78	8	<0.5	<0.2
1808016	Drill Core	0.29	0.011	19	49	0.97	94	0.148	<20	1.85	0.031	1.14	0.3	<0.01	4.4	0.7	0.30	6	<0.5	<0.2
1808017	Drill Core	0.08	0.016	24	53	1.21	102	0.177	<20	2.34	0.041	1.32	0.4	<0.01	4.6	0.7	0.42	7	<0.5	<0.2
1808018	Drill Core	0.26	0.017	25	53	1.09	126	0.183	<20	2.34	0.054	1.47	1.0	<0.01	4.8	1.1	0.37	8	<0.5	<0.2
1808019	Drill Core	0.72	0.024	19	46	0.92	87	0.155	<20	2.11	0.083	1.12	6.9	<0.01	5.0	0.7	0.57	7	<0.5	0.5
1808020	Drill Core	3.30	0.122	23	24	1.21	394	0.054	<20	0.62	0.050	0.26	<0.1	<0.01	3.9	<0.1	<0.05	2	<0.5	<0.2
1808021	Drill Core	2.32	0.033	18	62	0.67	62	0.157	<20	2.88	0.139	0.72	10.8	<0.01	4.1	0.4	0.42	8	0.6	<0.2
1808022	Drill Core	2.12	0.030	15	39	0.73	74	0.152	<20	2.26	0.090	0.80	2.2	<0.01	4.3	0.5	0.21	7	<0.5	<0.2
1808023	Drill Core	0.26	0.022	26	59	1.06	125	0.206	<20	2.60	0.053	1.70	7.4	<0.01	5.5	1.1	0.25	8	<0.5	<0.2
1808024	Drill Core	0.26	0.019	28	48	0.88	93	0.170	<20	2.08	0.042	1.34	0.6	<0.01	4.5	1.0	0.19	7	<0.5	<0.2
1808025	Drill Core	0.32	0.015	16	34	0.58	49	0.102	<20	1.29	0.046	0.70	0.3	<0.01	3.2	0.6	0.36	4	<0.5	<0.2
1808026	Drill Core	0.52	0.028	19	60	0.89	103	0.179	<20	2.22	0.054	1.34	9.7	<0.01	4.9	0.9	0.40	7	<0.5	0.2
1808027	Drill Core	1.19	0.020	18	44	0.67	79	0.166	<20	2.07	0.078	0.96	2.6	<0.01	4.4	0.6	0.19	7	<0.5	<0.2
1808028	Drill Core	0.27	0.014	28	61	1.01	162	0.226	<20	2.42	0.047	1.60	0.7	<0.01	4.9	1.1	0.14	8	<0.5	<0.2
1808029	Drill Core	0.27	0.013	21	56	0.86	89	0.116	<20	1.88	0.028	0.91	0.2	<0.01	4.3	0.7	0.16	7	<0.5	<0.2
1808030	Rock Pulp	3.57	0.168	14	16	1.31	192	0.056	<20	1.14	0.039	0.29	1.9	0.09	5.8	0.1	2.38	6	2.7	0.3



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Sitka Gold Corp.
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: RC_Gold
Report Date: October 21, 2020

Page: 3 of 6

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000258.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1	
1808031	Drill Core	5.03	<0.005	0.2	21.3	4.2	51	<0.1	20.9	9.2	309	2.69	4.9	1.1	<0.5	9.9	26	<0.1	0.2	<0.1	36
1808032	Drill Core	5.16	<0.005	0.5	20.9	4.5	42	<0.1	13.9	7.1	378	1.90	5.1	1.0	<0.5	7.9	54	<0.1	0.3	0.1	21
1808033	Drill Core	4.77	<0.005	0.4	28.9	6.3	52	<0.1	16.0	8.9	454	2.46	4.6	1.3	<0.5	10.8	25	<0.1	0.1	0.2	30
1808034	Drill Core	5.34	<0.005	0.8	34.8	3.5	68	<0.1	33.4	14.2	235	3.48	32.8	1.4	3.0	10.4	17	<0.1	0.2	0.2	53
1808035	Drill Core	5.51	<0.005	0.8	20.2	4.3	57	<0.1	20.3	10.1	311	2.70	17.6	1.5	2.9	11.6	35	<0.1	0.1	0.2	42
1808036	Drill Core	4.53	<0.005	0.8	24.3	6.6	75	<0.1	20.5	11.2	298	2.79	13.1	1.7	2.1	12.5	9	<0.1	0.2	0.4	39
1808037	Drill Core	5.10	<0.005	0.9	36.2	3.4	68	<0.1	33.1	17.9	270	3.63	160.2	2.1	3.5	13.7	6	<0.1	0.4	0.7	48
1808038	Drill Core	5.25	0.009	1.2	47.4	5.2	76	<0.1	35.1	14.9	326	3.69	36.5	2.3	9.1	14.0	21	<0.1	0.3	1.0	57
1808039	Drill Core	4.89	<0.005	0.8	43.5	4.8	73	<0.1	39.4	17.8	376	4.27	27.5	2.1	0.7	10.8	12	<0.1	0.2	0.2	66
1808040	Drill Core	0.76	<0.005	0.6	5.1	1.3	9	<0.1	5.2	2.1	221	0.96	2.5	0.4	1.2	1.7	41	<0.1	0.1	<0.1	9
1808041	Drill Core	5.30	0.705	0.7	34.8	3.9	47	<0.1	35.0	23.7	377	4.14	3168.1	1.5	731.4	11.5	21	<0.1	1.9	21.6	68
1808042	Drill Core	2.85	0.013	0.8	47.6	2.6	35	<0.1	25.1	12.9	278	3.01	29.6	1.3	12.0	9.8	39	<0.1	0.5	0.5	46
1808043	Drill Core	4.29	0.643	0.4	25.8	3.9	19	<0.1	11.2	7.1	302	1.82	352.9	0.8	629.7	8.8	34	<0.1	0.9	13.0	31
1808044	Drill Core	4.80	3.923	1.0	42.5	8.0	15	0.3	6.8	14.1	127	1.96	1184.8	9.5	2632.9	21.7	56	<0.1	3.6	70.8	35
1808045	Drill Core	4.76	1.793	0.5	127.8	4.4	11	0.2	5.9	10.2	133	2.77	283.8	8.5	1233.1	21.4	60	<0.1	1.0	34.1	37
1808046	Drill Core	3.77	2.559	0.6	108.5	4.6	11	0.2	8.2	9.1	125	2.65	569.2	8.5	1495.6	21.9	60	<0.1	1.7	62.2	38
1808047	Drill Core	3.96	<0.005	3.4	59.8	5.9	74	<0.1	31.9	22.0	1005	4.95	6.1	3.6	2.2	21.1	186	<0.1	0.6	0.6	161
1808048	Drill Core	4.16	0.012	2.9	51.5	5.2	67	<0.1	32.1	19.3	907	4.67	5.9	3.5	10.4	18.9	169	<0.1	1.0	0.8	151
1808049	Drill Core	4.11	2.019	1.9	91.0	5.2	14	0.2	6.5	8.8	163	2.62	855.9	8.9	2013.9	22.7	72	<0.1	1.6	37.2	41
1808050	Rock Pulp	0.09	0.563	13.4	773.7	23.2	130	0.5	15.5	14.9	664	3.56	14.0	0.7	470.7	2.1	119	0.7	1.1	0.2	84
1808051	Drill Core	3.40	1.763	2.3	113.8	6.1	15	0.2	7.4	7.9	160	2.89	742.1	9.2	807.8	23.0	65	<0.1	1.6	37.8	47
1808052	Drill Core	3.46	0.463	0.4	8.5	5.3	43	<0.1	9.1	5.1	456	1.64	152.9	0.6	279.2	7.4	33	0.5	0.6	10.2	28
1808053	Drill Core	1.12	0.221	0.5	7.6	1.7	7	<0.1	1.5	1.1	184	0.73	31.9	0.1	137.9	0.9	12	<0.1	1.0	4.0	4
1808054	Drill Core	2.95	0.014	0.3	7.5	6.4	34	<0.1	18.1	8.6	326	2.45	22.2	1.2	30.4	12.2	20	<0.1	0.2	0.2	44
1808055	Drill Core	7.44	0.079	0.5	13.5	4.9	30	<0.1	12.3	7.7	337	2.22	178.7	0.9	26.1	8.0	28	<0.1	0.5	1.1	37
1808056	Drill Core	2.01	0.006	0.7	3.5	4.5	32	<0.1	34.3	16.2	384	3.27	43.3	2.2	2.5	15.7	15	<0.1	0.6	0.1	69
1808057	Drill Core	3.78	0.021	0.6	1.6	12.9	8	<0.1	2.2	3.9	162	0.80	375.2	3.9	22.8	8.1	44	<0.1	0.5	0.3	2
1808058	Drill Core	3.80	0.006	0.6	13.7	6.2	46	<0.1	27.8	14.0	341	3.28	58.2	2.2	9.6	10.4	21	<0.1	0.4	0.1	51
1808059	Drill Core	5.37	<0.005	1.3	30.8	3.4	65	<0.1	36.7	17.0	355	4.41	30.1	1.2	5.0	9.1	8	<0.1	0.8	0.2	58
1808060	Drill Core	0.81	<0.005	1.7	4.3	1.7	15	<0.1	7.2	2.8	339	1.29	2.0	0.5	2.0	2.0	39	<0.1	0.2	<0.1	16



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Sitka Gold Corp.
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: RC_Gold
Report Date: October 21, 2020

Page: 3 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000258.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2		
1808031	Drill Core	0.33	0.014	19	46	0.68	99	0.175	<20	1.75	0.055	0.98	0.3	<0.01	4.6	0.5	0.12	6	<0.5	<0.2
1808032	Drill Core	0.87	0.011	15	28	0.49	35	0.072	<20	1.26	0.051	0.44	0.2	<0.01	2.4	0.2	0.17	4	<0.5	<0.2
1808033	Drill Core	0.53	0.013	19	36	0.59	61	0.113	<20	1.50	0.051	0.67	0.4	<0.01	3.8	0.3	0.22	5	<0.5	<0.2
1808034	Drill Core	0.22	0.015	21	64	0.92	97	0.158	<20	2.10	0.041	1.30	0.3	<0.01	4.6	0.8	0.38	7	<0.5	<0.2
1808035	Drill Core	0.62	0.014	23	46	0.74	86	0.158	<20	1.89	0.056	1.11	0.8	<0.01	4.4	0.7	0.21	6	<0.5	<0.2
1808036	Drill Core	0.28	0.019	26	46	0.74	76	0.149	<20	1.87	0.027	1.21	0.4	<0.01	3.6	0.7	0.09	6	<0.5	<0.2
1808037	Drill Core	0.13	0.025	32	52	1.01	114	0.210	<20	2.32	0.021	1.82	0.4	<0.01	4.1	1.4	0.25	7	<0.5	<0.2
1808038	Drill Core	0.28	0.033	28	55	1.04	127	0.219	<20	2.39	0.049	1.79	1.6	<0.01	5.7	1.2	0.32	8	<0.5	<0.2
1808039	Drill Core	0.27	0.039	23	64	1.13	113	0.244	<20	2.48	0.031	1.89	0.4	<0.01	6.2	1.3	0.14	8	<0.5	<0.2
1808040	Drill Core	6.61	0.028	5	15	2.28	208	0.015	<20	0.33	0.040	0.07	0.1	<0.01	1.0	<0.1	<0.05	<1	<0.5	<0.2
1808041	Drill Core	0.52	0.033	20	62	1.02	159	0.206	<20	2.12	0.028	1.39	47.8	0.01	6.9	1.2	0.29	7	1.4	0.7
1808042	Drill Core	0.49	0.020	15	45	0.73	108	0.161	<20	1.78	0.037	1.06	4.7	<0.01	3.5	0.8	0.26	6	0.9	<0.2
1808043	Drill Core	0.73	0.011	14	35	0.32	41	0.077	<20	0.89	0.056	0.33	>100	<0.01	2.6	0.3	0.20	3	0.7	0.6
1808044	Drill Core	0.76	0.056	45	23	0.52	137	0.102	<20	1.04	0.082	0.40	>100	0.04	4.6	0.4	0.35	5	1.6	2.9
1808045	Drill Core	0.74	0.060	46	21	0.57	166	0.115	<20	1.20	0.112	0.49	74.1	<0.01	5.0	0.4	0.77	6	3.4	1.5
1808046	Drill Core	0.70	0.063	48	23	0.58	170	0.127	<20	1.18	0.106	0.49	50.4	<0.01	5.3	0.4	0.68	6	2.7	2.5
1808047	Drill Core	4.16	0.222	42	76	2.30	1243	0.370	<20	2.61	0.063	2.06	0.4	<0.01	17.0	1.3	0.43	10	1.5	<0.2
1808048	Drill Core	3.71	0.203	37	74	2.18	1171	0.345	<20	2.44	0.063	2.05	0.7	<0.01	16.4	1.3	0.48	9	1.1	<0.2
1808049	Drill Core	0.81	0.069	51	23	0.62	210	0.147	<20	1.29	0.115	0.52	77.5	0.02	5.9	0.4	0.55	6	2.5	1.4
1808050	Rock Pulp	2.48	0.087	5	27	1.29	198	0.065	<20	1.49	0.105	0.13	1.8	0.07	6.4	<0.1	0.62	5	0.8	0.2
1808051	Drill Core	0.80	0.066	52	27	0.67	198	0.163	<20	1.35	0.114	0.54	45.7	<0.01	6.1	0.5	0.73	7	2.4	1.4
1808052	Drill Core	0.71	0.011	12	23	0.28	24	0.055	<20	0.64	0.039	0.15	35.4	<0.01	2.4	0.1	0.06	2	<0.5	0.4
1808053	Drill Core	0.55	0.001	1	11	0.01	2	<0.001	<20	0.05	<0.001	0.03	0.7	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1808054	Drill Core	0.28	0.016	23	40	0.53	84	0.121	<20	1.29	0.031	0.70	0.3	<0.01	3.2	0.5	<0.05	5	<0.5	<0.2
1808055	Drill Core	0.59	0.016	12	39	0.52	86	0.094	<20	1.02	0.036	0.46	11.3	<0.01	3.2	0.3	0.09	4	<0.5	<0.2
1808056	Drill Core	0.28	0.027	24	63	0.90	142	0.170	<20	1.86	0.023	1.30	0.7	<0.01	4.9	0.9	<0.05	7	<0.5	<0.2
1808057	Drill Core	1.29	0.034	4	6	0.10	25	<0.001	<20	0.27	0.045	0.17	5.3	<0.01	0.6	<0.1	<0.05	<1	<0.5	<0.2
1808058	Drill Core	0.24	0.020	21	48	0.80	98	0.161	<20	1.67	0.020	1.22	0.2	<0.01	4.7	0.9	<0.05	5	<0.5	<0.2
1808059	Drill Core	0.11	0.018	19	55	1.04	113	0.193	<20	2.17	0.018	1.51	0.1	<0.01	4.5	1.0	0.09	7	<0.5	<0.2
1808060	Drill Core	7.37	0.022	5	14	3.92	251	0.037	<20	0.36	0.016	0.11	<0.1	<0.01	1.2	<0.1	<0.05	1	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Sitka Gold Corp.
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: RC_Gold
Report Date: October 21, 2020

Page: 4 of 6

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000258.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	
1808061	Drill Core	4.65	<0.005	0.3	35.6	4.5	68	<0.1	41.6	19.9	374	4.62	15.8	1.4	7.6	11.6	7	<0.1	0.3	0.2	67
1808062	Drill Core	5.51	<0.005	0.5	32.6	7.0	67	<0.1	33.1	15.9	293	4.20	9.2	1.1	2.1	9.8	6	<0.1	0.2	0.2	59
1808063	Drill Core	5.61	0.006	0.2	21.6	2.8	56	<0.1	27.7	13.2	355	3.78	84.4	1.1	6.8	9.8	10	<0.1	0.2	0.2	56
1808064	Drill Core	4.64	0.018	0.7	25.3	4.4	36	<0.1	23.8	11.4	316	3.03	253.3	1.3	15.6	8.9	29	<0.1	0.8	0.4	43
1808065	Drill Core	5.15	0.238	0.4	17.6	20.2	21	0.4	12.3	8.3	397	2.10	915.3	0.8	200.6	8.6	61	<0.1	4.7	12.8	10
1808066	Drill Core	4.56	0.057	0.8	10.6	5.2	27	<0.1	12.2	6.7	388	2.11	483.7	0.7	40.8	8.3	28	<0.1	2.8	1.5	20
1808067	Drill Core	5.33	0.422	0.8	14.8	5.8	28	0.1	13.1	7.4	493	2.12	105.3	0.6	524.7	7.4	53	<0.1	1.0	17.5	26
1808068	Drill Core	5.37	0.008	0.6	31.2	3.8	61	<0.1	34.2	16.3	424	4.06	51.0	1.0	1.4	10.5	14	<0.1	0.5	0.4	60
1808069	Drill Core	5.14	0.011	0.4	31.9	4.1	57	<0.1	25.9	13.0	438	3.42	21.5	1.0	1.8	9.4	28	<0.1	0.4	0.3	46
1808070	Rock Pulp	0.09	2.143	78.6	1923.3	21.0	65	1.3	12.7	18.7	508	3.77	8.2	1.7	2568.2	4.3	371	0.3	1.8	1.4	105
1808071	Drill Core	4.71	0.018	1.7	48.8	4.8	80	<0.1	39.5	18.9	451	4.51	52.2	1.4	12.1	10.1	12	<0.1	0.3	1.8	63
1808072	Drill Core	5.19	0.015	0.3	20.7	3.7	50	<0.1	25.9	12.3	355	3.30	75.3	1.1	58.2	11.1	19	0.1	0.2	0.5	53
1808073	Drill Core	5.49	0.005	2.6	20.9	3.5	57	<0.1	30.4	14.8	369	3.51	26.6	1.2	2.1	10.1	24	0.1	0.3	0.8	60
1808074	Drill Core	10.60	0.018	0.4	26.2	2.9	37	<0.1	23.0	11.5	266	2.76	135.0	1.0	14.2	9.6	15	<0.1	0.3	0.7	45
1808075	Drill Core	4.66	0.013	0.5	15.4	3.1	28	<0.1	16.4	8.4	227	2.05	242.3	0.9	12.2	9.2	14	<0.1	0.2	0.6	38
1808076	Drill Core	5.63	0.007	0.2	12.5	3.6	31	<0.1	15.1	7.9	257	2.28	131.2	1.0	2.6	9.8	14	<0.1	0.2	0.3	36
1808077	Drill Core	4.91	0.038	1.0	41.3	2.7	47	<0.1	27.9	14.4	260	3.16	128.3	1.0	55.6	9.5	39	<0.1	0.3	1.3	48
1808078	Drill Core	4.95	0.081	0.9	39.4	3.0	39	0.1	19.8	10.0	219	2.78	358.4	1.3	42.6	9.0	11	<0.1	0.5	4.6	30
1808079	Drill Core	5.04	0.394	1.0	29.5	3.7	26	0.2	24.5	10.9	237	2.19	617.4	1.1	180.4	8.8	64	<0.1	1.0	6.2	36
1808080	Drill Core	0.72	<0.005	0.4	6.1	2.5	14	<0.1	7.9	3.0	405	1.50	3.5	1.4	<0.5	3.9	51	<0.1	0.2	<0.1	13
1808081	Drill Core	5.34	0.079	0.8	48.1	2.5	51	0.1	37.6	17.5	306	3.79	129.2	1.5	46.3	9.3	23	<0.1	0.4	1.6	51
1808082	Drill Core	4.84	0.311	0.9	80.4	4.1	52	0.3	31.7	18.1	502	3.78	244.2	1.0	236.0	8.9	76	<0.1	1.6	5.7	44
1808083	Drill Core	5.48	0.023	0.4	30.0	2.9	47	<0.1	30.3	14.0	416	3.50	225.2	1.2	12.2	9.9	33	<0.1	0.5	0.7	50
1808084	Drill Core	4.82	0.029	0.6	42.6	2.9	53	<0.1	39.2	17.8	404	4.48	314.0	1.3	20.0	10.4	16	<0.1	0.7	1.1	60
1808085	Drill Core	4.84	0.008	1.5	56.0	3.2	62	<0.1	42.6	22.5	347	4.47	100.3	1.3	57.4	8.9	8	<0.1	0.4	0.8	55
1808086	Drill Core	5.10	0.096	0.8	30.1	3.4	21	<0.1	12.5	6.5	174	1.85	393.4	0.8	96.3	7.3	19	<0.1	0.6	3.3	23
1808087	Drill Core	5.21	0.030	1.6	23.2	3.3	24	<0.1	11.5	5.8	183	1.74	239.1	0.8	21.1	7.0	14	<0.1	0.4	1.2	22
1808088	Drill Core	4.73	0.020	1.0	14.7	4.0	19	<0.1	9.0	4.7	210	1.43	20.6	0.7	13.3	6.2	27	<0.1	0.2	0.7	19
1808089	Drill Core	5.09	0.038	1.8	23.5	3.6	28	<0.1	14.3	7.6	295	1.96	198.1	0.7	29.6	6.8	45	<0.1	0.4	0.6	27
1808090	Rock Pulp	0.09	2.144	83.0	1925.8	20.0	63	1.2	13.1	18.6	508	3.79	8.3	1.5	2168.9	4.0	367	0.2	1.7	1.3	105



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Sitka Gold Corp.
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: RC_Gold
Report Date: October 21, 2020

Page: 4 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000258.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2		
1808061	Drill Core	0.09	0.025	28	66	1.18	158	0.229	<20	2.58	0.025	1.87	0.1	<0.01	4.8	1.1	<0.05	8	<0.5	<0.2
1808062	Drill Core	0.08	0.025	23	53	0.99	121	0.215	<20	2.37	0.024	1.65	0.2	<0.01	4.7	0.9	0.07	7	<0.5	<0.2
1808063	Drill Core	0.15	0.018	22	49	0.84	128	0.192	<20	2.05	0.027	1.45	0.1	<0.01	4.5	1.1	0.05	6	<0.5	<0.2
1808064	Drill Core	0.33	0.025	17	41	0.68	77	0.127	<20	1.51	0.029	0.87	1.9	<0.01	3.9	0.8	0.16	5	<0.5	<0.2
1808065	Drill Core	0.69	0.028	15	12	0.30	30	0.006	<20	0.49	0.005	0.23	1.1	<0.01	2.1	0.2	0.20	1	<0.5	0.4
1808066	Drill Core	0.36	0.017	17	20	0.32	37	0.029	<20	0.67	0.014	0.25	7.9	<0.01	2.4	0.2	0.09	3	<0.5	<0.2
1808067	Drill Core	0.69	0.014	13	25	0.39	54	0.062	<20	0.95	0.048	0.31	8.0	<0.01	2.8	0.2	0.08	3	<0.5	0.5
1808068	Drill Core	0.16	0.022	23	56	0.99	111	0.178	<20	1.96	0.020	1.34	0.2	<0.01	4.9	0.9	0.11	7	<0.5	<0.2
1808069	Drill Core	0.35	0.019	19	41	0.76	81	0.142	<20	1.78	0.027	1.10	0.2	<0.01	4.3	0.7	0.12	5	<0.5	<0.2
1808070	Rock Pulp	3.94	0.174	17	17	1.37	235	0.062	<20	1.23	0.038	0.30	2.1	0.13	6.5	0.1	2.50	6	1.6	<0.2
1808071	Drill Core	0.20	0.028	21	63	1.14	115	0.207	<20	2.41	0.022	1.80	0.6	<0.01	5.5	1.3	0.33	8	<0.5	<0.2
1808072	Drill Core	0.27	0.019	24	50	0.76	115	0.175	<20	1.89	0.036	1.21	0.6	<0.01	4.4	0.9	0.09	6	<0.5	<0.2
1808073	Drill Core	0.29	0.018	22	57	0.86	140	0.227	<20	2.12	0.045	1.48	0.4	<0.01	4.8	1.0	0.09	7	<0.5	<0.2
1808074	Drill Core	0.26	0.019	21	41	0.62	95	0.150	<20	1.54	0.032	0.98	0.6	<0.01	3.4	0.8	0.17	5	<0.5	<0.2
1808075	Drill Core	0.28	0.015	18	34	0.45	60	0.108	<20	1.05	0.026	0.59	0.6	<0.01	3.2	0.5	0.12	4	<0.5	<0.2
1808076	Drill Core	0.26	0.013	19	31	0.44	69	0.095	<20	1.07	0.028	0.54	0.4	<0.01	2.8	0.4	0.07	4	<0.5	<0.2
1808077	Drill Core	0.47	0.038	19	47	0.79	92	0.155	<20	1.96	0.040	1.18	10.8	<0.01	3.9	0.8	0.35	6	<0.5	<0.2
1808078	Drill Core	0.20	0.016	19	33	0.66	53	0.093	<20	1.36	0.020	0.86	0.4	<0.01	2.8	0.8	0.49	5	<0.5	<0.2
1808079	Drill Core	0.70	0.016	15	51	0.63	63	0.092	<20	1.53	0.064	0.61	>100	<0.01	4.1	0.6	0.27	6	<0.5	0.2
1808080	Drill Core	5.67	0.047	15	8	2.85	274	0.022	<20	0.41	0.046	0.12	0.3	<0.01	1.4	<0.1	<0.05	1	<0.5	<0.2
1808081	Drill Core	0.31	0.017	18	64	1.12	96	0.181	<20	2.15	0.042	1.50	5.2	<0.01	5.0	1.3	0.61	7	<0.5	<0.2
1808082	Drill Core	0.76	0.021	17	42	0.88	74	0.124	<20	2.03	0.056	0.95	1.7	<0.01	4.9	0.8	0.80	6	<0.5	<0.2
1808083	Drill Core	0.48	0.031	21	52	0.90	98	0.160	<20	1.90	0.034	1.12	1.1	<0.01	4.6	0.9	0.21	6	<0.5	<0.2
1808084	Drill Core	0.26	0.037	23	63	1.15	122	0.222	<20	2.47	0.029	1.75	0.6	<0.01	5.8	1.4	0.32	7	<0.5	<0.2
1808085	Drill Core	0.18	0.034	21	60	1.24	126	0.223	<20	2.45	0.020	1.90	0.4	<0.01	4.2	1.4	0.55	7	<0.5	<0.2
1808086	Drill Core	0.42	0.015	16	23	0.43	38	0.056	<20	0.89	0.022	0.46	25.9	<0.01	2.0	0.5	0.26	3	<0.5	<0.2
1808087	Drill Core	0.28	0.014	15	21	0.36	39	0.057	<20	0.82	0.021	0.41	6.5	<0.01	1.8	0.3	0.18	3	<0.5	<0.2
1808088	Drill Core	0.44	0.019	13	18	0.25	30	0.038	<20	0.70	0.029	0.25	9.0	<0.01	1.5	0.2	0.11	2	<0.5	<0.2
1808089	Drill Core	0.63	0.013	14	26	0.42	51	0.077	<20	1.12	0.040	0.49	9.3	<0.01	2.7	0.3	0.21	4	<0.5	<0.2
1808090	Rock Pulp	3.95	0.178	17	17	1.35	236	0.062	<20	1.22	0.038	0.30	2.0	0.11	6.5	0.1	2.59	6	1.9	0.3



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Sitka Gold Corp.**
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: RC_Gold
Report Date: October 21, 2020

Page: 5 of 6

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000258.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	
1808091	Drill Core	4.57	0.024	2.0	24.1	4.3	48	<0.1	28.6	14.2	347	3.18	368.2	1.0	21.4	9.6	21	<0.1	0.9	0.8	56
1808092	Drill Core	5.11	0.009	0.5	37.0	2.2	54	<0.1	33.4	16.5	333	3.85	349.3	1.1	7.4	9.7	13	<0.1	0.3	0.6	65
1808093	Drill Core	4.64	0.018	0.3	24.1	2.6	41	<0.1	24.3	11.5	297	3.00	61.4	1.0	4.7	9.0	19	<0.1	0.3	0.5	46
1808094	Drill Core	5.41	0.024	0.6	13.5	2.6	29	<0.1	14.1	7.7	251	1.97	61.2	0.8	10.0	7.5	23	<0.1	0.2	0.4	35
1808095	Drill Core	5.16	0.159	0.7	11.3	3.3	22	<0.1	10.8	5.8	214	1.64	233.7	0.7	179.0	6.7	20	<0.1	0.4	3.1	28
1808096	Drill Core	5.13	<0.005	0.9	29.1	6.0	50	<0.1	30.2	12.9	274	3.33	17.0	1.2	1.1	11.1	16	<0.1	0.2	0.2	54
1808097	Drill Core	4.36	0.106	0.5	35.2	2.9	63	<0.1	37.2	16.4	406	4.09	53.6	1.4	94.7	12.6	14	<0.1	0.3	1.3	65
1808098	Drill Core	4.95	0.099	0.4	39.4	3.0	43	0.1	27.5	13.0	364	3.18	758.0	1.1	101.6	8.9	72	<0.1	1.0	0.9	50
1808099	Drill Core	5.27	0.595	2.6	58.8	3.2	33	0.2	26.9	23.3	289	2.92	1559.2	0.8	643.9	7.3	73	<0.1	1.6	12.3	37
1808100	Drill Core	0.72	<0.005	0.4	7.8	2.3	16	<0.1	8.3	3.9	209	1.36	4.7	0.5	0.5	2.9	48	<0.1	0.1	<0.1	15
1807501	Drill Core	5.20	<0.005	0.5	40.3	2.7	68	<0.1	40.3	18.7	343	4.32	27.8	1.3	2.4	9.9	7	<0.1	0.2	0.3	71
1807502	Drill Core	5.35	<0.005	0.3	42.2	2.7	68	<0.1	40.7	18.2	400	4.56	44.2	1.3	1.0	9.3	17	<0.1	0.2	0.3	71
1807503	Drill Core	4.12	<0.005	0.5	41.7	2.5	73	<0.1	40.6	17.3	397	4.34	23.6	1.2	<0.5	9.8	20	<0.1	0.2	0.3	70
1807504	Drill Core	3.72	0.130	1.7	63.4	3.9	32	0.1	5.3	8.9	441	3.32	115.1	4.7	128.8	13.2	112	<0.1	0.6	4.0	48
1807505	Drill Core	4.41	0.120	0.4	15.5	4.4	30	<0.1	16.6	7.8	279	2.36	373.6	0.8	306.3	8.1	24	<0.1	0.7	3.2	37
1807506	Drill Core	4.98	<0.005	0.5	30.9	4.4	58	<0.1	32.9	16.1	357	3.61	29.7	1.3	4.6	10.9	16	<0.1	0.2	0.2	59
1807507	Drill Core	5.15	0.009	0.3	21.2	3.6	36	<0.1	19.4	9.3	287	2.54	27.7	1.0	6.5	9.0	24	<0.1	0.2	0.4	37
1807508	Drill Core	5.26	0.006	0.6	37.9	3.3	72	<0.1	36.5	18.1	406	4.09	13.0	1.3	4.7	10.4	15	<0.1	0.3	0.4	59
1807509	Drill Core	5.17	0.012	0.5	43.6	2.7	44	<0.1	28.5	13.3	369	3.39	39.3	1.1	6.1	9.0	45	<0.1	0.2	0.4	48
1807510	Rock Pulp	0.09	0.450	13.4	754.5	21.8	123	0.5	15.3	14.8	662	3.33	13.5	0.7	346.0	1.8	120	0.7	1.1	0.2	82
1807511	Drill Core	5.04	0.010	0.6	40.6	2.7	67	<0.1	38.5	18.1	365	4.11	23.2	1.2	16.0	10.3	12	<0.1	0.2	0.4	62
1807512	Drill Core	5.54	0.006	0.5	40.1	3.1	69	<0.1	34.1	17.1	373	3.85	13.8	1.2	4.8	10.2	9	<0.1	0.2	0.2	53
1807513	Drill Core	5.02	0.010	1.1	20.6	3.0	43	<0.1	23.7	12.0	270	2.86	18.7	1.1	5.1	9.9	12	<0.1	0.2	0.2	41
1807514	Drill Core	5.11	0.009	1.5	56.5	4.2	69	<0.1	42.9	22.0	481	4.39	28.0	1.3	8.2	12.3	43	<0.1	0.4	0.6	60
1807515	Drill Core	4.82	0.245	3.1	56.8	5.3	62	0.2	41.5	22.4	458	4.17	298.6	1.3	432.7	10.8	21	<0.1	1.1	6.9	49
1807516	Drill Core	4.98	0.065	0.8	29.4	3.2	16	<0.1	9.0	5.6	225	1.69	214.0	0.7	28.2	6.1	29	<0.1	0.3	1.6	17
1807517	Drill Core	5.06	0.091	0.5	39.5	3.6	40	<0.1	25.0	13.6	335	3.04	566.9	1.0	84.3	8.9	31	<0.1	0.4	4.1	35
1807518	Drill Core	5.04	0.011	0.5	38.0	2.6	45	<0.1	79.8	16.0	343	3.17	43.7	0.9	8.7	9.1	70	<0.1	0.2	0.2	59
1807519	Drill Core	5.20	0.009	1.2	131.1	3.1	45	0.2	82.1	20.6	337	3.80	42.1	0.9	10.1	8.4	114	<0.1	0.2	0.3	53
1807520	Drill Core	0.81	0.006	0.7	9.6	2.5	19	<0.1	12.7	6.2	251	1.83	2.4	0.6	<0.5	5.3	30	<0.1	0.2	<0.1	25



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Sitka Gold Corp.**
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: RC_Gold
Report Date: October 21, 2020

Page: 5 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000258.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2		
1808091	Drill Core	0.34	0.022	20	52	0.83	131	0.203	<20	1.87	0.042	1.29	26.8	<0.01	5.2	0.9	0.13	6	<0.5	<0.2
1808092	Drill Core	0.22	0.033	21	64	1.06	155	0.243	<20	2.23	0.042	1.73	0.6	<0.01	6.2	1.2	0.22	7	<0.5	<0.2
1808093	Drill Core	0.29	0.024	20	45	0.79	111	0.176	<20	1.82	0.039	1.23	1.1	<0.01	4.2	0.9	0.11	6	<0.5	<0.2
1808094	Drill Core	0.32	0.014	15	29	0.44	66	0.115	<20	1.13	0.049	0.57	3.1	<0.01	3.2	0.4	0.09	4	<0.5	<0.2
1808095	Drill Core	0.31	0.012	12	24	0.33	46	0.081	<20	0.82	0.034	0.39	17.5	<0.01	2.4	0.3	0.07	3	<0.5	<0.2
1808096	Drill Core	0.24	0.023	24	51	0.91	123	0.207	<20	1.96	0.030	1.42	0.3	<0.01	4.7	0.9	0.19	6	<0.5	<0.2
1808097	Drill Core	0.26	0.022	24	66	1.21	127	0.230	<20	2.36	0.042	1.68	0.4	<0.01	6.5	1.4	0.24	9	<0.5	<0.2
1808098	Drill Core	0.63	0.023	16	53	0.81	101	0.176	<20	2.04	0.086	1.09	0.4	<0.01	5.5	0.8	0.55	7	<0.5	<0.2
1808099	Drill Core	0.70	0.014	13	36	0.72	68	0.110	<20	1.68	0.050	0.82	29.8	<0.01	3.8	0.7	0.67	6	0.9	0.5
1808100	Drill Core	4.61	0.024	13	14	0.79	165	0.045	<20	0.53	0.059	0.15	<0.1	<0.01	1.5	<0.1	<0.05	2	<0.5	<0.2
1807501	Drill Core	0.09	0.022	23	70	1.30	148	0.252	<20	2.56	0.034	1.97	0.3	<0.01	5.8	1.2	0.28	8	<0.5	<0.2
1807502	Drill Core	0.12	0.023	20	71	1.35	159	0.267	<20	2.86	0.052	1.92	0.3	<0.01	6.9	1.1	0.23	9	<0.5	<0.2
1807503	Drill Core	0.19	0.027	22	69	1.35	145	0.248	<20	2.70	0.045	1.98	0.9	<0.01	6.5	1.2	0.35	8	<0.5	<0.2
1807504	Drill Core	1.16	0.100	30	19	0.81	444	0.219	<20	1.87	0.169	0.82	18.5	<0.01	5.8	1.0	0.45	7	0.7	<0.2
1807505	Drill Core	0.49	0.016	18	32	0.53	75	0.114	<20	1.21	0.040	0.64	3.4	<0.01	3.6	0.4	0.09	4	<0.5	0.2
1807506	Drill Core	0.32	0.037	25	58	1.03	138	0.236	<20	2.35	0.037	1.52	0.2	<0.01	5.1	0.9	0.14	7	<0.5	<0.2
1807507	Drill Core	0.38	0.020	20	36	0.65	88	0.147	<20	1.57	0.039	0.88	1.1	<0.01	3.7	0.6	0.12	5	<0.5	<0.2
1807508	Drill Core	0.23	0.027	26	63	1.20	125	0.232	<20	2.58	0.038	1.63	0.4	<0.01	5.3	1.0	0.21	7	<0.5	<0.2
1807509	Drill Core	0.54	0.042	20	49	0.89	116	0.184	<20	2.24	0.058	1.18	1.0	<0.01	4.7	0.8	0.26	7	<0.5	<0.2
1807510	Rock Pulp	2.49	0.085	6	26	1.25	195	0.066	<20	1.48	0.102	0.12	1.7	0.07	6.1	<0.1	0.55	5	0.8	<0.2
1807511	Drill Core	0.23	0.027	23	66	1.28	135	0.259	<20	2.69	0.040	1.85	0.6	<0.01	6.3	1.4	0.23	8	<0.5	<0.2
1807512	Drill Core	0.15	0.023	23	53	1.10	126	0.224	<20	2.43	0.034	1.56	1.8	<0.01	5.3	1.0	0.23	7	<0.5	<0.2
1807513	Drill Core	0.22	0.022	23	40	0.87	93	0.156	<20	1.78	0.026	1.15	2.5	<0.01	4.2	0.9	0.08	6	<0.5	<0.2
1807514	Drill Core	0.42	0.029	28	59	1.30	133	0.201	<20	2.65	0.044	1.49	0.2	<0.01	6.5	1.2	0.36	8	<0.5	<0.2
1807515	Drill Core	0.34	0.022	24	51	1.15	109	0.215	<20	2.27	0.025	1.50	0.3	<0.01	4.9	1.3	0.45	7	<0.5	<0.2
1807516	Drill Core	0.53	0.012	11	19	0.33	31	0.046	<20	0.84	0.031	0.31	25.9	<0.01	1.8	0.3	0.24	3	<0.5	<0.2
1807517	Drill Core	0.41	0.022	19	37	0.73	67	0.145	<20	1.72	0.042	0.98	5.9	<0.01	3.2	0.9	0.36	5	<0.5	0.2
1807518	Drill Core	0.68	0.033	19	161	1.43	138	0.192	<20	2.59	0.078	1.37	1.0	<0.01	6.0	1.2	0.29	8	<0.5	<0.2
1807519	Drill Core	0.95	0.028	16	125	1.20	121	0.188	<20	2.86	0.097	1.31	1.4	<0.01	6.0	1.1	1.04	8	1.4	<0.2
1807520	Drill Core	1.94	0.034	11	29	0.67	179	0.079	<20	0.60	0.030	0.12	0.1	<0.01	1.9	<0.1	<0.05	2	<0.5	<0.2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Sitka Gold Corp.**
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: RC_Gold
Report Date: October 21, 2020

Page: 6 of 6

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000258.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	
1807521	Drill Core	5.39	0.014	1.3	144.7	3.0	37	0.2	110.0	26.2	334	4.24	74.5	1.0	8.5	8.3	150	<0.1	0.2	0.6	61



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Sitka Gold Corp.**
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: RC_Gold
Report Date: October 21, 2020

Page: 6 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000258.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
1807521	Drill Core	1.21	0.033	16	119	1.39	137	0.209	<20	3.48	0.112	1.56	9.1	<0.01	6.4	1.4	1.16	9	3.0	<0.2



QUALITY CONTROL REPORT

WHI20000258.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1	
Pulp Duplicates																					
1808015	Drill Core	4.63	0.005	0.9	52.4	5.0	71	0.1	29.2	17.1	405	3.68	19.0	1.0	2.6	9.5	63	<0.1	0.2	0.3	53
REP 1808015	QC			0.8	50.3	4.7	70	0.1	30.2	17.6	401	3.66	18.5	1.0	2.7	8.8	63	<0.1	0.3	0.2	52
1808033	Drill Core	4.77	<0.005	0.4	28.9	6.3	52	<0.1	16.0	8.9	454	2.46	4.6	1.3	<0.5	10.8	25	<0.1	0.1	0.2	30
REP 1808033	QC		0.005																		
1808049	Drill Core	4.11	2.019	1.9	91.0	5.2	14	0.2	6.5	8.8	163	2.62	855.9	8.9	2013.9	22.7	72	<0.1	1.6	37.2	41
REP 1808049	QC			1.7	81.6	4.9	13	0.1	6.2	8.3	157	2.49	848.8	7.9	1346.7	21.4	67	<0.1	1.6	33.2	40
1808057	Drill Core	3.78	0.021	0.6	1.6	12.9	8	<0.1	2.2	3.9	162	0.80	375.2	3.9	22.8	8.1	44	<0.1	0.5	0.3	2
REP 1808057	QC		0.020																		
REP 1808084	QC			0.6	42.1	2.7	52	<0.1	38.7	17.4	376	4.31	252.6	1.2	26.6	10.0	15	<0.1	0.7	1.0	58
1807507	Drill Core	5.15	0.009	0.3	21.2	3.6	36	<0.1	19.4	9.3	287	2.54	27.7	1.0	6.5	9.0	24	<0.1	0.2	0.4	37
REP 1807507	QC		0.007																		
1807512	Drill Core	5.54	0.006	0.5	40.1	3.1	69	<0.1	34.1	17.1	373	3.85	13.8	1.2	4.8	10.2	9	<0.1	0.2	0.2	53
REP 1807512	QC			0.4	41.2	3.2	71	<0.1	35.5	17.4	383	3.95	14.0	1.2	4.4	10.7	9	<0.1	0.2	0.2	54
Core Reject Duplicates																					
1808016	Drill Core	5.32	<0.005	0.7	26.3	3.8	63	<0.1	22.7	10.9	255	2.94	23.5	1.2	1.1	10.2	7	<0.1	0.2	0.2	40
DUP 1808016	QC		<0.005	0.5	26.8	4.0	63	<0.1	22.7	10.8	276	3.05	25.7	1.2	<0.5	10.7	8	<0.1	0.2	0.2	39
1808084	Drill Core	4.82	0.029	0.6	42.6	2.9	53	<0.1	39.2	17.8	404	4.48	314.0	1.3	20.0	10.4	16	<0.1	0.7	1.1	60
DUP 1808084	QC		0.033	0.7	42.4	2.7	51	<0.1	37.9	17.3	380	4.35	233.6	1.3	21.1	10.3	15	<0.1	0.7	1.0	58
1807518	Drill Core	5.04	0.011	0.5	38.0	2.6	45	<0.1	79.8	16.0	343	3.17	43.7	0.9	8.7	9.1	70	<0.1	0.2	0.2	59
DUP 1807518	QC		0.012	0.7	40.5	2.6	46	<0.1	89.8	16.4	356	3.28	44.0	0.9	8.0	9.3	76	<0.1	0.2	0.2	62
Reference Materials																					
STD BVGEO01	Standard			10.8	4434.7	194.9	1752	2.7	166.5	26.2	737	3.71	122.3	4.2	224.8	16.2	58	6.9	3.0	27.9	73
STD BVGEO01	Standard			11.2	4429.6	194.1	1727	2.7	164.7	24.8	690	3.99	127.2	4.3	232.5	16.8	58	6.8	3.0	25.0	75
STD DS11	Standard			15.1	146.0	144.3	342	2.0	83.9	14.4	995	3.16	45.3	2.6	57.1	8.1	68	2.5	7.7	12.8	48
STD DS11	Standard			15.2	147.1	135.1	343	1.7	79.4	13.3	1015	3.08	43.4	2.4	115.9	8.3	67	2.3	6.8	11.4	47
STD OREAS262	Standard			0.7	116.1	59.7	152	0.5	67.5	28.9	540	3.50	37.3	1.3	69.0	10.2	37	0.7	3.4	1.1	22
STD OREAS262	Standard			0.7	116.9	61.3	155	0.5	69.8	29.8	572	3.36	37.3	1.3	65.3	10.1	38	0.8	3.1	1.1	22
STD OREAS262	Standard			0.7	120.6	60.0	152	0.5	67.5	27.6	552	3.50	37.4	1.2	69.9	10.3	37	0.7	3.5	1.0	22



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Project: RC_Gold
Report Date: October 21, 2020

Page: 1 of 2 Part: 2 of 2

QUALITY CONTROL REPORT

WHI20000258.1

Method		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																				
1808015	Drill Core	1.33	0.027	19	50	1.10	93	0.179	<20	2.60	0.063	1.30	2.9	<0.01	6.1	0.9	0.78	8	<0.5	<0.2
REP 1808015	QC	1.31	0.027	19	49	1.10	94	0.173	<20	2.56	0.063	1.29	3.0	<0.01	5.8	0.8	0.76	8	<0.5	<0.2
1808033	Drill Core	0.53	0.013	19	36	0.59	61	0.113	<20	1.50	0.051	0.67	0.4	<0.01	3.8	0.3	0.22	5	<0.5	<0.2
REP 1808033	QC																			
1808049	Drill Core	0.81	0.069	51	23	0.62	210	0.147	<20	1.29	0.115	0.52	77.5	0.02	5.9	0.4	0.55	6	2.5	1.4
REP 1808049	QC	0.79	0.065	47	23	0.60	193	0.140	<20	1.27	0.115	0.51	75.6	<0.01	5.6	0.4	0.49	6	2.0	1.4
1808057	Drill Core	1.29	0.034	4	6	0.10	25	<0.001	<20	0.27	0.045	0.17	5.3	<0.01	0.6	<0.1	<0.05	<1	<0.5	<0.2
REP 1808057	QC																			
REP 1808084	QC	0.24	0.034	21	61	1.12	107	0.218	<20	2.31	0.026	1.65	0.6	<0.01	5.5	1.4	0.33	7	<0.5	<0.2
1807507	Drill Core	0.38	0.020	20	36	0.65	88	0.147	<20	1.57	0.039	0.88	1.1	<0.01	3.7	0.6	0.12	5	<0.5	<0.2
REP 1807507	QC																			
1807512	Drill Core	0.15	0.023	23	53	1.10	126	0.224	<20	2.43	0.034	1.56	1.8	<0.01	5.3	1.0	0.23	7	<0.5	<0.2
REP 1807512	QC	0.15	0.022	24	54	1.13	129	0.230	<20	2.46	0.035	1.62	1.6	<0.01	5.3	1.0	0.23	7	<0.5	<0.2
Core Reject Duplicates																				
1808016	Drill Core	0.29	0.011	19	49	0.97	94	0.148	<20	1.85	0.031	1.14	0.3	<0.01	4.4	0.7	0.30	6	<0.5	<0.2
DUP 1808016	QC	0.29	0.012	20	50	0.96	95	0.155	<20	1.87	0.032	1.14	0.4	<0.01	4.9	0.7	0.31	7	<0.5	<0.2
1808084	Drill Core	0.26	0.037	23	63	1.15	122	0.222	<20	2.47	0.029	1.75	0.6	<0.01	5.8	1.4	0.32	7	<0.5	<0.2
DUP 1808084	QC	0.25	0.034	22	61	1.14	110	0.218	<20	2.33	0.026	1.69	0.6	<0.01	5.6	1.4	0.31	7	<0.5	<0.2
1807518	Drill Core	0.68	0.033	19	161	1.43	138	0.192	<20	2.59	0.078	1.37	1.0	<0.01	6.0	1.2	0.29	8	<0.5	<0.2
DUP 1807518	QC	0.73	0.035	19	171	1.49	141	0.195	<20	2.70	0.082	1.41	0.8	<0.01	6.3	1.2	0.30	8	<0.5	<0.2
Reference Materials																				
STD BVGE001	Standard	1.32	0.076	29	177	1.31	346	0.243	<20	2.28	0.187	0.89	3.6	0.12	6.0	0.7	0.67	7	4.9	1.0
STD BVGE001	Standard	1.28	0.076	29	171	1.34	370	0.248	<20	2.28	0.190	0.92	4.1	0.09	6.2	0.7	0.72	8	4.4	1.1
STD DS11	Standard	1.05	0.070	19	60	0.83	424	0.094	<20	1.13	0.069	0.40	2.8	0.26	3.3	4.9	0.28	5	1.5	4.5
STD DS11	Standard	1.03	0.068	18	59	0.84	418	0.095	<20	1.12	0.073	0.40	2.2	0.25	3.3	5.0	0.28	5	1.9	4.4
STD OREAS262	Standard	3.00	0.041	18	44	1.19	254	0.004	<20	1.24	0.067	0.30	0.1	0.17	3.4	0.5	0.28	4	<0.5	0.2
STD OREAS262	Standard	3.07	0.040	18	44	1.22	258	0.003	<20	1.28	0.070	0.32	<0.1	0.16	3.4	0.5	0.27	4	<0.5	0.2
STD OREAS262	Standard	3.16	0.043	16	43	1.22	265	0.003	<20	1.23	0.069	0.31	0.2	0.17	3.3	0.5	0.27	4	0.5	0.2



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: Sitka Gold Corp.
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: RC_Gold
Report Date: October 21, 2020

Page: 2 of 2 Part: 1 of 2

QUALITY CONTROL REPORT

WHI20000258.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	
STD OREAS262	Standard			0.6	108.7	53.7	139	0.4	63.2	26.1	544	3.22	34.8	1.1	53.9	9.4	33	0.7	2.7	0.9	21	
STD OXB130	Standard		0.120																			
STD OXB130	Standard		0.119																			
STD OXG141	Standard		0.945																			
STD OXG141	Standard		0.933																			
STD OXN155	Standard		7.639																			
STD OXN155	Standard		7.246																			
STD BVGEO01 Expected				10.8	4415	187	1741	2.53	163	25	733	3.7	121	3.77	219	14.4	55	6.5	2.2	25.6	73	
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3	2.37	7.2	12.2	50	
STD OREAS262 Expected				0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	1.22	65	9.33	36	0.61	3.39	1.03	22.5	
STD OXG141 Expected			0.93																			
STD OXN155 Expected			7.762																			
STD OXB130 Expected			0.125																			
BLK	Blank		<0.005																			
BLK	Blank		<0.005																			
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	
BLK	Blank		<0.005																			
BLK	Blank		<0.005																			
Prep Wash																						
ROCK-WHI	Prep Blank		0.005	1.2	2.5	1.2	27	<0.1	1.3	3.9	449	1.93	1.3	0.4	2.6	2.3	27	<0.1	<0.1	<0.1	25	
ROCK-WHI	Prep Blank		<0.005	0.9	3.6	1.5	29	<0.1	1.2	4.2	489	2.11	2.7	0.4	<0.5	2.7	26	<0.1	<0.1	<0.1	26	



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: Sitka Gold Corp.
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: RC_Gold
Report Date: October 21, 2020

Page: 2 of 2 Part: 2 of 2

QUALITY CONTROL REPORT

WHI20000258.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.5	0.2
STD OREAS262	Standard	2.88	0.038	15	41	1.16	245	0.003	<20	1.16	0.068	0.29	<0.1	0.15	3.1	0.5	0.26	3	<0.5	0.2
STD OXB130	Standard																			
STD OXB130	Standard																			
STD OXG141	Standard																			
STD OXG141	Standard																			
STD OXN155	Standard																			
STD OXN155	Standard																			
STD BVGEO01 Expected		1.3219	0.0727	25.9	171	1.2963	340	0.233		2.347	0.1924	0.89	3.5	0.1	5.97	0.62	0.6655	7.37	4.84	1.02
STD DS11 Expected		1.063	0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56
STD OREAS262 Expected		2.98	0.04	15.9	41.7	1.17	248	0.003		1.3	0.071	0.312	0.13	0.17	3.24	0.47	0.269	3.9	0.4	0.23
STD OXG141 Expected																				
STD OXN155 Expected																				
STD OXB130 Expected																				
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	0.2	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank																			
BLK	Blank																			
Prep Wash																				
ROCK-WHI	Prep Blank	0.61	0.040	7	14	0.44	64	0.094	<20	0.90	0.097	0.09	0.9	<0.01	3.0	<0.1	<0.05	4	<0.5	<0.2
ROCK-WHI	Prep Blank	0.64	0.038	7	12	0.46	72	0.098	<20	0.94	0.102	0.09	0.4	<0.01	2.9	<0.1	<0.05	4	<0.5	<0.2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Sitka Gold Corp.**
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Submitted By: Cor Coe
Receiving Lab: Canada-Whitehorse
Received: August 21, 2020
Analysis Start: October 28, 2020
Report Date: November 09, 2020
Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI20000292.1

CLIENT JOB INFORMATION

Project: RC_Gold
Shipment ID: RC-200819-DD-001
P.O. Number
Number of Samples: 138

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Fox Exploration Ltd.
1701 Robert Lang Dr.
Courtenay British Columbia V9N 1A2
Canada

CC: Fox Exploration attn Ryan Coe
Greg Dawson
Joel Gillham
Don Penner

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-1KG	131	Crush, split and pulverize 1kg of sample to 200 mesh			WHI
FA450	138	50g Lead Collection Fire Assay Fusion - AAS Finish	50	Completed	VAN
AQ200	138	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SLBHP	7	Sort, label and box pulps			WHI

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Sitka Gold Corp.
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: RC_Gold
Report Date: November 09, 2020

Page: 2 of 6

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000292.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	
1807522	Drill Core	5.76	0.042	1.3	15.0	6.1	29	<0.1	6.2	7.9	283	1.73	334.6	5.7	37.1	21.2	93	0.1	0.7	1.7	19
1807523	Drill Core	5.28	0.109	1.6	9.5	5.9	34	<0.1	6.7	6.8	342	1.90	155.3	5.3	48.2	22.4	104	0.2	0.6	2.8	21
1807524	Drill Core	4.70	0.019	1.2	5.7	6.1	36	<0.1	5.8	5.2	321	1.81	174.4	4.8	6.3	23.6	98	0.2	0.7	0.9	20
1807525	Drill Core	4.42	0.055	3.2	6.3	29.6	39	0.2	7.2	6.5	336	2.18	4596.8	6.1	60.9	21.5	75	0.4	14.5	1.9	17
1807526	Drill Core	4.43	0.060	3.0	13.9	10.6	32	0.2	7.4	5.2	371	1.76	771.2	5.5	46.3	19.7	57	0.3	2.7	2.9	14
1807527	Drill Core	4.68	0.067	1.1	2.4	9.1	35	<0.1	4.7	5.6	306	1.85	480.9	5.0	117.6	21.2	91	0.1	1.9	0.8	17
1807528	Drill Core	4.93	0.475	1.4	9.9	11.7	30	0.2	4.2	5.8	310	1.78	1681.3	5.1	218.0	20.4	74	0.2	4.3	3.9	14
1807529	Drill Core	4.67	0.382	3.4	19.8	9.1	30	0.3	4.9	5.1	266	1.81	810.3	6.5	736.2	22.1	66	0.3	2.4	11.7	17
1807530	Rock Pulp	0.09	0.507	15.0	745.3	21.2	123	0.5	15.5	15.5	685	3.26	14.0	0.7	377.8	2.0	117	0.7	0.9	0.2	83
1807531	Drill Core	3.37	0.168	0.4	9.6	8.8	36	0.2	7.6	7.7	291	1.79	239.7	4.3	139.7	20.7	59	0.2	1.2	7.9	17
1807532	Drill Core	4.27	0.062	1.0	17.1	6.3	34	0.2	4.5	5.5	318	1.93	532.4	4.5	59.7	20.0	66	0.1	1.1	5.4	16
1807533	Drill Core	4.85	0.113	1.4	3.7	6.6	26	<0.1	5.1	4.7	295	1.42	473.7	4.3	68.2	20.9	70	0.1	1.0	2.7	14
1807534	Drill Core	4.93	0.335	3.1	11.4	6.5	25	0.3	4.2	4.9	280	1.71	1632.2	6.2	312.6	20.1	107	0.1	2.5	11.8	15
1807535	Drill Core	4.33	0.073	1.7	13.9	5.5	32	0.2	4.5	6.2	285	1.74	482.2	4.7	61.8	21.4	90	0.2	0.7	2.9	17
1807536	Drill Core	4.48	0.056	1.4	10.2	5.8	38	<0.1	7.0	6.8	298	1.86	814.3	5.1	45.3	20.8	80	0.2	2.1	1.9	16
1807537	Drill Core	5.65	0.280	3.5	8.2	9.3	35	0.6	4.5	4.9	339	1.83	295.9	5.8	205.7	21.2	99	0.2	1.5	14.9	17
1807538	Drill Core	3.55	0.050	5.5	10.8	6.1	30	<0.1	5.3	4.7	314	1.72	199.2	5.2	77.4	19.0	75	0.2	0.7	1.8	16
1807539	Drill Core	4.49	0.041	0.8	4.0	5.6	38	<0.1	5.4	6.2	327	2.07	58.5	3.8	19.0	21.0	101	0.1	0.3	1.7	23
1807540	Rock	0.93	<0.005	0.6	4.9	9.6	34	<0.1	8.0	3.9	225	1.19	3.9	0.7	<0.5	5.5	46	0.1	0.2	<0.1	16
1807541	Drill Core	4.49	0.047	0.7	3.4	8.4	47	0.1	5.7	5.9	312	2.14	260.6	3.9	13.7	21.1	85	<0.1	0.9	1.4	21
1807542	Drill Core	5.15	0.005	1.1	1.9	6.2	44	0.1	4.7	5.2	303	2.01	182.9	4.9	2.6	21.8	99	0.1	0.5	0.6	21
1807543	Drill Core	4.05	0.099	0.5	4.1	6.2	43	<0.1	4.3	4.8	294	1.87	101.4	3.1	35.5	21.6	59	<0.1	0.6	1.3	16
1807544	Drill Core	4.36	0.052	0.5	6.3	5.5	40	<0.1	4.9	5.6	294	2.00	37.6	4.0	23.1	20.4	85	<0.1	0.4	1.8	21
1807545	Drill Core	4.41	0.019	0.7	3.2	5.8	40	<0.1	4.9	5.4	360	2.09	96.4	3.8	23.8	21.0	88	0.2	0.6	0.6	21
1807546	Drill Core	4.26	0.160	0.6	6.9	5.7	35	0.1	5.3	5.7	281	1.81	403.5	3.4	136.2	20.0	89	0.1	0.7	2.9	20
1807547	Drill Core	5.33	0.551	1.2	9.8	5.9	38	0.3	5.0	5.8	298	1.92	348.0	5.0	276.9	19.4	100	0.1	0.8	10.8	19
1807548	Drill Core	4.28	0.032	0.6	2.3	7.2	40	<0.1	3.8	5.4	286	1.70	96.0	4.8	48.1	21.6	101	0.1	0.6	1.1	15
1807549	Drill Core	4.33	0.186	1.4	13.8	5.9	35	0.2	9.5	7.7	321	1.96	426.3	4.2	72.1	18.1	73	0.1	0.9	2.7	26
1807550	Rock Pulp	0.09	2.083	86.7	1920.3	19.1	66	1.2	12.4	18.5	524	3.51	9.0	1.5	1836.1	4.2	362	0.3	1.6	1.2	104
1807551	Drill Core	4.65	0.128	3.4	11.1	7.3	28	0.2	3.5	4.7	270	1.45	68.2	5.5	233.4	19.6	84	0.2	0.4	5.3	14



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Sitka Gold Corp.**
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: RC_Gold
Report Date: November 09, 2020

Page: 2 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000292.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.5	0.2	
1807522	Drill Core	0.92	0.045	44	18	0.46	316	0.106	<20	1.62	0.137	0.41	7.1	<0.01	4.0	0.2	0.09	6	<0.5	<0.2
1807523	Drill Core	1.28	0.050	50	23	0.48	335	0.113	<20	1.62	0.140	0.40	4.1	<0.01	4.5	0.2	0.06	6	<0.5	<0.2
1807524	Drill Core	1.05	0.052	52	17	0.49	339	0.123	<20	1.65	0.133	0.38	0.7	<0.01	4.2	0.2	<0.05	6	<0.5	<0.2
1807525	Drill Core	0.87	0.049	44	20	0.38	242	0.059	<20	1.30	0.099	0.39	0.5	<0.01	4.1	0.2	0.25	5	<0.5	<0.2
1807526	Drill Core	0.64	0.043	42	15	0.30	179	0.043	<20	1.08	0.072	0.28	5.3	<0.01	4.0	0.1	<0.05	4	<0.5	<0.2
1807527	Drill Core	0.87	0.045	47	19	0.38	289	0.073	<20	1.46	0.124	0.37	2.8	<0.01	4.2	0.1	<0.05	5	<0.5	<0.2
1807528	Drill Core	0.94	0.044	43	15	0.36	188	0.044	<20	1.09	0.086	0.30	9.6	<0.01	4.2	0.1	0.12	5	<0.5	<0.2
1807529	Drill Core	0.74	0.047	50	17	0.39	174	0.060	<20	1.19	0.080	0.22	17.1	0.01	4.1	0.1	0.12	5	<0.5	0.2
1807530	Rock Pulp	2.46	0.085	6	28	1.28	193	0.064	<20	1.60	0.106	0.13	1.2	0.07	6.2	<0.1	0.56	6	1.2	<0.2
1807531	Drill Core	0.48	0.048	43	14	0.41	224	0.065	<20	1.43	0.075	0.27	9.6	<0.01	4.5	0.1	<0.05	6	<0.5	<0.2
1807532	Drill Core	0.60	0.046	46	16	0.34	237	0.057	<20	1.27	0.086	0.30	5.2	<0.01	4.1	0.1	<0.05	5	<0.5	<0.2
1807533	Drill Core	0.81	0.046	46	11	0.32	150	0.054	<20	0.92	0.074	0.21	4.6	<0.01	3.8	<0.1	<0.05	4	<0.5	<0.2
1807534	Drill Core	1.25	0.044	44	20	0.36	220	0.069	<20	1.22	0.123	0.33	4.5	<0.01	3.7	0.1	0.15	5	<0.5	0.4
1807535	Drill Core	0.93	0.046	47	17	0.40	272	0.091	<20	1.46	0.127	0.33	4.0	<0.01	4.3	0.1	0.09	6	<0.5	<0.2
1807536	Drill Core	0.92	0.046	45	16	0.38	251	0.058	<20	1.34	0.101	0.34	2.5	<0.01	4.1	0.1	0.06	5	<0.5	<0.2
1807537	Drill Core	1.34	0.045	48	17	0.38	256	0.076	<20	1.28	0.096	0.30	4.5	<0.01	4.2	0.1	<0.05	5	<0.5	<0.2
1807538	Drill Core	0.98	0.046	42	13	0.34	168	0.052	<20	1.04	0.073	0.21	10.1	<0.01	4.1	<0.1	0.06	4	<0.5	<0.2
1807539	Drill Core	1.01	0.048	45	21	0.49	352	0.114	<20	1.76	0.134	0.42	2.2	<0.01	4.6	0.2	<0.05	7	<0.5	<0.2
1807540	Rock	4.54	0.039	11	13	2.61	755	0.038	<20	0.44	0.027	0.17	<0.1	<0.01	1.6	<0.1	<0.05	2	<0.5	<0.2
1807541	Drill Core	0.86	0.049	45	18	0.46	358	0.100	<20	1.65	0.107	0.41	0.8	<0.01	4.5	0.2	<0.05	6	<0.5	<0.2
1807542	Drill Core	1.02	0.050	50	16	0.50	376	0.119	<20	1.74	0.122	0.40	1.5	<0.01	4.5	0.2	<0.05	7	<0.5	<0.2
1807543	Drill Core	0.65	0.051	45	14	0.40	255	0.062	<20	1.34	0.064	0.29	1.3	<0.01	4.1	0.1	<0.05	5	<0.5	<0.2
1807544	Drill Core	0.86	0.049	45	16	0.50	323	0.095	<20	1.62	0.107	0.38	2.9	<0.01	4.6	0.2	<0.05	6	<0.5	<0.2
1807545	Drill Core	0.87	0.049	46	20	0.48	341	0.099	<20	1.72	0.116	0.39	1.2	<0.01	4.5	0.2	<0.05	6	<0.5	<0.2
1807546	Drill Core	1.00	0.043	43	21	0.49	316	0.102	<20	1.64	0.128	0.41	6.0	<0.01	4.7	0.2	<0.05	6	<0.5	<0.2
1807547	Drill Core	1.23	0.042	44	20	0.44	337	0.091	<20	1.60	0.130	0.40	1.8	<0.01	4.5	0.2	0.06	6	<0.5	0.3
1807548	Drill Core	1.17	0.042	47	14	0.39	323	0.072	<20	1.41	0.108	0.36	1.7	<0.01	4.5	0.2	<0.05	5	<0.5	<0.2
1807549	Drill Core	0.80	0.039	40	28	0.54	243	0.108	<20	1.63	0.117	0.52	2.1	<0.01	4.9	0.2	0.07	6	<0.5	<0.2
1807550	Rock Pulp	3.64	0.174	16	18	1.37	228	0.058	<20	1.32	0.038	0.30	1.7	0.13	6.4	<0.1	2.46	6	2.5	0.4
1807551	Drill Core	0.81	0.039	39	15	0.37	202	0.089	<20	1.18	0.103	0.28	69.2	<0.01	3.8	0.1	0.05	5	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Sitka Gold Corp.
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: RC_Gold
Report Date: November 09, 2020

Page: 3 of 6

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000292.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	
1807552	Drill Core	4.54	0.257	0.7	8.4	5.7	28	0.3	3.7	5.9	247	1.53	311.6	5.4	138.7	20.1	108	0.1	0.6	7.7	16
1807553	Drill Core	4.55	0.459	0.8	11.2	7.3	32	0.5	3.4	6.3	262	1.70	1642.3	7.0	369.3	19.9	83	0.2	1.7	9.6	16
1807554	Drill Core	5.36	0.282	1.2	11.4	5.9	32	0.3	3.8	5.0	257	1.68	46.4	6.2	319.8	19.3	95	<0.1	0.3	6.8	17
1807555	Drill Core	4.51	0.113	0.5	4.6	5.8	30	<0.1	3.6	5.5	253	1.61	1060.3	4.4	83.3	18.6	77	<0.1	1.3	2.8	15
1807556	Drill Core	3.95	0.278	0.9	5.7	5.7	30	0.2	4.1	5.2	288	1.70	235.3	7.9	197.7	20.8	70	0.1	0.6	5.6	19
1807557	Drill Core	3.47	2.492	0.6	17.6	8.0	28	2.0	3.9	5.4	249	1.61	421.1	6.2	2170.9	19.9	79	0.1	1.3	45.1	14
1807558	Drill Core	3.19	0.988	1.0	6.4	5.9	31	0.3	4.0	4.9	276	1.64	148.8	3.2	434.0	18.9	68	0.1	0.7	18.8	18
1807559	Drill Core	5.45	0.300	1.2	19.3	6.0	39	0.5	15.3	10.3	289	2.12	722.9	3.0	731.3	13.7	34	0.1	1.3	9.2	38
1807560	Rock	0.81	<0.005	4.0	5.0	2.0	10	<0.1	5.8	2.8	253	1.08	8.9	0.6	<0.5	3.7	25	<0.1	0.2	0.2	15
1807561	Drill Core	5.11	0.046	1.3	12.4	5.4	33	0.7	13.9	8.0	281	1.91	853.1	2.3	46.2	13.9	41	<0.1	1.4	7.1	33
1807562	Drill Core	3.66	0.085	0.5	21.1	5.9	42	0.2	20.8	9.6	342	2.27	463.1	3.2	78.8	13.8	42	0.1	1.8	3.3	31
1807563	Drill Core	4.74	0.019	0.8	11.0	5.5	28	<0.1	6.1	5.1	244	1.56	88.2	3.9	7.5	17.5	61	<0.1	0.3	0.8	21
1807564	Drill Core	4.58	0.024	1.0	7.5	6.8	28	<0.1	5.4	4.5	261	1.56	221.6	4.2	16.3	18.7	63	0.2	0.6	0.9	18
1807565	Drill Core	4.76	0.062	0.8	3.5	6.5	32	0.1	4.5	4.3	258	1.47	104.1	4.4	61.2	19.3	86	0.1	0.8	2.6	13
1807566	Drill Core	6.71	0.064	1.5	6.9	6.0	34	0.1	4.6	4.8	318	1.73	195.1	5.6	50.8	21.0	114	0.1	0.5	2.2	18
1807567	Drill Core	2.70	0.050	0.1	8.0	5.4	36	<0.1	6.2	4.8	330	1.81	117.5	2.2	48.9	19.6	59	<0.1	0.7	1.4	23
1807568	Drill Core	3.32	0.264	0.5	16.9	5.4	31	0.5	10.9	6.2	325	1.95	148.6	1.8	331.6	13.0	36	<0.1	0.9	15.0	38
1807569	Drill Core	4.11	0.117	0.2	13.3	4.7	31	0.3	11.2	6.8	324	1.77	113.3	1.4	583.8	11.0	19	<0.1	0.7	2.8	27
1807570	Rock Pulp	0.12	0.484	13.2	758.3	21.8	120	0.6	15.9	15.6	663	3.41	13.6	0.7	300.3	1.9	116	0.7	1.1	0.2	85
1807571	Drill Core	4.78	0.286	0.3	35.7	4.1	27	0.2	14.8	10.1	293	1.89	392.2	1.4	231.3	9.5	35	<0.1	1.0	3.9	31
1807572	Drill Core	4.85	0.015	0.6	8.2	4.4	29	<0.1	11.9	8.1	288	1.87	63.1	1.0	12.2	11.6	22	<0.1	0.4	0.7	32
1807573	Drill Core	3.16	0.025	0.2	11.1	4.3	38	<0.1	12.5	10.0	278	1.80	98.0	1.1	20.5	10.9	24	0.1	0.8	0.4	22
1807574	Drill Core	2.20	0.166	0.7	18.6	6.2	35	0.5	12.8	11.6	305	2.07	2796.7	3.0	173.5	10.3	34	0.1	3.4	2.6	9
1807575	Drill Core	2.93	0.537	1.2	34.5	5.7	33	0.9	16.1	15.8	323	2.49	3051.2	2.9	325.3	13.6	40	0.1	5.2	10.4	21
1807576	Drill Core	3.31	0.366	1.0	47.2	10.0	42	1.9	15.0	17.6	706	2.53	1303.4	3.7	359.3	17.6	46	0.1	3.4	12.1	17
1807577	Drill Core	4.34	0.155	0.5	20.0	4.7	40	0.8	15.6	16.0	336	2.51	1268.0	3.1	145.1	12.1	32	<0.1	3.2	2.7	21
1807578	Drill Core	2.70	0.216	0.2	16.1	5.3	36	1.0	12.6	11.2	262	2.10	1033.0	3.8	205.3	11.4	34	0.1	2.1	5.2	21
1807579	Drill Core	3.32	0.094	0.5	13.8	22.9	33	1.3	12.4	7.3	159	1.70	559.1	2.4	104.2	12.4	22	<0.1	1.5	33.0	25
1807580	Rock	0.79	<0.005	1.1	5.3	2.8	16	<0.1	7.4	3.5	350	1.53	6.7	1.0	<0.5	5.1	45	<0.1	0.1	0.2	19
1807581	Drill Core	5.47	0.069	0.3	7.3	7.8	32	0.3	6.5	4.8	442	1.91	595.4	4.1	61.4	16.1	29	0.1	2.2	4.0	14



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Sitka Gold Corp.
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: RC_Gold
Report Date: November 09, 2020

Page: 3 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000292.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2		
1807552	Drill Core	0.82	0.040	43	18	0.36	295	0.104	<20	1.53	0.162	0.40	6.8	<0.01	3.9	0.2	<0.05	6	<0.5	<0.2
1807553	Drill Core	0.93	0.041	43	16	0.44	303	0.097	<20	1.49	0.128	0.38	51.8	<0.01	4.0	0.2	0.12	6	<0.5	0.3
1807554	Drill Core	0.94	0.041	42	19	0.40	332	0.111	<20	1.55	0.151	0.41	29.2	<0.01	3.9	0.2	0.06	6	<0.5	<0.2
1807555	Drill Core	1.18	0.044	40	13	0.42	276	0.072	<20	1.39	0.087	0.35	5.6	<0.01	3.9	0.2	<0.05	5	<0.5	<0.2
1807556	Drill Core	0.86	0.044	42	17	0.43	303	0.104	<20	1.46	0.122	0.39	5.0	<0.01	4.0	0.2	<0.05	6	<0.5	<0.2
1807557	Drill Core	1.11	0.041	39	12	0.36	245	0.067	<20	1.25	0.089	0.34	13.9	<0.01	3.6	0.2	0.05	5	<0.5	1.3
1807558	Drill Core	0.90	0.037	39	18	0.44	351	0.094	<20	1.55	0.114	0.43	2.8	<0.01	4.4	0.2	<0.05	6	<0.5	0.3
1807559	Drill Core	0.58	0.026	27	38	0.61	128	0.138	<20	1.43	0.084	0.62	2.6	<0.01	5.7	0.4	0.13	7	<0.5	0.3
1807560	Rock	6.49	0.025	12	22	4.04	92	0.033	<20	0.35	0.043	0.17	0.2	<0.01	1.5	<0.1	<0.05	1	<0.5	<0.2
1807561	Drill Core	0.69	0.035	28	41	0.53	126	0.128	<20	1.32	0.086	0.53	3.3	<0.01	4.8	0.3	0.10	6	<0.5	<0.2
1807562	Drill Core	0.73	0.026	32	49	0.49	88	0.072	<20	1.32	0.051	0.45	1.6	<0.01	5.4	0.3	<0.05	6	<0.5	<0.2
1807563	Drill Core	0.82	0.033	37	21	0.40	238	0.102	<20	1.24	0.103	0.40	2.6	<0.01	3.9	0.2	0.07	5	<0.5	<0.2
1807564	Drill Core	0.91	0.037	38	22	0.37	245	0.087	<20	1.22	0.099	0.39	12.1	<0.01	4.0	0.2	0.06	5	<0.5	<0.2
1807565	Drill Core	1.23	0.038	40	14	0.31	199	0.042	<20	1.17	0.079	0.32	0.7	<0.01	3.8	0.1	<0.05	4	<0.5	<0.2
1807566	Drill Core	1.34	0.044	46	19	0.42	304	0.089	<20	1.59	0.142	0.36	3.1	<0.01	4.3	0.2	<0.05	6	<0.5	<0.2
1807567	Drill Core	0.39	0.045	39	17	0.55	226	0.084	<20	1.86	0.055	0.41	0.4	<0.01	4.5	0.2	<0.05	6	<0.5	<0.2
1807568	Drill Core	0.36	0.045	29	34	0.58	80	0.127	<20	1.35	0.051	0.46	1.8	<0.01	4.6	0.3	<0.05	6	<0.5	0.4
1807569	Drill Core	0.22	0.020	23	32	0.49	41	0.071	<20	1.11	0.042	0.33	2.5	<0.01	4.0	0.2	<0.05	5	<0.5	<0.2
1807570	Rock Pulp	2.45	0.089	6	28	1.30	201	0.069	<20	1.54	0.111	0.13	1.6	0.07	6.0	<0.1	0.56	5	1.1	<0.2
1807571	Drill Core	0.49	0.029	22	37	0.53	40	0.112	<20	1.28	0.081	0.41	13.0	<0.01	4.0	0.3	0.12	5	0.6	<0.2
1807572	Drill Core	0.29	0.024	23	41	0.45	56	0.106	<20	1.00	0.051	0.44	1.1	<0.01	3.9	0.3	<0.05	5	<0.5	<0.2
1807573	Drill Core	0.29	0.020	22	27	0.37	38	0.043	<20	0.89	0.029	0.28	0.6	<0.01	3.9	0.2	<0.05	4	<0.5	<0.2
1807574	Drill Core	0.57	0.019	21	14	0.21	31	0.005	<20	0.69	0.017	0.22	1.4	<0.01	2.9	0.2	0.10	2	0.8	0.3
1807575	Drill Core	1.20	0.054	30	22	0.26	65	0.011	<20	0.85	0.022	0.30	3.3	<0.01	4.5	0.3	0.18	3	1.3	0.5
1807576	Drill Core	1.25	0.095	48	10	0.21	48	0.001	<20	0.82	0.006	0.23	3.1	<0.01	6.7	0.2	<0.05	2	0.8	0.3
1807577	Drill Core	0.31	0.031	31	27	0.33	44	0.010	<20	0.99	0.007	0.29	2.0	<0.01	4.4	0.2	<0.05	5	<0.5	0.2
1807578	Drill Core	0.36	0.030	25	24	0.35	32	0.004	<20	1.02	0.006	0.15	1.8	<0.01	3.6	0.1	<0.05	6	<0.5	<0.2
1807579	Drill Core	0.25	0.031	28	29	0.37	44	0.027	<20	1.10	0.005	0.30	0.8	<0.01	3.6	0.2	<0.05	5	<0.5	<0.2
1807580	Rock	5.57	0.039	11	26	2.05	210	0.047	<20	0.42	0.039	0.19	0.4	<0.01	1.7	<0.1	<0.05	2	<0.5	<0.2
1807581	Drill Core	1.17	0.037	36	15	0.22	80	0.017	<20	1.09	0.006	0.18	1.0	<0.01	4.2	0.1	<0.05	4	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Sitka Gold Corp.
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: RC_Gold
Report Date: November 09, 2020

Page: 4 of 6

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000292.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	
1807582	Drill Core	2.75	0.155	0.1	7.7	8.4	38	0.2	4.2	5.0	335	1.72	760.3	5.4	100.4	17.3	30	<0.1	2.9	4.1	8
1807583	Drill Core	3.18	0.218	0.4	6.6	7.8	31	0.2	5.8	5.3	393	1.41	487.2	4.2	144.2	16.8	54	<0.1	1.8	4.1	10
1807584	Drill Core	2.10	0.956	1.1	25.1	6.4	27	0.4	4.2	5.1	240	1.74	818.0	7.1	451.2	20.8	53	<0.1	1.5	21.8	17
1807585	Drill Core	3.03	0.272	1.3	9.3	7.1	36	0.3	4.0	4.6	304	1.85	1694.0	5.7	190.1	19.5	80	<0.1	1.2	5.2	17
1807586	Drill Core	1.08	0.107	1.5	5.9	8.0	50	<0.1	6.2	6.5	338	1.66	235.1	7.7	22.5	18.1	90	<0.1	0.2	2.5	21
1807587	Drill Core	5.07	0.575	2.6	11.6	5.0	28	0.4	4.6	5.0	273	1.94	1280.5	6.9	501.6	19.7	66	<0.1	1.7	12.8	20
1807588	Drill Core	5.10	0.087	2.0	4.7	4.2	31	<0.1	4.1	4.2	275	1.68	317.8	7.1	143.4	20.1	86	<0.1	0.6	2.1	20
1807589	Drill Core	5.18	0.008	2.7	5.5	4.6	28	<0.1	3.8	3.4	286	1.72	30.8	7.2	6.7	22.0	107	<0.1	0.2	0.9	19
1807590	Rock Pulp	0.11	2.167	76.6	1924.0	19.9	66	1.3	11.7	17.7	501	3.58	7.6	1.5	1515.1	3.9	372	0.3	1.8	1.2	100
1807591	Drill Core	5.28	0.307	1.4	27.2	3.9	29	<0.1	5.0	5.0	277	2.16	1275.1	6.6	254.2	20.6	102	<0.1	1.6	11.9	25
1807592	Drill Core	4.58	0.299	2.0	23.9	4.0	29	0.1	5.5	4.6	268	2.21	1065.8	6.4	286.1	20.0	85	<0.1	1.5	13.7	26
1807593	Drill Core	4.67	0.266	2.2	21.0	3.8	27	<0.1	4.2	4.3	256	1.83	737.1	6.8	192.4	21.5	106	<0.1	0.9	10.6	21
1807594	Drill Core	5.09	0.118	3.2	30.7	3.7	29	0.1	7.2	6.2	267	2.03	851.7	6.6	81.0	19.6	113	<0.1	1.0	4.3	27
1807595	Drill Core	4.95	0.313	2.0	36.6	4.1	27	0.4	4.9	4.9	255	1.94	854.4	6.1	1012.9	20.2	86	<0.1	1.2	9.9	21
1807596	Drill Core	5.11	0.088	2.0	11.8	4.0	29	0.2	4.5	4.3	274	1.83	878.2	7.0	33.1	20.7	110	<0.1	1.0	4.5	21
1807597	Drill Core	5.07	0.218	1.3	13.6	4.0	31	0.1	3.8	4.5	251	1.72	242.8	7.0	101.6	20.0	103	<0.1	0.5	6.6	19
1807598	Drill Core	5.21	0.231	1.9	46.5	3.5	23	0.2	4.4	4.5	227	2.26	1401.7	6.6	265.2	21.0	96	<0.1	1.6	9.9	22
1807599	Drill Core	4.37	0.276	2.3	60.8	4.5	26	0.4	4.5	5.0	232	2.45	2739.9	6.4	195.6	20.0	84	<0.1	2.7	11.1	24
1807600	Rock	0.83	<0.005	1.0	5.6	2.8	15	<0.1	8.4	3.9	740	1.99	10.3	0.8	0.6	3.0	52	0.1	0.4	<0.1	17
1807601	Drill Core	5.12	0.045	2.1	11.5	4.5	28	0.1	3.2	3.9	266	1.59	723.8	6.4	31.5	19.9	76	<0.1	0.8	1.6	16
1807602	Drill Core	5.11	0.232	2.1	8.5	4.4	37	0.1	3.8	4.7	286	2.05	986.5	7.5	253.1	20.0	89	<0.1	1.2	4.6	21
1807603	Drill Core	5.47	0.377	2.7	15.6	4.5	31	0.1	4.4	6.4	286	1.66	380.5	6.4	242.2	20.7	79	<0.1	0.6	6.5	17
1807604	Drill Core	4.72	0.585	1.9	20.5	5.0	34	1.6	4.0	6.6	290	1.99	2640.8	6.6	578.6	20.6	83	<0.1	3.3	21.3	20
1807605	Drill Core	2.81	0.126	2.6	5.4	5.3	44	<0.1	4.0	5.3	292	2.05	3963.4	7.3	144.8	21.2	76	0.2	3.8	2.5	18
1807606	Drill Core	1.83	7.185	5.2	33.7	10.0	33	1.4	6.2	7.6	136	1.60	787.4	7.2	5701.9	20.5	42	0.2	2.7	119.5	11
1807607	Drill Core	4.13	1.591	1.9	5.4	6.3	38	0.5	5.4	5.9	274	1.96	865.9	7.2	1527.8	19.4	95	<0.1	1.2	25.8	22
1807608	Drill Core	4.54	1.145	2.4	11.2	4.2	25	0.3	3.8	4.7	251	1.56	543.3	7.3	495.5	19.6	96	<0.1	1.0	18.1	18
1807609	Drill Core	4.96	1.054	1.6	8.7	4.2	27	0.3	3.8	4.1	247	1.51	640.7	7.0	972.4	20.3	98	<0.1	0.9	17.3	18
1807610	Rock Pulp	0.09	0.449	14.6	785.6	22.3	129	0.7	16.1	15.6	672	3.42	15.0	0.7	1050.7	2.1	120	0.8	1.1	0.2	83
1807611	Drill Core	5.04	1.223	2.5	16.1	4.5	29	0.3	5.5	5.7	257	1.96	1294.4	7.1	1376.6	20.1	104	<0.1	1.7	24.2	21



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Sitka Gold Corp.
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: RC_Gold
Report Date: November 09, 2020

Page: 4 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000292.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2		
1807582	Drill Core	0.86	0.041	43	7	0.11	41	0.001	<20	0.90	0.005	0.09	2.2	<0.01	3.9	<0.1	<0.05	3	<0.5	<0.2
1807583	Drill Core	2.36	0.037	39	10	0.16	50	0.002	<20	0.88	0.005	0.12	3.4	<0.01	3.7	<0.1	<0.05	3	<0.5	<0.2
1807584	Drill Core	0.96	0.047	40	12	0.47	178	0.044	<20	1.51	0.045	0.27	13.8	<0.01	3.8	0.4	<0.05	6	1.3	0.6
1807585	Drill Core	1.76	0.045	43	12	0.47	229	0.042	<20	1.48	0.028	0.29	2.1	<0.01	3.1	0.2	0.08	5	<0.5	0.2
1807586	Drill Core	2.98	0.058	48	18	0.46	116	0.006	<20	1.43	0.009	0.19	0.5	<0.01	4.9	0.1	0.07	5	<0.5	<0.2
1807587	Drill Core	0.98	0.048	44	18	0.38	191	0.077	<20	1.14	0.088	0.31	45.2	<0.01	3.2	0.2	0.14	5	<0.5	0.3
1807588	Drill Core	0.93	0.050	46	13	0.40	243	0.112	<20	1.23	0.123	0.38	27.3	<0.01	3.4	0.2	<0.05	5	<0.5	<0.2
1807589	Drill Core	0.94	0.047	47	18	0.35	216	0.102	<20	1.17	0.123	0.32	14.9	<0.01	3.3	0.2	0.06	5	<0.5	<0.2
1807590	Rock Pulp	3.52	0.171	16	17	1.38	293	0.057	<20	1.22	0.038	0.29	2.4	0.11	6.3	0.1	2.46	6	2.5	0.3
1807591	Drill Core	0.91	0.058	46	15	0.48	224	0.110	<20	1.33	0.124	0.45	19.7	<0.01	4.6	0.3	0.29	6	0.7	0.3
1807592	Drill Core	0.86	0.047	44	22	0.47	237	0.111	<20	1.38	0.133	0.49	15.8	<0.01	4.5	0.3	0.23	6	0.5	0.2
1807593	Drill Core	0.91	0.046	48	13	0.39	215	0.105	<20	1.28	0.140	0.39	9.9	<0.01	4.0	0.3	0.22	5	<0.5	<0.2
1807594	Drill Core	0.86	0.049	45	23	0.46	190	0.115	<20	1.35	0.126	0.50	14.1	<0.01	4.6	0.4	0.24	6	0.6	<0.2
1807595	Drill Core	0.89	0.045	45	14	0.43	156	0.093	<20	1.19	0.108	0.40	34.3	<0.01	4.1	0.3	0.29	5	0.6	0.3
1807596	Drill Core	0.88	0.048	47	17	0.39	245	0.107	<20	1.27	0.134	0.43	14.9	<0.01	3.7	0.3	0.12	6	<0.5	<0.2
1807597	Drill Core	0.89	0.048	45	11	0.38	274	0.111	<20	1.31	0.130	0.44	10.0	<0.01	3.6	0.3	0.12	5	<0.5	<0.2
1807598	Drill Core	0.82	0.047	47	17	0.41	173	0.092	<20	1.24	0.132	0.40	20.0	<0.01	4.4	0.3	0.48	6	0.6	0.2
1807599	Drill Core	0.97	0.055	45	14	0.45	175	0.077	<20	1.21	0.107	0.40	40.3	<0.01	4.7	0.3	0.60	6	1.6	0.3
1807600	Rock	5.44	0.038	13	17	2.18	417	0.021	<20	0.40	0.029	0.11	0.3	<0.01	1.8	<0.1	<0.05	1	<0.5	<0.2
1807601	Drill Core	1.10	0.049	46	10	0.32	203	0.072	<20	1.09	0.091	0.31	>100	<0.01	3.0	0.2	0.11	5	<0.5	<0.2
1807602	Drill Core	1.00	0.048	44	16	0.40	325	0.112	<20	1.38	0.128	0.48	13.4	<0.01	3.5	0.3	0.13	6	<0.5	<0.2
1807603	Drill Core	1.25	0.049	44	11	0.32	175	0.065	<20	1.12	0.086	0.28	29.4	<0.01	3.4	0.2	0.13	5	<0.5	<0.2
1807604	Drill Core	1.13	0.050	46	12	0.40	266	0.086	<20	1.29	0.103	0.39	41.8	<0.01	3.6	0.3	0.21	5	1.1	0.6
1807605	Drill Core	1.34	0.052	46	15	0.32	212	0.052	<20	1.21	0.081	0.30	17.3	<0.01	3.5	0.2	0.20	5	1.0	0.3
1807606	Drill Core	0.61	0.052	48	7	0.20	56	0.005	<20	1.06	0.012	0.16	>100	<0.01	2.9	0.3	0.20	4	1.2	3.7
1807607	Drill Core	1.15	0.050	43	19	0.42	274	0.085	<20	1.50	0.108	0.40	52.0	<0.01	3.7	0.3	0.08	6	<0.5	0.8
1807608	Drill Core	0.95	0.048	43	16	0.35	208	0.097	<20	1.23	0.133	0.38	54.4	<0.01	3.4	0.2	0.10	5	<0.5	0.6
1807609	Drill Core	0.93	0.047	45	17	0.34	212	0.098	<20	1.23	0.142	0.38	31.1	<0.01	3.4	0.2	0.09	5	<0.5	0.6
1807610	Rock Pulp	2.45	0.088	6	27	1.31	205	0.066	<20	1.54	0.107	0.13	1.9	0.07	6.2	<0.1	0.59	6	1.3	<0.2
1807611	Drill Core	0.97	0.047	46	23	0.40	281	0.109	<20	1.41	0.157	0.46	>100	<0.01	4.0	0.2	0.17	6	0.5	0.8



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Sitka Gold Corp.
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: RC_Gold
Report Date: November 09, 2020

Page: 5 of 6 **Part:** 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000292.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	
1807612	Drill Core	4.92	0.117	2.1	6.6	4.2	28	0.1	3.4	3.4	255	1.57	321.2	6.9	267.9	20.1	98	<0.1	0.6	5.1	18
1807613	Drill Core	4.91	0.262	3.4	18.8	3.8	23	0.2	4.2	3.7	266	1.69	627.9	6.4	365.0	19.7	89	<0.1	0.9	9.6	19
1807614	Drill Core	4.92	0.701	2.5	19.3	4.1	26	0.2	4.7	4.7	258	1.68	743.8	5.7	571.4	20.2	96	<0.1	1.3	22.8	20
1807615	Drill Core	2.90	0.096	3.0	13.4	3.7	21	<0.1	3.9	3.4	266	1.68	1589.6	6.3	71.7	20.8	97	<0.1	1.8	3.7	18
1807616	Drill Core	4.55	0.229	4.4	13.4	4.0	16	0.1	3.2	3.2	247	1.18	400.5	6.1	188.4	18.9	72	<0.1	0.8	7.9	14
1807617	Drill Core	5.00	0.344	4.4	29.4	4.5	18	0.1	3.7	3.1	256	1.60	717.9	6.0	140.1	19.1	61	<0.1	1.1	13.3	16
1807618	Drill Core	5.15	0.130	3.8	10.7	3.9	23	<0.1	3.5	3.1	263	1.44	567.4	6.6	103.6	19.1	71	<0.1	0.8	5.7	17
1807619	Drill Core	5.08	0.086	5.2	18.2	4.6	18	0.1	3.3	3.2	243	1.28	365.0	5.8	197.5	19.1	62	<0.1	0.6	1.8	15
1807620	Rock	0.86	<0.005	1.0	4.7	2.6	21	<0.1	7.1	4.4	543	2.25	3.5	1.4	<0.5	5.5	31	<0.1	0.2	0.3	16
1807621	Drill Core	4.87	0.328	3.0	11.5	4.8	15	0.1	3.4	5.8	241	1.39	3871.9	6.1	368.2	19.1	60	<0.1	4.3	5.6	13
1807622	Drill Core	5.07	3.736	4.7	6.3	4.6	15	0.3	3.4	4.1	253	1.46	5756.2	6.6	1510.2	19.6	74	<0.1	6.2	42.5	12
1807623	Drill Core	4.95	0.634	5.0	14.9	5.3	18	0.2	3.9	3.6	295	1.63	2721.7	6.9	688.4	20.4	70	<0.1	3.3	11.0	18
1807624	Drill Core	4.98	0.018	4.5	43.8	6.1	16	0.3	3.4	3.9	278	1.36	34.8	7.7	10.7	19.6	60	<0.1	0.6	4.4	15
1807625	Drill Core	5.08	0.065	5.3	10.1	5.7	15	0.1	2.9	3.2	242	1.26	1481.5	6.4	69.6	19.0	57	<0.1	2.0	3.0	12
1807626	Drill Core	5.04	0.258	4.5	9.2	4.6	18	0.2	3.3	3.1	267	1.28	960.4	6.8	269.5	21.3	86	<0.1	1.4	8.0	14
1807627	Drill Core	3.02	0.084	4.3	7.9	5.3	25	<0.1	4.3	3.9	338	1.70	565.6	7.0	43.9	19.6	89	<0.1	1.1	1.8	20
1807628	Drill Core	5.69	0.364	1.6	2.7	4.9	48	<0.1	4.3	4.6	324	2.21	2244.0	7.4	287.5	22.5	117	<0.1	2.0	6.3	23
1807629	Drill Core	5.73	4.476	3.1	5.6	7.0	34	0.5	4.2	4.7	264	2.00	837.5	6.7	3836.7	20.9	95	<0.1	2.0	103.6	21
1807630	Rock Pulp	0.09	2.109	78.5	1893.8	20.3	63	1.3	13.0	18.9	510	3.53	7.8	1.5	1715.1	4.2	364	0.3	1.8	1.2	102
1807631	Drill Core	5.40	0.502	4.3	32.0	5.8	28	0.1	5.8	7.4	287	2.04	624.9	7.2	417.4	21.0	61	0.1	1.5	12.1	23
1807632	Drill Core	4.77	0.148	4.8	21.1	5.4	18	<0.1	3.6	3.5	275	1.57	1471.2	5.8	106.5	20.2	56	<0.1	1.8	5.9	16
1807633	Drill Core	4.74	0.585	4.0	21.6	6.5	18	0.4	3.9	6.1	289	1.54	1645.4	7.1	230.2	21.0	56	0.1	2.7	17.5	16
1807634	Drill Core	5.14	0.263	5.1	18.4	6.7	14	0.1	2.7	3.8	237	1.13	902.5	6.4	108.8	20.1	49	<0.1	1.7	6.6	11
1807635	Drill Core	4.75	0.185	5.8	32.8	7.7	17	<0.1	3.1	3.6	275	1.40	1133.0	7.2	184.9	21.4	56	<0.1	1.9	9.2	12
1807636	Drill Core	5.18	0.564	5.0	25.6	7.3	15	0.1	3.5	3.8	278	1.55	1318.0	6.8	439.3	21.0	48	0.1	2.1	15.7	13
1807637	Drill Core	4.09	0.393	5.1	21.6	8.1	20	0.1	3.7	5.8	278	1.59	2602.0	6.2	713.0	20.6	55	0.1	3.4	9.4	14
1807638	Drill Core	3.62	3.019	2.1	10.2	8.6	31	0.2	4.7	6.7	266	2.11	3370.1	7.6	2213.7	23.3	93	<0.1	5.6	66.9	20
1807639	Drill Core	4.20	0.808	4.0	23.8	8.5	22	0.2	5.1	4.8	272	1.76	2091.7	7.0	660.1	23.1	54	0.1	3.6	19.4	19
1807640	Rock	0.83	<0.005	0.8	6.9	1.8	12	<0.1	7.2	3.3	577	1.62	3.8	0.9	<0.5	4.3	43	<0.1	0.2	<0.1	15
1807641	Drill Core	5.25	0.484	3.0	15.7	6.0	24	0.1	5.4	5.0	283	1.78	1664.1	5.3	540.1	21.8	111	<0.1	2.8	10.5	21



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Sitka Gold Corp.**
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: RC_Gold
Report Date: November 09, 2020

Page: 5 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000292.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2		
1807612	Drill Core	0.93	0.044	42	17	0.35	239	0.106	<20	1.27	0.146	0.40	60.3	0.01	3.4	0.2	0.08	5	<0.5	<0.2
1807613	Drill Core	0.96	0.048	45	20	0.34	175	0.099	<20	1.18	0.134	0.37	78.3	<0.01	3.2	0.2	0.18	5	<0.5	<0.2
1807614	Drill Core	1.04	0.050	47	18	0.39	208	0.102	<20	1.31	0.128	0.38	>100	<0.01	3.7	0.2	0.18	5	<0.5	0.6
1807615	Drill Core	1.02	0.048	47	21	0.33	168	0.085	<20	1.23	0.138	0.34	29.9	<0.01	3.1	0.2	0.19	5	<0.5	<0.2
1807616	Drill Core	1.05	0.050	41	14	0.27	66	0.084	<20	0.81	0.085	0.21	89.8	<0.01	2.1	<0.1	0.12	4	<0.5	<0.2
1807617	Drill Core	0.94	0.050	42	18	0.30	75	0.086	<20	0.86	0.094	0.24	>100	<0.01	2.5	0.1	0.30	4	0.5	<0.2
1807618	Drill Core	1.01	0.052	43	17	0.34	141	0.101	<20	1.06	0.110	0.33	90.3	<0.01	3.0	0.2	0.12	5	<0.5	<0.2
1807619	Drill Core	0.95	0.049	42	19	0.26	75	0.093	<20	0.87	0.104	0.23	93.9	<0.01	2.1	<0.1	0.11	4	<0.5	<0.2
1807620	Rock	3.03	0.036	16	22	1.25	326	0.038	<20	0.45	0.032	0.20	0.2	<0.01	1.7	0.1	<0.05	2	<0.5	<0.2
1807621	Drill Core	1.01	0.050	42	14	0.28	72	0.065	<20	0.83	0.088	0.23	83.9	<0.01	2.2	<0.1	0.24	4	1.2	0.6
1807622	Drill Core	1.10	0.053	43	15	0.25	69	0.056	<20	0.78	0.083	0.21	59.2	<0.01	2.0	<0.1	0.28	4	1.2	2.0
1807623	Drill Core	1.16	0.052	45	20	0.33	76	0.077	<20	0.93	0.092	0.25	79.5	<0.01	2.8	<0.1	0.22	5	<0.5	0.4
1807624	Drill Core	1.11	0.050	44	13	0.28	62	0.094	<20	0.78	0.077	0.20	>100	0.02	2.5	<0.1	0.22	4	0.6	<0.2
1807625	Drill Core	0.98	0.055	45	13	0.22	60	0.077	<20	0.69	0.073	0.18	78.1	<0.01	1.7	<0.1	0.13	3	<0.5	0.2
1807626	Drill Core	1.05	0.055	46	10	0.29	56	0.085	<20	0.80	0.082	0.17	54.5	<0.01	2.2	<0.1	0.09	4	<0.5	0.3
1807627	Drill Core	1.26	0.056	46	16	0.39	85	0.091	<20	1.10	0.097	0.24	71.3	0.01	3.2	0.1	0.07	5	<0.5	<0.2
1807628	Drill Core	1.02	0.054	48	15	0.46	407	0.156	<20	1.73	0.153	0.55	15.0	<0.01	4.2	0.3	0.11	7	<0.5	0.4
1807629	Drill Core	0.92	0.050	42	18	0.42	291	0.123	<20	1.42	0.112	0.42	>100	<0.01	3.7	0.3	0.06	6	0.6	3.1
1807630	Rock Pulp	3.64	0.178	16	18	1.34	265	0.062	<20	1.29	0.038	0.29	2.3	0.11	6.4	<0.1	2.44	6	2.2	0.3
1807631	Drill Core	1.08	0.054	46	15	0.48	134	0.117	<20	1.19	0.085	0.30	98.7	0.01	4.4	0.2	0.28	6	1.0	0.4
1807632	Drill Core	1.01	0.053	45	14	0.30	63	0.081	<20	0.81	0.081	0.19	41.9	<0.01	2.4	<0.1	0.19	4	0.9	0.2
1807633	Drill Core	1.34	0.052	45	11	0.34	55	0.070	<20	0.77	0.057	0.16	74.5	<0.01	2.9	<0.1	0.21	4	0.7	0.5
1807634	Drill Core	0.99	0.052	43	15	0.21	51	0.081	<20	0.67	0.066	0.16	68.4	<0.01	1.8	<0.1	0.15	3	<0.5	0.2
1807635	Drill Core	1.27	0.051	45	15	0.24	56	0.062	<20	0.69	0.052	0.17	85.8	<0.01	2.5	<0.1	0.21	3	0.7	0.2
1807636	Drill Core	1.23	0.052	45	21	0.27	71	0.067	<20	0.68	0.057	0.21	>100	<0.01	2.4	<0.1	0.27	3	0.6	0.4
1807637	Drill Core	1.03	0.049	43	17	0.31	61	0.069	<20	0.81	0.071	0.20	>100	<0.01	2.5	<0.1	0.28	4	0.8	0.4
1807638	Drill Core	1.26	0.048	49	21	0.45	278	0.085	<20	1.37	0.106	0.36	>100	<0.01	3.8	0.2	0.23	6	1.1	1.5
1807639	Drill Core	1.22	0.053	50	21	0.41	69	0.075	<20	0.92	0.073	0.26	59.0	<0.01	3.7	0.2	0.30	5	<0.5	0.7
1807640	Rock	6.37	0.051	15	24	3.29	255	0.042	<20	0.37	0.025	0.16	1.1	<0.01	1.7	<0.1	<0.05	2	<0.5	<0.2
1807641	Drill Core	1.14	0.047	49	27	0.36	103	0.076	<20	1.05	0.097	0.27	78.4	<0.01	3.7	0.2	0.19	5	<0.5	0.3



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Sitka Gold Corp.**
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: RC_Gold
Report Date: November 09, 2020

Page: 6 of 6

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000292.1

Method	Analyte	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1
1807642	Drill Core	5.23	0.793	3.7	29.3	7.0	22	0.2	6.0	7.3	251	1.89	2087.8	5.8	790.8	25.4	89	0.1	3.3	16.8	22	
1807643	Drill Core	4.99	0.545	3.2	54.6	6.3	21	0.5	5.3	7.3	260	2.06	544.6	5.5	1485.4	24.1	83	<0.1	1.4	15.2	21	
1807644	Drill Core	4.62	0.332	3.3	15.1	5.3	26	0.1	4.0	3.8	288	1.58	785.0	5.1	341.9	21.6	86	0.1	1.6	15.2	17	
1807645	Drill Core	5.01	0.021	3.3	6.1	6.1	23	<0.1	4.1	3.2	287	1.46	56.9	4.1	25.4	19.6	71	0.2	0.6	0.6	18	
1807646	Drill Core	5.06	1.658	4.6	7.9	7.4	26	0.1	7.3	9.1	291	1.62	1399.8	5.1	843.2	20.8	84	0.1	2.9	31.9	22	
1807647	Drill Core	4.94	1.336	3.7	13.6	7.7	29	<0.1	4.6	4.3	347	1.84	1323.4	8.5	247.2	20.9	107	0.2	2.8	12.5	18	
1807648	Drill Core	5.37	0.147	6.1	8.6	5.8	30	0.3	4.3	3.8	298	1.57	116.1	6.6	1699.9	19.8	70	<0.1	0.7	2.9	18	
1807649	Drill Core	5.31	0.213	2.5	10.0	6.1	27	<0.1	3.9	4.7	290	1.91	315.1	8.1	223.6	19.3	109	<0.1	0.5	4.6	17	
1807650	Rock Pulp	0.09	0.496	14.9	780.3	25.7	126	0.6	16.5	16.5	709	3.45	15.0	0.7	316.9	2.4	121	0.7	1.2	0.2	87	
1807651	Drill Core	5.07	0.893	2.1	5.9	5.7	26	<0.1	3.5	4.5	226	1.67	733.0	8.4	847.9	19.9	95	<0.1	0.8	18.3	15	
1807652	Drill Core	5.25	0.270	2.4	7.2	6.6	32	<0.1	3.8	4.1	268	1.95	322.0	8.2	314.2	20.5	109	<0.1	0.5	5.4	17	
1807653	Drill Core	5.12	2.053	1.8	9.0	5.7	24	0.1	3.9	4.3	192	1.70	1224.9	6.0	1575.1	21.3	82	<0.1	1.6	36.8	17	
1807654	Drill Core	5.15	1.469	2.2	13.3	5.1	22	<0.1	3.6	4.2	217	1.88	2089.8	7.6	968.7	19.7	82	<0.1	2.4	23.4	17	
1807655	Drill Core	5.23	0.521	2.2	20.8	4.8	23	<0.1	3.7	4.3	233	1.83	335.3	8.3	630.2	19.1	75	<0.1	0.6	10.2	18	
1807656	Drill Core	5.29	0.427	7.8	19.6	5.3	24	<0.1	4.1	6.1	238	2.02	991.4	8.7	460.4	20.4	73	<0.1	1.2	9.2	18	
1807657	Drill Core	5.15	0.922	2.0	10.8	5.7	33	<0.1	3.3	4.0	256	1.79	213.3	10.1	354.6	20.4	74	<0.1	0.5	14.6	17	
1807658	Drill Core	5.29	0.644	1.5	6.8	5.2	44	0.1	4.3	5.0	331	2.25	622.5	6.6	1135.0	21.3	110	<0.1	0.7	12.1	22	
1807659	Drill Core	5.26	0.455	1.7	5.7	5.2	58	<0.1	4.3	5.3	379	2.32	432.0	8.0	491.0	23.7	97	<0.1	0.4	9.0	25	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Sitka Gold Corp.**
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: RC_Gold
Report Date: November 09, 2020

Page: 6 of 6 **Part:** 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000292.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.5	0.2	
1807642	Drill Core	1.19	0.050	55	21	0.44	118	0.080	<20	1.13	0.096	0.28	>100	<0.01	4.2	0.2	0.33	5	0.7	0.4
1807643	Drill Core	1.19	0.049	55	25	0.39	123	0.088	<20	1.11	0.113	0.28	88.7	<0.01	4.3	0.2	0.43	5	1.2	0.3
1807644	Drill Core	1.20	0.049	51	20	0.32	107	0.068	<20	1.08	0.102	0.22	10.0	<0.01	3.4	0.1	0.17	4	<0.5	0.2
1807645	Drill Core	1.10	0.046	46	25	0.26	92	0.069	<20	0.90	0.087	0.21	17.9	<0.01	3.2	<0.1	<0.05	4	<0.5	<0.2
1807646	Drill Core	1.21	0.048	45	24	0.43	119	0.075	<20	1.11	0.091	0.33	89.5	<0.01	4.0	0.2	0.12	5	<0.5	1.1
1807647	Drill Core	1.70	0.047	45	22	0.33	149	0.043	<20	1.22	0.084	0.26	>100	<0.01	3.5	0.2	0.20	5	<0.5	0.4
1807648	Drill Core	1.16	0.042	44	17	0.36	171	0.072	<20	1.14	0.092	0.28	59.0	<0.01	3.4	0.2	0.08	5	<0.5	<0.2
1807649	Drill Core	0.91	0.038	41	22	0.35	328	0.119	<20	1.51	0.199	0.51	31.0	<0.01	3.9	0.4	0.13	6	<0.5	<0.2
1807650	Rock Pulp	2.62	0.089	6	29	1.30	211	0.071	<20	1.64	0.107	0.13	2.8	0.06	6.5	<0.1	0.57	6	<0.5	<0.2
1807651	Drill Core	0.72	0.034	44	16	0.33	357	0.128	<20	1.35	0.166	0.50	71.6	<0.01	3.7	0.5	0.11	6	<0.5	0.8
1807652	Drill Core	0.71	0.035	44	22	0.34	378	0.138	<20	1.47	0.190	0.58	30.7	<0.01	3.7	0.6	0.09	6	<0.5	<0.2
1807653	Drill Core	0.73	0.038	47	17	0.37	269	0.125	<20	1.21	0.148	0.47	70.4	<0.01	4.0	0.5	0.15	6	<0.5	1.3
1807654	Drill Core	0.68	0.035	41	16	0.31	219	0.101	<20	1.07	0.136	0.43	97.8	<0.01	3.0	0.4	0.25	5	0.6	1.1
1807655	Drill Core	0.67	0.037	41	13	0.34	250	0.122	<20	1.17	0.150	0.48	63.6	<0.01	3.0	0.5	0.23	5	<0.5	0.4
1807656	Drill Core	0.76	0.039	44	18	0.35	238	0.115	<20	1.18	0.148	0.46	69.1	<0.01	3.0	0.5	0.25	6	<0.5	0.4
1807657	Drill Core	0.69	0.041	43	10	0.34	271	0.131	<20	1.22	0.149	0.50	50.7	<0.01	2.7	0.5	0.13	6	<0.5	0.7
1807658	Drill Core	0.81	0.049	49	17	0.41	347	0.166	<20	1.55	0.194	0.62	24.6	<0.01	3.3	0.6	0.14	7	<0.5	0.5
1807659	Drill Core	0.85	0.060	55	13	0.49	399	0.199	<20	1.68	0.197	0.72	33.0	<0.01	3.8	0.7	0.09	7	<0.5	0.3



QUALITY CONTROL REPORT

WHI20000292.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1	
Pulp Duplicates																					
1807527	Drill Core	4.68	0.067	1.1	2.4	9.1	35	<0.1	4.7	5.6	306	1.85	480.9	5.0	117.6	21.2	91	0.1	1.9	0.8	17
REP 1807527	QC	0.074																			
1807533	Drill Core	4.85	0.113	1.4	3.7	6.6	26	<0.1	5.1	4.7	295	1.42	473.7	4.3	68.2	20.9	70	0.1	1.0	2.7	14
REP 1807533	QC	1.3 3.5 6.6 25 <0.1 5.1 4.4 294 1.40 447.5 4.4 141.3 21.2 71 0.1 1.0 2.7 13																			
1807566	Drill Core	6.71	0.064	1.5	6.9	6.0	34	0.1	4.6	4.8	318	1.73	195.1	5.6	50.8	21.0	114	0.1	0.5	2.2	18
REP 1807566	QC	1.6 6.6 5.7 32 0.1 4.5 4.6 319 1.71 184.8 5.4 66.6 20.0 111 0.1 0.4 2.3 18																			
1807600	Rock	0.83	<0.005	1.0	5.6	2.8	15	<0.1	8.4	3.9	740	1.99	10.3	0.8	0.6	3.0	52	0.1	0.4	<0.1	17
REP 1807600	QC	<0.005																			
1807601	Drill Core	5.12	0.045	2.1	11.5	4.5	28	0.1	3.2	3.9	266	1.59	723.8	6.4	31.5	19.9	76	<0.1	0.8	1.6	16
REP 1807601	QC	1.8 11.3 4.4 28 0.1 3.2 4.0 265 1.58 698.6 6.2 26.8 19.0 74 0.1 0.8 2.0 16																			
1807636	Drill Core	5.18	0.564	5.0	25.6	7.3	15	0.1	3.5	3.8	278	1.55	1318.0	6.8	439.3	21.0	48	0.1	2.1	15.7	13
REP 1807636	QC	5.6 26.1 7.4 15 0.1 3.7 4.0 279 1.57 1338.0 6.9 344.1 21.1 50 0.1 2.1 15.6 13																			
Core Reject Duplicates																					
1807535	Drill Core	4.33	0.073	1.7	13.9	5.5	32	0.2	4.5	6.2	285	1.74	482.2	4.7	61.8	21.4	90	0.2	0.7	2.9	17
DUP 1807535	QC	0.097 1.8 16.3 5.5 32 0.2 5.1 6.4 293 1.85 615.0 4.7 70.0 21.3 89 0.2 0.9 3.2 18																			
1807569	Drill Core	4.11	0.117	0.2	13.3	4.7	31	0.3	11.2	6.8	324	1.77	113.3	1.4	583.8	11.0	19	<0.1	0.7	2.8	27
DUP 1807569	QC	0.099 0.6 11.9 4.5 31 0.2 11.6 6.4 318 1.93 112.5 1.3 52.3 10.8 19 <0.1 0.7 2.4 28																			
1807603	Drill Core	5.47	0.377	2.7	15.6	4.5	31	0.1	4.4	6.4	286	1.66	380.5	6.4	242.2	20.7	79	<0.1	0.6	6.5	17
DUP 1807603	QC	0.336 3.0 17.6 4.8 33 0.2 4.5 6.9 302 1.83 416.1 6.6 228.5 21.4 83 <0.1 0.6 7.3 19																			
1807637	Drill Core	4.09	0.393	5.1	21.6	8.1	20	0.1	3.7	5.8	278	1.59	2602.0	6.2	713.0	20.6	55	0.1	3.4	9.4	14
DUP 1807637	QC	0.438 5.6 25.3 8.6 21 0.1 4.0 6.3 302 1.84 2651.6 6.5 627.6 20.9 60 0.2 3.3 9.8 16																			
Reference Materials																					
STD BVGEO01	Standard	11.0		4396.9	192.1	1701	2.7	160.5	27.4	699	3.67	122.4	4.1	225.4	15.3	56	7.0	3.3	26.8	74	
STD BVGEO01	Standard	11.1		4369.3	191.9	1753	2.7	165.6	26.9	736	3.71	118.5	3.7	232.2	15.1	55	7.1	3.2	26.2	74	
STD DS11	Standard	15.1		149.3	143.3	354	1.6	82.1	14.8	1044	3.15	47.6	2.6	80.6	8.6	68	2.8	8.9	12.6	49	
STD DS11	Standard	16.4		144.0	143.3	350	1.7	85.6	15.4	1056	3.18	49.5	2.8	203.7	8.5	69	2.7	8.0	12.9	50	
STD OREAS262	Standard	0.7		120.2	59.6	156	0.5	67.6	29.7	538	3.38	38.3	1.2	67.1	9.9	38	0.7	3.7	1.1	22	
STD OREAS262	Standard	0.7		115.9	58.9	155	0.5	68.6	29.4	540	3.30	38.4	1.2	72.0	9.9	37	0.8	3.9	1.1	21	



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Sitka Gold Corp.**
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: RC_Gold
Report Date: November 09, 2020

Page: 1 of 3

Part: 2 of 2

QUALITY CONTROL REPORT

WHI20000292.1

Method		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																				
1807527	Drill Core	0.87	0.045	47	19	0.38	289	0.073	<20	1.46	0.124	0.37	2.8	<0.01	4.2	0.1	<0.05	5	<0.5	<0.2
REP 1807527	QC																			
1807533	Drill Core	0.81	0.046	46	11	0.32	150	0.054	<20	0.92	0.074	0.21	4.6	<0.01	3.8	<0.1	<0.05	4	<0.5	<0.2
REP 1807533	QC	0.82	0.045	46	12	0.32	145	0.053	<20	0.95	0.075	0.21	5.3	<0.01	3.9	<0.1	<0.05	4	<0.5	<0.2
1807566	Drill Core	1.34	0.044	46	19	0.42	304	0.089	<20	1.59	0.142	0.36	3.1	<0.01	4.3	0.2	<0.05	6	<0.5	<0.2
REP 1807566	QC	1.32	0.042	44	19	0.41	301	0.088	<20	1.58	0.144	0.37	3.4	<0.01	4.4	0.2	<0.05	6	<0.5	<0.2
1807600	Rock	5.44	0.038	13	17	2.18	417	0.021	<20	0.40	0.029	0.11	0.3	<0.01	1.8	<0.1	<0.05	1	<0.5	<0.2
REP 1807600	QC																			
1807601	Drill Core	1.10	0.049	46	10	0.32	203	0.072	<20	1.09	0.091	0.31	>100	<0.01	3.0	0.2	0.11	5	<0.5	<0.2
REP 1807601	QC	1.09	0.046	43	10	0.32	201	0.075	<20	1.09	0.092	0.31	>100	<0.01	2.9	0.2	0.11	5	<0.5	<0.2
1807636	Drill Core	1.23	0.052	45	21	0.27	71	0.067	<20	0.68	0.057	0.21	>100	<0.01	2.4	<0.1	0.27	3	0.6	0.4
REP 1807636	QC	1.22	0.053	46	22	0.27	72	0.065	<20	0.69	0.059	0.22	>100	<0.01	2.5	<0.1	0.27	3	<0.5	0.4
Core Reject Duplicates																				
1807535	Drill Core	0.93	0.046	47	17	0.40	272	0.091	<20	1.46	0.127	0.33	4.0	<0.01	4.3	0.1	0.09	6	<0.5	<0.2
DUP 1807535	QC	0.93	0.047	46	21	0.41	283	0.089	<20	1.49	0.136	0.36	3.9	<0.01	4.4	0.2	0.11	6	<0.5	<0.2
1807569	Drill Core	0.22	0.020	23	32	0.49	41	0.071	<20	1.11	0.042	0.33	2.5	<0.01	4.0	0.2	<0.05	5	<0.5	<0.2
DUP 1807569	QC	0.21	0.022	23	38	0.49	44	0.075	<20	1.12	0.043	0.34	2.2	<0.01	3.8	0.2	<0.05	5	<0.5	<0.2
1807603	Drill Core	1.25	0.049	44	11	0.32	175	0.065	<20	1.12	0.086	0.28	29.4	<0.01	3.4	0.2	0.13	5	<0.5	<0.2
DUP 1807603	QC	1.25	0.050	45	16	0.32	194	0.067	<20	1.17	0.096	0.30	29.9	<0.01	3.5	0.2	0.14	5	0.5	<0.2
1807637	Drill Core	1.03	0.049	43	17	0.31	61	0.069	<20	0.81	0.071	0.20	>100	<0.01	2.5	<0.1	0.28	4	0.8	0.4
DUP 1807637	QC	1.08	0.050	44	24	0.33	77	0.072	<20	0.87	0.081	0.24	>100	<0.01	2.7	0.1	0.31	4	1.1	0.4
Reference Materials																				
STD BVGEO01	Standard	1.30	0.078	28	171	1.31	344	0.244	<20	2.28	0.195	0.88	4.1	0.09	5.8	0.6	0.67	7	4.9	1.1
STD BVGEO01	Standard	1.32	0.074	28	171	1.31	345	0.238	<20	2.30	0.189	0.87	4.5	0.10	5.9	0.7	0.69	7	4.7	0.9
STD DS11	Standard	1.07	0.074	19	62	0.86	437	0.093	<20	1.16	0.073	0.41	2.6	0.28	3.3	5.1	0.29	5	2.3	4.8
STD DS11	Standard	1.07	0.076	20	63	0.86	431	0.092	<20	1.17	0.075	0.41	2.9	0.24	3.4	5.1	0.29	5	2.1	4.9
STD OREAS262	Standard	2.96	0.041	17	44	1.23	267	0.003	<20	1.24	0.069	0.30	0.2	0.15	3.5	0.5	0.27	4	<0.5	0.2
STD OREAS262	Standard	2.94	0.042	17	46	1.22	262	0.003	<20	1.28	0.073	0.30	0.1	0.18	3.3	0.5	0.26	4	<0.5	0.2



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: Sitka Gold Corp.
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: RC_Gold
Report Date: November 09, 2020

Page: 2 of 3 Part: 1 of 2

QUALITY CONTROL REPORT

WHI20000292.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1
STD OREAS262	Standard			0.7	117.5	62.8	159	0.5	70.2	30.0	566	3.36	39.0	1.3	78.4	10.5	37	0.7	3.3	1.1	22
STD OREAS262	Standard			0.6	114.5	60.9	155	0.5	67.5	29.5	559	3.29	39.1	1.3	59.7	10.0	38	0.7	2.7	1.1	21
STD OXB130	Standard		0.122																		
STD OXB130	Standard		0.123																		
STD OXB130	Standard		0.119																		
STD OXG141	Standard		0.928																		
STD OXG141	Standard		0.936																		
STD OXG141	Standard		0.933																		
STD OXN155	Standard		7.662																		
STD OXN155	Standard		7.683																		
STD OXN155	Standard		7.756																		
STD BVGEO01 Expected				10.8	4415	187	1741	2.53	163	25	733	3.7	121	3.77	219	14.4	55	6.5	2.2	25.6	73
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3	2.37	7.2	12.2	50
STD OREAS262 Expected				0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	1.22	65	9.33	36	0.61	3.39	1.03	22.5
STD OXG141 Expected			0.93																		
STD OXN155 Expected			7.762																		
STD OXB130 Expected			0.125																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	0.2	<1	<0.1	<0.1	<0.1	<1
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	0.9	<0.1	<0.5	0.2	<1	<0.1	<0.1	<0.1	<1
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	0.9	<0.1	<0.5	0.2	<1	<0.1	<0.1	<0.1	<1
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	0.1	<1	<0.1	<0.1	<0.1	<1
BLK	Blank		<0.005																		
BLK	Blank		0.007																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
Prep Wash																					
ROCK-WHI	Prep Blank		<0.005	0.7	2.3	2.1	31	<0.1	1.2	4.0	491	1.98	1.4	0.5	1.0	2.8	27	<0.1	<0.1	<0.1	25



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: Sitka Gold Corp.
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: RC_Gold
Report Date: November 09, 2020

Page: 2 of 3

Part: 2 of 2

QUALITY CONTROL REPORT

WHI20000292.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
		0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.5	0.2	
STD OREAS262	Standard	3.08	0.044	18	47	1.23	270	0.003	<20	1.38	0.069	0.31	0.3	0.17	3.6	0.5	0.28	4	<0.5	0.3	
STD OREAS262	Standard	3.05	0.041	18	46	1.20	271	0.003	<20	1.38	0.068	0.32	<0.1	0.18	3.6	0.4	0.26	4	<0.5	0.2	
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXG141	Standard																				
STD OXG141	Standard																				
STD OXG141	Standard																				
STD OXN155	Standard																				
STD OXN155	Standard																				
STD OXN155	Standard																				
STD BVGE001 Expected		1.3219	0.0727	25.9	171	1.2963	340	0.233		2.347	0.1924	0.89	3.5	0.1	5.97	0.62	0.6655	7.37	4.84	1.02	
STD DS11 Expected		1.063	0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56	
STD OREAS262 Expected		2.98	0.04	15.9	41.7	1.17	248	0.003		1.3	0.071	0.312	0.13	0.17	3.24	0.47	0.269	3.9	0.4	0.23	
STD OXG141 Expected																					
STD OXN155 Expected																					
STD OXB130 Expected																					
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.66	0.042	7	12	0.47	65	0.095	<20	0.93	0.107	0.10	0.2	<0.01	3.0	<0.1	<0.05	4	<0.5	<0.2	



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Sitka Gold Corp.**
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: RC_Gold
Report Date: November 09, 2020

Page: 3 of 3

Part: 1 of 2

QUALITY CONTROL REPORT

WHI20000292.1

WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V		
kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	0.1	1
ROCK-WHI	Prep Blank	<0.005	1.1	2.0	1.1	26	<0.1	1.2	3.9	486	2.07	1.1	0.5	1.1	2.5	27	<0.1	<0.1	<0.1	26	



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Sitka Gold Corp.**
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: RC_Gold
Report Date: November 09, 2020

Page: 3 of 3

Part: 2 of 2

QUALITY CONTROL REPORT

WHI20000292.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
ROCK-WHI	Prep Blank	0.64	0.042	7	17	0.44	72	0.096	<20	0.98	0.130	0.12	0.2	<0.01	2.9	<0.1	<0.05	4	<0.5	<0.2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Sitka Gold Corp.**
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Submitted By: Cor Coe
Receiving Lab: Canada-Whitehorse
Received: August 21, 2020
Analysis Start: October 26, 2020
Report Date: November 06, 2020
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000293.1

CLIENT JOB INFORMATION

Project: RC_Gold
Shipment ID: RC-200819-DD-001
P.O. Number
Number of Samples: 26

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Fox Exploration Ltd.
1701 Robert Lang Dr.
Courtenay British Columbia V9N 1A2
Canada

CC: Fox Exploration attn Ryan Coe
Greg Dawson
Joel Gillham
Don Penner

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-1KG	25	Crush, split and pulverize 1kg of sample to 200 mesh			WHI
FA450	26	50g Lead Collection Fire Assay Fusion - AAS Finish	50	Completed	VAN
AQ200	26	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SLBHP	1	Sort, label and box pulps			WHI
FA550	1	Lead collection fire assay 50G fusion - Grav finish	50	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.

*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Sitka Gold Corp.**
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: RC_Gold
Report Date: November 06, 2020

Page: 2 of 2 **Part:** 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000293.1

Method Analyte Unit MDL	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	
1807660	Rock	0.79	0.005	0.4	5.6	2.6	16	<0.1	7.5	3.8	341	1.50	2.6	0.7	2.0	2.5	44	<0.1	0.2	<0.1	14
1807661	Drill Core	5.18	0.874	1.8	5.9	4.8	43	<0.1	3.9	4.3	320	2.06	687.6	6.4	959.7	18.3	97	<0.1	0.6	11.5	24
1807662	Drill Core	5.18	0.334	4.9	10.9	7.5	34	<0.1	3.3	3.7	305	1.79	449.9	6.9	311.6	15.3	73	<0.1	1.0	5.8	15
1807663	Drill Core	5.77	0.750	4.1	16.3	5.5	17	<0.1	3.4	3.8	187	1.45	791.9	8.0	821.0	14.0	50	<0.1	0.8	9.8	14
1807664	Drill Core	4.79	0.045	2.1	40.7	8.1	70	0.2	42.1	23.1	686	3.38	134.9	1.7	27.9	7.9	191	0.1	1.2	0.5	129
1807665	Drill Core	5.45	0.006	1.9	50.0	8.6	69	0.2	38.7	23.1	686	3.46	113.1	1.4	3.6	7.4	194	0.1	0.8	0.3	136
1807666	Drill Core	5.50	0.029	2.0	43.7	8.3	73	0.2	41.8	25.6	700	3.64	298.5	1.7	20.1	8.5	205	<0.1	1.0	0.4	139
1807667	Drill Core	5.29	0.036	1.9	40.4	7.1	76	0.1	41.3	26.1	701	3.92	505.8	1.6	30.9	7.9	197	<0.1	0.9	0.5	142
1807668	Drill Core	5.39	<0.005	2.3	49.6	8.3	68	0.2	39.7	26.0	610	3.66	16.5	1.4	1.5	8.0	160	<0.1	0.9	0.1	125
1807669	Drill Core	5.51	0.136	2.0	43.6	7.1	86	0.1	47.9	25.0	686	3.83	1127.2	1.4	113.1	7.2	194	<0.1	1.5	1.0	149
1807670	Rock Pulp	0.09	2.334	72.1	1871.6	17.4	61	1.2	11.4	17.1	499	3.55	7.8	1.3	2140.4	3.4	346	0.1	1.4	1.0	100
1807671	Drill Core	2.56	<0.005	1.9	40.7	5.7	79	<0.1	46.7	24.1	707	3.79	18.3	1.3	1.3	6.6	205	<0.1	0.8	0.2	145
1807672	Drill Core	4.80	<0.005	2.1	38.3	7.4	76	0.1	40.5	23.4	739	3.87	16.0	1.7	3.0	8.6	166	<0.1	0.9	0.2	131
1807673	Drill Core	5.46	0.008	2.1	39.3	10.7	67	0.1	35.6	21.6	649	3.82	67.5	2.1	3.6	11.5	120	<0.1	0.6	0.3	119
1807674	Drill Core	5.24	0.034	3.8	11.9	7.8	56	<0.1	25.3	12.0	386	3.31	297.1	4.3	25.1	13.5	36	<0.1	0.4	0.5	70
1807675	Drill Core	4.14	0.083	4.6	22.7	8.1	54	<0.1	24.3	11.7	358	3.44	454.9	4.5	51.0	12.0	29	<0.1	0.6	0.8	63
1807676	Drill Core	5.33	0.162	3.4	14.9	4.5	26	<0.1	5.6	4.9	279	2.06	870.5	3.9	156.1	14.8	51	<0.1	0.7	2.2	27
1807677	Drill Core	5.27	0.016	4.3	8.5	3.8	17	<0.1	13.0	7.2	178	1.77	279.9	1.2	9.3	6.7	10	<0.1	0.6	0.3	32
1807678	Drill Core	4.41	0.034	0.5	11.9	2.9	12	<0.1	6.3	3.9	216	1.35	408.3	0.5	26.7	4.8	15	<0.1	0.5	0.8	18
1807679	Drill Core	5.51	0.035	0.6	20.3	3.1	40	<0.1	23.2	11.9	311	2.91	359.2	3.0	25.4	9.7	21	<0.1	0.4	0.7	45
1807680	Rock	0.84	0.006	0.4	3.0	1.8	26	<0.1	8.1	5.3	400	1.55	3.0	0.6	2.4	4.4	34	<0.1	<0.1	<0.1	21
1807681	Drill Core	4.05	0.046	0.6	9.6	7.7	46	<0.1	15.5	7.8	312	2.57	291.2	5.3	28.0	10.6	34	<0.1	0.7	0.9	33
1807682	Drill Core	4.94	0.034	3.2	21.9	4.1	43	<0.1	20.2	9.3	384	2.76	449.8	5.7	28.3	9.7	46	<0.1	0.4	0.6	48
1807683	Drill Core	6.00	0.029	1.7	3.6	6.6	20	<0.1	5.0	3.0	181	1.30	179.6	18.9	24.5	18.9	22	<0.1	0.2	0.5	16
1807684	Drill Core	5.12	0.177	9.5	9.5	6.4	36	<0.1	9.1	5.6	247	1.94	1090.0	14.6	150.7	15.9	28	<0.1	0.8	2.9	32
1807685	Drill Core	5.13	>10	6.3	7.6	12.7	25	1.1	17.2	33.6	239	2.76	>10000	13.5	13578.0	14.9	35	<0.1	14.7	259.6	16



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Sitka Gold Corp.
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: RC_Gold
Report Date: November 06, 2020

Page: 2 of 2

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000293.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	0.2	0.9	
1807660	Rock	5.87	0.042	10	15	2.15	383	0.042	<20	0.44	0.026	0.16	<0.1	<0.01	1.5	<0.1	<0.05	2	<0.5	<0.2	
1807661	Drill Core	0.83	0.048	45	19	0.44	250	0.167	<20	1.40	0.198	0.58	14.2	<0.01	3.5	0.5	0.12	6	<0.5	0.6	
1807662	Drill Core	1.02	0.038	34	15	0.33	127	0.085	<20	0.99	0.118	0.40	25.0	<0.01	2.2	0.3	0.17	4	<0.5	0.2	
1807663	Drill Core	0.56	0.029	32	16	0.25	98	0.078	<20	0.77	0.127	0.36	32.9	<0.01	2.0	0.3	0.25	3	<0.5	0.4	
1807664	Drill Core	3.32	0.131	17	257	2.39	1598	0.325	<20	2.39	0.089	1.92	2.8	<0.01	5.5	1.1	0.12	8	<0.5	<0.2	
1807665	Drill Core	3.41	0.133	16	243	2.44	1590	0.301	<20	2.47	0.101	1.98	0.9	<0.01	5.2	1.1	0.19	7	<0.5	<0.2	
1807666	Drill Core	3.57	0.134	17	256	2.53	1526	0.313	<20	2.52	0.093	2.06	0.5	<0.01	5.3	1.2	0.22	8	<0.5	<0.2	
1807667	Drill Core	3.73	0.141	16	289	2.81	1541	0.378	<20	2.54	0.090	2.24	0.3	<0.01	5.7	1.1	0.31	8	0.6	<0.2	
1807668	Drill Core	3.10	0.148	17	228	2.32	1486	0.368	<20	2.17	0.085	1.89	0.7	<0.01	4.5	0.9	0.36	7	0.8	<0.2	
1807669	Drill Core	3.91	0.151	14	333	2.89	1720	0.372	<20	2.52	0.081	2.05	0.4	<0.01	7.5	1.1	0.30	8	0.9	<0.2	
1807670	Rock Pulp	3.60	0.161	14	17	1.36	124	0.056	<20	1.21	0.038	0.29	1.6	0.11	6.0	<0.1	2.43	5	2.2	0.3	
1807671	Drill Core	3.84	0.133	14	329	2.91	1756	0.355	<20	2.56	0.098	2.24	0.3	<0.01	6.7	1.1	0.25	8	0.7	<0.2	
1807672	Drill Core	3.24	0.146	22	218	2.33	1640	0.374	<20	2.21	0.076	1.98	0.6	<0.01	5.0	1.1	0.26	8	0.6	<0.2	
1807673	Drill Core	2.14	0.167	30	93	1.80	1548	0.376	<20	1.85	0.063	1.72	1.1	<0.01	4.1	1.0	0.30	8	0.6	<0.2	
1807674	Drill Core	0.53	0.037	24	56	0.91	224	0.247	<20	1.93	0.082	1.40	0.6	<0.01	9.3	1.4	0.14	10	<0.5	<0.2	
1807675	Drill Core	0.48	0.035	19	48	0.89	215	0.243	<20	1.76	0.061	1.24	0.6	<0.01	8.0	1.2	0.28	9	<0.5	<0.2	
1807676	Drill Core	0.81	0.041	38	17	0.39	99	0.119	<20	1.01	0.096	0.49	1.4	<0.01	2.1	0.5	0.20	4	<0.5	<0.2	
1807677	Drill Core	0.22	0.036	14	27	0.41	56	0.079	<20	0.95	0.024	0.57	0.2	<0.01	3.5	0.5	0.09	4	<0.5	<0.2	
1807678	Drill Core	0.39	0.010	8	18	0.22	18	0.039	<20	0.48	0.031	0.16	1.2	<0.01	1.4	0.1	0.14	2	<0.5	<0.2	
1807679	Drill Core	0.36	0.024	21	40	0.77	83	0.156	<20	1.68	0.035	1.02	0.5	<0.01	4.2	0.8	0.18	6	<0.5	<0.2	
1807680	Rock	5.56	0.025	16	17	3.24	294	0.069	<20	0.60	0.022	0.30	<0.1	<0.01	2.0	0.1	<0.05	2	<0.5	<0.2	
1807681	Drill Core	0.58	0.017	21	30	0.52	41	0.053	<20	1.11	0.040	0.32	0.4	<0.01	2.8	0.3	0.11	5	<0.5	<0.2	
1807682	Drill Core	0.56	0.017	15	42	0.74	82	0.184	<20	1.72	0.084	0.95	1.4	<0.01	6.1	1.0	0.22	8	<0.5	<0.2	
1807683	Drill Core	0.23	0.008	10	14	0.25	45	0.081	<20	0.71	0.071	0.43	0.6	<0.01	2.2	0.4	<0.05	3	<0.5	<0.2	
1807684	Drill Core	0.30	0.018	16	23	0.46	83	0.133	<20	1.07	0.072	0.70	0.6	<0.01	4.8	0.8	0.13	5	<0.5	<0.2	
1807685	Drill Core	0.49	0.024	18	11	0.30	68	0.075	<20	0.77	0.067	0.44	5.8	0.02	2.1	0.5	0.76	4	7.8	15.7	16.1



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: Sitka Gold Corp.
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: RC_Gold
Report Date: November 06, 2020

Page: 1 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI20000293.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	
Pulp Duplicates																					
1807660	Rock	0.79	0.005	0.4	5.6	2.6	16	<0.1	7.5	3.8	341	1.50	2.6	0.7	2.0	2.5	44	<0.1	0.2	<0.1	14
REP 1807660	QC			0.4	5.7	2.6	16	<0.1	7.6	3.8	342	1.51	2.5	0.7	3.0	2.7	45	<0.1	0.2	<0.1	14
1807673	Drill Core	5.46	0.008	2.1	39.3	10.7	67	0.1	35.6	21.6	649	3.82	67.5	2.1	3.6	11.5	120	<0.1	0.6	0.3	119
REP 1807673	QC		0.007																		
Core Reject Duplicates																					
1807666	Drill Core	5.50	0.029	2.0	43.7	8.3	73	0.2	41.8	25.6	700	3.64	298.5	1.7	20.1	8.5	205	<0.1	1.0	0.4	139
DUP 1807666	QC		0.017	1.9	42.8	8.0	75	0.1	38.7	23.5	706	3.62	172.9	1.7	10.8	8.4	206	<0.1	0.8	0.3	138
Reference Materials																					
STD AGPROOF	Standard																				
STD AGPROOF	Standard																				
STD DS11	Standard			14.7	145.9	134.6	342	1.6	81.3	13.9	1050	3.15	42.5	2.5	112.5	6.9	65	2.2	7.3	11.0	50
STD DS11	Standard			13.7	142.5	137.1	316	1.7	77.6	13.4	1005	3.03	47.1	2.4	81.0	7.3	66	2.6	7.4	11.0	48
STD OREAS262	Standard			0.6	114.7	55.0	149	0.5	65.2	28.0	551	3.36	36.0	1.1	59.1	8.8	34	0.6	2.6	0.9	22
STD OREAS262	Standard			0.6	115.6	55.4	140	0.5	61.8	28.0	552	3.21	36.2	1.1	77.3	8.7	36	0.7	3.5	0.9	21
STD OXB130	Standard		0.122																		
STD OXG141	Standard		0.949																		
STD OXN155	Standard		7.428																		
STD OXQ114	Standard																				
STD OXQ114	Standard																				
STD OXQ132	Standard																				
STD OXQ132	Standard																				
STD OXG141 Expected			0.93																		
STD OXN155 Expected			7.762																		
STD OXB130 Expected			0.125																		
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3	2.37	7.2	12.2	50
STD OREAS262 Expected				0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	1.22	65	9.33	36	0.61	3.39	1.03	22.5
STD AGPROOF Expected																					
STD OXQ114 Expected																					



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: Sitka Gold Corp.
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: RC_Gold
Report Date: November 06, 2020

Page: 1 of 2 Part: 2 of 2

QUALITY CONTROL REPORT

WHI20000293.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	0.9	
Pulp Duplicates																				
1807660	Rock	5.87	0.042	10	15	2.15	383	0.042	<20	0.44	0.026	0.16	<0.1	<0.01	1.5	<0.1	<0.05	2	<0.5	<0.2
REP 1807660	QC	5.86	0.042	10	16	2.16	388	0.043	<20	0.44	0.027	0.16	0.1	<0.01	1.5	<0.1	<0.05	2	<0.5	<0.2
1807673	Drill Core	2.14	0.167	30	93	1.80	1548	0.376	<20	1.85	0.063	1.72	1.1	<0.01	4.1	1.0	0.30	8	0.6	<0.2
REP 1807673	QC																			
Core Reject Duplicates																				
1807666	Drill Core	3.57	0.134	17	256	2.53	1526	0.313	<20	2.52	0.093	2.06	0.5	<0.01	5.3	1.2	0.22	8	<0.5	<0.2
DUP 1807666	QC	3.55	0.136	17	251	2.54	1529	0.343	<20	2.54	0.098	2.07	0.6	<0.01	5.5	1.1	0.22	8	<0.5	<0.2
Reference Materials																				
STD AGPROOF	Standard																			<0.9
STD AGPROOF	Standard																			<0.9
STD DS11	Standard	1.07	0.070	17	60	0.86	414	0.092	<20	1.16	0.072	0.40	3.1	0.26	3.2	4.8	0.29	5	2.2	4.5
STD DS11	Standard	1.04	0.064	17	59	0.83	408	0.089	<20	1.14	0.070	0.40	3.0	0.28	3.5	4.9	0.28	5	2.4	4.8
STD OREAS262	Standard	2.96	0.038	17	43	1.19	245	0.003	<20	1.31	0.069	0.32	0.1	0.16	3.0	0.5	0.27	4	<0.5	0.2
STD OREAS262	Standard	3.00	0.040	17	42	1.20	258	0.003	<20	1.33	0.067	0.31	0.1	0.16	3.3	0.5	0.26	4	<0.5	0.3
STD OXB130	Standard																			
STD OXG141	Standard																			
STD OXN155	Standard																			
STD OXQ114	Standard																			35.1
STD OXQ114	Standard																			36.1
STD OXQ132	Standard																			34.6
STD OXQ132	Standard																			34.6
STD OXG141 Expected																				
STD OXN155 Expected																				
STD OXB130 Expected																				
STD DS11 Expected		1.063	0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56
STD OREAS262 Expected		2.98	0.04	15.9	41.7	1.17	248	0.003		1.3	0.071	0.312	0.13	0.17	3.24	0.47	0.269	3.9	0.4	0.23
STD AGPROOF Expected																				0
STD OXQ114 Expected																				35.2



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: Sitka Gold Corp.
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: RC_Gold
Report Date: November 06, 2020

Page: 2 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI20000293.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1
STD OXQ132 Expected																					
BLK	Blank	<0.005																			
BLK	Blank																				
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<1
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<1
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank		0.007	1.1	1.8	1.1	25	<0.1	0.9	3.7	459	1.88	1.4	0.4	1.2	2.2	24	<0.1	<0.1	<0.1	24
ROCK-WHI	Prep Blank		0.005	0.8	2.2	1.4	27	<0.1	0.9	3.9	467	1.90	1.1	0.4	1.3	2.2	25	<0.1	<0.1	<0.1	26



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Sitka Gold Corp.**
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: RC_Gold
Report Date: November 06, 2020

Page: 2 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI20000293.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	FA550	
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
		0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	0.9		
STD OXQ132 Expected																					34.69	
BLK	Blank																					<0.9
BLK	Blank																					<0.9
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank																					<0.9
Prep Wash																						
ROCK-WHI	Prep Blank	0.58	0.039	6	9	0.43	60	0.093	<20	0.86	0.092	0.09	0.3	<0.01	2.5	<0.1	<0.05	4	<0.5	<0.2		
ROCK-WHI	Prep Blank	0.59	0.041	6	10	0.46	61	0.096	<20	0.88	0.092	0.09	0.1	<0.01	2.7	<0.1	<0.05	4	<0.5	<0.2		



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Sitka Gold Corp.**
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Submitted By: Cor Coe
Receiving Lab: Canada-Whitehorse
Received: November 27, 2020
Analysis Start: December 07, 2020
Report Date: December 31, 2020
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000258M.1

CLIENT JOB INFORMATION

Project: RC_Gold
Shipment ID: RC20-200814-DD-01
P.O. Number
Number of Samples: 12

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
FS652	12	Metallic Sieve 1 kg to 150 mesh - save + and - fraction			VAN
FS652	12	Metallic Fire Assay - duplicate minus fraction analysis	50	Completed	VAN

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 60 days

ADDITIONAL COMMENTS

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Fox Exploration Ltd.
1701 Robert Lang Dr.
Courtenay British Columbia V9N 1A2
Canada

CC: Fox Exploration attn Ryan Coe
Greg Dawson
Joel Gillham
Don Penner



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Sitka Gold Corp.**
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: RC_Gold
Report Date: December 31, 2020

Page: 2 of 2

Part: 1 of 1

CERTIFICATE OF ANALYSIS

WHI20000258M.1

Method	150 1kg	FA450	FA450	FS652	FS652	FS652
Analyte	TotWt	-Au	-Au + Au	Wt	+ Au	Au Total
Unit	g	ppm	ppm	g	ppm	ppm
MDL	1	0.005	0.005	0.01	0.05	0.05
1808001	Drill Core	1065	3.077	3.102	32.80	6.86 3.21
1808004	Drill Core	951	0.611	0.621	34.32	<0.05 0.59
1808005	Drill Core	1014	2.260	2.020	27.73	12.77 2.43
1808012	Drill Core	1042	1.712	1.827	32.09	6.58 1.92
1808013	Drill Core	1016	1.185	1.027	28.79	26.47 1.82
1808026	Drill Core	960	0.215	0.219	34.76	<0.05 0.21
1808044	Drill Core	1027	3.681	3.606	33.46	10.61 3.87
1808045	Drill Core	1067	1.715	1.930	26.81	<0.05 1.78
1808046	Drill Core	950	2.286	2.279	34.83	6.86 2.45
1808049	Drill Core	1005	2.094	2.163	27.75	4.86 2.20
1808051	Drill Core	871	1.713	1.875	32.15	7.47 2.00
1808065	Drill Core	1021	0.233	0.223	20.66	<0.05 0.22



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Sitka Gold Corp.**
1500 - 409 Granville St.
Vancouver British Columbia V6C 1T2 Canada

Project: RC_Gold
Report Date: December 31, 2020

Page: 1 of 1

Part: 1 of 1

QUALITY CONTROL REPORT

WHI20000258M.1

Method		#150 1kg	FA450	FA450	FS652	FS652	FS652
Analyte		TotWt	-Au	-Au + Au Wt	+ Au	Au Total	
Unit		g	ppm	ppm	g	ppm	ppm
MDL		1	0.005	0.005	0.01	0.05	0.05
Reference Materials							
STD OXB130	Standard		0.129				
STD OXB130	Standard			0.127			
STD OXG141	Standard		0.930				
STD OXG141	Standard			0.907			
STD OXN155	Standard		7.835				
STD OXN155	Standard			7.606			
STD OXP116	Standard				50.25	14.95	
STD OXP116	Standard				49.76	14.97	
STD OXP154	Standard				50.28	15.25	
STD OXP154 Expected						15.26	
STD OXP116 Expected						14.92	
BLK	Blank		<0.005				
BLK	Blank		<0.005				
BLK	Blank				50.00	<0.05	
BLK	Blank				50.00	<0.05	
BLK	Blank				50.00	<0.05	
BLK	Blank		<0.005				
BLK	Blank		<0.005				
Prep Wash							
ROCK-WHI	Prep Blank	990	0.007	0.005	30.33	<0.05	<0.05
ROCK-WHI	Prep Blank	1008	<0.005	0.006	33.21	<0.05	<0.05



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **SITKA GOLD CORP**
1500-409 GRANVILLE ST.
VANCOUVER BC V6C 1T2

Page: 1
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 10-OCT-2020
 Account: TISLOG

CERTIFICATE WH20188155

Project: RC Gold
 P.O. No.: RC 200821-DD-01
 This report is for 185 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 28-AUG-2020.
 The following have access to data associated with this certificate:

COR COE RYAN COE	RYAN COE GREG DAWSON	COR COE DON PENNER
---------------------	-------------------------	-----------------------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
BAG-01	Bulk Master for Storage
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Saa Traxler, General Manager, North Vancouver



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **SITKA GOLD CORP**
1500-409 GRANVILLE ST.
VANCOUVER BC V6C 1T2

Page: 2 - A
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 10-OCT-2020
 Account: TISLOG

Project: RC Gold

CERTIFICATE OF ANALYSIS WH20188155

Sample Description	Method	WEI-21	Au-ICP21	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
Units		kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
LOD		0.02	0.001	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
1807686		5.03	0.076		0.3	4.06	60	10	360	0.6	3	1.69	<0.5	15	94	33
1807687		6.78	0.539		0.4	3.94	412	<10	510	0.6	16	1.58	<0.5	16	105	30
1807688		4.20	0.152		0.3	4.00	82	10	330	0.6	3	1.82	<0.5	13	86	26
1807689		2.79	0.279		0.3	3.80	65	10	280	0.6	13	1.47	<0.5	15	98	28
1807690		0.07	2.19		1.3	1.14	6	<10	90	<0.5	<2	3.65	<0.5	16	15	1910
1807691		5.42	0.966		0.4	3.84	116	<10	380	0.7	32	0.98	<0.5	18	122	28
1807692		5.03	0.160		0.3	3.70	146	<10	340	0.7	8	1.08	<0.5	19	133	42
1807693		3.95	0.168		0.3	3.97	173	<10	390	0.6	4	1.50	<0.5	16	106	33
1807694		5.24	0.073		<0.2	3.99	185	<10	430	0.6	<2	1.77	<0.5	16	105	24
1807695		5.09	0.805		0.3	3.57	112	10	350	0.5	19	1.56	<0.5	16	95	30
1807696		4.90	0.150		0.2	3.76	70	10	390	0.6	6	1.67	<0.5	14	88	29
1807697		5.69	0.079		0.3	3.95	84	10	380	0.6	3	1.80	<0.5	15	91	31
1807698		4.65	0.650		0.6	3.93	169	10	390	0.6	18	1.70	<0.5	17	103	30
1807699		4.69	5.88		1.3	3.59	>10000	<10	400	0.6	203	1.45	<0.5	70	100	25
1807700		0.80	0.003		<0.2	0.48	22	10	810	<0.5	<2	2.34	<0.5	3	23	7
1807701		7.47	0.318		0.2	3.83	668	10	390	0.6	7	1.67	<0.5	15	96	28
1807702		2.74	0.082		0.2	3.87	216	20	320	0.6	<2	1.99	<0.5	13	87	30
1807703		4.71	0.074		0.2	3.97	130	10	330	0.6	<2	1.85	<0.5	14	98	34
1807704		5.55	0.380		0.3	3.83	84	20	350	0.6	5	1.90	<0.5	14	81	31
1807705		5.57	0.101		0.2	4.01	55	10	400	0.6	2	1.94	<0.5	14	82	28
1807706		4.45	0.026		<0.2	3.94	69	10	360	0.5	<2	1.91	<0.5	15	91	27
1807707		5.66	0.724		0.2	4.18	113	10	420	0.6	7	1.93	<0.5	15	101	27
1807708		2.60	0.411		0.2	3.67	85	20	340	0.6	12	1.73	<0.5	14	92	30
1807709		4.06	0.070		<0.2	3.79	31	10	330	0.6	2	1.96	<0.5	12	78	26
1807710		0.07	2.29		1.5	1.21	8	10	120	<0.5	<2	3.78	<0.5	16	15	1985
1807711		3.59	0.659		0.2	3.76	173	20	330	0.6	19	1.79	<0.5	14	93	34
1807712		4.39	0.271		0.3	4.07	575	10	420	0.6	9	1.90	<0.5	19	102	35
1807713		5.90	0.157		0.2	3.86	78	20	350	0.6	3	1.88	<0.5	14	92	33
1807714		5.33	0.243		0.2	4.14	271	10	430	0.7	8	1.87	<0.5	17	106	33
1807715		5.05	0.241		0.2	4.05	141	10	370	0.6	9	1.88	<0.5	15	98	37
1807716		2.71	0.043		<0.2	4.06	63	20	360	0.6	2	2.04	<0.5	14	93	33
1807717		2.89	3.39		0.3	3.82	127	<10	350	0.8	57	1.55	<0.5	15	116	30
1807718		3.95	0.147		<0.2	4.13	153	<10	430	0.6	5	1.73	<0.5	16	119	38
1807719		5.32	0.098		<0.2	3.96	70	10	420	0.6	4	1.92	<0.5	15	92	33
1807720		0.86	0.001		<0.2	0.38	4	10	540	<0.5	<2	5.40	<0.5	4	13	6
1807721		5.61	0.317		0.2	3.85	156	20	380	0.6	10	1.88	<0.5	15	99	29
1807722		4.87	0.655		0.2	3.82	180	20	330	0.6	14	1.96	<0.5	16	80	36
1807723		4.40	0.094		<0.2	3.99	84	10	390	0.6	4	1.81	<0.5	15	97	26
1807724		3.62	0.196		0.2	4.06	120	10	400	0.6	8	1.90	<0.5	15	99	29
1807725		4.90	0.082		0.2	3.65	108	10	290	0.5	3	1.84	<0.5	13	87	26



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **SITKA GOLD CORP**
1500-409 GRANVILLE ST.
VANCOUVER BC V6C 1T2

Page: 2 - B
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 10-OCT-2020
 Account: TISLOG

Project: RC Gold

CERTIFICATE OF ANALYSIS WH20188155

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
	Analyte Units LOD	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm
1807686		2.93	10	1	1.15	20	1.52	239	1	0.28	39	820	6	0.06	<2	4
1807687		3.15	10	1	1.44	20	1.67	236	1	0.26	37	750	4	0.07	<2	6
1807688		2.64	10	<1	1.16	20	1.42	206	1	0.32	36	800	5	0.05	<2	4
1807689		2.87	10	<1	0.93	20	1.56	237	1	0.25	38	810	4	0.03	<2	4
1807690		3.64	<10	<1	0.27	10	1.30	468	76	0.03	11	1650	17	2.42	2	6
1807691		3.35	10	<1	1.28	20	1.87	308	<1	0.17	41	770	5	0.01	<2	7
1807692		3.53	10	1	1.10	20	1.94	332	1	0.17	42	760	5	0.04	2	7
1807693		3.15	10	<1	1.30	20	1.70	247	1	0.25	37	800	4	0.05	<2	6
1807694		3.10	10	1	1.25	20	1.60	245	1	0.29	38	810	6	0.06	<2	5
1807695		2.89	10	1	1.07	20	1.46	237	1	0.25	36	780	5	0.09	<2	4
1807696		2.78	10	<1	1.20	20	1.44	219	1	0.29	37	770	4	0.11	<2	4
1807697		2.87	10	1	1.25	20	1.50	222	1	0.30	36	800	4	0.11	<2	5
1807698		2.94	10	1	1.30	20	1.57	219	1	0.29	39	820	4	0.10	<2	5
1807699		3.81	10	1	1.40	10	1.58	234	1	0.24	45	730	4	0.41	8	6
1807700		1.62	<10	<1	0.24	10	1.43	232	1	0.03	7	440	<2	0.03	<2	2
1807701		2.89	10	<1	1.33	20	1.52	211	2	0.29	37	790	3	0.13	<2	5
1807702		2.52	10	1	1.11	20	1.27	176	1	0.33	37	830	5	0.13	<2	4
1807703		2.78	10	<1	1.15	20	1.47	208	2	0.32	36	820	4	0.09	<2	5
1807704		2.55	10	<1	1.14	20	1.29	186	2	0.32	37	780	4	0.14	<2	4
1807705		2.78	10	1	1.25	20	1.38	205	2	0.33	38	800	4	0.12	<2	4
1807706		2.75	10	<1	1.20	20	1.44	219	1	0.30	36	820	4	0.11	<2	4
1807707		3.11	10	<1	1.42	20	1.60	243	2	0.32	39	840	5	0.12	<2	5
1807708		2.95	10	<1	1.17	20	1.45	242	1	0.29	38	800	4	0.14	2	6
1807709		2.62	10	1	1.07	20	1.26	198	2	0.33	34	780	3	0.12	<2	4
1807710		3.82	10	<1	0.28	10	1.35	490	79	0.04	10	1700	17	2.53	<2	6
1807711		2.80	10	<1	1.11	20	1.46	209	1	0.30	38	860	5	0.12	<2	5
1807712		3.14	10	<1	1.35	20	1.68	238	2	0.32	39	840	4	0.19	<2	6
1807713		2.84	10	1	1.15	20	1.50	213	2	0.31	42	830	4	0.17	<2	5
1807714		3.19	10	<1	1.43	20	1.71	245	2	0.32	37	820	3	0.14	<2	6
1807715		2.92	10	<1	1.32	20	1.52	212	2	0.33	37	840	4	0.13	<2	5
1807716		2.75	10	1	1.28	20	1.44	206	2	0.35	38	860	4	0.16	2	5
1807717		3.08	10	<1	1.26	20	1.77	252	1	0.25	37	830	5	0.06	<2	6
1807718		3.43	10	1	1.52	20	1.93	284	1	0.30	40	820	3	0.10	2	7
1807719		2.98	10	1	1.31	20	1.56	234	2	0.30	40	820	4	0.14	<2	4
1807720		1.70	<10	<1	0.09	10	2.33	727	1	0.03	8	390	<2	0.01	<2	2
1807721		3.08	10	1	1.28	20	1.68	249	2	0.29	37	820	5	0.11	<2	5
1807722		2.65	10	1	1.15	20	1.26	185	2	0.33	40	810	4	0.16	<2	4
1807723		2.99	10	1	1.36	20	1.63	244	1	0.31	38	820	3	0.07	<2	5
1807724		3.03	10	<1	1.41	20	1.61	250	2	0.32	39	830	4	0.13	<2	5
1807725		2.73	10	<1	1.12	20	1.36	198	2	0.30	36	820	4	0.13	<2	4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **SITKA GOLD CORP**
1500-409 GRANVILLE ST.
VANCOUVER BC V6C 1T2

Page: 2 - C
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 10-OCT-2020
 Account: TISLOG

Project: RC Gold

CERTIFICATE OF ANALYSIS WH20188155

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sr	Th	Ti	Tl	U	V	W	Zn
Units		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
LOD		1	20	0.01	10	10	1	10	2
1807686		177	<20	0.24	<10	10	69	10	65
1807687		161	<20	0.24	<10	10	82	10	59
1807688		175	<20	0.24	<10	10	67	<10	61
1807689		160	<20	0.23	<10	<10	70	<10	61
1807690		355	<20	0.06	<10	<10	99	<10	63
1807691		145	<20	0.25	<10	<10	80	<10	62
1807692		118	<20	0.24	<10	<10	86	<10	70
1807693		153	<20	0.24	<10	<10	77	20	65
1807694		172	<20	0.27	<10	<10	75	<10	63
1807695		142	<20	0.24	<10	<10	71	10	61
1807696		152	<20	0.24	<10	<10	68	<10	59
1807697		153	<20	0.24	<10	<10	71	10	60
1807698		156	<20	0.25	<10	<10	76	10	64
1807699		167	<20	0.21	<10	10	73	40	54
1807700		33	<20	0.05	<10	<10	17	<10	15
1807701		146	<20	0.23	<10	<10	73	10	61
1807702		164	<20	0.24	<10	10	68	<10	57
1807703		167	<20	0.25	<10	<10	73	<10	61
1807704		161	<20	0.22	<10	<10	66	<10	57
1807705		161	<20	0.24	<10	10	67	<10	64
1807706		165	<20	0.25	<10	<10	70	10	63
1807707		194	<20	0.27	<10	<10	76	10	66
1807708		134	<20	0.22	<10	<10	70	<10	64
1807709		170	<20	0.23	<10	<10	63	10	58
1807710		372	<20	0.06	<10	<10	104	<10	67
1807711		149	<20	0.23	<10	<10	70	20	60
1807712		149	<20	0.25	<10	<10	77	20	67
1807713		147	<20	0.24	<10	<10	72	10	60
1807714		160	<20	0.25	<10	<10	80	20	63
1807715		171	<20	0.26	<10	<10	75	10	63
1807716		172	<20	0.26	<10	<10	73	<10	62
1807717		140	<20	0.24	<10	<10	80	<10	63
1807718		167	<20	0.27	<10	<10	85	10	66
1807719		157	<20	0.25	<10	<10	72	10	67
1807720		57	<20	0.03	<10	<10	14	<10	19
1807721		148	<20	0.25	<10	<10	77	20	64
1807722		161	<20	0.23	<10	10	65	<10	56
1807723		183	<20	0.25	<10	<10	74	20	66
1807724		156	<20	0.26	<10	<10	75	10	64
1807725		146	<20	0.24	<10	<10	68	20	61



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **SITKA GOLD CORP**
1500-409 GRANVILLE ST.
VANCOUVER BC V6C 1T2

Page: 3 - A
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 10-OCT-2020
 Account: TISLOG

Project: RC Gold

CERTIFICATE OF ANALYSIS WH20188155

Sample Description	Method	WEI-21	Au-ICP21	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
Units		kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
LOD		0.02	0.001	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
1807726		5.62	0.151		0.2	3.79	64	30	290	0.6	3	2.09	<0.5	13	78	36
1807727		5.03	0.086		0.2	3.99	130	10	340	0.6	3	2.02	<0.5	13	90	31
1807728		4.07	0.062		<0.2	4.12	208	<10	400	0.6	3	1.97	<0.5	15	99	31
1807729		3.42	0.232		<0.2	0.51	487	<10	120	0.7	8	0.60	<0.5	3	8	39
1807730		0.07	2.17		1.2	1.13	8	<10	90	<0.5	<2	3.58	<0.5	16	15	1935
1807731		3.25	1.150		<0.2	0.51	1050	<10	150	0.8	34	0.65	<0.5	6	8	49
1807732		4.31	0.801		<0.2	0.46	802	10	100	0.5	21	1.29	<0.5	4	9	55
1807733		5.10	0.033		<0.2	4.21	169	10	370	0.6	<2	2.21	<0.5	14	98	30
1807734		5.23	0.448		0.2	3.60	2110	10	340	0.6	10	2.07	<0.5	17	115	29
1807735		5.54	0.456		0.2	4.18	314	10	410	0.6	20	2.16	<0.5	15	97	28
1807736		5.37	0.039		0.2	4.32	405	10	440	0.6	<2	2.11	<0.5	15	94	35
1807737		5.45	0.065		<0.2	4.31	1040	10	440	0.7	<2	2.15	<0.5	15	101	28
1807738		5.63	0.072		0.2	4.14	192	10	450	0.7	2	2.12	<0.5	15	96	38
1807739		5.22	0.802		0.2	3.84	284	10	350	0.6	30	2.14	<0.5	15	112	47
1807740		1.07	<0.001		<0.2	0.42	2	10	410	<0.5	<2	4.42	<0.5	3	15	10
1807741		5.59	0.176		<0.2	4.21	656	10	430	0.7	4	2.19	<0.5	15	102	44
1807742		5.43	0.185		0.3	4.27	2230	10	400	0.7	5	2.23	<0.5	16	121	36
1807743		5.75	0.099		<0.2	4.20	1160	10	330	0.6	2	2.17	<0.5	15	107	27
1807744		4.70	0.576		4.0	4.15	1530	10	380	0.7	13	2.05	<0.5	18	135	31
1807745		5.11	0.488		0.2	4.05	4260	10	350	0.6	8	2.29	<0.5	19	130	38
1807746		5.13	0.132		<0.2	3.86	620	10	270	0.6	3	2.09	<0.5	16	112	34
1807747		3.12	1.760		0.3	0.61	3780	<10	110	0.5	42	0.96	<0.5	6	22	23
1807748		3.93	0.933		0.2	0.76	2440	<10	120	0.5	27	0.93	<0.5	7	11	27
1807749		4.05	1.685		0.2	1.00	4020	<10	120	0.7	45	0.98	<0.5	10	15	18
1807750		0.07	2.19		1.8	1.21	13	10	100	<0.5	<2	3.77	<0.5	16	15	2000
1807751		3.85	0.729		0.2	0.78	1290	<10	120	0.5	20	0.75	<0.5	4	13	20
1807752		3.96	0.241		<0.2	4.25	1930	10	400	0.6	7	2.31	<0.5	16	135	27
1807753		5.48	0.227		0.2	4.06	1130	10	380	0.6	5	2.05	<0.5	17	118	32
1807754		5.54	0.105		0.2	4.22	368	10	380	0.7	2	2.12	<0.5	16	114	39
1807755		5.28	0.067		0.2	3.11	216	10	390	0.5	<2	1.91	<0.5	17	100	41
1807756		5.36	0.026		<0.2	2.21	117	<10	1210	<0.5	<2	2.00	<0.5	21	137	51
1807757		5.67	0.001		0.2	1.65	10	<10	1160	<0.5	<2	1.92	<0.5	23	151	57
1807758		4.97	<0.001		0.2	1.71	4	<10	900	<0.5	<2	1.84	<0.5	23	157	58
1807759		5.43	0.057		0.3	2.24	56	<10	1070	0.5	<2	1.79	<0.5	21	121	52
1807760		0.69	<0.001		0.2	0.37	2	10	430	<0.5	<2	4.33	<0.5	3	20	14
1807761		6.15	0.496		0.2	2.51	868	<10	930	0.5	14	2.01	<0.5	19	125	40
1807762		5.30	0.046		<0.2	4.00	101	10	320	0.7	<2	2.18	<0.5	14	105	28
1807763		5.03	0.169		0.2	4.33	225	10	410	0.7	3	2.30	<0.5	16	129	45
1807764		5.55	0.066		<0.2	4.15	61	10	280	0.6	<2	2.26	<0.5	14	98	31
1807765		3.34	0.276		<0.2	4.26	90	10	300	0.7	8	2.18	<0.5	14	102	32



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **SITKA GOLD CORP**
1500-409 GRANVILLE ST.
VANCOUVER BC V6C 1T2

Page: 3 - B
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 10-OCT-2020
 Account: TISLOG

Project: RC Gold

CERTIFICATE OF ANALYSIS WH20188155

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
Units		%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
LOD		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
1807726		2.45	10	<1	1.08	20	1.21	172	2	0.34	37	850	3	0.18	<2	4
1807727		2.75	10	<1	1.27	20	1.43	208	2	0.33	36	820	16	0.15	<2	4
1807728		3.09	10	<1	1.43	20	1.64	255	2	0.33	37	820	3	0.14	<2	5
1807729		0.98	<10	<1	0.17	20	0.08	62	1	0.05	2	200	10	0.11	<2	<1
1807730		3.65	10	<1	0.27	10	1.29	471	76	0.03	12	1640	16	2.43	<2	6
1807731		1.07	<10	<1	0.18	20	0.07	60	1	0.05	1	200	7	0.16	<2	<1
1807732		1.21	<10	<1	0.18	20	0.07	66	1	0.06	1	210	9	0.46	<2	<1
1807733		2.97	10	<1	1.25	20	1.57	246	2	0.36	37	840	5	0.15	<2	5
1807734		3.25	10	<1	1.22	10	1.80	279	1	0.27	36	730	6	0.23	<2	7
1807735		3.04	10	1	1.37	20	1.64	251	2	0.36	38	800	3	0.16	<2	5
1807736		3.04	10	1	1.46	20	1.63	228	1	0.37	40	810	5	0.16	2	5
1807737		3.09	10	1	1.49	20	1.66	244	2	0.38	39	820	6	0.19	<2	5
1807738		2.98	10	1	1.43	20	1.58	237	2	0.36	39	810	4	0.20	<2	5
1807739		3.09	10	<1	1.15	20	1.67	253	2	0.32	38	800	6	0.21	<2	5
1807740		1.48	<10	<1	0.20	10	1.68	392	<1	0.04	5	370	<2	0.02	<2	2
1807741		3.13	10	<1	1.41	20	1.66	239	2	0.36	38	820	5	0.23	<2	5
1807742		3.44	10	1	1.47	20	1.84	277	2	0.36	41	850	5	0.29	2	7
1807743		3.10	10	<1	1.25	20	1.69	249	2	0.36	40	820	6	0.19	<2	5
1807744		3.58	10	<1	1.51	20	2.13	329	1	0.31	46	780	3	0.18	<2	8
1807745		3.82	10	<1	1.31	20	2.07	311	2	0.31	43	790	5	0.42	<2	7
1807746		3.32	10	1	1.02	20	1.75	296	2	0.30	40	800	3	0.21	<2	5
1807747		1.29	<10	1	0.19	20	0.21	93	1	0.07	3	200	7	0.32	3	1
1807748		0.98	<10	<1	0.14	20	0.10	64	1	0.12	1	180	6	0.28	2	1
1807749		1.05	<10	<1	0.13	20	0.10	66	2	0.15	2	170	3	0.28	3	1
1807750		3.83	10	<1	0.28	10	1.34	486	76	0.04	12	1710	17	2.52	<2	6
1807751		0.83	<10	<1	0.18	20	0.15	74	2	0.12	3	220	6	0.11	2	1
1807752		3.72	10	1	1.53	20	2.09	339	2	0.32	43	830	3	0.23	2	8
1807753		3.40	10	<1	1.47	20	1.83	291	2	0.33	41	820	4	0.24	<2	6
1807754		3.29	10	<1	1.44	20	1.73	277	2	0.36	39	840	6	0.23	<2	5
1807755		3.01	10	<1	0.91	20	1.48	287	2	0.23	39	1040	9	0.21	<2	3
1807756		3.21	10	1	1.31	20	1.58	389	2	0.13	44	1290	10	0.29	<2	4
1807757		3.18	10	<1	1.08	20	1.55	398	2	0.07	48	1480	22	0.36	<2	3
1807758		3.32	10	<1	1.21	20	1.65	402	2	0.06	50	1520	20	0.38	<2	4
1807759		3.19	10	<1	1.22	20	1.51	364	2	0.14	44	1340	20	0.33	<2	4
1807760		2.11	<10	<1	0.14	10	1.33	431	<1	0.04	8	230	<2	0.02	<2	2
1807761		3.17	10	<1	1.16	20	1.56	363	2	0.17	41	1240	8	0.25	<2	4
1807762		2.96	10	<1	1.28	20	1.64	276	2	0.28	38	790	6	0.13	<2	5
1807763		3.53	10	<1	1.54	20	1.94	322	2	0.34	41	840	5	0.21	<2	7
1807764		2.93	10	<1	1.15	20	1.46	240	1	0.35	38	850	5	0.17	<2	4
1807765		2.98	10	1	1.20	20	1.56	251	2	0.35	38	860	5	0.15	2	4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **SITKA GOLD CORP**
1500-409 GRANVILLE ST.
VANCOUVER BC V6C 1T2

Page: 3 - C
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 10-OCT-2020
 Account: TISLOG

Project: RC Gold

CERTIFICATE OF ANALYSIS WH20188155

Sample Description	Method Analyte Units LOD	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Sr ppm 1	Th ppm 20	Ti % 0.01	Tl ppm 10	U ppm 10	V ppm 1	W ppm 10	Zn ppm 2
1807726		178	<20	0.24	<10	10	65	<10	55
1807727		173	<20	0.24	<10	<10	70	10	65
1807728		163	<20	0.26	<10	<10	76	10	64
1807729		56	20	0.01	<10	10	3	10	6
1807730		357	<20	0.05	<10	<10	97	<10	63
1807731		48	20	<0.01	<10	10	2	20	5
1807732		54	20	0.01	<10	10	2	10	6
1807733		177	<20	0.25	<10	<10	76	<10	69
1807734		124	<20	0.23	<10	<10	80	60	61
1807735		158	<20	0.26	<10	<10	76	10	63
1807736		163	<20	0.26	<10	<10	75	10	65
1807737		165	<20	0.26	<10	<10	77	10	66
1807738		155	<20	0.25	<10	<10	74	10	64
1807739		146	<20	0.24	<10	<10	80	30	66
1807740		50	<20	0.05	<10	<10	16	<10	17
1807741		162	<20	0.26	<10	10	78	30	67
1807742		167	<20	0.26	<10	<10	87	30	68
1807743		167	<20	0.25	<10	<10	79	10	67
1807744		147	<20	0.27	<10	<10	92	30	62
1807745		139	<20	0.25	<10	10	90	30	63
1807746		141	<20	0.26	<10	10	79	20	61
1807747		36	<20	0.02	<10	10	9	110	9
1807748		40	20	0.01	<10	10	3	30	7
1807749		49	20	0.01	<10	10	3	20	5
1807750		375	<20	0.06	<10	<10	103	<10	67
1807751		48	20	0.02	<10	10	5	40	11
1807752		153	<20	0.26	<10	<10	93	20	63
1807753		145	<20	0.26	<10	<10	85	60	65
1807754		162	<20	0.27	<10	<10	83	10	68
1807755		131	<20	0.27	<10	<10	80	<10	66
1807756		118	<20	0.33	<10	<10	94	<10	70
1807757		113	<20	0.34	<10	<10	99	<10	80
1807758		110	<20	0.35	<10	<10	102	<10	80
1807759		115	<20	0.32	<10	<10	94	10	76
1807760		55	<20	0.04	<10	<10	26	<10	19
1807761		132	<20	0.29	<10	<10	89	10	61
1807762		212	<20	0.25	<10	<10	77	<10	63
1807763		189	<20	0.28	<10	10	92	20	67
1807764		240	<20	0.26	<10	10	75	<10	65
1807765		185	<20	0.26	<10	10	78	<10	69



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **SITKA GOLD CORP**
1500-409 GRANVILLE ST.
VANCOUVER BC V6C 1T2

Page: 4 - A
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 10-OCT-2020
 Account: TISLOG

Project: RC Gold

CERTIFICATE OF ANALYSIS WH20188155

Sample Description	Method	WEI-21	Au-ICP21	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
Units		kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
LOD		0.02	0.001	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
1807766		4.54	0.039		0.5	3.75	79	10	270	0.9	2	1.45	<0.5	15	105	33
1807767		4.89	0.171		<0.2	3.32	127	10	370	0.7	4	1.95	<0.5	14	109	36
1807768		5.38	0.774		0.2	4.06	612	10	520	1.1	25	2.08	<0.5	18	160	63
1807769		5.37	0.129		0.2	3.84	172	10	280	0.7	3	2.09	<0.5	15	109	34
1807770		0.07	2.09		1.4	1.23	8	<10	80	<0.5	<2	3.73	<0.5	16	15	1995
1807771		5.21	0.102		<0.2	3.86	202	10	330	0.7	3	2.01	<0.5	14	108	44
1807772		5.06	0.423		<0.2	3.88	244	10	330	0.7	15	2.01	<0.5	14	104	34
1807773		5.40	0.299		27.3	3.69	124	10	280	0.7	10	1.75	<0.5	15	109	66
1807774		5.02	0.132		0.4	3.88	85	<10	550	0.9	4	1.99	<0.5	14	115	28
1807775		5.47	0.965		0.2	3.98	243	<10	870	0.8	40	2.45	<0.5	16	106	67
1807776		5.56	0.285		0.2	3.83	283	10	500	0.7	9	2.27	<0.5	13	121	31
1807777		5.16	0.072		0.2	4.43	39	20	490	0.6	2	2.40	<0.5	10	81	22
1807778		0.86	1.555		<0.2	1.89	586	10	280	0.5	63	1.17	<0.5	10	84	25
1807779		5.83	0.131		0.2	4.36	409	20	520	0.6	5	2.28	<0.5	11	106	26
1807780		0.71	0.001		<0.2	0.51	4	<10	360	<0.5	<2	4.31	<0.5	3	22	7
1807781		1.12	3.18		0.8	0.71	>10000	<10	20	<0.5	134	0.28	<0.5	17	76	15
1807782		5.50	0.236		0.4	3.69	80	10	480	0.6	8	2.16	<0.5	13	153	23
1807783		5.40	0.284		0.2	4.38	46	10	550	0.6	9	2.40	<0.5	12	98	20
1807784		5.30	0.123		<0.2	4.47	56	10	610	0.6	3	2.67	<0.5	12	141	23
1807785		6.82	0.083		0.2	4.74	71	10	580	0.6	3	2.62	<0.5	12	117	25
1807786		5.32	0.342		<0.2	1.17	253	10	150	0.6	14	1.32	<0.5	5	13	53
1807787		5.11	0.022		<0.2	5.02	89	10	690	0.7	2	2.86	<0.5	12	117	21
1807788		6.18	0.109		<0.2	4.48	225	10	1180	0.5	3	2.71	<0.5	13	129	23
1807789		6.26	0.085		0.2	4.66	221	10	1250	0.6	<2	2.75	<0.5	11	134	34
1807790		0.07	2.08		1.3	1.15	8	<10	90	<0.5	<2	3.43	<0.5	15	15	1850
1807791		3.79	0.126		0.2	1.81	210	<10	390	0.6	5	1.59	<0.5	9	21	95
1807792		4.77	0.015		<0.2	1.95	143	<10	540	0.6	2	1.78	<0.5	9	22	33
1807793		2.63	0.002		<0.2	2.80	10	<10	1130	0.5	<2	3.81	<0.5	21	108	57
1807794		1.63	0.024		0.2	1.89	196	20	470	0.6	<2	1.65	<0.5	9	23	24
1807795		5.70	0.063		0.2	4.32	53	10	640	0.5	<2	2.30	<0.5	12	104	32
1807796		5.55	0.047		0.3	4.67	441	10	670	0.6	2	2.67	<0.5	12	137	34
1807797		5.61	0.114		<0.2	4.61	126	10	1140	0.5	3	2.67	<0.5	11	131	32
1807798		4.96	0.016		0.2	4.53	50	10	1260	0.5	<2	2.57	<0.5	10	123	27
1807799		5.40	0.432		0.2	4.07	74	10	980	0.5	15	2.58	<0.5	11	132	29
1807800		0.80	0.005		<0.2	0.41	3	10	590	<0.5	<2	3.75	<0.5	3	9	9
1807801		4.58	0.426		0.3	3.59	330	<10	780	<0.5	15	2.36	<0.5	10	121	20
1807802		6.92	0.177		0.2	4.96	83	<10	1290	0.5	5	2.79	<0.5	11	137	39
1807803		5.30	0.380		<0.2	5.23	47	<10	1320	0.5	12	2.92	<0.5	11	136	17
1807804		5.84	0.525		0.3	4.88	172	<10	1260	0.5	27	2.75	<0.5	11	142	37
1807805		5.57	0.241		<0.2	4.20	156	10	910	0.5	9	2.66	<0.5	11	142	39



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **SITKA GOLD CORP**
1500-409 GRANVILLE ST.
VANCOUVER BC V6C 1T2

Page: 4 - B
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 10-OCT-2020
 Account: TISLOG

Project: RC Gold

CERTIFICATE OF ANALYSIS WH20188155

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
Units		%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
LOD		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
1807766		3.09	10	<1	0.95	20	1.75	285	1	0.20	40	820	6	0.06	<2	4
1807767		3.10	10	1	0.94	20	1.58	298	2	0.22	31	1140	7	0.19	<2	5
1807768		4.20	10	<1	1.66	20	2.29	373	2	0.30	33	1100	5	0.40	<2	10
1807769		3.13	10	1	1.08	20	1.62	273	2	0.32	36	830	4	0.22	<2	5
1807770		3.84	10	<1	0.29	10	1.35	490	77	0.04	12	1710	17	2.53	2	6
1807771		3.06	10	<1	1.29	20	1.58	246	2	0.33	38	800	5	0.27	<2	5
1807772		2.98	10	1	1.27	20	1.53	247	2	0.32	35	790	4	0.19	<2	5
1807773		2.94	10	<1	1.10	20	1.60	259	1	0.28	43	790	5	0.12	<2	5
1807774		3.04	10	1	1.06	20	1.54	305	1	0.22	26	820	5	0.09	2	4
1807775		3.94	10	<1	1.03	20	1.69	397	2	0.29	16	1090	4	0.40	<2	7
1807776		3.05	10	<1	1.04	10	1.48	294	2	0.34	14	730	5	0.20	3	6
1807777		2.68	10	<1	1.12	20	1.21	217	2	0.40	11	740	5	0.09	<2	5
1807778		2.55	10	<1	0.80	10	1.03	241	3	0.14	7	280	<2	0.18	<2	6
1807779		3.11	10	<1	1.23	10	1.47	250	2	0.37	11	730	6	0.17	<2	6
1807780		1.56	<10	<1	0.24	20	1.56	294	1	0.05	8	350	<2	0.02	<2	2
1807781		2.53	<10	<1	0.05	<10	0.64	158	<1	0.01	6	140	8	0.39	10	3
1807782		3.60	10	1	0.98	10	1.87	348	2	0.25	14	720	5	0.11	<2	8
1807783		3.15	10	<1	1.15	10	1.49	278	2	0.34	10	710	6	0.10	<2	5
1807784		3.79	10	<1	1.46	10	1.96	374	2	0.33	11	720	4	0.15	<2	9
1807785		3.12	10	1	1.23	10	1.49	266	2	0.39	14	760	6	0.14	<2	5
1807786		1.87	<10	<1	0.27	30	0.32	141	2	0.12	1	410	6	0.48	<2	3
1807787		3.03	10	<1	1.23	10	1.41	262	1	0.42	13	810	6	0.12	<2	5
1807788		3.05	10	<1	1.05	10	1.48	300	2	0.30	9	870	6	0.10	<2	5
1807789		3.04	10	1	1.15	10	1.51	298	1	0.28	8	830	5	0.15	<2	6
1807790		3.61	10	1	0.26	10	1.25	456	73	0.03	11	1590	17	2.33	2	5
1807791		3.19	10	1	0.62	20	0.78	428	2	0.14	5	1100	3	0.64	<2	4
1807792		2.94	10	<1	0.80	20	0.78	487	1	0.16	4	1120	4	0.22	<2	4
1807793		4.73	10	<1	2.35	30	2.62	900	2	0.06	39	2010	7	0.42	<2	17
1807794		2.95	10	1	0.64	20	0.77	471	1	0.14	4	1140	5	0.20	<2	3
1807795		3.19	10	1	1.13	10	1.42	278	1	0.33	11	710	6	0.18	<2	5
1807796		3.30	10	1	1.15	10	1.61	275	1	0.32	13	770	7	0.22	<2	6
1807797		3.06	10	<1	1.15	10	1.48	285	1	0.29	9	800	5	0.14	<2	6
1807798		2.88	10	1	0.92	10	1.32	256	1	0.25	8	850	5	0.09	<2	5
1807799		3.00	10	1	0.74	10	1.43	293	1	0.21	8	820	6	0.14	<2	5
1807800		1.37	<10	<1	0.14	10	1.84	200	<1	0.02	8	260	<2	0.02	<2	1
1807801		2.70	10	<1	0.55	10	1.29	263	1	0.18	9	760	6	0.11	2	4
1807802		3.04	10	1	1.13	10	1.43	281	2	0.29	8	850	5	0.14	<2	5
1807803		2.87	10	1	1.15	10	1.37	278	2	0.31	8	870	5	0.08	<2	4
1807804		3.10	10	1	1.15	10	1.50	280	4	0.28	9	800	5	0.19	<2	6
1807805		3.06	10	1	0.60	10	1.47	282	2	0.21	8	910	7	0.19	2	5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **SITKA GOLD CORP**
1500-409 GRANVILLE ST.
VANCOUVER BC V6C 1T2

Page: 4 - C
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 10-OCT-2020
 Account: TISLOG

Project: RC Gold

CERTIFICATE OF ANALYSIS WH20188155

Sample Description	Method Analyte Units LOD	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Sr ppm 1	Th ppm 20	Ti % 0.01	Tl ppm 10	U ppm 10	V ppm 1	W ppm 10	Zn ppm 2
1807766		167	<20	0.24	<10	<10	75	<10	65
1807767		167	<20	0.29	<10	<10	86	<10	66
1807768		195	<20	0.32	<10	<10	113	40	61
1807769		192	<20	0.26	<10	10	78	40	65
1807770		373	<20	0.06	<10	<10	104	<10	66
1807771		171	<20	0.25	<10	<10	78	20	60
1807772		155	<20	0.25	<10	10	76	10	61
1807773		138	<20	0.24	<10	10	76	120	62
1807774		168	<20	0.26	<10	<10	84	10	60
1807775		228	<20	0.31	<10	10	98	290	65
1807776		195	<20	0.25	<10	10	89	20	53
1807777		208	<20	0.26	<10	<10	79	<10	58
1807778		131	<20	0.13	<10	<10	59	110	27
1807779		191	<20	0.27	<10	10	92	260	62
1807780		51	<20	0.05	<10	<10	18	<10	22
1807781		29	<20	0.03	<10	<10	39	120	14
1807782		150	<20	0.29	<10	10	112	10	73
1807783		204	<20	0.28	<10	<10	89	<10	62
1807784		187	<20	0.31	<10	<10	112	20	59
1807785		226	<20	0.29	<10	<10	93	30	61
1807786		107	20	0.07	<10	10	11	30	19
1807787		247	<20	0.30	<10	<10	94	<10	60
1807788		208	<20	0.32	<10	<10	102	10	60
1807789		213	<20	0.31	<10	<10	107	10	56
1807790		350	<20	0.05	<10	<10	97	<10	62
1807791		152	<20	0.21	<10	<10	50	10	30
1807792		175	<20	0.24	<10	<10	51	<10	44
1807793		183	<20	0.36	<10	<10	153	<10	68
1807794		151	<20	0.24	<10	<10	50	<10	46
1807795		191	<20	0.27	<10	<10	90	<10	60
1807796		211	<20	0.27	<10	<10	102	30	58
1807797		207	<20	0.29	<10	<10	103	20	58
1807798		208	<20	0.31	<10	<10	100	<10	61
1807799		179	<20	0.27	<10	<10	103	90	55
1807800		32	<20	0.03	<10	<10	12	<10	20
1807801		164	<20	0.24	<10	<10	91	60	51
1807802		229	<20	0.31	<10	<10	108	10	58
1807803		250	<20	0.32	<10	<10	108	<10	57
1807804		227	<20	0.29	<10	<10	109	30	56
1807805		184	<20	0.28	<10	<10	107	40	53



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **SITKA GOLD CORP**
1500-409 GRANVILLE ST.
VANCOUVER BC V6C 1T2

Page: 5 - A
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 10-OCT-2020
 Account: TISLOG

Project: RC Gold

CERTIFICATE OF ANALYSIS WH20188155

Sample Description	Method	WEI-21	Au-ICP21	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
Units		kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
LOD		0.02	0.001	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
1807806		5.52	0.939		0.2	4.35	115	<10	1080	<0.5	38	2.68	<0.5	11	134	22
1807807		5.96	0.055		<0.2	4.30	53	10	1150	<0.5	<2	2.57	<0.5	10	135	12
1807808		4.24	0.215		0.3	4.44	147	<10	1170	0.5	10	2.69	<0.5	11	140	20
1807809		2.27	0.012		0.3	3.30	74	<10	1340	0.8	<2	2.54	<0.5	15	148	29
1807810		0.07	2.30		1.3	1.21	8	<10	110	<0.5	<2	3.54	<0.5	16	15	1900
1807811		4.39	0.089		<0.2	4.75	141	<10	1240	0.5	5	2.89	<0.5	11	150	25
1807812		5.37	0.075		0.2	4.92	147	<10	1190	0.5	2	2.81	<0.5	11	136	20
1807813		5.36	0.387		<0.2	4.10	749	<10	1040	0.5	16	2.62	<0.5	15	134	31
1807814		5.42	0.089		0.2	4.81	137	<10	1290	0.5	3	2.79	<0.5	12	144	30
1807815		5.93	0.456		0.2	4.93	277	<10	1330	0.6	22	2.73	<0.5	16	148	63
1807816		4.83	0.127		0.2	4.25	336	<10	1150	0.5	4	2.58	<0.5	13	160	41
1807817		5.68	0.139		<0.2	4.81	141	<10	1310	0.5	17	2.93	<0.5	12	145	25
1807818		5.61	0.061		0.3	4.97	32	<10	1540	0.5	<2	2.77	<0.5	12	135	27
1807819		5.41	0.218		0.5	5.17	194	<10	1400	0.5	12	2.96	<0.5	12	133	20
1807820		0.73	0.001		0.2	0.31	7	<10	250	<0.5	<2	4.06	<0.5	2	20	5
1807821		5.60	0.081		0.2	5.24	37	<10	1200	0.5	2	3.11	<0.5	11	135	12
1807822		5.72	0.182		0.3	5.42	133	<10	1360	0.6	6	3.15	<0.5	12	159	40
1807823		5.64	0.061		0.2	5.22	72	<10	1300	0.5	2	3.02	<0.5	12	155	26
1807824		5.75	0.061		<0.2	4.91	129	<10	1200	0.5	<2	2.93	<0.5	12	157	30
1807825		5.31	0.270		0.2	4.55	269	<10	1110	0.6	18	2.88	<0.5	13	154	43
1807826		5.86	0.145		<0.2	5.00	157	10	1090	0.6	11	2.99	<0.5	12	132	29
1807827		4.14	0.566		0.3	5.40	122	<10	1220	0.5	20	3.21	<0.5	13	133	26
1807828		2.18	0.317		<0.2	3.28	1050	10	740	0.5	22	2.44	<0.5	13	121	29
1807829		5.20	0.072		0.2	5.38	41	<10	1260	0.5	6	3.14	<0.5	12	127	27
1807830		0.07	2.14		1.3	1.16	9	<10	70	<0.5	4	3.57	<0.5	16	15	1940
1807831		5.38	1.435		0.2	4.62	525	10	1200	0.6	87	2.90	<0.5	14	131	29
1807832		5.70	0.259		0.2	4.65	135	10	1280	0.5	20	2.94	<0.5	11	121	23
1807833		5.89	0.515		0.3	4.97	230	10	1280	0.5	36	2.91	<0.5	13	125	32
1807834		5.76	0.566		0.2	4.59	576	<10	1250	0.5	34	2.65	<0.5	13	110	29
1807835		2.27	>10.0	9.57	1.4	2.74	4720	10	490	0.5	508	1.69	<0.5	47	102	89
1807836		5.16	0.418		0.3	4.55	179	10	1350	0.6	30	2.66	<0.5	14	127	36
1807837		5.80	0.028		<0.2	5.05	41	10	1310	0.5	5	2.96	<0.5	11	108	23
1807838		6.07	0.068		0.3	5.23	168	<10	1470	0.5	7	3.04	<0.5	12	115	32
1807839		5.40	0.408		0.2	4.66	329	<10	1240	0.6	10	2.91	<0.5	12	107	44
1807840		0.86	0.001		0.2	0.31	6	10	390	<0.5	<2	6.80	<0.5	3	12	6
1807841		5.90	0.146		0.3	5.18	64	10	1520	0.5	7	3.10	<0.5	11	115	40
1807842		1.23	8.58		1.0	2.30	3510	<10	510	<0.5	425	1.10	<0.5	32	76	90
1807843		4.10	0.038		0.2	4.98	42	<10	1330	0.5	5	3.09	<0.5	11	115	13
1807844		5.61	0.286		0.2	4.69	173	<10	990	0.6	18	2.88	<0.5	10	104	31
1807845		4.07	0.206		0.4	4.87	301	<10	980	1.0	19	2.57	<0.5	14	132	117



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **SITKA GOLD CORP**
1500-409 GRANVILLE ST.
VANCOUVER BC V6C 1T2

Page: 5 - B
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 10-OCT-2020
 Account: TISLOG

Project: RC Gold

CERTIFICATE OF ANALYSIS WH20188155

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
Units		%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
LOD		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
1807806		2.87	10	1	0.68	10	1.38	281	1	0.24	8	850	4	0.15	<2	5
1807807		2.68	10	1	0.85	10	1.27	270	3	0.25	7	860	4	0.09	<2	4
1807808		2.91	10	1	0.99	10	1.43	305	2	0.26	8	840	4	0.14	<2	5
1807809		4.09	10	<1	1.96	20	2.09	479	3	0.18	12	2780	10	0.32	<2	6
1807810		3.73	10	1	0.27	10	1.28	472	78	0.04	10	1640	18	2.41	<2	6
1807811		3.16	10	<1	1.20	10	1.61	315	1	0.27	9	880	5	0.17	<2	6
1807812		2.90	10	1	1.13	10	1.44	288	2	0.29	7	900	5	0.09	<2	5
1807813		2.87	10	1	0.76	10	1.41	271	4	0.23	9	820	4	0.20	<2	5
1807814		3.11	10	1	1.19	10	1.55	294	1	0.28	8	850	5	0.19	<2	6
1807815		3.38	10	1	1.29	10	1.69	299	1	0.28	9	850	5	0.25	<2	7
1807816		3.42	10	1	1.03	10	1.85	329	1	0.21	10	840	4	0.25	<2	8
1807817		3.10	10	1	1.07	10	1.54	314	1	0.28	9	820	3	0.19	<2	5
1807818		3.07	10	<1	1.13	10	1.45	314	2	0.30	8	670	5	0.13	<2	5
1807819		3.23	10	1	1.14	10	1.45	310	2	0.32	8	1000	11	0.12	<2	5
1807820		1.32	<10	1	0.13	10	1.63	333	1	0.01	6	960	<2	0.01	<2	1
1807821		3.12	10	1	1.05	10	1.43	319	1	0.32	7	1100	4	0.05	<2	5
1807822		3.72	10	1	1.38	10	1.83	367	1	0.34	7	940	4	0.20	<2	8
1807823		3.53	10	1	1.29	10	1.67	335	1	0.32	9	960	3	0.22	<2	7
1807824		3.32	10	1	1.13	10	1.62	336	2	0.31	8	860	3	0.16	<2	7
1807825		3.67	10	1	1.37	10	1.85	359	2	0.28	11	1010	3	0.31	2	9
1807826		3.31	10	1	1.15	10	1.56	310	2	0.33	11	950	5	0.14	3	6
1807827		3.37	10	1	1.25	10	1.57	310	2	0.36	11	1030	5	0.14	3	6
1807828		3.36	10	1	0.92	10	1.58	309	1	0.18	8	760	3	0.27	5	8
1807829		3.31	10	1	1.26	10	1.58	315	1	0.36	9	950	5	0.11	3	6
1807830		3.73	10	1	0.27	10	1.27	471	75	0.04	11	1600	17	2.42	3	6
1807831		3.44	10	1	1.19	10	1.75	332	2	0.28	11	860	4	0.19	5	8
1807832		3.28	10	1	1.10	10	1.58	327	1	0.29	9	870	5	0.12	2	6
1807833		3.61	10	1	1.15	10	1.67	325	4	0.33	11	900	5	0.21	3	6
1807834		3.18	10	1	1.11	10	1.44	288	4	0.32	11	830	3	0.21	3	6
1807835		3.90	10	<1	1.03	10	1.42	260	2	0.17	13	680	4	0.59	9	8
1807836		3.72	10	1	1.06	10	1.78	349	1	0.25	10	920	5	0.06	2	8
1807837		3.13	10	1	1.05	10	1.39	290	1	0.35	9	1000	4	0.09	2	5
1807838		3.51	10	<1	1.26	10	1.59	321	2	0.35	9	970	5	0.20	2	6
1807839		3.30	10	1	1.05	10	1.52	311	4	0.33	10	930	4	0.17	3	6
1807840		1.44	<10	1	0.10	10	3.38	251	1	0.02	8	260	2	0.01	2	1
1807841		3.55	10	1	1.28	10	1.63	335	1	0.34	9	960	4	0.16	2	7
1807842		3.12	10	<1	0.61	<10	0.95	204	2	0.13	8	370	3	0.55	9	5
1807843		3.28	10	<1	1.20	10	1.52	325	1	0.35	9	1000	4	0.10	<2	6
1807844		3.08	10	1	0.99	10	1.44	306	<1	0.33	9	900	3	0.11	<2	5
1807845		4.31	10	1	1.57	10	2.15	358	<1	0.19	10	920	5	0.04	2	11



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **SITKA GOLD CORP**
1500-409 GRANVILLE ST.
VANCOUVER BC V6C 1T2

Page: 5 - C
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 10-OCT-2020
 Account: TISLOG

Project: RC Gold

CERTIFICATE OF ANALYSIS WH20188155

Sample Description	Method Analyte Units LOD	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Sr ppm 1	Th ppm 20	Ti % 0.01	Tl ppm 10	U ppm 10	V ppm 1	W ppm 10	Zn ppm 2
1807806		206	<20	0.28	<10	<10	103	50	48
1807807		203	<20	0.28	<10	<10	100	10	50
1807808		206	<20	0.28	<10	<10	105	40	47
1807809		244	<20	0.54	<10	<10	147	<10	76
1807810		362	<20	0.06	<10	<10	101	<10	64
1807811		213	<20	0.29	<10	<10	113	10	51
1807812		231	<20	0.28	<10	<10	105	10	57
1807813		185	<20	0.25	<10	<10	100	40	44
1807814		218	<20	0.28	<10	<10	111	10	52
1807815		223	<20	0.27	<10	<10	117	50	53
1807816		176	<20	0.25	<10	<10	121	10	51
1807817		225	<20	0.28	<10	<10	110	10	52
1807818		239	<20	0.32	<10	10	105	10	54
1807819		250	<20	0.34	<10	<10	105	20	57
1807820		38	<20	0.03	<10	<10	12	<10	12
1807821		254	<20	0.33	<10	10	103	<10	57
1807822		251	<20	0.34	<10	10	122	30	53
1807823		242	<20	0.34	<10	<10	119	10	51
1807824		230	<20	0.33	<10	<10	120	10	46
1807825		218	<20	0.33	<10	<10	123	60	44
1807826		249	<20	0.32	<10	<10	111	20	52
1807827		262	<20	0.33	<10	<10	112	20	58
1807828		144	<20	0.22	<10	<10	96	100	41
1807829		253	<20	0.35	<10	<10	112	10	54
1807830		353	<20	0.06	<10	<10	99	<10	62
1807831		209	<20	0.29	<10	<10	113	30	50
1807832		216	<20	0.30	<10	<10	109	20	51
1807833		233	<20	0.30	<10	<10	113	40	57
1807834		218	<20	0.27	<10	<10	99	60	47
1807835		118	<20	0.19	<10	<10	83	1530	27
1807836		195	<20	0.33	<10	<10	114	60	56
1807837		243	<20	0.31	<10	<10	95	10	57
1807838		245	<20	0.35	<10	<10	103	40	51
1807839		224	<20	0.30	<10	<10	96	490	45
1807840		55	<20	0.03	<10	<10	10	<10	18
1807841		252	<20	0.34	<10	<10	109	10	56
1807842		104	<20	0.16	<10	<10	63	200	25
1807843		236	<20	0.36	<10	<10	110	10	49
1807844		219	<20	0.30	<10	<10	100	20	43
1807845		186	<20	0.28	<10	<10	128	10	48



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: SITKA GOLD CORP
 1500-409 GRANVILLE ST.
 VANCOUVER BC V6C 1T2

Page: 6 - A
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 10-OCT-2020
 Account: TISLOG

Project: RC Gold

CERTIFICATE OF ANALYSIS WH20188155

Sample Description	Method Analyte Units LOD	WEI-21	Au-ICP21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Recvd Wt. kg	Au ppm	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.001	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
1807846		5.33	0.025		<0.2	5.32	136	<10	1000	0.5	6	3.15	<0.5	12	109	19
1807847		5.14	0.109		0.2	5.07	222	<10	840	0.5	7	3.01	<0.5	13	118	42
1807848		5.07	0.064		0.2	4.77	72	<10	740	<0.5	6	2.98	<0.5	12	119	24
1807849		5.98	0.028		0.2	5.91	37	10	710	0.7	4	3.44	<0.5	13	92	30
1807850		0.07	2.12		1.2	1.15	7	10	90	<0.5	3	3.61	<0.5	16	14	1900
1807851		1.57	0.003		0.2	2.80	7	<10	1060	0.6	3	3.77	<0.5	19	72	60
1807852		5.55	0.129		0.2	4.85	151	10	660	0.8	10	2.98	<0.5	15	100	35
1807853		4.99	0.088		0.2	4.61	39	20	470	0.8	7	2.58	<0.5	13	84	36
1807854		5.45	0.030		0.2	4.52	67	10	510	0.8	4	2.78	<0.5	13	82	40
1807855		5.64	0.069		0.3	4.18	433	10	410	0.8	6	2.39	<0.5	13	89	31
1807856		5.25	0.110		0.2	3.97	85	20	400	0.7	4	2.17	<0.5	12	75	25
1807857		4.64	0.153		0.2	3.45	56	10	260	0.6	3	1.93	<0.5	13	72	27
1807858		5.31	0.097		<0.2	4.26	139	10	290	1.4	6	3.84	<0.5	13	68	40
1807859		5.47	0.045		<0.2	4.27	73	10	410	0.8	2	2.43	<0.5	13	64	29
1807860		0.86	<0.001		<0.2	0.38	3	<10	360	<0.5	<2	2.83	<0.5	2	11	4
1807861		5.52	1.020		0.3	4.20	184	10	450	0.9	25	2.39	<0.5	14	65	22
1807862		5.02	0.078		<0.2	4.43	48	10	570	0.9	8	2.36	<0.5	13	70	22
1807863		3.97	0.717		0.2	3.88	100	<10	740	0.9	29	2.16	<0.5	13	77	28
1807864		3.16	0.200		<0.2	3.57	166	<10	650	0.8	14	2.08	<0.5	15	103	41
1807865		1.49	3.99		3.8	1.85	>10000	10	60	0.8	274	1.09	<0.5	21	82	24
1807866		4.06	0.168		0.3	4.45	168	10	520	1.0	15	2.49	<0.5	14	88	40
1807867		5.12	0.061		<0.2	4.72	205	<10	590	1.4	7	2.79	<0.5	12	78	26
1807868		5.55	0.008		<0.2	5.25	28	10	1100	0.9	4	2.68	<0.5	13	79	28
1807869		3.53	0.087		0.2	3.73	366	10	480	0.9	9	1.95	<0.5	14	75	25
1807870		0.07	0.520		0.6	1.52	17	10	190	<0.5	<2	2.56	0.6	15	25	776



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **SITKA GOLD CORP**
1500-409 GRANVILLE ST.
VANCOUVER BC V6C 1T2

Page: 6 - B
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 10-OCT-2020
 Account: TISLOG

Project: RC Gold

CERTIFICATE OF ANALYSIS WH20188155

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	
Units		%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	
LOD		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	
1807846		3.25	10	1	1.15	10	1.54	315	1	0.36	10	990	5	0.11	<2	5
1807847		3.44	10	1	1.24	10	1.65	322	1	0.35	11	960	5	0.23	3	6
1807848		3.36	10	1	1.02	10	1.61	329	1	0.32	11	900	4	0.21	2	6
1807849		3.24	10	1	1.16	10	1.46	255	1	0.47	14	1150	6	0.13	2	5
1807850		3.71	10	1	0.27	10	1.26	466	72	0.04	13	1600	18	2.42	3	6
1807851		4.80	10	1	2.09	30	2.35	818	3	0.10	29	2000	4	0.49	3	15
1807852		3.71	10	1	1.36	20	1.70	357	4	0.44	16	1450	7	0.17	<2	6
1807853		3.45	10	1	1.33	20	1.52	290	2	0.41	14	1350	8	0.12	2	5
1807854		3.63	10	1	1.32	20	1.56	328	1	0.37	14	1290	8	0.14	<2	6
1807855		3.92	10	1	1.37	20	1.72	367	1	0.32	15	1220	9	0.18	3	8
1807856		3.37	10	1	1.27	20	1.48	290	1	0.35	12	1170	6	0.12	<2	6
1807857		3.37	10	<1	0.76	20	1.38	308	3	0.27	14	1180	8	0.11	3	4
1807858		3.32	10	1	0.91	20	1.45	323	2	0.16	14	1200	9	0.04	2	6
1807859		3.45	10	<1	1.09	20	1.46	316	2	0.31	13	1310	8	0.10	<2	5
1807860		1.14	<10	<1	0.23	20	1.67	275	<1	0.02	7	370	2	0.01	<2	2
1807861		3.32	10	<1	1.19	20	1.42	299	1	0.29	14	1190	13	0.04	2	5
1807862		3.44	10	1	1.38	20	1.48	319	2	0.34	14	1250	8	0.05	<2	5
1807863		3.53	10	<1	1.28	20	1.52	386	2	0.27	13	1110	10	0.10	<2	6
1807864		3.93	10	<1	1.49	20	1.87	422	3	0.23	18	1190	8	0.18	<2	8
1807865		11.30	10	<1	0.18	10	1.21	269	2	0.01	11	700	159	2.02	96	5
1807866		4.10	10	<1	1.63	20	2.02	384	2	0.28	13	1190	8	0.17	<2	10
1807867		3.60	10	<1	1.40	20	1.67	359	1	0.22	12	1140	11	0.03	<2	7
1807868		3.91	10	1	1.64	20	1.66	386	2	0.44	13	1340	10	0.08	<2	6
1807869		3.60	10	<1	1.20	20	1.62	362	2	0.24	14	1100	8	0.04	3	6
1807870		3.64	10	<1	0.12	<10	1.27	644	12	0.10	16	860	24	0.59	2	6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **SITKA GOLD CORP**
1500-409 GRANVILLE ST.
VANCOUVER BC V6C 1T2

Page: 6 - C
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 10-OCT-2020
 Account: TISLOG

Project: RC Gold

CERTIFICATE OF ANALYSIS WH20188155

Sample Description	Method Analyte Units LOD	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Sr ppm 1	Th ppm 20	Ti % 0.01	Tl ppm 10	U ppm 10	V ppm 1	W ppm 10	Zn ppm 2
1807846		255	<20	0.33	<10	<10	107	<10	47
1807847		228	<20	0.32	<10	<10	111	10	45
1807848		217	<20	0.32	<10	<10	109	10	47
1807849		309	<20	0.28	<10	<10	99	10	60
1807850		354	<20	0.05	<10	<10	97	<10	62
1807851		181	20	0.37	<10	<10	150	<10	55
1807852		274	<20	0.34	<10	<10	106	20	65
1807853		248	<20	0.36	<10	<10	98	20	71
1807854		274	<20	0.36	<10	<10	99	<10	70
1807855		330	<20	0.33	<10	<10	102	30	69
1807856		214	<20	0.34	<10	<10	92	20	65
1807857		168	<20	0.29	<10	<10	81	50	66
1807858		172	<20	0.28	<10	<10	90	10	70
1807859		218	<20	0.33	<10	<10	88	40	75
1807860		24	<20	0.06	<10	<10	15	<10	25
1807861		243	<20	0.35	<10	<10	89	10	69
1807862		237	<20	0.38	<10	<10	96	<10	72
1807863		179	20	0.36	<10	<10	92	30	64
1807864		149	<20	0.34	<10	<10	108	20	62
1807865		65	<20	0.01	<10	<10	20	119	25
1807866		189	<20	0.31	<10	<10	106	20	62
1807867		159	<20	0.35	<10	<10	97	<10	65
1807868		285	<20	0.41	<10	<10	106	<10	80
1807869		174	<20	0.32	<10	<10	93	120	58
1807870		121	<20	0.07	<10	<10	86	<10	125



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **SITKA GOLD CORP**
1500-409 GRANVILLE ST.
VANCOUVER BC V6C 1T2

Page: **Appendix 1**
Total # Appendix Pages: **1**
Finalized Date: **10-OCT-2020**
Account: **TISLOG**

Project: RC Gold

CERTIFICATE OF ANALYSIS WH20188155

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method:	Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.			
	BAG-01	CRU-31	CRU-QC	LOG-21
	LOG-23	PUL-32	PUL-QC	SPL-21
	WEI-21			
Applies to Method:	Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.			
	Au-GRA21	Au-ICP21	ME-ICP41	



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **SITKA GOLD CORP**
1500-409 GRANVILLE ST.
VANCOUVER BC V6C 1T2

Page: 1
 Total # Pages: 2 (A)
 Plus Appendix Pages
 Finalized Date: 31-DEC-2020
 Account: TISLOG

CERTIFICATE WH20252743

Project: RC Gold
 P.O. No.: RC 200821-DD-01
 This report is for 185 Pulp samples submitted to our lab in Whitehorse, YT, Canada on 2-NOV-2020.
 The following have access to data associated with this certificate:

COR COE RYAN COE	RYAN COE GREG DAWSON	COR COE DONALD PENNER
---------------------	-------------------------	--------------------------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
FND-04	Find Bulk Master for Addn Analysis
SCR-21	Dry Screen 1kg to 106um

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR24	Au Screen FA Double Minus 50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Saa Traxler, General Manager, North Vancouver



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: SITKA GOLD CORP
 1500-409 GRANVILLE ST.
 VANCOUVER BC V6C 1T2

Page: 2 - A
 Total # Pages: 2 (A)
 Plus Appendix Pages
 Finalized Date: 31-DEC-2020
 Account: TISLOG

Project: RC Gold

CERTIFICATE OF ANALYSIS WH20252743

Sample Description	Method Analyte Units LOD	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-AA26	Au-AA26D
		Au Total ppm	Au (+) F ppm	Au (-) F ppm	Au (+) m mg	WT. + Fr g	WT. - Fr g	Au ppm	Au ppm
1807699		5.67	6.97	5.58	0.501	71.87	961.7	5.57	5.58
1807704		0.52	0.76	0.51	0.054	70.67	850.4	0.50	0.51
1807717		3.37	2.13	3.50	0.188	88.34	846.8	3.51	3.48
1807731		0.92	3.67	0.84	0.092	25.07	814.7	0.98	0.70
1807734		0.46	0.36	0.47	0.025	70.12	826.8	0.49	0.45
1807745		0.49	0.39	0.51	0.029	74.97	766.5	0.50	0.51
1807747		1.77	3.12	1.74	0.064	20.51	806.2	1.77	1.71
1807749		1.65	1.87	1.64	0.102	54.55	800.7	1.67	1.61
1807774		0.13	0.07	0.14	0.005	70.36	788.8	0.14	0.14
1807775		0.97	0.57	1.01	0.042	73.07	768.6	1.05	0.97
1807778		1.52	1.81	1.51	0.052	28.77	665.1	1.44	1.58
1807781		3.18	1.66	3.22	0.034	20.53	868.4	3.15	3.29
1807801		0.32	0.12	0.34	0.008	67.06	909.6	0.33	0.34
1807826		0.14	0.10	0.15	0.007	71.11	790.8	0.15	0.14
1807828		0.33	0.53	0.32	0.026	49.29	778.6	0.32	0.32
1807831		1.37	0.95	1.41	0.063	66.21	766.1	1.39	1.43
1807835		10.10	16.50	9.77	0.644	39.04	781.4	9.76	9.78
1807842		8.58	6.72	8.67	0.264	39.30	819.0	8.58	8.75
1807861		1.03	1.00	1.04	0.074	74.27	741.0	1.03	1.04
1807865		4.40	4.55	4.39	0.219	48.13	740.3	4.41	4.36



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **SITKA GOLD CORP**
1500-409 GRANVILLE ST.
VANCOUVER BC V6C 1T2

Page: **Appendix 1**
Total # Appendix Pages: **1**
Finalized Date: **31-DEC-2020**
Account: **TISLOG**

Project: RC Gold

CERTIFICATE OF ANALYSIS WH20252743

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
FND-04

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-AA26 Au-AA26D Au-SCR24 SCR-21



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **SITKA GOLD CORP**
1500-409 GRANVILLE ST.
VANCOUVER BC V6C 1T2

Page: 1
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 8-OCT-2020
Account: TISLOG

CERTIFICATE WH20188156

Project: RC Gold
 P.O. No.: RC 200825-DD-01
 This report is for 166 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 28-AUG-2020.
 The following have access to data associated with this certificate:

COR COE RYAN COE	RYAN COE GREG DAWSON	COR COE DONALD PENNER
---------------------	-------------------------	--------------------------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Saa Traxler, General Manager, North Vancouver



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **SITKA GOLD CORP**
1500-409 GRANVILLE ST.
VANCOUVER BC V6C 1T2

Page: 2 - A
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 8-OCT-2020
 Account: TISLOG

Project: RC Gold

CERTIFICATE OF ANALYSIS WH20188156

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
Units		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
LOD		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
1807871		6.61	0.069	0.2	4.32	112	20	410	0.8	3	1.90	<0.5	14	98	33	3.17
1807872		3.40	0.098	0.2	3.89	106	10	340	0.8	3	1.54	<0.5	14	93	27	3.15
1807873		5.52	0.496	0.2	3.31	99	10	700	0.7	16	1.90	<0.5	15	121	27	3.24
1807874		4.63	0.036	0.2	4.06	208	20	390	0.8	2	1.66	<0.5	13	102	23	3.14
1807875		5.10	0.212	0.2	4.39	334	10	470	0.8	9	1.88	<0.5	25	151	45	3.60
1807876		5.12	0.159	0.2	4.15	412	10	440	0.8	6	1.55	<0.5	15	118	25	3.58
1807877		4.25	0.091	0.3	4.04	102	10	570	0.9	6	1.42	<0.5	14	135	24	3.80
1807878		3.86	0.011	0.3	3.74	36	10	780	0.8	<2	1.72	<0.5	15	113	21	3.62
1807879		5.08	0.959	0.3	2.10	101	<10	1210	0.6	31	1.62	<0.5	21	121	48	3.20
1807880		0.91	0.005	0.2	0.28	4	10	160	<0.5	2	6.02	<0.5	3	19	4	1.97
1807881		5.81	0.012	0.2	2.21	18	<10	1740	0.5	<2	2.44	<0.5	24	237	55	3.77
1807882		5.79	0.002	0.3	1.98	22	<10	1470	0.5	2	2.15	<0.5	24	236	56	3.58
1807883		4.66	0.002	0.4	1.81	23	<10	1360	0.5	<2	1.70	<0.5	23	179	53	3.36
1807884		5.39	1.805	0.3	2.28	122	10	1120	0.6	46	1.31	<0.5	20	128	46	3.23
1807885		4.35	0.260	0.2	4.11	1270	20	430	0.7	16	1.88	<0.5	15	155	34	3.39
1807886		5.52	0.762	0.3	4.25	311	20	420	0.7	24	2.12	<0.5	15	129	30	2.85
1807887		5.54	0.035	0.2	4.44	268	20	510	0.7	<2	2.28	<0.5	13	141	22	2.95
1807888		4.88	0.527	0.2	4.11	6930	10	390	0.7	10	2.01	<0.5	13	150	26	3.29
1807889		5.64	0.564	0.2	3.90	3380	20	320	0.7	16	2.03	<0.5	15	126	28	2.80
1807890		0.07	2.14	1.3	1.19	13	10	120	<0.5	3	3.64	<0.5	16	15	1940	3.81
1807891		5.86	0.048	<0.2	4.36	325	20	430	0.7	5	2.30	<0.5	13	130	31	2.73
1807892		5.14	0.091	0.3	4.58	218	20	690	0.7	4	2.49	<0.5	14	118	36	3.36
1807893		5.72	0.267	0.2	4.51	41	20	690	0.6	4	2.32	<0.5	13	92	26	3.03
1807894		5.42	0.006	<0.2	4.76	57	20	670	0.7	<2	2.50	<0.5	14	116	30	3.32
1807895		5.54	0.032	0.2	4.67	173	20	700	0.6	<2	2.33	<0.5	14	103	34	3.35
1807896		5.62	0.048	0.2	4.77	291	20	700	0.7	<2	2.41	<0.5	13	109	31	3.39
1807897		5.67	0.096	0.3	4.73	512	20	710	0.7	5	2.44	<0.5	14	114	36	3.52
1807898		3.64	0.088	0.2	4.54	236	20	550	0.7	4	2.21	<0.5	14	130	39	3.66
1807899		3.51	0.380	0.2	0.95	436	<10	110	0.7	13	0.41	<0.5	5	14	13	0.71
1807900		0.89	0.001	<0.2	0.39	5	<10	480	<0.5	<2	3.16	<0.5	4	21	14	1.72
1807901		3.82	0.168	<0.2	0.78	1170	<10	130	0.6	7	0.45	<0.5	5	10	8	0.60
1807902		4.32	0.912	<0.2	0.83	1560	<10	130	0.5	29	0.56	<0.5	5	19	26	1.02
1807903		5.04	0.108	0.2	4.74	106	20	620	0.7	6	2.41	<0.5	13	105	39	3.26
1807904		5.48	0.065	0.3	4.74	160	20	600	0.6	3	2.55	<0.5	12	93	29	2.87
1807905		4.92	0.090	0.2	4.73	485	20	610	0.7	3	2.42	<0.5	13	106	26	3.12
1807906		4.68	0.234	<0.2	4.67	4080	20	570	0.7	6	2.39	<0.5	13	109	28	3.20
1807907		5.72	0.224	<0.2	4.53	982	20	560	0.7	8	2.30	<0.5	12	108	42	3.17
1807908		5.63	0.025	<0.2	4.39	41	20	470	0.6	<2	2.36	<0.5	11	87	29	2.56
1807909		5.60	0.057	0.4	4.76	32	20	510	0.7	2	2.58	<0.5	13	90	29	2.79
1807910		0.07	0.510	0.6	1.53	13	10	190	<0.5	2	2.52	0.7	14	24	779	3.62



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **SITKA GOLD CORP**
1500-409 GRANVILLE ST.
VANCOUVER BC V6C 1T2

Page: 2 - B
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 8-OCT-2020
 Account: TISLOG

Project: RC Gold

CERTIFICATE OF ANALYSIS WH20188156

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
Units		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
LOD		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
1807871		10	1	1.40	20	1.51	267	1	0.44	14	960	7	0.02	3	6	188
1807872		10	<1	1.17	20	1.46	301	1	0.34	15	900	8	<0.01	2	5	158
1807873		10	<1	1.27	20	1.59	347	1	0.29	20	1050	9	0.07	<2	6	162
1807874		10	<1	1.34	20	1.58	289	<1	0.38	14	960	8	0.01	<2	6	167
1807875		10	1	1.39	20	1.64	328	1	0.35	82	980	8	0.18	2	7	206
1807876		10	<1	1.50	20	1.64	340	1	0.33	18	760	8	0.03	<2	8	167
1807877		10	1	1.55	20	1.92	373	1	0.27	15	1260	9	0.03	<2	9	178
1807878		10	1	1.66	20	1.76	355	1	0.30	17	1770	8	0.09	<2	6	195
1807879		10	1	1.20	20	1.51	408	1	0.13	41	1390	13	0.15	2	4	123
1807880		<10	<1	0.11	10	2.46	530	<1	0.02	8	1150	3	<0.01	<2	1	53
1807881		10	1	1.71	10	2.12	567	2	0.09	50	1440	9	0.24	<2	5	175
1807882		10	<1	1.26	20	2.14	514	1	0.05	51	1430	11	0.19	2	4	117
1807883		10	<1	0.98	20	1.71	439	1	0.08	50	1460	15	0.23	<2	4	112
1807884		10	1	1.24	20	1.51	381	1	0.15	38	1330	15	0.10	2	4	114
1807885		10	1	1.40	20	1.76	280	2	0.38	21	730	10	0.16	2	8	187
1807886		10	1	1.23	20	1.56	248	2	0.42	22	690	9	0.07	<2	5	204
1807887		10	<1	1.18	10	1.58	257	1	0.44	22	700	10	0.06	<2	5	223
1807888		10	<1	1.09	10	1.57	219	1	0.38	21	670	10	0.29	6	6	201
1807889		10	<1	0.91	10	1.39	198	1	0.38	20	640	10	0.18	3	5	191
1807890		10	1	0.28	10	1.29	475	74	0.04	12	1660	19	2.40	4	6	359
1807891		10	1	1.14	10	1.48	230	1	0.43	19	700	9	0.11	2	5	213
1807892		10	1	1.34	10	1.62	281	2	0.38	17	710	9	0.19	2	6	207
1807893		10	1	1.29	10	1.36	240	2	0.37	16	720	7	0.12	<2	5	200
1807894		10	1	1.33	10	1.55	265	2	0.40	15	730	8	0.17	2	7	206
1807895		10	1	1.29	10	1.50	270	2	0.37	15	720	8	0.15	2	6	208
1807896		10	<1	1.32	10	1.54	283	2	0.39	16	730	8	0.14	2	6	216
1807897		10	<1	1.40	10	1.62	287	2	0.38	16	720	9	0.22	<2	7	205
1807898		10	1	1.14	10	1.71	307	2	0.34	17	700	8	0.14	2	8	195
1807899		<10	<1	0.16	20	0.18	60	<1	0.14	4	210	5	0.01	<2	1	65
1807900		<10	1	0.16	10	1.26	363	1	0.04	6	380	2	0.02	<2	2	36
1807901		<10	<1	0.12	20	0.10	56	<1	0.13	3	190	3	0.03	<2	1	47
1807902		<10	<1	0.16	20	0.15	69	1	0.11	3	200	4	0.11	2	1	54
1807903		10	1	1.25	10	1.43	256	1	0.39	18	740	9	0.13	2	6	219
1807904		10	1	1.20	10	1.27	215	2	0.41	15	740	9	0.12	<2	6	220
1807905		10	<1	1.28	10	1.43	245	2	0.40	16	730	8	0.13	2	7	211
1807906		10	1	1.25	10	1.40	217	2	0.39	16	730	10	0.25	6	7	212
1807907		10	1	1.27	10	1.38	221	2	0.37	15	720	8	0.16	2	7	206
1807908		10	<1	1.04	10	1.15	193	2	0.39	16	710	8	0.09	<2	5	226
1807909		10	1	1.09	10	1.22	205	2	0.43	17	740	9	0.14	<2	5	227
1807910		10	1	0.12	<10	1.24	642	14	0.10	15	840	22	0.57	<2	6	121



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **SITKA GOLD CORP**
1500-409 GRANVILLE ST.
VANCOUVER BC V6C 1T2

Page: 2 - C
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 8-OCT-2020
 Account: TISLOG

Project: RC Gold

CERTIFICATE OF ANALYSIS WH20188156

Sample Description	Method Analyte Units LOD	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Tl	U	V	W	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm
		20	0.01	10	10	1	10	2
1807871		<20	0.31	<10	<10	77	20	56
1807872		<20	0.27	<10	<10	71	40	58
1807873		<20	0.33	<10	<10	88	20	57
1807874		<20	0.28	<10	<10	78	20	54
1807875		<20	0.32	<10	<10	87	10	65
1807876		<20	0.31	<10	<10	94	10	64
1807877		<20	0.37	<10	<10	105	<10	62
1807878		<20	0.40	<10	<10	104	<10	67
1807879		<20	0.33	<10	<10	96	10	71
1807880		<20	0.03	<10	<10	12	<10	13
1807881		<20	0.36	<10	<10	119	<10	87
1807882		<20	0.35	<10	<10	113	<10	84
1807883		<20	0.35	<10	<10	103	<10	85
1807884		<20	0.32	<10	<10	93	<10	72
1807885		<20	0.26	<10	<10	94	100	55
1807886		<20	0.23	<10	<10	86	40	56
1807887		<20	0.25	<10	<10	87	10	59
1807888		<20	0.19	<10	<10	87	20	50
1807889		<20	0.17	<10	<10	79	50	45
1807890		<20	0.06	<10	<10	103	<10	66
1807891		<20	0.21	<10	<10	83	10	51
1807892		<20	0.27	<10	<10	93	10	62
1807893		<20	0.27	<10	<10	84	<10	62
1807894		<20	0.30	<10	<10	95	<10	63
1807895		<20	0.28	<10	<10	89	<10	67
1807896		<20	0.29	<10	<10	92	10	67
1807897		<20	0.29	<10	<10	95	20	66
1807898		<20	0.28	<10	<10	101	30	61
1807899		20	0.02	<10	<10	7	230	7
1807900		<20	0.04	<10	<10	22	<10	19
1807901		20	0.01	<10	<10	3	10	5
1807902		20	0.02	<10	<10	7	90	5
1807903		<20	0.29	<10	<10	89	10	63
1807904		<20	0.28	<10	<10	85	10	60
1807905		<20	0.28	<10	<10	90	10	61
1807906		<20	0.27	<10	<10	91	20	56
1807907		<20	0.26	<10	<10	89	30	57
1807908		<20	0.26	<10	<10	76	<10	55
1807909		<20	0.26	<10	<10	79	<10	57
1807910		<20	0.07	<10	<10	86	<10	126



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **SITKA GOLD CORP**
1500-409 GRANVILLE ST.
VANCOUVER BC V6C 1T2

Page: 3 - A
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 8-OCT-2020
 Account: TISLOG

Project: RC Gold

CERTIFICATE OF ANALYSIS WH20188156

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
Units		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
LOD		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
1807911		3.88	0.082	0.2	4.51	275	20	450	0.6	2	2.49	<0.5	11	93	30	2.70
1807912		6.33	0.557	0.2	4.32	1260	10	420	0.8	23	1.90	<0.5	18	159	33	3.75
1807913		5.70	0.043	0.2	3.91	74	10	410	0.7	<2	2.03	<0.5	13	119	25	3.17
1807914		6.73	0.006	<0.2	4.57	33	20	530	0.6	<2	2.50	<0.5	12	87	26	2.77
1807915		2.16	1.165	0.4	3.98	768	20	480	0.6	76	2.08	<0.5	12	96	27	2.88
1807916		4.19	0.040	0.2	4.52	126	20	540	0.6	<2	2.41	<0.5	13	98	29	2.98
1807917		4.94	0.048	0.2	4.42	56	20	520	0.6	3	2.44	<0.5	12	116	28	3.09
1807918		4.33	0.303	0.3	3.99	743	10	400	0.6	10	2.00	<0.5	14	138	24	3.31
1807919		3.54	0.142	<0.2	4.21	174	10	460	0.7	3	1.98	<0.5	12	104	31	2.95
1807920		0.92	0.001	<0.2	0.74	4	10	160	<0.5	<2	4.22	<0.5	6	25	7	1.95
1807921		5.58	0.121	0.2	4.46	209	10	590	0.6	5	2.25	<0.5	12	104	31	3.21
1807922		4.21	0.005	0.2	4.46	30	20	500	0.6	<2	2.43	<0.5	11	75	23	2.73
1807923		4.96	0.006	0.2	4.77	33	20	490	0.6	<2	2.62	<0.5	11	78	28	2.52
1807924		4.55	0.094	0.2	4.60	180	10	510	0.7	2	2.42	<0.5	13	102	32	3.13
1807925		3.25	0.629	0.4	4.66	308	10	470	1.2	22	2.08	<0.5	13	115	38	3.30
1807926		2.62	0.061	0.2	4.26	69	10	490	0.7	2	1.92	<0.5	10	78	33	2.69
1807927		4.16	0.040	0.3	4.41	64	10	570	0.6	2	2.14	<0.5	12	89	29	3.00
1807928		4.82	0.082	0.2	4.20	227	10	450	0.6	4	2.12	<0.5	12	109	26	2.97
1807929		5.58	0.077	0.2	4.44	1040	20	480	0.6	3	2.45	<0.5	14	107	27	3.07
1807930		0.07	0.440	0.7	1.57	15	10	190	<0.5	<2	2.62	0.7	14	25	798	3.71
1807931		5.80	0.083	0.2	3.86	730	20	330	0.7	3	2.12	<0.5	16	111	34	3.23
1807932		5.16	0.044	0.2	4.07	904	20	380	0.7	2	2.14	<0.5	16	105	34	3.24
1807933		5.65	0.012	0.2	4.22	78	20	370	0.7	<2	2.27	<0.5	16	91	33	2.86
1807934		5.45	0.051	0.2	3.98	108	20	300	0.6	3	2.42	<0.5	14	85	34	2.57
1807935		5.48	0.152	0.2	4.09	290	20	380	0.6	7	2.08	<0.5	16	94	40	2.97
1807936		5.79	0.061	0.2	3.93	211	20	330	0.6	2	1.99	<0.5	14	96	39	2.86
1807937		5.84	0.267	0.2	3.92	714	20	350	0.6	10	2.01	<0.5	15	89	31	2.85
1807938		5.04	0.018	0.2	4.13	101	30	360	0.7	2	2.11	<0.5	16	92	43	2.84
1807939		5.69	0.099	<0.2	4.32	442	20	410	0.7	5	2.22	<0.5	16	89	31	2.88
1807940		0.86	<0.001	<0.2	0.43	7	10	320	<0.5	<2	5.48	<0.5	4	15	7	1.46
1807941		6.05	0.086	0.2	4.27	616	20	440	0.6	4	2.15	<0.5	16	94	30	3.02
1807942		5.26	0.264	0.2	4.27	182	20	400	0.7	9	2.14	<0.5	15	94	33	3.02
1807943		2.93	0.351	0.2	4.26	4470	10	510	0.7	6	1.69	<0.5	18	115	37	3.97
1807944		5.32	0.307	<0.2	4.89	2100	10	630	0.8	10	2.19	<0.5	18	107	40	3.62
1807945		5.08	0.027	<0.2	4.34	84	10	420	0.7	<2	2.10	<0.5	14	90	29	2.90
1807946		1.31	3.11	0.3	1.98	3800	<10	180	0.5	103	0.91	<0.5	26	61	13	3.06
1807947		5.91	0.116	<0.2	4.07	129	<10	480	0.7	6	1.64	<0.5	14	102	30	3.17
1807948		2.37	1.375	0.3	3.41	421	<10	380	0.9	37	1.00	<0.5	15	125	27	3.24
1807949		3.73	0.109	0.2	4.23	235	<10	450	0.8	3	1.75	<0.5	17	116	29	3.26
1807950		0.07	0.441	0.5	1.56	15	10	190	<0.5	<2	2.53	0.7	15	25	778	3.59



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **SITKA GOLD CORP**
1500-409 GRANVILLE ST.
VANCOUVER BC V6C 1T2

Page: 3 - B
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 8-OCT-2020
 Account: TISLOG

Project: RC Gold

CERTIFICATE OF ANALYSIS WH20188156

Sample Description	Method Analyte Units LOD	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm
1807911	10	<1	1.08	10	1.21	205	2	0.40	16	720	7	0.15	<2	5	221
1807912	10	<1	1.12	10	1.86	270	2	0.29	19	710	9	0.12	<2	10	176
1807913	10	<1	0.82	10	1.52	273	2	0.29	15	710	7	0.10	<2	6	176
1807914	10	<1	1.09	10	1.22	216	2	0.40	17	730	9	0.13	<2	5	215
1807915	10	<1	1.06	10	1.24	197	2	0.32	14	640	6	0.12	<2	5	182
1807916	10	1	1.19	10	1.30	229	2	0.39	14	710	8	0.16	2	6	215
1807917	10	<1	1.21	10	1.47	244	2	0.36	15	710	9	0.18	<2	7	221
1807918	10	<1	0.86	10	1.70	268	1	0.26	15	680	7	0.07	3	7	316
1807919	10	<1	0.94	10	1.45	245	1	0.30	15	710	7	0.07	<2	6	189
1807920	<10	1	0.28	10	2.22	308	<1	0.02	8	480	3	0.01	<2	3	40
1807921	10	1	1.22	10	1.48	261	2	0.36	15	680	8	0.15	2	6	201
1807922	10	1	1.06	10	1.14	216	2	0.38	14	710	8	0.11	<2	5	213
1807923	10	1	1.01	20	1.09	185	2	0.43	15	750	9	0.13	2	5	233
1807924	10	<1	1.04	10	1.41	254	1	0.35	16	740	7	0.13	2	6	216
1807925	10	1	1.09	20	1.49	273	1	0.22	16	710	9	0.03	2	8	367
1807926	10	<1	1.01	10	1.18	212	1	0.27	14	700	9	0.04	2	5	188
1807927	10	<1	1.14	10	1.37	237	2	0.32	15	700	9	0.08	2	5	204
1807928	10	<1	0.93	10	1.44	243	1	0.31	14	690	9	0.08	<2	6	189
1807929	10	1	1.07	20	1.45	229	2	0.37	20	750	9	0.17	2	6	210
1807930	10	<1	0.12	<10	1.27	652	13	0.11	17	850	22	0.58	2	6	125
1807931	10	1	0.97	20	1.71	254	2	0.29	43	840	8	0.18	2	5	160
1807932	10	1	1.15	20	1.68	247	2	0.33	43	820	7	0.21	3	6	159
1807933	10	1	1.15	20	1.42	218	2	0.38	43	840	6	0.18	2	5	178
1807934	10	1	1.04	20	1.31	265	2	0.35	39	800	7	0.16	<2	4	230
1807935	10	1	1.23	20	1.48	217	2	0.35	41	790	7	0.23	<2	5	174
1807936	10	<1	1.09	20	1.45	212	2	0.33	41	790	7	0.15	2	5	187
1807937	10	<1	1.15	20	1.39	214	2	0.34	40	770	5	0.19	<2	4	164
1807938	10	<1	1.19	20	1.39	207	2	0.37	45	830	8	0.21	2	5	171
1807939	10	1	1.31	20	1.44	215	2	0.39	41	830	7	0.19	3	5	174
1807940	<10	1	0.16	10	1.82	275	1	0.02	8	460	3	0.02	<2	1	46
1807941	10	1	1.39	20	1.53	229	2	0.37	41	820	6	0.20	<2	5	168
1807942	10	<1	1.25	20	1.51	235	2	0.37	42	830	8	0.18	2	5	170
1807943	10	1	1.56	20	1.89	272	2	0.28	47	800	7	0.19	4	8	192
1807944	10	1	1.73	10	1.90	281	3	0.36	43	860	7	0.25	3	8	175
1807945	10	<1	1.29	20	1.51	229	2	0.38	38	830	7	0.13	<2	5	182
1807946	10	<1	0.59	10	0.85	172	1	0.13	25	470	4	0.02	8	3	71
1807947	10	1	1.30	20	1.71	272	1	0.28	33	810	5	0.07	2	6	271
1807948	10	1	1.18	20	1.94	298	1	0.18	32	730	4	0.01	2	8	166
1807949	10	<1	1.40	20	1.88	288	1	0.30	37	830	4	0.07	<2	7	206
1807950	10	1	0.12	<10	1.26	640	13	0.10	14	890	21	0.60	2	6	125



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **SITKA GOLD CORP**
1500-409 GRANVILLE ST.
VANCOUVER BC V6C 1T2

Page: 3 - C
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 8-OCT-2020
 Account: TISLOG

Project: RC Gold

CERTIFICATE OF ANALYSIS WH20188156

Sample Description	Method Analyte Units LOD	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Th	Ti	Tl	U	V	W	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm
		20	0.01	10	10	1	10	2
1807911		<20	0.25	<10	<10	80	<10	55
1807912		<20	0.25	<10	<10	109	420	58
1807913		<20	0.26	<10	<10	89	10	63
1807914		<20	0.27	<10	<10	77	<10	61
1807915		<20	0.22	<10	<10	78	10	52
1807916		<20	0.25	<10	<10	82	10	58
1807917		<20	0.26	<10	<10	91	<10	60
1807918		<20	0.21	<10	<10	96	10	65
1807919		<20	0.23	<10	<10	83	<10	63
1807920		<20	0.07	<10	<10	30	<10	30
1807921		<20	0.25	<10	<10	84	10	62
1807922		<20	0.24	<10	<10	71	<10	58
1807923		<20	0.26	<10	<10	74	<10	56
1807924		<20	0.26	<10	<10	84	<10	63
1807925		<20	0.23	<10	<10	88	<10	63
1807926		<20	0.21	<10	<10	72	<10	56
1807927		<20	0.24	<10	<10	79	<10	62
1807928		<20	0.24	<10	<10	87	10	59
1807929		<20	0.25	<10	<10	86	30	65
1807930		<20	0.07	<10	<10	88	<10	132
1807931		<20	0.24	<10	<10	77	10	67
1807932		<20	0.26	<10	<10	79	10	72
1807933		<20	0.25	<10	<10	71	<10	66
1807934		<20	0.23	<10	<10	65	10	58
1807935		<20	0.24	<10	<10	73	30	63
1807936		<20	0.24	<10	<10	70	10	63
1807937		<20	0.23	<10	<10	69	<10	63
1807938		<20	0.23	<10	<10	72	10	60
1807939		<20	0.24	<10	<10	72	20	64
1807940		<20	0.04	<10	<10	14	<10	22
1807941		<20	0.25	<10	<10	74	10	67
1807942		<20	0.25	<10	<10	73	<10	69
1807943		<20	0.23	<10	<10	83	20	64
1807944		<20	0.26	<10	<10	84	10	72
1807945		<20	0.25	<10	<10	72	<10	67
1807946		<20	0.11	<10	<10	43	20	34
1807947		<20	0.26	<10	<10	79	10	64
1807948		<20	0.21	<10	<10	85	10	53
1807949		<20	0.25	<10	<10	84	10	63
1807950		<20	0.07	<10	<10	88	<10	128



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **SITKA GOLD CORP**
1500-409 GRANVILLE ST.
VANCOUVER BC V6C 1T2

Page: 4 - A
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 8-OCT-2020
 Account: TISLOG

Project: RC Gold

CERTIFICATE OF ANALYSIS WH20188156

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
Units		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
LOD		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
1774001		2.57	3.27	0.7	2.07	>10000	<10	160	0.7	199	0.81	<0.5	22	108	18	4.04
1774002		4.42	0.272	<0.2	4.18	605	<10	480	0.9	7	1.61	<0.5	20	140	26	3.67
1774003		3.96	0.084	<0.2	4.50	89	<10	440	1.0	4	1.67	<0.5	15	104	28	3.10
1774004		2.93	0.237	<0.2	4.58	100	<10	500	1.1	11	1.35	<0.5	17	112	32	3.42
1774005		2.16	0.822	<0.2	3.10	415	<10	240	1.0	27	0.75	<0.5	21	115	23	3.33
1774006		5.73	0.097	<0.2	4.41	60	10	380	0.7	5	2.16	<0.5	15	92	31	2.82
1774007		5.27	0.164	<0.2	3.96	328	10	320	0.7	6	2.34	<0.5	15	95	30	2.85
1774008		5.88	0.020	0.2	4.43	47	20	380	0.7	2	2.25	<0.5	14	88	31	2.76
1774009		4.61	0.317	0.2	4.37	106	10	400	0.7	12	2.17	<0.5	17	102	29	3.00
1774010		5.54	0.781	0.4	4.27	314	10	380	0.7	45	2.23	<0.5	15	94	29	2.77
1774011		0.07	2.26	1.3	1.21	8	<10	80	<0.5	2	3.65	<0.5	16	16	1945	3.80
1774012		3.10	0.103	<0.2	4.73	76	<10	390	1.3	5	1.76	<0.5	16	131	33	3.34
1774013		4.56	0.008	0.2	4.39	34	20	380	0.7	<2	2.24	<0.5	13	80	27	2.51
1774014		4.17	0.005	<0.2	4.43	37	10	350	0.7	<2	2.25	<0.5	13	82	27	2.58
1774015		2.58	0.295	<0.2	3.97	465	10	400	0.6	13	1.92	<0.5	14	111	35	3.00
1774016		4.16	0.023	0.2	4.56	59	10	480	0.6	<2	2.37	<0.5	15	97	31	2.87
1774017		5.42	0.156	<0.2	4.35	521	10	480	0.6	4	2.20	<0.5	16	109	26	3.02
1774018		5.79	0.305	<0.2	4.57	438	<10	590	0.6	10	2.31	<0.5	16	108	30	3.20
1774019		5.15	0.079	<0.2	4.18	111	10	380	0.7	2	2.08	<0.5	15	94	29	2.88
1774020		1.20	<0.001	<0.2	0.41	6	<10	520	<0.5	<2	3.50	<0.5	3	21	6	1.84
1774021		4.99	3.69	0.4	4.02	657	10	410	0.6	96	2.08	<0.5	16	98	27	2.97
1774022		5.05	0.171	0.2	4.33	156	10	450	0.7	6	2.19	<0.5	16	96	35	3.12
1774023		5.05	0.169	<0.2	4.31	124	<10	480	0.7	10	1.68	<0.5	17	108	32	3.40
1774024		5.31	0.019	<0.2	4.61	32	10	500	0.7	<2	2.34	<0.5	16	91	30	3.04
1774025		5.59	0.561	0.2	4.45	730	10	470	0.7	23	2.16	<0.5	22	93	28	3.25
1774026		4.97	0.035	<0.2	4.46	203	<10	470	0.6	<2	2.23	<0.5	16	99	39	3.31
1774027		4.77	0.158	<0.2	4.51	100	10	490	0.7	4	2.15	<0.5	16	102	32	3.41
1774028		5.98	0.027	<0.2	4.53	62	10	450	0.6	2	2.25	<0.5	15	83	28	2.98
1774029		5.67	0.133	<0.2	4.69	38	10	500	0.7	9	2.30	<0.5	16	93	37	3.24
1774030		0.07	0.497	0.5	1.52	13	10	190	<0.5	<2	2.59	0.7	14	25	778	3.55
1774031		4.99	0.028	<0.2	4.28	131	<10	330	0.7	2	2.09	<0.5	14	77	27	3.22
1774032		5.63	0.499	0.2	4.11	209	<10	330	0.7	15	1.84	<0.5	17	83	29	3.33
1774033		5.49	0.372	0.2	4.02	622	<10	330	0.7	12	1.70	<0.5	17	115	28	3.74
1774034		2.82	0.718	<0.2	3.53	1090	<10	320	0.5	38	1.83	<0.5	16	93	21	3.23
1774035		3.78	0.205	<0.2	4.28	498	<10	380	0.7	2	2.10	<0.5	14	80	24	3.29
1774036		3.14	0.414	<0.2	3.47	4040	<10	360	0.7	14	1.73	<0.5	17	98	32	3.52
1774037		5.55	0.166	<0.2	4.24	178	10	360	0.7	10	2.14	<0.5	14	74	27	3.17
1774038		5.11	0.346	0.2	4.28	481	10	340	0.7	7	2.19	<0.5	14	73	22	3.04
1774039		4.34	0.154	<0.2	4.10	833	<10	310	0.8	7	2.39	<0.5	15	102	24	3.46
1774040		1.07	<0.001	<0.2	0.26	7	<10	280	<0.5	<2	6.59	<0.5	2	15	3	2.95



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **SITKA GOLD CORP**
1500-409 GRANVILLE ST.
VANCOUVER BC V6C 1T2

Page: 4 - B
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 8-OCT-2020
 Account: TISLOG

Project: RC Gold

CERTIFICATE OF ANALYSIS WH20188156

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
Units		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
LOD		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
1774001		10	1	0.58	10	1.38	231	1	0.07	25	510	5	0.41	19	6	55
1774002		10	1	1.47	20	2.27	328	1	0.22	40	840	7	0.05	2	9	186
1774003		10	1	1.20	20	1.88	290	1	0.21	39	820	7	0.02	2	6	234
1774004		10	1	1.52	20	2.04	314	1	0.21	38	840	7	0.01	<2	7	183
1774005		10	1	0.82	20	1.78	264	<1	0.10	34	660	6	0.01	2	7	71
1774006		10	1	1.12	20	1.51	217	2	0.39	39	880	6	0.11	<2	5	184
1774007		10	1	0.95	20	1.57	254	2	0.33	38	870	7	0.15	<2	5	183
1774008		10	1	1.15	20	1.43	204	2	0.41	38	870	6	0.11	<2	4	221
1774009		10	1	1.17	20	1.57	238	2	0.37	40	880	8	0.11	2	5	203
1774010		10	<1	1.12	20	1.45	207	2	0.38	39	830	7	0.15	<2	4	189
1774011		10	1	0.27	10	1.32	479	78	0.04	11	1740	20	2.48	2	6	370
1774012		10	1	0.90	20	2.07	304	1	0.17	41	810	8	0.01	2	8	357
1774013		10	1	1.09	20	1.31	183	2	0.40	39	840	7	0.09	<2	4	317
1774014		10	1	1.08	20	1.34	191	1	0.40	38	840	6	0.07	<2	4	267
1774015		10	1	1.21	20	1.61	240	2	0.33	39	730	7	0.16	<2	6	175
1774016		10	1	1.23	20	1.45	227	2	0.40	38	850	6	0.15	<2	5	203
1774017		10	1	1.20	20	1.60	251	2	0.36	42	840	8	0.15	2	5	201
1774018		10	1	1.35	20	1.64	264	2	0.38	38	870	7	0.20	<2	6	207
1774019		10	1	1.09	20	1.51	223	2	0.35	37	860	8	0.14	2	5	219
1774020		<10	1	0.13	20	1.56	492	1	0.03	9	560	4	0.02	<2	2	41
1774021		10	1	1.15	20	1.51	231	2	0.33	36	820	7	0.17	4	5	182
1774022		10	1	1.22	20	1.59	242	2	0.34	41	840	7	0.19	3	5	184
1774023		10	<1	1.28	20	1.83	289	1	0.27	41	850	6	0.06	2	6	185
1774024		10	1	1.26	20	1.54	238	2	0.39	39	880	7	0.14	<2	5	225
1774025		10	1	1.24	20	1.62	245	2	0.35	39	830	7	0.12	2	5	237
1774026		10	1	1.20	20	1.70	264	2	0.35	40	850	8	0.18	<2	5	188
1774027		10	1	1.32	20	1.74	281	2	0.35	40	860	6	0.14	<2	6	174
1774028		10	1	1.23	20	1.48	226	2	0.38	40	860	8	0.12	2	4	197
1774029		10	1	1.41	20	1.60	252	2	0.39	39	850	8	0.14	2	5	195
1774030		10	<1	0.11	<10	1.24	642	13	0.10	15	880	20	0.58	2	6	123
1774031		10	1	1.37	20	1.50	284	2	0.35	19	970	7	0.13	<2	5	189
1774032		10	1	1.35	20	1.56	285	1	0.32	18	970	7	0.11	<2	6	178
1774033		10	1	1.28	20	1.94	346	1	0.27	19	1010	6	0.10	2	9	161
1774034		10	1	1.22	20	1.64	309	2	0.23	17	880	7	0.15	<2	8	132
1774035		10	1	1.42	20	1.56	290	1	0.35	17	970	6	0.13	<2	7	185
1774036		10	1	1.32	20	1.64	290	1	0.23	14	820	7	0.35	5	8	175
1774037		10	1	1.30	20	1.44	285	2	0.36	16	960	7	0.12	2	6	193
1774038		10	<1	1.28	20	1.39	248	2	0.37	16	990	8	0.11	<2	6	209
1774039		10	1	1.17	20	1.73	321	1	0.26	18	960	7	0.12	<2	8	269
1774040		<10	1	0.09	10	2.46	764	1	0.01	7	420	<2	0.02	<2	1	53



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **SITKA GOLD CORP**
1500-409 GRANVILLE ST.
VANCOUVER BC V6C 1T2

Page: 4 - C
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 8-OCT-2020
 Account: TISLOG

Project: RC Gold

CERTIFICATE OF ANALYSIS WH20188156

Sample Description	Method Analyte Units LOD	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Tl	U	V	W	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm
		20	0.01	10	10	1	10	2
1774001		<20	0.08	<10	<10	63	20	32
1774002		<20	0.26	<10	<10	97	60	60
1774003		<20	0.23	<10	<10	79	<10	66
1774004		<20	0.26	<10	<10	86	10	67
1774005		<20	0.13	<10	<10	72	40	51
1774006		<20	0.25	<10	<10	74	<10	66
1774007		<20	0.22	<10	<10	72	<10	65
1774008		<20	0.26	<10	<10	71	<10	64
1774009		<20	0.26	<10	<10	77	<10	68
1774010		<20	0.24	<10	<10	71	10	63
1774011		<20	0.06	<10	<10	105	<10	66
1774012		<20	0.22	<10	<10	82	<10	73
1774013		<20	0.25	<10	<10	64	<10	59
1774014		<20	0.24	<10	<10	66	<10	62
1774015		<20	0.23	<10	<10	73	70	60
1774016		<20	0.29	<10	<10	76	10	67
1774017		<20	0.27	<10	<10	80	10	73
1774018		<20	0.29	<10	<10	83	20	71
1774019		<20	0.25	<10	<10	72	10	68
1774020		<20	0.03	<10	<10	15	<10	21
1774021		<20	0.24	<10	<10	74	20	67
1774022		<20	0.25	<10	<10	76	10	72
1774023		<20	0.26	<10	<10	83	<10	74
1774024		<20	0.28	<10	<10	75	<10	73
1774025		<20	0.27	<10	<10	75	10	69
1774026		<20	0.27	<10	<10	76	20	75
1774027		<20	0.28	<10	<10	80	30	74
1774028		<20	0.26	<10	<10	70	<10	71
1774029		<20	0.26	<10	<10	76	20	71
1774030		<20	0.07	<10	<10	87	<10	129
1774031		<20	0.25	<10	<10	71	10	67
1774032		<20	0.24	<10	<10	74	10	63
1774033		<20	0.25	<10	<10	88	10	65
1774034		<20	0.22	<10	<10	76	20	59
1774035		<20	0.24	<10	<10	74	<10	63
1774036		<20	0.21	<10	<10	75	270	52
1774037		<20	0.26	<10	<10	69	10	62
1774038		<20	0.24	<10	<10	70	10	62
1774039		<20	0.21	<10	<10	80	10	68
1774040		<20	0.02	<10	<10	28	<10	13



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **SITKA GOLD CORP**
1500-409 GRANVILLE ST.
VANCOUVER BC V6C 1T2

Page: 5 - A
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 8-OCT-2020
 Account: TISLOG

Project: RC Gold

CERTIFICATE OF ANALYSIS WH20188156

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
Units		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
LOD		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
1774041		5.34	0.216	<0.2	3.74	1750	<10	230	0.7	11	2.37	<0.5	15	92	25	3.27
1774042		5.43	0.870	0.2	4.24	386	<10	350	0.7	30	2.16	<0.5	15	82	32	3.42
1774043		5.42	0.108	0.2	4.35	727	<10	360	0.7	2	2.17	<0.5	15	80	27	3.36
1774044		4.93	0.261	0.2	4.48	1520	<10	370	0.7	8	2.22	<0.5	16	98	30	3.66
1774045		5.89	0.314	<0.2	4.14	1320	<10	360	0.6	13	2.12	<0.5	16	96	33	3.47
1774046		5.54	0.122	<0.2	4.30	210	10	320	0.6	6	2.17	<0.5	14	70	27	3.05
1774047		5.54	1.165	0.3	4.36	1010	<10	520	0.9	38	1.99	<0.5	26	167	88	4.95
1774048		5.73	0.215	<0.2	4.31	1140	<10	400	0.7	5	2.06	<0.5	15	85	29	3.44
1774049		5.71	2.39	0.3	4.27	2270	<10	460	0.6	70	2.04	<0.5	15	94	27	3.39
1774050		0.07	2.26	1.3	1.21	11	<10	80	<0.5	2	3.73	<0.5	16	15	1940	3.79
1774051		4.91	0.230	0.2	4.29	1810	<10	380	0.7	8	2.13	<0.5	15	94	35	3.52
1774052		5.66	1.905	0.2	4.00	9530	<10	330	0.7	59	2.22	<0.5	71	92	29	4.12
1774053		6.47	0.200	<0.2	4.39	198	<10	360	0.7	9	2.18	<0.5	17	91	47	3.64
1774054		5.25	0.045	<0.2	4.44	32	<10	350	0.7	2	2.21	<0.5	15	78	33	3.37
1774055		5.41	0.077	<0.2	4.27	33	<10	370	0.6	6	2.21	<0.5	15	84	37	3.34
1774056		5.36	0.139	<0.2	3.72	388	<10	310	0.6	8	1.88	<0.5	17	89	61	3.68
1774057		5.24	0.194	0.2	4.79	74	<10	460	0.7	16	2.43	<0.5	22	88	60	4.24
1774058		5.60	0.149	0.2	3.92	273	<10	410	0.6	8	2.06	<0.5	15	100	30	3.30
1774059		5.98	2.34	0.3	4.23	1130	<10	600	0.9	79	2.20	<0.5	27	187	79	4.74
1774060		0.87	0.003	<0.2	0.24	6	<10	350	<0.5	<2	5.44	<0.5	2	11	4	1.64
1774061		5.44	2.64	0.4	4.35	527	<10	600	0.8	66	2.21	<0.5	15	125	37	3.73
1774062		5.34	1.015	0.4	4.65	486	<10	540	1.1	70	2.05	<0.5	23	179	123	5.49
1774063		5.33	0.618	<0.2	4.27	1680	<10	380	0.8	41	2.12	<0.5	18	86	38	3.56
1774064		5.74	0.019	<0.2	4.35	413	<10	370	0.7	2	2.17	<0.5	13	69	24	3.08
1774065		5.65	0.501	<0.2	4.12	143	<10	410	0.6	25	1.99	<0.5	14	93	37	3.46
1774066		5.32	0.420	0.2	4.40	1910	10	410	0.7	18	2.16	<0.5	15	94	31	3.25
1774067		5.28	0.339	0.2	4.62	1590	<10	430	0.9	21	2.59	<0.5	16	116	56	3.68
1774068		2.97	1.035	0.4	2.22	8110	<10	240	0.8	27	1.40	<0.5	15	51	174	4.40
1774069		5.79	0.695	0.3	3.57	2150	<10	380	0.8	24	1.89	<0.5	15	81	84	3.66
1774070		0.07	0.501	0.6	1.54	16	10	190	<0.5	<2	2.66	0.7	14	26	799	3.62
1774071		4.40	0.177	<0.2	4.51	84	<10	430	0.7	11	2.30	<0.5	15	97	32	3.33
1774072		2.83	2.23	0.3	3.26	2580	<10	320	0.7	118	1.78	<0.5	13	123	28	3.08
1774073		3.86	0.483	0.2	4.50	1940	<10	420	0.8	17	2.04	<0.5	15	135	27	3.67
1774074		5.21	0.486	0.2	4.10	926	<10	600	0.6	19	2.10	<0.5	24	175	74	4.36
1774075		5.58	0.786	0.4	4.47	2420	<10	560	0.7	30	2.22	<0.5	20	121	95	4.35
1774076		5.39	0.598	<0.2	4.37	566	<10	660	0.6	15	2.30	<0.5	16	96	26	3.18
1774077		4.91	4.64	0.7	4.78	3910	<10	870	0.6	137	2.41	<0.5	28	137	20	3.64
1774078		5.35	0.861	0.3	3.62	2330	<10	680	0.5	24	1.89	<0.5	21	125	55	3.70
1774079		5.29	0.728	0.2	0.96	714	<10	50	<0.5	29	0.57	<0.5	9	41	17	1.70
1774080		1.20	0.002	<0.2	0.50	8	<10	390	<0.5	<2	2.93	<0.5	5	21	8	1.69



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **SITKA GOLD CORP**
1500-409 GRANVILLE ST.
VANCOUVER BC V6C 1T2

Page: 5 - B
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 8-OCT-2020
 Account: TISLOG

Project: RC Gold

CERTIFICATE OF ANALYSIS WH20188156

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
Units		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
LOD		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
1774041		10	1	0.87	20	1.59	294	1	0.28	17	970	7	0.20	2	6	165
1774042		10	1	1.29	20	1.56	292	2	0.35	17	990	7	0.21	2	7	194
1774043		10	1	1.38	20	1.55	280	1	0.36	17	990	8	0.18	2	7	208
1774044		10	1	1.53	20	1.72	319	1	0.36	20	1030	6	0.26	3	8	219
1774045		10	2	1.37	20	1.62	295	1	0.34	19	980	6	0.24	4	7	188
1774046		10	1	1.29	20	1.36	240	1	0.36	16	980	7	0.12	<2	6	207
1774047		20	1	2.03	20	2.47	395	1	0.32	22	1070	5	0.62	2	13	160
1774048		10	1	1.53	20	1.60	292	1	0.33	17	960	6	0.21	3	7	220
1774049		10	1	1.44	20	1.61	302	2	0.32	21	920	7	0.27	4	7	225
1774050		10	<1	0.27	10	1.32	479	79	0.04	11	1750	19	2.49	2	6	375
1774051		10	1	1.52	20	1.64	284	2	0.34	17	960	6	0.30	3	9	184
1774052		10	1	1.25	20	1.63	300	2	0.30	28	920	7	0.61	8	7	230
1774053		10	1	1.44	20	1.66	325	1	0.35	16	970	6	0.28	2	8	192
1774054		10	1	1.38	20	1.51	287	2	0.37	17	990	7	0.19	<2	6	209
1774055		10	1	1.41	20	1.51	305	1	0.36	16	940	6	0.22	<2	7	212
1774056		10	1	1.20	20	1.52	300	1	0.29	24	890	4	0.49	2	7	160
1774057		10	1	1.59	20	1.78	331	1	0.39	30	1160	7	0.44	2	8	295
1774058		10	<1	1.27	20	1.63	309	2	0.31	17	910	6	0.18	2	7	176
1774059		20	1	1.75	20	2.30	395	2	0.32	28	940	6	0.58	2	11	167
1774060		<10	1	0.08	10	2.27	713	1	0.01	5	230	3	0.01	<2	2	56
1774061		10	1	1.44	20	1.82	331	2	0.34	20	900	5	0.29	3	9	213
1774062		20	1	2.14	20	2.58	408	2	0.37	20	1020	3	0.79	3	16	165
1774063		10	1	1.32	20	1.52	286	2	0.37	16	930	5	0.33	4	7	213
1774064		10	<1	1.29	20	1.39	267	1	0.41	12	990	6	0.12	<2	5	208
1774065		10	<1	1.41	20	1.55	300	1	0.37	14	860	5	0.23	2	7	187
1774066		10	1	1.43	20	1.57	251	2	0.43	13	950	6	0.23	2	7	202
1774067		10	1	1.53	20	1.83	286	1	0.36	14	950	5	0.30	3	9	181
1774068		10	<1	0.61	30	1.13	196	1	0.17	7	850	6	1.42	8	6	117
1774069		10	1	1.05	20	1.40	261	2	0.30	13	910	4	0.65	3	6	202
1774070		10	<1	0.12	<10	1.27	660	14	0.10	15	900	21	0.59	2	6	126
1774071		10	1	1.41	20	1.63	307	1	0.44	13	1000	5	0.15	2	6	266
1774072		10	<1	1.01	20	1.51	277	1	0.29	12	780	4	0.26	3	7	151
1774073		10	1	1.53	20	2.02	307	1	0.39	14	1030	4	0.14	3	10	203
1774074		10	1	1.60	10	2.14	362	1	0.25	72	1030	4	0.58	<2	9	198
1774075		10	1	1.71	20	2.01	351	2	0.31	23	890	5	0.67	5	9	217
1774076		10	<1	1.25	20	1.48	297	1	0.37	17	960	4	0.23	<2	5	235
1774077		10	1	1.54	20	1.85	334	3	0.38	29	940	6	0.35	3	8	242
1774078		10	<1	1.36	10	1.63	333	1	0.25	20	860	3	0.50	3	9	168
1774079		<10	<1	0.36	10	0.38	195	<1	0.05	15	240	4	0.21	2	3	27
1774080		<10	1	0.14	20	1.33	274	1	0.03	10	520	3	0.03	<2	2	47



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **SITKA GOLD CORP**
1500-409 GRANVILLE ST.
VANCOUVER BC V6C 1T2

Page: 5 - C
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 8-OCT-2020
 Account: TISLOG

Project: RC Gold

CERTIFICATE OF ANALYSIS WH20188156

Sample Description	Method Analyte Units LOD	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Tl	U	V	W	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm
		20	0.01	10	10	1	10	2
1774041		<20	0.21	<10	<10	73	10	62
1774042		<20	0.26	<10	<10	73	100	66
1774043		<20	0.25	<10	<10	73	20	65
1774044		<20	0.26	<10	<10	83	20	65
1774045		<20	0.25	<10	<10	77	20	62
1774046		<20	0.25	<10	<10	68	<10	66
1774047		<20	0.31	<10	<10	113	100	62
1774048		<20	0.25	<10	<10	75	20	63
1774049		<20	0.24	<10	<10	76	100	58
1774050		<20	0.06	<10	<10	105	<10	65
1774051		<20	0.25	<10	<10	78	70	58
1774052		<20	0.22	<10	<10	77	20	60
1774053		<20	0.27	<10	<10	78	10	66
1774054		<20	0.27	<10	<10	72	10	66
1774055		<20	0.26	<10	<10	72	10	60
1774056		<20	0.24	<10	<10	77	20	56
1774057		<20	0.32	<10	<10	102	30	66
1774058		<20	0.24	<10	<10	78	10	56
1774059		<20	0.29	<10	<10	112	50	60
1774060		<20	0.01	<10	<10	12	<10	13
1774061		<20	0.26	<10	<10	87	120	54
1774062		<20	0.31	<10	<10	125	170	60
1774063		<20	0.23	<10	<10	72	410	56
1774064		<20	0.25	<10	<10	67	70	61
1774065		<20	0.24	<10	<10	72	40	57
1774066		<20	0.22	<10	<10	72	170	56
1774067		<20	0.22	<10	<10	82	90	55
1774068		<20	0.15	<10	<10	52	90	27
1774069		<20	0.22	<10	<10	67	230	47
1774070		<20	0.07	<10	<10	89	<10	133
1774071		<20	0.24	<10	<10	73	50	57
1774072		<20	0.17	<10	<10	68	130	37
1774073		<20	0.22	<10	<10	90	20	55
1774074		<20	0.30	<10	<10	103	70	52
1774075		<20	0.26	<10	<10	87	270	56
1774076		<20	0.26	<10	<10	75	20	55
1774077		<20	0.28	<10	<10	94	90	57
1774078		<20	0.26	<10	<10	90	140	44
1774079		<20	0.09	<10	<10	33	20	22
1774080		<20	0.03	<10	<10	17	<10	22



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: SITKA GOLD CORP
 1500-409 GRANVILLE ST.
 VANCOUVER BC V6C 1T2

Page: 6 - A
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 8-OCT-2020
 Account: TISLOG

Project: RC Gold

CERTIFICATE OF ANALYSIS WH20188156

Sample Description	Method Analyte Units LOD	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
1774081		5.36	0.496	0.2	1.25	1150	<10	100	<0.5	19	0.86	<0.5	12	52	23	2.10
1774082		5.21	0.330	0.2	2.16	396	<10	370	0.5	11	1.26	<0.5	9	73	24	2.14
1774083		5.51	0.120	<0.2	4.57	635	<10	790	0.8	5	2.71	<0.5	17	139	23	3.51
1774084		5.00	0.037	<0.2	1.82	181	<10	170	<0.5	<2	1.16	<0.5	8	53	24	2.00
1774085		5.22	0.121	<0.2	1.03	217	<10	40	0.6	13	1.16	<0.5	9	34	86	2.40
1774086		5.45	0.076	<0.2	1.22	99	<10	40	0.5	5	0.40	<0.5	9	35	41	2.53



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **SITKA GOLD CORP**
1500-409 GRANVILLE ST.
VANCOUVER BC V6C 1T2

Page: 6 - B
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 8-OCT-2020
 Account: TISLOG

Project: RC Gold

CERTIFICATE OF ANALYSIS WH20188156

Sample Description	Method Analyte Units LOD	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
1774081		10	1	0.39	10	0.58	231	<1	0.06	18	280	4	0.24	<2	3	42
1774082		10	<1	0.65	10	0.88	240	1	0.17	11	390	2	0.22	2	4	110
1774083		10	1	1.36	20	1.79	409	1	0.36	18	830	3	0.25	2	8	225
1774084		10	<1	0.45	10	0.66	261	<1	0.14	11	270	3	0.30	<2	4	79
1774085		<10	<1	0.39	10	0.43	227	1	0.04	13	170	9	0.72	<2	2	77
1774086		10	<1	0.61	20	0.56	231	1	0.04	16	140	7	0.62	<2	3	26



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **SITKA GOLD CORP**
1500-409 GRANVILLE ST.
VANCOUVER BC V6C 1T2

Page: 6 - C
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 8-OCT-2020
 Account: TISLOG

Project: RC Gold

CERTIFICATE OF ANALYSIS WH20188156

		ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
Sample Description	Method Analyte Units LOD	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
		20	0.01	10	10	1	10	2
1774081		<20	0.09	<10	<10	43	40	28
1774082		<20	0.14	<10	<10	42	40	31
1774083		<20	0.27	<10	<10	83	10	57
1774084		<20	0.09	<10	<10	35	20	30
1774085		<20	0.07	<10	<10	23	50	32
1774086		<20	0.09	<10	<10	27	10	48



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: SITKA GOLD CORP
1500-409 GRANVILLE ST.
VANCOUVER BC V6C 1T2

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 8-OCT-2020
Account: TISLOG

Project: RC Gold

CERTIFICATE OF ANALYSIS WH20188156

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method:	Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.		
	BAG-01	CRU-31	CRU-QC
	LOG-23	PUL-32	PUL-QC
	WEI-21		
Applies to Method:	Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.		
	Au-ICP21	ME-ICP41	



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **SITKA GOLD CORP**
1500-409 GRANVILLE ST.
VANCOUVER BC V6C 1T2

Page: 1
 Total # Pages: 2 (A)
 Plus Appendix Pages
 Finalized Date: 31-DEC-2020
 Account: TISLOG

CERTIFICATE WH20252746

Project: RC Gold
 P.O. No.: RC 200825-DD-01
 This report is for 166 Pulp samples submitted to our lab in Whitehorse, YT, Canada on 2-NOV-2020.
 The following have access to data associated with this certificate:

COR COE RYAN COE	RYAN COE GREG DAWSON	COR COE DONALD PENNER
---------------------	-------------------------	--------------------------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
FND-04	Find Bulk Master for Addn Analysis
SCR-21	Dry Screen 1kg to 106um

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR24	Au Screen FA Double Minus 50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Saa Traxler, General Manager, North Vancouver



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: SITKA GOLD CORP
 1500-409 GRANVILLE ST.
 VANCOUVER BC V6C 1T2

Page: 2 - A
 Total # Pages: 2 (A)
 Plus Appendix Pages
 Finalized Date: 31-DEC-2020
 Account: TISLOG

Project: RC Gold

CERTIFICATE OF ANALYSIS	WH20252746
-------------------------	------------

Sample Description	Method Analyte Units LOD	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-AA26	Au-AA26D
		Au Total	Au (+) F	Au (-) F	Au (+) m	WT. + Fr	WT. - Fr	Au	Au
		ppm	ppm	ppm	mg	g	g	ppm	ppm
1807884	0.05	1.89	2.08	1.88	0.118	56.74	721.7	1.91	1.84
1807888	0.05	0.52	0.48	0.53	0.036	74.78	649.7	0.53	0.53
1807906	0.05	0.24	0.10	0.25	0.004	38.28	854.8	0.25	0.24
1807915	0.05	1.14	0.57	1.17	0.023	40.17	879.3	1.15	1.18
1807921	0.05	0.13	0.07	0.13	0.002	26.70	690.9	0.14	0.12
1807943	0.05	0.33	0.30	0.34	0.017	55.89	777.4	0.33	0.34
1807946	0.05	3.27	2.98	3.29	0.106	35.56	793.6	3.39	3.18
1807948	0.05	1.46	1.62	1.45	0.114	70.20	745.3	1.49	1.40
1774001	0.05	3.20	2.75	3.23	0.141	51.19	782.4	3.23	3.22
1774021	0.05	3.05	10.25	2.79	0.303	29.50	832.5	2.68	2.90
1774036	0.05	0.41	0.28	0.43	0.026	91.34	758.9	0.42	0.44
1774047	0.05	1.16	1.08	1.17	0.045	41.49	821.9	1.15	1.18
1774049	0.05	2.33	7.67	2.04	0.314	40.95	763.4	2.10	1.98
1774052	0.05	1.81	1.60	1.82	0.049	30.69	771.7	1.76	1.87
1774059	0.05	1.78	9.64	1.35	0.443	45.96	832.6	1.42	1.28
1774061	0.05	2.57	23.0	1.77	0.738	32.10	819.8	1.75	1.79
1774062	0.05	0.98	0.92	0.99	0.041	44.78	739.0	1.01	0.96
1774063	0.05	0.68	0.56	0.69	0.011	19.55	896.6	0.61	0.76
1774068	0.05	1.00	0.96	1.00	0.025	26.16	809.8	1.01	0.99
1774072	0.05	2.33	11.85	1.98	0.329	27.82	756.8	1.82	2.14
1774077	0.05	4.63	13.25	4.23	0.560	42.34	889.2	4.11	4.34



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **SITKA GOLD CORP**
1500-409 GRANVILLE ST.
VANCOUVER BC V6C 1T2

Page: **Appendix 1**
Total # Appendix Pages: **1**
Finalized Date: **31-DEC-2020**
Account: **TISLOG**

Project: RC Gold

CERTIFICATE OF ANALYSIS WH20252746

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
FND-04

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-AA26 Au-AA26D Au-SCR24 SCR-21

APPENDIX IV

LiDAR REPORT AND FULL SCALE MAPS



**Sitka Gold Corp.
LiDAR and Airphoto
Data Capture and Processing**

2020 LiDAR and Airphoto Report

Barney Ridge, Clear Creek and RC Gold Claims, Yukon Territory

**Our File:
2611-19749-01**

**Submitted To: Cor Coe
Sitka Gold Corp.**

**Submitted By: Andrew McIntosh
McElhanney Ltd.
200-858 Beatty Street
Vancouver, BC
V6B 1C1
Tel: 604-683-8521**

November 25, 2020

Table of Contents

1.	Introduction.....	3
2.	Mission Plan.....	3
3.	Equipment.....	4
4.	Flight Plan	5
5.	Data Processing.....	6
6.	Point Density.....	6
7.	Calibration.....	6
8.	Quality Control and Recommendations	7
9.	Deliverables	8

List of Figures and Tables

Figure 1	LiDAR and Air Photo Survey Sites.....	3
Figure 2	Optech Galaxy components	4
Figure 3	Phase One Camera Components.....	4
Table 1	Flight Parameters	5

1. Introduction

McElhanney Ltd. performed LiDAR and aerial photography acquisition covering the Barney Ridge, Clear Creek and RC Gold claims. See figure 1.

The sites were flown September 23rd, 2020. This report describes the acquisition, post-processing and quality control methodology used to produce the LiDAR deliverables.

2. Mission Plan

Project: Sitka Yukon LiDAR 2020. McElhanney project 2611-19749-01

Date: 2020-09-23

Location: Central Yukon Territory.

Topography: Rolling hills and mountainous terrain.



Figure 1– LiDAR and Air Photo Survey Sites

3. Equipment

McElhanney utilized the Optech Galaxy system for LiDAR Capture (Figure 2).

For Product Specifications of Optech Galaxy please see

<http://www.teledyneoptech.com/index.php/product/optech-altm-galaxy/>

The Galaxy was mounted on Piper Navajo fixed wing Aircraft.



Figure 2 – Optech Galaxy components

On Board Camera Phase One iXU-RS1000 RGB simultaneous capture (Figure 3.)

Phase One Industrial – Cameras iXU-RS1000 series



iXU-RS1000 series

Camera Type	iXU-RS1000
Camera Specifications	
Lens type	Rodenstock / Schneider-Kreuznach
Focal length F (mm)	RS lenses: 32, 40, 50, 70, 90, 110, 150 SK lenses: 28, 55, 80, 110, 150, 240
FOV (across line, deg)	86.5 (28mm) – 12.9 (240mm)
FOV (along flight line, deg)	70.3 (28mm) – 9.7 (240mm)
Aperture	f/5.6
Exposure principle	Leaf shutter
Exposure (sec)	1/2000 to 1/125
Image capture rate	1 frame every 0.6 sec
Light Sensitivity (ISO)	50-6400
Dynamic Range (db)	>84
Spectral characteristics	R,G,B
Sensor Specifications	
CMOS pixel size (µm)	4.6
CMOS array (pix)	11,608 x 8,708
Analog-to-digital-conversion (bit)	14
Frame / Image Specifications	
Frame geometry	Central projection
Image size (pixel)	11,608 x 8,708
Image volume (MP)	100
Color	RGB or NIR
Typical image size (MB)	300
Image format	Phase One RAW, TIFF, JPEG
Operational Specifications	
Power Consumption	< 10W
Dimensions (depends on lens)	97.4 x 93 x <218 mm
Weight (depends on lens)	< 2 kg

PHASE ONE
Specialty Imaging Solutions

Figure 3 – Phase One Camera Series

4. Flight Plan

Table 1: Flight Parameters- 2020-09-23

Strip ID	Start [s]	Stop [s]	Duration [s]	PRF [kHz]	Scan Frequency [Hz]	Scan Swath [deg]	Speed Avg [m/s]	Height Avg [m]
1	336143.5	336204.7	61.2	400	66	50	76.1	2342.4
2	337144	337203.3	59.3	400	66	50	71	1705.1
3	337293.4	337338.7	45.3	400	66	50	75.6	1708.7
4	337399.8	337445.1	45.3	400	66	50	71.2	1736.2
5	337541.6	337596.3	54.6	400	66	50	63.9	1731.9
6	337668.6	337713.9	45.3	400	66	50	75.3	1739.6
7	337800.2	337852	51.9	400	66	50	66.3	1747.6
8	337945.8	337991.1	45.3	400	66	50	74.3	1762.4
9	339321.5	339350	28.5	400	66	50	67.8	2088
10	341093	341232.6	139.6	550	66	50	69.4	2177.6
11	341316.1	341465	148.9	550	66	50	67.1	2228.9
12	341557.8	341685.3	127.4	550	66	50	75.2	2243.7
13	341779	341921.4	142.4	550	66	50	70.8	2245.4
14	342006.7	342145.4	138.7	550	66	50	75	2253
15	342238.2	342389.9	151.7	550	66	50	70.7	2250.3
16	342469.7	342619.5	149.8	550	66	50	73.3	2268.2
17	342712.3	342904.2	191.9	550	66	50	58.9	2317.7
18	342996.1	343147.8	151.7	550	66	50	76	2312.8
19	343259.3	343345.7	86.4	550	66	50	61.4	2363.3
20	343437.6	343494.1	56.5	550	66	50	76.5	2330.4
21	343614.9	343673.3	58.4	550	66	50	58.7	2246.9
22	343754	343779.7	25.7	550	66	50	75.5	2165.7
23	343955.6	344016.7	61.2	400	66	50	76.5	2365.3
24	344113.3	344181	67.7	400	66	50	69.5	2360.8
25	344252.4	344310.7	58.4	400	66	50	79.8	2300
26	344370.9	344437.7	66.8	400	66	50	67.9	2297.7
27	344492.2	344547.8	55.6	400	66	50	79.6	2224.1
28	344637.8	344701.8	64	400	66	50	73.6	2202.4
29	344792.8	344863.3	70.5	400	66	50	66.5	2166.4
30	344959.9	345022	62.1	400	66	50	75.7	2194.6
31	345167	345400	232.9	550	66	50	66.7	2011.9
32	345582.4	345730.4	148	550	66	50	76.4	2285.2

5. Data Processing

All GPS and IMU data were processed using PosPac MMS 8.4 software. The laser data was extracted using Teledyne Optech LMS software. The GPS antenna position in the airplane was calculated by post-processing the raw data at 1 second intervals for the entire flight.

We have used Precise Point Positioning (PPP) data for the airborne GPS processing, and the coordinates were calculated in NAD83-CSRS.

The airborne positions were combined with the post-processed platform (aircraft) attitude information to generate a time tagged position and orientation solution.

The standard deviation of the airborne GPS solution for using KAR (Kinematics Ambiguity Resolution) was estimated to 0.013 m, 0.013 m and 0.022 m in East, North and height directions, respectively.

The estimated values for the GPS antenna position were used with the laser ranges and platform angles to compute all the individual X, Y, and Z coordinates for each laser return in each flight line. The result is a processed point cloud containing all measured points.

6. Point Density

Bare earth point density varies with canopy closure, understory density and topographic features. The mean density of the point cloud (all points) was measured at nominal 18.3 pts/m² and the bare earth (ground) point density was measured at nominal 4.5 pts/m².

7. Calibration

System: Optech ALTM Galaxy S/N 5060392

LiDAR Calibration flight:

Calibration Date: March 9th, 2020. Location: Abbotsford, BC.

The LiDAR system calibration was flown over calibration site. The lever arms (offset between GPS antenna IMU and Laser Mirror), were measured as:

Lever Arms

GPS Lever arms in (m):

x: 0.730 y: -0.465 z: -1.173

IMU Lever arms in (m):

x: 0 y: 0 z: 0

There were a total number of 13 flight lines for calibration: 112 basic orthogonal lines for LMS software analysis and 1 redundant line for better accuracy. The lines were planned as follow:

Flight line direction: 6 lines north – south and 6 lines east – west and 1-line NW-SE
All GPS with IMU data was processed using PosPac Applanix software v.8.0. and the laser data was extracted using LMS v.4.3 The GPS antenna position in the airplane was calculated by post-processing the raw data at 1 second intervals for the entire flight.

The calibration values used for this project are as follows:

imu_ex: 0.012695755 arcsec

imu_ey: -0.071263279 arcsec

imu_ez: -0.128636141arcsec

8. Quality Control and Recommendations


The LiDAR data consistencies have been checked between the flight lines using Terrascan software. As the client opted out of establishing ground control the accuracy of LiDAR data is unknown and therefore cannot be reported. On other projects, where LiDAR data has been compared to ground control check points, pre-adjustment accuracy values commonly fall in the range of 0.10 to 0.25 m (RMS), depending in part on the surface roughness that check points were established on. This is a generalization and there are no guarantees that this is the case for this project. If future use of the LiDAR data requires that accuracy be known it is recommended that a minimum of 100 RTK GPS check points be established along the centrelines of various, relatively flat and smooth road surfaces within the project area and that bare-earth LiDAR points be statistically compared to these check points. Ideally, the accuracy of the check points

should be in the approximate range of 2-3 cm. LiDAR accuracy statistics can then be used to assess whether data requires adjustment or is suitable as-is. It is important that LiDAR check points be established on a surface that has not seen more than a few cm of change since the time of LiDAR acquisition.

9. Deliverables

Final output data is provided in NAD83CSRS UTM 8 and the elevations are based on CGVD2013 geoid model. The deliverables include:

- LiDAR data: Bare-Earth, Full-Feature and Model Key Points in LAS format.
- 1m pixel, bare-earth DEM
- LiDAR hillshade imagery in ECW format
- 5m contours in ESRI Shapefile format
- 20 cm orthophoto in TIF (1km tiles) and ECW (overview mosaic) format.
- LiDAR and Airphoto report



SITKA GOLD CORP


Clear Creek Project


LiDAR acquired Hillshade & 50m Contours

Date: Jan 12, 2021 | NAD 83 UTM Z8 | Scale 1:10,000

Legend

- Claim Boundary
- Road
- Contour
- Watercourse





SITKA GOLD CORP

Clear Creek Project
Orthophoto & 5m Contours (LiDAR acquired)
Date: Jan 12, 2021 | NAD 83 UTM Z8 | Scale 1:10,000

Legend

- Claim Boundary
- Road
- Contour
- Watercourse

0 500 1,000 m

APPENDIX V

SUPPORTING DOCUMENTATION FOR COST STATEMENT

2020 CLEAR CREEK: STATEMENT OF EXPENDITURES

Company	Invoice Description	Invoice Total	Barney Ridge Portion of Invoice	Notes
Fox Exploration Invoices (20103, 20107, 20108)	Project supervision, geological crew, camp w/ support staff, truck and equipment rental, mob/demob...	\$558,295.65	\$246,230.40	Camp and support staff used for Clear Creek, RC Gold and Barney Ridge work programs. 60% of Fox invoice, less helicopter, pad building & analytical charges, applied to Clear Creek
McElhenney	LiDAR Survey	\$48,000.00	\$16,000.00	1/3 applied to Clear Creek (1/3 to Barney Ridge; 1/3 to RC)
Bureau Veritas (VANI372117, 373945, 373608)	Analytical	\$13,160.80	\$13,160.80	Rock and drillcore analysis
ALS Laboratory (5272946, 5273045)	Analytical	\$13,111.06	\$13,111.06	Rock and drillcore analysis
Groundtruth Invoice (10460)	Claim Staking	\$30,470.51	\$15,235.26	1/2 applied to Clear Creek (1/2 applied to Barney Ridge)
New Age Invoices (20191021, 20191025)	Diamond Drilling	\$365,468.97	\$243,645.98	2/3 applied to Clear Creek (1/3 applied to RC Gold)
Final Assessment Report		\$4,000.00	\$4,000.00	
TOTAL:			\$551,383.50	

Date: _____

Signed: _____



Fox Exploration Ltd.
Tel: 604 315 1033

1500-409 Granville St.
Vancouver, British Columbia
V6C 1T2
Canada

FOX EXPLORATION

your boots on the ground

Billed To SITKA GOLD CORP 1500-409 Granville Street Vancouver, British Columbia V6C 1T2 Canada	Date of Issue 07/30/2020	Invoice Number 20103	Amount Due (CAD) \$100,000.00
	Due Date 08/29/2020		

Description	Rate	Qty	Line Total
Advance Deposit For RC Gold Project	\$100,000.00	1	\$100,000.00
	Subtotal		100,000.00
	Tax		0.00
	Total		100,000.00
	Amount Paid		0.00
	Amount Due (CAD)		\$100,000.00

Notes

Banking and Wiring Information:

Bank and Address:
TD Canada Trust
200 MAIN ST
Whitehorse, Yukon Territory
Y1A 2A9, Canada
Ph. (867) 668-8100

Account Information:
Fox Exploration Limited
Transit Number: 99960
Institution Number: 004



Fox Exploration Ltd.
Tel: 604 315 1033

1500-409 Granville St.
Vancouver, British Columbia
V6C 1T2
Canada

FOX EXPLORATION

your boots on the ground

Billed To

SITKA GOLD CORP
1500-409 Granville Street
Vancouver, British Columbia
V6C 1T2
Canada

Date of Issue

12/21/2020

Invoice Number

10108

Amount Due (CAD)

\$90,000.00

Due Date

01/20/2021

Description

Rate

Qty

Line Total

Advance Deposit
RC Gold Project

\$90,000.00

1

\$90,000.00

Subtotal

90,000.00

Tax

0.00

Total

90,000.00

Amount Paid

0.00

Amount Due (CAD)

\$90,000.00

Terms

Payable upon receipt. Interest calculated at 2% per month on overdue accounts.



Fox Exploration Ltd.
Tel: 604 315 1033

1500-409 Granville St.
Vancouver, British Columbia
V6C 1T2
Canada

FOX EXPLORATION

your boots on the ground

Billed To SITKA GOLD CORP 1500-409 Granville Street Vancouver, British Columbia V6C 1T2 Canada	Date of Issue 12/11/2020 Due Date 01/10/2021	Invoice Number 20107	Amount Due (CAD) \$368,295.65
--	---	--------------------------------	--

Description	Rate	Qty	Line Total
P. Geo Senior Geologist Greg	\$750.00 +GST	28.25	\$21,187.50
P. Geo Senior Geologist Cor	\$750.00 +GST	28	\$21,000.00
Project Manager Ryan	\$600.00 +GST	41	\$24,600.00
Project Geologist Joel	\$550.00 +GST	38	\$20,900.00
Geotech Jenn	\$400.00 +GST	27	\$10,800.00
Geotech Erik	\$400.00 +GST	22	\$8,800.00
Geotech Matt	\$400.00 +GST	13	\$5,200.00
Camp Cook / Level 3 First Aid Attendant Louise	\$550.00 +GST	35	\$19,250.00
Bull Cook & General Labour Sheri	\$400.00 +GST	36	\$14,400.00
Labourer / Camp Maintenance Earl	\$350.00 +GST	19	\$6,650.00

Level 3 First Aid Kit Rental (Spine Board, Stretcher, Splinters, etc.)	\$50.00 +GST	35	\$1,750.00
15 Person Camp Rental (Complete Wall Tent Camp for up to 15 ppl: 11 canvas tents - kitchen, mess, wet/dry, bunk, geotech/logging, office..)	\$850.00 +GST	38	\$32,300.00
20 KW Genset Rental \$400/wk	\$400.00 +GST	5	\$2,000.00
Core Saw HUSQVARNA Gas Powered Core Saw (\$150/day)	\$150.00 +GST	34	\$5,100.00
Crew Truck Rental 1 tonne 4x4 diesel crew cab (Grey Ram 3500)	\$185.00 +GST	52	\$9,620.00
Crew Truck Rental 1 tonne 4x4 diesel crew cab (Blue Ram 3500)	\$185.00 +GST	46	\$8,510.00
Crew Truck Rental 1 tonne 4x4 diesel crew cab (White F-350)	\$185.00 +GST	51	\$9,435.00
Crew Truck Rental 1 tonne 4x4 diesel crew cab (Silver F-350)	\$185.00 +GST	48	\$8,880.00
Crew Truck Rental 1 tonne 4x4 diesel crew cab (White F-250)	\$185.00 +GST	11	\$2,035.00
ATV Rental Green Polaris	\$100.00 +GST	38	\$3,800.00
ATV Rental Red Polaris	\$100.00 +GST	38	\$3,800.00
Flat Deck Trailer Rental	\$150.00 +GST	13	\$1,950.00
Cargo Trailer Rental	\$100.00 +GST	38	\$3,800.00
Toyhaul Trailer Rental	\$100.00 +GST	6	\$600.00
Camp Office	\$90.00 +GST	38	\$3,420.00
Field Equipment Rental Handheld Radios, Sat Phones, GPS Units, Hand Tools	\$155.00 +GST	38	\$5,890.00
Chainsaw Stihl 230c	\$25.00 +GST	38	\$950.00
Chainsaw Stihl 360c	\$25.00 +GST	38	\$950.00

Satellite Internet \$2000/wk (installation, tech prep, hardware, VoIP phone line, modems x2; total generation 2 data plan w/ 125 GB)	\$2,000.00 +GST	5	\$10,000.00
Repeater Station \$650/week inc. installation	\$650.00 +GST	5	\$3,250.00
Core Saw Blades	\$345.00 +GST	10	\$3,450.00
Analytical Expense (Bureau Veritas) See attached Invoices	\$25,738.96	1	\$25,738.96
Helicopter Expenses See attached invoices	\$92,950.69	1	\$92,950.69
General Expenses See attached Expense Report	\$110,642.36	1	\$110,642.36
10% COST PLUS (expenses) Cost Plus on General Expenses	\$11,064.23 +GST	1	\$11,064.23
Pad Building Sub-Contractor (Vision Quest) See attached invoice	\$26,565.50	1	\$26,565.50
15% COST PLUS (sub-contractors)	\$2,656.50 +GST	1	\$2,656.50
Less Deposit Received Cash Advance Invoices 20103 & 20106	-\$190,000.00	1	-\$190,000.00
		Subtotal	353,895.74
		GST (5%) #803 109 461	14,399.91
		Total	368,295.65
Clear Creek: \$558,295.65 - \$147,911.65 = \$410,384		Amount Paid	0.00
60% of \$410,384 = \$246,230.40		Amount Due (CAD)	\$368,295.65

Notes

For work completed on the RC Gold Project July 18 - Sept 8, 2020
(Clear Creek, RC Gold, and Barney Ridge Properties)

Terms

Payable upon receipt. Interest calculated at 2% per month on overdue accounts.



**BUREAU
VERITAS**

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St.
Vancouver, BC Canada V6P 6E5
Phone 604 253 3158 Fax 604 253 1716
GST # 843013921 RT
QST # 1219972641

MINERALS

Bill To: Fox Exploration Ltd.
1701 Robert Lang Dr.

Courtenay, BC V9N 1A2
CANADA

Invoice Date: October 19, 2020
Invoice Number: **VANI372117**
Submitted by: Cor Coe
Email: corcoe@gmail.com
Invoice Contact: Ryan Coe
Email: ryankcoe@gmail.com
Job Number: WHI20000258
PO Number:
Project Code: RC_Gold
Shipment ID: RC20-200814-DD-01
Quote Number: NA-20474.02

Item	Package	Description	Sample No.	Unit Price	Amount
1	PRP70-1KG	Crush and Pulverize 1 kg	121	\$8.40	\$1,016.40
2	PRP70-1KG	Overweight prep charges per 100g	4131	\$0.06	\$247.86
3	EN004	Environmental fee	121	\$0.90	\$108.90
4	FA450	50g Fire Assay for Au, AAS	121	\$16.44	\$1,989.24
5	AQ200	0.5g - 36 element ICP ES/MS	121	\$14.28	\$1,727.88
6	DISPL	Disposal of pulps	121	\$0.20	\$24.20
7	DISRJ	Disposal of rejects	121	\$0.80	\$96.80
8	SLBHP	Sort, label and box pulp samples	121	\$1.10	\$133.10
9	SHP-01	Per sample charge for branch shipments	121	\$1.50	\$181.50
			Net Total		\$5,525.88
			GST		\$276.29
			Grand Total	CAD	\$5,802.17

Invoice Stated In Canadian Dollars

Payment Terms:

Due upon receipt of invoice. Please pay the last amount shown on the invoice.

For **cheque payments**, please remit payable to:
Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St.
Vancouver BC, V6P 6E5

Please specify invoice number on cheque remittance.

For electronic payments or any enquiries, please contact acct.receivable@ca.bureauveritas.com.



**BUREAU
VERITAS**

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St.
Vancouver, BC Canada V6P 6E5
Phone 604 253 3158 Fax 604 253 1716
GST # 843013921 RT
QST # 1219972641

MINERALS

Bill To: Fox Exploration Ltd.
1701 Robert Lang Dr.

Courtenay, BC V9N 1A2
CANADA

Invoice Date: November 9, 2020
Invoice Number: **VANI373945**
Submitted by: Cor Coe
Email: corcoe@gmail.com
Invoice Contact: Ryan Coe
Email: ryankcoe@gmail.com
Job Number: WHI20000292
PO Number:
Project Code: RC_Gold
Shipment ID: RC-200819-DD-001
Quote Number: NA-20474.02

Item	Package	Description	Sample No.	Unit Price	Amount
1	PRP70-1KG	Crush and Pulverize 1 kg	131	\$8.40	\$1,100.40
2	PRP70-1KG	Overweight prep charges per 100g	4487	\$0.06	\$269.22
3	EN004	Environmental fee	138	\$0.90	\$124.20
4	FA450	50g Fire Assay for Au, AAS	138	\$16.44	\$2,268.72
5	AQ200	0.5g - 36 element ICP ES/MS	138	\$14.28	\$1,970.64
6	SLBHP	Sort, label and box pulp samples	7	\$1.10	\$7.70
7	DISPL	Disposal of pulps	138	\$0.20	\$27.60
8	DISRJ	Disposal of rejects	131	\$0.80	\$104.80
			Net Total		\$5,873.28
			GST		\$293.66
			Grand Total	CAD	\$6,166.94

Invoice Stated In Canadian Dollars

Payment Terms:

Due upon receipt of invoice. Please pay the last amount shown on the invoice.

For **cheque payments**, please remit payable to:
Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St.
Vancouver BC, V6P 6E5

Please specify invoice number on cheque remittance.

For electronic payments or any enquiries, please contact acct.receivable@ca.bureauveritas.com.



**BUREAU
VERITAS**

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St.
Vancouver, BC Canada V6P 6E5
Phone 604 253 3158 Fax 604 253 1716
GST # 843013921 RT
QST # 1219972641

MINERALS

Bill To: Fox Exploration Ltd.
1701 Robert Lang Dr.

Courtenay, BC V9N 1A2
CANADA

Invoice Date: November 4, 2020
Invoice Number: **VANI373608**
Submitted by: Cor Coe
Email: corcoe@gmail.com
Invoice Contact: Ryan Coe
Email: ryankcoe@gmail.com
Job Number: WHI20000293
PO Number:
Project Code: RC_Gold
Shipment ID: RC-200819-DD-001
Quote Number: NA-20474.02

Item	Package	Description	Sample No.	Unit Price	Amount
1	PRP70-1KG	Crush and Pulverize 1 kg	25	\$8.40	\$210.00
2	PRP70-1KG	Overweight prep charges per 100g	942	\$0.06	\$56.52
3	EN004	Environmental fee	26	\$0.90	\$23.40
4	FA450	50g Fire Assay for Au, AAS	26	\$16.44	\$427.44
5	AQ200	0.5g - 36 element ICP ES/MS	26	\$14.28	\$371.28
6	SLBHP	Sort, label and box pulp samples	1	\$1.10	\$1.10
7	DISPL	Disposal of pulps	26	\$0.20	\$5.20
8	DISRJ	Disposal of rejects	25	\$0.80	\$20.00
9	FA550	Au and/or Ag by 50g Fire Assay Grav	1	\$20.00	\$20.00
			Net Total		\$1,134.94
			GST		\$56.75
			Grand Total	CAD	\$1,191.69

Invoice Stated In Canadian Dollars

Payment Terms:

Due upon receipt of invoice. Please pay the last amount shown on the invoice.

For **cheque payments**, please remit payable to:
Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St.
Vancouver BC, V6P 6E5

Please specify invoice number on cheque remittance.

For electronic payments or any enquiries, please contact acct.receivable@ca.bureauveritas.com.



Invoice

2611 140437

Sitka Gold Corp.
1500 - 409 Granville Street
Vancouver, BC V6C 1T2
Canada

Date: September 01, 2020

Client No.: 206930

Our Job No.: 26111974901

Cor Coe

corcoe@gmail.com

FOR PROFESSIONAL SERVICES IN RESPECT TO:

Project: Sitka Yukon LiDAR

Customer Deposit or Prepayment

LiDAR and Orthophoto for Yukon Properties	12,000.00
---	-----------

Subtotal	12,000.00
-----------------	------------------

Invoice Total	\$12,000.00
----------------------	--------------------

Project Manager Approver:

McIntosh, Andrew W.J.

IC

Invoice is payable upon receipt. After 30 days from date of invoice, any unpaid amounts will bear interest at 1.5% compounded monthly (19.6% per annum).

GST # 899514889RT **McElhanney Ltd.**

200 - 858 Beatty Street
Vancouver, BC V6B 1C1

T. 604-683-8521
F. 604-683-4350



Invoice

2611 145109

Sitka Gold Corp.
1500 - 409 Granville Street
Vancouver, BC V6C 1T2
Canada

Date: November 13, 2020

Client No.: 206930

Our Job No.: 26111974901

Cor Coe

corcoe@gmail.com

FOR PROFESSIONAL SERVICES IN RESPECT TO:

Project: Sitka Yukon LiDAR

Overall total this invoice

Acquisition of LiDAR and airphoto, RC project, Yukon 38,000.00

Customer Deposit or Prepayment

Less Deposit invoice 140437 dated September 1, 2020 -12,000.00

Subtotal 26,000.00

Goods and Services Tax 1,900.00

Invoice Total \$27,900.00

Project Manager Approver:

McIntosh, Andrew W.J.

IC

Invoice is payable upon receipt. After 30 days from date of invoice, any unpaid amounts will bear interest at 1.5% compounded monthly (19.6% per annum).

GST # 899514889RT **McElhanney Ltd.**

200 - 858 Beatty Street
Vancouver, BC V6B 1C1

T. 604-683-8521
F. 604-683-4350



Invoice

2611 145879

Sitka Gold Corp.
1500 - 409 Granville Street
Vancouver, BC V6C 1T2
Canada

Date: November 25, 2020

Client No.: 206930

Our Job No.: 26111974901

Cor Coe

corcoe@gmail.com

FOR PROFESSIONAL SERVICES IN RESPECT TO:

Project: Sitka Yukon LiDAR

Overall total this invoice

Final LiDAR and Orthophoto Deliverables	10,000.00
---	-----------

Subtotal	10,000.00
Goods and Services Tax	500.00

Invoice Total	\$10,500.00
----------------------	--------------------

Project Manager Approver:

McIntosh, Andrew W.J.

IC

Invoice is payable upon receipt. After 30 days from date of invoice, any unpaid amounts will bear interest at 1.5% compounded monthly (19.6% per annum).

GST # 899514889RT **McElhanney Ltd.**

200 - 858 Beatty Street
Vancouver, BC V6B 1C1

T. 604-683-8521
F. 604-683-4350



Invoice

Box 70, Dawson, YT Y0B 1G0

Phone (867) 993-2499

Fax: (867) 993-5201

Date	Invoice #
23-Nov-20	10460
Due	Terms
7-Dec-20	14 days

Invoice To:

Sitka Gold Corp.
 1500-409 Granville St.
 Vancouver, B.C. V6C 1T2

Description	Project	Units	Rate	Total Amount
Staking CCB 1- CCB 126, YF74751-YF74876	November 15-16 2020 RCG	126	\$ 125.00	\$ 15,750.00
Rebills (see listing)	Helicopter RCG			13,269.52
Wiring Canadian Funds:				
Beneficiary Bank: Canadian Imperial Bank of Commerce 400 Burrard Street, Vancouver, BC V6C 3A6				
Institution Code: 010				
Swift Code #: CIBCCATT				
Transit #: 00010				
Beneficiary: Ground Truth Exploration Inc. P.O. Box 70, Dawson City, YT Y0B 1G0				
Account #: 47-68817				
Totals				\$ 29,019.52
				GST 5%
				\$ 1,450.99
				Deposit Applied
				\$ -
				Total Due
				\$ 30,470.51

GST # 811084268 RT0001

Thank you for your business!

	Date	Num	Source Name	Memo	Amount
Sitka Gold Corp					
RCG					
	2020-11-15	IN003383	Great Slave Helicopters 2018 Ltd	2020-11-15 / GS27468000 / Bomb posts-D/o 4 pax stak., 1 pax- core box,Move 2 pax, P/u 5 pax - 4.4 hours	\$ 6,776.00
	2020-11-15	IN003383	Great Slave Helicopters 2018 Ltd	2020-11-15 / GS27468000 / Fuel - 792 L	1,029.60
	2020-11-16	IN003384	Great Slave Helicopters 2018 Ltd	2020-11-16 / GS27468001 / D/O Pax staking, Move Isaac ,Matt,Robin, P/u 5 pax - 2.4 hours	3,696.00
	2020-11-16	IN003384	Great Slave Helicopters 2018 Ltd	2020-11-16 / GS27468001 / Fuel - 432L	561.60
Total RCG					<u>12,063.20</u>
				Expediting/Admin - 10%	1,206.32
Total Sitka Gold Corp					<u><u>\$13,269.52</u></u>

New Age Drilling Solutions Inc.

67 Levich Drive
Whitehorse, Yukon Y1A 0A8

INVOICE

Invoice No.: 20191021

Date: 08/19/20

Ship Date:

Page: 1

Re: Order No.

Sold to:

Sitka Gold Corp.
Cor Coe
1500 - 409 Granville Street
Vancouver, BC V6C 1T2

Ship to:

Sitka Gold Corp.
Cor Coe
1500 - 409 Granville Street
Vancouver, BC V6C 1T2

Business No.: 80768 3255RT0001

Quantity	Unit	Description	Tax	Unit Price	Amount
		2020 Drill Program RC Gold Project Progress #1			
1.0	each	July 31, 2020 Mobilization	G	11,330.00	11,330.00
1.0	each	Mob of D5 CAT	G	3,800.00	3,800.00
1.0	each	Pilot car @ \$750 * No Charge*			
30.0	hrs	labour	G	67.00	2,010.00
3.0	each	trucks	G	155.00	465.00
		August 1, 2020 No Charge			
		August 2, 2020 No Charge			
49.0	hrs	August 3, 2020 labour rate	G	67.00	3,283.00
13.5	hrs	fifthman	G	67.00	904.50
3.0	each	trucks	G	155.00	465.00
1.0	each	side by side	G	93.00	93.00
3.5	hrs	D5 Cat	G	103.00	360.50
67.5	hrs	August 4, 2020 travel, labour, fifthman	G	67.00	4,522.50
3.0	each	trucks	G	155.00	465.00
1.0	each	side by side	G	93.00	93.00
12.0	hrs	D5 CAT	G	103.00	1,236.00
3.0	each	August 5, 2020 trucks	G	155.00	465.00
78.5	hrs	labour, travel, fifthman	G	67.00	5,259.50
1.0	each	side by side	G	93.00	93.00
6.0	hrs	D5 CAT	G	103.00	618.00
24.0	hrs	August 6, 2020 rig rate	G	144.00	3,456.00

Comment:

Continue...

New Age Drilling Solutions Inc.

67 Levich Drive
Whitehorse, Yukon Y1A 0A8

INVOICE

Invoice No.: 20191021

Date: 08/19/20

Ship Date:

Page: 2

Re: Order No.

Sold to:

Sitka Gold Corp.
Cor Coe
1500 - 409 Granville Street
Vancouver, BC V6C 1T2

Ship to:

Sitka Gold Corp.
Cor Coe
1500 - 409 Granville Street
Vancouver, BC V6C 1T2

Business No.: 80768 3255RT0001

Quantity	Unit	Description	Tax	Unit Price	Amount
71.0	meters	coring	G	77.00	5,467.00
12.0	hrs	fifthman	G	67.00	804.00
7.5	hrs	travel	G	67.00	502.50
2.0	each	trucks	G	155.00	310.00
2.0	each	additional pumps	G	200.00	400.00
		August 7, 2020			
24.0	hrs	rig rate	G	144.00	3,456.00
78.0	meters	coring	G	77.00	6,006.00
12.0	hrs	fifthman	G	67.00	804.00
6.0	hrs	travel	G	67.00	402.00
2.0	each	trucks	G	155.00	310.00
2.0	each	additional pumps	G	200.00	400.00
		August 8, 2020			
24.0	hrs	rig rate	G	144.00	3,456.00
57.0	meters	coring	G	77.00	4,389.00
12.0	hrs	fifthman	G	67.00	804.00
6.0	hrs	travel	G	67.00	402.00
2.0	each	trucks	G	155.00	310.00
2.0	each	additional pumps	G	200.00	400.00
1.0	each	side by side	G	93.00	93.00
1.0	hr	D5 CAT	G	103.00	103.00
		August 9, 2020			
24.0	hrs	rig rate	G	144.00	3,456.00
62.0	meters	coring	G	77.00	4,774.00
12.0	hrs	fifhtman	G	67.00	804.00
7.5	hrs	travel	G	67.00	502.50
3.0	each	trucks	G	155.00	465.00
1.0	each	side by side	G	93.00	93.00
2.0	each	additional pumps	G	200.00	400.00
1.5	hrs	D5 CAT	G	103.00	154.50
		August 10, 2020			
24.0	hrs	rig rate	G	144.00	3,456.00
83.0	meters	coring	G	77.00	6,391.00
12.0	hrs	fifthman	G	67.00	804.00
7.5	hrs	travel	G	67.00	502.50
3.0	each	trucks	G	155.00	465.00
1.0	each	side by side	G	93.00	93.00

Comment:

Continue...

New Age Drilling Solutions Inc.

67 Levich Drive
Whitehorse, Yukon Y1A 0A8

INVOICE

Invoice No.: 20191021
Date: 08/19/20
Ship Date:
Page: 3
Re: Order No.

Sold to:

Sitka Gold Corp.
Cor Coe
1500 - 409 Granville Street
Vancouver, BC V6C 1T2

Ship to:

Sitka Gold Corp.
Cor Coe
1500 - 409 Granville Street
Vancouver, BC V6C 1T2

Business No.: 80768 3255RT0001

Quantity	Unit	Description	Tax	Unit Price	Amount
1.0	each	NQ core tube	G	132.00	132.00
		August 11, 2020			
24.0	hrs	rig rate	G	144.00	3,456.00
78.0	meters	coring	G	77.00	6,006.00
12.0	hrs	fifthman	G	67.00	804.00
7.5	hrs	travel	G	67.00	502.50
3.0	each	trucks	G	155.00	465.00
1.0	each	side by side	G	93.00	93.00
3.0	hrs	D5 CAT	G	103.00	309.00
2.0	each	additional pumps	G	200.00	400.00
1.0	each	bit @ 75%	G	370.00	370.00
		August 12, 2020			
24.0	hrs	rig rate	G	144.00	3,456.00
72.0	meters	coring	G	77.00	5,544.00
12.0	hrs	fifthman	G	67.00	804.00
7.5	hrs	travel	G	67.00	502.50
3.0	each	trucks	G	155.00	465.00
1.0	each	side by side	G	93.00	93.00
2.0	each	additional pumps	G	200.00	400.00
1.0	each	bit @ 50%	G	250.00	250.00
		August 13, 2020			
24.0	hrs	rig rate	G	144.00	3,456.00
6.0	meters	coring	G	77.00	462.00
3.0	meters	casing	G	77.00	231.00
12.0	hrs	fifthman	G	67.00	804.00
7.5	hrs	travel	G	67.00	502.50
3.0	each	trucks	G	155.00	465.00
1.0	each	side by side	G	93.00	93.00
3.0	hrs	D5 CAT	G	103.00	309.00
2.0	each	additional pumps	G	200.00	400.00
		August 14, 2020			
24.0	hrs	rig rate	G	144.00	3,456.00
104.0	meters	casing and coring	G	77.00	8,008.00
12.0	hrs	fifthman	G	67.00	804.00
6.0	hrs	travel	G	67.00	402.00
3.0	each	trucks	G	155.00	465.00
1.0	each	side by side	G	93.00	93.00

Comment:

Continue...

New Age Drilling Solutions Inc.

67 Levich Drive
Whitehorse, Yukon Y1A 0A8

INVOICE

Invoice No.: 20191021
Date: 08/19/20
Ship Date:
Page: 4
Re: Order No.

Sold to:

Sitka Gold Corp.
Cor Coe
1500 - 409 Granville Street
Vancouver, BC V6C 1T2

Ship to:

Sitka Gold Corp.
Cor Coe
1500 - 409 Granville Street
Vancouver, BC V6C 1T2

Business No.: 80768 3255RT0001

Quantity	Unit	Description	Tax	Unit Price	Amount
2.0	each	additional pumps	G	200.00	400.00
		August 15, 2020			
24.0	hrs	rig rate	G	144.00	3,456.00
96.0	meters	coring	G	77.00	7,392.00
12.0	hrs	fifthman	G	67.00	804.00
6.0	hrs	travel	G	67.00	402.00
3.0	each	trucks	G	155.00	465.00
1.0	each	side by side	G	93.00	93.00
2.0	each	additional pumps	G	200.00	400.00
1.0	each	bit	G	300.00	300.00
		August 16, 2020			
24.0	hrs	rig rate	G	144.00	3,456.00
104.0	meters	coring	G	77.00	8,008.00
6.0	hrs	travel	G	67.00	402.00
12.0	hrs	fifthman	G	67.00	804.00
3.0	each	trucks	G	155.00	465.00
1.0	each	side by side	G	93.00	93.00
2.0	each	additional pumps	G	200.00	400.00
		August 17, 2020			
24.0	hrs	rig rate	G	144.00	3,456.00
110.0	meters	casing and coring	G	77.00	8,470.00
12.0	hrs	fifthman	G	67.00	804.00
6.0	hrs	travel	G	67.00	402.00
3.0	each	trucks	G	155.00	465.00
1.0	each	side by side	G	93.00	93.00
2.0	each	additional pumps	G	200.00	400.00
98.0	hrs	Excavator	G	103.00	10,094.00
13,147.0	litres	Diesel	G	1.20	15,776.40
668.0	litres	Gasoline	G	1.20	801.60
		21 hrs excavator @ \$103 = \$2163			
		24 hrs operator @ \$65 = \$1560			
		CONSUMABLES			
400.0	each	NQ2 4' Core boxes	G	15.00	6,000.00
400.0	each	13% mark up	G	1.95	780.00
50.0	each	NQ2 4' core box lids	G	5.00	250.00

Comment:

Continue...

New Age Drilling Solutions Inc.

67 Levich Drive
Whitehorse, Yukon Y1A 0A8

INVOICE

Invoice No.: 20191021
Date: 08/19/20
Ship Date:
Page: 5
Re: Order No.

Sold to:

Sitka Gold Corp.
Cor Coe
1500 - 409 Granville Street
Vancouver, BC V6C 1T2

Ship to:

Sitka Gold Corp.
Cor Coe
1500 - 409 Granville Street
Vancouver, BC V6C 1T2

Business No.: 80768 3255RT0001

Quantity	Unit	Description	Tax	Unit Price	Amount
50.0	each	13% mark up	G	0.65	32.50
14.0	each	Extreme rod grease	G	162.00	2,268.00
14.0	each	13% mark up	G	21.06	294.84
6.0	each	Sand drill express	G	207.00	1,242.00
6.0	each	13% mark up	G	26.91	161.46
2.0	pails	Linseed soap	G	112.80	225.60
2.0	each	13% mark up	G	14.66	29.32
6.0	each	Clay doctor	G	243.00	1,458.00
6.0	each	13% mark up	G	31.59	189.54
12.0	each	Poly Bore	G	130.00	1,560.00
12.0	each	13% mark up	G	16.90	202.80
3.0	each	Extreme Super - G gold	G	204.60	613.80
3.0	each	13% mark up	G	26.60	79.80
3.0	each	Extreme Super - G blue	G	204.60	613.80
3.0	each	13% mark up	G	26.60	79.80
5.0	pails	5W/40 Oil	G	100.00	500.00
5.0	each	13% mark up	G	13.00	65.00
11.0	each	Hydraulic oil	G	75.00	825.00
11.0	each	13% mark up	G	9.75	107.25
1.0	each	less \$25,000 (until \$50,000 deposit is repaid in full)		-25,000.00	-25,000.00
		Subtotal:			194,781.01
		G - GST 5% GST			10,989.11
Shipped By: Tracking Number:				Total Amount	205,770.12
Comment:				Amount Paid	0.00
Sold By:				Amount Owing	205,770.12

New Age Drilling Solutions Inc.

67 Levich Drive
Whitehorse, Yukon Y1A 0A8

INVOICE

Invoice No.: 20191025
Date: 08/31/20
Ship Date:
Page: 1
Re: Order No.

Sold to:

Sitka Gold Corp.
Cor Coe
1500 - 409 Granville Street
Vancouver, BC V6C 1T2

Ship to:

Sitka Gold Corp.
Cor Coe
1500 - 409 Granville Street
Vancouver, BC V6C 1T2

Business No.: 80768 3255RT0001

Quantity	Unit	Description	Tax	Unit Price	Amount
		RC Gold Project Progress #2			
		August 18, 2020			
24.0	hrs	rig rate	G	144.00	3,456.00
108.0	meters	coring	G	77.00	8,316.00
12.0	hrs	fifthman	G	67.00	804.00
7.5	hrs	travel	G	67.00	502.50
3.0	each	trucks	G	155.00	465.00
2.0	each	additional pumps	G	200.00	400.00
5.5	hrs	excavator	G	103.00	566.50
		August 19, 2020			
20.0	hrs	rig rate	G	144.00	2,880.00
69.0	meters	coring	G	77.00	5,313.00
13.5	hrs	fifthman	G	67.00	904.50
7.0	hours	unloading trucks	G	67.00	469.00
6.0	hrs	travel	G	67.00	402.00
2.0	each	additional pumps	G	200.00	400.00
3.0	each	trucks	G	155.00	465.00
1.0	each	side by side	G	93.00	93.00
		August 20, 2020			
19.0	hrs	rig rate	G	144.00	2,736.00
12.0	hrs	fifthman	G	67.00	804.00
7.5	hrs	travel	G	67.00	502.50
3.0	each	trucks	G	155.00	465.00
4.0	hrs	CAT	G	103.00	412.00
5.5	hrs	excavator	G	103.00	566.50
		August 21, 2020			
24.0	hrs	rig rate	G	144.00	3,456.00
12.0	hrs	fifthman	G	67.00	804.00
1.0	each	truck	G	155.00	155.00
		August 22, 2020			
24.0	hrs	rig rate	G	144.00	3,456.00
71.0	meters	coring	G	77.00	5,467.00

Comment:

Continue...

New Age Drilling Solutions Inc.

67 Levich Drive
Whitehorse, Yukon Y1A 0A8

INVOICE

Invoice No.: 20191025
Date: 08/31/20
Ship Date:
Page: 2
Re: Order No.

Sold to:

Sitka Gold Corp.
Cor Coe
1500 - 409 Granville Street
Vancouver, BC V6C 1T2

Ship to:

Sitka Gold Corp.
Cor Coe
1500 - 409 Granville Street
Vancouver, BC V6C 1T2

Business No.: 80768 3255RT0001

Quantity	Unit	Description	Tax	Unit Price	Amount
13.5	hrs	fifthman	G	67.00	904.50
3.0	hrs	travel	G	67.00	201.00
2.0	each	trucks	G	155.00	310.00
11.0	hrs	CAT	G	103.00	1,133.00
		August 23, 2020			
24.0	hrs	rig rate	G	144.00	3,456.00
102.0	meters	coring	G	77.00	7,854.00
12.0	hrs	fifthman	G	67.00	804.00
1.0	each	truck	G	155.00	155.00
9.5	hrs	excavator	G	103.00	978.50
		August 24, 2020			
24.0	hrs	rig rate	G	144.00	3,456.00
12.0	hrs	fifthman	G	67.00	804.00
1.0	each	truck	G	155.00	155.00
		August 25, 2020			
24.0	hrs	rig rate	G	144.00	3,456.00
12.0	hrs	fifthman	G	67.00	804.00
2.0	each	trucks	G	155.00	310.00
1.0	each	additional pump	G	200.00	200.00
		August 26, 2020			
24.0	hrs	rig rate	G	144.00	3,456.00
12.0	hrs	fifthman	G	67.00	804.00
2.0	each	trucks	G	155.00	310.00
1.0	each	additional pump	G	200.00	200.00
1.0	hour	excavator	G	103.00	103.00
		August 27, 2020			
24.0	hrs	rig rate	G	144.00	3,456.00
95.0	meters	coring	G	77.00	7,315.00
12.0	hrs	fifthman	G	67.00	804.00
1.0	each	truck	G	155.00	155.00
1.0	each	additional pump	G	200.00	200.00
5.5	hrs	excavator	G	103.00	566.50
		August 28, 2020			

Comment:

Continue...

New Age Drilling Solutions Inc.

67 Levich Drive
Whitehorse, Yukon Y1A 0A8

INVOICE

Invoice No.: 20191025
Date: 08/31/20
Ship Date:
Page: 3
Re: Order No.

Sold to:

Sitka Gold Corp.
Cor Coe
1500 - 409 Granville Street
Vancouver, BC V6C 1T2

Ship to:

Sitka Gold Corp.
Cor Coe
1500 - 409 Granville Street
Vancouver, BC V6C 1T2

Business No.: 80768 3255RT0001

Quantity	Unit	Description	Tax	Unit Price	Amount
24.0	hrs	rig rate	G	144.00	3,456.00
114.0	meters	coring	G	77.00	8,778.00
12.0	hrs	fifthman	G	67.00	804.00
1.0	each	truck	G	155.00	155.00
1.0	each	additional pump	G	200.00	200.00
8.5	hrs	excavator	G	103.00	875.50
August 29, 2020					
18.0	hrs	rig rate	G	144.00	2,592.00
12.0	meters	coring	G	77.00	924.00
14.0	hrs	fifthman	G	67.00	938.00
2.0	each	trucks	G	155.00	310.00
1.0	each	additional pump	G	200.00	200.00
10.5	hrs	excavator	G	103.00	1,081.50
August 30, 2020					
24.0	hrs	rig rate	G	144.00	3,456.00
3.0	each	trucks	G	155.00	465.00
12.0	hrs	fifthman	G	67.00	804.00
5.0	hrs	excavator	G	103.00	515.00
August 31, 2020					
1.0	each	Demob (excavator, drills, pumps, and crew)	G	11,330.00	11,330.00
1.0	each	demob CAT	G	3,800.00	3,800.00
45.0	hrs	man hours (5 guys, packing up drill)	G	67.00	3,015.00
5.0	hrs	excavator	G	103.00	515.00
4.0	each	trucks	G	155.00	620.00
FREIGHT					
0.5		Hot Shot with Smalls	G	1,250.00	625.00
DIESEL					
2,145.0	litres	Diesel	G	1.20	2,574.00
CONSUMABLE CREDITS					
30.0	each	core boxes	G	-15.00	-450.00
30.0	each	13% mark up	G	-1.95	-58.50
8.0	each	Extreme rod grease	G	-162.00	-1,296.00
8.0	each	13% mark up	G	-21.06	-168.48

Comment:

Continue...

New Age Drilling Solutions Inc.

67 Levich Drive
Whitehorse, Yukon Y1A 0A8

INVOICE

Invoice No.: 20191025
Date: 08/31/20
Ship Date:
Page: 4
Re: Order No.

Sold to:

Sitka Gold Corp.
Cor Coe
1500 - 409 Granville Street
Vancouver, BC V6C 1T2

Ship to:

Sitka Gold Corp.
Cor Coe
1500 - 409 Granville Street
Vancouver, BC V6C 1T2

Business No.: 80768 3255RT0001

Quantity	Unit	Description	Tax	Unit Price	Amount
4.0	each	Sand drill express	G	-207.00	-828.00
4.0	each	13% mark up	G	-26.91	-107.64
5.0	each	Clay doctor	G	-243.00	-1,215.00
5.0	each	13% mark up	G	-31.59	-157.95
5.0	each	Poly bore	G	-130.00	-650.00
5.0	each	13% mark up	G	-16.90	-84.50
1.0	each	Extreme Super - G Blue	G	-204.60	-204.60
1.0	each	13% mark up	G	-26.60	-26.60
2.0	each	Extreme Super - G Gold	G	-204.60	-409.20
2.0	each	Extreme Super - G Gold	G	-26.60	-53.20
5.0	each	Hydraulic oil	G	-75.00	-375.00
5.0	each	13% mark up	G	-9.75	-48.75
2.0	each	5W/40 oil	G	-100.00	-200.00
2.0	each	13% mark up	G	-13.00	-26.00
1.0	each	less \$25,000 (until \$50,000 deposit is repaid in full)		-25,000.00	-25,000.00
		Subtotal:			103,284.58
		G - GST 5% GST			6,414.27
Shipped By: Tracking Number:				Total Amount	109,698.85
Comment:				Amount Paid	0.00
Sold By:				Amount Owing	109,698.85

STATEMENT



REMIT TO:

ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver, BC V7H 0A7
 Tel: (604) 984-0221 Fax: (604) 984-1809
 Queries: accounting.canusa@alsglobal.com

Sitka Gold Corp
Cor Coe
1500-409 Granville St.
Vancouver, BC V6C 1T2
Canada

Statement Date: 31-Oct-2020

Account Number: TISLOG

Page: 1

Document	Date	Trsx Type	Your PO NO.	Work Order	Project No.	Amount	Balance
5244177	09/03/20	Invoice		WH20185890	RC GOLD	1,623.32	1,623.32
5272767	10/06/20	Invoice	RC 200829-DD-01	WH20191540	RC Gold	3,751.89	5,375.21
5272946	10/08/20	Invoice	RC 200825-DD-01	WH20188156	RC Gold	6,203.74	11,578.95
5279577	10/08/20	Invoice	RC 200831-RS-01	WH20191611	RC Gold	359.25	11,938.20
5279542	10/09/20	Invoice	RC 200831-DD-01	WH20191615	RC Gold	4,883.50	16,821.70
5273045	10/10/20	Invoice	RC 200821-DD-01	WH20188155	RC Gold	6,907.32	23,729.02

Clear Creek: \$6,203.74 + \$6,907.32 = **\$13,111.06**

Statement Balance (CAD)

23,729.02

Statement Aging:

Days old:	Current	31-60 Days	61-90 Days	Over 90 Days
Aged amounts:	22,105.70	1,623.32	0.00	0.00