



MSALABS
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Flow Metals Corp.**
810 - 789 West Pender Street
Vancouver, BC, V6C 1H2
Canada

TEST REPORT:	YVR2010887
---------------------	-------------------

Project Name: Monster 2020
 Job Received Date: 19-Oct-2020
 Job Report Date: 24-Feb-2021
 Number of Samples: 65
 Report Version: Final

COMMENTS:

Detection limit for sodium changed to 0.2% due to matrix interferences. NR indicates sample not received.

Test results reported relate to the tested samples only on an "as received" basis. Unless otherwise stated above, sufficient sample was received for the methods requested and all samples were received in acceptable condition. Analytical results in unsigned reports marked "provisional" are subject to change, pending final QC review and approval. The customer has not provided any information that can affect the validity of the test results. Please refer to MSALABS' Schedule of Services and Fees for our complete Terms and Conditions. Preliminary results are applicable when a portion of samples in a job is 100% completed and reported or 1 of a number of methods on the same job have been completed 100%. Results cannot change, but additional results or results for additional methods can be added.

SAMPLE PREPARATION	
METHOD CODE	DESCRIPTION
PRP-915-MET	Dry, Crush 1Kg to 2mm, split 500g sub-sample, pulverize and sieve past 106 micron mesh in order to obtain plus and minus fractions

ANALYTICAL METHODS	
METHOD CODE	DESCRIPTION
MSC-530	Metallic Screening 500g, Fire Assay, 30g Fusion
IMS-131	Multi-Element, 20g, 3:1 Aqua Regia, ICP-AES/MS, Ultra Trace Level

Signature:

Yvette Hsi, BSc.
 Laboratory Manager
 MSALABS



MSALABS
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Flow Metals Corp.**
810 - 789 West Pender Street
Vancouver, BC, V6C 1H2
Canada

TEST REPORT:	YVR2010887
---------------------	-------------------

Project Name: Monster 2020
 Job Received Date: 19-Oct-2020
 Job Report Date: 24-Feb-2021
 Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	MSC-530 total g	MSC-530 (+) g	MSC-530 (-) g	MSC-530 Total Au ppm	MSC-530 Au (+) ppm	MSC-530 Au (-) ppm	MSC-530 Au (-) D ppm	IMS-131 Ag ppm	IMS-131 Al %
		0.01	LOR	1.0	1.0	1.0	0.9	0.9	0.01	0.01	0.01	0.01
Granite Blank	QC-P-BK	--									0.07	0.98
Granite Blank	QC-P-BK	--									0.05	1.01
034650	Rock	1.38		522.5	23.5	499.0	<0.9	<0.9	<0.01	<0.01	0.33	0.91
034651	Rock	1.74		547.3	29.7	517.6	<0.9	<0.9	<0.01	<0.01	0.77	1.04
034652	Rock	1.73		560.3	20.8	539.5	<0.9	<0.9	<0.01	<0.01	1.41	0.72
034653	Rock	1.97		508.5	23.8	484.7	<0.9	<0.9	<0.01	<0.01	0.80	0.98
034654	Rock	1.86		538.4	19.8	518.6	<0.9	<0.9	<0.01	<0.01	0.72	0.89
034655	Rock	1.45		561.5	27.8	533.7	<0.9	<0.9	<0.01	<0.01	0.56	1.18
034656	Rock	1.79		533.6	26.6	507.0	<0.9	<0.9	<0.01	<0.01	1.18	1.12
034657	Rock	1.74		525.0	25.9	499.1	<0.9	<0.9	<0.01	<0.01	0.97	1.67
034658	Rock	1.77		543.6	25.3	518.3	<0.9	<0.9	<0.01	<0.01	0.97	0.84
034659	Rock	1.50		523.6	14.5	509.1	<0.9	<0.9	<0.01	<0.01	0.74	0.76
034660	Rock	1.86		507.6	18.8	488.8	<0.9	<0.9	<0.01	<0.01	0.57	0.95
034661	Rock	1.69		518.3	24.2	494.1	<0.9	<0.9	<0.01	<0.01	0.77	0.94
034662	Rock	2.38		414.3	32.3	382.0	<0.9	<0.9	0.02	0.02	0.54	1.60
034663	Rock	1.98		498.6	25.8	472.8	<0.9	<0.9	<0.01	<0.01	0.35	1.24
034664	Rock	2.27		478.8	28.8	450.0	<0.9	<0.9	<0.01	<0.01	0.39	1.26
034665	Rock	1.70		481.2	28.8	452.4	<0.9	<0.9	<0.01	<0.01	0.24	1.17
034666	Rock	1.72		532.4	30.0	502.4	<0.9	<0.9	<0.01	<0.01	0.22	1.46
034667	Rock	1.81		452.2	29.5	422.7	<0.9	<0.9	<0.01	<0.01	0.17	1.43
034667PD	QC-PD	--									0.18	1.45
034668	Rock	1.88		489.7	24.0	465.7	<0.9	<0.9	0.01	0.01	0.23	1.07
034669	Rock	2.04		470.6	25.4	445.2	<0.9	<0.9	<0.01	<0.01	0.35	0.85
034670	Rock	1.84		499.7	27.3	472.4	<0.9	<0.9	<0.01	<0.01	0.27	0.73
034671	Rock	1.57		470.6	29.3	441.3	<0.9	<0.9	<0.01	<0.01	0.33	1.04

***Please refer to the cover page for comments regarding this test report. ***



MSALABS
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Flow Metals Corp.**
810 - 789 West Pender Street
Vancouver, BC, V6C 1H2
Canada

TEST REPORT:	YVR2010887
---------------------	-------------------

Project Name: Monster 2020
 Job Received Date: 19-Oct-2020
 Job Report Date: 24-Feb-2021
 Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	MSC-530 total g	MSC-530 (+) g	MSC-530 (-) g	MSC-530 Total Au ppm	MSC-530 Au (+) ppm	MSC-530 Au (-) ppm	MSC-530 Au (-) D ppm	IMS-131 Ag ppm	IMS-131 Al %
		0.01	LOR	1.0	1.0	1.0	0.9	0.9	0.01	0.01	0.01	0.01
034672	Rock	3.06		517.4	31.2	486.2	<0.9	<0.9	0.30	0.29	3.86	0.77
034673	Rock	2.51		508.8	19.6	489.2	<0.9	<0.9	0.03	0.03	1.74	0.59
034674	Rock	2.14		463.2	26.2	437.0	<0.9	<0.9	0.04	0.04	1.21	0.49
034675	Rock	2.28		455.6	30.1	425.5	<0.9	<0.9	<0.01	0.03	0.78	0.80
034676	Rock	2.72		521.4	19.1	502.3	<0.9	<0.9	0.04	0.06	0.36	0.65
034677	Rock	2.11		460.4	26.5	433.9	<0.9	<0.9	0.14	0.11	0.40	0.89
034678	Rock	2.51		480.1	28.0	452.1	<0.9	<0.9	0.02	0.02	0.20	0.79
034679	Rock	2.01		474.5	25.0	449.5	<0.9	<0.9	<0.01	<0.01	0.56	0.97
034680	Rock	1.89		457.8	19.1	438.7	<0.9	<0.9	<0.01	<0.01	0.78	1.12
034681	Rock	2.36		476.9	30.5	446.4	<0.9	<0.9	<0.01	<0.01	0.93	1.06
034682	Rock	1.72		460.1	30.5	429.6	<0.9	<0.9	<0.01	<0.01	0.22	1.58
034683	Rock	1.50		512.8	27.3	485.5	<0.9	<0.9	<0.01	<0.01	0.45	1.92
034684	Rock	1.44		483.0	28.0	455.0	<0.9	<0.9	<0.01	<0.01	0.20	2.20
034685	Rock	1.77		481.1	21.5	459.6	<0.9	<0.9	<0.01	<0.01	0.26	1.44
034686	Rock	1.85		495.1	20.8	474.3	<0.9	<0.9	0.06	0.06	1.01	1.52
034687	Rock	2.10		459.8	20.6	439.2	<0.9	<0.9	0.05	0.04	0.39	1.43
034688	Rock	1.80		453.5	30.1	423.4	<0.9	<0.9	<0.01	<0.01	0.12	1.00
034689	Rock	2.55		508.5	23.4	485.1	<0.9	<0.9	<0.01	<0.01	0.15	1.64
034690	Rock	1.84		484.2	19.0	465.2	<0.9	<0.9	<0.01	<0.01	0.14	0.78
034691	Rock	2.09		505.8	21.0	484.8	<0.9	<0.9	<0.01	<0.01	0.27	0.75
034692	Rock	2.17		496.4	22.2	474.2	<0.9	<0.9	<0.01	<0.01	0.13	0.73
034693	Rock	2.68		468.2	32.4	435.8	<0.9	<0.9	<0.01	<0.01	0.11	1.55
034694	Rock	2.21		491.0	29.7	461.3	<0.9	<0.9	<0.01	<0.01	0.14	1.68
034695	Rock	2.25		460.0	22.7	437.3	<0.9	0.9	<0.01	<0.01	0.33	0.85
034696	Rock	2.64		462.3	19.1	443.2	<0.9	<0.9	<0.01	<0.01	0.45	0.62

***Please refer to the cover page for comments regarding this test report. ***



MSALABS
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Flow Metals Corp.**
810 - 789 West Pender Street
Vancouver, BC, V6C 1H2
Canada

TEST REPORT:	YVR2010887
---------------------	-------------------

Project Name: Monster 2020
 Job Received Date: 19-Oct-2020
 Job Report Date: 24-Feb-2021
 Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	MSC-530 total g	MSC-530 (+) g	MSC-530 (-) g	MSC-530 Total Au ppm	MSC-530 Au (+) ppm	MSC-530 Au (-) ppm	MSC-530 Au (-) D ppm	IMS-131 Ag ppm	IMS-131 Al %
		0.01	LOR	1.0	1.0	1.0	0.9	0.9	0.9	0.01	0.01	0.01
034697	Rock	2.67		487.2	27.8	459.4	<0.9	<0.9	<0.01	<0.01	1.10	0.63
034698	Rock	2.94		481.3	27.3	454.0	<0.9	<0.9	0.01	0.01	0.94	0.79
034699	Rock	2.72		493.6	24.3	469.3	<0.9	<0.9	<0.01	<0.01	0.27	1.06
034700	Rock	2.41		461.2	30.1	431.1	<0.9	<0.9	0.02	0.04	0.19	0.88
034701	Rock	2.32		492.1	29.4	462.7	<0.9	<0.9	<0.01	<0.01	0.18	1.23
034702	Rock	2.43		482.3	23.8	458.5	<0.9	<0.9	<0.01	<0.01	0.32	0.77
034703	Rock	2.83		496.9	27.3	469.6	<0.9	<0.9	<0.01	0.03	1.08	0.80
034704	Rock	3.84		524.6	28.4	496.2	<0.9	<0.9	<0.01	<0.01	0.91	0.95
034705	Rock	2.75		488.6	24.4	464.2	<0.9	<0.9	<0.01	0.01	0.46	1.11
034706	Rock	2.34		492.1	21.9	470.2	<0.9	<0.9	0.04	0.04	0.90	1.01
034707	Rock	2.59		468.9	32.1	436.8	<0.9	<0.9	0.44	0.45	0.89	0.91
034707PD	QC-PD	--									0.96	0.95
034708	Rock	2.25		505.3	26.4	478.9	<0.9	<0.9	0.03	0.03	0.54	1.20
034709	Rock	2.31		507.1	29.3	477.8	<0.9	<0.9	0.02	0.01	0.61	1.42
034710	Rock	1.86		495.0	27.8	467.2	<0.9	<0.9	0.02	0.02	0.40	1.44
034711	Rock	NR		NR	NR	NR	NR	NR	NR	NR	NR	NR
034712	Rock	2.92		536.6	30.9	505.7	<0.9	<0.9	0.05	0.06	0.37	1.24
034713	Rock	11.16		463.9	22.7	441.2	<0.9	<0.9	<0.01	<0.01	0.08	0.78
034714	Rock	8.82		516.4	28.8	487.6	<0.9	<0.9	0.02	0.02	0.22	1.07
DUP 034663											0.36	1.20
DUP 034708											0.54	1.25
STD BLANK									<0.01	<0.01		
STD BLANK								<0.9	<0.01	<0.01		
STD BLANK												

***Please refer to the cover page for comments regarding this test report. ***



MSALABS
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Flow Metals Corp.**
810 - 789 West Pender Street
Vancouver, BC, V6C 1H2
Canada

TEST REPORT:	YVR2010887
---------------------	-------------------

Project Name: Monster 2020
 Job Received Date: 19-Oct-2020
 Job Report Date: 24-Feb-2021
 Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	MSC-530 total g	MSC-530 (+) g	MSC-530 (-) g	MSC-530 Total Au ppm	MSC-530 Au (+) ppm	MSC-530 Au (-) ppm	MSC-530 Au (-) D ppm	IMS-131 Ag ppm	IMS-131 Al %
STD BLANK		0.01	LOR	1.0	1.0	1.0	0.9	<0.9				
STD BLANK											<0.01	<0.01
STD BLANK											<0.01	<0.01
STD OxA147									0.08	0.08		
STD OxD167									0.47	0.47		
STD CDN-GS-20B								20.3				
STD OxD115								25.8				
STD OREAS 25a											0.04	6.39
STD OREAS 600b											25.90	0.58

***Please refer to the cover page for comments regarding this test report. ***



MSALABS
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Flow Metals Corp.**
810 - 789 West Pender Street
Vancouver, BC, V6C 1H2
Canada

TEST REPORT:	YVR2010887
---------------------	-------------------

Project Name: Monster 2020
 Job Received Date: 19-Oct-2020
 Job Report Date: 24-Feb-2021
 Report Version: Final

Sample ID	IMS-131 As ppm	IMS-131 Au ppm	IMS-131 B ppm	IMS-131 Ba ppm	IMS-131 Be ppm	IMS-131 Bi ppm	IMS-131 Ca %	IMS-131 Cd ppm	IMS-131 Ce ppm	IMS-131 Co ppm	IMS-131 Cr ppm	IMS-131 Cs ppm
Granite Blank	0.9	0.0018	<10	86	0.21	0.02	0.82	0.02	12.68	3.4	22	0.21
Granite Blank	0.9	0.0013	<10	95	0.22	0.02	0.77	0.02	13.62	3.5	24	0.20
034650	683.4	0.0018	15	291	0.45	0.19	0.04	2.70	38.81	21.1	61	1.75
034651	1591.2	0.0044	23	563	0.85	0.22	0.05	4.76	30.01	26.7	67	2.39
034652	2557.5	0.0026	26	888	0.58	0.15	0.07	7.35	21.26	28.3	57	2.34
034653	1032.9	0.0029	20	1004	0.56	0.18	0.05	3.25	27.27	25.7	64	2.60
034654	951.4	0.0024	21	1171	0.33	0.16	0.06	2.20	25.09	20.6	56	2.22
034655	752.1	0.0027	17	524	0.55	0.25	0.05	2.41	35.20	22.1	81	2.58
034656	624.2	0.0025	18	1122	0.44	0.21	0.07	2.27	34.37	28.5	60	2.25
034657	586.7	0.0033	18	923	0.55	0.19	0.07	1.99	35.04	35.7	91	2.40
034658	1565.7	0.0032	28	590	0.71	0.24	0.06	2.44	21.71	30.5	46	2.82
034659	1030.1	0.0021	21	685	0.67	0.17	0.06	2.27	31.12	31.0	74	1.75
034660	801.8	0.0024	20	642	0.70	0.17	0.05	1.90	29.88	21.8	51	1.68
034661	644.4	0.0043	20	617	0.54	0.21	0.07	1.67	28.91	35.2	80	1.91
034662	671.3	0.0137	24	590	0.88	0.13	0.37	1.58	43.36	35.1	65	4.34
034663	823.8	0.0064	20	519	0.73	0.14	0.51	1.40	38.47	26.9	60	3.92
034664	1516.4	0.0055	26	407	0.60	0.85	0.21	1.51	44.21	33.7	35	5.13
034665	598.5	0.0032	14	254	0.37	0.23	0.10	0.56	30.70	17.7	44	2.98
034666	531.0	0.0032	11	247	0.43	0.20	0.10	0.66	41.57	19.8	42	3.49
034667	857.2	0.0083	13	264	0.43	0.18	0.09	0.92	37.67	24.4	48	3.38
034667PD	945.5	0.0082	14	262	0.48	0.20	0.09	0.99	40.59	26.7	48	3.63
034668	634.6	0.0074	15	314	0.48	0.31	0.08	0.68	33.23	20.0	41	2.84
034669	1087.6	0.0066	17	272	0.53	0.24	0.07	1.01	25.37	19.3	55	2.54
034670	928.9	0.0056	14	250	0.46	0.11	0.08	0.86	29.39	14.0	58	2.12
034671	1123.1	0.0055	17	367	0.65	0.14	0.10	0.49	24.13	19.5	39	3.60

***Please refer to the cover page for comments regarding this test report. ***



MSALABS
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Flow Metals Corp.**
810 - 789 West Pender Street
Vancouver, BC, V6C 1H2
Canada

TEST REPORT:	YVR2010887
---------------------	-------------------

Project Name: Monster 2020
 Job Received Date: 19-Oct-2020
 Job Report Date: 24-Feb-2021
 Report Version: Final

Sample ID	IMS-131 As ppm 0.1	IMS-131 Au ppm 0.0005	IMS-131 B ppm 10	IMS-131 Ba ppm 10	IMS-131 Be ppm 0.05	IMS-131 Bi ppm 0.01	IMS-131 Ca % 0.01	IMS-131 Cd ppm 0.01	IMS-131 Ce ppm 0.02	IMS-131 Co ppm 0.1	IMS-131 Cr ppm 1	IMS-131 Cs ppm 0.05
034672	>10000	0.3000	26	40	0.53	2.43	0.21	0.72	19.94	13.9	33	2.73
034673	2702.1	0.0193	12	618	0.41	1.18	0.14	0.47	31.26	7.4	48	1.67
034674	1415.9	0.0095	13	329	0.35	2.09	0.18	1.60	17.63	5.9	68	1.74
034675	1027.2	0.0030	12	743	0.42	0.19	0.13	1.61	27.41	11.6	68	2.57
034676	949.7	0.0252	<10	488	0.41	0.43	0.07	1.60	34.78	10.7	66	1.63
034677	909.5	0.1264	11	457	0.47	0.27	0.10	1.37	40.41	16.6	60	2.13
034678	902.8	0.0088	<10	284	0.42	0.52	0.12	1.06	39.11	12.8	62	2.19
034679	304.1	0.0042	<10	760	0.44	0.38	0.11	1.15	40.18	43.2	76	2.95
034680	314.1	0.0043	13	1232	0.59	0.22	0.09	2.40	41.21	56.9	72	5.38
034681	353.5	0.0031	14	1344	0.81	0.27	0.10	3.21	43.17	54.7	69	4.27
034682	170.4	0.0017	12	451	0.46	0.19	0.17	1.23	52.05	17.7	66	3.11
034683	273.3	0.0022	15	854	0.67	0.17	0.21	1.77	44.73	35.8	81	4.71
034684	210.9	0.0040	16	917	0.48	0.22	0.31	1.10	55.92	23.3	85	5.28
034685	212.8	0.0036	12	597	0.44	0.26	0.18	1.08	40.30	11.4	93	3.63
034686	2295.7	0.0620	17	718	0.55	1.30	0.20	2.43	37.44	16.9	89	5.33
034687	1530.1	0.0338	17	451	0.57	0.28	0.19	1.81	44.48	12.5	69	6.02
034688	568.8	0.0020	11	486	0.41	0.18	0.12	1.06	33.01	7.2	81	3.48
034689	558.0	0.0056	12	354	0.34	0.16	0.15	1.15	41.96	14.9	71	4.97
034690	226.4	0.0026	10	342	0.32	0.14	0.12	0.71	29.86	8.3	63	2.03
034691	216.5	0.0043	<10	473	0.37	0.13	0.08	0.86	25.64	11.7	60	1.53
034692	240.9	0.0051	<10	414	0.40	0.18	0.06	0.79	18.76	10.1	57	1.26
034693	155.6	0.0023	<10	410	0.54	0.19	0.18	0.67	39.47	8.5	64	3.40
034694	214.1	0.0052	12	420	0.56	0.24	0.18	0.67	56.45	9.3	51	6.18
034695	167.1	0.0026	<10	499	0.38	0.19	0.11	0.76	40.78	7.0	62	3.50
034696	350.3	0.0019	13	659	0.34	0.24	0.09	1.38	15.93	7.5	59	4.22

Please refer to the cover page for comments regarding this test report.



MSALABS
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Flow Metals Corp.**
810 - 789 West Pender Street
Vancouver, BC, V6C 1H2
Canada

TEST REPORT:	YVR2010887
---------------------	-------------------

Project Name: Monster 2020
 Job Received Date: 19-Oct-2020
 Job Report Date: 24-Feb-2021
 Report Version: Final

Sample ID	IMS-131 As ppm	IMS-131 Au ppm	IMS-131 B ppm	IMS-131 Ba ppm	IMS-131 Be ppm	IMS-131 Bi ppm	IMS-131 Ca %	IMS-131 Cd ppm	IMS-131 Ce ppm	IMS-131 Co ppm	IMS-131 Cr ppm	IMS-131 Cs ppm
	0.1	0.0005	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
034697	514.6	0.0013	18	1092	0.35	0.27	0.13	3.85	17.48	21.7	64	3.97
034698	638.1	0.0016	17	932	0.42	0.20	0.12	3.95	36.20	32.7	69	3.11
034699	729.4	0.0039	14	475	0.43	0.20	0.12	1.56	50.79	13.4	66	3.34
034700	874.4	0.0045	11	394	0.43	0.21	0.15	1.31	42.86	8.8	68	2.80
034701	238.3	0.0022	12	407	0.42	0.29	0.24	0.76	47.75	10.1	68	2.63
034702	253.6	0.0021	<10	541	0.36	0.33	0.16	1.28	41.30	21.0	67	3.01
034703	350.2	0.0019	11	1337	0.42	0.28	0.11	2.32	45.19	62.7	63	2.77
034704	334.2	0.0031	16	1471	0.52	0.21	0.09	2.63	38.98	59.7	68	5.96
034705	315.3	0.0050	15	985	0.46	0.14	0.18	1.64	56.94	19.3	66	3.86
034706	453.5	0.0160	16	1535	0.44	0.20	0.12	2.32	44.10	21.6	73	5.40
034707	858.0	0.2785	18	1174	0.44	0.27	0.07	1.89	53.17	22.2	64	2.95
034707PD	898.0	0.3108	18	1250	0.50	0.27	0.08	2.01	56.39	23.4	64	3.09
034708	286.2	0.0205	15	760	0.54	0.16	0.17	1.21	59.54	28.4	75	5.46
034709	230.2	0.0063	13	606	0.47	0.17	0.25	0.94	53.06	19.4	79	4.00
034710	312.0	0.0106	13	401	0.49	0.15	0.35	0.94	53.08	11.1	87	4.18
034711	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
034712	883.9	0.0404	14	345	0.61	0.43	0.23	1.86	54.20	11.9	70	4.13
034713	50.2	0.0011	<10	226	0.28	0.17	0.08	0.04	50.51	2.7	44	1.65
034714	69.8	0.0076	<10	156	0.45	0.56	0.17	0.06	35.65	4.3	45	3.25
DUP 034663	824.4	0.0081	21	499	0.71	0.15	0.51	1.45	38.07	27.1	59	3.81
DUP 034708	284.8	0.0149	17	772	0.57	0.16	0.17	1.16	59.40	29.2	76	5.71
STD BLANK												
STD BLANK												
STD BLANK												

***Please refer to the cover page for comments regarding this test report. ***



MSALABS
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Flow Metals Corp.**
810 - 789 West Pender Street
Vancouver, BC, V6C 1H2
Canada

TEST REPORT:	YVR2010887
---------------------	-------------------

Project Name: Monster 2020
 Job Received Date: 19-Oct-2020
 Job Report Date: 24-Feb-2021
 Report Version: Final

Sample ID	IMS-131 As ppm	IMS-131 Au ppm	IMS-131 B ppm	IMS-131 Ba ppm	IMS-131 Be ppm	IMS-131 Bi ppm	IMS-131 Ca %	IMS-131 Cd ppm	IMS-131 Ce ppm	IMS-131 Co ppm	IMS-131 Cr ppm	IMS-131 Cs ppm
STD BLANK	<0.1	<0.0005	<10	<10	<0.05	<0.01	<0.01	<0.01	<0.02	<0.1	<1	<0.05
STD BLANK	<0.1	<0.0005	<10	<10	<0.05	<0.01	<0.01	<0.01	<0.02	<0.1	<1	<0.05
STD OxA147												
STD OxD167												
STD CDN-GS-20B												
STD OxQ115												
STD OREAS 25a	2.8	0.0010	15	65	0.66	0.29	0.16	0.05	31.99	5.9	75	4.26
STD OREAS 600b	96.3	0.2097	<10	643	0.67	5.99	0.85	2.12	58.85	2.1	25	1.54

***Please refer to the cover page for comments regarding this test report. ***



MSALABS
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Flow Metals Corp.**
810 - 789 West Pender Street
Vancouver, BC, V6C 1H2
Canada

TEST REPORT:	YVR2010887
---------------------	-------------------

Project Name: Monster 2020
 Job Received Date: 19-Oct-2020
 Job Report Date: 24-Feb-2021
 Report Version: Final

	IMS-131 Cu ppm	IMS-131 Fe %	IMS-131 Ga ppm	IMS-131 Ge ppm	IMS-131 Hf ppm	IMS-131 Hg ppm	IMS-131 In ppm	IMS-131 K %	IMS-131 La ppm	IMS-131 Li ppm	IMS-131 Mg %	IMS-131 Mn ppm
Sample ID	0.2	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	5
Granite Blank	2.3	1.81	4.06	0.12	0.16	0.028	0.009	0.07	6.5	2.2	0.43	433
Granite Blank	2.0	1.80	4.15	0.12	0.19	0.016	0.009	0.08	7.0	2.2	0.43	431
034650	78.4	8.64	2.97	0.07	0.11	0.026	0.017	0.32	19.7	8.2	0.05	445
034651	107.0	11.45	3.47	0.09	0.09	0.039	0.017	0.33	17.6	10.1	0.05	1353
034652	81.1	14.61	2.53	0.09	0.08	0.045	0.015	0.22	12.8	6.6	0.04	2922
034653	75.5	10.11	3.16	0.08	0.12	0.041	0.017	0.26	15.4	12.8	0.06	1955
034654	62.9	9.57	2.79	0.08	0.13	0.038	0.015	0.22	13.8	10.2	0.14	3188
034655	94.7	9.42	3.68	0.08	0.13	0.038	0.020	0.27	18.8	13.0	0.20	1007
034656	80.6	8.26	3.59	0.08	0.12	0.043	0.019	0.23	18.4	13.1	0.24	3841
034657	99.7	9.12	5.17	0.10	0.10	0.030	0.028	0.26	17.9	16.2	0.52	3115
034658	73.2	16.41	2.89	0.09	0.06	0.014	0.019	0.28	12.5	8.5	0.06	1638
034659	64.9	13.08	2.71	0.09	0.07	0.011	0.013	0.23	17.2	5.5	0.10	1702
034660	62.0	11.55	3.12	0.07	0.10	0.008	0.016	0.28	15.7	7.1	0.12	1021
034661	77.5	10.26	3.25	0.08	0.08	0.006	0.019	0.20	15.2	7.8	0.23	1715
034662	64.2	12.95	5.31	0.11	0.05	0.011	0.033	0.35	21.2	14.7	0.20	902
034663	33.2	11.61	4.12	0.11	0.06	0.008	0.031	0.36	17.4	7.7	0.48	759
034664	54.9	14.81	3.99	0.13	0.06	0.015	0.021	0.25	21.3	8.4	0.45	881
034665	41.9	7.04	3.48	0.07	0.09	0.008	0.013	0.23	15.0	7.8	0.49	371
034666	62.7	7.05	4.33	0.09	0.11	0.009	0.017	0.25	21.3	11.0	0.67	343
034667	76.9	7.68	4.27	0.09	0.13	0.016	0.015	0.26	19.7	11.0	0.54	462
034667PD	83.4	8.23	4.39	0.09	0.14	0.019	0.014	0.26	21.1	11.7	0.54	492
034668	88.6	8.39	3.36	0.08	0.13	0.012	0.017	0.24	17.4	7.3	0.34	575
034669	88.1	9.82	2.56	0.09	0.13	0.013	0.021	0.18	15.6	6.7	0.11	709
034670	69.2	7.97	2.23	0.09	0.12	0.015	0.013	0.18	16.1	5.6	0.05	481
034671	68.5	10.42	3.29	0.08	0.09	0.015	0.020	0.25	13.5	9.1	0.14	762

***Please refer to the cover page for comments regarding this test report. ***



MSALABS
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Flow Metals Corp.**
810 - 789 West Pender Street
Vancouver, BC, V6C 1H2
Canada

TEST REPORT:	YVR2010887
---------------------	-------------------

Project Name: Monster 2020
 Job Received Date: 19-Oct-2020
 Job Report Date: 24-Feb-2021
 Report Version: Final

Sample ID	IMS-131 Cu ppm	IMS-131 Fe %	IMS-131 Ga ppm	IMS-131 Ge ppm	IMS-131 Hf ppm	IMS-131 Hg ppm	IMS-131 In ppm	IMS-131 K %	IMS-131 La ppm	IMS-131 Li ppm	IMS-131 Mg %	IMS-131 Mn ppm
034672	34.9	14.74	2.54	0.13	0.08	0.035	0.023	0.24	9.7	4.8	0.06	487
034673	49.1	5.98	2.07	0.07	0.08	0.018	0.014	0.20	17.3	4.0	0.07	317
034674	77.0	5.72	1.74	0.06	0.15	0.017	0.220	0.17	11.3	3.0	0.04	408
034675	98.5	5.19	2.95	0.07	0.13	0.027	0.026	0.26	15.6	6.8	0.05	1882
034676	81.2	4.47	2.51	0.07	0.10	0.038	0.017	0.23	18.9	5.2	0.04	1175
034677	79.9	5.08	2.85	0.07	0.11	0.041	0.022	0.25	21.1	8.5	0.09	1249
034678	91.3	3.64	2.59	0.07	0.10	0.030	0.024	0.26	21.9	6.7	0.06	452
034679	83.2	2.32	3.17	0.07	0.10	0.030	0.023	0.31	21.5	8.8	0.08	2381
034680	97.3	3.50	3.87	0.07	0.13	0.035	0.029	0.33	22.2	12.1	0.21	4942
034681	141.4	5.44	3.75	0.09	0.12	0.043	0.025	0.28	23.7	13.2	0.16	5913
034682	76.4	3.52	4.81	0.09	0.11	0.023	0.018	0.26	25.8	15.4	0.83	1645
034683	95.5	5.37	5.51	0.09	0.15	0.045	0.031	0.30	23.2	25.4	0.76	3247
034684	77.4	5.16	6.41	0.10	0.08	0.021	0.028	0.36	29.2	21.2	1.07	1676
034685	76.6	3.95	4.33	0.07	0.08	0.029	0.024	0.32	21.3	14.3	0.52	1411
034686	61.2	6.20	4.60	0.09	0.10	0.050	0.022	0.41	23.0	18.8	0.39	2629
034687	54.8	5.38	4.57	0.09	0.11	0.028	0.024	0.42	24.7	12.9	0.37	773
034688	54.2	3.40	3.32	0.07	0.09	0.021	0.017	0.29	18.4	8.4	0.28	444
034689	63.6	5.37	5.03	0.10	0.09	0.026	0.025	0.24	23.0	14.3	0.73	493
034690	57.2	2.82	2.52	0.07	0.08	0.011	0.012	0.17	16.9	7.1	0.26	494
034691	74.2	2.75	2.53	0.06	0.16	0.018	0.018	0.16	13.6	6.6	0.14	1104
034692	91.7	3.61	2.62	0.05	0.14	0.019	0.018	0.17	10.5	5.9	0.10	647
034693	71.7	3.89	4.59	0.09	0.09	0.022	0.022	0.26	21.1	12.2	0.66	542
034694	76.0	3.52	5.29	0.10	0.10	0.025	0.026	0.29	30.5	14.6	0.70	543
034695	72.5	2.43	2.86	0.08	0.13	0.020	0.026	0.19	21.6	7.2	0.25	1325
034696	72.5	2.77	2.12	0.06	0.21	0.038	0.028	0.21	10.5	7.4	0.04	5502

Please refer to the cover page for comments regarding this test report.



MSALABS
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Flow Metals Corp.**
810 - 789 West Pender Street
Vancouver, BC, V6C 1H2
Canada

TEST REPORT:	YVR2010887
---------------------	-------------------

Project Name: Monster 2020
 Job Received Date: 19-Oct-2020
 Job Report Date: 24-Feb-2021
 Report Version: Final

Sample ID	IMS-131 Cu ppm	IMS-131 Fe %	IMS-131 Ga ppm	IMS-131 Ge ppm	IMS-131 Hf ppm	IMS-131 Hg ppm	IMS-131 In ppm	IMS-131 K %	IMS-131 La ppm	IMS-131 Li ppm	IMS-131 Mg %	IMS-131 Mn ppm
	0.2	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	5
034697	110.7	3.42	2.24	0.06	0.17	0.033	0.024	0.25	10.5	7.9	0.05	9153
034698	113.9	4.79	2.88	0.09	0.14	0.043	0.022	0.25	20.6	9.3	0.05	6597
034699	101.5	4.49	3.41	0.09	0.13	0.037	0.020	0.27	27.0	10.5	0.19	2492
034700	72.9	3.37	2.83	0.08	0.14	0.033	0.016	0.26	23.5	7.2	0.18	1734
034701	72.9	3.46	3.62	0.09	0.10	0.025	0.020	0.28	25.7	11.3	0.38	1200
034702	81.2	3.10	2.41	0.08	0.12	0.025	0.020	0.22	22.4	7.4	0.18	1996
034703	110.2	2.41	2.89	0.09	0.11	0.027	0.022	0.25	24.3	8.2	0.08	5380
034704	93.2	3.17	3.38	0.08	0.17	0.031	0.024	0.30	20.7	10.2	0.16	5972
034705	83.9	3.36	3.64	0.10	0.13	0.021	0.022	0.29	29.6	10.8	0.29	3690
034706	83.2	3.83	3.30	0.08	0.10	0.017	0.026	0.29	23.5	9.1	0.33	6147
034707	108.5	5.80	3.13	0.10	0.09	0.019	0.028	0.29	30.1	7.1	0.17	3783
034707PD	113.0	6.13	3.31	0.10	0.09	0.020	0.029	0.30	31.6	8.3	0.17	4055
034708	108.2	6.68	3.73	0.11	0.08	0.011	0.024	0.28	33.2	10.6	0.41	2324
034709	94.1	4.29	4.25	0.10	0.09	0.010	0.021	0.30	28.3	12.2	0.62	1423
034710	88.4	4.79	4.19	0.11	0.06	<0.005	0.019	0.30	29.5	11.8	0.62	492
034711	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
034712	84.1	5.88	3.80	0.11	0.06	<0.005	0.026	0.29	30.1	8.8	0.48	308
034713	23.8	1.12	2.31	0.08	0.13	0.012	0.017	0.20	25.1	7.1	0.08	80
034714	39.0	2.65	2.99	0.10	0.12	0.009	0.024	0.18	17.4	8.6	0.20	129
DUP 034663	33.2	11.65	3.85	0.11	0.07	0.015	0.029	0.34	17.3	7.9	0.48	761
DUP 034708	106.4	6.70	4.02	0.12	0.08	0.014	0.023	0.30	33.2	10.3	0.42	2323
STD BLANK												
STD BLANK												
STD BLANK												

***Please refer to the cover page for comments regarding this test report. ***



MSALABS
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Flow Metals Corp.**
810 - 789 West Pender Street
Vancouver, BC, V6C 1H2
Canada

TEST REPORT:	YVR2010887
---------------------	-------------------

Project Name: Monster 2020
 Job Received Date: 19-Oct-2020
 Job Report Date: 24-Feb-2021
 Report Version: Final

Sample ID	IMS-131 Cu ppm	IMS-131 Fe %	IMS-131 Ga ppm	IMS-131 Ge ppm	IMS-131 Hf ppm	IMS-131 Hg ppm	IMS-131 In ppm	IMS-131 K %	IMS-131 La ppm	IMS-131 Li ppm	IMS-131 Mg %	IMS-131 Mn ppm
Sample ID	0.2	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	5
STD BLANK	<0.2	<0.01	<0.05	<0.05	<0.02	<0.005	<0.005	<0.01	<0.2	<0.1	<0.01	<5
STD BLANK	<0.2	<0.01	<0.05	<0.05	<0.02	<0.005	<0.005	<0.01	<0.2	<0.1	<0.01	<5
STD OxA147												
STD OxD167												
STD CDN-GS-20B												
STD OxD115												
STD OREAS 25a	24.9	6.27	21.30	0.06	0.40	0.057	0.074	0.14	14.1	26.2	0.22	425
STD OREAS 600b	521.8	2.05	3.59	0.14	1.51	0.086	0.407	0.26	29.6	9.7	0.05	247

***Please refer to the cover page for comments regarding this test report. ***



MSALABS
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Flow Metals Corp.**
810 - 789 West Pender Street
Vancouver, BC, V6C 1H2
Canada

TEST REPORT:	YVR2010887
---------------------	-------------------

Project Name: Monster 2020
 Job Received Date: 19-Oct-2020
 Job Report Date: 24-Feb-2021
 Report Version: Final

Sample ID	IMS-131 Mo ppm	IMS-131 Na %	IMS-131 Nb ppm	IMS-131 Ni ppm	IMS-131 P ppm	IMS-131 Pb ppm	IMS-131 Rb ppm	IMS-131 Re ppm	IMS-131 S %	IMS-131 Sb ppm	IMS-131 Sc ppm	IMS-131 Se ppm
Granite Blank	3.84	<0.2	0.46	1.8	382	2.0	2.5	0.001	0.03	0.14	3.2	<0.2
Granite Blank	4.38	<0.2	0.48	2.0	377	1.7	2.7	0.001	0.02	0.12	3.4	<0.2
034650	18.28	<0.2	0.05	145.3	942	6.7	12.2	0.001	<0.01	0.67	2.6	0.6
034651	21.03	<0.2	<0.05	173.4	1147	6.8	14.8	0.002	<0.01	2.28	4.5	0.8
034652	26.58	<0.2	<0.05	142.2	1261	5.2	10.6	0.002	<0.01	2.00	3.6	0.7
034653	21.45	<0.2	<0.05	154.9	1035	5.6	12.7	0.002	<0.01	1.23	4.3	0.6
034654	22.18	<0.2	<0.05	118.9	921	4.6	10.1	0.002	0.01	0.75	3.6	0.5
034655	18.01	<0.2	<0.05	169.5	980	6.0	12.2	0.002	<0.01	1.30	4.9	0.7
034656	23.80	<0.2	<0.05	164.4	994	6.5	11.0	0.002	<0.01	1.08	4.8	0.5
034657	20.72	<0.2	<0.05	177.7	1062	7.6	12.5	0.002	<0.01	1.67	7.6	0.7
034658	24.86	<0.2	<0.05	205.9	1623	8.5	13.8	0.001	<0.01	4.40	4.4	1.4
034659	29.17	<0.2	<0.05	171.2	1400	4.5	9.6	0.002	<0.01	2.48	3.0	0.8
034660	17.97	<0.2	<0.05	161.5	1159	6.6	11.9	0.001	<0.01	2.34	3.2	0.7
034661	19.98	<0.2	<0.05	171.2	1179	5.3	9.6	0.002	<0.01	1.78	4.4	0.5
034662	13.50	<0.2	0.17	207.1	2752	6.1	17.0	0.002	<0.01	2.49	5.3	0.6
034663	13.67	<0.2	0.07	196.9	3130	19.4	17.2	0.002	<0.01	3.12	5.4	0.3
034664	13.50	<0.2	0.06	171.3	1973	78.0	13.0	0.001	<0.01	2.24	4.5	0.3
034665	8.91	<0.2	<0.05	80.0	896	13.3	11.0	0.001	<0.01	0.72	2.6	0.3
034666	7.33	<0.2	<0.05	79.9	886	5.9	12.9	0.001	<0.01	0.55	2.8	0.7
034667	11.30	<0.2	<0.05	94.3	788	6.4	12.3	0.001	<0.01	0.78	3.4	0.7
034667PD	11.82	<0.2	<0.05	110.1	832	6.8	12.6	0.002	<0.01	0.94	3.6	0.8
034668	11.71	<0.2	<0.05	106.1	870	12.9	10.9	0.002	<0.01	1.05	3.0	1.0
034669	15.62	<0.2	0.07	132.3	1107	23.3	8.9	0.002	<0.01	1.24	5.0	0.5
034670	14.48	<0.2	0.07	110.6	1020	6.4	8.8	0.002	<0.01	1.18	4.2	0.5
034671	13.82	<0.2	0.07	125.4	1120	10.2	12.4	0.002	<0.01	1.80	6.2	0.6

***Please refer to the cover page for comments regarding this test report. ***



MSALABS
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Flow Metals Corp.**
810 - 789 West Pender Street
Vancouver, BC, V6C 1H2
Canada

TEST REPORT:	YVR2010887
---------------------	-------------------

Project Name: Monster 2020
 Job Received Date: 19-Oct-2020
 Job Report Date: 24-Feb-2021
 Report Version: Final

Sample ID	IMS-131 Mo ppm	IMS-131 Na %	IMS-131 Nb ppm	IMS-131 Ni ppm	IMS-131 P ppm	IMS-131 Pb ppm	IMS-131 Rb ppm	IMS-131 Re ppm	IMS-131 S %	IMS-131 Sb ppm	IMS-131 Sc ppm	IMS-131 Se ppm
034672	18.42	<0.2	0.09	56.9	1273	697.3	12.2	0.004	2.44	12.61	5.3	15.0
034673	13.66	<0.2	<0.05	42.8	935	339.9	8.9	0.002	0.01	1.88	2.4	1.0
034674	16.09	<0.2	<0.05	43.4	1143	625.9	7.7	0.002	<0.01	1.46	2.2	0.7
034675	15.55	<0.2	<0.05	66.7	984	71.4	11.4	0.002	<0.01	0.91	3.4	1.5
034676	14.78	<0.2	<0.05	60.7	661	37.2	9.4	0.002	<0.01	1.31	4.9	1.2
034677	13.52	<0.2	0.06	77.9	832	25.4	11.2	0.002	<0.01	1.16	4.2	0.7
034678	10.17	<0.2	0.05	41.7	844	51.4	11.4	0.002	<0.01	1.04	3.5	1.3
034679	13.25	<0.2	<0.05	43.0	674	31.1	14.0	0.002	<0.01	1.01	3.4	1.4
034680	15.60	<0.2	0.08	105.8	666	21.5	16.8	0.002	<0.01	2.72	4.8	1.5
034681	20.13	<0.2	0.07	142.7	1058	17.4	14.3	0.002	<0.01	4.76	5.4	1.9
034682	11.25	<0.2	<0.05	53.9	716	5.9	11.1	0.002	<0.01	0.81	3.7	1.5
034683	15.83	<0.2	<0.05	139.6	939	20.1	14.4	0.002	<0.01	1.48	8.1	0.5
034684	11.65	<0.2	0.12	85.8	1198	6.2	18.6	0.002	<0.01	0.62	6.2	0.6
034685	13.86	<0.2	0.06	64.3	771	7.8	15.4	0.002	<0.01	0.51	4.2	0.9
034686	17.35	<0.2	0.12	77.5	837	362.0	28.7	0.003	<0.01	2.22	7.4	0.7
034687	13.23	<0.2	0.15	66.7	831	151.6	33.4	0.002	<0.01	1.61	7.5	0.5
034688	14.38	<0.2	0.07	38.5	645	14.2	16.6	0.002	<0.01	0.60	3.0	0.9
034689	8.42	<0.2	0.11	62.3	777	12.5	18.7	0.002	<0.01	0.61	4.9	0.9
034690	10.24	<0.2	0.09	35.8	576	13.7	8.5	0.002	<0.01	0.42	2.9	0.4
034691	10.88	<0.2	0.07	45.6	467	22.5	7.5	0.002	<0.01	0.64	3.6	0.4
034692	9.91	<0.2	0.06	47.4	463	17.5	7.4	0.002	<0.01	0.61	3.8	0.4
034693	9.34	<0.2	0.06	42.8	752	15.3	13.8	0.002	<0.01	0.47	5.5	0.8
034694	7.39	<0.2	0.09	46.8	744	21.3	20.6	0.002	<0.01	0.61	5.2	0.7
034695	11.72	<0.2	<0.05	38.7	579	21.1	10.3	0.002	<0.01	0.68	3.0	0.7
034696	16.87	<0.2	<0.05	64.0	614	65.1	9.3	0.002	<0.01	0.86	2.7	2.0

***Please refer to the cover page for comments regarding this test report. ***



MSALABS
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Flow Metals Corp.**
810 - 789 West Pender Street
Vancouver, BC, V6C 1H2
Canada

TEST REPORT:	YVR2010887
---------------------	-------------------

Project Name: Monster 2020
 Job Received Date: 19-Oct-2020
 Job Report Date: 24-Feb-2021
 Report Version: Final

Sample ID	IMS-131 Mo ppm	IMS-131 Na %	IMS-131 Nb ppm	IMS-131 Ni ppm	IMS-131 P ppm	IMS-131 Pb ppm	IMS-131 Rb ppm	IMS-131 Re ppm	IMS-131 S %	IMS-131 Sb ppm	IMS-131 Sc ppm	IMS-131 Se ppm
034697	21.04	<0.2	<0.05	101.6	858	25.4	11.1	0.002	<0.01	1.01	3.3	2.6
034698	19.09	<0.2	<0.05	120.5	932	20.2	10.9	0.002	<0.01	0.70	4.3	1.5
034699	14.22	<0.2	<0.05	68.4	821	18.1	12.3	0.001	<0.01	0.55	3.8	1.0
034700	14.49	<0.2	0.05	46.2	796	16.8	11.6	0.002	<0.01	0.60	3.1	0.6
034701	11.83	<0.2	0.05	46.8	1097	29.4	12.1	0.001	<0.01	0.60	3.3	1.0
034702	15.37	<0.2	0.05	56.5	876	17.1	9.6	0.002	<0.01	0.74	2.6	1.1
034703	16.29	<0.2	<0.05	80.1	665	17.5	11.2	0.002	<0.01	1.12	3.2	1.2
034704	17.57	<0.2	0.08	109.4	630	42.7	16.5	0.002	<0.01	2.56	4.2	1.1
034705	14.09	<0.2	0.06	62.5	950	13.1	13.3	0.002	<0.01	1.18	3.7	1.3
034706	17.97	<0.2	0.06	76.1	694	23.0	14.5	0.002	<0.01	1.06	3.5	1.0
034707	16.53	<0.2	<0.05	103.2	802	26.7	12.6	0.002	<0.01	1.93	2.9	1.2
034707PD	17.21	<0.2	<0.05	109.3	861	28.1	13.5	0.002	<0.01	2.05	3.2	1.4
034708	14.44	<0.2	0.12	113.0	1227	11.8	16.2	0.002	<0.01	0.94	3.6	1.9
034709	10.94	<0.2	0.16	68.4	1231	10.2	16.8	0.002	<0.01	0.72	3.5	1.4
034710	10.04	<0.2	0.17	64.6	1752	14.5	15.3	0.002	<0.01	0.52	3.7	1.5
034711	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
034712	11.37	<0.2	0.13	75.3	1449	30.4	13.8	0.002	<0.01	0.95	3.5	1.3
034713	6.41	<0.2	<0.05	17.2	380	4.6	8.9	0.002	<0.01	0.34	1.8	<0.2
034714	5.38	<0.2	<0.05	32.4	932	3.9	8.7	0.001	0.02	0.54	3.4	0.4
DUP 034663	13.82	<0.2	0.09	197.4	3128	19.2	16.3	0.002	<0.01	3.29	5.2	0.3
DUP 034708	14.59	<0.2	0.13	114.5	1231	12.1	17.1	0.002	<0.01	0.94	3.9	2.0
STD BLANK												
STD BLANK												
STD BLANK												

***Please refer to the cover page for comments regarding this test report. ***



MSALABS
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Flow Metals Corp.**
810 - 789 West Pender Street
Vancouver, BC, V6C 1H2
Canada

TEST REPORT:	YVR2010887
---------------------	-------------------

Project Name: Monster 2020
 Job Received Date: 19-Oct-2020
 Job Report Date: 24-Feb-2021
 Report Version: Final

Sample ID	IMS-131 Mo ppm	IMS-131 Na %	IMS-131 Nb ppm	IMS-131 Ni ppm	IMS-131 P ppm	IMS-131 Pb ppm	IMS-131 Rb ppm	IMS-131 Re ppm	IMS-131 S %	IMS-131 Sb ppm	IMS-131 Sc ppm	IMS-131 Se ppm
0.05	0.05	0.2	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2
STD BLANK	<0.05	<0.2	<0.05	<0.2	<10	<0.2	<0.1	<0.001	<0.01	<0.05	<0.1	<0.2
STD BLANK	<0.05	<0.2	<0.05	<0.2	<10	<0.2	<0.1	<0.001	<0.01	<0.05	<0.1	<0.2
STD OxA147												
STD OxD167												
STD CDN-GS-20B												
STD OxD115												
STD OREAS 25a	1.74	<0.2	0.98	28.0	385	20.6	32.1	<0.001	0.05	0.22	9.1	0.7
STD OREAS 600b	5.02	<0.2	1.21	4.0	222	84.3	15.5	<0.001	0.26	10.33	1.1	3.1

***Please refer to the cover page for comments regarding this test report. ***



MSALABS
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Flow Metals Corp.**
810 - 789 West Pender Street
Vancouver, BC, V6C 1H2
Canada

TEST REPORT:	YVR2010887
---------------------	-------------------

Project Name: Monster 2020
 Job Received Date: 19-Oct-2020
 Job Report Date: 24-Feb-2021
 Report Version: Final

Sample ID	IMS-131 Sn ppm	IMS-131 Sr ppm	IMS-131 Ta ppm	IMS-131 Te ppm	IMS-131 Th ppm	IMS-131 Ti %	IMS-131 Tl ppm	IMS-131 U ppm	IMS-131 V ppm	IMS-131 W ppm	IMS-131 Y ppm	IMS-131 Zn ppm	IMS-131 Zr ppm
Granite Blank	0.4	45.4	0.01	<0.01	2.3	0.085	<0.02	0.46	26	0.11	9.40	23	4.1
Granite Blank	0.4	53.3	0.01	0.01	2.4	0.087	<0.02	0.45	26	0.11	9.89	22	4.5
034650	0.3	7.6	<0.01	0.06	7.4	<0.005	0.11	4.79	32	0.47	8.26	801	5.6
034651	0.4	11.5	<0.01	0.09	5.0	<0.005	0.17	5.44	42	2.54	14.38	880	5.0
034652	0.3	19.1	<0.01	0.06	3.5	<0.005	0.25	5.92	36	2.20	14.21	1020	4.2
034653	0.3	13.9	<0.01	0.13	5.1	0.005	0.19	5.84	39	0.71	12.04	778	6.2
034654	0.2	21.1	<0.01	0.06	4.6	<0.005	0.30	5.42	31	0.41	10.05	852	6.2
034655	0.3	9.2	<0.01	0.12	6.4	0.005	0.13	5.88	40	1.28	12.78	810	7.2
034656	0.3	10.7	<0.01	0.09	5.6	0.006	0.22	5.27	40	0.86	12.27	727	6.2
034657	0.3	11.1	<0.01	0.09	5.3	0.007	0.20	5.71	57	1.45	14.76	820	5.9
034658	0.2	11.4	<0.01	0.08	3.9	<0.005	0.14	5.43	42	5.16	11.64	1104	3.4
034659	0.3	9.3	<0.01	0.05	5.1	<0.005	0.10	5.30	30	2.10	11.39	856	5.4
034660	0.2	9.0	<0.01	0.07	6.0	<0.005	0.10	5.16	32	1.83	12.63	722	5.2
034661	0.3	10.2	<0.01	0.15	5.0	<0.005	0.11	5.78	36	1.32	12.92	665	4.4
034662	0.5	28.1	<0.01	0.04	4.8	0.007	0.14	6.78	52	1.39	19.71	760	3.2
034663	0.5	31.8	<0.01	0.07	6.0	0.013	0.11	6.87	25	2.01	17.62	677	2.8
034664	0.4	12.7	<0.01	0.30	7.2	0.010	0.09	7.91	29	1.20	14.91	635	3.2
034665	0.3	6.8	<0.01	0.08	5.6	0.006	0.07	3.56	26	0.70	7.45	313	4.2
034666	0.2	6.9	<0.01	0.09	7.3	0.006	0.10	3.73	43	0.56	9.35	327	5.8
034667	0.3	7.8	<0.01	0.08	6.9	0.006	0.09	4.66	43	1.32	11.31	298	7.2
034667PD	0.3	8.1	<0.01	0.06	7.2	0.006	0.10	5.27	44	1.52	12.12	319	7.6
034668	0.2	6.9	<0.01	0.09	5.5	<0.005	0.08	3.74	36	1.24	10.24	344	6.7
034669	0.2	8.1	0.04	0.15	3.8	0.006	0.07	6.25	32	2.77	13.45	359	6.2
034670	0.2	8.4	<0.01	0.03	5.3	0.005	0.07	5.70	23	1.99	11.43	285	6.0
034671	0.3	9.9	<0.01	0.06	5.1	<0.005	0.09	4.52	29	5.50	12.32	339	4.7

***Please refer to the cover page for comments regarding this test report. ***



MSALABS
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Flow Metals Corp.**
810 - 789 West Pender Street
Vancouver, BC, V6C 1H2
Canada

TEST REPORT:	YVR2010887
---------------------	-------------------

Project Name: Monster 2020
 Job Received Date: 19-Oct-2020
 Job Report Date: 24-Feb-2021
 Report Version: Final

Sample ID	IMS-131 Sn ppm	IMS-131 Sr ppm	IMS-131 Ta ppm	IMS-131 Te ppm	IMS-131 Th ppm	IMS-131 Ti %	IMS-131 Tl ppm	IMS-131 U ppm	IMS-131 V ppm	IMS-131 W ppm	IMS-131 Y ppm	IMS-131 Zn ppm	IMS-131 Zr ppm
	0.2	0.2	0.01	0.01	0.2	0.005	0.02	0.05	1	0.05	0.05	1	0.5
034672	0.2	10.6	<0.01	4.60	2.3	<0.005	0.09	6.41	17	3.82	10.81	191	4.2
034673	0.2	8.7	<0.01	1.14	4.4	<0.005	0.06	3.09	27	2.84	8.92	168	3.8
034674	0.4	10.0	<0.01	0.20	2.8	<0.005	0.06	2.41	55	1.98	10.82	413	7.4
034675	0.3	14.3	<0.01	0.15	4.4	<0.005	0.10	2.97	55	0.88	12.23	369	6.8
034676	0.3	9.3	<0.01	0.23	5.2	<0.005	0.10	3.00	58	1.59	10.82	303	5.8
034677	0.3	11.3	<0.01	0.30	6.3	0.006	0.11	3.78	42	0.77	12.40	293	6.4
034678	0.3	8.3	<0.01	0.31	5.6	<0.005	0.11	3.04	37	0.51	12.02	186	5.0
034679	0.4	9.4	<0.01	0.09	5.9	0.006	0.24	2.25	44	0.69	10.60	128	5.1
034680	0.3	12.3	<0.01	0.09	6.7	0.009	0.39	3.79	55	3.17	14.97	248	7.5
034681	0.3	13.0	<0.01	0.18	6.3	0.006	0.40	5.09	56	9.03	21.53	369	7.6
034682	0.2	9.4	<0.01	0.08	7.7	0.006	0.13	2.45	40	1.54	11.45	197	5.0
034683	0.3	12.4	<0.01	0.02	5.5	0.009	0.21	4.56	55	3.45	19.92	288	7.3
034684	0.5	14.8	<0.01	0.05	5.7	0.014	0.17	3.07	62	0.65	16.34	228	3.8
034685	0.4	10.7	<0.01	0.08	5.7	0.006	0.14	2.59	46	0.45	11.99	170	4.0
034686	0.3	13.2	<0.01	0.78	4.7	0.009	0.22	5.53	50	0.74	17.53	216	5.4
034687	0.3	10.9	0.04	0.21	5.8	0.011	0.17	4.54	46	2.36	17.43	196	4.7
034688	0.3	8.1	<0.01	0.08	5.4	0.007	0.11	2.60	45	0.66	10.79	124	4.0
034689	0.3	9.9	<0.01	0.13	5.9	0.011	0.12	3.65	47	0.57	17.38	200	4.3
034690	0.2	6.3	<0.01	0.03	4.7	<0.005	0.08	2.17	25	0.25	9.92	103	4.0
034691	0.3	7.2	<0.01	0.06	4.7	0.005	0.11	2.77	26	0.41	9.34	123	7.5
034692	0.2	7.5	<0.01	0.15	4.0	<0.005	0.07	2.92	32	0.53	10.23	138	6.8
034693	0.3	9.5	<0.01	0.10	5.6	0.007	0.10	2.99	41	0.20	13.43	208	4.4
034694	0.3	10.4	<0.01	0.12	9.8	0.011	0.14	3.24	40	0.28	14.30	195	5.0
034695	0.3	6.2	<0.01	0.10	5.0	<0.005	0.14	2.66	32	0.41	9.87	132	6.0
034696	0.3	26.4	<0.01	0.10	3.3	<0.005	0.12	2.34	50	1.55	11.10	200	9.3

***Please refer to the cover page for comments regarding this test report. ***



MSALABS
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Flow Metals Corp.**
810 - 789 West Pender Street
Vancouver, BC, V6C 1H2
Canada

TEST REPORT:	YVR2010887
---------------------	-------------------

Project Name: Monster 2020
 Job Received Date: 19-Oct-2020
 Job Report Date: 24-Feb-2021
 Report Version: Final

Sample ID	IMS-131 Sn ppm	IMS-131 Sr ppm	IMS-131 Ta ppm	IMS-131 Te ppm	IMS-131 Th ppm	IMS-131 Ti %	IMS-131 Tl ppm	IMS-131 U ppm	IMS-131 V ppm	IMS-131 W ppm	IMS-131 Y ppm	IMS-131 Zn ppm	IMS-131 Zr ppm
034697	0.3	40.8	<0.01	0.10	3.5	<0.005	0.22	2.86	52	0.65	13.86	220	8.3
034698	0.3	26.9	<0.01	0.07	5.2	<0.005	0.31	4.06	60	0.48	13.88	349	6.8
034699	0.3	12.4	<0.01	0.20	7.0	0.006	0.17	4.04	43	0.25	13.46	279	6.1
034700	0.3	11.2	<0.01	0.12	6.6	0.005	0.15	3.16	35	0.37	12.82	181	6.6
034701	0.3	9.8	<0.01	0.14	6.5	0.005	0.14	2.91	45	0.57	11.63	213	5.0
034702	0.3	8.0	<0.01	0.13	6.2	<0.005	0.19	2.45	46	0.88	11.26	191	6.0
034703	0.3	10.8	<0.01	0.10	6.5	<0.005	0.41	2.72	38	1.70	11.63	156	6.0
034704	0.3	12.5	0.04	0.15	6.3	0.010	0.46	3.59	54	2.83	14.00	241	7.7
034705	0.3	12.3	0.01	0.05	8.2	0.006	0.26	2.89	46	1.37	13.57	210	6.2
034706	0.3	13.7	<0.01	0.09	6.1	0.007	0.36	3.07	41	1.25	12.75	254	4.5
034707	0.3	9.9	<0.01	0.19	6.4	<0.005	0.21	3.83	37	1.39	13.28	309	4.6
034707PD	0.3	10.5	<0.01	0.27	6.7	<0.005	0.23	4.17	39	1.42	13.94	330	4.7
034708	0.3	10.2	<0.01	0.03	6.7	0.010	0.17	3.99	43	1.12	18.47	372	4.9
034709	0.3	11.9	<0.01	0.10	6.7	0.013	0.17	2.98	46	0.57	13.29	234	5.2
034710	0.3	12.3	<0.01	0.09	6.1	0.012	0.12	3.20	47	0.39	14.82	261	3.9
034711	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
034712	0.3	10.1	<0.01	0.10	6.7	0.007	0.10	3.30	45	0.78	13.48	302	3.5
034713	0.2	9.5	<0.01	<0.01	8.1	<0.005	0.09	0.77	14	0.72	4.14	36	4.8
034714	0.2	9.4	<0.01	0.12	5.5	<0.005	0.09	0.98	29	4.02	7.31	62	4.7
DUP 034663	0.5	32.2	0.03	0.07	6.0	0.012	0.11	6.89	24	2.04	17.95	678	2.8
DUP 034708	0.3	10.5	<0.01	0.17	6.7	0.010	0.18	4.06	45	1.11	18.78	372	4.9
STD BLANK													
STD BLANK													
STD BLANK													

***Please refer to the cover page for comments regarding this test report. ***



MSALABS
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Flow Metals Corp.**
810 - 789 West Pender Street
Vancouver, BC, V6C 1H2
Canada

TEST REPORT:	YVR2010887
---------------------	-------------------

Project Name: Monster 2020
 Job Received Date: 19-Oct-2020
 Job Report Date: 24-Feb-2021
 Report Version: Final

Sample ID	IMS-131 Sn ppm	IMS-131 Sr ppm	IMS-131 Ta ppm	IMS-131 Te ppm	IMS-131 Th ppm	IMS-131 Ti %	IMS-131 Tl ppm	IMS-131 U ppm	IMS-131 V ppm	IMS-131 W ppm	IMS-131 Y ppm	IMS-131 Zn ppm	IMS-131 Zr ppm
Sample ID	0.2	0.2	0.01	0.01	0.2	0.005	0.02	0.05	1	0.05	0.05	1	0.5
STD BLANK	<0.2	<0.2	<0.01	<0.01	<0.2	<0.005	<0.02	<0.05	<1	<0.05	<0.05	<1	<0.5
STD BLANK	<0.2	<0.2	<0.01	<0.01	<0.2	<0.005	<0.02	<0.05	<1	<0.05	<0.05	<1	<0.5
STD OxA147													
STD OxD167													
STD CDN-GS-20B													
STD OxQ115													
STD OREAS 25a	2.7	18.8	<0.01	0.01	10.3	0.077	0.20	1.47	128	<0.05	4.56	33	17.8
STD OREAS 600b	1.5	25.5	0.02	1.94	9.9	0.031	0.47	3.20	3	2.55	7.71	343	52.3

***Please refer to the cover page for comments regarding this test report. ***