



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** True Point Exploration Inc.  
904 – 409 Granville St.  
Vancouver British Columbia V6G 1T2 Canada

Submitted By: Scott Petsel  
Receiving Lab: Canada-Whitehorse  
Received: August 03, 2020  
Analysis Start: September 15, 2020  
Report Date: October 14, 2020  
Page: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI20000218.1

## CLIENT JOB INFORMATION

Project: Stu Copper  
Shipment ID: STU20-9  
P.O. Number  
Number of Samples: 15

## SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: True Point Exploration Inc.  
904 – 409 Granville St.  
Vancouver British Columbia V6G 1T2  
Canada

CC: Debbie James  
Pieter Vanleuzen  
Scott Petsel

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	15	Crush, split and pulverize 250 g rock to 200 mesh			WHI
LH402	15	Cu in oxide form, 5% H2SO4	1	Completed	VAN
MA300	15	4 Acid digestion ICP-ES analysis	0.25	Completed	VAN
AQ115-IGN	15	Ignite samples, acid digest, Au by ICP-MS	15	Completed	VAN
SHP01	15	Per sample shipping charges for branch shipments			VAN
SLBHP	15	Sort, label and box pulps			WHI
MA401	2	4 Acid Digest AAS Finish	1	Completed	VAN

## ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: True Point Exploration Inc.**  
904 – 409 Granville St.  
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper  
Report Date: October 14, 2020

Page: 2 of 2

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI20000218.1

Method	WGHT	LH402	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300
Analyte	Wgt	Cu/Ox	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.001	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01	
1810674	Rock	0.12	0.003	17	77	7	75	<0.5	23	33	1507	7.11	<5	<20	<2	694	0.5	<5	<5	311	7.48
1810675	Rock	0.45	0.001	<2	39	7	24	<0.5	5	7	375	2.05	<5	<20	8	615	<0.4	<5	<5	61	2.18
1810676	Rock	0.21	0.013	<2	193	13	68	<0.5	3	12	866	4.10	<5	<20	7	313	<0.4	<5	<5	116	2.71
1810677	Rock	0.34	0.047	<2	547	11	50	0.8	3	10	761	3.50	<5	<20	4	485	<0.4	<5	<5	108	2.16
1810678	Rock	0.25	0.020	<2	302	12	65	<0.5	3	11	1016	3.95	<5	<20	5	715	<0.4	<5	<5	120	3.28
1810679	Rock	0.46	0.444	3	4567	16	21	3.1	3	5	713	3.03	<5	<20	4	588	<0.4	<5	<5	124	2.85
1810680	Rock	0.62	2.450	147	>10000	<5	<2	47.3	<2	<2	41	0.91	<5	<20	<2	7	0.7	<5	17	4	0.04
1810681	Rock	0.65	0.968	131	>10000	12	40	13.2	3	7	396	2.28	<5	<20	7	283	<0.4	<5	<5	62	1.27
1810682	Rock	1.68	0.016	<2	255	<5	22	<0.5	3	6	529	1.71	<5	<20	<2	113	<0.4	<5	<5	42	3.40
1810683	Rock	0.73	0.003	<2	125	<5	73	<0.5	17	19	1132	5.11	<5	<20	<2	404	<0.4	<5	<5	225	7.28
1810684	Rock	1.13	0.001	<2	41	<5	74	<0.5	44	28	1073	5.61	<5	<20	<2	258	<0.4	<5	<5	187	4.15
1810685	Rock	0.33	0.004	<2	186	20	17	<0.5	9	17	369	2.68	43	<20	<2	384	<0.4	<5	<5	85	3.96
1810686	Rock	0.63	<0.001	<2	25	8	83	<0.5	5	18	1219	4.94	7	<20	3	923	<0.4	<5	<5	161	3.64
1810687	Rock	1.29	<0.001	<2	26	25	102	<0.5	3	5	605	2.00	<5	<20	3	726	<0.4	<5	<5	45	0.95
1810688	Rock	1.43	0.002	<2	87	6	90	<0.5	20	26	1467	6.63	<5	<20	<2	842	<0.4	<5	<5	246	5.88



**BUREAU VERITAS**  
MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** True Point Exploration Inc.  
904 – 409 Granville St.  
Vancouver British Columbia V6G 1T2 Canada

**Project:** Stu Copper  
**Report Date:** October 14, 2020

**Page:** 2 of 2

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI20000218.1

Method	Analyte	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115	MA401
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc	S	Au	Cu
Unit		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	%
MDL		0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1	0.1	0.5	0.001
1810674	Rock	0.112	11	58	3.40	245	0.49	7.76	1.85	0.69	<4	9	<2	16	<2	<1	35	<0.1	2.4	
1810675	Rock	0.059	11	8	0.63	1627	0.18	7.54	2.75	3.61	<4	28	<2	8	6	1	5	<0.1	<0.5	
1810676	Rock	0.145	25	5	1.17	1572	0.26	7.86	2.53	3.64	5	18	<2	18	9	1	10	<0.1	<0.5	
1810677	Rock	0.129	16	4	1.00	2043	0.28	8.46	2.45	4.07	4	18	<2	15	11	1	9	<0.1	11.9	
1810678	Rock	0.149	22	6	1.23	1656	0.32	7.97	2.71	2.10	<4	15	<2	18	11	1	10	<0.1	21.1	
1810679	Rock	0.058	12	4	0.48	1756	0.14	6.85	1.46	3.99	<4	9	<2	11	4	<1	9	<0.1	34.4	
1810680	Rock	<0.002	<2	3	0.01	64	<0.01	0.15	0.04	0.07	>200	<2	<2	<2	<2	<1	<1	0.5	2484.4	3.973
1810681	Rock	0.094	13	3	0.52	2412	0.20	7.40	2.46	4.05	>200	11	<2	10	9	1	5	<0.1	549.9	1.291
1810682	Rock	0.070	<2	4	0.38	110	0.07	1.53	0.39	0.22	<4	<2	<2	4	<2	<1	3	<0.1	7.2	
1810683	Rock	0.073	7	43	1.82	272	0.50	8.17	3.14	0.76	<4	11	<2	24	<2	<1	26	<0.1	<0.5	
1810684	Rock	0.184	4	131	2.79	220	0.30	7.15	2.82	0.59	<4	2	<2	10	<2	<1	23	<0.1	0.9	
1810685	Rock	0.119	<2	10	0.47	2152	0.13	8.42	2.39	5.19	<4	<2	<2	3	<2	<1	6	<0.1	21.4	
1810686	Rock	0.177	16	5	1.89	1675	0.41	8.62	2.73	3.23	<4	12	<2	16	9	2	14	<0.1	<0.5	
1810687	Rock	0.054	13	5	0.56	2124	0.18	8.24	3.67	2.87	<4	8	<2	10	8	2	5	<0.1	<0.5	
1810688	Rock	0.184	12	45	2.64	1017	0.44	8.63	2.65	1.92	<4	20	<2	18	4	<1	23	<0.1	1.2	



# QUALITY CONTROL REPORT

WHI20000218.1

Method	WGHT	LH402	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300
Analyte	Wgt	Cu/Ox	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.001	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01	
Pulp Duplicates																					
1810675	Rock	0.45	0.001	<2	39	7	24	<0.5	5	7	375	2.05	<5	<20	8	615	<0.4	<5	<5	61	2.18
REP 1810675	QC			<2	39	8	24	<0.5	4	7	376	2.05	<5	23	8	616	<0.4	<5	<5	61	2.22
1810681	Rock	0.65	0.968	131	>10000	12	40	13.2	3	7	396	2.28	<5	<20	7	283	<0.4	<5	<5	62	1.27
REP 1810681	QC																				
1810688	Rock	1.43	0.002	<2	87	6	90	<0.5	20	26	1467	6.63	<5	<20	<2	842	<0.4	<5	<5	246	5.88
REP 1810688	QC		0.002																		
Core Reject Duplicates																					
DUP ROCK-WHI	QC		<0.001	<2	3	<5	30	<0.5	<2	4	612	2.06	<5	<20	2	214	<0.4	<5	<5	36	1.62
Reference Materials																					
STD OREAS133A	Standard																				
STD OREAS25A-4A	Standard			<2	32	23	45	<0.5	48	8	511	6.66	9	<20	14	47	<0.4	7	<5	161	0.30
STD OREAS45H	Standard			<2	797	11	40	0.7	464	94	408	20.99	12	<20	5	28	<0.4	8	<5	276	0.14
STD OREAS901	Standard																				
STD OREAS901	Standard		0.083																		
STD OREAS904	Standard		0.528																		
STD OREAS97	Standard																				
STD OREAS901 Expected																					
STD OREAS25A-4A Expected				2.41	33.9	25.2	44.4		45.8	7.7	480	6.6	9.94	2.94	15.8	48.5		0.65		157	0.301
STD OREAS45H Expected				1.55	767	12.2	39.7		451	92	405	20.4	16.9		7.6	28				275	0.135
STD OREAS133A Expected																					
STD OREAS97 Expected																					
BLK	Blank																				
BLK	Blank		<0.001																		
BLK	Blank			<2	<2	<5	<2	<0.5	<2	<2	<5	<0.01	<5	<20	<2	<2	<0.4	<5	<5	<2	<0.01
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank		<0.001	<2	9	<5	37	<0.5	<2	4	672	2.06	<5	<20	2	191	<0.4	<5	<5	37	1.51
ROCK-WHI	Prep Blank		<0.001	<2	4	<5	30	<0.5	<2	4	610	2.09	<5	<20	2	212	<0.4	<5	<5	36	1.60



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: True Point Exploration Inc.**  
904 – 409 Granville St.  
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper  
Report Date: October 14, 2020

Page: 1 of 1

Part: 2 of 2

# QUALITY CONTROL REPORT

# WHI20000218.1

Method	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115	MA401
Analyte	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc	S	Au	Cu
Unit	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	%
MDL	0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1	0.1	0.5	0.001
Pulp Duplicates																			
1810675	Rock	0.059	11	8	0.63	1627	0.18	7.54	2.75	3.61	<4	28	<2	8	6	1	5	<0.1	<0.5
REP 1810675	QC	0.059	12	7	0.63	1632	0.18	7.52	2.75	3.52	<4	29	<2	8	6	1	5	<0.1	
1810681	Rock	0.094	13	3	0.52	2412	0.20	7.40	2.46	4.05	>200	11	<2	10	9	1	5	<0.1	549.9 1.291
REP 1810681	QC																		1.281
1810688	Rock	0.184	12	45	2.64	1017	0.44	8.63	2.65	1.92	<4	20	<2	18	4	<1	23	<0.1	1.2
REP 1810688	QC																		<0.5
Core Reject Duplicates																			
DUP ROCK-WHI	QC	0.042	11	3	0.50	869	0.20	7.09	3.29	1.78	<4	51	<2	16	5	1	7	<0.1	<0.5
Reference Materials																			
STD OREAS133A	Standard																		0.032
STD OREAS25A-4A	Standard	0.052	22	114	0.33	150	0.95	9.20	0.14	0.51	<4	159	5	10	18	1	14	<0.1	
STD OREAS45H	Standard	0.024	14	680	0.25	344	0.88	8.16	0.09	0.22	<4	127	3	10	13	1	62	<0.1	
STD OREAS901	Standard																		389.1
STD OREAS901	Standard																		
STD OREAS904	Standard																		
STD OREAS97	Standard																		6.369
STD OREAS901 Expected																			363
STD OREAS25A-4A Expected		0.048	21.8	115	0.327	147	0.93	8.87	0.131	0.482	2	155	4.06	10.5	20.9	0.93	13.7	0.047	
STD OREAS45H Expected		0.023	13.3	660	0.2575	342	0.878	8.2	0.09	0.215		126	1.93	10.4	13.8	1.09	59		
STD OREAS133A Expected																			0.0323
STD OREAS97 Expected																			6.31
BLK	Blank																		<0.5
BLK	Blank																		
BLK	Blank	<0.002	<2	<2	<0.01	1	<0.01	<0.01	<0.01	<0.01	<4	<2	<2	<2	<2	<1	<1	<0.1	
BLK	Blank																		<0.001
Prep Wash																			
ROCK-WHI	Prep Blank	0.042	11	4	0.56	801	0.20	7.02	3.32	1.66	<4	51	<2	16	5	1	7	<0.1	<0.5
ROCK-WHI	Prep Blank	0.042	11	3	0.50	858	0.20	7.01	3.26	1.76	<4	51	<2	16	5	1	7	<0.1	<0.5