



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** True Point Exploration Inc.  
904 – 409 Granville St.  
Vancouver British Columbia V6G 1T2 Canada

Submitted By: Scott Petsel  
Receiving Lab: Canada-Whitehorse  
Received: August 03, 2020  
Analysis Start: August 27, 2020  
Report Date: September 09, 2020  
Page: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI20000219.1

## CLIENT JOB INFORMATION

Project: Stu Copper  
Shipment ID: STU20-9  
P.O. Number  
Number of Samples: 22

## SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: True Point Exploration Inc.  
904 – 409 Granville St.  
Vancouver British Columbia V6G 1T2  
Canada

CC: Debbie James  
Pieter Vanleuzen

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	22	Dry at 60C sieve 100g to -80 mesh			WHI
MA300	22	4 Acid digestion ICP-ES analysis	0.25	Completed	VAN
AQ115	22	Acid digest, Au by ICP-MS analysis	15	Completed	VAN
SHP01	22	Per sample shipping charges for branch shipments			VAN

## ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** True Point Exploration Inc.  
904 – 409 Granville St.  
Vancouver British Columbia V6G 1T2 Canada

**Project:** Stu Copper  
**Report Date:** September 09, 2020

**Page:** 2 of 2

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI20000219.1

Method	Analyte	Unit	MDL	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300		
				Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
				ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm		
494751	Soil			<2	36	14	55	<0.5	22	10	670	2.86	7	39	4	438	<0.4	<5	<5	87	1.88	0.049	21
494752	Soil			<2	31	14	53	<0.5	15	7	516	2.07	<5	<20	4	412	<0.4	<5	<5	51	2.34	0.069	18
494753	Soil			<2	20	11	54	<0.5	16	9	420	2.72	8	<20	4	467	<0.4	<5	<5	89	1.82	0.036	19
494754	Soil			<2	29	16	56	<0.5	23	10	534	2.96	8	<20	5	413	<0.4	<5	<5	98	1.87	0.037	22
494755	Soil			<2	41	19	52	<0.5	26	10	446	3.22	10	<20	5	386	<0.4	<5	<5	108	2.10	0.057	28
494756	Soil			<2	24	12	52	<0.5	20	11	445	3.22	17	<20	3	415	<0.4	<5	<5	112	1.96	0.045	19
494757	Soil			<2	19	11	55	<0.5	15	9	423	2.64	24	<20	4	428	<0.4	<5	<5	92	1.81	0.051	22
494758	Soil			<2	16	15	47	<0.5	17	9	398	2.62	10	<20	5	363	<0.4	<5	<5	99	1.68	0.032	22
494759	Soil			<2	19	14	45	<0.5	18	9	535	2.71	5	<20	5	394	<0.4	<5	<5	98	1.79	0.035	21
494760	Soil			<2	22	14	53	<0.5	13	8	490	2.50	<5	<20	4	512	<0.4	<5	<5	75	2.01	0.059	18
494761	Soil			<2	39	15	61	<0.5	33	12	570	3.57	12	<20	5	370	<0.4	<5	<5	122	1.84	0.035	29
494762	Soil			<2	33	14	59	<0.5	33	12	559	3.46	12	<20	7	389	<0.4	<5	<5	119	1.98	0.039	29
494779	Soil			<2	42	15	63	<0.5	24	12	680	3.61	11	<20	5	502	<0.4	<5	<5	122	1.99	0.066	22
494780	Soil			<2	16	22	118	<0.5	12	13	1039	4.54	17	<20	6	289	<0.4	<5	<5	122	1.89	0.158	25
494781	Soil			<2	16	24	138	<0.5	15	16	1119	5.65	21	<20	11	413	<0.4	<5	<5	164	0.89	0.134	14
494782	Soil			<2	52	13	68	<0.5	33	13	757	3.70	18	<20	6	451	<0.4	<5	<5	127	2.00	0.066	25
494807	Soil			<2	37	13	64	<0.5	26	12	760	3.12	8	<20	5	446	<0.4	<5	<5	106	5.44	0.098	22
494808	Soil			<2	16	16	71	<0.5	12	9	1033	3.19	11	<20	4	418	<0.4	<5	<5	77	0.61	0.053	30
494809	Soil			<2	33	13	50	<0.5	13	8	516	2.40	<5	<20	<2	452	<0.4	<5	<5	77	1.72	0.034	18
494810	Soil			<2	51	17	71	<0.5	41	18	781	4.23	10	<20	5	409	<0.4	<5	<5	143	2.68	0.096	20
494812	Soil			<2	53	18	96	<0.5	54	18	760	3.99	11	<20	6	366	<0.4	<5	<5	139	2.77	0.080	24
1810689	Soil			<2	16	16	58	<0.5	24	11	425	3.10	9	<20	6	284	<0.4	<5	<5	118	1.47	0.028	23



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** True Point Exploration Inc.  
904 – 409 Granville St.  
Vancouver British Columbia V6G 1T2 Canada

**Project:** Stu Copper  
**Report Date:** September 09, 2020

**Page:** 2 of 2

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI20000219.1

Method	Analyte	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115
		Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc	S	Au	
Unit		ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	
MDL		2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1	0.1	0.5	
494751	Soil	50	0.86	939	0.30	6.77	2.07	1.60	<4	67	3	14	7	1	10	<0.1	2.4	
494752	Soil	32	0.69	858	0.21	6.12	2.01	1.63	<4	84	4	10	5	1	7	<0.1	0.7	
494753	Soil	36	0.75	966	0.32	7.12	2.31	1.86	<4	80	<2	10	7	1	8	<0.1	<0.5	
494754	Soil	54	0.80	1022	0.35	6.98	2.13	1.68	<4	68	2	13	8	1	11	<0.1	1.9	
494755	Soil	64	1.00	1065	0.36	6.83	1.99	1.57	<4	48	<2	24	8	1	14	<0.1	3.0	
494756	Soil	50	0.98	928	0.38	6.96	2.08	1.55	<4	52	2	12	8	1	11	<0.1	0.9	
494757	Soil	38	0.79	936	0.35	6.99	2.28	1.77	<4	77	<2	11	7	1	9	<0.1	0.5	
494758	Soil	47	0.79	931	0.37	6.61	2.10	1.59	<4	55	2	11	8	1	9	<0.1	<0.5	
494759	Soil	48	0.81	1010	0.36	6.74	2.14	1.66	<4	55	2	11	8	1	10	<0.1	<0.5	
494760	Soil	27	0.73	983	0.29	7.26	2.46	2.07	<4	98	2	10	7	1	8	<0.1	<0.5	
494761	Soil	69	0.92	1004	0.38	7.25	1.99	1.58	<4	53	<2	26	9	2	14	<0.1	2.1	
494762	Soil	61	1.01	1013	0.39	7.23	2.11	1.60	<4	48	2	21	9	2	13	<0.1	5.8	
494779	Soil	53	0.94	1135	0.35	7.72	2.34	1.78	<4	49	2	22	8	2	14	<0.1	4.0	
494780	Soil	16	0.38	1202	0.40	9.64	2.03	2.67	<4	19	4	20	13	3	14	<0.1	<0.5	
494781	Soil	26	0.39	2129	0.56	8.67	2.04	3.12	<4	36	3	11	20	2	12	<0.1	<0.5	
494782	Soil	61	0.97	1113	0.37	7.60	2.15	1.68	<4	47	2	24	9	2	15	<0.1	2.9	
494807	Soil	52	0.95	1080	0.32	6.72	1.89	1.55	<4	40	<2	18	8	1	12	<0.1	2.3	
494808	Soil	10	0.35	1570	0.28	11.07	1.72	2.71	<4	18	<2	40	11	2	10	<0.1	1.7	
494809	Soil	29	0.66	1016	0.31	6.81	2.40	1.83	<4	78	<2	10	8	1	7	<0.1	<0.5	
494810	Soil	103	1.67	924	0.37	7.03	2.00	1.56	<4	43	5	19	7	1	19	<0.1	3.0	
494812	Soil	77	1.30	1147	0.37	7.48	1.76	1.67	<4	59	4	19	8	2	15	<0.1	3.9	
1810689	Soil	82	0.90	974	0.38	6.59	1.89	1.55	<4	44	3	12	9	1	11	<0.1	0.8	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: True Point Exploration Inc.**  
904 – 409 Granville St.  
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper  
Report Date: September 09, 2020

Page: 1 of 1

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI20000219.1

Method	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01	0.002	2	
Pulp Duplicates																					
494753	Soil	<2	20	11	54	<0.5	16	9	420	2.72	8	<20	4	467	<0.4	<5	<5	89	1.82	0.036	19
REP 494753	QC																				
1810689	Soil	<2	16	16	58	<0.5	24	11	425	3.10	9	<20	6	284	<0.4	<5	<5	118	1.47	0.028	23
REP 1810689	QC	<2	15	16	55	<0.5	24	10	424	3.08	9	<20	6	282	<0.4	<5	<5	117	1.45	0.029	24
Reference Materials																					
STD OREAS25A-4A	Standard	<2	32	27	44	<0.5	47	8	498	6.76	10	<20	14	49	<0.4	6	<5	162	0.30	0.051	23
STD OREAS45E	Standard	<2	784	14	47	0.8	468	61	520	26.36	14	<20	10	16	<0.4	5	<5	322	0.06	0.035	12
STD OREAS901	Standard																				
STD OREAS45E Expected		2.4	780	18.2	46.7	0.311	454	57	570	24.12	16.3	2.41	12.9	15.9		1		322	0.065	0.034	11
STD OREAS25A-4A Expected		2.41	33.9	25.2	44.4		45.8	7.7	480	6.6	9.94	2.94	15.8	48.5		0.65		157	0.301	0.048	21.8
STD OREAS901 Expected																					
BLK	Blank	<2	<2	<5	<2	<0.5	<2	<2	<5	<0.01	<5	<20	<2	<2	<0.4	<5	<5	<2	<0.01	<0.002	<2
BLK	Blank																				



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: True Point Exploration Inc.**  
904 – 409 Granville St.  
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper  
Report Date: September 09, 2020

Page: 1 of 1

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI20000219.1

Method	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115
Analyte	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc	S	Au	
Unit	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	
MDL	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1	0.1	0.5	
Pulp Duplicates																	
494753	Soil	36	0.75	966	0.32	7.12	2.31	1.86	<4	80	<2	10	7	1	8	<0.1	<0.5
REP 494753	QC																<0.5
1810689	Soil	82	0.90	974	0.38	6.59	1.89	1.55	<4	44	3	12	9	1	11	<0.1	0.8
REP 1810689	QC	64	0.89	975	0.38	6.58	1.84	1.56	<4	46	3	12	9	1	11	<0.1	
Reference Materials																	
STD OREAS25A-4A	Standard	109	0.33	152	0.94	9.62	0.14	0.51	<4	163	5	11	18	1	14	<0.1	
STD OREAS45E	Standard	1009	0.16	245	0.52	6.76	0.06	0.34	<4	97	<2	9	6	<1	92	<0.1	
STD OREAS901	Standard																370.8
STD OREAS45E Expected		979	0.156	252	0.559	6.78	0.059	0.324	1.07	97	1.32	8.28	6.8	0.62	93	0.046	
STD OREAS25A-4A Expected		115	0.327	147	0.93	8.87	0.131	0.482	2	155	4.06	10.5	20.9	0.93	13.7	0.047	
STD OREAS901 Expected																	363
BLK	Blank	<2	<0.01	1	<0.01	<0.01	<0.01	<0.01	<4	<2	<2	<2	<2	<1	<1	<0.1	
BLK	Blank																<0.5