



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Submitted By: Scott Petsel
Receiving Lab: Canada-Whitehorse
Received: July 20, 2020
Analysis Start: August 11, 2020
Report Date: August 20, 2020
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI20000139.1

CLIENT JOB INFORMATION

Project: Stu Copper
Shipment ID: STU20-1
P.O. Number: Stu Copper
Number of Samples: 83

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2
Canada

CC: Debbie James
Pieter Vanleuzen
Scott Petsel

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	70	Crush, split and pulverize 250 g rock to 200 mesh			WHI
LH402	83	Cu in oxide form, 5% H2SO4	1	Completed	VAN
MA300	83	4 Acid digestion ICP-ES analysis	0.25	Completed	VAN
AQ115-IGN	83	Ignite samples, acid digest, Au by ICP-MS	15	Completed	VAN
SHP01	83	Per sample shipping charges for branch shipments			VAN
SLBHP	8	Sort, label and box pulps			WHI

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



CERTIFICATE OF ANALYSIS

WHI20000139.1

Method	WGHT	LH402	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	
Analyte	Wgt	Cu/Ox	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.001	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01	
1904501	Rock	1.73	<0.001	<2	3	14	71	<0.5	2	6	569	2.22	<5	<20	<2	238	<0.4	<5	5	56	2.35
1904502	Rock	1.41	<0.001	<2	6	12	77	<0.5	2	6	671	2.63	<5	<20	<2	301	<0.4	<5	<5	65	2.45
1904503	Rock	1.61	<0.001	<2	<2	13	75	<0.5	<2	7	683	2.82	<5	<20	<2	273	<0.4	<5	<5	66	2.45
1904504	Rock	3.26	<0.001	<2	<2	11	70	<0.5	2	6	626	2.49	<5	<20	<2	328	<0.4	<5	<5	59	2.25
1904505	Rock	3.05	<0.001	<2	16	14	58	<0.5	<2	5	583	2.21	<5	<20	<2	282	<0.4	<5	<5	53	2.23
1904506	Rock	2.65	<0.001	<2	17	14	60	<0.5	3	7	651	2.78	<5	<20	4	258	<0.4	<5	<5	60	2.50
1904507	Rock Pulp	0.07	0.824	9	8715	10	76	3.9	9	10	655	3.86	<5	<20	<2	1162	0.6	<5	6	108	2.53
1904508	Rock	2.90	<0.001	<2	2	13	57	<0.5	<2	6	618	2.45	<5	<20	3	317	<0.4	<5	<5	58	2.33
1904509	Rock	3.73	<0.001	<2	3	16	46	<0.5	<2	5	542	2.01	<5	<20	<2	364	<0.4	<5	<5	47	1.92
1904510	Rock	2.59	<0.001	<2	5	14	61	<0.5	<2	7	756	2.67	<5	<20	3	273	<0.4	<5	6	72	2.65
1904511	Rock	3.29	<0.001	<2	<2	12	70	<0.5	<2	8	754	2.92	<5	<20	3	376	<0.4	<5	<5	77	2.05
1904512	Rock	2.07	<0.001	<2	<2	12	67	<0.5	<2	7	769	2.94	<5	<20	2	244	<0.4	<5	<5	79	2.98
1904513	Rock	4.43	<0.001	<2	<2	10	74	<0.5	2	7	692	3.04	<5	<20	<2	427	<0.4	<5	<5	74	2.36
1904514	Rock Pulp	0.08	0.008	2	85	11	61	<0.5	7	7	687	3.30	<5	<20	<2	1401	<0.4	<5	<5	87	3.23
1904515	Rock	1.96	<0.001	<2	<2	19	50	<0.5	<2	5	549	1.97	<5	<20	<2	283	<0.4	<5	6	54	2.21
1904516	Rock	2.84	<0.001	<2	<2	15	61	<0.5	<2	6	625	2.38	<5	<20	<2	335	<0.4	<5	<5	54	2.05
1904517	Rock	2.94	<0.001	<2	<2	18	56	<0.5	<2	5	586	1.94	<5	<20	<2	330	<0.4	<5	<5	51	2.20
1904518	Rock	4.09	<0.001	<2	<2	16	70	<0.5	2	5	682	2.27	<5	<20	<2	559	<0.4	<5	<5	50	1.88
1904519	Rock	3.12	<0.001	<2	<2	13	29	<0.5	<2	<2	305	1.12	<5	<20	<2	334	<0.4	<5	<5	27	1.64
1904520	Core DUP		<0.001	<2	<2	13	29	<0.5	<2	<2	301	1.10	<5	<20	<2	337	<0.4	<5	<5	26	1.64
1904521	Rock	2.06	<0.001	<2	<2	13	32	<0.5	<2	2	319	1.31	<5	<20	<2	282	<0.4	<5	<5	24	1.63
1904522	Rock	3.37	<0.001	<2	<2	11	30	<0.5	<2	2	317	1.24	<5	<20	<2	361	<0.4	<5	<5	30	1.65
1904523	Rock	5.16	<0.001	<2	4	14	114	<0.5	2	4	741	1.84	<5	<20	<2	325	<0.4	<5	<5	41	2.00
1904524	Rock	2.82	<0.001	<2	<2	18	31	<0.5	<2	<2	431	1.10	<5	<20	<2	223	<0.4	<5	<5	25	1.72
1904525	Rock	3.06	<0.001	<2	<2	15	42	<0.5	<2	2	413	1.34	<5	<20	2	339	<0.4	<5	<5	29	1.52
1904526	Rock Pulp	0.09	0.826	9	8887	10	78	4.0	8	10	666	3.89	<5	<20	<2	1163	<0.4	<5	5	106	2.56
1904527	Rock	3.20	<0.001	<2	<2	13	37	<0.5	<2	2	309	1.21	<5	<20	<2	408	<0.4	<5	<5	23	1.22
1904528	Rock	4.15	<0.001	<2	<2	13	67	<0.5	2	6	609	2.58	<5	<20	<2	405	<0.4	<5	7	63	1.94
1904529	Rock	1.06	<0.001	<2	2	38	230	<0.5	6	18	1306	12.30	11	<20	14	382	<0.4	<5	<5	371	2.58
1904530	Rock	3.53	<0.001	<2	2	13	62	<0.5	<2	6	658	2.79	<5	<20	<2	481	<0.4	<5	<5	63	2.02



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: August 20, 2020

Page: 2 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000139.1

Method	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115
Analyte	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc	S	Au	
Unit	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	
MDL	0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1	0.1	0.5	
1904501	Rock	0.056	9	6	0.57	1378	0.17	7.63	3.84	1.41	<4	10	3	9	6	1	5	<0.1	<0.5
1904502	Rock	0.068	8	5	0.64	1878	0.20	7.61	3.74	1.57	<4	7	<2	10	8	1	6	<0.1	<0.5
1904503	Rock	0.070	10	5	0.77	1573	0.21	8.09	3.66	1.77	<4	7	<2	11	8	2	7	<0.1	<0.5
1904504	Rock	0.067	10	5	0.71	1611	0.20	7.82	3.82	1.58	<4	6	<2	11	7	1	7	<0.1	<0.5
1904505	Rock	0.066	11	6	0.63	2099	0.18	7.50	3.30	2.23	<4	16	<2	10	6	1	5	<0.1	1.2
1904506	Rock	0.085	13	4	0.67	1488	0.21	7.26	3.22	2.11	<4	14	<2	12	7	1	6	<0.1	0.7
1904507	Rock Pulp	0.121	7	19	1.01	1478	0.29	9.57	4.73	1.36	<4	13	<2	13	6	2	7	<0.1	464.1
1904508	Rock	0.082	11	4	0.69	2131	0.20	7.33	3.26	2.52	<4	13	<2	10	8	1	6	<0.1	<0.5
1904509	Rock	0.063	9	4	0.53	2441	0.15	7.44	3.24	2.97	<4	13	<2	9	6	1	5	<0.1	<0.5
1904510	Rock	0.090	12	4	0.86	1624	0.22	7.55	3.15	2.58	<4	16	<2	11	8	2	6	<0.1	0.7
1904511	Rock	0.099	14	5	1.01	1645	0.24	7.70	3.58	2.24	<4	17	<2	12	7	1	7	<0.1	<0.5
1904512	Rock	0.096	16	5	0.92	1240	0.23	8.01	3.26	1.98	<4	12	<2	14	9	2	7	<0.1	<0.5
1904513	Rock	0.073	10	6	0.82	1915	0.23	8.01	3.99	1.61	<4	9	<2	12	6	1	8	<0.1	<0.5
1904514	Rock Pulp	0.087	3	16	0.69	958	0.22	9.89	5.59	0.96	<4	9	<2	16	8	2	8	<0.1	3.0
1904515	Rock	0.061	7	4	0.55	1514	0.18	7.89	4.31	2.01	<4	9	<2	9	6	1	6	<0.1	<0.5
1904516	Rock	0.065	7	4	0.66	1938	0.19	7.76	4.12	1.78	<4	7	<2	10	6	1	6	<0.1	<0.5
1904517	Rock	0.057	7	5	0.56	1936	0.17	7.80	3.81	2.12	<4	10	<2	9	5	2	6	<0.1	<0.5
1904518	Rock	0.053	7	6	0.70	1882	0.17	7.83	3.95	2.08	<4	12	<2	9	6	2	6	<0.1	<0.5
1904519	Rock	0.024	5	3	0.23	1997	0.09	7.32	3.38	2.57	<4	9	<2	4	3	1	3	<0.1	<0.5
1904520	Core DUP	0.023	5	4	0.22	2006	0.09	7.32	3.39	2.54	<4	8	<2	4	3	1	2	<0.1	<0.5
1904521	Rock	0.025	5	5	0.25	2457	0.10	7.33	3.47	2.63	<4	9	<2	4	3	1	3	<0.1	<0.5
1904522	Rock	0.032	5	3	0.30	2124	0.10	7.58	3.75	2.41	<4	11	<2	6	4	1	3	<0.1	<0.5
1904523	Rock	0.046	10	5	0.47	1626	0.13	7.65	3.74	2.09	<4	10	<2	8	5	2	5	<0.1	<0.5
1904524	Rock	0.017	6	3	0.18	1484	0.08	6.85	2.71	2.97	<4	20	<2	7	4	1	2	<0.1	<0.5
1904525	Rock	0.027	10	5	0.27	2089	0.11	7.50	3.54	2.86	<4	10	<2	7	5	1	3	<0.1	<0.5
1904526	Rock Pulp	0.122	6	19	1.02	1503	0.30	9.64	4.77	1.36	5	13	<2	13	6	1	7	<0.1	455.7
1904527	Rock	0.024	5	4	0.26	2038	0.09	7.37	3.76	2.47	<4	12	<2	4	3	1	2	<0.1	<0.5
1904528	Rock	0.066	9	4	0.72	1902	0.21	7.97	3.81	2.24	<4	8	<2	10	7	1	6	<0.1	<0.5
1904529	Rock	0.171	59	14	1.56	2922	1.16	7.26	2.18	2.62	<4	18	7	57	60	1	5	<0.1	0.7
1904530	Rock	0.069	8	4	0.93	2033	0.20	7.77	3.84	2.16	<4	6	<2	11	6	1	6	<0.1	<0.5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: August 20, 2020

Page: 3 of 4

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000139.1

Method	WGHT	LH402	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300
Analyte	Wgt	Cu/Ox	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.001	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01	
1904531	Rock	3.03	<0.001	<2	<2	10	68	<0.5	2	6	698	2.72	<5	<20	<2	523	<0.4	<5	<5	62	2.00
1904532	Pulp DUP		<0.001	<2	<2	10	67	<0.5	2	6	693	2.76	<5	<20	<2	519	<0.4	<5	<5	61	1.97
1904533	Rock	1.25	<0.001	<2	<2	14	67	<0.5	<2	6	620	2.53	<5	<20	<2	296	<0.4	<5	<5	54	2.27
1904534	Rock	0.73	<0.001	<2	<2	8	72	<0.5	5	7	738	2.69	<5	28	2	381	<0.4	<5	<5	68	3.11
1904535	Rock	1.57	<0.001	<2	<2	11	68	<0.5	2	6	686	2.93	<5	<20	<2	529	<0.4	<5	<5	66	2.35
1904536	Rock	1.84	<0.001	<2	3	14	78	<0.5	3	7	725	3.16	<5	<20	<2	448	<0.4	<5	<5	84	3.35
1904537	Rock	3.93	<0.001	<2	<2	12	34	<0.5	2	2	340	1.47	<5	<20	2	256	<0.4	<5	<5	31	1.87
1904538	Rock Pulp	0.09	0.008	3	91	13	61	<0.5	7	7	727	3.44	<5	<20	<2	1534	<0.4	<5	<5	88	3.54
1904539	Rock	4.08	<0.001	<2	<2	12	41	<0.5	2	3	408	1.78	<5	<20	4	433	<0.4	<5	<5	35	1.33
1904540	Rock	4.61	<0.001	<2	<2	13	63	<0.5	3	6	716	2.77	<5	<20	4	679	<0.4	<5	<5	69	2.41
1904541	Rock	3.20	<0.001	<2	<2	10	48	<0.5	<2	4	450	1.97	<5	<20	3	635	<0.4	<5	<5	43	1.94
1904542	Rock	1.93	<0.001	<2	<2	12	51	<0.5	2	5	570	2.39	<5	<20	<2	634	<0.4	<5	<5	57	2.03
1904543	Rock	4.21	<0.001	<2	<2	11	58	<0.5	2	6	694	2.66	<5	<20	3	753	<0.4	<5	<5	63	2.40
1904544	Core DUP		<0.001	<2	<2	15	58	<0.5	2	6	681	2.58	<5	<20	<2	725	<0.4	<5	<5	63	2.33
1904545	Rock	3.95	<0.001	<2	<2	13	52	<0.5	<2	6	619	2.44	<5	<20	2	838	<0.4	<5	<5	62	2.52
1904546	Rock	4.10	<0.001	<2	<2	11	53	<0.5	<2	5	636	2.37	<5	<20	5	788	<0.4	<5	<5	60	2.59
1904547	Rock	3.58	<0.001	<2	<2	8	56	<0.5	<2	6	551	2.55	<5	<20	4	698	<0.4	<5	<5	61	2.68
1904548	Rock	2.71	<0.001	<2	3	12	55	<0.5	<2	5	583	2.47	<5	<20	3	702	<0.4	<5	<5	58	2.49
1904549	Rock	4.99	<0.001	<2	<2	14	56	<0.5	3	6	700	2.65	<5	<20	3	881	<0.4	<5	<5	67	2.82
1904550	Rock Pulp	0.11	0.830	9	9309	9	75	4.0	9	10	706	4.05	<5	<20	2	1269	<0.4	<5	<5	110	2.73
1904551	Rock	3.87	<0.001	<2	<2	11	57	<0.5	9	6	670	2.51	<5	<20	<2	740	<0.4	<5	<5	61	2.45
1904552	Rock	2.98	<0.001	<2	<2	13	62	<0.5	4	6	623	2.58	<5	<20	3	753	<0.4	<5	<5	66	2.56
1904553	Rock	4.36	<0.001	<2	<2	14	62	<0.5	2	6	829	2.84	<5	<20	<2	858	<0.4	<5	<5	72	2.90
1904554	Rock	4.55	<0.001	<2	<2	12	64	<0.5	2	6	754	2.66	<5	<20	<2	677	<0.4	<5	<5	66	2.92
1904555	Rock	4.58	<0.001	<2	<2	14	65	<0.5	3	7	836	3.00	<5	<20	3	815	<0.4	<5	<5	80	2.88
1904556	Pulp DUP		<0.001	<2	<2	14	65	<0.5	3	7	844	3.05	<5	<20	<2	835	<0.4	<5	<5	80	2.95
1904557	Rock	3.51	<0.001	<2	<2	14	51	<0.5	2	5	663	2.32	<5	<20	4	844	<0.4	<5	<5	58	2.56
1904558	Rock	4.12	<0.001	<2	<2	17	54	<0.5	2	4	478	1.79	<5	21	<2	824	<0.4	<5	<5	41	2.01
1904559	Rock	4.47	<0.001	<2	<2	15	52	<0.5	2	5	642	2.35	<5	<20	3	744	<0.4	<5	<5	57	2.42
1904560	Rock	3.51	<0.001	<2	<2	12	51	<0.5	<2	5	678	2.42	<5	<20	<2	783	<0.4	<5	<5	60	2.43



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **True Point Exploration Inc.**
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: August 20, 2020

Page: 3 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000139.1

Method	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115
Analyte	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc	S	Au	
Unit	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	
MDL	0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1	0.1	0.5	
1904531	Rock	0.072	8	6	0.93	1573	0.22	8.24	4.26	1.86	<4	8	<2	10	7	1	7	<0.1	<0.5
1904532	Pulp DUP	0.071	9	5	0.92	1542	0.21	8.21	4.15	1.84	<4	8	<2	11	7	1	7	<0.1	<0.5
1904533	Rock	0.069	8	5	0.82	1733	0.21	7.93	3.90	1.66	<4	8	<2	9	6	1	7	<0.1	<0.5
1904534	Rock	0.064	13	11	0.92	1171	0.27	8.76	3.52	1.67	<4	22	<2	12	7	1	8	<0.1	<0.5
1904535	Rock	0.076	9	5	0.92	1721	0.24	9.87	3.87	2.15	<4	5	<2	13	8	2	8	<0.1	<0.5
1904536	Rock	0.085	12	3	0.89	1308	0.27	9.77	3.62	2.03	<4	6	<2	15	9	3	9	<0.1	1.4
1904537	Rock	0.026	7	6	0.37	1478	0.10	8.47	3.44	3.35	<4	12	<2	6	4	1	3	<0.1	<0.5
1904538	Rock Pulp	0.092	5	19	0.78	1005	0.24	11.83	5.32	1.13	<4	6	<2	19	8	2	9	<0.1	1.9
1904539	Rock	0.037	12	4	0.45	1967	0.14	9.20	4.05	3.50	<4	11	<2	9	5	1	4	<0.1	<0.5
1904540	Rock	0.073	10	6	0.95	1453	0.23	9.68	4.07	2.11	<4	4	<2	13	7	2	8	<0.1	<0.5
1904541	Rock	0.049	7	5	0.60	1806	0.16	9.22	4.17	2.31	<4	11	<2	7	5	2	5	<0.1	<0.5
1904542	Rock	0.062	10	4	0.72	2042	0.20	9.58	3.99	3.03	<4	5	<2	10	6	2	6	<0.1	<0.5
1904543	Rock	0.066	9	7	0.81	1646	0.22	9.56	4.10	2.29	<4	6	<2	13	8	2	8	<0.1	<0.5
1904544	Core DUP	0.065	9	<2	0.79	1601	0.22	9.21	4.02	2.20	<4	6	<2	13	8	2	7	<0.1	<0.5
1904545	Rock	0.065	9	7	0.71	2136	0.21	9.38	3.78	2.55	<4	6	<2	12	7	2	7	<0.1	<0.5
1904546	Rock	0.061	9	5	0.70	1536	0.20	8.94	3.69	2.11	<4	5	<2	12	7	2	7	<0.1	<0.5
1904547	Rock	0.065	9	4	0.61	1592	0.21	9.13	3.86	2.20	<4	5	<2	11	7	2	6	<0.1	<0.5
1904548	Rock	0.065	10	4	0.70	1759	0.21	9.10	3.89	2.22	<4	8	<2	12	7	2	7	<0.1	<0.5
1904549	Rock	0.070	9	5	0.80	1584	0.22	9.52	3.90	2.03	<4	6	<2	14	8	2	7	<0.1	<0.5
1904550	Rock Pulp	0.127	8	19	1.09	1573	0.32	11.08	4.84	1.55	<4	11	2	15	7	2	8	<0.1	464.6
1904551	Rock	0.064	11	14	0.74	1546	0.21	9.27	3.96	2.23	<4	9	<2	14	8	2	7	<0.1	<0.5
1904552	Rock	0.064	12	9	0.70	1835	0.23	9.03	3.86	2.22	<4	10	2	13	7	2	7	<0.1	<0.5
1904553	Rock	0.074	10	5	0.83	1809	0.23	8.93	3.88	2.02	<4	5	<2	15	9	2	8	<0.1	0.6
1904554	Rock	0.071	10	5	0.76	1580	0.22	9.12	3.67	1.94	<4	6	<2	14	8	2	8	<0.1	<0.5
1904555	Rock	0.075	12	7	0.83	1696	0.25	9.35	3.79	2.23	<4	7	<2	14	9	2	8	<0.1	<0.5
1904556	Pulp DUP	0.076	13	8	0.84	1711	0.24	9.61	3.85	2.26	<4	7	<2	15	9	2	8	<0.1	<0.5
1904557	Rock	0.059	11	3	0.65	1877	0.19	9.22	3.78	2.32	<4	6	3	11	6	2	6	<0.1	<0.5
1904558	Rock	0.041	8	6	0.51	1908	0.15	8.56	3.75	2.50	<4	17	2	8	5	2	5	<0.1	<0.5
1904559	Rock	0.061	7	4	0.69	1907	0.19	9.21	3.82	2.60	<4	6	<2	12	6	2	7	<0.1	<0.5
1904560	Rock	0.060	5	4	0.66	1778	0.21	8.14	3.60	2.06	<4	8	3	10	7	2	6	<0.1	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: August 20, 2020

Page: 4 of 4

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000139.1

Method	WGHT	LH402	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	
Analyte	Wgt	Cu/Ox	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.001	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01	
1904561	Rock	3.62	<0.001	<2	<2	11	64	<0.5	3	6	627	2.48	<5	<20	6	784	<0.4	<5	<5	62	2.16
1904562	Rock Pulp	0.08	0.008	<2	83	9	53	<0.5	6	6	670	3.23	<5	<20	<2	1382	<0.4	<5	<5	84	3.13
1904563	Rock	3.31	<0.001	<2	3	10	63	<0.5	<2	6	762	2.77	<5	<20	4	787	<0.4	<5	<5	66	2.68
1904564	Rock	0.94	<0.001	<2	<2	11	50	<0.5	2	4	577	2.13	<5	<20	<2	847	<0.4	<5	<5	50	1.92
1904565	Rock	0.75	<0.001	<2	<2	8	51	<0.5	<2	4	588	2.15	<5	<20	<2	707	<0.4	<5	<5	48	1.60
1904566	Rock	3.44	<0.001	<2	2	9	57	<0.5	2	5	772	2.65	<5	<20	<2	799	<0.4	<5	<5	65	2.62
1904567	Rock	3.92	<0.001	<2	2	10	49	<0.5	2	4	575	2.12	<5	<20	2	688	<0.4	<5	<5	53	2.22
1904568	Rock	4.32	<0.001	<2	3	11	67	<0.5	4	7	725	2.74	<5	<20	3	707	<0.4	<5	<5	69	2.63
1904569	Rock Pulp	0.08	0.810	8	8510	11	73	3.8	8	10	642	3.70	<5	<20	<2	1134	0.6	<5	<5	102	2.45
1904570	Rock	2.96	<0.001	<2	11	16	82	<0.5	5	8	826	3.10	<5	<20	3	716	<0.4	<5	<5	73	2.10
1904571	Rock	3.32	<0.001	<2	<2	10	74	<0.5	6	9	740	2.94	<5	<20	2	263	<0.4	<5	<5	98	3.51
1904572	Rock	1.13	<0.001	<2	<2	13	37	<0.5	<2	3	541	1.70	<5	<20	<2	294	<0.4	<5	<5	67	6.07
1904573	Rock	4.59	<0.001	<2	<2	16	53	<0.5	4	4	491	1.79	<5	<20	<2	599	<0.4	<5	<5	42	1.66
1904574	Rock	3.59	<0.001	<2	<2	12	57	<0.5	3	4	434	1.83	<5	<20	2	737	<0.4	<5	<5	42	1.57
1904575	Core DUP		<0.001	<2	<2	14	58	<0.5	3	4	446	1.92	<5	<20	<2	776	<0.4	<5	<5	43	1.67
1904576	Rock	0.60	0.001	<2	29	28	124	<0.5	7	17	1264	4.87	<5	<20	<2	996	0.7	<5	<5	125	4.12
1904577	Rock	3.41	0.001	<2	20	18	49	<0.5	4	4	431	1.81	<5	<20	<2	663	<0.4	<5	<5	41	2.02
1904578	Rock	3.06	<0.001	<2	2	14	43	<0.5	<2	3	354	1.31	<5	<20	<2	701	<0.4	<5	<5	22	1.64
1904579	Rock	1.71	<0.001	<2	<2	14	45	<0.5	2	3	399	1.59	<5	<20	2	657	<0.4	<5	<5	33	1.81
1904580	Rock	2.17	<0.001	<2	<2	12	54	<0.5	3	4	510	1.96	<5	<20	<2	604	<0.4	<5	<5	44	2.09
1904581	Rock Pulp	0.12	0.008	2	80	12	59	<0.5	7	6	661	3.17	<5	<20	<2	1351	<0.4	<5	<5	84	3.11
1904582	Rock	1.96	<0.001	<2	<2	14	28	<0.5	<2	2	295	1.33	<5	<20	<2	597	<0.4	<5	<5	24	1.45
1904583	Rock	4.24	<0.001	<2	<2	13	32	<0.5	<2	2	309	1.26	<5	<20	<2	542	<0.4	<5	<5	26	1.37



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: August 20, 2020

Page: 4 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000139.1

Method	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115
Analyte	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc	S	Au	
Unit	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	
MDL	0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1	0.1	0.5	
1904561	Rock	0.060	17	8	0.73	1680	0.21	7.82	3.50	2.11	<4	14	2	8	6	2	6	<0.1	3.3
1904562	Rock Pulp	0.080	3	17	0.66	933	0.25	9.06	4.86	0.88	<4	9	2	13	8	1	7	<0.1	<0.5
1904563	Rock	0.074	13	5	0.76	1187	0.22	8.39	3.76	1.80	<4	8	<2	11	8	2	8	<0.1	<0.5
1904564	Rock	0.053	6	5	0.60	2075	0.17	8.10	3.61	2.29	<4	7	<2	9	6	2	5	<0.1	<0.5
1904565	Rock	0.050	6	4	0.62	1677	0.18	7.61	3.60	2.19	<4	9	2	12	8	1	5	<0.1	<0.5
1904566	Rock	0.067	6	5	0.75	1445	0.22	8.10	3.71	1.66	<4	8	<2	15	10	2	7	<0.1	<0.5
1904567	Rock	0.051	6	6	0.57	1425	0.18	7.55	3.51	1.95	<4	11	<2	10	8	2	5	<0.1	<0.5
1904568	Rock	0.076	11	8	0.85	1064	0.25	7.77	3.62	1.66	<4	13	2	14	10	2	8	<0.1	<0.5
1904569	Rock Pulp	0.117	6	17	0.97	1464	0.29	9.19	4.71	1.30	<4	13	<2	13	6	1	7	<0.1	465.9
1904570	Rock	0.074	18	11	1.11	1634	0.26	7.48	3.30	2.35	<4	15	4	18	12	2	10	<0.1	<0.5
1904571	Rock	0.075	13	14	1.04	710	0.25	7.53	3.43	1.78	<4	14	2	12	8	2	9	<0.1	1.1
1904572	Rock	0.027	8	4	0.45	974	0.10	7.78	2.63	2.00	<4	9	<2	8	5	4	3	<0.1	<0.5
1904573	Rock	0.036	9	11	0.59	1664	0.15	7.41	3.49	2.39	<4	15	<2	11	7	1	6	<0.1	<0.5
1904574	Rock	0.036	10	6	0.52	1624	0.15	7.21	3.68	2.16	<4	14	<2	8	6	1	5	<0.1	<0.5
1904575	Core DUP	0.037	11	7	0.53	1714	0.16	7.71	3.87	2.22	<4	14	<2	9	6	1	5	<0.1	<0.5
1904576	Rock	0.196	19	11	1.88	935	0.46	9.08	3.46	1.19	<4	16	<2	16	7	2	13	<0.1	2.5
1904577	Rock	0.036	9	9	0.49	1622	0.15	7.56	3.65	2.15	<4	11	<2	9	6	2	5	<0.1	1.1
1904578	Rock	0.033	5	4	0.37	1603	0.09	7.44	3.82	2.46	<4	10	<2	4	5	2	3	<0.1	<0.5
1904579	Rock	0.031	8	6	0.40	1484	0.13	7.52	3.62	2.30	<4	12	<2	7	6	2	4	<0.1	<0.5
1904580	Rock	0.041	10	7	0.52	1281	0.17	7.60	3.69	2.12	<4	10	<2	10	7	2	5	<0.1	<0.5
1904581	Rock Pulp	0.082	3	17	0.66	923	0.21	9.53	5.34	0.92	<4	9	<2	15	8	2	7	<0.1	2.8
1904582	Rock	0.025	7	3	0.25	2002	0.09	7.47	3.41	2.96	<4	8	<2	6	4	1	3	<0.1	<0.5
1904583	Rock	0.025	8	4	0.28	1603	0.09	7.16	3.50	2.64	<4	9	<2	7	4	1	3	<0.1	<0.5



QUALITY CONTROL REPORT

WHI20000139.1

Method	WGHT	LH402	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300
Analyte	Wgt	Cu/Ox	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.001	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01	
Pulp Duplicates																					
1904509	Rock	3.73	<0.001	<2	3	16	46	<0.5	<2	5	542	2.01	<5	<20	<2	364	<0.4	<5	<5	47	1.92
REP 1904509	QC	<0.001																			
1904511	Rock	3.29	<0.001	<2	<2	12	70	<0.5	<2	8	754	2.92	<5	<20	3	376	<0.4	<5	<5	77	2.05
REP 1904511	QC	<0.001																			
1904529	Rock	1.06	<0.001	<2	2	38	230	<0.5	6	18	1306	12.30	11	<20	14	382	<0.4	<5	<5	371	2.58
REP 1904529	QC	<0.001																			
1904543	Rock	4.21	<0.001	<2	<2	11	58	<0.5	2	6	694	2.66	<5	<20	3	753	<0.4	<5	<5	63	2.40
REP 1904543	QC	<0.001																			
1904546	Rock	4.10	<0.001	<2	<2	11	53	<0.5	<2	5	636	2.37	<5	<20	5	788	<0.4	<5	<5	60	2.59
REP 1904546	QC	<0.001																			
1904573	Rock	4.59	<0.001	<2	<2	16	53	<0.5	4	4	491	1.79	<5	<20	<2	599	<0.4	<5	<5	42	1.66
REP 1904573	QC	<0.001																			
1904575	Core DUP	<0.001																			
REP 1904575	QC	<0.001																			
1904582	Rock	1.96	<0.001	<2	<2	14	28	<0.5	<2	2	295	1.33	<5	<20	<2	597	<0.4	<5	<5	24	1.45
REP 1904582	QC	<0.001																			
Core Reject Duplicates																					
1904501	Rock	1.73	<0.001	<2	3	14	71	<0.5	2	6	569	2.22	<5	<20	<2	238	<0.4	<5	5	56	2.35
DUP 1904501	QC	<0.001																			
1904535	Rock	1.57	<0.001	<2	<2	11	68	<0.5	2	6	686	2.93	<5	<20	<2	529	<0.4	<5	<5	66	2.35
DUP 1904535	QC	<0.001																			
Reference Materials																					
STD OREAS25A-4A	Standard	<0.001																			
STD OREAS25A-4A	Standard	<0.001																			
STD OREAS25A-4A	Standard	<0.001																			
STD OREAS45H	Standard	<2	828	10	41	0.6	463	92	412	21.17	15	21	5	28	<0.4	5	<5	<5	279	0.14	
STD OREAS45E	Standard	<2	804	18	51	<0.5	480	57	570	25.60	14	<20	8	16	<0.4	<5	6	332	0.07		
STD OREAS45E	Standard	<2	798	18	50	<0.5	483	58	558	24.98	15	<20	8	15	2.1	<5	8	331	0.07		



QUALITY CONTROL REPORT

WHI20000139.1

Method	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115
Analyte	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc	S	Au	
Unit	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	
MDL	0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1	0.1	0.5	
Pulp Duplicates																			
1904509	Rock	0.063	9	4	0.53	2441	0.15	7.44	3.24	2.97	<4	13	<2	9	6	1	5	<0.1	<0.5
REP 1904509	QC																		
1904511	Rock	0.099	14	5	1.01	1645	0.24	7.70	3.58	2.24	<4	17	<2	12	7	1	7	<0.1	<0.5
REP 1904511	QC																		<0.5
1904529	Rock	0.171	59	14	1.56	2922	1.16	7.26	2.18	2.62	<4	18	7	57	60	1	5	<0.1	0.7
REP 1904529	QC	0.171	62	14	1.58	2945	1.16	7.33	2.21	2.64	<4	19	6	58	59	1	5	<0.1	
1904543	Rock	0.066	9	7	0.81	1646	0.22	9.56	4.10	2.29	<4	6	<2	13	8	2	8	<0.1	<0.5
REP 1904543	QC																		
1904546	Rock	0.061	9	5	0.70	1536	0.20	8.94	3.69	2.11	<4	5	<2	12	7	2	7	<0.1	<0.5
REP 1904546	QC																		<0.5
1904573	Rock	0.036	9	11	0.59	1664	0.15	7.41	3.49	2.39	<4	15	<2	11	7	1	6	<0.1	<0.5
REP 1904573	QC																		
1904575	Core DUP	0.037	11	7	0.53	1714	0.16	7.71	3.87	2.22	<4	14	<2	9	6	1	5	<0.1	<0.5
REP 1904575	QC																		<0.5
1904582	Rock	0.025	7	3	0.25	2002	0.09	7.47	3.41	2.96	<4	8	<2	6	4	1	3	<0.1	<0.5
REP 1904582	QC	0.024	7	5	0.25	1922	0.09	7.15	3.24	2.84	<4	8	<2	6	4	1	2	<0.1	
Core Reject Duplicates																			
1904501	Rock	0.056	9	6	0.57	1378	0.17	7.63	3.84	1.41	<4	10	3	9	6	1	5	<0.1	<0.5
DUP 1904501	QC	0.058	9	5	0.60	1377	0.17	7.68	3.80	1.46	<4	11	<2	10	6	1	5	<0.1	<0.5
1904535	Rock	0.076	9	5	0.92	1721	0.24	9.87	3.87	2.15	<4	5	<2	13	8	2	8	<0.1	<0.5
DUP 1904535	QC	0.077	10	4	0.94	1702	0.25	9.76	3.81	2.15	<4	5	<2	13	8	2	8	<0.1	<0.5
Reference Materials																			
STD OREAS25A-4A	Standard	0.050	23	108	0.33	149	0.91	9.24	0.14	0.55	<4	152	6	10	19	1	13	<0.1	
STD OREAS25A-4A	Standard	0.050	21	107	0.32	149	0.87	8.95	0.12	0.51	<4	147	6	10	17	<1	13	<0.1	
STD OREAS25A-4A	Standard	0.051	21	114	0.32	152	0.87	8.99	0.12	0.52	<4	149	6	10	18	<1	13	<0.1	
STD OREAS45H	Standard	0.025	13	665	0.26	347	0.91	8.62	0.10	0.24	<4	127	4	11	14	1	59	<0.1	
STD OREAS45E	Standard	0.036	12	1031	0.16	262	0.52	7.18	0.05	0.36	<4	95	3	8	4	<1	98	<0.1	
STD OREAS45E	Standard	0.035	12	1048	0.16	262	0.50	7.08	0.05	0.35	<4	95	3	8	5	<1	97	<0.1	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: August 20, 2020

Page: 2 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI20000139.1

		WGHT	LH402	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300
		Wgt	Cu/Ox	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.001	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01
STD OREAS45E	Standard			<2	763	13	44	0.6	459	57	530	24.15	16	<20	13	15	<0.4	<5	<5	311	0.05
STD OREAS901	Standard		0.082																		
STD OREAS904	Standard		0.520																		
STD OREAS902	Standard		0.129																		
STD OREAS901	Standard		0.083																		
STD OREAS904	Standard		0.515																		
STD OREAS901	Standard																				
STD OREAS901	Standard																				
STD OREAS901	Standard																				
STD OREAS45H Expected				1.55	767	11.9	39.7		423	88	380	19.52	16.9		7.26	27.1				263	0.135
STD OREAS25A-4A Expected				2.41	33.9	25.2	44.4		45.8	7.7	480	6.6	9.94	2.94	15.8	48.5		0.65		157	0.301
STD OREAS901 Expected																					
STD OREAS45E Expected				2.4	780	18.2	46.7	0.311	454	57	570	24.12	16.3	2.41	12.9	15.9		1		322	0.065
BLK	Blank		<0.001																		
BLK	Blank		<0.001																		
BLK	Blank		<0.001																		
BLK	Blank			<2	<2	<5	<2	<0.5	<2	<2	<5	<0.01	<5	<20	<2	<2	<0.4	<5	<5	<2	<0.01
BLK	Blank			<2	<2	<5	<2	<0.5	<2	<2	<5	<0.01	<5	<20	<2	<2	<0.4	<5	<5	<2	<0.01
BLK	Blank			<2	<2	<5	<2	<0.5	<2	<2	<5	<0.01	<5	<20	<2	<2	<0.4	<5	<5	<2	<0.01
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank			<2	8	<5	<2	<0.5	<2	<2	<5	<0.01	<5	<20	<2	<2	<0.4	<5	<5	<2	<0.01
Prep Wash																					
ROCK-WHI	Prep Blank		<0.001	<2	7	<5	37	<0.5	<2	4	689	2.30	<5	<20	<2	189	<0.4	<5	<5	37	1.63
ROCK-WHI	Prep Blank		<0.001	<2	3	<5	36	<0.5	<2	4	657	2.16	<5	<20	<2	193	<0.4	<5	<5	36	1.58



QUALITY CONTROL REPORT

WHI20000139.1

		MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115	
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc	S	Au	
		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	
		0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1	0.1	0.5	
STD OREAS45E	Standard	0.033	11	980	0.15	239	0.51	6.46	0.05	0.32	<4	89	2	8	6	<1	88	<0.1		
STD OREAS901	Standard																			
STD OREAS904	Standard																			
STD OREAS902	Standard																			
STD OREAS901	Standard																			
STD OREAS904	Standard																			
STD OREAS901	Standard																			359.4
STD OREAS901	Standard																			406.4
STD OREAS901	Standard																			415.2
STD OREAS45H Expected		0.023	12.4	602	0.238	332	0.878	7.99	0.09	0.205		131	1.93	10.4	14.8	1.09	57			
STD OREAS25A-4A Expected		0.048	21.8	115	0.327	147	0.93	8.87	0.131	0.482	2	155	4.06	10.5	20.9	0.93	13.7	0.047		
STD OREAS901 Expected																				363
STD OREAS45E Expected		0.034	11	979	0.156	252	0.559	6.78	0.059	0.324	1.07	97	1.32	8.28	6.8	0.62	93	0.046		
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.002	<2	<2	<0.01	<1	<0.01	<0.01	<0.01	<0.01	<4	<2	<2	<2	<2	<1	<1	<0.1		
BLK	Blank	<0.002	<2	<2	<0.01	<1	<0.01	<0.01	<0.01	<0.01	<4	<2	<2	<2	<2	<1	<1	<0.1		
BLK	Blank	<0.002	<2	<2	<0.01	<1	<0.01	<0.01	<0.01	<0.01	<4	<2	<2	<2	<2	<1	<1	<0.1		
BLK	Blank																			<0.5
BLK	Blank																			<0.5
BLK	Blank																			<0.5
BLK	Blank	<0.002	<2	<2	<0.01	<1	<0.01	<0.01	<0.01	<0.01	<4	<2	<2	<2	<2	<1	<1	<0.1		
Prep Wash																				
ROCK-WHI	Prep Blank	0.043	13	3	0.54	771	0.21	7.11	3.54	1.63	<4	50	<2	17	5	<1	7	<0.1	<0.5	
ROCK-WHI	Prep Blank	0.041	11	3	0.52	757	0.20	7.01	3.60	1.58	<4	48	<2	16	5	<1	7	<0.1	<0.5	