



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Submitted By: Scott Petsel
Receiving Lab: Canada-Whitehorse
Received: July 20, 2020
Analysis Start: August 07, 2020
Report Date: August 18, 2020
Page: 1 of 5

CERTIFICATE OF ANALYSIS

WHI20000140.1

CLIENT JOB INFORMATION

Project: Stu Copper
Shipment ID: STU20-2
P.O. Number: Stu Copper
Number of Samples: 111

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2
Canada

CC: Debbie James
Pieter Vanleuzen
Scott Petsel

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	93	Crush, split and pulverize 250 g rock to 200 mesh			WHI
LH402	111	Cu in oxide form, 5% H2SO4	1	Completed	VAN
MA300	111	4 Acid digestion ICP-ES analysis	0.25	Completed	VAN
AQ115-IGN	111	Ignite samples, acid digest, Au by ICP-MS	15	Completed	VAN
SHP01	111	Per sample shipping charges for branch shipments			VAN
SLBHP	14	Sort, label and box pulps			WHI
MA401	12	4 Acid Digest AAS Finish	1	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: August 18, 2020

Page: 2 of 5

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000140.1

Method	WGHT	LH402	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	
Analyte	Wgt	Cu/Ox	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.001	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01	
1904584	Rock	3.06	<0.001	<2	3	12	65	<0.5	3	7	767	2.85	<5	<20	<2	274	<0.4	8	<5	67	3.35
1904585	Rock	3.25	<0.001	<2	<2	14	59	<0.5	2	7	695	2.83	<5	<20	<2	245	<0.4	7	<5	67	3.28
1904586	Rock	4.19	<0.001	<2	<2	13	77	<0.5	2	8	1005	3.34	<5	<20	<2	213	<0.4	7	<5	65	4.24
1904587	Rock	4.47	<0.001	<2	<2	16	84	<0.5	3	7	753	2.81	<5	<20	<2	199	<0.4	19	<5	64	4.15
1904588	Rock	3.92	<0.001	<2	42	14	58	<0.5	2	6	716	2.65	<5	<20	<2	510	<0.4	6	<5	63	3.96
1904589	Rock	3.71	0.020	<2	907	14	81	0.6	<2	6	613	2.37	26	<20	2	421	<0.4	23	<5	59	2.69
1904590	Rock Pulp	0.10	0.816	9	8708	8	73	4.0	8	10	678	3.85	<5	<20	<2	1179	<0.4	<5	<5	106	2.44
1904591	Rock	1.71	<0.001	<2	18	10	60	<0.5	<2	7	702	2.68	<5	<20	2	467	<0.4	<5	<5	62	3.02
1904592	Rock	1.55	<0.001	<2	149	16	41	<0.5	<2	5	575	1.95	<5	<20	3	408	<0.4	<5	<5	39	2.76
1904593	Rock	0.67	0.024	<2	2417	22	58	0.9	<2	4	365	1.72	26	<20	4	384	<0.4	10	<5	39	1.82
1904594	Rock	1.53	0.028	2	3691	22	42	1.5	<2	3	228	1.37	18	<20	<2	296	<0.4	9	<5	31	1.26
1904595	Rock	1.67	0.154	3	6819	20	83	3.7	2	4	428	1.70	12	<20	4	333	<0.4	14	<5	47	2.45
1904596	Rock	2.11	0.052	<2	7642	20	60	3.8	2	3	325	1.56	8	<20	2	377	<0.4	6	<5	33	1.52
1904597	Rock Pulp	0.12	0.007	2	83	13	56	<0.5	7	7	661	3.14	<5	<20	<2	1357	<0.4	<5	<5	82	3.05
1904598	Rock	0.35	0.091	2	8602	28	50	4.5	2	3	295	1.50	12	<20	<2	376	<0.4	<5	<5	40	1.45
1904599	Rock	0.97	0.004	<2	230	14	62	<0.5	2	3	325	1.35	<5	<20	<2	370	<0.4	<5	<5	29	1.62
1904600	Rock	1.44	0.087	<2	8485	22	76	4.6	3	4	328	1.94	11	<20	<2	354	<0.4	<5	<5	49	1.70
1904601	Rock	1.17	0.036	<2	5462	26	52	2.5	<2	3	299	1.42	<5	<20	<2	311	<0.4	<5	<5	28	1.81
1904602	Rock	0.40	0.089	<2	>10000	31	123	5.8	2	4	307	1.95	<5	<20	3	385	1.0	<5	<5	53	1.96
1904603	Rock	1.83	0.174	<2	>10000	34	137	11.3	3	6	412	2.85	10	<20	3	339	0.7	<5	<5	88	2.46
1904604	Rock Pulp	0.08	0.832	9	8604	11	74	3.9	8	10	665	3.77	<5	<20	<2	1148	<0.4	<5	<5	103	2.40
1904605	Rock	1.28	0.151	12	>10000	31	94	18.8	<2	5	360	2.54	7	<20	<2	201	1.0	8	<5	78	1.71
1904606	Rock	0.42	0.262	<2	>10000	41	61	35.2	<2	2	204	2.30	20	<20	<2	105	2.2	15	12	41	0.80
1904607	Rock	1.21	0.147	<2	>10000	25	74	10.0	<2	3	240	1.58	31	<20	<2	145	1.1	32	<5	39	0.57
1904608	Rock	0.57	0.327	8	>10000	57	62	28.1	<2	2	128	1.81	62	<20	<2	107	1.8	31	8	56	0.20
1904609	Rock Pulp	0.11	1.475	66	>10000	9	71	9.9	11	9	371	3.26	<5	<20	<2	890	<0.4	<5	13	99	1.79
1904610	Rock	0.94	0.427	4	>10000	65	73	33.3	<2	3	167	2.52	58	<20	<2	187	1.6	26	9	57	0.18
1904611	Rock	1.34	0.286	7	>10000	84	471	40.2	<2	7	249	2.37	636	<20	<2	155	4.1	635	9	59	0.98
1904612	Rock	2.50	0.008	<2	676	16	112	1.2	<2	5	404	2.28	36	<20	2	270	<0.4	82	<5	66	2.13
1904613	Rock Pulp	0.10	0.008	3	87	15	58	<0.5	7	7	684	3.25	<5	<20	<2	1395	<0.4	<5	<5	86	3.15



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **True Point Exploration Inc.**
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: August 18, 2020

Page: 2 of 5

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000140.1

Method	Analyte	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115	MA401
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc	S	Au	Cu
Unit		%	ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	%
MDL		0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	1	1	0.1	0.5	0.001	
1904584	Rock	0.065	9	5	0.40	649	0.21	7.46	2.13	2.10	<4	6	<2	9	6	1	7	<0.1	<0.5	
1904585	Rock	0.069	8	5	0.44	487	0.21	7.34	2.33	1.95	<4	5	<2	9	6	1	6	<0.1	<0.5	
1904586	Rock	0.062	8	4	1.01	2096	0.19	6.74	1.54	1.97	<4	5	<2	10	5	1	6	<0.1	<0.5	
1904587	Rock	0.071	9	4	0.52	931	0.21	7.67	0.83	2.51	<4	6	<2	10	6	1	7	<0.1	<0.5	
1904588	Rock	0.070	9	4	0.64	3266	0.20	7.16	2.08	2.21	<4	11	<2	11	6	1	6	<0.1	<0.5	
1904589	Rock	0.065	10	4	0.65	2581	0.19	7.23	2.33	1.82	<4	6	<2	9	6	1	6	0.1	32.9	
1904590	Rock Pulp	0.119	5	18	1.01	1437	0.29	9.23	4.35	1.35	<4	14	<2	12	7	2	7	<0.1	462.1	
1904591	Rock	0.069	8	5	0.63	2357	0.21	7.55	2.61	2.06	<4	6	<2	10	7	1	7	<0.1	1.9	
1904592	Rock	0.044	6	3	0.48	2131	0.14	6.91	2.59	2.63	<4	13	<2	9	7	1	4	<0.1	5.4	
1904593	Rock	0.059	7	4	0.44	1167	0.16	6.87	2.24	2.89	<4	16	<2	6	5	1	3	0.2	92.9	
1904594	Rock	0.042	7	4	0.28	577	0.13	6.50	1.50	3.77	<4	16	<2	3	5	<1	3	0.3	168.2	
1904595	Rock	0.049	5	7	0.32	929	0.15	6.68	1.37	2.86	<4	16	<2	4	4	1	4	0.2	840.4	
1904596	Rock	0.030	3	11	0.32	1419	0.12	6.81	1.96	3.43	<4	17	<2	3	3	<1	4	0.3	644.0	
1904597	Rock Pulp	0.080	4	17	0.66	905	0.21	9.38	4.81	0.89	<4	8	<2	14	8	2	7	<0.1	3.1	
1904598	Rock	0.071	6	6	0.27	1393	0.16	6.83	1.77	4.43	<4	13	<2	3	4	<1	4	0.3	645.7	
1904599	Rock	0.022	3	12	0.27	1409	0.09	6.96	2.78	2.96	<4	26	<2	4	3	1	4	<0.1	18.7	
1904600	Rock	0.053	4	8	0.33	1093	0.15	6.99	1.98	3.46	<4	24	<2	4	4	1	4	0.3	690.7	
1904601	Rock	0.027	2	4	0.17	1582	0.09	5.71	1.91	3.76	<4	19	<2	2	4	<1	2	0.2	436.8	
1904602	Rock	0.048	4	7	0.23	580	0.16	6.22	1.54	3.11	<4	15	<2	2	3	<1	4	0.4	1186.3	1.239
1904603	Rock	0.064	5	5	0.23	300	0.22	6.18	1.05	3.32	<4	24	<2	3	4	<1	5	0.6	1827.5	2.208
1904604	Rock Pulp	0.116	5	18	0.98	1399	0.29	8.82	4.29	1.31	<4	13	3	11	6	2	7	<0.1	433.1	
1904605	Rock	0.023	4	4	0.14	158	0.17	5.42	0.42	3.43	<4	10	<2	<2	3	<1	4	0.9	2402.7	3.167
1904606	Rock	0.003	<2	5	0.10	63	0.08	3.36	0.05	1.93	<4	6	<2	<2	<2	<1	3	1.7	3634.4	5.891
1904607	Rock	0.008	3	3	0.18	284	0.06	5.64	0.06	2.32	<4	29	<2	4	3	<1	2	0.6	7214.1	1.656
1904608	Rock	0.004	<2	6	0.10	84	0.10	3.94	0.04	1.56	<4	8	<2	<2	<2	<1	2	1.3	3560.7	4.424
1904609	Rock Pulp	0.096	9	22	0.89	1365	0.28	8.15	3.40	1.65	16	12	2	8	5	1	8	<0.1	732.0	1.649
1904610	Rock	0.011	<2	6	0.09	48	0.12	3.75	0.04	1.52	<4	7	<2	2	<2	<1	3	1.5	3985.7	4.730
1904611	Rock	0.012	<2	5	0.16	282	0.15	4.93	0.08	1.88	<4	7	<2	3	3	<1	4	1.3	3549.4	4.543
1904612	Rock	0.065	7	5	0.36	1219	0.20	8.13	0.83	2.84	<4	12	<2	7	7	2	6	<0.1	21.6	
1904613	Rock Pulp	0.083	3	16	0.67	932	0.21	9.40	4.93	0.91	<4	9	<2	14	8	2	7	<0.1	3.6	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **True Point Exploration Inc.**
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: August 18, 2020

Page: 3 of 5

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000140.1

Method	WGHT	LH402	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300
Analyte	Wgt	Cu/Ox	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.001	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01	
1904614	Rock	1.01	0.121	10	>10000	264	427	34.1	<2	4	734	2.23	453	<20	<2	168	4.0	487	9	34	2.55
1904615	Rock	1.04	0.003	<2	512	964	308	49.2	2	5	493	1.73	32	<20	<2	393	3.0	268	<5	76	0.41
1904616	Rock	1.05	0.002	<2	200	85	251	2.6	3	10	1338	3.73	12	<20	3	652	0.7	49	<5	94	1.74
1904617	Rock	0.93	0.013	<2	1361	268	193	4.8	3	7	804	2.44	57	<20	3	401	1.4	248	<5	70	3.73
1904618	Rock	1.56	0.019	<2	1168	16	72	0.8	2	6	775	2.56	8	<20	5	387	<0.4	7	<5	75	3.39
1904619	Rock	1.71	0.009	<2	371	12	72	<0.5	3	9	549	2.57	6	<20	3	554	<0.4	<5	<5	72	2.36
1904620	Core DUP		0.010	<2	394	12	72	<0.5	3	9	548	2.56	6	<20	3	561	<0.4	<5	<5	72	2.38
1904621	Rock	1.55	0.005	<2	263	12	69	<0.5	3	7	557	2.74	<5	<20	3	562	<0.4	<5	<5	85	2.86
1904622	Rock	1.67	0.014	<2	1741	20	101	0.9	4	10	654	3.45	15	<20	5	509	<0.4	6	<5	133	3.27
1904623	Rock	1.56	0.012	<2	1285	11	99	0.7	5	11	783	3.91	<5	<20	3	444	<0.4	<5	<5	114	3.86
1904624	Rock	1.41	0.019	<2	1281	11	85	0.9	3	9	723	3.49	<5	<20	5	670	<0.4	<5	<5	78	3.69
1904625	Rock	1.34	0.015	<2	1418	11	79	0.7	3	8	587	2.87	7	<20	4	1099	<0.4	<5	<5	71	3.81
1904626	Rock Pulp	0.10	0.008	2	84	15	56	<0.5	7	7	684	3.22	<5	<20	<2	1373	<0.4	<5	<5	85	3.13
1904627	Rock	1.65	0.020	<2	2407	15	94	1.3	5	12	984	3.89	<5	<20	3	4899	<0.4	<5	<5	133	4.84
1904628	Rock	1.39	0.021	3	1805	18	72	1.4	3	8	615	2.93	<5	68	3	>10000	<0.4	<5	<5	84	3.18
1904629	Rock	0.74	0.014	111	2265	19	82	1.3	3	8	542	2.82	10	<20	5	8245	<0.4	5	<5	99	3.10
1904630	Rock	1.32	0.010	<2	496	11	100	0.7	5	13	1158	4.17	<5	<20	<2	2208	<0.4	<5	<5	145	5.32
1904631	Rock	1.34	0.002	<2	422	18	132	<0.5	6	18	1225	5.05	9	<20	<2	531	<0.4	23	<5	146	4.77
1904632	Rock	1.60	0.010	26	678	20	228	0.6	4	22	1350	5.82	17	<20	3	493	<0.4	36	<5	196	4.67
1904633	Rock	1.63	0.002	4	792	123	310	2.3	4	19	1306	4.68	27	<20	2	490	0.9	86	<5	138	3.38
1904634	Rock Pulp	0.07	1.500	66	>10000	11	69	9.7	11	9	361	3.17	<5	<20	<2	867	<0.4	<5	13	98	1.77
1904635	Rock	1.65	<0.001	<2	58	392	576	2.3	2	8	1150	2.85	<5	<20	<2	553	3.7	14	<5	68	2.85
1904636	Rock Pulp	0.10	0.007	2	85	13	58	<0.5	7	7	675	3.19	<5	<20	<2	1371	<0.4	<5	<5	83	3.12
1904637	Rock	3.41	<0.001	<2	5	14	75	<0.5	2	6	764	2.59	<5	<20	2	776	<0.4	<5	<5	69	3.87
1904638	Rock	4.27	<0.001	<2	3	14	62	<0.5	<2	6	661	2.41	<5	<20	<2	791	<0.4	<5	<5	71	3.32
1904639	Rock	4.67	<0.001	<2	14	15	65	<0.5	2	7	505	2.48	<5	<20	<2	1248	<0.4	<5	<5	69	2.89
1904640	Rock	4.07	<0.001	<2	<2	16	61	<0.5	<2	6	516	2.32	<5	<20	<2	1037	<0.4	<5	<5	63	3.02
1904641	Rock	3.83	<0.001	<2	<2	19	69	<0.5	<2	6	536	2.28	<5	<20	2	721	<0.4	<5	<5	64	2.95
1904642	Rock Pulp	0.08	0.840	9	8780	11	72	3.8	8	10	667	3.77	<5	<20	<2	1155	<0.4	<5	<5	103	2.43
1904643	Rock	3.15	<0.001	<2	<2	18	107	<0.5	<2	6	794	2.70	<5	<20	3	500	<0.4	13	<5	66	2.65



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: August 18, 2020

Page: 3 of 5

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000140.1

Method	Analyte	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115	MA401
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc	S	Au	Cu
Unit		%	ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	%
MDL		0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	1	1	0.1	0.5	0.001	
1904614	Rock	0.006	3	4	0.24	375	0.09	3.49	0.06	1.29	<4	8	<2	4	2	<1	2	1.3	3607.1	4.109
1904615	Rock	0.085	7	4	0.22	145	0.24	6.83	0.11	2.66	<4	8	<2	4	5	2	6	<0.1	22.4	
1904616	Rock	0.120	9	7	0.55	836	0.31	8.67	0.16	3.24	<4	8	<2	6	7	2	9	<0.1	4.3	
1904617	Rock	0.084	13	5	0.37	1902	0.23	6.97	0.24	2.21	<4	8	3	10	6	1	6	0.1	53.9	
1904618	Rock	0.095	15	4	0.45	1187	0.22	7.03	1.06	2.18	<4	8	<2	12	7	1	7	<0.1	43.5	
1904619	Rock	0.077	11	4	0.38	850	0.21	8.05	2.13	2.13	<4	6	<2	10	6	2	8	<0.1	15.5	
1904620	Core DUP	0.077	12	4	0.38	837	0.21	8.04	2.15	2.13	<4	6	<2	10	6	2	8	<0.1	16.0	
1904621	Rock	0.084	11	5	0.36	643	0.21	7.82	2.32	2.05	<4	5	<2	12	6	2	9	<0.1	12.6	
1904622	Rock	0.156	16	10	0.59	1108	0.39	8.90	1.21	2.78	<4	8	<2	15	8	2	13	0.2	60.2	
1904623	Rock	0.092	21	6	0.60	1110	0.24	7.27	1.67	2.01	<4	12	<2	25	8	2	14	0.1	30.4	
1904624	Rock	0.095	15	4	0.59	2885	0.22	7.34	1.70	2.07	<4	6	<2	16	7	1	8	0.1	63.9	
1904625	Rock	0.085	12	4	0.74	2382	0.21	6.88	1.75	1.89	<4	6	<2	11	6	1	7	0.2	51.3	
1904626	Rock Pulp	0.083	4	17	0.68	928	0.21	9.67	4.96	0.91	<4	8	<2	15	8	2	8	<0.1	3.4	
1904627	Rock	0.147	17	11	0.86	1083	0.36	7.73	1.65	2.05	<4	7	<2	16	8	2	13	0.4	68.7	
1904628	Rock	0.105	16	6	0.74	355	0.25	6.71	1.78	1.61	<4	6	4	11	6	1	7	1.1	63.2	
1904629	Rock	0.122	18	5	0.61	701	0.29	7.42	1.48	1.52	<4	7	2	10	7	1	8	0.5	58.7	
1904630	Rock	0.127	12	18	0.94	1033	0.38	7.65	2.00	2.08	<4	7	<2	17	6	2	16	0.2	8.1	
1904631	Rock	0.130	12	19	1.12	969	0.36	7.39	1.28	2.18	<4	9	2	16	7	2	15	0.4	1.9	
1904632	Rock	0.147	12	12	1.00	355	0.41	7.16	1.34	2.16	<4	11	<2	15	8	2	12	0.5	2.4	
1904633	Rock	0.126	12	7	0.86	378	0.33	7.72	1.29	2.28	<4	11	3	13	9	2	10	0.6	2.2	
1904634	Rock Pulp	0.093	9	23	0.87	1307	0.28	8.11	3.40	1.60	19	11	<2	8	5	1	7	<0.1	580.9	1.670
1904635	Rock	0.069	6	4	0.63	1982	0.21	7.18	1.81	1.98	<4	6	<2	13	9	1	7	0.1	0.7	
1904636	Rock Pulp	0.080	3	17	0.66	919	0.21	9.37	4.95	0.90	<4	8	<2	14	8	2	7	<0.1	4.5	
1904637	Rock	0.066	7	4	0.45	1859	0.21	7.38	2.11	1.52	<4	5	<2	15	10	2	7	<0.1	<0.5	
1904638	Rock	0.066	9	4	0.46	2585	0.20	7.59	2.01	2.51	<4	9	<2	14	11	2	7	<0.1	<0.5	
1904639	Rock	0.060	7	5	0.62	3822	0.20	7.32	1.92	2.14	<4	8	<2	9	7	1	7	0.1	<0.5	
1904640	Rock	0.063	8	4	0.49	2209	0.19	7.49	2.40	1.82	<4	6	<2	10	7	2	7	<0.1	<0.5	
1904641	Rock	0.065	8	3	0.37	1491	0.20	7.95	2.64	2.02	<4	6	<2	11	8	2	7	<0.1	<0.5	
1904642	Rock Pulp	0.115	5	18	0.97	1408	0.29	9.04	4.40	1.32	<4	13	2	11	7	2	7	<0.1	434.0	
1904643	Rock	0.066	9	4	0.48	968	0.21	7.71	1.83	1.81	<4	8	<2	9	8	1	7	<0.1	<0.5	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: August 18, 2020

Page: 4 of 5

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000140.1

Method	WGHT	LH402	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300
Analyte	Wgt	Cu/Ox	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.001	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01	
1904644	Rock	3.63	<0.001	<2	3	14	92	<0.5	2	7	657	2.98	<5	<20	<2	553	<0.4	5	<5	76	2.51
1904645	Rock	2.83	<0.001	<2	3	13	75	<0.5	2	7	680	2.56	<5	<20	<2	512	<0.4	<5	<5	69	2.96
1904646	Core DUP		<0.001	<2	3	13	74	<0.5	2	7	683	2.63	<5	<20	<2	512	<0.4	<5	<5	70	2.98
1904647	Rock	5.51	<0.001	<2	4	16	69	<0.5	2	7	702	2.57	<5	<20	<2	733	<0.4	<5	<5	70	3.44
1904648	Rock	3.89	<0.001	<2	<2	15	51	<0.5	2	5	583	2.16	<5	<20	<2	764	<0.4	<5	<5	57	2.88
1904649	Rock	4.51	<0.001	<2	3	15	61	<0.5	<2	7	744	2.58	<5	<20	2	775	<0.4	<5	<5	68	3.21
1904650	Rock	4.41	<0.001	<2	<2	11	58	<0.5	<2	6	717	2.66	<5	<20	2	786	<0.4	<5	<5	67	3.02
1904651	Rock	3.38	<0.001	<2	5	15	57	<0.5	3	8	681	2.74	<5	<20	3	748	<0.4	<5	<5	77	2.95
1904652	Rock	5.81	<0.001	<2	5	15	62	<0.5	3	7	696	2.63	<5	<20	<2	821	<0.4	<5	<5	68	2.80
1904653	Rock Pulp	0.07	0.820	9	8950	13	76	4.1	9	11	691	3.91	<5	<20	<2	1196	<0.4	<5	<5	108	2.51
1904654	Rock	2.75	<0.001	<2	2	10	72	<0.5	2	7	792	2.75	<5	<20	3	821	<0.4	<5	<5	75	2.84
1904655	Rock	5.45	<0.001	<2	2	13	44	<0.5	2	5	530	2.01	<5	<20	<2	771	<0.4	<5	<5	47	2.24
1904656	Rock	4.04	<0.001	<2	19	12	59	<0.5	2	7	646	2.63	<5	<20	3	785	<0.4	<5	<5	66	2.40
1904657	Rock	3.99	<0.001	<2	3	12	35	<0.5	<2	3	435	1.51	<5	<20	2	624	<0.4	<5	<5	31	1.68
1904658	Rock	3.17	<0.001	<2	3	11	23	<0.5	<2	<2	382	1.15	<5	<20	3	488	<0.4	<5	<5	22	1.91
1904659	Rock	2.29	<0.001	<2	<2	12	34	<0.5	<2	3	254	1.41	<5	<20	<2	604	<0.4	<5	<5	29	1.57
1904660	Rock	3.90	<0.001	<2	7	13	40	<0.5	<2	4	367	1.83	<5	<20	<2	536	<0.4	<5	<5	44	2.23
1904661	Rock Pulp	0.09	0.007	2	82	12	57	<0.5	7	7	673	3.17	<5	<20	<2	1361	<0.4	<5	<5	84	3.09
1904662	Rock	2.08	<0.001	<2	7	16	36	<0.5	<2	3	317	1.45	<5	<20	<2	520	<0.4	<5	<5	34	2.21
1904663	Rock	1.36	<0.001	<2	39	15	100	<0.5	3	12	657	4.12	<5	<20	3	694	<0.4	<5	<5	118	3.81
1904664	Rock	4.39	<0.001	<2	<2	12	35	<0.5	<2	3	293	1.58	<5	<20	3	667	<0.4	<5	<5	32	1.91
1904665	Rock	4.41	<0.001	<2	<2	13	29	<0.5	<2	3	254	1.46	<5	<20	10	644	<0.4	<5	<5	28	1.70
1904666	Rock	2.59	<0.001	<2	10	11	39	<0.5	<2	3	333	1.75	<5	<20	<2	705	<0.4	<5	<5	40	2.17
1904667	Pulp DUP		<0.001	<2	10	11	40	<0.5	2	4	334	1.76	<5	<20	<2	720	<0.4	<5	<5	41	2.20
1904668	Rock	5.49	<0.001	<2	11	18	27	<0.5	<2	2	256	1.36	<5	<20	<2	559	<0.4	<5	<5	26	1.50
1904669	Rock	4.59	<0.001	<2	<2	17	55	<0.5	2	6	567	2.42	<5	<20	<2	763	<0.4	<5	<5	63	2.61
1904670	Rock	4.96	<0.001	<2	<2	15	58	<0.5	2	7	663	2.69	<5	<20	<2	787	<0.4	<5	<5	71	2.70
1904671	Rock	4.51	<0.001	<2	<2	12	60	<0.5	2	7	632	2.55	<5	<20	2	796	<0.4	<5	<5	66	2.58
1904672	Rock	4.87	<0.001	<2	<2	14	57	<0.5	2	6	636	2.41	<5	<20	2	752	<0.4	<5	<5	63	2.47
1904673	Rock	4.63	<0.001	<2	7	14	65	<0.5	2	7	727	2.75	<5	<20	<2	895	<0.4	<5	<5	74	2.53



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: August 18, 2020

Page: 4 of 5

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000140.1

Method Analyte Unit MDL	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115	MA401
	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc	S	Au	Cu	
	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	%	
	0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1	0.1	0.5	0.001	
1904644	Rock	0.082	6	5	0.46	801	0.23	8.29	3.19	2.01	<4	7	<2	12	8	2	8	<0.1	<0.5	
1904645	Rock	0.070	6	4	0.54	962	0.22	7.65	2.91	1.93	<4	8	<2	10	7	2	7	<0.1	<0.5	
1904646	Core DUP	0.072	6	4	0.54	956	0.22	7.82	2.92	1.95	<4	8	<2	10	7	2	7	<0.1	<0.5	
1904647	Rock	0.069	7	4	0.68	1207	0.22	7.70	2.67	1.64	<4	7	<2	10	7	2	7	<0.1	<0.5	
1904648	Rock	0.059	6	4	0.59	1639	0.18	7.38	2.68	1.91	<4	7	<2	9	6	2	6	<0.1	<0.5	
1904649	Rock	0.069	8	4	0.60	1522	0.21	7.61	3.05	1.95	<4	7	<2	12	7	2	7	<0.1	<0.5	
1904650	Rock	0.072	8	4	0.62	1426	0.22	7.98	3.25	1.95	<4	6	<2	9	6	2	7	<0.1	<0.5	
1904651	Rock	0.071	8	5	0.76	1296	0.22	7.71	3.07	2.10	<4	20	<2	11	5	2	8	<0.1	<0.5	
1904652	Rock	0.069	9	5	0.66	1582	0.20	8.23	3.33	1.69	<4	10	2	9	6	2	7	<0.1	<0.5	
1904653	Rock Pulp	0.120	5	19	1.02	1460	0.30	9.49	4.57	1.34	<4	13	3	12	7	2	7	<0.1	417.6	
1904654	Rock	0.080	10	5	0.76	1266	0.23	8.61	3.60	1.55	<4	6	<2	10	7	2	8	<0.1	0.6	
1904655	Rock	0.046	8	4	0.52	2133	0.16	7.82	3.20	2.05	<4	10	<2	7	5	2	4	<0.1	<0.5	
1904656	Rock	0.070	13	5	0.83	1723	0.22	8.03	3.19	1.76	<4	14	<2	9	6	1	7	<0.1	<0.5	
1904657	Rock	0.031	9	4	0.38	1856	0.13	7.54	3.15	2.04	<4	13	<2	6	5	1	3	<0.1	<0.5	
1904658	Rock	0.020	5	3	0.23	1591	0.09	7.13	3.02	2.63	<4	12	<2	6	4	1	2	<0.1	<0.5	
1904659	Rock	0.029	8	4	0.28	1939	0.12	7.28	3.03	2.37	<4	11	<2	5	5	1	3	<0.1	<0.5	
1904660	Rock	0.042	9	4	0.35	1925	0.16	7.28	3.12	2.17	<4	14	<2	6	4	1	4	<0.1	<0.5	
1904661	Rock Pulp	0.081	3	18	0.66	916	0.21	9.35	4.93	0.89	<4	8	2	14	8	2	7	<0.1	4.4	
1904662	Rock	0.034	8	4	0.28	1350	0.13	7.15	3.10	1.79	<4	12	<2	5	4	1	3	<0.1	<0.5	
1904663	Rock	0.118	18	6	0.85	1174	0.36	8.58	3.15	1.81	<4	22	2	14	6	2	11	<0.1	<0.5	
1904664	Rock	0.031	8	4	0.31	2401	0.13	7.45	3.12	2.22	<4	11	<2	4	3	1	3	<0.1	<0.5	
1904665	Rock	0.027	7	4	0.26	2515	0.11	7.53	2.98	2.60	<4	12	<2	4	4	1	2	<0.1	<0.5	
1904666	Rock	0.039	6	5	0.38	1390	0.14	7.26	3.37	1.64	<4	11	<2	4	4	2	2	<0.1	<0.5	
1904667	Pulp DUP	0.040	5	5	0.38	1414	0.14	7.50	3.45	1.66	<4	11	<2	4	4	2	2	<0.1	<0.5	
1904668	Rock	0.022	6	3	0.26	1899	0.09	7.26	3.07	2.12	<4	22	<2	4	3	1	1	<0.1	<0.5	
1904669	Rock	0.067	7	4	0.60	1647	0.28	7.89	3.30	1.97	<4	8	<2	10	7	2	7	<0.1	<0.5	
1904670	Rock	0.068	7	5	0.71	1782	0.21	7.93	3.43	1.68	<4	6	<2	11	7	2	7	<0.1	<0.5	
1904671	Rock	0.067	7	5	0.76	1440	0.21	7.77	3.39	1.45	<4	6	<2	10	7	2	7	<0.1	<0.5	
1904672	Rock	0.061	7	6	0.74	1548	0.19	7.85	3.44	1.66	<4	6	<2	10	6	2	6	<0.1	<0.5	
1904673	Rock	0.074	8	4	0.87	1385	0.22	8.29	3.64	1.76	<4	6	<2	11	7	2	7	<0.1	<0.5	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: August 18, 2020

Page: 5 of 5

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000140.1

Method	WGHT	LH402	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	
Analyte	Wgt	Cu/Ox	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.001	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01	
1904674	Rock Pulp	0.09	0.008	2	85	12	57	<0.5	7	7	685	3.25	<5	<20	<2	1394	<0.4	<5	<5	86	3.13
1904675	Rock	4.05	<0.001	<2	2	16	59	<0.5	2	7	615	2.59	<5	<20	<2	842	<0.4	<5	<5	65	2.22
1904676	Rock	0.63	<0.001	<2	59	16	75	<0.5	7	20	1193	4.95	<5	<20	2	815	<0.4	<5	<5	176	4.02
1904677	Rock	4.90	<0.001	<2	16	14	59	<0.5	<2	6	676	2.56	<5	<20	<2	830	<0.4	<5	<5	66	2.35
1904678	Rock	4.41	<0.001	<2	<2	16	65	<0.5	2	7	721	2.75	<5	<20	2	832	<0.4	<5	<5	73	2.75
1904679	Rock	4.39	<0.001	<2	<2	15	69	<0.5	2	7	755	2.85	<5	<20	<2	876	<0.4	<5	<5	76	2.79
1904680	Core DUP	<0.001	<2	<2	16	70	<0.5	2	7	733	2.78	<5	<20	3	874	<0.4	<5	<5	76	2.70	
1904681	Rock	5.08	<0.001	<2	<2	14	68	<0.5	2	7	740	2.80	<5	<20	3	886	<0.4	<5	<5	77	2.88
1904682	Rock	0.72	<0.001	<2	4	24	9	<0.5	<2	<2	113	0.60	<5	<20	<2	302	<0.4	<5	<5	9	0.90
1904683	Rock	5.55	<0.001	<2	4	15	71	<0.5	2	8	811	3.03	<5	<20	3	871	<0.4	<5	<5	79	3.00
1904684	Rock	4.88	<0.001	<2	<2	14	65	<0.5	<2	7	731	2.69	<5	<20	2	858	<0.4	<5	<5	70	2.70
1904685	Rock	3.95	<0.001	<2	<2	16	74	<0.5	<2	6	734	2.62	<5	<20	<2	824	<0.4	<5	<5	69	2.76
1904686	Rock Pulp	0.08	0.834	9	8958	11	74	4.1	9	11	679	3.84	<5	<20	<2	1174	<0.4	<5	<5	108	2.47
1904687	Rock	1.01	<0.001	<2	9	18	78	<0.5	2	7	742	2.60	<5	<20	<2	807	<0.4	<5	<5	68	2.76
1904688	Rock	1.98	<0.001	<2	4	18	18	<0.5	<2	<2	159	0.75	<5	<20	<2	442	<0.4	<5	<5	10	0.89
1904689	Rock	4.42	<0.001	<2	<2	15	80	<0.5	2	6	766	2.58	<5	<20	<2	796	<0.4	<5	<5	66	2.68
1904690	Rock	3.64	<0.001	<2	7	13	103	<0.5	2	8	919	2.94	<5	<20	2	810	<0.4	<5	<5	76	2.93
1904691	Rock	3.07	<0.001	<2	4	13	101	<0.5	2	7	850	3.05	<5	<20	<2	834	<0.4	<5	<5	80	3.11
1904692	Rock Pulp	0.07	1.481	65	>10000	9	66	9.3	10	8	360	3.16	<5	<20	<2	863	<0.4	<5	13	94	1.76
1904693	Rock	2.68	<0.001	<2	8	15	9	<0.5	<2	<2	143	0.61	<5	<20	<2	340	<0.4	<5	<5	7	0.81
1904694	Rock	0.83	<0.001	<2	2	14	108	<0.5	3	8	888	3.44	<5	<20	<2	694	<0.4	<5	<5	91	3.27



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: August 18, 2020

Page: 5 of 5

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000140.1

Method	Analyte	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115	MA401
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc	S	Au	Cu
Unit		%	ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	%
MDL		0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	1	1	0.1	0.5	0.001	
1904674	Rock Pulp	0.083	3	17	0.68	933	0.21	9.64	5.02	0.91	<4	8	3	15	9	2	7	<0.1	3.0	
1904675	Rock	0.068	6	4	0.75	1524	0.21	8.10	3.66	1.85	<4	6	<2	8	6	2	6	<0.1	<0.5	
1904676	Rock	0.148	15	10	2.17	1007	0.39	7.89	2.89	1.33	<4	31	<2	16	5	2	19	<0.1	<0.5	
1904677	Rock	0.065	7	5	0.78	1815	0.20	7.96	3.33	1.95	<4	8	<2	10	7	2	6	<0.1	<0.5	
1904678	Rock	0.071	8	5	0.77	1369	0.22	7.91	3.46	1.55	<4	6	<2	10	7	2	7	<0.1	<0.5	
1904679	Rock	0.075	8	5	0.82	1388	0.24	8.38	3.67	1.61	<4	6	<2	10	8	2	7	<0.1	<0.5	
1904680	Core DUP	0.075	9	5	0.81	1458	0.23	8.16	3.55	1.55	<4	6	<2	10	8	2	7	<0.1	<0.5	
1904681	Rock	0.075	8	5	0.77	1472	0.24	8.21	3.57	1.68	<4	7	<2	12	9	2	7	<0.1	<0.5	
1904682	Rock	<0.002	3	<2	0.05	1035	0.03	6.51	2.66	2.75	<4	34	<2	4	4	1	<1	<0.1	<0.5	
1904683	Rock	0.078	8	5	0.83	1305	0.25	8.12	3.55	1.40	<4	6	<2	12	8	2	7	<0.1	<0.5	
1904684	Rock	0.069	8	4	0.74	1595	0.22	7.97	3.47	1.78	<4	6	<2	11	8	2	6	<0.1	<0.5	
1904685	Rock	0.067	7	5	0.70	1724	0.21	7.67	3.35	1.67	<4	6	<2	9	8	2	6	<0.1	<0.5	
1904686	Rock Pulp	0.118	5	19	1.00	1444	0.30	9.33	4.44	1.33	<4	13	2	12	7	2	7	<0.1	468.0	
1904687	Rock	0.070	7	4	0.72	1796	0.22	8.12	3.32	1.83	<4	6	<2	10	8	1	7	<0.1	<0.5	
1904688	Rock	0.006	2	<2	0.12	1879	0.04	6.66	2.75	3.60	<4	21	<2	4	3	<1	<1	<0.1	0.5	
1904689	Rock	0.067	8	4	0.72	1538	0.21	7.86	3.27	1.68	<4	9	<2	11	8	2	7	<0.1	<0.5	
1904690	Rock	0.079	9	5	0.87	912	0.24	8.32	3.55	1.34	<4	6	<2	13	9	2	8	<0.1	<0.5	
1904691	Rock	0.084	9	5	0.80	1347	0.25	8.35	3.44	1.51	<4	7	<2	15	10	2	8	<0.1	<0.5	
1904692	Rock Pulp	0.091	9	22	0.87	1327	0.27	8.09	3.34	1.60	15	12	<2	8	5	1	7	<0.1	573.2	1.664
1904693	Rock	0.005	3	<2	0.08	1431	0.04	6.67	3.25	3.00	<4	33	<2	6	7	1	<1	<0.1	<0.5	
1904694	Rock	0.103	6	5	0.75	396	0.28	8.98	4.18	1.51	<4	10	<2	15	11	2	11	<0.1	<0.5	



QUALITY CONTROL REPORT

WHI20000140.1

Method	WGHT	LH402	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300
Analyte	Wgt	Cu/Ox	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.001	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01	
Pulp Duplicates																					
1904587	Rock	4.47	<0.001	<2	<2	16	84	<0.5	3	7	753	2.81	<5	<20	<2	199	<0.4	19	<5	64	4.15
REP 1904587	QC			<2	<2	16	81	<0.5	2	6	747	2.79	<5	<20	<2	196	<0.4	17	<5	63	4.05
1904605	Rock	1.28	0.151	12	>10000	31	94	18.8	<2	5	360	2.54	7	<20	<2	201	1.0	8	<5	78	1.71
REP 1904605	QC		0.153																		
1904607	Rock	1.21	0.147	<2	>10000	25	74	10.0	<2	3	240	1.58	31	<20	<2	145	1.1	32	<5	39	0.57
REP 1904607	QC																				
1904613	Rock Pulp	0.10	0.008	3	87	15	58	<0.5	7	7	684	3.25	<5	<20	<2	1395	<0.4	<5	<5	86	3.15
REP 1904613	QC																				
1904620	Core DUP		0.010	<2	394	12	72	<0.5	3	9	548	2.56	6	<20	3	561	<0.4	<5	<5	72	2.38
REP 1904620	QC			<2	390	11	72	<0.5	3	9	543	2.54	7	<20	2	554	<0.4	<5	<5	72	2.43
1904639	Rock	4.67	<0.001	<2	14	15	65	<0.5	2	7	505	2.48	<5	<20	<2	1248	<0.4	<5	<5	69	2.89
REP 1904639	QC		<0.001																		
1904649	Rock	4.51	<0.001	<2	3	15	61	<0.5	<2	7	744	2.58	<5	<20	2	775	<0.4	<5	<5	68	3.21
REP 1904649	QC																				
1904655	Rock	5.45	<0.001	<2	2	13	44	<0.5	2	5	530	2.01	<5	<20	<2	771	<0.4	<5	<5	47	2.24
REP 1904655	QC			<2	<2	12	44	<0.5	2	5	537	2.03	<5	<20	<2	772	<0.4	<5	<5	48	2.25
1904674	Rock Pulp	0.09	0.008	2	85	12	57	<0.5	7	7	685	3.25	<5	<20	<2	1394	<0.4	<5	<5	86	3.13
REP 1904674	QC		0.007																		
1904685	Rock	3.95	<0.001	<2	<2	16	74	<0.5	<2	6	734	2.62	<5	<20	<2	824	<0.4	<5	<5	69	2.76
REP 1904685	QC																				
1904687	Rock	1.01	<0.001	<2	9	18	78	<0.5	2	7	742	2.60	<5	<20	<2	807	<0.4	<5	<5	68	2.76
REP 1904687	QC			<2	8	16	81	<0.5	2	7	753	2.66	<5	<20	<2	809	<0.4	<5	<5	71	2.74
1904691	Rock	3.07	<0.001	<2	4	13	101	<0.5	2	7	850	3.05	<5	<20	<2	834	<0.4	<5	<5	80	3.11
REP 1904691	QC		<0.001																		
1904692	Rock Pulp	0.07	1.481	65	>10000	9	66	9.3	10	8	360	3.16	<5	<20	<2	863	<0.4	<5	13	94	1.76
REP 1904692	QC																				
1904694	Rock	0.83	<0.001	<2	2	14	108	<0.5	3	8	888	3.44	<5	<20	<2	694	<0.4	<5	<5	91	3.27
REP 1904694	QC																				



QUALITY CONTROL REPORT

WHI20000140.1

Method	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115	MA401	
Analyte	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc	S	Au	Cu	
Unit	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	%	
MDL	0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1	0.1	0.5	0.001	
Pulp Duplicates																				
1904587	Rock	0.071	9	4	0.52	931	0.21	7.67	0.83	2.51	<4	6	<2	10	6	1	7	<0.1	<0.5	
REP 1904587	QC	0.068	8	5	0.51	921	0.21	7.39	0.82	2.51	<4	6	<2	10	5	1	7	<0.1		
1904605	Rock	0.023	4	4	0.14	158	0.17	5.42	0.42	3.43	<4	10	<2	<2	3	<1	4	0.9	2402.7	3.167
REP 1904605	QC																			
1904607	Rock	0.008	3	3	0.18	284	0.06	5.64	0.06	2.32	<4	29	<2	4	3	<1	2	0.6	7214.1	1.656
REP 1904607	QC																			1.643
1904613	Rock Pulp	0.083	3	16	0.67	932	0.21	9.40	4.93	0.91	<4	9	<2	14	8	2	7	<0.1	3.6	
REP 1904613	QC																			3.5
1904620	Core DUP	0.077	12	4	0.38	837	0.21	8.04	2.15	2.13	<4	6	<2	10	6	2	8	<0.1	16.0	
REP 1904620	QC	0.077	12	4	0.38	827	0.21	8.05	2.18	2.10	<4	7	<2	10	6	2	8	<0.1		
1904639	Rock	0.060	7	5	0.62	3822	0.20	7.32	1.92	2.14	<4	8	<2	9	7	1	7	0.1	<0.5	
REP 1904639	QC																			
1904649	Rock	0.069	8	4	0.60	1522	0.21	7.61	3.05	1.95	<4	7	<2	12	7	2	7	<0.1	<0.5	
REP 1904649	QC																			<0.5
1904655	Rock	0.046	8	4	0.52	2133	0.16	7.82	3.20	2.05	<4	10	<2	7	5	2	4	<0.1	<0.5	
REP 1904655	QC	0.046	8	5	0.53	2136	0.16	7.80	3.20	1.95	<4	10	<2	7	5	2	4	<0.1		
1904674	Rock Pulp	0.083	3	17	0.68	933	0.21	9.64	5.02	0.91	<4	8	3	15	9	2	7	<0.1	3.0	
REP 1904674	QC																			
1904685	Rock	0.067	7	5	0.70	1724	0.21	7.67	3.35	1.67	<4	6	<2	9	8	2	6	<0.1	<0.5	
REP 1904685	QC																			<0.5
1904687	Rock	0.070	7	4	0.72	1796	0.22	8.12	3.32	1.83	<4	6	<2	10	8	1	7	<0.1	<0.5	
REP 1904687	QC	0.072	7	4	0.74	1817	0.22	8.12	3.32	1.86	<4	6	<2	10	8	2	7	<0.1		
1904691	Rock	0.084	9	5	0.80	1347	0.25	8.35	3.44	1.51	<4	7	<2	15	10	2	8	<0.1	<0.5	
REP 1904691	QC																			
1904692	Rock Pulp	0.091	9	22	0.87	1327	0.27	8.09	3.34	1.60	15	12	<2	8	5	1	7	<0.1	573.2	1.664
REP 1904692	QC																			1.687
1904694	Rock	0.103	6	5	0.75	396	0.28	8.98	4.18	1.51	<4	10	<2	15	11	2	11	<0.1	<0.5	
REP 1904694	QC																			<0.5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: August 18, 2020

Page: 2 of 3

Part: 1 of 2

QUALITY CONTROL REPORT

WHI20000140.1

		WGHT	LH402	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300
		Wgt	Cu/Ox	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.001	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01
Core Reject Duplicates																					
1904588	Rock	3.92	<0.001	<2	42	14	58	<0.5	2	6	716	2.65	<5	<20	<2	510	<0.4	6	<5	63	3.96
DUP 1904588	QC		<0.001	<2	40	15	55	<0.5	2	6	686	2.52	<5	<20	<2	492	<0.4	5	<5	59	3.77
1904622	Rock	1.67	0.014	<2	1741	20	101	0.9	4	10	654	3.45	15	<20	5	509	<0.4	6	<5	133	3.27
DUP 1904622	QC		0.016	<2	1900	20	102	1.0	4	10	665	3.42	13	<20	4	512	<0.4	5	<5	134	3.26
1904656	Rock	4.04	<0.001	<2	19	12	59	<0.5	2	7	646	2.63	<5	<20	3	785	<0.4	<5	<5	66	2.40
DUP 1904656	QC		<0.001	<2	20	14	59	<0.5	<2	7	654	2.72	<5	<20	2	802	<0.4	<5	<5	67	2.46
1904690	Rock	3.64	<0.001	<2	7	13	103	<0.5	2	8	919	2.94	<5	<20	2	810	<0.4	<5	<5	76	2.93
DUP 1904690	QC		<0.001	<2	6	12	98	<0.5	2	7	872	2.83	<5	<20	2	806	<0.4	<5	<5	72	2.82
Reference Materials																					
STD OREAS25A-4A	Standard			2	32	27	44	<0.5	47	7	494	6.54	8	<20	14	44	<0.4	7	<5	161	0.27
STD OREAS25A-4A	Standard			2	31	25	42	<0.5	46	7	489	6.41	8	<20	13	45	<0.4	<5	<5	160	0.27
STD OREAS25A-4A	Standard			2	32	28	43	<0.5	46	7	497	6.59	9	<20	14	45	<0.4	7	<5	160	0.28
STD OREAS25A-4A	Standard			2	31	27	44	<0.5	46	8	492	6.52	9	<20	13	43	<0.4	6	<5	162	0.27
STD OREAS45E	Standard			<2	738	15	44	0.6	446	57	521	24.19	11	<20	11	15	<0.4	<5	<5	304	0.06
STD OREAS45H	Standard			<2	791	14	40	0.6	455	93	403	20.97	12	<20	7	28	<0.4	<5	<5	279	0.14
STD OREAS45E	Standard			<2	790	20	46	0.8	475	61	555	25.27	13	<20	12	16	<0.4	<5	<5	329	0.06
STD OREAS45H	Standard			<2	773	13	40	0.6	447	90	394	20.35	13	<20	6	27	<0.4	<5	<5	270	0.13
STD OREAS623	Standard																				
STD OREAS623	Standard																				
STD OREAS902	Standard	0.124																			
STD OREAS901	Standard	0.081																			
STD OREAS901	Standard	0.081																			
STD OREAS904	Standard	0.513																			
STD OREAS904	Standard	0.515																			
STD OREAS902	Standard	0.124																			
STD OREAS901	Standard	0.081																			
STD OREAS901	Standard																				
STD OREAS97	Standard																				



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: August 18, 2020

Page: 2 of 3

Part: 2 of 2

QUALITY CONTROL REPORT

WHI20000140.1

		MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115	MA401			
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc	S	Au	Cu		
		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	%		
		0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1	0.1	0.5	0.001		
Core Reject Duplicates																						
1904588	Rock	0.070	9	4	0.64	3266	0.20	7.16	2.08	2.21	<4	11	<2	11	6	1	6	<0.1	<0.5			
DUP 1904588	QC	0.065	8	4	0.62	3885	0.18	6.89	2.04	2.15	<4	10	<2	10	6	1	6	0.1	<0.5			
1904622	Rock	0.156	16	10	0.59	1108	0.39	8.90	1.21	2.78	<4	8	<2	15	8	2	13	0.2	60.2			
DUP 1904622	QC	0.156	15	10	0.58	1071	0.39	8.68	1.23	2.78	<4	8	<2	15	8	2	13	0.2	61.0			
1904656	Rock	0.070	13	5	0.83	1723	0.22	8.03	3.19	1.76	<4	14	<2	9	6	1	7	<0.1	<0.5			
DUP 1904656	QC	0.070	13	5	0.84	1714	0.22	8.27	3.25	1.82	<4	14	<2	9	6	1	7	<0.1	<0.5			
1904690	Rock	0.079	9	5	0.87	912	0.24	8.32	3.55	1.34	<4	6	<2	13	9	2	8	<0.1	<0.5			
DUP 1904690	QC	0.072	8	5	0.82	845	0.22	8.13	3.66	1.29	<4	5	<2	12	9	2	7	<0.1	<0.5			
Reference Materials																						
STD OREAS25A-4A	Standard	0.050	20	115	0.32	145	0.92	8.86	0.13	0.50	<4	160	4	10	19	1	14	<0.1				
STD OREAS25A-4A	Standard	0.048	21	112	0.31	142	0.95	8.91	0.13	0.49	<4	161	5	10	19	<1	14	<0.1				
STD OREAS25A-4A	Standard	0.048	20	115	0.32	146	0.96	9.15	0.14	0.50	<4	161	5	10	19	<1	14	<0.1				
STD OREAS25A-4A	Standard	0.049	19	116	0.32	144	0.94	8.83	0.13	0.50	<4	162	5	10	19	<1	13	<0.1				
STD OREAS45E	Standard	0.033	11	963	0.15	228	0.49	6.57	0.05	0.33	<4	94	<2	8	6	<1	88	<0.1				
STD OREAS45H	Standard	0.024	14	685	0.25	339	0.91	8.47	0.09	0.22	<4	132	3	10	14	1	61	<0.1				
STD OREAS45E	Standard	0.035	12	1054	0.16	247	0.53	7.00	0.06	0.35	<4	100	<2	9	7	<1	93	<0.1				
STD OREAS45H	Standard	0.024	13	663	0.24	333	0.87	8.07	0.09	0.21	<4	128	3	10	14	1	59	<0.1				
STD OREAS623	Standard																				1.696	
STD OREAS623	Standard																					1.687
STD OREAS902	Standard																					
STD OREAS901	Standard																					
STD OREAS901	Standard																					
STD OREAS904	Standard																					
STD OREAS904	Standard																					
STD OREAS902	Standard																					
STD OREAS901	Standard																					
STD OREAS901	Standard																					385.8
STD OREAS97	Standard																					6.409



QUALITY CONTROL REPORT

WHI20000140.1

		WGHT	LH402	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300
		Wgt	Cu/Ox	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.001	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01
STD OREAS901	Standard																				
STD OREAS97	Standard																				
STD OREAS901	Standard																				
STD OREAS901	Standard																				
STD OREAS45E Expected				2.4	780	18.2	46.7	0.311	454	57	570	24.12	16.3	2.41	12.9	15.9	1		322	0.065	
STD OREAS25A-4A Expected				2.41	33.9	25.2	44.4		45.8	7.7	480	6.6	9.94	2.94	15.8	48.5	0.65		157	0.301	
STD OREAS45H Expected				1.55	767	11.9	39.7		423	88	380	19.52	16.9		7.26	27.1			263	0.135	
STD OREAS97 Expected																					
STD OREAS623 Expected																					
STD OREAS901 Expected																					
BLK	Blank		<0.001																		
BLK	Blank		<0.001																		
BLK	Blank		<0.001																		
BLK	Blank		<0.001																		
BLK	Blank																				
BLK	Blank			<2	2	<5	<2	<0.5	<2	<2	<5	<0.01	<5	<20	<2	<2	<0.4	<5	<5	<2	<0.01
BLK	Blank			<2	<2	<5	<2	<0.5	<2	<2	<5	<0.01	<5	<20	<2	<2	<0.4	<5	<5	<2	<0.01
BLK	Blank			<2	<2	<5	<2	<0.5	<2	<2	<5	<0.01	<5	<20	<2	<2	<0.4	<5	<5	<2	<0.01
BLK	Blank			<2	<2	<5	<2	<0.5	<2	<2	<5	<0.01	<5	<20	<2	<2	<0.4	<5	<5	<2	<0.01
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank		<0.001	<2	15	<5	36	<0.5	<2	4	666	2.05	<5	<20	<2	189	<0.4	<5	<5	34	1.45
ROCK-WHI	Prep Blank		<0.001	<2	4	<5	34	<0.5	<2	4	641	2.06	<5	<20	2	187	<0.4	<5	<5	35	1.48



QUALITY CONTROL REPORT

WHI20000140.1

		MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115	MA401	
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc	S	Au	Cu	
		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	%	
		0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1	0.1	0.5	0.001	
STD OREAS901	Standard																			410.1	
STD OREAS97	Standard																				6.319
STD OREAS901	Standard																				364.3
STD OREAS901	Standard																				369.6
STD OREAS45E Expected		0.034	11	979	0.156	252	0.559	6.78	0.059	0.324	1.07	97	1.32	8.28	6.8	0.62	93	0.046			
STD OREAS25A-4A Expected		0.048	21.8	115	0.327	147	0.93	8.87	0.131	0.482	2	155	4.06	10.5	20.9	0.93	13.7	0.047			
STD OREAS45H Expected		0.023	12.4	602	0.238	332	0.878	7.99	0.09	0.205		131	1.93	10.4	14.8	1.09	57				
STD OREAS97 Expected																					6.31
STD OREAS623 Expected																					1.73
STD OREAS901 Expected																					363
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				<0.5
BLK	Blank	<0.002	<2	<2	<0.01	<1	<0.01	<0.01	<0.01	<0.01	<4	<2	<2	<2	<2	<1	<1	<0.1			
BLK	Blank	<0.002	<2	<2	<0.01	<1	<0.01	0.02	<0.01	<0.01	<4	<2	<2	<2	<2	<1	<1	<0.1			
BLK	Blank	<0.002	<2	<2	<0.01	<1	<0.01	<0.01	<0.01	<0.01	<4	<2	<2	<2	<2	<1	<1	<0.1			
BLK	Blank	<0.002	<2	<2	<0.01	<1	<0.01	<0.01	<0.01	<0.01	<4	<2	<2	<2	<2	<1	<1	<0.1			
BLK	Blank																				<0.001
BLK	Blank																				<0.5
BLK	Blank																				<0.001
BLK	Blank																				<0.5
BLK	Blank																				<0.5
Prep Wash																					
ROCK-WHI	Prep Blank	0.042	12	3	0.52	738	0.19	6.90	3.48	1.58	<4	49	<2	16	5	<1	7	<0.1	<0.5		
ROCK-WHI	Prep Blank	0.041	12	2	0.50	782	0.19	6.77	3.30	1.64	<4	50	<2	15	5	1	6	<0.1	<0.5		