



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** True Point Exploration Inc.  
904 – 409 Granville St.  
Vancouver British Columbia V6G 1T2 Canada

Submitted By: Scott Petsel  
Receiving Lab: Canada-Whitehorse  
Received: July 27, 2020  
Analysis Start: September 01, 2020  
Report Date: September 11, 2020  
Page: 1 of 4

# CERTIFICATE OF ANALYSIS

WHI20000176.1

## CLIENT JOB INFORMATION

Project: Stu Copper  
Shipment ID: STU20-6  
P.O. Number: Stu Copper  
Number of Samples: 89

## SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	89	Crush, split and pulverize 250 g rock to 200 mesh			WHI
LH402	89	Cu in oxide form, 5% H2SO4	1	Completed	VAN
MA300	89	4 Acid digestion ICP-ES analysis	0.25	Completed	VAN
AQ115-IGN	89	Ignite samples, acid digest, Au by ICP-MS	15	Completed	VAN
SLBHP	89	Sort, label and box pulps			WHI
SHP01	89	Per sample shipping charges for branch shipments			VAN
MA401	2	4 Acid Digest AAS Finish	1	Completed	VAN

## ADDITIONAL COMMENTS

Invoice To: True Point Exploration Inc.  
904 – 409 Granville St.  
Vancouver British Columbia V6G 1T2  
Canada

CC: Debbie James  
Pieter Vanleuzen  
Scott Petsel



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** True Point Exploration Inc.  
904 – 409 Granville St.  
Vancouver British Columbia V6G 1T2 Canada

**Project:** Stu Copper  
**Report Date:** September 11, 2020

**Page:** 2 of 4

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI20000176.1

Method	WGHT	LH402	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	
Analyte	Wgt	Cu/Ox	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.001	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01	
1904976	Rock	4.12	<0.001	<2	17	11	70	<0.5	<2	5	634	2.12	<5	<20	<2	516	<0.4	<5	<5	52	3.01
1904977	Rock	4.74	<0.001	<2	4	9	79	<0.5	2	5	667	2.55	<5	<20	<2	652	<0.4	<5	<5	67	3.23
1904978	Rock	4.83	0.002	<2	80	12	76	<0.5	<2	6	618	2.25	6	<20	<2	637	<0.4	<5	<5	57	2.73
1904979	Rock	3.13	<0.001	<2	3	8	75	<0.5	2	6	881	2.55	<5	<20	<2	632	<0.4	<5	<5	63	3.70
1904980	Rock	3.53	<0.001	<2	5	14	66	<0.5	<2	6	616	2.39	<5	<20	<2	710	<0.4	<5	<5	63	2.62
1904981	Pulp DUP	<0.001	<2	6	11	69	<0.5	2	6	639	2.54	<5	<20	2	737	<0.4	<5	<5	64	2.73	
1904982	Rock	5.96	<0.001	<2	6	8	69	<0.5	<2	6	675	2.46	<5	<20	<2	758	<0.4	<5	<5	63	2.96
1904983	Rock	4.57	<0.001	<2	9	10	73	<0.5	3	6	668	2.87	<5	<20	<2	829	<0.4	<5	<5	74	3.01
1904984	Rock	4.94	<0.001	<2	9	14	68	<0.5	<2	6	602	2.56	<5	<20	<2	796	<0.4	<5	<5	69	2.99
1904985	Rock	4.09	<0.001	<2	19	16	76	<0.5	2	6	635	2.64	<5	<20	<2	743	<0.4	<5	<5	70	3.06
1904986	Rock	4.27	<0.001	<2	20	13	83	<0.5	<2	6	624	2.57	<5	<20	<2	743	<0.4	<5	<5	73	3.44
1904987	Rock Pulp	0.07	0.791	9	8775	9	76	3.9	8	9	673	3.80	<5	<20	<2	1151	<0.4	<5	<5	106	2.51
1904988	Rock	3.75	<0.001	<2	19	9	95	<0.5	2	6	606	2.88	<5	<20	<2	451	<0.4	<5	<5	74	3.65
1904989	Rock	2.54	<0.001	<2	4	11	78	<0.5	2	6	616	2.88	<5	<20	<2	304	<0.4	6	<5	70	3.27
1904990	Rock	3.90	<0.001	<2	4	7	66	<0.5	2	5	493	2.46	<5	<20	<2	297	<0.4	5	<5	65	2.99
1904991	Rock	2.71	<0.001	<2	14	9	70	<0.5	2	5	411	2.49	5	<20	<2	343	<0.4	<5	<5	68	2.79
1904992	Rock	5.37	<0.001	<2	<2	10	324	<0.5	14	31	4446	11.40	<5	<20	<2	328	<0.4	<5	<5	83	5.58
1904993	Rock Pulp	0.07	0.007	2	82	10	59	<0.5	7	6	681	3.19	<5	<20	<2	1345	<0.4	<5	<5	85	3.18
1904994	Rock	4.22	<0.001	<2	<2	12	325	<0.5	16	35	4041	11.10	<5	<20	<2	310	<0.4	<5	<5	70	6.34
1904995	Rock	4.41	<0.001	<2	<2	13	69	<0.5	2	6	475	2.38	<5	<20	<2	525	<0.4	<5	<5	65	3.78
1904996	Rock	4.62	<0.001	<2	8	9	60	<0.5	2	6	477	2.47	<5	<20	<2	428	<0.4	<5	<5	62	2.72
1904997	Rock	2.27	<0.001	<2	<2	<5	63	<0.5	<2	6	747	2.49	<5	<20	<2	432	<0.4	<5	<5	58	3.79
1904998	Rock	3.62	<0.001	<2	<2	12	57	<0.5	2	6	629	2.49	<5	<20	2	447	<0.4	<5	<5	63	3.07
1904999	Core DUP	<0.001	<2	<2	6	58	<0.5	<2	6	652	2.56	<5	<20	<2	456	<0.4	<5	<5	65	3.14	
1905000	Rock	3.80	<0.001	<2	<2	11	56	<0.5	2	6	745	2.63	<5	<20	<2	441	<0.4	<5	<5	61	3.63
1894601	Rock	5.60	<0.001	<2	4	9	54	<0.5	<2	5	556	2.38	<5	<20	<2	567	<0.4	<5	<5	66	3.42
1894602	Rock	4.07	<0.001	<2	3	10	54	<0.5	2	5	527	2.44	<5	<20	<2	625	<0.4	<5	<5	62	3.03
1894603	Rock	4.63	<0.001	<2	3	10	59	<0.5	<2	6	612	2.57	<5	<20	<2	697	<0.4	<5	<5	68	3.38
1894604	Rock	4.04	<0.001	<2	5	7	58	<0.5	2	6	646	2.56	5	<20	<2	562	<0.4	<5	<5	63	3.27
1894605	Rock Pulp	0.08	0.008	2	82	9	59	<0.5	6	6	695	3.24	<5	<20	<2	1369	<0.4	<5	<5	85	3.30



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** True Point Exploration Inc.  
904 – 409 Granville St.  
Vancouver British Columbia V6G 1T2 Canada

**Project:** Stu Copper  
**Report Date:** September 11, 2020

**Page:** 2 of 4

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI20000176.1

Method Analyte Unit MDL	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115	MA401
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm	S %	Au ppb	Cu %	
1904976	Rock	0.050	6	7	0.52	1649	0.15	7.28	2.85	2.02	<4	15	<2	9	5	1	5	<0.1	3.7	
1904977	Rock	0.068	7	7	0.63	1572	0.20	7.63	3.03	1.55	<4	6	<2	9	6	1	6	<0.1	3.1	
1904978	Rock	0.059	7	7	0.51	1406	0.18	7.59	3.09	1.81	<4	9	<2	9	5	1	5	<0.1	2.2	
1904979	Rock	0.064	7	6	0.88	1744	0.19	7.23	2.98	1.96	<4	7	<2	12	5	1	6	<0.1	3.3	
1904980	Rock	0.063	6	7	0.72	1552	0.20	7.54	3.36	1.85	<4	11	<2	10	6	2	6	<0.1	2.3	
1904981	Pulp DUP	0.066	8	6	0.76	1602	0.20	7.96	3.43	1.90	<4	10	<2	11	6	2	6	<0.1	2.5	
1904982	Rock	0.065	8	7	0.66	1948	0.20	7.84	3.28	2.01	<4	8	<2	11	5	1	6	<0.1	1.9	
1904983	Rock	0.080	8	6	0.82	1939	0.23	8.04	3.36	1.85	<4	7	<2	13	7	1	8	<0.1	<0.5	
1904984	Rock	0.072	7	7	0.66	1798	0.21	7.85	3.29	1.72	<4	6	<2	13	8	1	7	<0.1	<0.5	
1904985	Rock	0.069	8	6	0.50	1622	0.19	7.73	3.20	1.82	<4	7	<2	10	6	2	7	<0.1	<0.5	
1904986	Rock	0.071	9	5	0.40	2740	0.19	7.99	2.89	1.81	<4	5	<2	9	5	2	8	<0.1	0.5	
1904987	Rock Pulp	0.117	6	19	0.99	1441	0.29	9.21	4.80	1.31	<4	13	<2	12	6	1	7	<0.1	445.9	
1904988	Rock	0.074	7	5	0.38	942	0.22	8.15	2.06	2.00	<4	6	<2	9	5	2	6	<0.1	<0.5	
1904989	Rock	0.070	7	4	0.22	839	0.22	7.99	1.36	2.35	<4	6	2	9	6	2	6	<0.1	0.8	
1904990	Rock	0.067	7	4	0.25	1086	0.21	7.89	1.91	2.34	<4	6	<2	9	6	1	6	<0.1	2.1	
1904991	Rock	0.070	8	5	0.27	732	0.22	8.05	2.31	2.23	<4	6	<2	9	6	1	6	<0.1	1.1	
1904992	Rock	0.047	20	4	0.72	1138	0.14	5.82	0.85	1.77	<4	9	2	44	5	2	12	<0.1	1.6	
1904993	Rock Pulp	0.082	4	16	0.66	922	0.21	9.36	5.45	0.90	<4	9	2	15	8	2	7	<0.1	8.7	
1904994	Rock	0.042	20	4	0.68	529	0.13	5.28	0.62	1.67	<4	8	<2	43	4	2	9	<0.1	<0.5	
1904995	Rock	0.064	7	6	0.23	1071	0.21	7.56	2.50	1.78	<4	7	<2	11	6	2	6	<0.1	0.7	
1904996	Rock	0.066	8	5	0.36	1428	0.20	7.68	2.80	1.74	<4	8	<2	9	5	1	6	<0.1	0.8	
1904997	Rock	0.060	9	4	0.50	3387	0.18	7.13	2.41	1.85	<4	8	3	12	5	1	6	<0.1	<0.5	
1904998	Rock	0.065	7	4	0.55	1798	0.20	7.43	2.54	1.85	<4	5	<2	10	6	1	6	<0.1	<0.5	
1904999	Core DUP	0.067	6	4	0.56	1805	0.21	7.40	2.64	1.92	<4	5	<2	9	6	1	6	<0.1	<0.5	
1905000	Rock	0.063	7	5	0.57	2368	0.20	7.27	2.52	1.95	<4	5	<2	10	5	1	6	<0.1	<0.5	
1894601	Rock	0.065	7	4	0.42	1734	0.20	7.59	2.42	1.79	<4	6	<2	11	6	1	6	<0.1	<0.5	
1894602	Rock	0.064	7	5	0.37	2037	0.20	7.50	2.81	1.90	<4	6	<2	9	5	1	6	<0.1	0.6	
1894603	Rock	0.082	10	4	0.44	3394	0.23	8.22	2.76	2.06	<4	6	<2	11	7	1	6	<0.1	<0.5	
1894604	Rock	0.064	6	4	0.46	2419	0.20	7.47	2.94	1.76	<4	6	<2	10	6	1	6	<0.1	<0.5	
1894605	Rock Pulp	0.083	4	16	0.69	939	0.22	9.79	5.62	0.91	<4	9	3	15	8	2	7	<0.1	10.0	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** True Point Exploration Inc.  
904 – 409 Granville St.  
Vancouver British Columbia V6G 1T2 Canada

**Project:** Stu Copper  
**Report Date:** September 11, 2020

Page: 3 of 4

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI20000176.1

Method Analyte Unit MDL	WGHT	LH402	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	
	Wgt	Cu/Ox	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	
	kg	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
	0.01	0.001	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01	
1894606	Rock	3.81	<0.001	<2	<2	11	53	<0.5	<2	5	612	2.14	6	<20	<2	615	<0.4	<5	<5	60	3.51
1894607	Rock	3.75	<0.001	<2	17	11	50	<0.5	<2	5	625	2.25	<5	<20	<2	473	<0.4	<5	<5	62	3.69
1894608	Rock	4.38	<0.001	<2	2	12	54	<0.5	2	5	596	2.31	6	<20	<2	536	<0.4	<5	<5	62	2.83
1894609	Rock	2.56	<0.001	<2	<2	9	41	<0.5	2	4	489	2.08	<5	<20	<2	568	<0.4	<5	<5	52	2.39
1894610	Rock	5.09	<0.001	<2	5	8	52	<0.5	<2	5	652	2.46	<5	<20	<2	715	<0.4	<5	<5	61	2.92
1894611	Rock Pulp	0.09	0.801	9	9237	9	76	3.9	9	10	703	4.03	<5	<20	<2	1279	<0.4	<5	<5	109	2.60
1894612	Rock	3.85	<0.001	<2	2	8	57	<0.5	<2	6	753	2.49	<5	<20	<2	800	<0.4	<5	<5	63	3.20
1894613	Rock	3.37	<0.001	<2	<2	11	53	<0.5	3	5	614	2.47	<5	<20	<2	682	<0.4	<5	<5	64	2.74
1894614	Rock	3.44	<0.001	<2	<2	12	50	<0.5	<2	5	644	2.54	<5	<20	<2	568	<0.4	<5	<5	65	3.27
1894615	Rock	3.18	<0.001	<2	<2	11	52	<0.5	<2	5	603	2.33	<5	<20	<2	607	<0.4	<5	<5	59	2.86
1894616	Rock	2.96	<0.001	<2	<2	8	44	<0.5	<2	5	567	2.37	<5	<20	<2	614	<0.4	<5	<5	56	2.62
1894617	Pulp DUP		<0.001	<2	<2	9	48	<0.5	<2	5	602	2.51	<5	<20	<2	632	<0.4	<5	<5	62	2.75
1894618	Rock	2.44	<0.001	<2	<2	7	45	<0.5	<2	5	589	2.49	<5	<20	<2	527	<0.4	<5	<5	69	2.96
1894619	Rock	4.55	<0.001	<2	<2	10	54	<0.5	<2	5	628	2.56	<5	<20	<2	660	<0.4	<5	<5	62	3.15
1894620	Rock	4.15	<0.001	<2	<2	12	90	<0.5	2	5	672	2.83	<5	<20	<2	599	<0.4	<5	<5	71	3.51
1894621	Rock	4.36	<0.001	<2	<2	18	137	<0.5	<2	6	686	2.59	<5	<20	<2	481	0.9	6	<5	61	3.39
1894622	Rock	4.41	<0.001	<2	11	165	310	1.4	<2	3	543	1.68	<5	<20	<2	439	1.8	29	<5	59	2.58
1894623	Rock Pulp	0.08	0.007	2	84	12	56	<0.5	7	7	689	3.30	<5	<20	<2	1483	<0.4	<5	<5	85	3.33
1894624	Rock	3.58	<0.001	<2	84	864	1017	6.4	<2	3	276	1.32	6	<20	<2	437	7.3	114	<5	61	0.57
1894625	Rock	2.27	<0.001	<2	24	1246	2132	4.7	<2	5	387	2.09	<5	<20	<2	403	15.1	46	<5	69	0.35
1894626	Rock	0.98	0.004	2	851	418	863	7.0	4	9	490	3.37	25	<20	3	293	5.4	473	<5	80	0.53
1894627	Rock	5.61	<0.001	<2	232	100	295	1.7	4	11	639	4.09	25	<20	<2	337	0.9	135	<5	82	0.64
1894628	Rock	4.30	<0.001	<2	52	29	195	<0.5	3	8	786	3.33	8	<20	<2	357	<0.4	30	<5	79	1.65
1894629	Rock Pulp	0.12	1.531	65	>10000	7	70	9.9	11	8	388	3.42	<5	<20	<2	955	<0.4	<5	14	102	1.93
1894630	Rock	0.78	0.006	31	937	247	405	5.4	<2	6	730	2.52	100	<20	2	403	2.7	441	<5	76	1.26
1894631	Rock	3.44	<0.001	<2	5	16	141	<0.5	3	7	851	3.05	<5	<20	<2	279	<0.4	26	<5	77	1.08
1894632	Rock	4.16	<0.001	<2	<2	10	94	<0.5	2	7	749	3.19	<5	<20	<2	387	<0.4	8	<5	72	1.87
1894633	Rock	3.66	<0.001	<2	6	7	73	<0.5	<2	6	684	2.76	<5	<20	<2	366	<0.4	<5	<5	73	2.73
1894634	Rock	4.93	<0.001	<2	4	9	63	<0.5	<2	6	649	2.81	<5	<20	<2	400	<0.4	<5	<5	66	2.32
1894635	Core DUP		<0.001	<2	4	9	68	<0.5	<2	6	637	2.72	<5	<20	<2	399	<0.4	<5	<5	65	2.30



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** True Point Exploration Inc.  
904 – 409 Granville St.  
Vancouver British Columbia V6G 1T2 Canada

**Project:** Stu Copper  
**Report Date:** September 11, 2020

**Page:** 3 of 4

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI20000176.1

Method Analyte Unit MDL	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115	MA401
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm	S %	Au ppb	Cu %	
1894606	Rock	0.062	6	4	0.51	2321	0.19	7.35	2.58	1.85	<4	5	2	9	5	1	6	<0.1	<0.5	
1894607	Rock	0.068	7	4	0.54	2286	0.21	7.50	2.95	1.82	<4	9	<2	10	6	1	6	<0.1	<0.5	
1894608	Rock	0.061	7	6	0.56	1612	0.19	7.66	2.97	1.94	<4	11	<2	10	6	1	6	<0.1	<0.5	
1894609	Rock	0.054	6	3	0.55	1775	0.17	7.54	2.86	2.11	<4	15	<2	7	7	1	5	<0.1	<0.5	
1894610	Rock	0.064	8	4	0.67	2148	0.20	7.95	3.09	1.97	<4	6	<2	10	5	1	6	<0.1	<0.5	
1894611	Rock Pulp	0.125	5	19	1.05	1545	0.31	9.89	4.55	1.37	6	14	2	13	7	1	7	<0.1	419.4	
1894612	Rock	0.068	6	4	0.70	1974	0.21	7.58	3.19	1.88	<4	6	<2	10	6	1	6	<0.1	<0.5	
1894613	Rock	0.072	7	5	0.57	1522	0.22	8.26	3.17	2.14	<4	8	<2	10	6	1	7	<0.1	<0.5	
1894614	Rock	0.071	8	4	0.81	1326	0.22	7.96	2.81	2.13	<4	7	<2	10	6	1	7	<0.1	<0.5	
1894615	Rock	0.066	9	3	0.83	1485	0.21	8.28	3.01	1.95	<4	10	<2	10	7	1	6	<0.1	<0.5	
1894616	Rock	0.059	8	3	0.69	1990	0.19	7.83	2.91	1.90	<4	12	<2	10	6	1	6	<0.1	<0.5	
1894617	Pulp DUP	0.067	9	3	0.74	2005	0.21	8.05	2.89	1.93	<4	10	<2	10	6	1	7	<0.1	<0.5	
1894618	Rock	0.065	10	3	0.67	1313	0.20	8.16	2.72	2.04	<4	10	<2	11	6	1	6	<0.1	<0.5	
1894619	Rock	0.075	10	4	0.70	1451	0.22	7.91	2.85	1.94	<4	7	<2	11	6	1	7	<0.1	<0.5	
1894620	Rock	0.067	9	4	0.89	2318	0.21	8.45	2.11	2.34	<4	8	<2	9	6	2	6	<0.1	<0.5	
1894621	Rock	0.064	9	3	0.86	1776	0.19	7.52	1.64	2.14	<4	9	<2	10	5	1	6	<0.1	<0.5	
1894622	Rock	0.056	9	3	0.48	538	0.18	7.11	0.52	2.31	<4	11	<2	8	5	2	6	<0.1	<0.5	
1894623	Rock Pulp	0.089	7	17	0.74	975	0.22	11.20	4.95	0.97	<4	22	<2	23	8	2	9	<0.1	3.7	
1894624	Rock	0.050	7	3	0.19	207	0.17	6.33	0.04	2.51	<4	7	<2	4	4	1	5	<0.1	7.8	
1894625	Rock	0.068	7	3	0.26	1131	0.21	7.92	0.06	2.92	<4	9	<2	5	7	1	6	0.2	<0.5	
1894626	Rock	0.090	11	4	0.31	456	0.25	7.72	0.05	2.79	<4	7	<2	8	8	1	7	0.1	20.8	
1894627	Rock	0.081	10	4	0.35	917	0.24	8.68	0.06	2.94	<4	6	<2	8	8	2	8	<0.1	3.8	
1894628	Rock	0.075	10	4	0.42	1185	0.23	9.05	0.08	2.74	<4	9	<2	10	8	2	8	<0.1	0.7	
1894629	Rock Pulp	0.100	10	24	0.93	1377	0.30	8.77	3.48	1.69	31	12	2	9	5	1	8	<0.1	764.4 1.666	
1894630	Rock	0.088	12	4	0.38	1655	0.24	7.81	0.06	2.44	<4	8	<2	9	8	2	8	0.2	6.3	
1894631	Rock	0.077	11	4	0.37	567	0.24	8.63	0.10	2.39	<4	6	<2	9	7	2	8	0.2	0.5	
1894632	Rock	0.080	9	4	0.50	2313	0.24	8.91	1.00	2.41	<4	7	<2	7	7	1	8	0.1	<0.5	
1894633	Rock	0.067	7	3	0.78	1469	0.21	7.81	1.83	2.11	<4	7	2	9	6	1	6	<0.1	<0.5	
1894634	Rock	0.074	9	4	0.70	1465	0.23	8.62	2.46	2.17	<4	9	2	9	6	1	7	<0.1	<0.5	
1894635	Core DUP	0.073	9	3	0.69	1456	0.22	8.48	2.44	2.14	<4	9	<2	9	6	1	7	<0.1	<0.5	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** True Point Exploration Inc.  
904 – 409 Granville St.  
Vancouver British Columbia V6G 1T2 Canada

**Project:** Stu Copper  
**Report Date:** September 11, 2020

**Page:** 4 of 4

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI20000176.1

Method	WGHT	LH402	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	
Analyte	Wgt	Cu/Ox	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.001	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01	
1894636	Rock	3.81	<0.001	<2	<2	7	67	<0.5	<2	5	636	2.75	<5	<20	<2	838	<0.4	8	<5	67	1.53
1894637	Rock	3.98	<0.001	<2	<2	8	65	<0.5	2	5	642	2.67	<5	<20	<2	458	<0.4	7	<5	66	1.95
1894638	Rock	5.46	<0.001	<2	2	9	60	<0.5	<2	6	675	2.90	<5	<20	<2	459	<0.4	<5	<5	74	3.01
1894639	Rock	3.82	<0.001	<2	9	8	55	<0.5	<2	5	663	2.41	<5	<20	<2	421	<0.4	<5	<5	61	3.06
1894640	Rock	3.91	<0.001	<2	<2	9	51	<0.5	<2	4	604	2.46	<5	<20	<2	416	<0.4	<5	<5	59	2.76
1894641	Rock Pulp	0.12	0.830	8	8922	6	72	3.8	8	9	693	4.00	<5	<20	<2	1267	<0.4	<5	<5	105	2.54
1894642	Rock	3.60	<0.001	<2	5	11	63	<0.5	<2	6	739	2.66	<5	<20	<2	585	<0.4	<5	<5	66	3.89
1894643	Rock	5.20	<0.001	<2	<2	11	53	<0.5	<2	6	603	2.71	<5	<20	<2	562	<0.4	<5	<5	70	3.37
1894644	Rock	4.58	<0.001	<2	<2	12	59	<0.5	2	7	624	2.73	<5	<20	<2	494	<0.4	<5	<5	75	3.30
1894645	Rock	3.01	0.026	9	1745	18	74	1.5	2	8	636	2.75	19	<20	3	737	<0.4	24	<5	81	3.96
1894646	Rock	3.62	<0.001	<2	59	13	63	<0.5	<2	7	583	2.51	<5	<20	2	1021	<0.4	<5	<5	71	3.30
1894647	Rock Pulp	0.08	0.008	2	87	14	59	<0.5	7	7	701	3.30	<5	<20	<2	1426	<0.4	<5	<5	87	3.19
1894648	Rock	5.30	<0.001	<2	3	15	58	<0.5	<2	6	598	2.51	<5	<20	<2	1624	<0.4	<5	<5	65	3.17
1894649	Rock	3.52	0.001	<2	40	23	89	<0.5	2	7	671	2.62	<5	<20	<2	1804	<0.4	10	<5	72	3.17
1894650	Rock	2.43	0.002	<2	48	61	143	<0.5	2	7	1066	2.68	<5	<20	<2	430	<0.4	14	<5	73	3.04
1894651	Rock	1.48	0.002	<2	81	33	115	2.6	2	7	786	2.84	9	<20	<2	562	<0.4	33	<5	73	2.64
1894652	Rock Pulp	0.11	1.562	65	>10000	11	69	9.8	11	8	363	3.17	<5	<20	<2	875	<0.4	<5	14	98	1.81
1894653	Rock	3.11	0.021	4	946	273	285	26.0	2	7	942	2.68	84	<20	3	460	2.3	373	<5	75	1.64
1894654	Rock	1.35	0.164	3	4656	273	344	8.8	3	8	751	2.71	215	<20	5	335	2.7	453	<5	88	2.54
1894655	Rock	0.98	0.140	<2	3857	55	84	3.1	3	7	503	2.71	33	<20	4	332	<0.4	34	<5	93	3.21
1894656	Rock	0.87	0.117	3	3553	35	81	2.6	3	7	485	2.66	19	<20	4	353	<0.4	27	<5	93	3.39
1894657	Rock Pulp	0.08	0.008	2	88	11	59	<0.5	7	7	695	3.27	<5	<20	<2	1416	<0.4	<5	<5	87	3.18
1894658	Rock	2.97	0.133	9	5289	114	169	2.7	3	7	590	2.54	96	<20	3	648	<0.4	108	<5	94	4.27
1894659	Rock	4.55	0.005	<2	170	22	57	<0.5	3	6	686	2.18	6	<20	<2	501	<0.4	10	<5	64	4.16
1894660	Rock	2.89	0.002	<2	95	15	61	<0.5	2	6	580	2.24	<5	<20	<2	453	<0.4	<5	<5	59	3.57
1894661	Pulp DUP		0.002	<2	103	14	60	<0.5	<2	6	576	2.23	<5	<20	2	447	<0.4	<5	<5	58	3.58
1894662	Rock	2.29	0.007	<2	278	23	94	0.5	4	9	790	3.24	10	<20	2	439	<0.4	23	<5	86	3.80
1894663	Rock	3.93	0.004	<2	144	17	65	<0.5	2	7	470	2.12	<5	<20	3	409	<0.4	<5	<5	55	2.38
1894664	Rock	2.43	0.015	<2	527	13	72	0.7	3	7	474	2.69	<5	<20	5	345	<0.4	<5	<5	86	2.21



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **True Point Exploration Inc.**  
904 – 409 Granville St.  
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper  
Report Date: September 11, 2020

Page: 4 of 4

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI20000176.1

Method Analyte Unit	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115	MA401
	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc	S	Au	Cu	
MDL	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	%	
1894636	Rock	0.073	10	4	0.33	1660	0.22	8.62	2.09	2.15	<4	8	<2	8	7	1	7	<0.1	<0.5	
1894637	Rock	0.073	9	3	0.48	1401	0.23	8.59	2.37	2.12	<4	6	2	8	6	1	7	<0.1	<0.5	
1894638	Rock	0.073	8	3	0.68	2127	0.23	8.20	2.91	2.09	<4	6	<2	9	6	1	7	<0.1	<0.5	
1894639	Rock	0.071	7	3	0.75	1017	0.22	7.61	2.84	1.76	<4	7	<2	9	5	1	7	<0.1	<0.5	
1894640	Rock	0.065	6	3	0.65	1927	0.21	7.53	2.86	1.97	<4	8	<2	8	6	1	6	<0.1	<0.5	
1894641	Rock Pulp	0.121	6	18	1.05	1515	0.31	9.74	4.39	1.37	7	13	3	13	7	1	8	<0.1	400.7	
1894642	Rock	0.071	10	3	1.08	1505	0.21	7.65	2.20	2.08	<4	7	<2	12	6	2	7	<0.1	0.7	
1894643	Rock	0.072	7	4	0.65	1689	0.22	7.88	2.60	1.92	<4	7	<2	10	7	1	7	<0.1	<0.5	
1894644	Rock	0.075	8	4	0.68	1189	0.22	7.66	2.43	1.97	<4	5	<2	12	7	1	7	<0.1	<0.5	
1894645	Rock	0.098	12	4	0.75	2159	0.25	6.85	1.89	1.95	<4	7	<2	11	8	2	6	0.1	21.9	
1894646	Rock	0.074	7	4	0.68	1306	0.22	7.51	2.33	1.95	<4	6	<2	9	7	2	7	<0.1	2.9	
1894647	Rock Pulp	0.086	4	17	0.69	962	0.22	9.83	4.99	0.93	<4	9	2	16	8	2	8	<0.1	5.4	
1894648	Rock	0.067	7	4	0.62	1893	0.20	7.62	2.47	2.12	<4	8	<2	10	6	2	6	<0.1	1.0	
1894649	Rock	0.075	6	4	0.59	1754	0.22	7.20	2.22	1.94	<4	6	<2	8	6	2	6	0.1	4.2	
1894650	Rock	0.081	7	4	0.67	1477	0.22	7.64	1.50	2.49	<4	7	<2	9	6	2	7	<0.1	1.3	
1894651	Rock	0.076	10	4	0.49	2036	0.21	7.75	1.81	2.26	<4	5	<2	10	6	2	7	<0.1	1.9	
1894652	Rock Pulp	0.096	10	22	0.87	1272	0.27	8.34	3.31	1.59	19	11	<2	9	5	1	8	<0.1	636.0 1.681	
1894653	Rock	0.091	13	5	0.54	3205	0.23	7.81	1.30	2.39	<4	9	<2	8	7	2	7	0.2	17.4	
1894654	Rock	0.113	11	5	0.49	2522	0.27	7.33	0.89	2.62	<4	8	<2	9	9	2	7	0.3	137.8	
1894655	Rock	0.120	12	5	0.45	1537	0.29	7.60	1.30	2.58	<4	9	<2	11	9	2	7	0.2	100.6	
1894656	Rock	0.121	12	4	0.42	1523	0.28	7.57	1.23	2.53	<4	7	<2	11	9	2	7	0.2	108.3	
1894657	Rock Pulp	0.085	4	17	0.69	953	0.22	9.88	4.92	0.93	<4	9	<2	16	8	2	8	<0.1	128.9	
1894658	Rock	0.114	10	4	0.32	1552	0.30	7.89	1.29	2.57	<4	9	<2	11	8	2	8	0.3	155.0	
1894659	Rock	0.066	8	4	0.26	2129	0.21	7.74	1.47	2.48	<4	16	<2	8	5	1	6	<0.1	5.8	
1894660	Rock	0.075	7	4	0.27	1223	0.20	7.16	1.90	2.15	<4	14	<2	8	6	2	5	<0.1	2.2	
1894661	Pulp DUP	0.074	7	4	0.27	1212	0.19	7.15	1.92	2.13	<4	14	<2	8	6	2	5	<0.1	5.1	
1894662	Rock	0.111	9	5	0.43	614	0.29	7.65	1.80	2.66	<4	11	<2	10	8	2	7	<0.1	7.7	
1894663	Rock	0.062	8	<2	0.35	1539	0.15	6.94	2.65	1.85	<4	18	<2	9	7	1	5	<0.1	2.7	
1894664	Rock	0.102	13	4	0.44	479	0.26	7.76	2.53	2.09	<4	11	<2	9	9	1	7	<0.1	4.7	



# QUALITY CONTROL REPORT

WHI20000176.1

Method	WGHT	LH402	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300
Analyte	Wgt	Cu/Ox	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.001	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01	
Pulp Duplicates																					
1904984	Rock	4.94	<0.001	<2	9	14	68	<0.5	<2	6	602	2.56	<5	<20	<2	796	<0.4	<5	<5	69	2.99
REP 1904984	QC	<0.001																			
1894602	Rock	4.07	<0.001	<2	3	10	54	<0.5	2	5	527	2.44	<5	<20	<2	625	<0.4	<5	<5	62	3.03
REP 1894602	QC	<2 2 8 57 <0.5 2 6 544 2.50 <5 <20 <2 639 <0.4 <5 <5 66 3.11																			
1894604	Rock	4.04	<0.001	<2	5	7	58	<0.5	2	6	646	2.56	5	<20	<2	562	<0.4	<5	<5	63	3.27
REP 1894604	QC																				
1894618	Rock	2.44	<0.001	<2	<2	7	45	<0.5	<2	5	589	2.49	<5	<20	<2	527	<0.4	<5	<5	69	2.96
REP 1894618	QC	<0.001																			
1894636	Rock	3.81	<0.001	<2	<2	7	67	<0.5	<2	5	636	2.75	<5	<20	<2	838	<0.4	8	<5	67	1.53
REP 1894636	QC	<2 <2 8 66 <0.5 2 5 630 2.71 <5 <20 <2 829 <0.4 8 <5 66 1.52																			
1894639	Rock	3.82	<0.001	<2	9	8	55	<0.5	<2	5	663	2.41	<5	<20	<2	421	<0.4	<5	<5	61	3.06
REP 1894639	QC																				
1894648	Rock	5.30	<0.001	<2	3	15	58	<0.5	<2	6	598	2.51	<5	<20	<2	1624	<0.4	<5	<5	65	3.17
REP 1894648	QC	<0.001																			
1894659	Rock	4.55	0.005	<2	170	22	57	<0.5	3	6	686	2.18	6	<20	<2	501	<0.4	10	<5	64	4.16
REP 1894659	QC	<2 164 23 58 <0.5 2 6 688 2.17 6 <20 <2 502 <0.4 10 <5 64 4.18																			
1894660	Rock	2.89	0.002	<2	95	15	61	<0.5	2	6	580	2.24	<5	<20	<2	453	<0.4	<5	<5	59	3.57
REP 1894660	QC																				
Core Reject Duplicates																					
1904988	Rock	3.75	<0.001	<2	19	9	95	<0.5	2	6	606	2.88	<5	<20	<2	451	<0.4	<5	<5	74	3.65
DUP 1904988	QC	<0.001 <2 20 13 94 <0.5 2 6 592 2.77 <5 <20 <2 441 <0.4 <5 <5 74 3.57																			
1894622	Rock	4.41	<0.001	<2	11	165	310	1.4	<2	3	543	1.68	<5	<20	<2	439	1.8	29	<5	59	2.58
DUP 1894622	QC	<0.001 <2 11 176 281 1.4 <2 3 526 1.65 <5 <20 <2 441 1.6 30 <5 59 2.51																			
1894656	Rock	0.87	0.117	3	3553	35	81	2.6	3	7	485	2.66	19	<20	4	353	<0.4	27	<5	93	3.39
DUP 1894656	QC	0.114 4 3592 37 80 2.5 3 7 496 2.69 18 <20 5 359 <0.4 26 <5 92 3.41																			
Reference Materials																					
STD OREAS25A-4A	Standard	<2 30 24 47 <0.5 46 7 497 6.68 12 <20 12 45 <0.4 <5 <5 162 0.29																			
STD OREAS25A-4A	Standard	2 35 27 44 <0.5 47 7 503 6.63 10 <20 15 47 <0.4 6 <5 159 0.29																			





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: True Point Exploration Inc.**  
904 – 409 Granville St.  
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper  
Report Date: September 11, 2020

Page: 1 of 3

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI20000176.1

Method	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115	MA401
Analyte	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc	S	Au	Cu
Unit	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	%
MDL	0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1	0.1	0.5	0.001
Pulp Duplicates																			
1904984	Rock	0.072	7	7	0.66	1798	0.21	7.85	3.29	1.72	<4	6	<2	13	8	1	7	<0.1	<0.5
REP 1904984	QC																		
1894602	Rock	0.064	7	5	0.37	2037	0.20	7.50	2.81	1.90	<4	6	<2	9	5	1	6	<0.1	0.6
REP 1894602	QC	0.067	7	5	0.38	2093	0.21	7.60	2.91	1.96	<4	6	2	10	6	1	6	<0.1	
1894604	Rock	0.064	6	4	0.46	2419	0.20	7.47	2.94	1.76	<4	6	<2	10	6	1	6	<0.1	<0.5
REP 1894604	QC																		<0.5
1894618	Rock	0.065	10	3	0.67	1313	0.20	8.16	2.72	2.04	<4	10	<2	11	6	1	6	<0.1	<0.5
REP 1894618	QC																		
1894636	Rock	0.073	10	4	0.33	1660	0.22	8.62	2.09	2.15	<4	8	<2	8	7	1	7	<0.1	<0.5
REP 1894636	QC	0.072	9	4	0.32	1656	0.22	8.46	2.07	2.13	<4	8	<2	8	7	1	7	<0.1	
1894639	Rock	0.071	7	3	0.75	1017	0.22	7.61	2.84	1.76	<4	7	<2	9	5	1	7	<0.1	<0.5
REP 1894639	QC																		1.6
1894648	Rock	0.067	7	4	0.62	1893	0.20	7.62	2.47	2.12	<4	8	<2	10	6	2	6	<0.1	1.0
REP 1894648	QC																		
1894659	Rock	0.066	8	4	0.26	2129	0.21	7.74	1.47	2.48	<4	16	<2	8	5	1	6	<0.1	5.8
REP 1894659	QC	0.067	7	4	0.26	2149	0.22	7.54	1.48	2.47	<4	16	<2	8	5	1	6	<0.1	
1894660	Rock	0.075	7	4	0.27	1223	0.20	7.16	1.90	2.15	<4	14	<2	8	6	2	5	<0.1	2.2
REP 1894660	QC																		2.1
Core Reject Duplicates																			
1904988	Rock	0.074	7	5	0.38	942	0.22	8.15	2.06	2.00	<4	6	<2	9	5	2	6	<0.1	<0.5
DUP 1904988	QC	0.072	7	4	0.37	926	0.22	7.99	2.02	1.99	<4	6	<2	9	5	2	6	<0.1	<0.5
1894622	Rock	0.056	9	3	0.48	538	0.18	7.11	0.52	2.31	<4	11	<2	8	5	2	6	<0.1	<0.5
DUP 1894622	QC	0.057	11	3	0.49	490	0.18	7.24	0.52	2.33	<4	23	<2	10	5	2	6	<0.1	0.5
1894656	Rock	0.121	12	4	0.42	1523	0.28	7.57	1.23	2.53	<4	7	<2	11	9	2	7	0.2	108.3
DUP 1894656	QC	0.118	13	4	0.42	1519	0.27	7.52	1.28	2.53	<4	7	<2	11	9	2	7	0.2	120.5
Reference Materials																			
STD OREAS25A-4A	Standard	0.050	22	110	0.32	146	0.89	9.14	0.12	0.50	<4	144	6	11	17	<1	13	<0.1	
STD OREAS25A-4A	Standard	0.050	23	104	0.33	150	0.92	9.31	0.13	0.51	<4	160	5	11	18	1	14	<0.1	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: True Point Exploration Inc.**  
904 – 409 Granville St.  
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper  
Report Date: September 11, 2020

Page: 2 of 3

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI20000176.1

		WGHT	LH402	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300
		Wgt	Cu/Ox	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.001	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01
STD OREAS25A-4A	Standard			<2	32	24	41	<0.5	46	7	501	6.63	9	<20	14	47	<0.4	<5	<5	158	0.30
STD OREAS25A-4A	Standard			<2	30	28	42	1.0	46	7	488	6.26	8	<20	13	45	<0.4	5	<5	155	0.28
STD OREAS45E	Standard			2	783	24	48	0.6	455	55	562	24.63	15	<20	8	15	<0.4	<5	9	316	0.06
STD OREAS45E	Standard			<2	773	18	45	0.7	467	59	554	24.91	13	<20	11	16	<0.4	<5	<5	321	0.06
STD OREAS45E	Standard			<2	788	18	47	0.8	483	63	569	25.00	13	<20	11	16	<0.4	<5	<5	334	0.06
STD OREAS623	Standard																				
STD OREAS902	Standard		0.124																		
STD OREAS901	Standard		0.082																		
STD OREAS901	Standard		0.082																		
STD OREAS904	Standard		0.515																		
STD OREAS904	Standard		0.517																		
STD OREAS902	Standard		0.127																		
STD OREAS901	Standard																				
STD OREAS901	Standard																				
STD OREAS901	Standard																				
STD OREAS97	Standard																				
STD OREAS901 Expected																					
STD OREAS45E Expected				2.4	780	18.2	46.7	0.311	454	57	570	24.12	16.3	2.41	12.9	15.9		1		322	0.065
STD OREAS25A-4A Expected				2.41	33.9	25.2	44.4		45.8	7.7	480	6.6	9.94	2.94	15.8	48.5		0.65		157	0.301
STD OREAS97 Expected																					
STD OREAS623 Expected																					
BLK	Blank		<0.001																		
BLK	Blank		<0.001																		
BLK	Blank		<0.001																		
BLK	Blank			<2	<2	<5	<2	<0.5	<2	<2	<5	<0.01	<5	<20	<2	<2	<0.4	<5	<5	<2	<0.01
BLK	Blank			<2	3	<5	<2	<0.5	<2	<2	<5	<0.01	<5	<20	<2	<2	<0.4	<5	<5	<2	<0.01
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: True Point Exploration Inc.**  
904 – 409 Granville St.  
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper  
Report Date: September 11, 2020

Page: 2 of 3

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI20000176.1

		MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115	MA401
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc	S	Au	Cu
		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	%
		0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1	0.1	0.5	0.001
STD OREAS25A-4A	Standard	0.051	22	105	0.32	148	0.93	9.41	0.13	0.51	<4	153	6	11	19	<1	14	<0.1		
STD OREAS25A-4A	Standard	0.048	21	111	0.31	143	0.91	8.96	0.13	0.48	<4	159	5	12	18	<1	13	<0.1		
STD OREAS45E	Standard	0.034	11	999	0.15	246	0.51	6.86	0.04	0.33	<4	90	4	8	5	<1	92	<0.1		
STD OREAS45E	Standard	0.034	12	992	0.15	249	0.51	6.71	0.06	0.34	<4	96	<2	9	6	<1	92	<0.1		
STD OREAS45E	Standard	0.035	12	1022	0.16	250	0.56	6.91	0.05	0.35	<4	130	2	10	7	<1	96	<0.1		
STD OREAS623	Standard																			1.700
STD OREAS902	Standard																			
STD OREAS901	Standard																			
STD OREAS901	Standard																			
STD OREAS904	Standard																			
STD OREAS904	Standard																			
STD OREAS902	Standard																			
STD OREAS901	Standard																			382.4
STD OREAS901	Standard																			398.4
STD OREAS901	Standard																			386.8
STD OREAS97	Standard																			
STD OREAS901 Expected																				6.444
STD OREAS45E Expected		0.034	11	979	0.156	252	0.559	6.78	0.059	0.324	1.07	97	1.32	8.28	6.8	0.62	93	0.046		363
STD OREAS25A-4A Expected		0.048	21.8	115	0.327	147	0.93	8.87	0.131	0.482	2	155	4.06	10.5	20.9	0.93	13.7	0.047		
STD OREAS97 Expected																				6.31
STD OREAS623 Expected																				
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.002	<2	<2	<0.01	<1	<0.01	<0.01	<0.01	<0.01	<4	<2	<2	<2	<2	<1	<1	<0.1		
BLK	Blank	<0.002	<2	<2	<0.01	2	<0.01	<0.01	<0.01	<0.01	<4	<2	<2	<2	<2	<1	<1	<0.1		
BLK	Blank																			<0.5
BLK	Blank																			<0.5
BLK	Blank																			<0.5



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: True Point Exploration Inc.**  
904 – 409 Granville St.  
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper  
Report Date: September 11, 2020

Page: 3 of 3

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI20000176.1

		WGHT	LH402	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300
		Wgt	Cu/Ox	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.001	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01
BLK	Blank			<2	<2	<5	<2	<0.5	<2	<2	<5	<0.01	<5	<20	<2	<2	<0.4	<5	<5	<2	<0.01
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank		<0.001	<2	2	<5	34	<0.5	<2	3	605	1.98	<5	<20	3	205	<0.4	<5	<5	35	1.56
ROCK-WHI	Prep Blank		<0.001	<2	3	<5	33	<0.5	<2	4	622	2.10	<5	<20	<2	210	<0.4	<5	<5	37	1.59



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: True Point Exploration Inc.**  
904 – 409 Granville St.  
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper  
Report Date: September 11, 2020

Page: 3 of 3

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI20000176.1

		MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115	MA401
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc	S	Au	Cu
		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	%
		0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1	0.1	0.5	0.001
BLK	Blank	<0.002	<2	<2	<0.01	<1	<0.01	<0.01	<0.01	<0.01	<4	<2	<2	<2	<2	<1	<1	<0.1		
BLK	Blank																			<0.001
Prep Wash																				
ROCK-WHI	Prep Blank	0.042	13	6	0.48	849	0.20	6.97	3.52	1.76	<4	50	<2	17	5	<1	7	<0.1	2.6	
ROCK-WHI	Prep Blank	0.043	12	6	0.50	856	0.20	7.02	3.54	1.78	<4	50	<2	17	6	1	7	<0.1	2.0	