



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Submitted By: Scott Petsel
Receiving Lab: Canada-Whitehorse
Received: July 27, 2020
Analysis Start: September 01, 2020
Report Date: September 11, 2020
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI20000178.1

CLIENT JOB INFORMATION

Project: Stu Copper
Shipment ID: STU20-7
P.O. Number: Stu Copper
Number of Samples: 71

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	63	Crush, split and pulverize 250 g rock to 200 mesh			WHI
LH402	71	Cu in oxide form, 5% H2SO4	1	Completed	VAN
MA300	71	4 Acid digestion ICP-ES analysis	0.25	Completed	VAN
AQ115-IGN	71	Ignite samples, acid digest, Au by ICP-MS	15	Completed	VAN
SLBHP	8	Sort, label and box pulps			WHI
SHP01	71	Per sample shipping charges for branch shipments			VAN
MA401	3	4 Acid Digest AAS Finish	1	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2
Canada

CC: Debbie James
Pieter Vanleuzen
Scott Petsel



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: September 11, 2020

Page: 2 of 4

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000178.1

Method	Analyte	Unit	WGHT	LH402	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	
			Wgt	Cu/Ox	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca
MDL	kg	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
	0.01	0.001	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	5	2	0.01	
1894665	Rock		3.07	<0.001	<2	2	<5	60	<0.5	2	6	598	2.65	<5	<20	<2	757	<0.4	<5	<5	73	3.15
1894666	Rock		4.65	<0.001	<2	25	7	66	<0.5	2	7	679	2.87	<5	<20	<2	721	<0.4	<5	<5	80	2.94
1894667	Rock		3.51	<0.001	<2	20	<5	57	<0.5	2	7	668	2.70	<5	<20	<2	583	<0.4	<5	<5	74	2.99
1894668	Rock		4.22	<0.001	<2	11	7	61	<0.5	2	7	642	2.78	<5	<20	<2	729	<0.4	<5	<5	76	2.65
1894669	Rock		4.39	<0.001	<2	22	<5	55	<0.5	2	6	606	2.51	<5	<20	<2	762	<0.4	<5	<5	71	2.62
1894670	Rock		4.35	<0.001	<2	<2	6	56	<0.5	2	7	577	2.54	<5	<20	<2	679	<0.4	<5	<5	67	2.38
1894671	Rock Pulp		0.11	1.570	64	>10000	7	72	9.4	11	8	357	3.14	<5	<20	2	848	0.6	<5	20	98	1.72
1894672	Rock		4.86	<0.001	<2	17	5	62	<0.5	2	7	542	2.55	<5	<20	<2	634	<0.4	<5	<5	64	2.00
1894673	Rock		1.00	0.093	<2	3597	10	72	1.6	2	6	672	2.52	<5	<20	4	371	<0.4	<5	6	78	3.93
1894674	Rock		1.39	0.033	9	2916	10	47	1.3	<2	4	411	1.84	<5	<20	2	442	<0.4	<5	<5	61	2.12
1894675	Rock		1.61	0.075	<2	3286	14	72	1.4	3	7	506	2.78	<5	<20	6	527	<0.4	<5	6	87	2.31
1894676	Rock		1.29	0.061	<2	3032	11	75	1.1	2	6	401	2.61	<5	<20	3	535	<0.4	<5	<5	75	1.76
1894677	Rock Pulp		0.08	0.008	2	82	8	61	<0.5	7	6	678	3.17	<5	<20	<2	1336	<0.4	<5	<5	83	3.19
1894678	Rock		1.29	0.051	<2	2796	9	39	1.3	<2	4	289	1.71	<5	<20	4	361	<0.4	<5	<5	44	1.74
1894679	Rock		1.61	0.024	<2	1613	9	66	0.7	2	7	483	3.00	<5	<20	5	521	<0.4	<5	<5	85	2.14
1894680	Rock		1.61	0.030	<2	1457	<5	71	0.7	2	7	517	3.08	<5	<20	5	697	<0.4	<5	<5	86	2.12
1894681	Rock		1.33	0.074	<2	4152	14	81	1.7	3	6	420	2.60	<5	<20	5	604	<0.4	<5	<5	75	1.87
1894682	Rock		2.05	0.071	<2	3887	19	79	1.4	<2	6	435	2.55	<5	<20	5	579	<0.4	<5	<5	75	1.68
1894683	Rock Pulp		0.12	1.560	63	>10000	<5	72	9.4	11	8	359	3.15	<5	<20	<2	864	0.5	<5	15	98	1.78
1894684	Rock		1.26	0.046	7	2351	12	56	0.9	<2	5	425	2.32	7	<20	5	630	<0.4	<5	5	63	1.84
1894685	Rock		1.79	0.017	59	2817	16	76	1.0	2	7	525	2.61	<5	<20	4	4130	<0.4	<5	<5	81	1.85
1894686	Rock		1.42	0.009	2	1038	10	54	<0.5	2	6	489	2.23	<5	<20	<2	1777	<0.4	<5	<5	63	1.90
1894687	Rock		3.18	<0.001	<2	4	8	58	<0.5	2	7	597	2.60	<5	<20	<2	633	<0.4	<5	<5	72	2.33
1894688	Rock		5.00	<0.001	<2	37	<5	61	<0.5	<2	7	680	2.45	5	<20	<2	575	<0.4	<5	<5	65	3.05
1894689	Core DUP		<0.001	<2	35	6	60	<0.5	2	7	674	2.46	<5	<20	<2	582	<0.4	<5	<5	65	3.04	
1894690	Rock		4.06	<0.001	<2	14	<5	69	<0.5	2	6	654	2.61	6	<20	<2	508	<0.4	<5	<5	69	2.29
1894691	Rock		3.35	<0.001	<2	10	7	68	<0.5	3	6	564	2.43	<5	<20	<2	516	<0.4	<5	<5	69	2.48
1894692	Rock		1.08	0.011	3	946	8	94	0.6	3	7	629	3.11	9	<20	<2	515	<0.4	<5	<5	89	2.95
1894693	Rock		1.79	0.007	4	816	45	90	0.6	2	6	513	2.21	24	<20	<2	496	0.6	9	<5	66	3.38
1894694	Rock		1.23	0.004	<2	544	26	129	0.7	3	7	688	2.55	39	<20	<2	637	0.5	36	<5	82	4.48

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: September 11, 2020

Page: 2 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000178.1

Method Analyte Unit	MDL	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115	MA401
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc	S	Au	Cu
		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	%	
1894665	Rock	0.076	6	3	0.44	1751	0.22	7.30	3.19	1.83	<4	7	<2	9	6	1	7	<0.1	<0.5	
1894666	Rock	0.096	8	4	0.62	1679	0.25	7.40	3.38	1.91	<4	11	<2	10	6	1	7	<0.1	2.2	
1894667	Rock	0.078	8	4	0.76	1470	0.23	7.54	3.52	1.88	<4	7	<2	11	5	1	7	<0.1	0.6	
1894668	Rock	0.081	8	4	0.68	1517	0.23	7.77	3.72	1.89	<4	8	<2	12	7	1	7	<0.1	<0.5	
1894669	Rock	0.074	7	5	0.64	1792	0.21	7.47	3.43	2.08	<4	7	<2	11	5	1	7	<0.1	<0.5	
1894670	Rock	0.071	8	3	0.66	1713	0.21	7.53	3.46	2.16	<4	7	2	12	7	1	7	<0.1	<0.5	
1894671	Rock Pulp	0.094	9	21	0.86	1288	0.27	7.76	3.50	1.59	24	12	2	8	5	1	7	<0.1	595.9 1.691	
1894672	Rock	0.071	8	3	0.75	2019	0.21	7.64	3.53	2.17	<4	6	<2	13	7	1	7	<0.1	<0.5	
1894673	Rock	0.099	16	3	1.15	1458	0.24	6.93	1.81	2.04	<4	9	<2	16	7	2	7	0.2	86.4	
1894674	Rock	0.073	10	3	0.63	1501	0.19	6.86	2.59	2.58	<4	10	<2	9	6	1	5	0.1	71.1	
1894675	Rock	0.107	12	4	0.73	1541	0.27	7.09	2.61	2.23	<4	10	<2	11	8	1	7	0.1	85.5	
1894676	Rock	0.092	9	2	0.62	1510	0.21	7.09	2.57	2.73	<4	13	<2	8	6	1	6	0.1	79.1	
1894677	Rock Pulp	0.081	3	15	0.65	923	0.21	9.05	5.43	0.89	<4	9	<2	14	8	2	7	<0.1	1.3	
1894678	Rock	0.053	8	2	0.51	1960	0.13	6.15	2.09	2.73	<4	14	<2	7	5	1	4	0.2	96.6	
1894679	Rock	0.101	15	5	0.84	1823	0.25	7.49	2.71	2.65	<4	12	3	11	7	2	7	0.1	50.4	
1894680	Rock	0.098	17	4	0.73	1373	0.25	7.28	3.03	2.23	<4	11	3	11	7	2	10	<0.1	54.8	
1894681	Rock	0.097	11	4	0.68	1528	0.23	7.02	2.83	2.51	<4	13	<2	8	7	1	5	0.2	152.2	
1894682	Rock	0.090	11	3	0.72	1179	0.22	7.15	2.79	2.71	<4	18	<2	9	8	1	6	0.2	129.1	
1894683	Rock Pulp	0.095	11	22	0.87	1294	0.27	8.16	3.54	1.61	26	17	3	9	5	1	8	<0.1	583.6 1.663	
1894684	Rock	0.081	12	5	0.78	1875	0.20	6.86	2.59	2.90	<4	16	<2	9	7	1	6	0.1	97.7	
1894685	Rock	0.113	14	5	0.99	1505	0.29	7.45	2.96	2.91	<4	11	2	9	7	1	6	0.4	89.5	
1894686	Rock	0.080	15	5	0.85	2289	0.21	6.96	2.94	2.24	<4	7	<2	8	5	1	5	0.1	18.7	
1894687	Rock	0.070	9	4	1.05	1600	0.20	7.46	2.93	2.27	<4	7	<2	9	5	1	7	<0.1	1.3	
1894688	Rock	0.067	6	4	1.07	1869	0.20	7.08	2.59	1.95	<4	7	3	9	6	1	6	<0.1	1.3	
1894689	Core DUP	0.068	7	4	1.08	1869	0.20	7.28	2.54	1.95	<4	6	3	10	6	1	7	<0.1	<0.5	
1894690	Rock	0.073	7	4	0.87	1961	0.22	7.48	2.80	2.11	<4	8	<2	10	7	2	7	<0.1	0.8	
1894691	Rock	0.063	6	4	0.60	2481	0.19	7.35	2.70	2.17	<4	12	<2	9	7	1	6	<0.1	0.7	
1894692	Rock	0.092	10	4	0.68	1847	0.25	7.24	2.02	2.33	<4	13	2	9	7	2	5	0.1	10.6	
1894693	Rock	0.071	8	5	0.53	1971	0.21	6.33	2.07	2.07	<4	16	<2	7	7	1	5	0.1	13.7	
1894694	Rock	0.083	12	9	0.53	3048	0.28	7.36	1.54	2.36	<4	8	<2	10	7	1	5	0.1	14.3	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: September 11, 2020

Page: 3 of 4

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000178.1

Method	WGHT	LH402	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	
Analyte	Wgt	Cu/Ox	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.001	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01	
1894695	Rock Pulp	0.08	0.008	3	82	<5	60	<0.5	7	6	681	3.17	<5	<20	<2	1301	<0.4	<5	<5	86	3.19
1894696	Rock	1.67	0.003	<2	516	21	126	0.7	3	7	669	2.44	44	<20	<2	601	0.6	37	<5	78	4.31
1894697	Rock	1.67	0.002	<2	85	14	107	<0.5	2	7	773	2.95	6	<20	<2	553	<0.4	7	<5	75	4.03
1894698	Rock	1.75	<0.001	<2	58	50	153	2.5	3	7	1136	2.91	10	<20	<2	740	0.6	41	<5	74	3.31
1894699	Rock	1.74	0.009	<2	361	11	154	1.8	5	13	850	3.68	12	<20	<2	697	0.5	27	<5	129	3.46
1894700	Rock	2.09	0.006	<2	232	12	112	<0.5	4	10	624	2.94	<5	<20	<2	557	<0.4	<5	<5	98	2.89
1894701	Rock Pulp	0.10	0.807	9	9152	14	79	4.0	9	10	703	3.95	<5	<20	<2	1179	<0.4	<5	<5	109	2.59
1894702	Rock	1.96	0.005	<2	298	8	78	<0.5	2	6	584	2.57	<5	<20	<2	528	<0.4	<5	<5	78	2.94
1894703	Rock	4.00	<0.001	<2	3	11	100	<0.5	3	8	667	3.34	<5	<20	<2	514	<0.4	<5	<5	87	3.14
1894704	Rock	4.40	<0.001	<2	3	17	76	<0.5	2	6	694	2.68	<5	<20	<2	633	<0.4	<5	<5	77	3.66
1894705	Rock	3.99	<0.001	<2	6	12	67	<0.5	2	6	587	2.50	<5	<20	<2	574	<0.4	<5	<5	71	3.09
1894706	Rock	4.54	<0.001	<2	<2	18	80	<0.5	2	7	750	2.85	6	<20	<2	747	<0.4	<5	<5	82	3.89
1894707	Pulp DUP	<0.01	<0.001	<2	<2	12	80	<0.5	3	7	756	2.87	<5	<20	<2	754	<0.4	<5	<5	84	3.92
1894708	Rock	4.61	<0.001	<2	<2	12	70	<0.5	2	7	684	2.57	<5	<20	<2	1053	<0.4	<5	<5	74	3.65
1894709	Rock	3.36	<0.001	<2	9	14	70	<0.5	3	6	542	2.32	<5	<20	<2	697	<0.4	<5	<5	82	3.44
1894710	Rock	4.14	<0.001	<2	<2	13	53	<0.5	2	4	538	1.70	<5	<20	<2	736	<0.4	<5	<5	46	3.50
1894711	Rock	6.30	<0.001	<2	2	11	67	<0.5	<2	6	639	2.32	<5	<20	<2	1750	<0.4	<5	<5	59	3.19
1894712	Rock	0.70	<0.001	<2	9	15	107	<0.5	3	10	1262	3.31	5	<20	<2	745	<0.4	<5	<5	69	5.77
1894713	Rock Pulp	0.08	0.008	2	84	11	60	<0.5	6	6	680	3.19	<5	<20	<2	1315	<0.4	<5	<5	85	3.21
1894714	Rock	1.82	<0.001	<2	14	17	79	<0.5	2	7	767	2.43	8	<20	<2	566	<0.4	6	<5	55	3.33
1894715	Rock	1.80	<0.001	<2	4	35	102	<0.5	2	7	822	2.84	6	<20	<2	535	<0.4	<5	<5	71	3.56
1894716	Rock	1.82	0.001	<2	61	12	118	<0.5	5	10	968	3.70	7	<20	<2	582	0.5	6	<5	105	4.01
1894717	Rock	1.95	0.003	<2	174	152	230	2.4	6	15	1350	4.40	12	<20	<2	568	0.9	39	6	144	4.04
1894718	Rock	1.49	0.001	<2	373	1842	616	23.7	6	18	1517	4.90	30	<20	<2	574	4.2	160	6	171	4.22
1894719	Rock Pulp	0.12	1.560	67	>10000	6	72	9.6	11	8	370	3.23	<5	<20	<2	878	0.6	<5	19	100	1.79
1894720	Rock	2.09	0.004	8	1367	39	170	1.6	4	10	868	3.51	41	<20	<2	542	0.8	50	<5	113	3.57
1894721	Rock	1.88	0.001	<2	397	23	157	0.8	5	12	1042	3.47	16	<20	<2	589	0.7	10	<5	132	3.89
1894722	Rock	1.86	<0.001	<2	35	89	112	<0.5	2	6	874	2.08	<5	<20	<2	502	<0.4	<5	<5	55	2.24
1894723	Rock	1.81	0.017	<2	1668	10	117	2.4	2	6	667	2.37	29	<20	2	469	0.6	26	<5	65	2.67
1894724	Rock	0.91	0.028	6	2607	22	264	3.9	3	7	801	2.77	49	<20	2	457	1.0	228	<5	88	2.88



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: September 11, 2020

Page: 3 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000178.1

Method Analyte Unit MDL	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115	MA401	
	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc	S	Au	Cu	
	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	%	
	0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1	0.1	0.5	0.001	
1894695	Rock Pulp	0.082	3	17	0.65	918	0.21	8.95	5.57	0.90	<4	9	<2	14	8	2	7	<0.1	2.6	
1894696	Rock	0.080	12	7	0.51	3032	0.26	7.06	1.58	2.25	<4	8	<2	9	6	1	5	0.1	11.9	
1894697	Rock	0.072	7	3	0.60	1271	0.21	7.45	1.49	2.42	<4	7	<2	11	5	2	7	<0.1	3.3	
1894698	Rock	0.078	8	5	0.60	1820	0.22	7.23	0.21	2.64	<4	7	<2	9	5	2	7	<0.1	0.6	
1894699	Rock	0.128	8	15	0.54	2138	0.37	7.93	1.28	2.37	<4	8	3	13	6	2	12	0.1	3.4	
1894700	Rock	0.135	11	6	0.46	842	0.32	8.21	2.12	2.28	<4	9	2	13	10	2	8	<0.1	3.6	
1894701	Rock Pulp	0.122	5	20	1.01	1494	0.30	9.38	5.00	1.37	<4	13	3	12	6	2	7	<0.1	435.6	
1894702	Rock	0.078	9	4	0.44	1814	0.21	7.08	2.15	1.86	<4	9	<2	12	8	1	7	<0.1	6.2	
1894703	Rock	0.073	7	7	0.57	1656	0.23	7.31	2.22	2.05	<4	7	<2	12	7	1	9	<0.1	<0.5	
1894704	Rock	0.078	7	5	0.43	2156	0.22	7.67	2.07	1.91	<4	5	<2	14	7	1	8	<0.1	<0.5	
1894705	Rock	0.076	7	5	0.49	1693	0.22	7.81	2.64	1.98	<4	5	<2	13	9	2	7	<0.1	<0.5	
1894706	Rock	0.084	8	5	0.52	2185	0.26	7.96	2.37	2.01	<4	7	<2	17	12	2	9	<0.1	0.7	
1894707	Pulp DUP	0.086	6	6	0.52	2253	0.27	7.88	2.38	2.03	<4	7	<2	17	11	2	9	<0.1	<0.5	
1894708	Rock	0.075	7	6	0.50	2472	0.23	7.68	2.43	1.87	<4	6	<2	14	9	2	7	<0.1	<0.5	
1894709	Rock	0.087	7	6	0.47	1163	0.25	7.98	2.49	1.83	<4	8	<2	12	8	2	8	<0.1	<0.5	
1894710	Rock	0.037	5	9	0.41	2413	0.13	6.98	2.62	1.66	<4	16	<2	10	4	2	4	<0.1	<0.5	
1894711	Rock	0.058	7	4	0.58	2109	0.17	7.37	2.71	1.90	<4	7	<2	12	7	1	6	0.1	<0.5	
1894712	Rock	0.067	15	5	1.72	1042	0.20	7.16	2.36	1.66	<4	14	<2	19	7	1	7	0.1	<0.5	
1894713	Rock Pulp	0.083	3	18	0.66	924	0.21	9.39	5.50	0.90	<4	9	2	14	8	2	7	<0.1	3.2	
1894714	Rock	0.054	7	4	1.01	1238	0.16	6.85	2.42	1.99	<4	10	<2	13	5	1	5	0.1	<0.5	
1894715	Rock	0.071	8	4	1.09	1369	0.21	7.41	2.30	2.09	<4	8	<2	15	8	1	6	0.1	<0.5	
1894716	Rock	0.112	7	7	1.22	1161	0.30	7.11	2.24	2.20	<4	8	<2	13	6	2	10	<0.1	1.5	
1894717	Rock	0.135	9	13	1.33	1146	0.39	7.73	2.52	2.46	<4	9	2	14	7	2	14	0.1	1.3	
1894718	Rock	0.151	6	21	1.28	1199	0.43	7.18	1.61	2.39	<4	9	<2	12	6	2	16	0.4	2.5	
1894719	Rock Pulp	0.096	9	24	0.88	1331	0.28	8.12	3.62	1.64	25	12	3	8	4	1	7	<0.1	611.7	1.647
1894720	Rock	0.130	10	6	1.25	1322	0.30	7.06	2.30	2.30	<4	13	<2	11	6	1	9	0.3	23.5	
1894721	Rock	0.124	6	13	1.32	872	0.34	7.90	2.16	2.54	<4	9	<2	11	7	1	11	0.2	4.1	
1894722	Rock	0.059	6	3	0.78	1959	0.16	7.52	2.45	2.17	<4	10	<2	8	6	1	5	<0.1	0.8	
1894723	Rock	0.077	10	3	0.87	1926	0.19	7.18	2.55	1.94	<4	10	<2	7	5	1	5	0.1	63.5	
1894724	Rock	0.102	12	4	0.89	1523	0.26	7.18	1.60	2.34	<4	10	<2	8	7	1	7	0.2	90.9	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: September 11, 2020

Page: 4 of 4

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000178.1

Method	WGHT	LH402	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300
Analyte	Wgt	Cu/Ox	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.001	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01	
1894725	Rock Pulp	0.10	0.825	9	9157	5	78	4.1	9	10	694	3.92	<5	<20	<2	1169	0.4	<5	<5	110	2.58
1894726	Rock	3.31	<0.001	<2	252	28	202	4.3	2	6	1655	2.50	38	<20	<2	404	1.1	121	<5	65	2.48
1894727	Rock	5.12	<0.001	<2	4	8	87	<0.5	2	6	696	2.47	<5	<20	<2	681	<0.4	<5	<5	64	2.44
1894728	Rock	4.11	0.001	<2	52	13	62	0.6	<2	7	680	2.55	<5	<20	<2	712	<0.4	<5	<5	67	2.85
1894729	Rock	4.03	<0.001	<2	8	9	59	<0.5	<2	6	653	2.48	<5	<20	<2	669	<0.4	<5	6	66	3.09
1894730	Rock	4.24	<0.001	<2	8	9	58	<0.5	2	6	610	2.45	<5	<20	<2	814	<0.4	<5	<5	66	3.30
1894731	Core DUP	<0.01	<0.001	<2	7	10	59	<0.5	<2	6	621	2.48	<5	<20	<2	827	<0.4	<5	<5	67	3.36
1894732	Rock	4.94	<0.001	<2	20	13	64	<0.5	2	7	606	2.88	<5	<20	<2	847	<0.4	<5	<5	77	3.19
1894733	Rock	3.64	0.002	<2	190	10	73	0.7	3	10	714	3.41	<5	<20	4	874	<0.4	<5	<5	89	3.38
1894734	Rock	5.87	0.001	<2	92	11	65	0.6	3	8	636	3.42	<5	<20	4	883	<0.4	<5	<5	90	3.35
1894735	Rock	4.44	<0.001	<2	4	12	48	0.7	<2	5	534	2.21	<5	<20	5	823	<0.4	<5	<5	60	2.95



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: September 11, 2020

Page: 4 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000178.1

Method	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115	MA401
Analyte	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc	S	Au	Cu	
Unit	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	%	
MDL	0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1	0.1	0.5	0.001	
1894725	Rock Pulp	0.122	5	18	1.02	1511	0.31	9.32	5.01	1.35	<4	14	2	12	7	2	7	<0.1	430.7	
1894726	Rock	0.070	6	4	0.72	1038	0.19	7.45	1.05	2.24	<4	8	<2	5	5	1	6	<0.1	10.3	
1894727	Rock	0.069	8	3	0.67	2082	0.20	7.64	3.05	2.23	<4	7	<2	8	5	1	6	<0.1	0.5	
1894728	Rock	0.069	8	5	0.80	1163	0.20	7.58	3.01	1.96	<4	7	<2	12	7	1	6	<0.1	<0.5	
1894729	Rock	0.065	7	3	0.60	1815	0.19	7.48	3.24	2.14	<4	7	<2	13	6	1	6	<0.1	<0.5	
1894730	Rock	0.072	8	3	0.43	1332	0.20	7.79	3.37	1.65	<4	6	<2	13	6	2	7	<0.1	<0.5	
1894731	Core DUP	0.074	7	2	0.44	1347	0.21	7.95	3.46	1.68	<4	6	<2	13	7	2	7	<0.1	<0.5	
1894732	Rock	0.084	9	3	0.65	1062	0.22	8.34	3.48	1.59	<4	7	<2	10	6	2	8	<0.1	<0.5	
1894733	Rock	0.110	10	7	0.93	1529	0.27	7.77	2.74	1.84	<4	6	<2	10	6	2	8	0.1	0.8	
1894734	Rock	0.117	13	5	0.82	965	0.28	8.11	3.12	1.49	<4	6	<2	11	6	2	8	<0.1	1.0	
1894735	Rock	0.063	8	5	0.46	1464	0.20	7.78	3.08	1.73	<4	9	<2	12	7	1	6	<0.1	<0.5	



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Project: Stu Copper
Report Date: September 11, 2020

Page: 1 of 2 Part: 1 of 2

QUALITY CONTROL REPORT

WHI20000178.1

Method	WGHT	LH402	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300
Analyte	Wgt	Cu/Ox	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.001	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01	
Pulp Duplicates																					
1894667	Rock	3.51	<0.001	<2	20	<5	57	<0.5	2	7	668	2.70	<5	<20	<2	583	<0.4	<5	<5	74	2.99
REP 1894667	QC			<2	19	6	55	<0.5	2	6	656	2.65	<5	<20	<2	571	<0.4	<5	5	72	2.94
1894674	Rock	1.39	0.033	9	2916	10	47	1.3	<2	4	411	1.84	<5	<20	2	442	<0.4	<5	<5	61	2.12
REP 1894674	QC		0.033																		
1894678	Rock	1.29	0.051	<2	2796	9	39	1.3	<2	4	289	1.71	<5	<20	4	361	<0.4	<5	<5	44	1.74
REP 1894678	QC																				
1894700	Rock	2.09	0.006	<2	232	12	112	<0.5	4	10	624	2.94	<5	<20	<2	557	<0.4	<5	<5	98	2.89
REP 1894700	QC			<2	240	12	110	<0.5	4	10	621	2.93	5	<20	<2	568	<0.4	<5	<5	96	2.95
1894708	Rock	4.61	<0.001	<2	<2	12	70	<0.5	2	7	684	2.57	<5	<20	<2	1053	<0.4	<5	<5	74	3.65
REP 1894708	QC		<0.001																		
1894713	Rock Pulp	0.08	0.008	2	84	11	60	<0.5	6	6	680	3.19	<5	<20	<2	1315	<0.4	<5	<5	85	3.21
REP 1894713	QC																				
1894719	Rock Pulp	0.12	1.560	67	>10000	6	72	9.6	11	8	370	3.23	<5	<20	<2	878	0.6	<5	19	100	1.79
REP 1894719	QC																				
1894733	Rock	3.64	0.002	<2	190	10	73	0.7	3	10	714	3.41	<5	<20	4	874	<0.4	<5	<5	89	3.38
REP 1894733	QC		0.002	<2	191	9	68	0.8	3	9	684	3.29	<5	<20	2	866	<0.4	<5	<5	84	3.33
Core Reject Duplicates																					
1894698	Rock	1.75	<0.001	<2	58	50	153	2.5	3	7	1136	2.91	10	<20	<2	740	0.6	41	<5	74	3.31
DUP 1894698	QC		<0.001	<2	69	61	158	3.8	3	8	1138	2.91	9	<20	<2	749	0.8	46	<5	75	3.35
1894732	Rock	4.94	<0.001	<2	20	13	64	<0.5	2	7	606	2.88	<5	<20	<2	847	<0.4	<5	<5	77	3.19
DUP 1894732	QC		<0.001	<2	19	12	65	<0.5	3	8	601	2.86	<5	<20	<2	836	<0.4	<5	<5	77	3.14
Reference Materials																					
STD OREAS25A-4A	Standard			3	28	23	43	<0.5	44	5	485	6.65	12	<20	11	45	<0.4	<5	<5	155	0.30
STD OREAS25A-4A	Standard			<2	30	17	47	<0.5	45	8	471	6.36	12	<20	11	42	<0.4	<5	<5	159	0.27
STD OREAS25A-4A	Standard			2	30	24	47	<0.5	45	8	473	6.34	11	<20	11	41	0.4	<5	<5	158	0.26
STD OREAS45E	Standard			3	762	13	46	0.6	496	55	557	23.70	18	<20	10	17	<0.4	<5	<5	332	0.07
STD OREAS45E	Standard			2	789	16	50	<0.5	474	57	569	25.14	16	<20	7	15	1.0	<5	10	330	0.06
STD OREAS45H	Standard			<2	790	17	43	<0.5	438	89	400	20.88	15	<20	3	26	0.6	<5	9	275	0.14



QUALITY CONTROL REPORT

WHI20000178.1

Method	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115	MA401
Analyte	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc	S	Au	Cu
Unit	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	%
MDL	0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1	0.1	0.5	0.001
Pulp Duplicates																			
1894667	Rock	0.078	8	4	0.76	1470	0.23	7.54	3.52	1.88	<4	7	<2	11	5	1	7	<0.1	0.6
REP 1894667	QC	0.077	7	3	0.73	1443	0.23	7.32	3.51	1.82	<4	7	<2	10	6	1	7	<0.1	
1894674	Rock	0.073	10	3	0.63	1501	0.19	6.86	2.59	2.58	<4	10	<2	9	6	1	5	0.1	71.1
REP 1894674	QC																		
1894678	Rock	0.053	8	2	0.51	1960	0.13	6.15	2.09	2.73	<4	14	<2	7	5	1	4	0.2	96.6
REP 1894678	QC																		84.7
1894700	Rock	0.135	11	6	0.46	842	0.32	8.21	2.12	2.28	<4	9	2	13	10	2	8	<0.1	3.6
REP 1894700	QC	0.134	10	6	0.45	836	0.33	8.39	2.19	2.35	<4	9	2	13	10	2	8	<0.1	
1894708	Rock	0.075	7	6	0.50	2472	0.23	7.68	2.43	1.87	<4	6	<2	14	9	2	7	<0.1	<0.5
REP 1894708	QC																		
1894713	Rock Pulp	0.083	3	18	0.66	924	0.21	9.39	5.50	0.90	<4	9	2	14	8	2	7	<0.1	3.2
REP 1894713	QC																		3.2
1894719	Rock Pulp	0.096	9	24	0.88	1331	0.28	8.12	3.62	1.64	25	12	3	8	4	1	7	<0.1	611.7 1.647
REP 1894719	QC																		1.668
1894733	Rock	0.110	10	7	0.93	1529	0.27	7.77	2.74	1.84	<4	6	<2	10	6	2	8	0.1	0.8
REP 1894733	QC	0.104	10	5	0.91	1464	0.27	7.86	2.65	1.78	<4	6	<2	10	6	1	8	0.1	
Core Reject Duplicates																			
1894698	Rock	0.078	8	5	0.60	1820	0.22	7.23	0.21	2.64	<4	7	<2	9	5	2	7	<0.1	0.6
DUP 1894698	QC	0.077	8	4	0.61	1852	0.24	7.47	0.22	2.58	<4	7	2	10	5	1	7	<0.1	<0.5
1894732	Rock	0.084	9	3	0.65	1062	0.22	8.34	3.48	1.59	<4	7	<2	10	6	2	8	<0.1	<0.5
DUP 1894732	QC	0.085	9	3	0.65	1076	0.22	8.28	3.44	1.58	<4	7	<2	10	6	2	9	<0.1	<0.5
Reference Materials																			
STD OREAS25A-4A	Standard	0.050	22	115	0.33	149	0.94	8.67	0.13	0.51	<4	146	4	11	20	<1	14	<0.1	
STD OREAS25A-4A	Standard	0.049	20	106	0.31	143	0.90	8.58	0.11	0.49	<4	146	7	10	18	<1	13	<0.1	
STD OREAS25A-4A	Standard	0.049	19	110	0.31	144	0.85	8.59	0.11	0.49	<4	142	6	10	17	<1	12	<0.1	
STD OREAS45E	Standard	0.034	12	1060	0.16	258	0.52	6.64	0.06	0.37	<4	94	6	9	7	<1	96	<0.1	
STD OREAS45E	Standard	0.035	10	1034	0.15	252	0.53	6.84	0.04	0.35	<4	96	4	8	6	<1	92	<0.1	
STD OREAS45H	Standard	0.024	13	657	0.25	337	0.85	8.12	0.08	0.21	<4	119	4	10	12	1	57	<0.1	



QUALITY CONTROL REPORT

WHI20000178.1

		WGHT	LH402	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300
		Wgt	Cu/Ox	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.001	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01
STD OREAS623	Standard																				
STD OREAS901	Standard		0.084																		
STD OREAS904	Standard		0.520																		
STD OREAS902	Standard		0.129																		
STD OREAS901	Standard		0.084																		
STD OREAS904	Standard		0.526																		
STD OREAS901	Standard																				
STD OREAS901	Standard																				
STD OREAS97	Standard																				
STD OREAS901	Standard																				
STD OREAS45E Expected				2.4	780	18.2	46.7	0.311	454	57	570	24.12	16.3	2.41	12.9	15.9		1		322	0.065
STD OREAS25A-4A Expected				2.41	33.9	25.2	44.4		45.8	7.7	480	6.6	9.94	2.94	15.8	48.5		0.65		157	0.301
STD OREAS45H Expected				1.55	767	11.9	39.7		423	88	380	19.52	16.9		7.26	27.1				263	0.135
STD OREAS97 Expected																					
STD OREAS623 Expected																					
STD OREAS901 Expected																					
BLK	Blank		<0.001																		
BLK	Blank		<0.001																		
BLK	Blank		<0.001																		
BLK	Blank			<2	<2	<5	<2	<0.5	<2	<2	<5	<0.01	<5	<20	<2	<2	<0.4	<5	<5	<2	<0.01
BLK	Blank			<2	7	<5	<2	<0.5	3	<2	<5	<0.01	<5	<20	<2	<2	<0.4	<5	<5	<2	<0.01
BLK	Blank			<2	<2	<5	<2	<0.5	<2	<2	<5	<0.01	<5	<20	<2	<2	<0.4	<5	<5	<2	<0.01
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank		<0.001	<2	<2	<5	34	<0.5	<2	4	601	2.03	<5	<20	2	205	<0.4	<5	<5	36	1.50
ROCK-WHI	Prep Blank		<0.001	<2	<2	<5	33	<0.5	<2	4	603	2.01	<5	<20	<2	193	<0.4	<5	<5	34	1.49



QUALITY CONTROL REPORT

WHI20000178.1

		MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115	MA401		
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc	S	Au	Cu	
		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	%	
		0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1	0.1	0.5	0.001	
STD OREAS623	Standard																				1.700
STD OREAS901	Standard																				
STD OREAS904	Standard																				
STD OREAS902	Standard																				
STD OREAS901	Standard																				
STD OREAS904	Standard																				
STD OREAS901	Standard																				399.9
STD OREAS901	Standard																				372.1
STD OREAS97	Standard																				6.444
STD OREAS901	Standard																				370.5
STD OREAS45E Expected		0.034	11	979	0.156	252	0.559	6.78	0.059	0.324	1.07	97	1.32	8.28	6.8	0.62	93	0.046			
STD OREAS25A-4A Expected		0.048	21.8	115	0.327	147	0.93	8.87	0.131	0.482	2	155	4.06	10.5	20.9	0.93	13.7	0.047			
STD OREAS45H Expected		0.023	12.4	602	0.238	332	0.878	7.99	0.09	0.205		131	1.93	10.4	14.8	1.09	57				
STD OREAS97 Expected																					6.31
STD OREAS623 Expected																					1.73
STD OREAS901 Expected																					363
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.002	<2	<2	<0.01	<1	<0.01	<0.01	<0.01	<0.01	<4	<2	<2	<2	<2	<1	<1	<0.1			
BLK	Blank	<0.002	<2	<2	<0.01	<1	<0.01	<0.01	<0.01	<0.01	<4	<2	<2	<2	<2	<1	<1	<0.1			
BLK	Blank	<0.002	<2	<2	<0.01	<1	<0.01	<0.01	<0.01	<0.01	<4	<2	<2	<2	<2	<1	<1	<0.1			
BLK	Blank																				<0.5
BLK	Blank																				<0.5
BLK	Blank																				<0.001
BLK	Blank																				<0.5
Prep Wash																					
ROCK-WHI	Prep Blank	0.041	12	<2	0.47	864	0.20	6.77	3.49	1.78	<4	49	<2	16	5	<1	6	<0.1	0.8		
ROCK-WHI	Prep Blank	0.041	12	<2	0.48	787	0.20	6.60	3.37	1.70	<4	51	<2	16	5	<1	6	<0.1	<0.5		