



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Submitted By: Scott Petsel
Receiving Lab: Canada-Whitehorse
Received: July 31, 2020
Analysis Start: September 10, 2020
Report Date: September 18, 2020
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI20000206.1

CLIENT JOB INFORMATION

Project: Stu Copper
Shipment ID: STU20-8
P.O. Number: Stu Copper
Number of Samples: 71

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	64	Crush, split and pulverize 250 g rock to 200 mesh			WHI
LH402	70	Cu in oxide form, 5% H2SO4	1	Completed	VAN
MA300	70	4 Acid digestion ICP-ES analysis	0.25	Completed	VAN
AQ115-IGN	70	Ignite samples, acid digest, Au by ICP-MS	15	Completed	VAN
SHP01	70	Per sample shipping charges for branch shipments			VAN
SLBHP	6	Sort, label and box pulps			WHI
MA401	1	4 Acid Digest AAS Finish	1	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2
Canada

CC: Debbie James
Pieter Vanleuzen



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **True Point Exploration Inc.**
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: September 18, 2020

Page: 2 of 4

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000206.1

Method	WGHT	LH402	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300
Analyte	Wgt	Cu/Ox	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.001	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01	
1894736	Drill Core	4.19	<0.001	<2	6	10	58	<0.5	2	6	565	2.53	<5	<20	<2	731	<0.4	<5	<5	69	2.86
1894737	Drill Core	2.20	<0.001	<2	10	14	59	<0.5	2	6	584	2.61	<5	<20	2	790	<0.4	<5	<5	70	2.85
1894738	Drill Core	1.02	<0.001	<2	18	12	62	<0.5	<2	6	529	2.51	<5	<20	<2	686	<0.4	<5	<5	68	3.17
1894739	Drill Core	0.60	<0.001	<2	22	10	60	<0.5	<2	6	541	2.63	<5	<20	<2	724	<0.4	<5	<5	74	3.02
1894740	Drill Core	1.74	0.001	<2	34	11	60	<0.5	<2	5	519	2.51	<5	<20	<2	672	<0.4	<5	<5	72	3.28
1894741	Drill Core	3.11	0.003	<2	98	10	79	<0.5	<2	10	788	4.03	<5	<20	3	710	<0.4	<5	<5	123	3.57
1894742	Rock Pulp	0.06	1.458	64	>10000	8	67	9.4	10	8	357	3.14	<5	<20	<2	836	<0.4	<5	16	97	1.76
1894743	Drill Core	2.22	0.025	<2	852	13	77	0.9	2	7	499	2.60	<5	<20	3	524	<0.4	<5	<5	85	2.57
1894744	Drill Core	3.79	<0.001	<2	19	14	53	<0.5	<2	6	485	2.45	<5	<20	<2	718	<0.4	<5	<5	68	2.93
1894745	Drill Core	3.11	<0.001	<2	7	13	36	<0.5	<2	4	389	1.71	<5	<20	<2	619	<0.4	<5	<5	44	2.25
1894746	Drill Core	3.82	<0.001	<2	<2	13	51	<0.5	<2	5	507	2.34	<5	<20	<2	751	<0.4	<5	<5	66	2.84
1894747	Drill Core	2.83	<0.001	<2	22	15	96	<0.5	3	10	809	3.78	6	<20	3	342	<0.4	<5	<5	122	3.15
1894748	Core DUP		<0.001	<2	21	10	93	<0.5	3	10	791	3.71	7	<20	4	337	<0.4	<5	<5	120	3.12
1894749	Drill Core	3.08	0.002	<2	54	15	130	<0.5	2	9	950	3.60	5	<20	3	536	<0.4	<5	<5	110	3.83
1894750	Drill Core	2.08	0.001	<2	35	81	319	0.8	<2	7	906	2.70	7	<20	<2	271	1.0	16	<5	68	3.49
1810601	Drill Core	2.45	0.002	<2	68	39	164	<0.5	<2	7	798	2.77	6	<20	<2	211	0.6	13	<5	71	3.92
1810602	Drill Core	2.27	<0.001	<2	4	12	75	<0.5	<2	5	599	2.50	<5	<20	<2	244	<0.4	<5	<5	66	3.68
1810603	Drill Core	2.69	0.006	<2	257	56	166	0.8	<2	7	736	2.60	15	<20	<2	194	0.4	39	<5	73	3.80
1810604	Rock Pulp	0.07	0.826	9	8808	9	77	3.9	8	11	655	3.81	<5	<20	<2	1144	<0.4	<5	<5	104	2.52
1810605	Drill Core	0.71	0.050	114	5687	65	257	1.7	<2	5	322	1.76	65	<20	2	197	<0.4	153	<5	29	1.95
1810606	Drill Core	3.45	0.011	<2	770	15	83	<0.5	<2	6	498	2.64	<5	<20	3	578	<0.4	<5	<5	76	2.93
1810607	Drill Core	5.01	0.031	<2	2125	14	61	1.2	2	7	452	2.71	<5	<20	4	574	<0.4	<5	<5	85	2.95
1810608	Drill Core	1.60	0.047	<2	1427	29	229	4.0	2	5	892	2.50	55	<20	3	366	1.6	154	<5	47	6.00
1810609	Drill Core	5.84	0.004	<2	231	12	51	<0.5	<2	5	487	2.25	<5	<20	2	683	<0.4	<5	<5	65	2.84
1810610	Rock Pulp	0.06	0.008	2	83	10	58	<0.5	6	6	656	3.12	<5	<20	<2	1273	<0.4	<5	<5	82	3.08
1810611	Drill Core	2.17	0.025	5	2910	13	55	1.1	2	7	378	2.61	<5	<20	5	624	<0.4	<5	<5	96	2.61
1810612	Drill Core	2.21	0.028	6	2739	14	56	1.1	2	7	375	2.50	<5	<20	5	605	<0.4	<5	<5	84	2.28
1810613	Drill Core	1.60	0.024	38	2337	17	71	0.9	3	7	443	2.85	<5	<20	3	687	<0.4	<5	<5	94	2.50
1810614	Drill Core	3.32	0.030	10	2110	9	61	1.0	4	7	368	2.43	<5	<20	3	658	<0.4	<5	<5	85	2.38
1810615	Drill Core	3.66	0.020	43	2337	11	56	1.0	2	7	387	2.27	<5	<20	4	457	<0.4	<5	<5	87	2.96



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **True Point Exploration Inc.**
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: September 18, 2020

Page: 2 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000206.1

Method Analyte Unit	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115	MA401
	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc	S	Au	Cu	
MDL	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	%	
1894736	Drill Core	0.068	7	6	0.47	1660	0.21	8.10	3.35	1.92	<4	8	<2	11	6	2	6	<0.1	1.5	
1894737	Drill Core	0.070	7	8	0.57	2124	0.21	8.20	3.37	2.06	<4	6	<2	13	7	1	7	<0.1	1.1	
1894738	Drill Core	0.071	8	6	0.46	1678	0.20	7.98	3.31	1.71	<4	6	<2	10	5	2	6	<0.1	0.6	
1894739	Drill Core	0.072	8	5	0.46	1820	0.20	8.09	3.16	1.74	<4	6	<2	10	4	1	7	<0.1	<0.5	
1894740	Drill Core	0.070	7	6	0.37	1547	0.20	7.70	2.96	1.67	<4	6	<2	11	5	1	7	<0.1	0.9	
1894741	Drill Core	0.104	15	5	0.92	2098	0.35	7.94	2.71	1.95	<4	23	2	13	5	1	12	<0.1	<0.5	
1894742	Rock Pulp	0.093	9	23	0.86	1297	0.27	8.28	3.46	1.60	22	11	<2	9	4	1	7	<0.1	644.7	1.653
1894743	Drill Core	0.098	11	4	0.70	1452	0.26	7.74	2.11	1.68	<4	8	<2	7	5	1	6	0.1	15.2	
1894744	Drill Core	0.070	7	6	0.44	1903	0.21	7.71	3.00	1.85	<4	6	<2	10	5	1	6	<0.1	2.0	
1894745	Drill Core	0.043	7	5	0.30	1969	0.14	7.58	3.05	2.58	<4	17	<2	7	4	1	4	<0.1	0.7	
1894746	Drill Core	0.066	8	6	0.45	2213	0.21	7.96	3.07	2.15	<4	7	<2	10	6	2	6	<0.1	1.4	
1894747	Drill Core	0.116	13	6	0.77	861	0.36	8.15	1.76	2.18	<4	13	<2	13	6	2	12	<0.1	<0.5	
1894748	Core DUP	0.114	14	5	0.76	838	0.35	8.15	1.71	2.12	<4	13	<2	13	6	2	12	<0.1	1.3	
1894749	Drill Core	0.110	11	5	0.69	1112	0.34	8.22	2.44	1.90	<4	10	2	13	7	2	11	<0.1	0.5	
1894750	Drill Core	0.067	8	3	0.75	864	0.21	6.90	1.64	1.81	<4	7	<2	12	6	1	6	<0.1	<0.5	
1810601	Drill Core	0.069	8	4	0.97	608	0.22	7.21	1.21	1.79	<4	7	<2	11	6	1	7	<0.1	0.9	
1810602	Drill Core	0.068	7	3	0.72	663	0.21	7.33	1.36	1.56	<4	5	<2	10	6	1	6	<0.1	<0.5	
1810603	Drill Core	0.085	9	4	0.91	402	0.23	7.20	1.03	2.11	<4	11	<2	11	7	1	7	<0.1	4.8	
1810604	Rock Pulp	0.117	6	18	1.00	1472	0.29	9.55	4.64	1.34	20	13	2	13	7	1	7	<0.1	438.5	
1810605	Drill Core	0.052	6	2	0.35	731	0.12	6.33	0.89	2.68	<4	14	<2	6	5	<1	<1	0.5	90.8	
1810606	Drill Core	0.082	8	4	0.59	1924	0.24	7.69	2.34	2.22	<4	8	<2	12	7	2	7	<0.1	23.3	
1810607	Drill Core	0.105	13	4	0.79	1853	0.26	7.62	2.09	2.45	<4	7	<2	11	8	1	7	<0.1	58.5	
1810608	Drill Core	0.055	18	5	1.24	1125	0.15	6.48	1.41	2.22	<4	11	<2	17	5	1	5	<0.1	43.5	
1810609	Drill Core	0.070	8	4	0.53	1810	0.20	7.67	2.89	2.27	<4	10	<2	11	7	2	7	<0.1	9.5	
1810610	Rock Pulp	0.080	3	15	0.65	901	0.21	9.21	5.18	0.89	<4	8	<2	14	8	1	7	<0.1	11.2	
1810611	Drill Core	0.112	15	5	0.90	1502	0.27	7.76	2.53	2.71	<4	9	<2	11	9	2	7	0.2	43.8	
1810612	Drill Core	0.101	14	4	0.82	1580	0.25	7.73	2.52	3.05	<4	11	<2	10	8	1	7	0.2	38.3	
1810613	Drill Core	0.110	15	4	0.89	1770	0.26	7.90	2.58	3.13	<4	8	<2	12	8	2	8	0.2	23.1	
1810614	Drill Core	0.095	12	8	0.79	1498	0.25	7.60	2.62	2.58	<4	12	<2	9	7	2	7	0.1	26.8	
1810615	Drill Core	0.107	13	5	0.91	1354	0.26	7.37	1.86	2.15	<4	8	<2	9	7	1	7	0.1	36.7	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: September 18, 2020

Page: 3 of 4

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000206.1

Method	WGHT	LH402	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300
Analyte	Wgt	Cu/Ox	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.001	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	5	2	0.01
1810616	Drill Core	4.34	0.020	29	1674	15	93	0.9	2	7	521	2.56	<5	<20	5	636	<0.4	<5	<5	79	2.60
1810617	Core DUP		0.020	22	1592	11	92	0.8	2	7	506	2.48	<5	<20	5	613	<0.4	<5	<5	78	2.51
1810618	Drill Core	2.56	0.005	9	1171	11	154	0.5	2	8	515	2.62	<5	<20	3	618	<0.4	<5	<5	76	2.48
1810619	Drill Core	5.04	<0.001	<2	3	11	59	<0.5	<2	6	570	2.39	<5	<20	<2	587	<0.4	<5	<5	68	2.99
1810620	Drill Core	3.69	<0.001	<2	6	14	60	<0.5	<2	6	663	2.32	<5	<20	<2	404	<0.4	<5	<5	60	3.19
1810621	Drill Core	4.25	<0.001	<2	3	13	54	<0.5	<2	6	611	2.30	<5	<20	<2	626	<0.4	<5	<5	61	2.82
1810622	Drill Core	2.08	<0.001	<2	9	11	67	<0.5	2	7	778	2.61	<5	<20	<2	585	<0.4	<5	<5	66	3.29
1810623	Drill Core	3.43	<0.001	<2	3	12	60	<0.5	2	6	650	2.57	<5	<20	<2	711	<0.4	<5	<5	68	2.61
1810624	Drill Core	4.83	<0.001	<2	5	10	62	<0.5	<2	7	629	2.58	<5	<20	<2	744	<0.4	<5	<5	71	2.87
1810625	Drill Core	3.98	<0.001	<2	4	10	56	<0.5	<2	6	644	2.45	<5	<20	2	572	<0.4	<5	<5	66	2.99
1810626	Drill Core	3.71	<0.001	<2	9	12	58	<0.5	2	7	645	2.56	<5	<20	<2	619	<0.4	<5	<5	69	3.05
1810627	Drill Core	2.14	<0.001	<2	20	11	51	<0.5	<2	6	520	2.11	<5	<20	<2	392	<0.4	<5	<5	57	2.71
1810628	Drill Core	2.90	<0.001	<2	7	9	59	<0.5	2	7	675	2.57	<5	<20	<2	450	<0.4	<5	<5	74	3.31
1810629	Drill Core	0.90	0.001	<2	43	13	81	<0.5	2	8	741	3.40	<5	<20	2	497	<0.4	<5	<5	89	3.49
1810630	Rock Pulp	0.06	0.008	2	84	10	59	<0.5	7	7	684	3.22	<5	<20	<2	1395	<0.4	<5	<5	86	3.23
1810631	Drill Core	1.30	0.003	<2	115	14	86	<0.5	3	12	827	4.19	<5	<20	2	566	<0.4	<5	<5	127	3.95
1810632	Drill Core	1.19	<0.001	<2	8	11	66	<0.5	2	7	776	2.73	<5	<20	<2	440	<0.4	<5	<5	67	4.54
1810633	Drill Core	3.30	<0.001	<2	7	12	70	<0.5	3	8	989	2.91	<5	<20	<2	410	<0.4	<5	<5	70	5.67
1810634	Drill Core	3.33	<0.001	<2	7	10	60	<0.5	2	7	706	2.42	<5	<20	<2	448	<0.4	<5	<5	66	3.90
1810635	Pulp DUP		<0.001	<2	8	11	60	<0.5	2	7	714	2.45	<5	<20	<2	447	<0.4	<5	<5	65	3.92
1810636	Drill Core	1.37	<0.001	<2	12	12	56	<0.5	<2	6	878	2.30	<5	<20	<2	405	<0.4	<5	<5	56	4.96
1810637	Drill Core	4.21	<0.001	<2	48	12	67	<0.5	3	9	669	2.95	<5	<20	<2	679	<0.4	<5	<5	70	4.30
1810638	Drill Core	5.36	<0.001	<2	6	10	64	<0.5	2	7	619	2.75	<5	<20	4	797	<0.4	<5	<5	76	2.90
1810639	Rock Pulp	0.06	0.822	9	8538	10	75	4.0	8	10	664	3.76	<5	<20	<2	1157	<0.4	<5	<5	103	2.47
1810640	Drill Core	2.68	<0.001	<2	27	10	67	<0.5	3	9	875	2.97	<5	<20	<2	449	<0.4	<5	<5	73	3.82
1810641	Drill Core	1.99	<0.001	<2	9	9	51	<0.5	<2	6	623	2.36	<5	<20	<2	500	<0.4	<5	<5	66	2.77
1810642	Drill Core	3.99	<0.001	<2	4	10	61	<0.5	2	8	572	2.80	<5	<20	<2	859	<0.4	<5	<5	76	3.62
1810643	Drill Core	5.84	<0.001	<2	6	12	60	<0.5	3	9	783	3.25	<5	<20	<2	913	<0.4	<5	<5	96	3.57
1810644	Drill Core	3.31	<0.001	<2	5	11	67	<0.5	3	10	899	3.55	<5	<20	4	893	<0.4	<5	<5	101	3.21
1810645	Drill Core	3.76	<0.001	<2	10	11	56	<0.5	2	8	647	2.88	<5	<20	3	867	<0.4	<5	<5	76	2.47



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: September 18, 2020

Page: 3 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000206.1

Method Analyte Unit MDL	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115	MA401
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm	S %	Au ppb	Cu %	
1810616	Drill Core	0.098	15	4	0.73	1950	0.25	7.54	2.37	2.70	<4	8	<2	9	6	1	6	0.1	20.6	
1810617	Core DUP	0.096	14	4	0.70	1885	0.24	7.20	2.29	2.62	<4	7	<2	9	7	1	6	0.1	22.0	
1810618	Drill Core	0.084	10	4	0.71	1697	0.25	7.67	2.56	2.18	<4	7	<2	6	6	1	5	0.1	10.4	
1810619	Drill Core	0.072	8	3	0.58	1918	0.21	8.02	2.49	2.00	<4	7	<2	11	8	1	7	<0.1	1.2	
1810620	Drill Core	0.065	6	7	0.91	2594	0.20	8.15	2.07	2.15	<4	12	<2	13	11	1	7	<0.1	1.0	
1810621	Drill Core	0.064	7	9	0.58	1926	0.20	7.70	2.70	2.10	<4	17	<2	11	7	2	6	<0.1	1.4	
1810622	Drill Core	0.067	6	7	0.80	1280	0.21	7.10	2.58	1.76	<4	6	<2	10	6	2	6	<0.1	1.7	
1810623	Drill Core	0.072	8	7	0.46	1778	0.22	7.88	3.38	2.15	<4	6	<2	11	6	2	7	<0.1	0.9	
1810624	Drill Core	0.076	7	7	0.50	1779	0.23	8.09	3.33	2.01	<4	7	<2	11	6	2	7	<0.1	1.0	
1810625	Drill Core	0.069	7	7	0.56	1775	0.21	7.50	2.86	1.84	<4	6	<2	10	6	1	7	<0.1	1.1	
1810626	Drill Core	0.074	7	7	0.60	2242	0.22	7.75	2.78	1.65	<4	6	<2	10	6	2	7	<0.1	0.7	
1810627	Drill Core	0.064	6	5	0.73	1594	0.19	7.61	1.76	1.57	<4	9	<2	9	6	1	6	0.1	0.6	
1810628	Drill Core	0.078	7	7	0.74	1035	0.23	7.54	2.18	1.49	<4	7	<2	10	6	1	7	<0.1	<0.5	
1810629	Drill Core	0.098	9	6	0.77	1089	0.26	7.79	1.74	1.69	<4	11	<2	10	6	2	8	<0.1	0.5	
1810630	Rock Pulp	0.085	3	24	0.67	938	0.22	9.61	4.99	0.91	<4	9	<2	15	8	2	7	<0.1	4.1	
1810631	Drill Core	0.130	12	18	0.76	868	0.39	7.91	1.56	1.84	<4	19	<2	11	5	2	11	0.1	1.2	
1810632	Drill Core	0.067	8	7	0.98	1995	0.20	7.23	1.86	1.51	<4	6	<2	12	6	1	7	0.1	1.0	
1810633	Drill Core	0.059	12	6	1.53	1840	0.18	6.99	1.12	1.34	<4	6	<2	16	5	1	7	0.2	<0.5	
1810634	Drill Core	0.064	6	6	0.74	1538	0.20	6.97	1.94	1.32	<4	8	<2	9	5	1	6	<0.1	<0.5	
1810635	Pulp DUP	0.064	6	6	0.76	1527	0.21	7.02	1.95	1.35	<4	8	<2	10	5	1	6	<0.1	<0.5	
1810636	Drill Core	0.051	8	5	0.85	3260	0.16	6.65	2.00	1.15	<4	14	<2	13	4	1	6	0.2	<0.5	
1810637	Drill Core	0.074	8	7	0.69	2268	0.22	7.65	2.43	1.47	<4	6	<2	12	5	2	7	<0.1	<0.5	
1810638	Drill Core	0.079	13	6	0.48	1631	0.25	8.19	2.75	1.70	<4	6	<2	9	6	2	6	<0.1	<0.5	
1810639	Rock Pulp	0.117	6	21	0.98	1411	0.29	9.28	4.26	1.30	<4	13	<2	13	6	2	7	<0.1	442.3	
1810640	Drill Core	0.075	9	7	1.10	1437	0.21	7.58	2.41	1.41	<4	6	<2	12	6	1	9	0.2	1.7	
1810641	Drill Core	0.074	7	6	0.72	637	0.22	7.92	2.81	1.53	<4	6	<2	9	6	1	7	0.2	<0.5	
1810642	Drill Core	0.082	7	5	0.31	1622	0.23	8.06	2.98	1.50	<4	6	<2	10	6	2	7	<0.1	0.5	
1810643	Drill Core	0.113	10	7	0.69	2022	0.28	7.75	3.07	1.78	<4	8	<2	13	8	2	8	<0.1	0.7	
1810644	Drill Core	0.126	16	8	1.00	2411	0.30	8.07	3.04	2.28	<4	9	<2	19	10	2	9	<0.1	<0.5	
1810645	Drill Core	0.087	11	6	0.76	1647	0.23	7.98	3.37	2.04	<4	12	<2	14	7	2	7	<0.1	0.5	



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: September 18, 2020

Page: 4 of 4

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000206.1

Method	WGHT	LH402	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300
Analyte	Wgt	Cu/Ox	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.001	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01	
1810646	Drill Core	2.70	0.002	<2	55	12	54	<0.5	3	9	653	3.08	<5	<20	4	780	<0.4	<5	<5	86	2.37
1810647	Drill Core	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1810648	Drill Core	3.09	0.002	<2	84	13	53	<0.5	3	9	642	3.15	<5	<20	3	1015	<0.4	<5	<5	93	2.98
1810649	Drill Core	0.67	0.008	<2	266	12	63	<0.5	3	10	826	3.37	<5	<20	2	637	<0.4	<5	<5	97	4.76
1810650	Drill Core	1.52	0.002	<2	42	9	69	<0.5	3	10	582	3.06	<5	<20	4	843	3.9	7	<5	94	2.65
1810651	Drill Core	0.35	0.015	<2	499	10	50	0.5	<2	7	949	2.87	<5	<20	<2	541	<0.4	<5	<5	79	7.15
1810652	Rock Pulp	0.07	0.008	2	85	10	60	<0.5	7	7	690	3.29	<5	<20	<2	1386	<0.4	<5	<5	87	3.21
1810653	Drill Core	2.09	0.078	<2	3419	10	99	2.3	4	12	743	3.36	<5	<20	2	820	<0.4	<5	<5	101	3.11
1810654	Drill Core	3.16	0.024	<2	797	10	69	0.6	3	9	663	2.73	<5	<20	3	548	<0.4	<5	<5	93	3.38
1810655	Drill Core	4.67	0.011	<2	630	13	81	0.5	3	9	733	2.91	<5	<20	3	826	<0.4	<5	<5	93	3.59
1810656	Drill Core	2.49	<0.001	<2	22	9	60	<0.5	2	7	863	2.58	<5	<20	2	596	<0.4	<5	<5	70	3.94



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: September 18, 2020

Page: 4 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000206.1

Method	Analyte	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115	MA401
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc	S	Au	Cu
Unit		%	ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	%
MDL		0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1	0.1	0.5	0.001
1810646	Drill Core	0.110	15	7	0.79	1832	0.26	8.03	3.17	2.75	<4	11	<2	15	8	1	7	<0.1	3.2	
1810647	Drill Core	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	
1810648	Drill Core	0.119	15	14	0.78	2038	0.27	8.39	2.97	2.44	<4	7	<2	13	8	1	8	<0.1	3.5	
1810649	Drill Core	0.117	19	7	0.86	1490	0.27	7.69	2.90	2.17	<4	7	<2	18	7	1	7	<0.1	4.1	
1810650	Drill Core	0.125	14	12	0.66	2120	0.29	7.95	3.14	2.51	<4	8	3	15	9	1	8	<0.1	2.2	
1810651	Drill Core	0.087	18	31	0.50	1508	0.22	6.81	2.11	2.24	<4	4	<2	16	5	1	5	<0.1	11.1	
1810652	Rock Pulp	0.086	4	19	0.68	948	0.22	9.66	4.92	0.91	<4	9	<2	15	8	2	7	<0.1	3.1	
1810653	Drill Core	0.152	12	5	0.85	1383	0.42	8.53	3.30	2.11	<4	6	<2	10	8	1	4	0.1	95.4	
1810654	Drill Core	0.135	14	11	0.53	1831	0.33	7.90	3.33	1.99	<4	7	<2	12	7	1	8	<0.1	15.4	
1810655	Drill Core	0.116	13	6	0.56	1305	0.30	8.02	3.23	1.42	<4	9	<2	13	8	2	8	<0.1	20.0	
1810656	Drill Core	0.087	8	11	0.38	1209	0.24	7.99	3.54	1.49	<4	7	<2	11	6	1	8	<0.1	1.9	



QUALITY CONTROL REPORT

WHI20000206.1

Method	WGHT	LH402	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300
Analyte	Wgt	Cu/Ox	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.001	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01	
Pulp Duplicates																					
1894743 Drill Core	2.22	0.025	<2	852	13	77	0.9	2	7	499	2.60	<5	<20	3	524	<0.4	<5	<5	85	2.57	
REP 1894743 QC																					
1810608 Drill Core	1.60	0.047	<2	1427	29	229	4.0	2	5	892	2.50	55	<20	3	366	1.6	154	<5	47	6.00	
REP 1810608 QC		0.047																			
1810617 Core DUP		0.020	22	1592	11	92	0.8	2	7	506	2.48	<5	<20	5	613	<0.4	<5	<5	78	2.51	
REP 1810617 QC			23	1657	16	95	0.9	2	7	525	2.58	<5	<20	5	632	<0.4	<5	<5	81	2.57	
1810628 Drill Core	2.90	<0.001	<2	7	9	59	<0.5	2	7	675	2.57	<5	<20	<2	450	<0.4	<5	<5	74	3.31	
REP 1810628 QC																					
1810644 Drill Core	3.31	<0.001	<2	5	11	67	<0.5	3	10	899	3.55	<5	<20	4	893	<0.4	<5	<5	101	3.21	
REP 1810644 QC		<0.001																			
1810654 Drill Core	3.16	0.024	<2	797	10	69	0.6	3	9	663	2.73	<5	<20	3	548	<0.4	<5	<5	93	3.38	
REP 1810654 QC			<2	774	10	69	0.6	3	8	668	2.72	<5	<20	2	542	<0.4	<5	<5	92	3.37	
1810655 Drill Core	4.67	0.011	<2	630	13	81	0.5	3	9	733	2.91	<5	<20	3	826	<0.4	<5	<5	93	3.59	
REP 1810655 QC		0.012																			
Reference Materials																					
STD OREAS133A Standard																					
STD OREAS25A-4A Standard			2	33	24	45	<0.5	47	8	502	6.53	8	<20	14	47	<0.4	6	<5	154	0.31	
STD OREAS25A-4A Standard			<2	29	27	45	<0.5	46	7	495	6.70	10	<20	11	43	<0.4	<5	<5	160	0.28	
STD OREAS45H Standard			<2	750	6	39	0.7	423	88	384	19.95	13	<20	5	26	<0.4	<5	<5	260	0.14	
STD OREAS45E Standard			<2	802	16	49	<0.5	478	57	573	25.05	15	<20	9	16	<0.4	<5	5	329	0.07	
STD OREAS901 Standard		0.084																			
STD OREAS904 Standard		0.528																			
STD OREAS902 Standard		0.121																			
STD OREAS901 Standard		0.082																			
STD OREAS901 Standard		0.083																			
STD OREAS901 Standard																					
STD OREAS901 Standard																					
STD OREAS97 Standard																					



QUALITY CONTROL REPORT

WHI20000206.1

Method Analyte Unit MDL	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115	MA401	
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm	S %	Au ppb	Cu %	
Pulp Duplicates																				
1894743 Drill Core	0.098	11	4	0.70	1452	0.26	7.74	2.11	1.68	<4	8	<2	7	5	1	6	0.1	15.2		
REP 1894743 QC																		14.7		
1810608 Drill Core	0.055	18	5	1.24	1125	0.15	6.48	1.41	2.22	<4	11	<2	17	5	1	5	<0.1	43.5		
REP 1810608 QC																				
1810617 Core DUP	0.096	14	4	0.70	1885	0.24	7.20	2.29	2.62	<4	7	<2	9	7	1	6	0.1	22.0		
REP 1810617 QC	0.099	15	5	0.73	1928	0.25	7.45	2.35	2.70	<4	8	<2	9	7	1	6	0.1			
1810628 Drill Core	0.078	7	7	0.74	1035	0.23	7.54	2.18	1.49	<4	7	<2	10	6	1	7	<0.1	<0.5		
REP 1810628 QC																		<0.5		
1810644 Drill Core	0.126	16	8	1.00	2411	0.30	8.07	3.04	2.28	<4	9	<2	19	10	2	9	<0.1	<0.5		
REP 1810644 QC																				
1810654 Drill Core	0.135	14	11	0.53	1831	0.33	7.90	3.33	1.99	<4	7	<2	12	7	1	8	<0.1	15.4		
REP 1810654 QC	0.135	13	11	0.53	1822	0.33	7.86	3.32	1.99	<4	7	<2	12	7	1	8	<0.1			
1810655 Drill Core	0.116	13	6	0.56	1305	0.30	8.02	3.23	1.42	<4	9	<2	13	8	2	8	<0.1	20.0		
REP 1810655 QC																				
Reference Materials																				
STD OREAS133A Standard																			0.032	
STD OREAS25A-4A Standard	0.051	21	108	0.33	151	0.89	9.29	0.14	0.50	<4	155	5	11	17	<1	14	<0.1			
STD OREAS25A-4A Standard	0.050	19	113	0.32	150	0.91	9.03	0.11	0.50	<4	148	6	10	18	<1	13	<0.1			
STD OREAS45H Standard	0.023	13	620	0.24	328	0.85	8.07	0.09	0.21	<4	124	3	11	13	1	58	<0.1			
STD OREAS45E Standard	0.036	11	1034	0.16	262	0.53	7.06	0.05	0.35	<4	96	4	9	6	<1	95	<0.1			
STD OREAS901 Standard																				
STD OREAS904 Standard																				
STD OREAS902 Standard																				
STD OREAS901 Standard																				
STD OREAS901 Standard																			388.4	
STD OREAS901 Standard																			384.8	
STD OREAS97 Standard																			6.417	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: September 18, 2020

Page: 2 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI20000206.1

	WGHT	LH402	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300
	Wgt	Cu/Ox	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	
	kg	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
	0.01	0.001	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01	
STD OREAS45H Expected			1.55	767	11.9	39.7		423	88	380	19.52	16.9		7.26	27.1				263	0.135	
STD OREAS45E Expected			2.4	780	18.2	46.7	0.311	454	57	570	24.12	16.3	2.41	12.9	15.9		1		322	0.065	
STD OREAS25A-4A Expected			2.41	33.9	25.2	44.4		45.8	7.7	480	6.6	9.94	2.94	15.8	48.5		0.65		157	0.301	
STD OREAS901 Expected																					
STD OREAS133A Expected																					
STD OREAS97 Expected																					
BLK	Blank	<0.001																			
BLK	Blank	<0.001																			
BLK	Blank		<2	<2	<5	<2	<0.5	<2	<2	<5	<0.01	<5	<20	<2	<2	<0.4	<5	<5	<2	<0.01	
BLK	Blank	<0.001																			
BLK	Blank		<2	<2	<5	<2	<0.5	<2	<2	<5	<0.01	<5	<20	<2	<2	<0.4	<5	<5	<2	<0.01	
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	<0.001	<2	4	<5	37	<0.5	<2	4	677	2.17	<5	<20	<2	191	0.4	<5	<5	39	1.57	
ROCK-WHI	Prep Blank	<0.001	<2	3	<5	36	<0.5	<2	3	639	2.06	<5	<20	<2	186	<0.4	<5	<5	34	1.48	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: September 18, 2020

Page: 2 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI20000206.1

	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115	MA401	
	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc	S	Au	Cu	
	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	%	
	0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1	0.1	0.5	0.001	
STD OREAS45H Expected	0.023	12.4	602	0.238	332	0.878	7.99	0.09	0.205		131	1.93	10.4	14.8	1.09	57				
STD OREAS45E Expected	0.034	11	979	0.156	252	0.559	6.78	0.059	0.324	1.07	97	1.32	8.28	6.8	0.62	93	0.046			
STD OREAS25A-4A Expected	0.048	21.8	115	0.327	147	0.93	8.87	0.131	0.482	2	155	4.06	10.5	20.9	0.93	13.7	0.047			
STD OREAS901 Expected																			363	
STD OREAS133A Expected																				0.0323
STD OREAS97 Expected																				6.31
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.002	<2	5	<0.01	<1	<0.01	<0.01	<0.01	<0.01	<4	<2	<2	<2	<2	<1	<1	<0.1		
BLK	Blank																			
BLK	Blank	<0.002	<2	<2	<0.01	1	<0.01	<0.01	<0.01	<0.01	<4	<2	<2	<2	<2	<1	<1	<0.1		
BLK	Blank																			<0.5
BLK	Blank																			<0.5
BLK	Blank																			<0.001
Prep Wash																				
ROCK-WHI	Prep Blank	0.043	11	6	0.59	793	0.20	7.07	3.53	1.67	<4	51	<2	17	5	<1	7	<0.1	2.4	
ROCK-WHI	Prep Blank	0.042	12	7	0.49	784	0.20	7.08	3.53	1.68	<4	50	<2	17	5	<1	6	<0.1	1.2	