



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Submitted By: Scott Petsel
Receiving Lab: Canada-Whitehorse
Received: July 31, 2020
Analysis Start: August 26, 2020
Report Date: September 04, 2020
Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000208.1

CLIENT JOB INFORMATION

Project: Stu Copper
Shipment ID: STU20-10
P.O. Number: Stu Copper
Number of Samples: 60

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2
Canada

CC: Debbie James
Pieter Vanleuzen

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	59	Dry at 60C sieve 100g to -80 mesh			WHI
MA300	59	4 Acid digestion ICP-ES analysis	0.25	Completed	VAN
AQ115	59	Acid digest, Au by ICP-MS analysis	15	Completed	VAN
SHP01	59	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: September 04, 2020

Page: 2 of 3

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000208.1

Method Analyte Unit MDL	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	
	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	
	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01	0.002	2	
494813	Soil	<2	17	15	77	<0.5	20	15	713	4.15	6	<20	7	410	<0.4	<5	<5	135	2.30	0.096	23
494814	Soil	<2	40	13	84	<0.5	25	20	1024	4.63	<5	<20	4	350	<0.4	<5	<5	183	2.50	0.077	19
494815	Soil	<2	19	12	90	<0.5	13	12	648	3.68	<5	<20	5	495	<0.4	<5	<5	114	2.07	0.045	20
494816	Soil	<2	30	12	71	<0.5	17	11	757	3.06	<5	<20	5	432	<0.4	<5	<5	99	1.79	0.039	20
494817	Soil	<2	75	8	92	<0.5	34	47	1038	8.35	<5	<20	3	235	<0.4	<5	<5	393	4.71	0.073	16
494818	Soil	<2	28	16	59	<0.5	22	11	534	3.23	7	<20	5	393	<0.4	<5	<5	110	1.64	0.026	20
494819	Soil	<2	31	15	87	<0.5	22	13	676	3.92	7	<20	5	324	<0.4	<5	<5	131	1.63	0.069	23
494820	Soil	<2	18	15	111	<0.5	17	14	826	4.67	6	<20	5	396	<0.4	<5	<5	133	1.94	0.147	17
494821	Soil	<2	26	13	50	<0.5	14	8	418	2.23	<5	<20	4	455	<0.4	<5	<5	65	2.19	0.079	16
494822	Soil	<2	38	15	64	<0.5	21	13	590	3.26	<5	<20	6	421	<0.4	<5	<5	89	2.27	0.087	21
494823	Soil	<2	15	14	98	<0.5	16	14	852	4.56	<5	<20	5	434	<0.4	<5	<5	142	2.16	0.109	16
494827	Soil	<2	28	14	61	<0.5	15	9	498	2.62	<5	<20	5	429	<0.4	<5	<5	79	2.28	0.086	23
494828	Soil	<2	25	12	54	<0.5	13	9	488	2.74	<5	<20	6	424	<0.4	<5	<5	71	2.11	0.087	23
494829	Soil	<2	21	13	58	<0.5	17	12	1189	3.24	<5	<20	6	430	<0.4	<5	<5	86	2.44	0.099	23
494830	Soil	<2	20	13	54	<0.5	14	10	621	2.96	<5	<20	5	449	<0.4	<5	<5	90	2.43	0.080	24
494831	Soil	<2	32	11	48	<0.5	12	8	442	2.14	<5	<20	4	502	<0.4	<5	<5	56	2.44	0.069	18
494832	Soil	<2	21	13	56	<0.5	19	9	509	2.88	5	<20	4	458	<0.4	<5	<5	102	1.99	0.079	17
494833	Soil	<2	27	13	57	<0.5	15	11	1014	2.64	<5	<20	5	436	<0.4	<5	<5	67	2.24	0.074	19
494834	Soil	<2	23	17	60	<0.5	21	11	585	3.35	5	<20	6	369	<0.4	<5	<5	100	2.08	0.089	21
494835	Soil	<2	19	14	60	<0.5	17	11	587	3.24	<5	<20	4	443	<0.4	<5	<5	109	2.10	0.040	18
494836	Soil	<2	32	14	59	<0.5	14	10	556	2.87	<5	<20	5	469	<0.4	<5	<5	79	2.09	0.089	18
494837	Soil	<2	25	11	49	<0.5	5	6	395	1.87	<5	<20	3	581	<0.4	<5	<5	41	2.04	0.055	14
494838	Soil	<2	23	10	52	<0.5	8	6	384	2.12	<5	<20	5	457	<0.4	<5	<5	57	1.66	0.045	24
494839	Soil	<2	22	14	60	<0.5	13	10	471	3.15	<5	<20	6	457	<0.4	<5	<5	106	1.79	0.046	19
494841	Soil	<2	32	13	55	<0.5	23	14	1481	3.14	<5	<20	6	383	<0.4	<5	<5	96	2.20	0.095	23
494842	Soil	<2	31	10	51	<0.5	13	9	576	2.42	<5	<20	4	510	<0.4	<5	<5	69	2.39	0.091	16
494843	Soil	<2	21	11	49	<0.5	5	6	453	1.77	<5	<20	3	575	<0.4	<5	<5	39	2.08	0.061	14
494844	Soil	<2	21	9	49	<0.5	5	6	454	1.86	<5	<20	4	588	<0.4	<5	<5	42	2.10	0.059	14
494845	Soil	<2	46	13	47	<0.5	19	10	980	2.45	<5	<20	5	405	<0.4	<5	<5	67	2.36	0.096	21
494846	Soil	<2	36	10	56	<0.5	17	10	663	2.75	<5	<20	4	482	<0.4	<5	<5	75	2.25	0.066	20



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: September 04, 2020

Page: 2 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000208.1

Method	Analyte	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115
		Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc	S	Au	
Unit		ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	
MDL		2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1	0.1	0.5	
494813	Soil	43	1.44	1037	0.48	7.33	2.08	1.68	<4	39	<2	16	9	1	13	<0.1	3.5	
494814	Soil	56	1.84	871	0.48	6.87	2.00	1.43	<4	68	3	15	8	1	19	<0.1	1.9	
494815	Soil	27	1.10	991	0.45	7.65	2.41	1.79	<4	79	3	15	10	1	11	<0.1	0.7	
494816	Soil	35	0.89	980	0.39	7.05	2.26	1.78	<4	82	3	12	9	1	9	<0.1	<0.5	
494817	Soil	42	4.76	612	0.71	6.96	1.50	1.06	<4	44	3	26	6	1	50	<0.1	<0.5	
494818	Soil	48	0.87	1066	0.39	7.10	2.18	1.58	<4	56	3	11	9	1	10	<0.1	1.0	
494819	Soil	58	1.05	952	0.50	7.17	1.92	1.53	<4	54	4	15	11	1	12	<0.1	15.2	
494820	Soil	40	1.26	1069	0.54	8.00	1.95	1.76	<4	44	4	20	14	2	13	<0.1	<0.5	
494821	Soil	32	0.62	940	0.25	6.33	2.14	1.55	<4	76	2	12	6	1	8	<0.1	<0.5	
494822	Soil	48	0.84	987	0.30	6.60	2.05	1.55	<4	68	4	16	6	1	11	<0.1	2.1	
494823	Soil	39	1.28	939	0.50	7.72	2.05	1.57	<4	51	3	17	10	2	13	<0.1	<0.5	
494827	Soil	43	0.81	1001	0.33	6.63	2.10	1.53	<4	62	2	15	7	1	11	<0.1	2.2	
494828	Soil	39	0.74	956	0.32	6.50	2.10	1.55	<4	69	<2	15	8	1	10	<0.1	3.6	
494829	Soil	42	0.85	972	0.33	6.42	1.94	1.36	<4	54	<2	17	7	1	11	<0.1	1.6	
494830	Soil	46	0.89	922	0.39	6.61	2.08	1.40	<4	58	2	16	8	1	11	<0.1	1.0	
494831	Soil	22	0.69	846	0.23	6.53	2.24	1.70	<4	98	<2	11	5	1	7	<0.1	1.3	
494832	Soil	62	0.83	1138	0.33	6.75	2.27	1.58	<4	39	2	13	8	1	11	<0.1	1.2	
494833	Soil	37	0.72	930	0.27	6.55	2.12	1.58	<4	77	<2	12	6	1	9	<0.1	0.9	
494834	Soil	62	0.99	966	0.38	6.63	1.88	1.35	<4	45	5	16	8	1	13	<0.1	6.1	
494835	Soil	50	1.04	968	0.40	6.90	2.22	1.63	<4	60	3	13	8	1	12	<0.1	<0.5	
494836	Soil	35	0.76	936	0.31	6.97	2.19	1.69	<4	88	3	13	7	1	10	<0.1	0.8	
494837	Soil	6	0.62	868	0.22	7.02	2.69	2.20	<4	137	<2	8	5	1	5	<0.1	<0.5	
494838	Soil	20	0.59	902	0.24	6.98	2.25	1.92	<4	105	<2	15	6	1	7	<0.1	<0.5	
494839	Soil	34	0.86	926	0.36	7.35	2.28	1.82	<4	89	3	10	7	1	9	<0.1	2.0	
494841	Soil	54	0.89	937	0.34	6.45	1.89	1.29	<4	55	2	18	7	1	12	<0.1	1.2	
494842	Soil	27	0.82	847	0.25	6.66	2.19	1.57	<4	84	<2	11	5	1	8	<0.1	<0.5	
494843	Soil	7	0.57	893	0.20	7.02	2.76	2.20	<4	133	<2	7	5	1	4	<0.1	<0.5	
494844	Soil	7	0.62	866	0.21	7.06	2.71	2.19	<4	135	<2	7	5	1	4	<0.1	<0.5	
494845	Soil	39	0.63	904	0.26	5.96	1.88	1.37	<4	75	<2	16	6	1	10	<0.1	1.2	
494846	Soil	35	0.80	930	0.27	6.76	2.11	1.55	<4	75	<2	15	6	1	10	<0.1	2.1	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: September 04, 2020

Page: 3 of 3

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000208.1

Method Analyte Unit MDL	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	
	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	
	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01	0.002	2	
494847	Soil	<2	23	11	55	<0.5	13	9	517	2.65	<5	<20	4	532	<0.4	<5	<5	76	2.10	0.057	14
494848	Soil	<2	40	16	72	<0.5	33	13	673	3.59	8	<20	6	403	<0.4	<5	<5	122	2.21	0.067	24
494849	Soil	<2	36	15	66	<0.5	28	12	563	3.46	6	<20	5	435	<0.4	<5	<5	109	2.11	0.077	22
494850	Soil	<2	55	12	52	<0.5	16	10	558	2.76	<5	<20	5	461	<0.4	<5	<5	77	2.24	0.077	20
494851	Soil	<2	20	12	53	<0.5	14	9	420	2.85	<5	<20	4	416	<0.4	<5	<5	77	2.32	0.065	20
494852	Soil	<2	8	16	82	<0.5	9	10	509	3.49	<5	<20	5	422	<0.4	<5	<5	102	1.08	0.090	20
494853	Soil	<2	22	17	92	<0.5	25	12	570	4.10	10	<20	5	309	0.4	<5	<5	135	1.40	0.068	22
494854	Soil	<2	25	11	84	<0.5	22	12	591	4.05	8	<20	6	330	<0.4	<5	<5	128	1.27	0.045	20
494855	Soil	<2	25	15	66	<0.5	21	11	535	3.49	6	<20	5	371	<0.4	<5	<5	109	2.02	0.098	24
494857	Soil	<2	63	12	49	<0.5	34	9	388	2.70	5	<20	5	330	<0.4	<5	<5	77	2.69	0.102	22
494858	Soil	<2	22	13	87	<0.5	20	12	660	4.03	7	<20	5	525	<0.4	<5	<5	128	2.18	0.100	14
494860	Soil	<2	21	11	55	<0.5	19	11	564	3.31	6	<20	4	413	<0.4	<5	<5	109	2.24	0.070	16
494861	Soil	<2	28	7	43	<0.5	5	6	640	1.56	<5	24	2	486	<0.4	<5	<5	30	1.92	0.046	12
494862	Soil	<2	24	6	53	<0.5	7	8	512	2.29	<5	<20	3	580	<0.4	<5	<5	59	2.29	0.058	12
494863	Soil	<2	84	19	65	<0.5	30	12	531	3.51	7	<20	5	364	<0.4	<5	<5	105	2.00	0.081	22
494864	Soil	<2	43	13	61	<0.5	12	9	491	2.70	<5	<20	3	552	<0.4	<5	<5	81	2.18	0.074	16
494865	Soil	<2	20	14	155	<0.5	12	17	1787	6.10	<5	<20	2	459	<0.4	<5	<5	166	3.18	0.244	16
494866	Soil	<2	24	14	68	<0.5	27	13	563	3.68	7	<20	6	337	<0.4	<5	<5	123	1.48	0.052	24
494867	Soil	<2	14	18	125	<0.5	12	13	1210	4.90	<5	<20	3	527	<0.4	<5	<5	120	2.26	0.144	13
494868	Soil	<2	13	16	117	<0.5	13	12	838	4.35	<5	<20	4	501	<0.4	<5	<5	107	1.63	0.185	12
494878	Soil	<2	35	20	127	<0.5	10	13	1026	4.69	5	<20	<2	388	<0.4	<5	<5	127	1.43	0.125	13
494879	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
494880	Soil	<2	21	21	94	<0.5	16	10	639	3.73	6	<20	4	360	<0.4	<5	<5	99	1.03	0.059	8
494881	Soil	<2	9	10	98	<0.5	11	11	942	3.76	<5	<20	3	639	<0.4	<5	<5	91	2.05	0.134	11
494882	Soil	<2	18	20	101	<0.5	21	12	477	4.10	10	<20	4	324	<0.4	6	<5	120	1.20	0.075	17
494892	Soil	<2	24	19	94	<0.5	20	11	554	3.78	8	<20	<2	309	<0.4	<5	<5	127	1.40	0.078	20
494893	Soil	<2	33	22	111	<0.5	19	15	1028	4.47	7	<20	3	347	<0.4	<5	<5	126	1.41	0.091	14
494894	Soil	<2	25	20	94	<0.5	14	13	1228	3.16	<5	<20	12	395	<0.4	<5	<5	92	1.52	0.052	19
494895	Soil	<2	22	16	105	<0.5	23	12	683	3.49	7	<20	5	296	<0.4	<5	<5	122	1.32	0.058	21
494896	Soil	<2	31	18	62	<0.5	23	11	397	3.46	9	<20	6	286	<0.4	<5	<5	120	1.32	0.049	22



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: September 04, 2020

Page: 3 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000208.1

Method	Analyte	Unit	MDL	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115	
				Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc	S	Au
				ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	
				2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1	0.1	
494847	Soil			26	0.80	870	0.29	6.99	2.42	1.85	<4	101	2	9	6	1	8	<0.1	<0.5
494848	Soil			69	1.07	1012	0.41	7.11	2.07	1.47	<4	56	4	20	9	2	14	<0.1	1.2
494849	Soil			61	0.95	1013	0.37	6.95	2.08	1.49	<4	60	7	18	8	1	13	<0.1	2.4
494850	Soil			31	0.76	1160	0.27	6.40	2.15	1.58	<4	81	2	15	6	1	9	<0.1	0.5
494851	Soil			33	0.76	1274	0.30	6.41	2.01	1.53	<4	51	2	20	7	1	10	<0.1	1.3
494852	Soil			22	0.75	1347	0.42	8.85	2.81	2.15	<4	28	3	11	13	2	9	<0.1	<0.5
494853	Soil			62	1.13	995	0.46	7.43	1.85	1.50	<4	46	4	15	11	1	12	<0.1	<0.5
494854	Soil			55	1.10	1043	0.44	7.37	1.86	1.48	<4	47	4	12	10	2	12	<0.1	1.7
494855	Soil			55	1.01	943	0.40	6.85	1.96	1.44	<4	60	3	18	8	1	13	<0.1	2.1
494857	Soil			39	0.67	863	0.22	4.80	1.33	1.01	<4	47	4	21	5	1	10	<0.1	1.5
494858	Soil			47	1.05	1175	0.38	7.86	2.34	1.76	<4	39	4	14	9	1	13	<0.1	594.3
494860	Soil			55	1.06	978	0.39	6.69	1.98	1.34	<4	45	2	13	9	1	13	<0.1	1.0
494861	Soil			6	0.40	893	0.15	6.11	2.40	2.00	<4	119	<2	6	4	1	3	<0.1	<0.5
494862	Soil			9	0.75	871	0.24	6.72	2.60	2.05	<4	124	<2	7	5	1	6	<0.1	<0.5
494863	Soil			62	0.91	1087	0.34	6.54	1.82	1.37	<4	50	5	20	8	2	14	<0.1	4.7
494864	Soil			24	0.87	960	0.32	7.13	2.56	2.05	<4	104	3	11	7	1	8	<0.1	1.3
494865	Soil			20	1.83	956	0.57	7.86	1.98	1.27	<4	25	5	27	17	2	21	<0.1	1.0
494866	Soil			57	1.02	1042	0.40	7.37	2.03	1.61	<4	64	3	20	10	2	11	<0.1	0.9
494867	Soil			21	1.52	1136	0.49	8.43	2.33	1.47	<4	27	5	21	14	2	15	<0.1	0.7
494868	Soil			23	1.11	968	0.47	8.24	2.49	1.50	<4	41	5	14	11	2	11	<0.1	0.8
494878	Soil			18	1.18	986	0.47	8.31	2.20	1.75	<4	28	5	16	16	2	12	<0.1	<0.5
494879	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
494880	Soil			24	0.89	1344	0.38	9.24	2.34	2.13	<4	36	4	11	15	2	11	<0.1	<0.5
494881	Soil			23	1.18	1823	0.38	7.96	2.58	2.21	<4	41	2	12	8	2	9	<0.1	<0.5
494882	Soil			48	0.85	1106	0.38	8.15	1.93	1.69	<4	40	2	10	9	2	10	<0.1	<0.5
494892	Soil			54	0.91	940	0.43	6.79	1.85	1.49	<4	57	3	11	10	1	10	<0.1	<0.5
494893	Soil			35	1.15	885	0.48	8.20	2.04	1.22	<4	45	3	16	14	2	12	<0.1	<0.5
494894	Soil			36	0.80	962	0.39	7.12	2.19	1.69	<4	74	4	12	10	1	9	<0.1	0.6
494895	Soil			61	0.87	1048	0.42	6.91	1.90	1.44	<4	46	3	11	9	2	11	<0.1	1.4
494896	Soil			61	0.89	1044	0.39	7.01	1.83	1.50	<4	50	3	11	9	2	11	<0.1	1.4



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: September 04, 2020

Page: 1 of 1

Part: 1 of 2

QUALITY CONTROL REPORT

WHI20000208.1

Method	Analyte	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL		2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01	0.002	2
Pulp Duplicates																					
494814	Soil	<2	40	13	84	<0.5	25	20	1024	4.63	<5	<20	4	350	<0.4	<5	<5	183	2.50	0.077	19
REP 494814	QC																				
494851	Soil	<2	20	12	53	<0.5	14	9	420	2.85	<5	<20	4	416	<0.4	<5	<5	77	2.32	0.065	20
REP 494851	QC	<2	20	14	54	<0.5	15	9	414	2.83	<5	<20	5	415	<0.4	<5	<5	80	2.31	0.067	22
494854	Soil	<2	25	11	84	<0.5	22	12	591	4.05	8	<20	6	330	<0.4	<5	<5	128	1.27	0.045	20
REP 494854	QC																				
494896	Soil	<2	31	18	62	<0.5	23	11	397	3.46	9	<20	6	286	<0.4	<5	<5	120	1.32	0.049	22
REP 494896	QC	<2	30	20	61	<0.5	23	11	397	3.46	9	<20	5	289	<0.4	<5	<5	117	1.34	0.048	23
Reference Materials																					
STD OREAS25A-4A	Standard	<2	32	26	44	<0.5	47	8	503	6.66	9	<20	13	45	<0.4	6	<5	160	0.28	0.051	20
STD OREAS25A-4A	Standard	2	32	26	44	<0.5	47	8	498	6.52	9	<20	14	46	<0.4	5	<5	159	0.28	0.050	21
STD OREAS45H	Standard	<2	810	8	41	0.6	453	93	410	21.34	14	<20	6	28	<0.4	<5	<5	278	0.14	0.025	14
STD OREAS45E	Standard	<2	779	17	47	0.7	476	62	567	25.63	13	<20	11	17	<0.4	<5	<5	328	0.06	0.036	12
STD OREAS901	Standard																				
STD OREAS901	Standard																				
STD OREAS45H Expected		1.55	767	11.9	39.7		423	88	380	19.52	16.9		7.26	27.1				263	0.135	0.023	12.4
STD OREAS45E Expected		2.4	780	18.2	46.7	0.311	454	57	570	24.12	16.3	2.41	12.9	15.9		1		322	0.065	0.034	11
STD OREAS25A-4A Expected		2.41	33.9	25.2	44.4		45.8	7.7	480	6.6	9.94	2.94	15.8	48.5		0.65		157	0.301	0.048	21.8
STD OREAS901 Expected																					
BLK	Blank	<2	<2	<5	<2	<0.5	<2	<2	<5	<0.01	<5	<20	<2	<2	<0.4	<5	<5	<2	<0.01	<0.002	<2
BLK	Blank	<2	<2	<5	<2	<0.5	<2	<2	<5	<0.01	<5	<20	<2	<2	<0.4	<5	<5	<2	<0.01	<0.002	<2
BLK	Blank																				
BLK	Blank																				



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: September 04, 2020

Page: 1 of 1

Part: 2 of 2

QUALITY CONTROL REPORT

WHI20000208.1

Method	Analyte	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115
		Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc	S	Au
Unit		ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb
MDL		2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1	0.1	0.5
Pulp Duplicates																	
494814	Soil	56	1.84	871	0.48	6.87	2.00	1.43	<4	68	3	15	8	1	19	<0.1	1.9
REP 494814	QC																1.4
494851	Soil	33	0.76	1274	0.30	6.41	2.01	1.53	<4	51	2	20	7	1	10	<0.1	1.3
REP 494851	QC	34	0.74	1290	0.29	6.44	1.94	1.54	<4	52	2	19	7	1	10	<0.1	
494854	Soil	55	1.10	1043	0.44	7.37	1.86	1.48	<4	47	4	12	10	2	12	<0.1	1.7
REP 494854	QC																1.7
494896	Soil	61	0.89	1044	0.39	7.01	1.83	1.50	<4	50	3	11	9	2	11	<0.1	1.4
REP 494896	QC	61	0.89	1049	0.39	7.19	1.84	1.51	<4	50	3	11	9	2	11	<0.1	
Reference Materials																	
STD OREAS25A-4A	Standard	114	0.33	149	0.91	9.06	0.14	0.51	<4	159	5	10	18	<1	14	<0.1	
STD OREAS25A-4A	Standard	112	0.32	146	0.92	9.14	0.14	0.50	<4	159	5	11	18	<1	14	<0.1	
STD OREAS45H	Standard	674	0.25	348	0.90	8.41	0.10	0.22	<4	135	3	11	14	1	62	<0.1	
STD OREAS45E	Standard	1034	0.16	250	0.52	6.91	0.06	0.35	<4	98	<2	9	6	<1	95	<0.1	
STD OREAS901	Standard																396.7
STD OREAS901	Standard																388.2
STD OREAS45H Expected		602	0.238	332	0.878	7.99	0.09	0.205		131	1.93	10.4	14.8	1.09	57		
STD OREAS45E Expected		979	0.156	252	0.559	6.78	0.059	0.324	1.07	97	1.32	8.28	6.8	0.62	93	0.046	
STD OREAS25A-4A Expected		115	0.327	147	0.93	8.87	0.131	0.482	2	155	4.06	10.5	20.9	0.93	13.7	0.047	
STD OREAS901 Expected																	363
BLK	Blank	<2	<0.01	<1	<0.01	<0.01	<0.01	<0.01	<4	<2	<2	<2	<2	<1	<1	<0.1	
BLK	Blank	<2	<0.01	<1	<0.01	<0.01	<0.01	<0.01	<4	<2	<2	<2	<2	<1	<1	<0.1	
BLK	Blank																<0.5
BLK	Blank																<0.5