



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Submitted By: Scott Petsel
Receiving Lab: Canada-Whitehorse
Received: August 03, 2020
Analysis Start: September 15, 2020
Report Date: October 14, 2020
Page: 1 of 5

CERTIFICATE OF ANALYSIS

WHI20000217.1

CLIENT JOB INFORMATION

Project: Stu Copper
Shipment ID: STU20-5
P.O. Number
Number of Samples: 115

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2
Canada

CC: Debbie James
Pieter Vanleuzen
Scott Petsel

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	96	Crush, split and pulverize 250 g rock to 200 mesh			WHI
LH402	115	Cu in oxide form, 5% H2SO4	1	Completed	VAN
MA300	115	4 Acid digestion ICP-ES analysis	0.25	Completed	VAN
AQ115-IGN	115	Ignite samples, acid digest, Au by ICP-MS	15	Completed	VAN
SHP01	115	Per sample shipping charges for branch shipments			VAN
SLBHP	14	Sort, label and box pulps			WHI
MA401	6	4 Acid Digest AAS Finish	1	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: October 14, 2020

Page: 2 of 5

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000217.1

Method	WGHT	LH402	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300
Analyte	Wgt	Cu/Ox	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.001	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	5	2	0.01
1904861	Rock	4.30	<0.001	<2	8	14	61	<0.5	2	7	652	2.79	<5	<20	<2	816	<0.4	<5	<5	77	3.15
1904862	Rock	4.65	<0.001	<2	6	12	56	<0.5	<2	7	670	2.79	<5	<20	<2	841	<0.4	<5	<5	74	2.94
1904863	Rock	5.47	0.002	<2	41	22	63	<0.5	3	8	735	3.17	<5	<20	2	821	<0.4	<5	<5	83	3.25
1904864	Rock	4.51	0.002	<2	41	13	60	<0.5	2	7	723	3.04	<5	<20	<2	838	<0.4	<5	<5	79	3.14
1904865	Rock	3.42	0.004	<2	71	13	51	<0.5	<2	6	579	2.45	5	<20	2	696	<0.4	<5	<5	65	2.95
1904866	Rock Pulp	0.08	1.391	66	>10000	9	71	9.5	11	8	368	3.27	6	<20	<2	850	<0.4	<5	16	102	1.84
1904867	Rock	1.58	0.271	<2	3075	16	62	1.7	<2	6	370	1.96	<5	<20	3	647	<0.4	<5	6	61	1.79
1904868	Rock	1.87	0.301	<2	3454	13	64	1.8	2	7	432	2.75	<5	<20	5	665	<0.4	<5	<5	82	2.20
1904869	Rock	2.04	0.264	<2	3233	17	99	2.0	3	11	865	5.11	<5	<20	3	711	<0.4	<5	<5	164	2.58
1904870	Rock	4.23	0.004	<2	58	13	75	<0.5	2	9	815	3.34	<5	<20	<2	808	<0.4	<5	<5	95	3.10
1904871	Rock Pulp	0.08	0.007	2	88	12	60	<0.5	7	7	700	3.33	<5	<20	<2	1412	<0.4	<5	<5	88	3.32
1904872	Rock	5.78	0.002	<2	26	13	64	<0.5	2	7	754	2.87	<5	<20	<2	796	<0.4	<5	<5	78	3.03
1904873	Rock	1.60	0.151	<2	2260	14	63	1.3	<2	5	619	2.56	5	<20	4	562	<0.4	<5	<5	73	2.29
1904874	Rock	1.79	0.286	<2	3704	22	83	2.0	<2	6	838	2.83	<5	<20	5	656	<0.4	<5	<5	77	2.12
1904875	Rock Pulp	0.06	1.393	69	>10000	<5	75	10.1	11	9	378	3.35	<5	<20	<2	895	<0.4	<5	20	106	1.93
1904876	Rock	1.52	0.090	<2	1527	26	56	0.9	<2	4	601	1.87	<5	<20	5	425	<0.4	<5	<5	48	1.63
1904877	Rock	1.67	0.094	<2	2241	22	78	1.4	<2	6	736	2.88	<5	<20	6	683	<0.4	<5	<5	80	2.39
1904878	Rock	1.50	0.130	<2	3214	17	72	1.8	<2	6	682	2.57	<5	<20	7	536	<0.4	<5	<5	75	2.29
1904879	Rock	2.00	0.167	<2	5547	21	111	2.9	2	7	793	3.13	<5	<20	5	670	<0.4	<5	<5	92	2.49
1904880	Rock	3.43	0.088	<2	1807	14	91	1.4	3	10	768	3.36	<5	<20	<2	823	<0.4	<5	<5	95	3.00
1904881	Core DUP		0.082	<2	1777	11	89	1.2	3	10	764	3.35	<5	<20	<2	829	<0.4	<5	<5	92	3.07
1904882	Rock	4.48	<0.001	<2	7	7	57	<0.5	<2	6	631	2.47	<5	<20	<2	800	<0.4	<5	<5	64	2.76
1904883	Rock	3.96	<0.001	<2	8	12	54	<0.5	<2	6	559	2.41	<5	<20	<2	746	<0.4	<5	<5	63	2.73
1904884	Rock	4.42	<0.001	<2	4	8	60	<0.5	<2	6	625	2.56	<5	<20	2	744	<0.4	<5	<5	69	3.07
1904885	Rock	4.83	<0.001	<2	<2	10	59	<0.5	<2	6	664	2.70	<5	<20	<2	811	<0.4	<5	<5	72	3.04
1904886	Rock	4.51	<0.001	<2	3	12	61	<0.5	2	7	683	2.83	<5	<20	<2	810	<0.4	<5	<5	75	3.08
1904887	Rock Pulp	0.10	0.813	10	8943	14	71	3.8	8	10	673	3.83	<5	<20	<2	1174	<0.4	<5	<5	103	2.58
1904888	Rock	4.73	<0.001	<2	6	10	62	<0.5	<2	7	694	2.82	<5	<20	<2	796	<0.4	<5	<5	75	2.98
1904889	Rock	3.30	<0.001	<2	11	13	61	<0.5	2	7	693	2.84	<5	<20	2	772	<0.4	<5	<5	76	3.21
1904890	Rock	3.43	0.001	<2	80	<5	97	<0.5	15	22	1081	5.63	<5	<20	4	704	<0.4	<5	<5	174	4.39



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: October 14, 2020

Page: 2 of 5

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000217.1

Method	Analyte	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115	MA401
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc	S	Au	Cu
Unit		%	ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	%
MDL		0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1	0.1	0.5	0.001
1904861	Rock	0.076	9	5	0.77	1657	0.24	8.69	3.76	1.66	<4	7	<2	11	5	1	7	<0.1	<0.5	
1904862	Rock	0.073	9	5	0.83	2064	0.24	8.72	3.75	1.91	<4	8	<2	10	5	1	7	<0.1	<0.5	
1904863	Rock	0.087	10	5	0.96	1657	0.28	8.98	3.77	1.77	<4	7	<2	11	5	1	8	<0.1	<0.5	
1904864	Rock	0.077	9	5	0.85	1352	0.25	8.67	3.81	1.65	<4	7	<2	11	6	1	7	<0.1	<0.5	
1904865	Rock	0.063	8	4	0.56	1767	0.21	8.01	3.22	2.11	<4	7	<2	9	5	1	7	<0.1	<0.5	
1904866	Rock Pulp	0.094	11	24	0.90	1297	0.29	8.69	3.65	1.61	23	11	<2	9	4	1	7	<0.1	596.8	1.732
1904867	Rock	0.072	12	5	0.65	1830	0.20	7.80	2.71	3.41	<4	8	<2	8	6	1	5	<0.1	136.8	
1904868	Rock	0.093	14	5	0.80	1763	0.26	8.07	2.76	2.78	<4	11	<2	9	7	1	7	<0.1	207.1	
1904869	Rock	0.114	18	10	1.14	2025	0.40	8.05	2.71	2.64	<4	11	<2	16	9	1	10	<0.1	153.3	
1904870	Rock	0.084	8	7	0.95	1675	0.27	8.73	3.64	1.94	<4	8	<2	16	8	2	8	<0.1	1.6	
1904871	Rock Pulp	0.085	3	20	0.71	939	0.23	10.27	5.64	0.94	<4	9	<2	15	8	2	7	<0.1	2.3	
1904872	Rock	0.074	8	5	0.83	1630	0.24	8.60	3.66	1.88	<4	8	<2	14	7	1	7	<0.1	<0.5	
1904873	Rock	0.079	9	5	0.46	1180	0.21	7.77	2.99	2.24	<4	17	<2	10	7	1	6	<0.1	127.2	
1904874	Rock	0.084	11	5	0.61	1588	0.23	7.86	2.74	2.89	<4	10	<2	8	7	1	6	<0.1	186.1	
1904875	Rock Pulp	0.099	10	26	0.92	1351	0.30	9.15	3.86	1.67	23	11	<2	9	4	1	8	<0.1	540.8	1.745
1904876	Rock	0.056	8	4	0.36	886	0.14	7.18	2.73	3.10	<4	21	<2	7	6	1	4	<0.1	89.8	
1904877	Rock	0.094	12	4	0.68	1541	0.24	8.02	2.62	3.20	<4	11	<2	10	7	1	6	<0.1	114.5	
1904878	Rock	0.090	11	4	0.56	1223	0.23	7.49	2.12	2.96	<4	13	<2	9	7	1	6	<0.1	195.2	
1904879	Rock	0.109	9	5	0.86	1396	0.30	8.14	2.69	3.04	<4	11	<2	10	8	1	7	0.2	313.9	
1904880	Rock	0.120	4	8	1.07	1594	0.35	9.51	3.86	2.34	<4	11	<2	11	8	2	6	<0.1	117.1	
1904881	Core DUP	0.115	4	7	1.09	1671	0.35	9.75	3.98	2.38	<4	10	<2	10	7	1	6	<0.1	115.7	
1904882	Rock	0.069	7	5	0.75	1953	0.22	8.31	3.58	1.97	<4	7	<2	14	8	1	7	<0.1	<0.5	
1904883	Rock	0.066	8	4	0.64	1899	0.21	8.17	3.47	2.05	<4	10	<2	9	5	1	6	<0.1	<0.5	
1904884	Rock	0.072	9	4	0.66	1651	0.22	8.19	3.47	1.75	<4	7	<2	10	6	2	7	<0.1	<0.5	
1904885	Rock	0.073	9	5	0.79	1798	0.23	8.28	3.59	1.70	<4	6	<2	10	5	1	7	<0.1	<0.5	
1904886	Rock	0.075	9	5	0.81	1777	0.24	8.46	3.76	1.74	<4	8	<2	10	5	2	7	<0.1	<0.5	
1904887	Rock Pulp	0.116	6	19	1.02	1460	0.30	9.90	4.94	1.33	<4	13	<2	13	6	1	7	<0.1	474.0	
1904888	Rock	0.076	8	6	0.81	1998	0.24	8.42	3.65	1.96	<4	8	<2	10	6	2	7	<0.1	<0.5	
1904889	Rock	0.077	9	5	0.80	1612	0.24	8.31	3.49	1.76	<4	7	<2	10	5	2	7	<0.1	<0.5	
1904890	Rock	0.138	23	15	2.32	1193	0.49	8.94	3.04	1.75	<4	27	<2	19	5	1	18	<0.1	<0.5	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: October 14, 2020

Page: 3 of 5

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000217.1

Method	WGHT	LH402	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	
Analyte	Wgt	Cu/Ox	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.001	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01	
1904891	Rock	5.22	<0.001	<2	27	10	57	<0.5	<2	6	579	2.61	<5	<20	<2	823	<0.4	<5	<5	69	3.01
1904892	Rock	4.34	<0.001	<2	7	8	47	<0.5	<2	5	526	2.25	<5	<20	<2	736	<0.4	<5	<5	58	2.68
1904893	Pulp DUP		<0.001	<2	5	9	48	<0.5	<2	5	523	2.24	<5	<20	<2	723	<0.4	<5	<5	59	2.67
1904894	Rock	4.71	<0.001	<2	<2	14	60	<0.5	2	7	733	2.99	<5	<20	2	721	<0.4	<5	<5	81	2.83
1904895	Rock	4.77	<0.001	<2	<2	15	52	<0.5	<2	6	590	2.54	<5	<20	<2	747	<0.4	<5	<5	67	2.92
1904896	Rock	4.26	<0.001	<2	<2	20	79	<0.5	<2	6	566	2.32	<5	<20	<2	528	<0.4	<5	<5	63	2.99
1904897	Rock	4.59	<0.001	<2	15	16	110	<0.5	3	7	589	2.68	<5	<20	<2	343	<0.4	<5	<5	70	2.90
1904898	Rock	4.07	<0.001	<2	4	16	66	<0.5	2	7	736	2.68	<5	<20	<2	579	<0.4	<5	<5	64	3.95
1904899	Rock Pulp	0.10	0.818	9	8739	12	77	4.0	9	11	694	3.92	<5	<20	<2	1228	<0.4	<5	<5	107	2.55
1904900	Rock	4.67	<0.001	<2	14	13	57	<0.5	<2	7	577	2.74	<5	<20	<2	733	<0.4	<5	<5	72	2.99
1904901	Rock	5.50	<0.001	<2	4	13	53	<0.5	2	6	602	2.54	<5	<20	<2	730	<0.4	<5	<5	65	3.03
1904902	Rock	4.42	<0.001	<2	2	12	56	<0.5	2	7	582	2.70	<5	<20	<2	743	<0.4	<5	<5	70	2.82
1904903	Rock	2.16	<0.001	2	8	11	55	<0.5	2	6	562	2.63	<5	<20	<2	710	<0.4	<5	<5	72	3.21
1904904	Rock	3.60	<0.001	2	5	11	55	<0.5	2	6	624	2.75	<5	<20	<2	691	<0.4	<5	<5	73	3.72
1904905	Rock	3.80	<0.001	2	2	12	58	<0.5	2	6	497	2.67	<5	<20	<2	801	<0.4	<5	<5	71	3.08
1904906	Rock Pulp	0.09	0.007	2	82	13	63	<0.5	7	7	681	3.22	<5	<20	<2	1395	<0.4	<5	<5	85	3.09
1904907	Rock	2.90	<0.001	5	12	11	51	<0.5	2	6	416	2.58	<5	<20	<2	724	<0.4	<5	<5	70	2.92
1904908	Rock	3.05	<0.001	<2	42	9	54	<0.5	3	8	569	2.68	<5	<20	2	515	<0.4	<5	<5	72	3.26
1904909	Rock	2.76	0.008	<2	355	6	58	<0.5	3	7	519	2.63	<5	<20	3	422	<0.4	<5	<5	78	2.62
1904910	Rock	3.56	0.047	<2	2811	13	61	1.2	3	8	454	2.86	8	<20	5	620	<0.4	6	<5	91	3.10
1904911	Rock Pulp	0.12	1.425	66	>10000	10	72	10.0	11	9	381	3.34	<5	<20	<2	916	<0.4	<5	15	101	1.89
1904912	Rock	2.58	0.029	14	2140	10	58	1.3	2	7	445	2.76	9	<20	4	487	<0.4	<5	<5	88	3.27
1904913	Rock	4.31	0.030	15	2120	9	45	1.0	3	7	397	2.68	<5	25	5	650	<0.4	<5	<5	86	2.98
1904914	Rock	4.06	0.028	5	1605	10	49	0.7	2	7	487	2.78	<5	52	4	580	<0.4	5	<5	83	2.61
1904915	Rock Pulp	0.07	0.008	2	85	7	60	<0.5	7	7	708	3.33	<5	<20	<2	1447	<0.4	<5	<5	88	3.23
1904916	Rock	4.22	0.016	<2	866	11	76	0.6	3	11	726	3.66	<5	<20	3	663	<0.4	<5	<5	107	3.04
1904917	Rock	4.51	<0.001	<2	17	11	53	<0.5	<2	6	594	2.54	<5	<20	2	762	<0.4	<5	<5	69	2.97
1904918	Rock	4.38	<0.001	<2	13	13	55	<0.5	2	7	668	2.50	<5	<20	<2	653	<0.4	<5	<5	68	3.06
1904919	Rock	4.11	0.007	<2	391	9	50	<0.5	2	6	558	2.31	<5	<20	<2	511	<0.4	<5	<5	65	2.91
1904920	Rock	5.88	<0.001	<2	6	15	58	<0.5	2	7	541	2.46	<5	<20	<2	764	<0.4	<5	<5	69	2.68



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: October 14, 2020

Page: 3 of 5

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000217.1

Method Analyte Unit	MDL	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115	MA401
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc	S	Au	Cu
		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	%	
1904891	Rock	0.079	9	6	0.72	1053	0.22	8.28	3.71	1.35	<4	10	<2	10	6	1	6	<0.1	<0.5	
1904892	Rock	0.059	7	5	0.55	1826	0.19	8.10	3.39	2.16	<4	11	<2	8	5	1	5	<0.1	<0.5	
1904893	Pulp DUP	0.061	8	5	0.55	1763	0.19	8.08	3.33	2.07	<4	12	<2	8	5	1	6	<0.1	<0.5	
1904894	Rock	0.075	10	8	0.82	2509	0.24	8.05	2.96	2.48	<4	10	<2	11	6	1	8	<0.1	<0.5	
1904895	Rock	0.069	8	8	0.53	1842	0.20	8.06	3.06	2.17	<4	10	<2	8	4	2	6	<0.1	1.4	
1904896	Rock	0.066	8	7	0.76	1990	0.20	8.11	2.22	2.22	<4	12	<2	8	5	1	6	<0.1	<0.5	
1904897	Rock	0.067	8	7	0.61	774	0.20	8.05	2.01	2.15	<4	12	<2	7	5	2	6	<0.1	2.0	
1904898	Rock	0.064	8	6	0.63	1575	0.19	7.66	2.53	2.13	<4	12	<2	10	6	2	6	<0.1	<0.5	
1904899	Rock Pulp	0.120	6	20	1.03	1481	0.30	9.65	4.36	1.33	<4	13	3	12	6	2	7	<0.1	393.2	
1904900	Rock	0.074	7	8	0.63	1809	0.22	7.93	2.99	1.78	<4	7	<2	11	7	2	7	<0.1	1.5	
1904901	Rock	0.068	7	8	0.58	2025	0.20	7.99	3.10	2.05	<4	8	<2	15	8	2	6	<0.1	<0.5	
1904902	Rock	0.071	8	7	0.52	1766	0.21	8.12	3.11	2.00	<4	8	<2	15	8	2	7	<0.1	0.5	
1904903	Rock	0.074	6	7	0.32	1622	0.22	7.91	3.11	1.92	<4	7	<2	15	8	2	7	<0.1	<0.5	
1904904	Rock	0.073	8	6	0.28	1844	0.22	7.89	2.81	2.05	<4	8	<2	14	8	2	7	<0.1	1.3	
1904905	Rock	0.072	6	7	0.34	1848	0.22	7.86	3.18	1.88	<4	7	<2	13	8	2	7	<0.1	<0.5	
1904906	Rock Pulp	0.084	3	19	0.67	930	0.21	9.54	4.82	0.89	<4	8	<2	14	8	2	7	<0.1	5.7	
1904907	Rock	0.073	6	7	0.18	1728	0.22	7.71	2.81	1.87	<4	6	<2	12	8	2	8	<0.1	<0.5	
1904908	Rock	0.066	9	6	0.68	1166	0.18	7.70	2.74	2.24	<4	9	<2	11	5	1	8	<0.1	<0.5	
1904909	Rock	0.079	11	6	0.67	601	0.22	8.11	2.46	2.17	<4	20	<2	9	6	2	7	<0.1	12.8	
1904910	Rock	0.111	17	7	0.70	2800	0.26	7.54	1.92	2.41	<4	7	<2	10	7	1	7	0.2	63.3	
1904911	Rock Pulp	0.099	10	24	0.91	1326	0.28	8.62	3.42	1.65	17	12	<2	9	5	1	8	<0.1	579.7 1.686	
1904912	Rock	0.104	14	6	0.92	1840	0.25	8.14	1.90	2.41	<4	10	<2	9	6	2	7	0.2	50.1	
1904913	Rock	0.115	17	7	0.85	1751	0.26	7.84	2.20	2.56	<4	7	<2	11	8	1	7	0.1	51.3	
1904914	Rock	0.108	15	6	0.83	2067	0.25	7.70	2.40	2.33	<4	13	<2	11	7	1	7	0.1	27.8	
1904915	Rock Pulp	0.086	3	19	0.69	967	0.22	9.91	4.99	0.93	<4	9	3	14	8	2	8	<0.1	3.4	
1904916	Rock	0.135	18	6	1.10	1849	0.33	7.84	2.63	2.11	<4	10	<2	11	6	1	9	<0.1	18.5	
1904917	Rock	0.069	7	7	0.70	1825	0.21	8.11	2.99	2.09	<4	9	<2	11	7	2	7	<0.1	<0.5	
1904918	Rock	0.071	9	7	0.79	1465	0.21	7.59	2.68	1.95	<4	5	<2	11	6	1	7	<0.1	1.4	
1904919	Rock	0.073	8	6	0.84	1417	0.20	6.97	2.26	2.05	<4	7	<2	9	5	1	5	<0.1	10.9	
1904920	Rock	0.069	8	7	0.61	1610	0.21	7.72	3.01	1.96	<4	7	<2	10	6	2	7	<0.1	<0.5	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: October 14, 2020

Page: 4 of 5

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000217.1

Method	WGHT	LH402	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	
Analyte	Wgt	Cu/Ox	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.001	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01	
1904921	Core DUP	<0.001	<2	5	10	57	<0.5	2	7	539	2.47	<5	<20	<2	759	<0.4	<5	<5	68	2.67	
1904922	Rock	5.31	<0.001	<2	<2	12	59	<0.5	2	7	652	2.72	<5	<20	<2	861	<0.4	<5	<5	70	2.86
1904923	Rock	3.19	<0.001	<2	<2	13	56	<0.5	2	7	610	2.52	<5	<20	<2	833	<0.4	<5	<5	66	2.72
1904924	Rock	3.98	<0.001	<2	<2	8	58	<0.5	2	7	701	2.69	<5	<20	<2	764	<0.4	<5	<5	70	2.93
1904925	Rock	3.14	<0.001	<2	8	9	53	<0.5	2	7	639	2.59	<5	<20	2	774	<0.4	<5	<5	71	3.35
1904926	Rock	2.35	0.028	7	1558	10	50	0.7	2	7	527	2.48	<5	<20	4	573	<0.4	<5	<5	84	2.84
1904927	Rock Pulp	0.11	0.838	9	8704	6	73	4.1	9	10	686	3.85	<5	<20	<2	1205	<0.4	<5	<5	107	2.50
1904928	Rock	2.62	0.004	<2	224	9	64	0.8	2	7	576	2.61	<5	<20	3	461	<0.4	9	<5	73	2.29
1904929	Rock	2.10	<0.001	<2	2	13	76	<0.5	<2	5	743	2.75	8	<20	<2	479	0.4	7	<5	68	2.67
1904930	Rock	2.24	0.003	9	277	78	206	2.0	<2	7	648	2.60	37	<20	<2	292	1.1	121	<5	76	0.72
1904931	Rock	2.37	<0.001	<2	11	15	66	<0.5	<2	6	730	2.85	7	<20	<2	516	<0.4	7	<5	68	2.91
1904932	Rock	2.68	<0.001	<2	7	17	68	<0.5	<2	6	766	2.56	7	<20	<2	428	<0.4	<5	<5	65	3.42
1904933	Pulp DUP	<0.001	<2	12	19	70	<0.5	<2	6	780	2.57	5	<20	<2	438	<0.4	<5	<5	67	3.52	
1904934	Rock	2.84	<0.001	<2	<2	17	82	<0.5	<2	5	705	2.44	<5	<20	<2	317	<0.4	<5	<5	63	3.39
1904935	Rock	4.30	<0.001	<2	<2	14	45	<0.5	<2	4	514	2.05	<5	<20	<2	695	<0.4	<5	<5	49	2.59
1904936	Rock	4.75	<0.001	<2	4	9	56	<0.5	<2	6	639	2.76	<5	<20	<2	762	<0.4	<5	<5	74	2.89
1904937	Rock	5.39	<0.001	<2	4	12	56	<0.5	<2	6	635	2.63	5	<20	<2	770	<0.4	<5	<5	75	2.98
1904938	Rock	4.53	<0.001	<2	<2	8	53	<0.5	<2	5	636	2.54	<5	<20	<2	717	<0.4	<5	<5	68	3.02
1904939	Rock	3.82	<0.001	<2	<2	11	49	<0.5	<2	5	614	2.44	<5	<20	<2	710	<0.4	<5	<5	67	3.09
1904940	Rock Pulp	0.09	0.007	<2	79	9	54	<0.5	6	6	694	3.27	<5	<20	<2	1367	<0.4	<5	<5	84	3.28
1904941	Rock	4.77	<0.001	<2	<2	14	61	<0.5	<2	6	690	2.82	<5	<20	<2	890	<0.4	<5	<5	71	3.26
1904942	Rock	4.85	<0.001	<2	14	9	52	<0.5	<2	5	543	2.47	5	<20	<2	720	<0.4	<5	<5	63	2.81
1904943	Rock	5.02	<0.001	<2	<2	13	55	<0.5	<2	5	586	2.53	<5	<20	<2	755	<0.4	<5	<5	67	2.95
1904944	Rock	3.66	<0.001	<2	17	9	56	<0.5	<2	5	627	2.53	6	<20	<2	563	<0.4	<5	<5	68	2.72
1904945	Rock	3.36	0.002	<2	42	9	60	<0.5	<2	6	650	2.71	7	<20	<2	472	<0.4	<5	<5	66	2.72
1904946	Rock	1.66	0.011	<2	453	7	63	<0.5	<2	5	537	2.50	6	<20	<2	581	<0.4	<5	<5	72	2.49
1904947	Rock Pulp	0.08	1.410	67	>10000	6	70	10.0	11	9	379	3.36	<5	<20	<2	887	<0.4	<5	15	102	1.87
1904948	Rock	5.57	0.009	<2	381	15	59	<0.5	<2	5	528	2.58	5	<20	2	546	<0.4	<5	<5	78	2.38
1904949	Rock	1.88	0.002	<2	118	12	77	<0.5	<2	6	638	2.73	<5	<20	<2	818	<0.4	<5	<5	78	2.93
1904950	Rock	1.54	0.013	<2	514	12	73	0.5	<2	6	651	2.78	<5	<20	<2	582	<0.4	<5	<5	83	3.29



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: October 14, 2020

Page: 4 of 5

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000217.1

Method	Analyte	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115	MA401
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc	S	Au	Cu
Unit		%	ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	%
MDL		0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	1	1	0.1	0.5	0.001	
1904921	Core DUP	0.069	8	7	0.62	1621	0.20	7.82	2.98	1.98	<4	7	<2	10	6	2	7	<0.1	0.9	
1904922	Rock	0.076	9	8	0.81	2177	0.23	8.07	3.18	2.01	<4	6	<2	11	6	2	7	<0.1	<0.5	
1904923	Rock	0.067	7	8	0.71	1898	0.21	7.69	3.18	1.95	<4	9	<2	10	6	2	6	<0.1	<0.5	
1904924	Rock	0.074	7	7	0.80	1658	0.22	7.93	3.19	1.83	<4	7	<2	12	8	2	7	<0.1	<0.5	
1904925	Rock	0.071	9	7	0.73	1903	0.21	8.14	2.93	1.98	<4	6	<2	13	7	2	8	<0.1	<0.5	
1904926	Rock	0.098	12	7	0.68	1857	0.24	7.88	2.08	2.13	<4	6	<2	10	7	1	6	<0.1	38.6	
1904927	Rock Pulp	0.121	5	20	1.01	1456	0.30	9.55	4.33	1.33	<4	14	2	12	7	2	7	<0.1	455.5	
1904928	Rock	0.081	12	6	0.55	977	0.22	8.02	1.92	1.72	<4	7	<2	8	6	1	6	<0.1	11.6	
1904929	Rock	0.072	9	5	0.45	1942	0.20	8.12	2.07	2.10	<4	7	<2	10	6	1	7	<0.1	0.6	
1904930	Rock	0.095	14	5	0.38	1928	0.24	7.50	0.87	2.29	<4	6	<2	6	7	2	7	0.2	13.4	
1904931	Rock	0.071	7	5	0.58	2238	0.22	8.13	2.27	2.16	<4	5	<2	9	6	1	6	<0.1	2.9	
1904932	Rock	0.067	7	6	0.58	1837	0.21	7.75	1.63	1.83	<4	7	<2	10	6	1	6	<0.1	0.8	
1904933	Pulp DUP	0.070	7	5	0.59	1945	0.21	7.65	1.66	1.89	<4	8	<2	10	7	1	6	<0.1	<0.5	
1904934	Rock	0.066	6	5	0.65	1595	0.20	7.70	1.45	1.91	<4	8	<2	10	6	1	6	<0.1	<0.5	
1904935	Rock	0.049	5	5	0.45	2138	0.16	7.82	2.90	2.42	<4	12	<2	7	4	1	4	<0.1	<0.5	
1904936	Rock	0.078	8	6	0.56	2095	0.23	8.27	3.52	2.21	<4	7	<2	9	6	2	7	<0.1	<0.5	
1904937	Rock	0.081	8	5	0.52	2068	0.24	8.59	3.38	2.30	<4	7	<2	10	8	2	7	<0.1	<0.5	
1904938	Rock	0.072	6	5	0.47	1518	0.21	7.79	3.12	1.82	<4	6	<2	10	8	1	7	<0.1	<0.5	
1904939	Rock	0.070	5	5	0.46	2012	0.21	8.03	3.17	2.10	<4	6	<2	9	8	1	6	<0.1	<0.5	
1904940	Rock Pulp	0.084	2	18	0.68	959	0.22	9.84	5.53	0.95	<4	9	<2	14	8	2	7	<0.1	4.5	
1904941	Rock	0.077	9	4	0.62	1959	0.25	8.49	3.67	2.08	<4	8	<2	13	10	2	6	<0.1	<0.5	
1904942	Rock	0.068	7	5	0.46	2282	0.20	8.14	3.14	2.20	<4	5	<2	9	8	1	6	<0.1	<0.5	
1904943	Rock	0.069	6	5	0.42	2063	0.22	8.16	3.44	2.14	<4	6	<2	11	8	1	6	<0.1	<0.5	
1904944	Rock	0.074	5	5	0.42	2098	0.20	7.98	2.91	2.25	<4	5	<2	9	8	1	6	<0.1	<0.5	
1904945	Rock	0.079	10	6	0.51	1651	0.20	8.82	2.77	2.12	<4	5	<2	11	7	1	7	<0.1	<0.5	
1904946	Rock	0.083	9	5	0.48	1621	0.21	8.02	3.11	1.83	<4	6	<2	7	6	1	5	<0.1	6.4	
1904947	Rock Pulp	0.101	8	26	0.91	1396	0.29	8.61	3.90	1.71	23	12	2	9	5	1	8	<0.1	634.6 1.833	
1904948	Rock	0.087	9	5	0.55	1651	0.21	7.97	3.00	2.22	<4	6	<2	8	6	1	7	<0.1	6.5	
1904949	Rock	0.086	8	3	0.62	2161	0.23	8.10	3.37	2.28	<4	6	<2	9	7	2	8	<0.1	2.5	
1904950	Rock	0.102	8	6	0.58	1132	0.24	8.15	2.89	1.95	<4	6	<2	8	6	2	7	<0.1	8.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: October 14, 2020

Page: 5 of 5

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000217.1

Method	WGHT	LH402	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300
Analyte	Wgt	Cu/Ox	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.001	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	5	2	0.01
1904951	Rock	1.61	0.031	2	1522	26	97	1.0	5	7	734	3.67	13	<20	<2	509	<0.4	8	<5	81	3.09
1904952	Rock	4.17	0.002	<2	72	29	72	0.6	<2	6	494	2.61	11	<20	<2	599	<0.4	18	<5	62	2.64
1904953	Core DUP		0.002	<2	67	22	71	0.6	<2	6	485	2.60	10	<20	<2	596	<0.4	16	<5	62	2.61
1904954	Rock	3.83	0.021	<2	1226	178	220	3.6	<2	7	667	2.75	63	<20	<2	513	1.1	176	<5	71	2.47
1904955	Rock	3.43	0.002	<2	72	30	66	<0.5	<2	3	459	1.67	9	<20	<2	437	<0.4	19	<5	37	1.71
1904956	Rock	3.29	<0.001	<2	8	6	57	<0.5	<2	5	678	2.48	7	<20	<2	514	<0.4	<5	<5	62	2.66
1904957	Rock	3.20	0.004	<2	81	12	55	<0.5	<2	6	635	2.57	7	<20	<2	928	<0.4	<5	<5	64	2.26
1904958	Rock	2.77	0.003	<2	311	5	52	<0.5	<2	6	644	2.61	<5	<20	<2	918	<0.4	<5	<5	66	2.34
1904959	Rock Pulp	0.06	1.434	65	>10000	8	68	10.0	10	8	369	3.27	<5	<20	<2	847	<0.4	<5	16	100	1.81
1904960	Rock	1.35	0.030	4	3558	18	77	1.5	<2	5	545	2.31	6	<20	4	635	<0.4	<5	<5	64	2.16
1904961	Rock	0.85	0.039	<2	3914	15	62	1.8	<2	4	441	2.19	<5	<20	6	675	<0.4	<5	<5	59	1.75
1904962	Rock	1.64	0.029	<2	4013	18	51	1.4	<2	3	343	1.78	<5	<20	6	446	<0.4	<5	<5	49	1.22
1904963	Rock	1.96	0.037	<2	4578	14	35	1.7	<2	2	260	1.32	<5	<20	5	378	<0.4	<5	5	33	1.24
1904964	Rock	1.14	0.030	<2	5870	20	38	2.5	<2	2	180	1.18	<5	<20	11	322	0.6	<5	<5	22	0.98
1904965	Rock Pulp	0.06	1.451	68	>10000	12	71	10.3	12	9	384	3.37	<5	<20	<2	929	0.6	<5	16	104	1.93
1904966	Rock	1.34	0.021	<2	4154	19	37	1.6	<2	2	192	1.23	<5	<20	8	623	<0.4	<5	<5	25	1.11
1904967	Rock	0.75	0.017	<2	3653	20	32	1.5	<2	2	178	1.11	<5	<20	10	414	<0.4	<5	<5	24	0.97
1904968	Rock	1.60	0.024	2	4168	21	51	1.7	<2	3	227	1.48	<5	<20	11	595	<0.4	<5	<5	36	1.25
1904969	Rock	1.84	0.029	<2	4896	20	54	1.9	<2	3	218	1.61	<5	<20	11	460	<0.4	<5	<5	42	1.25
1904970	Rock	1.34	0.035	<2	3459	15	55	1.6	<2	4	349	1.83	<5	<20	7	397	<0.4	<5	<5	46	2.12
1904971	Rock Pulp	0.09	0.008	2	92	11	58	<0.5	7	7	700	3.34	<5	<20	<2	1439	<0.4	<5	<5	87	3.27
1904972	Rock	2.41	0.046	<2	5081	17	65	2.1	<2	5	373	2.29	<5	<20	7	719	<0.4	<5	<5	68	1.96
1904973	Rock	2.08	0.039	<2	3694	18	63	1.6	<2	5	437	2.22	<5	<20	5	748	<0.4	<5	<5	64	2.13
1904974	Rock	3.85	0.008	<2	726	12	69	<0.5	2	6	545	2.35	<5	<20	3	653	<0.4	<5	<5	66	2.54
1904975	Rock	3.52	0.025	<2	2039	15	63	1.4	2	7	504	2.30	<5	<20	3	757	<0.4	<5	<5	59	2.14



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: October 14, 2020

Page: 5 of 5

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000217.1

Method Analyte Unit MDL	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115	MA401
	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc	S	Au	Cu	
	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	%	
	0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1	0.1	0.5	0.001	
1904951	Rock	0.102	10	7	0.67	1522	0.23	7.51	1.95	2.38	<4	7	<2	8	7	1	6	0.1	25.5	
1904952	Rock	0.070	8	5	0.57	1958	0.21	7.82	2.31	2.21	<4	5	<2	7	5	1	6	<0.1	<0.5	
1904953	Core DUP	0.070	8	4	0.56	1949	0.21	7.81	2.30	2.19	<4	5	<2	7	6	1	6	<0.1	<0.5	
1904954	Rock	0.079	10	4	0.59	1548	0.22	7.78	1.58	2.55	<4	6	<2	8	6	2	6	<0.1	8.1	
1904955	Rock	0.036	5	2	0.42	1536	0.12	7.15	2.83	2.49	<4	19	<2	6	4	1	4	<0.1	0.6	
1904956	Rock	0.066	7	3	0.85	1456	0.21	7.84	3.06	2.10	<4	7	<2	9	5	1	6	<0.1	<0.5	
1904957	Rock	0.071	8	2	0.74	1766	0.22	7.93	3.48	2.31	<4	7	<2	10	6	1	7	<0.1	1.9	
1904958	Rock	0.070	7	4	0.69	1889	0.21	8.12	3.93	2.52	<4	7	<2	11	7	2	6	<0.1	10.1	
1904959	Rock Pulp	0.098	8	24	0.90	1357	0.29	8.30	3.72	1.66	23	12	<2	9	4	1	7	<0.1	653.7	1.722
1904960	Rock	0.083	9	4	0.62	1780	0.22	7.61	3.08	2.97	<4	10	<2	10	8	1	6	0.3	143.5	
1904961	Rock	0.075	9	3	0.52	1337	0.20	7.21	2.91	2.87	<4	12	<2	8	7	1	5	0.3	250.4	
1904962	Rock	0.069	8	<2	0.45	1525	0.18	7.02	2.61	3.01	<4	14	<2	5	6	1	4	0.3	146.4	
1904963	Rock	0.040	5	2	0.38	1667	0.11	6.62	2.17	3.31	<4	14	<2	4	4	1	2	0.3	247.3	
1904964	Rock	0.028	5	3	0.27	394	0.10	6.56	1.91	4.76	<4	14	<2	3	5	<1	2	0.4	283.9	
1904965	Rock Pulp	0.100	10	24	0.93	1372	0.29	8.85	3.50	1.67	18	14	<2	9	5	1	8	<0.1	607.4	1.720
1904966	Rock	0.030	5	3	0.25	346	0.11	6.70	2.04	4.41	<4	14	<2	3	4	1	2	0.3	225.1	
1904967	Rock	0.029	5	2	0.24	1142	0.10	6.43	2.05	4.85	<4	17	<2	3	4	<1	2	0.3	187.4	
1904968	Rock	0.044	7	3	0.30	979	0.13	6.89	2.09	4.69	<4	12	<2	3	4	1	3	0.3	184.3	
1904969	Rock	0.048	5	3	0.34	1027	0.14	6.68	2.01	4.31	<4	15	<2	4	5	1	3	0.4	204.3	
1904970	Rock	0.061	9	4	0.70	1222	0.15	6.80	1.95	2.84	<4	16	<2	6	6	1	4	0.3	159.0	
1904971	Rock Pulp	0.087	4	17	0.72	967	0.22	10.13	4.99	0.94	<4	9	<2	16	8	2	8	<0.1	2.5	
1904972	Rock	0.082	11	4	0.57	578	0.21	7.66	2.43	3.47	<4	16	<2	8	7	1	6	0.4	221.6	
1904973	Rock	0.081	10	4	0.61	1259	0.21	7.43	2.66	2.89	<4	15	<2	8	7	1	5	0.3	194.8	
1904974	Rock	0.075	10	4	0.68	1271	0.21	7.83	3.04	1.93	<4	7	<2	9	6	1	6	<0.1	27.2	
1904975	Rock	0.077	11	5	0.52	1642	0.22	7.78	2.97	2.27	<4	8	<2	7	5	1	4	<0.1	117.7	



QUALITY CONTROL REPORT

WHI20000217.1

Method	WGHT	LH402	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300
Analyte	Wgt	Cu/Ox	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.001	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01	
Pulp Duplicates																					
REP 1904876	QC		<2	1744	27	56	0.9	<2	4	639	1.98	<5	<20	4	458	<0.4	<5	<5	49	1.74	
1904883	Rock	3.96	<0.001	<2	8	12	54	<0.5	<2	6	559	2.41	<5	<20	<2	746	<0.4	<5	<5	63	2.73
REP 1904883	QC		<0.001																		
1904892	Rock	4.34	<0.001	<2	7	8	47	<0.5	<2	5	526	2.25	<5	<20	<2	736	<0.4	<5	<5	58	2.68
REP 1904892	QC		<0.001																		
1904911	Rock Pulp	0.12	1.425	66	>10000	10	72	10.0	11	9	381	3.34	<5	<20	<2	916	<0.4	<5	15	101	1.89
REP 1904911	QC			66	>10000	8	71	9.9	11	9	376	3.29	<5	<20	3	902	<0.4	<5	14	99	1.85
1904928	Rock	2.62	0.004	<2	224	9	64	0.8	2	7	576	2.61	<5	<20	3	461	<0.4	9	<5	73	2.29
REP 1904928	QC		0.005																		
1904929	Rock	2.10	<0.001	<2	2	13	76	<0.5	<2	5	743	2.75	8	<20	<2	479	0.4	7	<5	68	2.67
REP 1904929	QC																				
1904946	Rock	1.66	0.011	<2	453	7	63	<0.5	<2	5	537	2.50	6	<20	<2	581	<0.4	<5	<5	72	2.49
REP 1904946	QC			<2	468	13	68	<0.5	<2	6	545	2.55	6	<20	<2	581	<0.4	<5	<5	76	2.49
1904947	Rock Pulp	0.08	1.410	67	>10000	6	70	10.0	11	9	379	3.36	<5	<20	<2	887	<0.4	<5	15	102	1.87
REP 1904947	QC																				
1904963	Rock	1.96	0.037	<2	4578	14	35	1.7	<2	2	260	1.32	<5	<20	5	378	<0.4	<5	5	33	1.24
REP 1904963	QC		0.035																		
1904965	Rock Pulp	0.06	1.451	68	>10000	12	71	10.3	12	9	384	3.37	<5	<20	<2	929	0.6	<5	16	104	1.93
REP 1904965	QC																				
Core Reject Duplicates																					
1904876	Rock	1.52	0.090	<2	1527	26	56	0.9	<2	4	601	1.87	<5	<20	5	425	<0.4	<5	<5	48	1.63
DUP 1904876	QC		0.093	<2	1695	24	55	0.9	<2	4	630	1.93	<5	<20	3	451	<0.4	<5	<5	49	1.71
1904910	Rock	3.56	0.047	<2	2811	13	61	1.2	3	8	454	2.86	8	<20	5	620	<0.4	6	<5	91	3.10
DUP 1904910	QC		0.048	<2	2838	10	62	1.2	3	8	465	2.98	7	<20	4	653	<0.4	6	<5	92	3.23
1904944	Rock	3.66	<0.001	<2	17	9	56	<0.5	<2	5	627	2.53	6	<20	<2	563	<0.4	<5	<5	68	2.72
DUP 1904944	QC		<0.001	<2	17	14	56	<0.5	<2	5	636	2.56	5	<20	<2	556	<0.4	<5	<5	68	2.71
Reference Materials																					
STD OREAS133A	Standard																				



QUALITY CONTROL REPORT

WHI20000217.1

Method	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115	MA401
Analyte	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc	S	Au	Cu
Unit	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	%
MDL	0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1	0.1	0.5	0.001
Pulp Duplicates																			
REP 1904876	QC	0.057	9	4	0.36	965	0.15	7.47	2.80	3.17	<4	19	<2	7	6	1	4	<0.1	
1904883	Rock	0.066	8	4	0.64	1899	0.21	8.17	3.47	2.05	<4	10	<2	9	5	1	6	<0.1	<0.5
REP 1904883																			
1904892	Rock	0.059	7	5	0.55	1826	0.19	8.10	3.39	2.16	<4	11	<2	8	5	1	5	<0.1	<0.5
REP 1904892																			
1904911	Rock Pulp	0.099	10	24	0.91	1326	0.28	8.62	3.42	1.65	17	12	<2	9	5	1	8	<0.1	579.7 1.686
REP 1904911																			
1904928	Rock	0.097	9	24	0.90	1303	0.28	8.43	3.37	1.63	19	11	<2	8	5	1	8	<0.1	1.688
REP 1904928																			
1904928	Rock	0.081	12	6	0.55	977	0.22	8.02	1.92	1.72	<4	7	<2	8	6	1	6	<0.1	11.6
REP 1904928																			
1904929	Rock	0.072	9	5	0.45	1942	0.20	8.12	2.07	2.10	<4	7	<2	10	6	1	7	<0.1	0.6
REP 1904929																			
1904946	Rock	0.083	9	5	0.48	1621	0.21	8.02	3.11	1.83	<4	6	<2	7	6	1	5	<0.1	6.4
REP 1904946																			
1904947	Rock Pulp	0.087	10	6	0.49	1617	0.20	8.01	3.11	1.85	<4	6	<2	8	7	2	6	<0.1	
REP 1904947																			
1904947	Rock Pulp	0.101	8	26	0.91	1396	0.29	8.61	3.90	1.71	23	12	2	9	5	1	8	<0.1	634.6 1.833
REP 1904947																			
1904963	Rock	0.040	5	2	0.38	1667	0.11	6.62	2.17	3.31	<4	14	<2	4	4	1	2	0.3	247.3
REP 1904963																			
1904965	Rock Pulp	0.100	10	24	0.93	1372	0.29	8.85	3.50	1.67	18	14	<2	9	5	1	8	<0.1	607.4 1.720
REP 1904965																			
Core Reject Duplicates																			
1904876	Rock	0.056	8	4	0.36	886	0.14	7.18	2.73	3.10	<4	21	<2	7	6	1	4	<0.1	89.8
DUP 1904876																			
1904910	Rock	0.056	9	4	0.36	952	0.15	7.36	2.76	3.12	<4	19	<2	7	6	1	4	<0.1	102.8
DUP 1904910																			
1904910	Rock	0.111	17	7	0.70	2800	0.26	7.54	1.92	2.41	<4	7	<2	10	7	1	7	0.2	63.3
DUP 1904910																			
1904944	Rock	0.115	19	7	0.72	2885	0.27	7.95	2.04	2.54	<4	7	<2	10	7	1	8	0.2	63.2
DUP 1904944																			
1904944	Rock	0.074	5	5	0.42	2098	0.20	7.98	2.91	2.25	<4	5	<2	9	8	1	6	<0.1	<0.5
DUP 1904944																			
1904944	Rock	0.074	6	4	0.43	2064	0.20	8.06	2.87	2.29	<4	5	<2	10	8	1	6	<0.1	<0.5
DUP 1904944																			
Reference Materials																			
STD OREAS133A	Standard																		0.032



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: October 14, 2020

Page: 2 of 3 Part: 1 of 2

QUALITY CONTROL REPORT

WHI20000217.1

		WGHT	LH402	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	
		Wgt	Cu/Ox	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	
		kg	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
		0.01	0.001	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01	
STD OREAS133A	Standard																					
STD OREAS133A	Standard																					
STD OREAS25A-4A	Standard			<2	28	29	42	<0.5	46	9	514	6.99	13	<20	10	45	<0.4	<5	<5	162	0.29	
STD OREAS25A-4A	Standard			<2	30	25	52	<0.5	45	7	482	6.26	9	<20	12	43	<0.4	7	<5	150	0.26	
STD OREAS25A-4A	Standard			<2	29	24	43	<0.5	43	7	471	6.32	12	<20	12	47	<0.4	<5	<5	150	0.29	
STD OREAS25A-4A	Standard			<2	32	23	45	<0.5	48	8	511	6.66	9	<20	14	47	<0.4	7	<5	161	0.30	
STD OREAS25A-4A	Standard			2	32	26	45	<0.5	47	8	505	6.58	8	<20	13	47	<0.4	6	<5	162	0.29	
STD OREAS45E	Standard			2	810	17	43	<0.5	491	59	585	26.73	17	<20	8	16	1.2	<5	<5	333	0.07	
STD OREAS45H	Standard			<2	800	11	43	0.6	464	95	422	21.57	14	<20	6	29	<0.4	9	<5	282	0.14	
STD OREAS45E	Standard			2	772	27	47	<0.5	495	60	574	25.12	17	<20	8	17	<0.4	<5	<5	338	0.07	
STD OREAS45H	Standard			<2	797	11	40	0.7	464	94	408	20.99	12	<20	5	28	<0.4	8	<5	276	0.14	
STD OREAS45E	Standard			<2	764	19	48	0.8	467	61	565	25.01	13	<20	10	16	<0.4	<5	<5	325	0.06	
STD OREAS901	Standard																					
STD OREAS901	Standard																					
STD OREAS901	Standard																					
STD OREAS901	Standard																					
STD OREAS901	Standard																					
STD OREAS901	Standard																					
STD OREAS901	Standard																					
STD OREAS904	Standard																					
STD OREAS902	Standard																					
STD OREAS901	Standard																					
STD OREAS901	Standard																					
STD OREAS904	Standard																					
STD OREAS904	Standard																					
STD OREAS902	Standard																					
STD OREAS901	Standard																					
STD OREAS97	Standard																					
STD OREAS97	Standard																					
STD OREAS97	Standard																					
STD OREAS901 Expected																						



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: October 14, 2020

Page: 2 of 3

Part: 2 of 2

QUALITY CONTROL REPORT

WHI20000217.1

		MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115	MA401	
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc	S	Au	Cu	
		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	%	
		0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1	0.1	0.5	0.001	
STD OREAS133A	Standard																			0.032	
STD OREAS133A	Standard																				0.032
STD OREAS25A-4A	Standard	0.052	19	120	0.33	156	0.94	9.50	0.13	0.54	<4	157	6	10	18	<1	13	<0.1			
STD OREAS25A-4A	Standard	0.047	16	108	0.30	138	0.84	8.23	0.13	0.47	<4	146	5	8	16	<1	13	<0.1			
STD OREAS25A-4A	Standard	0.047	20	109	0.31	147	0.84	8.84	0.13	0.49	<4	138	5	10	17	<1	12	<0.1			
STD OREAS25A-4A	Standard	0.052	22	114	0.33	150	0.95	9.20	0.14	0.51	<4	159	5	10	18	1	14	<0.1			
STD OREAS25A-4A	Standard	0.051	22	111	0.33	150	0.94	9.21	0.14	0.51	<4	163	5	11	18	1	14	<0.1			
STD OREAS45E	Standard	0.036	11	1113	0.16	265	0.54	7.37	0.04	0.36	<4	97	4	9	6	<1	99	<0.1			
STD OREAS45H	Standard	0.025	14	695	0.26	357	0.91	8.51	0.10	0.22	<4	132	4	11	14	1	64	<0.1			
STD OREAS45E	Standard	0.035	12	1115	0.16	253	0.52	7.03	0.05	0.35	<4	92	2	8	5	<1	94	<0.1			
STD OREAS45H	Standard	0.024	14	680	0.25	344	0.88	8.16	0.09	0.22	<4	127	3	10	13	1	62	<0.1			
STD OREAS45E	Standard	0.036	12	992	0.16	251	0.54	6.92	0.06	0.35	<4	110	<2	9	6	<1	95	<0.1			
STD OREAS901	Standard																			389.1	
STD OREAS901	Standard																				375.0
STD OREAS901	Standard																				375.1
STD OREAS901	Standard																				386.5
STD OREAS901	Standard																				
STD OREAS904	Standard																				
STD OREAS902	Standard																				
STD OREAS901	Standard																				
STD OREAS901	Standard																				
STD OREAS904	Standard																				
STD OREAS904	Standard																				
STD OREAS902	Standard																				
STD OREAS901	Standard																				
STD OREAS97	Standard																				6.356
STD OREAS97	Standard																				6.322
STD OREAS97	Standard																				6.369
STD OREAS901 Expected																					363



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: October 14, 2020

Page: 3 of 3

Part: 1 of 2

QUALITY CONTROL REPORT

WHI20000217.1

	WGHT	LH402	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300
	Wgt	Cu/Ox	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca
	kg	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	0.01	0.001	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01
STD OREAS45H Expected			1.55	767	12.2	39.7		451	92	405	20.4	16.9		7.6	28				275	0.135
STD OREAS45E Expected			2.4	780	18.2	46.7	0.311	454	57	570	24.12	16.3	2.41	12.9	15.9		1		322	0.065
STD OREAS25A-4A Expected			2.41	33.9	25.2	44.4		45.8	7.7	480	6.6	9.94	2.94	15.8	48.5		0.65		157	0.301
STD OREAS133A Expected																				
STD OREAS97 Expected																				
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank		<2	<2	<5	<2	<0.5	<2	<2	<5	<0.01	<5	<20	<2	<2	<0.4	<5	<5	<2	<0.01
BLK	Blank	<0.001																		
BLK	Blank	<0.001																		
BLK	Blank	<0.001																		
BLK	Blank	<0.001																		
BLK	Blank	<0.001																		
BLK	Blank		<2	<2	<5	<2	<0.5	<2	<2	<5	<0.01	<5	<20	<2	<2	<0.4	<5	<5	<2	<0.01
BLK	Blank		<2	<2	<5	<2	<0.5	<2	<2	<5	<0.01	<5	<20	<2	<2	<0.4	<5	<5	<2	<0.01
BLK	Blank		<2	<2	<5	<2	<0.5	<2	<2	<5	<0.01	<5	<20	<2	<2	<0.4	<5	<5	<2	<0.01
BLK	Blank																			
BLK	Blank																			
Prep Wash																				
ROCK-WHI	Prep Blank	<0.001	<2	3	13	38	<0.5	<2	4	679	2.14	<5	<20	<2	200	<0.4	<5	<5	39	1.63
ROCK-WHI	Prep Blank	<0.001	<2	4	9	38	<0.5	<2	5	682	2.20	<5	<20	<2	198	<0.4	<5	<5	41	1.59



QUALITY CONTROL REPORT

WHI20000217.1

	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115	MA401	
	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc	S	Au	Cu	
	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	%	
	0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1	0.1	0.5	0.001	
STD OREAS45H Expected	0.023	13.3	660	0.2575	342	0.878	8.2	0.09	0.215		126	1.93	10.4	13.8	1.09	59				
STD OREAS45E Expected	0.034	11	979	0.156	252	0.559	6.78	0.059	0.324	1.07	97	1.32	8.28	6.8	0.62	93	0.046			
STD OREAS25A-4A Expected	0.048	21.8	115	0.327	147	0.93	8.87	0.131	0.482	2	155	4.06	10.5	20.9	0.93	13.7	0.047			
STD OREAS133A Expected																			0.0323	
STD OREAS97 Expected																				6.31
BLK	Blank																			<0.5
BLK	Blank																			<0.5
BLK	Blank																			<0.5
BLK	Blank																			<0.5
BLK	Blank	<0.002	<2	<2	<0.01	3	<0.01	0.01	<0.01	<0.01	<4	<2	<2	<2	<2	<1	<1	<0.1		
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.002	<2	<2	<0.01	<1	<0.01	<0.01	<0.01	<0.01	<4	<2	<2	<2	<2	<1	<1	<0.1		
BLK	Blank	<0.002	<2	<2	<0.01	1	<0.01	<0.01	<0.01	<0.01	<4	<2	<2	<2	<2	<1	<1	<0.1		
BLK	Blank	<0.002	<2	<2	<0.01	<1	<0.01	<0.01	<0.01	<0.01	<4	<2	<2	<2	<2	<1	<1	<0.1		
BLK	Blank																			<0.001
BLK	Blank																			<0.001
BLK	Blank																			<0.001
Prep Wash																				
ROCK-WHI	Prep Blank	0.041	12	2	0.55	796	0.21	7.34	3.60	1.66	<4	46	<2	16	5	<1	7	<0.1	<0.5	
ROCK-WHI	Prep Blank	0.043	12	3	0.59	804	0.21	7.24	3.63	1.65	<4	47	<2	16	5	<1	7	<0.1	<0.5	