



MSALABS

MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Flow Metals Corp.**
1111 Melville St 11th Floor
Vancouver, BC, V6E 3V6
Canada

TEST REPORT: YVR2110737

Project Name: Sixtymile_2021
Job Received Date: 20-Jul-2021
Job Report Date: 12-Sep-2021
Number of Samples: 75
Report Version: Final

COMMENTS:

Test results reported relate to the tested samples only on an "as received" basis. Unless otherwise stated above, sufficient sample was received for the methods requested and all samples were received in acceptable condition. Analytical results in unsigned reports marked "provisional" are subject to change, pending final QC review and approval. The customer has not provided any information that can affect the validity of the test results. Please refer to MSALABS' Schedule of Services and Fees for our complete Terms and Conditions. Preliminary results are applicable when a portion of samples in a job is 100% completed and reported or 1 of a number of methods on the same job have been completed 100%. Results cannot change, but additional results or results for additional methods can be added.

SAMPLE PREPARATION	
METHOD CODE	DESCRIPTION
PRP-915-MET	Dry, Crush to 2mm, split 500g sub-sample, pulverize and sieve past 106 micron mesh in order to obtain plus and minus fractions

ANALYTICAL METHODS	
METHOD CODE	DESCRIPTION
MSC-530	Metallic Screening 500g, Fire Assay, 30g Fusion

Signature:

Yvette Hsi, BSc.
Laboratory Manager
MSALABS



MSALABS
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Flow Metals Corp.**
1111 Melville St 11th Floor
Vancouver, BC, V6E 3V6
Canada

TEST REPORT:	YVR2110737
---------------------	-------------------

Project Name: Sixtymile_2021
 Job Received Date: 20-Jul-2021
 Job Report Date: 12-Sep-2021
 Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	MSC-530 total g	MSC-530 (+) g	MSC-530 (-) g	MSC-530 Total Au ppm	MSC-530 Au (+) ppm	MSC-530 Au (-) ppm	MSC-530 Au (-) D ppm
		0.01	LOR	1.0	1.0	1.0	0.9	0.9	0.01	0.01
1623176	RAB	2.97		490.1	25.2	464.9	<0.9	<0.9	0.01	<0.01
1623177	RAB	2.21		483.1	24.0	459.1	<0.9	<0.9	<0.01	<0.01
1623178	RAB	0.72		503.2	19.6	483.6	<0.9	<0.9	<0.01	<0.01
1623179	RAB	1.87		483.1	36.1	447.0	<0.9	<0.9	<0.01	<0.01
1623180	RAB	4.05		469.0	25.6	443.4	<0.9	<0.9	<0.01	<0.01
1623181	RAB	3.71		444.1	48.1	396.0	<0.9	<0.9	<0.01	<0.01
1623182	RAB	3.59		454.6	28.6	426.0	<0.9	<0.9	0.04	0.06
1623183	RAB	3.41		422.1	33.7	388.4	<0.9	<0.9	0.01	0.01
1623184	RAB	4.03		482.6	24.2	458.4	<0.9	<0.9	<0.01	<0.01
1623185	RAB	3.96		466.4	40.9	425.5	<0.9	<0.9	<0.01	<0.01
1623186	RAB	2.71		506.0	24.9	481.1	<0.9	<0.9	<0.01	<0.01
1623187	RAB	2.78		500.2	27.2	473.0	<0.9	<0.9	<0.01	<0.01
1623188	RAB	3.97		459.9	27.5	432.4	<0.9	<0.9	<0.01	<0.01
1623189	RAB	2.57		499.5	39.2	460.3	<0.9	<0.9	<0.01	<0.01
1623190	RAB	2.22		497.4	35.5	461.9	<0.9	<0.9	<0.01	<0.01
1623191	RAB	2.51		495.6	28.4	467.2	<0.9	<0.9	<0.01	<0.01
1623192	RAB	2.60		485.9	27.7	458.2	<0.9	<0.9	<0.01	<0.01
1623193	RAB	2.19		489.3	27.7	461.6	<0.9	<0.9	<0.01	<0.01
1623194	RAB	2.84		487.6	28.9	458.7	<0.9	<0.9	<0.01	<0.01
1623195	RAB	2.93		495.9	23.9	472.0	<0.9	<0.9	<0.01	<0.01
1623196	RAB	2.32		487.0	24.1	462.9	<0.9	<0.9	<0.01	<0.01
1623197	RAB	1.55		481.7	29.5	452.2	<0.9	<0.9	<0.01	<0.01
1623198	RAB	0.95		455.5	35.7	419.8	<0.9	<0.9	<0.01	<0.01
1623199	RAB	2.28		483.2	22.3	460.9	<0.9	<0.9	<0.01	<0.01
1623200	RAB	2.04		471.2	26.6	444.6	<0.9	<0.9	0.01	<0.01

Please refer to the cover page for comments regarding this test report.



MSALABS
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Flow Metals Corp.**
1111 Melville St 11th Floor
Vancouver, BC, V6E 3V6
Canada

TEST REPORT: YVR2110737

Project Name: Sixtymile_2021
 Job Received Date: 20-Jul-2021
 Job Report Date: 12-Sep-2021
 Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	MSC-530 total g	MSC-530 (+) g	MSC-530 (-) g	MSC-530 Total Au ppm	MSC-530 Au (+) ppm	MSC-530 Au (-) ppm	MSC-530 Au (-) D ppm
		0.01	LOR	1.0	1.0	1.0	0.9	0.9	0.01	0.01
1623201	RAB	1.46		491.3	22.7	468.6	<0.9	<0.9	<0.01	<0.01
1623202	RAB	1.74		467.8	25.1	442.7	<0.9	<0.9	<0.01	<0.01
1623203	RAB	2.97		486.7	20.1	466.6	<0.9	<0.9	0.01	<0.01
1623204	RAB	1.63		502.7	28.7	474.0	<0.9	<0.9	0.01	0.01
1623205	RAB	2.28		476.5	28.6	447.9	<0.9	<0.9	0.02	0.02
1623206	RAB	1.58		498.3	30.0	468.3	<0.9	<0.9	<0.01	<0.01
1623207	RAB	1.56		497.4	30.7	466.7	<0.9	<0.9	<0.01	<0.01
1623208	RAB	1.55		499.4	21.6	477.8	<0.9	<0.9	<0.01	<0.01
1623209	RAB	1.50		508.5	23.7	484.8	<0.9	<0.9	<0.01	<0.01
1623210	RAB	2.32		472.8	30.1	442.7	<0.9	<0.9	<0.01	<0.01
1623211	RAB	1.55		501.0	20.1	480.9	<0.9	<0.9	<0.01	<0.01
1623212	RAB	1.76		461.1	18.5	442.6	<0.9	<0.9	<0.01	<0.01
1623213	RAB	2.27		498.2	21.8	476.4	<0.9	<0.9	<0.01	<0.01
1623214	RAB	2.32		480.8	18.4	462.4	<0.9	<0.9	<0.01	<0.01
1623215	RAB	2.12		459.7	21.4	438.3	<0.9	<0.9	<0.01	<0.01
1623216	RAB	2.84		480.8	24.9	455.9	<0.9	<0.9	<0.01	<0.01
1623217	RAB	3.00		438.4	25.3	413.1	<0.9	<0.9	<0.01	<0.01
1623218	RAB	1.86		488.6	25.7	462.9	<0.9	<0.9	<0.01	<0.01
1623219	RAB	1.79		484.8	33.4	451.4	<0.9	<0.9	<0.01	<0.01
1623220	RAB	1.06		481.9	26.6	455.3	<0.9	<0.9	<0.01	<0.01
1623221	RAB	0.71		459.2	26.4	432.8	<0.9	<0.9	<0.01	<0.01
1623222	RAB	1.18		476.3	27.0	449.3	<0.9	<0.9	<0.01	<0.01
1623223	RAB	3.63		446.8	31.3	415.5	<0.9	<0.9	<0.01	<0.01
1623224	RAB	2.12		489.3	29.1	460.2	<0.9	<0.9	<0.01	<0.01
1623225	RAB	2.49		450.4	31.5	418.9	<0.9	<0.9	<0.01	<0.01

***Please refer to the cover page for comments regarding this test report. ***



MSALABS
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Flow Metals Corp.**
1111 Melville St 11th Floor
Vancouver, BC, V6E 3V6
Canada

TEST REPORT:	YVR2110737
---------------------	-------------------

Project Name: Sixtymile_2021
 Job Received Date: 20-Jul-2021
 Job Report Date: 12-Sep-2021
 Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	MSC-530 total g	MSC-530 (+) g	MSC-530 (-) g	MSC-530 Total Au ppm	MSC-530 Au (+) ppm	MSC-530 Au (-) ppm	MSC-530 Au (-) D ppm
		0.01	LOR	1.0	1.0	1.0	0.9	0.9	0.01	0.01
1623226	RAB	1.02		362.9	21.6	341.3	<0.9	<0.9	<0.01	<0.01
1623227	RAB	2.17		454.4	25.6	428.8	<0.9	<0.9	<0.01	<0.01
1623228	RAB	2.39		475.0	24.4	450.6	<0.9	<0.9	<0.01	<0.01
1623229	RAB	2.19		490.8	29.3	461.5	<0.9	<0.9	<0.01	0.01
1623230	RAB	2.22		465.9	27.1	438.8	<0.9	<0.9	<0.01	<0.01
1623231	RAB	2.34		483.6	24.0	459.6	<0.9	<0.9	<0.01	<0.01
1623232	RAB	1.40		489.0	29.0	460.0	<0.9	<0.9	<0.01	<0.01
1623233	RAB	1.91		501.6	27.7	473.9	<0.9	<0.9	<0.01	<0.01
1623234	RAB	2.15		499.7	23.0	476.7	<0.9	<0.9	<0.01	<0.01
1623235	RAB	2.46		499.0	24.0	475.0	<0.9	<0.9	<0.01	<0.01
1623236	RAB	2.17		489.5	21.0	468.5	<0.9	<0.9	<0.01	<0.01
1623237	RAB	1.68		500.1	30.2	469.9	<0.9	<0.9	<0.01	<0.01
1623238	RAB	2.00		502.3	24.0	478.3	<0.9	<0.9	<0.01	<0.01
1623239	RAB	1.95		500.5	26.0	474.5	<0.9	<0.9	<0.01	<0.01
1623240	RAB	3.22		495.3	21.7	473.6	<0.9	<0.9	<0.01	<0.01
1623241	RAB	1.40		497.8	24.4	473.4	<0.9	<0.9	<0.01	<0.01
1623242	RAB	1.61		492.6	22.7	469.9	<0.9	<0.9	<0.01	<0.01
1623243	RAB	1.24		488.6	22.9	465.7	<0.9	<0.9	<0.01	<0.01
1623244	RAB	1.54		492.7	18.8	473.9	<0.9	<0.9	<0.01	<0.01
1623245	RAB	1.68		498.2	25.6	472.6	<0.9	<0.9	<0.01	<0.01
1623246	RAB	1.96		499.5	20.7	478.8	<0.9	<0.9	<0.01	<0.01
1623247	RAB	1.68		496.9	25.8	471.1	<0.9	<0.9	<0.01	<0.01
1623248	RAB	1.65		491.0	23.5	467.5	<0.9	<0.9	<0.01	<0.01
1623249	RAB	1.85		497.5	31.2	466.3	<0.9	<0.9	<0.01	<0.01
1623250	RAB	2.15		489.6	25.9	463.7	<0.9	<0.9	0.01	0.01

Please refer to the cover page for comments regarding this test report.



MSALABS
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Flow Metals Corp.**
1111 Melville St 11th Floor
Vancouver, BC, V6E 3V6
Canada

TEST REPORT:	YVR2110737
---------------------	-------------------

Project Name: Sixtymile_2021
 Job Received Date: 20-Jul-2021
 Job Report Date: 12-Sep-2021
 Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	MSC-530 total g	MSC-530 (+) g	MSC-530 (-) g	MSC-530 Total Au ppm	MSC-530 Au (+) ppm	MSC-530 Au (-) ppm	MSC-530 Au (-) D ppm
STD BLANK		0.01	LOR	1.0	1.0	1.0	0.9	<0.9		0.01
STD BLANK								<0.9		
STD BLANK									<0.01	<0.01
STD BLANK									<0.01	<0.01
STD OxQ115								25.6		
STD OxN155								7.8		
STD OxN155									7.73	7.73
STD OxG140									1.03	1.03

***Please refer to the cover page for comments regarding this test report. ***