



MSALABS  
 Unit 1, 20120 102nd Avenue  
 Langley, BC V1M 4B4  
 Phone: +1-604-888-0875

To: **Flow Metals Corp.**  
**810 - 789 West Pender Street**  
**Vancouver, BC, V6C 1H2**  
**Canada**

<b>TEST REPORT:</b>	<b>YVR2110740</b>
---------------------	-------------------

Project Name: Sixtymile\_2021  
 Job Received Date: 20-Jul-2021  
 Job Report Date: 22-Sep-2021  
 Number of Samples: 244  
 Report Version: Final

<b>COMMENTS:</b>
------------------

Test results reported relate to the tested samples only on an "as received" basis. Unless otherwise stated above, sufficient sample was received for the methods requested and all samples were received in acceptable condition. Analytical results in unsigned reports marked "provisional" are subject to change, pending final QC review and approval. The customer has not provided any information that can affect the validity of the test results. Please refer to MSALABS' Schedule of Services and Fees for our complete Terms and Conditions. Preliminary results are applicable when a portion of samples in a job is 100% completed and reported or 1 of a number of methods on the same job have been completed 100%. Results cannot change, but additional results or results for additional methods can be added.

SAMPLE PREPARATION	
METHOD CODE	DESCRIPTION
PRP-915-MET	Dry, Crush to 2mm, split 500g sub-sample, pulverize and sieve past 106 micron mesh in order to obtain plus and minus fractions

ANALYTICAL METHODS	
METHOD CODE	DESCRIPTION
MSC-530	Metallic Screening 500g, Fire Assay, 30g Fusion

**Signature:**  
 Yvette Hsi, BSc.  
 Laboratory Manager  
 MSALABS



MSALABS  
 Unit 1, 20120 102nd Avenue  
 Langley, BC V1M 4B4  
 Phone: +1-604-888-0875

To: **Flow Metals Corp.**  
**810 - 789 West Pender Street**  
**Vancouver, BC, V6C 1H2**  
**Canada**

<b>TEST REPORT:</b>	<b>YVR2110740</b>
---------------------	-------------------

Project Name: Sixtymile\_2021  
 Job Received Date: 20-Jul-2021  
 Job Report Date: 22-Sep-2021  
 Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	MSC-530 total g	MSC-530 (+) g	MSC-530 (-) g	MSC-530 Total Au ppm	MSC-530 Au (+) ppm	MSC-530 Au (-) ppm	MSC-530 Au (-) D ppm
		0.01	LOR	1.0	1.0	1.0	0.9	0.9	0.01	0.01
1711451	RAB	4.71		498.8	26.6	472.2	<0.9	<0.9	<0.01	<0.01
1711452	RAB	4.65		512.3	26.4	485.9	<0.9	<0.9	<0.01	<0.01
1711453	RAB	2.32		472.2	24.5	447.7	<0.9	<0.9	<0.01	<0.01
1711454	RAB	3.18		499.9	25.4	474.5	<0.9	<0.9	<0.01	<0.01
1711455	RAB	2.95		501.0	27.1	473.9	<0.9	<0.9	<0.01	<0.01
1711456	RAB	2.52		464.2	26.6	437.6	<0.9	<0.9	<0.01	<0.01
1711457	RAB	3.35		511.4	25.4	486.0	<0.9	<0.9	<0.01	<0.01
1711458	RAB	4.54		511.1	21.9	489.2	<0.9	<0.9	<0.01	<0.01
1711459	RAB	2.32		448.0	26.8	421.2	<0.9	<0.9	<0.01	<0.01
1711460	RAB	2.83		490.3	26.4	463.9	<0.9	<0.9	<0.01	<0.01
1711461	RAB	2.84		454.0	27.6	426.4	<0.9	<0.9	<0.01	<0.01
1711462	RAB	2.90		439.8	26.1	413.7	<0.9	<0.9	<0.01	<0.01
1711463	RAB	2.51		489.2	25.3	463.9	<0.9	<0.9	<0.01	<0.01
1711464	RAB	2.39		475.8	24.5	451.3	<0.9	<0.9	<0.01	<0.01
1711465	RAB	2.04		492.3	28.0	464.3	<0.9	<0.9	<0.01	<0.01
1711466	RAB	2.18		499.6	25.0	474.6	<0.9	<0.9	<0.01	<0.01
1711467	RAB	2.23		495.6	31.0	464.6	<0.9	<0.9	<0.01	<0.01
1711468	RAB	2.58		499.7	29.3	470.4	<0.9	<0.9	<0.01	<0.01
1711469	RAB	2.55		497.0	25.2	471.8	<0.9	<0.9	<0.01	0.01
1711470	RAB	2.50		495.2	26.2	469.0	<0.9	<0.9	<0.01	<0.01
1711471	RAB	2.47		496.3	28.4	467.9	<0.9	<0.9	<0.01	<0.01
1711472	RAB	2.64		491.5	28.2	463.3	<0.9	<0.9	<0.01	<0.01
1711473	RAB	2.56		513.9	26.2	487.7	<0.9	<0.9	<0.01	<0.01
1711474	RAB	2.52		505.2	24.6	480.6	<0.9	<0.9	<0.01	<0.01
1711475	RAB	3.03		496.1	26.7	469.4	<0.9	<0.9	<0.01	<0.01

\*\*\*Please refer to the cover page for comments regarding this test report. \*\*\*



MSALABS  
 Unit 1, 20120 102nd Avenue  
 Langley, BC V1M 4B4  
 Phone: +1-604-888-0875

To: **Flow Metals Corp.**  
**810 - 789 West Pender Street**  
**Vancouver, BC, V6C 1H2**  
**Canada**

<b>TEST REPORT:</b>	<b>YVR2110740</b>
---------------------	-------------------

Project Name: Sixtymile\_2021  
 Job Received Date: 20-Jul-2021  
 Job Report Date: 22-Sep-2021  
 Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	MSC-530 total g	MSC-530 (+) g	MSC-530 (-) g	MSC-530 Total Au ppm	MSC-530 Au (+) ppm	MSC-530 Au (-) ppm	MSC-530 Au (-) D ppm
		0.01	LOR	1.0	1.0	1.0	0.9	0.9	0.01	0.01
1711476	RAB	2.77		504.5	25.0	479.5	<0.9	<0.9	<0.01	<0.01
1711477	RAB	2.79		508.8	27.5	481.3	<0.9	<0.9	<0.01	<0.01
1711478	RAB	2.79		499.0	29.5	469.5	<0.9	<0.9	<0.01	<0.01
1711479	RAB	2.17		509.3	22.7	486.6	<0.9	<0.9	<0.01	<0.01
1711480	RAB	2.46		503.9	25.1	478.8	<0.9	<0.9	<0.01	<0.01
1711481	RAB	1.55		444.8	23.1	421.7	<0.9	<0.9	<0.01	<0.01
1711482	RAB	2.07		499.7	25.9	473.8	<0.9	<0.9	<0.01	<0.01
1711483	RAB	1.78		475.5	25.1	450.4	<0.9	<0.9	<0.01	<0.01
1711484	RAB	1.78		498.1	28.2	469.9	<0.9	<0.9	<0.01	<0.01
1711485	RAB	1.81		497.1	21.7	475.4	<0.9	<0.9	<0.01	<0.01
1711486	RAB	2.05		490.7	29.2	461.5	<0.9	<0.9	<0.01	0.02
1711487	RAB	1.64		497.8	27.4	470.4	<0.9	<0.9	<0.01	<0.01
1711488	RAB	1.86		501.1	27.9	473.2	<0.9	<0.9	<0.01	<0.01
1711489	RAB	2.14		494.6	27.0	467.6	<0.9	<0.9	<0.01	<0.01
1711490	RAB	1.61		477.5	26.5	451.0	<0.9	<0.9	<0.01	<0.01
1711491	RAB	1.95		496.4	27.3	469.1	<0.9	<0.9	<0.01	<0.01
1711492	RAB	1.87		515.9	28.3	487.6	<0.9	<0.9	<0.01	<0.01
1711493	RAB	1.79		510.5	26.0	484.5	<0.9	<0.9	0.02	0.03
1711494	RAB	2.01		515.8	26.3	489.5	<0.9	<0.9	<0.01	<0.01
1711495	RAB	4.64		487.0	22.6	464.4	<0.9	<0.9	<0.01	<0.01
1711496	RAB	4.61		502.0	26.5	475.5	<0.9	<0.9	0.04	0.03
1711497	RAB	3.22		470.1	26.4	443.7	<0.9	<0.9	0.02	0.02
1711498	RAB	3.08		502.0	26.0	476.0	<0.9	<0.9	0.03	0.02
1711499	RAB	3.58		504.5	26.2	478.3	<0.9	<0.9	0.22	0.18
1711500	RAB	3.48		513.8	28.4	485.4	1.3	1.3	1.27	1.42

\*\*\*Please refer to the cover page for comments regarding this test report. \*\*\*



MSALABS  
 Unit 1, 20120 102nd Avenue  
 Langley, BC V1M 4B4  
 Phone: +1-604-888-0875

To: **Flow Metals Corp.**  
**810 - 789 West Pender Street**  
**Vancouver, BC, V6C 1H2**  
**Canada**

<b>TEST REPORT:</b>	<b>YVR2110740</b>
---------------------	-------------------

Project Name: Sixtymile\_2021  
 Job Received Date: 20-Jul-2021  
 Job Report Date: 22-Sep-2021  
 Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	MSC-530 total g	MSC-530 (+) g	MSC-530 (-) g	MSC-530 Total Au ppm	MSC-530 Au (+) ppm	MSC-530 Au (-) ppm	MSC-530 Au (-) D ppm
		0.01	LOR	1.0	1.0	1.0	0.9	0.9	0.01	0.01
1711501	RAB	3.46		511.6	27.1	484.5	<0.9	<0.9	0.20	0.06
1711502	RAB	3.48		517.7	26.3	491.4	<0.9	<0.9	0.35	0.30
1711503	RAB	3.20		527.2	28.1	499.1	<0.9	<0.9	0.02	0.03
1711504	RAB	2.86		494.3	25.9	468.4	<0.9	<0.9	0.02	0.02
1711505	RAB	2.98		413.7	24.5	389.2	<0.9	<0.9	0.42	0.51
1711506	RAB	3.47		495.7	28.1	467.6	<0.9	<0.9	0.42	0.60
1711507	RAB	3.43		491.2	27.0	464.2	<0.9	<0.9	0.44	0.32
1711508	RAB	3.24		528.9	28.1	500.8	<0.9	<0.9	0.56	0.48
1711509	RAB	2.66		506.0	26.5	479.5	<0.9	<0.9	0.01	0.01
1711510	RAB	3.63		515.4	28.3	487.1	2.1	4.5	2.14	1.74
1711511	RAB	3.29		519.9	26.2	493.7	<0.9	<0.9	0.08	0.09
1711512	RAB	0.47		442.2	22.8	419.4	<0.9	<0.9	0.08	0.06
1711513	RAB	3.35		495.8	24.1	471.7	2.1	1.6	2.37	1.91
1711514	RAB	3.49		519.8	29.6	490.2	<0.9	<0.9	0.80	0.80
1711515	RAB	3.78		507.4	26.4	481.0	<0.9	<0.9	0.34	0.30
1711516	RAB	3.41		512.5	27.7	484.8	<0.9	<0.9	0.08	0.07
1711517	RAB	3.44		519.3	29.5	489.8	<0.9	<0.9	0.10	0.05
1711518	RAB	2.96		522.6	28.5	494.1	<0.9	<0.9	0.16	0.11
1711519	RAB	3.52		512.4	29.3	483.1	<0.9	<0.9	0.12	0.16
1711520	RAB	3.68		509.1	29.9	479.2	<0.9	<0.9	0.24	0.20
1711521	RAB	3.84		508.2	28.3	479.9	<0.9	<0.9	0.05	0.05
1711522	RAB	2.70		486.9	28.7	458.2	<0.9	<0.9	0.02	0.02
1711523	RAB	3.75		499.6	23.7	475.9	<0.9	<0.9	0.02	0.01
1711524	RAB	3.16		499.8	27.4	472.4	<0.9	<0.9	0.02	0.02
1711525	RAB	3.37		510.3	27.1	483.2	<0.9	<0.9	0.01	0.01

\*\*\*Please refer to the cover page for comments regarding this test report. \*\*\*



MSALABS  
 Unit 1, 20120 102nd Avenue  
 Langley, BC V1M 4B4  
 Phone: +1-604-888-0875

To: **Flow Metals Corp.**  
**810 - 789 West Pender Street**  
**Vancouver, BC, V6C 1H2**  
**Canada**

**TEST REPORT: YVR2110740**

Project Name: Sixtymile\_2021  
 Job Received Date: 20-Jul-2021  
 Job Report Date: 22-Sep-2021  
 Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	MSC-530 total g	MSC-530 (+) g	MSC-530 (-) g	MSC-530 Total Au ppm	MSC-530 Au (+) ppm	MSC-530 Au (-) ppm	MSC-530 Au (-) D ppm
		0.01	LOR	1.0	1.0	1.0	0.9	0.9	0.01	0.01
1711526	RAB	3.52		497.0	27.8	469.2	<0.9	<0.9	0.04	0.07
1711527	RAB	3.25		478.0	26.2	451.8	<0.9	<0.9	0.01	0.01
1711528	RAB	3.04		504.4	26.6	477.8	<0.9	<0.9	0.02	0.02
1711529	RAB	2.25		502.0	27.2	474.8	<0.9	<0.9	0.04	0.05
1711530	RAB	3.10		518.6	30.8	487.8	<0.9	<0.9	0.02	0.02
1711531	RAB	3.42		519.0	29.7	489.3	<0.9	<0.9	0.34	0.31
1711532	RAB	3.70		502.1	26.9	475.2	1.8	1.0	1.12	2.51
1711533	RAB	3.52		415.1	25.5	389.6	<0.9	<0.9	0.86	0.60
1711534	RAB	3.64		520.7	26.9	493.8	<0.9	<0.9	0.26	0.26
1711535	RAB	2.48		501.0	27.3	473.7	<0.9	<0.9	0.04	0.03
1711536	RAB	4.15		500.4	29.5	470.9	<0.9	<0.9	0.03	0.04
1711537	RAB	2.55		474.9	21.3	453.6	<0.9	<0.9	0.03	0.03
1711538	RAB	1.69		511.3	25.9	485.4	<0.9	<0.9	0.10	0.12
1711539	RAB	3.50		503.0	24.7	478.3	<0.9	<0.9	0.10	0.12
1711540	RAB	3.30		515.5	25.4	490.1	<0.9	<0.9	0.02	0.01
1711541	RAB	3.42		495.0	28.0	467.0	<0.9	<0.9	0.16	0.14
1711542	RAB	3.65		464.2	23.8	440.4	<0.9	<0.9	<0.01	<0.01
1711543	RAB	3.05		503.7	26.4	477.3	<0.9	<0.9	0.02	0.02
1711544	RAB	3.18		496.4	25.5	470.9	<0.9	<0.9	<0.01	<0.01
1711545	RAB	3.07		498.2	25.1	473.1	<0.9	<0.9	<0.01	<0.01
1711546	RAB	3.30		476.6	25.4	451.2	<0.9	1.1	0.43	0.24
1711547	RAB	3.44		491.0	23.5	467.5	1.9	9.9	1.28	1.75
1711548	RAB	3.59		502.1	23.8	478.3	<0.9	<0.9	0.76	0.91
1711549	RAB	3.63		510.0	31.9	478.1	1.0	1.5	0.99	0.90
1711550	RAB	3.30		517.8	27.9	489.9	<0.9	1.1	0.15	0.16

\*\*\*Please refer to the cover page for comments regarding this test report. \*\*\*



MSALABS  
 Unit 1, 20120 102nd Avenue  
 Langley, BC V1M 4B4  
 Phone: +1-604-888-0875

To: **Flow Metals Corp.**  
**810 - 789 West Pender Street**  
**Vancouver, BC, V6C 1H2**  
**Canada**

<b>TEST REPORT:</b>	<b>YVR2110740</b>
---------------------	-------------------

Project Name: Sixtymile\_2021  
 Job Received Date: 20-Jul-2021  
 Job Report Date: 22-Sep-2021  
 Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	MSC-530 total g	MSC-530 (+) g	MSC-530 (-) g	MSC-530 Total Au ppm	MSC-530 Au (+) ppm	MSC-530 Au (-) ppm	MSC-530 Au (-) D ppm
		0.01	LOR	1.0	1.0	1.0	0.9	0.9	0.01	0.01
1711551	RAB	3.42		518.6	19.2	499.4	<0.9	<0.9	0.20	0.14
1711552	RAB	3.27		525.7	21.1	504.6	<0.9	<0.9	0.64	0.67
1711553	RAB	3.07		533.6	17.4	516.2	<0.9	<0.9	0.02	0.03
1711554	RAB	3.19		519.0	24.5	494.5	<0.9	<0.9	0.17	0.17
1711555	RAB	3.42		507.3	20.8	486.5	<0.9	<0.9	0.16	0.37
1711556	RAB	3.65		509.0	25.9	483.1	<0.9	<0.9	<0.01	0.02
1711557	RAB	3.48		505.9	24.2	481.7	<0.9	<0.9	0.10	0.11
1711558	RAB	2.89		504.2	23.5	480.7	<0.9	<0.9	0.01	0.01
1711559	RAB	3.43		513.4	20.9	492.5	<0.9	<0.9	0.05	0.09
1711560	RAB	3.42		506.1	24.6	481.5	<0.9	<0.9	<0.01	<0.01
1711561	RAB	3.49		531.0	21.0	510.0	<0.9	<0.9	0.03	0.06
1711562	RAB	3.60		517.8	23.1	494.7	<0.9	<0.9	0.24	0.24
1711563	RAB	3.48		522.1	22.8	499.3	<0.9	<0.9	0.09	0.05
1711564	RAB	3.61		510.9	26.4	484.5	<0.9	<0.9	<0.01	<0.01
1711565	RAB	3.58		515.4	22.0	493.4	<0.9	<0.9	<0.01	<0.01
1711566	RAB	3.10		515.6	22.1	493.5	<0.9	<0.9	0.02	0.02
1711567	RAB	3.25		521.3	28.4	492.9	<0.9	<0.9	<0.01	<0.01
1711568	RAB	3.51		517.3	29.9	487.4	<0.9	<0.9	<0.01	<0.01
1711569	RAB	3.06		532.3	20.2	512.1	<0.9	<0.9	<0.01	<0.01
1711570	RAB	3.26		530.8	25.5	505.3	<0.9	<0.9	<0.01	<0.01
1711571	RAB	3.58		518.4	20.8	497.6	<0.9	<0.9	<0.01	<0.01
1711572	RAB	3.37		515.0	21.3	493.7	<0.9	<0.9	<0.01	0.03
1711573	RAB	3.41		518.5	21.7	496.8	<0.9	<0.9	0.27	0.28
1711574	RAB	3.20		525.9	24.7	501.2	<0.9	<0.9	0.71	0.68
1711575	RAB	3.76		512.4	25.0	487.4	<0.9	<0.9	0.08	0.06

\*\*\*Please refer to the cover page for comments regarding this test report. \*\*\*



MSALABS  
 Unit 1, 20120 102nd Avenue  
 Langley, BC V1M 4B4  
 Phone: +1-604-888-0875

To: **Flow Metals Corp.**  
**810 - 789 West Pender Street**  
**Vancouver, BC, V6C 1H2**  
**Canada**

**TEST REPORT: YVR2110740**

Project Name: Sixtymile\_2021  
 Job Received Date: 20-Jul-2021  
 Job Report Date: 22-Sep-2021  
 Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	MSC-530 total g	MSC-530 (+) g	MSC-530 (-) g	MSC-530 Total Au ppm	MSC-530 Au (+) ppm	MSC-530 Au (-) ppm	MSC-530 Au (-) D ppm
		0.01	LOR	1.0	1.0	1.0	0.9	0.9	0.01	0.01
1711576	RAB	5.17		515.7	20.4	495.3	<0.9	<0.9	0.09	0.09
1711577	RAB	2.87		535.0	31.1	503.9	<0.9	<0.9	0.07	0.08
1711578	RAB	3.22		520.3	16.8	503.5	<0.9	<0.9	0.01	<0.01
1711579	RAB	3.25		524.4	30.1	494.3	<0.9	<0.9	<0.01	<0.01
1711580	RAB	3.43		543.3	27.8	515.5	<0.9	<0.9	0.03	0.03
1711581	RAB	3.29		524.6	27.2	497.4	<0.9	<0.9	<0.01	<0.01
1711582	RAB	3.22		515.6	20.4	495.2	<0.9	<0.9	0.10	0.11
1711583	RAB	3.42		525.8	20.6	505.2	<0.9	<0.9	0.01	<0.01
1711584	RAB	3.48		527.6	25.0	502.6	<0.9	<0.9	0.05	0.04
1711585	RAB	3.57		500.6	23.4	477.2	<0.9	<0.9	<0.01	<0.01
1711586	RAB	4.05		515.3	20.0	495.3	<0.9	<0.9	<0.01	<0.01
1711587	RAB	3.77		515.4	29.2	486.2	<0.9	<0.9	<0.01	<0.01
1711588	RAB	3.26		527.7	29.0	498.7	<0.9	<0.9	<0.01	<0.01
1711589	RAB	3.89		518.0	30.1	487.9	<0.9	<0.9	0.01	<0.01
1711590	RAB	4.17		517.9	21.7	496.2	<0.9	<0.9	<0.01	<0.01
1711591	RAB	3.25		519.0	25.3	493.7	<0.9	<0.9	0.01	0.01
1711592	RAB	3.75		522.1	28.1	494.0	<0.9	<0.9	0.19	0.12
1711593	RAB	3.81		516.9	22.0	494.9	<0.9	2.0	0.28	0.21
1711594	RAB	3.65		529.0	26.0	503.0	<0.9	<0.9	0.25	0.17
1711595	RAB	3.20		520.1	24.3	495.8	<0.9	<0.9	0.02	0.03
1711596	RAB	3.60		523.8	22.1	501.7	<0.9	<0.9	0.01	0.01
1711597	RAB	3.33		532.0	21.1	510.9	<0.9	<0.9	<0.01	<0.01
1711598	RAB	3.22		526.0	23.1	502.9	<0.9	<0.9	<0.01	<0.01
1711599	RAB	3.59		523.0	27.7	495.3	<0.9	<0.9	0.20	0.12
1711600	RAB	3.00		524.1	24.1	500.0	<0.9	<0.9	0.01	<0.01

\*\*\*Please refer to the cover page for comments regarding this test report. \*\*\*



MSALABS  
 Unit 1, 20120 102nd Avenue  
 Langley, BC V1M 4B4  
 Phone: +1-604-888-0875

To: **Flow Metals Corp.**  
**810 - 789 West Pender Street**  
**Vancouver, BC, V6C 1H2**  
**Canada**

<b>TEST REPORT:</b>	<b>YVR2110740</b>
---------------------	-------------------

Project Name: Sixtymile\_2021  
 Job Received Date: 20-Jul-2021  
 Job Report Date: 22-Sep-2021  
 Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	MSC-530 total g	MSC-530 (+) g	MSC-530 (-) g	MSC-530 Total Au ppm	MSC-530 Au (+) ppm	MSC-530 Au (-) ppm	MSC-530 Au (-) D ppm
		0.01	LOR	1.0	1.0	1.0	0.9	0.9	0.01	0.01
1711601	RAB	3.77		528.1	30.4	497.7	<0.9	<0.9	0.06	0.06
1711602	RAB	3.81		544.9	29.2	515.7	<0.9	<0.9	0.09	0.10
1711603	RAB	3.84		521.4	31.5	489.9	<0.9	<0.9	0.03	0.04
1711604	RAB	4.06		507.2	28.4	478.8	<0.9	<0.9	0.02	0.02
1711605	RAB	2.70		519.9	23.0	496.9	<0.9	<0.9	0.05	<0.01
1711606	RAB	2.59		517.2	23.7	493.5	<0.9	<0.9	<0.01	<0.01
1711607	RAB	2.94		526.1	27.1	499.0	<0.9	<0.9	<0.01	<0.01
1711608	RAB	3.56		525.1	24.8	500.3	<0.9	1.0	0.55	0.65
1711609	RAB	3.72		512.2	29.3	482.9	<0.9	<0.9	0.19	0.15
1711610	RAB	3.74		522.0	23.2	498.8	<0.9	2.8	0.55	0.60
1711611	RAB	4.27		524.4	25.2	499.2	1.0	<0.9	1.08	1.00
1711612	RAB	3.16		512.6	26.7	485.9	1.3	1.7	1.33	1.18
1711613	RAB	3.23		514.4	25.1	489.3	<0.9	<0.9	0.02	0.05
1711614	RAB	3.33		531.0	27.9	503.1	<0.9	<0.9	0.02	0.02
1711615	RAB	4.01		520.0	26.0	494.0	<0.9	<0.9	0.08	0.11
1711616	RAB	4.10		534.6	27.7	506.9	<0.9	<0.9	<0.01	0.01
1711617	RAB	3.15		521.4	28.1	493.3	<0.9	<0.9	0.02	0.02
1711618	RAB	4.01		520.0	25.0	495.0	<0.9	<0.9	0.04	0.07
1711619	RAB	3.92		524.2	24.3	499.9	<0.9	<0.9	0.03	0.03
1711620	RAB	3.57		500.8	25.4	475.4	<0.9	<0.9	<0.01	<0.01
1711621	RAB	3.47		492.3	24.5	467.8	<0.9	<0.9	0.06	0.03
1711622	RAB	3.48		492.5	26.8	465.7	<0.9	<0.9	<0.01	<0.01
1711623	RAB	4.27		468.1	23.5	444.6	<0.9	<0.9	0.02	<0.01
1711624	RAB	3.82		510.1	26.4	483.7	<0.9	<0.9	0.01	0.02
1711625	RAB	4.63		489.9	28.5	461.4	<0.9	<0.9	0.05	0.04

\*\*\*Please refer to the cover page for comments regarding this test report. \*\*\*





MSALABS  
 Unit 1, 20120 102nd Avenue  
 Langley, BC V1M 4B4  
 Phone: +1-604-888-0875

To: **Flow Metals Corp.**  
**810 - 789 West Pender Street**  
**Vancouver, BC, V6C 1H2**  
**Canada**

<b>TEST REPORT:</b>	<b>YVR2110740</b>
---------------------	-------------------

Project Name: Sixtymile\_2021  
 Job Received Date: 20-Jul-2021  
 Job Report Date: 22-Sep-2021  
 Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	MSC-530 total g	MSC-530 (+) g	MSC-530 (-) g	MSC-530 Total Au ppm	MSC-530 Au (+) ppm	MSC-530 Au (-) ppm	MSC-530 Au (-) D ppm
		0.01	LOR	1.0	1.0	1.0	0.9	0.9	0.01	0.01
1711626	RAB	3.71		526.2	22.1	504.1	<0.9	<0.9	0.02	0.01
1711627	RAB	2.93		516.5	24.7	491.8	<0.9	<0.9	0.02	0.03
1711628	RAB	3.27		518.8	22.9	495.9	<0.9	<0.9	<0.01	<0.01
1711629	RAB	3.83		525.6	28.6	497.0	<0.9	<0.9	<0.01	<0.01
1711630	RAB	3.37		528.7	24.6	504.1	<0.9	<0.9	<0.01	<0.01
1711631	RAB	3.77		520.9	30.5	490.4	<0.9	<0.9	<0.01	<0.01
1711632	RAB	3.81		530.2	23.7	506.5	<0.9	<0.9	0.02	0.02
1711633	RAB	3.95		524.1	27.7	496.4	<0.9	<0.9	<0.01	<0.01
1711634	RAB	4.06		518.3	23.1	495.2	<0.9	<0.9	0.12	0.13
1711635	RAB	3.81		515.4	24.5	490.9	<0.9	<0.9	<0.01	<0.01
1711636	RAB	3.32		521.8	30.6	491.2	<0.9	<0.9	<0.01	<0.01
1711637	RAB	3.94		528.9	28.7	500.2	<0.9	<0.9	0.09	0.13
1711638	RAB	4.10		519.0	21.5	497.5	<0.9	<0.9	0.08	0.08
1711639	RAB	2.68		517.3	22.8	494.5	<0.9	<0.9	<0.01	<0.01
1711640	RAB	3.34		532.4	25.1	507.3	<0.9	<0.9	0.42	0.43
1711641	RAB	3.48		543.8	29.6	514.2	<0.9	2.4	0.58	0.68
1711642	RAB	4.11		516.3	30.8	485.5	<0.9	<0.9	0.02	0.07
1711643	RAB	4.03		508.5	24.0	484.5	<0.9	<0.9	0.04	0.05
1711644	RAB	4.12		525.7	28.9	496.8	<0.9	<0.9	0.81	0.92
1711645	RAB	3.25		518.4	23.3	495.1	<0.9	<0.9	0.03	0.03
1711646	RAB	3.70		518.3	27.0	491.3	<0.9	<0.9	0.03	0.02
1711647	RAB	3.95		524.5	26.0	498.5	<0.9	<0.9	0.05	0.05
1711648	RAB	4.15		524.0	22.8	501.2	<0.9	4.3	0.07	0.10
1711649	RAB	3.87		520.2	20.8	499.4	<0.9	1.7	0.03	0.02
1711650	RAB	4.08		525.3	25.6	499.7	<0.9	<0.9	0.05	0.06

\*\*\*Please refer to the cover page for comments regarding this test report. \*\*\*



MSALABS  
 Unit 1, 20120 102nd Avenue  
 Langley, BC V1M 4B4  
 Phone: +1-604-888-0875

To: **Flow Metals Corp.**  
**810 - 789 West Pender Street**  
**Vancouver, BC, V6C 1H2**  
**Canada**

<b>TEST REPORT:</b>	<b>YVR2110740</b>
---------------------	-------------------

Project Name: Sixtymile\_2021  
 Job Received Date: 20-Jul-2021  
 Job Report Date: 22-Sep-2021  
 Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	MSC-530 total g	MSC-530 (+) g	MSC-530 (-) g	MSC-530 Total Au ppm	MSC-530 Au (+) ppm	MSC-530 Au (-) ppm	MSC-530 Au (-) D ppm
		0.01	LOR	1.0	1.0	1.0	0.9	0.9	0.01	0.01
1711651	RAB	4.29		526.6	25.6	501.0	<0.9	<0.9	0.01	0.01
1711652	RAB	3.86		527.6	28.7	498.9	<0.9	<0.9	0.32	0.33
1711653	RAB	3.15		513.7	18.8	494.9	1.6	8.9	1.33	1.40
1711654	RAB	3.65		533.6	21.9	511.7	1.2	23.4	0.20	0.27
1711655	RAB	3.67		510.4	27.2	483.2	<0.9	<0.9	0.04	0.03
1711656	RAB	3.01		516.9	19.5	497.4	<0.9	<0.9	0.11	0.07
1711657	RAB	4.37		526.3	28.5	497.8	<0.9	<0.9	0.06	0.04
1711658	RAB	5.08		529.9	23.6	506.3	<0.9	<0.9	0.03	0.03
1711659	RAB	4.01		522.7	24.1	498.6	<0.9	<0.9	0.03	0.03
1711660	RAB	4.62		523.0	25.6	497.4	<0.9	<0.9	0.03	0.02
1711661	RAB	3.11		514.5	25.9	488.6	<0.9	<0.9	0.03	0.03
1711662	RAB	2.84		507.8	22.3	485.5	<0.9	<0.9	0.04	0.05
1711663	RAB	4.04		516.1	23.0	493.1	<0.9	<0.9	0.21	0.16
1711664	RAB	3.83		534.7	24.2	510.5	<0.9	<0.9	0.05	0.03
1711665	RAB	2.81		529.4	22.5	506.9	<0.9	<0.9	<0.01	<0.01
1711666	RAB	3.27		513.6	21.9	491.7	<0.9	<0.9	0.06	0.05
1711667	RAB	4.04		514.6	23.8	490.8	<0.9	<0.9	0.22	0.16
1711668	RAB	4.52		521.2	22.9	498.3	<0.9	<0.9	0.01	0.01
1711669	RAB	4.47		529.8	25.9	503.9	<0.9	<0.9	0.07	0.10
1711670	RAB	4.33		509.8	24.2	485.6	2.1	26.9	0.94	0.81
1711671	RAB	3.15		514.8	25.0	489.8	<0.9	4.5	0.53	0.50
1711672	RAB	3.55		515.0	29.5	485.5	<0.9	<0.9	0.11	0.11
1711673	RAB	4.18		515.1	23.6	491.5	<0.9	<0.9	0.02	0.02
1711674	RAB	4.33		525.8	27.6	498.2	<0.9	<0.9	0.17	0.05
1711675	RAB	3.07		529.5	25.4	504.1	<0.9	<0.9	0.02	0.03

\*\*\*Please refer to the cover page for comments regarding this test report. \*\*\*



MSALABS  
 Unit 1, 20120 102nd Avenue  
 Langley, BC V1M 4B4  
 Phone: +1-604-888-0875

To: **Flow Metals Corp.**  
**810 - 789 West Pender Street**  
**Vancouver, BC, V6C 1H2**  
**Canada**

<b>TEST REPORT:</b>	<b>YVR2110740</b>
---------------------	-------------------

Project Name: Sixtymile\_2021  
 Job Received Date: 20-Jul-2021  
 Job Report Date: 22-Sep-2021  
 Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	MSC-530 total g	MSC-530 (+) g	MSC-530 (-) g	MSC-530 Total Au ppm	MSC-530 Au (+) ppm	MSC-530 Au (-) ppm	MSC-530 Au (-) D ppm
		0.01	LOR	1.0	1.0	1.0	0.9	0.9	0.01	0.01
1711676	RAB	3.74		513.8	27.0	486.8	<0.9	<0.9	<0.01	<0.01
1711677	RAB	2.28		517.1	21.6	495.5	<0.9	<0.9	<0.01	0.01
1711678	RAB	2.11		520.8	28.6	492.2	<0.9	<0.9	0.01	0.03
1711679	RAB	3.63		516.8	29.7	487.1	<0.9	<0.9	0.01	0.01
1711680	RAB	3.54		516.6	26.0	490.6	<0.9	<0.9	<0.01	0.01
1711681	RAB	4.37		532.3	30.8	501.5	<0.9	<0.9	0.01	0.01
1711682	RAB	4.66		494.6	24.5	470.1	<0.9	<0.9	0.02	0.02
1711683	RAB	4.69		512.9	26.5	486.4	<0.9	<0.9	0.02	0.02
1711684	RAB	4.45		516.9	25.7	491.2	<0.9	<0.9	0.03	0.03
1711685	RAB	4.03		521.6	28.1	493.5	<0.9	<0.9	<0.01	0.01
1711686	RAB	3.19		518.6	24.8	493.8	<0.9	<0.9	<0.01	<0.01
1711687	RAB	3.85		529.8	23.3	506.5	<0.9	<0.9	0.03	0.02
1711688	RAB	3.39		520.3	26.4	493.9	<0.9	<0.9	0.04	0.03
1711689	RAB	3.50		517.6	25.2	492.4	<0.9	<0.9	0.05	0.04
1711690	RAB	3.61		519.5	27.3	492.2	<0.9	<0.9	0.07	0.04
1711691	RAB	3.78		513.5	27.8	485.7	<0.9	<0.9	0.10	0.13
1711692	RAB	3.78		515.8	24.8	491.0	<0.9	<0.9	0.06	0.05
1711693	RAB	4.24		525.6	25.1	500.5	<0.9	<0.9	0.08	0.08
1711694	RAB	3.57		524.3	23.3	501.0	<0.9	<0.9	0.31	0.26
STD BLANK								<0.9		
STD BLANK								<0.9		
STD BLANK								<0.9		
STD BLANK								<0.9		
STD BLANK								<0.9		

\*\*\*Please refer to the cover page for comments regarding this test report. \*\*\*



MSALABS  
 Unit 1, 20120 102nd Avenue  
 Langley, BC V1M 4B4  
 Phone: +1-604-888-0875

To: **Flow Metals Corp.**  
**810 - 789 West Pender Street**  
**Vancouver, BC, V6C 1H2**  
**Canada**

<b>TEST REPORT:</b>	<b>YVR2110740</b>
---------------------	-------------------

Project Name: Sixtymile\_2021  
 Job Received Date: 20-Jul-2021  
 Job Report Date: 22-Sep-2021  
 Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	MSC-530 total g	MSC-530 (+) g	MSC-530 (-) g	MSC-530 Total Au ppm	MSC-530 Au (+) ppm	MSC-530 Au (-) ppm	MSC-530 Au (-) D ppm
STD BLANK		0.01	LOR	1.0	1.0	1.0	0.9	<0.9		0.01
STD BLANK									<0.01	<0.01
STD BLANK									<0.01	<0.01
STD BLANK									<0.01	<0.01
STD BLANK									<0.01	<0.01
STD BLANK									<0.01	<0.01
STD BLANK									<0.01	<0.01
STD OxQ115								24.6		
STD OxQ153								34.1		
STD OxQ115								25.5		
STD OxN155								7.5		
STD OxQ115								23.6		
STD OxQ153								35.5		
STD OxB146									0.13	0.13
STD OxD167									0.46	0.46
STD OxD167									0.45	0.45
STD OxG140									0.99	0.99
STD OxG140									1.02	1.02
STD OxG140									0.98	0.98

\*\*\*Please refer to the cover page for comments regarding this test report. \*\*\*