



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Kreft, Bernie**
1 Locust Place
Whitehorse Yukon Y1A 5G9 Canada

Submitted By: Bernie Kreft
Receiving Lab: Canada-Whitehorse
Received: June 28, 2021
Analysis Start: July 15, 2021
Report Date: July 21, 2021
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI21000144.1

CLIENT JOB INFORMATION

Project: None Given
Shipment ID:
P.O. Number
Number of Samples: 81

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Kreft, Bernie
1 Locust Place
Whitehorse Yukon Y1A 5G9
Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

| Procedure Code | Number of Samples | Code Description | Test Wgt (g) | Report Status | Lab |
|----------------|-------------------|---|--------------|---------------|-----|
| PRP70-250 | 81 | Crush, split and pulverize 250 g rock to 200 mesh | | | WHI |
| SHP01 | 81 | Per sample shipping charges for branch shipments | | | VAN |
| AQ202 | 81 | 1:1:1 Aqua Regia digestion ICP-MS analysis | 30 | Completed | VAN |

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Kreft, Bernie
1 Locust Place
Whitehorse Yukon Y1A 5G9 Canada

Project: None Given
Report Date: July 21, 2021

Page: 2 of 4

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI21000144.1

| Method | WGHT | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 |
|---------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Analyte | Wgt | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | |
| Unit | kg | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | |
| MDL | 0.01 | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.1 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | |
| BGSR-01 | Rock | 0.86 | 3.4 | 71.8 | 4.5 | 169 | 0.5 | 82.6 | 8.1 | 240 | 11.27 | 321.2 | 8.8 | 10.1 | 1.1 | 6 | 1.3 | 10.9 | <0.1 | 32 | 0.02 |
| BGSR-02 | Rock | 0.57 | 0.7 | 24.6 | 4.1 | 43 | 0.1 | 18.4 | 1.6 | 32 | 5.70 | 102.6 | 1.5 | 7.4 | 0.6 | 5 | 0.1 | 1.7 | <0.1 | 35 | <0.01 |
| BGSR-03 | Rock | 0.94 | 1.5 | 129.8 | 3.8 | 266 | 0.3 | 80.2 | 9.0 | 712 | 16.04 | 160.4 | 2.8 | 2.8 | 1.7 | 12 | 0.8 | 3.8 | <0.1 | 49 | 0.01 |
| BGSR-04 | Rock | 0.71 | <0.1 | 20.3 | 5.1 | 21 | <0.1 | 7.4 | 1.3 | 58 | 1.34 | 24.6 | 0.9 | 1.6 | 0.9 | 5 | 0.1 | 0.3 | <0.1 | 15 | <0.01 |
| BGSR-05 | Rock | 0.25 | 0.9 | 47.3 | 17.4 | 177 | 0.1 | 76.8 | 50.9 | 1104 | 14.95 | 16.8 | 1.0 | 5.1 | 0.3 | 10 | 0.3 | 0.4 | <0.1 | 246 | 0.19 |
| BGSR-06 | Rock | 0.39 | 1.8 | 25.8 | 7.7 | 168 | 0.1 | 76.8 | 52.6 | 2489 | 15.68 | 13.3 | 0.9 | 7.9 | 0.4 | 10 | 0.4 | 0.7 | <0.1 | 185 | 0.14 |
| BGSR-07 | Rock | 0.96 | 2.4 | 111.1 | 8.9 | 120 | 3.2 | 56.1 | 6.5 | 140 | 10.07 | 1348.8 | 0.9 | 170.0 | 0.7 | 11 | 0.2 | 29.8 | <0.1 | 18 | 0.02 |
| BGSR-08 | Rock | 0.28 | 5.0 | 4.0 | 71.2 | 9 | 0.6 | 2.7 | 1.6 | 94 | 0.85 | 42.5 | 0.5 | 1.6 | 3.7 | 13 | <0.1 | 1.1 | 0.7 | 9 | 0.02 |
| BGSR-09 | Rock | 0.60 | 2.3 | 2.9 | 9.1 | 4 | 0.6 | 1.6 | 0.5 | 38 | 0.61 | 25.8 | 0.1 | 43.1 | 2.4 | 4 | <0.1 | 3.3 | 0.2 | 8 | <0.01 |
| BGSR-10 | Rock | 0.46 | 10.5 | 9.0 | 18.2 | 7 | 0.9 | 2.8 | 0.6 | 37 | 3.04 | 561.1 | 0.2 | 80.4 | 1.4 | 3 | 0.1 | 13.5 | <0.1 | 31 | <0.01 |
| BGSR-11 | Rock | 0.59 | 3.9 | 10.1 | 712.9 | 9 | 1.9 | 1.6 | 0.7 | 31 | 3.28 | 909.5 | 0.2 | 27.2 | 4.2 | 146 | 0.2 | 25.1 | 0.2 | 12 | <0.01 |
| BGSR-12 | Rock | 0.70 | 3.9 | 100.1 | 15.1 | 35 | 0.6 | 8.7 | 2.6 | 109 | 4.63 | 1023.1 | 1.9 | 25.8 | 0.8 | 7 | 0.3 | 25.9 | 0.2 | 76 | 0.02 |
| BGSR-13 | Rock | 0.94 | 0.7 | 83.4 | 6.7 | 17 | 1.3 | 5.9 | 1.5 | 59 | 3.21 | 248.3 | 0.6 | 82.5 | 0.9 | 6 | 0.3 | 27.1 | <0.1 | 21 | 0.02 |
| BGSR-14 | Rock | 0.29 | 1.4 | 82.3 | 4.2 | 22 | 0.7 | 10.6 | 1.8 | 58 | 3.24 | 602.0 | 0.8 | 65.2 | 0.8 | 4 | 0.4 | 27.5 | <0.1 | 28 | 0.02 |
| BGSR-15 | Rock | 0.36 | 2.9 | 63.4 | 39.1 | 72 | 0.4 | 28.8 | 3.0 | 52 | 3.79 | 353.1 | 2.1 | 37.1 | 0.9 | 6 | 0.2 | 19.9 | <0.1 | 37 | 0.02 |
| BGSR-16 | Rock | 0.33 | 5.8 | 60.4 | 31.0 | 85 | 0.5 | 37.8 | 8.0 | 105 | 5.09 | 579.7 | 2.6 | 62.5 | 0.8 | 4 | 0.7 | 18.6 | <0.1 | 53 | 0.02 |
| BGSR-17 | Rock | 0.81 | 1.0 | 452.6 | 10.7 | 180 | 0.6 | 77.0 | 14.1 | 176 | 7.31 | 404.0 | 2.9 | 4.3 | 1.8 | 19 | 1.1 | 7.9 | <0.1 | 47 | 0.02 |
| BGSR-18 | Rock | 0.79 | 0.5 | 10.7 | 43.1 | 20 | 0.4 | 3.9 | 0.8 | 37 | 1.85 | 58.6 | 0.3 | 22.2 | 0.8 | 4 | <0.1 | 7.9 | 0.1 | 20 | <0.01 |
| BGSR-19 | Rock | 0.70 | 0.7 | 66.8 | 4.7 | 41 | 4.6 | 16.2 | 6.1 | 127 | 11.46 | 1021.8 | 0.2 | 249.0 | 0.6 | 3 | 0.9 | 29.5 | <0.1 | 64 | 0.03 |
| BGSR-20 | Rock | 1.20 | 0.9 | 5.3 | 6.2 | 4 | 1.9 | 0.8 | 0.2 | 24 | 0.75 | 481.9 | 0.3 | 259.7 | 0.8 | 5 | <0.1 | 15.4 | <0.1 | 10 | <0.01 |
| BGSR-21 | Rock | 0.84 | 0.9 | 19.5 | 13.1 | 5 | 1.3 | 0.7 | 0.2 | 22 | 2.63 | 679.3 | 1.3 | 181.1 | 1.7 | 5 | <0.1 | 26.9 | <0.1 | 26 | <0.01 |
| BGSR-22 | Rock | 1.00 | 2.1 | 25.6 | 17.2 | 11 | 0.5 | 0.7 | 0.7 | 26 | 3.95 | 587.3 | 1.8 | 149.5 | 1.7 | 3 | <0.1 | 26.8 | <0.1 | 18 | <0.01 |
| BGSR-23 | Rock | 1.18 | 0.5 | 7.5 | 7.5 | 4 | 0.7 | 0.3 | <0.1 | 17 | 1.17 | 760.3 | 0.8 | 468.7 | 1.1 | 3 | <0.1 | 33.3 | <0.1 | 16 | <0.01 |
| BGSR-24 | Rock | 1.02 | 2.0 | 24.2 | 6.7 | 15 | 0.7 | 0.6 | 0.8 | 31 | 4.00 | 422.6 | 1.9 | 94.3 | 1.6 | 3 | <0.1 | 29.3 | <0.1 | 41 | <0.01 |
| BGSR-25 | Rock | 0.80 | 0.8 | 31.4 | 6.4 | 38 | 1.4 | 11.8 | 4.3 | 229 | 6.68 | 696.6 | 0.5 | 125.0 | 0.4 | 3 | 0.4 | 42.1 | <0.1 | 103 | 0.02 |
| BGSR-26 | Rock | 0.96 | 2.4 | 21.3 | 14.9 | 44 | 0.5 | 15.2 | 1.2 | 40 | 1.59 | 122.5 | 0.4 | 23.6 | 0.6 | 2 | <0.1 | 5.7 | <0.1 | 15 | <0.01 |
| BGSR-27 | Rock | 1.10 | 9.8 | 11.3 | 156.7 | 15 | 0.7 | 7.9 | 0.5 | 42 | 1.37 | 168.2 | 0.6 | 122.0 | 0.8 | 5 | 0.1 | 10.6 | 2.1 | 35 | <0.01 |
| BGSR-28 | Rock | 0.70 | 6.8 | 45.9 | 60.7 | 97 | 0.4 | 54.5 | 5.3 | 103 | 4.75 | 531.9 | 1.5 | 40.0 | 1.4 | 3 | 0.2 | 19.9 | 0.2 | 56 | <0.01 |
| BGSR-29 | Rock | 0.58 | 1.3 | 34.4 | 46.9 | 10 | 1.6 | 5.9 | 0.9 | 55 | 2.12 | 97.4 | 1.2 | 34.0 | 1.0 | 26 | 0.1 | 10.5 | 0.3 | 22 | 0.03 |
| BGSR-30 | Rock | 0.84 | 2.3 | 60.8 | 11.0 | 22 | 0.4 | 10.9 | 2.9 | 85 | 4.55 | 207.5 | 1.2 | 30.0 | 0.7 | 5 | 0.2 | 18.8 | <0.1 | 30 | 0.02 |



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Kreft, Bernie**
1 Locust Place
Whitehorse Yukon Y1A 5G9 Canada

Project: None Given
Report Date: July 21, 2021

Page: 2 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI21000144.1

| Method | Analyte | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 |
|---------|---------|-------|-------|-------|-------|-------|--------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | P | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se | Te | |
| Unit | | % | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | |
| MDL | | 0.001 | 1 | 1 | 0.01 | 1 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.01 | 0.1 | 0.01 | 0.1 | 0.1 | 0.05 | 1 | 0.5 | 0.2 |
| BGSR-01 | Rock | 0.179 | 2 | 20 | 0.02 | 66 | 0.002 | 16 | 0.20 | 0.002 | 0.02 | 1.0 | 0.12 | 2.7 | 0.1 | <0.05 | <1 | 1.3 | <0.2 | |
| BGSR-02 | Rock | 0.098 | 2 | 14 | 0.02 | 145 | 0.002 | <1 | 0.29 | 0.003 | 0.12 | 0.2 | 0.09 | 1.0 | <0.1 | <0.05 | <1 | 4.7 | <0.2 | |
| BGSR-03 | Rock | 0.116 | 5 | 17 | 0.02 | 353 | 0.001 | <1 | 0.45 | 0.002 | 0.13 | 0.3 | <0.01 | 5.3 | 0.2 | <0.05 | 1 | <0.5 | <0.2 | |
| BGSR-04 | Rock | 0.023 | 2 | 11 | 0.02 | 142 | 0.002 | <1 | 0.25 | 0.002 | 0.12 | 0.2 | <0.01 | 0.9 | <0.1 | <0.05 | <1 | 2.0 | <0.2 | |
| BGSR-05 | Rock | 0.080 | 6 | 80 | 1.30 | 265 | 0.003 | <1 | 3.36 | <0.001 | 0.09 | 0.5 | 0.13 | 50.4 | <0.1 | <0.05 | 9 | 0.9 | <0.2 | |
| BGSR-06 | Rock | 0.080 | 7 | 83 | 0.81 | 266 | 0.003 | 1 | 2.51 | 0.001 | 0.13 | 0.4 | 0.03 | 33.8 | 0.2 | <0.05 | 7 | 1.2 | <0.2 | |
| BGSR-07 | Rock | 0.175 | 2 | 71 | 0.04 | 248 | 0.003 | <1 | 0.54 | 0.002 | 0.10 | 0.2 | 0.24 | 2.3 | 0.1 | 0.05 | 2 | 9.0 | <0.2 | |
| BGSR-08 | Rock | 0.020 | 7 | 9 | 0.03 | 78 | <0.001 | <1 | 0.46 | <0.001 | 0.08 | 0.2 | 0.01 | 1.4 | 0.1 | <0.05 | 2 | 0.8 | <0.2 | |
| BGSR-09 | Rock | 0.008 | 5 | 6 | 0.02 | 181 | 0.002 | <1 | 0.40 | 0.004 | 0.17 | <0.1 | <0.01 | 0.7 | 0.1 | 0.05 | 1 | 3.1 | <0.2 | |
| BGSR-10 | Rock | 0.025 | 4 | 8 | 0.02 | 209 | 0.003 | <1 | 0.25 | 0.003 | 0.13 | 0.3 | 0.14 | 0.8 | 0.2 | <0.05 | 2 | 2.1 | <0.2 | |
| BGSR-11 | Rock | 0.066 | 5 | 10 | 0.02 | 821 | 0.003 | 1 | 0.22 | 0.004 | 0.27 | 0.5 | 0.09 | 1.2 | 0.9 | 0.32 | 3 | 2.9 | <0.2 | |
| BGSR-12 | Rock | 0.101 | 2 | 38 | <0.01 | 98 | 0.001 | <1 | 0.28 | 0.001 | 0.04 | 0.1 | 0.04 | 5.2 | <0.1 | <0.05 | 4 | 7.0 | <0.2 | |
| BGSR-13 | Rock | 0.062 | 2 | 86 | 0.02 | 88 | <0.001 | <1 | 0.29 | 0.001 | 0.08 | <0.1 | 0.02 | 3.2 | <0.1 | <0.05 | 1 | 2.9 | <0.2 | |
| BGSR-14 | Rock | 0.067 | 2 | 86 | 0.02 | 90 | 0.001 | <1 | 0.28 | 0.002 | 0.08 | 0.1 | 0.02 | 2.2 | <0.1 | <0.05 | 1 | 4.1 | <0.2 | |
| BGSR-15 | Rock | 0.078 | 3 | 35 | 0.01 | 116 | 0.002 | <1 | 0.30 | 0.001 | 0.08 | 0.2 | 0.04 | 4.9 | <0.1 | <0.05 | 1 | 7.7 | <0.2 | |
| BGSR-16 | Rock | 0.118 | 5 | 32 | 0.02 | 180 | 0.003 | <1 | 0.25 | 0.001 | 0.06 | 0.2 | <0.01 | 3.1 | <0.1 | <0.05 | <1 | 1.5 | <0.2 | |
| BGSR-17 | Rock | 0.087 | 4 | 179 | 0.02 | 137 | <0.001 | 1 | 0.62 | 0.001 | 0.09 | 0.2 | 0.01 | 8.0 | 0.2 | <0.05 | 2 | 2.2 | <0.2 | |
| BGSR-18 | Rock | 0.022 | 2 | 11 | 0.01 | 154 | 0.002 | <1 | 0.25 | 0.002 | 0.06 | 0.2 | 0.02 | 1.2 | <0.1 | <0.05 | <1 | <0.5 | <0.2 | |
| BGSR-19 | Rock | 0.055 | 3 | 42 | 0.02 | 32 | 0.001 | <1 | 0.87 | <0.001 | 0.05 | 0.6 | 0.24 | 11.4 | <0.1 | <0.05 | 4 | 9.4 | <0.2 | |
| BGSR-20 | Rock | 0.016 | 2 | 5 | <0.01 | 124 | <0.001 | <1 | 0.23 | 0.002 | 0.08 | <0.1 | 0.04 | 0.8 | 0.5 | 0.09 | 1 | 1.3 | <0.2 | |
| BGSR-21 | Rock | 0.069 | 5 | 10 | <0.01 | 151 | 0.001 | <1 | 0.34 | 0.002 | 0.07 | <0.1 | 0.02 | 1.1 | 0.2 | <0.05 | 2 | 1.4 | <0.2 | |
| BGSR-22 | Rock | 0.057 | 4 | 10 | <0.01 | 142 | <0.001 | 1 | 0.13 | 0.001 | 0.05 | 0.2 | 0.02 | 0.7 | <0.1 | <0.05 | 1 | 1.7 | <0.2 | |
| BGSR-23 | Rock | 0.025 | 3 | 6 | <0.01 | 136 | <0.001 | 2 | 0.34 | 0.003 | 0.08 | <0.1 | 0.03 | 1.2 | <0.1 | <0.05 | 2 | 1.0 | <0.2 | |
| BGSR-24 | Rock | 0.116 | 4 | 14 | 0.01 | 161 | 0.002 | <1 | 0.32 | 0.004 | 0.10 | <0.1 | 0.02 | 1.8 | <0.1 | <0.05 | 2 | 1.0 | <0.2 | |
| BGSR-25 | Rock | 0.058 | 2 | 50 | 0.01 | 44 | <0.001 | 1 | 0.55 | <0.001 | 0.02 | 0.2 | 0.07 | 2.5 | <0.1 | <0.05 | 6 | 9.5 | <0.2 | |
| BGSR-26 | Rock | 0.028 | 1 | 8 | <0.01 | 143 | 0.001 | <1 | 0.12 | 0.001 | 0.05 | 0.2 | <0.01 | 0.5 | <0.1 | <0.05 | <1 | 0.5 | <0.2 | |
| BGSR-27 | Rock | 0.029 | 3 | 11 | 0.01 | 115 | 0.002 | <1 | 0.14 | <0.001 | 0.05 | 0.4 | 0.02 | 1.0 | <0.1 | <0.05 | <1 | 3.1 | 0.3 | |
| BGSR-28 | Rock | 0.126 | 4 | 20 | 0.02 | 178 | 0.002 | <1 | 0.31 | 0.001 | 0.09 | 0.3 | 0.02 | 1.2 | <0.1 | <0.05 | 2 | 1.8 | <0.2 | |
| BGSR-29 | Rock | 0.054 | 3 | 24 | 0.02 | 321 | 0.002 | <1 | 0.36 | 0.003 | 0.12 | 0.1 | 0.02 | 1.3 | <0.1 | <0.05 | 1 | 1.1 | <0.2 | |
| BGSR-30 | Rock | 0.117 | 2 | 52 | 0.01 | 72 | 0.001 | <1 | 0.25 | 0.001 | 0.07 | 0.1 | 0.02 | 2.9 | <0.1 | <0.05 | 1 | 2.0 | <0.2 | |



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Kreft, Bernie**
1 Locust Place
Whitehorse Yukon Y1A 5G9 Canada

Project: None Given
Report Date: July 21, 2021

Page: 3 of 4

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI21000144.1

| Method | WGHT | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 |
|---------|------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|--------|-------|--------|-------|-------|-------|-------|-------|-------|-------|
| Analyte | Wgt | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | |
| Unit | kg | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | |
| MDL | 0.01 | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.1 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | |
| BGSR-31 | Rock | 0.56 | 3.7 | 66.0 | 7.2 | 23 | 0.7 | 14.6 | 3.0 | 68 | 6.64 | 148.2 | 1.7 | 24.4 | 0.5 | 5 | 0.4 | 19.9 | <0.1 | 57 | 0.02 |
| BGSR-32 | Rock | 0.95 | 2.8 | 53.0 | 5.2 | 20 | 1.4 | 16.4 | 4.3 | 151 | 4.46 | 278.0 | 1.2 | 49.4 | 0.5 | 4 | 0.4 | 19.9 | <0.1 | 20 | 0.02 |
| BGSR-33 | Rock | 0.46 | 1.9 | 39.9 | 8.2 | 21 | 4.3 | 13.2 | 2.6 | 70 | 6.99 | 275.2 | 1.0 | 618.8 | 1.2 | 4 | 0.4 | 22.8 | <0.1 | 29 | 0.02 |
| BGSR-34 | Rock | 0.69 | 3.2 | 90.5 | 7.7 | 32 | 0.6 | 25.1 | 5.7 | 398 | 6.76 | 226.2 | 1.4 | 50.2 | 0.5 | 6 | 0.6 | 21.3 | 0.1 | 68 | 0.03 |
| BGSR-35 | Rock | 0.39 | 0.3 | 9.0 | 9.7 | 75 | 0.6 | 10.2 | 1.0 | 29 | 0.79 | 88.4 | 0.2 | 76.5 | 0.6 | 2 | 0.5 | 5.7 | 0.3 | 14 | <0.01 |
| BGSR-36 | Rock | 1.10 | 1.5 | 85.8 | 5.5 | 48 | 1.4 | 24.8 | 6.5 | 62 | 7.78 | 418.6 | 2.4 | 119.3 | 1.9 | 8 | 0.7 | 18.9 | 0.1 | 59 | 0.02 |
| BGSR-37 | Rock | 0.55 | 0.1 | 2.1 | 2.3 | 30 | <0.1 | 1.2 | 0.1 | 30 | 0.38 | 8.4 | <0.1 | 0.6 | <0.1 | 3 | 0.2 | 0.6 | <0.1 | 4 | <0.01 |
| BGSR-38 | Rock | 1.63 | <0.1 | 5.9 | 981.5 | 105 | 24.4 | 1.4 | 0.4 | 70 | 0.51 | 305.6 | <0.1 | 9.7 | <0.1 | 1 | 3.0 | 0.4 | 54.5 | 2 | <0.01 |
| BGSR-39 | Rock | 1.08 | 0.2 | 16.7 | >10000 | 792 | >100 | 2.1 | 0.5 | 41 | 0.76 | 2.6 | <0.1 | 18.0 | 0.1 | <1 | 34.3 | 3.3 | 706.8 | 2 | <0.01 |
| BGSR-40 | Rock | 0.78 | 0.7 | 32.0 | 4412.7 | 157 | 43.4 | 8.0 | 1.5 | 175 | 1.36 | 48.6 | 0.4 | 87.7 | 0.3 | 3 | 4.1 | 2.1 | 107.6 | 9 | <0.01 |
| BGSR-41 | Rock | 0.62 | 0.9 | 35.7 | 27.4 | 44 | 1.1 | 2.6 | 1.9 | 65 | 6.00 | 133.3 | 0.3 | 36.2 | 2.6 | 2 | 0.2 | 12.4 | 1.4 | 26 | 0.01 |
| BGSR-42 | Rock | 0.60 | 0.6 | 11.0 | 40.9 | 14 | 2.1 | 1.9 | 0.4 | 26 | 1.02 | 79.0 | 0.3 | 1620.3 | 0.2 | 4 | 0.2 | 4.8 | 2.4 | 9 | 0.01 |
| BGSR-43 | Rock | 0.10 | 0.8 | 68.8 | 14.1 | 120 | <0.1 | 543.9 | 64.9 | 1153 | 5.56 | 530.6 | 0.8 | 0.9 | 1.7 | 3 | 0.2 | 1.0 | 0.3 | 78 | 0.03 |
| BGSR-44 | Rock | 1.20 | 0.3 | 2.2 | 12.3 | 76 | 0.2 | 831.1 | 56.5 | 2900 | 3.57 | 1100.3 | 0.2 | 3.5 | 0.1 | 347 | 0.6 | 1.1 | 0.5 | 49 | 7.53 |
| BGSR-45 | Rock | 1.15 | 0.1 | 3.2 | 9.7 | 76 | <0.1 | 643.0 | 47.0 | 1682 | 4.14 | 490.7 | <0.1 | <0.5 | 0.5 | 166 | 0.5 | 0.4 | 0.2 | 97 | 6.60 |
| BGSR-46 | Rock | 0.25 | 0.4 | 9.6 | 7.9 | 54 | 0.1 | 813.8 | 85.8 | 1618 | 2.28 | 548.6 | 0.2 | <0.5 | 0.4 | 7 | 0.6 | 3.5 | 0.3 | 31 | 0.30 |
| BGSR-47 | Rock | 1.11 | 0.4 | 35.8 | 7.1 | 104 | 0.4 | 620.8 | 43.3 | 2399 | 4.19 | 289.9 | 0.2 | 0.7 | 0.9 | 276 | 0.5 | 6.5 | 0.2 | 72 | 6.61 |
| BGSR-48 | Rock | 0.90 | <0.1 | 6.2 | 6.5 | 38 | <0.1 | 670.0 | 38.1 | 1639 | 2.31 | 169.5 | 0.3 | <0.5 | <0.1 | 339 | 0.1 | 1.4 | 0.2 | 22 | 9.80 |
| BGSR-49 | Rock | 1.32 | <0.1 | 0.7 | 3.2 | 56 | <0.1 | 765.8 | 56.8 | 1055 | 2.33 | 323.3 | 0.1 | <0.5 | 0.2 | 403 | 0.3 | 1.3 | 0.2 | 30 | 5.14 |
| BGSR-50 | Rock | 1.30 | 0.3 | 2.0 | 6.9 | 60 | 0.1 | 614.4 | 37.8 | 2671 | 3.44 | 353.1 | 0.5 | <0.5 | 0.2 | 527 | 0.3 | 25.7 | 0.2 | 47 | 12.41 |
| BGSR-51 | Rock | 0.72 | 1.0 | 31.5 | 3.5 | 99 | 0.1 | 639.5 | 47.5 | 1083 | 5.15 | 124.8 | 0.3 | <0.5 | 1.5 | 251 | 0.2 | 2.7 | <0.1 | 113 | 5.20 |
| BGSR-52 | Rock | 0.30 | 0.3 | 4.1 | 13.8 | 111 | 0.1 | 374.7 | 38.8 | 3059 | 4.76 | 588.2 | 0.4 | 0.7 | 1.6 | 9 | 1.0 | 3.5 | 0.3 | 83 | 0.14 |
| BGSR-53 | Rock | 0.90 | 0.2 | 3.4 | 3.4 | 42 | <0.1 | 117.5 | 7.4 | 383 | 1.25 | 60.8 | 0.2 | 0.5 | 0.3 | 14 | <0.1 | 0.4 | 0.1 | 11 | 0.18 |
| BGSR-54 | Rock | 0.90 | 8.2 | 112.6 | 19.1 | 520 | 0.8 | 114.2 | 23.8 | 1297 | 3.52 | 40.2 | 3.4 | 2.2 | 1.4 | 18 | 2.3 | 1.6 | 0.4 | 82 | 0.13 |
| BGSR-55 | Rock | 0.86 | 0.9 | 9.2 | 6.3 | 11 | 0.1 | 4.3 | 0.4 | 43 | 0.62 | 10.5 | 0.3 | 5.1 | 1.0 | 10 | <0.1 | 0.3 | 0.2 | 8 | 0.02 |
| BGSR-56 | Rock | 0.81 | 0.7 | 137.3 | 3.2 | 37 | 0.4 | 28.5 | 1.8 | 63 | 3.22 | 243.5 | 10.5 | 81.8 | 2.9 | 419 | 0.5 | 12.6 | 0.2 | 30 | 0.10 |
| BGSR-57 | Rock | 0.95 | 1.4 | 34.7 | 2.3 | 92 | 0.1 | 44.5 | 18.0 | 1134 | 1.76 | 17.5 | 0.6 | 1.1 | 0.8 | 12 | 0.9 | 1.1 | <0.1 | 10 | <0.01 |
| BGSR-58 | Rock | 0.85 | 1.3 | 51.5 | 5.7 | 27 | 0.4 | 10.5 | 0.9 | 93 | 1.86 | 54.3 | 1.7 | 21.5 | 0.6 | 47 | 0.3 | 6.5 | 0.2 | 14 | 0.03 |
| BGSR-59 | Rock | 1.30 | 1.3 | 36.8 | 2.2 | 54 | 0.1 | 50.5 | 5.4 | 123 | 5.21 | 203.8 | 1.2 | 67.9 | 1.4 | 3 | 0.2 | 6.6 | <0.1 | 21 | <0.01 |
| DTSR-01 | Rock | 0.88 | 3.1 | 48.0 | 3.1 | 70 | 0.1 | 25.4 | 3.5 | 59 | 5.02 | 41.9 | 1.7 | 7.5 | 1.8 | 6 | 0.1 | 4.6 | 0.1 | 22 | <0.01 |



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Kreft, Bernie**
1 Locust Place
Whitehorse Yukon Y1A 5G9 Canada

Project: None Given
Report Date: July 21, 2021

Page: 3 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI21000144.1

| Method | Analyte | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 |
|---------|---------|-------|-------|-------|-------|-------|--------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | P | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se | Te | |
| Unit | | % | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | |
| MDL | | 0.001 | 1 | 1 | 0.01 | 1 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.01 | 0.01 | 0.1 | 0.01 | 0.05 | 1 | 0.5 | 0.2 | |
| BGSR-31 | Rock | 0.184 | 1 | 45 | 0.02 | 129 | 0.001 | <1 | 0.39 | 0.002 | 0.09 | 0.1 | 0.01 | 3.9 | <0.1 | <0.05 | 2 | 2.9 | <0.2 | |
| BGSR-32 | Rock | 0.111 | 1 | 62 | 0.01 | 78 | 0.002 | <1 | 0.24 | 0.001 | 0.05 | 0.1 | 0.03 | 2.6 | <0.1 | <0.05 | 1 | 1.4 | <0.2 | |
| BGSR-33 | Rock | 0.093 | 2 | 29 | 0.01 | 194 | 0.001 | <1 | 0.29 | 0.001 | 0.06 | <0.1 | 0.03 | 3.7 | <0.1 | <0.05 | 1 | 6.9 | <0.2 | |
| BGSR-34 | Rock | 0.141 | 2 | 78 | 0.02 | 110 | 0.002 | <1 | 0.40 | 0.002 | 0.12 | <0.1 | 0.03 | 2.4 | <0.1 | <0.05 | 2 | 6.8 | <0.2 | |
| BGSR-35 | Rock | 0.013 | 2 | 14 | <0.01 | 95 | <0.001 | <1 | 0.24 | 0.001 | 0.05 | <0.1 | <0.01 | 0.8 | <0.1 | <0.05 | <1 | <0.5 | <0.2 | |
| BGSR-36 | Rock | 0.120 | 11 | 41 | 0.02 | 113 | 0.002 | <1 | 0.66 | 0.001 | 0.06 | 0.2 | 0.10 | 6.4 | <0.1 | <0.05 | 1 | 5.3 | <0.2 | |
| BGSR-37 | Rock | 0.004 | <1 | 6 | <0.01 | 12 | <0.001 | <1 | 0.02 | <0.001 | <0.01 | <0.1 | <0.01 | 0.2 | <0.1 | <0.05 | <1 | <0.5 | <0.2 | |
| BGSR-38 | Rock | 0.005 | <1 | 5 | <0.01 | 28 | <0.001 | <1 | 0.02 | <0.001 | <0.01 | <0.1 | <0.01 | <0.1 | <0.1 | <0.05 | <1 | 5.1 | 1.7 | |
| BGSR-39 | Rock | 0.005 | <1 | 5 | <0.01 | 11 | <0.001 | <1 | <0.01 | <0.001 | <0.01 | <0.1 | 0.09 | <0.1 | 0.3 | 0.36 | <1 | 52.4 | 21.4 | |
| BGSR-40 | Rock | 0.021 | <1 | 14 | <0.01 | 42 | <0.001 | <1 | 0.08 | <0.001 | 0.01 | <0.1 | 0.01 | 0.7 | <0.1 | 0.09 | <1 | 12.7 | 4.1 | |
| BGSR-41 | Rock | 0.027 | <1 | 11 | 0.01 | 126 | 0.002 | <1 | 0.39 | 0.002 | 0.11 | <0.1 | 0.03 | 3.3 | 0.1 | <0.05 | 2 | 2.0 | <0.2 | |
| BGSR-42 | Rock | 0.022 | <1 | 15 | <0.01 | 46 | <0.001 | <1 | 0.30 | 0.001 | 0.03 | <0.1 | <0.01 | 0.6 | <0.1 | <0.05 | <1 | <0.5 | <0.2 | |
| BGSR-43 | Rock | 0.026 | 5 | 949 | 3.90 | 109 | 0.010 | <1 | 2.56 | 0.001 | 0.05 | <0.1 | <0.01 | 12.9 | <0.1 | <0.05 | 7 | <0.5 | <0.2 | |
| BGSR-44 | Rock | 0.004 | 3 | 1468 | 5.04 | 284 | 0.006 | <1 | 1.24 | 0.002 | 0.02 | <0.1 | <0.01 | 8.2 | 0.6 | <0.05 | 4 | <0.5 | <0.2 | |
| BGSR-45 | Rock | 0.021 | 3 | 819 | 6.50 | 293 | 0.047 | <1 | 3.31 | 0.002 | 0.25 | <0.1 | <0.01 | 15.1 | 0.1 | <0.05 | 8 | <0.5 | <0.2 | |
| BGSR-46 | Rock | 0.006 | 1 | 755 | 1.69 | 77 | 0.004 | <1 | 1.00 | 0.003 | 0.02 | <0.1 | 0.02 | 3.5 | 0.2 | <0.05 | 3 | <0.5 | 0.2 | |
| BGSR-47 | Rock | 0.016 | 3 | 809 | 5.68 | 117 | 0.010 | <1 | 2.20 | 0.001 | 0.04 | <0.1 | <0.01 | 13.0 | 0.4 | <0.05 | 5 | <0.5 | <0.2 | |
| BGSR-48 | Rock | 0.007 | <1 | 830 | 6.49 | 27 | 0.002 | <1 | 0.71 | <0.001 | <0.01 | <0.1 | <0.01 | 5.7 | 0.2 | <0.05 | 1 | <0.5 | <0.2 | |
| BGSR-49 | Rock | 0.001 | <1 | 891 | 4.85 | 87 | 0.008 | <1 | 1.51 | 0.001 | <0.01 | <0.1 | <0.01 | 3.2 | 0.1 | <0.05 | 4 | <0.5 | <0.2 | |
| BGSR-50 | Rock | 0.007 | 3 | 880 | 6.52 | 620 | 0.010 | <1 | 1.66 | 0.002 | 0.04 | <0.1 | <0.01 | 10.5 | 0.2 | <0.05 | 4 | <0.5 | <0.2 | |
| BGSR-51 | Rock | 0.041 | 6 | 1131 | 7.84 | 39 | 0.025 | <1 | 4.11 | 0.001 | 0.01 | <0.1 | <0.01 | 18.6 | <0.1 | <0.05 | 9 | 0.5 | <0.2 | |
| BGSR-52 | Rock | 0.031 | 5 | 951 | 3.99 | 121 | 0.006 | <1 | 3.11 | <0.001 | 0.01 | <0.1 | 0.02 | 14.2 | <0.1 | <0.05 | 8 | <0.5 | <0.2 | |
| BGSR-53 | Rock | 0.008 | 1 | 42 | 0.14 | 67 | <0.001 | <1 | 0.18 | <0.001 | 0.02 | <0.1 | <0.01 | 2.1 | <0.1 | <0.05 | <1 | <0.5 | <0.2 | |
| BGSR-54 | Rock | 0.085 | 4 | 29 | 0.04 | 107 | <0.001 | 2 | 0.40 | 0.003 | 0.08 | 0.3 | 0.05 | 5.2 | 0.2 | <0.05 | 2 | 2.2 | <0.2 | |
| BGSR-55 | Rock | 0.017 | 5 | 11 | 0.01 | 132 | <0.001 | 1 | 0.18 | 0.001 | 0.06 | 10.5 | <0.01 | 0.8 | <0.1 | <0.05 | <1 | <0.5 | <0.2 | |
| BGSR-56 | Rock | 0.314 | 3 | 65 | <0.01 | 282 | 0.002 | 3 | 0.62 | <0.001 | 0.02 | 0.2 | 0.02 | 7.7 | 0.3 | <0.05 | 6 | <0.5 | <0.2 | |
| BGSR-57 | Rock | 0.021 | 2 | 9 | 0.01 | 69 | <0.001 | 1 | 0.14 | 0.002 | 0.03 | 0.1 | <0.01 | 1.2 | 0.1 | <0.05 | <1 | <0.5 | <0.2 | |
| BGSR-58 | Rock | 0.069 | 2 | 11 | 0.02 | 101 | 0.001 | 1 | 0.30 | 0.003 | 0.06 | <0.1 | 0.01 | 1.1 | 0.1 | <0.05 | <1 | <0.5 | <0.2 | |
| BGSR-59 | Rock | 0.108 | 3 | 9 | 0.01 | 83 | 0.003 | 2 | 0.27 | 0.002 | 0.05 | 0.1 | <0.01 | 1.0 | <0.1 | <0.05 | 1 | 0.8 | <0.2 | |
| DTSR-01 | Rock | 0.129 | 4 | 16 | 0.02 | 216 | 0.002 | 1 | 0.38 | 0.003 | 0.15 | 0.2 | 0.03 | 1.2 | 0.1 | <0.05 | 1 | 0.9 | <0.2 | |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Kreft, Bernie
1 Locust Place
Whitehorse Yukon Y1A 5G9 Canada

Project: None Given
Report Date: July 21, 2021

Page: 4 of 4

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI21000144.1

| Method | WGHT | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 |
|---------|------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Analyte | Wgt | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | |
| Unit | kg | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | |
| MDL | 0.01 | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.1 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | |
| DTSR-02 | Rock | 0.47 | 2.2 | 203.3 | 4.9 | 40 | 0.3 | 23.0 | 4.7 | 58 | 7.83 | 330.6 | 1.4 | 13.6 | 1.3 | 22 | 0.2 | 1.7 | <0.1 | 65 | <0.01 |
| DTSR-03 | Rock | 0.86 | 6.8 | 4.7 | 23.6 | 17 | 3.1 | 1.6 | 0.1 | 34 | 0.90 | 28.4 | 0.7 | 118.0 | 0.7 | 4 | <0.1 | 7.2 | 0.4 | 41 | <0.01 |
| DTSR-04 | Rock | 0.72 | 2.8 | 14.7 | 6.3 | 53 | 0.4 | 17.0 | 2.3 | 69 | 2.38 | 344.1 | 1.3 | 21.6 | 1.9 | 2 | 0.2 | 7.3 | <0.1 | 15 | <0.01 |
| DTSR-05 | Rock | 0.81 | 6.8 | 46.0 | 20.7 | 81 | 2.1 | 17.4 | 1.5 | 86 | 4.90 | 1922.1 | 2.6 | 131.1 | 1.3 | 14 | 1.0 | 6.7 | 0.2 | 31 | <0.01 |
| DTSR-06 | Rock | 0.70 | 5.8 | 43.1 | 36.2 | 113 | 1.4 | 51.9 | 4.3 | 171 | 9.81 | 651.0 | 3.1 | 75.5 | 2.4 | 10 | 0.3 | 29.1 | 0.2 | 39 | 0.01 |
| DTSR-07 | Rock | 0.39 | 1.8 | 46.3 | 6.1 | 284 | 0.3 | 70.0 | 25.1 | 680 | 6.33 | 377.6 | 0.9 | 4.5 | 1.2 | 6 | 0.4 | 2.9 | <0.1 | 20 | <0.01 |
| DTSR-08 | Rock | 1.16 | 2.8 | 68.3 | 33.9 | 344 | 0.4 | 69.3 | 20.5 | 428 | 8.97 | 814.1 | 1.9 | 2.4 | 2.0 | 4 | 0.6 | 1.5 | 1.0 | 12 | <0.01 |
| DTSR-09 | Rock | 0.40 | 1.7 | 27.9 | 20.0 | 167 | 0.3 | 31.2 | 11.6 | 201 | 4.32 | 55.4 | 1.2 | 0.7 | 2.5 | 14 | 0.1 | 2.1 | 0.3 | 25 | <0.01 |
| DTSR-10 | Rock | 0.76 | 0.2 | 14.7 | 4.9 | 54 | 5.0 | 61.2 | 9.9 | 38 | 1.59 | 380.3 | 0.2 | 24.1 | 0.6 | 1 | 0.2 | 325.5 | 0.3 | 5 | 0.01 |
| DTSR-11 | Rock | 0.82 | 1.8 | 53.2 | 18.0 | 19 | 0.2 | 27.4 | 2.0 | 38 | 1.92 | 54.7 | 1.2 | <0.5 | 1.1 | 5 | <0.1 | 7.0 | 0.1 | 28 | <0.01 |
| DTSR-12 | Rock | 0.86 | 4.6 | 20.4 | 16.4 | 19 | 1.4 | 2.3 | 0.3 | 39 | 1.76 | 42.9 | 2.0 | 3.5 | 2.4 | 208 | <0.1 | 10.9 | <0.1 | 72 | <0.01 |
| DTSR-13 | Rock | 0.82 | 0.8 | 44.2 | 5.0 | 118 | 0.1 | 33.3 | 8.9 | 220 | 3.14 | 80.5 | 0.9 | 1.3 | 1.3 | 3 | 0.2 | 2.8 | <0.1 | 14 | <0.01 |
| DTSR-14 | Rock | 0.80 | 2.9 | 34.2 | 15.5 | 12 | 0.5 | 7.3 | 4.7 | 130 | 2.90 | 517.2 | 1.9 | 7.2 | 2.0 | 24 | 0.1 | 5.0 | 0.8 | 24 | <0.01 |
| DTSR-15 | Rock | 0.56 | 3.1 | 109.2 | 38.5 | 27 | 0.2 | 7.7 | 1.8 | 83 | 10.24 | 603.1 | 2.4 | 2.9 | 1.8 | 2 | 0.3 | 4.8 | 0.2 | 41 | <0.01 |
| DTSR-16 | Rock | 0.97 | 8.3 | 59.7 | 7.8 | 109 | 0.2 | 7.5 | 2.3 | 63 | 3.56 | 255.4 | 2.2 | 5.8 | 2.0 | 5 | <0.1 | 8.6 | 0.1 | 51 | <0.01 |
| DTSR-17 | Rock | 0.46 | 0.2 | 47.5 | 3.7 | 14 | 0.6 | 16.8 | 1.5 | 58 | 2.50 | 180.8 | 0.8 | 10.6 | 5.4 | 3 | <0.1 | 9.7 | <0.1 | 26 | 0.02 |
| DTSR-18 | Rock | 0.72 | 0.5 | 190.3 | 2.6 | 16 | 0.3 | 15.7 | 6.3 | 54 | 3.83 | 130.5 | 0.6 | 30.9 | 0.5 | 1 | 0.2 | 33.7 | <0.1 | 46 | 0.01 |
| DTSR-19 | Rock | 1.61 | 1.1 | 24.2 | 6.0 | 12 | 1.0 | 3.2 | 1.3 | 42 | 4.77 | 196.5 | 0.4 | 106.0 | 1.6 | 3 | <0.1 | 29.4 | <0.1 | 59 | <0.01 |
| DTSR-20 | Rock | 0.75 | 0.2 | 16.3 | 1810.0 | 2793 | 54.0 | 2.6 | 1.1 | 60 | 0.84 | 71.0 | <0.1 | 5.7 | <0.1 | 1 | 111.7 | 2.2 | 127.7 | 3 | <0.01 |
| DTSR-21 | Rock | 1.18 | 3.4 | 55.2 | 21.3 | 47 | 0.1 | 28.3 | 10.8 | 570 | 2.50 | 2374.1 | 5.5 | 1.1 | 0.6 | 51 | 1.4 | 1.1 | 0.2 | 11 | 0.14 |
| DTSR-22 | Rock | 0.93 | 0.4 | 4.6 | 6.7 | 9 | 0.2 | 1.8 | 0.2 | 33 | 0.53 | 14.7 | 0.6 | <0.5 | 1.1 | 11 | 0.1 | 1.2 | 0.4 | 3 | <0.01 |



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Kreft, Bernie**
1 Locust Place
Whitehorse Yukon Y1A 5G9 Canada

Project: None Given
Report Date: July 21, 2021

Page: 4 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI21000144.1

| Method | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 |
|---------|-------|-------|-------|-------|-------|-------|--------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Analyte | P | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se | Te | |
| Unit | % | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | |
| MDL | 0.001 | 1 | 1 | 0.01 | 1 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.1 | 0.01 | 0.1 | 0.1 | 0.05 | 1 | 0.5 | 0.2 | |
| DTSR-02 | Rock | 0.209 | 2 | 83 | 0.03 | 166 | 0.003 | 2 | 0.77 | 0.002 | 0.08 | 0.6 | 0.16 | 7.2 | <0.1 | <0.05 | 2 | 9.3 | <0.2 |
| DTSR-03 | Rock | 0.020 | 2 | 11 | 0.01 | 145 | <0.001 | <1 | 0.17 | 0.001 | 0.10 | 0.3 | 0.05 | 0.7 | 0.4 | <0.05 | <1 | 1.9 | <0.2 |
| DTSR-04 | Rock | 0.058 | 5 | 9 | 0.02 | 211 | 0.004 | 1 | 0.25 | 0.002 | 0.09 | 0.3 | 0.03 | 1.0 | 0.2 | <0.05 | 2 | <0.5 | <0.2 |
| DTSR-05 | Rock | 0.088 | 1 | 10 | <0.01 | 475 | 0.002 | 1 | 0.19 | 0.002 | 0.10 | 0.1 | 0.07 | 0.7 | 2.8 | 0.11 | 2 | 1.1 | 0.3 |
| DTSR-06 | Rock | 0.242 | 3 | 12 | 0.01 | 237 | 0.002 | 2 | 0.29 | 0.002 | 0.08 | 0.2 | 0.10 | 1.1 | 1.3 | 0.07 | 3 | 0.8 | <0.2 |
| DTSR-07 | Rock | 0.049 | 3 | 10 | 0.01 | 157 | 0.002 | 2 | 0.25 | 0.002 | 0.09 | 0.1 | 0.04 | 2.5 | 0.1 | <0.05 | <1 | <0.5 | <0.2 |
| DTSR-08 | Rock | 0.079 | 3 | 12 | <0.01 | 38 | <0.001 | <1 | 0.46 | <0.001 | 0.03 | 0.1 | 0.05 | 5.4 | 0.1 | <0.05 | 1 | <0.5 | <0.2 |
| DTSR-09 | Rock | 0.044 | 4 | 17 | <0.01 | 68 | <0.001 | 1 | 0.30 | 0.002 | 0.05 | <0.1 | 0.02 | 2.5 | 0.2 | <0.05 | 1 | <0.5 | <0.2 |
| DTSR-10 | Rock | 0.006 | 2 | 235 | 0.01 | 37 | <0.001 | 3 | 0.09 | <0.001 | 0.04 | <0.1 | <0.01 | 0.3 | 0.3 | <0.05 | <1 | 3.8 | <0.2 |
| DTSR-11 | Rock | 0.037 | 4 | 25 | 0.01 | 47 | 0.001 | <1 | 0.34 | 0.001 | 0.06 | 0.1 | <0.01 | 1.5 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| DTSR-12 | Rock | 0.154 | 9 | 35 | 0.04 | 2566 | 0.010 | 2 | 0.43 | 0.003 | 0.14 | 0.4 | 0.06 | 2.4 | 0.2 | <0.05 | 3 | 6.2 | <0.2 |
| DTSR-13 | Rock | 0.038 | 5 | 8 | 0.01 | 77 | 0.002 | <1 | 0.21 | 0.002 | 0.07 | <0.1 | 0.01 | 1.4 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| DTSR-14 | Rock | 0.094 | 3 | 18 | 0.02 | 211 | 0.002 | 4 | 0.33 | 0.003 | 0.11 | 0.1 | 0.02 | 1.8 | 0.5 | 0.17 | 2 | 0.7 | <0.2 |
| DTSR-15 | Rock | 0.243 | 3 | 22 | 0.01 | 91 | 0.005 | <1 | 0.27 | 0.002 | 0.06 | 0.1 | 0.02 | 3.2 | <0.1 | <0.05 | <1 | 0.5 | <0.2 |
| DTSR-16 | Rock | 0.084 | 4 | 18 | 0.02 | 575 | 0.002 | 2 | 0.29 | 0.002 | 0.09 | 0.3 | 0.02 | 1.1 | 0.1 | <0.05 | 2 | 3.4 | <0.2 |
| DTSR-17 | Rock | 0.044 | 7 | 178 | 0.02 | 64 | 0.003 | <1 | 0.29 | 0.002 | 0.06 | <0.1 | 0.04 | 2.7 | 0.1 | <0.05 | 6 | 0.6 | <0.2 |
| DTSR-18 | Rock | 0.024 | <1 | 21 | 0.01 | 25 | 0.002 | 1 | 0.72 | <0.001 | 0.05 | 0.3 | 0.03 | 5.8 | 0.2 | <0.05 | 2 | 2.2 | <0.2 |
| DTSR-19 | Rock | 0.079 | 5 | 37 | 0.01 | 119 | 0.002 | 2 | 0.40 | 0.002 | 0.07 | 0.2 | 0.03 | 6.1 | <0.1 | <0.05 | 3 | 3.7 | <0.2 |
| DTSR-20 | Rock | 0.009 | <1 | 5 | <0.01 | 17 | <0.001 | <1 | 0.04 | <0.001 | <0.01 | <0.1 | 0.13 | 0.3 | <0.1 | 0.22 | <1 | 8.1 | 3.6 |
| DTSR-21 | Rock | 0.122 | 2 | 9 | <0.01 | 328 | <0.001 | <1 | 0.26 | 0.002 | 0.03 | <0.1 | <0.01 | 1.4 | <0.1 | 0.06 | <1 | <0.5 | <0.2 |
| DTSR-22 | Rock | 0.014 | <1 | 5 | <0.01 | 92 | <0.001 | <1 | 0.03 | <0.001 | <0.01 | <0.1 | <0.01 | 0.1 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Project: None Given
Report Date: July 21, 2021

Page: 1 of 1 Part: 1 of 2

QUALITY CONTROL REPORT

WHI21000144.1

| Method | WGHT | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 |
|------------------------|------------|-------|-------|--------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|
| Analyte | Wgt | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | |
| Unit | kg | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | | |
| MDL | 0.01 | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.1 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | |
| Pulp Duplicates | | | | | | | | | | | | | | | | | | | | | |
| BGSR-10 | Rock | 0.46 | 10.5 | 9.0 | 18.2 | 7 | 0.9 | 2.8 | 0.6 | 37 | 3.04 | 561.1 | 0.2 | 80.4 | 1.4 | 3 | 0.1 | 13.5 | <0.1 | 31 | <0.01 |
| REP BGSR-10 | QC | | 11.0 | 9.0 | 18.0 | 7 | 0.9 | 2.8 | 0.7 | 37 | 3.01 | 549.4 | 0.2 | 79.7 | 1.4 | 3 | 0.2 | 13.1 | <0.1 | 30 | <0.01 |
| BGSR-41 | Rock | 0.62 | 0.9 | 35.7 | 27.4 | 44 | 1.1 | 2.6 | 1.9 | 65 | 6.00 | 133.3 | 0.3 | 36.2 | 2.6 | 2 | 0.2 | 12.4 | 1.4 | 26 | 0.01 |
| REP BGSR-41 | QC | | 0.7 | 37.4 | 28.1 | 46 | 1.0 | 2.5 | 2.3 | 66 | 5.93 | 135.8 | 0.3 | 35.7 | 2.5 | 2 | 0.1 | 12.4 | 1.2 | 26 | 0.01 |
| DTSR-12 | Rock | 0.86 | 4.6 | 20.4 | 16.4 | 19 | 1.4 | 2.3 | 0.3 | 39 | 1.76 | 42.9 | 2.0 | 3.5 | 2.4 | 208 | <0.1 | 10.9 | <0.1 | 72 | <0.01 |
| REP DTSR-12 | QC | | 4.7 | 19.7 | 14.9 | 20 | 1.3 | 2.2 | 0.2 | 35 | 1.74 | 40.2 | 1.9 | 3.1 | 2.3 | 197 | <0.1 | 10.1 | <0.1 | 72 | <0.01 |
| Core Reject Duplicates | | | | | | | | | | | | | | | | | | | | | |
| BGSR-39 | Rock | 1.08 | 0.2 | 16.7 | >10000 | 792 | >100 | 2.1 | 0.5 | 41 | 0.76 | 2.6 | <0.1 | 18.0 | 0.1 | <1 | 34.3 | 3.3 | 706.8 | 2 | <0.01 |
| DUP BGSR-39 | QC | | 0.1 | 18.0 | >10000 | 806 | >100 | 2.1 | 0.5 | 43 | 0.80 | 1.8 | <0.1 | 15.0 | 0.1 | <1 | 33.4 | 3.3 | 742.3 | 2 | <0.01 |
| DTSR-14 | Rock | 0.80 | 2.9 | 34.2 | 15.5 | 12 | 0.5 | 7.3 | 4.7 | 130 | 2.90 | 517.2 | 1.9 | 7.2 | 2.0 | 24 | 0.1 | 5.0 | 0.8 | 24 | <0.01 |
| DUP DTSR-14 | QC | | 2.7 | 34.8 | 15.2 | 11 | 0.4 | 7.1 | 4.1 | 118 | 2.77 | 495.9 | 1.9 | 6.7 | 2.0 | 23 | 0.2 | 4.9 | 0.9 | 23 | <0.01 |
| Reference Materials | | | | | | | | | | | | | | | | | | | | | |
| STD BVGEO01 | Standard | | 11.1 | 4446.1 | 190.1 | 1679 | 2.8 | 162.9 | 26.0 | 743 | 3.75 | 116.8 | 4.2 | 224.3 | 15.2 | 60 | 6.6 | 3.3 | 26.3 | 76 | 1.32 |
| STD BVGEO01 | Standard | | 11.3 | 4344.3 | 184.8 | 1729 | 2.7 | 157.2 | 24.9 | 730 | 3.65 | 122.3 | 4.0 | 221.5 | 15.4 | 56 | 6.4 | 3.2 | 26.1 | 71 | 1.34 |
| STD DS11 | Standard | | 15.1 | 149.5 | 146.2 | 351 | 1.8 | 82.3 | 14.0 | 1050 | 3.25 | 48.0 | 2.7 | 72.2 | 8.5 | 77 | 2.2 | 8.2 | 12.5 | 52 | 1.09 |
| STD OREAS262 | Standard | | 0.6 | 115.4 | 61.6 | 157 | 0.5 | 64.5 | 27.1 | 560 | 3.36 | 38.4 | 1.4 | 66.7 | 10.8 | 38 | 0.7 | 5.0 | 1.1 | 23 | 3.09 |
| STD OREAS262 | Standard | | 0.7 | 116.9 | 61.7 | 158 | 0.5 | 64.8 | 27.2 | 545 | 3.41 | 39.9 | 1.3 | 64.7 | 10.2 | 41 | 0.8 | 5.4 | 1.2 | 23 | 2.99 |
| STD OREAS262 | Standard | | 0.7 | 110.4 | 59.4 | 157 | 0.5 | 66.4 | 27.9 | 548 | 3.26 | 36.3 | 1.3 | 65.5 | 9.9 | 37 | 0.6 | 4.7 | 1.1 | 21 | 3.10 |
| STD DS11 Expected | | | 14.6 | 149 | 138 | 345 | 1.71 | 77.7 | 14.2 | 1055 | 3.1 | 42.8 | 2.59 | 79 | 7.65 | 67.3 | 2.37 | 8.74 | 12.2 | 50 | 1.063 |
| STD BVGEO01 Expected | | | 11.2 | 4415 | 187 | 1741 | 2.53 | 163 | 25 | 733 | 3.7 | 121 | 3.77 | 219 | 14.4 | 55 | 6.5 | 3.39 | 25.6 | 73 | 1.3219 |
| STD OREAS262 Expected | | | 0.68 | 118 | 56 | 154 | 0.45 | 62 | 26.9 | 530 | 3.284 | 35.8 | 1.22 | 65 | 9.33 | 36 | 0.61 | 5.06 | 1.03 | 22.5 | 2.98 |
| BLK | Blank | | <0.1 | <0.1 | 0.2 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 | 2.3 | <0.1 | <0.5 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 |
| BLK | Blank | | <0.1 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 | 0.6 | <0.1 | <0.5 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 |
| BLK | Blank | | <0.1 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 | 0.6 | <0.1 | <0.5 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 |
| Prep Wash | | | | | | | | | | | | | | | | | | | | | |
| ROCK-WHI | Prep Blank | | 0.5 | 4.1 | 4.8 | 25 | <0.1 | 0.7 | 3.4 | 407 | 1.74 | 2.0 | 0.6 | 1.5 | 2.8 | 26 | <0.1 | 0.2 | <0.1 | 25 | 0.60 |
| ROCK-WHI | Prep Blank | | 0.6 | 3.0 | 2.8 | 26 | <0.1 | 1.7 | 3.7 | 433 | 1.76 | 1.9 | 0.5 | <0.5 | 2.6 | 28 | <0.1 | <0.1 | <0.1 | 27 | 0.68 |



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Kreft, Bernie**
1 Locust Place
Whitehorse Yukon Y1A 5G9 Canada

Project: None Given
Report Date: July 21, 2021

Page: 1 of 1

Part: 2 of 2

QUALITY CONTROL REPORT

WHI21000144.1

| Method | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 | AQ202 |
|------------------------|------------|--------|-------|-------|--------|-------|--------|-------|--------|--------|-------|-------|-------|-------|-------|--------|-------|-------|-------|
| Analyte | P | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se | Te | |
| Unit | % | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | |
| MDL | 0.001 | 1 | 1 | 0.01 | 1 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.1 | 0.01 | 0.1 | 0.1 | 0.05 | 1 | 0.5 | 0.2 | |
| Pulp Duplicates | | | | | | | | | | | | | | | | | | | |
| BGSR-10 | Rock | 0.025 | 4 | 8 | 0.02 | 209 | 0.003 | <1 | 0.25 | 0.003 | 0.13 | 0.3 | 0.14 | 0.8 | 0.2 | <0.05 | 2 | 2.1 | <0.2 |
| REP BGSR-10 | QC | 0.025 | 4 | 8 | 0.02 | 223 | 0.002 | <1 | 0.25 | 0.003 | 0.12 | 0.3 | 0.14 | 0.7 | 0.2 | <0.05 | 2 | 2.3 | <0.2 |
| BGSR-41 | Rock | 0.027 | <1 | 11 | 0.01 | 126 | 0.002 | <1 | 0.39 | 0.002 | 0.11 | <0.1 | 0.03 | 3.3 | 0.1 | <0.05 | 2 | 2.0 | <0.2 |
| REP BGSR-41 | QC | 0.025 | <1 | 11 | 0.01 | 125 | 0.001 | <1 | 0.38 | 0.002 | 0.11 | <0.1 | 0.02 | 3.2 | 0.1 | <0.05 | 2 | 1.3 | <0.2 |
| DTSR-12 | Rock | 0.154 | 9 | 35 | 0.04 | 2566 | 0.010 | 2 | 0.43 | 0.003 | 0.14 | 0.4 | 0.06 | 2.4 | 0.2 | <0.05 | 3 | 6.2 | <0.2 |
| REP DTSR-12 | QC | 0.156 | 9 | 33 | 0.03 | 2605 | 0.010 | 2 | 0.44 | 0.003 | 0.15 | 0.4 | 0.05 | 2.3 | 0.2 | <0.05 | 3 | 4.3 | <0.2 |
| Core Reject Duplicates | | | | | | | | | | | | | | | | | | | |
| BGSR-39 | Rock | 0.005 | <1 | 5 | <0.01 | 11 | <0.001 | <1 | <0.01 | <0.001 | <0.01 | <0.1 | 0.09 | <0.1 | 0.3 | 0.36 | <1 | 52.4 | 21.4 |
| DUP BGSR-39 | QC | 0.005 | <1 | 5 | <0.01 | 11 | <0.001 | <1 | <0.01 | <0.001 | <0.01 | <0.1 | 0.10 | <0.1 | 0.4 | 0.38 | <1 | 56.2 | 22.4 |
| DTSR-14 | Rock | 0.094 | 3 | 18 | 0.02 | 211 | 0.002 | 4 | 0.33 | 0.003 | 0.11 | 0.1 | 0.02 | 1.8 | 0.5 | 0.17 | 2 | 0.7 | <0.2 |
| DUP DTSR-14 | QC | 0.098 | 3 | 18 | 0.02 | 204 | 0.001 | 3 | 0.31 | 0.003 | 0.10 | 0.2 | 0.02 | 1.6 | 0.5 | 0.16 | 2 | 0.9 | <0.2 |
| Reference Materials | | | | | | | | | | | | | | | | | | | |
| STD BVGEO01 | Standard | 0.072 | 28 | 191 | 1.30 | 282 | 0.245 | 5 | 2.35 | 0.200 | 0.87 | 5.1 | 0.10 | 5.9 | 0.7 | 0.66 | 8 | 4.4 | 1.0 |
| STD BVGEO01 | Standard | 0.075 | 27 | 203 | 1.31 | 286 | 0.256 | 4 | 2.36 | 0.200 | 0.88 | 5.0 | 0.10 | 6.6 | 0.6 | 0.63 | 8 | 3.8 | 0.9 |
| STD DS11 | Standard | 0.078 | 20 | 59 | 0.85 | 399 | 0.104 | 5 | 1.22 | 0.079 | 0.41 | 3.3 | 0.28 | 3.5 | 5.1 | 0.29 | 5 | 2.1 | 4.7 |
| STD OREAS262 | Standard | 0.040 | 20 | 44 | 1.21 | 264 | 0.004 | 5 | 1.43 | 0.069 | 0.33 | 0.2 | 0.18 | 3.6 | 0.5 | 0.27 | 4 | <0.5 | 0.3 |
| STD OREAS262 | Standard | 0.040 | 19 | 46 | 1.18 | 275 | 0.003 | 3 | 1.42 | 0.070 | 0.33 | 0.2 | 0.17 | 3.8 | 0.5 | 0.27 | 4 | 0.6 | 0.3 |
| STD OREAS262 | Standard | 0.042 | 19 | 48 | 1.18 | 269 | 0.003 | 5 | 1.46 | 0.068 | 0.32 | 0.2 | 0.18 | 3.7 | 0.5 | 0.25 | 4 | <0.5 | 0.2 |
| STD DS11 Expected | | 0.0701 | 18.6 | 61.5 | 0.85 | 385 | 0.0976 | | 1.1795 | 0.0762 | 0.4 | 2.9 | 0.26 | 3.4 | 4.9 | 0.2835 | 5.1 | 2.2 | 4.56 |
| STD BVGEO01 Expected | | 0.0727 | 25.9 | 187 | 1.2963 | 260 | 0.233 | | 2.347 | 0.1924 | 0.89 | 5.3 | 0.1 | 5.97 | 0.62 | 0.6655 | 7.37 | 4.84 | 1.02 |
| STD OREAS262 Expected | | 0.04 | 15.9 | 41.7 | 1.17 | 248 | 0.0027 | 4 | 1.3 | 0.071 | 0.312 | 0.2 | 0.17 | 3.24 | 0.47 | 0.253 | 4.1 | 0.4 | 0.23 |
| BLK | Blank | <0.001 | <1 | <1 | <0.01 | <1 | <0.001 | <1 | <0.01 | <0.001 | <0.01 | <0.1 | <0.01 | <0.1 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| BLK | Blank | <0.001 | <1 | <1 | <0.01 | <1 | <0.001 | <1 | <0.01 | <0.001 | <0.01 | <0.1 | <0.01 | <0.1 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| BLK | Blank | <0.001 | <1 | <1 | <0.01 | <1 | <0.001 | <1 | <0.01 | <0.001 | <0.01 | <0.1 | <0.01 | <0.1 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| Prep Wash | | | | | | | | | | | | | | | | | | | |
| ROCK-WHI | Prep Blank | 0.037 | 8 | 3 | 0.41 | 77 | 0.088 | <1 | 0.97 | 0.134 | 0.12 | <0.1 | <0.01 | 3.4 | <0.1 | <0.05 | 4 | <0.5 | <0.2 |
| ROCK-WHI | Prep Blank | 0.038 | 8 | 5 | 0.44 | 76 | 0.093 | 2 | 0.97 | 0.123 | 0.11 | <0.1 | <0.01 | 3.5 | <0.1 | <0.05 | 4 | <0.5 | <0.2 |