



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Kreft, Bernie**  
1 Locust Place  
Whitehorse Yukon Y1A 5G9 Canada

Submitted By: Bernie Kreft  
Receiving Lab: Canada-Whitehorse  
Received: June 08, 2021  
Analysis Start: June 11, 2021  
Report Date: June 29, 2021  
Page: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI21000091.1

## CLIENT JOB INFORMATION

Project: None Given  
Shipment ID:  
P.O. Number  
Number of Samples: 9

## SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days  
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Kreft, Bernie  
1 Locust Place  
Whitehorse Yukon Y1A 5G9  
Canada

CC:

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	9	Crush, split and pulverize 250 g rock to 200 mesh			WHI
FA430	9	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
AQ300	9	1:1:1 Aqua Regia digestion ICP-ES analysis	0.5	Completed	VAN
SHP01	9	Per sample shipping charges for branch shipments			VAN
BAT01	1	Batch charge of <50 samples			VAN

## ADDITIONAL COMMENTS

  
SOFIA DEVOTA  
XRF Manager



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Kreft, Bernie**  
1 Locust Place  
Whitehorse Yukon Y1A 5G9 Canada

Project: None Given  
Report Date: June 29, 2021

Page: 2 of 2

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI21000091.1

Method	Analyte	WGHT	FA430	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.005	1	1	3	1	0.3	1	1	2	0.01	2	2	1	0.5	3	3	1	0.01	0.001	
GUSR-01	Rock	2.27	0.396	3	28	507	315	4.7	4	8	483	4.14	4562	8	265	5.0	69	<3	65	0.90	0.172
GUSR-02	Rock	1.06	3.813	4	73	2381	346	26.2	<1	<1	102	5.24	>10000	7	683	21.3	204	<3	12	0.88	0.109
GUSR-03	Rock	1.50	0.056	2	20	136	134	0.8	6	9	468	4.09	440	10	884	0.6	10	<3	80	1.09	0.181
GUSR-04	Rock	1.22	0.102	5	24	63	749	0.4	6	10	448	5.20	1259	8	89	5.4	56	<3	64	0.66	0.168
GUSR-05	Rock	1.03	4.882	4	79	3205	259	43.7	<1	1	104	5.24	>10000	6	541	15.9	253	<3	12	0.86	0.096
GUSR-06	Rock	0.06	0.019	3	130	22	31	0.5	2	5	229	4.79	334	8	30	<0.5	3	<3	52	0.06	0.117
GUSR-07	Rock	0.19	0.037	<1	73	18	7	0.6	<1	<1	49	4.40	682	<2	7	<0.5	5	<3	12	0.02	0.025
GUSR-08	Rock	0.59	0.083	2	107	13	17	0.3	<1	<1	44	10.30	243	3	8	<0.5	59	<3	10	0.02	0.058
GUSR-09	Rock	0.43	0.066	7	25	7	9	<0.3	<1	<1	44	2.14	494	4	8	<0.5	8	4	8	0.02	0.026



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Kreft, Bernie**  
1 Locust Place  
Whitehorse Yukon Y1A 5G9 Canada

**Project:** None Given  
**Report Date:** June 29, 2021

**Page:** 2 of 2

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI2100091.1

Method	Analyte	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	S	Hg	Tl	Ga	Sc
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	%	ppm	ppm	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	20	0.01	0.01	0.01	0.01	2	0.05	1	5	5
GUSR-01	Rock	32	9	0.51	517	0.109	<20	1.85	0.06	0.27	<2	<0.05	<1	<5	5	9
GUSR-02	Rock	39	3	0.06	99	<0.001	<20	0.72	0.02	0.33	<2	<0.05	<1	<5	<5	<5
GUSR-03	Rock	34	12	0.59	680	0.159	<20	2.43	0.08	0.13	<2	<0.05	<1	<5	8	11
GUSR-04	Rock	47	8	0.42	441	0.046	<20	1.91	0.03	0.33	<2	<0.05	<1	<5	<5	11
GUSR-05	Rock	39	3	0.06	1070	<0.001	<20	0.66	0.01	0.30	<2	<0.05	<1	<5	<5	<5
GUSR-06	Rock	27	12	0.30	621	0.004	<20	2.15	0.04	0.63	<2	0.11	<1	<5	<5	<5
GUSR-07	Rock	6	5	0.02	146	0.002	<20	0.26	<0.01	0.22	<2	0.14	<1	<5	<5	<5
GUSR-08	Rock	17	6	0.03	101	<0.001	<20	0.60	<0.01	0.26	<2	<0.05	<1	6	<5	<5
GUSR-09	Rock	45	7	0.06	202	0.002	<20	0.59	<0.01	0.39	<2	<0.05	<1	<5	<5	<5



# QUALITY CONTROL REPORT

WHI21000091.1

Method	WGHT	FA430	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.005	1	1	3	1	0.3	1	1	2	0.01	2	2	1	0.5	3	3	1	0.01	0.001	
Pulp Duplicates																					
GUSR-02	Rock	1.06	3.813	4	73	2381	346	26.2	<1	<1	102	5.24	>10000	7	683	21.3	204	<3	12	0.88	0.109
REP GUSR-02	QC			4	72	2367	341	26.4	<1	<1	101	5.11	>10000	6	669	20.8	200	<3	12	0.86	0.108
Reference Materials																					
STD DS11	Standard			15	145	136	342	2.6	77	13	1028	3.20	44	8	71	2.1	7	10	48	1.08	0.069
STD OREAS262	Standard			<1	111	55	149	0.4	59	26	537	3.29	37	8	36	0.7	4	<3	22	2.99	0.038
STD OREAS263	Standard		0.205																		
STD OREAS232	Standard		0.861																		
STD OXN155	Standard		7.396																		
STD DS11 Expected				13.9	156	138	345	1.71	81.9	14.2	1055	3.2082	42.8	7.65	67.3	2.37	7.2	12.2	50	1.063	0.0701
STD OREAS262 Expected				118	56	154	0.45	62	26.9	530	3.284	35.8	9.33	36	0.61	3.39		22.5	2.98	0.04	
STD OXN155 Expected		7.776																			
STD OREAS263 Expected		0.214																			
STD OREAS232 Expected		0.902																			
BLK	Blank			<1	<1	<3	<1	<0.3	<1	<1	<2	<0.01	<2	<2	<1	<0.5	<3	<3	<1	<0.01	<0.001
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
Prep Wash																					
ROCK-WHI	Prep Blank	0.019	<1	<1	8	26	<0.3	<1	3	355	1.59	104	<2	22	<0.5	<3	<3	20	0.59	0.034	



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Kreft, Bernie**  
1 Locust Place  
Whitehorse Yukon Y1A 5G9 Canada

Project: None Given  
Report Date: June 29, 2021

Page: 1 of 1

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI2100091.1

Method	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	S	Hg	Tl	Ga	Sc
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	%	ppm	ppm	ppm	ppm
MDL	1	1	0.01	1	0.001	20	0.01	0.01	0.01	2	0.05	1	5	5	5
Pulp Duplicates															
GUSR-02	Rock	39	3	0.06	99	<0.001	<20	0.72	0.02	0.33	<2	<0.05	<1	<5	<5
REP GUSR-02	QC	39	4	0.06	98	<0.001	<20	0.70	0.02	0.33	<2	<0.05	<1	<5	<5
Reference Materials															
STD DS11	Standard	17	59	0.84	425	0.101	<20	1.20	0.07	0.40	3	0.28	<1	<5	<5
STD OREAS262	Standard	18	42	1.18	255	0.004	<20	1.41	0.07	0.35	<2	0.24	<1	<5	6
STD OREAS263	Standard														
STD OREAS232	Standard														
STD OXN155	Standard														
STD DS11 Expected		18.6	61.5	0.85	417	0.0976	6	1.129	0.0694	0.4	2.9	0.2835	0.3	4.9	4.7
STD OREAS262 Expected		15.9	41.7	1.17	248	0.003		1.3	0.071	0.312		0.269		3.9	3.24
STD OXN155 Expected															
STD OREAS263 Expected															
STD OREAS232 Expected															
BLK	Blank	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.01	<0.01	<2	<0.05	<1	<5	<5
BLK	Blank														
BLK	Blank														
Prep Wash															
ROCK-WHI	Prep Blank	6	3	0.37	54	0.074	<20	0.74	0.07	0.08	<2	<0.05	<1	<5	<5