

# Appendix I - Certificates



## ANALYSIS REPORT BBM21-14808

To VICTORIA GOLD (YUKON) CORP  
HELENA KUIKKA  
SUITE 1000- 1050 W PENDER STREET  
VANCOUVER V6E 3S7  
BC  
CANADA

Order Number	PO: 25504	Date Received	30-Nov-2021
Project	Clear Creek	Date Analysed	22-Dec-2021 - 16-Jan-2022
Submission Number	*BBY* (CC_2) / 25504 / 124 Core (1-76)	Date Completed	16-Jan-2022
Number of Samples	76	SGS Order Number	BBM21-14808

### Methods Summary

Number of Sample	Method Code	Description
76	G_WGH_KG	Weight of samples received
76	GE_FAA50V5	Au, FAS, exploration grade, AAS, 50g-5mL
76	GE_ICP40Q12	4 Acid Digest (HCL/HClO4/HF/HNO3), ICP, 0.2g-12ml

### Comments

Preparation of samples was performed at the SGS Burnaby site.

Analysis of samples was performed at the SGS Burnaby site.  
Samples may have particulate gold.

Authorised Signatory

John Chiang  
Laboratory Operations Manager



This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**WARNING:** The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received

16-Jan-2022 11:29PM BBM\_U0018703849

Page 1 of 21

MIN-M\_COA\_ROW-Last Modified Date: 05-Nov-2019



Order Number PO: 25504  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_2) / 25504 / 124 Core (1-76)  
 Number of Samples 76

## ANALYSIS REPORT BBM21-14808

Element Method	WTKG G_WGH_KG	@Au GE_FAA50V5	@Ag GE_ICP40Q12	@Al GE_ICP40Q12	@As GE_ICP40Q12	@Ba GE_ICP40Q12
Lower Limit	0.01	0.005	2	0.01	3	1
Upper Limit	--	10	100	15	10,000	10,000
Unit	kg	ppm m / m	ppm m / m	%	ppm m / m	ppm m / m
C00222721	7.68	0.068	<2	7.62	15	917
C00222722	8.00	0.172	<2	5.79	12	1286
C00222723	4.52	0.104	<2	5.67	11	763
C00222724	5.67	0.074	<2	6.02	7	728
C00222725	3.61	0.034	<2	5.19	15	679
C00222726	3.40	0.090	<2	7.76	7	1121
C00222727	2.77	0.127	<2	5.83	7	998
C00222728	2.70	0.043	<2	5.68	9	769
C00222729	-	0.031	<2	5.67	9	764
C00222730	2.54	0.200	<2	3.62	6	550
C00222731	2.22	0.149	<2	5.13	9	851
C00222732	3.01	0.118	<2	4.63	10	630
C00222733	2.78	0.108	<2	4.77	7	823
C00222734	3.17	0.099	<2	4.19	12	767
C00222735	2.66	0.259	<2	4.83	21	1088
C00222736	2.44	0.158	<2	5.66	10	837
C00222737	3.23	0.205	<2	4.41	6	907
C00222738	1.89	0.211	<2	5.44	8	1062
C00222739	1.93	0.493	<2	4.00	8	594
C00222740	2.92	0.054	<2	7.21	18	894
C00222741	3.03	0.106	<2	6.03	6	850
C00222742	2.41	0.045	<2	6.13	10	1012
C00222743	3.10	0.033	<2	4.82	9	938
C00222744	1.47	0.043	<2	5.92	9	1016
C00222745	2.75	0.084	<2	4.99	12	820
C00222746	3.76	0.171	<2	5.11	9	915
C00222747	1.55	0.081	<2	5.02	7	935
C00222748	2.32	0.163	<2	4.42	5	970
C00222749	4.06	0.100	<2	4.23	6	743

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 25504  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_2) / 25504 / 124 Core (1-76)  
 Number of Samples 76

## ANALYSIS REPORT BBM21-14808

Element Method	WTKG G_WGH_KG	@Au GE_FAA50V5	@Ag GE_ICP40Q12	@Al GE_ICP40Q12	@As GE_ICP40Q12	@Ba GE_ICP40Q12
Lower Limit	0.01	0.005	2	0.01	3	1
Upper Limit	--	10	100	15	10,000	10,000
Unit	kg	ppm m / m	ppm m / m	%	ppm m / m	ppm m / m
C00222750	3.29	0.016	<2	5.42	6	785
C00222751	2.42	0.065	<2	5.11	25	659
C00222752	2.62	0.115	<2	3.41	5	649
C00222753	2.02	0.258	<2	5.08	7	646
C00222754	2.82	0.144	<2	6.21	6	942
C00222755	2.52	0.197	<2	5.16	9	859
C00222756	2.41	0.038	<2	5.67	7	1976
C00222757	2.45	0.111	<2	6.43	10	1799
C00222758	3.55	0.030	<2	5.38	<3	1546
C00222759	2.96	0.036	<2	7.11	7	2922
C00222760	2.72	0.017	<2	8.20	5	2593
C00222761	2.93	0.017	<2	6.37	4	2378
C00222762	2.28	0.031	<2	6.61	7	2842
C00222763	2.30	0.087	<2	6.90	6	2733
C00222764	2.97	0.029	<2	5.91	4	2194
C00222765	2.96	0.320	<2	7.21	3	4105
C00222766	3.18	0.046	<2	6.55	9	2218
C00222767	2.83	0.010	<2	8.37	4	2055
C00222768	2.26	0.023	<2	7.48	4	2692
C00222769	-	0.028	<2	7.84	5	2682
C00222770	2.25	0.019	<2	8.02	25	2728
C00222771	3.02	0.051	<2	7.17	<3	2894
C00222637	3.33	0.308	<2	5.71	39	1350
C00222638	4.11	0.165	<2	5.32	35	986
C00222639	4.46	2.476	<2	4.84	41	797
C00222640	3.18	5.222	2	4.53	85	844
C00222641	5.69	0.062	<2	6.43	155	850
C00222642	3.90	0.215	<2	0.90	30	122
C00222643	5.21	0.025	<2	6.07	60	760

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 25504  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_2) / 25504 / 124 Core (1-76)  
 Number of Samples 76

## ANALYSIS REPORT BBM21-14808

Element Method	WTKG G_WGH_KG	@Au GE_FAA50V5	@Ag GE_ICP40Q12	@Al GE_ICP40Q12	@As GE_ICP40Q12	@Ba GE_ICP40Q12
Lower Limit	0.01	0.005	2	0.01	3	1
Upper Limit	--	10	100	15	10,000	10,000
Unit	kg	ppm m / m	ppm m / m	%	ppm m / m	ppm m / m
C00222644	2.74	0.070	<2	4.96	19	698
C00222645	4.26	0.014	<2	3.61	8	434
C00222646	4.92	0.070	<2	6.13	23	606
C00222647	4.42	0.243	<2	4.62	16	672
C00222648	5.79	0.018	<2	5.84	4	667
C00222649	5.09	<0.005	<2	6.76	4	814
C00222650	3.67	0.014	<2	6.49	11	871
C00222651	3.74	0.081	<2	7.94	11	879
C00222652	4.53	0.104	<2	6.06	8	712
C00222653	5.07	0.025	<2	6.56	13	831
C00222654	3.24	0.031	<2	7.71	10	1045
C00222655	4.85	0.013	<2	7.75	13	1653
C00222656	0.59	<0.005	<2	0.07	<3	7
C00222657	4.32	0.014	<2	6.88	37	907
C00222658	4.82	0.032	<2	7.60	8	1704
C00222659	4.02	0.037	<2	7.94	29	1741
C00222772	3.16	0.060	<2	5.67	56	627
C00222773	3.93	0.085	<2	3.07	68	299
*Dup C00222759	-	0.081	<2	7.02	6	2838
*Std SL105	-	5.068	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std OREAS 503d	-	0.653	-	-	-	-
*Std SN106	-	8.570	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std SL105	-	4.979	-	-	-	-
*Rep C00222736	-	0.137	-	-	-	-
*Std OREAS 503d	-	0.684	-	-	-	-
*Std SN106	-	8.515	-	-	-	-
*Rep C00222647	-	0.243	-	-	-	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 25504  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_2) / 25504 / 124 Core (1-76)  
 Number of Samples 76

## ANALYSIS REPORT BBM21-14808

Element	WTKG	@Au	@Ag	@Al	@As	@Ba
Method	G_WGH_KG	GE_FAA50V5	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	0.005	2	0.01	3	1
Upper Limit	--	10	100	15	10,000	10,000
Unit	kg	ppm m / m	ppm m / m	%	ppm m / m	ppm m / m
*Rep C00222752	-	-	<2	3.34	3	636
*Std OREAS 520	-	-	<2	5.76	164	328
*Blk BLANK	-	-	<2	<0.01	<3	<1
*Std OREAS 601b	-	-	49	6.15	289	366
*Std SL105	-	5.232	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Blk BLANK	-	-	<2	<0.01	<3	2
*Std OREAS 520	-	-	<2	5.33	166	623
*Std OREAS 601b	-	-	53	6.24	295	289
*Rep C00222772	-	-	<2	5.84	56	650
*Std OREAS 601b	-	-	50	6.05	272	475
*Std OREAS 520	-	-	<2	5.37	159	461
*Blk BLANK	-	-	<2	0.02	<3	2

Element	@Be	@Bi	@Ca	@Cd	@Co	@Cr
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	5	0.01	1	1	1
Upper Limit	2,500	10,000	15	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	%	ppm m / m	ppm m / m	ppm m / m
C00222721	2.0	<5	0.38	<1	3	56
C00222722	1.6	6	0.45	<1	2	28
C00222723	1.7	<5	0.63	<1	6	42
C00222724	1.6	<5	0.76	<1	6	40
C00222725	1.3	<5	0.32	<1	6	38
C00222726	2.3	<5	0.85	<1	26	77
C00222727	1.4	<5	0.16	<1	5	42
C00222728	1.9	<5	0.15	<1	6	42
C00222729	1.9	<5	0.15	<1	6	43

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 25504  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_2) / 25504 / 124 Core (1-76)  
 Number of Samples 76

**ANALYSIS REPORT BBM21-14808**

Element Method	@Be GE_ICP40Q12	@Bi GE_ICP40Q12	@Ca GE_ICP40Q12	@Cd GE_ICP40Q12	@Co GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.5	5	0.01	1	1	1
Upper Limit	2,500	10,000	15	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	%	ppm m / m	ppm m / m	ppm m / m
C00222730	1.0	6	0.23	<1	7	30
C00222731	1.5	<5	0.29	<1	4	38
C00222732	1.3	6	0.19	<1	5	39
C00222733	1.2	<5	0.25	<1	4	40
C00222734	1.1	5	0.18	<1	4	39
C00222735	1.4	<5	0.33	<1	5	40
C00222736	1.7	7	0.69	<1	10	55
C00222737	0.9	5	0.18	<1	7	32
C00222738	1.5	7	0.56	<1	6	63
C00222739	0.9	7	0.17	<1	5	50
C00222740	1.9	<5	0.22	<1	10	67
C00222741	1.6	<5	0.22	<1	6	53
C00222742	1.6	<5	0.27	<1	4	60
C00222743	1.0	<5	0.15	<1	4	33
C00222744	1.4	<5	0.42	<1	4	45
C00222745	1.4	6	0.38	<1	8	42
C00222746	1.3	11	0.28	<1	5	53
C00222747	1.3	<5	0.32	<1	11	45
C00222748	1.2	8	0.12	<1	10	36
C00222749	1.2	<5	0.09	<1	8	31
C00222750	1.5	<5	0.16	<1	12	65
C00222751	1.6	<5	0.09	<1	23	48
C00222752	0.9	6	0.30	<1	4	37
C00222753	1.3	<5	0.17	<1	11	53
C00222754	1.6	<5	0.14	<1	7	68
C00222755	1.3	<5	0.25	<1	9	49
C00222756	2.0	<5	0.34	<1	3	41
C00222757	2.3	<5	0.19	<1	5	33
C00222758	2.1	<5	0.66	<1	3	34

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 25504  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_2) / 25504 / 124 Core (1-76)  
 Number of Samples 76

## ANALYSIS REPORT BBM21-14808

Element	@Be	@Bi	@Ca	@Cd	@Co	@Cr
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	5	0.01	1	1	1
Upper Limit	2,500	10,000	15	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	%	ppm m / m	ppm m / m	ppm m / m
C00222759	2.4	<5	0.21	<1	3	41
C00222760	2.7	<5	0.86	<1	2	41
C00222761	1.9	<5	0.62	<1	2	37
C00222762	2.1	<5	0.56	<1	3	41
C00222763	2.0	<5	0.63	<1	2	46
C00222764	2.2	<5	0.69	<1	1	35
C00222765	2.1	37	0.47	<1	<1	42
C00222766	1.7	<5	0.45	<1	2	45
C00222767	2.2	<5	0.49	<1	3	54
C00222768	2.2	<5	0.68	<1	<1	51
C00222769	2.3	<5	0.71	<1	<1	54
C00222770	2.1	<5	0.51	<1	3	44
C00222771	2.8	5	1.17	<1	<1	32
C00222637	1.7	12	0.37	<1	9	35
C00222638	1.4	8	0.26	<1	7	40
C00222639	1.3	89	0.34	<1	6	36
C00222640	1.3	329	0.24	<1	7	36
C00222641	2.0	<5	0.25	<1	8	46
C00222642	<0.5	37	0.03	<1	1	22
C00222643	2.7	<5	0.07	<1	4	44
C00222644	1.6	6	0.07	<1	5	32
C00222645	1.0	<5	0.16	<1	4	34
C00222646	1.7	<5	0.21	<1	14	63
C00222647	1.2	<5	0.36	<1	5	38
C00222648	1.4	<5	0.40	<1	8	46
C00222649	1.5	<5	0.29	<1	9	47
C00222650	1.8	<5	0.72	<1	8	41
C00222651	1.9	<5	0.27	<1	9	61
C00222652	1.6	<5	0.48	<1	7	62

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PO: 25504  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_2) / 25504 / 124 Core (1-76)  
 Number of Samples 76

**ANALYSIS REPORT BBM21-14808**

Element	@Be	@Bi	@Ca	@Cd	@Co	@Cr
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	5	0.01	1	1	1
Upper Limit	2,500	10,000	15	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	%	ppm m / m	ppm m / m	ppm m / m
C00222653	1.9	<5	0.68	<1	9	46
C00222654	2.2	<5	0.92	<1	6	48
C00222655	2.8	<5	1.22	<1	5	31
C00222656	<0.5	<5	>15.00	<1	<1	<1
C00222657	1.8	<5	0.91	<1	7	47
C00222658	3.1	<5	1.41	<1	3	19
C00222659	3.2	<5	1.21	<1	3	27
C00222772	1.5	<5	4.10	<1	7	47
C00222773	1.4	5	2.19	<1	6	26
*Dup C00222759	2.2	<5	0.21	<1	3	40
*Rep C00222752	0.9	6	0.29	<1	4	35
*Std OREAS 520	1.0	<5	3.84	1	190	32
*Blk BLANK	<0.5	<5	<0.01	<1	<1	<1
*Std OREAS 601b	2.1	18	0.82	<1	2	16
*Blk BLANK	<0.5	<5	<0.01	<1	<1	<1
*Std OREAS 520	1.0	<5	4.10	<1	198	34
*Std OREAS 601b	2.2	18	0.91	2	3	20
*Rep C00222772	1.5	<5	4.25	<1	7	49
*Std OREAS 601b	2.0	17	0.88	<1	2	19
*Std OREAS 520	1.0	<5	4.08	<1	205	32
*Blk BLANK	<0.5	<5	<0.01	<1	<1	1

Element	@Cu	@Fe	@K	@La	@Li	@Mg
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	0.5	1	0.01
Upper Limit	10,000	15	15	10,000	10,000	15
Unit	ppm m / m	%	%	ppm m / m	ppm m / m	%
C00222721	45.8	3.09	3.70	43.0	57	0.60

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 25504  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_2) / 25504 / 124 Core (1-76)  
 Number of Samples 76

**ANALYSIS REPORT BBM21-14808**

Element Method	@Cu GE_ICP40Q12	@Fe GE_ICP40Q12	@K GE_ICP40Q12	@La GE_ICP40Q12	@Li GE_ICP40Q12	@Mg GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	0.5	1	0.01
Upper Limit	10,000	15	15	10,000	10,000	15
Unit	ppm m / m	%	%	ppm m / m	ppm m / m	%
C00222722	36.4	2.12	2.99	26.0	44	0.42
C00222723	48.5	2.50	2.39	31.7	53	0.55
C00222724	54.9	2.57	2.37	32.1	53	0.54
C00222725	61.5	3.38	2.45	16.3	38	0.44
C00222726	97.0	4.18	3.19	46.2	82	1.13
C00222727	36.8	2.04	2.90	27.1	53	0.46
C00222728	43.9	2.53	2.60	40.6	48	0.45
C00222729	41.6	2.36	2.60	40.1	48	0.45
C00222730	44.3	2.22	1.38	19.6	31	0.33
C00222731	57.4	2.79	2.46	27.5	46	0.52
C00222732	46.5	2.59	2.00	22.8	37	0.40
C00222733	47.7	2.79	2.43	20.6	45	0.50
C00222734	46.7	2.51	2.25	19.0	35	0.40
C00222735	43.5	2.06	2.70	25.5	49	0.52
C00222736	57.1	3.03	2.56	35.2	59	0.84
C00222737	44.0	2.07	2.51	22.5	41	0.45
C00222738	40.9	3.06	2.61	26.9	55	0.76
C00222739	40.5	2.32	1.90	23.8	30	0.32
C00222740	76.4	3.63	3.16	44.7	53	0.61
C00222741	46.4	3.01	2.88	25.1	44	0.56
C00222742	74.3	3.45	2.98	42.1	59	0.88
C00222743	75.7	2.59	2.84	22.1	41	0.44
C00222744	71.9	2.72	2.81	27.4	51	0.59
C00222745	78.7	3.00	2.16	32.9	44	0.63
C00222746	61.7	3.18	2.50	22.5	44	0.55
C00222747	53.2	2.26	2.31	32.0	46	0.50
C00222748	46.3	2.52	2.48	29.8	40	0.40
C00222749	39.4	2.26	2.21	26.9	54	0.32
C00222750	64.1	3.42	2.32	38.6	79	0.55

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 25504  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_2) / 25504 / 124 Core (1-76)  
 Number of Samples 76

## ANALYSIS REPORT BBM21-14808

Element	@Cu	@Fe	@K	@La	@Li	@Mg
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	0.5	1	0.01
Upper Limit	10,000	15	15	10,000	10,000	15
Unit	ppm m / m	%	%	ppm m / m	ppm m / m	%
C00222751	93.2	3.38	2.32	33.4	117	0.30
C00222752	29.2	2.20	1.52	20.0	34	0.32
C00222753	52.6	3.40	2.04	27.2	97	0.35
C00222754	47.2	3.56	2.95	23.0	121	0.51
C00222755	41.1	3.14	2.15	29.6	63	0.50
C00222756	44.4	2.35	2.87	28.4	101	0.37
C00222757	49.1	2.39	3.11	25.5	89	0.52
C00222758	50.6	2.55	2.47	16.7	63	0.56
C00222759	76.1	2.51	3.84	44.6	112	0.58
C00222760	42.7	2.50	4.26	28.7	85	0.73
C00222761	33.1	2.55	3.65	25.1	64	0.66
C00222762	56.6	2.50	3.78	31.7	63	0.66
C00222763	48.1	2.76	3.81	26.8	67	0.73
C00222764	51.7	2.32	3.06	23.7	65	0.67
C00222765	38.1	2.24	4.90	28.2	65	0.63
C00222766	40.3	2.46	3.56	30.1	66	0.63
C00222767	49.3	3.45	4.78	46.1	78	0.87
C00222768	45.9	2.37	4.42	41.7	72	0.72
C00222769	48.7	2.65	4.60	44.5	77	0.75
C00222770	37.7	2.72	4.80	50.5	72	0.64
C00222771	34.4	2.19	3.69	32.9	68	0.68
C00222637	51.1	2.80	3.09	31.6	46	0.51
C00222638	37.4	2.96	2.63	26.0	48	0.50
C00222639	74.3	3.01	2.32	25.7	49	0.53
C00222640	78.7	3.69	2.20	28.5	38	0.39
C00222641	46.2	3.56	3.00	35.0	37	0.46
C00222642	17.3	1.36	0.42	7.3	10	0.06
C00222643	16.9	2.37	2.76	35.3	67	0.41
C00222644	17.7	1.92	2.39	29.3	55	0.34

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 25504  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_2) / 25504 / 124 Core (1-76)  
 Number of Samples 76

## ANALYSIS REPORT BBM21-14808

Element	@Cu	@Fe	@K	@La	@Li	@Mg
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	0.5	1	0.01
Upper Limit	10,000	15	15	10,000	10,000	15
Unit	ppm m / m	%	%	ppm m / m	ppm m / m	%
C00222645	6.7	1.97	1.45	20.8	38	0.37
C00222646	32.7	3.76	2.83	49.4	69	1.25
C00222647	10.1	2.35	2.00	24.2	43	0.57
C00222648	6.5	2.78	2.49	30.1	48	0.76
C00222649	5.4	3.19	3.14	30.0	57	0.89
C00222650	11.3	3.11	2.48	36.5	61	0.82
C00222651	40.3	4.23	3.64	44.0	59	0.86
C00222652	19.2	2.82	2.52	35.5	51	0.61
C00222653	13.4	3.22	2.37	38.3	55	0.69
C00222654	29.8	3.41	3.00	43.5	60	0.73
C00222655	12.8	2.92	3.18	41.9	55	0.60
C00222656	<0.5	0.15	0.03	0.6	1	13.29
C00222657	10.2	3.42	2.59	39.4	68	0.85
C00222658	24.4	2.83	3.17	38.6	52	0.52
C00222659	26.2	3.21	3.48	41.4	52	0.55
C00222772	37.4	2.89	1.89	31.7	43	0.50
C00222773	60.5	2.54	0.74	20.2	26	0.20
*Dup C00222759	75.0	2.65	3.76	43.6	109	0.58
*Rep C00222752	29.0	2.14	1.50	19.5	33	0.32
*Std OREAS 520	3008	>15.00	3.53	83.2	18	1.14
*Blk BLANK	<0.5	<0.01	<0.01	<0.5	<1	<0.01
*Std OREAS 601b	966	2.22	2.28	33.9	21	0.09
*Blk BLANK	0.6	<0.01	<0.01	<0.5	<1	<0.01
*Std OREAS 520	2972	14.72	3.34	83.5	17	1.11
*Std OREAS 601b	1025	2.24	2.29	34.8	21	0.09
*Rep C00222772	39.0	3.00	1.94	32.4	45	0.53
*Std OREAS 601b	977	2.28	2.21	33.3	21	0.09
*Std OREAS 520	2912	>15.00	3.33	84.6	17	1.12
*Blk BLANK	<0.5	0.01	<0.01	<0.5	<1	<0.01

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 25504  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_2) / 25504 / 124 Core (1-76)  
 Number of Samples 76

**ANALYSIS REPORT BBM21-14808**

Element Method	@Mn GE_ICP40Q12	@Mo GE_ICP40Q12	@Ni GE_ICP40Q12	@Na GE_ICP40Q12	@P GE_ICP40Q12	@Pb GE_ICP40Q12
Lower Limit	2	1	1	0.01	0.01	2
Upper Limit	10,000	10,000	10,000	15	15	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	%	%	ppm m / m
C00222721	288	3	14	0.42	0.05	13
C00222722	205	3	13	0.66	0.02	16
C00222723	237	2	22	0.57	0.02	12
C00222724	227	2	21	0.59	0.03	11
C00222725	232	2	15	0.52	0.02	13
C00222726	385	3	72	0.67	0.06	13
C00222727	233	3	14	0.50	0.02	16
C00222728	226	3	19	0.47	0.02	12
C00222729	199	3	17	0.48	0.02	11
C00222730	227	3	18	0.58	0.02	10
C00222731	229	3	14	0.60	0.03	14
C00222732	250	3	17	0.58	0.02	12
C00222733	261	3	14	0.67	0.02	16
C00222734	207	4	15	0.38	0.02	11
C00222735	222	2	18	0.63	0.02	14
C00222736	485	3	19	0.55	0.07	10
C00222737	194	3	12	0.47	0.02	17
C00222738	358	3	21	0.49	0.03	13
C00222739	203	4	12	0.34	0.02	10
C00222740	247	3	25	0.44	0.04	14
C00222741	236	2	21	0.42	0.04	8
C00222742	303	3	16	0.60	0.03	15
C00222743	162	3	14	0.35	0.02	19
C00222744	257	3	16	0.61	0.02	15
C00222745	281	3	20	0.45	0.03	14
C00222746	286	3	20	0.52	0.03	16
C00222747	222	3	20	0.40	0.02	14
C00222748	238	4	29	0.21	0.02	13

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 25504  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_2) / 25504 / 124 Core (1-76)  
 Number of Samples 76

**ANALYSIS REPORT BBM21-14808**

Element Method Lower Limit Upper Limit Unit	@Mn GE_ICP40Q12 2 10,000 ppm m / m	@Mo GE_ICP40Q12 1 10,000 ppm m / m	@Ni GE_ICP40Q12 1 10,000 ppm m / m	@Na GE_ICP40Q12 0.01 15 %	@P GE_ICP40Q12 0.01 15 %	@Pb GE_ICP40Q12 2 10,000 ppm m / m
C00222749	227	3	22	0.14	0.02	11
C00222750	300	2	32	0.28	0.04	12
C00222751	451	5	50	0.07	0.02	25
C00222752	244	3	15	0.42	0.02	12
C00222753	251	3	32	0.21	0.04	16
C00222754	246	4	29	0.24	0.03	12
C00222755	291	3	21	0.40	0.03	15
C00222756	518	4	25	0.37	0.03	24
C00222757	468	4	20	0.57	0.03	25
C00222758	301	4	20	0.93	0.04	21
C00222759	409	4	26	0.45	0.04	32
C00222760	297	3	25	1.18	0.03	28
C00222761	325	3	23	1.07	0.03	28
C00222762	382	4	24	0.86	0.04	28
C00222763	399	4	25	0.99	0.04	25
C00222764	298	4	18	1.07	0.03	25
C00222765	311	4	22	0.92	0.03	32
C00222766	316	4	18	0.77	0.04	24
C00222767	435	4	17	0.92	0.03	30
C00222768	322	3	19	0.92	0.04	31
C00222769	352	5	20	0.94	0.04	31
C00222770	367	4	20	0.76	0.12	28
C00222771	316	3	23	1.19	0.04	27
C00222637	251	3	23	0.40	0.03	25
C00222638	300	2	20	0.30	0.03	21
C00222639	246	2	18	0.49	0.03	21
C00222640	181	3	14	0.41	0.03	20
C00222641	235	3	23	0.31	0.04	18
C00222642	89	4	6	0.05	<0.01	6

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 25504  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_2) / 25504 / 124 Core (1-76)  
 Number of Samples 76

## ANALYSIS REPORT BBM21-14808

Element Method Lower Limit Upper Limit Unit	@Mn GE_ICP40Q12 2 10,000 ppm m / m	@Mo GE_ICP40Q12 1 10,000 ppm m / m	@Ni GE_ICP40Q12 1 10,000 ppm m / m	@Na GE_ICP40Q12 0.01 15 %	@P GE_ICP40Q12 0.01 15 %	@Pb GE_ICP40Q12 2 10,000 ppm m / m
C00222643	183	3	17	0.10	0.03	11
C00222644	168	2	15	0.30	0.02	11
C00222645	212	2	18	0.48	0.02	8
C00222646	433	2	48	0.17	0.05	8
C00222647	273	2	22	0.60	0.03	10
C00222648	308	2	26	0.60	0.03	9
C00222649	304	2	33	0.44	0.03	6
C00222650	345	1	32	0.84	0.04	8
C00222651	379	3	25	0.34	0.05	8
C00222652	331	2	25	0.59	0.04	10
C00222653	383	2	30	0.81	0.03	12
C00222654	347	2	20	0.97	0.04	13
C00222655	320	2	17	1.43	0.04	18
C00222656	150	<1	<1	0.01	<0.01	<2
C00222657	386	2	31	1.01	0.03	10
C00222658	375	2	15	1.39	0.05	21
C00222659	386	1	14	1.23	0.05	20
C00222772	477	1	17	1.46	0.02	17
C00222773	487	2	15	0.65	0.02	10
*Dup C00222759	422	4	26	0.46	0.04	31
*Rep C00222752	241	3	15	0.41	0.02	12
*Std OREAS 520	2324	61	73	1.36	0.08	5
*Blk BLANK	<2	<1	<1	<0.01	<0.01	<2
*Std OREAS 601b	206	5	6	1.76	0.03	324
*Blk BLANK	<2	<1	<1	<0.01	<0.01	<2
*Std OREAS 520	2416	61	73	1.28	0.07	4
*Std OREAS 601b	231	6	7	1.79	0.03	305
*Rep C00222772	485	2	18	1.50	0.02	17
*Std OREAS 601b	210	6	6	1.73	0.03	310

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 25504  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_2) / 25504 / 124 Core (1-76)  
 Number of Samples 76

**ANALYSIS REPORT BBM21-14808**

Element	@Mn	@Mo	@Ni	@Na	@P	@Pb
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	2	1	1	0.01	0.01	2
Upper Limit	10,000	10,000	10,000	15	15	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	%	%	ppm m / m
*Std OREAS 520	2334	65	77	1.31	0.07	6
*Blk BLANK	2	<1	<1	<0.01	<0.01	3

Element	@S	@Sb	@Sc	@Sn	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	5	0.5	10	0.5	0.01
Upper Limit	5	10,000	10,000	10,000	10,000	15
Unit	%	ppm m / m	ppm m / m	ppm m / m	ppm m / m	%
C00222721	0.09	<5	12.7	<10	135	0.27
C00222722	0.04	<5	6.5	<10	182	0.16
C00222723	0.03	<5	8.3	<10	115	0.20
C00222724	0.04	<5	9.3	<10	129	0.24
C00222725	0.03	<5	7.6	<10	97.0	0.21
C00222726	0.14	<5	15.2	<10	206	0.33
C00222727	0.03	<5	8.5	<10	111	0.19
C00222728	0.03	<5	8.4	<10	89.5	0.18
C00222729	0.03	<5	8.4	<10	88.5	0.17
C00222730	0.02	<5	4.9	<10	97.9	0.14
C00222731	0.05	<5	7.5	<10	128	0.18
C00222732	0.04	<5	6.8	<10	93.9	0.16
C00222733	0.06	<5	6.7	<10	125	0.16
C00222734	0.04	<5	6.3	<10	89.1	0.16
C00222735	0.04	<5	6.7	<10	156	0.17
C00222736	0.06	<5	10.6	<10	182	0.27
C00222737	0.05	<5	6.1	<10	118	0.14
C00222738	0.04	<5	10.0	<10	154	0.22
C00222739	0.07	<5	5.9	<10	82.8	0.14
C00222740	0.03	<5	12.0	<10	95.6	0.27

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PO: 25504  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_2) / 25504 / 124 Core (1-76)  
 Number of Samples 76

**ANALYSIS REPORT BBM21-14808**

Element	@S	@Sb	@Sc	@Sn	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	5	0.5	10	0.5	0.01
Upper Limit	5	10,000	10,000	10,000	10,000	15
Unit	%	ppm m / m	ppm m / m	ppm m / m	ppm m / m	%
C00222741	0.02	<5	9.3	<10	83.1	0.23
C00222742	0.05	<5	11.5	<10	119	0.25
C00222743	0.06	<5	7.2	<10	88.9	0.15
C00222744	0.08	<5	8.7	<10	133	0.22
C00222745	0.04	<5	8.1	<10	103	0.21
C00222746	0.03	<5	7.9	<10	110	0.21
C00222747	0.03	<5	7.5	<10	99.0	0.18
C00222748	0.01	<5	6.8	<10	64.4	0.17
C00222749	0.01	<5	6.1	<10	47.0	0.16
C00222750	0.03	<5	9.7	<10	71.4	0.25
C00222751	0.01	<5	7.5	<10	39.4	0.20
C00222752	0.02	<5	4.6	<10	86.1	0.15
C00222753	0.03	<5	7.8	<10	62.1	0.23
C00222754	<0.01	<5	9.9	<10	70.0	0.28
C00222755	0.01	<5	9.0	<10	82.5	0.26
C00222756	<0.01	<5	7.4	10	120	0.21
C00222757	<0.01	<5	7.2	<10	125	0.20
C00222758	0.02	<5	6.3	<10	194	0.18
C00222759	<0.01	<5	8.9	12	154	0.26
C00222760	0.01	<5	9.7	<10	290	0.27
C00222761	<0.01	<5	8.1	<10	251	0.23
C00222762	<0.01	<5	8.4	<10	234	0.23
C00222763	<0.01	<5	8.8	10	239	0.27
C00222764	0.01	<5	7.3	<10	248	0.21
C00222765	<0.01	<5	8.4	13	286	0.27
C00222766	<0.01	<5	9.1	<10	190	0.24
C00222767	0.06	<5	11.7	<10	227	0.31
C00222768	0.03	<5	9.9	11	245	0.26
C00222769	0.03	<5	10.4	12	253	0.28

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 25504  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_2) / 25504 / 124 Core (1-76)  
 Number of Samples 76

**ANALYSIS REPORT BBM21-14808**

Element Method	@S GE_ICP40Q12	@Sb GE_ICP40Q12	@Sc GE_ICP40Q12	@Sn GE_ICP40Q12	@Sr GE_ICP40Q12	@Ti GE_ICP40Q12
Lower Limit	0.01	5	0.5	10	0.5	0.01
Upper Limit	5	10,000	10,000	10,000	10,000	15
Unit	%	ppm m / m	ppm m / m	ppm m / m	ppm m / m	%
C00222770	0.01	<5	9.8	<10	205	0.27
C00222771	0.03	<5	8.6	<10	308	0.24
C00222637	0.03	<5	7.1	<10	145	0.18
C00222638	0.02	<5	7.5	<10	95.4	0.21
C00222639	0.05	<5	6.7	<10	122	0.19
C00222640	0.18	<5	6.0	<10	103	0.16
C00222641	0.01	<5	8.7	<10	60.6	0.25
C00222642	0.03	<5	1.0	<10	13.2	0.03
C00222643	<0.01	<5	7.7	<10	40.6	0.21
C00222644	<0.01	<5	6.4	<10	48.0	0.17
C00222645	<0.01	<5	4.4	<10	58.3	0.16
C00222646	<0.01	<5	10.0	<10	52.4	0.29
C00222647	<0.01	<5	5.9	<10	90.9	0.21
C00222648	<0.01	<5	7.9	<10	94.9	0.26
C00222649	<0.01	<5	9.7	<10	74.5	0.30
C00222650	<0.01	<5	8.8	<10	146	0.27
C00222651	<0.01	<5	12.0	<10	81.2	0.32
C00222652	0.01	<5	8.1	<10	97.7	0.26
C00222653	<0.01	<5	9.1	<10	142	0.27
C00222654	0.02	<5	10.2	<10	213	0.30
C00222655	<0.01	<5	8.1	<10	344	0.26
C00222656	<0.01	<5	<0.5	<10	44.8	<0.01
C00222657	<0.01	<5	9.7	<10	155	0.29
C00222658	0.01	<5	7.0	<10	382	0.22
C00222659	0.01	<5	8.2	<10	350	0.25
C00222772	0.01	<5	7.5	<10	257	0.24
C00222773	<0.01	<5	4.0	<10	188	0.12
*Dup C00222759	<0.01	<5	8.9	11	150	0.24
*Rep C00222752	0.02	<5	4.6	<10	85.1	0.14

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 25504  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_2) / 25504 / 124 Core (1-76)  
 Number of Samples 76

## ANALYSIS REPORT BBM21-14808

Element	@S	@Sb	@Sc	@Sn	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	5	0.5	10	0.5	0.01
Upper Limit	5	10,000	10,000	10,000	10,000	15
Unit	%	ppm m / m	ppm m / m	ppm m / m	ppm m / m	%
*Std OREAS 520	0.98	<5	17.1	<10	105	0.44
*Blk BLANK	<0.01	<5	<0.5	<10	<0.5	<0.01
*Std OREAS 601b	1.43	24	3.5	<10	232	0.12
*Blk BLANK	<0.01	<5	<0.5	<10	<0.5	<0.01
*Std OREAS 520	0.98	<5	17.0	<10	98.3	0.40
*Std OREAS 601b	1.49	26	3.8	<10	229	0.12
*Rep C00222772	0.01	<5	7.6	<10	264	0.24
*Std OREAS 601b	1.40	24	3.3	<10	229	0.12
*Std OREAS 520	1.00	<5	16.9	<10	100	0.44
*Blk BLANK	<0.01	<5	<0.5	<10	<0.5	<0.01

Element	@V	@W	@Y	@Zn	@Zr
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	2	10	0.5	1	0.5
Upper Limit	10,000	10,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
C00222721	66	<10	10.8	44	52.8
C00222722	36	<10	8.6	35	49.0
C00222723	47	<10	11.0	57	39.4
C00222724	50	<10	11.6	54	44.0
C00222725	44	<10	7.1	45	40.6
C00222726	89	<10	16.2	119	77.8
C00222727	48	<10	7.8	42	44.4
C00222728	49	<10	8.6	48	43.7
C00222729	48	<10	8.6	45	42.1
C00222730	29	<10	6.2	37	30.5
C00222731	42	<10	8.2	43	41.8
C00222732	39	<10	6.4	42	36.9

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 25504  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_2) / 25504 / 124 Core (1-76)  
 Number of Samples 76

**ANALYSIS REPORT BBM21-14808**

Element Method	@V GE_ICP40Q12	@W GE_ICP40Q12	@Y GE_ICP40Q12	@Zn GE_ICP40Q12	@Zr GE_ICP40Q12
Lower Limit	2	10	0.5	1	0.5
Upper Limit	10,000	10,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
C00222733	41	<10	5.9	45	35.4
C00222734	38	<10	5.1	39	37.8
C00222735	40	<10	7.3	42	49.9
C00222736	64	<10	13.0	55	59.0
C00222737	36	<10	4.9	35	36.0
C00222738	61	20	10.3	54	53.0
C00222739	40	<10	4.3	30	31.3
C00222740	65	12	12.9	75	49.8
C00222741	51	<10	8.0	52	38.1
C00222742	69	<10	10.4	62	56.8
C00222743	41	<10	8.6	46	39.2
C00222744	54	<10	8.6	45	47.0
C00222745	59	12	11.1	63	44.7
C00222746	52	<10	10.4	55	48.8
C00222747	44	<10	14.3	52	37.9
C00222748	40	<10	13.8	60	37.7
C00222749	36	<10	11.1	51	37.3
C00222750	58	<10	15.0	71	64.0
C00222751	43	<10	20.0	104	48.0
C00222752	30	<10	7.6	38	32.8
C00222753	56	12	12.3	78	53.5
C00222754	58	11	9.5	45	63.5
C00222755	60	<10	12.4	54	55.8
C00222756	49	12	12.7	64	43.2
C00222757	43	14	9.7	69	53.2
C00222758	38	50	8.4	58	35.2
C00222759	55	15	17.1	87	57.3
C00222760	60	<10	9.6	68	52.2
C00222761	48	14	9.2	62	47.6

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 25504  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_2) / 25504 / 124 Core (1-76)  
 Number of Samples 76

**ANALYSIS REPORT BBM21-14808**

Element Method	@V GE_ICP40Q12	@W GE_ICP40Q12	@Y GE_ICP40Q12	@Zn GE_ICP40Q12	@Zr GE_ICP40Q12
Lower Limit	2	10	0.5	1	0.5
Upper Limit	10,000	10,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
C00222762	54	44	11.6	67	42.2
C00222763	57	28	10.5	72	50.7
C00222764	43	14	10.7	64	39.4
C00222765	52	44	11.4	57	53.3
C00222766	62	13	10.6	57	43.2
C00222767	63	12	10.7	56	54.2
C00222768	57	82	12.6	52	47.3
C00222769	60	78	13.1	55	49.2
C00222770	62	13	14.7	57	48.5
C00222771	49	27	12.9	57	38.1
C00222637	36	<10	8.4	46	43.2
C00222638	44	<10	8.0	43	48.4
C00222639	43	21	7.6	37	49.5
C00222640	38	29	6.6	29	42.2
C00222641	53	10	9.5	45	60.5
C00222642	8	<10	1.6	6	9.6
C00222643	48	<10	7.1	34	59.2
C00222644	41	<10	5.8	28	44.6
C00222645	30	<10	6.1	31	36.7
C00222646	58	<10	13.9	92	38.8
C00222647	37	<10	7.6	36	42.2
C00222648	45	<10	8.9	44	39.6
C00222649	49	<10	9.2	46	39.0
C00222650	49	<10	10.6	57	50.5
C00222651	65	<10	12.8	58	54.6
C00222652	51	<10	10.2	44	52.3
C00222653	57	<10	12.4	60	56.9
C00222654	62	<10	12.2	57	68.1
C00222655	42	<10	13.3	47	62.5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 25504  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_2) / 25504 / 124 Core (1-76)  
 Number of Samples 76

## ANALYSIS REPORT BBM21-14808

Element	@V	@W	@Y	@Zn	@Zr
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	2	10	0.5	1	0.5
Upper Limit	10,000	10,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
C00222656	<2	<10	<0.5	<1	<0.5
C00222657	58	<10	12.5	54	57.0
C00222658	32	13	12.7	53	53.9
C00222659	39	47	12.7	60	53.9
C00222772	46	21	12.7	43	57.1
C00222773	26	19	11.9	33	28.3
*Dup C00222759	49	16	16.6	84	52.8
*Rep C00222752	27	<10	7.3	38	29.0
*Std OREAS 520	260	35	19.5	22	132
*Blk BLANK	<2	<10	<0.5	<1	<0.5
*Std OREAS 601b	11	<10	10.3	321	175
*Blk BLANK	<2	<10	<0.5	1	<0.5
*Std OREAS 520	251	27	19.4	21	133
*Std OREAS 601b	12	<10	10.5	320	181
*Rep C00222772	47	19	13.1	45	58.4
*Std OREAS 601b	12	<10	10.0	346	169
*Std OREAS 520	260	33	19.1	19	127
*Blk BLANK	<2	<10	<0.5	2	<0.5

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>  
 Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



## ANALYSIS REPORT BBM21-14809

To VICTORIA GOLD (YUKON) CORP  
HELENA KUIKKA  
SUITE 1000- 1050 W PENDER STREET  
VANCOUVER V6E 3S7  
BC  
CANADA

Order Number	PO: 32571	Date Received	30-Nov-2021
Project	Clear Creek	Date Analysed	22-Dec-2021 - 11-Feb-2022
Submission Number	*BBY* (CC_2) / 25504 / 124 Core (77-124)	Date Completed	11-Feb-2022
Number of Samples	48	SGS Order Number	BBM21-14809

### Methods Summary

Number of Sample	Method Code	Description
48	G_WGH_KG	Weight of samples received
48	GE_FAA50V5	Au, FAS, exploration grade, AAS, 50g-5mL
48	GE_ICP40Q12	4 Acid Digest (HCL/HClO4/HF/HNO3), ICP, 0.2g-12ml

### Comments

Preparation of samples was performed at the SGS Burnaby site.

Analysis of samples was performed at the SGS Burnaby site.

Authorised Signatory

John Chiang  
Laboratory Operations Manager



This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**WARNING:** The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_2) / 25504 / 124 Core  
 (77-124)  
 Number of Samples 48

**ANALYSIS REPORT BBM21-14809**

Element Method	WTKG G_WGH_KG	@Au GE_FAA50V5	@Ag GE_ICP40Q12	@Al GE_ICP40Q12	@As GE_ICP40Q12	@Ba GE_ICP40Q12
Lower Limit	0.01	0.005	2	0.01	3	1
Upper Limit	--	10	100	15	10,000	10,000
Unit	kg	ppm m / m	ppm m / m	%	ppm m / m	ppm m / m
C00222774	3.20	<0.005	<2	8.46	<3	614
C00222775	3.76	0.047	<2	6.06	198	690
C00222776	4.03	0.045	<2	5.75	55	633
C00222777	3.90	0.011	<2	6.25	20	748
C00222778	5.27	<0.005	<2	5.21	20	523
C00222779	4.70	0.015	<2	5.03	37	476
C00222780	4.52	0.100	<2	4.99	156	414
C00222781	5.04	0.118	<2	6.38	54	761
C00222782	4.23	0.060	<2	7.28	61	825
C00222783	3.81	0.029	<2	7.81	99	940
C00222784	5.00	0.039	<2	7.69	36	962
C00222785	4.77	0.074	<2	5.11	82	439
C00222786	3.57	0.026	<2	6.91	33	884
C00222787	4.81	0.005	<2	5.23	35	780
C00222788	5.67	0.023	<2	5.19	30	563
C00222789	5.88	0.080	<2	7.05	110	765
C00222790	3.79	0.156	<2	6.24	49	710
C00222791	7.78	0.226	<2	6.18	39	807
C00222792	4.55	<0.005	<2	4.93	29	647
C00222793	4.41	0.109	<2	5.23	8	532
C00222794	4.24	0.019	<2	3.51	22	438
C00222795	3.08	0.110	<2	6.52	39	729
C00222796	0.53	<0.005	<2	0.05	<3	6
C00222797	4.27	0.018	<2	4.56	11	452
C00222798	4.95	0.031	<2	5.82	42	697
C00222799	4.67	0.268	<2	6.12	17	730
C00222800	4.45	0.110	<2	5.50	11	640
C00222801	5.61	0.039	<2	6.73	14	842
C00222802	3.78	0.131	<2	6.92	17	791

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_2) / 25504 / 124 Core  
 (77-124)  
 Number of Samples 48

**ANALYSIS REPORT BBM21-14809**

Element Method	WTKG G_WGH_KG	@Au GE_FAA50V5	@Ag GE_ICP40Q12	@Al GE_ICP40Q12	@As GE_ICP40Q12	@Ba GE_ICP40Q12
Lower Limit	0.01	0.005	2	0.01	3	1
Upper Limit	--	10	100	15	10,000	10,000
Unit	kg	ppm m / m	ppm m / m	%	ppm m / m	ppm m / m
C00222803	4.91	0.038	<2	7.20	24	922
C00222804	3.34	0.149	<2	5.37	22	686
C00222805	5.13	0.014	<2	4.47	14	491
C00222806	2.45	0.124	<2	7.24	34	1437
C00222807	4.23	0.523	2	7.46	28	742
C00222808	2.73	0.077	<2	7.43	8	1708
C00222809	3.33	0.153	<2	7.50	55	820
C00222810	4.90	0.024	<2	6.50	5	640
C00222811	5.10	0.111	<2	7.53	10	724
C00222812	4.64	0.175	<2	7.66	50	811
C00222813	4.51	0.059	<2	5.89	34	611
C00222814	6.61	0.072	<2	7.69	27	893
C00222815	5.16	0.032	<2	8.34	17	845
C00222816	4.47	0.096	<2	7.43	23	731
C00222817	4.47	0.104	<2	5.80	23	513
C00222818	6.87	0.062	<2	7.80	28	738
C00222819	3.81	0.033	<2	7.18	84	616
C00222820	4.53	0.021	<2	7.02	31	608
C00222821	0.42	<0.005	<2	0.08	<3	6
*Dup C00222812	-	0.202	<2	7.89	48	814
*Std OREAS 520	-	-	<2	5.64	159	966
*Std OREAS 601b	-	-	50	6.44	300	428
*Rep C00222794	-	-	<2	3.44	22	435
*Blk BLANK	-	-	<2	<0.01	<3	<1
*Std SL105	-	4.892	-	-	-	-
*Rep C00222782	-	0.061	-	-	-	-
*Std OREAS 503d	-	0.636	-	-	-	-
*Std SN106	-	8.370	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_2) / 25504 / 124 Core  
 (77-124)  
 Number of Samples 48

## ANALYSIS REPORT BBM21-14809

Element	WTKG	@Au	@Ag	@Al	@As	@Ba
Method	G_WGH_KG	GE_FAA50V5	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	0.005	2	0.01	3	1
Upper Limit	--	10	100	15	10,000	10,000
Unit	kg	ppm m / m	ppm m / m	%	ppm m / m	ppm m / m
*Blk BLANK	-	-	<2	<0.01	3	<1
*Std OREAS 520	-	-	<2	5.60	159	888
*Std OREAS 601b	-	-	50	6.31	280	952

Element	@Be	@Bi	@Ca	@Cd	@Co	@Cr
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	5	0.01	1	1	1
Upper Limit	2,500	10,000	15	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	%	ppm m / m	ppm m / m	ppm m / m
C00222774	0.7	<5	3.79	<1	14	6
C00222775	2.3	6	1.00	<1	9	56
C00222776	1.5	7	2.94	<1	7	37
C00222777	1.5	<5	1.66	<1	7	39
C00222778	1.0	<5	1.85	<1	4	16
C00222779	0.9	<5	2.82	<1	5	29
C00222780	1.5	16	6.68	<1	9	21
C00222781	1.7	24	1.97	<1	7	41
C00222782	2.4	10	2.92	<1	10	40
C00222783	2.5	7	2.03	<1	12	55
C00222784	2.4	6	4.21	<1	12	45
C00222785	2.0	12	1.97	<1	8	22
C00222786	2.0	<5	2.08	<1	10	51
C00222787	1.7	<5	0.25	<1	7	91
C00222788	1.3	<5	2.56	<1	6	28
C00222789	2.3	<5	1.26	<1	12	60
C00222790	1.9	7	0.82	<1	7	75
C00222791	1.8	17	0.34	<1	7	56
C00222792	1.5	<5	0.14	<1	7	59

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_2) / 25504 / 124 Core  
 (77-124)  
 Number of Samples 48

**ANALYSIS REPORT BBM21-14809**

Element	@Be	@Bi	@Ca	@Cd	@Co	@Cr
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	5	0.01	1	1	1
Upper Limit	2,500	10,000	15	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	%	ppm m / m	ppm m / m	ppm m / m
C00222793	1.5	11	5.73	<1	7	28
C00222794	0.9	<5	0.19	<1	8	43
C00222795	1.7	<5	2.65	<1	15	42
C00222796	<0.5	<5	>15.00	<1	<1	<1
C00222797	1.1	<5	13.16	<1	6	32
C00222798	1.7	<5	7.26	<1	9	41
C00222799	1.9	9	3.68	<1	10	36
C00222800	1.3	<5	2.75	<1	9	52
C00222801	1.8	<5	2.72	<1	14	51
C00222802	1.7	<5	5.06	<1	13	46
C00222803	2.4	<5	2.12	<1	12	43
C00222804	1.5	<5	0.57	<1	9	33
C00222805	1.4	<5	1.37	<1	7	36
C00222806	3.0	7	0.73	<1	9	19
C00222807	3.6	26	0.31	<1	11	41
C00222808	2.8	<5	0.89	<1	3	6
C00222809	3.2	<5	1.18	<1	14	42
C00222810	2.2	<5	5.40	<1	12	36
C00222811	2.8	6	1.22	<1	12	44
C00222812	2.4	12	0.58	<1	18	55
C00222813	1.8	6	0.43	<1	13	39
C00222814	2.5	<5	0.39	<1	14	47
C00222815	2.7	<5	0.76	<1	20	54
C00222816	2.0	<5	0.41	<1	14	66
C00222817	1.8	<5	0.30	<1	10	45
C00222818	2.3	<5	0.38	<1	11	55
C00222819	2.3	<5	0.13	<1	14	48
C00222820	2.6	<5	0.18	<1	12	32
C00222821	<0.5	<5	>15.00	<1	<1	2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_2) / 25504 / 124 Core  
 (77-124)  
 Number of Samples 48

## ANALYSIS REPORT BBM21-14809

Element	@Be	@Bi	@Ca	@Cd	@Co	@Cr
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	5	0.01	1	1	1
Upper Limit	2,500	10,000	15	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	%	ppm m / m	ppm m / m	ppm m / m
*Dup C00222812	2.4	8	0.58	<1	18	50
*Std OREAS 520	1.0	<5	3.86	<1	199	32
*Std OREAS 601b	2.1	18	0.86	2	3	17
*Rep C00222794	0.9	<5	0.18	<1	8	39
*Blk BLANK	<0.5	<5	<0.01	<1	<1	2
*Blk BLANK	<0.5	<5	<0.01	<1	<1	1
*Std OREAS 520	1.0	<5	3.90	<1	199	40
*Std OREAS 601b	2.1	16	0.84	2	2	21

Element	@Cu	@Fe	@K	@La	@Li	@Mg
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	0.5	1	0.01
Upper Limit	10,000	15	15	10,000	10,000	15
Unit	ppm m / m	%	%	ppm m / m	ppm m / m	%
C00222774	61.4	3.86	1.53	13.2	10	1.49
C00222775	58.7	2.97	2.41	34.1	63	0.58
C00222776	42.9	2.53	1.62	33.0	33	0.44
C00222777	31.8	2.53	2.37	38.6	41	0.53
C00222778	9.2	1.58	1.56	29.4	33	0.33
C00222779	14.4	1.81	1.37	32.3	37	0.33
C00222780	41.4	2.10	1.26	29.8	47	0.35
C00222781	33.6	2.63	2.52	36.6	53	0.60
C00222782	54.1	3.35	2.64	42.3	56	0.69
C00222783	69.7	3.57	3.33	52.4	67	0.78
C00222784	102	3.97	2.83	39.4	70	0.82
C00222785	70.5	2.87	1.95	33.2	48	0.42
C00222786	58.4	3.10	2.55	40.8	51	0.50
C00222787	40.3	2.42	2.72	26.3	44	0.49

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_2) / 25504 / 124 Core  
 (77-124)  
 Number of Samples 48

## ANALYSIS REPORT BBM21-14809

Element	@Cu	@Fe	@K	@La	@Li	@Mg
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	0.5	1	0.01
Upper Limit	10,000	15	15	10,000	10,000	15
Unit	ppm m / m	%	%	ppm m / m	ppm m / m	%
C00222788	38.2	2.22	1.43	27.1	39	0.37
C00222789	64.0	3.50	2.74	46.7	63	0.77
C00222790	57.9	3.17	2.53	30.7	51	0.67
C00222791	68.2	2.93	2.62	31.3	56	0.62
C00222792	45.7	2.26	2.07	29.1	43	0.44
C00222793	36.4	1.94	1.20	32.0	29	0.33
C00222794	51.5	2.18	1.46	13.2	30	0.26
C00222795	53.8	2.90	2.32	36.1	51	0.41
C00222796	<0.5	0.13	0.02	0.6	1	13.57
C00222797	18.7	2.00	1.57	25.4	30	0.30
C00222798	37.5	2.64	2.29	28.3	36	0.42
C00222799	81.8	3.50	2.21	33.0	49	0.46
C00222800	37.7	2.65	2.15	32.7	38	0.34
C00222801	60.1	3.49	2.59	39.9	50	0.52
C00222802	72.0	3.56	2.40	37.3	42	0.61
C00222803	110	3.66	2.15	40.5	44	0.52
C00222804	48.3	2.41	2.41	26.8	50	0.37
C00222805	30.2	2.53	1.93	28.6	50	0.27
C00222806	85.7	3.55	2.55	40.4	69	0.28
C00222807	133	5.02	2.33	46.5	71	0.30
C00222808	22.1	2.40	3.15	42.0	74	0.17
C00222809	109	4.17	2.82	50.4	66	0.36
C00222810	97.0	4.13	2.03	41.2	68	0.38
C00222811	123	4.60	2.34	42.2	62	0.40
C00222812	71.0	3.92	2.74	39.0	71	0.59
C00222813	36.2	3.05	2.11	31.6	57	0.37
C00222814	53.9	3.59	2.77	46.7	61	0.46
C00222815	90.3	4.39	2.85	48.6	73	0.70
C00222816	60.5	3.68	2.77	40.5	59	0.50

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_2) / 25504 / 124 Core  
 (77-124)  
 Number of Samples 48

## ANALYSIS REPORT BBM21-14809

Element	@Cu	@Fe	@K	@La	@Li	@Mg
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	0.5	1	0.01
Upper Limit	10,000	15	15	10,000	10,000	15
Unit	ppm m / m	%	%	ppm m / m	ppm m / m	%
C00222817	29.6	2.97	2.11	37.2	63	0.29
C00222818	41.0	3.27	3.29	51.4	63	0.40
C00222819	21.2	3.73	3.07	45.8	87	0.33
C00222820	35.7	3.32	2.54	43.8	83	0.27
C00222821	<0.5	0.14	0.03	0.6	2	13.29
*Dup C00222812	71.8	3.91	2.78	40.7	72	0.59
*Std OREAS 520	2847	>15.00	3.38	84.0	17	1.13
*Std OREAS 601b	980	2.25	2.32	35.9	21	0.10
*Rep C00222794	52.0	2.14	1.43	12.6	29	0.26
*Blk BLANK	<0.5	<0.01	<0.01	<0.5	<1	<0.01
*Blk BLANK	<0.5	<0.01	<0.01	<0.5	<1	<0.01
*Std OREAS 520	2862	>15.00	3.41	85.3	17	1.12
*Std OREAS 601b	945	2.24	2.28	33.3	21	0.09

Element	@Mn	@Mo	@Ni	@Na	@P	@Pb
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	2	1	1	0.01	0.01	2
Upper Limit	10,000	10,000	10,000	15	15	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	%	%	ppm m / m
C00222774	808	2	6	2.35	0.06	5
C00222775	351	2	23	0.97	0.02	16
C00222776	524	2	18	1.67	0.03	16
C00222777	392	2	20	1.34	0.03	19
C00222778	317	1	10	1.85	0.01	12
C00222779	428	2	12	1.90	0.02	9
C00222780	744	<1	15	1.13	0.02	11
C00222781	429	3	18	1.07	0.02	14
C00222782	570	2	28	1.19	0.06	16

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_2) / 25504 / 124 Core  
 (77-124)  
 Number of Samples 48

## ANALYSIS REPORT BBM21-14809

Element Method Lower Limit Upper Limit Unit	@Mn GE_ICP40Q12 2 10,000 ppm m / m	@Mo GE_ICP40Q12 1 10,000 ppm m / m	@Ni GE_ICP40Q12 1 10,000 ppm m / m	@Na GE_ICP40Q12 0.01 15 %	@P GE_ICP40Q12 0.01 15 %	@Pb GE_ICP40Q12 2 10,000 ppm m / m
C00222783	563	3	33	0.72	0.03	17
C00222784	814	1	31	1.05	0.10	20
C00222785	652	2	23	0.57	0.02	13
C00222786	580	2	29	1.15	0.04	18
C00222787	337	4	33	0.49	0.02	19
C00222788	514	2	16	1.47	0.01	15
C00222789	529	3	44	0.87	0.03	14
C00222790	329	3	29	1.12	0.03	14
C00222791	267	2	25	0.51	0.03	15
C00222792	151	2	25	0.73	0.02	12
C00222793	706	1	16	1.30	0.03	14
C00222794	262	4	30	0.55	0.01	12
C00222795	783	1	53	1.24	0.03	18
C00222796	134	<1	<1	0.01	<0.01	<2
C00222797	528	<1	26	1.18	0.02	14
C00222798	529	1	24	0.99	0.03	19
C00222799	582	2	24	0.80	0.03	14
C00222800	416	1	23	0.78	0.03	14
C00222801	578	2	36	0.98	0.02	28
C00222802	674	1	32	1.26	0.02	19
C00222803	705	1	32	1.28	0.02	21
C00222804	293	1	23	0.62	0.01	16
C00222805	400	2	20	0.14	0.01	8
C00222806	440	1	18	0.74	0.04	17
C00222807	608	1	26	0.16	0.04	12
C00222808	446	1	5	0.40	0.05	21
C00222809	944	1	31	0.11	0.04	13
C00222810	998	2	26	0.64	0.03	10
C00222811	504	2	26	0.41	0.32	13

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_2) / 25504 / 124 Core  
 (77-124)  
 Number of Samples 48

**ANALYSIS REPORT BBM21-14809**

Element Method Lower Limit Upper Limit Unit	@Mn GE_ICP40Q12 2 10,000 ppm m / m	@Mo GE_ICP40Q12 1 10,000 ppm m / m	@Ni GE_ICP40Q12 1 10,000 ppm m / m	@Na GE_ICP40Q12 0.01 15 %	@P GE_ICP40Q12 0.01 15 %	@Pb GE_ICP40Q12 2 10,000 ppm m / m
C00222812	605	1	44	0.65	0.04	10
C00222813	397	2	33	0.70	0.03	9
C00222814	537	2	40	0.43	0.03	11
C00222815	589	2	39	0.52	0.03	9
C00222816	387	2	38	0.71	0.03	8
C00222817	468	2	32	0.50	0.02	8
C00222818	476	2	33	0.33	0.05	11
C00222819	507	2	36	0.13	0.03	7
C00222820	556	3	24	0.06	0.03	9
C00222821	140	<1	<1	<0.01	<0.01	<2
*Dup C00222812	612	1	43	0.64	0.04	9
*Std OREAS 520	2282	62	76	1.36	0.08	5
*Std OREAS 601b	218	6	7	1.88	0.03	312
*Rep C00222794	254	4	30	0.54	0.01	11
*Blk BLANK	<2	<1	<1	<0.01	<0.01	<2
*Blk BLANK	<2	<1	<1	<0.01	<0.01	<2
*Std OREAS 520	2452	64	77	1.33	0.07	5
*Std OREAS 601b	221	5	7	1.77	0.03	320

Element Method Lower Limit Upper Limit Unit	@S GE_ICP40Q12 0.01 5 %	@Sb GE_ICP40Q12 5 10,000 ppm m / m	@Sc GE_ICP40Q12 0.5 10,000 ppm m / m	@Sn GE_ICP40Q12 10 10,000 ppm m / m	@Sr GE_ICP40Q12 0.5 10,000 ppm m / m	@Ti GE_ICP40Q12 0.01 15 %
C00222774	0.01	<5	16.7	<10	426	0.27
C00222775	<0.01	<5	8.5	11	230	0.19
C00222776	0.02	<5	7.1	<10	224	0.22
C00222777	0.03	<5	8.2	<10	197	0.21

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_2) / 25504 / 124 Core  
 (77-124)  
 Number of Samples 48

**ANALYSIS REPORT BBM21-14809**

Element	@S	@Sb	@Sc	@Sn	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	5	0.5	10	0.5	0.01
Upper Limit	5	10,000	10,000	10,000	10,000	15
Unit	%	ppm m / m	ppm m / m	ppm m / m	ppm m / m	%
C00222778	<0.01	<5	5.2	<10	136	0.15
C00222779	<0.01	<5	5.3	<10	174	0.17
C00222780	<0.01	<5	5.4	<10	374	0.17
C00222781	<0.01	<5	7.5	<10	128	0.23
C00222782	<0.01	<5	10.0	13	183	0.29
C00222783	<0.01	<5	11.1	10	157	0.29
C00222784	0.08	<5	11.2	13	288	0.31
C00222785	<0.01	<5	6.7	<10	153	0.18
C00222786	0.01	<5	9.2	10	145	0.25
C00222787	<0.01	<5	8.0	<10	60.8	0.17
C00222788	<0.01	<5	5.8	<10	184	0.18
C00222789	0.01	<5	10.5	<10	136	0.23
C00222790	0.01	<5	8.9	<10	98.6	0.19
C00222791	0.01	<5	9.7	<10	60.3	0.20
C00222792	<0.01	<5	7.4	<10	46.0	0.13
C00222793	<0.01	<5	6.5	12	308	0.21
C00222794	0.02	<5	4.4	<10	38.1	0.11
C00222795	<0.01	<5	8.3	<10	300	0.21
C00222796	<0.01	<5	<0.5	<10	40.4	<0.01
C00222797	<0.01	<5	5.2	<10	504	0.14
C00222798	<0.01	<5	7.4	<10	304	0.20
C00222799	0.01	<5	8.9	<10	183	0.22
C00222800	<0.01	<5	9.0	<10	143	0.19
C00222801	0.02	<5	10.9	<10	171	0.24
C00222802	0.01	<5	9.8	<10	321	0.28
C00222803	<0.01	<5	10.5	11	275	0.28
C00222804	<0.01	<5	9.8	<10	69.3	0.17
C00222805	<0.01	<5	8.2	<10	33.3	0.13
C00222806	<0.01	<5	7.8	<10	177	0.21

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_2) / 25504 / 124 Core  
 (77-124)  
 Number of Samples 48

**ANALYSIS REPORT BBM21-14809**

Element	@S	@Sb	@Sc	@Sn	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	5	0.5	10	0.5	0.01
Upper Limit	5	10,000	10,000	10,000	10,000	15
Unit	%	ppm m / m	ppm m / m	ppm m / m	ppm m / m	%
C00222807	<0.01	<5	10.6	<10	54.8	0.26
C00222808	<0.01	<5	5.2	<10	195	0.16
C00222809	<0.01	<5	10.0	<10	106	0.26
C00222810	0.01	<5	8.7	<10	374	0.25
C00222811	0.01	<5	10.3	<10	108	0.27
C00222812	<0.01	<5	11.4	<10	101	0.31
C00222813	<0.01	<5	8.2	<10	91.5	0.23
C00222814	<0.01	<5	10.2	<10	79.2	0.27
C00222815	<0.01	<5	12.0	<10	103	0.32
C00222816	<0.01	<5	11.1	<10	100	0.29
C00222817	<0.01	<5	8.2	<10	59.6	0.21
C00222818	0.01	<5	11.7	<10	64.0	0.26
C00222819	<0.01	<5	11.0	<10	34.4	0.27
C00222820	<0.01	<5	9.1	<10	38.7	0.22
C00222821	<0.01	<5	<0.5	<10	39.8	<0.01
*Dup C00222812	<0.01	<5	11.7	<10	102	0.31
*Std OREAS 520	0.99	<5	16.6	<10	99.3	0.39
*Std OREAS 601b	1.47	26	3.6	<10	230	0.12
*Rep C00222794	0.02	<5	4.3	<10	37.3	0.11
*Blk BLANK	<0.01	<5	<0.5	<10	<0.5	<0.01
*Blk BLANK	<0.01	<5	<0.5	<10	<0.5	<0.01
*Std OREAS 520	0.97	<5	17.3	<10	99.4	0.41
*Std OREAS 601b	1.43	24	3.6	<10	226	0.13

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_2) / 25504 / 124 Core  
 (77-124)  
 Number of Samples 48

**ANALYSIS REPORT BBM21-14809**

Element	@V	@W	@Y	@Zn	@Zr
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	2	10	0.5	1	0.5
Upper Limit	10,000	10,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
C00222774	132	<10	20.3	49	16.1
C00222775	54	<10	12.7	49	61.8
C00222776	39	15	14.2	43	47.8
C00222777	48	<10	11.9	45	57.8
C00222778	28	<10	8.7	25	42.4
C00222779	32	<10	9.7	27	52.4
C00222780	30	11	13.2	37	42.4
C00222781	47	<10	11.7	50	62.3
C00222782	57	<10	16.1	61	66.8
C00222783	66	15	17.0	69	77.0
C00222784	63	<10	20.0	76	65.9
C00222785	38	15	14.2	46	46.6
C00222786	55	14	15.9	55	68.9
C00222787	96	<10	14.5	39	87.0
C00222788	33	16	10.9	44	41.7
C00222789	95	11	19.6	58	78.9
C00222790	84	11	13.4	53	66.2
C00222791	75	29	12.7	45	79.3
C00222792	57	<10	9.5	41	61.6
C00222793	35	46	14.5	44	54.4
C00222794	35	<10	6.6	31	35.5
C00222795	49	<10	19.2	81	55.9
C00222796	<2	<10	<0.5	3	<0.5
C00222797	27	<10	13.2	32	39.1
C00222798	45	<10	13.8	43	57.5
C00222799	51	21	15.4	50	56.2
C00222800	47	19	14.1	47	50.7
C00222801	60	18	18.2	61	65.6
C00222802	54	15	17.9	68	58.1

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_2) / 25504 / 124 Core  
 (77-124)  
 Number of Samples 48

## ANALYSIS REPORT BBM21-14809

Element	@V	@W	@Y	@Zn	@Zr
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	2	10	0.5	1	0.5
Upper Limit	10,000	10,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
C00222803	57	33	19.8	79	61.5
C00222804	50	16	10.7	44	54.6
C00222805	42	<10	10.3	32	43.4
C00222806	34	18	15.9	67	59.9
C00222807	57	38	19.1	73	69.2
C00222808	15	<10	14.6	44	55.7
C00222809	56	33	19.7	71	64.9
C00222810	50	32	20.5	57	57.5
C00222811	59	37	26.2	66	68.4
C00222812	65	36	17.7	74	72.2
C00222813	48	28	11.7	57	50.3
C00222814	58	28	16.9	74	62.2
C00222815	67	61	19.6	83	73.8
C00222816	64	44	13.7	73	61.3
C00222817	49	24	13.2	56	49.1
C00222818	67	20	16.1	68	66.0
C00222819	67	13	13.2	75	53.9
C00222820	48	17	13.6	49	51.6
C00222821	<2	<10	<0.5	3	<0.5
*Dup C00222812	67	35	18.5	75	72.4
*Std OREAS 520	245	22	18.9	21	130
*Std OREAS 601b	12	<10	10.5	315	183
*Rep C00222794	35	<10	6.5	31	36.3
*Blk BLANK	<2	<10	<0.5	1	<0.5
*Blk BLANK	<2	<10	<0.5	<1	<0.5
*Std OREAS 520	251	41	19.6	21	134
*Std OREAS 601b	11	<10	10.1	313	176

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 32571  
Project Clear Creek  
Submission Number \*BBY\* (CC\_2) / 25504 / 124 Core  
(77-124)  
Number of Samples 48

## ANALYSIS REPORT BBM21-14809

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>  
Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



## ANALYSIS REPORT BBM22-15230

To VICTORIA GOLD (YUKON) CORP  
HELENA KUIKKA  
SUITE 1000- 1050 W PENDER STREET  
VANCOUVER V6E 3S7  
BC  
CANADA

Order Number	PO: 32571	Date Received	30-Nov-2021
Project	Clear Creek	Date Analysed	05-Jan-2022 - 30-Jan-2022
Submission Number	*BBY* (CC_3) / 25504 / 28 core	Date Completed	30-Jan-2022
Number of Samples	28	SGS Order Number	BBM22-15230

### Methods Summary

Number of Sample	Method Code	Description
28	G_WGH_KG	Weight of samples received
28	GE_FAA50V5	Au, FAS, exploration grade, AAS, 50g-5mL
28	GE_ICP40Q12	4 Acid Digest (HCL/HClO4/HF/HNO3), ICP, 0.2g-12ml

### Comments

Preparation of samples was performed at the SGS Burnaby site.

Analysis of samples was performed at the SGS Burnaby site.

Authorised Signatory

John Chiang  
Laboratory Operations Manager



This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**WARNING:** The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received

30-Jan-2022 11:55PM BBM\_U0019267612

Page 1 of 9

MIN-M\_COA\_ROW-Last Modified Date: 05-Nov-2019



Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_3) / 25504 / 28 core  
 Number of Samples 28

## ANALYSIS REPORT BBM22-15230

Element Method Lower Limit Upper Limit Unit	WTKG G_WGH_KG 0.01 -- kg	@Au GE_FAA50V5 0.005 10 ppm m / m	@Ag GE_ICP40Q12 2 100 ppm m / m	@Al GE_ICP40Q12 0.01 15 %	@As GE_ICP40Q12 3 10,000 ppm m / m	@Ba GE_ICP40Q12 1 10,000 ppm m / m
C00222551	2.74	0.214	<2	7.33	7	750
C00222552	2.44	0.032	<2	7.51	5	519
C00222553	4.62	0.011	<2	7.90	16	718
C00222554	3.25	0.011	<2	7.94	7	1022
C00222555	2.87	0.114	<2	7.34	4	881
C00222556	0.35	<0.005	<2	0.06	<3	4
C00222557	5.30	0.006	<2	7.37	4	816
C00222558	6.44	0.021	<2	6.50	8	852
C00222559	5.01	0.020	<2	5.72	15	907
C00222560	2.78	1.021	<2	7.74	11	1268
C00222561	2.44	0.047	<2	7.12	8	1362
C00222562	2.55	0.039	<2	6.85	11	1282
C00222563	5.62	0.021	<2	4.43	8	948
C00222564	7.15	0.107	<2	6.14	11	1151
C00222565	4.31	0.007	<2	5.39	6	676
C00222566	4.58	0.012	<2	5.60	6	1053
C00222567	3.18	0.013	<2	6.74	10	1236
C00222568	3.35	0.025	<2	6.75	12	1203
C00222569	-	0.052	<2	6.84	15	1228
C00222570	3.26	0.024	<2	6.45	10	1313
C00222571	4.53	0.017	<2	6.66	9	1766
C00222572	5.74	0.025	<2	6.63	6	1304
C00222573	5.03	0.027	<2	6.82	8	1692
C00222574	5.46	0.023	<2	6.79	12	1812
C00222575	6.78	0.018	<2	7.14	28	1752
C00222576	5.45	0.108	<2	6.82	62	1586
C00222577	4.66	0.052	<2	6.82	84	2015
C00222578	5.24	0.031	<2	6.64	66	1729
*Std OREAS 601b	-	-	50	6.39	276	521

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_3) / 25504 / 28 core  
 Number of Samples 28

**ANALYSIS REPORT BBM22-15230**

Element	WTKG	@Au	@Ag	@Al	@As	@Ba
Method	G_WGH_KG	GE_FAA50V5	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	0.005	2	0.01	3	1
Upper Limit	--	10	100	15	10,000	10,000
Unit	kg	ppm m / m	ppm m / m	%	ppm m / m	ppm m / m
*Blk BLANK	-	-	<2	0.01	<3	<1
*Std OREAS 520	-	-	<2	5.81	155	1067
*Rep C00222577	-	-	<2	6.67	85	2024
*Std SL105	-	4.921	-	-	-	-
*Rep C00222575	-	0.020	-	-	-	-
*Std OREAS 503d	-	0.657	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std SN106	-	8.243	-	-	-	-

Element	@Be	@Bi	@Ca	@Cd	@Co	@Cr
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	5	0.01	1	1	1
Upper Limit	2,500	10,000	15	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	%	ppm m / m	ppm m / m	ppm m / m
C00222551	2.0	17	0.13	<1	9	59
C00222552	3.6	<5	0.26	<1	13	57
C00222553	3.4	<5	0.23	<1	13	83
C00222554	2.2	<5	0.26	<1	13	60
C00222555	2.2	<5	0.20	<1	10	44
C00222556	<0.5	<5	>15.00	<1	<1	<1
C00222557	2.1	<5	0.21	<1	9	47
C00222558	2.2	<5	0.34	<1	10	43
C00222559	2.0	<5	0.22	<1	7	34
C00222560	2.1	122	0.17	<1	5	47
C00222561	2.5	7	0.51	<1	6	30
C00222562	2.6	<5	0.56	<1	6	31
C00222563	1.5	<5	0.20	<1	5	31
C00222564	2.4	16	0.22	<1	7	43
C00222565	1.6	<5	0.17	<1	7	37

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_3) / 25504 / 28 core  
 Number of Samples 28

## ANALYSIS REPORT BBM22-15230

Element	@Be	@Bi	@Ca	@Cd	@Co	@Cr
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	5	0.01	1	1	1
Upper Limit	2,500	10,000	15	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	%	ppm m / m	ppm m / m	ppm m / m
C00222566	1.6	<5	0.20	<1	5	30
C00222567	2.2	<5	0.44	<1	6	41
C00222568	2.4	<5	0.48	<1	12	37
C00222569	2.4	<5	0.48	<1	12	35
C00222570	2.3	<5	0.58	<1	6	32
C00222571	3.5	<5	0.30	<1	3	13
C00222572	2.9	<5	0.48	<1	5	23
C00222573	2.9	<5	0.40	<1	3	20
C00222574	3.1	<5	0.35	<1	4	25
C00222575	2.8	<5	0.32	<1	4	24
C00222576	3.3	12	0.47	<1	5	27
C00222577	3.2	<5	0.45	<1	3	19
C00222578	2.8	<5	0.49	<1	5	24
*Std OREAS 601b	2.1	13	0.88	2	2	16
*Blk BLANK	<0.5	<5	<0.01	<1	<1	<1
*Std OREAS 520	1.0	<5	4.00	<1	200	31
*Rep C00222577	3.2	6	0.47	<1	3	14

Element	@Cu	@Fe	@K	@La	@Li	@Mg
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	0.5	1	0.01
Upper Limit	10,000	15	15	10,000	10,000	15
Unit	ppm m / m	%	%	ppm m / m	ppm m / m	%
C00222551	149	5.04	3.18	32.7	118	0.48
C00222552	93.2	3.54	2.47	43.3	174	0.60
C00222553	86.8	3.75	2.99	52.7	236	0.56
C00222554	88.0	3.87	3.26	42.6	137	0.65
C00222555	77.0	3.21	3.37	37.5	116	0.55
C00222556	0.7	0.13	0.03	0.7	3	12.84

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_3) / 25504 / 28 core  
 Number of Samples 28

**ANALYSIS REPORT BBM22-15230**

Element	@Cu	@Fe	@K	@La	@Li	@Mg
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	0.5	1	0.01
Upper Limit	10,000	15	15	10,000	10,000	15
Unit	ppm m / m	%	%	ppm m / m	ppm m / m	%
C00222557	84.2	3.32	3.37	53.2	103	0.58
C00222558	64.5	3.11	2.74	35.1	106	0.50
C00222559	47.9	2.34	2.35	31.5	77	0.41
C00222560	103	3.18	3.58	43.0	109	0.43
C00222561	67.5	2.60	2.73	42.4	86	0.73
C00222562	73.3	2.82	2.57	44.0	74	0.74
C00222563	52.7	2.56	2.10	22.8	61	0.32
C00222564	53.9	2.90	3.13	45.1	74	0.40
C00222565	63.0	2.47	2.37	32.6	83	0.31
C00222566	65.7	2.31	2.51	24.3	101	0.34
C00222567	64.1	2.66	2.73	34.3	64	0.63
C00222568	66.1	2.73	2.49	49.2	62	0.66
C00222569	63.4	2.81	2.49	48.0	61	0.67
C00222570	63.5	2.56	2.45	33.8	58	0.62
C00222571	124	3.06	2.89	40.4	57	0.51
C00222572	86.4	2.77	2.37	33.4	63	0.67
C00222573	76.5	2.30	2.67	34.1	68	0.61
C00222574	84.3	2.53	3.06	38.5	67	0.65
C00222575	70.1	2.31	3.24	40.9	76	0.61
C00222576	78.4	2.60	2.62	41.0	87	0.64
C00222577	85.1	2.40	2.89	38.6	78	0.56
C00222578	80.6	2.61	2.46	39.2	75	0.78
*Std OREAS 601b	960	2.22	2.43	35.5	22	0.09
*Blk BLANK	<0.5	<0.01	<0.01	<0.5	<1	<0.01
*Std OREAS 520	2963	>15.00	3.60	85.9	19	1.13
*Rep C00222577	82.9	2.46	2.87	41.2	79	0.57

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_3) / 25504 / 28 core  
 Number of Samples 28

**ANALYSIS REPORT BBM22-15230**

Element Method	@Mn GE_ICP40Q12	@Mo GE_ICP40Q12	@Ni GE_ICP40Q12	@Na GE_ICP40Q12	@P GE_ICP40Q12	@Pb GE_ICP40Q12
Lower Limit	2	1	1	0.01	0.01	2
Upper Limit	10,000	10,000	10,000	15	15	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	%	%	ppm m / m
C00222551	304	3	20	0.05	0.03	13
C00222552	320	<1	30	0.24	0.04	12
C00222553	418	2	36	0.14	0.04	19
C00222554	367	2	32	0.17	0.04	19
C00222555	232	2	28	0.08	0.04	17
C00222556	140	<1	<1	<0.01	<0.01	<2
C00222557	236	2	29	0.07	0.03	17
C00222558	339	2	29	0.37	0.04	16
C00222559	273	5	22	0.21	0.03	16
C00222560	154	5	18	0.14	0.03	22
C00222561	321	3	23	0.70	0.03	21
C00222562	325	3	25	0.70	0.04	23
C00222563	226	5	19	0.21	0.03	15
C00222564	237	7	26	0.23	0.05	21
C00222565	182	4	22	0.19	0.03	15
C00222566	162	6	18	0.26	0.02	19
C00222567	295	3	22	0.73	0.04	19
C00222568	448	3	25	0.69	0.04	21
C00222569	438	3	26	0.69	0.04	21
C00222570	311	3	19	0.92	0.04	20
C00222571	247	7	14	0.80	0.03	26
C00222572	298	4	19	0.79	0.04	20
C00222573	273	2	14	0.92	0.04	22
C00222574	355	3	16	0.44	0.04	23
C00222575	335	3	16	0.37	0.04	25
C00222576	357	2	18	1.00	0.05	26
C00222577	296	2	14	0.88	0.04	24
C00222578	355	2	18	0.73	0.04	22
*Std OREAS 601b	222	5	6	1.86	0.03	317

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_3) / 25504 / 28 core  
 Number of Samples 28

**ANALYSIS REPORT BBM22-15230**

Element	@Mn	@Mo	@Ni	@Na	@P	@Pb
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	2	1	1	0.01	0.01	2
Upper Limit	10,000	10,000	10,000	15	15	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	%	%	ppm m / m
*Blk BLANK	<2	<1	<1	<0.01	<0.01	<2
*Std OREAS 520	2417	62	73	1.38	0.07	5
*Rep C00222577	296	2	15	0.86	0.04	25

Element	@S	@Sb	@Sc	@Sn	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	5	0.5	10	0.5	0.01
Upper Limit	5	10,000	10,000	10,000	10,000	15
Unit	%	ppm m / m	ppm m / m	ppm m / m	ppm m / m	%
C00222551	0.15	<5	10.9	<10	82.6	0.22
C00222552	<0.01	<5	11.0	<10	54.3	0.27
C00222553	<0.01	<5	13.9	<10	58.9	0.25
C00222554	<0.01	<5	14.7	11	55.7	0.28
C00222555	<0.01	<5	12.4	<10	39.9	0.25
C00222556	<0.01	<5	<0.5	<10	39.9	<0.01
C00222557	<0.01	<5	12.0	<10	37.4	0.26
C00222558	<0.01	<5	10.4	<10	89.0	0.24
C00222559	<0.01	<5	7.6	<10	62.6	0.19
C00222560	0.02	<5	10.8	10	73.0	0.28
C00222561	<0.01	<5	8.5	<10	141	0.19
C00222562	<0.01	<5	8.1	<10	142	0.19
C00222563	<0.01	<5	5.5	<10	73.8	0.17
C00222564	<0.01	<5	8.7	<10	176	0.22
C00222565	<0.01	<5	7.2	<10	57.3	0.19
C00222566	<0.01	<5	6.3	<10	69.5	0.16
C00222567	<0.01	<5	8.7	<10	143	0.22
C00222568	<0.01	<5	8.3	<10	141	0.22
C00222569	<0.01	<5	8.5	<10	140	0.23
C00222570	<0.01	<5	7.4	<10	182	0.21

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_3) / 25504 / 28 core  
 Number of Samples 28

## ANALYSIS REPORT BBM22-15230

Element	@S	@Sb	@Sc	@Sn	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	5	0.5	10	0.5	0.01
Upper Limit	5	10,000	10,000	10,000	10,000	15
Unit	%	ppm m / m	ppm m / m	ppm m / m	ppm m / m	%
C00222571	<0.01	<5	5.1	<10	166	0.14
C00222572	<0.01	<5	7.1	<10	156	0.19
C00222573	<0.01	<5	7.1	<10	186	0.18
C00222574	<0.01	<5	7.0	<10	128	0.19
C00222575	<0.01	<5	7.3	<10	115	0.20
C00222576	<0.01	<5	7.4	<10	219	0.20
C00222577	<0.01	<5	6.0	<10	220	0.17
C00222578	<0.01	<5	7.0	<10	153	0.19
*Std OREAS 601b	1.45	23	3.6	<10	234	0.13
*Blk BLANK	<0.01	<5	<0.5	<10	<0.5	<0.01
*Std OREAS 520	0.98	<5	16.7	<10	104	0.40
*Rep C00222577	<0.01	<5	6.1	<10	218	0.17

Element	@V	@W	@Y	@Zn	@Zr
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	2	10	0.5	1	0.5
Upper Limit	10,000	10,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
C00222551	59	<10	12.1	68	77.0
C00222552	70	12	19.8	74	54.0
C00222553	95	14	18.1	87	72.1
C00222554	78	<10	18.0	67	46.3
C00222555	65	<10	16.8	58	37.2
C00222556	<2	<10	<0.5	4	<0.5
C00222557	65	11	17.7	64	38.7
C00222558	61	<10	14.1	58	43.4
C00222559	46	10	10.8	49	44.5
C00222560	62	<10	12.4	43	52.0
C00222561	48	<10	14.0	54	53.0

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_3) / 25504 / 28 core  
 Number of Samples 28

**ANALYSIS REPORT BBM22-15230**

Element	@V	@W	@Y	@Zn	@Zr
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	2	10	0.5	1	0.5
Upper Limit	10,000	10,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
C00222562	47	<10	14.5	56	50.4
C00222563	37	<10	9.4	37	40.6
C00222564	58	<10	14.4	63	83.0
C00222565	43	<10	11.2	45	46.2
C00222566	39	<10	8.6	39	42.2
C00222567	54	<10	12.5	54	52.3
C00222568	52	<10	13.7	58	49.6
C00222569	52	<10	13.5	58	52.4
C00222570	48	<10	12.5	51	47.5
C00222571	23	<10	13.6	45	45.3
C00222572	40	11	15.0	57	50.8
C00222573	34	<10	12.9	48	48.2
C00222574	37	10	15.1	54	46.5
C00222575	38	<10	14.5	59	52.3
C00222576	39	<10	15.6	73	47.6
C00222577	26	<10	14.1	56	47.8
C00222578	38	<10	16.7	74	48.0
*Std OREAS 601b	12	<10	10.4	320	181
*Blk BLANK	<2	<10	<0.5	<1	<0.5
*Std OREAS 520	255	26	19.4	21	132
*Rep C00222577	28	<10	14.8	55	45.1

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>  
 Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



## ANALYSIS REPORT BBM22-15233

To VICTORIA GOLD (YUKON) CORP  
HELENA KUIKKA  
SUITE 1000- 1050 W PENDER STREET  
VANCOUVER V6E 3S7  
BC  
CANADA

Order Number	PO: 32571	Date Received	30-Nov-2021
Project	Clear Creek	Date Analysed	05-Jan-2022 - 31-Jan-2022
Submission Number	*BBY* (CC_1) / 25504 / 61 core	Date Completed	31-Jan-2022
Number of Samples	61	SGS Order Number	BBM22-15233

### Methods Summary

Number of Sample	Method Code	Description
61	G_WGH_KG	Weight of samples received
60	G_PRP	Combined Sample Preparation
61	GE_FAA50V5	Au, FAS, exploration grade, AAS, 50g-5mL
61	GE_ICP40Q12	4 Acid Digest (HCL/HClO4/HF/HNO3), ICP, 0.2g-12ml

### Comments

Preparation of samples was performed at the SGS Burnaby site.  
Analysis of samples was performed at the SGS Burnaby site.

Authorised Signatory

John Chiang  
Laboratory Operations Manager



This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**WARNING:** The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received

2-Feb-2022 3:22PM BBM\_U0019396063

Page 1 of 18

MIN-M\_COA\_ROW-Last Modified Date: 05-Nov-2019



Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_1) / 25504 / 61 core  
 Number of Samples 61

**ANALYSIS REPORT BBM22-15233**

Element Method	WTKG G_WGH_KG	@Au GE_FAA50V5	@Ag GE_ICP40Q12	@Al GE_ICP40Q12	@As GE_ICP40Q12	@Ba GE_ICP40Q12
Lower Limit	0.01	0.005	2	0.01	3	1
Upper Limit	--	10	100	15	10,000	10,000
Unit	kg	ppm m / m	ppm m / m	%	ppm m / m	ppm m / m
C00222660	4.03	0.010	<2	6.58	9	552
C00222661	5.33	0.012	<2	7.01	8	565
C00222662	4.10	0.012	<2	9.01	11	721
C00222663	4.73	0.009	<2	10.11	10	895
C00222664	4.34	0.010	<2	9.41	17	835
C00222665	3.26	<0.005	<2	9.20	14	857
C00222666	2.97	<0.005	<2	11.49	13	1013
C00222667	2.45	0.012	<2	9.15	12	793
C00222668	4.50	0.005	<2	9.66	10	856
C00222669	-	0.005	<2	10.30	12	898
C00222670	3.72	0.029	<2	8.70	10	720
C00222671	3.77	0.018	<2	10.34	18	971
C00222672	3.62	0.012	<2	8.09	10	677
C00222673	4.48	0.012	<2	10.36	18	989
C00222674	3.48	0.020	<2	11.16	21	1056
C00222675	4.33	0.027	<2	7.46	38	723
C00222676	5.50	0.064	<2	7.98	12	1989
C00222677	3.49	0.100	<2	8.80	17	1685
C00222678	4.81	0.033	<2	8.52	15	943
C00222679	3.77	0.019	<2	9.07	38	744
C00222680	4.58	0.148	<2	7.70	71	795
C00222681	3.44	0.029	<2	7.83	48	822
C00222682	4.28	0.027	<2	6.80	20	616
C00222683	3.90	0.038	<2	7.78	27	636
C00222684	3.44	0.107	<2	7.18	19	618
C00222685	4.23	0.045	<2	8.84	27	698
C00222686	5.74	0.012	<2	10.58	28	1485
C00222687	3.44	0.027	<2	9.83	51	836
C00222688	5.00	0.007	<2	5.60	22	409

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_1) / 25504 / 61 core  
 Number of Samples 61

**ANALYSIS REPORT BBM22-15233**

Element Method	WTKG G_WGH_KG	@Au GE_FAA50V5	@Ag GE_ICP40Q12	@Al GE_ICP40Q12	@As GE_ICP40Q12	@Ba GE_ICP40Q12
Lower Limit	0.01	0.005	2	0.01	3	1
Upper Limit	--	10	100	15	10,000	10,000
Unit	kg	ppm m / m	ppm m / m	%	ppm m / m	ppm m / m
C00222689	4.43	0.042	<2	7.38	22	560
C00222690	4.30	<0.005	<2	8.35	59	640
C00222691	3.71	0.116	<2	10.45	183	1030
C00222692	3.80	0.350	<2	9.68	52	874
C00222693	3.83	0.301	<2	7.37	48	1194
C00222694	3.01	0.247	<2	9.66	178	797
C00222695	4.53	0.100	<2	9.92	26	814
C00222696	0.62	<0.005	<2	0.05	<3	3
C00222697	4.84	0.142	<2	9.31	27	937
C00222698	3.71	0.016	<2	7.79	25	598
C00222699	4.18	0.023	<2	6.85	33	729
C00222700	3.93	0.016	<2	7.34	39	1405
C00222701	4.72	0.102	<2	6.95	99	1209
C00222702	3.13	0.249	<2	7.74	113	821
C00222703	4.43	0.153	<2	6.67	90	1090
C00222704	3.50	0.020	<2	7.03	56	754
C00222705	4.78	0.760	<2	5.22	57	440
C00222706	4.67	0.041	<2	9.27	152	1299
C00222707	4.60	0.182	<2	5.67	64	587
C00222708	5.37	0.302	<2	8.76	44	974
C00222709	4.57	0.026	<2	7.45	23	758
C00222710	5.31	0.051	<2	9.01	38	981
C00222711	5.09	0.226	<2	8.11	44	866
C00222712	3.31	0.528	<2	7.19	49	766
C00222713	5.12	0.054	<2	5.36	14	387
C00222714	5.42	0.045	<2	6.35	22	689
C00222715	4.98	0.040	<2	8.11	29	1058
C00222716	0.72	0.006	<2	0.07	<3	6
C00222717	4.57	0.048	<2	8.83	17	1601

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_1) / 25504 / 61 core  
 Number of Samples 61

## ANALYSIS REPORT BBM22-15233

Element	WTKG	@Au	@Ag	@Al	@As	@Ba
Method	G_WGH_KG	GE_FAA50V5	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	0.005	2	0.01	3	1
Upper Limit	--	10	100	15	10,000	10,000
Unit	kg	ppm m / m	ppm m / m	%	ppm m / m	ppm m / m
C00222718	4.62	0.559	2	8.05	21	905
C00222719	5.01	0.057	<2	6.33	30	640
C00222720	5.46	0.050	<2	6.84	33	744
*Dup C00222698	-	0.015	<2	7.30	22	558
*Std SL105	-	4.921	-	-	-	-
*Std OREAS 503d	-	0.657	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std SN106	-	8.243	-	-	-	-
*Rep C00222689	-	0.039	-	-	-	-
*Blk BLANK	-	-	<2	0.02	<3	<1
*Std OREAS 601b	-	-	50	6.64	299	736
*Rep C00222686	-	-	<2	10.29	29	1529
*Std OREAS 520	-	-	<2	5.88	152	682
*Std OREAS 520	-	-	<2	5.66	163	1698
*Std OREAS 601b	-	-	50	6.41	284	1319
*Rep C00222718	-	-	<2	7.74	22	872
*Blk BLANK	-	-	<2	<0.01	<3	1
*Std SL105	-	4.955	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std OREAS 503d	-	0.662	-	-	-	-
*Std OREAS 601b	-	-	50	6.39	276	521
*Blk BLANK	-	-	<2	0.01	<3	<1
*Std OREAS 520	-	-	<2	5.81	155	1067

Element	@Be	@Bi	@Ca	@Cd	@Co	@Cr
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	5	0.01	1	1	1
Upper Limit	2,500	10,000	15	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	%	ppm m / m	ppm m / m	ppm m / m

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_1) / 25504 / 61 core  
 Number of Samples 61

**ANALYSIS REPORT BBM22-15233**

Element Method	@Be GE_ICP40Q12	@Bi GE_ICP40Q12	@Ca GE_ICP40Q12	@Cd GE_ICP40Q12	@Co GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.5	5	0.01	1	1	1
Upper Limit	2,500	10,000	15	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	%	ppm m / m	ppm m / m	ppm m / m
C00222660	1.4	<5	0.17	<1	5	51
C00222661	1.5	<5	0.18	<1	6	58
C00222662	2.2	<5	0.18	<1	8	69
C00222663	2.8	<5	0.23	<1	12	77
C00222664	2.4	<5	0.24	<1	11	65
C00222665	2.3	<5	0.19	<1	11	69
C00222666	2.6	<5	0.16	<1	10	77
C00222667	2.1	<5	0.19	<1	9	64
C00222668	2.3	<5	0.22	<1	10	66
C00222669	2.3	<5	0.22	<1	10	70
C00222670	2.1	<5	0.29	<1	13	52
C00222671	2.4	<5	0.15	<1	11	74
C00222672	2.0	<5	0.27	<1	12	50
C00222673	2.6	<5	0.29	<1	16	73
C00222674	2.7	<5	0.30	<1	12	69
C00222675	2.3	<5	0.13	<1	11	43
C00222676	3.7	<5	1.10	<1	<1	4
C00222677	3.6	<5	0.79	<1	5	16
C00222678	2.7	<5	1.85	<1	11	26
C00222679	2.4	<5	0.34	<1	10	66
C00222680	2.4	<5	0.21	<1	6	36
C00222681	2.3	<5	0.30	<1	14	51
C00222682	2.0	<5	0.17	<1	7	43
C00222683	2.1	<5	0.19	<1	14	52
C00222684	1.9	<5	0.09	<1	11	52
C00222685	2.1	<5	0.12	<1	9	55
C00222686	2.3	<5	0.12	<1	11	63
C00222687	3.1	<5	0.16	<1	15	78
C00222688	1.6	<5	0.23	<1	13	47

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_1) / 25504 / 61 core  
 Number of Samples 61

**ANALYSIS REPORT BBM22-15233**

Element	@Be	@Bi	@Ca	@Cd	@Co	@Cr
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	5	0.01	1	1	1
Upper Limit	2,500	10,000	15	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	%	ppm m / m	ppm m / m	ppm m / m
C00222689	2.1	<5	0.11	<1	9	53
C00222690	1.8	<5	0.13	<1	12	58
C00222691	2.9	<5	3.22	<1	15	67
C00222692	3.0	18	3.43	<1	16	61
C00222693	4.4	<5	1.44	<1	7	9
C00222694	2.9	13	1.84	<1	11	61
C00222695	2.8	5	4.43	3	14	66
C00222696	<0.5	<5	>15.00	<1	<1	<1
C00222697	3.1	10	3.24	<1	13	60
C00222698	1.7	<5	6.53	<1	7	50
C00222699	1.5	<5	4.05	<1	8	47
C00222700	3.0	<5	0.51	<1	2	17
C00222701	3.2	<5	0.37	<1	4	33
C00222702	2.6	<5	4.77	<1	11	41
C00222703	2.4	5	1.41	<1	5	32
C00222704	1.8	<5	1.28	<1	9	44
C00222705	1.3	14	1.45	<1	7	29
C00222706	2.5	<5	0.42	<1	5	87
C00222707	1.5	<5	0.52	<1	8	35
C00222708	2.7	26	0.33	<1	7	69
C00222709	2.0	<5	1.34	<1	8	47
C00222710	2.6	<5	0.97	<1	13	69
C00222711	2.3	<5	0.91	<1	15	60
C00222712	1.8	12	0.17	<1	7	38
C00222713	1.3	<5	0.97	<1	10	33
C00222714	2.0	5	0.38	<1	11	42
C00222715	2.7	<5	1.22	<1	20	56
C00222716	<0.5	<5	>15.00	<1	<1	<1
C00222717	2.8	<5	0.33	<1	10	76

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_1) / 25504 / 61 core  
 Number of Samples 61

## ANALYSIS REPORT BBM22-15233

Element	@Be	@Bi	@Ca	@Cd	@Co	@Cr
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	5	0.01	1	1	1
Upper Limit	2,500	10,000	15	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	%	ppm m / m	ppm m / m	ppm m / m
C00222718	2.6	34	0.66	<1	17	56
C00222719	1.7	<5	1.07	<1	5	37
C00222720	1.8	<5	1.44	<1	10	43
*Dup C00222698	1.7	<5	6.20	<1	7	50
*Blk BLANK	<0.5	<5	<0.01	<1	<1	2
*Std OREAS 601b	2.2	17	0.86	2	2	17
*Rep C00222686	2.5	<5	0.12	<1	13	61
*Std OREAS 520	1.0	<5	3.89	<1	206	31
*Std OREAS 520	0.9	<5	3.97	<1	203	33
*Std OREAS 601b	2.0	13	0.88	2	1	18
*Rep C00222718	2.4	31	0.65	<1	15	52
*Blk BLANK	<0.5	<5	<0.01	<1	<1	<1
*Std OREAS 601b	2.1	13	0.88	2	2	16
*Blk BLANK	<0.5	<5	<0.01	<1	<1	<1
*Std OREAS 520	1.0	<5	4.00	<1	200	31

Element	@Cu	@Fe	@K	@La	@Li	@Mg
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	0.5	1	0.01
Upper Limit	10,000	15	15	10,000	10,000	15
Unit	ppm m / m	%	%	ppm m / m	ppm m / m	%
C00222660	15.4	2.68	2.99	33.7	43	0.57
C00222661	22.5	3.02	3.12	33.0	47	0.64
C00222662	23.3	3.54	4.20	36.2	61	0.82
C00222663	28.4	4.36	4.79	39.0	68	1.02
C00222664	22.3	3.77	4.30	57.0	60	0.86
C00222665	25.0	4.03	4.00	45.5	56	0.94
C00222666	22.3	3.98	5.30	70.7	71	0.94
C00222667	26.9	3.97	4.02	45.4	65	0.95

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_1) / 25504 / 61 core  
 Number of Samples 61

**ANALYSIS REPORT BBM22-15233**

Element	@Cu	@Fe	@K	@La	@Li	@Mg
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	0.5	1	0.01
Upper Limit	10,000	15	15	10,000	10,000	15
Unit	ppm m / m	%	%	ppm m / m	ppm m / m	%
C00222668	30.8	4.01	4.71	44.9	64	0.96
C00222669	31.3	4.07	4.61	57.1	62	1.00
C00222670	29.9	3.68	3.70	47.1	60	0.93
C00222671	25.9	4.04	4.39	51.0	63	0.93
C00222672	21.6	3.38	3.31	46.7	60	0.84
C00222673	28.7	4.10	4.52	48.6	76	1.00
C00222674	31.2	3.63	5.28	64.4	78	0.83
C00222675	36.5	2.99	3.54	52.4	54	0.44
C00222676	36.4	2.26	3.76	41.2	60	0.42
C00222677	36.5	2.56	3.88	47.1	50	0.43
C00222678	81.3	4.17	3.21	59.0	67	0.90
C00222679	36.0	3.55	4.19	76.0	61	0.71
C00222680	28.5	2.31	3.03	58.5	60	0.46
C00222681	41.2	4.18	3.12	49.0	61	0.89
C00222682	31.5	2.86	2.71	40.2	48	0.50
C00222683	30.3	3.48	3.05	48.6	52	0.68
C00222684	26.9	2.88	3.03	39.8	46	0.48
C00222685	33.8	3.26	3.87	49.7	63	0.69
C00222686	35.5	4.29	4.66	45.1	58	0.84
C00222687	36.4	4.51	3.71	63.8	63	0.97
C00222688	30.8	3.25	1.80	31.1	46	0.63
C00222689	30.6	3.24	3.20	49.3	62	0.69
C00222690	35.4	3.62	3.73	44.9	70	0.79
C00222691	91.6	5.16	3.81	70.2	69	1.18
C00222692	121	5.24	2.86	57.1	59	0.96
C00222693	74.2	2.32	2.08	38.5	27	0.33
C00222694	131	4.74	3.25	54.5	73	1.00
C00222695	82.7	5.03	2.94	64.9	51	1.05
C00222696	0.8	0.14	0.03	0.7	2	13.20

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_1) / 25504 / 61 core  
 Number of Samples 61

**ANALYSIS REPORT BBM22-15233**

Element	@Cu	@Fe	@K	@La	@Li	@Mg
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	0.5	1	0.01
Upper Limit	10,000	15	15	10,000	10,000	15
Unit	ppm m / m	%	%	ppm m / m	ppm m / m	%
C00222697	94.3	4.48	3.16	60.1	53	0.99
C00222698	30.5	3.17	2.49	42.6	34	0.85
C00222699	34.0	2.83	2.18	35.8	33	1.00
C00222700	42.4	2.05	2.67	39.2	35	0.37
C00222701	42.8	2.70	2.52	41.7	55	0.57
C00222702	57.4	5.00	2.14	44.0	41	0.73
C00222703	68.9	2.87	2.32	36.3	51	0.61
C00222704	31.4	3.01	2.33	37.4	57	0.68
C00222705	62.7	2.75	1.21	24.7	32	0.36
C00222706	53.4	3.57	4.09	58.8	78	0.69
C00222707	47.9	2.55	1.81	32.3	44	0.50
C00222708	96.9	4.11	3.72	54.5	72	0.71
C00222709	38.1	3.30	2.79	44.3	48	0.63
C00222710	68.9	4.58	3.62	53.3	77	0.86
C00222711	85.8	4.83	2.94	48.6	65	0.76
C00222712	77.5	2.76	2.62	39.2	52	0.48
C00222713	50.2	2.24	1.15	26.2	34	0.36
C00222714	71.1	2.85	2.21	40.3	42	0.45
C00222715	113	3.82	3.02	53.7	66	0.71
C00222716	0.9	0.14	0.03	0.6	2	12.94
C00222717	66.8	4.04	3.89	36.4	68	0.79
C00222718	160	4.45	2.71	45.5	63	0.59
C00222719	32.1	2.02	1.81	31.4	34	0.36
C00222720	44.5	3.22	2.22	35.4	43	0.63
*Dup C00222698	28.8	2.98	2.34	41.0	33	0.81
*Blk BLANK	<0.5	0.02	0.01	<0.5	<1	<0.01
*Std OREAS 601b	983	2.24	2.46	37.7	23	0.10
*Rep C00222686	35.6	4.47	4.50	48.3	58	0.86
*Std OREAS 520	2988	14.87	3.68	84.5	19	1.16

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_1) / 25504 / 61 core  
 Number of Samples 61

**ANALYSIS REPORT BBM22-15233**

Element	@Cu	@Fe	@K	@La	@Li	@Mg
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	0.5	1	0.01
Upper Limit	10,000	15	15	10,000	10,000	15
Unit	ppm m / m	%	%	ppm m / m	ppm m / m	%
*Std OREAS 520	2922	>15.00	3.38	79.2	18	1.14
*Std OREAS 601b	994	2.31	2.34	33.1	23	0.10
*Rep C00222718	148	4.33	2.60	42.4	61	0.54
*Blk BLANK	<0.5	<0.01	<0.01	<0.5	<1	<0.01
*Std OREAS 601b	960	2.22	2.43	35.5	22	0.09
*Blk BLANK	<0.5	<0.01	<0.01	<0.5	<1	<0.01
*Std OREAS 520	2963	>15.00	3.60	85.9	19	1.13

Element	@Mn	@Mo	@Ni	@Na	@P	@Pb
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	2	1	1	0.01	0.01	2
Upper Limit	10,000	10,000	10,000	15	15	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	%	%	ppm m / m
C00222660	294	2	16	0.40	0.05	7
C00222661	301	1	20	0.43	0.02	8
C00222662	323	2	22	0.46	0.03	9
C00222663	423	1	32	0.42	0.04	10
C00222664	347	<1	31	0.39	0.05	8
C00222665	405	1	29	0.31	0.02	7
C00222666	369	2	30	0.36	0.05	8
C00222667	349	1	31	0.42	0.02	9
C00222668	328	<1	35	0.45	0.03	8
C00222669	338	<1	35	0.45	0.03	8
C00222670	381	1	32	0.53	0.04	8
C00222671	355	<1	34	0.39	0.03	8
C00222672	304	1	36	0.58	0.03	7
C00222673	351	1	40	0.57	0.03	8
C00222674	230	2	39	0.36	0.11	8
C00222675	321	2	30	0.39	0.03	11

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_1) / 25504 / 61 core  
 Number of Samples 61

**ANALYSIS REPORT BBM22-15233**

Element Method Lower Limit Upper Limit Unit	@Mn GE_ICP40Q12 2 10,000 ppm m / m	@Mo GE_ICP40Q12 1 10,000 ppm m / m	@Ni GE_ICP40Q12 1 10,000 ppm m / m	@Na GE_ICP40Q12 0.01 15 %	@P GE_ICP40Q12 0.01 15 %	@Pb GE_ICP40Q12 2 10,000 ppm m / m
C00222676	231	1	24	1.62	0.05	25
C00222677	277	1	18	1.31	0.05	22
C00222678	792	1	24	0.93	0.19	11
C00222679	229	2	25	0.23	0.13	9
C00222680	177	1	20	0.14	0.07	11
C00222681	379	2	28	0.19	0.08	8
C00222682	169	2	19	0.29	0.03	8
C00222683	297	2	26	0.33	0.06	11
C00222684	191	2	25	0.17	0.03	8
C00222685	236	1	29	0.22	0.03	9
C00222686	229	<1	32	0.26	0.04	8
C00222687	385	2	47	0.30	0.03	9
C00222688	378	2	42	0.14	0.03	8
C00222689	311	2	22	0.16	0.03	10
C00222690	251	2	21	0.26	0.03	8
C00222691	705	2	46	0.72	0.08	15
C00222692	663	1	55	0.35	0.06	13
C00222693	255	1	13	2.03	0.03	17
C00222694	385	1	32	1.07	0.03	23
C00222695	780	1	44	0.72	0.03	14
C00222696	130	<1	<1	0.01	<0.01	<2
C00222697	675	1	36	1.14	0.09	18
C00222698	851	1	21	1.08	0.03	12
C00222699	821	1	23	1.22	0.02	15
C00222700	178	1	9	1.76	0.03	20
C00222701	347	1	16	1.35	0.02	20
C00222702	845	2	24	0.53	0.04	13
C00222703	373	2	16	1.03	0.03	17
C00222704	440	1	21	1.44	0.02	10

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_1) / 25504 / 61 core  
 Number of Samples 61

**ANALYSIS REPORT BBM22-15233**

Element Method Lower Limit Upper Limit Unit	@Mn GE_ICP40Q12 2 10,000 ppm m / m	@Mo GE_ICP40Q12 1 10,000 ppm m / m	@Ni GE_ICP40Q12 1 10,000 ppm m / m	@Na GE_ICP40Q12 0.01 15 %	@P GE_ICP40Q12 0.01 15 %	@Pb GE_ICP40Q12 2 10,000 ppm m / m
C00222705	496	1	13	1.18	0.01	11
C00222706	239	1	15	0.81	0.02	17
C00222707	386	1	16	1.08	0.01	13
C00222708	187	2	17	0.65	0.03	16
C00222709	484	2	22	1.03	0.06	15
C00222710	403	2	35	0.89	0.07	16
C00222711	471	2	31	0.84	0.04	16
C00222712	235	3	22	1.09	0.02	18
C00222713	787	2	30	1.54	0.01	13
C00222714	315	2	22	1.26	0.02	14
C00222715	621	1	43	1.03	0.04	20
C00222716	135	<1	<1	<0.01	<0.01	<2
C00222717	429	1	23	0.57	0.03	16
C00222718	395	1	41	0.90	0.03	16
C00222719	484	1	17	2.04	0.02	15
C00222720	488	2	25	1.03	0.03	12
*Dup C00222698	833	<1	20	1.10	0.03	11
*Blk BLANK	2	<1	<1	<0.01	<0.01	<2
*Std OREAS 601b	213	6	7	1.96	0.03	309
*Rep C00222686	239	<1	33	0.26	0.04	8
*Std OREAS 520	2314	66	75	1.42	0.07	5
*Std OREAS 520	2243	66	74	1.34	0.07	5
*Std OREAS 601b	217	6	6	1.83	0.03	297
*Rep C00222718	380	2	38	0.87	0.03	15
*Blk BLANK	<2	<1	<1	<0.01	<0.01	<2
*Std OREAS 601b	222	5	6	1.86	0.03	317
*Blk BLANK	<2	<1	<1	<0.01	<0.01	<2
*Std OREAS 520	2417	62	73	1.38	0.07	5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_1) / 25504 / 61 core  
 Number of Samples 61

**ANALYSIS REPORT BBM22-15233**

Element	@S	@Sb	@Sc	@Sn	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	5	0.5	10	0.5	0.01
Upper Limit	5	10,000	10,000	10,000	10,000	15
Unit	%	ppm m / m	ppm m / m	ppm m / m	ppm m / m	%
C00222660	<0.01	<5	9.1	<10	73.7	0.26
C00222661	0.01	<5	9.7	<10	86.3	0.29
C00222662	0.02	<5	13.9	<10	110	0.35
C00222663	0.01	<5	15.5	<10	124	0.42
C00222664	<0.01	<5	14.5	<10	99.9	0.36
C00222665	0.01	<5	14.4	<10	92.4	0.37
C00222666	0.01	<5	16.9	<10	124	0.44
C00222667	<0.01	<5	13.6	<10	96.1	0.37
C00222668	0.01	<5	14.8	<10	119	0.41
C00222669	0.01	<5	15.7	<10	118	0.40
C00222670	0.01	<5	13.7	<10	123	0.34
C00222671	<0.01	<5	16.2	<10	110	0.44
C00222672	<0.01	<5	11.9	<10	109	0.32
C00222673	<0.01	<5	16.4	<10	112	0.41
C00222674	<0.01	<5	17.5	<10	93.2	0.42
C00222675	<0.01	6	10.2	<10	66.9	0.25
C00222676	<0.01	<5	5.9	<10	483	0.19
C00222677	<0.01	<5	8.3	<10	341	0.21
C00222678	0.35	<5	16.2	<10	339	0.92
C00222679	0.02	<5	13.4	<10	120	0.41
C00222680	<0.01	<5	9.6	<10	81.2	0.27
C00222681	0.04	<5	14.7	<10	81.8	0.51
C00222682	<0.01	<5	8.9	<10	93.2	0.25
C00222683	<0.01	<5	11.5	<10	96.6	0.33
C00222684	0.01	<5	10.4	<10	54.8	0.27
C00222685	0.02	<5	13.5	<10	88.6	0.33
C00222686	<0.01	<5	18.4	<10	98.9	0.35
C00222687	<0.01	<5	14.7	<10	112	0.37
C00222688	<0.01	<5	8.1	<10	54.7	0.27

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_1) / 25504 / 61 core  
 Number of Samples 61

**ANALYSIS REPORT BBM22-15233**

Element	@S	@Sb	@Sc	@Sn	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	5	0.5	10	0.5	0.01
Upper Limit	5	10,000	10,000	10,000	10,000	15
Unit	%	ppm m / m	ppm m / m	ppm m / m	ppm m / m	%
C00222689	0.01	<5	9.7	<10	74.1	0.34
C00222690	0.04	<5	11.9	<10	98.8	0.34
C00222691	0.09	<5	14.6	<10	364	0.40
C00222692	0.03	<5	13.9	<10	331	0.37
C00222693	0.01	<5	3.9	<10	501	0.14
C00222694	0.12	<5	14.0	10	325	0.32
C00222695	0.05	<5	14.1	<10	608	0.37
C00222696	<0.01	<5	<0.5	<10	41.9	<0.01
C00222697	0.14	<5	12.8	10	539	0.33
C00222698	0.05	<5	9.0	<10	644	0.25
C00222699	0.04	<5	9.0	<10	358	0.23
C00222700	0.01	<5	4.6	<10	345	0.12
C00222701	<0.01	<5	6.8	<10	224	0.18
C00222702	0.05	<5	10.0	<10	375	0.27
C00222703	0.06	<5	7.2	<10	267	0.19
C00222704	<0.01	<5	9.3	<10	188	0.26
C00222705	0.01	<5	5.1	<10	142	0.17
C00222706	0.06	<5	14.7	<10	118	0.29
C00222707	0.01	<5	7.0	<10	114	0.18
C00222708	0.06	<5	14.0	<10	105	0.30
C00222709	0.04	<5	10.1	<10	217	0.28
C00222710	0.05	<5	14.2	<10	167	0.36
C00222711	0.06	<5	12.0	<10	170	0.33
C00222712	0.01	<5	8.4	<10	67.3	0.24
C00222713	<0.01	<5	5.9	<10	313	0.18
C00222714	0.04	<5	7.7	<10	120	0.23
C00222715	0.06	<5	11.8	10	250	0.33
C00222716	<0.01	<5	<0.5	<10	43.0	<0.01
C00222717	0.03	5	12.2	<10	118	0.37

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_1) / 25504 / 61 core  
 Number of Samples 61

**ANALYSIS REPORT BBM22-15233**

Element	@S	@Sb	@Sc	@Sn	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	5	0.5	10	0.5	0.01
Upper Limit	5	10,000	10,000	10,000	10,000	15
Unit	%	ppm m / m	ppm m / m	ppm m / m	ppm m / m	%
C00222718	0.02	<5	11.3	12	162	0.29
C00222719	0.01	<5	6.1	<10	258	0.15
C00222720	0.04	<5	9.4	<10	261	0.26
*Dup C00222698	0.04	<5	8.7	<10	589	0.24
*Blk BLANK	<0.01	<5	<0.5	<10	<0.5	<0.01
*Std OREAS 601b	1.47	26	3.8	<10	244	0.13
*Rep C00222686	<0.01	<5	18.2	<10	96.4	0.37
*Std OREAS 520	0.98	<5	16.5	<10	103	0.41
*Std OREAS 520	0.97	5	16.3	<10	105	0.40
*Std OREAS 601b	1.39	24	3.7	<10	244	0.12
*Rep C00222718	0.02	<5	10.3	11	159	0.29
*Blk BLANK	<0.01	<5	<0.5	<10	<0.5	<0.01
*Std OREAS 601b	1.45	23	3.6	<10	234	0.13
*Blk BLANK	<0.01	<5	<0.5	<10	<0.5	<0.01
*Std OREAS 520	0.98	<5	16.7	<10	104	0.40

Element	@V	@W	@Y	@Zn	@Zr
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	2	10	0.5	1	0.5
Upper Limit	10,000	10,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
C00222660	58	<10	7.8	47	47.8
C00222661	60	<10	8.6	52	54.8
C00222662	86	<10	8.2	67	59.6
C00222663	97	<10	9.5	90	64.8
C00222664	88	<10	12.6	77	63.5
C00222665	86	<10	9.7	82	60.7
C00222666	105	<10	11.4	73	70.6
C00222667	82	<10	9.5	74	58.3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_1) / 25504 / 61 core  
 Number of Samples 61

**ANALYSIS REPORT BBM22-15233**

Element	@V	@W	@Y	@Zn	@Zr
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	2	10	0.5	1	0.5
Upper Limit	10,000	10,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
C00222668	94	<10	9.5	74	60.2
C00222669	94	<10	11.0	78	64.0
C00222670	77	<10	11.2	75	53.2
C00222671	95	<10	12.5	84	70.0
C00222672	74	<10	11.0	76	55.3
C00222673	100	<10	12.2	80	69.6
C00222674	107	<10	13.7	75	67.8
C00222675	61	<10	10.7	55	57.8
C00222676	18	<10	13.0	40	53.3
C00222677	37	<10	12.8	45	58.6
C00222678	119	63	20.2	69	48.8
C00222679	90	<10	15.9	83	70.1
C00222680	59	<10	12.7	63	49.7
C00222681	108	<10	11.5	81	52.8
C00222682	58	<10	7.9	54	54.4
C00222683	73	<10	10.0	71	61.0
C00222684	64	<10	9.2	61	59.8
C00222685	84	<10	11.2	61	71.7
C00222686	104	<10	10.6	79	64.4
C00222687	93	<10	12.7	109	60.7
C00222688	51	<10	10.4	63	49.5
C00222689	73	<10	9.2	72	60.3
C00222690	80	<10	10.5	62	64.3
C00222691	87	39	27.1	117	92.6
C00222692	80	91	26.0	112	85.8
C00222693	19	31	11.6	42	83.6
C00222694	80	87	20.7	90	91.6
C00222695	80	273	31.2	186	91.0
C00222696	<2	<10	<0.5	5	<0.5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_1) / 25504 / 61 core  
 Number of Samples 61

**ANALYSIS REPORT BBM22-15233**

Element	@V	@W	@Y	@Zn	@Zr
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	2	10	0.5	1	0.5
Upper Limit	10,000	10,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
C00222697	70	235	26.4	120	82.5
C00222698	52	<10	18.2	94	59.4
C00222699	53	<10	17.7	99	52.3
C00222700	21	15	7.3	33	83.0
C00222701	37	<10	9.2	59	73.0
C00222702	55	46	21.7	137	71.5
C00222703	37	90	13.2	59	62.8
C00222704	56	<10	13.5	83	62.5
C00222705	27	73	11.3	75	40.2
C00222706	97	<10	13.8	56	111
C00222707	39	20	12.2	43	50.2
C00222708	85	114	14.4	66	92.5
C00222709	59	<10	20.3	79	65.2
C00222710	81	<10	23.0	91	83.2
C00222711	73	46	18.3	87	77.6
C00222712	50	23	12.2	68	67.4
C00222713	31	<10	19.1	53	36.7
C00222714	45	92	14.3	62	56.1
C00222715	73	17	23.4	90	71.9
C00222716	<2	<10	<0.5	3	<0.5
C00222717	87	15	12.7	67	83.4
C00222718	64	381	24.6	79	64.9
C00222719	33	<10	11.3	31	50.5
C00222720	58	22	14.1	81	53.6
*Dup C00222698	51	<10	17.2	87	59.8
*Blk BLANK	<2	<10	<0.5	<1	<0.5
*Std OREAS 601b	12	<10	11.0	324	188
*Rep C00222686	109	<10	11.2	81	71.3
*Std OREAS 520	246	26	19.0	21	130

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_1) / 25504 / 61 core  
 Number of Samples 61

**ANALYSIS REPORT BBM22-15233**

Element	@V	@W	@Y	@Zn	@Zr
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	2	10	0.5	1	0.5
Upper Limit	10,000	10,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Std OREAS 520	248	40	18.7	21	129
*Std OREAS 601b	11	<10	10.3	316	178
*Rep C00222718	58	345	22.6	72	64.8
*Blk BLANK	<2	<10	<0.5	<1	<0.5
*Std OREAS 601b	12	<10	10.4	320	181
*Blk BLANK	<2	<10	<0.5	<1	<0.5
*Std OREAS 520	255	26	19.4	21	132

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>  
 Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





## ANALYSIS REPORT BBM22-15234

To VICTORIA GOLD (YUKON) CORP  
HELENA KUIKKA  
SUITE 1000- 1050 W PENDER STREET  
VANCOUVER V6E 3S7  
BC  
CANADA

Order Number	PO: 32571	Date Received	30-Nov-2021
Project	Clear Creek	Date Analysed	05-Jan-2022 - 03-Feb-2022
Submission Number	*BBY* (CC_1) / 25504 / 55 core	Date Completed	03-Feb-2022
Number of Samples	55	SGS Order Number	BBM22-15234

### Methods Summary

Number of Sample	Method Code	Description
55	G_WGH_KG	Weight of samples received
54	G_PRP	Combined Sample Preparation
55	GE_FAA50V5	Au, FAS, exploration grade, AAS, 50g-5mL
55	GE_ICP40Q12	4 Acid Digest (HCL/HClO4/HF/HNO3), ICP, 0.2g-12ml

### Comments

Preparation of samples was performed at the SGS Burnaby site.

Analysis of samples was performed at the SGS Burnaby site.

Authorised Signatory

John Chiang  
Laboratory Operations Manager



This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**WARNING:** The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received

6-Feb-2022 11:22PM BBM\_U0019528237

Page 1 of 17

MIN-M\_COA\_ROW-Last Modified Date: 05-Nov-2019



Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_1) / 25504 / 55 core  
 Number of Samples 55

**ANALYSIS REPORT BBM22-15234**

Element Method	WTKG G_WGH_KG	@Au GE_FAA50V5	@Ag GE_ICP40Q12	@Al GE_ICP40Q12	@As GE_ICP40Q12	@Ba GE_ICP40Q12
Lower Limit	0.01	0.005	2	0.01	3	1
Upper Limit	--	10	100	15	10,000	10,000
Unit	kg	ppm m / m	ppm m / m	%	ppm m / m	ppm m / m
C00222579	4.81	0.147	<2	7.78	607	888
C00222580	5.89	0.146	<2	7.07	238	817
C00222581	5.43	0.053	<2	7.09	278	853
C00222582	2.15	2.388	3	6.27	219	708
C00222583	4.63	0.547	2	5.35	348	511
C00222584	3.84	0.249	<2	6.51	167	1237
C00222585	6.41	0.089	<2	5.52	220	869
C00222586	5.40	0.328	3	5.64	1064	727
C00222587	4.69	0.231	3	7.35	687	1335
C00222588	4.97	0.126	<2	5.81	171	955
C00222589	5.25	0.031	<2	5.50	151	600
C00222590	4.09	0.054	<2	4.93	268	588
C00222591	4.22	0.062	<2	5.85	171	686
C00222592	4.04	0.062	<2	5.90	148	644
C00222593	2.54	0.033	<2	5.73	254	681
C00222594	4.46	0.059	<2	6.56	411	703
C00222595	2.67	0.066	<2	6.33	201	677
C00222596	0.42	0.010	<2	0.06	<3	6
C00222597	4.42	0.038	<2	5.53	237	607
C00222598	3.21	0.082	<2	6.09	245	629
C00222599	4.83	0.028	<2	6.71	201	722
C00222600	3.39	0.109	<2	6.24	257	631
C00222601	4.63	0.026	<2	6.13	93	676
C00222602	3.15	0.081	<2	7.70	115	902
C00222603	4.77	0.038	<2	6.87	140	769
C00222604	3.56	0.053	<2	5.67	138	636
C00222605	3.43	0.131	<2	5.45	119	543
C00222606	2.78	0.010	<2	4.75	205	456
C00222607	4.25	0.037	<2	7.24	483	779

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_1) / 25504 / 55 core  
 Number of Samples 55

**ANALYSIS REPORT BBM22-15234**

Element Method	WTKG G_WGH_KG	@Au GE_FAA50V5	@Ag GE_ICP40Q12	@Al GE_ICP40Q12	@As GE_ICP40Q12	@Ba GE_ICP40Q12
Lower Limit	0.01	0.005	2	0.01	3	1
Upper Limit	--	10	100	15	10,000	10,000
Unit	kg	ppm m / m	ppm m / m	%	ppm m / m	ppm m / m
C00222608	2.44	0.518	<2	8.64	204	828
C00222609	3.50	0.078	<2	6.37	109	446
C00222610	3.13	0.082	<2	8.62	726	940
C00222611	4.77	0.102	<2	7.44	112	676
C00222612	3.90	0.063	<2	8.18	159	703
C00222613	5.93	0.050	<2	8.36	236	751
C00222614	5.65	0.318	<2	8.18	252	639
C00222615	5.23	0.241	<2	9.10	103	893
C00222616	0.35	<0.005	<2	0.12	<3	10
C00222617	5.04	1.187	<2	7.73	256	618
C00222618	4.20	0.188	<2	7.80	163	693
C00222619	5.55	0.525	<2	7.32	261	705
C00222620	3.33	0.038	<2	6.85	84	848
C00222621	2.13	0.088	<2	8.37	160	700
C00222622	2.59	0.029	<2	8.58	68	923
C00222623	2.29	0.035	<2	8.55	79	841
C00222624	3.08	0.046	<2	6.76	24	602
C00222625	2.64	0.029	<2	7.20	53	714
C00222626	2.05	0.044	<2	9.11	119	869
C00222627	3.39	0.141	<2	7.21	174	698
C00222628	3.06	0.040	<2	7.43	68	757
C00222629	-	0.046	<2	7.31	69	776
C00222630	3.55	0.131	<2	8.28	502	829
C00222631	4.72	0.488	<2	9.19	45	780
C00222632	3.65	0.030	<2	9.57	62	872
C00222633	3.96	0.040	<2	6.99	173	623
*Dup C00222617	-	1.249	<2	6.97	254	619
*Std OREAS 520	-	-	<2	5.66	163	1698
*Std OREAS 601b	-	-	50	6.41	284	1319

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_1) / 25504 / 55 core  
 Number of Samples 55

**ANALYSIS REPORT BBM22-15234**

Element	WTKG	@Au	@Ag	@Al	@As	@Ba
Method	G_WGH_KG	GE_FAA50V5	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	0.005	2	0.01	3	1
Upper Limit	--	10	100	15	10,000	10,000
Unit	kg	ppm m / m	ppm m / m	%	ppm m / m	ppm m / m
*Blk BLANK	-	-	<2	<0.01	<3	1
*Std OREAS 601b	-	-	51	6.62	312	703
*Rep C00222615	-	-	<2	9.57	106	929
*Blk BLANK	-	-	<2	<0.01	<3	<1
*Std OREAS 520	-	-	<2	5.11	148	987
*Rep C00222633	-	-	<2	7.42	180	651
*Std OREAS 601b	-	-	50	6.74	291	287
*Blk BLANK	-	-	<2	<0.01	<3	<1
*Std OREAS 520	-	-	<2	5.97	162	474
*Std SL105	-	4.955	-	-	-	-
*Rep C00222579	-	0.157	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std OREAS 503d	-	0.662	-	-	-	-
*Rep C00222613	-	0.051	-	-	-	-
*Rep C00222631	-	0.473	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std SL105	-	4.923	-	-	-	-

Element	@Be	@Bi	@Ca	@Cd	@Co	@Cr
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	5	0.01	1	1	1
Upper Limit	2,500	10,000	15	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	%	ppm m / m	ppm m / m	ppm m / m
C00222579	3.1	14	0.68	4	16	53
C00222580	1.8	7	1.12	6	21	52
C00222581	1.8	<5	1.00	5	21	49
C00222582	1.6	228	0.66	3	8	54
C00222583	1.4	80	0.51	5	7	41
C00222584	2.0	14	0.68	<1	9	33

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_1) / 25504 / 55 core  
 Number of Samples 55

**ANALYSIS REPORT BBM22-15234**

Element	@Be	@Bi	@Ca	@Cd	@Co	@Cr
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	5	0.01	1	1	1
Upper Limit	2,500	10,000	15	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	%	ppm m / m	ppm m / m	ppm m / m
C00222585	1.7	7	0.33	<1	6	32
C00222586	2.0	12	0.26	1	10	50
C00222587	3.4	15	0.56	1	10	42
C00222588	1.6	<5	0.44	<1	3	33
C00222589	1.4	<5	0.21	<1	7	39
C00222590	1.2	<5	0.22	<1	6	34
C00222591	1.4	<5	0.23	<1	7	45
C00222592	1.6	<5	0.44	<1	5	37
C00222593	1.4	<5	0.31	<1	6	46
C00222594	1.7	<5	0.42	<1	7	44
C00222595	1.5	6	0.23	<1	8	53
C00222596	<0.5	<5	>15.00	<1	<1	2
C00222597	1.4	<5	0.26	<1	7	64
C00222598	1.6	7	0.42	<1	6	46
C00222599	1.9	<5	0.53	<1	11	55
C00222600	1.5	8	0.35	<1	9	55
C00222601	1.5	<5	0.37	<1	7	47
C00222602	1.8	<5	0.30	<1	8	61
C00222603	1.7	<5	0.36	<1	10	55
C00222604	1.4	<5	0.30	<1	7	46
C00222605	1.4	<5	0.23	<1	10	40
C00222606	1.1	<5	0.21	<1	8	44
C00222607	2.0	<5	0.53	<1	11	72
C00222608	2.1	35	0.91	<1	6	70
C00222609	1.4	<5	0.93	<1	9	55
C00222610	2.0	14	1.30	2	11	68
C00222611	1.7	<5	1.57	2	14	50
C00222612	1.8	<5	1.38	2	17	67
C00222613	2.1	<5	2.57	6	15	65

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_1) / 25504 / 55 core  
 Number of Samples 55

**ANALYSIS REPORT BBM22-15234**

Element	@Be	@Bi	@Ca	@Cd	@Co	@Cr
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	5	0.01	1	1	1
Upper Limit	2,500	10,000	15	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	%	ppm m / m	ppm m / m	ppm m / m
C00222614	2.1	15	1.77	6	18	66
C00222615	2.1	10	2.51	2	13	78
C00222616	<0.5	<5	>15.00	<1	2	<1
C00222617	2.1	84	1.86	2	18	57
C00222618	2.1	9	1.46	<1	14	64
C00222619	1.8	62	1.30	<1	12	62
C00222620	1.8	<5	0.95	<1	14	76
C00222621	2.0	<5	1.37	<1	13	60
C00222622	2.1	<5	1.94	<1	11	68
C00222623	2.1	<5	2.14	<1	14	65
C00222624	1.6	<5	1.74	<1	12	54
C00222625	1.8	<5	0.84	<1	12	82
C00222626	2.4	<5	1.85	<1	17	73
C00222627	1.9	8	2.05	<1	12	50
C00222628	1.8	<5	2.00	<1	11	65
C00222629	1.7	<5	2.00	<1	11	45
C00222630	2.1	<5	1.56	<1	13	62
C00222631	2.5	28	1.83	<1	12	66
C00222632	2.5	<5	2.05	<1	13	73
C00222633	1.9	<5	1.06	<1	11	48
*Dup C00222617	2.0	85	1.74	2	17	52
*Std OREAS 520	0.9	<5	3.97	<1	203	33
*Std OREAS 601b	2.0	13	0.88	2	1	18
*Blk BLANK	<0.5	<5	<0.01	<1	<1	<1
*Std OREAS 601b	2.1	19	0.96	2	2	20
*Rep C00222615	2.2	13	2.62	2	14	60
*Blk BLANK	<0.5	<5	0.02	<1	<1	<1
*Std OREAS 520	0.9	<5	3.72	<1	191	32
*Rep C00222633	2.0	<5	1.14	<1	11	47

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_1) / 25504 / 55 core  
 Number of Samples 55

**ANALYSIS REPORT BBM22-15234**

Element	@Be	@Bi	@Ca	@Cd	@Co	@Cr
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	5	0.01	1	1	1
Upper Limit	2,500	10,000	15	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	%	ppm m / m	ppm m / m	ppm m / m
*Std OREAS 601b	2.1	17	0.86	<1	3	17
*Blk BLANK	<0.5	<5	<0.01	<1	<1	<1
*Std OREAS 520	0.9	<5	3.87	<1	201	32

Element	@Cu	@Fe	@K	@La	@Li	@Mg
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	0.5	1	0.01
Upper Limit	10,000	15	15	10,000	10,000	15
Unit	ppm m / m	%	%	ppm m / m	ppm m / m	%
C00222579	131	5.46	2.81	43.7	75	0.79
C00222580	117	3.95	1.77	40.2	54	0.82
C00222581	104	4.03	2.12	43.0	51	0.81
C00222582	205	7.03	1.84	28.3	40	0.65
C00222583	272	8.23	1.49	30.2	27	0.53
C00222584	57.6	2.86	2.16	33.9	35	0.53
C00222585	39.4	2.47	2.01	31.0	34	0.48
C00222586	73.5	4.08	2.15	32.8	34	0.49
C00222587	80.4	3.12	2.75	39.6	29	0.47
C00222588	35.6	2.54	2.17	27.3	39	0.57
C00222589	30.4	2.67	1.94	31.0	41	0.61
C00222590	30.5	2.41	1.77	27.3	32	0.58
C00222591	32.7	2.68	2.22	29.7	39	0.61
C00222592	30.9	2.50	1.95	29.3	35	0.62
C00222593	26.7	2.58	2.10	28.7	34	0.64
C00222594	34.9	2.86	2.15	35.5	43	0.81
C00222595	33.3	2.77	2.64	34.0	40	0.68
C00222596	0.7	0.12	0.03	0.6	4	12.74
C00222597	28.8	2.63	2.18	28.3	35	0.64
C00222598	25.9	2.45	2.17	29.8	39	0.70

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_1) / 25504 / 55 core  
 Number of Samples 55

**ANALYSIS REPORT BBM22-15234**

Element	@Cu	@Fe	@K	@La	@Li	@Mg
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	0.5	1	0.01
Upper Limit	10,000	15	15	10,000	10,000	15
Unit	ppm m / m	%	%	ppm m / m	ppm m / m	%
C00222599	46.1	3.03	2.30	35.1	44	0.91
C00222600	32.3	2.91	2.07	31.9	43	0.89
C00222601	28.4	2.67	2.19	32.6	37	0.75
C00222602	45.7	3.03	3.14	36.2	53	0.90
C00222603	35.2	2.99	2.54	34.8	45	0.84
C00222604	31.9	2.55	2.26	29.1	43	0.81
C00222605	26.2	2.38	1.99	25.4	39	0.77
C00222606	22.5	2.04	1.54	29.9	24	0.46
C00222607	61.4	3.54	2.53	41.2	48	0.87
C00222608	161	5.18	2.70	66.2	48	0.65
C00222609	124	3.34	1.52	33.6	46	0.68
C00222610	95.8	3.95	3.05	46.4	55	0.80
C00222611	130	3.70	1.84	36.1	42	0.75
C00222612	114	4.23	2.21	40.6	56	0.94
C00222613	123	4.58	2.26	49.9	70	1.95
C00222614	196	5.14	1.96	42.1	62	1.12
C00222615	133	4.75	2.67	47.7	51	0.96
C00222616	2.8	0.46	0.05	0.7	2	>15.00
C00222617	220	5.47	1.88	41.7	46	0.80
C00222618	135	4.07	2.39	36.9	52	0.92
C00222619	287	6.46	2.02	40.1	48	0.78
C00222620	97.1	3.11	2.13	36.4	40	0.75
C00222621	126	4.04	2.44	44.3	60	0.98
C00222622	89.5	3.53	2.61	45.1	58	0.98
C00222623	103	3.60	2.60	45.8	59	1.03
C00222624	71.1	3.10	1.74	36.7	44	0.76
C00222625	48.7	3.63	2.67	39.3	64	1.24
C00222626	77.0	4.21	2.90	49.2	72	1.15
C00222627	148	3.77	2.11	35.4	58	0.90

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_1) / 25504 / 55 core  
 Number of Samples 55

**ANALYSIS REPORT BBM22-15234**

Element	@Cu	@Fe	@K	@La	@Li	@Mg
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	0.5	1	0.01
Upper Limit	10,000	15	15	10,000	10,000	15
Unit	ppm m / m	%	%	ppm m / m	ppm m / m	%
C00222628	86.1	3.32	2.31	40.4	59	0.90
C00222629	85.0	3.35	2.26	41.3	56	0.91
C00222630	70.5	3.33	2.69	47.7	57	0.84
C00222631	154	4.31	2.59	54.0	66	0.94
C00222632	126	4.69	2.94	56.6	75	0.96
C00222633	97.8	3.27	2.20	40.6	56	0.70
*Dup C00222617	210	5.17	1.79	37.9	44	0.78
*Std OREAS 520	2922	>15.00	3.38	79.2	18	1.14
*Std OREAS 601b	994	2.31	2.34	33.1	23	0.10
*Blk BLANK	<0.5	<0.01	<0.01	<0.5	<1	<0.01
*Std OREAS 601b	1009	2.25	2.61	33.4	24	0.10
*Rep C00222615	138	4.97	2.75	50.7	52	0.98
*Blk BLANK	<0.5	<0.01	<0.01	<0.5	<1	0.01
*Std OREAS 520	2645	13.19	3.13	77.9	16	1.08
*Rep C00222633	103	3.48	2.38	43.7	62	0.75
*Std OREAS 601b	986	2.25	2.45	35.6	24	0.09
*Blk BLANK	0.9	0.01	<0.01	<0.5	<1	<0.01
*Std OREAS 520	2926	14.85	3.65	85.3	20	1.14

Element	@Mn	@Mo	@Ni	@Na	@P	@Pb
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	2	1	1	0.01	0.01	2
Upper Limit	10,000	10,000	10,000	15	15	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	%	%	ppm m / m
C00222579	584	2	32	0.60	0.05	17
C00222580	670	2	35	0.73	0.04	14
C00222581	664	2	41	0.59	0.05	12
C00222582	366	2	26	0.43	0.04	11
C00222583	354	1	13	0.24	0.05	12

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_1) / 25504 / 55 core  
 Number of Samples 55

**ANALYSIS REPORT BBM22-15234**

Element Method Lower Limit Upper Limit Unit	@Mn GE_ICP40Q12 2 10,000 ppm m / m	@Mo GE_ICP40Q12 1 10,000 ppm m / m	@Ni GE_ICP40Q12 1 10,000 ppm m / m	@Na GE_ICP40Q12 0.01 15 %	@P GE_ICP40Q12 0.01 15 %	@Pb GE_ICP40Q12 2 10,000 ppm m / m
C00222584	302	2	19	1.09	0.04	21
C00222585	227	2	15	0.77	0.03	13
C00222586	306	3	26	0.45	0.03	28
C00222587	479	3	29	0.70	0.03	36
C00222588	188	2	11	1.00	0.03	12
C00222589	229	2	16	0.64	0.03	6
C00222590	207	2	15	0.60	0.03	7
C00222591	211	2	15	0.58	0.04	8
C00222592	188	2	16	0.93	0.03	8
C00222593	222	1	16	0.75	0.03	7
C00222594	251	1	24	1.13	0.03	9
C00222595	216	2	20	0.76	0.03	6
C00222596	135	<1	2	<0.01	<0.01	<2
C00222597	229	3	19	0.71	0.03	7
C00222598	228	2	25	0.95	0.03	8
C00222599	296	2	40	1.01	0.04	8
C00222600	275	2	29	1.10	0.03	7
C00222601	238	2	21	1.05	0.03	7
C00222602	267	2	26	0.69	0.04	8
C00222603	333	2	28	0.98	0.03	8
C00222604	263	2	24	0.77	0.03	6
C00222605	248	2	30	0.81	0.03	5
C00222606	227	3	22	1.07	0.03	5
C00222607	298	2	38	0.86	0.04	7
C00222608	235	2	21	1.22	0.06	16
C00222609	318	2	48	0.70	0.03	7
C00222610	434	<1	27	1.40	0.03	39
C00222611	506	<1	44	1.14	0.03	9
C00222612	597	1	44	1.36	0.05	8

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_1) / 25504 / 55 core  
 Number of Samples 55

**ANALYSIS REPORT BBM22-15234**

Element Method	@Mn GE_ICP40Q12	@Mo GE_ICP40Q12	@Ni GE_ICP40Q12	@Na GE_ICP40Q12	@P GE_ICP40Q12	@Pb GE_ICP40Q12
Lower Limit	2	1	1	0.01	0.01	2
Upper Limit	10,000	10,000	10,000	15	15	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	%	%	ppm m / m
C00222613	825	2	54	0.59	0.05	9
C00222614	641	1	44	0.98	0.04	10
C00222615	737	1	36	1.17	0.05	16
C00222616	165	<1	2	0.01	<0.01	3
C00222617	679	<1	37	1.24	0.04	15
C00222618	502	1	31	1.22	0.03	13
C00222619	450	1	27	0.94	0.08	12
C00222620	369	3	41	1.31	0.03	10
C00222621	498	2	39	1.51	0.06	10
C00222622	561	2	33	1.54	0.04	10
C00222623	528	2	36	1.26	0.05	10
C00222624	506	2	33	1.27	0.03	10
C00222625	542	3	37	1.06	0.04	8
C00222626	676	1	41	1.36	0.05	12
C00222627	593	2	29	1.27	0.04	13
C00222628	417	2	31	1.21	0.03	9
C00222629	420	2	32	1.21	0.04	9
C00222630	503	2	33	1.72	0.12	10
C00222631	530	1	33	1.11	0.05	13
C00222632	756	1	36	1.17	0.04	13
C00222633	525	1	28	0.97	0.04	10
*Dup C00222617	651	<1	35	1.19	0.04	17
*Std OREAS 520	2243	66	74	1.34	0.07	5
*Std OREAS 601b	217	6	6	1.83	0.03	297
*Blk BLANK	<2	<1	<1	<0.01	<0.01	<2
*Std OREAS 601b	229	6	7	2.02	0.03	318
*Rep C00222615	773	<1	36	1.21	0.05	14
*Blk BLANK	<2	<1	<1	<0.01	<0.01	<2
*Std OREAS 520	2232	59	70	1.27	0.07	5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_1) / 25504 / 55 core  
 Number of Samples 55

**ANALYSIS REPORT BBM22-15234**

Element Method	@Mn GE_ICP40Q12	@Mo GE_ICP40Q12	@Ni GE_ICP40Q12	@Na GE_ICP40Q12	@P GE_ICP40Q12	@Pb GE_ICP40Q12
Lower Limit	2	1	1	0.01	0.01	2
Upper Limit	10,000	10,000	10,000	15	15	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	%	%	ppm m / m
*Rep C00222633	569	1	29	1.05	0.04	9
*Std OREAS 601b	219	6	6	1.92	0.03	314
*Blk BLANK	2	<1	<1	<0.01	<0.01	<2
*Std OREAS 520	2300	59	74	1.42	0.07	5

Element Method	@S GE_ICP40Q12	@Sb GE_ICP40Q12	@Sc GE_ICP40Q12	@Sn GE_ICP40Q12	@Sr GE_ICP40Q12	@Ti GE_ICP40Q12
Lower Limit	0.01	5	0.5	10	0.5	0.01
Upper Limit	5	10,000	10,000	10,000	10,000	15
Unit	%	ppm m / m	ppm m / m	ppm m / m	ppm m / m	%
C00222579	0.05	6	11.9	<10	116	0.33
C00222580	0.02	<5	10.6	<10	164	0.30
C00222581	0.01	5	10.4	<10	134	0.29
C00222582	0.13	<5	10.0	<10	98.9	0.28
C00222583	0.22	<5	8.4	<10	101	0.25
C00222584	0.02	<5	7.3	<10	226	0.22
C00222585	0.02	5	6.9	<10	130	0.18
C00222586	0.04	16	8.6	<10	79.9	0.22
C00222587	0.02	17	8.8	<10	165	0.24
C00222588	0.03	<5	7.1	<10	186	0.19
C00222589	0.03	<5	8.0	<10	84.4	0.21
C00222590	0.03	<5	7.0	<10	73.9	0.19
C00222591	0.03	<5	8.8	<10	82.6	0.23
C00222592	0.02	<5	7.6	<10	140	0.19
C00222593	0.02	<5	8.3	<10	99.5	0.24
C00222594	0.03	<5	9.0	<10	150	0.23
C00222595	0.02	<5	9.5	<10	98.1	0.26
C00222596	<0.01	<5	<0.5	<10	38.1	<0.01
C00222597	0.03	<5	8.2	<10	91.3	0.22

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_1) / 25504 / 55 core  
 Number of Samples 55

**ANALYSIS REPORT BBM22-15234**

Element	@S	@Sb	@Sc	@Sn	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	5	0.5	10	0.5	0.01
Upper Limit	5	10,000	10,000	10,000	10,000	15
Unit	%	ppm m / m	ppm m / m	ppm m / m	ppm m / m	%
C00222598	0.02	<5	8.4	<10	122	0.22
C00222599	0.09	<5	10.3	<10	133	0.25
C00222600	0.03	<5	9.0	<10	112	0.25
C00222601	0.03	<5	9.1	<10	107	0.25
C00222602	0.03	<5	11.8	<10	101	0.29
C00222603	0.02	<5	10.3	<10	122	0.28
C00222604	0.02	<5	8.9	<10	95.1	0.23
C00222605	0.01	<5	7.8	<10	85.8	0.19
C00222606	0.01	<5	6.5	<10	99.1	0.21
C00222607	0.06	<5	11.0	<10	136	0.25
C00222608	0.23	<5	13.0	<10	248	0.30
C00222609	0.02	<5	8.8	<10	126	0.24
C00222610	0.08	<5	11.8	<10	242	0.33
C00222611	0.02	<5	10.6	<10	190	0.27
C00222612	0.01	<5	12.0	<10	170	0.32
C00222613	<0.01	5	14.2	10	207	0.36
C00222614	0.07	<5	12.3	<10	216	0.33
C00222615	0.03	<5	13.0	<10	246	0.38
C00222616	<0.01	<5	<0.5	<10	47.6	<0.01
C00222617	0.04	<5	10.9	<10	215	0.32
C00222618	0.02	<5	11.8	<10	181	0.32
C00222619	0.22	<5	11.4	<10	214	0.27
C00222620	0.03	<5	9.6	<10	141	0.25
C00222621	0.02	<5	12.3	<10	216	0.36
C00222622	0.03	<5	12.7	<10	220	0.38
C00222623	0.09	<5	12.6	<10	219	0.37
C00222624	0.10	<5	9.4	<10	202	0.27
C00222625	0.02	<5	11.4	<10	144	0.32
C00222626	0.01	<5	13.5	<10	225	0.38

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_1) / 25504 / 55 core  
 Number of Samples 55

**ANALYSIS REPORT BBM22-15234**

Element	@S	@Sb	@Sc	@Sn	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	5	0.5	10	0.5	0.01
Upper Limit	5	10,000	10,000	10,000	10,000	15
Unit	%	ppm m / m	ppm m / m	ppm m / m	ppm m / m	%
C00222627	0.03	<5	10.4	<10	242	0.29
C00222628	0.10	<5	10.5	<10	198	0.30
C00222629	0.09	<5	10.4	<10	194	0.30
C00222630	0.02	<5	11.5	<10	186	0.30
C00222631	0.06	<5	13.4	12	201	0.39
C00222632	0.02	<5	14.3	<10	254	0.42
C00222633	<0.01	<5	9.8	<10	135	0.25
*Dup C00222617	0.03	<5	9.8	<10	200	0.30
*Std OREAS 520	0.97	5	16.3	<10	105	0.40
*Std OREAS 601b	1.39	24	3.7	<10	244	0.12
*Blk BLANK	<0.01	<5	<0.5	<10	<0.5	<0.01
*Std OREAS 601b	1.50	27	3.9	<10	258	0.13
*Rep C00222615	0.02	<5	13.8	<10	257	0.41
*Blk BLANK	<0.01	<5	<0.5	<10	<0.5	<0.01
*Std OREAS 520	0.96	<5	15.4	<10	93.0	0.36
*Rep C00222633	<0.01	<5	10.5	<10	148	0.28
*Std OREAS 601b	1.41	25	3.9	<10	248	0.13
*Blk BLANK	<0.01	<5	<0.5	<10	<0.5	<0.01
*Std OREAS 520	0.96	<5	17.0	<10	108	0.43

Element	@V	@W	@Y	@Zn	@Zr
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	2	10	0.5	1	0.5
Upper Limit	10,000	10,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
C00222579	74	130	19.3	127	70.5
C00222580	69	49	19.9	181	65.9
C00222581	63	30	19.3	152	62.7
C00222582	63	846	13.4	82	69.6

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_1) / 25504 / 55 core  
 Number of Samples 55

**ANALYSIS REPORT BBM22-15234**

Element	@V	@W	@Y	@Zn	@Zr
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	2	10	0.5	1	0.5
Upper Limit	10,000	10,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
C00222583	51	633	10.2	90	70.8
C00222584	50	17	11.4	71	65.1
C00222585	43	34	9.8	46	53.9
C00222586	55	23	12.9	85	56.4
C00222587	54	25	14.1	75	71.9
C00222588	40	<10	8.9	34	59.1
C00222589	52	<10	8.8	40	58.3
C00222590	45	<10	9.5	37	57.1
C00222591	56	<10	9.1	38	64.0
C00222592	48	<10	8.8	36	55.5
C00222593	54	<10	12.0	38	65.9
C00222594	58	51	10.4	44	69.5
C00222595	57	<10	8.8	43	69.3
C00222596	<2	<10	<0.5	3	0.6
C00222597	51	<10	8.9	39	52.6
C00222598	50	<10	8.6	38	59.3
C00222599	63	12	11.2	52	65.1
C00222600	57	<10	10.8	50	67.3
C00222601	58	<10	10.7	43	69.5
C00222602	70	10	13.5	42	79.5
C00222603	65	<10	11.6	54	70.2
C00222604	56	13	10.3	41	60.2
C00222605	49	<10	9.3	38	55.8
C00222606	37	<10	7.5	26	51.8
C00222607	70	10	15.9	48	75.6
C00222608	66	575	16.1	32	86.7
C00222609	51	15	16.6	45	51.3
C00222610	68	508	20.5	77	75.9
C00222611	61	15	18.8	69	57.5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_1) / 25504 / 55 core  
 Number of Samples 55

**ANALYSIS REPORT BBM22-15234**

Element	@V	@W	@Y	@Zn	@Zr
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	2	10	0.5	1	0.5
Upper Limit	10,000	10,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
C00222612	68	19	19.9	93	68.8
C00222613	83	50	26.4	141	71.4
C00222614	73	435	23.3	125	71.1
C00222615	75	108	22.7	108	91.1
C00222616	3	<10	<0.5	22	0.7
C00222617	59	486	21.4	90	70.0
C00222618	67	163	16.9	69	69.4
C00222619	70	35	17.4	52	77.0
C00222620	70	12	19.2	67	63.0
C00222621	71	14	22.3	64	63.7
C00222622	73	<10	18.9	58	92.6
C00222623	71	<10	20.6	65	73.2
C00222624	52	17	19.3	62	45.4
C00222625	78	13	14.2	75	64.8
C00222626	78	12	21.5	86	74.9
C00222627	58	<10	17.1	56	62.4
C00222628	64	15	16.2	53	74.2
C00222629	63	15	16.2	55	67.8
C00222630	67	17	17.5	75	71.9
C00222631	70	158	20.7	97	80.1
C00222632	77	69	25.0	100	89.6
C00222633	52	<10	16.1	74	57.0
*Dup C00222617	58	393	19.7	89	61.6
*Std OREAS 520	248	40	18.7	21	129
*Std OREAS 601b	11	<10	10.3	316	178
*Blk BLANK	<2	<10	<0.5	<1	<0.5
*Std OREAS 601b	11	10	11.1	314	189
*Rep C00222615	77	114	23.5	114	96.1
*Blk BLANK	<2	<10	<0.5	<1	<0.5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PO: 32571  
 Project Clear Creek  
 Submission Number \*BBY\* (CC\_1) / 25504 / 55 core  
 Number of Samples 55

**ANALYSIS REPORT BBM22-15234**

Element	@V	@W	@Y	@Zn	@Zr
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	2	10	0.5	1	0.5
Upper Limit	10,000	10,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Std OREAS 520	231	23	17.5	20	118
*Rep C00222633	57	11	17.4	77	62.8
*Std OREAS 601b	11	<10	10.3	324	187
*Blk BLANK	<2	<10	<0.5	<1	<0.5
*Std OREAS 520	235	30	18.9	21	133

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>  
 Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



## ANALYSIS REPORT BBM22-15338

To VICTORIA GOLD (YUKON) CORP  
HELENA KUIKKA  
SUITE 1000- 1050 W PENDER STREET  
VANCOUVER V6E 3S7  
BC  
CANADA

Order Number	PO#25504	Date Received	08-Sep-2021
Project	Nugget	Date Analysed	12-Jan-2022 - 11-Feb-2022
Submission Number (1-76)	*WH* Clear Creek / CC_3 / 176 core	Date Completed	11-Feb-2022
Number of Samples	76	SGS Order Number	BBM22-15338

### Methods Summary

Number of Sample	Method Code	Description
76	G_WGH_KG	Weight of samples received
76	GE_FAA50V5	Au, FAS, exploration grade, AAS, 50g-5mL
76	GE_ICP40Q12	4 Acid Digest (HCL/HClO4/HF/HNO3), ICP, 0.2g-12ml

Authorised Signatory

John Chiang  
Laboratory Operations Manager



This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**WARNING:** The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received

15-Feb-2022 1:00AM BBM\_U0019853531

Page 1 of 21

MIN-M\_COA\_ROW-Last Modified Date: 05-Nov-2019



Order Number PO#25504  
 Project Nugget  
 Submission Number \*WH\* Clear Creek / CC\_3 / 176 core  
 (1-76)  
 Number of Samples 76

**ANALYSIS REPORT BBM22-15338**

Element Method	WTKG G_WGH_KG	@Au GE_FAA50V5	@Ag GE_ICP40Q12	@Al GE_ICP40Q12	@As GE_ICP40Q12	@Ba GE_ICP40Q12
Lower Limit	0.01	0.005	2	0.01	3	1
Upper Limit	--	10	100	15	10,000	10,000
Unit	kg	ppm m / m	ppm m / m	%	ppm m / m	ppm m / m
C00222822	2.32	<0.005	<2	3.86	13	400
C00222823	2.62	<0.005	<2	4.40	12	432
C00222824	3.50	0.008	<2	3.87	9	420
C00222825	3.46	0.008	<2	4.05	13	488
C00222826	2.48	<0.005	<2	3.85	8	443
C00222827	3.36	0.006	<2	3.48	10	439
C00222828	3.34	<0.005	<2	3.93	12	471
C00222829	-	<0.005	<2	4.04	8	469
C00222830	5.74	0.005	<2	3.20	12	402
C00222831	3.82	0.007	<2	3.82	24	591
C00222832	2.32	<0.005	<2	3.67	42	557
C00222833	3.34	0.007	<2	4.32	19	663
C00222834	3.56	0.005	<2	2.60	13	356
C00222835	3.60	0.006	<2	2.64	16	337
C00222836	3.06	0.006	<2	3.51	16	516
C00222837	2.82	0.005	<2	3.49	17	481
C00222838	4.46	0.005	<2	3.45	12	453
C00222839	3.56	0.008	<2	2.83	32	353
C00222840	3.20	<0.005	<2	3.35	30	426
C00222841	4.04	<0.005	<2	3.35	38	480
C00222842	4.02	<0.005	<2	3.48	22	455
C00222843	3.30	<0.005	<2	3.73	12	324
C00222844	3.66	<0.005	<2	3.64	15	515
C00222845	3.96	<0.005	<2	3.89	10	566
C00222846	2.80	<0.005	<2	3.71	24	443
C00222847	3.30	<0.005	<2	3.13	17	355
C00222848	3.26	<0.005	<2	3.40	16	396
C00222849	2.06	<0.005	<2	3.61	18	437
C00222850	2.76	<0.005	<2	3.44	23	358

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#25504  
 Project Nugget  
 Submission Number \*WH\* Clear Creek / CC\_3 / 176 core  
 (1-76)  
 Number of Samples 76

## ANALYSIS REPORT BBM22-15338

Element Method	WTKG G_WGH_KG	@Au GE_FAA50V5	@Ag GE_ICP40Q12	@Al GE_ICP40Q12	@As GE_ICP40Q12	@Ba GE_ICP40Q12
Lower Limit	0.01	0.005	2	0.01	3	1
Upper Limit	--	10	100	15	10,000	10,000
Unit	kg	ppm m / m	ppm m / m	%	ppm m / m	ppm m / m
C00222851	2.06	<0.005	<2	3.14	18	344
C00222852	3.68	<0.005	<2	3.24	17	332
C00222853	1.72	<0.005	<2	3.00	17	233
C00222854	3.22	<0.005	<2	4.13	16	395
C00222855	2.82	<0.005	<2	3.25	17	419
C00222856	0.62	<0.005	<2	0.27	<3	41
C00222857	4.64	<0.005	<2	3.91	25	428
C00222858	3.62	0.011	<2	4.08	23	335
C00222859	5.74	<0.005	<2	3.01	19	341
C00222860	4.54	0.005	<2	4.06	26	474
C00222861	4.46	<0.005	<2	2.56	22	170
C00222862	4.26	<0.005	<2	2.99	19	239
C00222863	4.88	<0.005	<2	3.23	26	283
C00222864	4.66	<0.005	<2	3.17	22	312
C00222865	3.36	<0.005	<2	4.84	43	634
C00222866	3.56	<0.005	<2	4.80	36	687
C00222867	2.86	0.006	<2	3.90	32	415
C00222868	2.78	0.006	<2	2.92	18	295
C00222869	-	<0.005	<2	3.02	18	314
C00222870	3.58	<0.005	<2	2.58	22	190
C00222871	3.98	<0.005	<2	2.87	19	266
C00222872	2.52	0.006	<2	3.50	46	312
C00222873	4.22	<0.005	<2	3.35	30	325
C00222874	4.52	0.008	<2	4.04	31	473
C00222875	4.74	<0.005	<2	3.20	24	359
C00222876	4.60	0.006	<2	2.67	33	270
C00222877	3.62	<0.005	<2	3.61	23	500
C00222878	4.20	<0.005	<2	3.95	28	433
C00222879	3.44	0.007	<2	3.05	32	324

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#25504  
 Project Nugget  
 Submission Number \*WH\* Clear Creek / CC\_3 / 176 core  
 (1-76)  
 Number of Samples 76

## ANALYSIS REPORT BBM22-15338

Element Method Lower Limit Upper Limit Unit	WTKG G_WGH_KG 0.01 -- kg	@Au GE_FAA50V5 0.005 10 ppm m / m	@Ag GE_ICP40Q12 2 100 ppm m / m	@Al GE_ICP40Q12 0.01 15 %	@As GE_ICP40Q12 3 10,000 ppm m / m	@Ba GE_ICP40Q12 1 10,000 ppm m / m
C00222880	4.24	0.006	<2	6.79	9	1472
C00222881	4.16	0.006	<2	2.87	32	302
C00222882	3.92	<0.005	<2	2.72	21	341
C00222883	4.00	0.006	<2	3.64	33	400
C00222884	4.78	0.006	<2	3.51	29	374
C00222885	3.26	0.006	<2	3.11	38	324
C00222886	3.68	<0.005	<2	2.90	31	252
C00222887	3.36	0.009	<2	3.25	38	312
C00222888	2.52	0.005	<2	2.88	24	298
C00222889	2.18	0.008	<2	6.30	46	696
C00222890	2.98	<0.005	<2	2.24	16	264
C00222891	2.62	0.006	<2	6.76	10	802
C00222892	2.60	0.007	<2	8.00	19	876
C00222893	2.08	0.006	<2	7.14	15	867
C00222894	1.94	0.005	<2	8.72	11	1014
C00222895	4.76	<0.005	<2	8.88	13	999
C00222896	0.72	<0.005	<2	0.24	<3	22
C00222897	3.30	0.005	<2	7.77	12	793
*Dup C00222860	-	<0.005	<2	3.75	27	412
*Blk BLANK	-	-	<2	0.01	<3	1
*Std OREAS 520	-	-	<2	5.69	168	948
*Std OREAS 601b	-	-	50	6.62	296	674
*Blk BLANK	-	-	<2	<0.01	<3	<1
*Std OREAS 601b	-	-	48	6.20	279	1008
*Rep C00222885	-	-	<2	2.98	37	332
*Std OREAS 520	-	-	<2	5.35	154	1199
*Blk BLANK	-	-	<2	<0.01	<3	<1
*Rep C00222850	-	-	<2	3.45	22	359
*Std OREAS 520	-	-	<2	5.80	153	1258

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#25504  
 Project Nugget  
 Submission Number \*WH\* Clear Creek / CC\_3 / 176 core  
 (1-76)  
 Number of Samples 76

**ANALYSIS REPORT BBM22-15338**

Element	WTKG	@Au	@Ag	@Al	@As	@Ba
Method	G_WGH_KG	GE_FAA50V5	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	0.005	2	0.01	3	1
Upper Limit	--	10	100	15	10,000	10,000
Unit	kg	ppm m / m	ppm m / m	%	ppm m / m	ppm m / m
*Std OREAS 601b	-	-	50	6.71	280	1061
*Std SL105	-	5.041	-	-	-	-
*Rep C00222859	-	<0.005	-	-	-	-
*Rep C00222862	-	<0.005	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std OREAS 503d	-	0.683	-	-	-	-
*Std SN106	-	8.657	-	-	-	-

Element	@Be	@Bi	@Ca	@Cd	@Co	@Cr
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	5	0.01	1	1	1
Upper Limit	2,500	10,000	15	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	%	ppm m / m	ppm m / m	ppm m / m
C00222822	1.0	<5	0.25	<1	4	32
C00222823	1.0	<5	0.11	<1	6	34
C00222824	1.3	<5	0.15	<1	5	30
C00222825	1.0	<5	0.14	<1	5	29
C00222826	0.8	<5	0.13	<1	6	30
C00222827	0.8	<5	0.12	<1	5	28
C00222828	0.9	<5	0.18	<1	4	26
C00222829	0.9	<5	0.18	<1	4	27
C00222830	0.7	<5	0.17	<1	4	26
C00222831	1.1	<5	0.09	<1	4	25
C00222832	1.1	<5	0.08	<1	4	25
C00222833	1.1	<5	0.15	<1	5	25
C00222834	0.6	<5	0.08	<1	3	18
C00222835	0.5	<5	0.13	<1	3	17
C00222836	0.8	<5	0.09	<1	4	32

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#25504  
 Project Nugget  
 Submission Number \*WH\* Clear Creek / CC\_3 / 176 core  
 (1-76)  
 Number of Samples 76

**ANALYSIS REPORT BBM22-15338**

Element	@Be	@Bi	@Ca	@Cd	@Co	@Cr
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	5	0.01	1	1	1
Upper Limit	2,500	10,000	15	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	%	ppm m / m	ppm m / m	ppm m / m
C00222837	0.8	<5	0.08	<1	4	26
C00222838	0.8	<5	0.10	<1	4	24
C00222839	0.6	<5	0.07	<1	3	24
C00222840	0.7	<5	0.16	<1	5	21
C00222841	0.7	<5	0.14	<1	4	24
C00222842	0.9	<5	0.04	<1	4	26
C00222843	0.6	<5	0.09	<1	4	25
C00222844	0.8	<5	0.08	<1	5	25
C00222845	0.9	<5	0.12	<1	5	23
C00222846	0.9	<5	0.05	<1	6	30
C00222847	0.8	<5	0.04	<1	4	20
C00222848	0.8	<5	0.07	<1	4	26
C00222849	0.9	<5	0.07	<1	4	24
C00222850	0.9	<5	0.08	<1	5	23
C00222851	0.9	<5	0.04	<1	4	24
C00222852	0.9	<5	0.03	<1	4	26
C00222853	0.8	<5	0.04	<1	4	19
C00222854	1.1	<5	0.07	<1	5	32
C00222855	0.7	<5	0.08	<1	5	23
C00222856	<0.5	<5	>15.00	<1	<1	3
C00222857	1.9	<5	0.09	<1	3	25
C00222858	1.2	<5	0.09	<1	4	34
C00222859	0.9	<5	0.09	<1	4	27
C00222860	1.5	<5	0.11	<1	7	29
C00222861	0.8	<5	0.06	<1	3	21
C00222862	0.6	<5	0.07	<1	3	16
C00222863	0.5	<5	0.08	<1	4	23
C00222864	0.8	<5	0.09	<1	4	26
C00222865	1.4	<5	0.08	<1	9	49

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#25504  
 Project Nugget  
 Submission Number \*WH\* Clear Creek / CC\_3 / 176 core  
 (1-76)  
 Number of Samples 76

**ANALYSIS REPORT BBM22-15338**

Element	@Be	@Bi	@Ca	@Cd	@Co	@Cr
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	5	0.01	1	1	1
Upper Limit	2,500	10,000	15	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	%	ppm m / m	ppm m / m	ppm m / m
C00222866	1.6	<5	0.12	<1	8	36
C00222867	1.1	<5	0.19	<1	7	34
C00222868	0.7	<5	0.12	<1	3	19
C00222869	0.7	<5	0.14	<1	4	20
C00222870	0.7	<5	0.08	<1	3	28
C00222871	0.9	<5	0.12	<1	4	23
C00222872	1.0	<5	0.42	<1	5	28
C00222873	1.0	<5	0.09	<1	6	28
C00222874	2.9	<5	0.08	<1	7	23
C00222875	1.3	<5	0.23	<1	5	19
C00222876	0.9	<5	0.09	<1	5	21
C00222877	1.6	<5	0.25	<1	4	20
C00222878	1.2	<5	0.11	<1	6	31
C00222879	1.1	<5	0.09	<1	5	21
C00222880	5.0	<5	1.42	<1	3	12
C00222881	1.0	<5	0.10	<1	4	24
C00222882	1.1	<5	0.11	<1	3	22
C00222883	1.9	<5	0.11	<1	4	27
C00222884	1.0	<5	0.10	<1	5	33
C00222885	1.0	<5	0.12	<1	4	27
C00222886	1.0	<5	0.11	<1	4	29
C00222887	1.2	<5	0.16	<1	4	26
C00222888	1.1	<5	0.10	<1	6	26
C00222889	2.5	<5	0.15	<1	14	52
C00222890	0.8	<5	0.11	<1	5	28
C00222891	1.9	<5	0.34	<1	14	52
C00222892	2.4	<5	0.31	<1	24	67
C00222893	2.2	<5	0.25	<1	22	65
C00222894	2.6	<5	0.15	<1	19	66

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PO#25504  
 Project Nugget  
 Submission Number \*WH\* Clear Creek / CC\_3 / 176 core  
 (1-76)  
 Number of Samples 76

## ANALYSIS REPORT BBM22-15338

Element Method	@Be GE_ICP40Q12	@Bi GE_ICP40Q12	@Ca GE_ICP40Q12	@Cd GE_ICP40Q12	@Co GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.5	5	0.01	1	1	1
Upper Limit	2,500	10,000	15	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	%	ppm m / m	ppm m / m	ppm m / m
C00222895	2.8	<5	0.15	<1	18	60
C00222896	<0.5	<5	>15.00	<1	<1	4
C00222897	2.2	<5	0.29	<1	20	62
*Dup C00222860	1.3	<5	0.08	<1	6	32
*Blk BLANK	<0.5	<5	<0.01	<1	<1	2
*Std OREAS 520	1.0	<5	3.77	<1	202	35
*Std OREAS 601b	2.2	18	0.86	2	2	22
*Blk BLANK	<0.5	<5	<0.01	<1	<1	1
*Std OREAS 601b	2.2	19	0.91	2	2	20
*Rep C00222885	1.0	<5	0.11	<1	4	23
*Std OREAS 520	1.0	<5	3.90	<1	200	37
*Blk BLANK	<0.5	<5	<0.01	<1	<1	1
*Rep C00222850	0.9	<5	0.09	<1	4	29
*Std OREAS 520	0.9	<5	3.91	<1	205	35
*Std OREAS 601b	2.0	17	0.87	<1	2	20

Element Method	@Cu GE_ICP40Q12	@Fe GE_ICP40Q12	@K GE_ICP40Q12	@La GE_ICP40Q12	@Li GE_ICP40Q12	@Mg GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	0.5	1	0.01
Upper Limit	10,000	15	15	10,000	10,000	15
Unit	ppm m / m	%	%	ppm m / m	ppm m / m	%
C00222822	9.8	1.72	1.15	23.3	32	0.26
C00222823	13.6	2.25	1.32	25.6	36	0.38
C00222824	8.3	1.71	1.23	23.9	33	0.30
C00222825	9.6	2.19	1.41	27.8	30	0.31
C00222826	10.0	1.86	1.19	24.0	33	0.29
C00222827	9.0	1.97	1.09	24.1	36	0.25
C00222828	10.0	1.72	1.31	26.2	32	0.28

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#25504  
 Project Nugget  
 Submission Number \*WH\* Clear Creek / CC\_3 / 176 core  
 (1-76)  
 Number of Samples 76

## ANALYSIS REPORT BBM22-15338

Element	@Cu	@Fe	@K	@La	@Li	@Mg
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	0.5	1	0.01
Upper Limit	10,000	15	15	10,000	10,000	15
Unit	ppm m / m	%	%	ppm m / m	ppm m / m	%
C00222829	10.4	1.73	1.40	26.1	32	0.29
C00222830	6.9	1.52	0.99	22.4	28	0.23
C00222831	8.7	1.66	1.38	22.2	37	0.26
C00222832	13.5	1.57	1.44	20.8	35	0.18
C00222833	10.5	2.07	1.59	24.6	41	0.34
C00222834	6.6	1.21	0.85	16.5	27	0.16
C00222835	6.2	1.37	0.76	17.0	26	0.19
C00222836	6.2	1.71	1.35	20.4	43	0.30
C00222837	8.7	1.63	1.19	21.5	35	0.27
C00222838	5.8	1.62	1.06	20.5	31	0.25
C00222839	9.9	1.40	0.81	17.2	29	0.19
C00222840	7.1	1.61	1.03	19.0	35	0.26
C00222841	10.3	1.65	1.09	19.0	33	0.25
C00222842	6.0	1.63	0.92	21.2	26	0.14
C00222843	7.3	1.72	0.70	21.0	27	0.24
C00222844	8.0	1.65	1.26	20.0	29	0.21
C00222845	8.1	1.83	1.31	21.4	40	0.28
C00222846	8.0	1.89	0.99	20.9	35	0.18
C00222847	5.8	1.39	0.87	21.1	30	0.11
C00222848	7.5	1.60	0.96	20.8	33	0.18
C00222849	7.5	1.67	1.00	22.6	32	0.19
C00222850	8.4	1.72	0.87	19.3	32	0.18
C00222851	9.4	1.51	0.86	20.0	23	0.11
C00222852	5.6	1.64	0.87	22.6	23	0.11
C00222853	5.7	1.31	0.54	19.1	33	0.09
C00222854	10.6	1.82	1.15	26.1	45	0.26
C00222855	10.0	1.57	1.07	19.8	32	0.19
C00222856	0.8	0.22	0.11	2.0	2	13.46
C00222857	7.6	1.71	1.06	22.2	38	0.22

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#25504  
 Project Nugget  
 Submission Number \*WH\* Clear Creek / CC\_3 / 176 core  
 (1-76)  
 Number of Samples 76

## ANALYSIS REPORT BBM22-15338

Element	@Cu	@Fe	@K	@La	@Li	@Mg
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	0.5	1	0.01
Upper Limit	10,000	15	15	10,000	10,000	15
Unit	ppm m / m	%	%	ppm m / m	ppm m / m	%
C00222858	6.6	1.68	0.94	25.0	36	0.22
C00222859	8.3	1.65	0.88	18.6	28	0.16
C00222860	8.9	2.25	1.37	23.3	35	0.19
C00222861	5.9	1.40	0.38	18.6	22	0.09
C00222862	9.7	1.38	0.58	16.3	24	0.11
C00222863	15.3	1.78	0.53	18.9	25	0.14
C00222864	9.8	1.54	0.70	21.6	26	0.16
C00222865	8.5	2.87	1.58	32.0	36	0.20
C00222866	9.8	2.33	1.70	28.7	35	0.21
C00222867	13.8	2.10	0.66	27.6	34	0.28
C00222868	6.7	1.58	0.45	19.2	23	0.20
C00222869	7.3	1.67	0.49	19.3	23	0.21
C00222870	6.1	1.24	0.39	17.5	25	0.14
C00222871	8.3	1.66	0.51	19.3	20	0.20
C00222872	7.6	2.19	0.73	21.1	24	0.25
C00222873	8.7	1.80	0.79	21.7	25	0.18
C00222874	8.4	1.80	1.47	20.3	35	0.23
C00222875	8.0	1.54	1.01	17.9	26	0.14
C00222876	11.7	1.51	0.69	18.6	24	0.15
C00222877	8.6	1.69	1.28	17.3	29	0.22
C00222878	8.3	2.03	1.17	22.6	37	0.24
C00222879	10.3	1.54	0.84	18.1	25	0.13
C00222880	5.0	2.10	3.28	20.4	68	0.44
C00222881	12.8	1.80	0.79	18.4	24	0.16
C00222882	7.8	1.46	0.79	15.3	27	0.13
C00222883	8.4	1.73	1.07	18.0	27	0.19
C00222884	8.5	1.91	1.08	20.5	46	0.23
C00222885	8.0	1.83	0.84	20.1	25	0.18
C00222886	7.8	1.55	0.61	19.4	24	0.13

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#25504  
 Project Nugget  
 Submission Number \*WH\* Clear Creek / CC\_3 / 176 core  
 (1-76)  
 Number of Samples 76

## ANALYSIS REPORT BBM22-15338

Element	@Cu	@Fe	@K	@La	@Li	@Mg
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	0.5	1	0.01
Upper Limit	10,000	15	15	10,000	10,000	15
Unit	ppm m / m	%	%	ppm m / m	ppm m / m	%
C00222887	9.0	1.75	0.79	18.9	30	0.18
C00222888	18.5	1.98	0.80	18.1	25	0.20
C00222889	32.0	4.21	2.37	38.3	66	0.58
C00222890	11.3	1.57	0.69	14.3	19	0.25
C00222891	36.3	3.77	2.81	46.7	51	1.12
C00222892	46.3	4.40	3.23	53.8	70	1.43
C00222893	53.8	3.95	2.83	49.7	64	1.27
C00222894	44.8	4.35	3.67	60.3	60	1.19
C00222895	52.5	5.01	3.85	63.8	77	1.26
C00222896	7.2	0.20	0.10	1.7	3	13.33
C00222897	44.2	4.49	3.34	51.2	72	1.27
*Dup C00222860	7.6	2.05	1.22	20.6	34	0.16
*Blk BLANK	0.5	<0.01	<0.01	<0.5	<1	<0.01
*Std OREAS 520	2883	14.73	3.76	85.1	20	1.13
*Std OREAS 601b	995	2.26	2.63	36.0	25	0.10
*Blk BLANK	<0.5	<0.01	<0.01	<0.5	<1	<0.01
*Std OREAS 601b	1010	2.29	2.43	34.0	22	0.10
*Rep C00222885	7.7	1.78	0.77	19.6	24	0.18
*Std OREAS 520	2929	>15.00	3.38	84.8	17	1.15
*Blk BLANK	<0.5	<0.01	<0.01	<0.5	<1	<0.01
*Rep C00222850	9.2	1.74	0.86	19.5	31	0.18
*Std OREAS 520	2855	14.88	3.55	86.4	18	1.13
*Std OREAS 601b	981	2.18	2.43	34.4	22	0.10

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#25504  
 Project Nugget  
 Submission Number \*WH\* Clear Creek / CC\_3 / 176 core  
 (1-76)  
 Number of Samples 76

## ANALYSIS REPORT BBM22-15338

Element Method Lower Limit Upper Limit Unit	@Mn GE_ICP40Q12 2 10,000 ppm m / m	@Mo GE_ICP40Q12 1 10,000 ppm m / m	@Ni GE_ICP40Q12 1 10,000 ppm m / m	@Na GE_ICP40Q12 0.01 15 %	@P GE_ICP40Q12 0.01 15 %	@Pb GE_ICP40Q12 2 10,000 ppm m / m
C00222822	272	2	13	0.41	0.01	10
C00222823	349	2	19	0.35	0.02	13
C00222824	253	2	14	0.42	0.01	10
C00222825	262	2	15	0.52	0.04	11
C00222826	278	1	16	0.69	0.02	9
C00222827	280	2	20	0.46	0.02	10
C00222828	247	<1	14	0.51	0.04	10
C00222829	225	1	13	0.48	0.05	10
C00222830	267	2	12	0.64	0.01	8
C00222831	224	1	12	0.32	0.01	10
C00222832	298	2	13	0.24	0.01	12
C00222833	254	1	16	0.52	0.01	11
C00222834	250	2	11	0.44	<0.01	10
C00222835	263	1	12	0.59	0.01	8
C00222836	216	2	15	0.35	0.01	8
C00222837	233	1	12	0.52	0.01	7
C00222838	258	1	12	0.53	0.01	7
C00222839	276	1	10	0.25	<0.01	8
C00222840	358	1	13	0.65	0.01	9
C00222841	304	1	15	0.30	0.01	10
C00222842	324	2	12	0.10	0.01	7
C00222843	207	1	13	1.20	0.01	7
C00222844	267	1	13	0.33	0.01	8
C00222845	262	1	14	0.53	0.01	10
C00222846	402	2	16	0.10	0.01	9
C00222847	256	1	11	0.08	<0.01	10
C00222848	234	2	12	0.22	0.01	8
C00222849	219	1	12	0.24	0.01	7
C00222850	253	2	12	0.22	0.01	7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#25504  
 Project Nugget  
 Submission Number \*WH\* Clear Creek / CC\_3 / 176 core  
 (1-76)  
 Number of Samples 76

## ANALYSIS REPORT BBM22-15338

Element Method Lower Limit Upper Limit Unit	@Mn GE_ICP40Q12 2 10,000 ppm m / m	@Mo GE_ICP40Q12 1 10,000 ppm m / m	@Ni GE_ICP40Q12 1 10,000 ppm m / m	@Na GE_ICP40Q12 0.01 15 %	@P GE_ICP40Q12 0.01 15 %	@Pb GE_ICP40Q12 2 10,000 ppm m / m
C00222851	239	2	11	0.04	<0.01	6
C00222852	291	2	12	0.06	0.01	8
C00222853	224	1	10	0.06	0.01	6
C00222854	282	2	15	0.16	0.02	9
C00222855	218	1	12	0.27	0.01	8
C00222856	167	<1	2	0.07	<0.01	<2
C00222857	272	2	9	0.85	0.01	11
C00222858	254	2	11	0.23	0.01	11
C00222859	289	2	12	0.24	0.01	6
C00222860	314	1	17	0.15	0.02	8
C00222861	239	2	11	0.11	0.01	6
C00222862	206	1	10	0.67	<0.01	5
C00222863	349	1	12	1.10	0.01	8
C00222864	225	1	12	0.47	0.01	7
C00222865	509	2	23	0.13	0.03	7
C00222866	352	1	20	0.16	0.03	15
C00222867	308	1	18	0.68	0.02	9
C00222868	230	<1	11	0.78	0.01	6
C00222869	267	<1	12	0.76	0.01	7
C00222870	238	2	10	0.11	<0.01	4
C00222871	318	2	12	0.23	0.01	5
C00222872	390	1	14	0.31	0.02	6
C00222873	394	1	12	0.19	0.02	7
C00222874	418	2	12	0.14	0.02	14
C00222875	380	1	10	0.27	0.01	11
C00222876	354	2	11	0.13	0.02	7
C00222877	258	1	10	0.49	0.02	14
C00222878	316	2	16	0.19	0.02	8
C00222879	329	1	11	0.14	0.01	17

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#25504  
 Project Nugget  
 Submission Number \*WH\* Clear Creek / CC\_3 / 176 core  
 (1-76)  
 Number of Samples 76

**ANALYSIS REPORT BBM22-15338**

Element Method Lower Limit Upper Limit Unit	@Mn GE_ICP40Q12 2 10,000 ppm m / m	@Mo GE_ICP40Q12 1 10,000 ppm m / m	@Ni GE_ICP40Q12 1 10,000 ppm m / m	@Na GE_ICP40Q12 0.01 15 %	@P GE_ICP40Q12 0.01 15 %	@Pb GE_ICP40Q12 2 10,000 ppm m / m
C00222880	482	<1	7	1.83	0.04	38
C00222881	253	1	12	0.15	0.02	10
C00222882	235	2	10	0.24	0.01	9
C00222883	216	2	10	0.49	0.02	13
C00222884	218	2	12	0.36	0.02	8
C00222885	248	1	11	0.17	0.02	8
C00222886	235	1	11	0.15	0.02	11
C00222887	245	2	12	0.28	0.02	11
C00222888	486	2	13	0.11	0.01	8
C00222889	776	2	37	0.23	0.04	26
C00222890	273	2	13	0.17	0.01	5
C00222891	534	<1	35	0.27	0.04	14
C00222892	899	<1	50	0.41	0.06	15
C00222893	615	<1	52	0.36	0.06	20
C00222894	454	<1	50	0.31	0.04	15
C00222895	436	<1	45	0.29	0.04	12
C00222896	141	<1	1	0.02	<0.01	<2
C00222897	1018	<1	43	0.25	0.05	18
*Dup C00222860	272	1	15	0.11	0.02	7
*Blk BLANK	<2	<1	<1	<0.01	<0.01	<2
*Std OREAS 520	2238	63	73	1.35	0.08	4
*Std OREAS 601b	218	6	7	1.86	0.03	319
*Blk BLANK	<2	<1	<1	<0.01	<0.01	<2
*Std OREAS 601b	223	5	6	1.87	0.03	310
*Rep C00222885	257	1	11	0.16	0.02	8
*Std OREAS 520	2314	62	74	1.36	0.07	6
*Blk BLANK	<2	<1	<1	<0.01	<0.01	<2
*Rep C00222850	254	2	12	0.23	0.01	7
*Std OREAS 520	2381	61	73	1.40	0.07	5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#25504  
 Project Nugget  
 Submission Number \*WH\* Clear Creek / CC\_3 / 176 core  
 (1-76)  
 Number of Samples 76

**ANALYSIS REPORT BBM22-15338**

Element	@Mn	@Mo	@Ni	@Na	@P	@Pb
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	2	1	1	0.01	0.01	2
Upper Limit	10,000	10,000	10,000	15	15	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	%	%	ppm m / m
*Std OREAS 601b	214	5	7	1.90	0.03	320

Element	@S	@Sb	@Sc	@Sn	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	5	0.5	10	0.5	0.01
Upper Limit	5	10,000	10,000	10,000	10,000	15
Unit	%	ppm m / m	ppm m / m	ppm m / m	ppm m / m	%
C00222822	<0.01	<5	4.4	<10	62.5	0.16
C00222823	<0.01	<5	5.1	<10	53.6	0.18
C00222824	<0.01	<5	4.5	<10	57.2	0.17
C00222825	<0.01	<5	4.7	<10	70.5	0.18
C00222826	<0.01	<5	4.4	<10	72.7	0.17
C00222827	<0.01	<5	3.9	<10	62.6	0.16
C00222828	<0.01	<5	4.4	<10	65.6	0.17
C00222829	<0.01	<5	4.6	<10	62.3	0.18
C00222830	<0.01	<5	3.4	<10	62.0	0.15
C00222831	<0.01	<5	4.1	<10	49.8	0.15
C00222832	<0.01	<5	3.8	<10	67.8	0.13
C00222833	<0.01	<5	5.2	<10	78.4	0.19
C00222834	<0.01	<5	2.4	<10	59.4	0.11
C00222835	<0.01	<5	2.7	<10	71.0	0.12
C00222836	<0.01	<5	4.0	<10	49.8	0.16
C00222837	<0.01	<5	3.8	<10	53.1	0.16
C00222838	<0.01	<5	3.7	<10	58.3	0.15
C00222839	<0.01	<5	2.9	<10	38.7	0.12
C00222840	<0.01	<5	3.8	<10	81.6	0.15
C00222841	<0.01	<5	3.6	<10	56.1	0.15
C00222842	<0.01	<5	3.9	<10	20.2	0.14

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PO#25504  
 Project Nugget  
 Submission Number \*WH\* Clear Creek / CC\_3 / 176 core  
 (1-76)  
 Number of Samples 76

**ANALYSIS REPORT BBM22-15338**

Element	@S	@Sb	@Sc	@Sn	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	5	0.5	10	0.5	0.01
Upper Limit	5	10,000	10,000	10,000	10,000	15
Unit	%	ppm m / m	ppm m / m	ppm m / m	ppm m / m	%
C00222843	<0.01	<5	4.0	<10	87.6	0.15
C00222844	<0.01	<5	4.2	<10	43.7	0.15
C00222845	<0.01	<5	4.6	<10	72.2	0.16
C00222846	<0.01	<5	4.4	<10	25.3	0.15
C00222847	<0.01	<5	3.4	<10	20.4	0.14
C00222848	<0.01	<5	3.7	<10	32.7	0.15
C00222849	<0.01	<5	4.0	<10	33.7	0.15
C00222850	<0.01	<5	3.6	<10	33.1	0.14
C00222851	<0.01	<5	3.3	<10	14.8	0.13
C00222852	<0.01	<5	3.8	<10	15.9	0.17
C00222853	<0.01	<5	3.1	<10	18.3	0.12
C00222854	<0.01	<5	4.9	<10	44.2	0.17
C00222855	<0.01	<5	3.5	<10	36.6	0.13
C00222856	<0.01	<5	<0.5	<10	74.1	0.01
C00222857	<0.01	<5	3.5	<10	80.6	0.13
C00222858	<0.01	<5	4.4	<10	50.7	0.17
C00222859	<0.01	<5	3.4	<10	37.7	0.12
C00222860	<0.01	<5	4.8	<10	32.8	0.15
C00222861	<0.01	<5	2.4	<10	24.7	0.09
C00222862	<0.01	<5	2.2	<10	52.2	0.07
C00222863	<0.01	<5	2.8	<10	68.3	0.09
C00222864	<0.01	<5	3.4	<10	44.1	0.12
C00222865	<0.01	<5	6.8	<10	32.3	0.20
C00222866	<0.01	<5	6.1	<10	43.7	0.17
C00222867	<0.01	<5	4.8	<10	88.1	0.16
C00222868	<0.01	<5	3.1	<10	63.6	0.11
C00222869	<0.01	<5	3.2	<10	66.9	0.12
C00222870	<0.01	<5	2.7	<10	40.0	0.11
C00222871	<0.01	<5	3.4	<10	51.3	0.11

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#25504  
 Project Nugget  
 Submission Number \*WH\* Clear Creek / CC\_3 / 176 core  
 (1-76)  
 Number of Samples 76

## ANALYSIS REPORT BBM22-15338

Element	@S	@Sb	@Sc	@Sn	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	5	0.5	10	0.5	0.01
Upper Limit	5	10,000	10,000	10,000	10,000	15
Unit	%	ppm m / m	ppm m / m	ppm m / m	ppm m / m	%
C00222872	<0.01	<5	3.9	<10	78.9	0.13
C00222873	<0.01	<5	3.8	<10	37.0	0.14
C00222874	<0.01	<5	4.0	<10	49.1	0.11
C00222875	<0.01	<5	3.0	<10	71.9	0.10
C00222876	<0.01	<5	3.0	<10	28.1	0.11
C00222877	<0.01	<5	3.5	<10	92.3	0.13
C00222878	<0.01	<5	4.5	<10	41.8	0.16
C00222879	<0.01	<5	3.4	<10	25.3	0.12
C00222880	<0.01	<5	5.0	<10	453	0.17
C00222881	<0.01	<5	3.1	<10	29.4	0.11
C00222882	<0.01	<5	2.5	<10	54.1	0.10
C00222883	<0.01	<5	3.5	<10	68.9	0.13
C00222884	<0.01	<5	4.0	<10	50.0	0.15
C00222885	<0.01	<5	3.7	<10	34.2	0.14
C00222886	<0.01	<5	3.2	<10	31.2	0.13
C00222887	<0.01	<5	3.6	<10	45.6	0.13
C00222888	<0.01	<5	4.0	<10	29.7	0.13
C00222889	<0.01	<5	10.8	<10	69.0	0.26
C00222890	<0.01	<5	3.2	<10	28.5	0.10
C00222891	<0.01	<5	11.7	<10	59.3	0.28
C00222892	<0.01	<5	15.3	<10	56.7	0.39
C00222893	<0.01	<5	13.3	<10	47.6	0.37
C00222894	<0.01	<5	16.1	<10	62.3	0.37
C00222895	<0.01	<5	16.6	<10	67.1	0.36
C00222896	<0.01	<5	<0.5	<10	44.5	<0.01
C00222897	<0.01	<5	14.4	<10	62.6	0.37
*Dup C00222860	<0.01	<5	4.3	<10	26.7	0.14
*Blk BLANK	<0.01	<5	<0.5	<10	<0.5	<0.01
*Std OREAS 520	1.06	5	16.7	<10	108	0.40

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#25504  
 Project Nugget  
 Submission Number \*WH\* Clear Creek / CC\_3 / 176 core  
 (1-76)  
 Number of Samples 76

## ANALYSIS REPORT BBM22-15338

Element	@S	@Sb	@Sc	@Sn	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	5	0.5	10	0.5	0.01
Upper Limit	5	10,000	10,000	10,000	10,000	15
Unit	%	ppm m / m	ppm m / m	ppm m / m	ppm m / m	%
*Std OREAS 601b	1.53	26	3.5	<10	261	0.13
*Blk BLANK	<0.01	<5	<0.5	<10	<0.5	<0.01
*Std OREAS 601b	1.51	24	3.4	<10	241	0.12
*Rep C00222885	<0.01	<5	3.4	<10	33.1	0.13
*Std OREAS 520	0.99	<5	16.2	<10	98.1	0.38
*Blk BLANK	<0.01	<5	<0.5	<10	<0.5	<0.01
*Rep C00222850	<0.01	<5	3.6	<10	33.2	0.14
*Std OREAS 520	1.01	<5	17.0	<10	105	0.42
*Std OREAS 601b	1.50	24	3.7	<10	243	0.13

Element	@V	@W	@Y	@Zn	@Zr
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	2	10	0.5	1	0.5
Upper Limit	10,000	10,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
C00222822	28	<10	4.4	35	24.2
C00222823	33	<10	4.1	53	23.5
C00222824	30	<10	3.7	37	23.7
C00222825	28	<10	5.4	41	25.0
C00222826	30	<10	4.3	44	24.3
C00222827	28	<10	4.7	36	28.8
C00222828	31	<10	5.6	40	24.0
C00222829	30	<10	5.6	41	23.0
C00222830	24	<10	4.1	29	22.2
C00222831	27	<10	4.2	37	25.6
C00222832	24	<10	4.0	37	21.0
C00222833	32	<10	4.8	47	25.4
C00222834	17	<10	2.8	28	20.4

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#25504  
 Project Nugget  
 Submission Number \*WH\* Clear Creek / CC\_3 / 176 core  
 (1-76)  
 Number of Samples 76

**ANALYSIS REPORT BBM22-15338**

Element	@V	@W	@Y	@Zn	@Zr
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	2	10	0.5	1	0.5
Upper Limit	10,000	10,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
C00222835	19	<10	3.5	28	21.9
C00222836	25	<10	3.8	34	23.1
C00222837	24	<10	3.7	32	25.3
C00222838	24	<10	3.8	33	22.8
C00222839	19	<10	3.1	31	22.1
C00222840	25	<10	3.8	36	24.4
C00222841	25	<10	4.0	34	24.6
C00222842	25	<10	4.0	33	24.8
C00222843	26	<10	3.7	35	24.2
C00222844	28	<10	3.8	31	24.8
C00222845	28	<10	3.8	38	25.8
C00222846	29	<10	4.6	31	29.9
C00222847	22	<10	4.3	29	26.2
C00222848	24	<10	4.0	31	27.5
C00222849	26	<10	3.9	32	25.7
C00222850	25	<10	3.9	31	24.3
C00222851	22	<10	3.8	24	22.3
C00222852	24	<10	4.5	32	27.7
C00222853	21	<10	3.6	26	21.5
C00222854	30	<10	4.2	36	24.6
C00222855	25	<10	4.0	30	23.7
C00222856	4	<10	0.6	5	6.0
C00222857	22	<10	4.2	26	27.3
C00222858	29	<10	3.7	34	28.1
C00222859	26	<10	4.2	24	16.8
C00222860	37	<10	5.9	35	22.5
C00222861	19	<10	3.5	20	18.0
C00222862	17	<10	3.2	20	14.8
C00222863	22	<10	3.9	26	18.8

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#25504  
 Project Nugget  
 Submission Number \*WH\* Clear Creek / CC\_3 / 176 core  
 (1-76)  
 Number of Samples 76

**ANALYSIS REPORT BBM22-15338**

Element	@V	@W	@Y	@Zn	@Zr
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	2	10	0.5	1	0.5
Upper Limit	10,000	10,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
C00222864	26	<10	4.2	26	22.7
C00222865	48	<10	7.1	35	36.8
C00222866	43	<10	6.6	42	31.0
C00222867	36	<10	6.8	33	26.8
C00222868	23	<10	5.0	27	19.9
C00222869	24	<10	5.2	29	20.7
C00222870	22	<10	4.1	17	19.7
C00222871	27	<10	4.9	21	18.3
C00222872	31	<10	6.5	34	21.2
C00222873	32	<10	4.8	28	22.4
C00222874	30	<10	4.8	37	22.6
C00222875	22	<10	4.6	26	18.9
C00222876	25	<10	4.5	27	18.7
C00222877	28	<10	5.5	30	22.6
C00222878	35	<10	4.8	37	23.7
C00222879	26	<10	4.7	29	20.8
C00222880	30	<10	14.9	67	28.8
C00222881	25	<10	4.4	29	19.1
C00222882	22	<10	3.8	22	19.2
C00222883	29	<10	4.8	28	22.8
C00222884	34	<10	4.1	32	21.4
C00222885	30	<10	4.7	29	22.0
C00222886	29	<10	4.4	33	20.5
C00222887	32	<10	4.8	30	19.5
C00222888	29	<10	5.1	30	20.0
C00222889	70	<10	9.2	72	40.2
C00222890	22	<10	3.7	25	14.2
C00222891	64	<10	10.0	82	37.5
C00222892	84	<10	15.1	93	59.7

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#25504  
 Project Nugget  
 Submission Number \*WH\* Clear Creek / CC\_3 / 176 core  
 (1-76)  
 Number of Samples 76

## ANALYSIS REPORT BBM22-15338

Element	@V	@W	@Y	@Zn	@Zr
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	2	10	0.5	1	0.5
Upper Limit	10,000	10,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
C00222893	77	<10	13.5	87	47.6
C00222894	88	<10	11.1	92	53.1
C00222895	84	<10	12.0	101	44.5
C00222896	2	<10	<0.5	4	1.6
C00222897	79	<10	11.8	101	55.2
*Dup C00222860	33	<10	5.3	31	22.9
*Blk BLANK	<2	<10	<0.5	<1	<0.5
*Std OREAS 520	251	40	19.5	21	130
*Std OREAS 601b	12	<10	10.6	314	179
*Blk BLANK	<2	<10	<0.5	<1	<0.5
*Std OREAS 601b	12	<10	11.1	326	168
*Rep C00222885	29	<10	4.5	31	21.8
*Std OREAS 520	258	37	20.5	22	122
*Blk BLANK	<2	<10	<0.5	<1	<0.5
*Rep C00222850	26	<10	3.9	30	25.5
*Std OREAS 520	246	29	18.9	22	129
*Std OREAS 601b	11	<10	9.9	322	177

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>  
 Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



## ANALYSIS REPORT BBM22-15340

To VICTORIA GOLD (YUKON) CORP  
HELENA KUIKKA  
SUITE 1000- 1050 W PENDER STREET  
VANCOUVER V6E 3S7  
BC  
CANADA

Order Number	PO#25504	Date Received	08-Sep-2021
Project	Nugget	Date Analysed	12-Jan-2022 - 11-Feb-2022
Submission Number (77-152)	*WH* Clear Creek / CC_3 / 176 core	Date Completed	11-Feb-2022
Number of Samples	76	SGS Order Number	BBM22-15340

### Methods Summary

Number of Sample	Method Code	Description
76	G_WGH_KG	Weight of samples received
76	GE_FAA50V5	Au, FAS, exploration grade, AAS, 50g-5mL
76	GE_ICP40Q12	4 Acid Digest (HCL/HClO4/HF/HNO3), ICP, 0.2g-12ml

Authorised Signatory

John Chiang  
Laboratory Operations Manager



This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**WARNING:** The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received

15-Feb-2022 1:24AM BBM\_U0019854579

Page 1 of 22

MIN-M\_COA\_ROW-Last Modified Date: 05-Nov-2019



Order Number PO#25504  
 Project Nugget  
 Submission Number \*WH\* Clear Creek / CC\_3 / 176 core  
 (77-152)  
 Number of Samples 76

## ANALYSIS REPORT BBM22-15340

Element Method Lower Limit Upper Limit Unit	WTKG G_WGH_KG 0.01 -- kg	@Au GE_FAA50V5 0.005 10 ppm m / m	@Ag GE_ICP40Q12 2 100 ppm m / m	@Al GE_ICP40Q12 0.01 15 %	@As GE_ICP40Q12 3 10,000 ppm m / m	@Ba GE_ICP40Q12 1 10,000 ppm m / m
C00222898	3.20	<0.005	<2	9.27	11	1089
C00222899	4.14	<0.005	<2	8.65	10	888
C00222900	4.10	<0.005	<2	8.28	6	998
C00222901	2.68	<0.005	<2	8.05	18	817
C00222902	3.86	<0.005	<2	5.96	14	676
C00222903	4.12	<0.005	<2	5.90	29	567
C00222904	2.84	<0.005	<2	6.70	18	643
C00222905	2.94	<0.005	<2	8.48	16	827
C00222906	3.34	<0.005	<2	7.00	21	696
C00222907	2.34	0.140	<2	3.85	28	345
C00222908	3.82	0.005	<2	8.54	24	1059
C00222909	3.18	<0.005	2	8.61	17	945
C00222910	4.44	<0.005	<2	8.12	14	778
C00222911	3.64	<0.005	<2	8.91	15	938
C00222912	4.54	<0.005	<2	8.92	16	839
C00222913	4.58	<0.005	<2	9.91	14	1054
C00222914	2.84	<0.005	<2	8.64	13	903
C00222915	2.66	0.005	<2	5.36	29	515
C00222916	0.82	<0.005	<2	0.08	<3	7
C00222917	2.90	<0.005	<2	8.41	28	917
C00222918	3.30	<0.005	<2	7.95	19	906
C00222919	3.48	0.011	<2	2.79	35	217
C00222920	3.08	0.005	<2	6.62	20	636
C00222921	3.96	<0.005	<2	8.98	21	846
C00222922	3.76	0.005	<2	7.58	18	726
C00222923	3.32	<0.005	<2	8.90	40	873
C00222924	3.20	0.005	<2	9.68	28	988
C00222925	3.34	<0.005	<2	8.38	18	837
C00222926	2.68	<0.005	<2	6.44	25	599

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PO#25504  
 Project Nugget  
 Submission Number \*WH\* Clear Creek / CC\_3 / 176 core  
 (77-152)  
 Number of Samples 76

**ANALYSIS REPORT BBM22-15340**

Element Method	WTKG G_WGH_KG	@Au GE_FAA50V5	@Ag GE_ICP40Q12	@Al GE_ICP40Q12	@As GE_ICP40Q12	@Ba GE_ICP40Q12
Lower Limit	0.01	0.005	2	0.01	3	1
Upper Limit	--	10	100	15	10,000	10,000
Unit	kg	ppm m / m	ppm m / m	%	ppm m / m	ppm m / m
C00222927	4.00	<0.005	<2	8.29	23	929
C00222928	3.42	0.008	<2	5.88	39	557
C00222929	-	0.006	<2	6.17	39	614
C00222930	3.84	<0.005	<2	4.81	12	683
C00222931	2.56	<0.005	<2	3.83	13	332
C00222932	4.56	<0.005	<2	8.50	32	859
C00222933	4.18	<0.005	<2	9.05	21	865
C00222934	3.76	<0.005	<2	8.30	18	789
C00222935	2.92	0.005	<2	7.56	23	818
C00222936	4.52	0.006	<2	7.02	21	713
C00222937	3.74	<0.005	<2	6.95	16	681
C00222938	3.80	0.122	<2	8.06	42	1100
C00222939	3.76	<0.005	<2	8.67	29	827
C00222940	3.50	<0.005	<2	3.44	9	409
C00222941	3.68	<0.005	<2	3.95	17	508
C00222942	4.60	<0.005	<2	5.01	11	562
C00222943	3.10	<0.005	<2	5.11	13	693
C00222944	4.58	<0.005	<2	3.00	13	288
C00222945	3.74	<0.005	<2	5.72	15	620
C00222946	4.26	<0.005	<2	5.10	14	583
C00222947	3.54	<0.005	<2	5.64	11	686
C00222501	2.06	0.029	<2	5.02	7	810
C00222502	1.74	0.026	<2	8.24	21	939
C00222503	2.72	<0.005	<2	2.52	8	392
C00222504	2.26	0.007	<2	5.21	10	692
C00222505	2.12	<0.005	<2	6.61	9	721
C00222506	2.20	<0.005	<2	4.85	12	621
C00222507	2.20	<0.005	<2	6.80	6	1170
C00222508	2.32	<0.005	<2	7.76	15	1005

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#25504  
 Project Nugget  
 Submission Number \*WH\* Clear Creek / CC\_3 / 176 core  
 (77-152)  
 Number of Samples 76

## ANALYSIS REPORT BBM22-15340

Element Method	WTKG G_WGH_KG	@Au GE_FAA50V5	@Ag GE_ICP40Q12	@Al GE_ICP40Q12	@As GE_ICP40Q12	@Ba GE_ICP40Q12
Lower Limit	0.01	0.005	2	0.01	3	1
Upper Limit	--	10	100	15	10,000	10,000
Unit	kg	ppm m / m	ppm m / m	%	ppm m / m	ppm m / m
C00222509	2.24	<0.005	<2	5.78	16	752
C00222510	1.50	<0.005	<2	4.87	14	675
C00222511	2.04	<0.005	<2	6.77	10	577
C00222512	2.24	<0.005	<2	6.00	14	685
C00222513	1.84	<0.005	<2	7.89	14	1131
C00222514	1.94	<0.005	<2	7.54	29	1073
C00222515	2.88	<0.005	<2	4.96	35	614
C00222516	0.22	<0.005	<2	0.15	<3	16
C00222517	2.96	<0.005	<2	4.80	16	625
C00222518	2.54	0.030	<2	6.46	23	955
C00222519	2.96	<0.005	<2	5.41	8	671
C00222520	2.62	<0.005	<2	9.67	21	1190
C00222521	2.76	<0.005	<2	5.99	19	830
C00222522	2.76	<0.005	<2	4.14	10	530
C00222523	2.42	<0.005	<2	7.20	22	805
C00222524	2.40	<0.005	<2	6.27	9	723
C00222525	2.16	<0.005	<2	4.14	6	492
C00222526	2.86	<0.005	<2	7.12	16	746
*Dup C00222936	-	<0.005	<2	7.00	22	660
*Std OREAS 601b	-	-	50	6.37	295	329
*Std OREAS 520	-	-	<2	5.74	158	662
*Blk BLANK	-	-	<2	<0.01	<3	<1
*Std SL105	-	5.316	-	-	-	-
*Rep C00222921	-	<0.005	-	-	-	-
*Std OREAS 503d	-	0.681	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Std SN106	-	8.663	-	-	-	-
*Rep C00222522	-	<0.005	-	-	-	-
*Std OREAS 601b	-	-	51	6.45	297	827

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#25504  
 Project Nugget  
 Submission Number \*WH\* Clear Creek / CC\_3 / 176 core  
 (77-152)  
 Number of Samples 76

## ANALYSIS REPORT BBM22-15340

Element Method	WTKG G_WGH_KG	@Au GE_FAA50V5	@Ag GE_ICP40Q12	@Al GE_ICP40Q12	@As GE_ICP40Q12	@Ba GE_ICP40Q12
Lower Limit	0.01	0.005	2	0.01	3	1
Upper Limit	--	10	100	15	10,000	10,000
Unit	kg	ppm m / m	ppm m / m	%	ppm m / m	ppm m / m
*Std OREAS 520	-	-	<2	5.82	160	1068
*Rep C00222510	-	-	<2	4.76	14	672
*Blk BLANK	-	-	<2	<0.01	<3	<1
*Std SL105	-	5.212	-	-	-	-
*Blk BLANK	-	<0.005	-	-	-	-
*Blk BLANK	-	-	<2	0.01	<3	1
*Rep C00222907	-	-	<2	3.86	28	352
*Std OREAS 520	-	-	<2	5.69	168	948
*Std OREAS 601b	-	-	50	6.62	296	674
*Std OREAS 601b	-	-	51	6.22	288	1374
*Blk BLANK	-	-	<2	0.02	<3	2
*Std OREAS 520	-	-	<2	5.98	164	940

Element Method	@Be GE_ICP40Q12	@Bi GE_ICP40Q12	@Ca GE_ICP40Q12	@Cd GE_ICP40Q12	@Co GE_ICP40Q12	@Cr GE_ICP40Q12
Lower Limit	0.5	5	0.01	1	1	1
Upper Limit	2,500	10,000	15	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	%	ppm m / m	ppm m / m	ppm m / m
C00222898	2.6	<5	0.13	<1	16	72
C00222899	2.6	<5	0.12	<1	14	66
C00222900	3.6	<5	0.52	<1	11	44
C00222901	2.3	<5	0.21	<1	20	62
C00222902	1.6	<5	0.17	<1	16	47
C00222903	1.7	<5	0.11	<1	15	43
C00222904	2.2	<5	0.16	<1	19	62
C00222905	2.2	<5	0.23	<1	18	52
C00222906	2.1	<5	0.26	<1	13	51
C00222907	1.2	<5	0.08	<1	7	27

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#25504  
 Project Nugget  
 Submission Number \*WH\* Clear Creek / CC\_3 / 176 core  
 (77-152)  
 Number of Samples 76

**ANALYSIS REPORT BBM22-15340**

Element	@Be	@Bi	@Ca	@Cd	@Co	@Cr
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	5	0.01	1	1	1
Upper Limit	2,500	10,000	15	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	%	ppm m / m	ppm m / m	ppm m / m
C00222908	2.6	<5	0.17	<1	14	58
C00222909	2.7	<5	0.19	<1	16	65
C00222910	2.3	<5	0.13	<1	20	54
C00222911	2.5	<5	0.15	<1	16	63
C00222912	2.6	<5	0.14	<1	17	58
C00222913	2.7	<5	0.18	<1	22	80
C00222914	2.5	<5	0.18	<1	16	64
C00222915	2.3	<5	0.17	<1	6	42
C00222916	<0.5	<5	>15.00	<1	<1	<1
C00222917	2.4	<5	0.20	<1	19	64
C00222918	2.4	<5	0.14	<1	17	55
C00222919	0.9	<5	0.06	<1	3	18
C00222920	2.0	<5	0.11	<1	14	46
C00222921	2.8	<5	0.17	<1	19	70
C00222922	2.4	<5	0.18	<1	15	57
C00222923	4.0	<5	0.19	<1	37	58
C00222924	2.7	<5	0.15	<1	19	70
C00222925	2.2	<5	0.09	<1	18	51
C00222926	2.2	<5	0.13	<1	18	57
C00222927	3.0	<5	0.13	<1	22	65
C00222928	2.0	<5	0.10	<1	12	51
C00222929	2.1	<5	0.12	<1	13	50
C00222930	2.2	<5	0.28	<1	5	25
C00222931	1.5	<5	0.12	<1	9	32
C00222932	2.9	<5	0.21	<1	18	64
C00222933	2.8	<5	0.18	<1	25	65
C00222934	2.5	<5	0.17	<1	19	68
C00222935	2.3	<5	0.16	<1	15	53
C00222936	2.2	<5	0.12	<1	14	53

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#25504  
 Project Nugget  
 Submission Number \*WH\* Clear Creek / CC\_3 / 176 core  
 (77-152)  
 Number of Samples 76

## ANALYSIS REPORT BBM22-15340

Element	@Be	@Bi	@Ca	@Cd	@Co	@Cr
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	5	0.01	1	1	1
Upper Limit	2,500	10,000	15	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	%	ppm m / m	ppm m / m	ppm m / m
C00222937	2.2	<5	0.37	<1	12	52
C00222938	4.1	<5	0.70	<1	12	43
C00222939	3.0	<5	0.18	<1	20	62
C00222940	0.9	<5	0.13	<1	5	19
C00222941	1.1	<5	0.12	<1	6	29
C00222942	1.2	<5	0.12	<1	8	31
C00222943	1.3	<5	0.08	<1	6	37
C00222944	0.7	<5	0.14	<1	5	29
C00222945	1.8	<5	0.62	<1	10	42
C00222946	1.3	<5	0.19	<1	7	30
C00222947	1.5	<5	0.27	<1	7	29
C00222501	1.9	<5	0.80	<1	6	30
C00222502	6.2	<5	0.60	<1	5	29
C00222503	0.7	<5	0.18	<1	4	26
C00222504	1.6	<5	0.41	<1	6	45
C00222505	2.2	<5	0.24	<1	9	44
C00222506	1.3	<5	0.26	<1	8	33
C00222507	3.6	<5	0.99	<1	4	20
C00222508	1.9	<5	0.68	<1	15	57
C00222509	1.4	<5	0.45	<1	10	37
C00222510	1.4	<5	0.43	<1	7	28
C00222511	3.8	<5	0.60	<1	6	16
C00222512	1.2	<5	0.28	<1	16	60
C00222513	2.2	<5	0.51	<1	20	76
C00222514	2.3	<5	0.26	<1	15	112
C00222515	1.1	7	0.89	<1	15	99
C00222516	<0.5	<5	>15.00	<1	<1	2
C00222517	1.1	<5	1.29	<1	18	73
C00222518	1.9	<5	0.44	<1	20	104

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#25504  
 Project Nugget  
 Submission Number \*WH\* Clear Creek / CC\_3 / 176 core  
 (77-152)  
 Number of Samples 76

## ANALYSIS REPORT BBM22-15340

Element	@Be	@Bi	@Ca	@Cd	@Co	@Cr
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	5	0.01	1	1	1
Upper Limit	2,500	10,000	15	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	%	ppm m / m	ppm m / m	ppm m / m
C00222519	1.5	<5	0.25	<1	9	47
C00222520	2.7	<5	0.57	<1	23	104
C00222521	1.6	<5	0.45	<1	18	104
C00222522	0.8	<5	1.15	<1	16	74
C00222523	1.9	<5	0.24	<1	11	46
C00222524	1.6	<5	0.23	<1	9	45
C00222525	0.8	<5	0.20	<1	5	30
C00222526	1.6	<5	0.22	<1	12	58
*Dup C00222936	2.2	<5	0.13	<1	13	46
*Std OREAS 601b	2.1	18	0.84	<1	3	22
*Std OREAS 520	0.8	<5	3.86	2	200	33
*Blk BLANK	<0.5	<5	<0.01	<1	<1	2
*Std OREAS 601b	2.1	17	0.86	<1	2	19
*Std OREAS 520	0.9	<5	3.97	<1	204	33
*Rep C00222510	1.4	<5	0.44	<1	8	35
*Blk BLANK	<0.5	<5	<0.01	<1	<1	<1
*Blk BLANK	<0.5	<5	<0.01	<1	<1	2
*Rep C00222907	1.2	6	0.09	<1	8	30
*Std OREAS 520	1.0	<5	3.77	<1	202	35
*Std OREAS 601b	2.2	18	0.86	2	2	22
*Std OREAS 601b	2.0	16	0.83	2	1	19
*Blk BLANK	<0.5	<5	<0.01	<1	<1	<1
*Std OREAS 520	0.9	<5	3.88	<1	197	33

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#25504  
 Project Nugget  
 Submission Number \*WH\* Clear Creek / CC\_3 / 176 core  
 (77-152)  
 Number of Samples 76

## ANALYSIS REPORT BBM22-15340

Element	@Cu	@Fe	@K	@La	@Li	@Mg
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	0.5	1	0.01
Upper Limit	10,000	15	15	10,000	10,000	15
Unit	ppm m / m	%	%	ppm m / m	ppm m / m	%
C00222898	32.6	5.05	4.02	57.7	92	1.15
C00222899	76.4	4.85	3.78	59.8	86	1.15
C00222900	34.6	3.43	4.08	45.6	69	0.84
C00222901	28.1	4.02	3.27	57.7	86	0.97
C00222902	43.0	4.13	1.84	41.2	61	0.96
C00222903	21.3	3.31	1.88	37.8	53	0.61
C00222904	41.0	4.31	2.31	52.0	72	0.87
C00222905	57.3	4.47	3.36	53.4	70	0.84
C00222906	39.4	3.57	2.48	46.1	53	0.65
C00222907	23.4	2.24	1.38	23.3	39	0.27
C00222908	19.5	3.45	3.29	57.4	100	0.72
C00222909	26.8	3.98	3.33	56.1	93	0.87
C00222910	57.1	4.72	3.46	52.4	90	1.02
C00222911	41.1	4.47	3.80	56.1	75	0.99
C00222912	39.8	4.26	3.84	53.6	80	0.95
C00222913	26.0	4.53	4.50	52.6	83	1.13
C00222914	35.5	4.53	3.66	55.8	76	0.90
C00222915	14.7	2.52	1.48	37.4	55	0.37
C00222916	0.8	0.16	0.04	0.8	2	13.89
C00222917	44.7	4.00	3.63	59.8	76	0.79
C00222918	32.1	3.81	3.21	51.0	77	0.77
C00222919	6.1	1.43	0.47	21.8	17	0.17
C00222920	22.8	4.13	2.39	43.4	63	0.68
C00222921	50.5	5.08	3.30	58.5	91	0.85
C00222922	30.5	3.45	2.84	46.0	82	0.73
C00222923	88.3	4.50	3.89	53.5	82	0.66
C00222924	48.8	4.51	3.88	61.7	71	0.91
C00222925	68.6	4.54	3.72	52.6	77	1.09
C00222926	60.2	4.00	2.62	44.6	95	0.83

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#25504  
 Project Nugget  
 Submission Number \*WH\* Clear Creek / CC\_3 / 176 core  
 (77-152)  
 Number of Samples 76

## ANALYSIS REPORT BBM22-15340

Element	@Cu	@Fe	@K	@La	@Li	@Mg
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	0.5	1	0.01
Upper Limit	10,000	15	15	10,000	10,000	15
Unit	ppm m / m	%	%	ppm m / m	ppm m / m	%
C00222927	45.2	4.46	3.81	52.6	96	1.00
C00222928	53.0	3.58	2.18	37.4	76	0.68
C00222929	45.3	3.69	2.38	41.6	76	0.70
C00222930	8.1	1.71	2.06	23.0	53	0.30
C00222931	15.3	2.46	1.47	27.6	66	0.51
C00222932	29.5	3.96	3.54	58.9	110	0.88
C00222933	38.2	4.25	3.79	58.0	79	1.07
C00222934	32.3	3.79	3.23	57.9	79	0.91
C00222935	32.5	3.82	3.37	46.0	66	0.80
C00222936	34.1	3.58	2.84	46.7	65	0.81
C00222937	30.9	3.34	2.89	41.6	82	0.72
C00222938	25.9	3.44	3.57	44.6	92	0.64
C00222939	44.2	4.27	3.68	58.4	108	0.86
C00222940	25.1	1.77	1.31	22.2	36	0.39
C00222941	12.4	1.92	1.56	26.4	31	0.34
C00222942	13.1	2.27	2.07	34.0	47	0.49
C00222943	14.0	2.40	2.09	29.1	49	0.49
C00222944	20.9	1.66	0.97	19.5	24	0.24
C00222945	32.3	2.90	1.92	35.7	55	0.63
C00222946	17.5	2.44	1.81	32.4	47	0.43
C00222947	17.2	2.47	1.82	28.8	49	0.52
C00222501	23.2	2.22	1.17	21.8	34	0.45
C00222502	22.7	2.42	3.13	32.1	58	0.37
C00222503	16.6	1.54	0.91	12.8	19	0.24
C00222504	20.2	2.40	1.83	28.5	40	0.44
C00222505	31.4	3.12	2.62	38.0	62	0.70
C00222506	15.4	2.43	1.71	26.0	34	0.46
C00222507	9.0	2.21	3.08	21.7	49	0.45
C00222508	21.5	3.41	3.21	36.3	52	0.78

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PO#25504  
 Project Nugget  
 Submission Number \*WH\* Clear Creek / CC\_3 / 176 core  
 (77-152)  
 Number of Samples 76

## ANALYSIS REPORT BBM22-15340

Element	@Cu	@Fe	@K	@La	@Li	@Mg
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	0.5	1	0.01
Upper Limit	10,000	15	15	10,000	10,000	15
Unit	ppm m / m	%	%	ppm m / m	ppm m / m	%
C00222509	22.4	2.72	2.13	29.9	37	0.56
C00222510	15.4	2.33	1.66	25.0	33	0.44
C00222511	9.4	1.71	1.57	20.8	29	0.33
C00222512	39.1	3.73	1.93	27.6	52	0.77
C00222513	34.8	4.41	2.78	49.8	59	1.08
C00222514	37.8	4.75	2.64	53.6	50	0.99
C00222515	20.1	4.08	1.23	33.4	44	0.82
C00222516	0.8	0.19	0.06	1.2	2	13.62
C00222517	39.8	3.91	1.13	30.3	42	0.74
C00222518	30.5	4.35	2.11	46.4	69	0.86
C00222519	24.5	3.01	2.02	31.7	55	0.61
C00222520	34.2	5.36	3.89	68.8	95	1.31
C00222521	26.7	4.47	1.90	45.3	59	0.88
C00222522	16.2	3.86	0.67	25.7	46	0.69
C00222523	29.8	3.05	2.42	37.6	54	0.55
C00222524	17.6	2.82	2.20	34.3	51	0.61
C00222525	8.7	2.04	1.13	23.3	32	0.40
C00222526	24.7	3.38	2.33	39.8	66	0.69
*Dup C00222936	34.1	3.49	2.89	47.4	68	0.77
*Std OREAS 601b	970	2.31	2.31	32.0	23	0.10
*Std OREAS 520	2939	>15.00	3.47	76.3	19	1.15
*Blk BLANK	0.6	<0.01	<0.01	<0.5	<1	<0.01
*Std OREAS 601b	959	2.21	2.45	34.2	23	0.10
*Std OREAS 520	2948	14.83	3.73	83.5	20	1.17
*Rep C00222510	15.0	2.26	1.57	26.9	31	0.44
*Blk BLANK	<0.5	<0.01	<0.01	<0.5	<1	<0.01
*Blk BLANK	0.5	<0.01	<0.01	<0.5	<1	<0.01
*Rep C00222907	24.8	2.24	1.40	24.4	39	0.28
*Std OREAS 520	2883	14.73	3.76	85.1	20	1.13

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#25504  
 Project Nugget  
 Submission Number \*WH\* Clear Creek / CC\_3 / 176 core  
 (77-152)  
 Number of Samples 76

## ANALYSIS REPORT BBM22-15340

Element Method	@Cu GE_ICP40Q12	@Fe GE_ICP40Q12	@K GE_ICP40Q12	@La GE_ICP40Q12	@Li GE_ICP40Q12	@Mg GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	0.5	1	0.01
Upper Limit	10,000	15	15	10,000	10,000	15
Unit	ppm m / m	%	%	ppm m / m	ppm m / m	%
*Std OREAS 601b	995	2.26	2.63	36.0	25	0.10
*Std OREAS 601b	955	2.19	2.45	32.1	24	0.10
*Blk BLANK	<0.5	0.01	<0.01	<0.5	<1	<0.01
*Std OREAS 520	3047	14.70	3.74	85.0	20	1.17

Element Method	@Mn GE_ICP40Q12	@Mo GE_ICP40Q12	@Ni GE_ICP40Q12	@Na GE_ICP40Q12	@P GE_ICP40Q12	@Pb GE_ICP40Q12
Lower Limit	2	1	1	0.01	0.01	2
Upper Limit	10,000	10,000	10,000	15	15	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	%	%	ppm m / m
C00222898	274	<1	41	0.33	0.04	9
C00222899	392	1	36	0.24	0.04	13
C00222900	315	<1	26	0.84	0.04	25
C00222901	1070	<1	43	0.28	0.05	22
C00222902	1339	<1	35	0.16	0.05	23
C00222903	1255	1	30	0.19	0.03	28
C00222904	1509	2	42	0.17	0.05	22
C00222905	679	<1	41	0.29	0.08	13
C00222906	699	1	31	0.27	0.05	16
C00222907	360	2	18	0.12	0.03	7
C00222908	394	<1	34	0.31	0.04	20
C00222909	657	1	38	0.33	0.04	16
C00222910	883	1	41	0.20	0.03	14
C00222911	1210	<1	41	0.23	0.05	16
C00222912	777	1	41	0.24	0.05	16
C00222913	988	<1	48	0.28	0.04	19
C00222914	920	1	42	0.23	0.06	11
C00222915	328	<1	18	0.35	0.03	11

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#25504  
 Project Nugget  
 Submission Number \*WH\* Clear Creek / CC\_3 / 176 core  
 (77-152)  
 Number of Samples 76

**ANALYSIS REPORT BBM22-15340**

Element Method Lower Limit Upper Limit Unit	@Mn GE_ICP40Q12 2 10,000 ppm m / m	@Mo GE_ICP40Q12 1 10,000 ppm m / m	@Ni GE_ICP40Q12 1 10,000 ppm m / m	@Na GE_ICP40Q12 0.01 15 %	@P GE_ICP40Q12 0.01 15 %	@Pb GE_ICP40Q12 2 10,000 ppm m / m
C00222916	145	<1	<1	<0.01	<0.01	<2
C00222917	1032	3	42	0.27	0.05	17
C00222918	630	2	39	0.25	0.04	17
C00222919	251	1	9	0.12	<0.01	4
C00222920	971	<1	30	0.18	0.03	15
C00222921	950	1	45	0.27	0.05	17
C00222922	866	1	37	0.27	0.04	15
C00222923	2015	2	63	0.52	0.06	25
C00222924	731	1	45	0.29	0.05	15
C00222925	868	<1	39	0.21	0.04	16
C00222926	688	1	36	0.15	0.04	18
C00222927	1011	<1	48	0.26	0.04	24
C00222928	624	1	30	0.15	0.03	18
C00222929	672	1	32	0.17	0.03	19
C00222930	265	1	12	0.76	0.02	17
C00222931	649	1	21	0.10	0.03	14
C00222932	1192	1	43	0.30	0.04	28
C00222933	1542	2	53	0.32	0.05	37
C00222934	1334	1	46	0.24	0.05	31
C00222935	603	1	39	0.26	0.04	16
C00222936	556	2	37	0.20	0.04	13
C00222937	603	2	30	0.46	0.03	16
C00222938	701	1	32	1.20	0.09	30
C00222939	996	1	46	0.29	0.05	20
C00222940	280	1	15	0.49	0.02	15
C00222941	311	1	18	0.19	0.02	11
C00222942	401	1	23	0.33	0.02	13
C00222943	338	<1	22	0.44	0.02	13
C00222944	351	2	22	0.78	0.03	12

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#25504  
 Project Nugget  
 Submission Number \*WH\* Clear Creek / CC\_3 / 176 core  
 (77-152)  
 Number of Samples 76

## ANALYSIS REPORT BBM22-15340

Element Method Lower Limit Upper Limit Unit	@Mn GE_ICP40Q12 2 10,000 ppm m / m	@Mo GE_ICP40Q12 1 10,000 ppm m / m	@Ni GE_ICP40Q12 1 10,000 ppm m / m	@Na GE_ICP40Q12 0.01 15 %	@P GE_ICP40Q12 0.01 15 %	@Pb GE_ICP40Q12 2 10,000 ppm m / m
C00222945	560	1	25	0.61	0.04	16
C00222946	370	1	20	0.81	0.05	15
C00222947	556	<1	24	0.97	0.02	20
C00222501	610	1	19	1.46	0.03	16
C00222502	223	<1	16	2.15	0.04	36
C00222503	257	3	14	0.52	0.02	9
C00222504	305	1	20	0.97	0.03	16
C00222505	433	2	29	0.50	0.04	19
C00222506	359	1	23	0.72	0.03	13
C00222507	342	<1	15	1.55	0.04	35
C00222508	435	<1	34	0.60	0.25	17
C00222509	275	<1	26	0.85	0.16	14
C00222510	338	1	23	0.74	0.04	18
C00222511	273	1	20	1.63	0.04	41
C00222512	637	2	38	0.56	0.03	18
C00222513	799	1	55	0.46	0.06	22
C00222514	428	1	37	0.26	0.07	20
C00222515	709	1	49	0.72	0.07	10
C00222516	143	<1	1	0.01	<0.01	<2
C00222517	851	1	52	0.42	0.07	9
C00222518	554	<1	58	0.48	0.08	13
C00222519	334	2	25	0.27	0.05	9
C00222520	659	<1	55	0.38	0.11	13
C00222521	678	<1	44	0.53	0.09	17
C00222522	1017	<1	60	0.30	0.06	8
C00222523	531	1	31	0.56	0.03	21
C00222524	365	<1	27	0.46	0.03	15
C00222525	451	<1	19	0.42	0.01	12
C00222526	477	<1	33	0.53	0.03	16

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#25504  
 Project Nugget  
 Submission Number \*WH\* Clear Creek / CC\_3 / 176 core  
 (77-152)  
 Number of Samples 76

**ANALYSIS REPORT BBM22-15340**

Element Method Lower Limit Upper Limit Unit	@Mn GE_ICP40Q12 2 10,000 ppm m / m	@Mo GE_ICP40Q12 1 10,000 ppm m / m	@Ni GE_ICP40Q12 1 10,000 ppm m / m	@Na GE_ICP40Q12 0.01 15 %	@P GE_ICP40Q12 0.01 15 %	@Pb GE_ICP40Q12 2 10,000 ppm m / m
*Dup C00222936	552	1	36	0.21	0.04	15
*Std OREAS 601b	225	6	7	1.84	0.03	314
*Std OREAS 520	2399	63	76	1.37	0.07	5
*Blk BLANK	<2	<1	<1	<0.01	<0.01	<2
*Std OREAS 601b	220	5	7	1.96	0.03	320
*Std OREAS 520	2346	64	76	1.47	0.08	6
*Rep C00222510	334	1	23	0.69	0.04	18
*Blk BLANK	<2	<1	<1	<0.01	<0.01	<2
*Blk BLANK	<2	<1	<1	<0.01	<0.01	<2
*Rep C00222907	359	2	18	0.12	0.03	7
*Std OREAS 520	2238	63	73	1.35	0.08	4
*Std OREAS 601b	218	6	7	1.86	0.03	319
*Std OREAS 601b	217	6	7	1.92	0.03	326
*Blk BLANK	<2	<1	<1	<0.01	<0.01	<2
*Std OREAS 520	2301	64	76	1.47	0.08	4

Element Method Lower Limit Upper Limit Unit	@S GE_ICP40Q12 0.01 5 %	@Sb GE_ICP40Q12 5 10,000 ppm m / m	@Sc GE_ICP40Q12 0.5 10,000 ppm m / m	@Sn GE_ICP40Q12 10 10,000 ppm m / m	@Sr GE_ICP40Q12 0.5 10,000 ppm m / m	@Ti GE_ICP40Q12 0.01 15 %
C00222898	<0.01	<5	15.2	<10	61.2	0.35
C00222899	<0.01	<5	15.1	<10	60.8	0.34
C00222900	<0.01	<5	11.3	<10	187	0.27
C00222901	<0.01	<5	14.3	<10	84.8	0.38
C00222902	<0.01	<5	9.9	<10	39.7	0.29
C00222903	<0.01	<5	9.4	<10	45.6	0.24
C00222904	<0.01	<5	13.1	<10	62.1	0.36

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#25504  
 Project Nugget  
 Submission Number \*WH\* Clear Creek / CC\_3 / 176 core  
 (77-152)  
 Number of Samples 76

## ANALYSIS REPORT BBM22-15340

Element	@S	@Sb	@Sc	@Sn	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	5	0.5	10	0.5	0.01
Upper Limit	5	10,000	10,000	10,000	10,000	15
Unit	%	ppm m / m	ppm m / m	ppm m / m	ppm m / m	%
C00222905	<0.01	<5	14.1	<10	96.1	0.34
C00222906	<0.01	<5	11.4	<10	87.9	0.27
C00222907	<0.01	<5	5.3	<10	44.8	0.14
C00222908	<0.01	<5	13.1	<10	101	0.33
C00222909	<0.01	<5	13.7	<10	112	0.36
C00222910	<0.01	<5	13.2	<10	81.6	0.34
C00222911	<0.01	<5	14.6	<10	90.5	0.35
C00222912	<0.01	<5	14.3	<10	104	0.37
C00222913	<0.01	<5	18.5	<10	97.3	0.44
C00222914	<0.01	<5	14.5	<10	108	0.35
C00222915	<0.01	<5	6.8	<10	71.9	0.22
C00222916	<0.01	<5	<0.5	<10	46.2	<0.01
C00222917	<0.01	<5	13.4	<10	110	0.28
C00222918	<0.01	<5	13.2	<10	101	0.30
C00222919	<0.01	<5	3.0	<10	41.6	0.12
C00222920	<0.01	<5	10.9	<10	73.3	0.27
C00222921	<0.01	<5	15.6	<10	108	0.38
C00222922	<0.01	<5	13.0	<10	106	0.32
C00222923	0.01	<5	14.5	<10	134	0.30
C00222924	<0.01	<5	16.9	<10	115	0.38
C00222925	<0.01	<5	15.2	<10	93.0	0.34
C00222926	<0.01	<5	11.3	<10	113	0.26
C00222927	<0.01	<5	13.7	<10	119	0.36
C00222928	<0.01	<5	9.5	<10	77.5	0.23
C00222929	<0.01	<5	10.2	<10	79.1	0.25
C00222930	<0.01	<5	4.3	<10	142	0.14
C00222931	<0.01	<5	6.6	<10	55.3	0.19
C00222932	<0.01	<5	15.3	<10	113	0.34
C00222933	<0.01	<5	15.9	<10	97.7	0.38

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#25504  
 Project Nugget  
 Submission Number \*WH\* Clear Creek / CC\_3 / 176 core  
 (77-152)  
 Number of Samples 76

**ANALYSIS REPORT BBM22-15340**

Element	@S	@Sb	@Sc	@Sn	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	5	0.5	10	0.5	0.01
Upper Limit	5	10,000	10,000	10,000	10,000	15
Unit	%	ppm m / m	ppm m / m	ppm m / m	ppm m / m	%
C00222934	<0.01	<5	15.0	<10	84.8	0.34
C00222935	<0.01	<5	13.2	<10	102	0.30
C00222936	<0.01	<5	12.3	<10	80.5	0.28
C00222937	<0.01	<5	10.6	<10	122	0.27
C00222938	<0.01	<5	11.3	<10	283	0.28
C00222939	<0.01	<5	15.9	<10	116	0.35
C00222940	<0.01	<5	4.2	<10	39.5	0.14
C00222941	<0.01	<5	5.0	<10	36.1	0.19
C00222942	<0.01	<5	6.8	<10	49.4	0.22
C00222943	<0.01	<5	6.4	<10	43.9	0.25
C00222944	<0.01	<5	3.0	<10	69.0	0.11
C00222945	<0.01	<5	8.6	<10	115	0.23
C00222946	<0.01	<5	6.4	<10	92.7	0.20
C00222947	<0.01	<5	6.7	<10	107	0.22
C00222501	0.04	<5	5.7	<10	236	0.21
C00222502	<0.01	<5	7.3	<10	267	0.20
C00222503	<0.01	<5	2.9	<10	68.5	0.11
C00222504	<0.01	<5	6.4	<10	150	0.21
C00222505	<0.01	<5	10.2	<10	94.1	0.26
C00222506	<0.01	<5	6.0	<10	90.5	0.22
C00222507	<0.01	<5	5.3	<10	310	0.19
C00222508	<0.01	<5	11.0	<10	116	0.34
C00222509	<0.01	<5	7.3	<10	91.8	0.23
C00222510	<0.01	<5	6.3	<10	115	0.22
C00222511	<0.01	<5	4.7	<10	225	0.15
C00222512	<0.01	<5	9.0	<10	92.1	0.33
C00222513	<0.01	<5	13.3	<10	121	0.44
C00222514	0.09	<5	15.6	<10	122	0.68
C00222515	0.01	<5	9.5	<10	128	0.64

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#25504  
 Project Nugget  
 Submission Number \*WH\* Clear Creek / CC\_3 / 176 core  
 (77-152)  
 Number of Samples 76

## ANALYSIS REPORT BBM22-15340

Element	@S	@Sb	@Sc	@Sn	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	5	0.5	10	0.5	0.01
Upper Limit	5	10,000	10,000	10,000	10,000	15
Unit	%	ppm m / m	ppm m / m	ppm m / m	ppm m / m	%
C00222516	<0.01	<5	<0.5	<10	43.5	0.01
C00222517	0.05	<5	9.3	<10	158	0.54
C00222518	<0.01	<5	13.9	<10	105	0.73
C00222519	<0.01	<5	10.1	<10	71.8	0.31
C00222520	0.02	<5	17.6	<10	125	0.71
C00222521	0.03	<5	11.8	<10	110	0.70
C00222522	<0.01	<5	7.9	<10	111	0.53
C00222523	0.02	<5	10.1	<10	89.0	0.28
C00222524	<0.01	<5	8.5	<10	84.6	0.28
C00222525	<0.01	<5	5.0	<10	54.2	0.19
C00222526	<0.01	<5	9.9	<10	93.0	0.34
*Dup C00222936	<0.01	<5	12.2	<10	84.8	0.29
*Std OREAS 601b	1.50	26	3.7	<10	238	0.12
*Std OREAS 520	1.00	6	16.3	<10	107	0.42
*Blk BLANK	<0.01	<5	<0.5	<10	<0.5	<0.01
*Std OREAS 601b	1.55	24	3.4	<10	238	0.12
*Std OREAS 520	1.01	<5	16.1	<10	106	0.40
*Rep C00222510	<0.01	<5	6.5	<10	112	0.22
*Blk BLANK	<0.01	<5	<0.5	<10	<0.5	<0.01
*Blk BLANK	<0.01	<5	<0.5	<10	<0.5	<0.01
*Rep C00222907	<0.01	<5	5.4	<10	45.1	0.14
*Std OREAS 520	1.06	5	16.7	<10	108	0.40
*Std OREAS 601b	1.53	26	3.5	<10	261	0.13
*Std OREAS 601b	1.46	25	3.3	<10	244	0.13
*Blk BLANK	<0.01	<5	<0.5	<10	<0.5	<0.01
*Std OREAS 520	1.02	<5	16.7	<10	109	0.40

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PO#25504  
 Project Nugget  
 Submission Number \*WH\* Clear Creek / CC\_3 / 176 core  
 (77-152)  
 Number of Samples 76

**ANALYSIS REPORT BBM22-15340**

Element Method	@V GE_ICP40Q12	@W GE_ICP40Q12	@Y GE_ICP40Q12	@Zn GE_ICP40Q12	@Zr GE_ICP40Q12
Lower Limit	2	10	0.5	1	0.5
Upper Limit	10,000	10,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
C00222898	78	<10	10.8	97	36.3
C00222899	72	<10	11.0	95	34.9
C00222900	54	<10	13.5	71	38.2
C00222901	82	<10	13.3	92	58.6
C00222902	54	<10	10.8	107	36.9
C00222903	53	<10	7.9	77	36.7
C00222904	74	<10	12.8	88	54.3
C00222905	89	<10	10.6	87	48.4
C00222906	70	<10	9.1	76	41.1
C00222907	37	<10	6.1	33	23.4
C00222908	81	<10	9.0	68	48.6
C00222909	86	<10	10.6	78	47.2
C00222910	82	<10	9.4	91	45.9
C00222911	88	<10	10.0	89	49.7
C00222912	87	<10	8.0	89	45.9
C00222913	106	<10	8.9	101	61.2
C00222914	91	<10	10.7	83	49.4
C00222915	50	<10	7.1	51	35.7
C00222916	<2	<10	<0.5	3	0.6
C00222917	84	<10	9.9	86	40.3
C00222918	82	<10	11.0	89	43.3
C00222919	23	<10	5.3	21	19.2
C00222920	63	11	9.8	81	41.3
C00222921	89	11	11.5	111	53.4
C00222922	77	<10	8.7	85	46.9
C00222923	82	10	14.4	94	54.4
C00222924	97	<10	13.1	99	54.4
C00222925	87	<10	10.3	104	52.5
C00222926	64	<10	8.7	80	37.3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#25504  
 Project Nugget  
 Submission Number \*WH\* Clear Creek / CC\_3 / 176 core  
 (77-152)  
 Number of Samples 76

**ANALYSIS REPORT BBM22-15340**

Element Method	@V GE_ICP40Q12	@W GE_ICP40Q12	@Y GE_ICP40Q12	@Zn GE_ICP40Q12	@Zr GE_ICP40Q12
Lower Limit	2	10	0.5	1	0.5
Upper Limit	10,000	10,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
C00222927	92	<10	10.0	99	51.6
C00222928	54	<10	7.2	76	38.2
C00222929	59	<10	8.1	80	39.7
C00222930	31	19	5.2	37	23.4
C00222931	34	<10	7.1	47	26.9
C00222932	84	10	12.9	88	53.2
C00222933	90	<10	13.4	97	53.5
C00222934	89	<10	13.1	90	54.4
C00222935	77	<10	11.3	77	43.6
C00222936	72	<10	10.0	73	40.7
C00222937	65	13	8.8	66	38.1
C00222938	66	43	13.4	75	50.6
C00222939	90	<10	12.8	91	54.1
C00222940	26	<10	5.3	36	25.2
C00222941	34	<10	5.7	34	25.9
C00222942	39	<10	6.3	46	27.1
C00222943	42	<10	6.2	48	33.0
C00222944	20	<10	4.9	27	23.3
C00222945	51	<10	8.4	67	34.8
C00222946	42	<10	7.1	50	32.2
C00222947	43	<10	6.6	56	28.2
C00222501	34	<10	7.4	36	27.3
C00222502	48	12	10.7	50	36.3
C00222503	21	<10	3.9	23	18.9
C00222504	46	<10	7.5	48	31.2
C00222505	62	<10	8.6	61	37.7
C00222506	41	<10	7.0	49	32.1
C00222507	35	<10	11.4	53	36.5
C00222508	69	<10	15.7	68	66.2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#25504  
 Project Nugget  
 Submission Number \*WH\* Clear Creek / CC\_3 / 176 core  
 (77-152)  
 Number of Samples 76

## ANALYSIS REPORT BBM22-15340

Element	@V	@W	@Y	@Zn	@Zr
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	2	10	0.5	1	0.5
Upper Limit	10,000	10,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
C00222509	48	<10	11.3	56	42.5
C00222510	44	<10	8.9	48	36.4
C00222511	29	<10	10.3	31	56.5
C00222512	58	<10	7.4	69	45.1
C00222513	88	<10	15.3	91	67.9
C00222514	104	<10	11.6	77	46.8
C00222515	75	<10	11.3	61	27.9
C00222516	<2	<10	<0.5	3	1.2
C00222517	67	<10	14.8	54	22.7
C00222518	103	<10	12.3	71	30.8
C00222519	64	<10	7.0	48	33.5
C00222520	106	<10	14.7	109	61.4
C00222521	89	<10	13.0	79	36.4
C00222522	62	<10	11.7	61	19.9
C00222523	67	<10	9.4	73	53.1
C00222524	56	<10	7.2	65	49.0
C00222525	32	<10	5.8	43	27.7
C00222526	64	<10	7.8	72	44.2
*Dup C00222936	71	<10	10.1	70	42.3
*Std OREAS 601b	11	<10	10.4	312	187
*Std OREAS 520	244	44	18.3	21	130
*Blk BLANK	<2	<10	<0.5	<1	<0.5
*Std OREAS 601b	12	<10	10.4	317	173
*Std OREAS 520	249	24	18.9	20	125
*Rep C00222510	45	<10	9.3	48	37.5
*Blk BLANK	<2	<10	<0.5	<1	<0.5
*Blk BLANK	<2	<10	<0.5	<1	<0.5
*Rep C00222907	38	<10	6.0	32	23.1
*Std OREAS 520	251	40	19.5	21	130

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#25504  
 Project Nugget  
 Submission Number \*WH\* Clear Creek / CC\_3 / 176 core  
 (77-152)  
 Number of Samples 76

**ANALYSIS REPORT BBM22-15340**

Element	@V	@W	@Y	@Zn	@Zr
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	2	10	0.5	1	0.5
Upper Limit	10,000	10,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Std OREAS 601b	12	<10	10.6	314	179
*Std OREAS 601b	11	<10	9.7	316	176
*Bik BLANK	<2	<10	<0.5	<1	<0.5
*Std OREAS 520	248	40	19.5	21	132

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>  
 Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



**ANALYSIS REPORT BBM22-15341**

**To** VICTORIA GOLD (YUKON) CORP  
HELENA KUIKKA  
SUITE 1000- 1050 W PENDER STREET  
VANCOUVER V6E 3S7  
BC  
CANADA

Order Number	PO#25504	Date Received	08-Sep-2021
Project	Nugget	Date Analysed	12-Jan-2022 - 03-Feb-2022
Submission Number (153-176)	*WH* Clear Creek / CC_3 / 176 core	Date Completed	03-Feb-2022
Number of Samples	24	SGS Order Number	BBM22-15341

**Methods Summary**

<u>Number of Sample</u>	<u>Method Code</u>	<u>Description</u>
24	G_WGH_KG	Weight of samples received
23	G_PRP	Combined Sample Preparation
24	GE_FAA50V5	Au, FAS, exploration grade, AAS, 50g-5mL
24	GE_ICP40Q12	4 Acid Digest (HCL/HCLO4/HF/HNO3), ICP, 0.2g-12ml

Authorised Signatory

**John Chiang**  
**Laboratory Operations Manager**



This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**WARNING:** The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#25504  
 Project Nugget  
 Submission Number \*WH\* Clear Creek / CC\_3 / 176 core  
 (153-176)  
 Number of Samples 24

**ANALYSIS REPORT BBM22-15341**

Element Method	WTKG G_WGH_KG	@Au GE_FAA50V5	@Ag GE_ICP40Q12	@Al GE_ICP40Q12	@As GE_ICP40Q12	@Ba GE_ICP40Q12
Lower Limit	0.01	0.005	2	0.01	3	1
Upper Limit	--	10	100	15	10,000	10,000
Unit	kg	ppm m / m	ppm m / m	%	ppm m / m	ppm m / m
C00222527	2.76	<0.005	<2	10.89	19	1135
C00222528	2.06	<0.005	<2	11.62	26	1180
C00222529	-	<0.005	<2	11.45	24	1161
C00222530	2.60	<0.005	<2	8.49	16	1141
C00222531	2.92	<0.005	<2	10.99	13	1212
C00222532	1.54	<0.005	<2	9.71	17	1038
C00222533	3.00	<0.005	<2	9.07	12	1024
C00222534	3.04	<0.005	<2	1.31	8	133
C00222535	2.56	0.032	<2	11.05	12	1167
C00222536	3.54	0.022	<2	10.09	21	969
C00222537	2.06	<0.005	<2	1.96	10	158
C00222538	2.88	<0.005	<2	8.08	17	903
C00222539	2.50	<0.005	<2	9.66	23	1188
C00222540	2.64	<0.005	<2	10.71	16	1366
C00222541	2.66	<0.005	<2	7.62	47	796
C00222542	2.60	<0.005	<2	11.45	35	1335
C00222543	2.26	<0.005	<2	8.51	20	890
C00222544	2.50	<0.005	<2	9.46	19	1006
C00222545	2.68	<0.005	<2	5.34	26	607
C00222546	2.36	<0.005	<2	5.46	27	532
C00222547	2.56	0.015	<2	5.96	23	855
C00222548	2.08	<0.005	<2	4.63	26	590
C00222549	2.32	0.013	<2	7.63	28	1093
C00222550	2.44	<0.005	<2	5.76	21	683
*Std OREAS 601b	-	-	51	6.22	288	1374
*Blk BLANK	-	-	<2	0.02	<3	2
*Std OREAS 520	-	-	<2	5.98	164	940
*Rep C00222537	-	<0.005	-	-	-	-
*Std SL105	-	5.378	-	-	-	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#25504  
 Project Nugget  
 Submission Number \*WH\* Clear Creek / CC\_3 / 176 core  
 (153-176)  
 Number of Samples 24

**ANALYSIS REPORT BBM22-15341**

Element	WTKG	@Au	@Ag	@Al	@As	@Ba
Method	G_WGH_KG	GE_FAA50V5	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	0.005	2	0.01	3	1
Upper Limit	--	10	100	15	10,000	10,000
Unit	kg	ppm m / m	ppm m / m	%	ppm m / m	ppm m / m
*Blk BLANK	-	<0.005	-	-	-	-
*Std OREAS 503d	-	0.675	-	-	-	-
*Std SN106	-	8.785	-	-	-	-
*Std OREAS 520	-	-	<2	5.89	161	526
*Blk BLANK	-	-	<2	<0.01	<3	<1
*Std OREAS 601b	-	-	51	6.52	292	345

Element	@Be	@Bi	@Ca	@Cd	@Co	@Cr
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	5	0.01	1	1	1
Upper Limit	2,500	10,000	15	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	%	ppm m / m	ppm m / m	ppm m / m
C00222527	2.7	<5	0.28	<1	18	85
C00222528	3.3	<5	0.27	<1	21	93
C00222529	3.2	<5	0.27	<1	21	94
C00222530	4.3	<5	0.55	<1	10	51
C00222531	3.3	<5	0.23	<1	14	82
C00222532	3.1	<5	0.29	<1	17	88
C00222533	2.5	<5	0.23	<1	13	77
C00222534	<0.5	<5	0.14	<1	5	20
C00222535	2.6	<5	0.45	<1	14	126
C00222536	2.8	<5	1.00	<1	27	160
C00222537	0.6	<5	0.18	<1	7	34
C00222538	2.4	<5	0.28	<1	21	99
C00222539	2.9	<5	0.73	<1	27	121
C00222540	3.3	6	0.39	<1	20	145
C00222541	2.5	<5	0.14	<1	14	62
C00222542	3.3	<5	0.15	<1	15	76

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#25504  
 Project Nugget  
 Submission Number \*WH\* Clear Creek / CC\_3 / 176 core  
 (153-176)  
 Number of Samples 24

**ANALYSIS REPORT BBM22-15341**

Element	@Be	@Bi	@Ca	@Cd	@Co	@Cr
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	5	0.01	1	1	1
Upper Limit	2,500	10,000	15	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	%	ppm m / m	ppm m / m	ppm m / m
C00222543	2.3	<5	0.10	<1	13	75
C00222544	3.0	<5	0.15	<1	13	72
C00222545	1.6	<5	0.13	<1	8	43
C00222546	1.4	<5	0.55	<1	10	44
C00222547	2.4	<5	0.32	<1	5	45
C00222548	1.3	<5	0.14	<1	7	38
C00222549	2.0	<5	0.15	<1	8	66
C00222550	1.7	<5	0.30	<1	8	41
*Std OREAS 601b	2.0	16	0.83	2	1	19
*Blk BLANK	<0.5	<5	<0.01	<1	<1	<1
*Std OREAS 520	0.9	<5	3.88	<1	197	33
*Std OREAS 520	1.0	<5	3.85	<1	182	32
*Blk BLANK	<0.5	<5	<0.01	<1	<1	<1
*Std OREAS 601b	2.2	17	0.85	2	2	16

Element	@Cu	@Fe	@K	@La	@Li	@Mg
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	0.5	1	0.01
Upper Limit	10,000	15	15	10,000	10,000	15
Unit	ppm m / m	%	%	ppm m / m	ppm m / m	%
C00222527	45.3	4.84	4.33	61.2	90	1.15
C00222528	49.7	5.39	4.61	65.9	115	1.24
C00222529	51.3	5.30	4.47	67.7	110	1.26
C00222530	27.1	3.27	3.59	50.4	85	0.69
C00222531	40.7	5.18	4.27	64.1	84	1.16
C00222532	43.4	4.83	3.85	58.2	103	1.12
C00222533	33.3	3.77	4.20	47.0	50	0.96
C00222534	32.1	1.76	0.39	4.3	15	0.33

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received





Order Number PO#25504  
 Project Nugget  
 Submission Number \*WH\* Clear Creek / CC\_3 / 176 core  
 (153-176)  
 Number of Samples 24

**ANALYSIS REPORT BBM22-15341**

Element	@Cu	@Fe	@K	@La	@Li	@Mg
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.5	0.01	0.01	0.5	1	0.01
Upper Limit	10,000	15	15	10,000	10,000	15
Unit	ppm m / m	%	%	ppm m / m	ppm m / m	%
C00222535	54.9	5.55	4.90	70.2	59	1.46
C00222536	56.7	7.51	3.66	62.2	110	1.65
C00222537	20.5	2.00	0.68	9.7	19	0.29
C00222538	38.1	5.65	3.15	55.4	71	1.04
C00222539	53.2	6.70	3.20	61.3	98	1.22
C00222540	50.6	6.50	3.96	72.9	96	1.18
C00222541	36.5	4.61	2.96	46.8	86	0.63
C00222542	43.0	4.81	3.60	69.7	130	0.92
C00222543	31.5	4.13	3.16	52.7	81	0.97
C00222544	38.5	4.33	3.48	60.2	129	0.96
C00222545	28.0	2.65	1.73	29.5	62	0.46
C00222546	21.8	3.23	1.54	25.0	89	0.26
C00222547	25.5	2.35	2.23	27.2	46	0.46
C00222548	25.8	2.21	1.63	33.0	31	0.45
C00222549	28.5	3.04	3.05	46.1	42	0.63
C00222550	19.3	2.68	1.99	32.2	53	0.54
*Std OREAS 601b	955	2.19	2.45	32.1	24	0.10
*Blk BLANK	<0.5	0.01	<0.01	<0.5	<1	<0.01
*Std OREAS 520	3047	14.70	3.74	85.0	20	1.17
*Std OREAS 520	3050	14.77	3.55	85.0	19	1.15
*Blk BLANK	<0.5	<0.01	<0.01	<0.5	<1	<0.01
*Std OREAS 601b	1005	2.26	2.37	34.4	23	0.10

Element	@Mn	@Mo	@Ni	@Na	@P	@Pb
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	2	1	1	0.01	0.01	2
Upper Limit	10,000	10,000	10,000	15	15	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	%	%	ppm m / m

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#25504  
 Project Nugget  
 Submission Number \*WH\* Clear Creek / CC\_3 / 176 core  
 (153-176)  
 Number of Samples 24

## ANALYSIS REPORT BBM22-15341

Element Method Lower Limit Upper Limit Unit	@Mn GE_ICP40Q12 2 10,000 ppm m / m	@Mo GE_ICP40Q12 1 10,000 ppm m / m	@Ni GE_ICP40Q12 1 10,000 ppm m / m	@Na GE_ICP40Q12 0.01 15 %	@P GE_ICP40Q12 0.01 15 %	@Pb GE_ICP40Q12 2 10,000 ppm m / m
C00222527	402	<1	55	0.33	0.07	20
C00222528	404	<1	58	0.41	0.07	18
C00222529	413	<1	57	0.40	0.07	17
C00222530	433	1	25	0.78	0.05	24
C00222531	415	1	34	0.38	0.07	17
C00222532	434	<1	45	0.36	0.06	15
C00222533	429	<1	32	0.32	0.04	18
C00222534	217	2	17	0.05	0.02	5
C00222535	753	2	35	0.29	0.09	19
C00222536	1302	1	72	0.19	0.13	18
C00222537	261	2	20	0.05	0.06	6
C00222538	530	1	47	0.20	0.11	18
C00222539	1085	2	75	0.23	0.10	21
C00222540	687	3	41	0.32	0.16	26
C00222541	624	<1	34	0.22	0.06	17
C00222542	406	<1	47	0.28	0.05	21
C00222543	531	<1	39	0.20	0.04	20
C00222544	418	<1	38	0.20	0.04	15
C00222545	331	<1	22	0.17	0.03	16
C00222546	349	<1	21	0.44	0.03	15
C00222547	341	1	19	0.65	0.03	20
C00222548	275	<1	23	0.37	0.03	17
C00222549	326	1	20	0.32	0.04	24
C00222550	600	<1	26	0.60	0.03	20
*Std OREAS 601b	217	6	7	1.92	0.03	326
*Blk BLANK	<2	<1	<1	<0.01	<0.01	<2
*Std OREAS 520	2301	64	76	1.47	0.08	4
*Std OREAS 520	2323	64	75	1.42	0.08	5
*Blk BLANK	<2	<1	<1	<0.01	<0.01	<2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#25504  
 Project Nugget  
 Submission Number \*WH\* Clear Creek / CC\_3 / 176 core  
 (153-176)  
 Number of Samples 24

**ANALYSIS REPORT BBM22-15341**

Element	@Mn	@Mo	@Ni	@Na	@P	@Pb
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	2	1	1	0.01	0.01	2
Upper Limit	10,000	10,000	10,000	15	15	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	%	%	ppm m / m
*Std OREAS 601b	228	6	7	1.87	0.03	315

Element	@S	@Sb	@Sc	@Sn	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	5	0.5	10	0.5	0.01
Upper Limit	5	10,000	10,000	10,000	10,000	15
Unit	%	ppm m / m	ppm m / m	ppm m / m	ppm m / m	%
C00222527	0.02	<5	17.1	<10	136	0.43
C00222528	<0.01	<5	18.9	<10	163	0.54
C00222529	<0.01	<5	18.1	<10	152	0.54
C00222530	0.04	<5	12.0	<10	219	0.42
C00222531	0.04	<5	17.7	<10	161	0.55
C00222532	<0.01	<5	15.8	<10	146	0.50
C00222533	<0.01	<5	15.4	<10	106	0.46
C00222534	<0.01	<5	2.0	<10	22.8	0.05
C00222535	0.12	<5	19.0	<10	148	0.91
C00222536	<0.01	<5	21.0	<10	141	1.14
C00222537	<0.01	<5	3.7	<10	32.2	0.16
C00222538	0.07	<5	15.9	<10	100	0.82
C00222539	0.05	<5	18.7	<10	151	0.81
C00222540	0.11	<5	21.6	<10	288	1.06
C00222541	<0.01	<5	12.6	<10	97.8	0.23
C00222542	0.01	<5	18.2	<10	185	0.41
C00222543	<0.01	<5	13.3	<10	90.9	0.38
C00222544	<0.01	<5	15.0	<10	112	0.35
C00222545	<0.01	<5	7.8	<10	51.1	0.22
C00222546	<0.01	<5	6.9	<10	73.1	0.22
C00222547	<0.01	<5	6.8	<10	150	0.22

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#25504  
 Project Nugget  
 Submission Number \*WH\* Clear Creek / CC\_3 / 176 core  
 (153-176)  
 Number of Samples 24

**ANALYSIS REPORT BBM22-15341**

Element	@S	@Sb	@Sc	@Sn	@Sr	@Ti
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	0.01	5	0.5	10	0.5	0.01
Upper Limit	5	10,000	10,000	10,000	10,000	15
Unit	%	ppm m / m	ppm m / m	ppm m / m	ppm m / m	%
C00222548	<0.01	<5	6.3	<10	49.2	0.20
C00222549	<0.01	<5	10.9	<10	55.3	0.33
C00222550	<0.01	<5	7.6	<10	98.8	0.24
*Std OREAS 601b	1.46	25	3.3	<10	244	0.13
*Blk BLANK	<0.01	<5	<0.5	<10	<0.5	<0.01
*Std OREAS 520	1.02	<5	16.7	<10	109	0.40
*Std OREAS 520	1.03	<5	16.9	<10	107	0.39
*Blk BLANK	<0.01	<5	<0.5	<10	<0.5	<0.01
*Std OREAS 601b	1.54	25	3.7	<10	242	0.13

Element	@V	@W	@Y	@Zn	@Zr
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	2	10	0.5	1	0.5
Upper Limit	10,000	10,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
C00222527	90	<10	13.8	109	62.2
C00222528	105	<10	15.2	125	70.2
C00222529	101	<10	15.7	127	67.1
C00222530	70	<10	12.4	74	55.6
C00222531	98	<10	10.6	97	58.6
C00222532	96	<10	10.7	100	58.4
C00222533	103	<10	9.7	83	60.2
C00222534	17	<10	3.4	22	6.3
C00222535	142	<10	15.0	88	101
C00222536	140	<10	18.1	141	57.4
C00222537	24	<10	5.9	24	11.9
C00222538	102	<10	11.7	89	51.8
C00222539	113	<10	15.7	100	42.4

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO#25504  
 Project Nugget  
 Submission Number \*WH\* Clear Creek / CC\_3 / 176 core  
 (153-176)  
 Number of Samples 24

## ANALYSIS REPORT BBM22-15341

Element	@V	@W	@Y	@Zn	@Zr
Method	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12	GE_ICP40Q12
Lower Limit	2	10	0.5	1	0.5
Upper Limit	10,000	10,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
C00222540	137	<10	16.6	90	59.5
C00222541	81	<10	12.3	76	38.1
C00222542	112	<10	13.3	90	50.0
C00222543	91	<10	10.6	92	58.9
C00222544	96	<10	11.4	97	49.9
C00222545	52	<10	8.8	60	38.8
C00222546	42	<10	9.7	61	34.6
C00222547	43	<10	9.3	49	35.3
C00222548	39	<10	8.8	51	31.4
C00222549	67	<10	10.1	76	51.2
C00222550	48	<10	7.8	65	35.4
*Std OREAS 601b	11	<10	9.7	316	176
*Blk BLANK	<2	<10	<0.5	<1	<0.5
*Std OREAS 520	248	40	19.5	21	132
*Std OREAS 520	246	41	19.7	20	132
*Blk BLANK	<2	<10	<0.5	<1	<0.5
*Std OREAS 601b	12	<10	10.5	325	179

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>  
 Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received