



Indian and Northern  
Affairs Canada

Energy, Mines and  
Resources Canada

Affaires indiennes  
et du Nord Canada

Énergie, Mines et  
Ressources Canada

O. F. 1984-2

Northern Affairs Program  
Exploration and Geological  
Services Division  
Mineral Resources Directorate  
Whitehorse, Yukon



Geological Survey of Canada

Canada

5-1  
\$4.00



1984 OPEN FILE

GOLD - SILVER DEPOSITS AND OCCURRENCES IN YUKON

Compiled and Edited By

J.A. Morin and D.A. Downing

Exploration and Geological Services Division

Northern Affairs Program - Yukon

**INTRODUCTION**

This Open File report is a map and list presentation of information about 419 mineral occurrences in Yukon which contain noteworthy amounts of gold and/or silver. It is intended to be a beginning point for precious metal investigation and accordingly displays much useful information in a summary point form.

A capsule description of the occurrence's geology is present along with a list of the significant ore minerals. This is followed by some information regarding the metal content of the occurrence and ranges from a reserve estimate to an assay of a grab sample. Finally, the last line summarizes the extent of exploration and development work conducted with the last entry in parentheses referring to the last year of significant work. The common name of an occurrence has been used wherever possible; where not possible, a nearby geographic location or the claim name has been used. Each occurrence is numbered according to a sequential list which generally follows the National Topographic System (NTS) designation. Exceptions are noted.

No doubt, some errors and omissions are present - may every reader of this file please relay these to the authors in order that any future version be as accurate as possible.

**Sources**

Information presented in these tables and accompanying map is an amalgamation derived from several sources, none of which are specifically credited. The National Mineral Inventory, an NTS-commodity file managed by Mineral Policy Sector of Department of Energy, Mines and Resources was the main source. Annual mineral industry reports prepared by GSC (up to 1968) and DIAND (1969 to 1983) were also consulted. Some previously unpublished data from Division geologists' files were included in addition. The CANMINDEX file maintained by Economic Geology Division of Energy Mines and Resources was available for this compilation. It was used primarily as a comparison to ensure completeness. Further information including reference sources can be found by consulting the latest Yukon Exploration and Geology Report and the National Mineral Inventory.

**Acknowledgements**

The major compiler of data in the National Mineral Inventory for Yukon Territory is Alf Johnston and his work has been of much value in preparing this report.

Assistance of Dave Garson, GSC and Tom Caine, DIAND in obtaining CANMINDEX gold and silver data is appreciated. Format used on the map is modeled after GSC Paper 81-12 - 'Copper Deposits and Occurrences in Yukon Territory.'

It is recommended that references to this report be made in the following form:

Morin, J.A. and Downing, D.A., Comp. and Ed., 1984. Gold Silver deposits and occurrences in Yukon Territory, Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada Open File, 1:2,000,000 scale map with marginal notes and tables.

GOLD-SILVER LEGEND

<u>Minerals</u>		<u>Other</u>
Ag	native silver	
ang	anglesite	alt
Apy	arsenopyrite	alt'd
ar	argentite	bx
Au	native gold	bx'd
ba	barite	carb
bi	bismuthinite	cnt
bo	boulangerite	dissem
cass	cassiterite	fa
cp	chalcopyrite	fract
dol	dolomite	grdi
f1	fluorite	int
fr	freibergite	int'd
gal	galena	ls
go	goethite	met rx
ja	jarosite	mt
Jam	jamesonite	por
ma	malachite	phy
mag	magnetite	repl
mo	molybdenum	sch
moz	monazite	sed rx
po	pyrrhotite	sh
py	pyrite	sh'd
pyrg	pyrargyrite	sil
qtz	quartz	skn
sc	scorodite	stkwk
scheel	scheelite	sulph
sid	siderite	t
sph	sphalerite	vlt
st	stibnite	vn
steph	stephanite	volc
syl	sylvanite	
syn	syenite	
tet	tetrahedrite	
tour	tourmaline	

Work Performed

DD	diamond drilling
GC	geochemical survey
GM	geological mapping
GP	geophysical survey
OD	overburden drilling
OPPd	open pit production
P	prospecting
T	trenching
UG	underground
UGPd	underground production
+Date	last work only

TABLES TO ACCOMPANY MAP

1	TING	95 C 12	Py Grab samples up to 24.26 g/t Ag T
	Vn in bx'd sed rx at syn cnt Best sample: 4.60% Pb, 0.27% Zn, 65.7 g/t Ag, tr Au. GP,GC,T (79)		
2	PORKER	95 D 12	DALE Vn in fract grdi Sid, gal, qtz Production (69) - 8.2 t: 3.531.5 g/t Ag, 56% Pb UG(57), OPPd(70), GM,GC(71), DD,GP(81)
	Zones of silica and carbonate alteration in sandstone; Au/As soil anomaly Apy Grab sample up to 17 g/t Au GC(84)		
3	McMILLAN	95 D 12	FIDDLER (NORTH) Vn in sh'd limy sed rx Gal, py, po, sph, fl Chip sample: 785 g/t Ag, 39.31% Pb, 0.63% Zn T(47), GC,GP,GM(69)
	Massive disseminated and fract controlled sulphides in mixed carb-clastic Hadrynian sequence Sph, gal, py Reserve 1.5 mil t: 6.56% Zn, 5.52% Pb, 102 g/t Ag GP,GC,GM,DD(53-81)	12	HARDTACK Vn bxs in ls Gal No assays P,T,GC(64)
4	RIO	95 E 5	KERNS Manganiferous gossan in ls
	Sulph skarn in sed rx adjacent to int Py, sph, gal, po Drill intersection: 0.52% Pb, 3.66% Zn, 0.04% WO <sub>3</sub> 16.5 g/t Ag DD(81)	13	KODIAK Vns in ls Gal, sph No assays P,T,GC(64)
5	TWIN	95 E 6	LORD (IDAHO) Scattered gossans and galena veins Gal, py, po, sph, cpy, apy 37.29 g/t Ag, 15.26 g/t Au, 0.32% Pb, 6.20% Zn, 0.09% Cu GP,GC,T,GC(78)
	Qtz-sulph pods, vlt's in bx'd and silicified dol Cp, bn, py, gal Chip sample across 5.4 m: 73 g/t Ag, 4.41% Cu, 0.14 g/t Au; also 173 g/t Ag, 7.87% Pb and 0.21% Zn over 0.65 m P,GP,GM,T,GC(78)	15	
6	NAZO	105 A 2	
	Vns in blk graph shale Gal, barite	16	LUCK Dissem sulph lenses in limy phy Sp, py, gal, sph Average Grade: 288 g/t Ag, 8.5% Pb, 9.9% Zn over 10 m. Grab sample 0.99% WO <sub>3</sub> GC,T(75), GP(78), DD(80)
7	WATSON	105 A 2	LUCKY (ANT) Vn Sph, cp, bn, py, gal 9,252.1 g/t Ag, 0.74% Zn, 0.03 g/t Au, 0.43% Cu, 57.9% Pb GC,GP,P,DD
	Vns in blk, graphitic phyllite and olive green, thin bedded chert Gal, sph	17	
8	WARBURTON	105 A 9	PETE Vn along shear zone in phyllite
	Ag, Pb, Zn, Cu vn	18	Gal Three samples 10-20 cm wide: 390 - 5,442.8 g/t
9	HUNDERE	105 A 10	
	Sulph in vns, skn and disseminated in sed rx Gal, sph Reserves 263,172 t: 10.14% Pb, 11.18% Zn, 133.4 g/t Ag GM,T,DD,GC(81)	19	
10	ALAN	105 B 1	
	Vns in alt'd grdi of Cassiar Batholith		

	Ag, 8.36 - 34.58% Pb, 1.91 - 8.30% Zn, 1.0 - 2.1 g/t Au	31	BARB-LOG (LOGJAM) 105 B 4 Vns in diorite sill and sed rx, peripheral to por W-Mo 'Logtung' Qtz, gal, sph, apy, py Reserves - 70,000 t: 391 g/t Ag, 3 g/t Au DD(45), T(64), UG(81)
20	STERLING (PETE) Vns in sh'd phyllites Gal Samples taken over 10-20 cm, ranged 391-5455 g/t Ag, 8.36 - 34.58% Pb, 1.91 - 8.30% Zn, 1- 2 g/t Au GM,GC,T(69)	105 B 1	
21	BLACK ROCK Vn Ag, Pb, Zn, Cu	105 B 2	AURORA 105 B 7 Vn in ls Sph, gal, py, cpy Ag, Pb, Zn, Cu vn GC,GM,T
22	GOAT Vn in Cassiar Batholith Gal, sph	105 B 2	BOY 105 B 7 Vns in highly fractured granitoid rx py, gal
23	HOLIDAY Vns in Cassiar Batholith Gal, sph 14 t assayed 532 g/t Ag, 29.1% Pb, 13.9% Zn, 0.16% Cu, 1.30 g/t Au Pd (48,79,80)	105 B 2	MID (CMC) 105 B 7 Vn replacement along fault and schist-marble contact Gal 0.6 m chip sample: 4,135.9 g/t Ag, 18.3% Pb 0.72% Zn DD(82), GM,GC,T(71)
24	LENA Vn in ls, phyllite Sph, gal, py, cpy, qtz, carb	105 B 2	MIDNIGHT (MID) 105 B 7 Sulph vns in skn developed in sed rx Mo, sch, sph Best chip sample: 4.5% Pb, 6.2% Zn, 81.6 g/t Ag DD(82), GM,GC,T(71)
25	LICK Vn along fault structure Grab sample: 15.0 g/t Ag, .16% Pb	105 B 2	MR 105 B 8 Sulph lenses near ls-phy cnt Trench assay: 47.56 g/t Ag, 0.32% Pb, 12.01% Zn over 14 m GC,GM,GP,T(82)
26	POG Ag-Pb vn	105 B 2	
27	BAR Skn bands in metavolc and metased rx Cpy, po, sph, gal No assays T(?)	105 B 3	LOGAN 105 B 9 Qtz/carb vns in sed rx and dike adjacent int Sph, apy, cpy, gal Chip sample: 7.22% Zn, 63.77 g/t Ag, 0.73% Cu over 1.78 m GC,T(82), GP(80)
28	BOM Skn in sed rx Sph, po, ga No assays GP(82), GC,GM(81), T(69)	105 B 3	WOLF 105 B 9 Suph lenses in sed rx Py, gal, sph, cpy, sch Chip sample: 4.65% Zn, 3.05% Pb, 0.06% Cu, 38.1 g/t Ag over 84 cm DD(81), GP,GC(80)
29	GULL Skn in sed rx at int cnt Sph Grab sample: 9.76% Zn, 0.08% Pb, 8.9 g/t Ag P,GC(78)	105 B 3	BINGY 105 B 10 Vn fa in sed rx at int cnt Gal, sph No assays P,GC,GP(75)
30	MW Vn in sed rx Gal, sph, py Average chip sample : 1.46% Pb, 2.37% Zn, 17.67 g/t Ag GM,T,GC,GP(80)	105 B 3	ANGIE 105 B 11 Skn in sed rx Gal, sph No assays P,GC,GP,DD(75)

41	ZAC Qtz stringers in bx'd dol Gal, sph No assays P,T,GP,GC,DD(73)	105 B 11	Apy, gal, sph, py Average grade 137 g/t Ag over 45 cm P(40), T(60), UG(62), DD(70)
42	DEADMAN Ag, Pb vn	105 C 6	JOE PETTY Qtz vn in intermed volc flows Ag, gal, mo Mo assays UG(05), T(68)
43	KITCHEN Ag, Pb vn	105 C 8	LULU Qtz vns and skn in metavolc Mg, po, cpy Grab samples: 693 g/t Ag, 4.6% Pb, 0.63% Ni UG(07), GP, GC(69)
44	SMEG(BAR) Bedded barite and mass to disseminated sulph hosted in shale Py, gal, ba Low values Pb, Zn, Ag P, GM, GP, DD, GC(82)	105 C 9	M and M Qtz vn in por volc bx Apy, po, fr, steph No assays 4.5 t produced UG(14), T(14)
45	SM(SLATE) Sulph vns and disseminated in bx'd sed rx; peripheral to a por Mo, Red Mtn. Gal, sph No assays GM, GC, GP(75), DD(76)	105 C 13	MILLHAVEN Qtz/carb vns in shd metavolc Gal, cpy Best grab sample: tr Au 319 g/t Ag, 14.5% Pb, 6.9% Cu UG, T(08)
46	IRON CREEK Ag, Au occurrence	105 C 14	MONTANA Qtz vn in andesite flow, silicif bx, por rhy dyke Gal, py, apy, Ag, fr Assays up to 515 g/t Ag UG(68), T(67)
47	JUBILEE Vn in sh'd volc Py, apy Trench samples: 9.94 g/t Au over 2.3 m, 11.14 g/t Au over 1.1 m. DD, T(81)	105 D 1	MT. STEVENS (MIDNIGHT, HIDDEN) Qtz vn swarms in por rhy dykes int to sch and volc Au, py, gal, cpy, sph No assays T, UG (?)
48	ARCTIC CARIBOU (BIG THING, PEERLESS) Qtz vns in alt synvolc(?) granite Py, apy, sph, gal, cpy Production(68)- 50,740 tonnes: 9.6 g/t Au, 285 g/t Ag. Reserves(76)-5,734 tonnes: 13 g/t Au, 744 g/t Ag. T(65), DD(68), UGPd(68), UG(76)	105 D 2	RAILROAD Ag vn
49	ART Vns in grdi Apy, py, gal, sph, cpy Best intersection: 2.12 g/t Au, tr Ag over 3.65 m DD(79)	105 D 2	THISTLE Qtz vn in volc flows, bx Apy, gal Au, Ag, Pb, Zn, Cu, Vn UG(07), T(70)
50	CROMWELL Ag, Pb, Cu vn	105 D 2	URANUS Qtz vns in intermed to felsic volc flows Apy, gal Grab sample: 47 g/t Au, 1692 g/t Ag UG, T (08)
51	JEAN Qtz vn in alt grdi near cnt with volc int bx	105 D 2	

61	VENUS Qtz/carb vns in intermed volc flows, bx and felsic dykes Apy, gal, sph, tet, cpy Reserves - 108,852 tonnes: 7.54 g/t Au, 226.29 g/t Ag. UG,DD(81)	105 D 2	70	Best values: 58.8 g/t Au, 1678.5 g/t Ag, Production avg 8% Pb T(68), UG(48), GP,GC(79)
62	BECKER COCHRAN Vns in sh zone cutting rhy plug and volc Py, stb, gal, sph Reserve-193,000 t: 4% Sb; chip sample: 30.2 g/t Au over 1.5 m; Grab samples up to 18 ppb Au, 130 ppm Hg GM,GP(76), GC,P(73), DD,T(66)	105 D 3	71	MT SKUKUM (KUKU) 105 D 3 Epithermal vein system in alt volc rx of Skukum complex Reserves in Main Zone - 235,000 t: 20 g/t Au GC,GM,GP,DD(82,83)
63	BUFFALO HUMP Qtz vn in grdi Gal, py, Au Grab sample: 66.0 g/t Au, 1182.5 g/t Ag T,UG(10)	105 D 3	72	MT. WHEATON 105 D 3 Vn in fract grdi Gal, py, syl Dump grab : less than 1.7 g/t Au/Ag(?) UG(10)
64	DAIL & FLEMING Qtz vns in volc Py, apy, gal, steph, pyrg Average of 15 grab samples: 12 g/t Au, 252 g/t Ag, 1.41% Pb UG, T(29)	105 D 3	73	PORTRER 105 D 3 Vn in alt grdi and volc Qtz, stb, bar, gal Best sample: 31.36% Sb, 0.76% Pb, 3.40% Zn, 0.05% Cu, tr Au, 47.3 g/t Ag. T,UG(10)
65	GLEMLIVET Vns in rhyolites (weakly altered) and along fa lineaments Gal, py, minor calcite, lim, fl No assays GM,GC	105 D 3	74	SHAW(RIDGE) 105 D 3 Qtz-chalcedony vns in intracaldera rhy ash flow tuff Py, apy, gal, st, cpy Chip sample: 1.54% Cu, 7.23% Pb, 1.48% Zn, 5.45 g/t Au, 573.4 g/t Ag over 1.2 m T,GM(73), GC(81)
66	GODDELL Vn in shd grdi Jas, apy, stb, bar Grab samples: up to 8 g/t Au, 175 g/t Ag, 42% Sb, 0.95% Pb, 160 ppm Hg and 57 ppm U T,UG(1900's)	105 D 3	75	SKUKUM 105 D 3 Vn fault in grdi Py, gal, stb Best sample: 1247.6 g/t Ag, 13.0 g/t Au, 1.02% Sb over 1.5 m GM,GC(74), T(65), GP;DD(67)
67	MASCOT & CHARLESTON 105 D 3 Qtz vn in grdi near major fracture of Skukum volc complex Py, gal, tet, apy Avg grade at surface: 12 g/t Au, 287 g/t Ag UG(22), T(34), GC(81)	105 D 3	76	TALLY-HO 105 D 3 Qtz vn in grdi Gal, py, Au Avg grade: 81 g/t Au, 177 g/t Ag, 7.5% Pb UGPd(29), DD(67)
68	MOUNT REID 105 D 3 Qtz vns at basalt-rhy cont near major fracture of Skukum complex Py, apy, gal, stb, sph Best grab sample: 1248 g/t Ag, 13 g/t Au, 1.02% Sb UG(37) T,P(83), GM,GC(74)	105 D 3	77	RAM 105 D 4 Sulph in skn near plug of qtz-felds por Sph, gal Best DD Intersection: 3.73% Pb, 3.80% Zn, 25.4 g/t Ag DD(80), T,GC(82)
69	MT. ANDERSON 105 D 3 Qtz-chalcedony vns in grdi and near rhy dyke Gal, py	105 D 3	78	LATER 105 D 5 Au-Ag mineralization in volc rx and under-lying metased rx No assays GM,P,GC
				ROSE(SHEEP) 105 D 5 Qtz vn in volc Bulk sample : 529 g/t Ag, 0.9 g/t Au, 11.9%

Pb T(73), GM,GC(82)		90	WHITEHORSE COPPER 105 D 11 Skns in sed rx at intrusive contact Main production '67-'82, +10 million t. Recovered 123 million kg Cu, 7 million g Au, 90 million g Ag UG and OP (1898-1982)
79 PROSE Skn in ls at grdf cnt Gal, sph Best chip:319.2 g/t Ag, 18.91% Pb, 9.9% Zn, over 2.5 m GC,GP,GM(79)	105 D 5	91	INGRAM 105 D 13 Sulph in sh'd sed rx at int cnt Py, sph, gal Selected sample : tr Au, 110.6 g/t Ag, 8.5% Zn, 1.89% Pb, 0.54% Cu
80 DONKEY Ag, Pb, Zn, Au, Cu vn	105 D 6		
81 GOLD HILL (DAIL CREEK) Qtz vn in granite Gal, syl Avg of chip samples:6 g/t Au, 43 g/t Ag	105 D 6	92	BEE 105 D 14 Mineralization in a qtz-filled fracture zone in tuffaceous sed rx Over 1.5 m: 1.8% Pb, 1.58% Zn, 33.6 g Ag/t, 0.34 g Au/t DD,GP,T(?)
82 GOLD REEF Qtz vn in chlor sch and near rhy dyke Py Grab sample:0.5 g/t Au, 9.9 g/t Ag UG(09)	105 D 6	93	CUTOFF 105 D 14 Ag, Au vn
83 IDAHO HILL (UNION, MINES) Qtz/carb vns in shd sed rx and volc Gal, apy, sph, py, cpy Production averaged 1715 g/t Ag, 40% Pb, 3.5 g/t Au UG(57), T(10), GM(64), GC(71), GP(69), UGPd(10)	105 D 6	94	ACE 105 D 15 Ag, Au, Pb, Zn, Cu vn
84 LEGAL TENDER Qtz vn in grdf Gal, cpy No assays UG(09), T(65)	105 D 6	95	ABI 105 D 16 Sulph in sh'd qtz monzonite Sph, gal, py Best sample : 1.40% Pb, 0.44% Zn, 46.6 g/t Ag GM,GC,T(75)
85 MARSH Vlts in faulted, alt'd volc rx Sid, cal, py, apy, cpy Drill core assay up to 1.99 g/t Au DD(77),GP,GM(82)	105 D 8	97	GEM 105 E 6 Dike in volc rx Au No assays GM,GC(75)
86 TONY Pb, Zn, Ag, vn	105 D 9	98	FLOAT 105 E 8 Au, Ag, Cu, Pb vn
87 COMBS Au vn	105 D 10	99	MAYBE 105 E 8 Gal, py, qtz Float and geochemical target GC(81)
88 GOLCONDA Cu, Ag, Pb vn	105 D 10	100	SYLVIA 105 E 8 Pb, Zn, Au, Ag, Cu vn
89 HARNIAK Cu, Ag, Au vn	105 D 11	101	CASSIAR BAR 105 E 14 Cu, Ag occurrence
		102	SEMENOF 105 E 15 Cu, Au, Ag vn
		103	GOPHER 105 F 4 Sulph in lenses and vns in fol and gneiss

	Gal Best sample : 0.3 g/t Au, 5398 g/t Ag, 81.5% Pb T,UG(65)	114	KETZA RIVER (SILVER KEY) Qtz vn in sed rx Sid, gal, py, sph, po 13.6 t produced (61). Trench (79) : 4895.5 g/t Ag, 0.2 g/t Au, 73.8% Pb, 0.70% Zn. UG(69), T(79), GC(79), DD(66), UGPd(61), P(79)	105 F 9
104	McHAGEN-KELLY (MOBS) 105 F 4 High Ag, Pb assays reported.			
105	MM 105 F 7 Sulph lenses in metased rx and volc rx Py, sph, gal, cpy DD intersection: in excess of 70 g/t Ag and 4% Pb-Zn over 3 m DD(77), GM,GP,GC(78)	115	KEY 3 (SILVER RIDGE) 105 F 9 Qtz vns in mixed sed and volc rx Gal, sph, py, sid, tet No assays	
106	CPA 105 F 8 Sulph lenses in sed rx and volc rx Sph, gal, cpy No assays GP(71), GM,GC,T(77)	116	LAP 10 105 F 9 Sid - sulph vn in phy and shale Trench sample : 847 g/t Ag, 29.7% Pb, over 2.1 m T,UG (69)	
107	KAY 105 F 8 Qtz in fract; irregular repl in carb rx Gal, sph, cpy,tet Best sample : 2057 g/t Ag GM,T(55), GC(67)	117	MT. MISERY 105 F 9 Ag, Pb, Cu vn	
108	SONNY 105 F 8 Ag, Pb vn	118	OXO 105 F 9 Sulph lens in carb rx Po, py, gal, sph, cpy Trench sample : 0.68 g/t Au, 350 g/t Ag, 12.7% Pb, 0.4% Zn, 0.03% Cu, over 3.6 m. T(64), DD(68), GP(68)	
109	AMBROSE 105 F 9 Cu, Ag vn	119	SHARON (KET) 105 F 9 Vns in sed rx Gal, sph Float and geochemical target P,GC(67)	
110	HOEY (F-2) 105 F 9 Six qtz/carb vns in sh'd quartzite Gal, tet Trench sample: 613 g/t Ag, 23.7% Pb over 11 m UG(69), T,DD(66), GP(78)	120	SOUTH FAULT (F-4) 105 F 9 Sulph vn in faulted ls and phy Gal, sph Chip sample : 0.34 g/t Au, 2897 g/t Ag, 74.4% Pb, 1.5% Zn over 2.1 m.	
111	HOWRU 105 F 9 Vns, disseminated and lenses of sulph in sed rx Sph, gal Average grade of disseminated in sandstone - 1% Pb Zn GM,GC,P(77)	121	STUMP 105 F 9 Qtz vns in fract zones in sed rx Gal, fr, apy 50,000 t: 583 g/t Ag, 12% Pb + possible addi- tional 124,000 t of similar grade UG(79), T(66), DD(67), GM,GC,GP(79)	
112	K 18 ZONE 105 F 9 Sid vns in phy Gal, fr, py 9,000 t: 685 g/t Ag, 12% Pb UG(80), T,GM,DD,GC,GP(79)	122	GRAYLING 105 F 10 Vn and stratiform sulph in volc rx at syn cnt Gal, sph, cpy, apy Float occurrence and geochemical target GC(81), T,DD(?)	
113	KETZA RIVER (BOOM) 105 F 9 Irregular sulph manto in ls Po, apy, py, cpy Reserve-68,200 t: 12 g/t Au T,GM(55), DD(60), GC(81)	123	HADYN 105 F 10 Ag, Pb, Cu, Zn, Au vn	

124	H (PEAK) Stkwk bx in sed rx Gal, qtz, sid, dol, py No assays GM,DD,T(79), GP,GC(80)	105 F 10	135	TOP Ag, Pb, Zn vn	105 G 1
125	LORNE Vns in sed rx Gal, qtz Best mineralization seen in float and talus GC(81)	105 F 10	136	WATERS Ag, Pb vn	105 G 1
126	TYRO Zn, Ag, Cu, Pb vn	105 F 10	137	BLUEBERRY Ag, Pb, Zn, Cu, W vn	105 G 2
127	MAT & GULL (BOX) Sulph lenses, vnts and dissems in shale and tuff Gal, py Best trench samples: 69 g/t Ag, 12% Pb, 4.1 g/t Au over 0.5 m T,DD,GM,GC,GP(77)	105 F 10	138	EAGLE Repl along shears and lithologic cnts and qtz sulph vns in a carb/shale sequence Gal, sph, tet, cpy 15 m trench sample : 1203 g/t Ag, 19.9% Pb, 4.9% Zn over average width of 2.0 m UG(62), T(61), GC(68), DD(74)	105 G 3
128	SILVER CREEK (GROUNDHOG) Qtz vns and stkwk with sulph lenses on a break in carb. Sid, gal, py Trench sample indicated 1815 tonnes on No. 1 Zone of 1557 g/t Ag, 71.7% Pb T,DD,GM,GC(69), small scale prod (80)	105 F 10	139	FH (JOE) Small pods and lenses of barite hosted in a stratiform zone of schistose, pyritic volc rx Sph, gal, py .3% Pb, .26% Zn, 34.3 g Ag/t over 1.5 m DD,P,GM,GC	105 G 5,6
129	LAST Skn in sed rx at grdi cnt Pb, Zn, Ag geochemical target GC(79)	105 F 11	140	PICK Ag, Pb vn	105 G 6
130	MOX Skn, vns and syngenetic sulph in sed rx Py, po,gal, sph, cpy Average of syngenetic sulph: 1.31% Pb, 1.36% Zn, 196 ppm Ag, 0.32% Cu. GC,GM,GP(81)	105 F 11	141	ZIELINSKI Pb, Zn, Cu, Ag vn	105 G 6
131	CANUSA Pb, Ag, Au vn	105 F 15	142	PIT Zn, Cu, Ag, Au vn	105 G 7
132	MAGUNDY Ag, Pb vn	105 F 15	143	ROB Cu, Pb, Ag vn	105 G 7
133	WIMP Sulph lenses in phy Gal, sph, tet, qtz, carb No assays GM,GP,GC(77)	105 F 15	144	HOO Sulph bands in qtzite Sph, gal Best values: 9.0% Zn, 0.5% Pb, 17.1 g/t Ag GC,T,DD(73), GP(66), P(72)	105 G 12
134	MAP Ag, Pb vn	105 G 1	145	PAY Qtz/carb stk wk in bx carb Sph, gal	105 G 15
			146	JAKE Ag, Pb, Zn vn	105 G 16
			147	CANYON Skn and vns in sh'd sed rx Gal, sph, py, po Best intersection: 987.4 g/t Ag, 0.17 g/t Au, 0.35% Pb, 0.05% Cu, 0.01% Zn over 0.31 m	105 H 1

	T(79), GC,GP,DD(81)		157	VIKING Stratabound sulph pods in sed rx Sph, gal Best grab: 985.3 g/t Ag, 15.4% Pb, 10.6% Zn, 0.12% Cu, tr Au. GM,GC,P(79)	105 H 13
148	JAN Au, Cu skn Chip sample across 3m : 6.8 g/t Au, 6.8 g/t Ag and 0.70% Cu GP,GC(81)	105 H 1			
149	LAN Skn in sed rx at int cnt Py, po, gal, sph Best grab: 0.08% Cu, 10.92% Pb, 0.09% Zn, 800.6 g/t Ag. GC(78), GM(79)	105 H 1	158	HITCH HIKER Ag, Pb,Zn vn	105 H 14
150	FLIP Skn along cnt of ls + sed rx Sph, gal, cpy Best assay: 432 g/t Ag, 3.04% Cu, 20.5% Pb, 19.6% Zn, 0.73% WO <sub>3</sub> over 1.3 m T(79)	105 H 2	159	NAR Cu, Pb, Ag, Zn vn	105 I 4
151	FLUKE Skn in sed rx at qtz monzonite cnt Mag, po, sph, gal, cpy Assays up to 15 g/t Ag, 2% Zn, 0.3% Cu, 1% Pb, 0.3% WO <sub>3</sub> T(79), DD(80)	105 H 7	160	WISE Pb, Zn, Ag, occurrence	105 I 12
152	GLENNNA Skn in sed rx at qtz monzonite cnt. Sph, gal, po, mag, cpy Best intersection: 131 g/t Ag, 2.04% Pb, 2.10% Zn over 0.74 m GC,GP(60's), T(79), DD(80)	105 H 7	161	PELLY RIVER (NOM,SEL) Qtz vn in black shale Py, apy, Au No assays P,GM,GC(74)	105 I 13
153	MATT BERRY Stratabound pods in sed rx Sph, gal Reserve estimate (70) - 376,446 t: 6.25% Zn, 9.12% Pb, 148.5 g/t Ag	105 H 6	162	MARYLOU (TRAFFIC) Vns & skns in sed rx at int cnts Apy, gal, sph, cpy Chip sample: 454 g/t Ag, 1.01% Cu, 5.10% Pb, 1.96% Zn GC(79)	105 J 1
154	BROD Skn in ls at int cnts Py, po, sph, gal Chip samples: 5-10% Pb/Zn, 17-68 g/t Ag, and Cu, Au, W values GC,GM(78)	105 H 9	163	PIKE Sulph in fracts in por granite Py, apy, cpy Drill intersection: 0.513% Cu, 45.7 g/t Ag over 17.5 m. DD(81)	105 J 2
155	MIKO Skn in sed rx at qtz monzonite cnt Best intersection: 3.45% Pb, 2.35% Zn, 165 ppm Ag, 6.8 ppm Au over 0.43 m T(60's), DD(80)	105 H 12	164	HENCH Qtz vns in phy Sph, gal, py No assays GP,GC(79), DD(80)	105 J 3
156	TED Best assays: 0.43% Pb, 1.59% Zn, 48.6 g/t Ag, 0.17 g/t Au GC(80), T(79)	105 H 12	165	DRAGON Au-Ag bearing pods of pyroxene - pyrrhotite and qtz-apy vns in marble GM	105 J 12
			166	COSTIN Ag, Pb, Zn vn	105 J 16
			167	ITSI Vns in sed rx Py, apy, po, cpy, gal Average 3 chip samples on No. 1 vn : 1.9% Pb, 1.5% Zn, 0.11% Cu, 60.0 g/t Ag, 0.77% Sn. GM,GC,GP(80)	105 J 16

168	DY Stratabound sulph in metased rx Py, sph, gal, cpy 20,267,000 t of 5.7% Pb, 7.0% Zn, 82 g/t Ag Discov (76)	105 K 2	179	SOLO Vn fault in quartzite Gal, boul, sph Best grab : 3012 g/t Ag, 0.2% Zn, 75% Pb, 0.11% Sn, 0.9% Sb GM,GC(68,69)	105 K 16
169	JO & ED (SPUR) Sulph in altered sch adjacent to altd grdi Py, gal, sph DD intersection: 70 g/t Ag, 2.3% Pb, 1.3% Zn, 0.03% Cu over 45 cm GM,GC,GP(66), DD(67)	105 K 2	180	DRURY Skn in chert adjacent to por int DD,GP(65), GC(82)	105 L 1
170	SWIM Stratabound sulph in metased rx Py, sph, gal, cpy 4,750,000 t of 3.8% Pb, 4.7% Zn, 42 g/t Ag Discov (65)	105 K 3	181	LITTLE SALMON LAKE Qtz vn in metased rx and sulph replacement along an int cnt Sid, sph, gal, py, sch Sph rich sample : 0.7 g/t Au, 30 g/t Ag, 0.4% Pb, 22.5% Zn DD(64), GP(66)	105 L 1
171	JACOLA Ag, Pb, Zn vn	105 K 5	182	FRONT Cu, Ag vn	105 L 10
172	FARO Stratabound sulph in metased rx Py, sph, gal, cpy 33,000,000 t of 3.0% Pb, 4.6% Zn, 35.7 g/t Ag Discov (65)	105 K 6	183	CLEAR LAKE Stratiform sulph in sed rx Py, sph, gal DD(79) intersection: 11.9 m of 18.37% Zn, 2.15% Pb and 64.8 g/t Ag P,GC,GP,GM(66), DD Discov(78), DD,GP(80's)	105 L 14
173	GRUM Stratabound sulph in metased rx Py, sph, gal cpy 30,781,00 t of 3.1% Pb, 4.9% Zn, 49 g/t Ag Discov (73)	105 K 6	184	ONE HUMP Qtz-sulph vn in hfels; also Pb-Zn in skarn As, py, gal, cpy Two chip samples over 0.3 m thick vn: 2,012 g/t Ag, 32 ppm Cu, 1.24% Pb, 0.41% Zn GM,GC,GP,DD	105 L 15,16
174	MUR Ag, Pb,Zn vn	105 K 6	185	FREISEN Cu, W, Mo, Ag, Au skn	105 M 4
175	VANGORDA Stratabound sulph in metased rx Py, sph, gal, cpy 7,080,000 t of 3.4% Pb, 4.3% Zn, 48 g/t Ag Discov (53)	105 K 6	186	HOT SPRING Ag, Pb vn	105 M 4
*	See also #416		187	GERLITZKI Qtz vn in quartzite Gal, sph, tet Grab sample : 503 g/t Ag, 6.50% Pb, 4.95% Zn GP,T,GC(62), DD,OD(76)	105 M 13
176	BRAB Skn in sed rx at cnt with qtz monzonite Po, py, cpy, sph, apy Best grabs : 3.5% Cu, 5.35% Zn, 150 g/t Ag, 0.40% WO <sub>3</sub> GM,GC(80)	105 K 12	188	HUSKY Qtz vns along breaks in sed rx and meta int rx Py, gal Production (73,74,77-79,81,82)-191,642 t grading 1575 g/t Ag. Reserves (83) - 30,082 t grading 1,499 g/t Ag OB(64), DD(67), UG(68) to present	105 M 13
177	LADY DI Stratabound sulph in sed rx Po, sph, gal Best intersection: 0.08% Pb, 9.60% Zn, 13.70 g/t Ag over 0.9 m DD(82), GC,GP,T(81)	105 K 13	189	HUSKY S.W. Qtz vns along break in sed rx and meta int rx	105 M 13
178	LAD Ag, Pb, Zn, Cu vn	105 K 16			

	Reserves (83)-10,209 t of 897 g/t Ag	199	AVENUE	105 M 14
190	LOOKOUT (MT. HALDANE) 105 M 13 Qtz vns in sh'd sed rx and meta int rx Gal, lim, py, sph, sid, cpy Assays range - 154 to 2155 g/t Ag, 1.09 to 30.14% Pb. Several hundred tonnes produced. T(64), UGPd(20), UG,DD,DD(66), GC,GM(79)	200	No assays UG(20's), T(68), GC,GM(80)	105 M 14
191	REX 105 M 13 Qtz-sid vn in fa in sed rx + meta int Gal, sph, py, cer, ang 75 m trench sample: 0.34 g/t Au, 1508 g/t Ag, 7.7% Pb, 4.35% Sb over 1.6 m GP(62), UG,DD(64), T(77)	201	BE NO. 1 Vn bx in sed rx Lim, sid No assays GM,GC(80)	105 M 14
192	SHANGHAI 105 M 13 Qtz/carb vns in sh'd sed rx Sph, py, gal Best Ag section-9 m x 1.5 m: 1182 g/t Ag, 8.2% Pb, 7.2% Zn T(62), UG,DD(66), GM,GC(75)	202	BE NO. 2 Vn bx float Lim Best value: 670 ppm Pb GM,GC(80)	105 M 14
193	SILVER KING 105 M 13 Qtz/carb vn in sed rx Gal, Ag, cer, sph, py Production (29,30,34) - 17,236 t: 4593 g/t Ag, 16.66% Pb DD(48), UGPd(65), GM(57)	203	BE NO. 3 Qtz-lim-sulph vlts in sed rx Qtz, lim, py Best values: 490.3 g/t Ag, 31.5 g/t Au GM,P,GC,(82)	105 M 14
194	UR 105 M 13 Qtz-sid vn fa in sed rx + meta int Gal, sph, py, cer, ang Best values: 59 ppm Ag, 0.40% Pb, 0.57% Zn T(74), GM(75), OB(78), DD,GC(79)	204	BE NO. 4 Vn fa in sed rx Qtz, py, lim Best sample: 1500 ppm Zn, 10.2 ppm Ag, 143 ppm Pb, 180 ppb Au GM,P,GC(82)	105 M 14
195	UNITED KENO HILL 105 M 13,14 Ag, Pb, Zn vns Gal Vein 240 - 3,360 g Ag/t DD	205	BELLEKENO MINE 105 M 14 Vn fa in sed rx Gal, sph, tet, sid, calc Production - 10,000 t: 2230 g/t Ag, 25% Pb, 3.5% Zn UGPd(54)	105 M 14
196	WAYNE (CHISHOLM-RICH) 105 M 13,14 Vn bx and skn in sch and quartzite Qtz, sid, gal, sph, scheel 5.88 tonnes of vn: 4577 g/t Ag, 55.9% Pb, 4.4% Zn, 1.9 g/t Au. DD(81) assayed up to 33.3 g/t Au and 2.07% WO <sub>3</sub> in skn UGPd(67), T,GM,GP,GC(72), DD(81)	206	BERMINGHAM MINE 105 M 14 Open pit production-133,078 t of 741 g/t Ag UG(51), OPPd(79)	105 M 14
197	ALICE 105 M 14 No assays UG(?)	207	BETTY VEIN 105 M 14 Qtz-carb-sulph vn in meta int Gal, sph, apy, po, cer	105 M 14
198	APEX 105 M 14 No assays UG(36)	208	BLACK CAP 105 M 14 Vn fa in sed rx Lim, sid, qtz, gal, tet No assays - 125 t produced(76) T,UG,DD(77), OB(82)	105 M 14
		209	BLUEBIRD 105 M 14 No assays T,UG(20's)	105 M 14
			CARIBOU 105 M 14 Production(27)-42.2 t: 7315 g/t Ag, 70.35% Pb T,UGPd(27)	105 M 14

210	CHRISTINE SILVER Trench sample - 1303 g/t Ag over 6.4 m T(69), GM,GC(80)	105 M 14	222	EAGLE Sulph lenses in fa in sed rx Py, gal, tet, sph Best intersection: 1886 g/t Ag, 12.8% Pb, 4.2% Zn over 2.1 m UG(21), T(64), DD,GC(79)	105 M 14
211	COMSTOCK KENO Production(54-66)-14,320 t of 1598 g/t Ag, 13.29% Pb T(53), UGPd(66), UG(67)	105 M 14	223	ELSA Reserves(83) 16,334 t - 1,154.6 g/t Ag. Pro- duction(28-41 ,64-66,73-74,78,79)-148,920 t of 2160 g/t Ag UGPd(80-82)	105 M 14
212	CREAM & JEAN No assays UGPd(51), UG(55),	105 M 14	224	FAITH Grab sample: 0.75 g/t Au, 224.78 g/t Ag, 1.19% Pb T,UG(60), GM,GC(80)	105 M 14
213	CROESUS No assays T,UG(?)	105 M 14	225	FISHER CREEK VEINS No assays T,GP(64), GM,GC(79)	105 M 14
214	CRO-MUR (GAMBLER) Grab sample - 4004 g/t Ag, 72.4% Pb T,DD(79)	105 M 14	226	FORMO Sulph lenses along fa in sed rx + int cnts Py, sph, gal, tet, sid, qtz Reserves - 40,000.t: 550 g/t Ag, 6.9% Pb, 10.7% Zn UGPd,UG(62), GP,GC,T(78), DD(81)	105 M 14
215	DEVON No assays T,UG(?)	105 M 14	227	FOX No assays T,UG(?)	105 M 14
216	DIVIDE No assays T(?)	105 M 14	228	GALKENO Reserves(78)- 33,987 t: 939 g/t Ag, 7.7% Pb UGPd(65), OB(78), OPPd(79)	105 M 14
217	DIXIE Production(73,74) 11,763 t: 713 g/t Ag, 3.97% Pb, 6.05% Zn T(25), DD(76), UGPd(78)	105 M 14	229	GAMBLER Production(20's)-48 t: 6171 g/t Ag, 40% Pb UGPd(53)	105 M 14
218	DOROTHY (CHRISTAL) Qtz/sid vn fa in sed rx + meta int Gal, sph, frei, py, cer, ang Trench sample : 68.57 g/t Ag, 0.63% Pb, 0.2% Zn UG(40), GM,GP(65), T,GC(79)	105 M 14	230	GOLDEN QUEEN Grab sample: 1138 g/t Ag, 0.2% Pb, 0.3% Sb T(64), UG(65)	105 M 14
219	DRAGON Best intersection - 7.5 x 1.5 m, 1262 g/t Ag UG(60)	105 M 14	231	GOLD HILL NO. 2 No assays T,UG(?)	105 M 14
220	DUNCAN Sulph-sid vn in fa in sed rx + meta int Gal, sid, py, tet, cpy Assays up to 13,714 g/t Ag over 1.2 m T,UG(62)	105 M 14	232	HECTOR-CALUMET Vn fa in sed rx + meta int Sid, py, sph, gal, fr Production(64-66,74)-243,955 t grading 927 g/t Ag, 4.93% Pb, 5.88% Zn UGPd(76), T(78), DD(82)	105 M 14
221	DUNCAN CREEK No assays T(?)	105 M 14	233	HELEN FRACTION No assays	105 M 14

	T,UG(?)		245	MOTH Vn fa in sed rx + meta int Qtz, py, apy, sph, gal Reserve - 32 x 11 m grading 534 g/t Ag, 6.9% Zn, 1.7% Pb UG,DD(50)	105 M 14
234	HIGHLANDER, CUB & BUNNY  Vn fas in qtzite Sid, py, gal, tet, sph Production-46 t: 8914 g/t Ag, 65% Pb UG(?)	105 M 14	246	MOUNT HINTON Reserve-120 t/m: 41 g/t Au, 627 g/t Ag GC,DD,T,UG(68), DD(80)	105 M 14
235	HOMESTAKE  Vn fa in sed rx + meta int Sid, jam, apy, sph, gal No assays T,UG,DD(66)	105 M 14	247	MT. KENO (HOGAN + RUNER)  Vn fa in sed rx + meta int Sid, py, sph, gal UG(54)	105 M 14
236	IRONCLAD Ag, Pb vn	105 M 14	248	NABOB BUCANEER & RUM TUM  Best sample: 53,621 g/t Ag, 30 g/t Au T(75)	105 M 14
237	KENO MINE Reserves(82)-20,324 t of 881 g/t Ag. Production(58,64-66,74,78,79)-123,700 t of 1425 g/t Ag UGPd(80)	105 M 14	249	NERO Ag, Pb vn	105 M 14
238	KIJO  No assays T,UG(?)	105 M 14	250	NO. 1 VEIN FAULT	105 M 14
239	KLONDYKE-KENO (BLUE ROCK)  Sulph vn fa in sed rx + meta int. Gal Grab sample: 3771 g/t Ag, 54.36% Pb UG,T,DD(52)	105 M 14	251	NO CASH Vn fa in sed rx + meta int Gal, sph, frei, ang, cer Reserve(82)-9,756 t of 812.6 g/t Ag. Production (52,65,66,73,74)-41,738 t: 1138 g/t Ag, 3.66% Pb, 1.69% Zn UGPd(82)	105 M 14
240	LADUE FRACTION Qtz-sid vn fa Cer, gal, tet, apy Grab: 3943 g/t Ag, 78.9% Pb UG(?)	105 M 14	252	OK Grab sample: 6137 g/t Ag, 78.4% Pb T,UG(?)	105 M 14
241	LAKE  No assays T,UG(?)	105 M 14	253	ONEK Production(64,65)-4700 t: 492 g/t Ag, 4.2% Pb, 12.7% Zn UGPd(65)	105 M 14
242	LUCKY QUEEN Production(27-32)-112,700 t: 3440 g/t Ag, 9.13% Pb UGPd(32)	105 M 14	254	PADDY-CAROL Reserve-3630 t: 1115 g/t Ag, 8.4% Pb GC(69), UG,DD(71), T(75), OPPd(78)	105 M 14
243	MAYBRUN  Sulph vn fa in sed rx Tet, gal, py, apy, cpy Production(20)-270 t: 6857 g/t Ag, 40% Pb OPPd,UGPd(64), GM(79)	105 M 14	255	PORCUPINE Reserve-13,531 t of 956.6 g/t Ag OB,UG(82)	105 M 14
244	MOON Ag, Pb vn	105 M 14	256	RUBY FRACTION Sulph vn in sed rx Sid, gal, tet, py	105 M 14

	Production(81,82)- 8245 t of 1453.7 g/t Ag. Reserve (83)- 2,741 t of 815 g/t Ag T(25), PD(77), UGPd(80), DB(82)	268	Pb, Ag vn	COBALT	105 M 15
257	RUNNER Production(52,57-59,75-79)-75 t of 14,788 g/t Ag T(54), UGPd(59), GC(74),	105 M 14 269 270	Ag, Pb vn Ag, Pb vn	GUSTAVUS McKIM	105 M 15 105 M 15
258	SADIE-LADUE Vn fa in sed rx + meta int Sid, gal, tet, sph Production(26-32)-168,770 t grading 1630 g/t Ag, 6.15% Pb UGPd(32), UG(68), OD(82), surface stripping (80's)	105 M 14 271 272	Ag, Pb vn Cu, W, Ag skn	MT. ALBERT PLEASANT	105 M 15 105 N 5
259	SEGSWORTH Ag, Pb vn	105 M 14 273		PLATA, INCA	105 N 9
260	SILVER BASTIN Five vn fa in sed rx Gal, sid, tet, qtz, apy T, UG(20)	105 M 14		Qtz-sulph vns + repl in faulted sed rx Gal, sph, tet, py, sid Production(76)-90 t : 8160 g/t Ag, 70% Pb; (83)-599 t : 4,251 g/t Ag, 62.5% Pb GM, GC, DD(74), T(76)	
261	SHAMROCK Production(74)- 4,205 t grading 994 g/t Ag, 7.20% Pb, 0.51% Zn UG(74)	105 M 14 274		JASON	105 O 1
262	STONE 6 t - 5520 g/t Ag UG(52)	105 M 14 275		Stratiform sulph in shales Ba, gal, sph Reserves (83)- 14.1 million t: 7.09% Pb, 6.57% Zn, 79.9 g/t Ag DD(82)	
263	TIN CAN No assays T, UG(20's)	105 M 14 276		STANDARD	105 O 1
264	TOWNSITE Vn fa in sed rx + meta int Production(73-74)-8,912 t grading 524 g/t Ag, 3.98% Pb, 1.61% Zn DD(67), UGPd(75), OD(82)	105 M 14 277		TOM	105 O 1
265	VANGUARD Sid vn in fa in sed rx Sid, gal Production(48)-26 t : 10,666 g/t Ag, 51.8% Pb UGPd(49), UG(63)	105 M 14 278		Mine reserves (83)- 9.8 million t: 66.9 g/t Ag, 7.5% Zn, 6.4% Pb T, UG(82), DD(81)	
266	WERNECKE Qtz sulph vn along fa in sed rx Gal Best grab : 24 g/t Au, 900 g/t Ag, 8.9% Pb, 2.3% Zn, 0.15% Cu DD, GP, GC, T(70)	105 M 14 279		ALP	105 O 2
267	YONO Ag, Pb vn	105 M 14		Sulph vlt in a felsic dyke Apy No assays T, GM(82)	
				EMMY	105 O 6
				Vns + stkwk in bx in faulted sed rx Py, apy Best values: 3,400 ppb Au, 3.7% Pb, 948 g/t Ag. GC, GM(82)	
				NEVE	105 O 7
				As, Sb, Au, Ag Up to 4020 ppb Au, 14.5 ppm Ag, 1,300 ppm As, and 378 ppm Sb in OD samples DD, GC, GP, T	

280	NUT Skn and vn in country rx of clastic and carbonate strata Po, cpy, sch, gal, apy GM, GC	105 0 7	291	CIRQUE Cu, Co, Ag vn	106 C 14
281	BORD Au bearing qtz-py vn in hornfels near int cnt Apy, qtz, py, musc, tourm Grab sample : 2,400 ppb Au, 3 ppm Ag, 10 ppm Sn, 150 ppm Sb, 90 ppm Pb and less than 10 ppb Hg GM	105 0 8	292	PROFEIT Vn in carb sed rx Gal, sph, py, tet Best DD interval: 142.6 g/t Ag, 9.90% Pb, 0.18% Zn over 2 m GC,P(74), GM(75), DD(81)	106 C 14
282	EMERALD Qtz vns in sed rx at int cnt Tour, cpy, qtz No assays GM,P(81), GC,T(82)	105 0 11	293	TETRAHEDRITE CREEK Vn in sed rx Tet, st, gal, sph, apy, boul Best values : 412 ppm Au, 712 ppm Ag, 5.9% Cu, 21.2% Pb, 5.5% Zn P,GM,GC,T(81)	106 C 14
283	OLD CABIN Vns in sed rx + volc rx at grdi cnt Apy, qtz, py, gal, cpy Best grab-22.42 g/t Au GM(82)	105 0 11	294	MARG Stratabound Pb, Zn, Ag,Cu in graphite schists Geochemical target GC,T(82)	106 D 1
285	CRAIG Qtz stkwk in dol Sph, gal Reserve - 910,000 t: 8% Pb, 13% Zn, 10.3 g/t Ag DD(80)	106 C 3	295	ROD Vns in fracts in silicified carb rx adjacent to thrust fault Gal, sph Trench sample : 217 g/t Ag, 13.25% Pb, 1.15% Zn over 5 m GC(76), P,GM(77)	106 D 1
286	COOKER Vn in sed rx Best assay: 15.5% Pb, 22.7% Zn, 0.13% Cu, 346 g/t Ag across 60 cm T,GC(77)	106 C 4	296	CLARK Carb-sulph vns + repl in faulted and folded sed rx Gal, sph, py, cpy Reserves - 327,123 t: 255 g/t Ag, 5.64% Pb, 4.60% Zn T(68), GC(70), DD,UG,GP(73)	106 D 2
287	VAL Sulph vns in faulted carb rx Gal, sph, py, jam, tet Reserve-22,500 t : 1,029 g/t Ag, 26.7% Pb, 7.3% Zn GC(77), T,GM,GP,DD(79)	106 C 5	297	NOW Vn in sed rx Qtz, boul, sph, py Best intersection : 4.64% Pb, 0.04% Zn, 60.21 g/t Ag, 3.49 g/t Au, across 1.07 m GM,T(78), GC,GP,DD(79),	106 D 2
288	VERA Qtz-sid vns in faulted carb rx Gal, sph, py, jam Reserve-850,000 t : 306 g/t Ag, 3.7% Pb/Zn GC(77), T,GM,GP(78), DD(81), UG(81)	106 C 5	298	JT Qtz-sulph vn in faulted sed rx + dykes Tet No assays GP,GC(81)	106 D 3
289	DOLORES Cu, Ag, Co vn	106 C 13	299	NAT Pb - Ag - Zn - Cu vn No assays	106 D 3
290	GEORDIE Pb, Zn, Ag occurrence	106 C 13	300	PAUL (CAMERON) Qtz-sid vn in faulted sed rx Gal, sph, cpy, py, apy Best intersection : 287 g/t Ag, 32.28% Pb/Zn	106 D 3

	over 6 m UG(19), T,GM,DD(74)	312	SILVER HILL Vns in dol siltst Gal, sph, py, calcite, sid Sample across 1.8 m: 308 g/t Ag, 69.38% Pb P,T(23)	106 D 6
301	RAMBLER HILL Qtz vns in graphitic sch Lim, gal, py, sid, cer, ang, mal, cpy Grab sample: 1260 g/t Ag, 54.9% Pb UG(pre 21)	106 D 3		
		313	BRAINE Vns in orange weath dol of Gillespie Lake Group Sph, gal, py, cpy, tet GC,P	106 D 7
303	STAND-TO HILL (FOLEY SILVER) Qtz-sid vn in greenstone and sch Gal, sph, cpy Chip sample: 120.7 g/t Ag, 5.2% Pb, 1.0% Zn across 3.66 m UG(67,68)	106 D 3		
		314	CLOUTIER Pb, Zn, Ag, Cu, Au vn	106 D 7
304	ELLIS Qtz vns Apy, Au No assays P(62)	106 D 4		
		315	KATHLEEN LAKE Sulph in bx'd dol Gal Trench sample: 702 g/t Ag, 35.6% Pb, 6.9% Zn over 8.2 m GP,T(69), GC,GM,DD(78)	106 D 8
306	JAY(SKATE) Vns in sed rx Gal, sph, py, jam, sid Average of several 11.5 m samples: 394 ppm Ag, 4.98% Pb, 5.05% Zn, 0.48 ppm Au GM,GC(80), T,DD(74)	106 D 4		
		316	ZAP Sulph in vns and bx zones in sed rx Tet, bar, gal, sph GM,GC,DD,T(79), GP(78)	106 D 8
307	LUCKY STRIKE Vn fa in sed rx Qtz, sid, gal, sph Best sample: 113 g/t Ag, 56.3% Pb, 14.1% Zn UG(51), T(63)	106 D 4		
		317	ARCTOS Sh'd vns in sed rx Best values: 1,000 ppm Co, 2,000 ppm Cu, 10 ppm Pb, 775 ppb Au GC,P,GM(79), T(80)	106 D 16
308	MEILECKE Ag, Pb vn * See also #419	106 D 4		
		318	RAD Vns in sed rx Cpy, py No assays GC(79), GM,T(80)	106 D 16
309	PESO (REX) Vns along breaks in folded sed rx Apy, py, jam, sid, fr Average for 84 m drift - 343 g/t Ag across 4.6 m; Reserves-139,693 t: 716 g/t Ag, 3.70% Pb GP(62), DD(72), UG,GC(73), T(77)	106 D 4		
		319	URSUS Bx'd and alt'd sed rx Cpy Best values: +10,000 ppm Cu, 1,300 ppm Co, 5,000 ppm Ba, 2,500 ppm U P,GC,GP,GM,T(80)	106 D 16
310	GREY COPPER HILL Vns in fa in sed rx Tet, sid, py, sph, cpy Grab sample:- 2057 g/t Ag, 4.9% Cu UG,T(23), P(78), GC(80)	106 D 6		
		320	GREMLIN Sulph vns and lenses in qtz stkwk Sid, py, cpy Best values: 3.85% Cu, 11.2 ppm Ag GC,GM,GP(75), GM(82)	106 E 2
311	McKAY HILL Qtz vns at andesite - sed rx cnt Gal, tet, sph Pd of 144 t in 1948: 390 g/t Ag, 74.1% Pb P(22) DD(29) Pd(48)	106 D 6		
		321	VOLE Bx'd carb at metadiorite cnt P,GM,DD(80)	106 F 4
		322	KANE (MOHAWK & STE) Sulph in sh'd por dyke	115 A 3


	Gal, sph, py, tet, st Average of 7 trenches: 2076 g/t Ag, 3.15% Pb over 45 cm GP,DD(67), GC,GM,T(79)	2076 g/t Ag, 3.15% Proven and probable reserves(65) - 29,158 t: 20.9 g/t Au, 184.8 g/t Ag; Indicated (65)-further 70,602 t; Possible 20,000 t DD,GM,UG(67), GP(70)
323	CAVE Cu, Ag vn	115 A 6
335		GOULTER Au, Ag, vn
324	PLUG Cu, Ag occurrence	115 B 1
336		MAY (ESANSEE) Vns in sh'd, alt'd granite Lim,ang, cer, gal, apy
325	KASKAMULSH Cu, Ag occurrence	115 B 16
		Trench sample: 1.7 g/t Au, 363 g/t Ag, 3.55% Pb, 0.17% Zn over 55 cm T,GC,DD(80), GP(81)
326	TELLURIDE Cu, Zn, Ag, Au, Ni - massive sulph	115 B 16
337		MT. NANSEN (WEBBER, HUESTIS) Sev vns in meta rx and felsic hypabyssal por complex Apy, py, gal, sph, cpy
327	GARLIC Alt volc rx int by gabbro Highest value-438 ppb Au GC(82)	115 F 9
		Production(68,69,76) - 22,162 t: 6.2 g/t Au, 170 g/t Ag, 0.5% Pb. Reserves(76)-266,323 t: 11.3 g/t Au, 445 g/t Ag. DD,T(63), UGPd(76)
328	GLEN Au-bearing zone in pyritic tuff DD,GC,GP	115 G 6
338		FROG (LILYPAD, NEWT) Vns in volc rx and granitic plug Go, ja, sc, mal, ang No assays T,GM,GC(81)
329	WADE Cu, Ag occurrence	115 G 6
339		CARIBOU CREEK Qtz vn stkwk vn in a complex of int rxs Au Recovered 206 g/t Au and 41 g/t Ag from 12.7 t OPPd(34)
330	HOPKINS (FRANKLIN CREEK) Mt-rich skarn Mag, cpy, po, Au Best DD - 1.94% Cu over 18.59 m; best grab by Morin (1981) - 1300 ppb Au GM,GP,DD(77,78), PERCUSSION DRILLING(80)	115 H 7
340		EMMONS HILL Qtz-carb vns in gneiss and felsic por dykes Stb, bar Grab sample:24 g/t Au and 5 g/t Ag UG(36), GM,GC,T(70)
331	ORLOFF Au occurrence	115 H 9
341		GUDER 71 (FREEGOLD) Qtz vns and skn in bx'd por int complex Cpy, sph, gal, py, mag No assays T(67), GM,GC(80)
332	HATCH Skn and qtz vn Skn-Mag,po,py; Vn-Py, scheel, Au No assays GC(72), GC,GP(73), GM,GC,GP(81), T(82), DD(84)	115 H 12
342		KLAZAN Qtz stkwk in rhy int bx Py, mo, gal, cpy Drill intersection: 0.17% Cu over 15 m, 0.68% MoS <sub>2</sub> over 3 m; Chip sample - 212 ppb Au. DD,T,GP(70), GC,GM(81)
333	AU EXTENSION (DIVIDE)	115 I 3
	Alt'd por and qtz vn stkwk Average for whole area-7 g/t Au with local assays up to 208 g/t Au T(47)	
334	BROWN-McDADE Qtz-sulph vns in a sh zone near a felsic hypabyssal complex Apy, py, gal, sph	115 I 3

343	LAFORMA (FREEGOLD) 115 I 6 Qtz vn in granitic basement rx next to felsic hypabyssal complex Reserves (84)- 181,488 t of 11.3 g/t Au UG(66), DD(76), GC,GM(80)	352	NORDEX Ag-Pb vn	115 J 10
344	NUCLEUS 115 I 6 Sulph in por dykes, Au values derived from clay-alt qtz-felds por dykes Channel samples over 3.5 m : 1,000 ppb Au, 44.7 g/t Ag T	353	RUDE CREEK (TROMBLEY CREEK) Vn in sh'd int Gal Trench sample: 3186 g/t Ag, 24.19% Pb over 25 cm UG(27)	115 J 10
345	RED FOX (FREEGOLD) 115 I 6 Vn in sh'd sed rx Gal, cpy, sph, py, mag Grab sample : 4457 g/t Ag, 61.95% Pb, 0.03% Zn, 160 ppb Au GC,GM(80), T(?)	354	LORI (MOOSEHORN) 115 N 2 Qtz vns in grdi Au, gal, py, sph, apy Best intersection : 6 g/t Au, 11 g/t Ag over 122 cm T(72), GP,GC(74), P,DD(75)	
346	REVENUE 115 I 6 Bx body with matrix and disseminated sulph and por clasts Cpy, mal, scheel Drill intersection(84):- 5.8 g/t Au, 37.7 g/t Ag, 1.23% Cu, 0.33% WO <sub>3</sub> , over 2.74 m DD(60's, 80, 84)	355	SANTA Ag, Pb, Sn vn	115 M 10
347	ZIT 115 I 6 Alt'd por int cut by dyke swarm Py, cpy, po, mo, apy Several soil samples + 30 ppb Au GM,GC,T(81)	356	BUTLER GULCH 115 N 15 Vns in meta rx Gal, tet, bar Best sample : 5698 g/t Ag, 52.5% Pb, 4.1 g/t Au over 1.2 m GC,T(69)	
348	TINTA HILL 115 I 7 Vns in sh'd, alt'd grdi Gal, sph, cpy, tet, py Reserves - 764,757 t: 2.6 g/t Au, 183 g/t Ag, 6.03% Zn, 4.71% Pb, 0.37% Cu, 0.049% Sb T,GP(74), DD,GC(75), UG(79)	357	CONNAUGHT 115 N 15 Vns in sh'd and alt'd sch No assays T(81)	
349	RAINBOW (PITTS) 115 I 12 Chalcedony vns and bx in qtz monz and metased rx. Selected samples up to 5.5 g/t Au GM,GC,T(75)	358	MOSQUITO CREEK (LUBRA) 115 N 15 Vns in sh'd gneiss Qtz, gal, apy Production - 17.7 t: 2297 g/t Ag, 67% Pb DD,GM,GC(69), OPPD(76), T,GP(79)	
*	See also #417, 418	359	PER 115 N 15 Vn in alt'd volc rx Gal Chip sample across 0.8 m: 1.37 g/t Au, 427.9 g/t Ag, 26.4% Pb, 4.7% Zn DD(65)	
350	HAYES (SWEDE) 115 J 9 Qtz vns in sh'd sed rx adjacent to felsic por plug Gal, sph No assays GC(79), GP,DD(81,83)	360	HART 115 N 16 Gold in qtz-chert pebble conglomerate Au No assays reported, visible Au GM,GC(73)	
351	HELICOPTER & BOMBER 115 J 10 Vns in sh'd alt'd grdi peripheral to por Cu-Mo (Casino) Bar, gal, cpy, sph, py Bulk sample(65) - 43.9 t: 5523 g/t Ag, 68% Pb DD(67), T,UG(81)	361	AIME Au vn	115 O 10
		362	McKINNON CREEK Au in qtz pebble conglomerate	115 O 11

	Au Reported low Au values UG(12), GM(68)	373	BUM Qtz vn in sch Cpy, py, brn Best samples : 8% Cu, 617.5 g/t Ag UG(58), DD(69)	115 0 15	
363	BOX CAR Qtz vns in sch Au, py, gal, mal, azur Average four grab samples : 1.0 g/t Au, 277.9 g/t Ag. Best Cu value - 3.25% Cu T,UG(82)	115 0 14	374	DOMINION Qtz vn in sch Gal, py, Au No assays T(Pre-1914)	115 0 15
364	BRONSON Qtz vn in sch Gal, qtz, carb, py Best sample : 0.6 g/t Au, 2.0 g/t Ag GC,GM(80), T(83)	115 0 14	375	FAWCETT Qtz vns in sericite sch Sample from trench - 8.2 g/t Au T(Pre-1914)	115 0 15
365	BUCKLAND Qtz vn in sch Au, py, carb Best sample: 62.8 g/t Au, 14.1 g/t Ag UG(05), DD(61), GM,GC(72), T(80)	115 0 14	376	GOLD RUN Qtz vns in sch Gal Best sample: 58 g/t Au, 51 g/t Ag over 60 cm T(12)	115 0 15
366	CULLEN Qtz vn in sch Py, cpy, brn Best sample : 1.4 g/t Au, 21.6 g/t Ag UG(12), T,GC(72)	115 0 14	377	HUNKER DOME Qtz vns in sch Py, gal Grab sample : 149.2 g/t Au, 232.6 g/t Ag, 1.47% Pb UG(42), T(72), GM,GP(80), GC(81)	115 0 15
368	ELDORADO DOME Qtz vns in sh'd sch Au, py Highest assay: 63 g/t Au, 14 g/t Ag OP,UG(12), T,DD(62)	115 0 14	378	KLOOK Vns in chl sch and qtzite Py, gal, cpy, Au GM,GC	115 0 15
369	HEFFRING Qtz vn in sch No assays UG,T(04), GM,GP(74)	115 0 14	379	LLOYD & GREEN GULCH Qtz vns in sch Py, gal, cpy, Au Best chip sample: 21 g/t Au, 28 g/t Ag, over 45 cm T(12)	115 0 15
370	HILCHEY Qtz vn in sch Qtz, py, gal No assays GM,GC,GP,OD(78), T(79)	115 0 14	380	MITCHELL Qtz vns in sch Py, gal Production(66,69)- 4.5 t: 5710.6 g/t Ag, 1.4 g/t Au, 25.8% Pb UG(53), T(72), GM,GP(80), GC(81)	115 0 15
371	LONE STAR Qtz vns in sh'd sch Au, py, gal, sph Average grade 1912 - 6.5 g/t Au plus Ag and base metal values. Production + 9,000 t. OPPd(14), UG(47), DD(62), P,GC,T(81-83)	115 0 14	381	PORTLAND Qtz vns in sch Gal, py, Au GM,GC	115 0 15
372	VIOLET Qtz-ba vns in sch Au, ba, gal, py Best assay: 3.4 g/t Au, 11.0 g/t Ag. Production (05,06)- 5.9 t of 17 g/t Au OP,UG(10), P,GM,GC(81)	115 0 14	382	MOOSE RIDGE Ag, Pb, Fe occurrence	115 P 11

383	CLEAR CREEK EAST	115 P 14		Best grades > 5.0 g/t Au over several meters GC(80), T(81)
	Qtz vn stkwk and skn at sed rx cnt with qtz monzonite por Apy, scheel Best values : 45.0 g/t Au, 45.6 g/t Ag GM,GC(82)		393	RIMROCK Vns in fa cutting metased rx proximal to dykes One vein runs - 350 g/t Ag over 0.6 m GM(81)
384	EAST RIDGE	115 P 15		
	Sh'd sed rx and skn at grdi cnt Cass, scheel, sph, gal, cpy Grab samples : 17.80% Pb, 2.5% Zn, 250 ppm Ag, 0.41% Sn T,GC(80), P,GM(81)	394		GOLD (MIKE, HAMILTON) 116 A 5 Qtz - sulph vns in syenite plug, vns and stkwk in peripheral metased rx Apy, po, cpy, Au, Ag Best zone : 9 g/t Au, 3 g/t Ag, tr Cu over 150 cm to 279 g/t Au, 77 g/t Ag, 0.02% Cu P(69), T,DD(75)
385	EPD (OLIVER CREEK)	115 P 15		
	Bx vns in metased rx Cass, sph, DD intersection over 6.0 m: 1.03% Sn, 12 g/t Ag GC(78), GM,GC,GP, DD(79), DD(80), DD(81)	395		PHILIP Cu-Au-Ag skn No assays
386	HOBO	115 P 15		
	Qtz vn in faulted meta sed and int rx Apy Best sample : 14.2 g/t Au, 8.8 g/t Ag, over 5 cm T,UG(20's), GC,GM(79)	396		STROKER Fracts in folded sed rx Best value-3.4 g/t Au GM,GC(81)
387	JABBERWOCK	115 P 15	397	RAMA Cu, Ag, Pb vn
	Bx vns in metased rx Tour, cass, apy, po Grab sample up to 64 ppm Ag GM,GC(79,80)	398		HART RIVER Stratiform mass sulph in shale Py, po, gal, sph, cpy Reserves (1973)- 453,592 t:1.45% Cu, 0.87% Pb, 3.65% Zn, 1.4 g/t Au, 49.71 g/t Ag P,GM,GC,CP,DD(66-68), UG(69,70)
388	MAY CREEK	115 P 15		
	Vn in sed rx Gal Best values : 857 g/t Ag, 70% Pb T,UG(31)	399		HOT Bx along fault in Paleozoic carb rx Smith, gal, sph, py Channel sample across 3.67 m: 60.25 g/t Ag, 3.98% Pb, 7.32% Zn GC,P,GM,T(74)
389	SPRAGUE	115 P 15		
	Ag-Pb vns No assays			
390	HAWTHORNE	115 P 16	400	LEPINE Mineralization associated with silicified sch and qtz por dykes? Bulk sample up to 8.57 g/t Au T,UG(Pre-1914)
	Qtz vn in phyllite and qtzite Sbt Chip sample across 0.9 m: 6.6% Sb, 0.94% As, 0.1% Pb, 0.7 g/t Au, 269 g/t Ag T(65)			116 B 3
391	JAYBEE	115 P 16	401	MacLEAN Qtz vns in sch Dol, py Mill test- 1.8 t of 15.3 g/t Au UG(08)
	Ag-Pb vn Ag, Pb, Fe occurrence			116 B 3
392	IDA	116 A 4	402	UNEXPECTED F1 bearing por F1, cass
	Alt'd and silicified metased rx and meta volc rx Tour, apy, py			116 B 3

	Chip sample: 1.4 g/t Au, 2.1 g/t Ag, 90 ppm U UG(12), T,DD(78), GP,GC(81)	412	CONE HILL Ag, Pb, Au vn	116 C 7
403	VIRGIN Qtz vns in sch Au, py, cpy, gal Best assay: 25.5 g/t Au, 10 g/t Ag over 15 cm UG(34), GM,GC(72), T(73)	116 B 3	413 CASSIAR CREEK Sulph lenses in marble bands in sch Gal, sph Grab sample: 154 g/t Ag, 10.04% Pb	116 C 8
404	WEST DAWSON Skn and sh zone in sch Cpy, gal, py Dump sample: 0.6% Cu, 0.9% Pb, 6.9 g/t Ag UG(11)	116 B 3	414 ROAL CREEK Sulph repl of 1st in sch Gal, sph	116 C 8
405	SILVER CITY Qtz-carb alt zone Gal, tet, sph, cpy Best sample: 0.7 g/t Au, 4364 g/t Ag, 3.8% Pb, 0.2% Zn T(64), UG,DD(65), GP(71)	116 B 5	415 RUSTY SPRINGS (TERMUENDE) Qtz-sulph pods and vn in dol and shale Sph, gal, tet, py, arg Bulk sample - 617 to 1131 g/t Ag. Best sample - 13,260 g/t Ag GP(79), GM,GC,T,DD(82)	116 K 9,8
406	SPOTTED FAWN GULCH Sulph lenses in tension gashes in meta sed rx at a dyke cnt Gal Grab sample: 164 g/t Ag, 5.4% Pb UG(62)	116 B 7	416 OWL Vns in sed rx Sph, gal, cpy, apy Best grab: 0.3 g/t Au, 262.9 g/t Ag, 0.25% Cu, 4.0% Pb, 20.2% Zn GM,GC,GP,DD(70)	105 K 11
407	MARN Cu-Au skarn beneath and along margins of diorite sill No assays DD(83)	116 B 7,10	417 MINTO/DEF Dissem sulph in meta granitic rx Cp, bn, py, mag Reserves- 6,550,200 t of 1.86% Cu, 6.86 g/t Ag and 0.51 g/t Au	115 I 11
408	AJ (O'BRIEN) Qtz vns in hornfelsed sed rx adjacent to syenite stock Apy, tour Chip sample across one vn: 120 g/t Au, 42.5 g/t Ag T,DD,GP(80)	116 B 8	418 PANTHER Chalcedony vn in granitic rocks Grab sample 1 g/t Au GM,GC(75)	115 I 12
409	THOR Vns in sed rx adjacent to int stock Apy, py, cpy, po, sph, gal Vns average: 2% Cu, 1% Pb, 0.2% Zn, 30 g/t Ag, 3 g/t Au. GC,GP(79), GM,T,DD(80)	116 B 8	419 CABIN (DUBLIN GULCH) Qtz vns in sch and grdi near west cut of Potato Hills Stock Apy, sulphosalts Best grab sample: 266.8 g/t Au, 178 g/t Ag UG(1900's),T(81)	106 D 3
410	FIFTEEN MILE Cu, Ag vn	116 B 14		
411	MILLER Qtz vns in ls and schist Sample across vn: Tr Au, 47.9 g/t Ag, 3.60% Pb, 4.40% Zn P(1900's?)	116 C 2		








Affaires  
et du  
Programme  
affaires

**EXPLORATION AND GEOLOGICAL  
SERVICES DIVISION  
YUKON  
1984 OPEN FILE**

# GOLD - SILVER DEPOSITS AND OCCURRENCES IN YUKON TERRITORY

COMPILED BY J.A. MORIN and D.A. DOWNING



#### EXPLANATION OF SYM

Metal Group ance	Silver ± base metals	Gold ± silver ± base metals	Accessory gold and/or silver
and/or on.	▲	●	■
nal data only, h, drill hole.	▲	○	□
n nal data.	△	○	□

## INDEX TO DEPOSITS (To accompany a tabular list of data)

NTS 95C	109. AMBROSE 110. HOEY (F-2) 111. HOWRU 112. K 18 ZONE 113. KETZA RIVER (BOOM) 114. KETZA RIVER (SILVER KEY) 115. KEY 3 (SILVER RIDGE) 116. LAP 10 117. MT. MISERY 118. OXO 119. SHARON (KET) 120. SOUTH FAULT (F-4) 121. STUMP 122. GRAYLING 123. HADYN 124. H (PEAK) 125. LORNE 126. TYRO 127. MAT & GULL (BOX) 128. SILVER CREEK (GROUNDHOG) 129. LAST 130. MOX 131. CANUSA 132. MAGUNDY 133. WIMP	222. EAGLE 223. ELSA 224. FAITH 225. FISHER CREEK VEINS 226. FORMO 227. FOX 228. GALKENO 229. GAMBLER 230. GOLDEN QUEEN 231. GOLD HILL NO.2 232. HECTOR-CALUMET 233. HELEN FRACTION 234. HIGHLANDER, CUB, BUNNY 235. HOMESTAKE 236. IRONCLAD 237. KENO MINE 238. KIJO 239. KLONDYKE-KENO (BLUE ROCK) 240. LADE FRACTION 241. LAKE 242. LUCKY QUEEN 243. MAYBRUN 244. MOON 245. MOTH 246. MOUNT HINTON 247. MT. KENO (HOGAN & RUNER) 248. NABOB BUCANEER & RUM TUM 249. NERO 250. NO. 1 VEIN FAULT 251. NO CASH 252. OK 253. ONEK 254. PADDY-CAROL 255. PORCUPINE 256. RUBY FRACTION 257. RUNNER 258. SADIE-LADE 259. SEGSWORTH 260. SILVER BASIN 261. SHAMROCK 262. STONE 263. TIN CAN 264. TOWNSITE 265. VANGUARD 266. WERNECKE 267. YONO 268. COBALT 269. GUSTAVUS 270. MCKIM 271. MT. ALBERT	NTS 115H 330. HOPKINS (FRANKLIN CREEK) 331. ORLOFF 332. HATCH
NTS 95D	10. ALAN 11. DALE 12. FIDDLER (NORTH) 13. HARDTACK 14. KERNS 15. KODIAK 16. LORD (IDAHO) 17. LUCK 18. LUCKY (ANT) 19. PETE 20. STERLING (PETE) 21. BLACK ROCK 22. GOAT 23. HOLLIDAY 24. LENA 25. LICK 26. POG 27. BAR 28. BOM 29. GULL 30. MW 31. BARB-LOG (LOGJAM) 32. AURORA 33. BOY 34. MID (CMC) 35. MIDNIGHT (MID) 36. MR 37. LOGAN 38. WOLF 39. BINGY 40. ANGIE 41. ZAC	NTS 105G 134. MAP 135. TOP 136. WATERS 137. BLUEBERRY 138. EAGLE 139. FH (JOE) 140. PICK 141. ZIELINSKI 142. PIT 143. ROB 144. HOO 145. PAY 146. JAKE	NTS 115I 333. AU EXTENSION (DIVIDE) 334. BROWN-McDADE 335. GOULTER 336. MAY (ESANSEE) 337. MT. NANSEN (WEBBER, HUESTIS) 338. FROG (LILYPAD, NEWT) 339. CARIBOU CREEK 340. EMMONS HILL 341. GUDE 71 (FREEGOLD) 342. KLAZAN 343. LAFORMA (FREEGOLD) 344. NUCLEUS 345. RED FOX (FREEGOLD) 346. REVENUE 347. ZIT 348. TINTA HILL 349. RAINBOW (PITTS) 417. MINTO/DEF 418. PANTHER
NTS 95E	105B	NTS 105G 134. MAP 135. TOP 136. WATERS 137. BLUEBERRY 138. EAGLE 139. FH (JOE) 140. PICK 141. ZIELINSKI 142. PIT 143. ROB 144. HOO 145. PAY 146. JAKE	NTS 115J 350. HAYES (SWEDIE) 351. HELICOPTER & BOMBER 352. NORDEX 353. RUDE CREEK (TROMBLEY CREEK)
NTS 105A	105B	NTS 105G 134. MAP 135. TOP 136. WATERS 137. BLUEBERRY 138. EAGLE 139. FH (JOE) 140. PICK 141. ZIELINSKI 142. PIT 143. ROB 144. HOO 145. PAY 146. JAKE	NTS 115N 354. LORI (MOOSEHORN) 355. SANTA 356. BUTLER GULCH 357. CONNAUGHT 358. MOSQUITO CREEK (LUBRA) 359. PER 360. HART
NTS 105B	105C	NTS 105G 134. MAP 135. TOP 136. WATERS 137. BLUEBERRY 138. EAGLE 139. FH (JOE) 140. PICK 141. ZIELINSKI 142. PIT 143. ROB 144. HOO 145. PAY 146. JAKE	NTS 115O 361. AIME 362. MCKINNON CREEK 363. BOX CAR 364. BRONSON 365. BUCKLAND 366. CULLEN 368. ELDORADO DOME 369. HEFFRING 370. HILCHEY 371. LONE STAR 372. VIOLET 373. BUM 374. DOMINION 375. FAWCETT 376. GOLD RUN 377. HUNKER DOME 378. KLOOK 379. LLOYD & GREEN GULCH 380. MITCHELL 381. PORTLAND
NTS 105C	105D	NTS 105G 134. MAP 135. TOP 136. WATERS 137. BLUEBERRY 138. EAGLE 139. FH (JOE) 140. PICK 141. ZIELINSKI 142. PIT 143. ROB 144. HOO 145. PAY 146. JAKE	NTS 115P 382. MOOSE RIDGE 383. CLEAR CREEK EAST 384. EAST RIDGE 385. EPD (OLIVER CREEK) 386. HOBO 387. JABBERWOCK 388. MAY CREEK 389. SPRAGUE 390. HAWTHORNE 391. JAYBEE
NTS 105D	105E	NTS 105G 134. MAP 135. TOP 136. WATERS 137. BLUEBERRY 138. EAGLE 139. FH (JOE) 140. PICK 141. ZIELINSKI 142. PIT 143. ROB 144. HOO 145. PAY 146. JAKE	NTS 116A 392. IDA 393. RIMROCK 394. GOLD (MIKE, HAMILTON) 395. PHILP 396. STROKER 397. RAMA 398. HART RIVER 399. HOT
47. JUBILEE 48. ARCTIC CARIBOU (BIG THING, PEERLESS) 49. ART 50. CROMWELL 51. JEAN 52. JOE PETTY 53. LULU 54. M and M 55. MILLHAVEN 56. MONTANA 57. MT. STEVENS (MIDNIGHT, HIDDEN) 58. RAILROAD 59. THISTLE 60. URANUS 61. VENUS 62. BECKER COCHRAN 63. BUFFALO HUMP 64. DAIL & FLEMING 65. GLENLIVET 66. GODDELL 67. MASCOT & CHARLESTON 68. MOUNT REID 69. MT. ANDERSON 70. MT. SKUKUM (KUKU) 71. MT. WHEATON 72. PORTER 73. SHAW (RIDGE) 74. SKUKUM 75. TALLY-HO 76. RAM 77. LATER 78. ROSE (SHEEP) 79. PROSE 80. DONKEY 81. GOLD HILL (DAIL CREEK) 82. GOLD REEF 83. IDAHO HILL (UNION MINES) 84. LEGAL TENDER 85. MARSH 86. TONY 87. COMBS 88. GOLCONDA 89. HARNIAK 90. WHITEHORSE COPPER 91. INGRAM 92. BEE 93. CUTOFF 94. ACE 95. ABI	NTS 105G 134. MAP 135. TOP 136. WATERS 137. BLUEBERRY 138. EAGLE 139. FH (JOE) 140. PICK 141. ZIELINSKI 142. PIT 143. ROB 144. HOO 145. PAY 146. JAKE	NTS 116B 400. LEPINE 401. MACLEAN 402. UNEXPECTED 403. VIRGIN 404. WEST DAWSON 405. SILVER CITY 406. SPOTTED FAWN GULCH 407. MARN 408. AJ (O'BRIEN) 409. THOR 410. FIFTEEN MILE	
NTS 105E	105F	NTS 105G 134. MAP 135. TOP 136. WATERS 137. BLUEBERRY 138. EAGLE 139. FH (JOE) 140. PICK 141. ZIELINSKI 142. PIT 143. ROB 144. HOO 145. PAY 146. JAKE	NTS 116C 411. MILLER 412. CONE HILL 413. CASSIAR CREEK 414. ROAL CREEK
97. GEM 98. FLOAT 99. MAYBE 100. SYLVIA 101. CASSIAR BAR 102. SEMENOF	NTS 105G 134. MAP 135. TOP 136. WATERS 137. BLUEBERRY 138. EAGLE 139. FH (JOE) 140. PICK 141. ZIELINSKI 142. PIT 143. ROB 144. HOO 145. PAY 146. JAKE	NTS 116K 415. RUSTY SPRINGS (TERMUENDE)	
NTS 105F	105G	NTS 105G 134. MAP 135. TOP 136. WATERS 137. BLUEBERRY 138. EAGLE 139. FH (JOE) 140. PICK 141. ZIELINSKI 142. PIT 143. ROB 144. HOO 145. PAY 146. JAKE	It is recommended that references to this report be made in the following form
103. GOPHER 104. MICHAGEN-KELLY (MOBS) 105. MM 106. CPA 107. KAY	NTS 105G 134. MAP 135. TOP 136. WATERS 137. BLUEBERRY 138. EAGLE 139. FH (JOE) 140. PICK 141. ZIELINSKI 142. PIT 143. ROB 144. HOO 145. PAY 146. JAKE	NTS 115H 330. HOPKINS (FRANKLIN CREEK) 331. ORLOFF 332. HATCH	
108. GOLCONDA 109. HARNIAK 110. INGRAM 111. KEEFER 112. MARY 113. MASCOT & CHARLESTON 114. MOUNT REID 115. MOUNT SKUKUM 116. MOUNT WHEATON 117. NAR 118. OXO 119. PEGGY 120. PEGGY'S 121. PEGGY'S 122. PEGGY'S 123. PEGGY'S 124. PEGGY'S 125. PEGGY'S 126. PEGGY'S 127. PEGGY'S 128. PEGGY'S 129. PEGGY'S 130. PEGGY'S 131. PEGGY'S 132. PEGGY'S 133. PEGGY'S 134. PEGGY'S 135. PEGGY'S 136. PEGGY'S 137. PEGGY'S 138. PEGGY'S 139. PEGGY'S 140. PEGGY'S 141. PEGGY'S 142. PEGGY'S 143. PEGGY'S 144. PEGGY'S 145. PEGGY'S 146. PEGGY'S 147. PEGGY'S 148. PEGGY'S 149. PEGGY'S 150. PEGGY'S 151. PEGGY'S 152. PEGGY'S 153. PEGGY'S 154. PEGGY'S 155. PEGGY'S 156. PEGGY'S 157. PEGGY'S 158. PEGGY'S 159. PEGGY'S 160. PEGGY'S 161. PEGGY'S 162. MARYLOU (TRAFFIC) 163. PIKE 164. HENCH 165. DRAGON 166. COSTIN 167. ITSI	Morin, J.A. and Downing, D.A. 1984. Gold Silver deposits and occurrences in Yukon Territory. Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada Open File, 12,000,000 scale map with marginal notes and tables.		

recommended that references to this report  
be made in the following form

J.A. and Downing,D A 1984 Gold Silver deposits  
Occurrences in Yukon Territory, Exploration  
Geological Services Division, Yukon, Indian and  
Territorial Affairs Canada Open File, 12,000,000  
map with marginal notes and tables.