

Canada

Yukon Government



Topographic base map produced and printed by the SURVEYS AND MAPPING BRANCH, DEPARTMENT OF MINES AND TECHNICAL SURVEYS, 1961 (from air photographs taken in 1948 and 1957).

Carte topographique établie et imprimée par la DIRECTION DES LEVÉS ET DE LA CARTOGRAPHIE, MINISTÈRE DES MINES ET DES RELEVÉS TECHNIQUES en 1961, d'après les photographies aériennes prises en 1948 et 1957.

SEATTLE CREEK
YUKON TERRITORY

True North
1 07°
3rd Mar 34
Grid North
Magnetic North

Use diagram only to obtain numerical values
APPROXIMATE MEAN DECLINATION 1961
FOR CENTRE OF MAP

Roads / Routes
All weather / Toute saison
Dry weather / Saison sèche
Cart track / Sentier
Trail or portage / Sentier ou portage
Railway, normal gauge, single track / Chemin de fer voie unique, écartement normal
Power transmission line / Ligne de transport d'énergie
Mine or Open cut / Mine ou fosse à ciel ouvert
Horizontal control point with elevation / Point géodés que avec cote
Bench mark, with elevation / Repère de nivellement avec cote
454
BM 157

SCALE 1:50 000 ÉCHELLE

Miles 5 0 1 2 3 Miles
Metres 1000 500 0 1000 2000 3000 4000 Metres
Yards 1000 500 0 1000 2000 3000 4000 Yards

CONTOUR INTERVAL 100 FEET
Elevations in Feet above Mean Sea Level
North American Datum 1927
Transverse Mercator Projection

ÉQUIDISTANCE DES COURBES: 100 PIEDS
Élévations en pieds au-dessus du niveau moyen de la mer
Réseau géodésique nord-américain unifié (1927)
Projection transverse de Mercator

MAGNETIC DECLINATION 33°27' EAST
AT CENTRE OF MAP 1961
Annual change (decrease) 4'

DÉCLINAISON MAGNÉTIQUE AU CENTRE
DE LA FEUILLE EN 1961 : 33°27' EST
Variation annuelle (décroissante) 4'

The nomenclature on this map has not been submitted to the Canadian Board on Geographical Names and may be subject to revision. Information on names is invited by the Surveys and Mapping Branch.

La nomenclature de la présente carte n'a pas été soumise à la Commission canadienne des noms géographiques et, par conséquent, elle pourrait faire l'objet d'une révision. Tous renseignements sur les noms seront bien accueillis par la Direction des levés et de la cartographie.

Building / Bâtiment
School / Ecole
Church / Eglise
Lighthouse / Phare
River with bridge / Rivière avec pont
Stream, intermittent or dry / Cours d'eau intermittent ou sec
Lake, intermittent / reservoir / Lac intermittent / réservoir
Marsh or Swamp / Marais ou marécage
Depression contours / Courbes de cuvette
Bank / Rive
Post Office / Bureau de poste
Cemetery / Cimetière
Ground / Terrain
Rapids / Rapides
Sand / Sable

LEGEND

QUATERNARY

Q_2 Unconsolidated, sand, silt, gravel, clay and organic deposits in modern valley fill (coarse stipple indicates approximate extent of gold placer workings)

Q_1 Unconsolidated sand and/or gravel deposits at elevations higher than alluvium filling modern valleys

LATE CRETACEOUS

Undifferentiated

Kg Fine- to medium-grained equigranular to weakly porphyritic biotite granite (Morrison Creek stock and small unnamed stock on southern edge of map)

Tombstone intrusions

mKg Medium- to coarse-grained, locally porphyritic (locally potassium feldspar megacrystic) biotite-hornblende quartz monzonite (Scheelite Dome stock, 90.4 +/- 2.6 Ma, K-Ar biotite, Kuran et al. 1982)

HANGING WALL OF TOMBSTONE STRAIN ZONE

UPPER PROTEROZOIC - LOWER CAMBRIAN

Hyland Group[1]

PCHn Narchilla Formation[1] : maroon and green phyllite with cm-scale grey-green siltstone laminations,locally calcareous sandstone and pebbly sandstone,and sandy marble/limestone; PCHnc, sandy marble/limestone, locally with limestone-clast breccia,thick enough to show at 1:50 000 scale[2]

PCHy Yusezyu Formation[1] : grey-green phyllite, meta-sandstone and pebbly meta-sandstone and rare sandy marble/limestone; PCHyc, carbonate- and calc-silicate-rich units[2]

WITHIN TOMBSTONE STRAIN ZONE

MISSISSIPPIAN

MkqT Keno Hill quartzite[3]: Finely to coarsely foliated and lineated, light to dark grey, locally mottled vitreous quartzite, subordinate grey, locally carbonaceous phyllite, and rare green-grey phyllite, which may be infolds of older Earn Group

UPPER PROTEROZOIC

Hyland Group

PCHy' Yusezyu Formation: prominently foliated and lineated muscovite-chlorite phyllite, quartzofeldspathic and micaceous psammite, gritty psammite, rare calc-silicate rock and marble;PCHyc' , mappable bands of marble and calc-silicate rock[2]

[1] Yusezyu and Narchilla formations are defined by Gordey and Anderson (1993) based on work in Nahanni map area (105I).

[2] Yusezyu and Narchilla formations are intruded by intermediate to mafic sills and dykes of unknown age that are too small to portray at the scale of mapping.

[3] Keno Hill quartzite is intruded by podiform meta-diorite bodies of probable mid-Triassic age (Mortensen and Thompson, 1990) that are too small to portray at the scale of mapping.

SYMBOLS

Geological contact (defined, approximate)
Limit of outcrop
Fault (defined, approximate, assumed)
Thrust fault (teeth on hanging wall)
Gradational upper boundary of Tombstone Strain Zone
Anticline or antiform
Anticline, overturned
Syncline, overturned
Airphoto lineament
Bedding (upright, overturned, facing unknown)
Tombstone Strain Zone
Location of 1994 samples enumerated in Table 1 (4, 6)
Area of tourmaline alteration and hornfels at 'Black Hill'
Line of cross-section A B
Summer road

MINERAL OCCURRENCES

Yukon Minfile No.		Name	Deposit type
115P 001	◇	JAYBEE	Pb-Zn-Ag vein
115P 002	◇	SEATTLE	Pb-Zn-Ag vein
115P 003	◆	HAWTHORNE	Au-Ag-Sb vein
115P 004	⬡	SCHEELITE DOME	W skarn, intrusion-hosted Au vein
115P 028	✱	SECRET	work target
115P 033	◆	BENNETT	Au vein
115P 048	◑	POTTER	Sn skarn

REFERENCES

BOSTOCK, H.S., 1964. Geology, McQuesten River, Yukon Territory. Geological Survey of Canada, Map 1143A.

EMOND, D.S., 1992. Petrology and geochemistry of tin and tungsten mineralized plutons, McQuesten River region, Central Yukon. In: Yukon Geology Vol. 3, Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, p.167-195.

EMOND, D. and LYNCH, T., 1992. Geology, mineralogy, and geochemistry of tin and tungsten veins, breccias and skarns, McQuesten River region (115P (north) and 105M/13), Yukon. In: Yukon Geology, Vol. 3, Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, p. 133-159.

GORDEY, S.P. and ANDERSON, R.G., 1993. Evolution of the northern Cordilleran miogeocline, Nahanni map area (105I), Yukon and Northwest Territories. Geological Survey of Canada, Memoir 428.
I.N.A.C., 1993. Yukon Minfile. Exploration and Geological Services, Yukon, Indian and Northern Affairs Canada.

KURAN, V.M., GODWIN, C.I., and ARMSTRONG, R.L., 1982. Geology and geochronometry of the Scheelite Dome tungsten-bearing skarn property, Yukon Territory. Canadian Institute of Mining and Metallurgy Bulletin, Volume 75, p. 137-142.

MORTENSEN, J.K. and THOMPSON, R.I., 1990. A U-Pb zircon-baddeleyite age for a differentiated mafic sill in the Ogilvie Mountains, west-central Yukon Territory. In: Radiogenic Age and Isotopic Studies: Report 3, Geological Survey of Canada, Paper 89-2, p. 23-28.

MURPHY, D.C. and HÉON, D., 1994a. Geology and mineral occurrences of Sprague Creek map area (NTS 115P/15), western Selwyn Basin). In: Yukon Exploration and Geology 1993, Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada.

MURPHY, D.C. and HÉON, D., 1994b. Geological map of Sprague Creek map area (NTS 115P/15), Western Selwyn Basin, Yukon. Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, Open-File 1994-3(G), scale 1:50 000.

MURPHY, D.C., HÉON, D., and HUNT, J., 1993a. Geological overview of Clear Creek map area, western Selwyn Basin. In: Yukon Exploration and Geology 1992, Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, p. 61-69.

MURPHY, D.C., HÉON, D., and HUNT, J., 1993b. Geological map of Clear Creek map area, Yukon (NTS 115P/14). Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, Open-File 1993-1(G), scale 1:50 000.

AOKNOWLEDGEMENTS

We would like to acknowledge the help and support of the following people: Gene Lesage and Harman Kiser of Trans North for safe and reliable helicopter transportation; Tom Heah, Steve Coombes, Marny Marchuck and Roger Hulstein of Kennecott Canada for their hospitality, logistical assistance and discussions of the regional geology; Jeffrey Bond of University of Alberta for contributing information on the distribution of sands in Rodin Creek; Al Doherty of Aurum Geological Consultants for discussion of the geology around Scheelite Dome; Stuart Moses of the Nacho Nyak Dun for access to Category B settlement land north of Red Creek and information about road access in the area; Con, Ina Mae, Dan, and Justin Klippert for hospitality, logistical assistance, and discussions about the history, geology and placer occurrences in the southern part of the map area; and Kim Klippert for discussions about his Goodman Creek placer property. Dianne Carruthers and Will Van Randen of the Canada/Yukon Geoscience Office are thanked for their radio support and expediting services. We are most appreciative of Will Van Randen's computer drafting assistance.

Recommended citation:

MURPHY, D.C. and HÉON, D., 1995. Geological map of Seattle Creek map area (NTS 115P/16), western Selwyn Basin, Yukon. Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, Open-File 1995-3 (G), 1:50 000-scale.

This paper accompanies the following report: MURPHY, D.C. and HÉON, D., 1995. Geology and mineral occurrences of Seattle Creek map area (NTS 115P/16), western Selwyn Basin, Yukon. In: Yukon Exploration and Geology 1994, Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, p. 58-72 .

TABLE 1
ASSAY RESULTS

REF#	SAMPLE #	LOCATION	UTM E zone 8	UTM N	DESCRIPTION		SIGNIFICANT RESULTS Au ppb	Ag ppm	Cu ppm	Pb ppm	Zn ppm	Co ppm	Bi ppm	As ppm	Sb ppm	W ppm
		intrusion-hosted:														
1	94DH-17	Scheelite Dome	438811	7074256	-gossanous calcsil hfls w po rich pod // Sp	o/c	2930		457			38	68	6837		598
2	94DM-6b	E of Scheelite Dome	439343	7073304	smoky quartz vein in intrusion			486						575		226
3	94DH-148b	trench west of Secret Ck	450353	7097082	lim vuggy feldspar porphyry/metased breccia	s/c				832	239			306	233	
		wall rock-hosted:														
		veins:														
4	94DH-87a	"Black Hill"	441376	7096970	altered sil psam w/ tourm veinlets and qtz vugs	s/c	6					32		4497	206	
5	94DH-89b	"Black Hill"	441676	7097282	0.5 cm wide qtz tourm (scor asp?) in dark psam	flt	170					31		5688	136	
6	94DH-104a	SC gully	444218	7071667	Thin steep quartz py vein	o/c								196		
7	94DH-104c	SC gully	444129	7071729	quartz and nodular arsenopyrite vein	flt	3715	6.2				48	>10 000	113		
8	94DH-104d	SC gully	444299	7071713	4-6 cm wide quartz-asp-scor vein	o/c	5618					82	>10 000	246		79
9	94DH-155a	W side of Rudolph Gulch	440081	7072582	thin qtz vein w/ sulph blebs, remob along Sc?	flt	1582							4657		
10	94DH-155b	W side of Rudolph Gulch	440081	7072582	asp blebs in qtz veinlets and in selv 1vf1-5cm	flt	30							486		
11	94DH-155c	W side of Rudolph Gulch	440081	7072582	sulph clots along fract and thin qtz vein	flt	82							1325		
12	94DH-165a	W fork of Bennett Ck	446041	7071201	1-2 cm wide qtz-asp vein w/ sulph blebs in selv	flt	175							700		
13	94DH-165b	W fork of Bennett Ck	446053	7071241	asp on fract/vein w/ qtz,act in bleach psam	flt	1340					20	>10 000			230
14	94DM-269a	SC ridge	444489	7071652	thin discordant qtz-asp vein	o/c								7650		
15	94DM-269b	SC ridge	444489	7071652	asp, py in clots in glassy qtz boudin	o/c	30							3350		
		breccias:														
16	94DH-87-88	"Black Hill"	441439	7096856	gos qtz inj + brecciated grit w/ qtz-lined vugs	o/c	41			799		18		8399	149	
17	94DH-89a	"Black Hill"	441535	7097252	angular tourm breccia, psam grit Fx	flt								144	61	
18	94DH-89c	"Black Hill"	441856	7097206	breccia, yellow clay alt Fx, hem matrix	flt	7							1010	94	
19	94DH-91	"Black Hill"	442338	7097106	gossannous sil psam breccia	o/c						65		220	1096	
20	94DH-100a	SC claims	445082	7072022	brecc. qtz vein w/ asp qtz Fx + Mn lim cement	o/c	10							391		
21	94DH-104b	SC gully	444128	7071730	phyll breccia + qtz, small fault	o/c	70							2553		
22	94DH-133	W of North McQuesten river	427438	7078652	brecciated qtz/py/s w euhedral qtz + lim in vugs	o/c		6.6			710			429	17	
23	94DH-140	Saddle N of map-sheet	446259	7097463	limonitic breccia w/ lim-Mn coated vuggy qtz	flt	6			416					28	
24	94DH-149b	NE end of map	447598	7097040	vuggy limonitic breccia w/ Mn coating	flt				594	1141				14	
25	94DM-45a	jctn Seattle/Morrison Cks	445865	7078977	rusty vuggy calc pelite breccia w/ qtz boxwork	flt		60.7		1.63%	1249	62			11	
26	94DM-167	"Black Hill"	441231	7098119	rusty punky breccia	flt	28			329				2606	270	
27	94DM-168	"Black Hill"	441381	7098071	rusty Fe cemented 3 m wide fault breccia		17							3925	793	
		alteration:														
28	94DH-101	SC claims	445724	7071645	bleached psam w/ Mn, lim fracture coating	o/c	33							87		
29	94DM-268	SC claims	444532	7071846	bleached rusty psammite		6							129		
30	94DM-192	S end of map sheet	436880	7069634	gossannous rusty phyllite		21							3568		

o/c: outcrop flt: float s/c: subcrop tr: trench Fx: fragments

Indian and Northern Affairs Canada
Exploration and Geological Services Division
Yukon Region

Open File 1995-3 (G)

Geological map of Seattle Creek area Western Selwyn Basin, Yukon NTS 115 P/16

1:50 000-scale

by
Donald C. Murphy and Danielle Héon
Canada/Yukon Mineral Development Agreement
Geoscience Office

116 A/3	116 A/2	116 A/1
115 P/14 Murphy et al. (1993)	115 P/15 Murphy and Héon (1994)	115 P/16 THIS MAP
115 P/11	115 P/10	115 P/9

Copies of this map, the accompanying report and Yukon Minfile may be purchased from Geoscience Information and Sales, Exploration and Geological Services Division, Indian and Northern Affairs Canada, Room 102-300 Main St. Whitehorse, Yukon Y1A 2B5
Ph. 403-667-3204 Fax 403-667-3198